



2020 CERTIFICATION

Consumer Confidence Report (CCR)

Town of Tchula
Public Water System Name

△ 2 6 0 0 1 6 List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to

the customers, published in a newspaper of local circulation, or provide procedures when distributing the CCR.				
CCR DISTRIBUTION (Che	eck all boxes that apply.)			
INDIRECT DELIVERY METHODS (Affach copy of publication, water	er hill or offier)	DATE ISSUED		
Advertisement in local paper (Attach copy of advertisement)	Holmes Co. Herald			
□ On water bills (Attach copy of bill)				
☐ Email message (Email the message to the address below)				
© Other				
DIRECT DELIVERY METHOD (Attach copy of publication, water bi	ill or other)	DATE ISSUED		
□ Distributed via U. S. Postal Mail				
□ Distributed via E-Mail as a URL (Provide Direct URL):				
□ Distributed via E-Mail as an attachment				
Distributed via E-Mail as text within the body of email message				
🕉 Published in local newspaper (attach copy of published CCR or p	6-3-21			
□ Posted in public places (attach list of locations)				
□ Posted online at the following address (Provide Direct URL):				
I hereby certify that the CCR has been distributed to the custome above and that I used distribution methods allowed by the SDWA. and correct and is consistent with the water quality monitoring dar Water Supply	ers of this public water system in the form a I further certify that the information include ta provided to the PWS officials by the MSI	ed in this CCR is true		
SUBMISSION OPTIONS (S	•			
You must email, fax (not preferred), or mail a co		SDH.		
Mail: (U.S. Postal Service) Email: water.reports@msdh.ms.gov				

MSDH, Bureau of Public Water Supply

P.O. Box 1700

Jackson, MS 39215

Fax: (601) 576-7800

(NOT PREFERRED)

HECEIVED-WATER SUPPLY

2020 Annual Drinking Water Quality Report Town of Tchula PWS#: 260016 May 2021

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Tchula have received moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact General Vann at 662.235.5112. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the second Thursday of the month at 5:30 PM at City Hall.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2020. In cases where monitoring wasn't required in 2020, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contaminants amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS									
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
Inorganic (Contami	inants							
10. Barium	N	2018*	.0051	.00310051	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2018*	1.6	1.5 – 1.6	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposit	

14. Copper	N	2018/20	.1	0	F	ppm	1.3	AL=	1.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride	N	2018*	.118	.106118	þ	pm	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2018/20	1	0	F	ppb		AL=	15 Corrosion of household plumbing systems, erosion of natural deposits	
Sodium	N	2019*	72000	70000 - 7200	00 F	ppb	0		Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.	
Disinfectio				1						
81. HAA5	N	2020	13	No Range	ppb	b 0		60	By-Product of drinking water disinfection.	
82. TTHM [Total trihalomethanes]	N	2020	7.78	78 No Range			0	80	By-product of drinking water chlorination.	
Chlorine	N	2020	1.2	.7 – 1.9	mg/l		0 MR	DL = 4	Water additive used to control microbes	

^{*} Most recent sample. No sample required for 2020.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During June 2019, we did not complete all monitoring or testing for bacteriological and Chlorine contaminants and therefore cannot be sure of the quality of our drinking water during this time. We ere required to take 2 samples and 0 were taken. We have since taken the required samples that showed we are meeting drinking water standards.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Town of Tchula works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PROOF OF PUBLICATION

HOLMES COUNTY HERALD LEXINGTON, MISSISSIPPI

STATE OF MISSISSIPPI, **HOLMES COUNTY**

Personally appeared before me, the undersigned authority, Chancery Clerk of said County and State, Maria M. Edwards, publisher of a public newspaper called the Holmes County Herald established in 1959 and published continuously since that date in said County and State, who, being duly sworn, deposed and said that the notice, of which a true copy is hereto annexed, was published in said paper for _____ time(s), as follows, to wit:

				May						
Viete placed serving we do understand the prostant you've Aquitor	to prepett i less to your affacts we so estormat	to you this ye reery day. On realise to com-	er's Account a consister transity leng- reference on	County Water Prop plud in to provide you man Par visiter braid thomas are the be-	ort. Thus require to write a sorte process (silver Our	ort is design and depend is and protect water search	end to en letter sig of our se i in tour	form you about the ignality water and form you about the want you to the recovering. We see commented water recovering from the Upper Water water Creating from the Upper Water	od 55 55 55 55 55 55 55 55 55 55 55 55 55	
The source was supply to identify the identification from these productions careful.	for essession by potential furnished to go in terms	ere has been touries of a four patie, w of tournettal	n dominista orderendo other applies My to corda	to our public with n. A report contains and is available for mention.	or system to ng forested upo observed upo	determine effection of interpret T	the over it have t	of recognitive of an evening water to executable determination with for the Tomina Tetrals have received		
I you have any continues in the head on the same	mentions a adjusted a ret District	load the repo	of the state of the state of the	ring your walls take you want to bear out if at City fluit.	ly promo ci es (savor):	relact Geren et ave all grey	s time	of 602 215 5112, the number out only guidable accommonly moveledge. They are	rd ra	
the number of the control of the balls indicate in some linear, southful or the control of the c	refer to one of money for money to a comparis the work of a comparis to a comparis the appearance of a comparis to a comparis the according to a comparis the comparis the according to a comparison and a comparison according to a comparison accord	distribution of street of the	your division for period of As weller in and lands are in classification of the control of the c	to water Mrzychog to Commency 17 to Door posts over the surface to anotherway or risk, that may book or the may book to another sed most to do not give proche and storm water so y prochade of extend to which have be not y drive. I DA preciati or weathing bottled or member that the pro-	Tentered are modes of 1". If find or modes are modes are modes are modes are and are for product for product for product are	of Districtions, 2003 in Case or Case	The tell set when I denote the I denote the tell set when I denote the I deno	the better being at all the through within the monthing award in upon at a 2000 feet refunded conting primaries and a single feet and a single conting primaries and of all mentals for flower actively, regular, properly, systems, a goodward in words and the single conting and a single conting in the month of the single conting in the month of the single conting in the single conting and a single conting in the single conting and a single conting in the single conting and in the single conting and the single conting the single the single conting the single the single conting the single the single conting the single conting the single conting the single conting the single conting the single conting the sing		
In the rate has	will live to www.deleni	and pound to	tel aldress	more you might not	be lamble	we to no	C PRI D	con constant two sees of/s		2
								Credits which a name agricum transl	VOI (U) NO THE /	<u>/</u>
Morrow Core	theme by the	MCLOS on to	I - Du C	g Po Best available t	bear and the	president	Contraction of	o I Dat is altrocal to device a segler	day of JUNE 202	4
Microsoph Physics	of Distribute	and I would state	TO THE	history 1	o Don You Look	Service City	mang.	who takes should say quibe so has	day of, 202	7
ALC: UNIVERSITY	U.C. SALDE			Com Owner and				da f. Pera na tarabis was we desperson;		
Participate patrion	ponjur Mi	en inspect to a	an inches of	o pull per o dian p	de la combili	in other pa	or lets y	enam estigle (ever, in \$10 ft).		
Ports per Lebon (rob) of Lies	agrama por la	سا مدر ح	i i pari bilitiri compupi	dally by Line 1	runcib #12,0	00 jv= ((a a simple (e-kry e) \$10,000,000	day of, 202	1
				TEST RES	SULTS				Vol , No the	
Compressing	Skriste	Cathested	Detroite	6 of Samples Dozening	Linear pa	RECK CO.	r.c.	t hely Schotz of Certamoution	· · · · · · · · · · · · · · · · · · ·	
inorganic	Contan	dinants	100	NCL ACLARD					day of, 202	1
12 Setur	N.	27187	Dec.	3031 - 2001	thes	1	- 7	Dacharge of ording waters		
11 Overnum		2010	14	13-12	1	100.4		discharge him metal reframes	Vol , No the	
14. Cropper	-	301630	-	9	bear. heep	1.5	100	Discharge from about and puty male, emission of national controlly	VOI 140 tile	_
					-	1	7113	Concessed Sometrust particing systems, soldier of called deposits, marking tren would	day of	_
M. Pharete	I N	2514	110	106 - 118	1100	4		Petervalues Cristin of colors deposits until 2020es efect provides strong tect. Displays both factors	day of, 202	1
17. Lead	N	2010/26	,		ten	0		Section of the first fundamental planetes of the section of the se	Vol No the	
Dodum	N	2019	2,7983	7000Q - 77000	110	0				
-	1		I		1			Plant Set, Year Treatment Chemical Water Settlemen and Sewage Ethodol	day of	1
Disinfectio	n By-Pı	oducts						-		
BI HAAS BI TIM	100	5020 1	95000	e starge pp		0	60 B	Frohat of dry king water	1/10 1/10	2
PEntal	*	and 1	78 .	e Carps 10			NO 01	product of coverag water currents	Marcillentensek	2
District Control	H	2020 V.	,	-12 -19		E MER	-4 W	mer printing used to covery	Publisher	
· Mari extent a sequ			2020	The Ext					1 delistici	
				ofic between o	o a months	hadi Bresi			100000	
ntelber or not our rod Chicarne quata	divising we return an	tur mets fo. Derekse ca	ared be our	nds. During June 20 s of the quality of pu	TO WE GO !	of complete live Gave to	at mon	odar monitoring are an indicator of forming or feeding for besterningstar the are insulated to take 2 earnyless stands.	Witness my hand and seal at Lexington, Mississippi	this
propert, olympic	levels of te-	ed can make	tenanted an	ally security and a property of	et ble Presti	ng arreing w	after site	edende.		แแร
primarily tops in righ trially divisit	allerials and g water, bu	surred per	attocking	with service times a ofy of engineering year	and frame (a	unding. Our	woter e	priem is responsible for providing	the 30 day of Dulle	2021
Crowning of Month	a concesse als believe	d afford heat	of the bear with	sponure by Bustony i w, pino stay which to b	one your ma	30 serverals t nor restord in	tematic	fee before uning water his dreading in on lead in chindren water techniq	Charles I with Allenda I I	.02 (
								ng chikhen. Lead in draking water yrtem is respressive for proving in your redder has been a timing be the before somy wear to draking in oil had in draking wears souling reasons. We before on at these lead trating. Please plants.	Chancery C	Clerk
to program or disease. It is not the second or portion.	er proc or et kard an	e tudined to a organic char of amounts o	elected (pr much and s d torse pre	Commutate by substitute of the per- terminate. The per-	more but a to Al done toler of co	m faturally o del water in facilities in	chidney on not	or non-mails. There substances belief were may examined to water from the Europe to the Marketon from the Europe to the Europe t	by aminique bullocks	D.C.
									- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
yalem (Seorgius,)	r sendergio cene objects	receive to an og stamotion and educte	rest, perso	M storaing water to no white heavy sonder traderly of risk from	on the gener your organ effections.)	er population franquisets from pangar	Simmus SHIDAR SHIDAR	with MOVAUDE of other sources	15.51N words time(s) Amount \$ 100.0	2