## 2021 CERTIFICATION

Consumer Confidence Report (CCR)

2022 MAY 17

Central YAzoo Water Association Inc PRINT Public Water System Name 082004, 0820029, 0820030, 0820031, 0820033 List PWS ID#s for all Community Water Systems included in this CCR

COR DIOTRIPLITION	1.00	
	(Check all boxes that apply)	
INDIRECT DELIVERY METHODS (Attach copy of public		DATE ISSUED
Advertisement in local paper (Attach copy of advertisement	nt)	4/27/2022
□ On water bill (Attach copy of bill)		. ,
□ Email message (Email the message to the address below)		
□ Other (Describe:		
DIRECT DELIVERY METHOD (Attach copy of publication	on, water bill or other)	DATE ISSUED
□ Distributed via U.S. Postal Service		
□ Distributed via E-mail as a URL  (Provide direct URL):	· · · · · · · · · · · · · · · · · · ·	
□ Distributed via Email as an attachment		
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	message	
	CR or proof of publication)	4/27/2027
□ Posted in public places (attach list of locations or list here)		
Posted online at the following address (Provide direct URL): www.centralyezoowate	r. Com	5/5/2022
CER	RTIFICATION	
I hereby certify that the Consumer Confidence Report (CCR) the appropriate distribution method(s) based on population so is correct and consistent with the water quality monitoring dat of Federal Regulations (CFR) Title 40, Part 141.151 – 155.	erved. Furthermore, I certify that the information ta for sampling performed and fulfills all CCR rec	contained in the report quirements of the Code
Name (auto)	Office Manager	5/5/2022 Date
		Dale
	IONS (Select one method ONLY)	
You must email or mail a copy of the CCR. Cer	uncation, and associated proof of deli u of Public Water Supply	very methodish to
Mail: (U.S. Postal Service)	Email: water reports@msdh.ms.c	NOV.
MSDH, Bureau of Public Water Supply	Lindi. water reports with our inst	101

P.O. Box 1700 Jackson, MS 39215

## 2021 Annual Drinking Water Quality Report

Central Yazoo Water Association, Inc.

RECEIVED

PWS#: 0820004, 0820029, 0820030, 0820031 & 082003 SDH-WATER SUPPLY April 2022

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality 25ter and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand and the Meridian Upper Wilcox Aquifer.

If you have any questions about this report or concerning your water utility, please contact Mike Laborde at 662.746.7531. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the regular meetings scheduled for the second Monday of each month at 5:00 PM at the main office located at 37 Witherspoon Road, Yazoo City, MS 39194.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Central Yazoo Water Association, Inc. have received lower to moderate susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2021. In cases where monitoring wasn't required in 2021, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS#:082								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2020*	.0075	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2020*	2.7	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	,,1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

16. Fluoride	N	2019*	6.11	.103 – 6.11	ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20	* 1	0	ppb		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	75000	74000 - 75000	ppb		0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfectio	n By-l	Products	S						
81. HAA5	N	2017*	14	No Range	ppb	0			y-Product of drinking water isinfection.
82. TTHM [Total trihalomethanes]	N	2019*	16.8	No Range	ppb	0			y-product of drinking water hlorination.
Chlorine	N	2021	1.3	1 – 1.8	mg/l	0	MDRL		Vater additive used to control nicrobes

<sup>\*</sup> Most recent sample. No sample required for 2021

PWS#:0820	0029		r	TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contam	inants						
10. Barium	N	2019*	.038	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*	<b>48</b>	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	.558	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	78000	No Range	ppb	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	n By-Pr	oducts						
81. HAA5	N	2016*	6	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2016*	7.7	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2021	1.4	.8 – 2	mg/l	0	MDRL =	Water additive used to control microbes

\* Most recent sample. No sample required for 2021.

PWS#:0820	0030		r	TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	Contam	inants						
10. Barium	N	2021	<sub>*</sub> 0013	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

14. Copper	N	2018/20*	21	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2021	.124	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	110000	82000 - 110000	ppb	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	n By-I	Products						
81. HAA5	N	2021	46.9	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2021	60	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2021	1.4	.7 – 1.8	mg/l	0	MDRL = 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2021.

PWS#:082	0031				TEST RES	ULTS					
Contaminant	Violation Y/N	Date Collecte	ed	Level Detected	Range of Detect or # of Samples Exceeding MCL/ACL		ure-	MCLG	MCL	-	Likely Source of Contamination
Inorganic (	Contan	inants									
10. Barium	N	2019*		.012	No Range	ppm		2		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*		4.1	No Range	ppb		100	1	00	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*		.8	0	ppm		1.3	AL=	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*		1.12	No Range	ppm		4		4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*		1	0	ppb		0	AL=	15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*		250000	No Range	ppb		0		0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	n By-P	roducts	5								
81. HAA5	N	2017*	91*		lo Range	ppb		0	60		r-Product of drinking water sinfection.
82. TTHM [Total trihalomethanes]	N	2017*	117	7* N	lo Range	ppb		0	80		r-product of drinking water lorination.
Chlorine	N	2021	1.5	1	-2	mg/l		0 MD	RL = 4		ater additive used to control crobes

<sup>\*</sup> Most recent sample. No sample required for 2021

PWS#:0820	033			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination

10. Barium	N	2019*	.0142	No Range	ppm	2		Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits
13. Chromium	N	2019*	33.1	No Range	ppb	100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.2	0	ppm	1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2018/20*	2	0	ppb	C	AL=1	<ul> <li>Corrosion of household plumbing systems, erosion of natural deposits</li> </ul>
Sodium	N	2019*	73000	No Range	ppb	C		Road Salt, Water Treatment     Chemicals, Water Softeners and     Sewage Effluents.
Disinfection	n By-l	Products						
Chlorine	N	2021 1	.4	.6 - 2	mg/l	0 MI		Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2021.

Disinfection By-Products:

We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

Central Yazoo Water Association (PWS ID 0820004, 0820029, 0820030, 0820031, 0820033), no longer adds fluoride to the drinking water system. Consult with your dentist, regarding this change with your water supply. They may propose additional supplements and suggest different treatment schedules. If you have children (starting at 6 months of age), their dentist may have alternative treatment suggestion to ensure the proper development of teeth as they grow. Be sure to talk to your dentist about in-office fluoride applications or dietary supplements. These necessary treatments may come at an increase cost.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Central Yazoo Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

<sup>(81)</sup> Haloacetic Acids (HAA5). Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of cancer (82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems

with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

## PROOF OF PUBLICATION OF NOTICE The State of Mississippi County of YAZOO

Personally appeared before me, the undersigned Notary Public in and for the County and State aforesaid JAMIE PATTERSON, who being by me first duly sworn state on oath, that she is PUBLISHER of the YAZOO HERALD, a newspaper published in the City of Yazoo City, State and County aforesaid, and that the publication of the notice, a copy of which is hereto attached, has been made in said paper / times as follows:

, ,			cara papo	
Vol. No. 150 Number 47 Dated 04/27, 20 22	Vol. No Number Dated			
, 20				
Vol. No Number, 20	Vol. No Number Dated			
Vol. No Number Dated, 20	Vol. No Number Dated			
Vol. No Number Dated, 20	Vol. No Number Dated		_	
Affiant further states that sa next prior to the first publication	id newspaper has ation of said notice	been estab e.	olished for at	least twelve month
(Signed) Gatus Tation Jamie Patterson Publisher	terson			
Sworn to and subscribed be	fore me, this	day of _	Mzy	, 20 22
(Signed)	1	No.	was	
Sheila D. Triimn Notary Publi	3	OF M	115 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8	
Legal Number 96 Inches		POSES PRODUCT	RIMM-YOUNG	
Words 6x16 mn			lon Expires	
Time		الله عنه ا	1, 2024	
Amount of legal \$ 960 -		7<00°	coun	
Proof of Publication \$ 3 -		****	***	

Total Amount \$ 963 -

## 2021 Annual Drinking Water Quality Report Central Yazoo Water Association, Inc.

Write pleased to prevent to you the year's Annual Questy Waser Report. This report is descripted to reference you should the quality restrict an understand the provide you with a safe and depreciate supply of desident years. We want you to understand the or confined you need to confine the window to be trained (goods you will not confined by many to confine the provider and the provider of your water insection. We are consilhed to material the quality of your water. Our water security is the provider that the provider is not the provider that the provider is not the provider that the provider is not better than the provider that the provider is not the provider that the provider that the provider is not the provider that the provi

I you have any questions about this report or concerning your valor LTR, planse contact Mile Libergie at (NO 746,7531. We wind our valved subconstruction to be informed about their water URBy. If you want to bean more, plause altered his regular meetings scheduled for the second december month of 500 PM at the main office because at 37 Williercook Rood, Yearror Chy, AIS 39164.

The source water assessment has been completed for our public water system is determine the owned suitedatably of by dening water upper to indiffy potential sources of contamination, A report contains a latest information on two the several-billy determined were made as a feest introduced to our public value system and its analysis for indifferent section. The water of the central factor Water system, but in the contamination of the contamination

We recordly models for confirmment in your disolarly writer according to Solard later. This node below has sit of the brisking enconcernment that we described delicity the period of forcern yill be handled \$15°, 20°C. In cases, where producing waster sequenced to be a consistent of the period of forcern yill be handled \$15°°C. In cases, where producing we man it is not as soon and the solard later than the consistent of the period of forcer yill be a consistent of the period of forcer yill be a consistent of the period of forcer yill be a consistent of the period of the

John Fersy - the constantication of a conf

iziman Kesah di Ossafledari Loval (NHEDL) — The highest tover of a disolectivit a disolectant is necessary to control mendical contambasits

Maximum reached Distribution toward Goal (MIXXX of — The level of a probably water characteristic teach with Company to the control of the plants to the plants

earn per texas (go) or Altergrams per the even pertion billion consistence to an master in 7,000 years, or a wije porty in \$10,000 000

10 Brain | N | 2020" FEST RESULTS MCLC Likely Some of Continue debri Orthorge of delling wastes, discharge from Judia editories, propies of material deposits

saucobes		$\overline{}$	-	- 2		120%	×	CHARACA
Wilder and Water address uned to control	A COUNT		na di	4	-			Commendent Sport (CO.)
By product of drawn water characters.	8	Q	36	No Range	8	2021	z	GO, FTHM (Total
daylotine	8		dylp	No Range	67.9	2021	Z	ST HUAS
	1000					roducis	By-P	Disinfection By-Products
Road Saft Water Treatment and Chevicals, Water Colonies and Selving Efficients		٥	Ado	82000-*10000	110000	2010	2	Sodium
Operation of bounded physics of systems, mosters of redictal deposits.	ALE15		phy	0	0	2018/20*	z	17, Lead
Erosion of mills of deposits, water additive which promose strong leath, the hard water will be administrated and administrative control of the control of t		<u> </u>	ppm	No Range	124	9021	2	16, Fluorida
1.3 AL = 1.5 Command of proceding planting systems; anation of related depocits; leading from wood protestythes.	<u>4</u>	9	пся	0		2018/201	Z	14 Copper

PWS#:0820031	0031 (Volumo)	Dalic	Leval	TEST RESULTS	SUB	Nicre	EQ.	Lawy Source of Contomination
	12		Delected	MCI/WCI Emmeding	-			
Inorganic Contaminants	Contain	ipants						
10 Bazum	z	20102	.912	No Range	ELC SE		14	10
13, Chromiuni	×	2010"	Ġ	No Ranga	рыв		ğ	00 100
14 Саяры	2	V218124	te	ū	ppm		5	13 M-13
15 Fluorida	-	2019	1 12	No Range	ppm			
17 Lead	×	2011/20	10	0	700	-	٥	@ AL×15
Sodium	z	2010	25,000	No Range	P	-	0	0
Disinfection By-Products	on By-P	roducts						
8t HAAS	2	2017	.16	No Rarigo	144	0		60 ByProduct of danking widow distribution
Total Thatasiftered	и	2017"	117"	No Puriça	200			-
Chlorine	Z	2021	1,5	1-2	100		MON	MORL = 4 Water and one meet to constro

"Most receil sample, No sample required for 2021

Likely Source of Corter	102	MOTO HOT	2.3	Range of Detects or 3 of Samples	langle l	Dale	Visition (Inc.)	Contaminate Victorion Con	-1.
			LTS	TEST RESULTS			20033	PWS#:082003	

Cliorino 14	COLUMN TO THE PARTY OF THE PART	87 THUE IN	81 HAA5 18	Disinfection By-Products	Some	17 Leads N	16. Flateride N
1202		2010	2017*	roducts	2010	2010/00	2010*
ū		16.8	14		75500	-	
1-15		No Party	No Parign		74000 75000	ó	103-511
ngar		P.	100		ppb	0540	1000
D. Maria	n MANN	0 9	0		0	0	
Indicates.	Make without that to control	by product of duriding water	distribution desired water		Road Sat Water Resiment     Resulted Water Bottoners and     Gewang Ethapits	61.00	-

	э.	
	2.	
	40	
	6	
	ż	
	ż	
	Ė	
	Ė	
	ġ	
	i	
	i	
	i i	
	DATE:	
	i ding	
	District Control	
	DIM C	
	Die of	
	STATE OF	
	STATE OF	
	State of	
	DOMEST OF	
	STANDOW S	
	DOMEST 2	
	At Applicat	
	TOTAL PROPERTY.	
	ALCOHOL:	
	NA ADMITT	
	DAY ANDROS	
	DAY ANDRES	
	DAY ANDRES	
	STATE AND ARTE	
0.00 to 11 to 10 t	TOTAL COMPANY	
	TENE COMME	
	PRINCE, SUBSTITE	
The County of th	STREET, STREET,	
The Court of the C	THE COURT	
100 Care Care Care Care Care Care Care Care	THE SOUTH	
	CAMPAC ANDREAS	
	STATISTICS STORYED	
	SERVING SUBSECT	
7.15 A. C.	STATISTIC COUNTY	
	present or ment	
	Character conductor)	
	Treatment of the latest	
	District Selected in	
	Character Actions of	
	of negative conducts	
	Character Action of the	
	DOMESTIC STREET, TO	
	polyperspectual polypers	
TOTAL STATE OF THE PARTY OF THE	TOTAL STREET, STREET, SOLD STREET, STR	
CONTRACTOR OF THE PROPERTY OF	DOMESTIC SPEEDS NOT THE	
CONTRACTOR	Total parameter of district	
CONTRACTOR OF THE PROPERTY OF	Transport Sales and Asset A	
1115 7. The Table 11 Inches Inc	To and parameter of children	
1112 TO 12 T	Transfer salitation of the Tr	
1115 7. The Control of the Control o	OF SOLDERSTON, SCHOOL	
1100 ACCOUNT OF THE PARTY OF TH	TOP AND DESCRIPTION OF THE PARTY.	

Acontract Acontract	D.W.24:0270	OLOW RESIDENCE	"Most rece may be No amade regard for 2021	Children (Children)	MATT OF	87 HAAS	Disinfection By-Products	Sodium	17. tend	18, Fluoride	14 Сорраг	/t 13. Chromwan	10. Badurii	Inorganic Contaminants	Contaments	PW/S#:0820029
	NU. Kapron	1030	of the same	z	2	Z	By-Pr	Z	Z	z	Z	Z	7.	ontami	Victorion	129
	Calcalled		is required for	200	2011	20141	oducts	2018	2011/201	2019	201870*	2019	2019	nants	Date	
	Diseased		12027	2	7.7	0		10000	N,	558	М	8	038		Dataclasi	_
	Made at Descrit medical medical	TEST RESULTS		∞ ≈	No Ravje	No Page		No Runge	o	No Ranga	0	No Range	12: Famps		Raige of Datest's or if of Samples Exceeding MCL/ACL	TEST RESULTS
	Manual Park	LIS		000	the part	grid	i	ppb	ppb	ppm	ppm	ppi)	ppm		Meature	LTS
	100		ì	0	0	0		0	٥		ū	100	N.		200.00	1
	163			4000 -	00	00		0	AL=15		ALeta	19	10	45	100.0	_
	( Azi) Spanse of Conferenceions			Water eddings seed to control relations	Sygnotics disking water observation	Total District of District Motor		Road Saft, Water Treatment and Chemicals, Water Schemen and Service Efficients	Contestor of humanish play the of systems, ecotors of reduced carpoids	Environ of natural deposits, when additive which promotes their or health, discharge from fertilized and plumphum factive is	Contribute of household plantiery applicant, economic of rathers' deposits, leaching from wood preservatives.	male, entern of natural deposits	discharge from treets references, associate of material descounts		ONE CONTRACTOR OF THE PROPERTY	Sec. of Continues of the

	The Central Yau on protect on th	Service people in persons with or specime through their first hand their first hand	All sources of the cap Let relevate to competed to compete the total process of Bealth 1 Agrange's Safe II.	Ceptra Yazoo system (Somo official teatro ensure the pro ropplements. T	Il possepot, alternated beauts of their care common in primarily floor producible and components high quality flooring values. This carried con- tracting flooring values that carried con- tractions flooring values are con- tractional flooring values. The short and primarily producible values that of 1,50% 1782 II you wish to there your motion of 1,50% 1782 II you wish to there your motion.	We are regarded to modular your thinking water to whether or but our divising easier much health showed no coldium practic. It am officit to expen- entative prior to the end of the complainors period.	We're proud that yeth distinct wares meets or ex- that some conformation's pure tiers delected by:	Afost recent sample	Disinfection By-Products	(course	W, Lead	14 Copper	S. Charles	10 Barlura	Inorganic	
	on Willer	or be the east under a seem of h care pro	with a program the orders of the second the second the second	o Water Ass tulk will year more schools these recen	ad bouts of pudentials and wider, and common steps y of common of	as monter ser diretan em passeus the end of	your device	cample No sea	n By-I	z	2	z	z	2	Contar	-
	Anapciation, I	Application of the control of the co	per tropper per per tropper per per per per per per per per per per per per	ociation (PV death), rog part of the part of the	This can are the composite to composite the profession of the profession of the composite the profession of the composite the profession of the composite th	your chanking sures and an official to the complaint.	og scares men celters: dele	No sample required for 2021  (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	roducts	2610*	2018/20*	2015/20*	2010	2019"	Contaminants	
	nc. works at the heart of	o contame aberapy, pe anti-cas he cibic guide se transitie	Part of the state	os ap apzon de chadron de chadron de chadron	The second secon	water for a t. manify the to eligible it is period	ds or excess	for 2021	1	73000	1.0	, ks	10.1	9149		
	The Central Varion White Association, Inc. works severed the close to provide the quality water to every top on provide our winter sources, which are the head of our constraintly, was warp or the and our children's labor	with a demand we be a demand of the particular o	contamination by all sublimation set ecotorimates. T maces and potent 1991	y Association (PVZS ID 0020064 0020029, 012000), hyper dealth, regarding the charge, with you want should be a three charges (destring of the program should be been as they good the same as recommenty a malessame rates come at an acceptation).	beath; problems, a but with service of marily of material of exposure by the miss, you may see writer exposure take Depailment	estin contanti estent. We del estens contido	eads all Federal and State responsive. We have learned through our even the EPA has determined that your make its SAFE at those levels	Alexi meeni zampla või zample ruquired (n. 1921) najahotus 20 Protonii. 30 Hilmore Arab (1962). Soot purply sha dish soot continuing lumine in reason si Ox V. M. Hilmore Arab (1962). Soot purply sha dish soot continuing lumine in reason si Ox V. M. Hilmore Arab (1962). Soot purply sha dish soot continuing continuing the first phase reason of 1962. 31 July 1962 and 1962 a	6	No Range	0	0	No Parge	No Range		LICL/ACI
	mean of the pu	atte than the or allongers on the means to b for Hulding 1-20	substituces that bettecent All of the prospers of as beauth effect	AGOND BENDERS	especially for one sees and house is used in plant bug year top to in to have year in available of seeding Puts	uds on a month complete the m all mosalcong o	State required that M	And getting course	100	900	ppu	ppm	900	ppin		-
	hty water k	an Variable Through	obay natus obay natus on lautau can be o	They may aw deathed dented a	Opport won dambing and composite from 0 trans 1	ly Lank, Pa codorny is codemistric	of soles to	ता थी पिट स्था मार्च	g Mb	0	0	ş	100	N		
	en's future	A Company of the Comp	a control	no longer locycle a locycle a locycl	And Angles of An	C MSSSH of 10	SAFE at I	MCI great	MDRL - 4 W	0	AL=15	AL=13	100	14		
	The Central Vacoo When Association, the works arread the close to provide their quality water to every lap. We eak that all our obtainen help on grower serverim wowers, which are the heart of was community, as warry of this and our challent's fallare.	Send design may be those without the forcementation of editory paths from the prevail applications internal comprehensed perspects with the many comprehensed perspects with chance understand paths and the many perspects with chance understanding produced by large understanding produces with profit file or dates many as produced between the profit of editions many and perspect to the destruction of the profit of editions many the profit of editions and the profit of editions are profit of editions.	As actions of shabity pates are series to present accomplished by ministryess flag are presently counting or man reads. These stitlisheds are like incodes, he species are consistent accomplished and all individual distances. All individual matters possible states, not in one presentable, the properties of continuous codes of excessibly scales and in the series accomplished accomplished and properties of continuous codes of excessibly scales and in what codes of excessibly scales are in the series of excessibly scales and in the properties of continuous codes of excessibly scales and for examining the financiary of the financiary of the series of excessibly scales and the excessibility of the financiary of	Centra Yazos Wieter Association (NYCS DO 000004, 022007), 30(0000, 020001, 020001), orbitally included parties of the Central Barkins of	If you per destruct thouse of their care create autocontensit, producer, expectedly to propose account any pump product, text is of striking water in pump produced and consistency of the production of the produ	We are replaced to modular your threaking violant for specular continues that are largerly clean, foreign of expose modelings are an expected of all completes the modelines, foreign extensions are an expected or threat parties, and other parties of the produce of the parties	We're phad thei ythir thriting wave meets or exceets all Fedoria and State onspiralization. We'r tene learned through our municing and bedag that local continuation have been directed byween. The EPA has differented that your water its SAFE at these levids.	est a section of the level than year any here in testented that of causes the executions is successed the MCL year many years may experience problems that of primary causes.	Water additive used to control macroson	Road See Water Treatment Chemique, Water Softeners Servery Effluents	Community of hoped and plantiery systems, excesses of satural depotals	Operation of hypothetic planting systems; evolute of private deposits; leading team wood properations;	Objectings from wheel and puly male, segment of natural deposits	Oschope is dileguación. Sociación hon malai reference especies el natura deposita		
	Monters help	the manufacture of the color of	d Sunsylvan	Angles of the state of the stat	rdesing water to be providing to be providing for their be decking g water, bestup judden or st Planne contact	egileg that egileg that by minus	and being	nespies n	2	eners and	Congressed	secod framework	d poly	diam'r.		