2021 CERTIFICATION

Consumer Confidence Report (CCR)



O'tac Kolofa Water Assa PRINT Public Water System Name

CSIO∞ S

List PWS ID #s for all Community Water Systems included in this CCR

CCR DISTRIBUTION (Check all boxes that apply)	
INDIRECT DELIVERY METHODS (Attach copy of publication, water bill or other)	DATE ISSUED
Advertisement in local paper (Attach copy of advertisement)	9, June, 2022
□ On water bill (Attach copy of bill)	1,0000
□ Email message (Email the message to the address below)	
□ Other (Describe:	
DIRECT DELIVERY METHOD (Attach copy of publication, water bill or other)	DATE ISSUED
□ Distributed via U.S. Postal Service	
□ Distributed via E-mail as a URL (Provide direct URL):	
□ Distributed via Email as an attachment	
□ Distributed via Email as text within the body of email message	
□ Published in local newspaper (attach copy of published CCR or proof of publication)	
□ Posted in public places (attach list of locations or list here)	
□ Posted online at the following address (Provide direct URL):	
CERTIFICATION I hereby certify that the Consumer Confidence Report (CCR) has been prepared and distributed to its custome the appropriate distribution method(s) based on population served. Furthermore, I certify that the information of is correct and consistent with the water quality monitoring data for sampling performed and fulfills all CCR required for Federal Regulations (CFR) Title 40, Part 141.151 – 155. Approximate Appr	contained in the report
	Date
You must email or mail a copy of the CCR, Certification, and associated proof of deliver the MSDLL Purpose of Public Water Second	ery method(s) to
the MSDH, Bureau of Public Water Supply. Mail: (U.S. Postal Service) Email: water.reports@msdh.ms.g MSDH, Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215	<u>ov</u>

2021 Annual Drinking Water Quality Report O'Tuckolofa Water Association PWS#: 810008 May 2022

RECEIVED
MSDH-WATER SUPPLY
2022 MAY 31 AM 9: 10

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is purchased from the City of Water Valley that has wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Water Valley have received higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact James Harry Womble at 662.607.2857. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meeting scheduled meeting for Thursday, August 18, 2022 at 7:00 PM at Yalobusha Farm Bureau Building.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2021. In cases where monitoring wasn't required in 2021, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2019*	.0223	.01640223	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*	1	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits

14. Copper	N	2021	0	0	pp	m	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	1.03	.478 – 1.03	ppi	m	4	2	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2021	0	0	ppl	b	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	6100	4800 - 6100	PP	В	0	(Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	_	_							
81. HAA5	N	2021	1.95	No Range	ppb	0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2021	9.06	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2021	.7	.5 – .9	mg/l	0	MD	RL = 4	Water additive used to control

^{*} Most recent sample. No sample required for 2021.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the CITY OF WATER VALLEY is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6-1.2 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.2 ppm was 58%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The O'Tuckolofa Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PROOF OF PUBLICATION

State of Mississippi Yalobusha County

that advertisement, of which a copy as printed is annexed, was published in said David Howell, who stated on oath that he Mississippi Nerald, a public newspaper tion in the City of Water Valley, said consecutive Botore me, BETTY K. SHEARER, Notery Public of said County, this day came is the Editor and Publisher of the North County and State, and made oath further weeks in its tasues numbered and dated publishing and having a general circulaas follows, to-wit: newspaper for

YOU BY NO. BY SWEET SHEET OF JUNE ROZZ 30 20 20 10 10 10 ō Dated the Dated the No. Oshed the Sained the NO. No. Vol. 10% 3

Editor and Publisher North Mikeiselppi Horald

223 Sworn to and subsoribed before me, dity of Long 30 E

Water Valley, Yalobusha County, Miesjasippi Mississan D # 18982 ODALISHA Commission Engles

MSDH-MAER SIPPLY

We're plassed to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water a services we deliver to you away day. Our constant goal is b provide you with a sale and dependable supply of draking water. We want you understand the efforts we make to continually improve the water treatment function and protect our water resources. We are committed ensuring the quality of your water. Our water source is purchased from the City of Water Valley that has wafe drawing from the Manidian Upp Wilcox Aquifer.

The source water assassment has been completed for our public water system to determine the overall attemptibility of its drinking white supply to identified potential sources of contaminations. A report containing detailed informetion on how the autoropibility determinations wer made has been turnished to our public water system and is available for viewing upon request. The wells for the City of Water Valley hav received higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact, James Hary Womble at 682,807,2857. We want veiled customers to be informed about their water utility. If you want to learn more, please attend fre meeting scheduled meeting for Thurst August 18, 2022 at 7:00 PM at Yalobusha Farm Bureau Building.

Transfers the very containments in your dinking water according to Federal and State laws. This table netrow lists all of the distance that the very containments in your dinking water according to Federal and State laws. This table netrow is that the very contained as a state of the distance and training water travels over 10 to surface of land or adoption. It distances naturally occurring in a containment and according to the promotive of minutes of from his parameter of minutes or from his parameter. As infinitely of the minutes are appropriately according to the promotive of minutes and as agriculture, under some very containments from the promotive or according to result from urban mont, industrial, or domestic waterwater discharges, oil and gas production, mining, or farming; posticides and herbitides, which are because and a service containments, which can be naturally occurring or result from urban forms and aeptic systems, education is no by-conducted industrial processes and particular production and can also on allow and according waters, and according water to the processes and particular and according an according water to the processes and particular and according to the processes and particular and can also on one also or selection and can also on overlead by public vator systems. All dindust water, including balancy, may be inscreably according to processes and particular according to a processes of processes. All dindust water, including polities of minutes in the processes and particular and according to a processes of minutes to some and on according to a processes of processes of processes and particular and according water, including water, including balancy are according to a processes of processes and particular and according to an according to a processes of the processes and particular and according to a processes of the processes and particular and according to an according to the processes of the processes of the processes and particular and according to the processes of the processes

In this table you will find provided the following defit

Liaximum Contaminent Level (MCL) - The Waximum Allowed' (MCL) is Xie highest level of a contamin MCLs are set as close to the MCLGs as tensible using the best available treatment lecturology.

ximun Contaminant Level Goal (MCLG). The 'Goal'(MCLG) is the level expected risk to health, MCLGs allow for a margin of safety.

wistmum Residual Disinfectant Lavol (MRDL) - The highest lavel of a disinfectant allowed in dri addition of a disinfectant is necessary to control microbial confaminants.

Mevinum Residual Disinfectant Level Graf (MRDLG) — The level of a dinking water diamfectant below which there is no known or exp. risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to confrol microbial confaminants.

(арлт) or Milligrams per liter (augh) - one part per million corresponds to one minute in two years or a single penny in \$10,000, ppb) or Micrograms per iller- one part par billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

(ppb) or Micrograms per liter- one part par billion

	MCLG MCL Likely Source of Contemination		2 Discharge of drifting wastes; discharge from metal refinerles; ecoelon of natural daposits	100 Discharge from steel and pulp mills, erosion of natural doposits	1.3 AL=1.3 Corresion of household plumbing apptents; ecesion of natural obposite; leaching from wood pressivatives	Erosion of natural deposits: water additive witch pornotes strong teeth; decharge from fertilizer and aluminum faciones	AL=16 Corrasion of household plumbing systems, erosion of natural deposits	0 Road Saft, Water Treatment Chemicals, Water Softeners and Sowage Effluents.		0 60 8y-Preduct of drinking water disinfection.	By-product of drinking water chlorington.	0 MDRL = 4 Water iddilive used to control
LIS	Unit Measure -ment		undd	qdd	ppm	шфф	qdd	9dd				
TEST RESULTS	Rangu of Detects or # of Samples Exceeding MCL/ACL		01640723	No Range	0	478 1.03	0	4800 - 6100		No Range ppb	No Range ppb	Ngm 6 - 5
	Level	No.	0223	-	0	1,03	0	6100		1.95 N	90'6	t-
	Date Collected	finants	2019*	2019°	2021	2019"	2021	2019*	oducts	2021	2021 9	2021
	Violation	ontan	z	Z	z	z	z	z	By-Pr	Z	2	2
	Contaminant	inorganic Contaminants	10. Barium	13. Chromium	14. Copper	16 Fluoride	17 Lead	Sodium	Disinfection By-Products	81. HAA5	82, TTHM [Total tribalomethaneal	Chlorine

d to manitor your drinking water for specific our drinking water meets health standards. We are required whether or not o If present, alevated levels or lead can cause serious health problems, especially for pregisent women and young children. Lead in off water is primarly from materials and components associated with service lines and name plumbing. Our water system is responsible providing high quality dictions water, his cannot control the variety of materials used in plumbing components. When your water has alting for serveral hours, you can multimate the potential for lead exprosure by flusting your tap for 3d seconds to 2, minutes before using for dinking or cooking. If you are concerned about lead in your valer, you may wish to have your water these for inclination in bad in drift, life and any any appropriate of the property of the seconds of the second of the seconds of the second of the seconds of the seconds of the seconds of the seconds of the second of the seconds of the second of the seconds of the

compty with the "Regulation Governing Fluoridation of Community Water Supplies", the CITY CF WATER VALLEY is required to represents partialities to fluoridation of our water system. The number of months in the previous calendar year, in which average fluoring were within the optimal range of 0.6-1.2 ppm was 8. The percentage of fluoride samples collected in the previous calendar years within the optimal range of 0.6-1.2 ppm was 58%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances the information or man made and adjoin the information of the information of the information and information about contaminants and potential health effects can be obtained by calling the Environmental Prott Agency's Safe Drinking Water Hottine at 1,800,426,4781.

Some people may be more vulnerable to contaminate in drinking water than the general population. Immuno-compromised persons such persons with cancer undergoing characteristics, persons who have undergone organ transplants, people with HIVAIDS or other immunosystem discorders, about and finalistic and personal personal may be a personal persona

usition, Inc. works around the clock to provide top quality water to every tap. We ch are the heart of our community, our way of life and our children's furture.