# Certification

RECEIVED
MSDH-WATER SUPPLY Water systems serving 10,000 or more must use: Distribution Method I 2023 JUN -5 AM 8: 56 Water systems serving 500 - 9,999 must use: Distribution Method I OR Distribution Method II, III, and IV Water system serving less than 500 people must use: Distribution Method I OR Distribution Method II, III, and IV OR Distribution Method III and IV OFFICE USE ONLY Public Water Supply name(s): 7-digit Public Water Supply ID #(s): 130015, 130016, 130017, 130023 Distribution (Methods used to distribute CCR to our customers) □ I. CCR directly delivered using one or more method below: □ \*Provided direct Web address to customer \*Add direct Web address (URL) here: ☐ Hand delivered □ Mail paper copy Example: "The current CCR is available at □ Email www.waterworld.org/ccrMay2023/0830001.pdf. call (000) 000-0000 for paper copy". **II.** Published the complete CCR in the local Date(s) published: newspaper. Daily Times leader MIII. Inform customers the CCR will not be mailed but is available upon request. List method(s) used (examples – newspaper, water Location distributed: bills, newsletter, etc.). XIV. Post the complete CCR continuously at the local water office. Locations posted: "Good Faith Effort" in other public buildings with the water system service area (i.e. City Hall, Public Library, etc.) Silvan Water Office Certification This Community public water system confirms it has distributed its Consumer Confidence Report (CCR) to its customers and the appropriate notices of availability have been given and that the information contained in its CCR is correct and consistent with the compliance monitoring data previously submitted to the MS State Department of Health, Bureau of Public Water Supply and the requirements of the CCR rule. Name: seer In Harpole Office Managor Submittal Email the following required items to water.reports@msdh.ms.gov regardless of distribution methods used. 1. CCR (Water Quality Report) 2. Certification 3. Proof of delivery method(s)

# Siloam Water 2022 Drinking Water Quality Report

Is my water safe?	Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and
	Mississippi State Department of Health drinking water attacks at the drinking water
	Mississippi State Department of Health drinking water standards. This report is a snapshot of last
	years water quality. Included are details about where your water comes from, what it contains and
	how it compares to standards set by regulatory agencies. We are committed to providing the best
	information about the quality of your drinking water.
Do I need to take	Some people may be more vulnorable to conteminants in 1:1:1:
special precautions?	Some people may be more vulnerable to contaminants in drinking water than the general
productions.	i i as persons such as persons with cancer indergoing
	chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other
	immune system disorders, some elderly and infants can be particularly at risk for infections.
	These people should seek advice about drinking water from their health care providers.
	EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of
	infection by microbial contaminants are available from the Safe Drinking Water Hotline at
	1-800-426-4791
Where does my	
	Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.
water come from?	
Source water	Our source water assessment is available on request.
assessment and its	a source water assessment is available of request.
availability:	
. vanasincy.	
Why are there	Drinking water, including bottled water, may reasonably be expected to contain at least small
ontaminants in my	amounts of some contaminants. The presence of contaminants does not necessarily indicate that
lrinking water?	water poses a health risk. More information should contaminants does not necessarily indicate that
<b>5</b>	water poses a health risk. More information about contaminants and potential health effects can
	be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791
	1-000-420-4751
low can I get	Our board members meet the 2 <sup>nd</sup> Monday of every month at 5:00 pm at the Siloam Water Office.
nvolved?	Our annual meeting is the 1 <sup>st</sup> Monday in April. The exact time and place will be printed on your
	water hill. This is a very important mosting and we encourse all 1
	water bill. This is a very important meeting and we encourage all of our members to attend.
ontact Information	Harvey Cummings - Certified Operator
	P.O. Box 224 West Point, Ms 39773
	Phone 662-494-1852 fax 662-494-8903
	. Harra del 101 1002 lan 002-454-0503

### CHLORINE

Well	PWS ID#	MCLG	MCL	Vaus Materi	ī. ———	r			
Beasley I/Beasley II			IVICL	Your Water	Low	High		Sample Date	Violation
			4	1.20	1.20		1.40	2022	N
Gates/Griffith	130015	4	4	1.30	1.20		1.40	2022	
Pine Bluff	130017	4	4	1.20				LULL	
Una/Muldon	130023	1			1.20		1.20	2022	N
Typical Source : Wat			4	1.40	1.20		1.40	2022	N

Typical Source: Water additive used to control microbes. There is convincing evidence that addition of a disenfectant is necessary for control of microbial contaminants.

# NITRATE/NITRATE

Well	PWS ID#	MCLG	MCL	Your Water	Violeties	To
Beasley I/Beasley II					Violation	Sample Date
		10	10	0.1	No	Jan-22
Gates/Griffith	130015	10	10	0.1	No	Jan-22
Pine Bluff	130017	10	10		No	
Una/Muldon	130023	10	10			Jan-22
Typical Source: Burn		- 10	10	0.1	No	Jan-22

Typical Source: Runoff from fertilizer use; leaching from septic tanks and sewage. Erosion of natural deposits.

### **LEAD**

Well	PWS ID#	MCLG	MCL	Your Water	Violation	Icama In D. I
Beasley I/Beasley II						Sample Date
beasiey I/beasiey II	130016	0	15	0.001	No	2021
Gates/Griffith	130015	0	15			
Pine Bluff	130017	0		0.000		2021
	130017	U	15	0.005	No	2021
Una/Muldon	130023	0	15	0.003	No	2021
Typical Source: Corre	ocion of hou	ا الماما		4.000	110	2021

Typical Source: Corrosion of household plumbling systems. Erosion of natural deposits.

## COPPER

PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date
130016	1.3				2021
130015	1.3		5.20		2021
130017	1.3				2021
130023	1.3		5.20		2021
֡	130016 130015 130017	130016 1.3 130015 1.3 130017 1.3	130016 1.3 1.3 130015 1.3 1.3 130017 1.3 1.3	130016     1.3     1.3     0.20       130015     1.3     1.3     0.20       130017     1.3     1.3     0.20	130016 1.3 1.3 0.20 No 130015 1.3 1.3 0.20 No 130017 1.3 1.3 0.20 No

Typical Source: Corrosion of household plumbing systems. Erosion of natural deposits.

## SODIUM

Well	PWS ID#	MCL	Your Water	Violation	Sample Date
Beasley I/Beasley II	130016	250,000	141,000	No	2021
Gates/Griffith	130015	250,000		No	2021
Pine Bluff	130017	250,000		No	2021
Una/Muldon	130023			No	2021
Typical Source: Road	salt, water	treatment c			2021
water softeners and			,		

# URANIUM

Well-	PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date
Beasley I/Beasley II	130016	5				
				0.05	No	May-21
Pine Bluff	130017	5	5	0.05	No	May-21
Gates/Griffith	130015	5	5	0.05	No	May-21
Una/Muldon	130023	5	5	0.05		
Typical Source: Eros	ion of natura	denocite		0.00	140	May-21

Additional	If present, elevated levels of lead can cause serious health problems, especially
information on lead	for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap water for 30 seconds to 2 minutes before using water for drinking and cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safeater/lead The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Term	Definition
PPM	parts per million, or milligrams per liter (mg/l)
PPB	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Lev	e The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs as
	feasible using the best available treatment technology
MCLG-Maximum Contaminant	The level of a contaminant in drinking water below which
Level Goal	there is no known or expected risk to health. MCLGs
	allow for a margin of safety
	A required process intended to reduce the level of a
	contaminant in drinking water
TT- Treatment Technique	The concentration of a contaminant which, if exceeded,
	contaminant in drinking water
AL- Action Level	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
	system must follow
MRDLG- Maximum Residual	The level of a drinking water disinfectant below which
Disinfectant Level Goal	there is no known or expected risk to health. MCLGs
	do not reflect the benefits of the use of disinfectants to
	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfectant Level	water. There is convincing evidence that addition of a
	disinfectant is necessary for control of microbial
	contaminants.





Sports again at U.S. Amateur Four-Bati golf event



YARBER After these things

# DAILY TIMES LEADER

WEEKEND EDITION, May 27-28, 2023

dellytimes,eader.com | > @dileader | | flacebook.com/dilbusiness | 759



On Thursday June 1, the Farmers Market will return for its 2023 edition for many vencors to self their homogrown produce and goods. (Photo from West Point Life Farshook page, for Daily Times Leader)

# West Point Farmers Market starts on Thursday

By GAL BROWN
Daily Turnes, Leades

The West Point Farmers Market has become a highly auricipared summer word, and the 2022 edition to right around for many vendors to sell their homograms. What makes the West Point Farmers Market in nor a 2023 edition for many vendors to sell their homograms and produce and growds.

Finity, vegetables, homemade jams, jeller, and adds se work be the only things to will be the end pt things to will be the end pt things to will be the farmers and produced by the local vendor sould also have baled togods and homemade arts and exalts. "My fixurely part of the Farmers Market you can call the formers of the farmers and produced by the local vendor will also have baled togods and homemade arts and exalts. "My fixurely part of the Farmers Market you can call the formers of the farmers and the farmers and produced by the local vendor town by the farmers of the farmers and produced by the local vendor at the farmers and produced by the local vendor at formation about being a vendor at formers of the farmers and the farmers and the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the local vendor of the farmers and produced by the farmers and produced by the farmers

# Early planting has state's corn crop looking strong

By BONNIE COBLENIZ

MSU Extension Service

Misdisappi corn producers got off to an early start and have endoged mild spring weather in 2023, advantages that gove this year's carps a good start.

The USDA National Agricultural Startistic Service endimates Allishistippi producers laterated to plant 700,000 acres of corn, up 21 percent from the 500,000 ocross-planted in 2022.

Tom acreage was lower latt year, segmented that as of May 21, 98% of Mississippi Startistic allowers seeking to misintain crop rotation system cycled time acregate back to corn softer 27% listed in 67%.

Erick Laram, grain crops agointomist with the Mississippi Startistic Planten and normal rainfall in April allowed the crops to get a slightly arrly start.

Mississippi's primary limitations for the corner of the corner

# Pomb and Circumstance

WPHS, Oak Hill, Hebron send seniors into the real world

By CAL BROWN Daily Times Leader

Day times Looder
As the school year cromes
to a clone, high reliend seniors across the community
ture domand their cape and
growns and their cape and
growns and their cape and
growns are considered their
ciplomas. The control of their
ciplomas are considered their
ciplomas are considered to the
chapter and the end of one
chapter and the beginning of an
inex one.

The their fellow tendoater,
Jamesha Fana of Vest Point
High School has long acunt
end the day she would walk
across the stage and receive
ther diploma. Now that it has
happened, die feels a sense
of delight.

"It feels an surreal, It's
day Ive always dreamed
about J was kind of nervous
shourt ft. but I'm glad made
it, Ferra said.

As for what is next for
Fean, sile will attend Eav
Mississipp Community
College to be a ungled
technologist, and she hoppe
a more was Genepia after.

As the Irolo back on the
past four years. Fear nouched
on some of Her most fendes!

existic issue basic not use past four years. Fear incuded on some of her most fondest measured on fingh school.

When I first took the human A&J. I thought I was going to fail it. Ibut I ended up passing the data and even liking It. Fear sild. I also enjoyed out prom. L'Eurysting we went on, and also enjoyed out prom. L'Eurysting was just accessere.

As the counselor at Oak Hill Academy, Stephanie Stroudlias the priviley of guiding many OHA student through their accesseries. Stroud list her priviley of guiding many OHA student through their accesseries, the proposed of guiding many OHA student through their accesseries. The proposed for the priviley of guiding many OHA student through their accesseries, and the priviley of guiding many OHA student through their accesseries of guiding many OHA student through their past fail to the priviley of guiding many OHA student through their accesseries. The proposed for guiding many OHA student through the priviley of guiding many OHA student through the priviley of guiding many OHA student through the other priviley of guiding through the guiding through throu

See CORN | Page 2 | See SENIORS | Page 2

# **NEIGHBOR**





AJ Jones is this week's selection for Know Your Neighb

# AJ Jones loves his community


# Memorial Day program set for Tuesday at City Hall

OTL Staff Report program at Chy Hall on 580 remember the brave men and Commerce Street on Tuesday, women who made the ultimate sacrifice for our country. All are hold its annual Memorian Day. The program will honor and welcome to attend.

81 56

Subscribe loday and follow your community news from anywhere.

6 10499 02013



Mesospipi's com crop is benefitting from timely rains and moderate temperatures. This young com was grow May 15, 2023 at Mississepp State University's Rig. Foil Filant Science Research Center in Starkedle. IPhoto by Kindson Moderation Starkedle. IPhoto by Kindson Moderation Starkedle.

to my water sale?

Where tiers my water same from?

Sherry eater enteranted and its audiatology

First POPA POPA

Siloam Water 2022 Drinking Water Quality Report

Late year, as in year piet, year has ware mit or u.h. Eur content theorem (Agren), differ the Missesson lates the present of the destruction have present estimates. This model as a ready of a larger water configuration to exclude part must be bodied where year are confined them, when year was a firm is described in configuration. The present properties that are constructed by presenting the less intermation appeal for cold for the pre-civile

Sort groups may be many sharping to promit another memory, where the flat private positions in the same price recognised in the private state of the price of the

newing where not, but y butted every, may recovery for regarded to certain of least a total powerful it some consensure. The presence of extended body of colorate for extend the return powers of vertices and per electrical colorate region and are placed to electrical colorate to the following of the other powerful intercept Advances Safe Density (Agree Helling to 1984) and the colorate of the co

Our boot in annoyed menting that Mannayar each prison as bod per steep deman make force, the annual presting in the test Montage below. The operating post plant and the private for your regard bit the standard interests the standard of the community and of our removes to stand.

interest MEM MEMORY states (see a Memory MEMORY), excepting shore a line program and in the legal seem in critically from critical seed outcomers associated and service for seal and in the legal seed of the

Convenier comes in your Sickness with their case from the Eurain Groot and Richard Adultion

Cut marks and a supposed of bullions in our or

Contact Information Harvey Commands - Common Operator (C), Since 2014 West Parties and 2017)
Frame 6517-570-1652 but of p-434-5435

proprieta, e reputate te impli

e economia amusi el emitre data Comerç Vacio medios se a Manesconi Save Departe en el Haute Podi el traste Lancesco de Comercia II dobo CENT e plus estres hacturos sucha tector

CORN
From page 1

These series benefited from numerous rains, and we assert the form numerous rains, and we have seeked as so carlier to admit a work of an above find a shoot find an innormal. The area said, we often we higher than every find the count for the most part, so that means we should have higher than every find allowed area producers to the wast majority of the finish planting all the corn unique to the wast majority of the finish planting all the corn unique to the world be ideal.

The built of our crop is about a work of the card planting window to make a serve to middle the corn plant to dispersion of the server, we often the server, we often the server to be insight through the corn plant to dispersion of the finish planting all the corn unique tassed would be ideal.

Siloam Water 2022 Drinking Water Quality Report

owing the state's crop to be rell maintained up to this

weit inaufrance up to this point in the season, Will Maples, Exten-sion agricultural economist, soid fertilizer prices, which decreased from the record highs of 2022 made corn a nore attractive crop to plant this year. "Currently, the U.S. is

projected to produce a re-cord 15.3 billion bushels of corn, which is putting downward pressure on prices," Maples said. USDA projects the na-ritional asserting from a

tional average farm price to be \$4.80 per builded compared to the \$6.60 per builded average price

per bushel average price of 2022.

"Overall demand is expected to be higher this year, with exports recovering due to lower prices," he said.

Any weather issues dur-

Any weather issues during the summer months can add volatility to the marker. "Producers need to re-view their marketing plans and ensure they have a plan in place to capture any weather rally in the market," Monthe and Maples said,

### SENIOR rom page 1

in scholarships word, which

As the Oak Hill gradu-ates move to the next big chapter of their lives, Strond

decimer to the next big chapter of their lives, Strond wishes them the best of luck. It wish them all good luck in everything that they chose to do, 'Strond said. The going to miss them. They were my favorite class.' When talking about what it means to graduate and how it feels, Ilchron's Wyart Lathan says he feels happy but said at the same time. "It's very rehesing hut at the same time it's almost said knowing you won't ever see some of the people you grow up your whole like with,' Lathan said, When Lalking about

up your whole life with," Luthum said,
When talking about some of his favorine memories in high school. Latham mentioned his time playing spore.
"I would have to us your favorite memories from high school were held putting hall, whether the properties was football or brobball," Latham saide. The memories made out on the football field are hard in heart and its hard lenowing I won't ever be out there again."


It is summer, he plans on working he force acceptance.

working before attending EMCC in the fall to study industrial maintenance

His advice to under-classmen: just only the time you have.

"Make the most of what

you're given and don't waste opportunities," Latham said.



#### **CALENDAR OF EVENTS** COMMUNITY ANNOUNCEMENT POLICIES

All Community Amountements are published as a com-All Community Annumements are published as a com-munity service on a final-come, inclusive seasor and as-space allows, Annumements must be 60 words or loss, written in complete seneroces and submitted in writing at-least five any prior to the recursted oftens of miliciation. No annumements will be taken over the fatherbore. Ac-ceptance of your enconcernments is no guirance that your annumement will must. The editor or serves the right to review annumements, To submit annumements, email never bearing the community of the community of the com-tinuous annumements.

#### ONGOING

ONGUINE

◆ Byrtist Curver Center - Golden Triangle in Columbus and Societable is more offering PREE. PSA secretings for mar. This is a simple list test for men what are app. 60 or odder, have no previous bittery of plottate curver and have had NO PSA. Also test performed in the past cutter and mondus. The secretings will be offered at Dapids Projections Office at 30 S Carver Des. Stackville from 1230 per to 23-19 prin on Sept. 16, Nov. 18 and Jan. 20, 2023 and at the Buydist Chancer Center in Columbus 13-48 Buyans Blut, from 832 and 130 May 18, 19, On. 23 and 23-48 Buyans Blut, from 832 and 130 May 18, 19, On. 23 and Dev. 16. No appointment necessary for more information and the supple of the superior of the same setting Video and 162-244-673 and alselet origins 1

◆ West Phina Lauchson Christian Cubit is some setting Video and 162-257-2003, Brut Mission at 662-275-8653.

### **WORSHIP EVENTS**

CHURCH ANNOUNCEMENT POLICIES

All Courth Agrount month are published as a community sends on a francement are served basis and as space allows, sends on a francement from the served basis and as space allows, demonstrations must obtain a worlding at least live days prior to the reconstell daises of published his No announcements will be sended to the published Acceptance of your announcement is an ejuvarentee that you announcement will run. The editor receives the right to federa announcements, it is submitted announcements, email to a federal published acceptancements, email to a federal published acceptancements, email to a federal published acceptancements.

#### ONGOING

ONGOING

• Lighthwase's Gateway of Hope for Women and Children

• Lighthwase's Gateway of Hope for Women and Children

Loude Tel. Namine Berry's long work the St. Manthrav's Temple

COGIC Chedring Chactevill agent and is multiple to all in need

of chedring. Louceta at St. Matthrave Temple COGIC on 294

5th Street in Wort Paint, MS Everything is free. We are growled
ing during in mran, waters, and children in need. The mission

rill open from 10 am. unit 21 par. overy literally. Weldenshy

and Friday. The mission is so units in transforming watersof level

hereby they can be confident, and well informing in a rading their

leve. We are providing high in dark places. If you here any quisi
note, place call (462) (94-0252) or 16c0 518-1221.

The Daily Times Leader publishes letters to the editor. All kerers must be signed. No letter will be published wishout the unne of the author. The Daily Times Leader reserves the right to reque to publish any letter. Lettero, editorish, columnia, and eartons do not reflect the stance of the Daily Times Leader need to the stance.

# DAILY TIMES LEADER

Danny P. Smith, Sports Editor	tpateStakuladeZpatas.com
Robbie Faulk Sours Facerby	An earner
Cal Brown, Begons	exmodate fel enthrope;
Accelymental bard Ad Sules	parMapy historica
Keis Compil, Art Strins	
Verma Lecoura, thoch Sans Romania	
Wil Bare Contin-Clercy	- Serial data registraria
Acting Bors Experience Co	occident Brian Metropers con
Vinei Hoken Goney Course Sales Grad	ennendelselselsten et
Confedence Resources	American State de Carlo Louis co

MODIFICATION OF THE PROPERTY O	a dov	If the second of	William	belum safa, es lizensed fracerond chorensed	eraturauri	troud their	ier expecte of a conten	ed retrie That in	les?	L IMPLOS TO MISTER
Indicate Automotive Control and Indicate Control an	rates rates rates a dro ci ref	lament to consumate Safety Aregument of a conference of the confer	eg mater ed cross writter withthe	Departura es lizendes Fracebord Éscresso	on the entire disposition in anount our l	er de el	ting valer	15-241 in	EV	L BYOK GS Fig Water
Consideration (Consideration Consideration C	ratos ratos ratos ratos a dro ci ref	of a prilating	WT-27), I	racetore fracetore facetore	araburany l	er de el	ting valer	15-241 in	EV	ng water
The feature of translate of tra	rator me ter a divi	of a contention of a contention on marting only water of the ect the bores is at	Wilter	CHEEFSHE	and mark	n d n	lung væler		-	u6 #8.51
IT- Seatment Translation Translation Al- For Congress Al- Action Level Translation Transla	a divi	ef a more full with more full king within the plan ent the borre size	v.7:ch, r	constant						
Translation All-Action Level Bit Company B	a divi	ef a more full with more full king within the plan ent the borre size	v.7:ch, r	constant						
All-Action Level Pro concern MEDICA-Misserum Pro front in the flave dual VIII.60 No. This direction Level Cost MINI-Misserum Pro Lance Misserum Pro Lance Misse	a cry	king water details act the bor entre	tist no		treat arappet	mest c				
AUTOCO-Mesenum Energian Energian Energian MADIC-Mesenum MADIC-Mesenum Energian Energ	a cry	king water details act the bor entre	tist no		ary-triamen.				_	_
Centicul Eniode Tast Lensi Coat MASS - Massimum Residual Eniode Status CHARGENS ANS ANS ANS ANS ANS ANS ANS ANS ANS A	et ren	ect the bar estate	EN USE	-						
Ethiotectust Lensi Case State	et ren	ect the bar estate	I'M use		Detro is the base	CAPE DE	and selection of the	OF REAL PROPERTY.	125	_
CHILDRANG CHILDRANG UNDOC-MARKEUM Disconstruct Least CHILDRANG RES PALLOR	Resgi			al time Set	Dare to ment	i more	To of Assets	Service .	mu.	
USDC-Marinum Residual Dissortant Level  CHILDRING ROS  PALEDR  PALEDR	e e e	777777			CITO (O COMPAN		NAME OF	THE IS.		
Residual Indiadótos Disinfratas Lessi  CALGORNE ROS PALLOS	lengi uli a	Transcription of the last								
Residual Indiadótos Disinfratas Lessi  CALGORNE ROS PALLOS	ul a		County of	TOTAL PROPERTY.	was Property	-		_	_	_
CHLORNE his Mills		tion landant a suite	*****	Committee of	and the same	QUIE!	a Season			
AND MILES	_	-	-		CONTRACTOR	1477	AL.			
AND MILES			_	_		_	_	_	_	_
		- CANADA	9			_				_
	- 111	ac Mac	The	mar I	Gar I	127	Te	HOUSE C	in Is	Oracles.
Sender (Scance ) 1550)	III	4	6.	129	130	-	165		1027	100.00
Servicine 1000		-	4	1.30	129	-	1421		N21	_
Peatlist 1200		1	42	139		-	155			_
950 V.Attr 1550			-		1,38	_			100	
				1.49	1,55		142	- 1	1177	
Special Science: Witter and their steel	DEC	mix mouther, Tru	N-SERVICE AND ADDRESS OF	motted kin	South Wat 25	2141	-			
(Cathering to receive from	601	if microbial contain	11372	- 0.00		-111				
WITH ATECUTOR ATT	-		_	_					_	
	_	1000	-	_			_			
		2,514	144		TAIRBUT		Vatacae		1270	12(1)
	6618			- 14		21		860		:33
	10015		4	15		0.1		far		307
Firm Staff 10	6017	12		10		E.1		601	_	- 21%
	0000			- 11		81	_	144	_	
I good force Purel has better	70.1	LUBBANCO MA	a backer		-		1000	NU.	_	Jiv
LIAD	-0		0.000	and the said	10000	14.5	12.23	_		
	_		16%		CATRON		Videor.		Timble.	
Series Series 12	Oly			- 11		5.001		first		57
	06:5		4	13		1000		tal		- 17
	0017			- 2		1003		Part	_	- 30
Unit Mutalia 1 13	0011			14		(0)		the	_	\$0
gas fore facultationed	44	native metaves. For	M 10.17	4 10 mg (let)	Vati			-74	-	- 49
COPPER					777	_	_	_	_	_
nd Prints	_	MALE:	TM:	_		_				
					See Higher		Negar.		14000	
	3014			1.3		929		144		- 30
	3015			1.5		4.22		tie	_	- 10
	SQLT			12		420		to	_	10
Pa Vultur 13	5073	1.3		+1		8.50	_	46	_	37
pocal Source Compress of Augustia	100	THE PAYMENT FOR	5 to 17 s	at entran	99		_	-71	_	- 60
SOCIALISE	_		_		_	-		_	_	_
les Proces		MIL	SIE	-	_	-		_	_	
111111						_	NA.ES			
	XIII.	230100		\$41.000				14:	_	
	7913	259 (8)		177.000				(2)		200
	017			135.000				fet		203
TG/Mother 13	(QX	250-003		\$5,100				No.		200
gotted Schools Albeit and sector bear	Serie.	THE ROPERT	Tares.	AUCTORIALITY	of property	_		-	_	
PALAMATAN				-	_			_	_	_
No. Prince	-	100.0	10	_	Section 2	-		-	-	_
	Ø18		154		Tax Kilder		Agracian.		Seret.	
				- 5		C\$5		Di.		Mary.
	ATT:			. 5		44.2		-ta		Mary
area Grana (2)	010			- 5	-	:45		Tie		V37-1
	071			3.1	-	E-801		101		320 Z
extr form transferances	120					-	_			-
			_			_		_	_	_
								_		_

SERVICE FROM SERVICE TO 05/15 ACCOUNT NO. 505006200 SERVICE ADDRESS METER READINGS PREVIOUS USED GUERENT 696700 696700 CHARGE FOR SERVICES 25.00 25.00 NET DUE >>> 5.00 SAVE THIS >> 30.00 GROSS DUE >>

RETURN THIS STUB WITH PAYMENT TO:

SILOAM WATER ASSOCIATION P.O. BOX 224 WEST POINT, MS 39773

PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 26 WEST POINT, MS

PAY NET AMOUNT ON OR BEFORE OUE DATE NET AMOUNT 25.00 CCREPORT IN- CLOSED JUNE	O6/15/2023  SAVE THIS 5.00  OFFICE BY ROS	PAY GROSS AMOUNT AFTER DUE DATE GROSS AMOUNT 30.00
CHOOL		

RETURN SERVICE REQUESTED

505006200