Certification

Water systems serving 10,000 or more must use: Distribution Method I	225 - 11 20 (PH 2: 27
Water systems serving 500 - 9,999 must use: Distribution Method I OR Distribution Method II, III, and IV	
Water system serving less than 500 people must use: Distribution Method I OR Distribution Method II, III, and IV OR Distribution Method III and IV	OFFICE USE ONLY
Public Water Supply name(s): TOWN OF RALEIGH WATER DEPARTMENT	7-digit Public Water Supply ID #(s):
Distribution (Methods used to distribute CCR to ou	
☐ I. CCR directly delivered using one or more method b ☐ *Provided direct Web address to customer ☐ Hand delivered	*Add direct Web address (URL) here:
☐ Mail paper copy ☐ Email	Example: "The current CCR is available at www.waterworld.org/ccrMay2023/0830001.pdf. call (000) 000-0000 for paper copy".
II. Published the complete CCR in the local newspaper.	Date(s) published: 5-31-23
☐ III. Inform customers the CCR will not be mailed but is available upon request. List method(s) used (examples – newspaper, water bills, newsletter, etc.).	Date(s) notified: Location distributed:
□ IV. Post the complete CCR continuously at the	Date:
local water office. "Good Faith Effort" in other public buildings with the water system service area (i.e. City Hall, Public Library, etc.)	Locations posted:
Certification	(000) (- 11 - 11 - 11 - 11 - 11 - 11 - 11 -
This Community public water system confirms it has distributed and the appropriate notices of availability have been given and to consistent with the compliance monitoring data previously submit Public Water Supply and the requirements of the CCR rule.	hat the information contained in its CCR is collect and litted to the MS State Department of Health, Bureau of
Name: Edwinw Danders	Title: Date: Date: 6-1-23
Submittal /	y regardless of distribution methods used
Email the following required items to water.reports@msdh.ms.go 1. CCR (Water Quality Report) 2. Certification	tion 3. Proof of delivery method(s)

2022 Annual Drinking Water Quality Report Town of Raleigh PWS#: 0650008 May 2023

RECEIVED MSDH-WATER SUPPLY 2023 JUN 13 PM 2: 16

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Contact & Meeting Information

If you have any questions about this report or concerning your water utility, please contact Angela Pickering at 601.782.4672. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 5:30 PM at the Town Hall at 150 Main Street., Raleigh, MS.

Source of Water

Our water source is from wells drawing from the Sparta Sand Aquifer. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Raleigh have received lower susceptibility rankings to contamination.

Period Covered by Report

We routinely monitor for contaminants in your drinking water according to federal and state laws. This report is based on results of our monitoring period of January 1st to December 31st, 2022. In cases where monitoring wasn't required in 2022, the table reflects the most recent testing done in accordance with the laws, rules, and regulations.

As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

Terms and Abbreviations

In the table you may find unfamiliar terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

<u>Maximum Contaminant Level (MCL)</u>: The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

<u>Maximum Contaminant Level Goal (MCLG)</u>: The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Residual Disinfectant Level (MRDL)</u>: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u>: The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per billion (ppb) or micrograms per liter: one part by weight of analyte to 1 billion parts by weight of the water sample.

Parts per million (ppm) or Milligrams per liter (mg/l): one part by weight of analyte to 1 million parts by weight of the water sample.

Picocuries per liter (pCi/L): picocuries per liter is a measure of the radioactivity in water.

				TEST R	20027			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Radioacti	ve Con	tamina	nts					
6. Radium 226 Radium 228	N	2019*	.13 .7	No Range	pCi/L	0	5	Erosion of natural deposits
Inorganio	: Conta	minant	ts					
10. Barium	N	2022	.001	.0006001	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2018/20*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits leaching from wood preservatives
16. Fluoride	N	2022	₋ 166	a163166	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfecti	ion By-	Produc	cts					
81. HAA5	N	2022	4.15	3.99 – 4.15	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2022	5.27	2.93 – 5.27	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2022	1.9	-7-3.3	mg/l	0	MRDL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2022.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

LEAD INFORMATION

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

VIOLATIONS

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected, however the EPA has determined that your water IS SAFE at these levels.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man-made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Town of Raleigh works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

22 Annual Priniding Water Quality Report
Town of Ralaigh
PWS#: 0e50008
May 2023 Wors paramual Quality Water Report. This report is designed to inform you about the quality water and server constant goal is to provide you with a pale and dependable supply of drinking water. We want you to configurally improve the water treatment process and protect our water resources. We and the same here he Participant of the property of Contact if you has concoming your water utility, please contact Angels Pickering at 801.782.4672. We want to contact Angels Pickering at 801.782.4672. We want to contact Angels Pickering at 801.782.4672. We want to contact Angels at the first please attend any of our negleshy scheduled integrating of the month of 6:30 PM at the Town Hall at 150 Main Street. Rateign MS.

Source a: Source of Correlated Sparts Sand Aquillar. The source water assessment has been completed for our public water systability of its dishing water stoppy to bloodily potential sources of contamination. A report contamination were made has been furnished to our public water system and it my applies for the Town of Releigh have received lower susceptibility motings to contamination. 强度 5 片 内 看 有 5 首 的 E 5 看 第 号 另 图 5 音 语 Peried T
We incide danking water according to federal and state laws. This import is based on results of our monitors of 1, 2022. In cases where monitoring wasn't required in 2022, the table reflects the most recard favor, rules, and regulations.

As white underground, it dissolves naturally occurring minerals tood, in some cases, radioactive contampents, and severe the process of the process of springs of from laws analytic rule tibes contampents, and severe the most overest partial period of the process of springs of the process of the production of the process of the production and process of the production of the of the pr Terms at In the last ebbreviations you might not be familiar with. To help you better understand these terms The state of the s niarya terew is left emomentarya verto vo membera aragant, bekesa ir indirim manimata Action to attentional which, if exceeded, triggers treatment or other popularients that it was the contract of todinum Allowed" (MCL) is the highest level of a contaminant that is allowed in orlnking er; in an example using the best evellable treatment technology. The Coaffect is the level of a constrained in display water below yellow there is no mission of a sector of a display of a constrained in display water below yellow there is no mission for a margin of select.

Intel OLD The highest level of a displayctant aboved in display water. There is convincing sees passary to control microbial conteminants. The series of a trinking water distriction below which there is no known or expected lest the benefits of the use of districtants to control interobial contaminants.

**Tests part: one part by weight of sharyis to 1 basin parts by weight of the Water samples. Parts part (mod); one part by weight of analyte to 1 million parts by weight of the water sample. Last argold sail or is a measure of the radioactivity in water. TEST RESULTS Rancial of Detects . Unit MCLG. SACL Likely Source of Contamination of Rd Samples Measure Exceeding ment (11/) Light Escherick LECTON SIGNAE 25146

PROOF OF PUBLICATION

The State of Mississippi, County of Smith

PERSONALLY CAME before me, the undersigned a Notary Public in and for SMITH COUNTY, MISSISSIPPI the OFFICE CLERK of the SMITH COUNTY REFORMER, a newspaper published in the Town of Raleigh, Smith County, in said State, who being duly sworn, deposes and says that the SMITH COUNTY REFORMER is a newspaper as defined and prescribed in § 13-3-31 of the Mississippi Code 1972 Annotated and that the publication of a notice, of which the annexed is a copy, in the matter of

Town of Raleigh- Annual Water Report has been made in said paper ____1 __ times consecutively, to-wit: May 2023 31 day of On the day of On the _day of ______ 20_____ On the day of ______ 20____ On the SWORN to and subscribed before me, this the day of NOTARY PUBLIC Words Cost Commission Expires

Town of Ralelon PWS#: 0650008 May 2023

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to Inform you about the quality was and services we deliver to you every day. Our constant goal is to provide you with a sale and dependable supply of brinking resear years you to understand the efforts we make to continually improve the water treatment process and protect our water resources. Years committed to ensuring the reality of your water.

Contact & Meeting Information

Comarc & Meeting strommoon.

If you have any questions about this report or concerning your water utility, please contact Angele Plotaning at 801,782,872. We want our valued consoners to be informed about their water utility. If you want to grain more, please estagic any of our regularly acheduled meetings. They are held on the first Toesday of the month at 6:30 PM at the Town Hall at 150 Main Street, Raidigh, MS.

Our water sound is from wells drawing from the Sparts Band Aquiller. The sound visitor assessment has been completed for our public valuer system to determine the overall succeptibility of its detailing water supply to identify potential sources of contamination; A report containing detailed information on they the susceptibility determinations were made itself been furnished to our public water system and is available for viewing upon request. The wells for the Town of Releigh have received lower susceptibility rankings to contamination.

We recipiely insolling the confirminants in your dynking water according to lederal and state laws. This report is based on results of but monitoring period of Liabary 1" to December 31", 2022. In cases where aboritoring water's required in 2022, the take retects the most recent tasking done in accordance with the laws, rules, and regulations.

As water travels over this surface of land, or underground, it dissolves institutly occurring majorals and, in some cases, radioactive implicable and case plot up substacles or contaminants therefore the presence of entirely systems, applicatings knetock operations, and surface and better and the season of the season of the presence of entirely systems, applicatings knetock operations, and wildlife inorganic contaminants, and not as each and metals, which can be naturally operating or result from uther shortware most, and industrial or correctly varietisms, such as also and metals, which are production, mining, or famility pesticides and individually from a variety of sources such as systations, what according mining a familiar operation and case are compared operations and metals processes approached production production, and case are come production and in the social production and in the second of of and gas production and in the social production an

rema and Appreventions.

To his lable you may the unfamiliar forms and abbreviations you might not be femaler with. To help you better understand these terms we've provided the obtaining definitions.

Articulated (AL) . The concentration of a contemberal which, if exceeded, triggers transment of other requirements that a water system plans to live on.

ghter Contaminant Cook (ACCL). The Maximum Allowed DACL) is the Nighest level of a contaminant that is allowed in drinking of BAST are set an close to the MCCGs as feasible using the best available beatment technology.

difficit Contaminant Love: Cost (MCLC): This "Cost (MCLC) is the level of a contaminant in drinking water below which there is no.

(ii) or supersed that to health. MCCCs allow for a marph, of safety.

Configurations Distriction Lines (MRDI). The highest level of a distriction aboved in drinking water. There is convincing representable addition of a distriction is necessary to control microbial extraordistriction.

**Configurational Distriction Lines Supply Supply Control microbial extraordistrictions delice which there is no known or page 15 to provide the property of the use of districtions to control microbial contemporate.

Perioder Allian Tools of micrograms berilled one part by weight of shawns to 1 billion pace by weight of the water sample.

Perforce number (bein) or All Regards per litter (mont) one part by weight of ensists to 1 million parts by weight of the water sample.

realization (ACML); pleasantee par litter is a measure of the radioactivity in water.

President	146.6	1 200	1	TEST R	1 - 11/1		Carlo Carlo	Park a Street Land
Contambiant	Violation Y/N	Collected.	Lavel Detected	Range of Detocis or # of Semples Exceeding MCL/ACL	Mossure ment	MCLG	MCI:	Likely Source of Coelemiquition
Radioacti	ve Con	tamina	nts		C/1 21	17:00	in it is	
8 Radium 228 - Radium 228	N	2012*	.13	bla Rungs	DOM.	0		Eroslon of natural deposits
Inorganic	Conta	mlaant	S	T Manager		1, 10 11		
10 Barton	N.	2027	.001	.0006001	pon	. 2	2	Discharge of skilling wastes; stactione from motel reference; erosion of natural deposits
14 Copper s	N	2018/201	N.	D	poen	13	AL=1.3	Corrector of household plansing systems; erosion of restural deposi- leaching from wood preservatives
t6. Fluoride	N A	2022	166	.163166	ppm			Erosion of return! deposite: weder addition which promotes strong tent; bleedungs first fertilizat and sturnings fictiones.
T Lead	N	2018/201		9	ppo 🔻	0	ALMI5	Competed of formelest plumbing systems, product of outural deposit
Disinfecti	on By	Produc	ts ×		2		1	
CHANS	M	2022	435	399-405	204	0	90	By-Product of crining Water distribution
COM	M .		527	293-5,77	000	71. 0	80	By product of ticholong water chlorinistics:
Norine	N. Car	2022	18	2538	mg/t	. 0	MRCL=4	Water wichter used to control

are to appropriate at 2022.

To martine boar display wide for specific contemporate on a monthly basis. Results of regular mentioning are an able or not our display what makes health storouries. It is an effort for ensure systems contrasts all provioring. Of first health systems contrasts all provioring. Of first health systems of any missing emples prior to the end of the portulation period.

If Seed can cause survive health problems, especially for pregnant women and young children. Lead by from maintained and components, associated with service lines, and from planning. Our water problem is you qualify driving a year, but carrier printed the variety of materials used in putriting components. When you except holizs you can remain the published to lead exposure by flueting your fact for 30 seconds to 2 page 100 page 200 page 100 page 200 page 200

igg; pig system fied no doladore. We re proof that your driving water meets or broads if Federal and State Spring through buy multilothic and testing that page confurnities that it been detected, however the EFA fact or IS SAPER these series.

APEN disks issues

APEN disks issues

APEN disks in potential contamination by substances that are naturally occurring or rear made. These promition in least small sending to disks the substances. All driving water, whating builds swing in contamination of some contaminations, or an extensive points of the presence of contaminations of some property of the presence of contaminations of some property of the presence of contaminations of the presence of contaminations of the presence of contaminations of the presence of contamination of the presence of contamination of the presence of

spen feet in proses for