

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: ADAMS

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 33,233 | 2,447 | 1,237 | 1,210 | 397 |
| WHITE | 14,776 | 837 | 417 | 420 | 142 |
| NONWHITE | 18,457 | 1,610 | 820 | 790 | 255 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 68 | 1 | 23 | 44 | 16 | 0 | 4 | 12 | 52 | 1 | 19 | 32 |
| TEENAGE IMMATURE BIRTHS | 11 | 1 | 2 | 8 | 1 | 0 | 0 | 1 | 10 | 1 | 2 | 7 |
| TEENAGE PREMATURE BIRTHS | 15 | 0 | 4 | 11 | 0 | 0 | 0 | 0 | 15 | 0 | 4 | 11 |
| TEENAGE ILLEGITIMATE BIRTHS | 62 | 1 | 21 | 40 | 12 | 0 | 3 | 9 | 50 | 1 | 18 | 31 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 14 | 0 | 4 | 10 | 1 | 0 | 0 | 1 | 13 | 0 | 4 | 9 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 19 | 0 | 4 | 15 | 2 | 0 | 0 | 2 | 17 | 0 | 4 | 13 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 9 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 9 | 0 | 4 | 5 |
| TEENAGE FERTILITY RATE | 27.8 | 0.8 | 55.4 (15-19) | | 19.1 | - | 38.1 (15-19) | | 32.3 | 1.2 | 64.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| TEENAGE FETAL DEATH RATIO | 29.4 | - | 87.0 | - | - | - | - | - | 38.5 | - | 105.3 | - |
| TEENAGE INDUCED TERMINATIONS# | 20 | 1 | 5 | 14 | 7 | 0 | 3 | 4 | 13 | 1 | 2 | 10 |
| TEENAGE INDUCED TERMINATION RATIO | 294.1 | 1000.0 | 217.4 | 318.2 | 437.5 | - | 750.0 | 333.3 | 250.0 | 1000.0 | 105.3 | 312.5 |
| TEENAGE PREGNANCIES# | 90 | 2 | 30 | 58 | 23 | 0 | 7 | 16 | 67 | 2 | 23 | 42 |
| TEENAGE PREGNANCY RATE | 36.8 | 1.6 | 72.7 (15-19) | | 27.5 | - | 54.8 (15-19) | | 41.6 | 2.4 | 82.3 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: ALCORN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 34,930 | 2,136 | 1,131 | 1,005 | 438 |
| WHITE | 30,595 | 1,785 | 941 | 844 | 371 |
| NONWHITE | 4,335 | 351 | 190 | 161 | 67 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 70 | 3 | 34 | 33 | 53 | 2 | 26 | 25 | 17 | 1 | 8 | 8 |
| TEENAGE IMMATURE BIRTHS | 7 | 2 | 3 | 2 | 7 | 2 | 3 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 12 | 1 | 6 | 5 | 8 | 1 | 3 | 4 | 4 | 0 | 3 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 51 | 2 | 27 | 22 | 34 | 1 | 19 | 14 | 17 | 1 | 8 | 8 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 2 | 11 | 10 | 0 | 2 | 8 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 16 | 0 | 4 | 12 | 13 | 0 | 4 | 9 | 3 | 0 | 0 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 32.8 | 2.6 | 66.7 (15-19) | | 29.7 | 2.1 | 60.4 (15-19) | | 48.4 | 5.3 | 99.4 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 14.3 | - | - | 30.3 | 18.9 | - | - | 40.0 | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 3 | 1 | 4 | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 57.1 | - | 88.2 | 30.3 | 75.5 | - | 115.4 | 40.0 | - | - | - | - |
| TEENAGE PREGNANCIES# | 75 | 3 | 37 | 35 | 58 | 2 | 29 | 27 | 17 | 1 | 8 | 8 |
| TEENAGE PREGNANCY RATE | 35.1 | 2.6 | 71.6 (15-19) | | 32.5 | 2.1 | 66.4 (15-19) | | 48.4 | 5.3 | 99.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: AMITE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 13,594 | 986 | 489 | 497 | 151 |
| WHITE | 7,716 | 442 | 220 | 222 | 70 |
| NONWHITE | 5,878 | 544 | 269 | 275 | 81 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 21 | 2 | 7 | 12 | 2 | 0 | 0 | 2 | 19 | 2 | 7 | 10 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 6 | 0 | 5 | 1 |
| TEENAGE PREMATURE BIRTHS | 7 | 1 | 4 | 2 | 0 | 0 | 0 | 0 | 7 | 1 | 4 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 20 | 2 | 7 | 11 | 1 | 0 | 0 | 1 | 19 | 2 | 7 | 10 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 21.3 | 4.1 | 38.2 (15-19) | | 4.5 | - | 9.0 (15-19) | | 34.9 | 7.4 | 61.8 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 47.6 | - | 142.8 | - | - | - | - | - | 52.6 | - | 142.8 | - |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 2 | 2 | 2 | 0 | 0 | 2 | 2 | 0 | 2 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 190.5 | - | 285.7 | 166.7 | 1000.0 | - | - | 1000.0 | 105.3 | - | 285.7 | - |
| TEENAGE PREGNANCIES# | 26 | 2 | 10 | 14 | 4 | 0 | 0 | 4 | 22 | 2 | 10 | 10 |
| TEENAGE PREGNANCY RATE | 26.4 | 4.1 | 48.3 (15-19) | | 9.0 | - | 18.0 (15-19) | | 40.4 | 7.4 | 72.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 47.6 | - | 142.9 | - | - | - | - | - | 52.6 | - | 142.9 | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: ATTALA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 19,673 | 1,384 | 723 | 661 | 266 |
| WHITE | 11,594 | 630 | 333 | 297 | 138 |
| NONWHITE | 8,079 | 754 | 390 | 364 | 128 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 44 | 3 | 14 | 27 | 18 | 1 | 6 | 11 | 26 | 2 | 8 | 16 |
| TEENAGE IMMATURE BIRTHS | 4 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 3 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 1 | 4 | 2 | 0 | 1 | 1 | 3 | 0 | 0 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 40 | 3 | 14 | 23 | 14 | 1 | 6 | 7 | 26 | 2 | 8 | 16 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 1 | 2 | 2 | 1 | 0 | 1 | 0 | 4 | 1 | 1 | 2 |
| TEENAGE FERTILITY RATE | 31.8 | 4.1 | 62.0 (15-19) | 28.6 | 3.0 | 57.2 (15-19) | 34.5 | 5.1 | 65.9 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 5 | 0 | 2 | 3 | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 3 |
| TEENAGE INDUCED TERMINATION RATIO | 113.6 | - | 142.8 | 111.1 | 55.6 | - | 166.7 | - | 153.8 | - | 125.0 | 187.5 |
| TEENAGE PREGNANCIES# | 49 | 3 | 16 | 30 | 19 | 1 | 7 | 11 | 30 | 2 | 9 | 19 |
| TEENAGE PREGNANCY RATE | 35.4 | 4.1 | 69.6 (15-19) | 30.2 | 3.0 | 60.6 (15-19) | 39.8 | 5.1 | 76.9 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: BENTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 7,774 | 517 | 277 | 240 | 121 |
| WHITE | 4,915 | 272 | 137 | 135 | 68 |
| NONWHITE | 2,859 | 245 | 140 | 105 | 53 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|---------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 22 | 0 | 9 | 13 | 15 | 0 | 4 | 11 | 7 | 0 | 5 | 2 |
| TEENAGE IMMATURE BIRTHS | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 14 | 0 | 7 | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 4 | 2 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 | 2 | 0 | 1 | 1 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 5 | 0 | 1 | 4 | 3 | 0 | 0 | 3 | 2 | 0 | 1 | 1 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 42.6 | - | 91.7 (15-19) | | 55.1 | - | 111.1 (15-19) | | 28.6 | - | 66.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 22 | 0 | 9 | 13 | 15 | 0 | 4 | 11 | 7 | 0 | 5 | 2 |
| TEENAGE PREGNANCY RATE | 42.6 | - | 91.7 (15-19) | | 55.1 | - | 111.1 (15-19) | | 28.6 | - | 66.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: BOLIVAR

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 39,235 | 3,371 | 1,573 | 1,798 | 612 |
| WHITE | 12,894 | 747 | 314 | 433 | 142 |
| NONWHITE | 26,341 | 2,624 | 1,259 | 1,365 | 470 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 146 | 2 | 48 | 96 | 21 | 0 | 4 | 17 | 125 | 2 | 44 | 79 |
| TEENAGE IMMATURE BIRTHS | 23 | 0 | 8 | 15 | 2 | 0 | 0 | 2 | 21 | 0 | 8 | 13 |
| TEENAGE PREMATURE BIRTHS | 28 | 0 | 10 | 18 | 5 | 0 | 2 | 3 | 23 | 0 | 8 | 15 |
| TEENAGE ILLEGITIMATE BIRTHS | 136 | 2 | 48 | 86 | 11 | 0 | 4 | 7 | 125 | 2 | 44 | 79 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 40 | 0 | 6 | 34 | 3 | 0 | 0 | 3 | 37 | 0 | 6 | 31 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 55 | 0 | 10 | 45 | 9 | 0 | 2 | 7 | 46 | 0 | 8 | 38 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 6 | 0 | 1 | 5 | 0 | 0 | 0 | 0 | 6 | 0 | 1 | 5 |
| TEENAGE FERTILITY RATE | 43.3 | 1.3 | 80.1 (15-19) | | 28.1 | - | 48.5 (15-19) | | 47.6 | 1.6 | 90.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 0 | 4 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 3 |
| TEENAGE INDUCED TERMINATION RATIO | 27.4 | - | - | 41.7 | 47.6 | - | - | 58.8 | 24.0 | - | - | 38.0 |
| TEENAGE PREGNANCIES# | 150 | 2 | 48 | 100 | 22 | 0 | 4 | 18 | 128 | 2 | 44 | 82 |
| TEENAGE PREGNANCY RATE | 44.5 | 1.3 | 82.3 (15-19) | | 29.4 | - | 50.8 (15-19) | | 48.8 | 1.6 | 92.3 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| INFANT MORTALITY RATE, TEEN MOMS | 27.4 | - | 20.8 | 31.3 | - | - | - | - | 32.0 | - | 22.7 | 38.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CALHOUN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 14,827 | 999 | 513 | 486 | 194 |
| WHITE | 10,363 | 593 | 301 | 292 | 137 |
| NONWHITE | 4,464 | 406 | 212 | 194 | 57 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|-----------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 31 | 0 | 11 | 20 | 11 | 0 | 2 | 9 | 20 | 0 | 9 | 11 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 3 | 3 | 4 | 0 | 1 | 3 | 2 | 0 | 2 | 0 |
| TEENAGE PREMATURE BIRTHS | 6 | 0 | 2 | 4 | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 0 | 11 | 12 | 5 | 0 | 2 | 3 | 18 | 0 | 9 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 1 | 7 | 2 | 0 | 0 | 2 | 6 | 0 | 1 | 5 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 1 | 8 | 2 | 0 | 0 | 2 | 7 | 0 | 1 | 6 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 31.0 | - | 63.8 (15-19) | | 18.6 | - | 37.7 (15-19) | | 49.3 | - | 103.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 32.2 | - | 90.9 | - | 90.9 | - | 500.0 | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 32 | 0 | 12 | 20 | 12 | 0 | 3 | 9 | 20 | 0 | 9 | 11 |
| TEENAGE PREGNANCY RATE | 32.0 | - | 65.8 (15-19) | | 20.2 | - | 41.1 (15-19) | | 49.3 | - | 103.1 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CARROLL

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 10,462 | 703 | 340 | 363 | 99 |
| WHITE | 6,786 | 367 | 171 | 196 | 58 |
| NONWHITE | 3,676 | 336 | 169 | 167 | 41 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 15 | 0 | 4 | 11 | 7 | 0 | 2 | 5 | 8 | 0 | 2 | 6 |
| TEENAGE IMMATURE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 12 | 0 | 4 | 8 | 5 | 0 | 2 | 3 | 7 | 0 | 2 | 5 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 21.3 | - | 41.3 (15-19) | | 19.1 | - | 35.7 (15-19) | | 23.8 | - | 47.9 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 66.7 | - | - | 90.9 | - | - | - | - | 125.0 | - | - | 166.7 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 133.3 | - | 250.0 | 90.9 | 142.8 | - | - | 200.0 | 125.0 | - | 500.0 | - |
| TEENAGE PREGNANCIES# | 18 | 0 | 5 | 13 | 8 | 0 | 2 | 6 | 10 | 0 | 3 | 7 |
| TEENAGE PREGNANCY RATE | 25.6 | - | 49.6 (15-19) | | 21.8 | - | 40.8 (15-19) | | 29.8 | - | 59.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CHICKASAW

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 19,204 | 1,392 | 718 | 674 | 313 |
| WHITE | 10,988 | 631 | 331 | 300 | 147 |
| NONWHITE | 8,216 | 761 | 387 | 374 | 166 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|---------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 69 | 2 | 24 | 43 | 23 | 1 | 8 | 14 | 46 | 1 | 16 | 29 |
| TEENAGE IMMATURE BIRTHS | 8 | 0 | 1 | 7 | 3 | 0 | 0 | 3 | 5 | 0 | 1 | 4 |
| TEENAGE PREMATURE BIRTHS | 10 | 0 | 3 | 7 | 2 | 0 | 0 | 2 | 8 | 0 | 3 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 55 | 2 | 18 | 35 | 10 | 1 | 3 | 6 | 45 | 1 | 15 | 29 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 1 | 12 | 4 | 0 | 0 | 4 | 9 | 0 | 1 | 8 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 14 | 0 | 1 | 13 | 4 | 0 | 0 | 4 | 10 | 0 | 1 | 9 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 49.6 | 2.8 | 99.4 (15-19) | | 36.4 | 3.0 | 73.3 (15-19) | | 60.4 | 2.6 | 120.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 14.5 | - | 41.7 | - | 43.5 | - | 125.0 | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 29.0 | - | 83.3 | - | 87.0 | - | 250.0 | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 72 | 2 | 27 | 43 | 26 | 1 | 11 | 14 | 46 | 1 | 16 | 29 |
| TEENAGE PREGNANCY RATE | 51.7 | 2.8 | 103.8 (15-19) | | 41.2 | 3.0 | 83.3 (15-19) | | 60.4 | 2.6 | 120.3 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 14.5 | - | 41.7 | - | 43.5 | - | 125.0 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CHOCTAW

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 9,661 | 764 | 358 | 406 | 101 |
| WHITE | 6,598 | 471 | 212 | 259 | 66 |
| NONWHITE | 3,063 | 293 | 146 | 147 | 35 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 18 | 1 | 4 | 13 | 9 | 0 | 1 | 8 | 9 | 1 | 3 | 5 |
| TEENAGE IMMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 13 | 1 | 4 | 8 | 4 | 0 | 1 | 3 | 9 | 1 | 3 | 5 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| TEENAGE FERTILITY RATE | 23.6 | 2.8 | 41.9 (15-19) | 19.1 | - | 34.7 (15-19) | 30.7 | 6.8 | 54.4 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 111.1 | - | 250.0 | 76.9 | 222.2 | - | 1000.0 | 125.0 | - | - | - | - |
| TEENAGE PREGNANCIES# | 20 | 1 | 5 | 14 | 11 | 0 | 2 | 9 | 9 | 1 | 3 | 5 |
| TEENAGE PREGNANCY RATE | 26.2 | 2.8 | 46.8 (15-19) | 23.4 | - | 42.5 (15-19) | 30.7 | 6.8 | 54.4 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 55.6 | - | - | 76.9 | - | - | - | - | 111.1 | - | - | 200.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CLAIBORNE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 11,502 | 1,155 | 431 | 724 | 142 |
| WHITE | 1,679 | 67 | 33 | 34 | 9 |
| NONWHITE | 9,823 | 1,088 | 398 | 690 | 133 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 30 | 2 | 8 | 20 | 1 | 0 | 0 | 1 | 29 | 2 | 8 | 19 |
| TEENAGE IMMATURE BIRTHS | 5 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 4 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 2 | 6 | 1 | 0 | 0 | 1 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 28 | 2 | 8 | 18 | 1 | 0 | 0 | 1 | 27 | 2 | 8 | 17 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 7 | 0 | 1 | 6 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 6 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 5 | 2 | 2 | 1 |
| TEENAGE FERTILITY RATE | 26.0 | 4.6 | 38.7 (15-19) | 14.9 | - | 29.4 (15-19) | 26.6 | 5.0 | 39.1 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FETAL DEATH RATIO | 66.7 | - | 125.0 | 50.0 | - | - | - | - | 69.0 | - | 125.0 | 52.6 |
| TEENAGE INDUCED TERMINATIONS# | 9 | 0 | 2 | 7 | 0 | 0 | 0 | 0 | 9 | 0 | 2 | 7 |
| TEENAGE INDUCED TERMINATION RATIO | 300.0 | - | 250.0 | 350.0 | - | - | - | - | 310.3 | - | 250.0 | 368.4 |
| TEENAGE PREGNANCIES# | 41 | 2 | 11 | 28 | 1 | 0 | 0 | 1 | 40 | 2 | 11 | 27 |
| TEENAGE PREGNANCY RATE | 35.5 | 4.6 | 53.9 (15-19) | 14.9 | - | 29.4 (15-19) | 36.8 | 5.0 | 55.1 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 33.3 | 500.0 | - | - | - | - | - | - | 34.5 | 500.0 | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CLARKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 17,746 | 1,247 | 660 | 587 | 253 |
| WHITE | 11,555 | 709 | 392 | 317 | 144 |
| NONWHITE | 6,191 | 538 | 268 | 270 | 109 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 39 | 0 | 12 | 27 | 20 | 0 | 8 | 12 | 19 | 0 | 4 | 15 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 0 | 7 | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 1 | 7 | 5 | 0 | 0 | 5 | 3 | 0 | 1 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 32 | 0 | 10 | 22 | 14 | 0 | 6 | 8 | 18 | 0 | 4 | 14 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 1 | 7 | 3 | 0 | 1 | 2 | 5 | 0 | 0 | 5 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 10 | 0 | 1 | 9 | 3 | 0 | 1 | 2 | 7 | 0 | 0 | 7 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 31.3 | - | 66.4 (15-19) | | 28.2 | - | 63.1 (15-19) | | 35.3 | - | 70.4 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 25.6 | - | - | 37.0 | - | - | - | - | 52.6 | - | - | 66.7 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 51.3 | - | 83.3 | 37.0 | 50.0 | - | - | 83.3 | 52.6 | - | 250.0 | - |
| TEENAGE PREGNANCIES# | 42 | 0 | 13 | 29 | 21 | 0 | 8 | 13 | 21 | 0 | 5 | 16 |
| TEENAGE PREGNANCY RATE | 33.7 | - | 71.6 (15-19) | | 29.6 | - | 66.2 (15-19) | | 39.0 | - | 77.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 25.6 | - | - | 37.0 | 50.0 | - | - | 83.3 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: CLAY

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 21,625 | 1,679 | 838 | 841 | 285 |
| WHITE | 9,013 | 485 | 230 | 255 | 94 |
| NONWHITE | 12,612 | 1,194 | 608 | 586 | 191 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 51 | 2 | 18 | 31 | 9 | 0 | 4 | 5 | 42 | 2 | 14 | 26 |
| TEENAGE IMMATURE BIRTHS | 12 | 1 | 2 | 9 | 0 | 0 | 0 | 0 | 12 | 1 | 2 | 9 |
| TEENAGE PREMATURE BIRTHS | 15 | 1 | 5 | 9 | 1 | 0 | 0 | 1 | 14 | 1 | 5 | 8 |
| TEENAGE ILLEGITIMATE BIRTHS | 49 | 2 | 18 | 29 | 7 | 0 | 4 | 3 | 42 | 2 | 14 | 26 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 15 | 0 | 0 | 15 | 1 | 0 | 0 | 1 | 14 | 0 | 0 | 14 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 19 | 0 | 3 | 16 | 2 | 0 | 1 | 1 | 17 | 0 | 2 | 15 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 10 | 0 | 3 | 7 | 2 | 0 | 0 | 2 | 8 | 0 | 3 | 5 |
| TEENAGE FERTILITY RATE | 30.4 | 2.4 | 58.3 (15-19) | 18.6 | - | 35.3 (15-19) | 35.2 | 3.3 | 68.2 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 9 | 0 | 7 | 2 | 3 | 0 | 3 | 0 | 6 | 0 | 4 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 176.5 | - | 388.9 | 64.5 | 333.3 | - | 750.0 | - | 142.8 | - | 285.7 | 76.9 |
| TEENAGE PREGNANCIES# | 60 | 2 | 25 | 33 | 12 | 0 | 7 | 5 | 48 | 2 | 18 | 28 |
| TEENAGE PREGNANCY RATE | 35.7 | 2.4 | 69.0 (15-19) | 24.7 | - | 47.0 (15-19) | 40.2 | 3.3 | 78.5 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 39.2 | - | - | 64.5 | 111.1 | - | - | 200.0 | 23.8 | - | - | 38.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: COAHOMA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 29,546 | 2,604 | 1,257 | 1,347 | 534 |
| WHITE | 7,862 | 484 | 229 | 255 | 90 |
| NONWHITE | 21,684 | 2,120 | 1,028 | 1,092 | 444 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 129 | 2 | 48 | 79 | 10 | 0 | 3 | 7 | 119 | 2 | 45 | 72 |
| TEENAGE IMMATURE BIRTHS | 14 | 0 | 7 | 7 | 1 | 0 | 1 | 0 | 13 | 0 | 6 | 7 |
| TEENAGE PREMATURE BIRTHS | 33 | 0 | 15 | 18 | 1 | 0 | 0 | 1 | 32 | 0 | 15 | 17 |
| TEENAGE ILLEGITIMATE BIRTHS | 126 | 2 | 48 | 76 | 9 | 0 | 3 | 6 | 117 | 2 | 45 | 70 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 33 | 0 | 9 | 24 | 1 | 0 | 0 | 1 | 32 | 0 | 9 | 23 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 36 | 0 | 11 | 25 | 1 | 0 | 0 | 1 | 35 | 0 | 11 | 24 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE FERTILITY RATE | 49.5 | 1.6 | 94.3 (15-19) | | 20.7 | - | 39.2 (15-19) | | 56.1 | 1.9 | 107.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FETAL DEATH RATIO | 15.5 | - | 20.8 | 12.6 | - | - | - | - | 16.8 | - | 22.2 | 13.9 |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 7.8 | - | - | 12.6 | - | - | - | - | 8.4 | - | - | 13.9 |
| TEENAGE PREGNANCIES# | 132 | 2 | 49 | 81 | 10 | 0 | 3 | 7 | 122 | 2 | 46 | 74 |
| TEENAGE PREGNANCY RATE | 50.7 | 1.6 | 96.5 (15-19) | | 20.7 | - | 39.2 (15-19) | | 57.5 | 1.9 | 109.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 5 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 4 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 38.8 | - | 83.3 | 12.7 | - | - | - | - | 42.0 | - | 88.9 | 13.9 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: COPIAH

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 28,928 | 2,360 | 1,049 | 1,311 | 430 |
| WHITE | 13,991 | 873 | 376 | 497 | 177 |
| NONWHITE | 14,937 | 1,487 | 673 | 814 | 253 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 77 | 2 | 22 | 53 | 20 | 0 | 2 | 18 | 57 | 2 | 20 | 35 |
| TEENAGE IMMATURE BIRTHS | 10 | 0 | 2 | 8 | 1 | 0 | 0 | 1 | 9 | 0 | 2 | 7 |
| TEENAGE PREMATURE BIRTHS | 15 | 1 | 5 | 9 | 1 | 0 | 0 | 1 | 14 | 1 | 5 | 8 |
| TEENAGE ILLEGITIMATE BIRTHS | 68 | 2 | 22 | 44 | 12 | 0 | 2 | 10 | 56 | 2 | 20 | 34 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 15 | 0 | 3 | 12 | 3 | 0 | 0 | 3 | 12 | 0 | 3 | 9 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 17 | 0 | 3 | 14 | 3 | 0 | 0 | 3 | 14 | 0 | 3 | 11 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 6 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 6 | 2 | 2 | 2 |
| TEENAGE FERTILITY RATE | 32.6 | 1.9 | 57.2 (15-19) | | 22.9 | - | 40.2 (15-19) | | 38.3 | 3.0 | 67.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 16 | 1 | 6 | 9 | 4 | 0 | 1 | 3 | 12 | 1 | 5 | 6 |
| TEENAGE INDUCED TERMINATION RATIO | 207.8 | 500.0 | 272.7 | 169.8 | 200.0 | - | 500.0 | 166.7 | 210.5 | 500.0 | 250.0 | 171.4 |
| TEENAGE PREGNANCIES# | 93 | 3 | 28 | 62 | 24 | 0 | 3 | 21 | 69 | 3 | 25 | 41 |
| TEENAGE PREGNANCY RATE | 39.4 | 2.9 | 68.6 (15-19) | | 27.5 | - | 48.3 (15-19) | | 46.4 | 4.4 | 81.1 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 26.0 | - | - | 37.7 | - | - | - | - | 35.1 | - | - | 57.1 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: COVINGTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 20,177 | 1,576 | 820 | 756 | 285 |
| WHITE | 12,790 | 844 | 458 | 386 | 165 |
| NONWHITE | 7,387 | 732 | 362 | 370 | 120 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 57 | 1 | 21 | 35 | 21 | 0 | 9 | 12 | 36 | 1 | 12 | 23 |
| TEENAGE IMMATURE BIRTHS | 11 | 1 | 3 | 7 | 4 | 0 | 0 | 4 | 7 | 1 | 3 | 3 |
| TEENAGE PREMATURE BIRTHS | 10 | 0 | 4 | 6 | 3 | 0 | 0 | 3 | 7 | 0 | 4 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 46 | 1 | 18 | 27 | 11 | 0 | 6 | 5 | 35 | 1 | 12 | 22 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 10 | 0 | 0 | 10 | 4 | 0 | 0 | 4 | 6 | 0 | 0 | 6 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 14 | 0 | 1 | 13 | 5 | 0 | 0 | 5 | 9 | 0 | 1 | 8 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 36.2 | 1.2 | 74.1 (15-19) | | 24.9 | - | 54.4 (15-19) | | 49.2 | 2.8 | 94.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 6 | 2 | 3 | 1 | 3 | 2 | 0 | 1 | 3 | 0 | 3 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 105.3 | 2000.0 | 142.8 | 28.6 | 142.8 | & | - | 83.3 | 83.3 | - | 250.0 | - |
| TEENAGE PREGNANCIES# | 63 | 3 | 24 | 36 | 24 | 2 | 9 | 13 | 39 | 1 | 15 | 23 |
| TEENAGE PREGNANCY RATE | 40.0 | 3.6 | 79.4 (15-19) | | 28.4 | 4.4 | 57.0 (15-19) | | 53.3 | 2.8 | 102.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: DESOTO

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 124,378 | 9,034 | 4,803 | 4,231 | 1,839 |
| WHITE | 103,246 | 7,160 | 3,789 | 3,371 | 1,521 |
| NONWHITE | 21,132 | 1,874 | 1,014 | 860 | 318 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 189 | 6 | 65 | 118 | 143 | 3 | 42 | 98 | 46 | 3 | 23 | 20 |
| TEENAGE IMMATURE BIRTHS | 19 | 0 | 9 | 10 | 15 | 0 | 7 | 8 | 4 | 0 | 2 | 2 |
| TEENAGE PREMATURE BIRTHS | 22 | 0 | 11 | 11 | 16 | 0 | 7 | 9 | 6 | 0 | 4 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 159 | 6 | 62 | 91 | 113 | 3 | 39 | 71 | 46 | 3 | 23 | 20 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 32 | 0 | 3 | 29 | 19 | 0 | 1 | 18 | 13 | 0 | 2 | 11 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 34 | 0 | 4 | 30 | 20 | 0 | 1 | 19 | 14 | 0 | 3 | 11 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 11 | 0 | 5 | 6 | 5 | 0 | 1 | 4 | 6 | 0 | 4 | 2 |
| TEENAGE FERTILITY RATE | 20.9 | 1.2 | 43.2 (15-19) | | 20.0 | 0.8 | 41.5 (15-19) | | 24.5 | 3.0 | 50.0 (15-19) | |
| TEENAGE FETAL DEATHS** | 4 | 0 | 2 | 2 | 3 | 0 | 1 | 2 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 21.2 | - | 30.8 | 16.9 | 21.0 | - | 23.8 | 20.4 | 21.7 | - | 43.5 | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 5.3 | - | - | 8.5 | 7.0 | - | - | 10.2 | - | - | - | - |
| TEENAGE PREGNANCIES# | 194 | 6 | 67 | 121 | 147 | 3 | 43 | 101 | 47 | 3 | 24 | 20 |
| TEENAGE PREGNANCY RATE | 21.5 | 1.2 | 44.4 (15-19) | | 20.5 | 0.8 | 42.7 (15-19) | | 25.1 | 3.0 | 51.2 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 5.3 | - | 15.4 | - | 7.0 | - | 23.8 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: FORREST

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 74,386 | 5,515 | 2,430 | 3,085 | 1,074 |
| WHITE | 47,245 | 2,957 | 1,242 | 1,715 | 590 |
| NONWHITE | 27,141 | 2,558 | 1,188 | 1,370 | 484 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 155 | 5 | 43 | 107 | 68 | 0 | 21 | 47 | 87 | 5 | 22 | 60 |
| TEENAGE IMMATURE BIRTHS | 20 | 0 | 10 | 10 | 7 | 0 | 4 | 3 | 13 | 0 | 6 | 7 |
| TEENAGE PREMATURE BIRTHS | 33 | 1 | 9 | 23 | 10 | 0 | 4 | 6 | 23 | 1 | 5 | 17 |
| TEENAGE ILLEGITIMATE BIRTHS | 128 | 5 | 40 | 83 | 45 | 0 | 18 | 27 | 83 | 5 | 22 | 56 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 34 | 0 | 5 | 29 | 10 | 0 | 2 | 8 | 24 | 0 | 3 | 21 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 40 | 0 | 6 | 34 | 11 | 0 | 2 | 9 | 29 | 0 | 4 | 25 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 11 | 2 | 2 | 7 | 4 | 0 | 0 | 4 | 7 | 2 | 2 | 3 |
| TEENAGE FERTILITY RATE | 28.1 | 2.0 | 48.6 (15-19) | | 23.0 | - | 39.6 (15-19) | | 34.0 | 4.2 | 59.8 (15-19) | |
| TEENAGE FETAL DEATHS** | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE FETAL DEATH RATIO | 19.4 | - | - | 28.0 | 14.7 | - | - | 21.3 | 23.0 | - | - | 33.3 |
| TEENAGE INDUCED TERMINATIONS# | 44 | 1 | 12 | 31 | 16 | 0 | 6 | 10 | 27 | 1 | 6 | 20 |
| TEENAGE INDUCED TERMINATION RATIO | 283.9 | 200.0 | 279.1 | 289.7 | 235.3 | - | 285.7 | 212.8 | 310.3 | 200.0 | 272.7 | 333.3 |
| TEENAGE PREGNANCIES# | 202 | 6 | 55 | 141 | 85 | 0 | 27 | 58 | 116 | 6 | 28 | 82 |
| TEENAGE PREGNANCY RATE | 36.6 | 2.5 | 63.5 (15-19) | | 28.7 | - | 49.6 (15-19) | | 45.3 | 5.0 | 80.3 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 4 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 25.8 | - | 69.8 | 9.3 | - | - | - | - | 46.0 | - | 136.4 | 16.7 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: FRANKLIN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 8,340 | 622 | 297 | 325 | 114 |
| WHITE | 5,291 | 320 | 154 | 166 | 63 |
| NONWHITE | 3,049 | 302 | 143 | 159 | 51 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 13 | 0 | 3 | 10 | 5 | 0 | 0 | 5 | 8 | 0 | 3 | 5 |
| TEENAGE IMMATURE BIRTHS | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 11 | 0 | 3 | 8 | 3 | 0 | 0 | 3 | 8 | 0 | 3 | 5 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 3 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 1 | 1 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 | 2 | 0 | 1 | 1 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 20.9 | - | 40.0 (15-19) | | 15.6 | - | 30.1 (15-19) | | 26.5 | - | 50.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 76.9 | - | - | 100.0 | 200.0 | - | - | 200.0 | - | - | - | - |
| TEENAGE PREGNANCIES# | 14 | 0 | 3 | 11 | 6 | 0 | 0 | 6 | 8 | 0 | 3 | 5 |
| TEENAGE PREGNANCY RATE | 22.5 | - | 43.1 (15-19) | | 18.8 | - | 36.1 (15-19) | | 26.5 | - | 50.3 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: GEORGE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 20,407 | 1,452 | 775 | 677 | 335 |
| WHITE | 18,364 | 1,277 | 675 | 602 | 297 |
| NONWHITE | 2,043 | 175 | 100 | 75 | 38 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 54 | 0 | 13 | 41 | 44 | 0 | 11 | 33 | 10 | 0 | 2 | 8 |
| TEENAGE IMMATURE BIRTHS | 9 | 0 | 4 | 5 | 5 | 0 | 4 | 1 | 4 | 0 | 0 | 4 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 2 | 5 | 5 | 0 | 2 | 3 | 2 | 0 | 0 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 31 | 0 | 8 | 23 | 23 | 0 | 6 | 17 | 8 | 0 | 2 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 14 | 0 | 2 | 12 | 11 | 0 | 2 | 9 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 16 | 0 | 2 | 14 | 13 | 0 | 2 | 11 | 3 | 0 | 0 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 | 2 | 0 | 1 | 1 |
| TEENAGE FERTILITY RATE | 37.2 | - | 79.8 (15-19) | | 34.4 | - | 73.1 (15-19) | | 57.1 | - | 133.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 37.0 | - | 76.9 | 24.4 | 22.7 | - | 90.9 | - | 100.0 | - | - | 125.0 |
| TEENAGE PREGNANCIES# | 56 | 0 | 14 | 42 | 45 | 0 | 12 | 33 | 11 | 0 | 2 | 9 |
| TEENAGE PREGNANCY RATE | 38.6 | - | 82.7 (15-19) | | 35.2 | - | 74.8 (15-19) | | 62.8 | - | 146.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 18.5 | - | 76.9 | - | 22.7 | - | 90.9 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: GREENE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 13,169 | 814 | 437 | 377 | 143 |
| WHITE | 9,668 | 616 | 336 | 280 | 121 |
| NONWHITE | 3,501 | 198 | 101 | 97 | 22 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 24 | 0 | 9 | 15 | 16 | 0 | 5 | 11 | 8 | 0 | 4 | 4 |
| TEENAGE IMMATURE BIRTHS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 17 | 0 | 8 | 9 | 9 | 0 | 4 | 5 | 8 | 0 | 4 | 4 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 1 | 4 | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 6 | 0 | 1 | 5 | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FERTILITY RATE | 29.5 | - | 63.7 (15-19) | | 26.0 | - | 57.1 (15-19) | | 40.4 | - | 82.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 24 | 0 | 9 | 15 | 16 | 0 | 5 | 11 | 8 | 0 | 4 | 4 |
| TEENAGE PREGNANCY RATE | 29.5 | - | 63.7 (15-19) | | 26.0 | - | 57.1 (15-19) | | 40.4 | - | 82.5 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: GRENADA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 22,809 | 1,747 | 970 | 777 | 311 |
| WHITE | 13,080 | 840 | 457 | 383 | 165 |
| NONWHITE | 9,729 | 907 | 513 | 394 | 146 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 50 | 0 | 18 | 32 | 19 | 0 | 3 | 16 | 31 | 0 | 15 | 16 |
| TEENAGE IMMATURE BIRTHS | 9 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 9 | 0 | 4 | 5 |
| TEENAGE PREMATURE BIRTHS | 9 | 0 | 3 | 6 | 3 | 0 | 0 | 3 | 6 | 0 | 3 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 44 | 0 | 18 | 26 | 13 | 0 | 3 | 10 | 31 | 0 | 15 | 16 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 9 | 0 | 0 | 9 | 2 | 0 | 0 | 2 | 7 | 0 | 0 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 14 | 0 | 1 | 13 | 4 | 0 | 0 | 4 | 10 | 0 | 1 | 9 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FERTILITY RATE | 28.6 | - | 64.4 (15-19) | | 22.6 | - | 49.6 (15-19) | | 34.2 | - | 78.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENAGE INDUCED TERMINATION RATIO | 100.0 | - | 55.6 | 125.0 | 52.6 | - | - | 62.5 | 129.0 | - | 66.7 | 187.5 |
| TEENAGE PREGNANCIES# | 55 | 0 | 19 | 36 | 20 | 0 | 3 | 17 | 35 | 0 | 16 | 19 |
| TEENAGE PREGNANCY RATE | 31.5 | - | 70.8 (15-19) | | 23.8 | - | 52.2 (15-19) | | 38.6 | - | 88.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 20.0 | - | - | 31.3 | - | - | - | - | 32.3 | - | - | 62.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: HANCOCK

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 45,145 | 3,079 | 1,585 | 1,494 | 545 |
| WHITE | 41,048 | 2,731 | 1,402 | 1,329 | 491 |
| NONWHITE | 4,097 | 348 | 183 | 165 | 54 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 81 | 0 | 28 | 53 | 72 | 0 | 26 | 46 | 9 | 0 | 2 | 7 |
| TEENAGE IMMATURE BIRTHS | 8 | 0 | 5 | 3 | 6 | 0 | 4 | 2 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 1 | 4 | 4 | 0 | 0 | 4 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 64 | 0 | 27 | 37 | 56 | 0 | 25 | 31 | 8 | 0 | 2 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 21 | 0 | 3 | 18 | 19 | 0 | 2 | 17 | 2 | 0 | 1 | 1 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 25 | 0 | 3 | 22 | 23 | 0 | 2 | 21 | 2 | 0 | 1 | 1 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 8 | 0 | 3 | 5 | 8 | 0 | 3 | 5 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 26.3 | - | 54.2 (15-19) | | 26.4 | - | 54.2 (15-19) | | 25.9 | - | 54.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 12.3 | - | 35.7 | - | - | - | - | - | 111.1 | - | 500.0 | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 24.7 | - | 35.7 | 18.9 | 13.9 | - | - | 21.7 | 111.1 | - | 500.0 | - |
| TEENAGE PREGNANCIES# | 84 | 0 | 30 | 54 | 73 | 0 | 26 | 47 | 11 | 0 | 4 | 7 |
| TEENAGE PREGNANCY RATE | 27.3 | - | 56.2 (15-19) | | 26.7 | - | 54.9 (15-19) | | 31.6 | - | 66.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 37.0 | - | 35.7 | 37.7 | 27.8 | - | - | 43.5 | 111.1 | - | 500.0 | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: HARRISON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 189,614 | 13,088 | 6,737 | 6,351 | 2,904 |
| WHITE | 136,936 | 8,536 | 4,345 | 4,191 | 2,028 |
| NONWHITE | 52,678 | 4,552 | 2,392 | 2,160 | 876 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 446 | 8 | 136 | 302 | 283 | 2 | 80 | 201 | 163 | 6 | 56 | 101 |
| TEENAGE IMMATURE BIRTHS | 66 | 2 | 19 | 45 | 40 | 0 | 12 | 28 | 26 | 2 | 7 | 17 |
| TEENAGE PREMATURE BIRTHS | 93 | 1 | 32 | 60 | 56 | 0 | 17 | 39 | 37 | 1 | 15 | 21 |
| TEENAGE ILLEGITIMATE BIRTHS | 357 | 8 | 123 | 226 | 201 | 2 | 67 | 132 | 156 | 6 | 56 | 94 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 90 | 0 | 12 | 78 | 49 | 0 | 7 | 42 | 41 | 0 | 5 | 36 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 124 | 0 | 17 | 107 | 70 | 0 | 9 | 61 | 54 | 0 | 8 | 46 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 37 | 2 | 10 | 25 | 20 | 0 | 6 | 14 | 17 | 2 | 4 | 11 |
| TEENAGE FERTILITY RATE | 34.1 | 1.2 | 69.0 (15-19) | | 33.2 | 0.5 | 67.0 (15-19) | | 35.8 | 2.5 | 72.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 4.5 | - | - | 6.6 | 7.1 | - | - | 10.0 | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 35 | 2 | 10 | 23 | 20 | 2 | 5 | 13 | 14 | 0 | 5 | 9 |
| TEENAGE INDUCED TERMINATION RATIO | 78.5 | 250.0 | 73.5 | 76.2 | 70.7 | 1000.0 | 62.5 | 64.7 | 85.9 | - | 89.3 | 89.1 |
| TEENAGE PREGNANCIES# | 483 | 10 | 146 | 327 | 305 | 4 | 85 | 216 | 177 | 6 | 61 | 110 |
| TEENAGE PREGNANCY RATE | 36.9 | 1.5 | 74.5 (15-19) | | 35.7 | 0.9 | 71.8 (15-19) | | 38.9 | 2.5 | 79.2 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.0 | - | - | 13.2 | 10.6 | - | - | 14.9 | 6.1 | - | - | 9.9 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: HINDS

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 249,087 | 19,187 | 9,436 | 9,751 | 3,958 |
| WHITE | 86,985 | 4,926 | 2,207 | 2,719 | 987 |
| NONWHITE | 162,102 | 14,261 | 7,229 | 7,032 | 2,971 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 600 | 19 | 209 | 372 | 47 | 1 | 10 | 36 | 553 | 18 | 199 | 336 |
| TEENAGE IMMATURE BIRTHS | 125 | 3 | 43 | 79 | 7 | 0 | 1 | 6 | 118 | 3 | 42 | 73 |
| TEENAGE PREMATURE BIRTHS | 143 | 6 | 45 | 92 | 12 | 0 | 5 | 7 | 131 | 6 | 40 | 85 |
| TEENAGE ILLEGITIMATE BIRTHS | 573 | 19 | 208 | 346 | 28 | 1 | 9 | 18 | 545 | 18 | 199 | 328 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 181 | 0 | 36 | 145 | 8 | 0 | 1 | 7 | 173 | 0 | 35 | 138 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 224 | 2 | 46 | 176 | 15 | 1 | 1 | 13 | 209 | 1 | 45 | 163 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 58 | 2 | 23 | 33 | 2 | 0 | 1 | 1 | 56 | 2 | 22 | 32 |
| TEENAGE FERTILITY RATE | 31.3 | 2.0 | 59.6 (15-19) | | 9.5 | 0.4 | 16.9 (15-19) | | 38.8 | 2.5 | 76.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 9 | 1 | 2 | 6 | 1 | 0 | 0 | 1 | 8 | 1 | 2 | 5 |
| TEENAGE FETAL DEATH RATIO | 15.0 | 52.6 | 9.6 | 16.1 | 21.3 | - | - | 27.8 | 14.5 | 55.6 | 10.0 | 14.9 |
| TEENAGE INDUCED TERMINATIONS# | 201 | 10 | 56 | 135 | 25 | 0 | 5 | 20 | 176 | 10 | 51 | 115 |
| TEENAGE INDUCED TERMINATION RATIO | 335.0 | 526.3 | 267.9 | 362.9 | 531.9 | - | 500.0 | 555.6 | 318.3 | 555.6 | 256.3 | 342.3 |
| TEENAGE PREGNANCIES# | 810 | 30 | 267 | 513 | 73 | 1 | 15 | 57 | 737 | 29 | 252 | 456 |
| TEENAGE PREGNANCY RATE | 42.2 | 3.2 | 80.0 (15-19) | | 14.8 | 0.4 | 26.5 (15-19) | | 51.7 | 4.0 | 100.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 11 | 0 | 5 | 6 | 0 | 0 | 0 | 0 | 11 | 0 | 5 | 6 |
| INFANT MORTALITY RATE, TEEN MOMS | 18.3 | - | 23.9 | 16.1 | - | - | - | - | 19.9 | - | 25.1 | 17.9 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: HOLMES

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 21,347 | 1,901 | 910 | 991 | 375 |
| WHITE | 3,984 | 256 | 84 | 172 | 41 |
| NONWHITE | 17,363 | 1,645 | 826 | 819 | 334 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 73 | 3 | 22 | 48 | 4 | 0 | 0 | 4 | 69 | 3 | 22 | 44 |
| TEENAGE IMMATURE BIRTHS | 11 | 1 | 3 | 7 | 1 | 0 | 0 | 1 | 10 | 1 | 3 | 6 |
| TEENAGE PREMATURE BIRTHS | 9 | 0 | 1 | 8 | 0 | 0 | 0 | 0 | 9 | 0 | 1 | 8 |
| TEENAGE ILLEGITIMATE BIRTHS | 70 | 3 | 22 | 45 | 2 | 0 | 0 | 2 | 68 | 3 | 22 | 43 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 18 | 0 | 4 | 14 | 0 | 0 | 0 | 0 | 18 | 0 | 4 | 14 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 21 | 0 | 4 | 17 | 0 | 0 | 0 | 0 | 21 | 0 | 4 | 17 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 21 | 1 | 7 | 13 | 0 | 0 | 0 | 0 | 21 | 1 | 7 | 13 |
| TEENAGE FERTILITY RATE | 38.4 | 3.3 | 70.6 (15-19) | 15.6 | - | 23.2 (15-19) | 41.9 | 3.6 | 80.6 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FETAL DEATH RATIO | 27.4 | - | - | 41.7 | - | - | - | - | 29.0 | - | - | 45.4 |
| TEENAGE INDUCED TERMINATIONS# | 19 | 5 | 3 | 11 | 0 | 0 | 0 | 0 | 19 | 5 | 3 | 11 |
| TEENAGE INDUCED TERMINATION RATIO | 260.3 | 1666.7 | 136.4 | 229.2 | - | - | - | - | 275.4 | 1666.7 | 136.4 | 250.0 |
| TEENAGE PREGNANCIES# | 94 | 8 | 25 | 61 | 4 | 0 | 0 | 4 | 90 | 8 | 25 | 57 |
| TEENAGE PREGNANCY RATE | 49.4 | 8.8 | 86.8 (15-19) | 15.6 | - | 23.2 (15-19) | 54.7 | 9.7 | 100.1 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: HUMPHREYS

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 10,722 | 917 | 459 | 458 | 199 |
| WHITE | 2,843 | 154 | 76 | 78 | 34 |
| NONWHITE | 7,879 | 763 | 383 | 380 | 165 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|---------------|------------|-------------------|------------|---------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 48 | 3 | 19 | 26 | 6 | 0 | 2 | 4 | 42 | 3 | 17 | 22 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENAGE PREMATURE BIRTHS | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 43 | 3 | 18 | 22 | 2 | 0 | 1 | 1 | 41 | 3 | 17 | 21 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 14 | 0 | 5 | 9 | 2 | 0 | 0 | 2 | 12 | 0 | 5 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 17 | 0 | 7 | 10 | 2 | 0 | 0 | 2 | 15 | 0 | 7 | 8 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 0 |
| TEENAGE FERTILITY RATE | 52.3 | 6.5 | 98.2 (15-19) | | 39.0 | - | 76.9 (15-19) | | 55.0 | 7.8 | 102.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 20.8 | - | - | 38.5 | - | - | - | - | 23.8 | - | - | 45.4 |
| TEENAGE INDUCED TERMINATIONS# | 8 | 0 | 2 | 6 | 2 | 0 | 0 | 2 | 6 | 0 | 2 | 4 |
| TEENAGE INDUCED TERMINATION RATIO | 166.7 | - | 105.3 | 230.8 | 333.3 | - | - | 500.0 | 142.8 | - | 117.6 | 181.8 |
| TEENAGE PREGNANCIES# | 57 | 3 | 21 | 33 | 8 | 0 | 2 | 6 | 49 | 3 | 19 | 27 |
| TEENAGE PREGNANCY RATE | 62.2 | 6.5 | 117.9 (15-19) | | 51.9 | - | 102.6 (15-19) | | 64.2 | 7.8 | 121.0 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 20.8 | - | - | 38.5 | - | - | - | - | 23.8 | - | - | 45.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: ISSAQUENA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 2,016 | 184 | 94 | 90 | 19 |
| WHITE | 714 | 42 | 24 | 18 | 6 |
| NONWHITE | 1,302 | 142 | 70 | 72 | 13 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 7 | 0 | 3 | 4 | 0 | 0 | 0 | 0 | 7 | 0 | 3 | 4 |
| TEENAGE IMMATURE BIRTHS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 7 | 0 | 3 | 4 | 0 | 0 | 0 | 0 | 7 | 0 | 3 | 4 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 38.0 | - | 77.8 (15-19) | | - | - | - (15-19) | | 49.3 | - | 97.2 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 7 | 0 | 3 | 4 | 0 | 0 | 0 | 0 | 7 | 0 | 3 | 4 |
| TEENAGE PREGNANCY RATE | 38.0 | - | 77.8 (15-19) | | - | - | - (15-19) | | 49.3 | - | 97.2 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: ITAWAMBA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 22,964 | 1,729 | 862 | 867 | 300 |
| WHITE | 21,291 | 1,550 | 797 | 753 | 280 |
| NONWHITE | 1,673 | 179 | 65 | 114 | 20 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 44 | 0 | 12 | 32 | 42 | 0 | 11 | 31 | 2 | 0 | 1 | 1 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 0 | 4 | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 9 | 0 | 4 | 5 | 9 | 0 | 4 | 5 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 0 | 9 | 14 | 21 | 0 | 8 | 13 | 2 | 0 | 1 | 1 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 10 | 0 | 1 | 9 | 10 | 0 | 1 | 9 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 11 | 0 | 1 | 10 | 11 | 0 | 1 | 10 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 25.4 | - | 50.8 (15-19) | | 27.1 | - | 55.8 (15-19) | | 11.2 | - | 17.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 44 | 0 | 12 | 32 | 42 | 0 | 11 | 31 | 2 | 0 | 1 | 1 |
| TEENAGE PREGNANCY RATE | 25.4 | - | 50.8 (15-19) | | 27.1 | - | 55.8 (15-19) | | 11.2 | - | 17.5 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 22.7 | - | - | 31.3 | 23.8 | - | - | 32.3 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: JACKSON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 133,928 | 9,766 | 5,183 | 4,583 | 1,812 |
| WHITE | 100,106 | 6,809 | 3,595 | 3,214 | 1,318 |
| NONWHITE | 33,822 | 2,957 | 1,588 | 1,369 | 494 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 276 | 7 | 72 | 197 | 177 | 0 | 46 | 131 | 99 | 7 | 26 | 66 |
| TEENAGE IMMATURE BIRTHS | 36 | 0 | 12 | 24 | 22 | 0 | 8 | 14 | 14 | 0 | 4 | 10 |
| TEENAGE PREMATURE BIRTHS | 40 | 1 | 12 | 27 | 24 | 0 | 9 | 15 | 16 | 1 | 3 | 12 |
| TEENAGE ILLEGITIMATE BIRTHS | 220 | 7 | 65 | 148 | 128 | 0 | 39 | 89 | 92 | 7 | 26 | 59 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 59 | 0 | 6 | 53 | 31 | 0 | 4 | 27 | 28 | 0 | 2 | 26 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 75 | 0 | 9 | 66 | 42 | 0 | 7 | 35 | 33 | 0 | 2 | 31 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 9 | 0 | 3 | 6 | 2 | 0 | 0 | 2 | 7 | 0 | 3 | 4 |
| TEENAGE FERTILITY RATE | 28.3 | 1.4 | 58.7 (15-19) | | 26.0 | - | 55.1 (15-19) | | 33.5 | 4.4 | 67.2 (15-19) | |
| TEENAGE FETAL DEATHS** | 4 | 0 | 3 | 1 | 1 | 0 | 1 | 0 | 3 | 0 | 2 | 1 |
| TEENAGE FETAL DEATH RATIO | 14.5 | - | 41.7 | 5.1 | 5.6 | - | 21.7 | - | 30.3 | - | 76.9 | 15.2 |
| TEENAGE INDUCED TERMINATIONS# | 29 | 2 | 8 | 19 | 20 | 2 | 6 | 12 | 7 | 0 | 2 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 105.1 | 285.7 | 111.1 | 96.4 | 113.0 | & | 130.4 | 91.6 | 70.7 | - | 76.9 | 75.8 |
| TEENAGE PREGNANCIES# | 309 | 9 | 83 | 217 | 198 | 2 | 53 | 143 | 109 | 7 | 30 | 72 |
| TEENAGE PREGNANCY RATE | 31.6 | 1.7 | 65.4 (15-19) | | 29.1 | 0.6 | 61.0 (15-19) | | 36.9 | 4.4 | 74.5 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 2 | 1 | 1 | 0 | 1 | 0 | 2 | 0 | 1 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 10.9 | - | 27.8 | 5.1 | 5.7 | - | 21.7 | - | 20.2 | - | 38.5 | 15.2 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: JASPER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 18,280 | 1,386 | 729 | 657 | 279 |
| WHITE | 8,432 | 458 | 235 | 223 | 117 |
| NONWHITE | 9,848 | 928 | 494 | 434 | 162 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 41 | 2 | 7 | 32 | 12 | 0 | 2 | 10 | 29 | 2 | 5 | 22 |
| TEENAGE IMMATURE BIRTHS | 10 | 0 | 0 | 10 | 2 | 0 | 0 | 2 | 8 | 0 | 0 | 8 |
| TEENAGE PREMATURE BIRTHS | 7 | 1 | 0 | 6 | 1 | 0 | 0 | 1 | 6 | 1 | 0 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 33 | 2 | 5 | 26 | 4 | 0 | 0 | 4 | 29 | 2 | 5 | 22 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 7 | 0 | 0 | 7 | 2 | 0 | 0 | 2 | 5 | 0 | 0 | 5 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 0 | 9 | 4 | 0 | 0 | 4 | 5 | 0 | 0 | 5 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 0 | 4 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 3 |
| TEENAGE FERTILITY RATE | 29.6 | 2.7 | 59.4 (15-19) | 26.2 | - | 53.8 (15-19) | 31.2 | 4.0 | 62.2 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 7 | 1 | 1 | 5 | 0 | 0 | 0 | 0 | 7 | 1 | 1 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 170.7 | 500.0 | 142.8 | 156.2 | - | - | - | - | 241.4 | 500.0 | 200.0 | 227.3 |
| TEENAGE PREGNANCIES# | 48 | 3 | 8 | 37 | 12 | 0 | 2 | 10 | 36 | 3 | 6 | 27 |
| TEENAGE PREGNANCY RATE | 34.6 | 4.1 | 68.5 (15-19) | 26.2 | - | 53.8 (15-19) | 38.8 | 6.1 | 76.0 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: JEFFERSON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 9,533 | 759 | 378 | 381 | 136 |
| WHITE | 1,193 | 59 | 31 | 28 | 3 |
| NONWHITE | 8,340 | 700 | 347 | 353 | 133 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|---------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 35 | 1 | 13 | 21 | 1 | 0 | 0 | 1 | 34 | 1 | 13 | 20 |
| TEENAGE IMMATURE BIRTHS | 8 | 1 | 3 | 4 | 0 | 0 | 0 | 0 | 8 | 1 | 3 | 4 |
| TEENAGE PREMATURE BIRTHS | 6 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 6 | 0 | 3 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 35 | 1 | 13 | 21 | 1 | 0 | 0 | 1 | 34 | 1 | 13 | 20 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 6 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 6 | 0 | 2 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 3 |
| TEENAGE FERTILITY RATE | 46.1 | 2.6 | 89.2 (15-19) | 16.9 | - | 35.7 (15-19) | 48.6 | 2.9 | 93.5 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 9 | 0 | 4 | 5 | 1 | 0 | 1 | 0 | 7 | 0 | 2 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 257.1 | - | 307.7 | 238.1 | 1000.0 | - | & | - | 205.9 | - | 153.8 | 250.0 |
| TEENAGE PREGNANCIES# | 44 | 1 | 17 | 26 | 2 | 0 | 1 | 1 | 41 | 1 | 15 | 25 |
| TEENAGE PREGNANCY RATE | 58.0 | 2.6 | 112.9 (15-19) | 33.9 | - | 71.4 (15-19) | 58.6 | 2.9 | 113.3 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: JEFF DAVIS

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 13,399 | 1,031 | 516 | 515 | 173 |
| WHITE | 5,471 | 296 | 147 | 149 | 55 |
| NONWHITE | 7,928 | 735 | 369 | 366 | 118 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 25 | 1 | 10 | 14 | 5 | 0 | 1 | 4 | 20 | 1 | 9 | 10 |
| TEENAGE IMMATURE BIRTHS | 5 | 0 | 1 | 4 | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 4 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 2 | 5 | 0 | 0 | 0 | 0 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 1 | 10 | 12 | 3 | 0 | 1 | 2 | 20 | 1 | 9 | 10 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 0 | 5 | 1 | 0 | 0 | 1 | 4 | 0 | 0 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 6 | 1 | 0 | 5 | 1 | 0 | 0 | 1 | 5 | 1 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE FERTILITY RATE | 24.2 | 1.9 | 46.6 (15-19) | 16.9 | - | 33.6 (15-19) | 27.2 | 2.7 | 51.9 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 40.0 | - | - | 71.4 | - | - | - | - | 50.0 | - | - | 100.0 |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 2 | 2 | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 160.0 | - | 200.0 | 142.8 | 400.0 | - | 1000.0 | 250.0 | 100.0 | - | 111.1 | 100.0 |
| TEENAGE PREGNANCIES# | 30 | 1 | 12 | 17 | 7 | 0 | 2 | 5 | 23 | 1 | 10 | 12 |
| TEENAGE PREGNANCY RATE | 29.1 | 1.9 | 56.3 (15-19) | 23.6 | - | 47.0 (15-19) | 31.3 | 2.7 | 60.1 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: JONES

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 65,168 | 4,482 | 2,198 | 2,284 | 970 |
| WHITE | 46,751 | 2,790 | 1,321 | 1,469 | 611 |
| NONWHITE | 18,417 | 1,692 | 877 | 815 | 359 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 128 | 0 | 42 | 86 | 68 | 0 | 20 | 48 | 60 | 0 | 22 | 38 |
| TEENAGE IMMATURE BIRTHS | 13 | 0 | 6 | 7 | 6 | 0 | 4 | 2 | 7 | 0 | 2 | 5 |
| TEENAGE PREMATURE BIRTHS | 15 | 0 | 6 | 9 | 9 | 0 | 4 | 5 | 6 | 0 | 2 | 4 |
| TEENAGE ILLEGITIMATE BIRTHS | 94 | 0 | 34 | 60 | 36 | 0 | 12 | 24 | 58 | 0 | 22 | 36 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 30 | 0 | 5 | 25 | 12 | 0 | 1 | 11 | 18 | 0 | 4 | 14 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 36 | 0 | 7 | 29 | 15 | 0 | 2 | 13 | 21 | 0 | 5 | 16 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 2 | 2 | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 |
| TEENAGE FERTILITY RATE | 28.6 | - | 56.0 (15-19) | | 24.4 | - | 46.3 (15-19) | | 35.5 | - | 73.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENAGE FETAL DEATH RATIO | 23.4 | - | 23.8 | 23.2 | - | - | - | - | 50.0 | - | 45.4 | 52.6 |
| TEENAGE INDUCED TERMINATIONS# | 11 | 2 | 5 | 4 | 2 | 0 | 0 | 2 | 9 | 2 | 5 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 85.9 | & | 119.0 | 46.5 | 29.4 | - | - | 41.7 | 150.0 | & | 227.3 | 52.6 |
| TEENAGE PREGNANCIES# | 142 | 2 | 48 | 92 | 70 | 0 | 20 | 50 | 72 | 2 | 28 | 42 |
| TEENAGE PREGNANCY RATE | 31.7 | 0.9 | 61.3 (15-19) | | 25.1 | - | 47.6 (15-19) | | 42.6 | 2.3 | 85.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 7.8 | - | 23.8 | - | - | - | - | - | 16.7 | - | 45.5 | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: KEMPER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 10,435 | 744 | 350 | 394 | 133 |
| WHITE | 4,028 | 224 | 97 | 127 | 41 |
| NONWHITE | 6,407 | 520 | 253 | 267 | 92 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 18 | 0 | 6 | 12 | 3 | 0 | 0 | 3 | 15 | 0 | 6 | 9 |
| TEENAGE IMMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 |
| TEENAGE ILLEGITIMATE BIRTHS | 16 | 0 | 6 | 10 | 2 | 0 | 0 | 2 | 14 | 0 | 6 | 8 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 |
| TEENAGE FERTILITY RATE | 24.2 | - | 45.7 (15-19) | | 13.4 | - | 23.6 (15-19) | | 28.8 | - | 56.2 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 55.6 | - | 166.7 | - | - | - | - | - | 66.7 | - | 166.7 | - |
| TEENAGE PREGNANCIES# | 19 | 0 | 7 | 12 | 3 | 0 | 0 | 3 | 16 | 0 | 7 | 9 |
| TEENAGE PREGNANCY RATE | 25.5 | - | 48.2 (15-19) | | 13.4 | - | 23.6 (15-19) | | 30.8 | - | 59.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LAFAYETTE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 40,188 | 3,133 | 999 | 2,134 | 461 |
| WHITE | 28,931 | 2,203 | 622 | 1,581 | 277 |
| NONWHITE | 11,257 | 930 | 377 | 553 | 184 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 57 | 0 | 16 | 41 | 21 | 0 | 8 | 13 | 36 | 0 | 8 | 28 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 0 | 4 | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| TEENAGE PREMATURE BIRTHS | 11 | 0 | 2 | 9 | 5 | 0 | 1 | 4 | 6 | 0 | 1 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 47 | 0 | 14 | 33 | 14 | 0 | 6 | 8 | 33 | 0 | 8 | 25 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 0 | 13 | 2 | 0 | 0 | 2 | 11 | 0 | 0 | 11 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 1 | 14 | 2 | 0 | 0 | 2 | 13 | 0 | 1 | 12 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE FERTILITY RATE | 18.2 | - | 26.7 (15-19) | | 9.5 | - | 13.3 (15-19) | | 38.7 | - | 65.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 52.6 | - | - | 73.2 | 95.2 | - | - | 153.8 | 27.8 | - | - | 35.7 |
| TEENAGE PREGNANCIES# | 60 | 0 | 16 | 44 | 23 | 0 | 8 | 15 | 37 | 0 | 8 | 29 |
| TEENAGE PREGNANCY RATE | 19.2 | - | 28.1 (15-19) | | 10.4 | - | 14.5 (15-19) | | 39.8 | - | 66.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 35.1 | - | - | 48.8 | - | - | - | - | 55.6 | - | - | 71.4 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LAMAR

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 41,957 | 3,004 | 1,565 | 1,439 | 675 |
| WHITE | 35,752 | 2,445 | 1,267 | 1,178 | 553 |
| NONWHITE | 6,205 | 559 | 298 | 261 | 122 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 76 | 1 | 21 | 54 | 59 | 1 | 16 | 42 | 17 | 0 | 5 | 12 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 2 | 4 | 5 | 0 | 1 | 4 | 1 | 0 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 17 | 0 | 5 | 12 | 14 | 0 | 4 | 10 | 3 | 0 | 1 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 43 | 0 | 15 | 28 | 27 | 0 | 10 | 17 | 16 | 0 | 5 | 11 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 18 | 0 | 4 | 14 | 12 | 0 | 2 | 10 | 6 | 0 | 2 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 18 | 0 | 4 | 14 | 12 | 0 | 2 | 10 | 6 | 0 | 2 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 2 | 1 | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 25.3 | 0.6 | 52.1 (15-19) | | 24.1 | 0.8 | 49.2 (15-19) | | 30.4 | - | 65.1 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 7 | 0 | 1 | 6 | 4 | 0 | 0 | 4 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 92.1 | - | 47.6 | 111.1 | 67.8 | - | - | 95.2 | 117.6 | - | - | 166.7 |
| TEENAGE PREGNANCIES# | 83 | 1 | 22 | 60 | 63 | 1 | 16 | 46 | 19 | 0 | 5 | 14 |
| TEENAGE PREGNANCY RATE | 27.6 | 0.6 | 57.0 (15-19) | | 25.8 | 0.8 | 52.6 (15-19) | | 34.0 | - | 72.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LAUDERDALE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 77,706 | 5,548 | 2,860 | 2,688 | 1,178 |
| WHITE | 45,695 | 2,657 | 1,356 | 1,301 | 587 |
| NONWHITE | 32,011 | 2,891 | 1,504 | 1,387 | 591 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 159 | 4 | 43 | 112 | 42 | 0 | 7 | 35 | 117 | 4 | 36 | 77 |
| TEENAGE IMMATURE BIRTHS | 26 | 0 | 10 | 16 | 6 | 0 | 1 | 5 | 20 | 0 | 9 | 11 |
| TEENAGE PREMATURE BIRTHS | 30 | 0 | 12 | 18 | 8 | 0 | 3 | 5 | 22 | 0 | 9 | 13 |
| TEENAGE ILLEGITIMATE BIRTHS | 149 | 4 | 42 | 103 | 34 | 0 | 6 | 28 | 115 | 4 | 36 | 75 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 45 | 0 | 5 | 40 | 8 | 0 | 1 | 7 | 37 | 0 | 4 | 33 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 55 | 0 | 6 | 49 | 12 | 0 | 2 | 10 | 43 | 0 | 4 | 39 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 12 | 1 | 6 | 5 | 0 | 0 | 0 | 0 | 12 | 1 | 6 | 5 |
| TEENAGE FERTILITY RATE | 28.6 | 1.4 | 57.7 (15-19) | 15.8 | - | 32.3 (15-19) | 40.5 | 2.7 | 81.5 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 27 | 3 | 8 | 16 | 10 | 1 | 3 | 6 | 17 | 2 | 5 | 10 |
| TEENAGE INDUCED TERMINATION RATIO | 169.8 | 750.0 | 186.0 | 142.8 | 238.1 | & | 428.6 | 171.4 | 145.3 | 500.0 | 138.9 | 129.9 |
| TEENAGE PREGNANCIES# | 186 | 7 | 51 | 128 | 52 | 1 | 10 | 41 | 134 | 6 | 41 | 87 |
| TEENAGE PREGNANCY RATE | 33.5 | 2.4 | 66.6 (15-19) | 19.6 | 0.7 | 39.2 (15-19) | 46.4 | 4.0 | 92.3 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 12.6 | - | - | 17.9 | 23.8 | - | - | 28.6 | 8.5 | - | - | 13.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LAWRENCE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 13,520 | 993 | 524 | 469 | 198 |
| WHITE | 9,112 | 610 | 317 | 293 | 125 |
| NONWHITE | 4,408 | 383 | 207 | 176 | 73 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 29 | 0 | 6 | 23 | 15 | 0 | 2 | 13 | 14 | 0 | 4 | 10 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 2 | 0 | 1 | 1 | 6 | 0 | 2 | 4 |
| TEENAGE ILLEGITIMATE BIRTHS | 22 | 0 | 5 | 17 | 8 | 0 | 1 | 7 | 14 | 0 | 4 | 10 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 9 | 0 | 1 | 8 | 5 | 0 | 0 | 5 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 1 | 8 | 5 | 0 | 0 | 5 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 29.2 | - | 61.8 (15-19) | | 24.6 | - | 51.2 (15-19) | | 36.6 | - | 79.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 103.4 | - | - | 130.4 | 66.7 | - | - | 76.9 | 142.8 | - | - | 200.0 |
| TEENAGE PREGNANCIES# | 32 | 0 | 6 | 26 | 16 | 0 | 2 | 14 | 16 | 0 | 4 | 12 |
| TEENAGE PREGNANCY RATE | 32.2 | - | 68.2 (15-19) | | 26.2 | - | 54.6 (15-19) | | 41.8 | - | 90.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LEAKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 21,820 | 1,568 | 850 | 718 | 371 |
| WHITE | 12,296 | 707 | 385 | 322 | 193 |
| NONWHITE | 9,524 | 861 | 465 | 396 | 178 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 48 | 1 | 18 | 29 | 24 | 1 | 7 | 16 | 24 | 0 | 11 | 13 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 2 | 5 | 4 | 0 | 1 | 3 | 3 | 0 | 1 | 2 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 3 | 0 | 1 | 2 | 5 | 0 | 2 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 39 | 1 | 14 | 24 | 18 | 1 | 5 | 12 | 21 | 0 | 9 | 12 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 7 | 0 | 0 | 7 | 5 | 0 | 0 | 5 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 1 | 8 | 6 | 0 | 1 | 5 | 3 | 0 | 0 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 2 | 1 | 1 | 0 | 0 | 1 | 2 | 0 | 2 | 0 |
| TEENAGE FERTILITY RATE | 30.6 | 1.2 | 65.5 (15-19) | | 33.9 | 2.6 | 71.4 (15-19) | | 27.9 | - | 60.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FETAL DEATH RATIO | 41.7 | - | - | 69.0 | - | - | - | - | 83.3 | - | - | 153.8 |
| TEENAGE INDUCED TERMINATIONS# | 10 | 0 | 5 | 5 | 4 | 0 | 1 | 3 | 6 | 0 | 4 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 208.3 | - | 277.8 | 172.4 | 166.7 | - | 142.8 | 187.5 | 250.0 | - | 363.6 | 153.8 |
| TEENAGE PREGNANCIES# | 60 | 1 | 23 | 36 | 28 | 1 | 8 | 19 | 32 | 0 | 15 | 17 |
| TEENAGE PREGNANCY RATE | 38.3 | 1.2 | 82.2 (15-19) | | 39.6 | 2.6 | 83.8 (15-19) | | 37.2 | - | 80.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 20.8 | - | - | 34.5 | 41.7 | - | - | 62.5 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LEE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 77,690 | 5,490 | 2,932 | 2,558 | 1,187 |
| WHITE | 56,502 | 3,554 | 1,912 | 1,642 | 817 |
| NONWHITE | 21,188 | 1,936 | 1,020 | 916 | 370 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|------------|------------|-------------------|------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 204 | 3 | 77 | 124 | 112 | 0 | 43 | 69 | 92 | 3 | 34 | 55 |
| TEENAGE IMMATURE BIRTHS | 26 | 0 | 8 | 18 | 10 | 0 | 2 | 8 | 16 | 0 | 6 | 10 |
| TEENAGE PREMATURE BIRTHS | 46 | 1 | 11 | 34 | 21 | 0 | 2 | 19 | 25 | 1 | 9 | 15 |
| TEENAGE ILLEGITIMATE BIRTHS | 163 | 3 | 69 | 91 | 74 | 0 | 35 | 39 | 89 | 3 | 34 | 52 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 41 | 0 | 8 | 33 | 20 | 0 | 4 | 16 | 21 | 0 | 4 | 17 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 53 | 0 | 10 | 43 | 25 | 0 | 4 | 21 | 28 | 0 | 6 | 22 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 2 | 3 | 3 | 0 | 0 | 3 | 2 | 0 | 2 | 0 |
| TEENAGE FERTILITY RATE | 37.2 | 1.0 | 78.6 | (15-19) | 31.5 | - | 68.2 | (15-19) | 47.5 | 2.9 | 97.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENAGE FETAL DEATH RATIO | 19.6 | - | 13.0 | 24.2 | - | - | - | - | 43.5 | - | 29.4 | 54.5 |
| TEENAGE INDUCED TERMINATIONS# | 7 | 0 | 4 | 3 | 4 | 0 | 2 | 2 | 3 | 0 | 2 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 34.3 | - | 51.9 | 24.2 | 35.7 | - | 46.5 | 29.0 | 32.6 | - | 58.8 | 18.2 |
| TEENAGE PREGNANCIES# | 215 | 3 | 82 | 130 | 116 | 0 | 45 | 71 | 99 | 3 | 37 | 59 |
| TEENAGE PREGNANCY RATE | 39.2 | 1.0 | 82.9 | (15-19) | 32.6 | - | 70.6 | (15-19) | 51.1 | 2.9 | 104.8 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 14.7 | - | 13.0 | 16.1 | 17.9 | - | 23.3 | 14.5 | 10.9 | - | - | 18.2 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LEFLORE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 36,470 | 3,008 | 1,476 | 1,532 | 614 |
| WHITE | 10,687 | 600 | 289 | 311 | 119 |
| NONWHITE | 25,783 | 2,408 | 1,187 | 1,221 | 495 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|------------|------------|-------------------|------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 148 | 4 | 62 | 82 | 14 | 0 | 5 | 9 | 134 | 4 | 57 | 73 |
| TEENAGE IMMATURE BIRTHS | 36 | 2 | 12 | 22 | 4 | 0 | 1 | 3 | 32 | 2 | 11 | 19 |
| TEENAGE PREMATURE BIRTHS | 35 | 2 | 10 | 23 | 4 | 0 | 2 | 2 | 31 | 2 | 8 | 21 |
| TEENAGE ILLEGITIMATE BIRTHS | 145 | 4 | 62 | 79 | 11 | 0 | 5 | 6 | 134 | 4 | 57 | 73 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 32 | 0 | 9 | 23 | 2 | 0 | 1 | 1 | 30 | 0 | 8 | 22 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 41 | 0 | 11 | 30 | 3 | 0 | 1 | 2 | 38 | 0 | 10 | 28 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 26 | 1 | 12 | 13 | 1 | 0 | 0 | 1 | 25 | 1 | 12 | 12 |
| TEENAGE FERTILITY RATE | 49.2 | 2.7 | 94.0 | (15-19) | 23.3 | - | 45.0 | (15-19) | 55.6 | 3.4 | 106.5 | (15-19) |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 6.8 | - | - | 12.2 | - | - | - | - | 7.5 | - | - | 13.7 |
| TEENAGE INDUCED TERMINATIONS# | 12 | 1 | 6 | 5 | 0 | 0 | 0 | 0 | 12 | 1 | 6 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 81.1 | 250.0 | 96.8 | 61.0 | - | - | - | - | 89.6 | 250.0 | 105.3 | 68.5 |
| TEENAGE PREGNANCIES# | 161 | 5 | 68 | 88 | 14 | 0 | 5 | 9 | 147 | 5 | 63 | 79 |
| TEENAGE PREGNANCY RATE | 53.5 | 3.4 | 101.8 | (15-19) | 23.3 | - | 45.0 | (15-19) | 61.0 | 4.2 | 116.3 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 13.5 | - | 16.1 | 12.2 | - | - | - | - | 14.9 | - | 17.5 | 13.7 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LINCOLN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 33,549 | 2,348 | 1,273 | 1,075 | 458 |
| WHITE | 23,103 | 1,475 | 793 | 682 | 302 |
| NONWHITE | 10,446 | 873 | 480 | 393 | 156 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 64 | 1 | 15 | 48 | 33 | 0 | 5 | 28 | 31 | 1 | 10 | 20 |
| TEENAGE IMMATURE BIRTHS | 12 | 0 | 3 | 9 | 4 | 0 | 1 | 3 | 8 | 0 | 2 | 6 |
| TEENAGE PREMATURE BIRTHS | 10 | 0 | 2 | 8 | 3 | 0 | 0 | 3 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 48 | 1 | 13 | 34 | 17 | 0 | 3 | 14 | 31 | 1 | 10 | 20 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 12 | 0 | 1 | 11 | 7 | 0 | 0 | 7 | 5 | 0 | 1 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 1 | 14 | 9 | 0 | 0 | 9 | 6 | 0 | 1 | 5 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 1 | 0 | 4 | 2 | 0 | 0 | 2 | 3 | 1 | 0 | 2 |
| TEENAGE FERTILITY RATE | 27.2 | 0.8 | 58.6 (15-19) | | 22.4 | - | 48.4 (15-19) | | 35.5 | 2.1 | 76.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 15.6 | - | - | 20.8 | - | - | - | - | 32.2 | - | - | 50.0 |
| TEENAGE INDUCED TERMINATIONS# | 6 | 1 | 1 | 4 | 4 | 1 | 1 | 2 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 93.8 | 1000.0 | 66.7 | 83.3 | 121.2 | & | 200.0 | 71.4 | 64.5 | - | - | 100.0 |
| TEENAGE PREGNANCIES# | 71 | 2 | 16 | 53 | 37 | 1 | 6 | 30 | 34 | 1 | 10 | 23 |
| TEENAGE PREGNANCY RATE | 30.2 | 1.6 | 64.2 (15-19) | | 25.1 | 1.3 | 52.8 (15-19) | | 38.9 | 2.1 | 84.0 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 31.3 | - | - | 41.7 | - | - | - | - | 64.5 | - | - | 100.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: LOWNDES

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 60,658 | 4,632 | 2,375 | 2,257 | 868 |
| WHITE | 33,585 | 2,098 | 1,023 | 1,075 | 446 |
| NONWHITE | 27,073 | 2,534 | 1,352 | 1,182 | 422 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 141 | 2 | 62 | 77 | 42 | 1 | 18 | 23 | 99 | 1 | 44 | 54 |
| TEENAGE IMMATURE BIRTHS | 16 | 0 | 7 | 9 | 2 | 0 | 0 | 2 | 14 | 0 | 7 | 7 |
| TEENAGE PREMATURE BIRTHS | 33 | 0 | 19 | 14 | 4 | 0 | 2 | 2 | 29 | 0 | 17 | 12 |
| TEENAGE ILLEGITIMATE BIRTHS | 124 | 2 | 57 | 65 | 27 | 1 | 13 | 13 | 97 | 1 | 44 | 52 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 40 | 0 | 17 | 23 | 8 | 0 | 2 | 6 | 32 | 0 | 15 | 17 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 45 | 0 | 20 | 25 | 8 | 0 | 2 | 6 | 37 | 0 | 18 | 19 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 9 | 0 | 3 | 6 | 0 | 0 | 0 | 0 | 9 | 0 | 3 | 6 |
| TEENAGE FERTILITY RATE | 30.4 | 0.8 | 61.6 (15-19) | | 20.0 | 1.0 | 38.1 (15-19) | | 39.1 | 0.7 | 82.9 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 7.1 | - | - | 13.0 | - | - | - | - | 10.1 | - | - | 18.5 |
| TEENAGE INDUCED TERMINATIONS# | 38 | 3 | 13 | 22 | 8 | 1 | 3 | 4 | 30 | 2 | 10 | 18 |
| TEENAGE INDUCED TERMINATION RATIO | 269.5 | 1500.0 | 209.7 | 285.7 | 190.5 | 1000.0 | 166.7 | 173.9 | 303.0 | 2000.0 | 227.3 | 333.3 |
| TEENAGE PREGNANCIES# | 180 | 5 | 75 | 100 | 50 | 2 | 21 | 27 | 130 | 3 | 54 | 73 |
| TEENAGE PREGNANCY RATE | 38.9 | 2.1 | 77.5 (15-19) | | 23.8 | 2.0 | 44.6 (15-19) | | 51.3 | 2.2 | 107.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 21.3 | - | 16.1 | 26.0 | - | - | - | - | 30.3 | - | 22.7 | 37.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: MADISON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 79,758 | 6,153 | 3,169 | 2,984 | 1,209 |
| WHITE | 48,250 | 3,181 | 1,681 | 1,500 | 613 |
| NONWHITE | 31,508 | 2,972 | 1,488 | 1,484 | 596 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|------------|------------|-------------------|------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 128 | 3 | 51 | 74 | 29 | 0 | 9 | 20 | 99 | 3 | 42 | 54 |
| TEENAGE IMMATURE BIRTHS | 14 | 0 | 4 | 10 | 2 | 0 | 0 | 2 | 12 | 0 | 4 | 8 |
| TEENAGE PREMATURE BIRTHS | 20 | 0 | 9 | 11 | 3 | 0 | 1 | 2 | 17 | 0 | 8 | 9 |
| TEENAGE ILLEGITIMATE BIRTHS | 117 | 3 | 49 | 65 | 20 | 0 | 7 | 13 | 97 | 3 | 42 | 52 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 27 | 0 | 5 | 22 | 5 | 0 | 1 | 4 | 22 | 0 | 4 | 18 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 35 | 0 | 7 | 28 | 7 | 0 | 1 | 6 | 28 | 0 | 6 | 22 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 24 | 0 | 13 | 11 | 1 | 0 | 1 | 0 | 23 | 0 | 12 | 11 |
| TEENAGE FERTILITY RATE | 20.8 | 0.9 | 41.9 | (15-19) | 9.1 | - | 19.3 | (15-19) | 33.3 | 2.0 | 64.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FETAL DEATH RATIO | 15.6 | - | 19.6 | 13.5 | - | - | - | - | 20.2 | - | 23.8 | 18.5 |
| TEENAGE INDUCED TERMINATIONS# | 60 | 3 | 24 | 33 | 19 | 0 | 5 | 14 | 41 | 3 | 19 | 19 |
| TEENAGE INDUCED TERMINATION RATIO | 468.8 | 1000.0 | 470.6 | 445.9 | 655.2 | - | 555.6 | 700.0 | 414.1 | 1000.0 | 452.4 | 351.8 |
| TEENAGE PREGNANCIES# | 190 | 6 | 76 | 108 | 48 | 0 | 14 | 34 | 142 | 6 | 62 | 74 |
| TEENAGE PREGNANCY RATE | 30.9 | 1.9 | 61.7 | (15-19) | 15.1 | - | 32.0 | (15-19) | 47.8 | 4.0 | 91.6 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 15.6 | - | - | 27.0 | - | - | - | - | 20.2 | - | - | 37.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: MARION

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 25,090 | 1,847 | 919 | 928 | 356 |
| WHITE | 16,753 | 1,054 | 521 | 533 | 231 |
| NONWHITE | 8,337 | 793 | 398 | 395 | 125 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 63 | 2 | 27 | 34 | 42 | 2 | 16 | 24 | 21 | 0 | 11 | 10 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 4 | 3 | 6 | 0 | 4 | 2 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 16 | 0 | 9 | 7 | 9 | 0 | 5 | 4 | 7 | 0 | 4 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 49 | 2 | 22 | 25 | 29 | 2 | 11 | 16 | 20 | 0 | 11 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 12 | 0 | 1 | 11 | 10 | 0 | 1 | 9 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 14 | 0 | 2 | 12 | 12 | 0 | 2 | 10 | 2 | 0 | 0 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 34.1 | 2.2 | 65.7 (15-19) | | 39.8 | 3.8 | 75.0 (15-19) | | 26.5 | - | 53.2 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 5 | 1 | 2 | 2 | 3 | 1 | 2 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 79.4 | 500.0 | 74.1 | 58.8 | 71.4 | 500.0 | 125.0 | - | 95.2 | - | - | 200.0 |
| TEENAGE PREGNANCIES# | 68 | 3 | 29 | 36 | 45 | 3 | 18 | 24 | 23 | 0 | 11 | 12 |
| TEENAGE PREGNANCY RATE | 36.8 | 3.3 | 70.0 (15-19) | | 42.7 | 5.8 | 78.8 (15-19) | | 29.0 | - | 58.2 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 15.9 | - | - | 29.4 | - | - | - | - | 47.6 | - | - | 100.0 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: MARSHALL

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 35,442 | 2,624 | 1,319 | 1,305 | 479 |
| WHITE | 17,259 | 990 | 517 | 473 | 236 |
| NONWHITE | 18,183 | 1,634 | 802 | 832 | 243 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 92 | 1 | 29 | 62 | 34 | 0 | 11 | 23 | 58 | 1 | 18 | 39 |
| TEENAGE IMMATURE BIRTHS | 14 | 0 | 1 | 13 | 5 | 0 | 1 | 4 | 9 | 0 | 0 | 9 |
| TEENAGE PREMATURE BIRTHS | 17 | 0 | 5 | 12 | 5 | 0 | 2 | 3 | 12 | 0 | 3 | 9 |
| TEENAGE ILLEGITIMATE BIRTHS | 79 | 1 | 26 | 52 | 22 | 0 | 8 | 14 | 57 | 1 | 18 | 38 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 27 | 0 | 5 | 22 | 11 | 0 | 3 | 8 | 16 | 0 | 2 | 14 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 31 | 0 | 5 | 26 | 12 | 0 | 3 | 9 | 19 | 0 | 2 | 17 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE FERTILITY RATE | 35.1 | 0.8 | 69.7 (15-19) | | 34.3 | - | 71.9 (15-19) | | 35.5 | 1.2 | 68.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 21.7 | - | 34.5 | 16.1 | 29.4 | - | - | 43.5 | 17.2 | - | 55.6 | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 94 | 1 | 30 | 63 | 35 | 0 | 11 | 24 | 59 | 1 | 19 | 39 |
| TEENAGE PREGNANCY RATE | 35.8 | 0.8 | 71.3 (15-19) | | 35.4 | - | 74.0 (15-19) | | 36.1 | 1.2 | 69.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 21.7 | - | - | 32.3 | 29.4 | - | - | 43.5 | 17.2 | - | - | 25.6 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: MONROE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 37,842 | 2,761 | 1,448 | 1,313 | 486 |
| WHITE | 25,926 | 1,677 | 886 | 791 | 323 |
| NONWHITE | 11,916 | 1,084 | 562 | 522 | 163 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 78 | 1 | 24 | 53 | 35 | 1 | 10 | 24 | 43 | 0 | 14 | 29 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 3 | 3 | 3 | 0 | 1 | 2 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 4 | 4 | 4 | 0 | 1 | 3 | 4 | 0 | 3 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 64 | 1 | 21 | 42 | 22 | 1 | 7 | 14 | 42 | 0 | 14 | 28 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 15 | 0 | 4 | 11 | 7 | 0 | 3 | 4 | 8 | 0 | 1 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 21 | 0 | 5 | 16 | 9 | 0 | 3 | 6 | 12 | 0 | 2 | 10 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENAGE FERTILITY RATE | 28.2 | 0.7 | 58.6 (15-19) | | 20.9 | 1.1 | 43.0 (15-19) | | 39.7 | - | 82.4 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 12.8 | - | - | 18.9 | - | - | - | - | 23.2 | - | - | 34.5 |
| TEENAGE INDUCED TERMINATIONS# | 9 | 0 | 4 | 5 | 6 | 0 | 4 | 2 | 3 | 0 | 0 | 3 |
| TEENAGE INDUCED TERMINATION RATIO | 115.4 | - | 166.7 | 94.3 | 171.4 | - | 400.0 | 83.3 | 69.8 | - | - | 103.4 |
| TEENAGE PREGNANCIES# | 88 | 1 | 28 | 59 | 41 | 1 | 14 | 26 | 47 | 0 | 14 | 33 |
| TEENAGE PREGNANCY RATE | 31.9 | 0.7 | 66.3 (15-19) | | 24.4 | 1.1 | 50.6 (15-19) | | 43.4 | - | 90.0 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 12.8 | - | - | 18.9 | 28.6 | - | - | 41.7 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: MONTGOMERY

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 11,935 | 904 | 490 | 414 | 158 |
| WHITE | 6,429 | 352 | 194 | 158 | 67 |
| NONWHITE | 5,506 | 552 | 296 | 256 | 91 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 29 | 3 | 7 | 19 | 12 | 1 | 3 | 8 | 17 | 2 | 4 | 11 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 2 | 1 | 3 | 0 | 2 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 3 | 6 | 14 | 8 | 1 | 2 | 5 | 15 | 2 | 4 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 0 | 8 | 2 | 0 | 0 | 2 | 6 | 0 | 0 | 6 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 0 | 9 | 3 | 0 | 0 | 3 | 6 | 0 | 0 | 6 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENAGE FERTILITY RATE | 32.1 | 6.1 | 62.8 (15-19) | | 34.1 | 5.2 | 69.6 (15-19) | | 30.8 | 6.8 | 58.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 2 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 103.4 | 333.3 | 285.7 | - | - | - | - | - | 176.5 | 500.0 | 500.0 | - |
| TEENAGE PREGNANCIES# | 32 | 4 | 9 | 19 | 12 | 1 | 3 | 8 | 20 | 3 | 6 | 11 |
| TEENAGE PREGNANCY RATE | 35.4 | 8.2 | 67.6 (15-19) | | 34.1 | 5.2 | 69.6 (15-19) | | 36.2 | 10.1 | 66.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 34.5 | - | 142.9 | - | 83.3 | - | 333.3 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: NESHOPA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 29,134 | 2,199 | 1,142 | 1,057 | 531 |
| WHITE | 18,756 | 1,155 | 578 | 577 | 290 |
| NONWHITE | 10,378 | 1,044 | 564 | 480 | 241 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 91 | 0 | 29 | 62 | 41 | 0 | 14 | 27 | 50 | 0 | 15 | 35 |
| TEENAGE IMMATURE BIRTHS | 8 | 0 | 5 | 3 | 7 | 0 | 4 | 3 | 1 | 0 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 12 | 0 | 6 | 6 | 5 | 0 | 2 | 3 | 7 | 0 | 4 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 68 | 0 | 24 | 44 | 22 | 0 | 10 | 12 | 46 | 0 | 14 | 32 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 27 | 0 | 4 | 23 | 9 | 0 | 2 | 7 | 18 | 0 | 2 | 16 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 35 | 0 | 6 | 29 | 13 | 0 | 3 | 10 | 22 | 0 | 3 | 19 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENAGE FERTILITY RATE | 41.4 | - | 86.1 (15-19) | | 35.5 | - | 71.0 (15-19) | | 47.9 | - | 104.2 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 13 | 0 | 6 | 7 | 6 | 0 | 1 | 5 | 7 | 0 | 5 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 142.8 | - | 206.9 | 112.9 | 146.3 | - | 71.4 | 185.2 | 140.0 | - | 333.3 | 57.1 |
| TEENAGE PREGNANCIES# | 104 | 0 | 35 | 69 | 47 | 0 | 15 | 32 | 57 | 0 | 20 | 37 |
| TEENAGE PREGNANCY RATE | 47.3 | - | 98.4 (15-19) | | 40.7 | - | 81.4 (15-19) | | 54.6 | - | 118.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 11.0 | - | - | 16.1 | - | - | - | - | 20.0 | - | - | 28.6 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: NEWTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 22,044 | 1,677 | 795 | 882 | 337 |
| WHITE | 14,477 | 927 | 433 | 494 | 182 |
| NONWHITE | 7,567 | 750 | 362 | 388 | 155 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 46 | 1 | 12 | 33 | 18 | 0 | 1 | 17 | 28 | 1 | 11 | 16 |
| TEENAGE IMMATURE BIRTHS | 6 | 1 | 1 | 4 | 3 | 0 | 0 | 3 | 3 | 1 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 6 | 1 | 1 | 4 | 2 | 0 | 0 | 2 | 4 | 1 | 1 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 33 | 1 | 11 | 21 | 8 | 0 | 1 | 7 | 25 | 1 | 10 | 14 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 1 | 12 | 5 | 0 | 1 | 4 | 8 | 0 | 0 | 8 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 1 | 14 | 6 | 0 | 1 | 5 | 9 | 0 | 0 | 9 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 1 | 4 | 2 | 0 | 0 | 2 | 3 | 0 | 1 | 2 |
| TEENAGE FERTILITY RATE | 27.4 | 1.2 | 51.0 (15-19) | 19.4 | - | 36.4 (15-19) | 37.3 | 2.8 | 69.6 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 21.7 | - | - | 30.3 | - | - | - | - | 35.7 | - | - | 62.5 |
| TEENAGE INDUCED TERMINATIONS# | 11 | 0 | 1 | 10 | 3 | 0 | 0 | 3 | 8 | 0 | 1 | 7 |
| TEENAGE INDUCED TERMINATION RATIO | 239.1 | - | 83.3 | 303.0 | 166.7 | - | - | 176.5 | 285.7 | - | 90.9 | 437.5 |
| TEENAGE PREGNANCIES# | 58 | 1 | 13 | 44 | 21 | 0 | 1 | 20 | 37 | 1 | 12 | 24 |
| TEENAGE PREGNANCY RATE | 34.6 | 1.2 | 64.6 (15-19) | 22.6 | - | 42.5 (15-19) | 49.3 | 2.8 | 92.8 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 21.7 | - | - | 30.3 | - | - | - | - | 35.7 | - | - | 62.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: NOXUBEE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 12,318 | 1,004 | 543 | 461 | 196 |
| WHITE | 3,559 | 185 | 104 | 81 | 38 |
| NONWHITE | 8,759 | 819 | 439 | 380 | 158 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 36 | 1 | 11 | 24 | 4 | 0 | 0 | 4 | 32 | 1 | 11 | 20 |
| TEENAGE IMMATURE BIRTHS | 5 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 5 | 1 | 1 | 3 |
| TEENAGE PREMATURE BIRTHS | 6 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 6 | 0 | 3 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 32 | 1 | 11 | 20 | 1 | 0 | 0 | 1 | 31 | 1 | 11 | 19 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 2 | 6 | 1 | 0 | 0 | 1 | 7 | 0 | 2 | 5 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 3 | 6 | 1 | 0 | 0 | 1 | 8 | 0 | 3 | 5 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 4 |
| TEENAGE FERTILITY RATE | 35.8 | 1.8 | 75.9 (15-19) | 21.6 | - | 49.4 (15-19) | 39.1 | 2.3 | 81.6 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 27.8 | - | - | 41.7 | - | - | - | - | 31.2 | - | - | 50.0 |
| TEENAGE INDUCED TERMINATIONS# | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENAGE INDUCED TERMINATION RATIO | 138.9 | - | 90.9 | 166.7 | 250.0 | - | - | 250.0 | 125.0 | - | 90.9 | 150.0 |
| TEENAGE PREGNANCIES# | 42 | 1 | 12 | 29 | 5 | 0 | 0 | 5 | 37 | 1 | 12 | 24 |
| TEENAGE PREGNANCY RATE | 41.8 | 1.8 | 88.9 (15-19) | 27.0 | - | 61.7 (15-19) | 45.2 | 2.3 | 94.7 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: OKTIBBEHA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 42,573 | 3,163 | 1,134 | 2,029 | 519 |
| WHITE | 25,031 | 1,508 | 455 | 1,053 | 243 |
| NONWHITE | 17,542 | 1,655 | 679 | 976 | 276 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|------------|------------|-------------------|------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 64 | 2 | 17 | 45 | 15 | 0 | 2 | 13 | 49 | 2 | 15 | 32 |
| TEENAGE IMMATURE BIRTHS | 11 | 0 | 3 | 8 | 2 | 0 | 0 | 2 | 9 | 0 | 3 | 6 |
| TEENAGE PREMATURE BIRTHS | 10 | 0 | 4 | 6 | 3 | 0 | 1 | 2 | 7 | 0 | 3 | 4 |
| TEENAGE ILLEGITIMATE BIRTHS | 58 | 2 | 16 | 40 | 10 | 0 | 1 | 9 | 48 | 2 | 15 | 31 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 19 | 0 | 1 | 18 | 2 | 0 | 0 | 2 | 17 | 0 | 1 | 16 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 21 | 0 | 1 | 20 | 3 | 0 | 0 | 3 | 18 | 0 | 1 | 17 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 3 | 2 | 1 | 0 | 1 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE FERTILITY RATE | 20.2 | 1.8 | 30.6 | (15-19) | 9.9 | - | 14.2 | (15-19) | 29.6 | 2.9 | 48.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 21 | 0 | 4 | 17 | 10 | 0 | 1 | 9 | 11 | 0 | 3 | 8 |
| TEENAGE INDUCED TERMINATION RATIO | 328.1 | - | 235.3 | 377.8 | 666.7 | - | 500.0 | 692.3 | 224.5 | - | 200.0 | 250.0 |
| TEENAGE PREGNANCIES# | 85 | 2 | 21 | 62 | 25 | 0 | 3 | 22 | 60 | 2 | 18 | 40 |
| TEENAGE PREGNANCY RATE | 26.9 | 1.8 | 40.9 | (15-19) | 16.6 | - | 23.7 | (15-19) | 36.2 | 2.9 | 59.4 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 15.6 | - | - | 22.2 | - | - | - | - | 20.4 | - | - | 31.3 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PANOLA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 35,243 | 2,747 | 1,369 | 1,378 | 535 |
| WHITE | 17,903 | 1,060 | 514 | 546 | 224 |
| NONWHITE | 17,340 | 1,687 | 855 | 832 | 311 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 116 | 2 | 53 | 61 | 38 | 0 | 18 | 20 | 78 | 2 | 35 | 41 |
| TEENAGE IMMATURE BIRTHS | 10 | 0 | 5 | 5 | 2 | 0 | 1 | 1 | 8 | 0 | 4 | 4 |
| TEENAGE PREMATURE BIRTHS | 17 | 0 | 9 | 8 | 5 | 0 | 4 | 1 | 12 | 0 | 5 | 7 |
| TEENAGE ILLEGITIMATE BIRTHS | 107 | 2 | 50 | 55 | 30 | 0 | 15 | 15 | 77 | 2 | 35 | 40 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 27 | 0 | 13 | 14 | 4 | 0 | 1 | 3 | 23 | 0 | 12 | 11 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 32 | 0 | 13 | 19 | 5 | 0 | 1 | 4 | 27 | 0 | 12 | 15 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 10 | 0 | 5 | 5 | 1 | 0 | 0 | 1 | 9 | 0 | 5 | 4 |
| TEENAGE FERTILITY RATE | 42.2 | 1.5 | 82.7 (15-19) | | 35.8 | - | 69.6 (15-19) | | 46.2 | 2.3 | 91.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 8.6 | - | - | 16.4 | - | - | - | - | 12.8 | - | - | 24.4 |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 117 | 2 | 53 | 62 | 38 | 0 | 18 | 20 | 79 | 2 | 35 | 42 |
| TEENAGE PREGNANCY RATE | 42.6 | 1.5 | 83.4 (15-19) | | 35.8 | - | 69.6 (15-19) | | 46.8 | 2.3 | 92.5 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 17.2 | - | 37.7 | - | - | - | - | - | 25.6 | - | 57.1 | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PEARL RIVER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 50,894 | 3,783 | 1,865 | 1,918 | 665 |
| WHITE | 43,676 | 3,109 | 1,515 | 1,594 | 551 |
| NONWHITE | 7,218 | 674 | 350 | 324 | 114 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 103 | 1 | 29 | 73 | 81 | 1 | 23 | 57 | 22 | 0 | 6 | 16 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 3 | 4 | 4 | 0 | 1 | 3 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 15 | 0 | 2 | 13 | 8 | 0 | 0 | 8 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 70 | 1 | 23 | 46 | 48 | 1 | 17 | 30 | 22 | 0 | 6 | 16 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 10 | 0 | 0 | 10 | 3 | 0 | 0 | 3 | 7 | 0 | 0 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 2 | 13 | 7 | 0 | 2 | 5 | 8 | 0 | 0 | 8 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 27.2 | 0.5 | 53.2 (15-19) | | 26.0 | 0.7 | 50.2 (15-19) | | 32.6 | - | 67.9 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 9.7 | - | - | 13.7 | - | - | - | - | 45.4 | - | - | 62.5 |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 104 | 1 | 29 | 74 | 81 | 1 | 23 | 57 | 23 | 0 | 6 | 17 |
| TEENAGE PREGNANCY RATE | 27.5 | 0.5 | 53.7 (15-19) | | 26.0 | 0.7 | 50.2 (15-19) | | 34.1 | - | 71.0 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.7 | - | 34.5 | - | - | - | - | - | 45.5 | - | 166.7 | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PERRY

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 12,288 | 908 | 480 | 428 | 173 |
| WHITE | 9,434 | 617 | 325 | 292 | 142 |
| NONWHITE | 2,854 | 291 | 155 | 136 | 31 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 24 | 1 | 4 | 19 | 20 | 1 | 3 | 16 | 4 | 0 | 1 | 3 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 2 | 1 | 1 | 0 | 1 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 1 | 4 | 3 | 0 | 0 | 3 | 2 | 0 | 1 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 15 | 1 | 3 | 11 | 12 | 1 | 2 | 9 | 3 | 0 | 1 | 2 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 6 | 0 | 0 | 6 | 6 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 8 | 0 | 1 | 7 | 8 | 0 | 1 | 7 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 26.4 | 2.1 | 53.7 (15-19) | | 32.4 | 3.1 | 65.1 (15-19) | | 13.7 | - | 29.4 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 24 | 1 | 4 | 19 | 20 | 1 | 3 | 16 | 4 | 0 | 1 | 3 |
| TEENAGE PREGNANCY RATE | 26.4 | 2.1 | 53.7 (15-19) | | 32.4 | 3.1 | 65.1 (15-19) | | 13.7 | - | 29.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PIKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 38,935 | 2,873 | 1,486 | 1,387 | 608 |
| WHITE | 19,566 | 1,163 | 583 | 580 | 249 |
| NONWHITE | 19,369 | 1,710 | 903 | 807 | 359 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 104 | 2 | 38 | 64 | 31 | 0 | 12 | 19 | 73 | 2 | 26 | 45 |
| TEENAGE IMMATURE BIRTHS | 13 | 0 | 4 | 9 | 3 | 0 | 1 | 2 | 10 | 0 | 3 | 7 |
| TEENAGE PREMATURE BIRTHS | 16 | 0 | 4 | 12 | 3 | 0 | 0 | 3 | 13 | 0 | 4 | 9 |
| TEENAGE ILLEGITIMATE BIRTHS | 88 | 2 | 34 | 52 | 18 | 0 | 9 | 9 | 70 | 2 | 25 | 43 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 23 | 0 | 3 | 20 | 5 | 0 | 1 | 4 | 18 | 0 | 2 | 16 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 24 | 0 | 3 | 21 | 5 | 0 | 1 | 4 | 19 | 0 | 2 | 17 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 7 | 0 | 2 | 5 | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |
| TEENAGE FERTILITY RATE | 36.2 | 1.3 | 73.5 (15-19) | 26.6 | - | 53.4 (15-19) | 42.7 | 2.2 | 88.0 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 19.2 | - | 26.3 | 15.6 | 32.2 | - | - | 52.6 | 13.7 | - | 38.5 | - |
| TEENAGE INDUCED TERMINATIONS# | 12 | 0 | 5 | 7 | 2 | 0 | 0 | 2 | 10 | 0 | 5 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 115.4 | - | 131.6 | 109.4 | 64.5 | - | - | 105.3 | 137.0 | - | 192.3 | 111.1 |
| TEENAGE PREGNANCIES# | 118 | 2 | 44 | 72 | 34 | 0 | 12 | 22 | 84 | 2 | 32 | 50 |
| TEENAGE PREGNANCY RATE | 41.1 | 1.3 | 83.6 (15-19) | 29.2 | - | 58.6 (15-19) | 49.1 | 2.2 | 101.6 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 19.2 | - | - | 31.3 | 32.3 | - | - | 52.6 | 13.7 | - | - | 22.2 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PONTOTOC

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 27,575 | 1,968 | 1,048 | 920 | 357 |
| WHITE | 23,363 | 1,597 | 847 | 750 | 307 |
| NONWHITE | 4,212 | 371 | 201 | 170 | 50 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 52 | 0 | 20 | 32 | 44 | 0 | 17 | 27 | 8 | 0 | 3 | 5 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 3 | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 5 | 2 | 6 | 0 | 4 | 2 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 30 | 0 | 14 | 16 | 23 | 0 | 11 | 12 | 7 | 0 | 3 | 4 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 3 | 5 | 6 | 0 | 1 | 5 | 2 | 0 | 2 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 12 | 0 | 3 | 9 | 10 | 0 | 1 | 9 | 2 | 0 | 2 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 26.4 | - | 56.5 (15-19) | | 27.6 | - | 58.7 (15-19) | | 21.6 | - | 47.0 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 19.2 | - | 50.0 | - | - | - | - | - | 125.0 | - | 333.3 | - |
| TEENAGE PREGNANCIES# | 53 | 0 | 21 | 32 | 44 | 0 | 17 | 27 | 9 | 0 | 4 | 5 |
| TEENAGE PREGNANCY RATE | 26.9 | - | 57.6 (15-19) | | 27.6 | - | 58.7 (15-19) | | 24.2 | - | 52.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: PRENTISS

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 25,581 | 1,853 | 897 | 956 | 304 |
| WHITE | 21,907 | 1,518 | 739 | 779 | 265 |
| NONWHITE | 3,674 | 335 | 158 | 177 | 39 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 49 | 0 | 13 | 36 | 39 | 0 | 10 | 29 | 10 | 0 | 3 | 7 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 1 | 3 | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE PREMATURE BIRTHS | 3 | 0 | 2 | 1 | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 28 | 0 | 7 | 21 | 19 | 0 | 4 | 15 | 9 | 0 | 3 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 1 | 7 | 4 | 0 | 1 | 3 | 4 | 0 | 0 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 8 | 0 | 1 | 7 | 4 | 0 | 1 | 3 | 4 | 0 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 26.4 | - | 51.2 (15-19) | | 25.7 | - | 50.1 (15-19) | | 29.8 | - | 56.5 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 40.8 | - | - | 55.6 | - | - | - | - | 200.0 | - | - | 285.7 |
| TEENAGE PREGNANCIES# | 51 | 0 | 13 | 38 | 39 | 0 | 10 | 29 | 12 | 0 | 3 | 9 |
| TEENAGE PREGNANCY RATE | 27.5 | - | 53.3 (15-19) | | 25.7 | - | 50.1 (15-19) | | 35.8 | - | 67.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: QUITMAN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 9,740 | 805 | 424 | 381 | 133 |
| WHITE | 2,875 | 153 | 83 | 70 | 30 |
| NONWHITE | 6,865 | 652 | 341 | 311 | 103 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 37 | 1 | 15 | 21 | 5 | 0 | 2 | 3 | 32 | 1 | 13 | 18 |
| TEENAGE IMMATURE BIRTHS | 7 | 1 | 3 | 3 | 1 | 0 | 1 | 0 | 6 | 1 | 2 | 3 |
| TEENAGE PREMATURE BIRTHS | 13 | 0 | 5 | 8 | 1 | 0 | 0 | 1 | 12 | 0 | 5 | 7 |
| TEENAGE ILLEGITIMATE BIRTHS | 33 | 1 | 15 | 17 | 2 | 0 | 2 | 0 | 31 | 1 | 13 | 17 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 1 | 12 | 1 | 0 | 0 | 1 | 12 | 0 | 1 | 11 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 13 | 0 | 1 | 12 | 1 | 0 | 0 | 1 | 12 | 0 | 1 | 11 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 46.0 | 2.4 | 94.5 (15-19) | | 32.7 | - | 71.4 (15-19) | | 49.1 | 2.9 | 99.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 27.0 | - | - | 47.6 | - | - | - | - | 31.2 | - | - | 55.6 |
| TEENAGE PREGNANCIES# | 38 | 1 | 15 | 22 | 5 | 0 | 2 | 3 | 33 | 1 | 13 | 19 |
| TEENAGE PREGNANCY RATE | 47.2 | 2.4 | 97.1 (15-19) | | 32.7 | - | 71.4 (15-19) | | 50.6 | 2.9 | 102.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 27.0 | 1000.0 | - | - | - | - | - | - | 31.3 | 1000.0 | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: RANKIN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 124,695 | 8,311 | 4,201 | 4,110 | 1,917 |
| WHITE | 100,032 | 6,386 | 3,237 | 3,149 | 1,548 |
| NONWHITE | 24,663 | 1,925 | 964 | 961 | 369 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 206 | 2 | 56 | 148 | 149 | 1 | 42 | 106 | 57 | 1 | 14 | 42 |
| TEENAGE IMMATURE BIRTHS | 18 | 0 | 3 | 15 | 11 | 0 | 1 | 10 | 7 | 0 | 2 | 5 |
| TEENAGE PREMATURE BIRTHS | 32 | 0 | 5 | 27 | 23 | 0 | 4 | 19 | 9 | 0 | 1 | 8 |
| TEENAGE ILLEGITIMATE BIRTHS | 157 | 2 | 48 | 107 | 102 | 1 | 34 | 67 | 55 | 1 | 14 | 40 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 37 | 0 | 3 | 34 | 24 | 0 | 2 | 22 | 13 | 0 | 1 | 12 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 53 | 0 | 8 | 45 | 35 | 0 | 5 | 30 | 18 | 0 | 3 | 15 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 8 | 0 | 3 | 5 | 4 | 0 | 2 | 2 | 4 | 0 | 1 | 3 |
| TEENAGE FERTILITY RATE | 24.8 | 0.5 | 49.6 (15-19) | | 23.3 | 0.3 | 47.0 (15-19) | | 29.6 | 1.0 | 58.3 (15-19) | |
| TEENAGE FETAL DEATHS** | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 9.7 | - | - | 13.5 | 13.4 | - | - | 18.9 | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 60 | 4 | 24 | 32 | 43 | 1 | 16 | 26 | 17 | 3 | 8 | 6 |
| TEENAGE INDUCED TERMINATION RATIO | 291.3 | 2000.0 | 428.6 | 216.2 | 288.6 | 1000.0 | 381.0 | 245.3 | 298.2 | 3000.0 | 571.4 | 142.8 |
| TEENAGE PREGNANCIES# | 268 | 6 | 80 | 182 | 194 | 2 | 58 | 134 | 74 | 4 | 22 | 48 |
| TEENAGE PREGNANCY RATE | 32.2 | 1.4 | 63.7 (15-19) | | 30.4 | 0.6 | 61.0 (15-19) | | 38.4 | 4.1 | 72.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.7 | - | - | 13.5 | 6.7 | - | - | 9.4 | 17.5 | - | - | 23.8 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: SCOTT

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 28,450 | 2,141 | 1,098 | 1,043 | 472 |
| WHITE | 16,873 | 1,055 | 521 | 534 | 270 |
| NONWHITE | 11,577 | 1,086 | 577 | 509 | 202 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|---------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 89 | 2 | 28 | 59 | 55 | 0 | 19 | 36 | 34 | 2 | 9 | 23 |
| TEENAGE IMMATURE BIRTHS | 10 | 0 | 1 | 9 | 5 | 0 | 1 | 4 | 5 | 0 | 0 | 5 |
| TEENAGE PREMATURE BIRTHS | 19 | 1 | 4 | 14 | 8 | 0 | 1 | 7 | 11 | 1 | 3 | 7 |
| TEENAGE ILLEGITIMATE BIRTHS | 70 | 2 | 22 | 46 | 36 | 0 | 13 | 23 | 34 | 2 | 9 | 23 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 17 | 0 | 2 | 15 | 14 | 0 | 2 | 12 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 23 | 0 | 4 | 19 | 19 | 0 | 4 | 15 | 4 | 0 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 6 | 1 | 1 | 4 | 3 | 0 | 1 | 2 | 3 | 1 | 0 | 2 |
| TEENAGE FERTILITY RATE | 41.6 | 1.8 | 83.4 (15-19) | 52.1 | - | 103.0 (15-19) | 31.3 | 3.5 | 62.9 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 3 | 0 | 3 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 33.7 | - | 107.1 | - | 36.4 | - | 105.3 | - | 29.4 | - | 111.1 | - |
| TEENAGE INDUCED TERMINATIONS# | 9 | 1 | 4 | 4 | 1 | 0 | 1 | 0 | 8 | 1 | 3 | 4 |
| TEENAGE INDUCED TERMINATION RATIO | 101.1 | 500.0 | 142.8 | 67.8 | 18.2 | - | 52.6 | - | 235.3 | 500.0 | 333.3 | 173.9 |
| TEENAGE PREGNANCIES# | 101 | 3 | 35 | 63 | 58 | 0 | 22 | 36 | 43 | 3 | 13 | 27 |
| TEENAGE PREGNANCY RATE | 47.2 | 2.7 | 94.0 (15-19) | 55.0 | - | 108.6 (15-19) | 39.6 | 5.2 | 78.6 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 11.2 | - | - | 16.9 | - | - | - | - | 29.4 | - | - | 43.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: SHARKEY

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 6,224 | 528 | 268 | 260 | 89 |
| WHITE | 1,859 | 111 | 54 | 57 | 22 |
| NONWHITE | 4,365 | 417 | 214 | 203 | 67 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 9 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 9 | 0 | 4 | 5 |
| TEENAGE IMMATURE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 9 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 9 | 0 | 4 | 5 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 17.0 | - | 34.6 (15-19) | - | - | - | (15-19) | - | 21.6 | - | 44.3 (15-19) | - |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 222.2 | - | 500.0 | - | - | - | - | - | 222.2 | - | 500.0 | - |
| TEENAGE PREGNANCIES# | 11 | 0 | 6 | 5 | 0 | 0 | 0 | 0 | 11 | 0 | 6 | 5 |
| TEENAGE PREGNANCY RATE | 20.8 | - | 42.3 (15-19) | - | - | - | (15-19) | - | 26.4 | - | 54.2 (15-19) | - |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: SIMPSON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 27,592 | 1,997 | 1,060 | 937 | 390 |
| WHITE | 17,809 | 1,074 | 567 | 507 | 228 |
| NONWHITE | 9,783 | 923 | 493 | 430 | 162 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 65 | 4 | 13 | 48 | 38 | 1 | 8 | 29 | 27 | 3 | 5 | 19 |
| TEENAGE IMMATURE BIRTHS | 5 | 1 | 2 | 2 | 2 | 1 | 0 | 1 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 9 | 0 | 2 | 7 | 2 | 0 | 0 | 2 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 46 | 4 | 8 | 34 | 21 | 1 | 3 | 17 | 25 | 3 | 5 | 17 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 16 | 0 | 3 | 13 | 9 | 0 | 2 | 7 | 7 | 0 | 1 | 6 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 19 | 0 | 3 | 16 | 12 | 0 | 2 | 10 | 7 | 0 | 1 | 6 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE FERTILITY RATE | 32.5 | 3.8 | 65.1 (15-19) | | 35.4 | 1.8 | 73.0 (15-19) | | 29.2 | 6.1 | 55.8 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 7 | 0 | 1 | 6 | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 107.7 | - | 76.9 | 125.0 | 157.9 | - | 125.0 | 172.4 | 37.0 | - | - | 52.6 |
| TEENAGE PREGNANCIES# | 72 | 4 | 14 | 54 | 44 | 1 | 9 | 34 | 28 | 3 | 5 | 20 |
| TEENAGE PREGNANCY RATE | 36.0 | 3.8 | 72.6 (15-19) | | 41.0 | 1.8 | 84.8 (15-19) | | 30.3 | 6.1 | 58.1 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: SMITH

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 15,834 | 1,112 | 584 | 528 | 226 |
| WHITE | 12,135 | 759 | 401 | 358 | 160 |
| NONWHITE | 3,699 | 353 | 183 | 170 | 66 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 35 | 2 | 13 | 20 | 21 | 0 | 7 | 14 | 14 | 2 | 6 | 6 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 2 | 2 | 1 | 0 | 0 | 1 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 3 | 0 | 2 | 1 | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 24 | 2 | 9 | 13 | 10 | 0 | 3 | 7 | 14 | 2 | 6 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 0 | 5 | 2 | 0 | 0 | 2 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 8 | 0 | 1 | 7 | 4 | 0 | 1 | 3 | 4 | 0 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 31.5 | 3.4 | 62.5 (15-19) | 27.7 | - | 58.6 (15-19) | 39.7 | 10.9 | 70.6 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 114.3 | - | - | 200.0 | 142.8 | - | - | 214.3 | 71.4 | - | - | 166.7 |
| TEENAGE PREGNANCIES# | 39 | 2 | 13 | 24 | 24 | 0 | 7 | 17 | 15 | 2 | 6 | 7 |
| TEENAGE PREGNANCY RATE | 35.1 | 3.4 | 70.1 (15-19) | 31.6 | - | 67.0 (15-19) | 42.5 | 10.9 | 76.5 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: STONE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 14,206 | 1,116 | 504 | 612 | 192 |
| WHITE | 11,204 | 837 | 370 | 467 | 148 |
| NONWHITE | 3,002 | 279 | 134 | 145 | 44 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 39 | 2 | 13 | 24 | 26 | 0 | 8 | 18 | 13 | 2 | 5 | 6 |
| TEENAGE IMMATURE BIRTHS | 5 | 1 | 2 | 2 | 3 | 0 | 1 | 2 | 2 | 1 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 5 | 1 | 1 | 3 | 3 | 0 | 0 | 3 | 2 | 1 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 2 | 9 | 12 | 10 | 0 | 4 | 6 | 13 | 2 | 5 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 6 | 0 | 2 | 4 | 6 | 0 | 2 | 4 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 8 | 0 | 2 | 6 | 6 | 0 | 2 | 4 | 2 | 0 | 0 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 2 | 1 | 3 | 0 | 2 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 34.9 | 4.0 | 60.4 (15-19) | 31.1 | - | 55.7 (15-19) | 46.6 | 14.9 | 75.9 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 51.3 | - | 76.9 | 41.7 | 76.9 | - | 125.0 | 55.6 | - | - | - | - |
| TEENAGE PREGNANCIES# | 41 | 2 | 14 | 25 | 28 | 0 | 9 | 19 | 13 | 2 | 5 | 6 |
| TEENAGE PREGNANCY RATE | 36.7 | 4.0 | 63.7 (15-19) | 33.4 | - | 60.0 (15-19) | 46.6 | 14.9 | 75.9 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 25.6 | 500.0 | - | - | - | - | - | - | 76.9 | 500.0 | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: SUNFLOWER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 33,374 | 2,519 | 1,246 | 1,273 | 466 |
| WHITE | 9,108 | 472 | 222 | 250 | 81 |
| NONWHITE | 24,266 | 2,047 | 1,024 | 1,023 | 385 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|------------|------------|-------------------|------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 121 | 4 | 34 | 83 | 17 | 0 | 7 | 10 | 104 | 4 | 27 | 73 |
| TEENAGE IMMATURE BIRTHS | 17 | 0 | 6 | 11 | 7 | 0 | 4 | 3 | 10 | 0 | 2 | 8 |
| TEENAGE PREMATURE BIRTHS | 25 | 0 | 9 | 16 | 8 | 0 | 4 | 4 | 17 | 0 | 5 | 12 |
| TEENAGE ILLEGITIMATE BIRTHS | 114 | 4 | 34 | 76 | 11 | 0 | 7 | 4 | 103 | 4 | 27 | 72 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 27 | 1 | 2 | 24 | 4 | 0 | 1 | 3 | 23 | 1 | 1 | 21 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 33 | 1 | 4 | 28 | 5 | 0 | 1 | 4 | 28 | 1 | 3 | 24 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 9 | 1 | 2 | 6 | 4 | 0 | 2 | 2 | 5 | 1 | 0 | 4 |
| TEENAGE FERTILITY RATE | 48.0 | 3.2 | 91.9 | (15-19) | 36.0 | - | 68.0 | (15-19) | 50.8 | 3.9 | 97.8 | (15-19) |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 8.3 | - | - | 12.0 | - | - | - | - | 9.6 | - | - | 13.7 |
| TEENAGE INDUCED TERMINATIONS# | 7 | 1 | 2 | 4 | 0 | 0 | 0 | 0 | 6 | 1 | 1 | 4 |
| TEENAGE INDUCED TERMINATION RATIO | 57.8 | 250.0 | 58.8 | 48.2 | - | - | - | - | 57.7 | 250.0 | 37.0 | 54.8 |
| TEENAGE PREGNANCIES# | 129 | 5 | 36 | 88 | 17 | 0 | 7 | 10 | 111 | 5 | 28 | 78 |
| TEENAGE PREGNANCY RATE | 51.2 | 4.0 | 97.4 | (15-19) | 36.0 | - | 68.0 | (15-19) | 54.2 | 4.9 | 103.6 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 24.8 | - | - | 36.1 | 117.6 | - | - | 200.0 | 9.6 | - | - | 13.7 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: TALLAHATCHIE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 14,394 | 1,268 | 674 | 594 | 221 |
| WHITE | 5,634 | 349 | 168 | 181 | 53 |
| NONWHITE | 8,760 | 919 | 506 | 413 | 168 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 49 | 1 | 19 | 29 | 5 | 0 | 1 | 4 | 44 | 1 | 18 | 25 |
| TEENAGE IMMATURE BIRTHS | 9 | 0 | 1 | 8 | 0 | 0 | 0 | 0 | 9 | 0 | 1 | 8 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 0 | 0 | 0 | 0 | 8 | 0 | 3 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 47 | 1 | 19 | 27 | 3 | 0 | 1 | 2 | 44 | 1 | 18 | 25 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 9 | 0 | 2 | 7 | 0 | 0 | 0 | 0 | 9 | 0 | 2 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 11 | 0 | 2 | 9 | 0 | 0 | 0 | 0 | 11 | 0 | 2 | 9 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE FERTILITY RATE | 38.6 | 1.5 | 80.8 (15-19) | 14.3 | - | 27.6 (15-19) | 47.9 | 2.0 | 104.1 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 20.4 | - | 52.6 | - | - | - | - | - | 22.7 | - | 55.6 | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 40.8 | - | 105.3 | - | - | - | - | - | 45.4 | - | 111.1 | - |
| TEENAGE PREGNANCIES# | 52 | 1 | 22 | 29 | 5 | 0 | 1 | 4 | 47 | 1 | 21 | 25 |
| TEENAGE PREGNANCY RATE | 41.0 | 1.5 | 85.8 (15-19) | 14.3 | - | 27.6 (15-19) | 51.1 | 2.0 | 111.4 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: TATE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 25,794 | 2,109 | 1,023 | 1,086 | 410 |
| WHITE | 17,733 | 1,275 | 646 | 629 | 251 |
| NONWHITE | 8,061 | 834 | 377 | 457 | 159 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|-----------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 79 | 1 | 20 | 58 | 43 | 0 | 8 | 35 | 36 | 1 | 12 | 23 |
| TEENAGE IMMATURE BIRTHS | 11 | 0 | 3 | 8 | 4 | 0 | 1 | 3 | 7 | 0 | 2 | 5 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 3 | 0 | 1 | 2 | 5 | 0 | 2 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 63 | 1 | 17 | 45 | 28 | 0 | 5 | 23 | 35 | 1 | 12 | 22 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 22 | 0 | 5 | 17 | 11 | 0 | 1 | 10 | 11 | 0 | 4 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 22 | 0 | 5 | 17 | 11 | 0 | 1 | 10 | 11 | 0 | 4 | 7 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 37.4 | 1.0 | 71.8 (15-19) | | 33.7 | - | 68.4 (15-19) | | 43.2 | 2.6 | 76.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 79 | 1 | 20 | 58 | 43 | 0 | 8 | 35 | 36 | 1 | 12 | 23 |
| TEENAGE PREGNANCY RATE | 37.4 | 1.0 | 71.8 (15-19) | | 33.7 | - | 68.4 (15-19) | | 43.2 | 2.6 | 76.6 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: TIPPAAH

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 20,920 | 1,451 | 708 | 743 | 325 |
| WHITE | 17,174 | 1,121 | 543 | 578 | 260 |
| NONWHITE | 3,746 | 330 | 165 | 165 | 65 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 48 | 0 | 17 | 31 | 36 | 0 | 12 | 24 | 12 | 0 | 5 | 7 |
| TEENAGE IMMATURE BIRTHS | 5 | 0 | 2 | 3 | 3 | 0 | 2 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 6 | 0 | 2 | 4 | 2 | 0 | 1 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 28 | 0 | 12 | 16 | 20 | 0 | 7 | 13 | 8 | 0 | 5 | 3 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 12 | 0 | 2 | 10 | 9 | 0 | 2 | 7 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 18 | 0 | 4 | 14 | 14 | 0 | 3 | 11 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 33.1 | - | 64.6 (15-19) | | 32.1 | - | 62.3 (15-19) | | 36.4 | - | 72.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 48 | 0 | 17 | 31 | 36 | 0 | 12 | 24 | 12 | 0 | 5 | 7 |
| TEENAGE PREGNANCY RATE | 33.1 | - | 64.6 (15-19) | | 32.1 | - | 62.3 (15-19) | | 36.4 | - | 72.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 20.8 | - | 58.8 | - | 27.8 | - | 83.3 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: TISHOMINGO

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 18,966 | 1,179 | 640 | 539 | 244 |
| WHITE | 18,193 | 1,136 | 617 | 519 | 239 |
| NONWHITE | 773 | 43 | 23 | 20 | 5 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 34 | 2 | 8 | 24 | 34 | 2 | 8 | 24 | 0 | 0 | 0 | 0 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 2 | 2 | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 7 | 1 | 3 | 3 | 7 | 1 | 3 | 3 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 17 | 2 | 7 | 8 | 17 | 2 | 7 | 8 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 6 | 0 | 0 | 6 | 6 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 7 | 0 | 0 | 7 | 7 | 0 | 0 | 7 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 28.8 | 3.1 | 59.4 (15-19) | | 29.9 | 3.2 | 61.6 (15-19) | | - | - | - (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 29.4 | - | 125.0 | - | 29.4 | - | 125.0 | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 29.4 | - | - | 41.7 | 29.4 | - | - | 41.7 | - | - | - | - |
| TEENAGE PREGNANCIES# | 36 | 2 | 9 | 25 | 36 | 2 | 9 | 25 | 0 | 0 | 0 | 0 |
| TEENAGE PREGNANCY RATE | 30.5 | 3.1 | 63.1 (15-19) | | 31.7 | 3.2 | 65.5 (15-19) | | - | - | - (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 29.4 | - | 125.0 | - | 29.4 | - | 125.0 | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: TUNICA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 9,917 | 838 | 439 | 399 | 199 |
| WHITE | 2,585 | 99 | 48 | 51 | 39 |
| NONWHITE | 7,332 | 739 | 391 | 348 | 160 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|------------|------------|------------|-----------|------------|------------|------------|-----------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 43 | 2 | 12 | 29 | 4 | 0 | 1 | 3 | 39 | 2 | 11 | 26 |
| TEENAGE IMMATURE BIRTHS | 11 | 1 | 3 | 7 | 0 | 0 | 0 | 0 | 11 | 1 | 3 | 7 |
| TEENAGE PREMATURE BIRTHS | 14 | 1 | 3 | 10 | 0 | 0 | 0 | 0 | 14 | 1 | 3 | 10 |
| TEENAGE ILLEGITIMATE BIRTHS | 42 | 2 | 12 | 28 | 3 | 0 | 1 | 2 | 39 | 2 | 11 | 26 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 21 | 0 | 5 | 16 | 1 | 0 | 0 | 1 | 20 | 0 | 5 | 15 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 24 | 1 | 5 | 18 | 1 | 0 | 0 | 1 | 23 | 1 | 5 | 17 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE FERTILITY RATE | 51.3 | 4.6 | 102.8 | (15-19) | 40.4 | - | 78.4 | (15-19) | 52.8 | 5.1 | 106.3 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 43 | 2 | 12 | 29 | 4 | 0 | 1 | 3 | 39 | 2 | 11 | 26 |
| TEENAGE PREGNANCY RATE | 51.3 | 4.6 | 102.8 | (15-19) | 40.4 | - | 78.4 | (15-19) | 52.8 | 5.1 | 106.3 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 23.3 | - | - | 34.5 | - | - | - | - | 25.6 | - | - | 38.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: UNION

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 26,113 | 1,705 | 900 | 805 | 344 |
| WHITE | 22,003 | 1,390 | 730 | 660 | 289 |
| NONWHITE | 4,110 | 315 | 170 | 145 | 55 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 63 | 0 | 23 | 40 | 44 | 0 | 14 | 30 | 19 | 0 | 9 | 10 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 3 | 4 | 6 | 0 | 2 | 4 | 1 | 0 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 3 | 5 | 5 | 0 | 1 | 4 | 3 | 0 | 2 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 40 | 0 | 21 | 19 | 22 | 0 | 12 | 10 | 18 | 0 | 9 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 2 | 11 | 8 | 0 | 0 | 8 | 5 | 0 | 2 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 2 | 13 | 9 | 0 | 0 | 9 | 6 | 0 | 2 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 37.0 | - | 78.3 (15-19) | | 31.6 | - | 66.7 (15-19) | | 60.3 | - | 131.0 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 31.7 | - | - | 50.0 | - | - | - | - | 105.3 | - | - | 200.0 |
| TEENAGE PREGNANCIES# | 65 | 0 | 23 | 42 | 44 | 0 | 14 | 30 | 21 | 0 | 9 | 12 |
| TEENAGE PREGNANCY RATE | 38.1 | - | 80.7 (15-19) | | 31.6 | - | 66.7 (15-19) | | 66.7 | - | 144.8 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 15.9 | - | - | 25.0 | 22.7 | - | - | 33.3 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WALTHALL

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 15,191 | 1,131 | 598 | 533 | 231 |
| WHITE | 8,319 | 463 | 238 | 225 | 117 |
| NONWHITE | 6,872 | 668 | 360 | 308 | 114 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 40 | 1 | 12 | 27 | 17 | 1 | 3 | 13 | 23 | 0 | 9 | 14 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 1 | 3 | 1 | 0 | 1 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE PREMATURE BIRTHS | 8 | 0 | 4 | 4 | 4 | 0 | 2 | 2 | 4 | 0 | 2 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 33 | 1 | 12 | 20 | 12 | 1 | 3 | 8 | 21 | 0 | 9 | 12 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 11 | 0 | 1 | 10 | 4 | 0 | 1 | 3 | 7 | 0 | 0 | 7 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 12 | 0 | 2 | 10 | 4 | 0 | 1 | 3 | 8 | 0 | 1 | 7 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 35.4 | 1.7 | 73.2 (15-19) | | 36.7 | 4.2 | 71.1 (15-19) | | 34.4 | - | 74.7 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 50.0 | 2000.0 | - | - | - | - | - | - | 87.0 | & | - | - |
| TEENAGE PREGNANCIES# | 42 | 3 | 12 | 27 | 17 | 1 | 3 | 13 | 25 | 2 | 9 | 14 |
| TEENAGE PREGNANCY RATE | 37.1 | 5.0 | 73.2 (15-19) | | 36.7 | 4.2 | 71.1 (15-19) | | 37.4 | 5.6 | 74.7 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 25.0 | - | - | 37.0 | - | - | - | - | 43.5 | - | - | 71.4 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WARREN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 48,993 | 3,716 | 1,998 | 1,718 | 811 |
| WHITE | 26,130 | 1,689 | 892 | 797 | 370 |
| NONWHITE | 22,863 | 2,027 | 1,106 | 921 | 441 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 123 | 1 | 43 | 79 | 42 | 0 | 11 | 31 | 81 | 1 | 32 | 48 |
| TEENAGE IMMATURE BIRTHS | 11 | 1 | 3 | 7 | 3 | 0 | 1 | 2 | 8 | 1 | 2 | 5 |
| TEENAGE PREMATURE BIRTHS | 26 | 1 | 7 | 18 | 7 | 0 | 0 | 7 | 19 | 1 | 7 | 11 |
| TEENAGE ILLEGITIMATE BIRTHS | 109 | 1 | 40 | 68 | 29 | 0 | 8 | 21 | 80 | 1 | 32 | 47 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 29 | 0 | 6 | 23 | 14 | 0 | 2 | 12 | 15 | 0 | 4 | 11 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 34 | 0 | 8 | 26 | 15 | 0 | 3 | 12 | 19 | 0 | 5 | 14 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 11 | 1 | 5 | 5 | 1 | 0 | 0 | 1 | 10 | 1 | 5 | 4 |
| TEENAGE FERTILITY RATE | 33.1 | 0.5 | 71.0 (15-19) | | 24.9 | - | 52.7 (15-19) | | 40.0 | 0.9 | 86.9 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 25 | 2 | 6 | 17 | 10 | 0 | 2 | 8 | 15 | 2 | 4 | 9 |
| TEENAGE INDUCED TERMINATION RATIO | 203.2 | 2000.0 | 139.5 | 215.2 | 238.1 | - | 181.8 | 258.1 | 185.2 | 2000.0 | 125.0 | 187.5 |
| TEENAGE PREGNANCIES# | 148 | 3 | 49 | 96 | 52 | 0 | 13 | 39 | 96 | 3 | 36 | 57 |
| TEENAGE PREGNANCY RATE | 39.8 | 1.5 | 84.4 (15-19) | | 30.8 | - | 65.2 (15-19) | | 47.4 | 2.7 | 101.0 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WASHINGTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 60,347 | 4,872 | 2,485 | 2,387 | 985 |
| WHITE | 19,404 | 1,110 | 553 | 557 | 228 |
| NONWHITE | 40,943 | 3,762 | 1,932 | 1,830 | 757 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 209 | 4 | 74 | 131 | 22 | 0 | 6 | 16 | 187 | 4 | 68 | 115 |
| TEENAGE IMMATURE BIRTHS | 33 | 0 | 15 | 18 | 2 | 0 | 0 | 2 | 31 | 0 | 15 | 16 |
| TEENAGE PREMATURE BIRTHS | 54 | 1 | 23 | 30 | 6 | 0 | 1 | 5 | 48 | 1 | 22 | 25 |
| TEENAGE ILLEGITIMATE BIRTHS | 199 | 4 | 73 | 122 | 17 | 0 | 5 | 12 | 182 | 4 | 68 | 110 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 54 | 0 | 11 | 43 | 4 | 0 | 0 | 4 | 50 | 0 | 11 | 39 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 60 | 0 | 13 | 47 | 6 | 0 | 1 | 5 | 54 | 0 | 12 | 42 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 22 | 0 | 8 | 14 | 0 | 0 | 0 | 0 | 22 | 0 | 8 | 14 |
| TEENAGE FERTILITY RATE | 42.9 | 1.6 | 85.9 (15-19) | 19.8 | - | 39.5 (15-19) | 49.7 | 2.1 | 100.0 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 18 | 3 | 5 | 10 | 3 | 0 | 1 | 2 | 15 | 3 | 4 | 8 |
| TEENAGE INDUCED TERMINATION RATIO | 86.1 | 750.0 | 67.6 | 76.3 | 136.4 | - | 166.7 | 125.0 | 80.2 | 750.0 | 58.8 | 69.6 |
| TEENAGE PREGNANCIES# | 227 | 7 | 79 | 141 | 25 | 0 | 7 | 18 | 202 | 7 | 72 | 123 |
| TEENAGE PREGNANCY RATE | 46.6 | 2.8 | 92.2 (15-19) | 22.5 | - | 44.9 (15-19) | 53.7 | 3.6 | 106.6 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 1 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 14.4 | - | 13.5 | 15.3 | 45.5 | - | - | 62.5 | 10.7 | - | 14.7 | 8.7 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WAYNE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 21,149 | 1,591 | 796 | 795 | 297 |
| WHITE | 13,105 | 846 | 415 | 431 | 143 |
| NONWHITE | 8,044 | 745 | 381 | 364 | 154 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 51 | 1 | 17 | 33 | 14 | 1 | 4 | 9 | 37 | 0 | 13 | 24 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 2 | 4 | 1 | 0 | 0 | 1 | 5 | 0 | 2 | 3 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 3 | 4 | 1 | 0 | 0 | 1 | 6 | 0 | 3 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 45 | 0 | 17 | 28 | 10 | 0 | 4 | 6 | 35 | 0 | 13 | 22 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 11 | 0 | 4 | 7 | 3 | 0 | 1 | 2 | 8 | 0 | 3 | 5 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 13 | 0 | 5 | 8 | 3 | 0 | 1 | 2 | 10 | 0 | 4 | 6 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 9 | 0 | 6 | 3 | 0 | 0 | 0 | 0 | 9 | 0 | 6 | 3 |
| TEENAGE FERTILITY RATE | 32.0 | 1.2 | 62.9 (15-19) | | 16.5 | 2.4 | 30.2 (15-19) | | 49.7 | - | 101.6 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 4 | 0 | 1 | 3 | 3 | 0 | 1 | 2 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 78.4 | - | 58.8 | 90.9 | 214.3 | - | 250.0 | 222.2 | 27.0 | - | - | 41.7 |
| TEENAGE PREGNANCIES# | 55 | 1 | 18 | 36 | 17 | 1 | 5 | 11 | 38 | 0 | 13 | 25 |
| TEENAGE PREGNANCY RATE | 34.6 | 1.2 | 67.9 (15-19) | | 20.1 | 2.4 | 37.1 (15-19) | | 51.0 | - | 104.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 19.6 | - | - | 30.3 | 71.4 | - | - | 111.1 | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WEBSTER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 10,159 | 705 | 353 | 352 | 141 |
| WHITE | 7,981 | 489 | 253 | 236 | 96 |
| NONWHITE | 2,178 | 216 | 100 | 116 | 45 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|---------------|------------|-------------------|------------|--------------|------------|----------------------|------------|---------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 32 | 0 | 13 | 19 | 16 | 0 | 3 | 13 | 16 | 0 | 10 | 6 |
| TEENAGE IMMATURE BIRTHS | 5 | 0 | 4 | 1 | 1 | 0 | 0 | 1 | 4 | 0 | 4 | 0 |
| TEENAGE PREMATURE BIRTHS | 4 | 0 | 2 | 2 | 1 | 0 | 0 | 1 | 3 | 0 | 2 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 27 | 0 | 12 | 15 | 11 | 0 | 2 | 9 | 16 | 0 | 10 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 7 | 0 | 2 | 5 | 3 | 0 | 0 | 3 | 4 | 0 | 2 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 7 | 0 | 2 | 5 | 3 | 0 | 0 | 3 | 4 | 0 | 2 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| TEENAGE FERTILITY RATE | 45.4 | - | 90.9 (15-19) | | 32.7 | - | 67.8 (15-19) | | 74.1 | - | 137.9 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 6 | 1 | 2 | 3 | 6 | 1 | 2 | 3 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 187.5 | & | 153.8 | 157.9 | 375.0 | & | 666.7 | 230.8 | - | - | - | - |
| TEENAGE PREGNANCIES# | 38 | 1 | 15 | 22 | 22 | 1 | 5 | 16 | 16 | 0 | 10 | 6 |
| TEENAGE PREGNANCY RATE | 53.9 | 2.8 | 105.1 (15-19) | | 45.0 | 4.0 | 89.0 (15-19) | | 74.1 | - | 137.9 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WILKINSON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 10,241 | 721 | 366 | 355 | 149 |
| WHITE | 3,136 | 146 | 71 | 75 | 31 |
| NONWHITE | 7,105 | 575 | 295 | 280 | 118 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 25 | 1 | 11 | 13 | 5 | 1 | 3 | 1 | 20 | 0 | 8 | 12 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 3 | 2 | 1 | 0 | 1 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 24 | 1 | 10 | 13 | 4 | 1 | 2 | 1 | 20 | 0 | 8 | 12 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 5 | 0 | 0 | 5 | 1 | 0 | 0 | 1 | 4 | 0 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FERTILITY RATE | 34.7 | 2.7 | 67.6 (15-19) | | 34.2 | 14.1 | 53.3 (15-19) | | 34.8 | - | 71.4 (15-19) | |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | - | - | - | - | - | - | - | - | - | - | - | - |
| TEENAGE PREGNANCIES# | 25 | 1 | 11 | 13 | 5 | 1 | 3 | 1 | 20 | 0 | 8 | 12 |
| TEENAGE PREGNANCY RATE | 34.7 | 2.7 | 67.6 (15-19) | | 34.2 | 14.1 | 53.3 (15-19) | | 34.8 | - | 71.4 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: WINSTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 19,911 | 1,393 | 715 | 678 | 278 |
| WHITE | 10,963 | 581 | 312 | 269 | 117 |
| NONWHITE | 8,948 | 812 | 403 | 409 | 161 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 52 | 1 | 15 | 36 | 16 | 0 | 3 | 13 | 36 | 1 | 12 | 23 |
| TEENAGE IMMATURE BIRTHS | 10 | 1 | 3 | 6 | 1 | 0 | 0 | 1 | 9 | 1 | 3 | 5 |
| TEENAGE PREMATURE BIRTHS | 9 | 0 | 3 | 6 | 1 | 0 | 0 | 1 | 8 | 0 | 3 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 42 | 1 | 15 | 26 | 8 | 0 | 3 | 5 | 34 | 1 | 12 | 21 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 10 | 0 | 1 | 9 | 3 | 0 | 0 | 3 | 7 | 0 | 1 | 6 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 11 | 0 | 1 | 10 | 3 | 0 | 0 | 3 | 8 | 0 | 1 | 7 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 10 | 1 | 3 | 6 | 3 | 0 | 1 | 2 | 7 | 1 | 2 | 4 |
| TEENAGE FERTILITY RATE | 37.3 | 1.4 | 75.2 (15-19) | 27.5 | - | 59.5 (15-19) | 44.3 | 2.5 | 85.6 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 19.2 | - | - | 27.8 | - | - | - | - | 27.8 | - | - | 43.5 |
| TEENAGE INDUCED TERMINATIONS# | 6 | 0 | 4 | 2 | 2 | 0 | 2 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 115.4 | - | 266.7 | 55.6 | 125.0 | - | 666.7 | - | 111.1 | - | 166.7 | 87.0 |
| TEENAGE PREGNANCIES# | 59 | 1 | 19 | 39 | 18 | 0 | 5 | 13 | 41 | 1 | 14 | 26 |
| TEENAGE PREGNANCY RATE | 42.4 | 1.4 | 85.5 (15-19) | 31.0 | - | 66.9 (15-19) | 50.5 | 2.5 | 97.8 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 19.2 | - | - | 27.8 | - | - | - | - | 27.8 | - | - | 43.5 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: YALOBUSHA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 13,347 | 918 | 491 | 427 | 197 |
| WHITE | 8,059 | 422 | 214 | 208 | 105 |
| NONWHITE | 5,288 | 496 | 277 | 219 | 92 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|--------------|------------|-------------------|------------|--------------|------------|----------------------|------------|--------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 28 | 0 | 10 | 18 | 12 | 0 | 4 | 8 | 16 | 0 | 6 | 10 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 2 | 2 | 1 | 0 | 0 | 1 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 4 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 24 | 0 | 9 | 15 | 9 | 0 | 3 | 6 | 15 | 0 | 6 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 8 | 0 | 2 | 6 | 4 | 0 | 1 | 3 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 8 | 0 | 2 | 6 | 4 | 0 | 1 | 3 | 4 | 0 | 1 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 30.5 | - | 65.6 (15-19) | | 28.4 | - | 57.7 (15-19) | | 32.2 | - | 73.0 (15-19) | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FETAL DEATH RATIO | 35.7 | - | - | 55.6 | - | - | - | - | 62.5 | - | - | 100.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 71.4 | - | 100.0 | 55.6 | 83.3 | - | - | 125.0 | 62.5 | - | 166.7 | - |
| TEENAGE PREGNANCIES# | 31 | 0 | 11 | 20 | 13 | 0 | 4 | 9 | 18 | 0 | 7 | 11 |
| TEENAGE PREGNANCY RATE | 33.8 | - | 72.6 (15-19) | | 30.8 | - | 62.5 (15-19) | | 36.3 | - | 82.2 (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | - | - | - | - | - | - | - | - | - | - | - | - |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2003

COUNTY: YAZOO

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS |
|----------|---------------------------|--------------------|--------------------|--------------------|-------------------|
| TOTAL | 28,272 | 2,116 | 1,103 | 1,013 | 441 |
| WHITE | 12,552 | 665 | 320 | 345 | 126 |
| NONWHITE | 15,720 | 1,451 | 783 | 668 | 315 |

| | ----- ALL RACES ----- | | | | ----- WHITE ----- | | | | ----- NONWHITE ----- | | | |
|--------------------------------------|-----------------------|------------|---------------|------------|-------------------|--------------|------------|------------|----------------------|------------|------------|------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS | 97 | 8 | 26 | 63 | 15 | 0 | 5 | 10 | 82 | 8 | 21 | 53 |
| TEENAGE IMMATURE BIRTHS | 14 | 1 | 3 | 10 | 2 | 0 | 1 | 1 | 12 | 1 | 2 | 9 |
| TEENAGE PREMATURE BIRTHS | 21 | 0 | 7 | 14 | 4 | 0 | 2 | 2 | 17 | 0 | 5 | 12 |
| TEENAGE ILLEGITIMATE BIRTHS | 90 | 8 | 24 | 58 | 10 | 0 | 4 | 6 | 80 | 8 | 20 | 52 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 22 | 0 | 2 | 20 | 2 | 0 | 0 | 2 | 20 | 0 | 2 | 18 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 29 | 0 | 4 | 25 | 4 | 0 | 1 | 3 | 25 | 0 | 3 | 22 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 7 | 0 | 4 | 3 | 1 | 0 | 1 | 0 | 6 | 0 | 3 | 3 |
| TEENAGE FERTILITY RATE | 45.8 | 7.2 | 87.8 (15-19) | 22.6 | - | 43.5 (15-19) | 56.5 | 10.2 | 110.8 (15-19) | | | |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FETAL DEATH RATIO | 10.3 | - | 38.5 | - | - | - | - | - | 12.2 | - | 47.6 | - |
| TEENAGE INDUCED TERMINATIONS# | 20 | 2 | 10 | 8 | 7 | 0 | 3 | 4 | 13 | 2 | 7 | 4 |
| TEENAGE INDUCED TERMINATION RATIO | 206.2 | 250.0 | 384.6 | 127.0 | 466.7 | - | 600.0 | 400.0 | 158.5 | 250.0 | 333.3 | 75.5 |
| TEENAGE PREGNANCIES# | 118 | 10 | 37 | 71 | 22 | 0 | 8 | 14 | 96 | 10 | 29 | 57 |
| TEENAGE PREGNANCY RATE | 55.8 | 9.1 | 106.6 (15-19) | 33.1 | - | 63.8 (15-19) | 66.2 | 12.8 | 128.7 (15-19) | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 30.9 | - | 38.5 | 31.7 | - | - | - | - | 36.6 | - | 47.6 | 37.7 |

* ACCORDING TO THE KESSNER INDEX.
 ** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
 PREMATURE=GESTATION LESS THAN 37 WEEKS.
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.