

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	415	217	198	12.5	14.7	10.7
HEART DISEASES	108	61	47	325.0	412.8	254.6
MALIGNANT NEOPLASMS	83	38	45	249.8	257.2	243.8
CEREBROVASCULAR DISEASE	42	17	25	126.4	115.0	135.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	29	24	5	87.3	162.4	27.1
ACCIDENTS	23	13	10	69.2	88.0	54.2
INFLUENZA AND PNEUMONIA	12	7	5	36.1	47.4	27.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	1	8	27.1	6.8	43.3
SEPTICEMIA	8	2	6	24.1	13.5	32.5
ALZHEIMERS DISEASE	8	6	2	24.1	40.6	10.8
DIABETES MELLITUS	7	1	6	21.1	6.8	32.5
PARKINSONS DISEASE	5	3	2	15.0	20.3	10.8
HOMICIDE	5	3	2	15.0	20.3	10.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	9.0	13.5	5.4
VIRAL HEPATITIS	2	1	1	6.0	6.8	5.4
HIV DISEASE	2	1	1	6.0	6.8	5.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	6.0	13.5	-
VIRAL ENCEPHALITIS	1	1	0	3.0	6.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.0	6.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.0	-	5.4
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.0	-	5.4
DISEASES OF APPENDIX	1	1	0	3.0	6.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.5	-	3.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.0	-	5.4
SUICIDE	1	1	0	3.0	6.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	34	18	16	102.3	121.8	86.7
ALL OTHER CAUSES	25	13	12	75.2	88.0	65.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	415	217	198	189	91	98	226	126	100
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	9	1	8	5	0	5	4	1	3
35-44	10	3	7	5	2	3	5	1	4
45-54	38	16	22	24	10	14	14	6	8
55-64	40	11	29	21	6	15	19	5	14
65-74	85	48	37	41	23	18	44	25	19
75-84	131	77	54	57	35	22	74	42	32
85 AND OVER	93	56	37	29	12	17	64	44	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	33,233
WHITE	14,776
NONWHITE	18,457

(HSWWDTCO)
 COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	390	346	44	11.2	11.3	10.2
HEART DISEASES	119	103	16	340.7	336.6	369.1
MALIGNANT NEOPLASMS	88	78	10	251.9	254.9	230.7
CEREBROVASCULAR DISEASE	37	33	4	105.9	107.9	92.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	25	0	71.6	81.7	-
ACCIDENTS	20	19	1	57.2	62.1	23.1
ALZHEIMERS DISEASE	17	17	0	48.7	55.6	-
INFLUENZA AND PNEUMONIA	12	11	1	34.4	36.0	23.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	8	2	28.6	26.1	46.1
SUICIDE	6	6	0	17.2	19.6	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	14.3	9.8	46.1
DIABETES MELLITUS	4	3	1	11.4	9.8	23.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	11.4	13.1	-
SEPTICEMIA	3	2	1	8.6	6.5	23.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	8.6	6.5	23.1
AORTIC ANEURYSM AND DISSECTION	3	3	0	8.6	9.8	-
PARKINSONS DISEASE	2	2	0	5.7	6.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.7	6.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.6	-	29.8
VIRAL HEPATITIS	1	1	0	2.9	3.3	-
HIV DISEASE	1	0	1	2.9	-	23.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.9	3.3	-
HERNIA	1	1	0	2.9	3.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.9	3.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.7	3.3	23.1
ALL OTHER CAUSES	21	20	1	60.1	65.4	23.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	390	346	44	191	165	26	199	181	18
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	6	5	1	4	3	1	2	2	0
25-34	4	2	2	2	1	1	2	1	1
35-44	16	14	2	9	8	1	7	6	1
45-54	28	22	6	18	13	5	10	9	1
55-64	49	43	6	35	31	4	14	12	2
65-74	74	67	7	39	35	4	35	32	3
75-84	91	84	7	44	41	3	47	43	4
85 AND OVER	117	106	11	37	32	5	80	74	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 34,930
 WHITE 30,595
 NONWHITE 4,335

(HSWWDTCO)
 COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	162	101	61	11.9	13.1	10.4
HEART DISEASES	51	30	21	375.2	388.8	357.3
MALIGNANT NEOPLASMS	34	24	10	250.1	311.0	170.1
ACCIDENTS	12	5	7	88.3	64.8	119.1
CEREBROVASCULAR DISEASE	9	5	4	66.2	64.8	68.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	51.5	77.8	17.0
DIABETES MELLITUS	6	1	5	44.1	13.0	85.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	29.4	51.8	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1	29.4	38.9	17.0
INFLUENZA AND PNEUMONIA	3	2	1	22.1	25.9	17.0
SEPTICEMIA	2	2	0	14.7	25.9	-
ALZHEIMERS DISEASE	2	2	0	14.7	25.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	2	2	0	14.7	25.9	-
NEOPLASMS	1	0	1	7.4	-	17.0
ANEMIAS	1	0	1	7.4	-	17.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.6	-	12.3
SUICIDE	1	1	0	7.4	13.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.4	-	17.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.4	-	17.0
ALL OTHER CAUSES	20	14	6	147.1	181.4	102.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	162	101	61	79	56	23	83	45	38
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	0	0	0	4	2	2
25-34	3	3	0	3	3	0	0	0	0
35-44	4	1	3	2	1	1	2	0	2
45-54	13	7	6	10	7	3	3	0	3
55-64	26	16	10	10	9	1	16	7	9
65-74	29	15	14	15	9	6	14	6	8
75-84	44	35	9	20	16	4	24	19	5
85 AND OVER	35	22	13	16	11	5	19	11	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 13,594
 WHITE 7,716
 NONWHITE 5,878

(HSWWDTCO)
 COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	269	178	91	13.7	15.4	11.3
HEART DISEASES	83	52	31	421.9	448.5	383.7
MALIGNANT NEOPLASMS	44	32	12	223.6	276.0	148.5
CEREBROVASCULAR DISEASE	29	18	11	147.4	155.2	136.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	14	1	76.2	120.8	12.4
SEPTICEMIA	11	7	4	55.9	60.4	49.5
DIABETES MELLITUS	9	5	4	45.7	43.1	49.5
ACCIDENTS	9	5	4	45.7	43.1	49.5
INFLUENZA AND PNEUMONIA	8	7	1	40.7	60.4	12.4
ALZHEIMERS DISEASE	6	6	0	30.5	51.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	25.4	8.6	49.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	25.4	25.9	24.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	15.2	17.2	12.4
HOMICIDE	3	0	3	15.2	-	37.1
PARKINSONS DISEASE	2	2	0	10.2	17.2	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.5	-	15.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	10.2	8.6	12.4
SUICIDE	2	1	1	10.2	8.6	12.4
ANEMIAS	1	1	0	5.1	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	8.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	6	1	35.6	51.8	12.4
ALL OTHER CAUSES	22	14	8	111.8	120.8	99.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	269	178	91	164	107	57	105	71	34
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	6	2	4	5	2	3	1	0	1
35-44	4	3	1	2	2	0	2	1	1
45-54	16	6	10	10	5	5	6	1	5
55-64	28	17	11	23	13	10	5	4	1
65-74	49	30	19	33	20	13	16	10	6
75-84	86	64	22	57	44	13	29	20	9
85 AND OVER	73	55	18	29	20	9	44	35	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 19,673
 WHITE 11,594
 NONWHITE 8,079

(HSWWDTCO)
 COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	85	61	24	10.9	12.4	8.4
HEART DISEASES	35	26	9	450.2	529.0	314.8
MALIGNANT NEOPLASMS	20	13	7	257.3	264.5	244.8
ACCIDENTS	8	6	2	102.9	122.1	70.0
CEREBROVASCULAR DISEASE	7	4	3	90.0	81.4	104.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	25.7	20.3	35.0
SEPTICEMIA	1	1	0	12.9	20.3	-
DIABETES MELLITUS	1	1	0	12.9	20.3	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	12.9	20.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	12.9	20.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	12.9	20.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	12.9	-	35.0
SUICIDE	1	1	0	12.9	20.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	12.9	20.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	5	4	1	64.3	81.4	35.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	85	61	24	55	44	11	30	17	13
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	5	2	3	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	3	3	0	3	3	0	0	0	0
45-54	7	3	4	4	1	3	3	2	1
55-64	14	9	5	11	8	3	3	1	2
65-74	15	14	1	12	12	0	3	2	1
75-84	18	16	2	11	10	1	7	6	1
85 AND OVER	18	11	7	7	6	1	11	5	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 7,774
 WHITE 4,915
 NONWHITE 2,859

(HSWWDTCO)
 COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	388	149	239	9.9	11.6	9.1
HEART DISEASES	136	48	88	346.6	372.3	334.1
MALIGNANT NEOPLASMS	82	33	49	209.0	255.9	186.0
SEPTICEMIA	15	5	10	38.2	38.8	38.0
CEREBROVASCULAR DISEASE	15	6	9	38.2	46.5	34.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	3	11	35.7	23.3	41.8
ACCIDENTS	14	9	5	35.7	69.8	19.0
INFLUENZA AND PNEUMONIA	13	9	4	33.1	69.8	15.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	5	6	28.0	38.8	22.8
HOMICIDE	8	0	8	20.4	-	30.4
DIABETES MELLITUS	7	3	4	17.8	23.3	15.2
ALZHEIMERS DISEASE	4	2	2	10.2	15.5	7.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	1	3	10.2	7.8	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	4	2	2	10.2	15.5	7.6
NEOPLASMS	3	2	1	7.6	15.5	3.8
HYPERTENSION/HYPERTENSIVE RENAL DZ CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	7.6	7.8	7.6
SUICIDE	3	0	3	4.9	-	6.4
ANEMIAS	2	2	0	5.1	15.5	-
PARKINSONS DISEASE	1	0	1	2.5	-	3.8
ATHEROSCLEROSIS	1	1	0	2.5	7.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.5	7.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	2.5	-	3.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.5	-	3.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	7	7	35.7	54.3	26.6
ALL OTHER CAUSES	30	9	21	76.5	69.8	79.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	388	149	239	194	65	129	194	84	110
UNDER 1	10	1	9	6	0	6	4	1	3
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	6	1	5	4	0	4	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	5	1	4	3	2	1
25-34	15	2	13	10	1	9	5	1	4
35-44	21	7	14	11	4	7	10	3	7
45-54	36	5	31	21	3	18	15	2	13
55-64	45	12	33	31	5	26	14	7	7
65-74	70	34	36	43	20	23	27	14	13
75-84	103	47	56	38	20	18	65	27	38
85 AND OVER	79	38	41	29	11	18	50	27	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	39,235
WHITE	12,894
NONWHITE	26,341

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	180	141	39	12.1	13.6	8.7
HEART DISEASES	68	53	15	458.6	511.4	336.0
MALIGNANT NEOPLASMS	39	30	9	263.0	289.5	201.6
CEREBROVASCULAR DISEASE	19	15	4	128.1	144.7	89.6
ACCIDENTS	10	9	1	67.4	86.8	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	60.7	86.8	-
ALZHEIMERS DISEASE	6	4	2	40.5	38.6	44.8
DIABETES MELLITUS	3	3	0	20.2	28.9	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	1	2	20.2	9.6	44.8
INFLUENZA AND PNEUMONIA	2	0	2	13.5	-	44.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	13.5	19.3	-
PEPTIC ULCER	2	1	1	13.5	9.6	22.4
SEPTICEMIA	1	1	0	6.7	9.6	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	6.7	-	22.4
ATHEROSCLEROSIS	1	1	0	6.7	9.6	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	6.7	-	22.4
DISEASES OF APPENDIX	1	1	0	6.7	9.6	-
INFECTIONS OF KIDNEY	1	1	0	6.7	9.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.2	7.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.7	9.6	-
SUICIDE	1	1	0	6.7	9.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	8	7	1	54.0	67.5	22.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	180	141	39	82	65	17	98	76	22
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	4	3	1	2	2	0	2	1	1
35-44	6	4	2	2	1	1	4	3	1
45-54	14	11	3	9	7	2	5	4	1
55-64	20	13	7	13	9	4	7	4	3
65-74	27	21	6	15	12	3	12	9	3
75-84	50	39	11	17	12	5	33	27	6
85 AND OVER	54	45	9	20	18	2	34	27	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 14,827
 WHITE 10,363
 NONWHITE 4,464

(HSWWDTCO)
 COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	115	71	44	11.0	10.5	12.0
MALIGNANT NEOPLASMS	31	19	12	296.3	280.0	326.4
HEART DISEASES	25	15	10	239.0	221.0	272.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	95.6	117.9	54.4
CEREBROVASCULAR DISEASE	9	7	2	86.0	103.2	54.4
ACCIDENTS	6	5	1	57.4	73.7	27.2
INFLUENZA AND PNEUMONIA	3	1	2	28.7	14.7	54.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	28.7	44.2	-
DIABETES MELLITUS	2	1	1	19.1	14.7	27.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.1	-	54.4
SEPTICEMIA	1	0	1	9.6	-	27.2
HIV DISEASE	1	0	1	9.6	-	27.2
ALZHEIMERS DISEASE	1	1	0	9.6	14.7	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.6	14.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.6	14.7	-
PEPTIC ULCER	1	0	1	9.6	-	27.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	9.6	-	27.2
MATERNAL CAUSES	1	1	0	1010.1	1724.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.6	-	27.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	15	8	7	143.4	117.9	190.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	115	71	44	51	30	21	64	41	23
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	1	0	1	1	1	0
35-44	2	1	1	2	1	1	0	0	0
45-54	11	7	4	5	3	2	6	4	2
55-64	9	5	4	8	5	3	1	0	1
65-74	21	12	9	9	6	3	12	6	6
75-84	37	24	13	12	8	4	25	16	9
85 AND OVER	30	18	12	14	7	7	16	11	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 10,462
 WHITE 6,786
 NONWHITE 3,676

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	182	124	58	9.5	11.3	7.0
HEART DISEASES	63	46	17	328.0	418.6	206.9
MALIGNANT NEOPLASMS	41	26	15	213.5	236.6	182.6
ACCIDENTS	11	9	2	57.3	81.9	24.3
CEREBROVASCULAR DISEASE	10	4	6	52.1	36.4	73.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	36.4	63.7	-
SEPTICEMIA	6	3	3	31.2	27.3	36.5
INFLUENZA AND PNEUMONIA	6	3	3	31.2	27.3	36.5
ALZHEIMERS DISEASE	4	3	1	20.8	27.3	12.2
DIABETES MELLITUS	3	0	3	15.6	-	36.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	15.6	9.1	24.3
PARKINSONS DISEASE	2	2	0	10.4	18.2	-
SUICIDE	2	0	2	10.4	-	24.3
HOMICIDE	2	1	1	10.4	9.1	12.2
ANEMIAS	1	1	0	5.2	9.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	9.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.2	9.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	9.1	-
HYPERPLASIA OF PROSTATE	1	1	0	5.2	9.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.8	36.4	-
ALL OTHER CAUSES	13	10	3	67.7	91.0	36.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	182	124	58	94	60	34	88	64	24
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	2	1	3	2	1	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	1	2	2	0	2	1	1	0
35-44	5	4	1	3	3	0	2	1	1
45-54	10	1	9	6	1	5	4	0	4
55-64	23	14	9	16	9	7	7	5	2
65-74	36	24	12	21	12	9	15	12	3
75-84	48	36	12	24	19	5	24	17	7
85 AND OVER	51	39	12	16	11	5	35	28	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 19,204
 WHITE 10,988
 NONWHITE 8,216

(HSWWDTCO)
 COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	75	48	27	7.8	7.3	8.8
HEART DISEASES	26	20	6	269.1	303.1	195.9
MALIGNANT NEOPLASMS	15	11	4	155.3	166.7	130.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	62.1	60.6	65.3
ACCIDENTS	5	3	2	51.8	45.5	65.3
SEPTICEMIA	2	0	2	20.7	-	65.3
CEREBROVASCULAR DISEASE	2	2	0	20.7	30.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	20.7	15.2	32.6
HOMICIDE	2	1	1	20.7	15.2	32.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.4	-	32.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.4	-	32.6
INFLUENZA AND PNEUMONIA	1	1	0	10.4	15.2	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	9.9	-	28.6
SUICIDE	1	1	0	10.4	15.2	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	10.4	15.2	-

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	9	3	6	93.2	45.5	195.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	75	48	27	41	27	14	34	21	13
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	4	1	3	3	1	2	1	0	1
45-54	5	5	0	4	4	0	1	1	0
55-64	10	6	4	7	4	3	3	2	1
65-74	8	5	3	6	4	2	2	1	1
75-84	19	13	6	8	5	3	11	8	3
85 AND OVER	23	14	9	9	6	3	14	8	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 9,661
 WHITE 6,598
 NONWHITE 3,063

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	104	24	80	9.0	14.3	8.1
HEART DISEASES	35	11	24	304.3	655.2	244.3
MALIGNANT NEOPLASMS	21	4	17	182.6	238.2	173.1
CEREBROVASCULAR DISEASE	10	3	7	86.9	178.7	71.3
ACCIDENTS	10	2	8	86.9	119.1	81.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	2	5	60.8	119.1	50.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2	17.4	-	20.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	14.1	-	15.0
ANEMIAS	1	0	1	8.7	-	10.2
DIABETES MELLITUS	1	0	1	8.7	-	10.2
INFLUENZA AND PNEUMONIA	1	0	1	8.7	-	10.2
HERNIA	1	0	1	8.7	-	10.2
SUICIDE	1	1	0	8.7	59.6	-
HOMICIDE	1	0	1	8.7	-	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	26.1	59.6	20.4
ALL OTHER CAUSES	8	0	8	69.6	-	81.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	104	24	80	58	15	43	46	9	37
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	0	6	5	0	5	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	5	1	4	4	0	4	1	1	0
45-54	8	3	5	3	3	0	5	0	5
55-64	11	3	8	7	2	5	4	1	3
65-74	13	2	11	8	2	6	5	0	5
75-84	23	7	16	14	3	11	9	4	5
85 AND OVER	33	8	25	14	5	9	19	3	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	11,502
WHITE	1,679
NONWHITE	9,823

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	184	120	64	10.4	10.4	10.3
HEART DISEASES	67	49	18	377.6	424.0	290.7
MALIGNANT NEOPLASMS	29	17	12	163.4	147.1	193.8
CEREBROVASCULAR DISEASE	10	7	3	56.4	60.6	48.4
ACCIDENTS	9	9	0	50.7	77.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	45.1	51.9	32.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	2	5	39.4	17.3	80.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	28.2	26.0	32.3
INFLUENZA AND PNEUMONIA	4	3	1	22.5	26.0	16.2
SEPTICEMIA	3	2	1	16.9	17.3	16.2
ALZHEIMERS DISEASE	3	1	2	16.9	8.6	32.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	11.3	17.3	-
AORTIC ANEURYSM AND DISSECTION	2	0	2	11.3	-	32.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	7.9	13.9	-
DIABETES MELLITUS	1	0	1	5.6	-	16.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.6	8.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.6	-	16.2
PEPTIC ULCER	1	1	0	5.6	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.6	-	16.2
SUICIDE	1	1	0	5.6	8.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	16.9	17.3	16.2
ALL OTHER CAUSES	24	12	12	135.2	103.8	193.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	184	120	64	91	63	28	93	57	36
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	8	5	3	5	3	2	3	2	1
45-54	16	8	8	9	7	2	7	1	6
55-64	18	9	9	12	7	5	6	2	4
65-74	39	23	16	23	15	8	16	8	8
75-84	48	36	12	26	19	7	22	17	5
85 AND OVER	50	35	15	12	9	3	38	26	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	17,746
WHITE	11,555
NONWHITE	6,191

(HSWWDTCO)
 COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	231	121	110	10.7	13.4	8.7
HEART DISEASES	62	37	25	286.7	410.5	198.2
MALIGNANT NEOPLASMS	50	21	29	231.2	233.0	229.9
CEREBROVASCULAR DISEASE	28	17	11	129.5	188.6	87.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	5	9	64.7	55.5	71.4
ACCIDENTS	14	8	6	64.7	88.8	47.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	50.9	99.8	15.8
INFLUENZA AND PNEUMONIA	6	2	4	27.7	22.2	31.7
SEPTICEMIA	4	2	2	18.5	22.2	15.8
DIABETES MELLITUS	3	1	2	13.9	11.1	15.8
ALZHEIMERS DISEASE	2	0	2	9.2	-	15.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	9.2	-	15.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.2	22.2	-
INFECTIONS OF KIDNEY	2	1	1	9.2	11.1	7.9
SUICIDE	2	2	0	9.2	22.2	-
HOMICIDE	2	0	2	9.2	-	15.8
HIV DISEASE	1	0	1	4.6	-	7.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.6	-	7.9
ANEMIAS	1	0	1	4.6	-	7.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.6	-	7.9
PARKINSONS DISEASE	1	1	0	4.6	11.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.6	-	7.9
ATHEROSCLEROSIS	1	1	0	4.6	11.1	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.6	11.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.5	-	5.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	23.1	55.5	-
ALL OTHER CAUSES	13	6	7	60.1	66.6	55.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	231	121	110	119	64	55	112	57	55
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	9	3	6	8	2	6	1	1	0
45-54	17	5	12	8	3	5	9	2	7
55-64	23	9	14	12	5	7	11	4	7
65-74	37	14	23	21	9	12	16	5	11
75-84	64	44	20	37	27	10	27	17	10
85 AND OVER	73	42	31	26	15	11	47	27	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 21,625
 WHITE 9,013
 NONWHITE 12,612

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	340	113	227	11.5	14.4	10.5
HEART DISEASES	106	41	65	358.8	521.5	299.8
MALIGNANT NEOPLASMS	72	23	49	243.7	292.5	226.0
CEREBROVASCULAR DISEASE	20	8	12	67.7	101.8	55.3
DIABETES MELLITUS	18	1	17	60.9	12.7	78.4
ACCIDENTS	18	8	10	60.9	101.8	46.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	3	13	54.2	38.2	60.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	4	5	30.5	50.9	23.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	1	8	30.5	12.7	36.9
HOMICIDE	8	1	7	27.1	12.7	32.3
SEPTICEMIA	6	2	4	20.3	25.4	18.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	2	3	16.9	25.4	13.8
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	9.4	11.1	9.0
HIV DISEASE	4	0	4	13.5	-	18.4
ALZHEIMERS DISEASE	3	1	2	10.2	12.7	9.2
SUICIDE	3	3	0	10.2	38.2	-
PARKINSONS DISEASE	2	2	0	6.8	25.4	-
ATHEROSCLEROSIS	2	2	0	6.8	25.4	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	6.8	25.4	-
INFLUENZA AND PNEUMONIA	2	0	2	6.8	-	9.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.8	-	9.2
ANEMIAS	1	0	1	3.4	-	4.6
MENINGITIS	1	0	1	3.4	-	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.4	-	4.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.4	12.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	1	5	20.3	12.7	23.0
ALL OTHER CAUSES	18	6	12	60.9	76.3	55.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	340	113	227	154	51	103	186	62	124
UNDER 1	13	1	12	8	0	8	5	1	4
(NEONATAL)	7	1	6	5	0	5	2	1	1
(POSTNEONATAL)	6	0	6	3	0	3	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	2	5	5	1	4	2	1	1
25-34	10	5	5	4	3	1	6	2	4
35-44	17	2	15	9	1	8	8	1	7
45-54	39	9	30	21	5	16	18	4	14
55-64	34	7	27	21	5	16	13	2	11
65-74	53	11	42	23	7	16	30	4	26
75-84	82	40	42	39	20	19	43	20	23
85 AND OVER	84	36	48	23	9	14	61	27	34
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	29,546
WHITE	7,862
NONWHITE	21,684

(HSWWDTCO)
 COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	274	158	116	9.5	11.3	7.8
HEART DISEASES	82	46	36	283.5	328.8	241.0
MALIGNANT NEOPLASMS	59	38	21	204.0	271.6	140.6
CEREBROVASCULAR DISEASE	18	8	10	62.2	57.2	66.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	11	4	51.8	78.6	26.8
INFLUENZA AND PNEUMONIA	11	8	3	38.0	57.2	20.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	5	5	34.6	35.7	33.5
DIABETES MELLITUS	9	4	5	31.1	28.6	33.5
ACCIDENTS	7	4	3	24.2	28.6	20.1
SEPTICEMIA	6	2	4	20.7	14.3	26.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	1	4	17.3	7.1	26.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	10.4	7.1	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	10.4	7.1	13.4
HOMICIDE	3	0	3	10.4	-	20.1
HIV DISEASE	2	0	2	6.9	-	13.4
ALZHEIMERS DISEASE	2	2	0	6.9	14.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.6	5.6	4.0
SUICIDE	2	1	1	6.9	7.1	6.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.4	-	6.7
ANEMIAS	1	0	1	3.4	-	6.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.4	7.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.4	7.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.4	-	6.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.4	7.1	-
ALL OTHER CAUSES	29	22	7	100.2	157.2	46.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	274	158	116	150	83	67	124	75	49
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	1	4	3	0	3	2	1	1
25-34	4	0	4	4	0	4	0	0	0
35-44	8	2	6	6	2	4	2	0	2
45-54	23	10	13	17	9	8	6	1	5
55-64	37	21	16	23	15	8	14	6	8
65-74	50	32	18	31	20	11	19	12	7
75-84	70	47	23	39	27	12	31	20	11
85 AND OVER	69	43	26	23	9	14	46	34	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 28,928
 WHITE 13,991
 NONWHITE 14,937

(HSWWDTCO)
 COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	226	171	55	11.2	13.4	7.4
HEART DISEASES	62	48	14	307.3	375.3	189.5
MALIGNANT NEOPLASMS	44	32	12	218.1	250.2	162.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	18	1	94.2	140.7	13.5
ACCIDENTS	17	11	6	84.2	86.0	81.2
CEREBROVASCULAR DISEASE	16	11	5	79.3	86.0	67.7
INFLUENZA AND PNEUMONIA	8	8	0	39.6	62.5	-
ALZHEIMERS DISEASE	6	6	0	29.7	46.9	-
SEPTICEMIA	5	3	2	24.8	23.4	27.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	24.8	31.3	13.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	19.8	23.4	13.5
DIABETES MELLITUS	3	2	1	14.9	15.6	13.5
PARKINSONS DISEASE	2	2	0	9.9	15.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.9	15.6	-
HIV DISEASE	1	1	0	5.0	7.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.0	-	13.5
HERNIA	1	0	1	5.0	-	13.5
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	5.0	-	13.5
HOMICIDE	1	1	0	5.0	7.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	5.0	-	13.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	19.8	23.4	13.5
ALL OTHER CAUSES	23	16	7	114.0	125.1	94.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	226	171	55	131	100	31	95	71	24
UNDER 1	5	3	2	2	2	0	3	1	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	3	3	0	2	2	0	1	1	0
1-4	5	3	2	1	0	1	4	3	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	3	1	3	2	1	1	1	0
35-44	8	5	3	4	3	1	4	2	2
45-54	8	6	2	4	3	1	4	3	1
55-64	29	19	10	18	12	6	11	7	4
65-74	37	30	7	28	23	5	9	7	2
75-84	76	60	16	46	36	10	30	24	6
85 AND OVER	51	41	10	22	18	4	29	23	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 20,177
 WHITE 12,790
 NONWHITE 7,387

(HSWWDTCO)
 COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	867	740	127	7.0	7.2	6.0
HEART DISEASES	214	179	35	172.0	173.4	165.6
MALIGNANT NEOPLASMS	201	175	26	161.6	169.5	123.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	56	51	5	45.0	49.4	23.7
DIABETES MELLITUS	55	45	10	44.2	43.6	47.3
ACCIDENTS	43	34	9	34.6	32.9	42.6
CEREBROVASCULAR DISEASE	34	28	6	27.3	27.1	28.4
ALZHEIMERS DISEASE	28	25	3	22.5	24.2	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	22	20	2	17.7	19.4	9.5
SUICIDE	19	19	0	15.3	18.4	-
SEPTICEMIA	18	16	2	14.5	15.5	9.5
INFLUENZA AND PNEUMONIA	14	13	1	11.2	12.6	4.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	12	2	11.2	11.6	9.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	11	0	8.8	10.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	9	0	7.2	8.7	-
HOMICIDE	9	4	5	7.2	3.9	23.7
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	7	4	3	3.8	2.6	9.4
NEOPLASMS	4	4	0	3.2	3.9	-
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	3.2	3.9	-
PEPTIC ULCER	3	3	0	2.4	2.9	-
HIV DISEASE	2	0	2	1.6	-	9.5
ANEMIAS	2	1	1	1.6	1.0	4.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	1.6	1.9	-
PARKINSONS DISEASE	2	2	0	1.6	1.9	-
ATHEROSCLEROSIS	2	2	0	1.6	1.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	1.6	1.9	-
VIRAL HEPATITIS	1	1	0	0.8	1.0	-
MENINGITIS	1	1	0	0.8	1.0	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	0.8	1.0	-
HERNIA	1	1	0	0.8	1.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	5	3	6.4	4.8	14.2
ALL OTHER CAUSES	78	66	12	62.7	63.9	56.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	867	740	127	425	352	73	442	388	54
UNDER 1	14	8	6	6	3	3	8	5	3
(NEONATAL)	8	5	3	2	1	1	6	4	2
(POSTNEONATAL)	6	3	3	4	2	2	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	2	0	1	1	0	1	1	0
15-24	18	8	10	12	4	8	6	4	2
25-34	21	15	6	10	8	2	11	7	4
35-44	43	38	5	29	25	4	14	13	1
45-54	71	56	15	48	40	8	23	16	7
55-64	110	94	16	68	56	12	42	38	4
65-74	180	155	25	100	85	15	80	70	10
75-84	256	236	20	107	98	9	149	138	11
85 AND OVER	151	128	23	44	32	12	107	96	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 124,378
 WHITE 103,246
 NONWHITE 21,132

(HSWWDTCO)
 COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	729	534	195	9.8	11.3	7.2
HEART DISEASES	202	145	57	271.6	306.9	210.0
MALIGNANT NEOPLASMS	136	101	35	182.8	213.8	129.0
CEREBROVASCULAR DISEASE	43	31	12	57.8	65.6	44.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	36	32	4	48.4	67.7	14.7
ACCIDENTS	35	30	5	47.0	63.5	18.4
DIABETES MELLITUS	27	18	9	36.3	38.1	33.2
SEPTICEMIA	23	17	6	30.9	36.0	22.1
ALZHEIMERS DISEASE	18	17	1	24.2	36.0	3.7
INFLUENZA AND PNEUMONIA	18	13	5	24.2	27.5	18.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	14	4	24.2	29.6	14.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	17	10	7	22.8	21.2	25.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	7	1	10.8	14.8	3.7
AORTIC ANEURYSM AND DISSECTION	7	5	2	9.4	10.6	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	9.4	12.7	3.7
HIV DISEASE	6	0	6	8.1	-	22.1
PARKINSONS DISEASE	5	5	0	6.7	10.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	4.6	-	10.3
ANEMIAS	4	3	1	5.4	6.4	3.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	4.0	4.2	3.7
SUICIDE	3	3	0	4.0	6.4	-
VIRAL HEPATITIS	2	1	1	2.7	2.1	3.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	2.7	4.2	-
HOMICIDE	2	1	1	2.7	2.1	3.7
ATHEROSCLEROSIS	1	1	0	1.3	2.1	-
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	1	1	0	1.3	2.1	-
PEPTIC ULCER	1	1	0	1.3	2.1	-
OPERATIONS OF WAR & THEIR SEQUELAE	1	1	0	1.3	2.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	4	5	12.1	8.5	18.4
ALL OTHER CAUSES	88	62	26	118.3	131.2	95.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	729	534	195	332	245	87	397	289	108
UNDER 1	10	2	8	6	1	5	4	1	3
(NEONATAL)	6	1	5	4	1	3	2	0	2
(POSTNEONATAL)	4	1	3	2	0	2	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	4	2	2	2	1	1	2	1	1
15-24	8	6	2	4	4	0	4	2	2
25-34	15	8	7	11	7	4	4	1	3
35-44	42	21	21	25	15	10	17	6	11
45-54	49	32	17	28	19	9	21	13	8
55-64	76	52	24	48	35	13	28	17	11
65-74	125	93	32	57	41	16	68	52	16
75-84	216	174	42	87	71	16	129	103	26
85 AND OVER	182	143	39	64	51	13	118	92	26
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 74,386
 WHITE 47,245
 NONWHITE 27,141

(HSWWDTCO)
 COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	84	53	31	10.1	10.0	10.2
HEART DISEASES	37	20	17	443.6	378.0	557.6
MALIGNANT NEOPLASMS	14	10	4	167.9	189.0	131.2
CEREBROVASCULAR DISEASE	3	3	0	36.0	56.7	-
INFLUENZA AND PNEUMONIA	3	3	0	36.0	56.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	36.0	56.7	-
ACCIDENTS	3	2	1	36.0	37.8	32.8
HOMICIDE	3	0	3	36.0	-	98.4
DIABETES MELLITUS	2	0	2	24.0	-	65.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	24.0	18.9	32.8
SEPTICEMIA	1	1	0	12.0	18.9	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	12.0	18.9	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	12.0	18.9	-
ALZHEIMERS DISEASE	1	1	0	12.0	18.9	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	12.0	18.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	12.0	-	32.8
SUICIDE	1	0	1	12.0	-	32.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	7	6	1	83.9	113.4	32.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	84	53	31	32	21	11	52	32	20
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	1	1	0	0	0	2	1	1
25-34	0	0	0	0	0	0	0	0	0
35-44	6	2	4	5	2	3	1	0	1
45-54	6	3	3	4	3	1	2	0	2
55-64	9	6	3	2	2	0	7	4	3
65-74	16	10	6	7	6	1	9	4	5
75-84	19	16	3	7	5	2	12	11	1
85 AND OVER	24	15	9	6	3	3	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 8,340
 WHITE 5,291
 NONWHITE 3,049

(HSWWDTCO)
 COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	219	199	20	10.7	10.8	9.8
HEART DISEASES	58	52	6	284.2	283.2	293.7
MALIGNANT NEOPLASMS	52	46	6	254.8	250.5	293.7
DIABETES MELLITUS	16	16	0	78.4	87.1	-
ACCIDENTS	14	12	2	68.6	65.3	97.9
CEREBROVASCULAR DISEASE	13	12	1	63.7	65.3	48.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	49.0	54.4	-
ALZHEIMERS DISEASE	8	7	1	39.2	38.1	48.9
INFLUENZA AND PNEUMONIA	4	4	0	19.6	21.8	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	4	3	1	19.6	16.3	48.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	14.7	16.3	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0	14.7	16.3	-
SUICIDE	3	3	0	14.7	16.3	-
ATHEROSCLEROSIS	2	2	0	9.8	10.9	-
SEPTICEMIA	1	0	1	4.9	-	48.9
VIRAL HEPATITIS	1	1	0	4.9	5.4	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.9	5.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.9	5.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.9	5.4	-
HOMICIDE	1	1	0	4.9	5.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.8	10.9	-
ALL OTHER CAUSES	21	19	2	102.9	103.5	97.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	219	199	20	113	101	12	106	98	8
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	3	0	1	1	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	4	1	3	2	1	2	2	0
25-34	4	4	0	3	3	0	1	1	0
35-44	10	8	2	5	4	1	5	4	1
45-54	20	17	3	15	14	1	5	3	2
55-64	35	31	4	22	20	2	13	11	2
65-74	29	26	3	17	14	3	12	12	0
75-84	53	50	3	24	22	2	29	28	1
85 AND OVER	59	55	4	23	21	2	36	34	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 20,407
 WHITE 18,364
 NONWHITE 2,043

(HSWWDTCO)
 COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	134	117	17	10.2	12.1	4.8
HEART DISEASES	52	46	6	394.9	475.8	171.4
MALIGNANT NEOPLASMS	30	26	4	227.8	268.9	114.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3	106.3	113.8	85.7
ACCIDENTS	8	8	0	60.7	82.7	-
CEREBROVASCULAR DISEASE	6	6	0	45.6	62.1	-
ALZHEIMERS DISEASE	5	5	0	38.0	51.7	-
DIABETES MELLITUS	4	2	2	30.4	20.7	57.1
SEPTICEMIA	2	2	0	15.2	20.7	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	15.2	20.7	-
INFLUENZA AND PNEUMONIA	2	2	0	15.2	20.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	15.2	20.7	-
ANEMIAS	1	0	1	7.6	-	28.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	7.6	10.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.6	10.3	-
PEPTIC ULCER	1	1	0	7.6	10.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	7.6	-	28.6
SUICIDE	1	1	0	7.6	10.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	1	1	0	7.6	10.3	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	134	117	17	67	59	8	67	58	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	6	6	0	4	4	0	2	2	0
45-54	7	6	1	5	5	0	2	1	1
55-64	21	19	2	13	11	2	8	8	0
65-74	31	28	3	21	19	2	10	9	1
75-84	33	25	8	16	14	2	17	11	6
85 AND OVER	33	30	3	6	4	2	27	26	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 13,169
 WHITE 9,668
 NONWHITE 3,501

(HSWWDTCO)
 COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	310	179	131	13.6	13.7	13.5
HEART DISEASES	115	74	41	504.2	565.7	421.4
MALIGNANT NEOPLASMS	58	29	29	254.3	221.7	298.1
CEREBROVASCULAR DISEASE	24	11	13	105.2	84.1	133.6
ACCIDENTS	11	10	1	48.2	76.4	10.3
INFLUENZA AND PNEUMONIA	10	9	1	43.8	68.8	10.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	39.4	61.2	10.3
SEPTICEMIA	7	2	5	30.7	15.3	51.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	26.3	7.6	51.4
HOMICIDE	6	0	6	26.3	-	61.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	21.9	15.3	30.8
DIABETES MELLITUS	3	2	1	13.2	15.3	10.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	9.6	-	20.5
SUICIDE	3	2	1	13.2	15.3	10.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	8.8	15.3	-
PARKINSONS DISEASE	2	2	0	8.8	15.3	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	8.8	15.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	8.8	7.6	10.3
HIV DISEASE	1	0	1	4.4	-	10.3
ANEMIAS	1	1	0	4.4	7.6	-
ALZHEIMERS DISEASE	1	1	0	4.4	7.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.4	-	10.3
PEPTIC ULCER	1	0	1	4.4	-	10.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.4	-	10.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.4	7.6	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	30.7	22.9	41.1
ALL OTHER CAUSES	28	16	12	122.8	122.3	123.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	310	179	131	143	81	62	167	98	69
UNDER 1	6	2	4	6	2	4	0	0	0
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	3	2	1	3	2	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	7	3	4	3	3	0	4	0	4
35-44	11	4	7	5	2	3	6	2	4
45-54	26	13	13	14	6	8	12	7	5
55-64	44	20	24	30	17	13	14	3	11
65-74	50	28	22	25	15	10	25	13	12
75-84	82	57	25	30	23	7	52	34	18
85 AND OVER	79	52	27	27	13	14	52	39	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 22,809
 WHITE 13,080
 NONWHITE 9,729

(HSWWDTCO)
 COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	423	396	27	9.4	9.6	6.6
HEART DISEASES	113	106	7	250.3	258.2	170.8
MALIGNANT NEOPLASMS	97	90	7	214.9	219.2	170.8
ACCIDENTS	39	39	0	86.4	95.0	-
CEREBROVASCULAR DISEASE	34	31	3	75.3	75.5	73.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	27	1	62.0	65.8	24.4
INFLUENZA AND PNEUMONIA	10	9	1	22.2	21.9	24.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	8	0	17.7	19.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	11.1	9.7	24.4
SUICIDE	5	5	0	11.1	12.2	-
HOMICIDE	5	5	0	11.1	12.2	-
SEPTICEMIA	4	3	1	8.9	7.3	24.4
DIABETES MELLITUS	4	4	0	8.9	9.7	-
ALZHEIMERS DISEASE	4	4	0	8.9	9.7	-
AORTIC ANEURYSM AND DISSECTION	4	4	0	8.9	9.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	6.6	4.9	24.4
PARKINSONS DISEASE	3	3	0	6.6	7.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	6.6	7.3	-
VIRAL HEPATITIS	2	2	0	4.4	4.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	4.4	2.4	24.4
HIV DISEASE	1	1	0	2.2	2.4	-
PEPTIC ULCER	1	1	0	2.2	2.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.8	-	18.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.2	2.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	8.9	9.7	-
ALL OTHER CAUSES	42	39	3	93.0	95.0	73.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	423	396	27	202	193	9	221	203	18
UNDER 1	5	4	1	3	3	0	2	1	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	4	4	0	3	3	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	11	10	1	6	5	1	5	5	0
35-44	23	21	2	13	12	1	10	9	1
45-54	40	37	3	21	19	2	19	18	1
55-64	62	62	0	38	38	0	24	24	0
65-74	75	68	7	33	32	1	42	36	6
75-84	119	112	7	54	53	1	65	59	6
85 AND OVER	81	75	6	30	27	3	51	48	3
UNKNOWN	1	1	0	0	0	0	1	1	0

2003 POPULATION:

TOTAL 45,145
 WHITE 41,048
 NONWHITE 4,097

(HSWWDTCO)
 COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,758	1,417	341	9.3	10.3	6.5
HEART DISEASES	598	486	112	315.4	354.9	212.6
MALIGNANT NEOPLASMS	408	330	78	215.2	241.0	148.1
ACCIDENTS	87	76	11	45.9	55.5	20.9
CEREBROVASCULAR DISEASE	67	55	12	35.3	40.2	22.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	66	60	6	34.8	43.8	11.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	49	34	15	25.8	24.8	28.5
INFLUENZA AND PNEUMONIA	39	35	4	20.6	25.6	7.6
SEPTICEMIA	35	28	7	18.4	20.4	13.3
SUICIDE	28	27	1	14.8	19.7	1.9
ALZHEIMERS DISEASE	24	21	3	12.6	15.3	5.7
HOMICIDE	20	6	14	10.5	4.4	26.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	13	6	10.0	9.5	11.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	12	5	9.0	8.8	9.5
DIABETES MELLITUS	15	9	6	7.9	6.6	11.4
AORTIC ANEURYSM AND DISSECTION	15	13	2	7.9	9.5	3.8
CONDITIONS ORIGIN IN PERINATAL PERIOD	9	8	1	3.1	3.9	1.1
HIV DISEASE	8	2	6	4.2	1.5	11.4
PARKINSONS DISEASE	8	8	0	4.2	5.8	-
VIRAL HEPATITIS	5	5	0	2.6	3.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	2.6	2.2	3.8
ANEMIAS	4	1	3	2.1	0.7	5.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	4	0	2.1	2.9	-
ATHEROSCLEROSIS	4	1	3	2.1	0.7	5.7
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	1.6	1.5	1.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	1.6	1.5	1.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	1.0	1.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.0	1.5	-
MENINGOCOCCAL INFECTION	1	1	0	0.5	0.7	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.5	0.7	-
PEPTIC ULCER	1	1	0	0.5	0.7	-
HERNIA	1	0	1	0.5	-	1.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	15	4	10.0	11.0	7.6
ALL OTHER CAUSES	187	151	36	98.6	110.3	68.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,758	1,417	341	929	761	168	829	656	173
UNDER 1	22	17	5	13	12	1	9	5	4
(NEONATAL)	9	7	2	6	6	0	3	1	2
(POSTNEONATAL)	13	10	3	7	6	1	6	4	2
1-4	3	2	1	1	1	0	2	1	1
5-9	4	3	1	2	2	0	2	1	1
10-14	1	1	0	1	1	0	0	0	0
15-24	31	22	9	25	19	6	6	3	3
25-34	40	24	16	25	14	11	15	10	5
35-44	70	47	23	35	25	10	35	22	13
45-54	152	114	38	103	77	26	49	37	12
55-64	234	176	58	137	110	27	97	66	31
65-74	375	304	71	234	196	38	141	108	33
75-84	509	434	75	262	227	35	247	207	40
85 AND OVER	317	273	44	91	77	14	226	196	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 189,614
 WHITE 136,936
 NONWHITE 52,678

(HSWWDTCO)
 COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,091	976	1,115	8.4	11.2	6.9
HEART DISEASES	661	324	337	265.4	372.5	207.9
MALIGNANT NEOPLASMS	404	198	206	162.2	227.6	127.1
CEREBROVASCULAR DISEASE	118	57	61	47.4	65.5	37.6
ACCIDENTS	109	49	60	43.8	56.3	37.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	64	46	18	25.7	52.9	11.1
HOMICIDE	52	4	48	20.9	4.6	29.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	51	16	35	20.5	18.4	21.6
SEPTICEMIA	47	20	27	18.9	23.0	16.6
HIV DISEASE	45	2	43	18.1	2.3	26.5
INFLUENZA AND PNEUMONIA	39	21	18	15.6	24.1	11.1
DIABETES MELLITUS	37	18	19	14.8	20.7	11.7
ALZHEIMERS DISEASE	34	19	15	13.6	21.8	9.2
HYPERTENSION/HYPERTENSIVE RENAL DZ CONDITIONS ORIG IN PERINATAL PERIOD	33	10	23	13.2	11.5	14.2
SUICIDE	30	3	27	7.6	3.0	9.1
AORTIC ANEURYSM AND DISSECTION	19	10	9	7.6	11.5	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	12	6	7.2	13.8	3.7
COMPLICATIONS MEDICAL/SURGICAL CARE	16	10	6	6.4	11.5	3.7
PARKINSONS DISEASE	12	3	9	4.8	3.4	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	10	7	3	4.0	8.0	1.8
NEOPLASMS	9	6	3	3.6	6.9	1.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	2	4	2.4	2.3	2.5
ANEMIAS	5	3	2	2.0	3.4	1.2
VIRAL HEPATITIS	4	2	2	1.6	2.3	1.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.8	1.2	0.6
SALMONELLA INFECTION	1	1	0	0.4	1.2	-
ATHEROSCLEROSIS	1	1	0	0.4	1.2	-
PEPTIC ULCER	1	0	1	0.4	-	0.6
HERNIA	1	0	1	0.4	-	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.4	-	0.6
LEGAL INTERVENTION	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	39	16	23	15.6	18.4	14.2
ALL OTHER CAUSES	211	108	103	84.7	124.2	63.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,091	976	1,115	1,079	501	578	1,012	475	537
UNDER 1	50	6	44	27	2	25	23	4	19
(NEONATAL)	29	3	26	13	0	13	16	3	13
(POSTNEONATAL)	21	3	18	14	2	12	7	1	6
1-4	8	1	7	5	1	4	3	0	3
5-9	3	1	2	2	1	1	1	0	1
10-14	5	0	5	2	0	2	3	0	3
15-24	46	13	33	35	9	26	11	4	7
25-34	86	13	73	60	10	50	26	3	23
35-44	111	30	81	64	17	47	47	13	34
45-54	230	68	162	137	45	92	93	23	70
55-64	253	110	143	148	61	87	105	49	56
65-74	308	130	178	163	79	84	145	51	94
75-84	509	318	191	279	181	98	230	137	93
85 AND OVER	482	286	196	157	95	62	325	191	134
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	249,087
WHITE	86,985
NONWHITE	162,102

(HSWWDTCO)
 COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	251	77	174	11.8	19.3	10.0
MALIGNANT NEOPLASMS	67	18	49	313.9	451.8	282.2
HEART DISEASES	63	24	39	295.1	602.4	224.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	3	11	65.6	75.3	63.4
ACCIDENTS	13	2	11	60.9	50.2	63.4
ALZHEIMERS DISEASE	12	5	7	56.2	125.5	40.3
CEREBROVASCULAR DISEASE	12	3	9	56.2	75.3	51.8
INFLUENZA AND PNEUMONIA	9	4	5	42.2	100.4	28.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	3	5	37.5	75.3	28.8
HOMICIDE	5	1	4	23.4	25.1	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	18.7	50.2	11.5
SEPTICEMIA	3	1	2	14.0	25.1	11.5
DIABETES MELLITUS	3	0	3	14.0	-	17.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	14.0	25.1	11.5
HIV DISEASE	1	0	1	4.7	-	5.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.7	-	5.8
MATERNAL CAUSES	1	0	1	266.7	-	299.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	-	3.0
SUICIDE	1	1	0	4.7	25.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.4	25.1	5.8
ALL OTHER CAUSES	28	8	20	131.2	200.8	115.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	251	77	174	115	35	80	136	42	94
UNDER 1	3	0	3	0	0	0	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	6	0	6	3	0	3	3	0	3
25-34	4	0	4	2	0	2	2	0	2
35-44	10	2	8	4	1	3	6	1	5
45-54	27	5	22	19	5	14	8	0	8
55-64	35	7	28	18	5	13	17	2	15
65-74	55	16	39	28	8	20	27	8	19
75-84	55	23	32	29	13	16	26	10	16
85 AND OVER	54	24	30	12	3	9	42	21	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 21,347
 WHITE 3,984
 NONWHITE 17,363

(HSWWDTCO)
 COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	126	43	83	11.8	15.1	10.5
HEART DISEASES	39	15	24	363.7	527.6	304.6
MALIGNANT NEOPLASMS	22	7	15	205.2	246.2	190.4
ALZHEIMERS DISEASE	9	6	3	83.9	211.0	38.1
ACCIDENTS	9	2	7	83.9	70.3	88.8
INFLUENZA AND PNEUMONIA	8	3	5	74.6	105.5	63.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	1	4	46.6	35.2	50.8
CEREBROVASCULAR DISEASE	4	2	2	37.3	70.3	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	28.0	35.2	25.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	28.0	70.3	12.7
HOMICIDE	3	0	3	28.0	-	38.1
HIV DISEASE	2	0	2	18.6	-	25.4
SEPTICEMIA	1	0	1	9.3	-	12.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.3	35.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	9.3	-	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.3	35.2	-
INFECTIONS OF KIDNEY	1	1	0	9.3	35.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	46.6	35.2	50.8
ALL OTHER CAUSES	9	0	9	83.9	-	114.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	126	43	83	61	20	41	65	23	42
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	0	0	0	3	0	3
25-34	4	2	2	2	1	1	2	1	1
35-44	5	0	5	3	0	3	2	0	2
45-54	10	0	10	6	0	6	4	0	4
55-64	14	3	11	10	3	7	4	0	4
65-74	21	8	13	12	5	7	9	3	6
75-84	32	16	16	12	6	6	20	10	10
85 AND OVER	33	14	19	13	5	8	20	9	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 10,722
 WHITE 2,843
 NONWHITE 7,879

(HSWWDTCO)
 COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	13	7	6	6.4	9.8	4.6
MALIGNANT NEOPLASMS	3	1	2	148.8	140.0	153.6
HEART DISEASES	3	3	0	148.8	420.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	49.6	-	76.8
CEREBROVASCULAR DISEASE	1	1	0	49.6	140.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	49.6	-	76.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	49.6	140.0	-
ACCIDENTS	1	1	0	49.6	140.0	-
HOMICIDE	1	0	1	49.6	-	76.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	1	0	1	49.6	-	76.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	13	7	6	6	4	2	7	3	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	3	1	2	1	1	0	2	0	2
55-64	3	2	1	1	1	0	2	1	1
65-74	2	2	0	2	2	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	3	2	1	1	0	1	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 2,016
 WHITE 714
 NONWHITE 1,302

(HSWWDTCO)
 COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	298	286	12	13.0	13.4	7.2
HEART DISEASES	96	91	5	418.0	427.4	298.9
MALIGNANT NEOPLASMS	48	47	1	209.0	220.8	59.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	24	1	108.9	112.7	59.8
ACCIDENTS	23	22	1	100.2	103.3	59.8
CEREBROVASCULAR DISEASE	21	21	0	91.4	98.6	-
DIABETES MELLITUS	9	8	1	39.2	37.6	59.8
ALZHEIMERS DISEASE	9	9	0	39.2	42.3	-
INFLUENZA AND PNEUMONIA	8	8	0	34.8	37.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	30.5	28.2	59.8
SEPTICEMIA	5	5	0	21.8	23.5	-
SUICIDE	5	5	0	21.8	23.5	-
HOMICIDE	4	4	0	17.4	18.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.1	14.1	-
PARKINSONS DISEASE	2	2	0	8.7	9.4	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	8.7	4.7	59.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	8.7	9.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	8.7	9.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.4	4.7	-
HERNIA	1	1	0	4.4	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	13.1	9.4	59.8
ALL OTHER CAUSES	22	22	0	95.8	103.3	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	298	286	12	152	147	5	146	139	7
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	1	1	0	3	3	0
25-34	5	5	0	5	5	0	0	0	0
35-44	12	12	0	9	9	0	3	3	0
45-54	22	20	2	18	17	1	4	3	1
55-64	40	38	2	21	20	1	19	18	1
65-74	57	53	4	34	33	1	23	20	3
75-84	71	69	2	40	39	1	31	30	1
85 AND OVER	82	81	1	21	21	0	61	60	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 22,964
 WHITE 21,291
 NONWHITE 1,673

(HSWWDTCO)
 COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,195	989	206	8.9	9.9	6.1
HEART DISEASES	337	285	52	251.6	284.7	153.7
MALIGNANT NEOPLASMS	275	227	48	205.3	226.8	141.9
ACCIDENTS	91	78	13	67.9	77.9	38.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	64	61	3	47.8	60.9	8.9
CEREBROVASCULAR DISEASE	61	47	14	45.5	47.0	41.4
ALZHEIMERS DISEASE	38	30	8	28.4	30.0	23.6
SUICIDE	25	23	2	18.7	23.0	5.9
INFLUENZA AND PNEUMONIA	22	20	2	16.4	20.0	5.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	22	17	5	16.4	17.0	14.8
SEPTICEMIA	13	5	8	9.7	5.0	23.6
DIABETES MELLITUS	13	9	4	9.7	9.0	11.8
HOMICIDE	10	5	5	7.5	5.0	14.8
PARKINSONS DISEASE	8	8	0	6.0	8.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	7	1	6.0	7.0	3.0
ATHEROSCLEROSIS	8	7	1	6.0	7.0	3.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	4.5	6.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	4.5	6.0	-
VIRAL HEPATITIS	5	4	1	3.7	4.0	3.0
HIV DISEASE	5	3	2	3.7	3.0	5.9
CONDITIONS ORIG IN PERINATAL PERIOD	5	4	1	2.8	3.0	2.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	3.7	3.0	5.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	3	1	3.0	3.0	3.0
AORTIC ANEURYSM AND DISSECTION	4	4	0	3.0	4.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	2.2	2.0	3.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	3	3	0	2.2	3.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	1.5	1.0	3.0
ANEMIAS	1	0	1	0.7	-	3.0
INFECTIONS OF KIDNEY	1	1	0	0.7	1.0	-
LEGAL INTERVENTION	1	1	0	0.7	1.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	0.7	-	3.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	18	3	15.7	18.0	8.9
ALL OTHER CAUSES	127	101	26	94.8	100.9	76.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,195	989	206	593	497	96	602	492	110
UNDER 1	19	12	7	7	4	3	12	8	4
(NEONATAL)	7	5	2	1	1	0	6	4	2
(POSTNEONATAL)	12	7	5	6	3	3	6	4	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	23	16	7	18	13	5	5	3	2
25-34	29	22	7	20	16	4	9	6	3
35-44	57	37	20	31	23	8	26	14	12
45-54	99	73	26	64	49	15	35	24	11
55-64	153	125	28	84	70	14	69	55	14
65-74	255	212	43	160	133	27	95	79	16
75-84	301	269	32	143	128	15	158	141	17
85 AND OVER	256	221	35	65	60	5	191	161	30
UNKNOWN	1	0	1	0	0	0	1	0	1

2003 POPULATION:

TOTAL 133,928
 WHITE 100,106
 NONWHITE 33,822

(HSWWDTCO)
 COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	160	67	93	8.8	7.9	9.4
HEART DISEASES	56	23	33	306.3	272.8	335.1
MALIGNANT NEOPLASMS	37	13	24	202.4	154.2	243.7
ACCIDENTS	16	9	7	87.5	106.7	71.1
CEREBROVASCULAR DISEASE	11	5	6	60.2	59.3	60.9
INFLUENZA AND PNEUMONIA	7	3	4	38.3	35.6	40.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	32.8	59.3	10.2
ALZHEIMERS DISEASE	4	3	1	21.9	35.6	10.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	16.4	23.7	10.2
SEPTICEMIA	2	0	2	10.9	-	20.3
HIV DISEASE	2	0	2	10.9	-	20.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	10.9	-	20.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.2	-	12.3
ATHEROSCLEROSIS	1	1	0	5.5	11.9	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.5	11.9	-
HOMICIDE	1	0	1	5.5	-	10.2
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	9	2	7	49.2	23.7	71.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	160	67	93	84	33	51	76	34	42
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	5	1	4	4	1	3	1	0	1
45-54	11	4	7	9	3	6	2	1	1
55-64	18	7	11	12	4	8	6	3	3
65-74	27	8	19	11	1	10	16	7	9
75-84	45	23	22	26	12	14	19	11	8
85 AND OVER	47	23	24	18	11	7	29	12	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 18,280
 WHITE 8,432
 NONWHITE 9,848

(HSWWDTCO)
 COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	93	12	81	9.8	10.0	9.7
HEART DISEASES	24	5	19	251.8	419.1	227.8
MALIGNANT NEOPLASMS	16	1	15	167.8	83.8	179.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	0	9	94.4	-	107.9
CEREBROVASCULAR DISEASE	8	0	8	83.9	-	95.9
ACCIDENTS	6	1	5	62.9	83.8	60.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	52.4	251.5	24.0
SEPTICEMIA	4	1	3	42.0	83.8	36.0
DIABETES MELLITUS	4	0	4	42.0	-	48.0
INFLUENZA AND PNEUMONIA	3	0	3	31.5	-	36.0
HOMICIDE	2	0	2	21.0	-	24.0
HIV DISEASE	1	0	1	10.5	-	12.0
PARKINSONS DISEASE	1	0	1	10.5	-	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.5	-	12.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.5	-	12.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	31.5	83.8	24.0
ALL OTHER CAUSES	5	0	5	52.4	-	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	93	12	81	52	7	45	41	5	36
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	3	0	3	3	0	3	0	0	0
35-44	6	0	6	2	0	2	4	0	4
45-54	10	1	9	5	1	4	5	0	5
55-64	14	2	12	7	0	7	7	2	5
65-74	16	1	15	9	1	8	7	0	7
75-84	21	7	14	11	4	7	10	3	7
85 AND OVER	21	0	21	13	0	13	8	0	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 9,533
 WHITE 1,193
 NONWHITE 8,340

(HSWWDTCO)
 COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	164	79	85	12.2	14.4	10.7
HEART DISEASES	67	38	29	500.0	694.6	365.8
MALIGNANT NEOPLASMS	29	14	15	216.4	255.9	189.2
CEREBROVASCULAR DISEASE	13	4	9	97.0	73.1	113.5
ACCIDENTS	9	1	8	67.2	18.3	100.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	37.3	54.8	25.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	29.8	36.6	25.2
HOMICIDE	4	0	4	29.8	-	50.4
ALZHEIMERS DISEASE	3	2	1	22.4	36.6	12.6
INFLUENZA AND PNEUMONIA	3	2	1	22.4	36.6	12.6
SEPTICEMIA	2	1	1	14.9	18.3	12.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	14.9	-	25.2
TUBERCULOSIS	1	1	0	7.5	18.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	7.5	-	12.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.5	-	12.6
ATHEROSCLEROSIS	1	1	0	7.5	18.3	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.5	18.3	-
PEPTIC ULCER	1	0	1	7.5	-	12.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	7.5	18.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.5	-	12.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.5	18.3	-
ALL OTHER CAUSES	14	7	7	104.5	127.9	88.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	164	79	85	90	40	50	74	39	35
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	7	2	5	3	0	3	4	2	2
45-54	14	7	7	11	6	5	3	1	2
55-64	21	7	14	15	5	10	6	2	4
65-74	36	17	19	22	12	10	14	5	9
75-84	44	19	25	21	8	13	23	11	12
85 AND OVER	36	27	9	14	9	5	22	18	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 13,399
 WHITE 5,471
 NONWHITE 7,928

(HSWWDTCO)
 COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	733	579	154	11.2	12.4	8.4
HEART DISEASES	226	183	43	346.8	391.4	233.5
MALIGNANT NEOPLASMS	152	118	34	233.2	252.4	184.6
CEREBROVASCULAR DISEASE	51	42	9	78.2	89.8	48.9
ACCIDENTS	43	36	7	66.0	77.0	38.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	35	31	4	53.7	66.3	21.7
INFLUENZA AND PNEUMONIA	20	15	5	30.7	32.1	27.1
ALZHEIMERS DISEASE	19	19	0	29.2	40.6	-
SEPTICEMIA	14	11	3	21.5	23.5	16.3
DIABETES MELLITUS	13	10	3	19.9	21.4	16.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	10	3	19.9	21.4	16.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	6	4	15.3	12.8	21.7
HIV DISEASE	7	5	2	10.7	10.7	10.9
SUICIDE	7	6	1	10.7	12.8	5.4
AORTIC ANEURYSM AND DISSECTION	6	5	1	9.2	10.7	5.4
HOMICIDE	6	1	5	9.2	2.1	27.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	7.7	8.6	5.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	6.1	4.3	10.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	4.1	-	11.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	6.1	4.3	10.9
PARKINSONS DISEASE	3	2	1	4.6	4.3	5.4
VIRAL HEPATITIS	2	2	0	3.1	4.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	3.1	2.1	5.4
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	3.1	4.3	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.5	2.1	-
ANEMIAS	1	1	0	1.5	2.1	-
PEPTIC ULCER	1	1	0	1.5	2.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.5	-	5.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	7.7	4.3	16.3
ALL OTHER CAUSES	76	61	15	116.6	130.5	81.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	733	579	154	366	280	86	367	299	68
UNDER 1	6	1	5	5	1	4	1	0	1
(NEONATAL)	4	0	4	3	0	3	1	0	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	2	2	0	1	1	0	1	1	0
10-14	2	1	1	1	1	0	1	0	1
15-24	15	9	6	11	6	5	4	3	1
25-34	14	6	8	9	5	4	5	1	4
35-44	23	19	4	12	10	2	11	9	2
45-54	49	35	14	35	25	10	14	10	4
55-64	80	58	22	52	40	12	28	18	10
65-74	167	136	31	96	76	20	71	60	11
75-84	194	160	34	87	71	16	107	89	18
85 AND OVER	179	152	27	56	44	12	123	108	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 65,168
 WHITE 46,751
 NONWHITE 18,417

(HSWWDTCO)
 COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	115	51	64	11.0	12.7	10.0
HEART DISEASES	37	18	19	354.6	446.9	296.6
MALIGNANT NEOPLASMS	26	9	17	249.2	223.4	265.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	47.9	74.5	31.2
ACCIDENTS	5	2	3	47.9	49.6	46.8
CEREBROVASCULAR DISEASE	4	3	1	38.3	74.5	15.6
INFLUENZA AND PNEUMONIA	4	2	2	38.3	49.6	31.2
SUICIDE	3	1	2	28.7	24.8	31.2
SEPTICEMIA	2	1	1	19.2	24.8	15.6
DIABETES MELLITUS	2	0	2	19.2	-	31.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.2	-	31.2
ALZHEIMERS DISEASE	1	1	0	9.6	24.8	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	9.6	-	15.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.6	24.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.5	-	10.9
HOMICIDE	1	0	1	9.6	-	15.6

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	67.1	99.3	46.8
ALL OTHER CAUSES	13	6	7	124.6	149.0	109.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	115	51	64	54	17	37	61	34	27
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	0	0	0	0	0	0	0	0	0
35-44	5	1	4	2	0	2	3	1	2
45-54	9	2	7	4	0	4	5	2	3
55-64	15	5	10	12	5	7	3	0	3
65-74	19	9	10	10	5	5	9	4	5
75-84	26	14	12	15	5	10	11	9	2
85 AND OVER	35	19	16	7	2	5	28	17	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	10,435
WHITE	4,028
NONWHITE	6,407

(HSWWDTCO)
 COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	294	221	73	7.3	7.6	6.5
HEART DISEASES	92	70	22	228.9	242.0	195.4
MALIGNANT NEOPLASMS	58	37	21	144.3	127.9	186.6
ACCIDENTS	23	19	4	57.2	65.7	35.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	18	1	47.3	62.2	8.9
CEREBROVASCULAR DISEASE	17	15	2	42.3	51.8	17.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	6	5	27.4	20.7	44.4
DIABETES MELLITUS	9	7	2	22.4	24.2	17.8
ALZHEIMERS DISEASE	8	6	2	19.9	20.7	17.8
AORTIC ANEURYSM AND DISSECTION	6	4	2	14.9	13.8	17.8
INFLUENZA AND PNEUMONIA	6	4	2	14.9	13.8	17.8
SUICIDE	4	4	0	10.0	13.8	-
SEPTICEMIA	3	3	0	7.5	10.4	-
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	3	1	2	6.5	3.6	10.9
NEOPLASMS	2	1	1	5.0	3.4	8.9
PARKINSONS DISEASE	2	2	0	5.0	6.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	5.0	6.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.0	3.4	8.9
MENINGITIS	1	1	0	2.5	3.4	-
ATHEROSCLEROSIS	1	1	0	2.5	3.4	-
PEPTIC ULCER	1	1	0	2.5	3.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.5	3.4	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.5	3.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.5	3.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	21	15	6	52.2	51.8	53.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	294	221	73	164	127	37	130	94	36
UNDER 1	7	3	4	2	0	2	5	3	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	3	2	1	0	0	0	3	2	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	0	0	0	3	1	2
25-34	3	2	1	1	1	0	2	1	1
35-44	9	5	4	8	5	3	1	0	1
45-54	23	16	7	16	11	5	7	5	2
55-64	29	22	7	18	14	4	11	8	3
65-74	47	34	13	29	22	7	18	12	6
75-84	89	71	18	58	48	10	31	23	8
85 AND OVER	83	67	16	31	26	5	52	41	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 40,188
 WHITE 28,931
 NONWHITE 11,257

(HSWWDTCO)
 COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	304	281	23	7.2	7.9	3.7
MALIGNANT NEOPLASMS	76	67	9	181.1	187.4	145.0
HEART DISEASES	75	69	6	178.8	193.0	96.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	21	0	50.0	58.7	-
ACCIDENTS	20	19	1	47.7	53.1	16.1
CEREBROVASCULAR DISEASE	16	14	2	38.1	39.2	32.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	8	1	21.4	22.4	16.1
SEPTICEMIA	8	6	2	19.1	16.8	32.2
DIABETES MELLITUS	6	5	1	14.3	14.0	16.1
SUICIDE	6	6	0	14.3	16.8	-
ALZHEIMERS DISEASE	4	4	0	9.5	11.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	7.2	8.4	-
INFLUENZA AND PNEUMONIA	3	3	0	7.2	8.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	4.4	5.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	4.8	5.6	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.8	5.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	4.8	5.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	4.8	5.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	4.8	5.6	-
HOMICIDE	2	2	0	4.8	5.6	-
VIRAL HEPATITIS	1	1	0	2.4	2.8	-
HIV DISEASE	1	1	0	2.4	2.8	-
ANEMIAS	1	1	0	2.4	2.8	-
PARKINSONS DISEASE	1	1	0	2.4	2.8	-
ATHEROSCLEROSIS	1	1	0	2.4	2.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.4	2.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	4.8	5.6	-
ALL OTHER CAUSES	34	33	1	81.0	92.3	16.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	304	281	23	151	139	12	153	142	11
UNDER 1	5	5	0	1	1	0	4	4	0
(NEONATAL)	4	4	0	1	1	0	3	3	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	8	1	6	5	1	3	3	0
25-34	9	8	1	6	5	1	3	3	0
35-44	20	18	2	11	10	1	9	8	1
45-54	17	15	2	13	11	2	4	4	0
55-64	37	35	2	20	19	1	17	16	1
65-74	56	51	5	32	30	2	24	21	3
75-84	84	77	7	39	36	3	45	41	4
85 AND OVER	65	62	3	21	20	1	44	42	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 41,957
 WHITE 35,752
 NONWHITE 6,205

(HSWWDTCO)
 COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	951	611	340	12.2	13.4	10.6
HEART DISEASES	222	160	62	285.7	350.1	193.7
MALIGNANT NEOPLASMS	182	122	60	234.2	267.0	187.4
CEREBROVASCULAR DISEASE	58	30	28	74.6	65.6	87.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	54	47	7	69.5	102.8	21.9
ALZHEIMERS DISEASE	40	27	13	51.5	59.1	40.6
ACCIDENTS	39	25	14	50.2	54.7	43.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	38	21	17	48.9	46.0	53.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	29	11	18	37.3	24.1	56.2
INFLUENZA AND PNEUMONIA	23	17	6	29.6	37.2	18.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	9	8	21.9	19.7	25.0
DIABETES MELLITUS	16	6	10	20.6	13.1	31.2
SUICIDE	14	11	3	18.0	24.1	9.4
SEPTICEMIA	13	8	5	16.7	17.5	15.6
HOMICIDE	13	3	10	16.7	6.6	31.2
HIV DISEASE	10	3	7	12.9	6.6	21.9
CONDITIONS ORIG IN PERINATAL PERIOD	10	3	7	8.5	5.1	11.8
PARKINSONS DISEASE	5	4	1	6.4	8.8	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	4	1	3	5.1	2.2	9.4
NEOPLASMS	3	1	2	3.9	2.2	6.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	2.6	2.2	3.1
AORTIC ANEURYSM AND DISSECTION	2	1	1	2.6	2.2	3.1
VIRAL ENCEPHALITIS	1	1	0	1.3	2.2	-
ANEMIAS	1	0	1	1.3	-	3.1
PEPTIC ULCER	1	1	0	1.3	2.2	-
MATERNAL CAUSES	1	0	1	84.9	-	169.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.3	-	3.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	30	19	11	38.6	41.6	34.4
ALL OTHER CAUSES	121	78	43	155.7	170.7	134.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	951	611	340	451	293	158	500	318	182
UNDER 1	16	3	13	10	1	9	6	2	4
(NEONATAL)	12	3	9	7	1	6	5	2	3
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	3	1	2	1	1	0	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	9	6	3	4	2	2	5	4	1
25-34	18	8	10	12	5	7	6	3	3
35-44	39	14	25	26	9	17	13	5	8
45-54	77	32	45	52	26	26	25	6	19
55-64	106	65	41	71	43	28	35	22	13
65-74	168	113	55	91	69	22	77	44	33
75-84	273	208	65	124	96	28	149	112	37
85 AND OVER	237	159	78	58	41	17	179	118	61
UNKNOWN	2	1	1	0	0	0	2	1	1

2003 POPULATION:

TOTAL 77,706
 WHITE 45,695
 NONWHITE 32,011

(HSWWDTCO)
 COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	134	88	46	9.9	9.6	10.4
HEART DISEASES	37	23	14	273.7	252.4	317.6
MALIGNANT NEOPLASMS	28	19	9	207.1	208.5	204.2
ACCIDENTS	18	8	10	133.1	87.8	226.9
CEREBROVASCULAR DISEASE	12	8	4	88.8	87.8	90.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	44.4	54.9	22.7
SEPTICEMIA	4	3	1	29.6	32.9	22.7
ALZHEIMERS DISEASE	2	1	1	14.8	11.0	22.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	14.8	21.9	-
INFLUENZA AND PNEUMONIA	2	2	0	14.8	21.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	14.8	21.9	-
DIABETES MELLITUS	1	1	0	7.4	11.0	-
PARKINSONS DISEASE	1	1	0	7.4	11.0	-
PEPTIC ULCER	1	1	0	7.4	11.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.4	11.0	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	7.4	11.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.0	-	13.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	11.0	-
ALL OTHER CAUSES	14	9	5	103.6	98.8	113.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	134	88	46	66	40	26	68	48	20
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	3	2	1	1	0	1	2	2	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	12	7	5	7	3	4	5	4	1
45-54	11	1	10	6	0	6	5	1	4
55-64	14	9	5	7	4	3	7	5	2
65-74	19	15	4	10	9	1	9	6	3
75-84	42	28	14	22	14	8	20	14	6
85 AND OVER	27	22	5	7	6	1	20	16	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 13,520
 WHITE 9,112
 NONWHITE 4,408

(HSWWDTCO)
 COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	269	167	102	12.3	13.6	10.7
HEART DISEASES	93	64	29	426.2	520.5	304.5
MALIGNANT NEOPLASMS	51	35	16	233.7	284.6	168.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	9	6	68.7	73.2	63.0
ACCIDENTS	14	9	5	64.2	73.2	52.5
CEREBROVASCULAR DISEASE	11	9	2	50.4	73.2	21.0
INFLUENZA AND PNEUMONIA	8	5	3	36.7	40.7	31.5
DIABETES MELLITUS	7	5	2	32.1	40.7	21.0
SEPTICEMIA	6	1	5	27.5	8.1	52.5
HIV DISEASE	5	0	5	22.9	-	52.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1	22.9	32.5	10.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	22.9	24.4	21.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	10.8	5.2	16.8
ANEMIAS	3	2	1	13.7	16.3	10.5
ALZHEIMERS DISEASE	3	2	1	13.7	16.3	10.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	9.2	-	21.0
VIRAL HEPATITIS	1	1	0	4.6	8.1	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.6	8.1	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.6	-	10.5
PEPTIC ULCER	1	1	0	4.6	8.1	-
DISEASES OF APPENDIX	1	0	1	4.6	-	10.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.6	-	10.5
SUICIDE	1	0	1	4.6	-	10.5
HOMICIDE	1	1	0	4.6	8.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	27.5	24.4	31.5
ALL OTHER CAUSES	23	11	12	105.4	89.5	126.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	269	167	102	128	73	55	141	94	47
UNDER 1	7	4	3	3	2	1	4	2	2
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	3	3	0	1	1	0	2	2	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	7	2	5	4	1	3	3	1	2
35-44	10	3	7	9	3	6	1	0	1
45-54	26	11	15	17	8	9	9	3	6
55-64	30	19	11	19	12	7	11	7	4
65-74	53	33	20	26	18	8	27	15	12
75-84	63	42	21	32	21	11	31	21	10
85 AND OVER	67	51	16	14	7	7	53	44	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 21,820
 WHITE 12,296
 NONWHITE 9,524

(HSWWDTCO)
 COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	681	550	131	8.8	9.7	6.2
HEART DISEASES	210	176	34	270.3	311.5	160.5
MALIGNANT NEOPLASMS	132	111	21	169.9	196.4	99.1
ACCIDENTS	51	42	9	65.6	74.3	42.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	47	43	4	60.5	76.1	18.9
CEREBROVASCULAR DISEASE	42	32	10	54.1	56.6	47.2
INFLUENZA AND PNEUMONIA	23	12	11	29.6	21.2	51.9
DIABETES MELLITUS	15	9	6	19.3	15.9	28.3
ALZHEIMERS DISEASE	15	15	0	19.3	26.5	-
SEPTICEMIA	13	9	4	16.7	15.9	18.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	7	4	14.2	12.4	18.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	3	4	9.0	5.3	18.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	7.7	10.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	6.4	7.1	4.7
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	4.2	1.2	10.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	5	0	6.4	8.8	-
HOMICIDE	5	3	2	6.4	5.3	9.4
SUICIDE	4	4	0	5.1	7.1	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.3	1.8	-
ANEMIAS	1	1	0	1.3	1.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.3	1.8	-
MENINGITIS	1	0	1	1.3	-	4.7
PARKINSONS DISEASE	1	1	0	1.3	1.8	-
HERNIA	1	0	1	1.3	-	4.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	1.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	1.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	6.4	8.8	-
ALL OTHER CAUSES	72	57	15	92.7	100.9	70.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	681	550	131	316	258	58	365	292	73
UNDER 1	13	8	5	7	5	2	6	3	3
(NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	8	6	2	5	4	1	3	2	1
1-4	2	0	2	1	0	1	1	0	1
5-9	2	0	2	0	0	0	2	0	2
10-14	1	1	0	1	1	0	0	0	0
15-24	12	12	0	7	7	0	5	5	0
25-34	16	11	5	8	6	2	8	5	3
35-44	26	18	8	15	11	4	11	7	4
45-54	43	32	11	28	22	6	15	10	5
55-64	92	78	14	55	46	9	37	32	5
65-74	127	104	23	86	74	12	41	30	11
75-84	171	145	26	73	60	13	98	85	13
85 AND OVER	176	141	35	35	26	9	141	115	26
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 77,690
 WHITE 56,502
 NONWHITE 21,188

(HSWWDTCO)
 COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	389	170	219	10.7	15.9	8.5
HEART DISEASES	143	66	77	392.1	617.6	298.6
MALIGNANT NEOPLASMS	75	36	39	205.6	336.8	151.3
CEREBROVASCULAR DISEASE	23	8	15	63.1	74.8	58.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	16	7	63.1	149.7	27.2
ACCIDENTS	18	8	10	49.4	74.8	38.8
INFLUENZA AND PNEUMONIA	11	4	7	30.2	37.4	27.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	3	8	30.2	28.1	31.0
HOMICIDE	7	3	4	19.2	28.1	15.5
DIABETES MELLITUS	6	3	3	16.4	28.1	11.6
SEPTICEMIA	5	1	4	13.7	9.4	15.5
HIV DISEASE	5	0	5	13.7	-	19.4
ALZHEIMERS DISEASE	5	3	2	13.7	28.1	7.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	1	4	13.7	9.4	15.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	6.5	8.4	6.1
SUICIDE	4	3	1	11.0	28.1	3.9
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.5	9.4	3.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.5	9.4	3.9
TUBERCULOSIS	1	1	0	2.7	9.4	-
ANEMIAS	1	0	1	2.7	-	3.9
MENINGITIS	1	0	1	2.7	-	3.9
PARKINSONS DISEASE	1	1	0	2.7	9.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.7	-	3.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	11.0	-	15.5
ALL OTHER CAUSES	31	10	21	85.0	93.6	81.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	389	170	219	185	78	107	204	92	112
UNDER 1	11	1	10	7	1	6	4	0	4
(NEONATAL)	5	1	4	4	1	3	1	0	1
(POSTNEONATAL)	6	0	6	3	0	3	3	0	3
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	11	2	9	7	1	6	4	1	3
35-44	15	6	9	6	2	4	9	4	5
45-54	35	11	24	22	5	17	13	6	7
55-64	45	17	28	26	10	16	19	7	12
65-74	59	25	34	33	18	15	26	7	19
75-84	110	57	53	46	27	19	64	30	34
85 AND OVER	99	50	49	34	13	21	65	37	28
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 36,470
 WHITE 10,687
 NONWHITE 25,783

(HSWWDTCO)
 COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	383	281	102	11.4	12.2	9.8
HEART DISEASES	111	84	27	330.8	363.6	258.5
MALIGNANT NEOPLASMS	84	61	23	250.4	264.0	220.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	26	6	95.4	112.5	57.4
ACCIDENTS	22	18	4	65.6	77.9	38.3
DIABETES MELLITUS	21	12	9	62.6	51.9	86.2
INFLUENZA AND PNEUMONIA	18	17	1	53.6	73.6	9.6
CEREBROVASCULAR DISEASE	12	9	3	35.8	39.0	28.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	23.8	17.3	38.3
ALZHEIMERS DISEASE	6	4	2	17.9	17.3	19.1
CONDITIONS ORIG IN PERINATAL PERIOD	6	1	5	13.1	3.3	32.0
SUICIDE	5	5	0	14.9	21.6	-
SEPTICEMIA	4	2	2	11.9	8.6	19.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	11.9	17.3	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	8.9	8.6	9.6
HIV DISEASE	2	1	1	6.0	4.3	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.0	-	19.1
HOMICIDE	2	1	1	6.0	4.3	9.6
VIRAL HEPATITIS	1	1	0	3.0	4.3	-
PARKINSONS DISEASE	1	1	0	3.0	4.3	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.0	4.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.0	4.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.0	4.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	6.0	-	19.1
ALL OTHER CAUSES	34	25	9	101.3	108.2	86.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	383	281	102	196	143	53	187	138	49
UNDER 1	9	1	8	6	1	5	3	0	3
(NEONATAL)	6	1	5	4	1	3	2	0	2
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	7	5	2	3	2	1	4	3	1
35-44	20	13	7	13	10	3	7	3	4
45-54	22	14	8	13	9	4	9	5	4
55-64	41	27	14	31	21	10	10	6	4
65-74	74	51	23	49	33	16	25	18	7
75-84	101	79	22	47	36	11	54	43	11
85 AND OVER	106	88	18	32	29	3	74	59	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 33,549
 WHITE 23,103
 NONWHITE 10,446

(HSWWDTCO)
 COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	547	356	191	9.0	10.6	7.0
HEART DISEASES	141	93	48	232.4	276.9	177.3
MALIGNANT NEOPLASMS	105	71	34	173.1	211.4	125.6
CEREBROVASCULAR DISEASE	40	26	14	65.9	77.4	51.7
INFLUENZA AND PNEUMONIA	24	23	1	39.6	68.5	3.7
ACCIDENTS	22	14	8	36.3	41.7	29.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	16	5	34.6	47.6	18.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	13	5	29.7	38.7	18.5
DIABETES MELLITUS	14	5	9	23.1	14.9	33.2
SEPTICEMIA	13	6	7	21.4	17.9	25.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	3	9	19.8	8.9	33.2
ALZHEIMERS DISEASE	11	11	0	18.1	32.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	8	3	5	9.2	6.7	11.8
HIV DISEASE	7	1	6	11.5	3.0	22.2
SUICIDE	7	6	1	11.5	17.9	3.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	6	4	2	9.9	11.9	7.4
NEOPLASMS	5	3	2	8.2	8.9	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	8.2	14.9	-
HOMICIDE	5	1	4	8.2	3.0	14.8
PARKINSONS DISEASE	3	3	0	4.9	8.9	-
ANEMIAS	2	1	1	3.3	3.0	3.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	3.3	-	7.4
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.6	3.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	33	22	11	54.4	65.5	40.6
ALL OTHER CAUSES	42	25	17	69.2	74.4	62.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	547	356	191	253	156	97	294	200	94
UNDER 1	15	5	10	7	2	5	8	3	5
(NEONATAL)	11	4	7	6	2	4	5	2	3
(POSTNEONATAL)	4	1	3	1	0	1	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	4	2	2	2	2	0
25-34	16	11	5	10	8	2	6	3	3
35-44	24	12	12	14	7	7	10	5	5
45-54	42	16	26	26	10	16	16	6	10
55-64	60	34	26	33	19	14	27	15	12
65-74	97	62	35	50	30	20	47	32	15
75-84	141	96	45	65	46	19	76	50	26
85 AND OVER	145	116	29	43	32	11	102	84	18
UNKNOWN	1	0	1	1	0	1	0	0	0

2003 POPULATION:

TOTAL 60,658
 WHITE 33,585
 NONWHITE 27,073

(HSWWDTCO)
 COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	990	658	332	12.4	13.6	10.5
MALIGNANT NEOPLASMS	311	208	103	389.9	431.1	326.9
HEART DISEASES	214	137	77	268.3	283.9	244.4
CEREBROVASCULAR DISEASE	64	45	19	80.2	93.3	60.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	55	52	3	69.0	107.8	9.5
ACCIDENTS	36	25	11	45.1	51.8	34.9
ALZHEIMERS DISEASE	27	23	4	33.8	47.7	12.7
HIV DISEASE	25	2	23	31.3	4.1	73.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	20	11	9	25.1	22.8	28.6
PARKINSONS DISEASE	13	11	2	16.3	22.8	6.3
SEPTICEMIA	12	5	7	15.0	10.4	22.2
DIABETES MELLITUS	12	5	7	15.0	10.4	22.2
INFLUENZA AND PNEUMONIA	11	9	2	13.8	18.6	6.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	6	4	12.5	12.4	12.7
HOMICIDE	10	4	6	12.5	8.3	19.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	3	5	10.0	6.2	15.9
SUICIDE	8	6	2	10.0	12.4	6.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	6	1	8.8	12.4	3.2
AORTIC ANEURYSM AND DISSECTION	6	4	2	7.5	8.3	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	6	3	3	5.0	4.9	5.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	6.3	8.3	3.2
VIRAL HEPATITIS	4	3	1	5.0	6.2	3.2
CHOLELITHIASIS/GALLBLADDER DISORDER	3	1	2	3.8	2.1	6.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	3.8	2.1	6.3
ANEMIAS	2	2	0	2.5	4.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	2.5	-	6.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.2	-	3.2
PEPTIC ULCER	1	1	0	1.2	2.1	-
HERNIA	1	1	0	1.2	2.1	-

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	5	4	11.3	10.4	12.7
ALL OTHER CAUSES	104	75	29	130.4	155.4	92.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	990	658	332	450	286	164	540	372	168
UNDER 1	14	5	9	6	2	4	8	3	5
(NEONATAL)	8	4	4	3	1	2	5	3	2
(POSTNEONATAL)	6	1	5	3	1	2	3	0	3
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	20	10	10	15	8	7	5	2	3
25-34	17	5	12	8	1	7	9	4	5
35-44	37	15	22	21	8	13	16	7	9
45-54	76	34	42	37	21	16	39	13	26
55-64	110	67	43	68	42	26	42	25	17
65-74	145	87	58	74	43	31	71	44	27
75-84	288	215	73	128	95	33	160	120	40
85 AND OVER	281	220	61	92	66	26	189	154	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 79,758
 WHITE 48,250
 NONWHITE 31,508

(HSWWDTCO)
 COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	351	245	106	14.0	14.6	12.7
HEART DISEASES	101	73	28	402.6	435.7	335.8
MALIGNANT NEOPLASMS	71	47	24	283.0	280.5	287.9
CEREBROVASCULAR DISEASE	31	20	11	123.6	119.4	131.9
ACCIDENTS	23	16	7	91.7	95.5	84.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	15	2	67.8	89.5	24.0
INFLUENZA AND PNEUMONIA	15	10	5	59.8	59.7	60.0
ALZHEIMERS DISEASE	9	7	2	35.9	41.8	24.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	2	7	35.9	11.9	84.0
DIABETES MELLITUS	8	6	2	31.9	35.8	24.0
SEPTICEMIA	7	5	2	27.9	29.8	24.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	19.9	29.8	-
SUICIDE	4	4	0	15.9	23.9	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	12.0	11.9	12.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	12.0	11.9	12.0
VIRAL HEPATITIS	1	1	0	4.0	6.0	-
PARKINSONS DISEASE	1	1	0	4.0	6.0	-
ATHEROSCLEROSIS	1	1	0	4.0	6.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.0	6.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	-	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.0	6.0	-
ALL OTHER CAUSES	39	26	13	155.4	155.2	155.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	351	245	106	169	122	47	182	123	59
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	8	7	1	6	5	1	2	2	0
35-44	17	10	7	12	8	4	5	2	3
45-54	34	21	13	16	12	4	18	9	9
55-64	48	34	14	30	20	10	18	14	4
65-74	65	43	22	35	23	12	30	20	10
75-84	88	62	26	43	33	10	45	29	16
85 AND OVER	83	65	18	22	19	3	61	46	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 25,090
 WHITE 16,753
 NONWHITE 8,337

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	365	195	170	10.3	11.3	9.3
HEART DISEASES	114	63	51	321.6	365.0	280.5
MALIGNANT NEOPLASMS	71	41	30	200.3	237.6	165.0
CEREBROVASCULAR DISEASE	31	16	15	87.5	92.7	82.5
ACCIDENTS	25	10	15	70.5	57.9	82.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	15	5	56.4	86.9	27.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	7	5	33.8	40.6	27.5
INFLUENZA AND PNEUMONIA	10	7	3	28.2	40.6	16.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	3	5	22.6	17.4	27.5
DIABETES MELLITUS	7	2	5	19.8	11.6	27.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	1	6	19.8	5.8	33.0
SEPTICEMIA	5	4	1	14.1	23.2	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	8.4	12.7	4.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	11.3	11.6	11.0
SUICIDE	4	3	1	11.3	17.4	5.5
HOMICIDE	3	1	2	8.5	5.8	11.0
ALZHEIMERS DISEASE	2	1	1	5.6	5.8	5.5
ATHEROSCLEROSIS	2	1	1	5.6	5.8	5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.6	5.8	5.5
HIV DISEASE	1	0	1	2.8	-	5.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.8	5.8	-
PARKINSONS DISEASE	1	1	0	2.8	5.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.8	5.8	-
PEPTIC ULCER	1	0	1	2.8	-	5.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.8	-	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.3	5.8	16.5
ALL OTHER CAUSES	24	10	14	67.7	57.9	77.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	365	195	170	196	103	93	169	92	77
UNDER 1	7	3	4	6	3	3	1	0	1
(NEONATAL)	4	3	1	3	3	0	1	0	1
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	3	0	3	2	2	0
25-34	9	4	5	7	4	3	2	0	2
35-44	26	7	19	18	5	13	8	2	6
45-54	33	15	18	17	7	10	16	8	8
55-64	49	24	25	25	12	13	24	12	12
65-74	74	41	33	41	22	19	33	19	14
75-84	81	55	26	49	34	15	32	21	11
85 AND OVER	78	44	34	28	16	12	50	28	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	35,442
WHITE	17,259
NONWHITE	18,183

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	381	281	100	10.1	10.8	8.4
HEART DISEASES	129	100	29	340.9	385.7	243.4
MALIGNANT NEOPLASMS	73	48	25	192.9	185.1	209.8
CEREBROVASCULAR DISEASE	27	19	8	71.3	73.3	67.1
ACCIDENTS	25	19	6	66.1	73.3	50.4
INFLUENZA AND PNEUMONIA	20	18	2	52.8	69.4	16.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	5	7	31.7	19.3	58.7
SEPTICEMIA	11	9	2	29.1	34.7	16.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	29.1	38.6	8.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	8	0	21.1	30.8	-
ALZHEIMERS DISEASE	6	6	0	15.8	23.1	-
DIABETES MELLITUS	5	2	3	13.2	7.7	25.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	10.6	7.7	16.8
HOMICIDE	3	2	1	7.9	7.7	8.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	0	3	7.9	-	25.2
HIV DISEASE	2	1	1	5.3	3.8	8.4
PARKINSONS DISEASE	2	1	1	5.3	3.8	8.4
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.3	7.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.3	3.8	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.1	3.1	6.1
SUICIDE	2	2	0	5.3	7.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	7.9	11.6	-
ALL OTHER CAUSES	29	22	7	76.6	84.8	58.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	381	281	100	194	150	44	187	131	56
UNDER 1	3	2	1	0	0	0	3	2	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	7	4	3	4	3	1	3	1	2
35-44	18	10	8	9	7	2	9	3	6
45-54	26	14	12	19	9	10	7	5	2
55-64	48	30	18	34	23	11	14	7	7
65-74	69	51	18	39	32	7	30	19	11
75-84	97	82	15	52	46	6	45	36	9
85 AND OVER	109	86	23	34	28	6	75	58	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL	37,842
WHITE	25,926
NONWHITE	11,916

(HSWWDTCO)
 COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	135	81	54	11.3	12.6	9.8
HEART DISEASES	39	23	16	326.8	357.8	290.6
MALIGNANT NEOPLASMS	28	18	10	234.6	280.0	181.6
DIABETES MELLITUS	8	2	6	67.0	31.1	109.0
CEREBROVASCULAR DISEASE	7	2	5	58.6	31.1	90.8
INFLUENZA AND PNEUMONIA	6	6	0	50.3	93.3	-
SEPTICEMIA	5	2	3	41.9	31.1	54.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	1	3	33.5	15.6	54.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	33.5	31.1	36.3
ACCIDENTS	4	3	1	33.5	46.7	18.2
ALZHEIMERS DISEASE	3	1	2	25.1	15.6	36.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	16.8	31.1	-
ANEMIAS	1	1	0	8.4	15.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.4	15.6	-
DISEASES OF APPENDIX	1	1	0	8.4	15.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	6.3	14.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	8.4	15.6	-
LEGAL INTERVENTION	1	0	1	8.4	-	18.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	25.1	46.7	-
ALL OTHER CAUSES	16	11	5	134.0	171.1	90.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	135	81	54	58	33	25	77	48	29
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	4	3	1	1	0	1	3	3	0
45-54	11	4	7	4	2	2	7	2	5
55-64	12	7	5	7	4	3	5	3	2
65-74	34	22	12	19	12	7	15	10	5
75-84	40	26	14	15	8	7	25	18	7
85 AND OVER	29	16	13	8	5	3	21	11	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 11,935
 WHITE 6,429
 NONWHITE 5,506

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	308	220	88	10.6	11.7	8.5
HEART DISEASES	106	90	16	363.8	479.8	154.2
MALIGNANT NEOPLASMS	48	33	15	164.8	175.9	144.5
ACCIDENTS	19	12	7	65.2	64.0	67.4
DIABETES MELLITUS	15	2	13	51.5	10.7	125.3
CEREBROVASCULAR DISEASE	15	11	4	51.5	58.6	38.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	13	1	48.0	69.3	9.6
INFLUENZA AND PNEUMONIA	13	12	1	44.6	64.0	9.6
SEPTICEMIA	5	4	1	17.2	21.3	9.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	17.2	16.0	19.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	17.2	16.0	19.3
VIRAL HEPATITIS	4	4	0	13.7	21.3	-
ALZHEIMERS DISEASE	4	4	0	13.7	21.3	-
HOMICIDE	4	1	3	13.7	5.3	28.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.6	-	12.4
SUICIDE	3	3	0	10.3	16.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	6.9	5.3	9.6
HIV DISEASE	1	0	1	3.4	-	9.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.4	5.3	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.4	-	9.6
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.4	-	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.4	-	9.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.4	5.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	20.6	16.0	28.9
ALL OTHER CAUSES	31	19	12	106.4	101.3	115.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	308	220	88	153	106	47	155	114	41
UNDER 1	6	0	6	5	0	5	1	0	1
(NEONATAL)	4	0	4	3	0	3	1	0	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	12	7	5	10	6	4	2	1	1
35-44	17	9	8	6	4	2	11	5	6
45-54	23	13	10	16	11	5	7	2	5
55-64	36	22	14	20	12	8	16	10	6
65-74	65	49	16	38	28	10	27	21	6
75-84	69	52	17	27	20	7	42	32	10
85 AND OVER	74	64	10	26	22	4	48	42	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 29,134
 WHITE 18,756
 NONWHITE 10,378

(HSWWDTCO)
 COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	241	167	74	10.9	11.5	9.8
HEART DISEASES	66	47	19	299.4	324.6	251.1
MALIGNANT NEOPLASMS	48	32	16	217.7	221.0	211.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	72.6	110.5	-
CEREBROVASCULAR DISEASE	13	8	5	59.0	55.3	66.1
ACCIDENTS	12	8	4	54.4	55.3	52.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	6	4	45.4	41.4	52.9
DIABETES MELLITUS	7	4	3	31.8	27.6	39.6
INFLUENZA AND PNEUMONIA	7	4	3	31.8	27.6	39.6
ALZHEIMERS DISEASE	5	4	1	22.7	27.6	13.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	3	2	22.7	20.7	26.4
SUICIDE	5	5	0	22.7	34.5	-
SEPTICEMIA	3	3	0	13.6	20.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	13.6	20.7	-
PARKINSONS DISEASE	2	2	0	9.1	13.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	5.9	5.5	6.4
HOMICIDE	2	1	1	9.1	6.9	13.2
HIV DISEASE	1	0	1	4.5	-	13.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.5	6.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.5	6.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.5	6.9	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.5	-	13.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.1	13.8	-
ALL OTHER CAUSES	28	15	13	127.0	103.6	171.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	241	167	74	110	76	34	131	91	40
UNDER 1	4	3	1	0	0	0	4	3	1
(NEONATAL)	3	2	1	0	0	0	3	2	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	2	3	3	2	1	2	0	2
25-34	3	3	0	2	2	0	1	1	0
35-44	9	4	5	5	4	1	4	0	4
45-54	18	10	8	12	8	4	6	2	4
55-64	30	17	13	15	9	6	15	8	7
65-74	44	35	9	24	19	5	20	16	4
75-84	66	50	16	28	20	8	38	30	8
85 AND OVER	61	42	19	20	11	9	41	31	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 22,044
 WHITE 14,477
 NONWHITE 7,567

(HSWWDTCO)
 COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	127	43	84	10.3	12.1	9.6
HEART DISEASES	42	13	29	341.0	365.3	331.1
MALIGNANT NEOPLASMS	25	8	17	203.0	224.8	194.1
CEREBROVASCULAR DISEASE	8	4	4	64.9	112.4	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	64.9	140.5	34.2
DIABETES MELLITUS	6	1	5	48.7	28.1	57.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1	40.6	112.4	11.4
INFLUENZA AND PNEUMONIA	4	1	3	32.5	28.1	34.2
ACCIDENTS	4	1	3	32.5	28.1	34.2
SEPTICEMIA	3	1	2	24.4	28.1	22.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	16.2	28.1	11.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	10.2	-	12.6
VIRAL HEPATITIS	1	0	1	8.1	-	11.4
PARKINSONS DISEASE	1	1	0	8.1	28.1	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	8.1	-	11.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.1	-	11.4
SUICIDE	1	0	1	8.1	-	11.4
HOMICIDE	1	0	1	8.1	-	11.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	16.2	-	22.8
ALL OTHER CAUSES	10	3	7	81.2	84.3	79.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	127	43	84	67	23	44	60	20	40
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	6	0	6	3	0	3	3	0	3
45-54	14	3	11	12	2	10	2	1	1
55-64	17	2	15	10	1	9	7	1	6
65-74	22	6	16	15	4	11	7	2	5
75-84	30	19	11	16	12	4	14	7	7
85 AND OVER	32	13	19	8	4	4	24	9	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 12,318
 WHITE 3,559
 NONWHITE 8,759

(HSWWDTCO)
 COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	286	154	132	6.7	6.2	7.5
HEART DISEASES	97	56	41	227.8	223.7	233.7
MALIGNANT NEOPLASMS	71	39	32	166.8	155.8	182.4
CEREBROVASCULAR DISEASE	17	7	10	39.9	28.0	57.0
ACCIDENTS	13	9	4	30.5	36.0	22.8
ALZHEIMERS DISEASE	10	4	6	23.5	16.0	34.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	16.4	24.0	5.7
INFLUENZA AND PNEUMONIA	6	5	1	14.1	20.0	5.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	2	3	11.7	8.0	17.1
SEPTICEMIA	4	2	2	9.4	8.0	11.4
DIABETES MELLITUS	4	0	4	9.4	-	22.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	9.4	8.0	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	7.0	8.0	5.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	7.0	-	17.1
HOMICIDE	3	1	2	7.0	4.0	11.4
HIV DISEASE	2	0	2	4.7	-	11.4
ANEMIAS	2	0	2	4.7	-	11.4
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.7	8.0	-
VIRAL HEPATITIS	1	1	0	2.3	4.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.3	4.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.3	-	5.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	-	3.6
SUICIDE	1	1	0	2.3	4.0	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.0	8.0	5.7
ALL OTHER CAUSES	25	12	13	58.7	47.9	74.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	286	154	132	139	68	71	147	86	61
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	1	2	2	1	1	1	0	1
25-34	8	4	4	5	2	3	3	2	1
35-44	9	2	7	4	0	4	5	2	3
45-54	24	8	16	15	4	11	9	4	5
55-64	37	19	18	19	7	12	18	12	6
65-74	68	31	37	37	15	22	31	16	15
75-84	57	38	19	31	21	10	26	17	9
85 AND OVER	76	50	26	25	18	7	51	32	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 42,573
 WHITE 25,031
 NONWHITE 17,542

(HSWWDTCO)
 COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	333	210	123	9.4	11.7	7.1
HEART DISEASES	95	65	30	269.6	363.1	173.0
MALIGNANT NEOPLASMS	74	55	19	210.0	307.2	109.6
CEREBROVASCULAR DISEASE	32	22	10	90.8	122.9	57.7
ACCIDENTS	25	12	13	70.9	67.0	75.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	10	4	39.7	55.8	23.1
INFLUENZA AND PNEUMONIA	9	5	4	25.5	27.9	23.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	3	5	22.7	16.8	28.8
SEPTICEMIA	7	6	1	19.9	33.5	5.8
ALZHEIMERS DISEASE	5	5	0	14.2	27.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	11.4	-	23.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	11.4	22.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	7.5	-	12.9
HOMICIDE	4	0	4	11.4	-	23.1
ANEMIAS	3	1	2	8.5	5.6	11.5
DIABETES MELLITUS	3	2	1	8.5	11.2	5.8
SUICIDE	3	2	1	8.5	11.2	5.8
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.7	5.6	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	5.7	-	11.5
HIV DISEASE	1	0	1	2.8	-	5.8
PARKINSONS DISEASE	1	1	0	2.8	5.6	-
ATHEROSCLEROSIS	1	0	1	2.8	-	5.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.8	5.6	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.8	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.4	5.6	17.3
ALL OTHER CAUSES	26	13	13	73.8	72.6	75.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	333	210	123	154	92	62	179	118	61
UNDER 1	8	0	8	3	0	3	5	0	5
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	5	1	4	2	0	2	3	1	2
5-9	2	1	1	1	1	0	1	0	1
10-14	2	1	1	0	0	0	2	1	1
15-24	8	0	8	8	0	8	0	0	0
25-34	7	2	5	3	1	2	4	1	3
35-44	13	6	7	7	3	4	6	3	3
45-54	21	13	8	14	9	5	7	4	3
55-64	42	27	15	26	15	11	16	12	4
65-74	67	47	20	31	21	10	36	26	10
75-84	82	59	23	40	30	10	42	29	13
85 AND OVER	76	53	23	19	12	7	57	41	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 35,243
 WHITE 17,903
 NONWHITE 17,340

(HSWWDTCO)
 COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	483	422	61	9.5	9.7	8.4
HEART DISEASES	141	122	19	277.0	279.3	263.2
MALIGNANT NEOPLASMS	93	82	11	182.7	187.7	152.4
ACCIDENTS	34	29	5	66.8	66.4	69.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	23	0	45.2	52.7	-
SEPTICEMIA	18	14	4	35.4	32.0	55.4
CEREBROVASCULAR DISEASE	18	14	4	35.4	32.0	55.4
ALZHEIMERS DISEASE	16	15	1	31.4	34.3	13.8
INFLUENZA AND PNEUMONIA	14	12	2	27.5	27.5	27.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	11	3	27.5	25.2	41.6
DIABETES MELLITUS	10	8	2	19.6	18.3	27.7
AORTIC ANEURYSM AND DISSECTION	7	7	0	13.8	16.0	-
SUICIDE	7	7	0	13.8	16.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	9.8	6.9	27.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	9.8	11.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	9.8	11.4	-
VIRAL HEPATITIS	2	2	0	3.9	4.6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	3.9	4.6	-
HIV DISEASE	1	0	1	2.0	-	13.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.0	2.3	-
ANEMIAS	1	1	0	2.0	2.3	-
PARKINSONS DISEASE	1	1	0	2.0	2.3	-
ATHEROSCLEROSIS	1	1	0	2.0	2.3	-
HOMICIDE	1	0	1	2.0	-	13.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	7	1	15.7	16.0	13.8
ALL OTHER CAUSES	55	50	5	108.1	114.5	69.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	483	422	61	242	212	30	241	210	31
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	1	2	1	0	1	2	1	1
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	9	6	3	7	4	3	2	2	0
25-34	11	10	1	10	9	1	1	1	0
35-44	20	17	3	11	9	2	9	8	1
45-54	54	42	12	35	29	6	19	13	6
55-64	49	46	3	26	25	1	23	21	2
65-74	93	79	14	53	46	7	40	33	7
75-84	136	121	15	68	60	8	68	61	7
85 AND OVER	105	97	8	29	28	1	76	69	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 50,894
 WHITE 43,676
 NONWHITE 7,218

(HSWWDTCO)
 COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	113	90	23	9.2	9.5	8.0
HEART DISEASES	32	25	7	260.4	265.0	245.3
MALIGNANT NEOPLASMS	27	20	7	219.7	212.0	245.3
ACCIDENTS	10	10	0	81.4	106.0	-
INFLUENZA AND PNEUMONIA	7	6	1	57.0	63.6	35.0
SEPTICEMIA	3	3	0	24.4	31.8	-
DIABETES MELLITUS	3	2	1	24.4	21.2	35.0
CEREBROVASCULAR DISEASE	3	1	2	24.4	10.6	70.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	24.4	31.8	-
ALZHEIMERS DISEASE	2	1	1	16.3	10.6	35.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	16.3	10.6	35.0
HIV DISEASE	1	1	0	8.1	10.6	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	8.1	10.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.1	10.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.1	10.6	-
MATERNAL CAUSES	1	1	0	578.0	704.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.1	10.6	-
ALL OTHER CAUSES	15	12	3	122.1	127.2	105.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	113	90	23	61	48	13	52	42	10
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	2	2	0	1	1	0	1	1	0
35-44	6	5	1	3	3	0	3	2	1
45-54	12	11	1	10	9	1	2	2	0
55-64	18	16	2	10	9	1	8	7	1
65-74	32	21	11	16	10	6	16	11	5
75-84	23	18	5	14	10	4	9	8	1
85 AND OVER	16	13	3	5	4	1	11	9	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 12,288
 WHITE 9,434
 NONWHITE 2,854

(HSWWDTCO)
 COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	456	264	192	11.7	13.5	9.9
HEART DISEASES	147	95	52	377.6	485.5	268.5
MALIGNANT NEOPLASMS	86	50	36	220.9	255.5	185.9
DIABETES MELLITUS	37	17	20	95.0	86.9	103.2
ACCIDENTS	27	14	13	69.3	71.6	67.1
CEREBROVASCULAR DISEASE	26	9	17	66.8	46.0	87.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	20	3	59.1	102.2	15.5
SEPTICEMIA	14	6	8	36.0	30.7	41.3
INFLUENZA AND PNEUMONIA	11	10	1	28.2	51.1	5.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	4	7	28.2	20.4	36.1
SUICIDE	7	3	4	18.0	15.3	20.6
ANEMIAS	4	1	3	10.3	5.1	15.5
ALZHEIMERS DISEASE	4	3	1	10.3	15.3	5.2
HOMICIDE	3	1	2	7.7	5.1	10.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	5.1	5.1	5.2
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.1	5.1	5.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.1	5.1	5.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	3.3	4.0	2.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.1	5.1	5.2
VIRAL HEPATITIS	1	1	0	2.6	5.1	-
HIV DISEASE	1	0	1	2.6	-	5.2
PARKINSONS DISEASE	1	1	0	2.6	5.1	-
HERNIA	1	0	1	2.6	-	5.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.6	-	5.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	41	24	17	105.3	122.7	87.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	456	264	192	227	122	105	229	142	87
UNDER 1	4	3	1	3	2	1	1	1	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	3	3	0	1	1	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	5	4	8	4	4	1	1	0
25-34	11	1	10	9	1	8	2	0	2
35-44	28	15	13	15	7	8	13	8	5
45-54	36	12	24	31	11	20	5	1	4
55-64	50	26	24	30	18	12	20	8	12
65-74	89	43	46	47	24	23	42	19	23
75-84	112	73	39	46	29	17	66	44	22
85 AND OVER	114	83	31	37	25	12	77	58	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 38,935
 WHITE 19,566
 NONWHITE 19,369

(HSWWDTCO)
 COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	255	220	35	9.2	9.4	8.3
HEART DISEASES	75	62	13	272.0	265.4	308.6
MALIGNANT NEOPLASMS	49	43	6	177.7	184.0	142.4
ACCIDENTS	19	14	5	68.9	59.9	118.7
CEREBROVASCULAR DISEASE	18	15	3	65.3	64.2	71.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	58.0	68.5	-
ALZHEIMERS DISEASE	10	9	1	36.3	38.5	23.7
INFLUENZA AND PNEUMONIA	7	6	1	25.4	25.7	23.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	25.4	25.7	23.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	14.5	17.1	-
SUICIDE	4	4	0	14.5	17.1	-
DIABETES MELLITUS	3	2	1	10.9	8.6	23.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.9	12.8	-
SEPTICEMIA	2	1	1	7.2	4.3	23.7
PARKINSONS DISEASE	2	2	0	7.2	8.6	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.2	8.6	-
HIV DISEASE	1	1	0	3.6	4.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.6	-	23.7
MENINGITIS	1	0	1	3.6	-	23.7
PEPTIC ULCER	1	1	0	3.6	4.3	-
HOMICIDE	1	1	0	3.6	4.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	14.5	17.1	-
ALL OTHER CAUSES	25	24	1	90.7	102.7	23.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	255	220	35	117	100	17	138	120	18
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	0	0	0	2	2	0
15-24	4	4	0	2	2	0	2	2	0
25-34	3	0	3	2	0	2	1	0	1
35-44	12	12	0	8	8	0	4	4	0
45-54	23	18	5	15	12	3	8	6	2
55-64	31	28	3	21	19	2	10	9	1
65-74	46	38	8	28	22	6	18	16	2
75-84	60	55	5	22	21	1	38	34	4
85 AND OVER	73	63	10	19	16	3	54	47	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 27,575
 WHITE 23,363
 NONWHITE 4,212

(HSWWDTCO)
 COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	222	22	9.5	10.1	6.0
HEART DISEASES	66	60	6	258.0	273.9	163.3
MALIGNANT NEOPLASMS	48	41	7	187.6	187.2	190.5
ACCIDENTS	20	19	1	78.2	86.7	27.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	16	1	66.4	73.0	27.2
CEREBROVASCULAR DISEASE	12	12	0	46.9	54.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	9	1	39.1	41.1	27.2
INFLUENZA AND PNEUMONIA	6	6	0	23.4	27.4	-
SEPTICEMIA	5	5	0	19.5	22.8	-
DIABETES MELLITUS	5	3	2	19.5	13.7	54.4
ALZHEIMERS DISEASE	4	3	1	15.6	13.7	27.2
SUICIDE	4	4	0	15.6	18.2	-
HOMICIDE	2	1	1	7.8	4.6	27.2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	7.8	9.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.9	4.6	-
PARKINSONS DISEASE	1	1	0	3.9	4.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	4.6	-
PEPTIC ULCER	1	1	0	3.9	4.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	4.6	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	4.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	19.5	18.2	27.2
ALL OTHER CAUSES	32	31	1	125.1	141.5	27.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	222	22	117	101	16	127	121	6
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	6	1	6	5	1	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	16	14	2	9	8	1	7	6	1
45-54	15	13	2	8	6	2	7	7	0
55-64	28	23	5	18	14	4	10	9	1
65-74	47	42	5	22	17	5	25	25	0
75-84	65	62	3	30	29	1	35	33	2
85 AND OVER	60	57	3	21	20	1	39	37	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 25,581
 WHITE 21,907
 NONWHITE 3,674

(HSWWDTCO)
 COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	107	34	73	11.0	11.8	10.6
HEART DISEASES	39	11	28	400.4	382.6	407.9
MALIGNANT NEOPLASMS	20	12	8	205.3	417.4	116.5
DIABETES MELLITUS	8	2	6	82.1	69.6	87.4
CEREBROVASCULAR DISEASE	6	3	3	61.6	104.3	43.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	1	5	61.6	34.8	72.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	0	5	51.3	-	72.8
ACCIDENTS	4	2	2	41.1	69.6	29.1
ALZHEIMERS DISEASE	2	0	2	20.5	-	29.1
HOMICIDE	2	0	2	20.5	-	29.1
SEPTICEMIA	1	0	1	10.3	-	14.6
ANEMIAS	1	0	1	10.3	-	14.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.3	-	14.6
INFLUENZA AND PNEUMONIA	1	0	1	10.3	-	14.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	10.3	-	14.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	10.3	-	14.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.3	-	14.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	20.5	34.8	14.6
ALL OTHER CAUSES	6	2	4	61.6	69.6	58.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	107	34	73	51	16	35	56	18	38
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	3	0	3	3	0	3	0	0	0
35-44	3	0	3	1	0	1	2	0	2
45-54	11	2	9	6	1	5	5	1	4
55-64	12	4	8	6	2	4	6	2	4
65-74	21	11	10	13	7	6	8	4	4
75-84	31	11	20	13	6	7	18	5	13
85 AND OVER	23	6	17	7	0	7	16	6	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 9,740
 WHITE 2,875
 NONWHITE 6,865

(HSWWDTCO)
 COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	803	662	141	6.4	6.6	5.7
HEART DISEASES	297	255	42	238.2	254.9	170.3
MALIGNANT NEOPLASMS	156	134	22	125.1	134.0	89.2
ACCIDENTS	50	40	10	40.1	40.0	40.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	47	44	3	37.7	44.0	12.2
CEREBROVASCULAR DISEASE	31	24	7	24.9	24.0	28.4
INFLUENZA AND PNEUMONIA	17	15	2	13.6	15.0	8.1
DIABETES MELLITUS	15	11	4	12.0	11.0	16.2
SUICIDE	14	12	2	11.2	12.0	8.1
SEPTICEMIA	11	9	2	8.8	9.0	8.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	6	4	8.0	6.0	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	8	0	6.4	8.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	8	5	3	4.2	3.2	8.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	4	3	5.6	4.0	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	4.8	3.0	12.2
AORTIC ANEURYSM AND DISSECTION	6	6	0	4.8	6.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	5	0	4.0	5.0	-
HOMICIDE	5	1	4	4.0	1.0	16.2
HIV DISEASE	3	2	1	2.4	2.0	4.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	0	3	2.4	-	12.2
PARKINSONS DISEASE	3	3	0	2.4	3.0	-
ALZHEIMERS DISEASE	3	2	1	2.4	2.0	4.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	2.4	3.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	0	3	2.4	-	12.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	1.6	-	8.1
TUBERCULOSIS	1	1	0	0.8	1.0	-
VIRAL HEPATITIS	1	1	0	0.8	1.0	-
ANEMIAS	1	0	1	0.8	-	4.0
ATHEROSCLEROSIS	1	1	0	0.8	1.0	-
PEPTIC ULCER	1	0	1	0.8	-	4.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	12	4	12.8	12.0	16.2
ALL OTHER CAUSES	69	55	14	55.3	55.0	56.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	803	662	141	399	327	72	404	335	69
UNDER 1	16	12	4	12	10	2	4	2	2
(NEONATAL)	9	6	3	7	6	1	2	0	2
(POSTNEONATAL)	7	6	1	5	4	1	2	2	0
1-4	6	6	0	4	4	0	2	2	0
5-9	2	1	1	1	0	1	1	1	0
10-14	2	2	0	1	1	0	1	1	0
15-24	18	10	8	13	7	6	5	3	2
25-34	24	19	5	14	11	3	10	8	2
35-44	55	44	11	30	22	8	25	22	3
45-54	77	56	21	44	34	10	33	22	11
55-64	120	104	16	72	66	6	48	38	10
65-74	143	118	25	81	68	13	62	50	12
75-84	193	170	23	85	72	13	108	98	10
85 AND OVER	147	120	27	42	32	10	105	88	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 124,695
 WHITE 100,032
 NONWHITE 24,663

(HSWWDTCO)
 COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	252	151	101	8.8	8.9	8.7
HEART DISEASES	94	56	38	330.4	331.9	328.2
MALIGNANT NEOPLASMS	48	27	21	168.7	160.0	181.4
ACCIDENTS	14	10	4	49.2	59.3	34.6
CEREBROVASCULAR DISEASE	13	8	5	45.7	47.4	43.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	45.7	65.2	17.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	7	1	28.1	41.5	8.6
SEPTICEMIA	6	2	4	21.1	11.8	34.6
INFLUENZA AND PNEUMONIA	5	5	0	17.6	29.6	-
DIABETES MELLITUS	4	1	3	14.1	5.9	25.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	14.1	5.9	25.9
HOMICIDE	4	1	3	14.1	5.9	25.9
HIV DISEASE	2	1	1	7.0	5.9	8.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	7.0	5.9	8.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.2	-	9.9
VIRAL HEPATITIS	1	1	0	3.5	5.9	-
MENINGITIS	1	0	1	3.5	-	8.6
PARKINSONS DISEASE	1	1	0	3.5	5.9	-
ALZHEIMERS DISEASE	1	0	1	3.5	-	8.6
ATHEROSCLEROSIS	1	1	0	3.5	5.9	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	5.9	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.5	5.9	-
SUICIDE	1	1	0	3.5	5.9	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	24.6	23.7	25.9
ALL OTHER CAUSES	18	10	8	63.3	59.3	69.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	252	151	101	139	76	63	113	75	38
UNDER 1	7	1	6	4	0	4	3	1	2
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	5	1	4	2	0	2	3	1	2
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	6	5	1	4	4	0	2	1	1
25-34	2	0	2	2	0	2	0	0	0
35-44	15	6	9	12	4	8	3	2	1
45-54	24	8	16	14	5	9	10	3	7
55-64	41	22	19	26	14	12	15	8	7
65-74	38	26	12	22	15	7	16	11	5
75-84	60	42	18	30	19	11	30	23	7
85 AND OVER	56	39	17	22	13	9	34	26	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 28,450
 WHITE 16,873
 NONWHITE 11,577

(HSWWDTCO)
 COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	69	29	40	11.1	15.6	9.2
HEART DISEASES	22	6	16	353.5	322.8	366.6
MALIGNANT NEOPLASMS	9	4	5	144.6	215.2	114.5
CEREBROVASCULAR DISEASE	4	2	2	64.3	107.6	45.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	48.2	53.8	45.8
INFLUENZA AND PNEUMONIA	3	2	1	48.2	107.6	22.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	48.2	107.6	22.9
ACCIDENTS	3	2	1	48.2	107.6	22.9
SUICIDE	3	2	1	48.2	107.6	22.9
SEPTICEMIA	2	1	1	32.1	53.8	22.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	32.1	53.8	22.9
DIABETES MELLITUS	1	0	1	16.1	-	22.9
ALZHEIMERS DISEASE	1	1	0	16.1	53.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	16.1	53.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	16.1	53.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	11.2	-	14.9
HOMICIDE	1	0	1	16.1	-	22.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	9	3	6	144.6	161.4	137.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	69	29	40	40	17	23	29	12	17
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	5	0	5	3	0	3	2	0	2
45-54	6	2	4	4	2	2	2	0	2
55-64	13	5	8	12	5	7	1	0	1
65-74	8	3	5	4	1	3	4	2	2
75-84	12	6	6	6	4	2	6	2	4
85 AND OVER	19	12	7	9	4	5	10	8	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 6,224
 WHITE 1,859
 NONWHITE 4,365

(HSWWDTCO)
 COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	312	226	86	11.3	12.7	8.8
HEART DISEASES	84	62	22	304.4	348.1	224.9
MALIGNANT NEOPLASMS	60	44	16	217.4	247.1	163.5
ACCIDENTS	26	17	9	94.2	95.4	92.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	19	2	76.1	106.7	20.4
CEREBROVASCULAR DISEASE	17	13	4	61.6	73.0	40.9
DIABETES MELLITUS	10	4	6	36.2	22.5	61.3
INFLUENZA AND PNEUMONIA	9	5	4	32.6	28.1	40.9
ATHEROSCLEROSIS	7	5	2	25.4	28.1	20.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	2	5	25.4	11.2	51.1
SUICIDE	6	4	2	21.7	22.5	20.4
SEPTICEMIA	5	5	0	18.1	28.1	-
ALZHEIMERS DISEASE	3	2	1	10.9	11.2	10.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	10.9	11.2	10.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.9	16.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	7.7	4.4	12.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	10.9	11.2	10.2
VIRAL HEPATITIS	2	2	0	7.2	11.2	-
HIV DISEASE	2	2	0	7.2	11.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	7.2	5.6	10.2
ANEMIAS	2	1	1	7.2	5.6	10.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	7.2	11.2	-
PARKINSONS DISEASE	2	2	0	7.2	11.2	-
HOMICIDE	2	1	1	7.2	5.6	10.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.6	5.6	-
PEPTIC ULCER	1	0	1	3.6	-	10.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	5.6	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	3.6	-	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	10.9	11.2	10.2
ALL OTHER CAUSES	24	21	3	87.0	117.9	30.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	312	226	86	156	107	49	156	119	37
UNDER 1 (NEONATAL)	9	3	6	4	1	3	5	2	3
(POSTNEONATAL)	5	1	4	1	0	1	4	1	3
	4	2	2	3	1	2	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	14	8	6	10	7	3	4	1	3
35-44	7	4	3	4	2	2	3	2	1
45-54	33	21	12	21	12	9	12	9	3
55-64	44	34	10	28	21	7	16	13	3
65-74	69	51	18	31	21	10	38	30	8
75-84	65	51	14	35	27	8	30	24	6
85 AND OVER	66	53	13	20	15	5	46	38	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 27,592
 WHITE 17,809
 NONWHITE 9,783

(HSWWDTCO)
 COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	161	114	47	10.2	9.4	12.7
HEART DISEASES	53	34	19	334.7	280.2	513.6
MALIGNANT NEOPLASMS	38	27	11	240.0	222.5	297.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	69.5	74.2	54.1
ACCIDENTS	8	7	1	50.5	57.7	27.0
CEREBROVASCULAR DISEASE	6	5	1	37.9	41.2	27.0
INFLUENZA AND PNEUMONIA	6	5	1	37.9	41.2	27.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	5	1	37.9	41.2	27.0
SUICIDE	5	5	0	31.6	41.2	-
SEPTICEMIA	3	1	2	18.9	8.2	54.1
HIV DISEASE	2	0	2	12.6	-	54.1
ALZHEIMERS DISEASE	2	2	0	12.6	16.5	-
ATHEROSCLEROSIS	2	2	0	12.6	16.5	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	12.6	8.2	27.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	8.8	6.2	15.2
DIABETES MELLITUS	1	0	1	6.3	-	27.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	6.3	8.2	-
HOMICIDE	1	0	1	6.3	-	27.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.3	8.2	-
ALL OTHER CAUSES	11	8	3	69.5	65.9	81.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	161	114	47	86	57	29	75	57	18
UNDER 1	3	2	1	2	2	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	2	1	1	0	1	2	2	0
25-34	6	5	1	4	4	0	2	1	1
35-44	4	1	3	3	0	3	1	1	0
45-54	11	3	8	6	2	4	5	1	4
55-64	20	11	9	12	6	6	8	5	3
65-74	34	25	9	18	13	5	16	12	4
75-84	39	32	7	27	22	5	12	10	2
85 AND OVER	40	32	8	13	8	5	27	24	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 15,834
 WHITE 12,135
 NONWHITE 3,699

(HSWWDTCO)
 COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	155	130	25	10.9	11.6	8.3
HEART DISEASES	50	42	8	352.0	374.9	266.5
MALIGNANT NEOPLASMS	39	34	5	274.5	303.5	166.6
ACCIDENTS	10	9	1	70.4	80.3	33.3
CEREBROVASCULAR DISEASE	9	9	0	63.4	80.3	-
INFLUENZA AND PNEUMONIA	8	7	1	56.3	62.5	33.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	42.2	35.7	66.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	28.2	26.8	33.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	21.1	17.8	33.3
SUICIDE	3	3	0	21.1	26.8	-
ALZHEIMERS DISEASE	2	1	1	14.1	8.9	33.3
SEPTICEMIA	1	1	0	7.0	8.9	-
ANEMIAS	1	1	0	7.0	8.9	-
DIABETES MELLITUS	1	1	0	7.0	8.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.0	8.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.0	-	33.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.0	8.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.0	-	33.3
ALL OTHER CAUSES	14	11	3	98.6	98.2	99.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGINATING IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	155	130	25	77	64	13	78	66	12
UNDER 1 (NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	6	6	0	4	4	0	2	2	0
45-54	21	15	6	13	8	5	8	7	1
55-64	26	22	4	11	10	1	15	12	3
65-74	23	20	3	14	12	2	9	8	1
75-84	48	40	8	23	19	4	25	21	4
85 AND OVER	24	22	2	7	7	0	17	15	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 14,206
 WHITE 11,204
 NONWHITE 3,002

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	341	140	201	10.2	15.4	8.3
HEART DISEASES	116	49	67	347.6	538.0	276.1
MALIGNANT NEOPLASMS	70	28	42	209.7	307.4	173.1
CEREBROVASCULAR DISEASE	25	9	16	74.9	98.8	65.9
ACCIDENTS	21	8	13	62.9	87.8	53.6
DIABETES MELLITUS	13	4	9	39.0	43.9	37.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	5	6	33.0	54.9	24.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	27.0	76.8	8.2
SUICIDE	9	4	5	27.0	43.9	20.6
INFLUENZA AND PNEUMONIA	7	5	2	21.0	54.9	8.2
ALZHEIMERS DISEASE	6	4	2	18.0	43.9	8.2
SEPTICEMIA	5	1	4	15.0	11.0	16.5
HIV DISEASE	5	1	4	15.0	11.0	16.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	10.7	24.7	7.8
VIRAL HEPATITIS	3	2	1	9.0	22.0	4.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	9.0	-	12.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	9.0	11.0	8.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	9.0	22.0	4.1
MENINGITIS	2	0	2	6.0	-	8.2
SYPHILIS	1	0	1	3.0	-	4.1
ANEMIAS	1	0	1	3.0	-	4.1
ATHEROSCLEROSIS	1	0	1	3.0	-	4.1
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	3.0	-	4.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.0	-	4.1
HOMICIDE	1	0	1	3.0	-	4.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	15.0	22.0	12.4
ALL OTHER CAUSES	14	6	8	41.9	65.9	33.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	341	140	201	180	82	98	161	58	103
UNDER 1	13	2	11	8	0	8	5	2	3
(NEONATAL)	7	2	5	3	0	3	4	2	2
(POSTNEONATAL)	6	0	6	5	0	5	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	5	2	3	2	0	2
25-34	16	3	13	13	3	10	3	0	3
35-44	19	7	12	15	7	8	4	0	4
45-54	41	16	25	25	12	13	16	4	12
55-64	56	19	37	28	10	18	28	9	19
65-74	49	22	27	28	15	13	21	7	14
75-84	70	37	33	34	24	10	36	13	23
85 AND OVER	70	32	38	24	9	15	46	23	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 33,374
 WHITE 9,108
 NONWHITE 24,266

(HSWWDTCO)
 COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	152	75	77	10.6	13.3	8.8
MALIGNANT NEOPLASMS	39	15	24	270.9	266.2	274.0
HEART DISEASES	26	14	12	180.6	248.5	137.0
CEREBROVASCULAR DISEASE	15	7	8	104.2	124.2	91.3
ACCIDENTS	13	9	4	90.3	159.7	45.7
INFLUENZA AND PNEUMONIA	11	7	4	76.4	124.2	45.7
ALZHEIMERS DISEASE	5	1	4	34.7	17.7	45.7
SEPTICEMIA	4	0	4	27.8	-	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	27.8	71.0	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3	27.8	17.7	34.2
DIABETES MELLITUS	3	2	1	20.8	35.5	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	20.8	35.5	11.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.0	-	11.9
HIV DISEASE	1	0	1	6.9	-	11.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.9	17.7	-
PARKINSONS DISEASE	1	1	0	6.9	17.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	6.9	17.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.9	-	11.4
SUICIDE	1	0	1	6.9	-	11.4
HOMICIDE	1	1	0	6.9	17.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.9	17.7	-
ALL OTHER CAUSES	15	8	7	104.2	142.0	79.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	152	75	77	88	44	44	64	31	33
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	2	0	2	2	0	2	0	0	0
35-44	13	6	7	10	5	5	3	1	2
45-54	15	6	9	12	5	7	3	1	2
55-64	29	12	17	16	8	8	13	4	9
65-74	15	11	4	8	5	3	7	6	1
75-84	38	23	15	22	13	9	16	10	6
85 AND OVER	33	15	18	14	7	7	19	8	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 14,394
 WHITE 5,634
 NONWHITE 8,760

(HSWWDTCO)
 COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	266	204	62	10.3	11.5	7.7
HEART DISEASES	88	71	17	341.2	400.4	210.9
MALIGNANT NEOPLASMS	58	39	19	224.8	219.9	235.7
ACCIDENTS	22	15	7	85.3	84.6	86.8
CEREBROVASCULAR DISEASE	19	13	6	73.7	73.3	74.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	14	1	58.2	78.9	12.4
INFLUENZA AND PNEUMONIA	8	8	0	31.0	45.1	-
SEPTICEMIA	7	3	4	27.1	16.9	49.6
ALZHEIMERS DISEASE	6	6	0	23.3	33.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	15.5	22.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	7.3	12.0	-
SUICIDE	3	3	0	11.6	16.9	-
VIRAL HEPATITIS	2	2	0	7.8	11.3	-
DIABETES MELLITUS	2	1	1	7.8	5.6	12.4
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.8	11.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	7.8	11.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.8	11.3	-
PARKINSONS DISEASE	1	1	0	3.9	5.6	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.9	-	12.4
PEPTIC ULCER	1	1	0	3.9	5.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.9	-	12.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	19	14	5	73.7	78.9	62.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	266	204	62	123	95	28	143	109	34
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	4	1	3	3	1	2	1	0	1
35-44	8	6	2	5	4	1	3	2	1
45-54	32	21	11	17	11	6	15	10	5
55-64	33	26	7	20	17	3	13	9	4
65-74	43	34	9	23	19	4	20	15	5
75-84	75	62	13	29	22	7	46	40	6
85 AND OVER	62	47	15	20	17	3	42	30	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 25,794
 WHITE 17,733
 NONWHITE 8,061

(HSWWDTCO)
COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	263	230	33	12.6	13.4	8.8
HEART DISEASES	86	73	13	411.1	425.1	347.0
MALIGNANT NEOPLASMS	47	44	3	224.7	256.2	80.1
CEREBROVASCULAR DISEASE	27	22	5	129.1	128.1	133.5
ACCIDENTS	22	17	5	105.2	99.0	133.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	66.9	81.5	-
DIABETES MELLITUS	7	5	2	33.5	29.1	53.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	7	0	33.5	40.8	-
ALZHEIMERS DISEASE	6	6	0	28.7	34.9	-
INFLUENZA AND PNEUMONIA	6	6	0	28.7	34.9	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	23.9	17.5	53.4
SEPTICEMIA	3	2	1	14.3	11.6	26.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	14.3	17.5	-
SUICIDE	3	3	0	14.3	17.5	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.6	11.6	-
PARKINSONS DISEASE	2	2	0	9.6	11.6	-
VIRAL HEPATITIS	1	1	0	4.8	5.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.8	5.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.8	-	26.7
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	4.8	5.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.1	3.8	-
HOMICIDE	1	1	0	4.8	5.8	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.8	5.8	-
ALL OTHER CAUSES	16	15	1	76.5	87.3	26.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	263	230	33	134	111	23	129	119	10
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	3	0	3	3	0	0	0	0
35-44	10	9	1	4	3	1	6	6	0
45-54	20	12	8	9	6	3	11	6	5
55-64	31	27	4	21	18	3	10	9	1
65-74	45	42	3	31	29	2	14	13	1
75-84	78	70	8	41	34	7	37	36	1
85 AND OVER	68	59	9	20	13	7	48	46	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 20,920
WHITE 17,174
NONWHITE 3,746

(HSWWDTCO)
 COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	240	235	5	12.6	12.9	6.5
HEART DISEASES	87	86	1	458.7	472.7	129.4
MALIGNANT NEOPLASMS	51	50	1	268.9	274.8	129.4
ACCIDENTS	18	17	1	94.9	93.4	129.4
CEREBROVASCULAR DISEASE	11	11	0	58.0	60.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	52.7	55.0	-
ATHEROSCLEROSIS	7	7	0	36.9	38.5	-
DIABETES MELLITUS	6	6	0	31.6	33.0	-
ALZHEIMERS DISEASE	6	5	1	31.6	27.5	129.4
SEPTICEMIA	5	5	0	26.4	27.5	-
INFLUENZA AND PNEUMONIA	5	5	0	26.4	27.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	15.8	16.5	-
SUICIDE	3	3	0	15.8	16.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	10.5	11.0	-
HOMICIDE	2	2	0	10.5	11.0	-
TUBERCULOSIS	1	1	0	5.3	5.5	-
HIV DISEASE	1	0	1	5.3	-	129.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.3	5.5	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.3	5.5	-
PARKINSONS DISEASE	1	1	0	5.3	5.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.3	5.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.3	5.5	-
HERNIA	1	1	0	5.3	5.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.1	4.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.5	11.0	-
ALL OTHER CAUSES	13	13	0	68.5	71.4	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	240	235	5	128	125	3	112	110	2
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	3	3	0	2	2	0	1	1	0
35-44	9	8	1	6	5	1	3	3	0
45-54	16	16	0	11	11	0	5	5	0
55-64	29	27	2	18	17	1	11	10	1
65-74	51	50	1	31	31	0	20	19	1
75-84	74	74	0	41	41	0	33	33	0
85 AND OVER	51	50	1	14	13	1	37	37	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 18,966
 WHITE 18,193
 NONWHITE 773

(HSWWDTCO)
 COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	94	36	58	9.5	13.9	7.9
HEART DISEASES	33	15	18	332.8	580.3	245.5
MALIGNANT NEOPLASMS	16	6	10	161.3	232.1	136.4
DIABETES MELLITUS	9	5	4	90.8	193.4	54.6
ACCIDENTS	9	4	5	90.8	154.7	68.2
CEREBROVASCULAR DISEASE	3	0	3	30.2	-	40.9
INFLUENZA AND PNEUMONIA	3	1	2	30.2	38.7	27.3
HOMICIDE	3	0	3	30.2	-	40.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	20.2	38.7	13.6
SUICIDE	2	1	1	20.2	38.7	13.6
HIV DISEASE	1	0	1	10.1	-	13.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.1	-	13.6
ALZHEIMERS DISEASE	1	0	1	10.1	-	13.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	10.1	-	13.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	10.1	-	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.1	-	13.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	20.2	-	27.3
ALL OTHER CAUSES	6	3	3	60.5	116.0	40.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	94	36	58	52	19	33	42	17	25
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	4	1	3	4	1	3	0	0	0
35-44	9	0	9	7	0	7	2	0	2
45-54	13	3	10	8	1	7	5	2	3
55-64	14	8	6	7	5	2	7	3	4
65-74	11	4	7	9	4	5	2	0	2
75-84	22	14	8	11	8	3	11	6	5
85 AND OVER	18	6	12	4	0	4	14	6	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 9,917
 WHITE 2,585
 NONWHITE 7,332

(HSWWDTCO)
 COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	270	246	24	10.3	11.2	5.8
HEART DISEASES	111	102	9	425.1	463.6	219.0
MALIGNANT NEOPLASMS	42	40	2	160.8	181.8	48.7
CEREBROVASCULAR DISEASE	34	29	5	130.2	131.8	121.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	42.1	50.0	-
ACCIDENTS	11	9	2	42.1	40.9	48.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	26.8	27.3	24.3
INFLUENZA AND PNEUMONIA	6	6	0	23.0	27.3	-
SEPTICEMIA	5	4	1	19.1	18.2	24.3
DIABETES MELLITUS	4	4	0	15.3	18.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	15.3	13.6	24.3
ALZHEIMERS DISEASE	2	2	0	7.6	9.1	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	7.6	4.5	24.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	5.8	6.9	-
SUICIDE	2	2	0	7.6	9.1	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.8	4.5	-
DISEASES OF APPENDIX	1	1	0	3.8	4.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.8	4.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	9	0	34.5	40.9	-
ALL OTHER CAUSES	15	13	2	57.4	59.1	48.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	270	246	24	137	129	8	133	117	16
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	4	0	4	4	0	0	0	0
35-44	6	4	2	4	2	2	2	2	0
45-54	14	12	2	8	8	0	6	4	2
55-64	28	26	2	18	17	1	10	9	1
65-74	52	49	3	33	32	1	19	17	2
75-84	86	80	6	40	40	0	46	40	6
85 AND OVER	74	65	9	27	23	4	47	42	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 26,113
 WHITE 22,003
 NONWHITE 4,110

(HSWWDTCO)
 COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	156	99	57	10.3	11.9	8.3
HEART DISEASES	43	25	18	283.1	300.5	261.9
MALIGNANT NEOPLASMS	34	26	8	223.8	312.5	116.4
DIABETES MELLITUS	8	5	3	52.7	60.1	43.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	52.7	60.1	43.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3	46.1	48.1	43.6
INFLUENZA AND PNEUMONIA	5	2	3	32.9	24.0	43.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3	32.9	24.0	43.6
ACCIDENTS	5	4	1	32.9	48.1	14.6
SEPTICEMIA	4	4	0	26.3	48.1	-
SUICIDE	4	2	2	26.3	24.0	29.1
CEREBROVASCULAR DISEASE	3	1	2	19.7	12.0	29.1
ALZHEIMERS DISEASE	2	1	1	13.2	12.0	14.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.6	12.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.6	12.0	-
MATERNAL CAUSES	1	0	1	432.9	-	877.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.3	-	8.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.6	-	14.6
HOMICIDE	1	1	0	6.6	12.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	6.6	-	14.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	13.2	-	29.1
ALL OTHER CAUSES	19	15	4	125.1	180.3	58.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	156	99	57	82	52	30	74	47	27
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	5	1	4	4	1	3	1	0	1
35-44	6	4	2	2	1	1	4	3	1
45-54	14	6	8	8	5	3	6	1	5
55-64	25	19	6	14	12	2	11	7	4
65-74	34	23	11	22	16	6	12	7	5
75-84	34	25	9	19	12	7	15	13	2
85 AND OVER	34	21	13	11	5	6	23	16	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 15,191
 WHITE 8,319
 NONWHITE 6,872

(HSWWDTCO)
 COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	532	303	229	10.8	11.6	10.0
HEART DISEASES	160	86	74	326.6	329.1	323.7
MALIGNANT NEOPLASMS	97	52	45	198.0	199.0	196.8
CEREBROVASCULAR DISEASE	40	19	21	81.6	72.7	91.8
ACCIDENTS	28	18	10	57.2	68.9	43.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	19	6	51.0	72.7	26.2
INFLUENZA AND PNEUMONIA	16	9	7	32.6	34.4	30.6
SEPTICEMIA	11	6	5	22.4	23.0	21.9
SUICIDE	11	9	2	22.4	34.4	8.7
DIABETES MELLITUS	10	3	7	20.4	11.5	30.6
ALZHEIMERS DISEASE	10	8	2	20.4	30.6	8.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	5	5	20.4	19.1	21.9
PARKINSONS DISEASE	9	7	2	18.4	26.8	8.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	16.3	26.8	4.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	12.2	15.3	8.7
AORTIC ANEURYSM AND DISSECTION	5	5	0	10.2	19.1	-
HOMICIDE	5	1	4	10.2	3.8	17.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	8.2	11.5	4.4
HIV DISEASE	3	1	2	6.1	3.8	8.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	6.1	3.8	8.7
PEPTIC ULCER	2	0	2	4.1	-	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	2.5	-	4.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	4.1	3.8	4.4
VIRAL HEPATITIS	1	1	0	2.0	3.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.0	-	4.4
MATERNAL CAUSES	1	1	0	123.3	270.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.0	3.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	4.1	3.8	4.4
ALL OTHER CAUSES	59	35	24	120.4	133.9	105.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	532	303	229	250	141	109	282	162	120
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	2	2	2	1	1	2	1	1
15-24	11	7	4	6	3	3	5	4	1
25-34	11	4	7	5	2	3	6	2	4
35-44	25	13	12	12	8	4	13	5	8
45-54	43	19	24	25	6	19	18	13	5
55-64	64	38	26	37	22	15	27	16	11
65-74	82	45	37	49	31	18	33	14	19
75-84	146	86	60	57	36	21	89	50	39
85 AND OVER	142	88	54	55	32	23	87	56	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 48,993
 WHITE 26,130
 NONWHITE 22,863

(HSWWDTCO)
 COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	634	257	377	10.5	13.2	9.2
HEART DISEASES	232	101	131	384.4	520.5	320.0
MALIGNANT NEOPLASMS	124	53	71	205.5	273.1	173.4
ACCIDENTS	33	13	20	54.7	67.0	48.8
CEREBROVASCULAR DISEASE	28	8	20	46.4	41.2	48.8
DIABETES MELLITUS	23	8	15	38.1	41.2	36.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	15	7	36.4	77.3	17.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	5	13	29.8	25.8	31.8
INFLUENZA AND PNEUMONIA	16	3	13	26.5	15.5	31.8
HOMICIDE	16	3	13	26.5	15.5	31.8
SEPTICEMIA	12	2	10	19.9	10.3	24.4
ALZHEIMERS DISEASE	12	6	6	19.9	30.9	14.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	3	6	14.9	15.5	14.6
SUICIDE	5	4	1	8.3	20.6	2.4
HIV DISEASE	4	0	4	6.6	-	9.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	0	4	6.6	-	9.8
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	6.6	10.3	4.9
PARKINSONS DISEASE	3	2	1	5.0	10.3	2.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	5.0	15.5	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	3.3	5.2	2.4
ATHEROSCLEROSIS	2	1	1	3.3	5.2	2.4
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	1	1	2.0	4.4	1.3
NEOPLASMS	1	1	0	1.6	5.2	-
ANEMIAS	1	0	1	1.6	-	2.4
AORTIC ANEURYSM AND DISSECTION	1	0	1	1.6	-	2.4
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.6	5.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	1.6	5.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.6	-	2.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	1	6	11.6	5.2	14.6
ALL OTHER CAUSES	47	19	28	77.9	97.9	68.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	634	257	377	321	131	190	313	126	187
UNDER 1	8	1	7	7	1	6	1	0	1
(NEONATAL)	4	1	3	3	1	2	1	0	1
(POSTNEONATAL)	4	0	4	4	0	4	0	0	0
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	13	2	11	9	2	7	4	0	4
25-34	21	3	18	13	2	11	8	1	7
35-44	20	6	14	11	5	6	9	1	8
45-54	54	15	39	36	11	25	18	4	14
55-64	87	32	55	54	21	33	33	11	22
65-74	112	55	57	70	34	36	42	21	21
75-84	158	78	80	65	32	33	93	46	47
85 AND OVER	156	63	93	53	22	31	103	41	62
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 60,347
 WHITE 19,404
 NONWHITE 40,943

(HSWWDTCO)
 COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	195	130	65	9.2	9.9	8.1
HEART DISEASES	55	28	27	260.1	213.6	335.6
MALIGNANT NEOPLASMS	43	29	14	203.3	221.3	174.0
CEREBROVASCULAR DISEASE	16	13	3	75.6	99.2	37.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	10	3	61.5	76.3	37.3
ACCIDENTS	11	8	3	52.0	61.0	37.3
INFLUENZA AND PNEUMONIA	8	7	1	37.8	53.4	12.4
DIABETES MELLITUS	3	2	1	14.2	15.3	12.4
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	3	2	1	14.2	15.3	12.4
NEOPLASMS	2	2	0	9.4	15.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	9.4	15.3	-
ATHEROSCLEROSIS	2	2	0	9.4	15.3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	9.4	15.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	9.4	15.3	-
SEPTICEMIA	1	0	1	4.7	-	12.4
HIV DISEASE	1	0	1	4.7	-	12.4
ALZHEIMERS DISEASE	1	1	0	4.7	7.6	-
PEPTIC ULCER	1	1	0	4.7	7.6	-
DISEASES OF APPENDIX	1	1	0	4.7	7.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	4.7	-	12.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.7	7.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	14.2	7.6	24.9
ALL OTHER CAUSES	23	16	7	108.8	122.1	87.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	195	130	65	94	58	36	101	72	29
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	5	2	3	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	8	3	5	1	0	1	7	3	4
45-54	25	11	14	20	10	10	5	1	4
55-64	24	12	12	14	7	7	10	5	5
65-74	30	21	9	12	7	5	18	14	4
75-84	50	38	12	24	17	7	26	21	5
85 AND OVER	46	41	5	17	15	2	29	26	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 21,149
 WHITE 13,105
 NONWHITE 8,044

(HSWWDTCO)
 COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	152	136	16	15.0	17.0	7.3
HEART DISEASES	59	51	8	580.8	639.0	367.3
MALIGNANT NEOPLASMS	29	27	2	285.5	338.3	91.8
CEREBROVASCULAR DISEASE	7	6	1	68.9	75.2	45.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	59.1	75.2	-
ACCIDENTS	6	5	1	59.1	62.6	45.9
SEPTICEMIA	5	3	2	49.2	37.6	91.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	39.4	50.1	-
ALZHEIMERS DISEASE	3	3	0	29.5	37.6	-
INFLUENZA AND PNEUMONIA	3	2	1	29.5	25.1	45.9
SUICIDE	3	3	0	29.5	37.6	-
DIABETES MELLITUS	2	2	0	19.7	25.1	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	19.7	25.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	19.7	25.1	-
HOMICIDE	2	1	1	19.7	12.5	45.9
VIRAL HEPATITIS	1	1	0	9.8	12.5	-
PEPTIC ULCER	1	1	0	9.8	12.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	9.8	12.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.8	12.5	-
ALL OTHER CAUSES	14	14	0	137.8	175.4	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	-----TOTAL-----			-----MALE-----			-----FEMALE-----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	152	136	16	72	64	8	80	72	8
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	3	0	1	1	0	2	2	0
35-44	3	2	1	2	1	1	1	1	0
45-54	7	7	0	6	6	0	1	1	0
55-64	11	9	2	6	6	0	5	3	2
65-74	27	24	3	13	11	2	14	13	1
75-84	46	44	2	26	24	2	20	20	0
85 AND OVER	52	45	7	16	14	2	36	31	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 10,159
 WHITE 7,981
 NONWHITE 2,178

(HSWWDTCO)
 COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	119	52	67	11.6	16.6	9.4
HEART DISEASES	34	15	19	332.0	478.3	267.4
MALIGNANT NEOPLASMS	18	9	9	175.8	287.0	126.7
CEREBROVASCULAR DISEASE	14	4	10	136.7	127.6	140.7
INFLUENZA AND PNEUMONIA	9	5	4	87.9	159.4	56.3
DIABETES MELLITUS	7	1	6	68.4	31.9	84.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	58.6	127.6	28.1
ACCIDENTS	6	2	4	58.6	63.8	56.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	29.3	-	42.2
ALZHEIMERS DISEASE	2	2	0	19.5	63.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	19.5	63.8	-
HIV DISEASE	1	0	1	9.8	-	14.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	9.8	31.9	-
MATERNAL CAUSES	1	0	1	671.1	-	847.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.8	-	14.1
SUICIDE	1	1	0	9.8	31.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.8	-	14.1
ALL OTHER CAUSES	12	6	6	117.2	191.3	84.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	119	52	67	63	29	34	56	23	33
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	3	0	3	2	0	2	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	12	5	7	7	3	4	5	2	3
55-64	13	6	7	8	4	4	5	2	3
65-74	21	13	8	14	9	5	7	4	3
75-84	30	11	19	16	8	8	14	3	11
85 AND OVER	32	16	16	10	4	6	22	12	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 10,241
 WHITE 3,136
 NONWHITE 7,105

(HSWWDTCO)
 COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	200	114	86	10.0	10.4	9.6
HEART DISEASES	62	38	24	311.4	346.6	268.2
MALIGNANT NEOPLASMS	55	29	26	276.2	264.5	290.6
ACCIDENTS	13	7	6	65.3	63.8	67.0
ALZHEIMERS DISEASE	10	9	1	50.2	82.1	11.2
INFLUENZA AND PNEUMONIA	10	6	4	50.2	54.7	44.7
CEREBROVASCULAR DISEASE	8	5	3	40.2	45.6	33.5
DIABETES MELLITUS	4	2	2	20.1	18.2	22.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	20.1	27.4	11.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	2	2	20.1	18.2	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	15.1	18.2	11.2
SUICIDE	2	2	0	10.0	18.2	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	10.0	18.2	-
SEPTICEMIA	1	1	0	5.0	9.1	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.0	-	11.2
ANEMIAS	1	0	1	5.0	-	11.2
MENINGITIS	1	1	0	5.0	9.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.6	-	6.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.0	-	11.2
HOMICIDE	1	0	1	5.0	-	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	15.1	-	33.5
ALL OTHER CAUSES	13	5	8	65.3	45.6	89.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	200	114	86	114	72	42	86	42	44
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	5	1	4	3	1	2	2	0	2
35-44	6	3	3	4	3	1	2	0	2
45-54	11	6	5	7	4	3	4	2	2
55-64	19	8	11	15	7	8	4	1	3
65-74	40	27	13	27	20	7	13	7	6
75-84	42	25	17	23	18	5	19	7	12
85 AND OVER	67	44	23	28	19	9	39	25	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 19,911
 WHITE 10,963
 NONWHITE 8,948

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	172	128	44	12.9	15.9	8.3
HEART DISEASES	47	37	10	352.1	459.1	189.1
MALIGNANT NEOPLASMS	40	30	10	299.7	372.2	189.1
ACCIDENTS	16	12	4	119.9	148.9	75.6
CEREBROVASCULAR DISEASE	11	7	4	82.4	86.8	75.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	82.4	124.1	18.9
SEPTICEMIA	6	3	3	45.0	37.2	56.7
INFLUENZA AND PNEUMONIA	6	5	1	45.0	62.0	18.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	45.0	37.2	56.7
HOMICIDE	4	4	0	30.0	49.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	22.5	12.4	37.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	15.0	12.4	18.9
SUICIDE	2	2	0	15.0	24.8	-
VIRAL HEPATITIS	1	1	0	7.5	12.4	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	7.5	-	18.9
DIABETES MELLITUS	1	1	0	7.5	12.4	-
ALZHEIMERS DISEASE	1	1	0	7.5	12.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.1	-	10.9
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	13	10	3	97.4	124.1	56.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	172	128	44	93	68	25	79	60	19
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	3	1	2	1	1	2	2	0
25-34	2	1	1	2	1	1	0	0	0
35-44	7	4	3	4	1	3	3	3	0
45-54	16	10	6	9	6	3	7	4	3
55-64	25	19	6	19	15	4	6	4	2
65-74	33	23	10	20	14	6	13	9	4
75-84	42	33	9	21	16	5	21	17	4
85 AND OVER	40	34	6	15	14	1	25	20	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 13,347
 WHITE 8,059
 NONWHITE 5,288

(HSWWDTCO)
 COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	285	141	144	10.1	11.2	9.2
HEART DISEASES	70	36	34	247.6	286.8	216.3
MALIGNANT NEOPLASMS	50	24	26	176.8	191.2	165.4
DIABETES MELLITUS	17	7	10	60.1	55.8	63.6
ACCIDENTS	17	10	7	60.1	79.7	44.5
CEREBROVASCULAR DISEASE	14	9	5	49.5	71.7	31.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	4	8	42.4	31.9	50.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	2	8	35.4	15.9	50.9
HOMICIDE	10	0	10	35.4	-	63.6
SEPTICEMIA	8	3	5	28.3	23.9	31.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	28.3	47.8	12.7
INFLUENZA AND PNEUMONIA	7	5	2	24.8	39.8	12.7
SUICIDE	6	6	0	21.2	47.8	-
ALZHEIMERS DISEASE	5	5	0	17.7	39.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	9.1	-	12.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	10.6	8.0	12.7
HIV DISEASE	2	0	2	7.1	-	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	7.1	-	12.7
VIRAL HEPATITIS	1	1	0	3.5	8.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.5	-	6.4
MENINGITIS	1	0	1	3.5	-	6.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	8.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	8.0	-
PEPTIC ULCER	1	0	1	3.5	-	6.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	17.7	15.9	19.1
ALL OTHER CAUSES	29	18	11	102.6	143.4	70.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	285	141	144	156	76	80	129	65	64
UNDER 1	7	1	6	5	1	4	2	0	2
(Neonatal)	4	1	3	3	1	2	1	0	1
(Postneonatal)	3	0	3	2	0	2	1	0	1
1-4	6	1	5	2	1	1	4	0	4
5-9	3	1	2	2	1	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	6	1	5	4	0	4	2	1	1
35-44	17	5	12	12	2	10	5	3	2
45-54	24	7	17	18	5	13	6	2	4
55-64	28	14	14	20	11	9	8	3	5
65-74	56	29	27	29	15	14	27	14	13
75-84	70	37	33	40	23	17	30	14	16
85 AND OVER	64	41	23	22	15	7	42	26	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2003 POPULATION:

TOTAL 28,272
 WHITE 12,552
 NONWHITE 15,720