

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,581	1,706	875	8.8	9.3	8.1
HEART DISEASES	745	493	252	255.6	268.6	233.6
MALIGNANT NEOPLASMS	582	400	182	199.7	218.0	168.7
ACCIDENTS	194	126	68	66.6	68.7	63.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	129	111	18	44.3	60.5	16.7
CEREBROVASCULAR DISEASE	128	76	52	43.9	41.4	48.2
DIABETES MELLITUS	97	56	41	33.3	30.5	38.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	67	36	31	23.0	19.6	28.7
INFLUENZA AND PNEUMONIA	65	39	26	22.3	21.2	24.1
ALZHEIMERS DISEASE	42	35	7	14.4	19.1	6.5
SUICIDE	35	32	3	12.0	17.4	2.8
SEPTICEMIA	34	18	16	11.7	9.8	14.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	33	24	9	11.3	13.1	8.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	30	16	14	10.3	8.7	13.0
HOMICIDE	30	9	21	10.3	4.9	19.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	11	4	5.1	6.0	3.7
AORTIC ANEURYSM AND DISSECTION	14	11	3	4.8	6.0	2.8
CONDITIONS ORIG IN PERINATAL PERIOD	14	0	14	3.2	0.0	7.4
HIV DISEASE	12	5	7	4.1	2.7	6.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	5	7	4.1	2.7	6.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	8	2	3.4	4.4	1.8
COMPLICATIONS MEDICAL/SURGICAL CARE	7	5	2	2.4	2.7	1.8
PARKINSONS DISEASE	6	6	0	2.0	3.3	0.0
PEPTIC ULCER	6	4	2	2.0	2.2	1.8
CHOLELITHIASIS/GALLBLADDER DISORDER	4	2	2	1.4	1.1	1.8
TUBERCULOSIS	3	3	0	1.0	1.6	0.0
ATHEROSCLEROSIS	3	2	1	1.0	1.1	0.9
ANEMIAS	2	0	2	0.7	0.0	1.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.7	0.5	0.9
MATERNAL CAUSES	2	1	1	45.1	39.3	52.9
MENINGOCOCCAL INFECTION	1	0	1	0.3	0.0	0.9
VIRAL HEPATITIS	1	1	0	0.3	0.5	0.0
HERNIA	1	1	0	0.3	0.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	39	23	16	13.4	12.5	14.8
ALL OTHER CAUSES	216	146	70	74.1	79.6	64.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,581	1,706	875	1,335	895	440	1,246	811	435
UNDER 1	37	10	27	21	6	15	16	4	12
(Neonatal)	27	5	22	15	3	12	12	2	10
(Postneonatal)	10	5	5	6	3	3	4	2	2
1-4	12	6	6	6	2	4	6	4	2
5-9	7	4	3	6	4	2	1	0	1
10-14	6	3	3	5	3	2	1	0	1
15-24	61	39	22	43	30	13	18	9	9
25-34	76	38	38	50	28	22	26	10	16
35-44	140	73	67	85	48	37	55	25	30
45-54	268	148	120	168	100	68	100	48	52
55-64	371	234	137	232	152	80	139	82	57
65-74	460	333	127	259	188	71	201	145	56
75-84	622	474	148	294	227	67	328	247	81
85 AND OVER	520	344	176	166	107	59	354	237	117
UNKNOWN	1	0	1	0	0	0	1	0	1

MORTALITY RATES**				2004 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	8.3	3.9	14.3	291,404	
NEONATAL	6.1	2.0	11.6	183,514	
POSTNEONATAL	2.2	2.0	2.6	107,890	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,341	2,792	549	9.8	10.5	7.2
HEART DISEASES	1,004	859	145	294.4	324.3	190.3
MALIGNANT NEOPLASMS	742	610	132	217.6	230.3	173.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	213	201	12	62.4	75.9	15.8
ACCIDENTS	198	162	36	58.0	61.2	47.2
CEREBROVASCULAR DISEASE	197	155	42	57.8	58.5	55.1
ALZHEIMERS DISEASE	102	95	7	29.9	35.9	9.2
DIABETES MELLITUS	72	56	16	21.1	21.1	21.0
INFLUENZA AND PNEUMONIA	63	55	8	18.5	20.8	10.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	58	43	15	17.0	16.2	19.7
SEPTICEMIA	55	44	11	16.1	16.6	14.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	48	33	15	14.1	12.4	19.7
SUICIDE	40	37	3	11.7	14.0	3.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	28	25	3	8.2	9.4	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	21	2	6.7	7.9	2.6
PARKINSONS DISEASE	20	20	0	5.9	7.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	19	16	3	5.6	6.0	3.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	12	3	4.4	4.5	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	14	6	8	3.0	1.7	6.9
HOMICIDE	14	10	4	4.1	3.8	5.2
HIV DISEASE	10	7	3	2.9	2.6	3.9
AORTIC ANEURYSM AND DISSECTION	10	7	3	2.9	2.6	3.9
CHOLELITHIASIS/GALLBLADDER DISORDER	8	7	1	2.3	2.6	1.3
COMPLICATIONS MEDICAL/SURGICAL CARE	6	1	5	1.8	0.4	6.6
VIRAL HEPATITIS	5	3	2	1.5	1.1	2.6
ANEMIAS	5	4	1	1.5	1.5	1.3
PEPTIC ULCER	5	4	1	1.5	1.5	1.3
ATHEROSCLEROSIS	4	4	0	1.2	1.5	0.0
MENINGITIS	3	2	1	0.9	0.8	1.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.6	0.8	0.0
MATERNAL CAUSES	2	1	1	42.3	28.0	85.9
TUBERCULOSIS	1	0	1	0.3	0.0	1.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.3	0.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	33	26	7	9.7	9.8	9.2
ALL OTHER CAUSES	321	263	58	94.1	99.3	76.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,341	2,792	549	1,678	1,401	277	1,663	1,391	272
UNDER 1	36	20	16	18	11	7	18	9	9
(NEONATAL)	19	11	8	11	6	5	8	5	3
(POSTNEONATAL)	17	9	8	7	5	2	10	4	6
1-4	8	5	3	4	2	2	4	3	1
5-9	1	1	0	1	1	0	0	0	0
10-14	10	6	4	5	2	3	5	4	1
15-24	58	41	17	41	30	11	17	11	6
25-34	78	59	19	53	42	11	25	17	8
35-44	111	82	29	62	51	11	49	31	18
45-54	268	194	74	177	132	45	91	62	29
55-64	443	350	93	269	208	61	174	142	32
65-74	624	515	109	347	295	52	277	220	57
75-84	897	799	98	446	399	47	451	400	51
85 AND OVER	806	719	87	255	228	27	551	491	60
UNKNOWN	1	1	0	0	0	0	1	1	0

MORTALITY RATES**				2004 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	7.6	5.6	13.7	341,052	
NEONATAL	4.0	3.1	6.9	264,875	
POSTNEONATAL	3.6	2.5	6.9	76,177	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,592	1,124	1,468	10.7	13.5	9.3
HEART DISEASES	774	347	427	320.2	415.6	269.9
MALIGNANT NEOPLASMS	563	230	333	232.9	275.5	210.5
CEREBROVASCULAR DISEASE	199	78	121	82.3	93.4	76.5
ACCIDENTS	155	73	82	64.1	87.4	51.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	131	91	40	54.2	109.0	25.3
INFLUENZA AND PNEUMONIA	64	31	33	26.5	37.1	20.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	62	21	41	25.6	25.2	25.9
DIABETES MELLITUS	60	21	39	24.8	25.2	24.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	57	18	39	23.6	21.6	24.6
ALZHEIMERS DISEASE	51	32	19	21.1	38.3	12.0
SEPTICEMIA	41	18	23	17.0	21.6	14.5
HOMICIDE	33	4	29	13.6	4.8	18.3
HIV DISEASE	22	1	21	9.1	1.2	13.3
CONDITIONS ORIG IN PERINATAL PERIOD	21	3	18	5.7	3.2	6.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	15	7	8	6.2	8.4	5.0
SUICIDE	14	6	8	5.8	7.2	5.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	13	3	10	5.4	3.6	6.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES IN SITU, BENIGN & UNSPECIFIED	13	1	12	5.4	1.2	7.6
NEOPLASMS	12	6	6	5.0	7.2	3.8
PARKINSONS DISEASE	12	8	4	5.0	9.6	2.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	1	7	3.3	1.2	4.4
AORTIC ANEURYSM AND DISSECTION	8	4	4	3.3	4.8	2.5
VIRAL HEPATITIS	3	2	1	1.2	2.4	0.6
ANEMIAS	3	2	1	1.2	2.4	0.6
ATHEROSCLEROSIS	3	0	3	1.2	0.0	1.9
PEPTIC ULCER	3	1	2	1.2	1.2	1.3
INFECTIONS OF KIDNEY	3	0	3	1.2	0.0	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.2	2.4	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.4	0.0	0.6
MATERNAL CAUSES	1	0	1	27.2	0.0	36.4
LEGAL INTERVENTION	1	0	1	0.4	0.0	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	26	14	12	10.8	16.8	7.6
ALL OTHER CAUSES	217	99	118	89.8	118.6	74.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,592	1,124	1,468	1,285	549	736	1,307	575	732
UNDER 1 (NEONATAL)	43	4	39	25	3	22	18	1	17
(POSTNEONATAL)	28	3	25	17	3	14	11	0	11
	15	1	14	8	0	8	7	1	6
1-4	9	1	8	8	1	7	1	0	1
5-9	6	3	3	4	2	2	2	1	1
10-14	6	1	5	4	1	3	2	0	2
15-24	47	14	33	35	11	24	12	3	9
25-34	66	17	49	47	10	37	19	7	12
35-44	110	26	84	70	18	52	40	8	32
45-54	260	64	196	155	38	117	105	26	79
55-64	345	131	214	203	81	122	142	50	92
65-74	432	185	247	241	119	122	191	66	125
75-84	608	300	308	301	166	135	307	134	173
85 AND OVER	660	378	282	192	99	93	468	279	189
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
INFANT	11.7	4.3	14.2	TOTAL	241,700
NEONATAL	7.6	3.2	9.1	WHITE	83,492
POSTNEONATAL	4.1	1.1	5.1	NONWHITE	158,208

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,338	1,501	837	9.4	10.4	8.1
HEART DISEASES	714	470	244	288.6	326.6	235.9
MALIGNANT NEOPLASMS	475	300	175	192.0	208.4	169.2
CEREBROVASCULAR DISEASE	138	85	53	55.8	59.0	51.2
ACCIDENTS	134	72	62	54.2	50.0	59.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	128	104	24	51.7	72.2	23.2
ALZHEIMERS DISEASE	71	54	17	28.7	37.5	16.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	64	35	29	25.9	24.3	28.0
INFLUENZA AND PNEUMONIA	52	39	13	21.0	27.1	12.6
SEPTICEMIA	49	33	16	19.8	22.9	15.5
DIABETES MELLITUS	46	19	27	18.6	13.2	26.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	35	14	21	14.1	9.7	20.3
SUICIDE	29	24	5	11.7	16.7	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	14	8	8.9	9.7	7.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	15	5	8.1	10.4	4.8
CONDITIONS ORIG IN PERINATAL PERIOD	19	3	16	5.4	1.7	9.0
AORTIC ANEURYSM AND DISSECTION	13	12	1	5.2	8.3	1.0
PARKINSONS DISEASE	12	11	1	4.8	7.6	1.0
HOMICIDE	12	3	9	4.8	2.1	8.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	4	5	3.6	2.8	4.8
HIV DISEASE	8	0	8	3.2	0.0	7.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	3.2	4.9	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	7	4	3	2.8	2.8	2.9
ANEMIAS	6	2	4	2.4	1.4	3.9
VIRAL HEPATITIS	5	2	3	2.0	1.4	2.9
ATHEROSCLEROSIS	4	2	2	1.6	1.4	1.9
MENINGITIS	3	2	1	1.2	1.4	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.2	2.1	0.0
TUBERCULOSIS	1	1	0	0.4	0.7	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	0.4	0.0	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	0	1	0.4	0.0	1.0
PEPTIC ULCER	1	1	0	0.4	0.7	0.0
INFECTIONS OF KIDNEY	1	0	1	0.4	0.0	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	29	17	12	11.7	11.8	11.6
ALL OTHER CAUSES	218	149	69	88.1	103.5	66.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,338	1,501	837	1,122	716	406	1,216	785	431
UNDER 1	36	10	26	20	5	15	16	5	11
(Neonatal)	23	5	18	15	3	12	8	2	6
(Postneonatal)	13	5	8	5	2	3	8	3	5
1-4	4	2	2	1	1	0	3	1	2
5-9	2	1	1	2	1	1	0	0	0
10-14	10	3	7	7	3	4	3	0	3
15-24	49	23	26	28	13	15	21	10	11
25-34	39	13	26	24	11	13	15	2	13
35-44	86	40	46	45	26	19	41	14	27
45-54	191	91	100	115	56	59	76	35	41
55-64	270	157	113	176	99	77	94	58	36
65-74	408	263	145	228	154	74	180	109	71
75-84	596	432	164	288	215	73	308	217	91
85 AND OVER	647	466	181	188	132	56	459	334	125
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	10.3	5.8	14.6	247,372	
NEONATAL	6.6	2.9	10.1	143,928	
POSTNEONATAL	3.7	2.9	4.5	103,444	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,304	3,060	2,244	8.6	9.8	7.4
HEART DISEASES	1,659	1,005	654	270.1	321.0	217.2
MALIGNANT NEOPLASMS	1,105	628	477	179.9	200.6	158.4
CEREBROVASCULAR DISEASE	304	176	128	49.5	56.2	42.5
ACCIDENTS	286	158	128	46.6	50.5	42.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	218	176	42	35.5	56.2	13.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	132	54	78	21.5	17.2	25.9
INFLUENZA AND PNEUMONIA	108	74	34	17.6	23.6	11.3
DIABETES MELLITUS	102	41	61	16.6	13.1	20.2
ALZHEIMERS DISEASE	95	72	23	15.5	23.0	7.6
HOMICIDE	86	23	63	14.0	7.3	20.9
SEPTICEMIA	85	36	49	13.8	11.5	16.3
SUICIDE	73	57	16	11.9	18.2	5.3
HIV DISEASE	68	4	64	11.1	1.3	21.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	61	23	38	9.9	7.3	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	47	36	11	7.6	11.5	3.6
CONDITIONS ORIG IN PERINATAL PERIOD	43	10	33	4.6	2.4	6.3
AORTIC ANEURYSM AND DISSECTION	31	17	14	5.0	5.4	4.6
PARKINSONS DISEASE	30	24	6	4.9	7.7	2.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	30	14	16	4.9	4.5	5.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	17	9	8	2.8	2.9	2.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	15	10	5	2.4	3.2	1.7
ATHEROSCLEROSIS	11	8	3	1.8	2.6	1.0
PEPTIC ULCER	11	8	3	1.8	2.6	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	10	6	4	1.6	1.9	1.3
CHOLELITHIASIS/GALLBLADDER DISORDER	7	4	3	1.1	1.3	1.0
ANEMIAS	6	3	3	1.0	1.0	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	6	3	3	1.0	1.0	1.0
VIRAL HEPATITIS	4	2	2	0.6	0.6	0.7
MENINGITIS	3	1	2	0.5	0.3	0.7
MATERNAL CAUSES	3	0	3	32.0	0.0	56.9
TUBERCULOSIS	2	0	2	0.3	0.0	0.7
PNEUMOCOCCUSES & CHEMICAL EFFECTS	2	2	0	0.3	0.6	0.0
LEGAL INTERVENTION	2	1	1	0.3	0.3	0.3
DISEASES OF APPENDIX	1	0	1	0.2	0.0	0.3
HERNIA	1	0	1	0.2	0.0	0.3
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.2	0.0	0.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	63	31	32	10.2	9.9	10.6
ALL OTHER CAUSES	575	343	232	93.6	109.6	77.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,304	3,060	2,244	2,657	1,501	1,156	2,647	1,559	1,088
UNDER 1 (NEONATAL)	97	26	71	65	16	49	32	10	22
(POSTNEONATAL)	55	13	42	41	10	31	14	3	11
	42	13	29	24	6	18	18	7	11
1-4	14	5	9	8	3	5	6	2	4
5-9	10	1	9	4	0	4	6	1	5
10-14	8	4	4	6	2	4	2	2	0
15-24	97	42	55	62	27	35	35	15	20
25-34	145	57	88	97	43	54	48	14	34
35-44	264	111	153	162	73	89	102	38	64
45-54	499	222	277	312	144	168	187	78	109
55-64	657	328	329	414	206	208	243	122	121
65-74	951	549	402	520	312	208	431	237	194
75-84	1,366	934	432	627	440	187	739	494	245
85 AND OVER	1,196	781	415	380	235	145	816	546	270
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	10.3	6.3	13.5	614,206	
NEONATAL	5.9	3.2	8.0	313,034	
POSTNEONATAL	4.5	3.2	5.5	301,172	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,561	1,731	830	10.6	12.0	8.5
HEART DISEASES	766	549	217	316.6	380.5	222.2
MALIGNANT NEOPLASMS	564	390	174	233.1	270.3	178.2
CEREBROVASCULAR DISEASE	156	98	58	64.5	67.9	59.4
ACCIDENTS	150	93	57	62.0	64.5	58.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	114	90	24	47.1	62.4	24.6
ALZHEIMERS DISEASE	71	60	11	29.3	41.6	11.3
INFLUENZA AND PNEUMONIA	69	51	18	28.5	35.4	18.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	59	32	27	24.4	22.2	27.6
DIABETES MELLITUS	53	30	23	21.9	20.8	23.6
SEPTICEMIA	38	25	13	15.7	17.3	13.3
SUICIDE	30	28	2	12.4	19.4	2.0
CONDITIONS ORIG IN PERINATAL PERIOD	29	7	22	7.8	3.6	12.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	24	10	14	9.9	6.9	14.3
HOMICIDE	23	9	14	9.5	6.2	14.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	14	7	8.7	9.7	7.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	16	9	7	6.6	6.2	7.2
HIV DISEASE	12	2	10	5.0	1.4	10.2
AORTIC ANEURYSM AND DISSECTION	11	8	3	4.5	5.5	3.1
PARKINSONS DISEASE	10	9	1	4.1	6.2	1.0
ATHEROSCLEROSIS	7	4	3	2.9	2.8	3.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	4	2	2.5	2.8	2.0
ANEMIAS	4	1	3	1.6	0.7	3.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	1.6	1.4	2.0
COMPLICATIONS MEDICAL/SURGICAL CARE	4	4	0	1.6	2.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	1.2	0.7	2.0
PEPTIC ULCER	3	2	1	1.2	1.4	1.0
VIRAL HEPATITIS	2	1	1	0.8	0.7	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	0.8	1.4	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.7	0.0
HERNIA	1	0	1	0.4	0.0	1.0
HYPERPLASIA OF PROSTATE	1	0	1	0.4	0.0	1.0
MATERNAL CAUSES	1	0	1	26.8	0.0	56.6
LEGAL INTERVENTION	1	0	1	0.4	0.0	1.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	49	33	16	20.2	22.9	16.4
ALL OTHER CAUSES	255	161	94	105.4	111.6	96.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,561	1,731	830	1,317	882	435	1,244	849	395
UNDER 1	47	18	29	35	14	21	12	4	8
(NEONATAL)	35	12	23	27	9	18	8	3	5
(POSTNEONATAL)	12	6	6	8	5	3	4	1	3
1-4	7	1	6	4	1	3	3	0	3
5-9	3	2	1	3	2	1	0	0	0
10-14	6	4	2	4	3	1	2	1	1
15-24	36	21	15	29	18	11	7	3	4
25-34	49	29	20	37	23	14	12	6	6
35-44	104	57	47	72	40	32	32	17	15
45-54	211	114	97	131	77	54	80	37	43
55-64	302	183	119	187	112	75	115	71	44
65-74	489	327	162	289	210	79	200	117	83
75-84	687	520	167	331	254	77	356	266	90
85 AND OVER	620	455	165	195	128	67	425	327	98
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
INFANT	12.6	9.2	16.4	TOTAL	241,921
NEONATAL	9.4	6.1	13.0	WHITE	144,268
POSTNEONATAL	3.2	3.1	3.4	NONWHITE	97,653

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,916	1,078	838	10.9	11.7	10.0
HEART DISEASES	583	327	256	331.9	355.0	306.4
MALIGNANT NEOPLASMS	368	227	141	209.5	246.5	168.7
ACCIDENTS	114	61	53	64.9	66.2	63.4
CEREBROVASCULAR DISEASE	112	72	40	63.8	78.2	47.9
DIABETES MELLITUS	82	29	53	46.7	31.5	63.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	65	49	16	37.0	53.2	19.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	57	23	34	32.4	25.0	40.7
INFLUENZA AND PNEUMONIA	49	22	27	27.9	23.9	32.3
SEPTICEMIA	42	19	23	23.9	20.6	27.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	30	14	16	17.1	15.2	19.1
ALZHEIMERS DISEASE	24	18	6	13.7	19.5	7.2
SUICIDE	23	18	5	13.1	19.5	6.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	11	10	12.0	11.9	12.0
HOMICIDE	19	3	16	10.8	3.2	19.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	15	9	6	8.5	9.8	7.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	12	3	8.5	13.0	3.6
AORTIC ANEURYSM AND DISSECTION	13	7	6	7.4	7.6	7.2
PARKINSONS DISEASE	12	11	1	6.8	11.9	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	6	5	6.3	6.5	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	7	0	7	2.9	0.0	5.1
VIRAL HEPATITIS	5	3	2	2.8	3.2	2.4
HIV DISEASE	5	1	4	2.8	1.1	4.8
CHOLELITHIASIS/GALLBLADDER DISORDER	5	4	1	2.8	4.3	1.2
ANEMIAS	4	2	2	2.3	2.2	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	2.3	1.1	3.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.7	2.2	1.2
MENINGITIS	3	1	2	1.7	1.1	2.4
MATERNAL CAUSES	2	2	0	82.2	188.5	0.0
MENINGOCOCCAL INFECTION	1	1	0	0.6	1.1	0.0
ATHEROSCLEROSIS	1	1	0	0.6	1.1	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.6	1.1	0.0
PEPTIC ULCER	1	0	1	0.6	0.0	1.2
DISEASES OF APPENDIX	1	1	0	0.6	1.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	58	31	27	33.0	33.7	32.3
ALL OTHER CAUSES	160	89	71	91.1	96.6	85.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,916	1,078	838	949	540	409	967	538	429
UNDER 1	19	2	17	16	2	14	3	0	3
(NEONATAL)	10	0	10	9	0	9	1	0	1
(POSTNEONATAL)	9	2	7	7	2	5	2	0	2
1-4	3	1	2	1	1	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	5	3	2	3	2	1	2	1	1
15-24	41	20	21	31	17	14	10	3	7
25-34	38	17	21	25	10	15	13	7	6
35-44	76	20	56	50	17	33	26	3	23
45-54	154	64	90	88	45	43	66	19	47
55-64	269	132	137	153	83	70	116	49	67
65-74	347	199	148	200	122	78	147	77	70
75-84	485	305	180	219	148	71	266	157	109
85 AND OVER	479	315	164	163	93	70	316	222	94
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
INFANT	7.8	1.9	12.4	TOTAL	175,657
NEONATAL	4.1	0.0	7.3	WHITE	92,098
POSTNEONATAL	3.7	1.9	5.1	NONWHITE	83,559

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,827	2,083	744	9.8	10.5	8.2
HEART DISEASES	763	587	176	264.2	296.4	193.9
MALIGNANT NEOPLASMS	587	435	152	203.3	219.7	167.5
CEREBROVASCULAR DISEASE	171	117	54	59.2	59.1	59.5
ACCIDENTS	170	125	45	58.9	63.1	49.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	138	120	18	47.8	60.6	19.8
INFLUENZA AND PNEUMONIA	96	72	24	33.2	36.4	26.4
ALZHEIMERS DISEASE	71	63	8	24.6	31.8	8.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	69	43	26	23.9	21.7	28.6
DIABETES MELLITUS	66	32	34	22.8	16.2	37.5
SEPTICEMIA	65	42	23	22.5	21.2	25.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	31	22	9	10.7	11.1	9.9
SUICIDE	29	26	3	10.0	13.1	3.3
HOMICIDE	26	12	14	9.0	6.1	15.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	22	18	4	7.6	9.1	4.4
AORTIC ANEURYSM AND DISSECTION	18	15	3	6.2	7.6	3.3
CONDITIONS ORIG IN PERINATAL PERIOD	18	8	10	4.2	3.0	6.3
PARKINSONS DISEASE	17	17	0	5.9	8.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	15	2	5.9	7.6	2.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	11	5	5.5	5.6	5.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	12	9	3	4.2	4.5	3.3
HIV DISEASE	10	3	7	3.5	1.5	7.7
COMPLICATIONS MEDICAL/SURGICAL CARE	7	4	3	2.4	2.0	3.3
ATHEROSCLEROSIS	6	6	0	2.1	3.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	4	1	1.7	2.0	1.1
VIRAL HEPATITIS	4	4	0	1.4	2.0	0.0
PEPTIC ULCER	4	2	2	1.4	1.0	2.2
CHOLELITHIASIS/GALLBLADDER DISORDER	4	3	1	1.4	1.5	1.1
ANEMIAS	3	2	1	1.0	1.0	1.1
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	2	0	0.7	1.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	0	2	0.7	0.0	2.2
HERNIA	2	2	0	0.7	1.0	0.0
DISEASES OF APPENDIX	1	1	0	0.3	0.5	0.0
INFECTIONS OF KIDNEY	1	1	0	0.3	0.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	46	28	18	15.9	14.1	19.8
ALL OTHER CAUSES	328	232	96	113.6	117.2	105.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,827	2,083	744	1,410	1,029	381	1,417	1,054	363
UNDER 1 (NEONATAL)	44	18	26	21	7	14	23	11	12
(POSTNEONATAL)	21	9	12	11	3	8	10	6	4
	23	9	14	10	4	6	13	5	8
1-4	17	5	12	10	2	8	7	3	4
5-9	3	1	2	1	1	0	2	0	2
10-14	4	2	2	3	2	1	1	0	1
15-24	64	39	25	48	29	19	16	10	6
25-34	70	42	28	53	32	21	17	10	7
35-44	115	71	44	61	39	22	54	32	22
45-54	217	127	90	115	72	43	102	55	47
55-64	349	245	104	220	156	64	129	89	40
65-74	487	375	112	283	223	60	204	152	52
75-84	792	637	155	385	308	77	407	329	78
85 AND OVER	665	521	144	210	158	52	455	363	92
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2004 POPULATION		
INFANT	10.3	6.6	16.5	TOTAL	288,774	
NEONATAL	4.9	3.3	7.6	WHITE	198,025	
POSTNEONATAL	5.4	3.3	8.9	NONWHITE	90,749	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	4,288	3,614	674	9.3	10.1	6.5
HEART DISEASES	1,238	1,048	190	268.6	293.5	183.0
MALIGNANT NEOPLASMS	978	834	144	212.2	233.6	138.7
ACCIDENTS	288	240	48	62.5	67.2	46.2
CEREBROVASCULAR DISEASE	227	180	47	49.2	50.4	45.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	207	195	12	44.9	54.6	11.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	100	77	23	21.7	21.6	22.2
ALZHEIMERS DISEASE	95	85	10	20.6	23.8	9.6
SEPTICEMIA	91	75	16	19.7	21.0	15.4
DIABETES MELLITUS	80	68	12	17.4	19.0	11.6
SUICIDE	76	67	9	16.5	18.8	8.7
INFLUENZA AND PNEUMONIA	69	63	6	15.0	17.6	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	66	60	6	14.3	16.8	5.8
HOMICIDE	36	20	16	7.8	5.6	15.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	26	19	7	5.6	5.3	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	24	12	12	3.6	2.4	7.0
PARKINSONS DISEASE	23	23	0	5.0	6.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	22	18	4	4.8	5.0	3.8
NEOPLASMS	19	17	2	4.1	4.8	1.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	19	13	6	4.1	3.6	5.8
HIV DISEASE	17	8	9	3.7	2.2	8.7
AORTIC ANEURYSM AND DISSECTION	16	12	4	3.5	3.4	3.8
VIRAL HEPATITIS	14	12	2	3.0	3.4	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE	14	13	1	3.0	3.6	1.0
PEPTIC ULCER	9	9	0	2.0	2.5	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	8	7	1	1.7	2.0	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	5	2	1.5	1.4	1.9
ANEMIAS	6	6	0	1.3	1.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	5	5	0	1.1	1.4	0.0
HERNIA	4	4	0	0.9	1.1	0.0
INFECTIONS OF KIDNEY	4	3	1	0.9	0.8	1.0
ATHEROSCLEROSIS	3	3	0	0.6	0.8	0.0
TUBERCULOSIS	2	2	0	0.4	0.6	0.0
MENINGOCOCCAL INFECTION	2	1	1	0.4	0.3	1.0
MENINGITIS	1	1	0	0.2	0.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	52	43	9	11.3	12.0	8.7
ALL OTHER CAUSES	440	366	74	95.5	102.5	71.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,288	3,614	674	2,308	1,962	346	1,980	1,652	328
UNDER 1	58	36	22	25	17	8	33	19	14
(Neonatal)	38	24	14	15	11	4	23	13	10
(Postneonatal)	20	12	8	10	6	4	10	6	4
1-4	8	6	2	4	4	0	4	2	2
5-9	7	5	2	4	3	1	3	2	1
10-14	4	2	2	4	2	2	0	0	0
15-24	62	45	17	45	33	12	17	12	5
25-34	98	70	28	68	47	21	30	23	7
35-44	187	143	44	125	96	29	62	47	15
45-54	421	327	94	291	225	66	130	102	28
55-64	639	526	113	404	337	67	235	189	46
65-74	869	754	115	498	446	52	371	308	63
75-84	1,134	984	150	572	504	68	562	480	82
85 AND OVER	800	715	85	267	247	20	533	468	65
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				2004 POPULATION	
INFANT	8.7	7.3	12.8	TOTAL	460,880
NEONATAL	5.7	4.9	8.2	WHITE	357,079
POSTNEONATAL	3.0	2.4	4.7	NONWHITE	103,801

** DEATHS PER 1,000 LIVE BIRTHS.