

**MISSISSIPPI
VITAL
STATISTICS
2002**

MISSISSIPPI DEPARTMENT OF HEALTH

TABLE OF CONTENTS

| | Page |
|---|------|
| INTRODUCTION | |
| Description of Bulletin | 1 |
| Definitions of Live Birth, Fetal Death, Induced Termination, and Death | 1 |
| Occurrence and Residence Allocation | 2 |
| Population | 2 |
| Race | 2 |
| Rates | 3 |
| Classification of Cause of Death | 3 |
| | |
| SUMMARY TABLES, 2002 | |
| | |
| POPULATION | |
| Table P1. 2002 Estimated Population, by Age, Race, and Sex, Residents of Mississippi | 7 |
| | |
| LIVE BIRTHS | |
| Table A1. Live Births and Average per Day, by Month | 8 |
| Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2002 | 8 |
| Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother | 9 |
| Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother | 10 |
| Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother | 10 |
| Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother | 11 |
| Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother | 11 |
| Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother | 12 |
| Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother | 12 |
| Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother | 13 |
| Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother | 14 |
| Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother | 15 |
| Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother | 16 |

| | | |
|------------|---|----|
| Table A14. | Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother | 16 |
| Table A15. | Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother | 17 |
| Table A16. | Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother | 17 |

FETAL DEATHS

| | | |
|-----------|---|----|
| Table B1. | Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother | 18 |
| Table B2. | Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother | 19 |
| Table B3. | Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother | 19 |
| Table B4. | Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2000-2002 | 20 |

DEATHS

| | | |
|-------------|---|----|
| Table C1. | Deaths and Average per Day, by Month | 21 |
| Table C2. | Deaths, Percentage Distribution, and Rates, by Age and Race | 21 |
| Table C3A. | Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race | 22 |
| Table C3B. | Death Rates, by Age, Race, and Sex | 22 |
| Table C4. | Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race | 23 |
| Table C5. | Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause | 24 |
| Table C6. | Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race | 25 |
| Table C7. | Deaths from Major Chronic Respiratory Diseases, 1977, 1982, 1987, 1992, 1997, 2002 | 25 |
| Table C8. | Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race | 26 |
| Table C9. | Deaths from Selected Types of Accidents, by Sex, also by Age | 27 |
| Table C10. | Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2002 | 28 |
| Table C11. | Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race | 29 |
| Table C12. | Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race | 30 |
| Table C13A. | Years of Potential Life Lost Before Age 75, for Selected Causes of Death | 31 |
| Table C13B. | Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females | 32 |

| | |
|--|----|
| Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females | 33 |
|--|----|

MARRIAGES

| | |
|--|----|
| Table D1. Marriages and Average per Day, by Month | 34 |
| Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . . | 35 |
| Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race | 36 |
| Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race | 37 |
| Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race | 38 |
| Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride | 39 |

DIVORCES

| | |
|--|----|
| Table E1. Divorces and Percentage Distribution, by Cause and Race | 40 |
| Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race | 40 |
| Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race | 41 |

INDUCED TERMINATIONS OF PREGNANCY

| | |
|--|----|
| Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi | 42 |
| Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi | 43 |
| Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi | 44 |

MAJOR TABLES, 2002**POPULATION**

| | |
|--|----|
| Table i. 2002 Estimated Population and Percent Change From 2000 Census Population, Mississippi | 47 |
|--|----|

LIVE BIRTHS

| | | |
|-----------|--|----|
| Table 1A. | Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2002 | 49 |
| Table 1B. | Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2002 | 52 |
| Table 2. | Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2002 | 53 |
| Table 3A. | Total Live Births, by County of Residence and Age of Mother, Mississippi, 2002 | 56 |
| Table 3B. | Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2002 | 58 |
| Table 3C. | Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2002 | 60 |
| Table 4. | Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2002 . . . | 62 |
| Table 5A. | Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2002 | 64 |
| Table 5B. | Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2002 | 66 |
| Table 5C. | Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2002 | 68 |
| Table 6A. | Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2002 | 70 |
| Table 6B. | Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2002 | 72 |
| Table 7. | Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2002 | 74 |

FETAL DEATHS

| | | |
|----------|--|----|
| Table 8. | Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2002 . . . | 76 |
|----------|--|----|

DEATHS

| | | |
|------------|---|----|
| Table 9. | Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2002 | 78 |
| Table 10A. | Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2002 | 81 |
| Table 10B. | Deaths, by Cause and Race, Mississippi Residents, 2002 | 91 |

| | Page |
|--|------|
| Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2002 | 114 |
| Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2002 | 121 |
| Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1998-2002 (5-Year Average) . . | 123 |
| Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2002 | 125 |
| Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2002 | 128 |
| | |
| MARRIAGES | |
| Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2002 | 130 |
| | |
| DIVORCES | |
| Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2002 | 132 |
| | |
| INDUCED TERMINATIONS | |
| Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2002 | 133 |
| | |
| TEENAGE PREGNANCY | |
| Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2002 | 134 |
| Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2002 | 136 |
| | |
| DEATHS (COUNTY AND STATE SUMMARIES) | |
| Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents | |
| The Counties (in alphabetical order) | 139 |
| The State | 159 |

TIME SERIES TABLES

| | | |
|-----------|---|-----|
| Table 20. | Live Births and Rates, by Year and Race, Mississippi, 1913-2002, (Occurrence Data 1913-1943, Residence Data 1944-2002) | 163 |
| Table 21. | Deaths and Rates, by Year and Race, Mississippi, 1913-2002, (Occurrence Data 1913-1943, Residence Data 1944-2002) | 165 |
| Table 22. | Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2002, (Occurrence Data 1913-1943, Residence Data 1944-2002) | 167 |
| Table 23. | Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2002, (Occurrence Data 1917-1943, Residence Data 1944-2002) | 169 |
| Table 24. | Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2002, (Occurrence Data 1924-1944, Residence Data 1945-2002) | 171 |
| Table 25. | Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2002, (Occurrence Data 1924-1943, Residence Data 1944-2002) | 173 |
| Table 26. | Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2002 | 175 |
| Table 27. | Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2002 | 177 |
| Table 28. | Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2002 | 178 |

APPENDICES

| | | |
|-------------|---|-----|
| Appendix A. | List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included | 181 |
| Appendix B. | List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category | 195 |
| Appendix C. | List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included | 197 |

VITAL STATISTICS MISSISSIPPI, 2002

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2002; the second part contains major statistical tables for 2002. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2002 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-

American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES, 2002

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. 2002 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI**

| AGE | TOTAL | | | WHITE | | | NONWHITE | | |
|--------------|------------------|------------------|------------------|------------------|----------------|----------------|------------------|----------------|----------------|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| <u>TOTAL</u> | <u>2,871,782</u> | <u>1,388,879</u> | <u>1,482,903</u> | <u>1,762,785</u> | <u>866,984</u> | <u>895,801</u> | <u>1,108,997</u> | <u>521,895</u> | <u>587,102</u> |
| 0-4 | 209,456 | 107,156 | 102,300 | 110,762 | 57,046 | 53,716 | 98,694 | 50,110 | 48,584 |
| (Under 1) | 44,116 | 22,610 | 21,506 | 22,815 | 11,786 | 11,029 | 21,301 | 10,824 | 10,477 |
| (1-4) | 165,340 | 84,546 | 80,794 | 87,947 | 45,260 | 42,687 | 77,393 | 39,286 | 38,107 |
| 5-9 | 204,275 | 104,087 | 100,188 | 106,720 | 54,872 | 51,848 | 97,555 | 49,215 | 48,340 |
| 10-14 | 217,408 | 110,869 | 106,539 | 114,416 | 58,955 | 55,461 | 102,992 | 51,914 | 51,078 |
| 15-19 | 219,992 | 112,347 | 107,645 | 117,214 | 60,474 | 56,740 | 102,778 | 51,873 | 50,905 |
| 20-24 | 232,241 | 117,366 | 114,875 | 127,365 | 65,649 | 61,716 | 104,876 | 51,717 | 53,159 |
| 25-29 | 189,872 | 93,795 | 96,077 | 110,222 | 56,683 | 53,539 | 79,650 | 37,112 | 42,538 |
| 30-34 | 192,732 | 93,885 | 98,847 | 117,914 | 59,977 | 57,937 | 74,818 | 33,908 | 40,910 |
| 35-39 | 200,996 | 97,608 | 103,388 | 125,171 | 63,467 | 61,704 | 75,825 | 34,141 | 41,684 |
| 40-44 | 214,605 | 103,939 | 110,666 | 135,128 | 68,039 | 67,089 | 79,477 | 35,900 | 43,577 |
| 45-49 | 202,339 | 97,854 | 104,485 | 128,570 | 63,900 | 64,670 | 73,769 | 33,954 | 39,815 |
| 50-54 | 179,025 | 86,933 | 92,092 | 120,584 | 59,898 | 60,686 | 58,441 | 27,035 | 31,406 |
| 55-59 | 144,731 | 69,794 | 74,937 | 104,776 | 51,463 | 53,313 | 39,955 | 18,331 | 21,624 |
| 60-64 | 117,859 | 55,236 | 62,623 | 87,076 | 41,878 | 45,198 | 30,783 | 13,358 | 17,425 |
| 65-69 | 99,097 | 44,940 | 54,157 | 73,192 | 34,302 | 38,890 | 25,905 | 10,638 | 15,267 |
| 70-74 | 87,072 | 37,299 | 49,773 | 65,704 | 28,950 | 36,754 | 21,368 | 8,349 | 13,019 |
| 75-79 | 66,644 | 26,257 | 40,387 | 49,881 | 20,156 | 29,725 | 16,763 | 6,101 | 10,662 |
| 80-84 | 48,908 | 17,016 | 31,892 | 36,673 | 12,881 | 23,792 | 12,235 | 4,135 | 8,100 |
| 85+ | 44,530 | 12,498 | 32,032 | 31,417 | 8,394 | 23,023 | 13,113 | 4,104 | 9,009 |
| UNDER 15 | 631,139 | 322,112 | 309,027 | 331,898 | 170,873 | 161,025 | 299,241 | 151,239 | 148,002 |
| 15-64 | 1,894,392 | 928,757 | 965,635 | 1,174,020 | 591,428 | 582,592 | 720,372 | 337,329 | 383,043 |
| 65 & OVER | 252,813 | 108,496 | 144,317 | 188,777 | 83,408 | 105,369 | 64,036 | 25,088 | 38,948 |
| MEDIAN AGE | 34.2 | 32.6 | 35.7 | 38.1 | 36.6 | 39.6 | 28.0 | 25.8 | 29.9 |

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2002**

| MONTH | BIRTHS | AVERAGE PER DAY | MONTH | BIRTHS | AVERAGE PER DAY |
|--------------|---------------|--------------------|-----------|--------|--------------------|
| <u>TOTAL</u> | <u>41,511</u> | <u>114</u> | | | |
| JANUARY | 3,486 | 112 | JULY | 3,740 | 121 |
| FEBRUARY | 3,248 | 116 | AUGUST | 3,761 | 121 |
| MARCH | 3,341 | 108 | SEPTEMBER | 3,610 | 120 |
| APRIL | 3,196 | 106 | OCTOBER | 3,633 | 117 |
| MAY | 3,356 | 108 | NOVEMBER | 3,325 | 111 |
| JUNE | 3,271 | 109 | DECEMBER | 3,544 | 114 |

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2002**

| YEAR | TOTAL | WHITE | NON- WHITE | YEAR | TOTAL | WHITE | NON- WHITE |
|-------|-------|-------|---------------|-------|-------|-------|---------------|
| 1940 | 14.1 | 27.1 | 3.9 | | | | |
| 1950 | 46.1 | 83.3 | 18.9 | | | | |
| 1960 | 73.2 | 99.0 | 51.3 | | | | |
| 1970# | 90.0 | 99.7 | 79.7 | 1990# | 99.6 | 99.6 | 99.6 |
| 1971# | 92.2 | 99.6 | 84.2 | 1991# | 99.6 | 99.6 | 99.6 |
| 1972# | 95.2 | 99.8 | 90.4 | 1992# | 99.7 | 99.7 | 99.7 |
| 1973# | 96.4 | 99.7 | 92.8 | 1993# | 99.7 | 99.7 | 99.6 |
| 1974# | 97.4 | 99.7 | 94.8 | 1994# | 99.7 | 99.7 | 99.7 |
| 1975# | 97.9 | 99.6 | 96.0 | 1995# | 99.7 | 99.7 | 99.6 |
| 1976# | 98.5 | 99.7 | 97.3 | 1996# | 99.7 | 99.7 | 99.7 |
| 1977# | 98.9 | 99.7 | 98.1 | 1997# | 99.7 | 99.8 | 99.7 |
| 1978# | 99.1 | 99.7 | 98.4 | 1998# | 99.6 | 99.7 | 99.6 |
| 1979# | 99.3 | 99.7 | 98.9 | 1999# | 99.7 | 99.7 | 99.7 |
| 1980# | 99.4 | 99.7 | 99.1 | 2000# | 99.7 | 99.7 | 99.7 |
| 1981# | 99.3 | 99.6 | 99.0 | 2001# | 99.7 | 99.7 | 99.7 |
| 1982# | 99.4 | 99.6 | 99.2 | 2002# | 99.7 | 99.7 | 99.8 |
| 1983# | 99.5 | 99.6 | 99.4 | | | | |
| 1984# | 99.5 | 99.6 | 99.4 | | | | |
| 1985# | 99.6 | 99.7 | 99.4 | | | | |
| 1986# | 99.6 | 99.7 | 99.5 | | | | |
| 1987# | 99.6 | 99.8 | 99.5 | | | | |
| 1988# | 99.6 | 99.7 | 99.6 | | | | |
| 1989# | 99.6 | 99.8 | 99.5 | | | | |

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2002**

| PLACE OF DELIVERY AND RACE | NUMBER | | | | | | PERCENT | | | | | |
|---------------------------------|---------------|---------------|-------------------------|----------------|--------------------|-----------|--------------|-------------|-------------------------|----------------|--------------------|------------|
| | TOTAL | PHYSICIAN | CERTIFIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UNKNOWN | TOTAL | PHYSICIAN | CERTIFIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UNKNOWN |
| <u>TOTAL</u> | <u>41,511</u> | <u>40,489</u> | <u>854</u> | <u>35</u> | <u>101</u> | <u>32</u> | <u>100.0</u> | <u>97.5</u> | <u>2</u> | <u>0.1</u> | <u>0.2</u> | <u>0.1</u> |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 41,407 | 40,473 | 848 | 0 | 60 | 26 | 99.7 | 97.5 | 2 | - | 0.1 | 0.1 |
| HOME | 1 | 1 | 0 | 0 | 0 | 0 | * | * | - | - | - | - |
| OTHER PLACE | 97 | 11 | 6 | 35 | 40 | 5 | 0.2 | * | * | 0.1 | 0.1 | * |
| | 6 | 4 | 0 | 0 | 1 | 1 | * | * | - | - | * | * |
| <u>WHITE</u> | <u>22,620</u> | <u>22,100</u> | <u>427</u> | <u>32</u> | <u>44</u> | <u>17</u> | <u>100.0</u> | <u>97.7</u> | <u>1.9</u> | <u>0.1</u> | <u>0.2</u> | <u>0.1</u> |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 22,560 | 22,097 | 421 | 0 | 29 | 13 | 99.7 | 97.7 | 1.9 | - | 0.1 | * |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 60 | 3 | 6 | 32 | 15 | 4 | 0.3 | * | * | 0.1 | 0.1 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| <u>NONWHITE</u> | <u>18,891</u> | <u>18,389</u> | <u>427</u> | <u>3</u> | <u>57</u> | <u>15</u> | <u>100.0</u> | <u>97.3</u> | <u>2.3</u> | <u>*</u> | <u>0.3</u> | <u>0.1</u> |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 18,847 | 18,376 | 427 | 0 | 31 | 13 | 99.8 | 97.3 | 2.3 | - | 0.2 | 0.1 |
| HOME | 1 | 1 | 0 | 0 | 0 | 0 | * | * | - | - | 0 | - |
| OTHER PLACE | 37 | 8 | 0 | 3 | 25 | 1 | 0.2 | * | - | * | 0.1 | * |
| | 6 | 4 | 0 | 0 | 1 | 1 | * | * | - | - | * | * |

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2002**

| AGE OF MOTHER | NUMBER | | | PERCENT | | | FERTILITY RATE* | | |
|---------------|---------------|---------------|---------------|--------------|--------------|--------------|-----------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>65.7</u> | <u>63.0</u> | <u>69.2</u> |
| UNDER 15 | 193 | 27 | 166 | 0.5 | 0.1 | 0.9 | 1.8 | 0.5 | 3.2 |
| 15-19 | 6,959 | 2,874 | 4,085 | 16.8 | 12.7 | 21.6 | 64.6 | 50.6 | 80.2 |
| 20-24 | 14,406 | 7,021 | 7,385 | 34.7 | 31.0 | 39.1 | 125.4 | 113.8 | 138.9 |
| 25-29 | 10,407 | 6,413 | 3,994 | 25.1 | 28.4 | 21.1 | 108.3 | 119.8 | 93.9 |
| 30-34 | 6,513 | 4,373 | 2,140 | 15.7 | 19.3 | 11.3 | 65.9 | 75.5 | 52.3 |
| 35-39 | 2,482 | 1,573 | 909 | 6.0 | 7.0 | 4.8 | 24.0 | 25.5 | 21.8 |
| 40-44 | 517 | 322 | 195 | 1.2 | 1.4 | 1.0 | 4.7 | 4.8 | 4.5 |
| 45-49 | 25 | 13 | 12 | 0.1 | ** | 0.1 | 0.2 | 0.2 | 0.3 |
| UNKNOWN | 9 | 4 | 5 | ** | ** | ** | | | |

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2002**

| YEARS OF SCHOOL COMPLETED BY MOTHER | NUMBER | | | PERCENT* | | | CUMULATIVE PERCENT* | | |
|-------------------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL BIRTHS</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | | | |
| 0-6 YEARS | 378 | 274 | 104 | 0.9 | 1.2 | 0.6 | 0.9 | 1.2 | 0.6 |
| 7-9 YEARS | 3,218 | 1,748 | 1,470 | 7.8 | 7.8 | 7.8 | 8.7 | 9.0 | 8.3 |
| 10,11 YEARS | 6,640 | 2,687 | 3,953 | 16.0 | 11.9 | 21.0 | 24.7 | 20.9 | 29.3 |
| 12 YEARS | 13,182 | 6,346 | 6,836 | 31.8 | 28.2 | 36.2 | 56.6 | 49.0 | 65.6 |
| 1-3 YEARS COLLEGE | 10,423 | 5,807 | 4,616 | 25.2 | 25.8 | 24.5 | 81.8 | 74.8 | 90.0 |
| 4 OR MORE YEARS OF COLLEGE | 7,550 | 5,674 | 1,876 | 18.2 | 25.2 | 10.0 | 100.0 | 100.0 | 100.0 |
| UNKNOWN | 120 | 84 | 36 | | | | | | |
| MEDIAN YEARS COMPLETED* | 12 | 13 | 12 | | | | | | |

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2002**

| AGE OF MOTHER | NUMBER | | | PERCENT | | |
|---------------|---------------|--------------|---------------|-------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>19,556</u> | <u>5,466</u> | <u>14,090</u> | <u>47.1</u> | <u>24.2</u> | <u>74.6</u> |
| UNDER 15 | 193 | 27 | 166 | 100.0 | 100.0 | 100.0 |
| 15-19 | 5,732 | 1,765 | 3,967 | 82.4 | 61.4 | 97.1 |
| 20-24 | 8,434 | 2,267 | 6,167 | 58.5 | 32.3 | 83.5 |
| 25-29 | 3,210 | 843 | 2,367 | 30.8 | 13.1 | 59.3 |
| 30-34 | 1,317 | 358 | 959 | 20.2 | 8.2 | 44.8 |
| 35-39 | 515 | 160 | 355 | 20.7 | 10.2 | 39.0 |
| 40-44 | 145 | 44 | 101 | 28.0 | 13.7 | 51.8 |
| 45-49 | 4 | 1 | 3 | 16.0 | 7.7 | 25.0 |
| UNKNOWN | 6 | 1 | 5 | | | |

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2002**

| TOTAL - BIRTH ORDER* | NUMBER | | | PERCENT | | | FERTILITY RATE** | | | MEDIAN AGE OF MOTHER | | |
|----------------------|---------------|---------------|---------------|--------------|--------------|--------------|------------------|-------------|-------------|----------------------|-----------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>65.7</u> | <u>63.0</u> | <u>69.2</u> | <u>24</u> | <u>26</u> | <u>23</u> |
| FIRST | 14,191 | 8,007 | 6,184 | 34.2 | 35.4 | 32.7 | 22.5 | 22.3 | 22.7 | 21 | 22 | 20 |
| SECOND | 12,616 | 7,270 | 5,346 | 30.4 | 32.1 | 28.3 | 20.0 | 20.3 | 19.6 | 24 | 26 | 22 |
| THIRD | 7,815 | 4,166 | 3,649 | 18.8 | 18.4 | 19.3 | 12.4 | 11.6 | 13.4 | 26 | 28 | 24 |
| FOURTH | 3,789 | 1,796 | 1,993 | 9.1 | 7.9 | 10.6 | 6.0 | 5.0 | 7.3 | 27 | 29 | 26 |
| FIFTH | 1,670 | 738 | 932 | 4.0 | 3.3 | 4.9 | 2.6 | 2.0 | 3.4 | 28 | 30 | 27 |
| SIXTH | 737 | 348 | 389 | 1.8 | 1.5 | 2.0 | 1.2 | 1.0 | 1.4 | 30 | 31 | 29 |
| SEVENTH | 330 | 153 | 177 | 0.8 | 0.7 | 0.9 | 0.5 | 0.4 | 0.6 | 30 | 32 | 29 |
| EIGHTH | 154 | 51 | 103 | 0.4 | 0.2 | 0.5 | 0.2 | 0.1 | 0.4 | 32 | 34 | 32 |
| NINTH | 79 | 35 | 44 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 34 | 35 | 33 |
| TENTH & OVER | 86 | 29 | 57 | 0.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.2 | 35 | 35 | 36 |
| UNKNOWN | 44 | 27 | 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | | | |

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2002**

| PRENATAL CARE AND TIME CARE BEGAN | NUMBER | | | PERCENT | | |
|--------------------------------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NO PRENATAL CARE | 401 | 118 | 283 | 1.0 | 0.5 | 1.5 |
| <u>SOME PRENATAL CARE</u> | <u>40,851</u> | <u>22,332</u> | <u>18,519</u> | <u>98.4</u> | <u>98.7</u> | <u>98.0</u> |
| FIRST TRIMESTER | 34,501 | 20,201 | 14,300 | 83.1 | 89.3 | 75.7 |
| SECOND TRIMESTER | 5,382 | 1,805 | 3,577 | 13.0 | 8.0 | 18.9 |
| THIRD TRIMESTER | 821 | 274 | 547 | 2.0 | 1.2 | 2.9 |
| UNKNOWN MONTH | 147 | 52 | 95 | 0.4 | 0.2 | 0.5 |
| UNKNOWN WHETHER ANY PRENATAL CARE | 259 | 170 | 89 | 0.6 | 0.8 | 0.5 |

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2002**

| MATURITY* | NUMBER | | | PERCENT | | |
|-------------------------------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| IMMATURE ONLY** | 1,882 | 734 | 1,148 | 4.5 | 3.2 | 6.1 |
| PREMATURE ONLY** | 4,157 | 2,023 | 2,134 | 10.0 | 8.9 | 11.3 |
| BOTH IMMATURE AND PREMATURE | 2,762 | 1,097 | 1,665 | 6.6 | 4.8 | 8.8 |
| TOTAL IMMATURE | 4,644 | 1,831 | 2,813 | 11.2 | 8.1 | 14.9 |
| TOTAL PREMATURE | 6,919 | 3,120 | 3,799 | 16.7 | 13.8 | 20.1 |
| TOTAL IMMATURE AND/OR PREMATURE | 8,801 | 3,854 | 4,947 | 21.2 | 17.0 | 26.2 |
| NEITHER IMMATURE NOR PREMATURE** | 32,710 | 18,766 | 13,944 | 78.8 | 83.0 | 73.8 |

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2002**

| CONGENITAL ANOMALY | TOTAL | WHITE | NON- WHITE |
|---|------------|------------|---------------|
| <u>TOTAL ANOMALIES REPORTED</u> | <u>790</u> | <u>275</u> | <u>515</u> |
| ANENCEPHALUS | 5 | 3 | 2 |
| SPINA BIFIDA / MENINGOCELE | 8 | 1 | 7 |
| HYDROCEPHALUS | 10 | 6 | 4 |
| MICROCEPHALUS | 0 | 0 | 0 |
| OTHER CENTRAL NERVOUS SYSTEM ANOMALIES | 4 | 2 | 2 |
| HEART MALFORMATIONS | 39 | 18 | 21 |
| OTHER CIRCULATORY / RESPIRATORY ANOMALIES | 30 | 20 | 10 |
| RECTAL ATRESIA / STENOSIS | 7 | 5 | 2 |
| TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA | 4 | 2 | 2 |
| OMPHALOCELE / GASTROSCHISIS | 12 | 5 | 7 |
| OTHER GASTROINTESTINAL ANOMALIES | 16 | 6 | 10 |
| MALFORMED GENITALIA | 52 | 23 | 29 |
| RENAL AGENESIS | 7 | 6 | 1 |
| OTHER UROGENITAL ANOMALIES | 23 | 14 | 9 |
| CLEFT LIP / PALATE | 34 | 19 | 15 |
| POLYDACTYLY / SYNDACTYLY / ADACTYLY | 81 | 19 | 62 |
| CLUB FOOT | 24 | 15 | 9 |
| DIAPHRAGMATIC HERNIA | 5 | 3 | 2 |
| OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES | 365 | 72 | 293 |
| DOWNS SYNDROME | 19 | 11 | 8 |
| OTHER CHROMOSOMAL ANOMALIES | 9 | 4 | 5 |
| OTHER | 36 | 21 | 15 |

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2002**

| MEDICAL RISK FACTOR | TOTAL | WHITE | NON- WHITE |
|---|---------------|--------------|---------------|
| <u>TOTAL RISK FACTORS REPORTED</u> | <u>12,027</u> | <u>5,768</u> | <u>6,259</u> |
| ANEMIA (HCT. < 30/HGB. < 10) | 917 | 395 | 522 |
| CARDIAC DISEASE | 199 | 147 | 52 |
| ACUTE OR CHRONIC LUNG DISEASE | 345 | 185 | 160 |
| DIABETES | 1,147 | 583 | 564 |
| GENITAL HERPES | 243 | 139 | 104 |
| HYDRAMNIOS/OLIGOHYDRAMNIOS | 451 | 217 | 234 |
| HEMOGLOBINOPATHY | 207 | 5 | 202 |
| HYPERTENSION, CHRONIC | 698 | 259 | 439 |
| HYPERTENSION, PREGNANCY-ASSOCIATED | 2,253 | 1,148 | 1,105 |
| ECLAMPSIA | 223 | 128 | 95 |
| INCOMPETENT CERVIX | 113 | 47 | 66 |
| PREVIOUS INFANT 4000+ GRAMS | 160 | 111 | 49 |
| PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT | 479 | 231 | 248 |
| RENAL DISEASE | 77 | 59 | 18 |
| RH SENSITIZATION | 245 | 183 | 62 |
| UTERINE BLEEDING | 148 | 89 | 59 |
| OTHER | 4,122 | 1,842 | 2,280 |

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2002**

| RISK FACTOR | NUMBER | | | PERCENT | | |
|--------------------------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL LIVE BIRTHS</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| TOBACCO USE DURING PREGNANCY | | | | | | |
| NONE | 36,426 | 18,708 | 17,718 | 87.8 | 82.7 | 93.8 |
| <u>SOME</u> | <u>5,005</u> | <u>3,865</u> | <u>1,140</u> | <u>12.0</u> | <u>17.1</u> | <u>6.0</u> |
| 1-9 CIGARETTES PER DAY | 1,947 | 1,310 | 637 | 4.7 | 5.8 | 3.4 |
| 10-19 CIGARETTES PER DAY | 1,794 | 1,504 | 290 | 4.3 | 6.6 | 1.5 |
| 20-29 CIGARETTES PER DAY | 979 | 858 | 121 | 2.4 | 3.8 | 0.6 |
| 30-39 CIGARETTES PER DAY | 48 | 41 | 7 | 0.1 | 0.2 | * |
| 40-49 CIGARETTES PER DAY | 32 | 27 | 5 | 0.1 | 0.1 | * |
| 50-59 CIGARETTES PER DAY | 1 | 1 | 0 | * | * | - |
| 60 OR MORE PER DAY | 2 | 2 | 0 | * | * | - |
| UNKNOWN AMOUNT | 202 | 122 | 80 | 0.5 | 0.5 | 0.4 |
| NOT STATED | 80 | 47 | 33 | 0.2 | 0.2 | 0.2 |
| ALCOHOL USE DURING PREGNANCY | | | | | | |
| NONE | 41,212 | 22,481 | 18,731 | 99.3 | 99.4 | 99.2 |
| <u>SOME</u> | <u>215</u> | <u>91</u> | <u>124</u> | <u>0.5</u> | <u>0.4</u> | <u>0.6</u> |
| 1 DRINK PER WEEK | 67 | 36 | 31 | 0.2 | 0.2 | 0.2 |
| 2 DRINKS PER WEEK | 37 | 15 | 22 | 0.1 | 0.1 | 0.1 |
| 3 DRINKS PER WEEK | 14 | 5 | 9 | * | * | * |
| 4 DRINKS PER WEEK | 6 | 4 | 2 | * | * | * |
| 5 DRINKS PER WEEK | 4 | 2 | 2 | * | * | * |
| 6 OR MORE PER WEEK | 21 | 10 | 11 | * | * | * |
| UNKNOWN AMOUNT | 66 | 19 | 47 | 0.2 | 0.1 | 0.2 |
| NOT STATED | 84 | 48 | 36 | 0.2 | 0.2 | 0.2 |
| WEIGHT GAINED DURING PREGNANCY | | | | | | |
| NONE OR LOST WEIGHT | 1,097 | 401 | 696 | 2.6 | 1.8 | 3.7 |
| 1-4 POUNDS | 431 | 179 | 252 | 1.0 | 0.8 | 1.3 |
| 5-9 POUNDS | 1,157 | 487 | 670 | 2.8 | 2.2 | 3.5 |
| 10-14 POUNDS | 2,406 | 1,043 | 1,363 | 5.8 | 4.6 | 7.2 |
| 15-19 POUNDS | 3,030 | 1,405 | 1,625 | 7.3 | 6.2 | 8.6 |
| 20-24 POUNDS | 5,253 | 2,621 | 2,632 | 12.6 | 11.6 | 13.9 |
| 25-29 POUNDS | 4,840 | 2,768 | 2,072 | 11.7 | 12.2 | 11.0 |
| 30-34 POUNDS | 6,218 | 3,605 | 2,613 | 15.0 | 15.9 | 13.8 |
| 35-39 POUNDS | 4,092 | 2,551 | 1,541 | 9.8 | 11.3 | 8.2 |
| 40-44 POUNDS | 4,101 | 2,478 | 1,623 | 9.9 | 11.0 | 8.6 |
| 45 OR MORE POUNDS | 6,446 | 3,826 | 2,620 | 15.5 | 16.9 | 13.9 |
| UNKNOWN AMOUNT | 2,440 | 1,256 | 1,184 | 5.9 | 5.6 | 6.3 |
| MEDIAN WEIGHT GAIN (LBS)** | 30 | 30 | 38 | | | |

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2002**

| COMPLICATION | TOTAL | WHITE | NON- WHITE |
|---|---------------|--------------|---------------|
| <u>TOTAL COMPLICATIONS REPORTED</u> | <u>11,810</u> | <u>6,423</u> | <u>5,387</u> |
| FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.) | 344 | 179 | 165 |
| MECONIUM, MODERATE / HEAVY | 1,584 | 698 | 886 |
| PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS) | 920 | 383 | 537 |
| ABRUPTIO PLACENTA | 236 | 137 | 99 |
| PLACENTA PREVIA | 102 | 62 | 40 |
| OTHER EXCESSIVE BLEEDING | 117 | 63 | 54 |
| SEIZURES DURING LABOR | 16 | 7 | 9 |
| PRECIPITOUS LABOR (< 3 HOURS) | 471 | 241 | 230 |
| PROLONGED LABOR (> 20 HOURS) | 165 | 87 | 78 |
| DYSFUNCTIONAL LABOR | 1,115 | 644 | 471 |
| BREECH / MALPRESENTATION | 1,599 | 953 | 646 |
| CEPHALOPELVIC DISPROPORTION | 1,033 | 653 | 380 |
| CORD PROLAPSE | 59 | 29 | 30 |
| ANESTHETIC COMPLICATIONS | 36 | 29 | 7 |
| FETAL DISTRESS | 1,973 | 967 | 1,006 |
| OTHER | 2,040 | 1,291 | 749 |

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2002**

| METHOD OF DELIVERY | TOTAL | WHITE | NON- WHITE |
|---|---------------|---------------|---------------|
| <u>TOTAL METHODS OF DELIVERY REPORTED</u> | <u>44,147</u> | <u>24,255</u> | <u>19,892</u> |
| VAGINAL | 28,108 | 15,262 | 12,846 |
| VAGINAL BIRTH AFTER PREVIOUS C-SECTION | 393 | 189 | 204 |
| PRIMARY C-SECTION | 7,672 | 4,225 | 3,447 |
| REPEAT C-SECTION | 5,321 | 2,932 | 2,389 |
| FORCEPS | 855 | 581 | 274 |
| VACUUM | 1,798 | 1,066 | 732 |

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2002**

| OBSTETRIC PROCEDURE | TOTAL | WHITE | NON- WHITE |
|--|---------------|---------------|---------------|
| <u>TOTAL OBSTETRIC PROCEDURES REPORTED</u> | <u>73,486</u> | <u>42,478</u> | <u>31,008</u> |
| AMNIOCENTESIS | 217 | 132 | 85 |
| ELECTRONIC FETAL MONITORING | 34,458 | 19,275 | 15,183 |
| INDUCTION OF LABOR | 7,200 | 4,653 | 2,547 |
| STIMULATION OF LABOR | 6,033 | 3,568 | 2,465 |
| TOCOLYSIS | 541 | 253 | 288 |
| ULTRASOUND | 24,856 | 14,493 | 10,363 |
| OTHER | 181 | 104 | 77 |

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2002**

| ABNORMAL CONDITION OF NEWBORN | TOTAL | WHITE | NON- WHITE |
|---|--------------|--------------|---------------|
| <u>TOTAL ABNORMAL CONDITIONS REPORTED</u> | <u>3,234</u> | <u>1,615</u> | <u>1,619</u> |
| ANEMIA (HCT. < 39 / HGB. < 13) | 33 | 15 | 18 |
| BIRTH INJURY | 278 | 204 | 74 |
| FETAL ALCOHOL SYNDROME | 1 | 1 | 0 |
| HYALINE MEMBRANE DISEASE / RDS | 474 | 265 | 209 |
| MECONIUM ASPIRATION SYNDROME | 65 | 22 | 43 |
| ASSISTED VENTILATION < 30 MINUTES | 755 | 399 | 356 |
| ASSISTED VENTILATION 30 MINUTES OR MORE | 636 | 246 | 390 |
| SEIZURES | 13 | 6 | 7 |
| OTHER | 979 | 457 | 522 |

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2002

| PLACE OF DELIVERY AND RACE | NUMBER | | | | | | PERCENT | | | | | |
|-----------------------------------|------------|------------|-------------------------|----------------|--------------------|----------|--------------|-------------|-------------------------|----------------|--------------------|------------|
| | TOTAL | PHYSICIAN | CERTIFIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UNKNOWN | TOTAL | PHYSICIAN | CERTIFIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UNKNOWN |
| <u>TOTAL</u> | <u>394</u> | <u>377</u> | <u>8</u> | <u>0</u> | <u>8</u> | <u>1</u> | <u>100.0</u> | <u>95.7</u> | <u>2.0</u> | - | <u>2.0</u> | <u>0.2</u> |
| HOSPITAL CLINIC / DOCTOR'S OFFICE | 392 | 376 | 8 | 0 | 8 | 0 | 99.5 | 95.4 | 2.0 | - | 2.0 | - |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 2 | 1 | 0 | 0 | 0 | 1 | 0.5 | 0.2 | - | - | - | 0.2 |
| <u>WHITE</u> | <u>122</u> | <u>114</u> | <u>3</u> | <u>0</u> | <u>5</u> | <u>0</u> | <u>100.0</u> | <u>93.4</u> | <u>2.4</u> | - | <u>4.1</u> | - |
| HOSPITAL CLINIC / DOCTOR'S OFFICE | 121 | 113 | 3 | 0 | 5 | 0 | 99.2 | 92.6 | 2.4 | - | 4.1 | - |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 1 | 1 | 0 | 0 | 0 | 0 | 0.8 | 0.8 | - | - | - | - |
| <u>NONWHITE</u> | <u>272</u> | <u>263</u> | <u>5</u> | <u>0</u> | <u>3</u> | <u>1</u> | <u>100.0</u> | <u>96.7</u> | <u>1.8</u> | - | <u>1.1</u> | <u>0.4</u> |
| HOSPITAL CLINIC / DOCTOR'S OFFICE | 271 | 263 | 5 | 0 | 3 | 0 | 99.6 | 96.7 | 1.8 | - | 1.1 | - |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 1 | 0 | 0 | 0 | 0 | 1 | 0.4 | - | - | - | - | 0.4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2002**

| AGE OF MOTHER | NUMBER | | | RATIO** | | |
|---------------|------------|------------|------------|------------|------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>394</u> | <u>122</u> | <u>272</u> | <u>9.5</u> | <u>5.4</u> | <u>14.4</u> |
| UNDER 15 | 4 | 0 | 4 | 20.7 | # | 24.1 |
| 15-19 | 82 | 25 | 57 | 11.8 | 8.7 | 14.0 |
| 20-24 | 114 | 21 | 93 | 7.9 | 3.0 | 12.6 |
| 25-29 | 83 | 35 | 48 | 8.0 | 5.4 | 12.0 |
| 30-34 | 74 | 28 | 46 | 11.4 | 6.4 | 21.5 |
| 35-39 | 24 | 9 | 15 | 9.7 | 5.7 | 16.5 |
| 40-44 | 13 | 4 | 9 | 25.1 | # | 46.2 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2002**

| PRENATAL CARE | LIVE BIRTHS | | | REPORTABLE* FETAL DEATHS | | |
|--------------------------|--------------|--------------|--------------|--------------------------|--------------|--------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NO CARE | 1.0 | 0.5 | 1.5 | 7.4 | 1.6 | 9.9 |
| SOME CARE | 98.0 | 98.5 | 97.5 | 79.4 | 91.8 | 73.9 |
| UNKNOWN WHETHER ANY CARE | 1.0 | 1.0 | 1.0 | 13.2 | 6.6 | 16.2 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2000-2002**

| COMPLETED WEEKS OF GESTATION ** | TOTAL | | | WHITE | | | NONWHITE | | |
|------------------------------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | 2000 | 2001 | 2002 | 2000 | 2001 | 2002 | 2000 | 2001 | 2002 |
| REPORTABLE* FETAL DEATHS | | | | | | | | | |
| <u>TOTAL</u> | <u>465</u> | <u>376</u> | <u>394</u> | <u>141</u> | <u>109</u> | <u>122</u> | <u>324</u> | <u>267</u> | <u>272</u> |
| UNDER 20 | 23 | 15 | 13 | 5 | 2 | 2 | 18 | 13 | 11 |
| <u>20 AND OVER</u> | <u>347</u> | <u>286</u> | <u>294</u> | <u>110</u> | <u>83</u> | <u>102</u> | <u>237</u> | <u>203</u> | <u>192</u> |
| 20-22 | 94 | 76 | 76 | 26 | 23 | 14 | 68 | 53 | 62 |
| 23-27 | 79 | 63 | 73 | 27 | 11 | 29 | 52 | 52 | 44 |
| 28-36 | 109 | 98 | 93 | 31 | 37 | 38 | 78 | 61 | 55 |
| 37 AND OVER | 65 | 49 | 52 | 26 | 12 | 21 | 39 | 37 | 31 |
| UNKNOWN | 95 | 75 | 87 | 26 | 24 | 18 | 69 | 51 | 69 |
| FETAL DEATH RATIOS# | | | | | | | | | |
| <u>TOTAL</u> | <u>10.6</u> | <u>8.9</u> | <u>9.5</u> | <u>6.0</u> | <u>4.8</u> | <u>5.4</u> | <u>15.8</u> | <u>13.7</u> | <u>14.4</u> |
| UNDER 20 | 0.5 | 0.4 | 0.3 | 0.2 | 0.1 | 0.1 | 0.9 | 0.7 | 0.6 |
| <u>20 AND OVER</u> | <u>7.9</u> | <u>6.8</u> | <u>7.1</u> | <u>4.7</u> | <u>3.6</u> | <u>4.5</u> | <u>11.5</u> | <u>10.4</u> | <u>10.2</u> |
| 20-22 | 2.1 | 1.8 | 1.8 | 1.1 | 1.0 | 0.6 | 3.3 | 2.7 | 3.3 |
| 23-27 | 1.8 | 1.5 | 1.8 | 1.1 | 0.5 | 1.3 | 2.5 | 2.7 | 2.3 |
| 28-36 | 2.5 | 2.3 | 2.2 | 1.3 | 1.6 | 1.7 | 3.8 | 3.1 | 2.9 |
| 37 AND OVER | 1.5 | 1.2 | 1.2 | 1.1 | 0.5 | 0.9 | 1.9 | 1.9 | 1.6 |
| UNKNOWN | 2.2 | 1.8 | 2.1 | 1.1 | 1.0 | 0.8 | 3.4 | 2.6 | 3.6 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2002**

| MONTH | DEATHS | AVERAGE PER DAY | MONTH | DEATHS | AVERAGE PER DAY |
|--------------|---------------|--------------------|-----------|--------|--------------------|
| <u>TOTAL</u> | <u>28,765</u> | <u>79</u> | | | |
| JANUARY | 2,582 | 83 | JULY | 2,187 | 70 |
| FEBRUARY | 2,419 | 86 | AUGUST | 2,235 | 72 |
| MARCH | 2,741 | 88 | SEPTEMBER | 2,307 | 77 |
| APRIL | 2,301 | 77 | OCTOBER | 2,349 | 76 |
| MAY | 2,353 | 76 | NOVEMBER | 2,397 | 80 |
| JUNE | 2,281 | 76 | DECEMBER | 2,613 | 84 |

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2002**

| AGE | NUMBER | | | PERCENT | | | RATE* | | |
|--------------|---------------|---------------|---------------|--------------|--------------|---------------|-------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>28,765</u> | <u>19,168</u> | <u>9,597</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>10.0</u> | <u>10.9</u> | <u>8.6</u> |
| UNDER 1 | 428 | 155 | 273 | 1.5 | 0.8 | 2.8 | 9.7 | 6.8 | 12.8 |
| 1-4 | 72 | 30 | 42 | 0.2 | 0.2 | 0.4 | 0.4 | 0.3 | 0.5 |
| 5-9 | 65 | 19 | 46 | 0.2 | 0.1 | 0.5 | 0.3 | 0.2 | 0.5 |
| 10-14 | 81 | 35 | 46 | 0.3 | 0.2 | 0.5 | 0.4 | 0.3 | 0.4 |
| 15-24 | 512 | 270 | 242 | 1.8 | 1.4 | 2.5 | 1.1 | 1.1 | 1.2 |
| 25-34 | 661 | 323 | 338 | 2.3 | 1.7 | 3.5 | 1.7 | 1.4 | 2.2 |
| 35-44 | 1,277 | 653 | 624 | 4.4 | 3.4 | 6.5 | 3.1 | 2.5 | 4.0 |
| 45-54 | 2,336 | 1,304 | 1,032 | 8.1 | 6.8 | 10.8 | 6.1 | 5.2 | 7.8 |
| 55-64 | 3,471 | 2,132 | 1,339 | 12.1 | 11.1 | 14.0 | 13.2 | 11.1 | 18.9 |
| 65-74 | 5,282 | 3,662 | 1,620 | 18.4 | 19.1 | 16.9 | 28.4 | 26.4 | 34.3 |
| 75 AND OVER | 14,576 | 10,582 | 3,994 | 50.7 | 55.2 | 41.6 | 91.0 | 89.7 | 94.8 |
| UNKNOWN | 4 | 3 | 1 | ** | ** | ** | | | |

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2002**

| AGE | TOTAL | | | WHITE | | | NONWHITE | | |
|--------------|---------------|---------------|------------------------|--------------|--------------|------------------------|--------------|--------------|------------------------|
| | MALE | FEMALE | MALES PER FEMALE | MALE | FEMALE | MALES PER FEMALE | MALE | FEMALE | MALES PER FEMALE |
| <u>TOTAL</u> | <u>14,229</u> | <u>14,536</u> | <u>0.98</u> | <u>9,413</u> | <u>9,755</u> | <u>0.96</u> | <u>4,816</u> | <u>4,781</u> | <u>1.01</u> |
| UNDER 1 | 242 | 186 | 1.30 | 92 | 63 | 1.46 | 150 | 123 | 1.22 |
| 1-4 | 41 | 31 | 1.32 | 15 | 15 | 1.00 | 26 | 16 | 1.62 |
| 5-9 | 32 | 33 | 0.97 | 14 | 5 | 2.80 | 18 | 28 | 0.64 |
| 10-14 | 49 | 32 | 1.53 | 21 | 14 | 1.50 | 28 | 18 | 1.56 |
| 15-24 | 355 | 157 | 2.26 | 192 | 78 | 2.46 | 163 | 79 | 2.06 |
| 25-34 | 419 | 242 | 1.73 | 211 | 112 | 1.88 | 208 | 130 | 1.60 |
| 35-44 | 787 | 490 | 1.61 | 410 | 243 | 1.69 | 377 | 247 | 1.53 |
| 45-54 | 1,431 | 905 | 1.58 | 832 | 472 | 1.76 | 599 | 433 | 1.38 |
| 55-64 | 2,121 | 1,350 | 1.57 | 1,336 | 796 | 1.68 | 785 | 554 | 1.42 |
| 65-74 | 3,061 | 2,221 | 1.38 | 2,172 | 1,490 | 1.46 | 889 | 731 | 1.22 |
| 75-84 | 3,560 | 4,045 | 0.88 | 2,633 | 2,934 | 0.90 | 927 | 1,111 | 0.83 |
| 85 AND OVER | 2,128 | 4,843 | 0.44 | 1,483 | 3,532 | 0.42 | 645 | 1,311 | 0.49 |
| UNKNOWN | 3 | 1 | | 2 | 1 | | 1 | 0 | |
| MEDIAN AGE | 70 | 79 | | 72 | 80 | | 65 | 75 | |

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2002**

| AGE | TOTAL | | WHITE | | NONWHITE | |
|--------------|-------------|------------|-------------|-------------|------------|------------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| <u>TOTAL</u> | <u>10.2</u> | <u>9.8</u> | <u>10.8</u> | <u>10.9</u> | <u>9.2</u> | <u>8.1</u> |
| UNDER 1 | 10.7 | 8.6 | 7.8 | 5.7 | 13.8 | 11.7 |
| 1-4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.7 | 0.4 |
| 5-9 | 0.3 | 0.3 | 0.2 | 0.1 | 0.4 | 0.6 |
| 10-14 | 0.4 | 0.3 | 0.4 | 0.2 | 0.5 | 0.4 |
| 15-24 | 1.5 | 0.7 | 1.5 | 0.6 | 1.6 | 0.8 |
| 25-34 | 2.2 | 1.2 | 1.8 | 1.0 | 2.9 | 1.6 |
| 35-44 | 3.9 | 2.3 | 3.1 | 1.9 | 5.4 | 2.9 |
| 45-54 | 7.7 | 4.6 | 6.7 | 3.8 | 9.8 | 6.1 |
| 55-64 | 17.0 | 9.8 | 14.3 | 8.1 | 24.8 | 14.2 |
| 65-74 | 37.2 | 21.4 | 34.3 | 19.7 | 46.8 | 25.8 |
| 75 AND OVER | 102.0 | 85.2 | 99.3 | 84.5 | 109.6 | 87.2 |

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | NUMBER | | | RATE* | | | PERCENT | | |
|--|---------------|---------------|--------------|------------|------------|------------|-------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL OF TEN LEADING CAUSES</u> | <u>23,127</u> | <u>15,665</u> | <u>7,462</u> | <u>8.0</u> | <u>8.9</u> | <u>6.7</u> | <u>80.4</u> | <u>81.7</u> | <u>77.8</u> |
| 1. HEART DISEASES (156-160,162,164-181) | 9,020 | 6,115 | 2,905 | 314.1 | 346.9 | 261.9 | 31.4 | 31.9 | 30.3 |
| 2. MALIGNANT NEOPLASMS (056-108) | 6,050 | 4,087 | 1,963 | 210.7 | 231.8 | 177.0 | 21.0 | 21.3 | 20.4 |
| 3. CEREBROVASCULAR DISEASE (182-186) | 1,918 | 1,261 | 657 | 66.8 | 71.5 | 59.2 | 6.7 | 6.6 | 6.8 |
| 4. ACCIDENTS (295-330) | 1,632 | 1,068 | 564 | 56.8 | 60.6 | 50.8 | 5.7 | 5.6 | 5.9 |
| 5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 1,372 | 1,146 | 226 | 47.8 | 65.0 | 20.4 | 4.8 | 6.0 | 2.4 |
| 6. INFLUENZA AND PNEUMONIA (195-198) | 798 | 568 | 230 | 27.8 | 32.2 | 20.7 | 2.8 | 3.0 | 2.4 |
| 7. DIABETES MELLITUS (124) | 664 | 324 | 340 | 23.1 | 18.4 | 30.6 | 2.3 | 1.7 | 3.5 |
| 8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253) | 581 | 314 | 267 | 20.2 | 17.8 | 24.1 | 2.0 | 1.6 | 2.8 |
| 9. ALZHEIMERS DISEASE (148) | 566 | 478 | 88 | 19.7 | 27.1 | 7.9 | 2.0 | 2.5 | 0.9 |
| 10. SEPTICEMIA (018) | 526 | 304 | 222 | 18.3 | 17.2 | 20.0 | 1.8 | 1.6 | 2.3 |

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2002**

| AGE | CAUSE AND GROUP NUMBER* | NUMBER | PERCENT | RATE** |
|-----------------------|--|---------------|--------------|-------------|
| 1-4 | <u>ALL CAUSES</u> | <u>72</u> | <u>100.0</u> | <u>0.4</u> |
| | 1. ACCIDENTS (295-330) | 37 | 51.4 | 22.4 |
| | 2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290) | 7 | 9.7 | 4.2 |
| | 3T. MALIGNANT NEOPLASMS (056-108) | 3 | 4.2 | 1.8 |
| | 3T. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 3 | 4.2 | 1.8 |
| | 3T. HOMICIDE (338-346) | 3 | 4.2 | 1.8 |
| 5-14 | <u>ALL CAUSES</u> | <u>146</u> | <u>100.0</u> | <u>0.3</u> |
| | 1. ACCIDENTS (295-330) | 84 | 57.5 | 19.9 |
| | 2T. MALIGNANT NEOPLASMS (056-108) | 7 | 4.8 | 1.7 |
| | 2T. HOMICIDE (338-346) | 7 | 4.8 | 1.7 |
| | 4. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290) | 6 | 4.1 | 1.4 |
| | 5T. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 5 | 3.4 | 1.2 |
| 5T. SUICIDE (331-337) | 5 | 3.4 | 1.2 | |
| 15-24 | <u>ALL CAUSES</u> | <u>512</u> | <u>100.0</u> | <u>1.1</u> |
| | 1. ACCIDENTS (295-330) | 255 | 49.8 | 56.4 |
| | 2. HOMICIDE (338-346) | 72 | 14.1 | 15.9 |
| | 3. SUICIDE (331-337) | 56 | 10.9 | 12.4 |
| | 4. HEART DISEASES (156-160,162,164-181) | 25 | 4.9 | 5.5 |
| | 5. MALIGNANT NEOPLASMS (056-108) | 18 | 3.5 | 0.4 |
| 25-44 | <u>ALL CAUSES</u> | <u>1,938</u> | <u>100.0</u> | <u>2.4</u> |
| | 1. ACCIDENTS (295-330) | 473 | 24.4 | 59.2 |
| | 2. HEART DISEASES (156-160,162,164-181) | 314 | 16.2 | 39.3 |
| | 3. MALIGNANT NEOPLASMS (056-108) | 253 | 13.0 | 31.7 |
| | 4. SUICIDE (331-337) | 136 | 7.0 | 17.0 |
| | 5. HOMICIDE (338-346) | 134 | 6.9 | 16.8 |
| 45-64 | <u>ALL CAUSES</u> | <u>5,807</u> | <u>100.0</u> | <u>9.0</u> |
| | 1. MALIGNANT NEOPLASMS (056-108) | 1,755 | 30.2 | 272.5 |
| | 2. HEART DISEASES (156-160,162,164-181) | 1,635 | 28.2 | 253.9 |
| | 3. ACCIDENTS (295-330) | 334 | 5.8 | 51.9 |
| | 4. CEREBROVASCULAR DISEASE (182-186) | 291 | 5.0 | 45.2 |
| | 5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 217 | 3.7 | 33.7 |
| 65 & OVER | <u>ALL CAUSES</u> | <u>19,858</u> | <u>100.0</u> | <u>57.4</u> |
| | 1. HEART DISEASES (156-160,162,164-181) | 7,027 | 35.4 | 2,029.4 |
| | 2. MALIGNANT NEOPLASMS (056-108) | 4,014 | 20.2 | 1,159.3 |
| | 3. CEREBROVASCULAR DISEASE (182-186) | 1,573 | 7.9 | 454.3 |
| | 4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 1,126 | 5.7 | 325.2 |
| | 5. INFLUENZA AND PNEUMONIA (195-198) | 694 | 3.5 | 200.4 |

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2002**

| PRIMARY SITE (RANKED ACCORDING TO NUMBER OR DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER* | NUMBER | | | | RATE** | | | |
|--|--------------|--------------|--------------|------------|--------------|--------------|--------------|--------------|
| | MALE | | FEMALE | | MALE | | FEMALE | |
| | WHITE | NON-WHITE | WHITE | NON-WHITE | WHITE | NON-WHITE | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>2,228</u> | <u>1,070</u> | <u>1,859</u> | <u>893</u> | <u>257.0</u> | <u>205.0</u> | <u>207.5</u> | <u>152.1</u> |
| 1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075) | 886 | 350 | 535 | 172 | 102.2 | 67.1 | 59.7 | 29.3 |
| 2. DIGESTIVE ORGANS (060-070) | 485 | 255 | 403 | 247 | 55.9 | 48.9 | 45.0 | 42.1 |
| 3. GENITAL ORGANS (083-091) | 184 | 218 | 157 | 117 | 21.2 | 41.8 | 17.5 | 19.9 |
| 4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108) | 224 | 78 | 212 | 79 | 25.8 | 14.9 | 23.7 | 13.5 |
| 5. BREAST (082) | 0 | 2 | 246 | 171 | - | 0.4 | 27.5 | 29.1 |
| 6. URINARY TRACT (092-094) | 133 | 30 | 55 | 26 | 15.3 | 5.7 | 6.1 | 4.4 |
| 7. BRAIN (096) | 50 | 16 | 70 | 10 | 5.8 | 3.1 | 7.8 | 1.7 |
| 8. SKIN (077,078) | 64 | 9 | 24 | 2 | 7.4 | 1.7 | 2.7 | 0.3 |
| 9. LIP, ORAL CAVITY, AND PHARYNX (056-059) | 39 | 27 | 20 | 4 | 4.5 | 5.2 | 2.2 | 0.7 |
| 10. BONE AND ARTICULAR CARTILAGE (076) | 4 | 5 | 7 | 5 | 0.5 | 1.0 | 0.8 | 0.9 |
| - OTHER AND UNSPECIFIED SITES (079-081,095, 097-99) | 159 | 80 | 130 | 60 | 18.3 | 15.3 | 14.5 | 10.2 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1977, 1982, 1987, 1992, 1997, 2002**

| DISEASE* | 1977 | 1982 | 1987 | 1992 | 1997 | 2002 |
|--|-------|-------|-------|-------|-------|-------|
| TUBERCULOSIS OF RESPIRATORY SYSTEM | 41 | 19 | 17 | 27 | 9 | 8 |
| MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM | 1,069 | 1,333 | 1,601 | 1,660 | 1,879 | 1,943 |
| MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG | 1,019 | 1,268 | 1,555 | 1,615 | 1,834 | 1,899 |
| CHRONIC AND UNQUALIFIED BRONCHITIS | 39 | 18 | 43 | 44 | 51 | 17 |
| EMPHYSEMA | 146 | 82 | 104 | 134 | 133 | 115 |
| ASTHMA | 15 | 29 | 34 | 53 | 61 | 52 |

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8 DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2002**

| TYPE OF ACCIDENT AND GROUP NUMBER* | NUMBER | | | PERCENT | | |
|--|--------------|------------|---------------|-------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL OF FIVE LEADING CAUSES</u> | <u>1,369</u> | <u>902</u> | <u>467</u> | <u>83.9</u> | <u>84.4</u> | <u>82.8</u> |
| 1. MOTOR VEHICLE (296-306) | 875 | 551 | 324 | 53.6 | 51.6 | 57.4 |
| 2. FALLS (312-314) | 179 | 157 | 22 | 11.0 | 14.7 | 3.9 |
| 3. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329) | 130 | 111 | 19 | 8.0 | 10.4 | 3.4 |
| 4. EXPOSURE TO SMOKE, FIRE AND FLAMES (322) | 110 | 41 | 69 | 6.7 | 3.8 | 12.2 |
| 5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318) | 75 | 42 | 33 | 4.6 | 3.9 | 5.8 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2002**

| TYPE OF ACCIDENT AND GROUP NUMBER* | TOTAL | SEX | | AGE | | | | | | | |
|--|--------------|--------------|------------|------------|-----------|-----------|------------|------------|------------|------------|--------------|
| | | MALE | FEMALE | UNDER 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-64 | 65 & OVER |
| <u>ALL ACCIDENTS</u> | <u>1,632</u> | <u>1,070</u> | <u>562</u> | <u>11</u> | <u>37</u> | <u>84</u> | <u>255</u> | <u>221</u> | <u>252</u> | <u>334</u> | <u>438</u> |
| MOTOR VEHICLE (296-306) | 875 | 581 | 294 | 3 | 14 | 39 | 206 | 138 | 148 | 195 | 132 |
| OTHER LAND TRANSPORT (295,307-308) | 12 | 10 | 2 | 0 | 0 | 3 | 3 | 2 | 1 | 3 | 0 |
| WATER TRANSPORT (309) | 23 | 22 | 1 | 0 | 0 | 0 | 2 | 6 | 7 | 5 | 3 |
| AIR AND SPACE TRANSPORT (310) | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| FALLS (312-314) | 179 | 96 | 83 | 0 | 1 | 1 | 0 | 6 | 3 | 23 | 145 |
| DISCHARGE OF FIREARMS (315) | 22 | 19 | 3 | 0 | 0 | 7 | 3 | 4 | 3 | 5 | 0 |
| EXPLOSION (316) | 7 | 7 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 1 |
| DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317) | 48 | 39 | 9 | 0 | 5 | 12 | 9 | 3 | 5 | 10 | 4 |
| INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318) | 75 | 38 | 37 | 0 | 2 | 1 | 2 | 4 | 5 | 11 | 50 |
| OTHER AND UNSPECIFIED THREATS TO BREATHING (319) | 6 | 5 | 1 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| EXPOSURE TO ELECTRIC CURRENT (320) | 10 | 9 | 1 | 0 | 0 | 1 | 2 | 0 | 3 | 3 | 1 |
| EXPOSURE TO SMOKE, FIRE AND FLAMES (322) | 110 | 62 | 48 | 1 | 11 | 17 | 4 | 12 | 15 | 24 | 26 |
| CONTACT WITH HEAT AND HOT SUBSTANCES (323) | 8 | 4 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 4 |
| <u>POISONING (327-329)</u> | <u>130</u> | <u>86</u> | <u>44</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>17</u> | <u>35</u> | <u>47</u> | <u>23</u> | <u>7</u> |
| BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327) | 125 | 82 | 43 | 1 | 0 | 0 | 17 | 33 | 45 | 22 | 7 |
| BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329) | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 0 |
| ALL OTHER ACCIDENTS (311,321,324-326,330) | 123 | 88 | 35 | 1 | 3 | 3 | 5 | 10 | 11 | 25 | 65 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2002

| YEAR | OCCURRENCE DATA | | RESIDENCE DATA | |
|------|-----------------|-------|----------------|-------|
| | NUMBER | RATE* | NUMBER | RATE* |
| 1950 | 530 | ** | 515 | 23.6 |
| 1955 | 568 | ** | 541 | 24.8 |
| 1960 | 676 | 9.3 | 620 | 28.5 |
| 1965 | 748 | 8.4 | 742 | 31.8 |
| 1970 | 960 | 8.2 | 937 | 42.3 |
| 1971 | 1,011 | 8.2 | 984 | 44.4 |
| 1972 | 1,019 | 7.8 | 989 | 43.8 |
| 1973 | 956 | 7.0 | 954 | 41.2 |
| 1974 | 711 | 5.2 | 717 | 30.7 |
| 1975 | 671 | 4.7 | 681 | 29.1 |
| 1976 | 725 | 4.7 | 696 | 29.4 |
| 1977 | 763 | 4.8 | 771 | 32.3 |
| 1978 | 884 | 5.2 | 877 | 36.5 |
| 1979 | 801 | 4.7 | 783 | 32.5 |
| 1980 | 796 | 4.8 | 743 | 29.5 |
| 1981 | 792 | 4.7 | 793 | 31.5 |
| 1982 | 777 | 4.5 | 755 | 29.6 |
| 1983 | 744 | 4.2 | 725 | 28.0 |
| 1984 | 707 | 3.8 | 697 | 26.9 |
| 1985 | 691 | 4.0 | 683 | 25.7 |
| 1986 | 785 | 5.7 | 782 | 29.4 |
| 1987 | 802 | 4.0 | 804 | 29.6 |
| 1988 | 791 | 3.6 | 776 | 28.2 |
| 1989 | 806 | 3.5 | 797 | 28.7 |
| 1990 | 863 | 3.5 | 854 | 33.2 |
| 1991 | 811 | 3.3 | 810 | 31.5 |
| 1992 | 838 | 3.2 | 826 | 32.1 |
| 1993 | 897 | 3.3 | 868 | 33.7 |
| 1994 | 854 | 3.0 | 844 | 32.8 |
| 1995 | 904 | 3.0 | 898 | 33.3 |
| 1996 | 851 | 2.8 | 868 | 32.2 |
| 1997 | 896 | 2.9 | 868 | 32.2 |
| 1998 | 983 | 2.9 | 957 | 34.8 |
| 1999 | 943 | 2.7 | 954 | 34.4 |
| 2000 | 948 | 2.7 | 935 | 32.9 |
| 2001 | 804 | 2.2 | 816 | 28.7 |
| 2002 | 898 | 2.5 | 875 | 30.5 |

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2002**

| | NUMBER | | | PERCENT | | | RATE* | | |
|---|------------|------------|------------|--------------|--------------|--------------|-------------|------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL UNDER 1 YEAR</u> | <u>428</u> | <u>155</u> | <u>273</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>10.3</u> | <u>6.8</u> | <u>14.4</u> |
| <u>NEONATAL (UNDER 28 DAYS)</u> | <u>281</u> | <u>100</u> | <u>181</u> | <u>65.6</u> | <u>64.5</u> | <u>66.3</u> | <u>6.8</u> | <u>4.4</u> | <u>9.6</u> |
| <u>HEBDOMADAL (UNDER 7 DAYS)</u> | <u>205</u> | <u>68</u> | <u>137</u> | <u>47.9</u> | <u>43.9</u> | <u>50.2</u> | <u>4.9</u> | <u>3.0</u> | <u>7.2</u> |
| UNDER 1 DAY | 157 | 50 | 107 | 36.7 | 32.2 | 39.2 | 3.8 | 2.2 | 5.7 |
| 1-6 DAYS | 48 | 18 | 30 | 11.2 | 11.6 | 11.0 | 1.2 | 0.8 | 1.6 |
| 7-27 DAYS | 76 | 32 | 44 | 17.8 | 20.6 | 16.1 | 1.8 | 1.4 | 2.3 |
| <u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u> | <u>147</u> | <u>55</u> | <u>92</u> | <u>34.3</u> | <u>35.5</u> | <u>33.7</u> | <u>3.5</u> | <u>2.4</u> | <u>4.9</u> |

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER** | NUMBER | | | RATE* | | |
|--|------------|------------|------------|-------------|------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>ALL CAUSES</u> | <u>428</u> | <u>155</u> | <u>273</u> | <u>10.3</u> | <u>6.8</u> | <u>14.4</u> |
| 1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072) | 95 | 25 | 70 | 2.3 | 1.1 | 3.7 |
| 2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110) | 59 | 22 | 37 | 1.4 | 1.0 | 2.0 |
| 3. SUDDEN INFANT DEATH SYNDROME (111) | 55 | 26 | 29 | 1.3 | 1.1 | 1.5 |
| 4. BACTERIAL SEPSIS OF NEWBORN (085) | 17 | 7 | 10 | 0.4 | 0.3 | 0.5 |
| 5. DISEASES OF THE CIRCULATORY SYSTEM (039-044) | 15 | 9 | 6 | 0.4 | 0.4 | 0.3 |
| 6. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063) | 14 | 7 | 7 | 0.3 | 0.3 | 0.4 |
| 7. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067) | 13 | 6 | 7 | 0.3 | 0.3 | 0.4 |
| 8T. RESPIRATORY DISTRESS OF NEWBORN (077) | 11 | 3 | 8 | 0.3 | 0.1 | 0.4 |
| 8T. ACCIDENTS (114-124) | 11 | 4 | 7 | 0.3 | 0.2 | 0.4 |
| 10. RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056) | 10 | 4 | 6 | 0.2 | 0.2 | 0.3 |

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | YEARS | RATE ** |
|---|----------------|-----------------|
| <u>ALL RACES - ALL CAUSES</u> | <u>287,937</u> | <u>10,618.3</u> |
| HEART DISEASES (156-160,162,164-181) | 53,160 | 1,960.4 |
| ISCHEMIC HEART DISEASE (165-168) | 33,430 | 1,232.8 |
| CEREBROVASCULAR DISEASES (182-186) | 9,324 | 343.8 |
| MALIGNANT NEOPLASMS (056-108) | 52,180 | 1,924.2 |
| RESPIRATORY SYSTEM (071-075) | 16,673 | 614.8 |
| COLORECTAL (063,064) | 4,456 | 164.3 |
| PROSTATE (089)# | 861 | 64.6 |
| BREAST (082)## | 5,251 | 380.9 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206) | 6,558 | 241.8 |
| PNEMONIA AND INFLUENZA (195-198) | 3,372 | 124.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3,807 | 140.4 |
| DIABETES MELLITUS (124) | 5,702 | 210.3 |
| HIV INFECTION (039-043) | 6,138 | 226.4 |
| UNINTENTIONAL INJURIES (295-330) | 49,985 | 1,843.3 |
| MOTOR VEHICLE CRASHES (296-306) | 31,302 | 1,154.3 |
| SUICIDE (331-337) | 11,166 | 411.8 |
| HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354) | 12,124 | 447.1 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | YEARS | RATE ** |
|---|---------------|-----------------|
| <u>WHITE MALES - ALL CAUSES</u> | <u>96,619</u> | <u>11,703.5</u> |
| HEART DISEASES (156-160,162,164-181) | 19,955 | 2,417.2 |
| ISCHEMIC HEART DISEASE (165-168) | 14,249 | 1,726.0 |
| CEREBROVASCULAR DISEASES (182-186) | 2,283 | 276.5 |
| MALIGNANT NEOPLASMS (056-108) | 17,509 | 2,120.9 |
| RESPIRATORY SYSTEM (071-075) | 7,154 | 866.6 |
| COLORECTAL (063,064) | 1,557 | 188.6 |
| PROSTATE (089) | 362 | 43.8 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206) | 2,625 | 318.0 |
| PNEMONIA AND INFLUENZA (195-198) | 812 | 98.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1,813 | 219.6 |
| DIABETES MELLITUS (124) | 1,693 | 205.1 |
| HIV INFECTION (039-043) | 699 | 84.7 |
| UNINTENTIONAL INJURIES (295-330) | 20,476 | 2,480.3 |
| MOTOR VEHICLE CRASHES (296-306) | 12,348 | 1,495.7 |
| SUICIDE (331-337) | 7,161 | 867.4 |
| HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354) | 2,290 | 277.4 |
| <u>WHITE FEMALES - ALL CAUSES</u> | <u>56,180</u> | <u>6,857.4</u> |
| HEART DISEASES (156-160,162,164-181) | 8,832 | 1,078.0 |
| ISCHEMIC HEART DISEASE (165-168) | 5,340 | 651.8 |
| CEREBROVASCULAR DISEASES (182-186) | 2,078 | 253.6 |
| MALIGNANT NEOPLASMS (056-108) | 14,960 | 1,826.0 |
| RESPIRATORY SYSTEM (071-075) | 4,171 | 509.1 |
| COLORECTAL (063,064) | 1,134 | 138.4 |
| BREAST (082) | 2,692 | 328.6 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206) | 1,898 | 231.7 |
| PNEMONIA AND INFLUENZA (195-198) | 843 | 102.9 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 940 | 114.7 |
| DIABETES MELLITUS (124) | 764 | 93.2 |
| HIV INFECTION (039-043) | 152 | 18.6 |
| UNINTENTIONAL INJURIES (295-330) | 9,498 | 1,159.3 |
| MOTOR VEHICLE CRASHES (296-306) | 6,625 | 808.6 |
| SUICIDE (331-337) | 1,647 | 201.0 |
| HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354) | 907 | 110.7 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | YEARS | RATE ** |
|---|---------------|-----------------|
| <u>NONWHITE MALES - ALL CAUSES</u> | <u>79,661</u> | <u>15,695.0</u> |
| HEART DISEASES (156-160,162,164-181) | 14,733 | 2,902.7 |
| ISCHEMIC HEART DISEASE (165-168) | 8,962 | 1,765.7 |
| CEREBROVASCULAR DISEASES (182-186) | 2,663 | 524.7 |
| MALIGNANT NEOPLASMS (056-108) | 10,285 | 2,026.4 |
| RESPIRATORY SYSTEM (071-075) | 3,671 | 723.3 |
| COLORECTAL (063,064) | 829 | 163.3 |
| PROSTATE (089) | 499 | 98.3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206) | 1,069 | 210.6 |
| PNEMONIA AND INFLUENZA (195-198) | 735 | 144.8 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 611 | 120.4 |
| DIABETES MELLITUS (124) | 1,332 | 262.4 |
| HIV INFECTION (039-043) | 3,686 | 726.2 |
| UNINTENTIONAL INJURIES (295-330) | 13,304 | 2,621.2 |
| MOTOR VEHICLE CRASHES (296-306) | 8,210 | 1,617.6 |
| SUICIDE (331-337) | 2,152 | 424.0 |
| HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354) | 7,075 | 1,393.9 |
| <u>NONWHITE FEMALES - ALL CAUSES</u> | <u>55,477</u> | <u>9,918.4</u> |
| HEART DISEASES (156-160,162,164-181) | 9,640 | 1,723.5 |
| ISCHEMIC HEART DISEASE (165-168) | 4,879 | 872.3 |
| CEREBROVASCULAR DISEASES (182-186) | 2,300 | 411.2 |
| MALIGNANT NEOPLASMS (056-108) | 9,426 | 1,685.2 |
| RESPIRATORY SYSTEM (071-075) | 1,677 | 299.8 |
| COLORECTAL (063,064) | 936 | 167.3 |
| BREAST (082) | 2,528 | 452.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206) | 966 | 172.7 |
| PNEMONIA AND INFLUENZA (195-198) | 982 | 175.6 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 443 | 79.2 |
| DIABETES MELLITUS (124) | 1,913 | 342.0 |
| HIV INFECTION (039-043) | 1,601 | 286.2 |
| UNINTENTIONAL INJURIES (295-330) | 6,707 | 1,199.1 |
| MOTOR VEHICLE CRASHES (296-306) | 4,119 | 736.4 |
| SUICIDE (331-337) | 206 | 36.8 |
| HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354) | 1,852 | 331.1 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2002**

| MONTH | MARRIAGES | AVERAGE PER DAY | MONTH | MARRIAGES | AVERAGE PER DAY |
|--------------|---------------|--------------------|-----------|-----------|--------------------|
| <u>TOTAL</u> | <u>18,477</u> | <u>50</u> | | | |
| JANUARY | 818 | 26 | JULY | 1,697 | 55 |
| FEBRUARY | 1,224 | 44 | AUGUST | 1,695 | 55 |
| MARCH | 1,724 | 56 | SEPTEMBER | 1,399 | 47 |
| APRIL | 1,475 | 49 | OCTOBER | 1,316 | 42 |
| MAY | 1,883 | 61 | NOVEMBER | 1,349 | 45 |
| JUNE | 2,429 | 81 | DECEMBER | 1,438 | 46 |

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2002**

| AGE | NUMBER | | | | | | PERCENT | | | | | |
|-----------------|---------------|---------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | BRIDE | | | GROOM | | | BRIDE | | | GROOM | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 18,447 | 12,451 | 5,996 | 18,447 | 12,374 | 6,073 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| UNDER 20 | 1,765 | 1,571 | 194 | 651 | 584 | 67 | 9.6 | 12.6 | 3.2 | 3.5 | 4.7 | 1.1 |
| 13 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| 14 | 1 | 1 | 0 | 0 | 0 | 0 | * | * | - | - | - | - |
| 15 | 40 | 37 | 3 | 1 | 1 | 0 | 0.2 | 0.3 | * | * | * | - |
| 16 | 112 | 106 | 6 | 5 | 4 | 1 | 0.6 | 0.8 | 0.1 | * | * | * |
| 17 | 254 | 242 | 12 | 54 | 51 | 3 | 1.4 | 1.9 | 0.2 | 0.3 | 0.4 | * |
| 18 | 583 | 521 | 62 | 201 | 185 | 16 | 3.2 | 4.2 | 1.0 | 1.1 | 1.5 | 0.3 |
| 19 | 775 | 664 | 111 | 390 | 343 | 47 | 4.2 | 5.3 | 1.8 | 2.1 | 2.8 | 0.8 |
| 20-24 | 5,363 | 3,937 | 1,426 | 4,525 | 3,390 | 1,135 | 29.1 | 31.6 | 23.8 | 24.5 | 27.4 | 18.7 |
| 25-34 | 5,855 | 3,454 | 2,401 | 6,655 | 4,210 | 2,445 | 31.7 | 27.7 | 40.0 | 36.1 | 34.0 | 40.3 |
| 35-44 | 3,155 | 1,924 | 1,231 | 3,436 | 2,093 | 1,343 | 17.1 | 15.4 | 20.5 | 18.6 | 16.9 | 22.1 |
| 45-54 | 1,526 | 948 | 578 | 1,916 | 1,182 | 734 | 8.3 | 7.6 | 9.6 | 10.4 | 9.6 | 12.1 |
| 55-64 | 504 | 382 | 122 | 783 | 549 | 234 | 2.7 | 3.1 | 2.0 | 4.2 | 4.4 | 3.8 |
| 65-74 | 236 | 198 | 38 | 339 | 255 | 84 | 1.3 | 1.6 | 0.6 | 1.8 | 2.1 | 1.4 |
| 75 & OVER | 43 | 37 | 6 | 141 | 111 | 30 | 0.2 | 0.3 | 0.1 | 0.8 | 0.9 | 0.5 |

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2002**

| ALL AND FIRST MARRIAGES | BRIDE | | | GROOM | | |
|----------------------------|-------|-------|---------------|-------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| ALL MARRIAGES | 27 | 26 | 29 | 29 | 28 | 31 |
| FIRST MARRIAGES | 23 | 22 | 26 | 25 | 24 | 27 |

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2002**

| MARRIAGE ORDER | NUMBER | | | | | | PERCENT | | | | | |
|----------------|---------------|---------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | BRIDE | | | GROOM | | | BRIDE | | | GROOM | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | <u>18,447</u> | <u>12,451</u> | <u>5,996</u> | <u>18,447</u> | <u>12,374</u> | <u>6,073</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| FIRST | 11,226 | 6,995 | 4,231 | 10,941 | 6,921 | 4,020 | 60.8 | 56.2 | 70.6 | 59.3 | 55.9 | 66.2 |
| REMARRIAGE | <u>7,221</u> | <u>5,456</u> | <u>1,765</u> | <u>7,506</u> | <u>5,453</u> | <u>2,053</u> | <u>39.1</u> | <u>43.8</u> | <u>29.4</u> | <u>40.7</u> | <u>44.1</u> | <u>33.8</u> |
| SECOND | 4,744 | 3,336 | 1,408 | 5,024 | 3,476 | 1,548 | 25.7 | 26.8 | 23.5 | 27.2 | 28.1 | 25.5 |
| OVER TWO | <u>2,476</u> | <u>2,119</u> | <u>357</u> | <u>2,480</u> | <u>1,976</u> | <u>504</u> | <u>13.4</u> | <u>17.0</u> | <u>6.0</u> | <u>13.4</u> | <u>16.0</u> | <u>8.3</u> |
| THIRD | 1,719 | 1,416 | 303 | 1,825 | 1,393 | 432 | 9.3 | 11.4 | 5.0 | 9.9 | 11.2 | 7.1 |
| FOURTH | 560 | 514 | 46 | 466 | 402 | 64 | 3.0 | 4.1 | 0.8 | 2.5 | 3.2 | 1.0 |
| FIFTH | 157 | 149 | 8 | 140 | 135 | 5 | 0.8 | 1.2 | 0.1 | 0.8 | 1.1 | 0.1 |
| SIXTH | 29 | 29 | 0 | 37 | 35 | 2 | 0.2 | 0.2 | - | 0.2 | 0.3 | ** |
| SEVENTH | 8 | 8 | 0 | 8 | 7 | 1 | ** | 0.1 | - | ** | ** | ** |
| EIGHTH | 1 | 1 | 0 | 2 | 2 | 0 | ** | ** | - | ** | ** | - |
| NINTH | 1 | 1 | 0 | 2 | 2 | 0 | ** | ** | - | ** | ** | - |
| TENTH | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OVER TEN | 1 | 1 | 0 | 0 | 0 | 0 | ** | ** | - | - | - | - |
| UNKNOWN* | 1 | 1 | 0 | 2 | 1 | 1 | ** | ** | - | ** | ** | ** |

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2002**

| PREVIOUS MARITAL STATUS | BRIDE | | | GROOM | | |
|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| NUMBER | | | | | | |
| <u>TOTAL</u> | <u>18,447</u> | <u>12,451</u> | <u>5,996</u> | <u>18,447</u> | <u>12,374</u> | <u>6,073</u> |
| NOT PREVIOUSLY MARRIED | 11,226 | 6,995 | 4,231 | 10,941 | 6,921 | 4,020 |
| <u>REMARRIAGES</u> | <u>7,221</u> | <u>5,456</u> | <u>1,765</u> | <u>7,506</u> | <u>5,453</u> | <u>2,053</u> |
| WIDOWED | 721 | 556 | 165 | 679 | 481 | 198 |
| DIVORCED* | 6,490 | 4,894 | 1,596 | 6,820 | 4,969 | 1,851 |
| UNKNOWN** | 10 | 6 | 4 | 7 | 3 | 4 |
| UNKNOWN# | 0 | 0 | 0 | 0 | 0 | 0 |
| PERCENT | | | | | | |
| <u>TOTAL</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NOT PREVIOUSLY MARRIED | 60.8 | 56.2 | 70.6 | 59.3 | 55.9 | 66.2 |
| <u>REMARRIAGES</u> | <u>39.1</u> | <u>43.8</u> | <u>29.4</u> | <u>40.7</u> | <u>44.1</u> | <u>33.8</u> |
| WIDOWED | 3.9 | 4.5 | 2.8 | 3.7 | 3.9 | 3.3 |
| DIVORCED* | 35.2 | 39.3 | 26.6 | 37.0 | 40.2 | 30.5 |
| UNKNOWN** | ## | ## | 0.1 | ## | ## | 0.1 |
| UNKNOWN# | - | - | - | - | - | - |

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2002**

| RESIDENCE OF GROOM | RACE AND RESIDENCE OF BRIDE | | | | | | | | | | | |
|-----------------------|-----------------------------|------------------|--------------|--------------|---------------|------------------|------------|--------------|--------------|------------------|------------|--------------|
| | TOTAL | | | | WHITE | | | | NONWHITE | | | |
| | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN |
| NUMBER | | | | | | | | | | | | |
| <u>TOTAL</u> | <u>18,447</u> | <u>17,169</u> | <u>1,278</u> | <u>0</u> | <u>12,451</u> | <u>11,485</u> | <u>966</u> | <u>0</u> | <u>5,996</u> | <u>5,684</u> | <u>312</u> | <u>0</u> |
| MISSISSIPPI | 16,814 | 16,545 | 269 | 0 | 11,208 | 11,014 | 194 | 0 | 5,606 | 5,531 | 75 | 0 |
| OTHER | 1,633 | 624 | 1,009 | 0 | 1,243 | 471 | 772 | 0 | 390 | 153 | 237 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERCENT | | | | | | | | | | | | |
| <u>TOTAL</u> | <u>100.0</u> | <u>93.1</u> | <u>6.9</u> | <u>-</u> | <u>100.0</u> | <u>92.2</u> | <u>7.8</u> | <u>-</u> | <u>100.0</u> | <u>94.8</u> | <u>5.2</u> | <u>-</u> |
| MISSISSIPPI | 91.1 | 89.7 | 1.4 | - | 90.0 | 88.4 | 1.6 | - | 93.5 | 92.2 | 1.2 | - |
| OTHER | 8.8 | 3.4 | 5.5 | - | 10.0 | 3.8 | 6.2 | - | 6.5 | 2.6 | 4.0 | - |
| UNKNOWN | - | - | - | - | - | - | - | - | - | - | - | - |

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2002**

| CAUSE | NUMBER | | | | PERCENT | | | |
|-----------------------------|---------------|---------------|--------------|------------|--------------|--------------|--------------|--------------|
| | TOTAL | WHITE | NON-WHITE | UN-KNOWN | TOTAL | WHITE | NON-WHITE | UN-KNOWN |
| <u>TOTAL</u> | <u>14,196</u> | <u>10,548</u> | <u>3,466</u> | <u>182</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| IRRECONCILABLE DIFFERENCES | 12,553 | 9,595 | 2,813 | 145 | 88.4 | 91.0 | 81.2 | 79.7 |
| CRUEL AND INHUMAN TREATMENT | 807 | 518 | 276 | 13 | 5.7 | 4.9 | 8.0 | 7.1 |
| DESERTION | 387 | 157 | 219 | 11 | 2.7 | 1.5 | 6.3 | 6.0 |
| ADULTERY | 294 | 192 | 96 | 6 | 2.1 | 1.8 | 2.8 | 3.3 |
| DRUNKENNESS | 65 | 33 | 29 | 3 | 0.4 | 0.3 | 0.8 | 1.6 |
| PENITENTIARY | 64 | 35 | 28 | 1 | 0.4 | 0.3 | 0.8 | 0.5 |
| ANNULMENT | 20 | 13 | 4 | 3 | 0.1 | 0.1 | 0.1 | 1.6 |
| BIGAMY | 2 | 2 | 0 | 0 | ** | ** | - | - |
| MISCELLANEOUS AND OTHER | 0 | 0 | 0 | 0 | - | - | - | - |
| UNKNOWN | 4 | 3 | 1 | 0 | ** | ** | ** | - |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2002**

| NUMBER OF MINOR CHILDREN | NUMBER | | | | PERCENT | | | |
|--------------------------|---------------|---------------|--------------|------------|--------------|--------------|--------------|--------------|
| | TOTAL | WHITE | NON-WHITE | UN-KNOWN | TOTAL | WHITE | NON-WHITE | UN-KNOWN |
| <u>TOTAL DIVORCES</u> | <u>14,196</u> | <u>10,548</u> | <u>3,466</u> | <u>182</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NONE | 7,270 | 5,407 | 1,730 | 133 | 51.2 | 51.3 | 49.9 | 73.1 |
| ONE | 3,586 | 2,655 | 904 | 27 | 25.3 | 25.2 | 26.1 | 14.8 |
| TWO | 2,460 | 1,870 | 573 | 17 | 17.3 | 17.7 | 16.5 | 9.3 |
| THREE OR MORE | 875 | 614 | 257 | 4 | 6.2 | 5.8 | 7.4 | 2.2 |
| UNKNOWN | 5 | 2 | 2 | 1 | ** | ** | ** | 0.5 |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2002**

| NUMBER OF YEARS MARRIED | NUMBER | | | | PERCENT | | | |
|----------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------|--------------|
| | TOTAL | WHITE | NON- WHITE | UN- KNOWN | TOTAL | WHITE | NON- WHITE | UN- KNOWN |
| <u>TOTAL DIVORCES</u> | <u>14,196</u> | <u>10,548</u> | <u>3,466</u> | <u>182</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| <u>UNDER FIVE</u> | <u>5,467</u> | <u>4,255</u> | <u>1,132</u> | <u>80</u> | <u>38.5</u> | <u>40.3</u> | <u>32.7</u> | <u>44.0</u> |
| UNDER ONE | 609 | 508 | 88 | 13 | 4.3 | 4.8 | 2.5 | 7.1 |
| ONE | 1,184 | 965 | 193 | 26 | 8.3 | 9.1 | 5.6 | 14.3 |
| TWO | 1,326 | 1,024 | 284 | 18 | 9.3 | 9.7 | 8.2 | 9.9 |
| THREE | 1,253 | 951 | 292 | 10 | 8.8 | 9.0 | 8.4 | 5.5 |
| FOUR | 1,095 | 807 | 275 | 13 | 7.7 | 7.6 | 7.9 | 7.1 |
| FIVE-NINE | 3,665 | 2,696 | 932 | 37 | 25.8 | 25.6 | 26.9 | 20.3 |
| TEN-NINETEEN | 3,330 | 2,394 | 900 | 36 | 23.4 | 22.7 | 26.0 | 19.8 |
| TWENTY AND OVER | 1,683 | 1,179 | 480 | 24 | 11.8 | 11.2 | 13.8 | 13.2 |
| UNKNOWN | 51 | 24 | 22 | 5 | 0.4 | 0.2 | 0.6 | 2.7 |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2002**

| AGE OF PATIENT | NUMBER | | | | PERCENT | | | INDUCED TERMINATION RATIO* | | |
|----------------|--------------|------------|--------------|-----------|--------------|--------------|--------------|----------------------------|-------------|--------------|
| | TOTAL | WHITE | NON-WHITE | UNK. RACE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>TOTAL</u> | <u>3,605</u> | <u>970</u> | <u>2,633</u> | <u>2</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>85.3</u> | <u>42.5</u> | <u>135.2</u> |
| UNDER 15 | 35 | 9 | 26 | 0 | 1.0 | 0.9 | 1.0 | 178.6 | 346.2 | 152.9 |
| 15-19 | 645 | 203 | 441 | 1 | 17.9 | 20.9 | 16.7 | 87.9 | 70.0 | 99.3 |
| 20-24 | 1,313 | 309 | 1,004 | 0 | 36.4 | 31.8 | 38.1 | 91.2 | 45.1 | 132.9 |
| 25-29 | 811 | 189 | 622 | 0 | 22.5 | 19.5 | 23.6 | 76.4 | 28.8 | 153.5 |
| 30-34 | 447 | 137 | 310 | 0 | 12.4 | 14.1 | 11.8 | 68.3 | 30.8 | 147.8 |
| 35-39 | 244 | 85 | 159 | 0 | 6.8 | 8.8 | 6.0 | 91.1 | 49.7 | 164.1 |
| 40-44 | 101 | 34 | 67 | 0 | 2.8 | 3.5 | 2.5 | 207.8 | 114.5 | 354.5 |
| 45-49 | 3 | 2 | 1 | 0 | 0.1 | 0.2 | ** | 142.8 | 142.8 | 142.8 |
| UNKNOWN | 6 | 2 | 3 | 1 | 0.2 | 0.2 | 0.1 | | | |

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2002**

| CHARACTERISTICS OF PATIENT | NUMBER | | | | PERCENT | | |
|--|--------------|------------|---------------|--------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>3,605</u> | <u>970</u> | <u>2,633</u> | <u>2</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| MISSISSIPPI RESIDENT | 3,455 | 919 | 2,534 | 2 | 95.8 | 94.7 | 96.2 |
| <u>NONRESIDENT</u> | <u>150</u> | <u>51</u> | <u>99</u> | <u>0</u> | <u>4.2</u> | <u>5.2</u> | <u>3.8</u> |
| BORDER STATE | 145 | 50 | 95 | 0 | 4.0 | 5.2 | 3.6 |
| OTHER STATE | 5 | 1 | 4 | 0 | 0.1 | 0.1 | 0.2 |
| <u>MARITAL STATUS</u> | | | | | | | |
| MARRIED | 456 | 206 | 250 | 0 | 12.6 | 21.2 | 9.5 |
| NOT MARRIED | 3,134 | 764 | 2,370 | 0 | 86.9 | 78.8 | 90.0 |
| UNKNOWN | 15 | 0 | 13 | 2 | 0.4 | - | 0.5 |
| <u>EDUCATION (COMPLETED YEARS)</u> | | | | | | | |
| 0-6 YEARS | 8 | 5 | 3 | 0 | 0.2 | 0.5 | 0.1 |
| 7-9 YEARS | 123 | 54 | 69 | 0 | 3.4 | 5.6 | 2.6 |
| 10, 11 YEARS | 353 | 130 | 223 | 0 | 9.8 | 13.4 | 8.5 |
| 12 YEARS | 1,086 | 296 | 790 | 0 | 30.1 | 30.5 | 30.0 |
| 1-3 YEARS COLLEGE | 1,434 | 327 | 1,107 | 0 | 39.8 | 33.7 | 42.0 |
| 4 OR MORE YEARS COLLEGE | 538 | 138 | 400 | 0 | 14.9 | 14.2 | 15.2 |
| UNKNOWN | 63 | 20 | 41 | 2 | 1.7 | 2.1 | 1.6 |
| <u>NUMBER OF LIVING CHILDREN</u> | | | | | | | |
| NONE | 1,259 | 419 | 839 | 1 | 34.9 | 43.2 | 31.9 |
| ONE | 1,132 | 277 | 855 | 0 | 31.4 | 28.6 | 32.5 |
| TWO | 798 | 203 | 595 | 0 | 22.1 | 20.9 | 22.6 |
| THREE | 296 | 51 | 245 | 0 | 8.2 | 5.2 | 9.3 |
| FOUR | 78 | 15 | 63 | 0 | 2.2 | 1.5 | 2.4 |
| FIVE OR MORE | 41 | 5 | 36 | 0 | 1.1 | 0.5 | 1.4 |
| UNKNOWN | 1 | 0 | 0 | 1 | * | - | - |
| <u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u> | | | | | | | |
| NONE | 2,361 | 682 | 1,678 | 1 | 65.5 | 70.3 | 63.7 |
| ONE | 899 | 231 | 668 | 0 | 24.9 | 23.8 | 25.4 |
| TWO | 272 | 41 | 231 | 0 | 7.5 | 4.2 | 8.8 |
| THREE OR MORE | 72 | 16 | 56 | 0 | 2.0 | 1.6 | 2.1 |
| UNKNOWN | 1 | 0 | 0 | 1 | * | - | - |

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2002**

| MEDICAL CHARACTERISTICS | NUMBER | | | | PERCENT | | |
|--|--------------|------------|---------------|--------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>3,605</u> | <u>970</u> | <u>2,633</u> | <u>2</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| <u>COMPLETED WEEKS OF GESTATION*</u> | | | | | | | |
| <u>UNDER 9</u> | 1,844 | 519 | 1,325 | 0 | 51.2 | 53.5 | 50.3 |
| 9, 10 | 760 | 187 | 573 | 0 | 21.1 | 19.3 | 21.8 |
| 11, 12 | 501 | 122 | 379 | 0 | 13.9 | 12.6 | 14.4 |
| 13-15 | 292 | 75 | 217 | 0 | 8.1 | 7.7 | 8.2 |
| 16-20 | 37 | 10 | 27 | 0 | 1.0 | 1.0 | 1.0 |
| 21 OR MORE | 2 | 0 | 2 | 0 | ** | - | 0.1 |
| UNKNOWN | 169 | 57 | 110 | 2 | 4.7 | 5.9 | 4.2 |
| <u>PRIMARY PROCEDURE</u> | | | | | | | |
| SUCTION CURRETTAGE | 3,584 | 962 | 2,621 | 1 | 99.4 | 99.2 | 99.5 |
| MEDICAL (NONSURGICAL) | 1 | 0 | 1 | 0 | ** | - | ** |
| DILATION AND EVACUATION | 3 | 1 | 2 | 0 | 0.1 | 0.1 | 0.1 |
| INTRA-UTERINE | | | | | | | |
| INSTILLATION | 7 | 5 | 2 | 0 | 0.2 | 0.5 | 0.1 |
| SHARP CURRETAGE | 1 | 1 | 0 | 0 | ** | 0.1 | - |
| HYSTEROTOMY OR | | | | | | | |
| HYSTERECTOMY | 0 | 0 | 0 | 0 | - | - | - |
| OTHER | 7 | 1 | 5 | 1 | 0.2 | 0.1 | 0.2 |
| UNKNOWN | 2 | 0 | 2 | 0 | ** | - | 0.1 |

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES

2002

TABLE i
2002 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

| COUNTY | POPULATION | | | PERCENT CHANGE SINCE 2000 | | |
|--------------|------------------|------------------|------------------|---------------------------|------------|------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>2,871,782</u> | <u>1,762,785</u> | <u>1,108,997</u> | <u>1.0</u> | <u>1.0</u> | <u>1.0</u> |
| ADAMS | 33,573 | 15,054 | 18,519 | -2.2 | -4.8 | -0.1 |
| ALCORN | 34,733 | 30,500 | 4,233 | 0.5 | 1.0 | -3.0 |
| AMITE | 13,451 | 7,530 | 5,921 | -1.1 | -1.9 | -0.1 |
| ATTALA | 19,748 | 11,715 | 8,033 | 0.4 | 2.1 | -1.9 |
| BENTON | 7,935 | 5,012 | 2,923 | -1.1 | 1.2 | -4.9 |
| BOLIVAR | 39,839 | 13,265 | 26,574 | -2.0 | -1.8 | -2.0 |
| CALHOUN | 14,900 | 10,469 | 4,431 | -1.1 | 0.1 | -3.9 |
| CARROLL | 10,628 | 6,896 | 3,732 | -1.3 | 2.2 | -7.2 |
| CHICKASAW | 19,524 | 11,331 | 8,193 | 0.4 | 2.4 | -2.2 |
| CHOCTAW | 9,652 | 6,570 | 3,082 | -1.1 | -1.0 | -1.2 |
| CLAIBORNE | 11,735 | 1,738 | 9,997 | -0.8 | -3.2 | -0.4 |
| CLARKE | 17,968 | 11,623 | 6,345 | 0.1 | 0.4 | -0.5 |
| CLAY | 21,857 | 9,240 | 12,617 | -0.6 | -1.8 | 0.4 |
| COAHOMA | 30,158 | 8,204 | 21,954 | -1.5 | -8.5 | 1.4 |
| COPIAH | 28,808 | 13,854 | 14,954 | 0.2 | 0.8 | -0.4 |
| COVINGTON | 19,728 | 12,533 | 7,195 | 1.6 | 1.8 | 1.3 |
| DESOTO | 118,458 | 100,145 | 18,313 | 10.5 | 8.9 | 20.1 |
| FORREST | 73,465 | 46,901 | 26,564 | 1.2 | 0.4 | 2.6 |
| FRANKLIN | 8,349 | 5,206 | 3,143 | -1.2 | -1.9 | - |
| GEORGE | 19,797 | 17,889 | 1,908 | 3.4 | 4.6 | -6.2 |
| GREENE | 13,095 | 9,679 | 3,416 | -1.5 | * | -5.6 |
| GRENADA | 22,915 | 13,170 | 9,745 | -1.5 | -2.3 | -0.4 |
| HANCOCK | 44,673 | 40,567 | 4,106 | 4.0 | 4.7 | -2.6 |
| HARRISON | 190,936 | 138,667 | 52,269 | 0.7 | * | 2.7 |
| HINDS | 249,579 | 89,370 | 160,209 | -0.5 | -4.5 | 1.9 |
| HOLMES | 21,651 | 4,144 | 17,507 | 0.2 | -6.3 | 1.9 |
| HUMPHREYS | 10,750 | 2,994 | 7,756 | -4.1 | -1.7 | -5.0 |
| ISSAQUENA | 2,194 | 798 | 1,396 | -3.5 | -3.4 | -3.6 |
| ITAWAMBA | 22,975 | 21,309 | 1,666 | 0.9 | 1.2 | -2.9 |
| JACKSON | 133,259 | 99,893 | 33,366 | 1.4 | 0.9 | 3.0 |
| JASPER | 18,286 | 8,433 | 9,853 | 0.8 | - | 1.4 |
| JEFFERSON | 9,661 | 1,291 | 8,370 | -0.8 | 1.5 | -1.2 |
| JEFF DAVIS | 13,521 | 5,649 | 7,872 | -3.2 | -2.9 | -3.4 |
| JONES | 65,053 | 46,784 | 18,269 | 0.1 | 1.3 | -2.6 |
| KEMPER | 10,595 | 4,076 | 6,519 | 1.4 | -0.1 | 2.3 |
| LAFAYETTE | 39,524 | 28,494 | 11,030 | 2.0 | 2.4 | 1.1 |
| LAMAR | 41,167 | 35,029 | 6,138 | 5.4 | 5.1 | 7.2 |
| LAUDERDALE | 77,600 | 46,084 | 31,516 | -0.7 | -2.0 | 1.2 |
| LAWRENCE | 13,448 | 9,038 | 4,410 | 1.4 | 1.8 | 0.6 |
| LEAKE | 21,540 | 12,256 | 9,284 | 2.9 | 4.3 | 1.1 |
| LEE | 77,220 | 56,306 | 20,914 | 1.9 | 0.9 | 4.8 |
| LEFLORE | 37,099 | 10,900 | 26,199 | -2.2 | -4.3 | -1.4 |

TABLE i - PAGE 2
 2002 ESTIMATED POPULATION - MISSISSIPPI

| COUNTY | POPULATION | | | PERCENT CHANGE SINCE 2000 | | |
|--------------|------------|--------|-----------|---------------------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 33,448 | 23,065 | 10,383 | 0.8 | 0.2 | 2.2 |
| LOWNDES | 60,978 | 34,027 | 26,951 | -1.0 | -2.2 | 0.5 |
| MADISON | 77,872 | 46,709 | 31,163 | 4.3 | 3.7 | 5.1 |
| MARION | 25,319 | 16,922 | 8,397 | -1.1 | -1.3 | -0.7 |
| MARSHALL | 35,163 | 17,207 | 17,956 | 0.5 | 1.7 | -0.6 |
| MONROE | 37,746 | 25,798 | 11,948 | -0.7 | -0.7 | -0.6 |
| MONTGOMERY | 11,863 | 6,342 | 5,521 | -2.7 | -4.1 | -1.0 |
| NESHOBA | 29,027 | 18,818 | 10,209 | 1.2 | 0.2 | 3.2 |
| NEWTON | 21,967 | 14,434 | 7,533 | 0.6 | 1.7 | -1.4 |
| NOXUBEE | 12,438 | 3,608 | 8,830 | -0.9 | -2.5 | -0.2 |
| OKTIBBEHA | 42,751 | 25,207 | 17,544 | -0.4 | 0.2 | -1.1 |
| PANOLA | 34,913 | 17,814 | 17,099 | 1.9 | 3.0 | 0.7 |
| PEARL RIVER | 50,473 | 43,332 | 7,141 | 3.8 | 4.2 | 1.6 |
| PERRY | 12,200 | 9,334 | 2,866 | 0.5 | 1.0 | -0.9 |
| PIKE | 38,987 | 19,727 | 19,260 | 0.1 | -1.1 | 1.4 |
| PONTOTOC | 27,032 | 22,930 | 4,102 | 1.1 | 1.6 | -1.6 |
| PRENTISS | 25,746 | 22,105 | 3,641 | 0.7 | 0.8 | 0.7 |
| QUITMAN | 9,806 | 2,995 | 6,811 | -3.1 | -2.9 | -3.2 |
| RANKIN | 121,577 | 97,971 | 23,606 | 5.4 | 4.8 | 7.9 |
| SCOTT | 28,338 | 16,863 | 11,475 | -0.3 | 3.7 | -5.7 |
| SHARKEY | 6,252 | 1,871 | 4,381 | -5.0 | -3.2 | -5.7 |
| SIMPSON | 27,672 | 17,912 | 9,760 | 0.1 | 0.6 | -0.8 |
| SMITH | 15,893 | 12,094 | 3,799 | -1.8 | -1.8 | -1.7 |
| STONE | 14,280 | 11,250 | 3,030 | 4.8 | 4.0 | 8.1 |
| SUNFLOWER | 33,889 | 9,410 | 24,479 | -1.4 | -5.2 | 0.2 |
| TALLAHATCHIE | 14,411 | 5,620 | 8,791 | -3.3 | -4.8 | -2.3 |
| TATE | 25,751 | 17,616 | 8,135 | 1.5 | 2.4 | -0.3 |
| TIPPAH | 21,044 | 17,324 | 3,720 | 1.0 | 1.6 | -1.6 |
| TISHOMINGO | 19,050 | 18,281 | 769 | -0.6 | 0.5 | -20.8 |
| TUNICA | 9,575 | 2,624 | 6,951 | 3.8 | 3.3 | 4.0 |
| UNION | 26,099 | 22,014 | 4,085 | 2.9 | 4.0 | -2.9 |
| WALTHALL | 15,141 | 8,243 | 6,898 | -0.1 | -0.4 | 0.3 |
| WARREN | 49,443 | 26,548 | 22,895 | -0.4 | -2.7 | 2.4 |
| WASHINGTON | 61,315 | 20,233 | 41,082 | -2.6 | -5.4 | -1.2 |
| WAYNE | 21,219 | 13,106 | 8,113 | * | 0.8 | -1.2 |
| WEBSTER | 10,317 | 8,068 | 2,249 | 0.2 | 1.1 | -2.7 |
| WILKINSON | 10,228 | 3,165 | 7,063 | -0.8 | -1.7 | -0.4 |
| WINSTON | 20,001 | 10,983 | 9,018 | -0.8 | -1.4 | * |
| YALOBUSHA | 13,312 | 8,099 | 5,213 | 2.0 | 2.6 | 1.0 |
| YAZOO | 28,199 | 12,510 | 15,689 | 0.2 | -0.7 | 0.8 |

* LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|---------------|---------------|----------------|---------------|---------------|-------------|-------------|-------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>40,535</u> | <u>21,492</u> | <u>19,043</u> | <u>41,511</u> | <u>22,620</u> | <u>18,891</u> | <u>14.4</u> | <u>12.8</u> | <u>17.0</u> |
| ADAMS | 894 | 344 | 550 | 472 | 149 | 323 | 14.0 | 9.9 | 17.4 |
| ALCORN | 580 | 492 | 88 | 473 | 397 | 76 | 13.6 | 13.0 | 18.0 |
| AMITE | 0 | 0 | 0 | 141 | 72 | 69 | 10.5 | 9.6 | 11.6 |
| ATTALA | 138 | 52 | 86 | 257 | 123 | 134 | 13.0 | 10.5 | 16.7 |
| BENTON | 0 | 0 | 0 | 118 | 65 | 53 | 14.9 | 13.0 | 18.1 |
| BOLIVAR | 620 | 135 | 485 | 605 | 147 | 458 | 15.2 | 11.1 | 17.2 |
| CALHOUN | 4 | 1 | 3 | 192 | 114 | 78 | 12.9 | 10.9 | 17.6 |
| CARROLL | 0 | 0 | 0 | 110 | 71 | 39 | 10.4 | 10.3 | 10.4 |
| CHICKASAW | 0 | 0 | 0 | 290 | 149 | 141 | 14.8 | 13.2 | 17.2 |
| CHOCTAW | 0 | 0 | 0 | 114 | 76 | 38 | 11.8 | 11.6 | 12.3 |
| CLAIBORNE | 2 | 0 | 2 | 168 | 12 | 156 | 14.3 | 6.9 | 15.6 |
| CLARKE | 1 | 0 | 1 | 204 | 113 | 91 | 11.4 | 9.7 | 14.3 |
| CLAY | 410 | 153 | 257 | 322 | 122 | 200 | 14.7 | 13.2 | 15.8 |
| COAHOMA | 880 | 139 | 741 | 505 | 77 | 428 | 16.7 | 9.4 | 19.5 |
| COPIAH | 51 | 8 | 43 | 407 | 175 | 232 | 14.1 | 12.6 | 15.5 |
| COVINGTON | 94 | 30 | 64 | 290 | 142 | 148 | 14.7 | 11.3 | 20.6 |
| DESOTO | 1,565 | 904 | 661 | 1,809 | 1,522 | 287 | 15.3 | 15.2 | 15.7 |
| FORREST | 2,862 | 1,885 | 977 | 1,094 | 587 | 507 | 14.9 | 12.5 | 19.1 |
| FRANKLIN | 0 | 0 | 0 | 96 | 57 | 39 | 11.5 | 10.9 | 12.4 |
| GEORGE | 279 | 231 | 48 | 366 | 325 | 41 | 18.5 | 18.2 | 21.5 |
| GREENE | 0 | 0 | 0 | 156 | 129 | 27 | 11.9 | 13.3 | 7.9 |
| GRENADA | 729 | 357 | 372 | 272 | 145 | 127 | 11.9 | 11.0 | 13.0 |
| HANCOCK | 412 | 368 | 44 | 513 | 464 | 49 | 11.5 | 11.4 | 11.9 |
| HARRISON | 3,496 | 2,491 | 1,005 | 2,956 | 2,060 | 896 | 15.5 | 14.8 | 17.1 |
| HINDS | 6,299 | 2,029 | 4,270 | 3,812 | 969 | 2,843 | 15.3 | 10.8 | 17.7 |
| HOLMES | 39 | 3 | 36 | 339 | 33 | 306 | 15.6 | 8.0 | 17.5 |
| HUMPHREYS | 0 | 0 | 0 | 205 | 30 | 175 | 19.1 | 10.0 | 22.6 |
| ISSAQUENA | 0 | 0 | 0 | 18 | 7 | 11 | 8.2 | 8.8 | 7.9 |
| ITAWAMBA | 0 | 0 | 0 | 262 | 236 | 26 | 11.4 | 11.1 | 15.6 |
| JACKSON | 1,240 | 815 | 425 | 1,808 | 1,273 | 535 | 13.6 | 12.7 | 16.0 |
| JASPER | 0 | 0 | 0 | 200 | 87 | 113 | 10.9 | 10.3 | 11.5 |
| JEFFERSON | 0 | 0 | 0 | 132 | 11 | 121 | 13.7 | 8.5 | 14.4 |
| JEFF DAVIS | 3 | 0 | 3 | 155 | 56 | 99 | 11.5 | 9.9 | 12.6 |
| JONES | 992 | 475 | 517 | 959 | 608 | 351 | 14.7 | 13.0 | 19.2 |
| KEMPER | 0 | 0 | 0 | 137 | 37 | 100 | 12.9 | 9.1 | 15.3 |
| LAFAYETTE | 828 | 494 | 334 | 482 | 294 | 188 | 12.2 | 10.3 | 17.0 |
| LAMAR | 761 | 583 | 178 | 626 | 521 | 105 | 15.2 | 14.9 | 17.1 |
| LAUDERDALE | 2,408 | 1,279 | 1,129 | 1,149 | 605 | 544 | 14.8 | 13.1 | 17.3 |
| LAWRENCE | 1 | 0 | 1 | 157 | 94 | 63 | 11.7 | 10.4 | 14.3 |
| LEAKE | 4 | 2 | 2 | 348 | 187 | 161 | 16.2 | 15.2 | 17.3 |
| LEE | 2,455 | 1,865 | 590 | 1,161 | 790 | 371 | 15.0 | 14.0 | 17.7 |
| LEFLORE | 615 | 116 | 499 | 592 | 143 | 449 | 16.0 | 13.1 | 17.1 |

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|-------|-------|-----------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 542 | 367 | 175 | 447 | 320 | 127 | 13.4 | 13.9 | 12.2 |
| LOWNDES | 967 | 432 | 535 | 917 | 449 | 468 | 15.0 | 13.2 | 17.4 |
| MADISON | 240 | 6 | 234 | 1,157 | 621 | 536 | 14.8 | 13.3 | 17.2 |
| MARION | 3 | 2 | 1 | 399 | 234 | 165 | 15.8 | 13.8 | 19.6 |
| MARSHALL | 2 | 1 | 1 | 514 | 243 | 271 | 14.6 | 14.1 | 15.1 |
| MONROE | 646 | 467 | 179 | 476 | 302 | 174 | 12.6 | 11.7 | 14.6 |
| MONTGOMERY | 2 | 1 | 1 | 152 | 66 | 86 | 12.8 | 10.4 | 15.6 |
| NESHOBA | 2 | 0 | 2 | 448 | 211 | 237 | 15.4 | 11.2 | 23.2 |
| NEWTON | 1 | 0 | 1 | 327 | 175 | 152 | 14.9 | 12.1 | 20.2 |
| NOXUBEE | 1 | 1 | 0 | 194 | 51 | 143 | 15.6 | 14.1 | 16.2 |
| OKTIBBEHA | 1,056 | 536 | 520 | 556 | 281 | 275 | 13.0 | 11.1 | 15.7 |
| PANOLA | 194 | 58 | 136 | 534 | 215 | 319 | 15.3 | 12.1 | 18.6 |
| PEARL RIVER | 332 | 257 | 75 | 678 | 571 | 107 | 13.4 | 13.2 | 15.0 |
| PERRY | 0 | 0 | 0 | 178 | 140 | 38 | 14.6 | 15.0 | 13.2 |
| PIKE | 907 | 416 | 491 | 667 | 260 | 407 | 17.1 | 13.2 | 21.1 |
| PONTOTOC | 9 | 9 | 0 | 402 | 341 | 61 | 14.9 | 14.9 | 14.9 |
| PRENTISS | 0 | 0 | 0 | 327 | 272 | 55 | 12.7 | 12.3 | 15.1 |
| QUITMAN | 1 | 0 | 1 | 147 | 24 | 123 | 15.0 | 8.0 | 18.0 |
| RANKIN | 3,208 | 2,269 | 939 | 1,711 | 1,372 | 339 | 14.1 | 14.0 | 14.4 |
| SCOTT | 6 | 2 | 4 | 447 | 264 | 183 | 15.8 | 15.6 | 15.9 |
| SHARKEY | 2 | 0 | 2 | 100 | 20 | 80 | 16.0 | 10.7 | 18.3 |
| SIMPSON | 131 | 68 | 63 | 410 | 245 | 165 | 14.8 | 13.7 | 16.9 |
| SMITH | 0 | 0 | 0 | 200 | 129 | 71 | 12.6 | 10.7 | 18.7 |
| STONE | 0 | 0 | 0 | 198 | 148 | 50 | 13.9 | 13.2 | 16.5 |
| SUNFLOWER | 336 | 65 | 271 | 462 | 87 | 375 | 13.6 | 9.2 | 15.3 |
| TALLAHATCHIE | 0 | 0 | 0 | 185 | 47 | 138 | 12.8 | 8.4 | 15.7 |
| TATE | 2 | 1 | 1 | 379 | 233 | 146 | 14.7 | 13.2 | 17.9 |
| TIPPAH | 2 | 1 | 1 | 319 | 242 | 77 | 15.2 | 14.0 | 20.7 |
| TISHOMINGO | 1 | 1 | 0 | 223 | 220 | 3 | 11.7 | 12.0 | 3.9 |
| TUNICA | 0 | 0 | 0 | 200 | 35 | 165 | 20.9 | 13.3 | 23.7 |
| UNION | 823 | 589 | 234 | 350 | 299 | 51 | 13.4 | 13.6 | 12.5 |
| WALTHALL | 0 | 0 | 0 | 215 | 91 | 124 | 14.2 | 11.0 | 18.0 |
| WARREN | 1,091 | 316 | 775 | 720 | 306 | 414 | 14.6 | 11.5 | 18.1 |
| WASHINGTON | 1,022 | 239 | 783 | 997 | 227 | 770 | 16.3 | 11.2 | 18.7 |
| WAYNE | 255 | 121 | 134 | 309 | 163 | 146 | 14.6 | 12.4 | 18.0 |
| WEBSTER | 1 | 0 | 1 | 132 | 91 | 41 | 12.8 | 11.3 | 18.2 |
| WILKINSON | 71 | 12 | 59 | 142 | 26 | 116 | 13.9 | 8.2 | 16.4 |
| WINSTON | 2 | 1 | 1 | 226 | 100 | 126 | 11.3 | 9.1 | 14.0 |
| YALOBUSHA | 1 | 1 | 0 | 181 | 86 | 95 | 13.6 | 10.6 | 18.2 |
| YAZOO | 14 | 2 | 12 | 413 | 139 | 274 | 14.6 | 11.1 | 17.5 |
| OUT OF STATE | 2,254 | 1,871 | 383 | 1,278 | 743 | 535 | | | |

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2002

| TOWN** | NUMBER | | |
|---------------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE |
| BILOXI | 864 | 587 | 277 |
| BRANDON | 345 | 279 | 66 |
| BROOKHAVEN | 119 | 53 | 66 |
| CANTON | 213 | 28 | 185 |
| CLARKSDALE | 345 | 49 | 296 |
| CLEVELAND | 194 | 79 | 115 |
| CLINTON | 290 | 176 | 114 |
| COLUMBUS | 432 | 131 | 301 |
| CORINTH | 212 | 147 | 65 |
| GAUTIER | 244 | 160 | 84 |
| GREENVILLE | 704 | 124 | 580 |
| GREENWOOD | 372 | 74 | 298 |
| GRENADA | 184 | 79 | 105 |
| GULFPORT | 1,130 | 666 | 464 |
| HATTIESBURG | 750 | 285 | 465 |
| INDIANOLA | 187 | 26 | 161 |
| JACKSON | 2,929 | 490 | 2,439 |
| LAUREL | 331 | 107 | 224 |
| LONG BEACH | 214 | 173 | 41 |
| MCCOMB | 239 | 50 | 189 |
| MERIDIAN | 626 | 207 | 419 |
| MOSS POINT | 277 | 94 | 183 |
| NATCHEZ | 283 | 78 | 205 |
| OCEAN SPRINGS | 302 | 264 | 38 |
| PASCAGOULA | 374 | 205 | 169 |
| PEARL | 344 | 264 | 80 |
| PICAYUNE | 188 | 114 | 74 |
| RIDGELAND | 330 | 216 | 114 |
| SOUTHAVEN | 513 | 447 | 66 |
| STARKVILLE | 367 | 176 | 191 |
| TUPELO | 551 | 321 | 230 |
| VICKSBURG | 417 | 94 | 323 |
| YAZOO CITY | 227 | 37 | 190 |

** TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL | WHITE | NON- WHITE | COUNTY | TOTAL | WHITE | NON- WHITE |
|--------------|-------------|-------------|---------------|--------------|-------|-------|---------------|
| <u>STATE</u> | <u>65.7</u> | <u>63.0</u> | <u>69.2</u> | | | | |
| ADAMS | 68.5 | 55.9 | 76.5 | LINCOLN | 63.8 | 71.0 | 50.8 |
| ALCORN | 67.6 | 66.4 | 74.6 | LOWNDES | 65.8 | 64.1 | 67.6 |
| AMITE | 52.4 | 52.8 | 51.9 | MADISON | 63.0 | 60.0 | 66.9 |
| ATTALA | 65.0 | 58.5 | 72.5 | MARION | 76.9 | 70.9 | 87.2 |
| BENTON | 74.0 | 69.9 | 79.7 | MARSHALL | 67.8 | 74.0 | 63.1 |
| BOLIVAR | 63.8 | 51.3 | 69.3 | MONROE | 60.1 | 60.3 | 59.7 |
| CALHOUN | 65.7 | 60.7 | 74.8 | MONTGOMERY | 62.5 | 59.6 | 64.8 |
| CARROLL | 52.8 | 54.5 | 49.9 | NESHOPA | 74.6 | 59.3 | 96.9 |
| CHICKASAW | 71.9 | 70.8 | 73.1 | NEWTON | 72.0 | 63.4 | 85.3 |
| CHOCTAW | 57.9 | 61.6 | 51.8 | NOXUBEE | 73.1 | 88.7 | 68.8 |
| CLAIBORNE | 52.9 | 48.0 | 53.4 | OKTIBBEHA | 47.1 | 42.0 | 53.8 |
| CLARKE | 56.1 | 52.5 | 61.2 | PANOLA | 69.1 | 61.4 | 75.4 |
| CLAY | 68.3 | 72.4 | 66.1 | PEARL RIVER | 63.4 | 63.5 | 62.8 |
| COAHOMA | 75.6 | 57.5 | 80.2 | PERRY | 66.8 | 71.0 | 54.8 |
| COPIAH | 64.6 | 65.6 | 63.8 | PIKE | 81.0 | 70.3 | 89.6 |
| COVINGTON | 68.6 | 57.0 | 85.1 | PONTOTOC | 69.8 | 71.9 | 60.0 |
| DESOTO | 66.7 | 68.3 | 59.3 | PRENTISS | 60.2 | 60.6 | 58.3 |
| FORREST | 57.8 | 51.4 | 67.5 | QUITMAN | 68.9 | 49.3 | 74.7 |
| FRANKLIN | 54.5 | 57.2 | 51.1 | RANKIN | 61.0 | 62.5 | 55.8 |
| GEORGE | 88.6 | 86.9 | 104.1 | SCOTT | 75.6 | 81.9 | 68.1 |
| GREENE | 66.8 | 69.5 | 56.0 | SHARKEY | 73.5 | 64.5 | 76.2 |
| GRENADA | 56.1 | 57.6 | 54.5 | SIMPSON | 71.1 | 70.0 | 72.8 |
| HANCOCK | 57.3 | 57.6 | 54.9 | SMITH | 62.7 | 55.7 | 81.0 |
| HARRISON | 70.3 | 70.7 | 69.4 | STONE | 65.1 | 64.6 | 66.7 |
| HINDS | 65.8 | 57.7 | 69.2 | SUNFLOWER | 68.0 | 59.7 | 70.3 |
| HOLMES | 68.8 | 46.0 | 72.7 | TALLAHATCHIE | 58.9 | 48.0 | 63.8 |
| HUMPHREYS | 84.7 | 57.8 | 92.1 | TATE | 67.6 | 65.3 | 71.5 |
| ISSAQUENA | 41.4 | 53.4 | 36.2 | TIPPAH | 70.8 | 67.7 | 82.9 |
| ITAWAMBA | 54.5 | 54.0 | 59.8 | TISHOMINGO | 60.4 | 62.2 | 19.0 |
| JACKSON | 63.3 | 62.2 | 65.8 | TUNICA | 88.9 | 75.1 | 92.5 |
| JASPER | 51.9 | 55.0 | 49.8 | UNION | 64.3 | 66.5 | 53.7 |
| JEFFERSON | 63.9 | 60.4 | 64.2 | WALTHALL | 68.7 | 59.2 | 77.9 |
| JEFF DAVIS | 54.4 | 56.4 | 53.2 | WARREN | 67.4 | 60.5 | 73.7 |
| JONES | 70.9 | 66.1 | 81.0 | WASHINGTON | 74.1 | 63.8 | 77.8 |
| KEMPER | 61.8 | 53.2 | 65.7 | WAYNE | 66.5 | 61.3 | 73.5 |
| LAFAYETTE | 43.5 | 37.2 | 59.3 | WEBSTER | 63.3 | 59.0 | 75.2 |
| LAMAR | 64.4 | 64.8 | 61.9 | WILKINSON | 72.5 | 50.9 | 80.2 |
| LAUDERDALE | 69.4 | 68.4 | 70.5 | WINSTON | 57.1 | 53.0 | 60.9 |
| LAWRENCE | 55.4 | 52.8 | 59.8 | YALOBUSHA | 67.1 | 60.3 | 74.9 |
| LEAKE | 81.4 | 83.6 | 78.9 | YAZOO | 74.8 | 69.3 | 77.9 |
| LEE | 69.1 | 68.6 | 70.2 | | | | |
| LEFLORE | 72.0 | 77.9 | 70.4 | | | | |

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2002

| COUNTY | TOTAL | WHITE | | | | NONWHITE | | | | SEX | |
|--------------|---------------|-----------|-----------------------|--------------------------|-----------|-----------|-----------------------|--------------------------|-----------|---------------|---------------|
| | | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | MALE | FEMALE |
| <u>STATE</u> | <u>41,511</u> | <u>60</u> | <u>0</u> | <u>3</u> | <u>57</u> | <u>44</u> | <u>0</u> | <u>13</u> | <u>31</u> | <u>21,272</u> | <u>20,239</u> |
| ADAMS | 472 | 149 | 148 | 0 | 1 | 323 | 323 | 0 | 0 | 240 | 232 |
| ALCORN | 473 | 397 | 396 | 0 | 1 | 76 | 76 | 0 | 0 | 252 | 221 |
| AMITE | 141 | 72 | 72 | 0 | 0 | 69 | 69 | 0 | 0 | 79 | 62 |
| ATTALA | 257 | 123 | 123 | 0 | 0 | 134 | 131 | 0 | 3 | 122 | 135 |
| BENTON | 118 | 65 | 65 | 0 | 0 | 53 | 53 | 0 | 0 | 61 | 57 |
| BOLIVAR | 605 | 147 | 147 | 0 | 0 | 458 | 457 | 0 | 1 | 308 | 297 |
| CALHOUN | 192 | 114 | 114 | 0 | 0 | 78 | 76 | 0 | 2 | 105 | 87 |
| CARROLL | 110 | 71 | 71 | 0 | 0 | 39 | 39 | 0 | 0 | 54 | 56 |
| CHICKASAW | 290 | 149 | 149 | 0 | 0 | 141 | 141 | 0 | 0 | 150 | 140 |
| CHOCTAW | 114 | 76 | 76 | 0 | 0 | 38 | 38 | 0 | 0 | 48 | 66 |
| CLAIBORNE | 168 | 12 | 12 | 0 | 0 | 156 | 154 | 0 | 2 | 89 | 79 |
| CLARKE | 204 | 113 | 113 | 0 | 0 | 91 | 90 | 0 | 1 | 106 | 98 |
| CLAY | 322 | 122 | 122 | 0 | 0 | 200 | 198 | 0 | 2 | 161 | 161 |
| COAHOMA | 505 | 77 | 76 | 0 | 1 | 428 | 428 | 0 | 0 | 248 | 257 |
| COPIAH | 407 | 175 | 175 | 0 | 0 | 232 | 232 | 0 | 0 | 208 | 199 |
| COVINGTON | 290 | 142 | 140 | 0 | 2 | 148 | 148 | 0 | 0 | 149 | 141 |
| DESOTO | 1,809 | 1,522 | 1,518 | 0 | 4 | 287 | 284 | 0 | 3 | 938 | 871 |
| FORREST | 1,094 | 587 | 586 | 0 | 1 | 507 | 507 | 0 | 0 | 597 | 497 |
| FRANKLIN | 96 | 57 | 57 | 0 | 0 | 39 | 39 | 0 | 0 | 45 | 51 |
| GEORGE | 366 | 325 | 323 | 0 | 2 | 41 | 41 | 0 | 0 | 195 | 171 |
| GREENE | 156 | 129 | 129 | 0 | 0 | 27 | 27 | 0 | 0 | 83 | 73 |
| GRENADA | 272 | 145 | 145 | 0 | 0 | 127 | 127 | 0 | 0 | 139 | 133 |
| HANCOCK | 513 | 464 | 464 | 0 | 0 | 49 | 49 | 0 | 0 | 277 | 236 |
| HARRISON | 2,956 | 2,060 | 2,054 | 0 | 6 | 896 | 896 | 0 | 0 | 1,508 | 1,448 |

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2002

| COUNTY | TOTAL | WHITE | | | | NONWHITE | | | | SEX | |
|------------|-------|-------|-----------------------|--------------------------|-------|----------|-----------------------|--------------------------|-------|-------|--------|
| | | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | MALE | FEMALE |
| HINDS | 3,812 | 969 | 968 | 0 | 1 | 2,843 | 2,833 | 8 | 2 | 1,932 | 1,880 |
| HOLMES | 339 | 33 | 33 | 0 | 0 | 306 | 306 | 0 | 0 | 160 | 179 |
| HUMPHREYS | 205 | 30 | 30 | 0 | 0 | 175 | 175 | 0 | 0 | 113 | 92 |
| ISSAQUENA | 18 | 7 | 7 | 0 | 0 | 11 | 11 | 0 | 0 | 10 | 8 |
| ITAWAMBA | 262 | 236 | 236 | 0 | 0 | 26 | 26 | 0 | 0 | 149 | 113 |
| JACKSON | 1,808 | 1,273 | 1,272 | 0 | 1 | 535 | 535 | 0 | 0 | 918 | 890 |
| JASPER | 200 | 87 | 87 | 0 | 0 | 113 | 113 | 0 | 0 | 106 | 94 |
| JEFFERSON | 132 | 11 | 11 | 0 | 0 | 121 | 121 | 0 | 0 | 63 | 69 |
| JEFF DAVIS | 155 | 56 | 56 | 0 | 0 | 99 | 99 | 0 | 0 | 70 | 85 |
| JONES | 959 | 608 | 606 | 0 | 2 | 351 | 350 | 0 | 1 | 476 | 483 |
| KEMPER | 137 | 37 | 37 | 0 | 0 | 100 | 100 | 0 | 0 | 73 | 64 |
| LAFAYETTE | 482 | 294 | 292 | 0 | 2 | 188 | 187 | 0 | 1 | 244 | 238 |
| LAMAR | 626 | 521 | 520 | 0 | 1 | 105 | 105 | 0 | 0 | 330 | 296 |
| LAUDERDALE | 1,149 | 605 | 603 | 0 | 2 | 544 | 542 | 0 | 2 | 593 | 556 |
| LAWRENCE | 157 | 94 | 94 | 0 | 0 | 63 | 62 | 0 | 1 | 74 | 83 |
| LEAKE | 348 | 187 | 186 | 0 | 1 | 161 | 161 | 0 | 0 | 180 | 168 |
| LEE | 1,161 | 790 | 789 | 0 | 1 | 371 | 370 | 1 | 0 | 591 | 570 |
| LEFLORE | 592 | 143 | 143 | 0 | 0 | 449 | 448 | 0 | 1 | 307 | 285 |
| LINCOLN | 447 | 320 | 319 | 1 | 0 | 127 | 127 | 0 | 0 | 220 | 227 |
| LOWNDES | 917 | 449 | 448 | 0 | 1 | 468 | 468 | 0 | 0 | 462 | 455 |
| MADISON | 1,157 | 621 | 620 | 0 | 1 | 536 | 534 | 1 | 1 | 568 | 589 |
| MARION | 399 | 234 | 232 | 0 | 2 | 165 | 165 | 0 | 0 | 215 | 184 |
| MARSHALL | 514 | 243 | 242 | 0 | 1 | 271 | 271 | 0 | 0 | 269 | 245 |
| MONROE | 476 | 302 | 301 | 0 | 1 | 174 | 174 | 0 | 0 | 259 | 217 |
| MONTGOMERY | 152 | 66 | 65 | 1 | 0 | 86 | 86 | 0 | 0 | 87 | 65 |
| NESHOBA | 448 | 211 | 211 | 0 | 0 | 237 | 235 | 0 | 2 | 232 | 216 |
| NEWTON | 327 | 175 | 175 | 0 | 0 | 152 | 152 | 0 | 0 | 176 | 151 |
| NOXUBEE | 194 | 51 | 50 | 0 | 1 | 143 | 143 | 0 | 0 | 98 | 96 |
| OKTIBBEHA | 556 | 281 | 280 | 0 | 1 | 275 | 275 | 0 | 0 | 284 | 272 |
| PANOLA | 534 | 215 | 215 | 0 | 0 | 319 | 319 | 0 | 0 | 281 | 253 |

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2002

| COUNTY | TOTAL | WHITE | | | | NONWHITE | | | | SEX | |
|--------------|-------|-------|-----------------------|--------------------------|-------|----------|-----------------------|--------------------------|-------|------|--------|
| | | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS., OTHER PLACE | OTHER | MALE | FEMALE |
| PEARL RIVER | 678 | 571 | 571 | 0 | 0 | 107 | 106 | 0 | 1 | 352 | 326 |
| PERRY | 178 | 140 | 140 | 0 | 0 | 38 | 38 | 0 | 0 | 94 | 84 |
| PIKE | 667 | 260 | 260 | 0 | 0 | 407 | 407 | 0 | 0 | 323 | 344 |
| PONTOTOC | 402 | 341 | 332 | 0 | 9 | 61 | 61 | 0 | 0 | 217 | 185 |
| PRENTISS | 327 | 272 | 272 | 0 | 0 | 55 | 55 | 0 | 0 | 173 | 154 |
| QUITMAN | 147 | 24 | 24 | 0 | 0 | 123 | 123 | 0 | 0 | 93 | 54 |
| RANKIN | 1,711 | 1,372 | 1,369 | 0 | 3 | 339 | 339 | 0 | 0 | 877 | 834 |
| SCOTT | 447 | 264 | 262 | 0 | 2 | 183 | 182 | 1 | 0 | 243 | 204 |
| SHARKEY | 100 | 20 | 20 | 0 | 0 | 80 | 80 | 0 | 0 | 54 | 46 |
| SIMPSON | 410 | 245 | 245 | 0 | 0 | 165 | 164 | 0 | 1 | 204 | 206 |
| SMITH | 200 | 129 | 129 | 0 | 0 | 71 | 71 | 0 | 0 | 96 | 104 |
| STONE | 198 | 148 | 147 | 0 | 1 | 50 | 50 | 0 | 0 | 95 | 103 |
| SUNFLOWER | 462 | 87 | 87 | 0 | 0 | 375 | 374 | 0 | 1 | 253 | 209 |
| TALLAHATCHIE | 185 | 47 | 47 | 0 | 0 | 138 | 138 | 0 | 0 | 99 | 86 |
| TATE | 379 | 233 | 232 | 0 | 1 | 146 | 146 | 0 | 0 | 193 | 186 |
| TIPPAH | 319 | 242 | 242 | 0 | 0 | 77 | 76 | 0 | 1 | 158 | 161 |
| TISHOMINGO | 223 | 220 | 219 | 1 | 0 | 3 | 3 | 0 | 0 | 100 | 123 |
| TUNICA | 200 | 35 | 35 | 0 | 0 | 165 | 164 | 1 | 0 | 90 | 110 |
| UNION | 350 | 299 | 299 | 0 | 0 | 51 | 51 | 0 | 0 | 168 | 182 |
| WALTHALL | 215 | 91 | 90 | 0 | 1 | 124 | 124 | 0 | 0 | 98 | 117 |
| WARREN | 720 | 306 | 306 | 0 | 0 | 414 | 414 | 0 | 0 | 369 | 351 |
| WASHINGTON | 997 | 227 | 227 | 0 | 0 | 770 | 770 | 0 | 0 | 520 | 477 |
| WAYNE | 309 | 163 | 163 | 0 | 0 | 146 | 146 | 0 | 0 | 153 | 156 |
| WEBSTER | 132 | 91 | 91 | 0 | 0 | 41 | 40 | 1 | 0 | 63 | 69 |
| WILKINSON | 142 | 26 | 26 | 0 | 0 | 116 | 116 | 0 | 0 | 80 | 62 |
| WINSTON | 226 | 100 | 99 | 0 | 1 | 126 | 125 | 0 | 1 | 114 | 112 |
| YALOBUSHA | 181 | 86 | 85 | 0 | 1 | 95 | 94 | 0 | 1 | 86 | 95 |
| YAZOO | 413 | 139 | 138 | 0 | 1 | 274 | 274 | 0 | 0 | 205 | 208 |

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|---------------|---------------|--------------|--------------|------------|-----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>41,511</u> | <u>193</u> | <u>6,959</u> | <u>14,406</u> | <u>10,407</u> | <u>6,513</u> | <u>2,482</u> | <u>517</u> | <u>25</u> | <u>9</u> |
| ADAMS | 472 | 4 | 83 | 181 | 111 | 65 | 27 | 1 | 0 | 0 |
| ALCORN | 473 | 4 | 71 | 156 | 134 | 73 | 29 | 6 | 0 | 0 |
| AMITE | 141 | 0 | 23 | 48 | 38 | 20 | 9 | 2 | 1 | 0 |
| ATTALA | 257 | 0 | 42 | 89 | 66 | 37 | 21 | 2 | 0 | 0 |
| BENTON | 118 | 0 | 22 | 46 | 29 | 18 | 3 | 0 | 0 | 0 |
| BOLIVAR | 605 | 6 | 117 | 249 | 134 | 72 | 22 | 4 | 1 | 0 |
| CALHOUN | 192 | 2 | 47 | 70 | 34 | 26 | 11 | 2 | 0 | 0 |
| CARROLL | 110 | 1 | 23 | 36 | 28 | 14 | 7 | 1 | 0 | 0 |
| CHICKASAW | 290 | 2 | 68 | 101 | 76 | 26 | 13 | 3 | 1 | 0 |
| CHOCTAW | 114 | 0 | 18 | 31 | 36 | 19 | 9 | 1 | 0 | 0 |
| CLAIBORNE | 168 | 0 | 30 | 68 | 35 | 21 | 9 | 5 | 0 | 0 |
| CLARKE | 204 | 0 | 27 | 77 | 56 | 32 | 7 | 5 | 0 | 0 |
| CLAY | 322 | 3 | 55 | 120 | 87 | 46 | 11 | 0 | 0 | 0 |
| COAHOMA | 505 | 9 | 124 | 201 | 102 | 39 | 25 | 3 | 2 | 0 |
| COPIAH | 407 | 1 | 89 | 154 | 94 | 56 | 11 | 1 | 1 | 0 |
| COVINGTON | 290 | 2 | 48 | 130 | 63 | 37 | 8 | 2 | 0 | 0 |
| DESOTO | 1,809 | 2 | 215 | 489 | 532 | 404 | 140 | 24 | 2 | 1 |
| FORREST | 1,094 | 3 | 170 | 439 | 253 | 167 | 55 | 7 | 0 | 0 |
| FRANKLIN | 96 | 0 | 16 | 28 | 31 | 13 | 6 | 2 | 0 | 0 |
| GEORGE | 366 | 0 | 72 | 132 | 87 | 48 | 24 | 3 | 0 | 0 |
| GREENE | 156 | 0 | 27 | 52 | 41 | 25 | 10 | 1 | 0 | 0 |
| GRENADA | 272 | 2 | 43 | 93 | 77 | 44 | 10 | 3 | 0 | 0 |
| HANCOCK | 513 | 0 | 86 | 152 | 128 | 93 | 43 | 9 | 2 | 0 |
| HARRISON | 2,956 | 7 | 443 | 1,061 | 741 | 488 | 163 | 48 | 4 | 1 |
| HINDS | 3,812 | 20 | 643 | 1,226 | 936 | 650 | 266 | 65 | 3 | 3 |
| HOLMES | 339 | 4 | 78 | 126 | 76 | 38 | 14 | 3 | 0 | 0 |
| HUMPHREYS | 205 | 6 | 57 | 99 | 23 | 12 | 5 | 3 | 0 | 0 |
| ISSAQUENA | 18 | 0 | 6 | 4 | 4 | 3 | 1 | 0 | 0 | 0 |
| ITAWAMBA | 262 | 0 | 38 | 82 | 77 | 45 | 17 | 3 | 0 | 0 |
| JACKSON | 1,808 | 4 | 287 | 590 | 474 | 309 | 123 | 19 | 1 | 1 |
| JASPER | 200 | 3 | 30 | 79 | 45 | 33 | 8 | 2 | 0 | 0 |
| JEFFERSON | 132 | 1 | 26 | 59 | 26 | 11 | 7 | 2 | 0 | 0 |
| JEFF DAVIS | 155 | 0 | 35 | 55 | 44 | 12 | 5 | 4 | 0 | 0 |
| JONES | 959 | 7 | 167 | 361 | 236 | 119 | 56 | 13 | 0 | 0 |
| KEMPER | 137 | 1 | 26 | 46 | 40 | 20 | 4 | 0 | 0 | 0 |
| LAFAYETTE | 482 | 3 | 61 | 130 | 128 | 104 | 45 | 10 | 1 | 0 |
| LAMAR | 626 | 1 | 72 | 203 | 170 | 132 | 45 | 2 | 1 | 0 |
| LAUDERDALE | 1,149 | 5 | 172 | 374 | 318 | 198 | 64 | 18 | 0 | 0 |
| LAWRENCE | 157 | 0 | 25 | 53 | 44 | 26 | 8 | 1 | 0 | 0 |
| LEAKE | 348 | 2 | 57 | 133 | 85 | 50 | 17 | 4 | 0 | 0 |
| LEE | 1,161 | 3 | 182 | 359 | 303 | 210 | 93 | 11 | 0 | 0 |
| LEFLORE | 592 | 2 | 137 | 231 | 118 | 77 | 19 | 7 | 1 | 0 |

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 447 | 1 | 78 | 144 | 130 | 70 | 19 | 5 | 0 | 0 |
| LOWNDES | 917 | 7 | 141 | 305 | 235 | 147 | 65 | 15 | 2 | 0 |
| MADISON | 1,157 | 5 | 126 | 255 | 315 | 291 | 136 | 29 | 0 | 0 |
| MARION | 399 | 0 | 79 | 159 | 89 | 58 | 14 | 0 | 0 | 0 |
| MARSHALL | 514 | 3 | 100 | 210 | 95 | 66 | 29 | 11 | 0 | 0 |
| MONROE | 476 | 2 | 80 | 149 | 136 | 72 | 30 | 6 | 1 | 0 |
| MONTGOMERY | 152 | 0 | 32 | 56 | 30 | 21 | 11 | 2 | 0 | 0 |
| NESHOBA | 448 | 3 | 97 | 138 | 135 | 55 | 17 | 3 | 0 | 0 |
| NEWTON | 327 | 0 | 45 | 124 | 93 | 46 | 14 | 5 | 0 | 0 |
| NOXUBEE | 194 | 0 | 29 | 88 | 38 | 23 | 12 | 4 | 0 | 0 |
| OKTIBBEHA | 556 | 2 | 73 | 193 | 127 | 105 | 44 | 11 | 0 | 1 |
| PANOLA | 534 | 2 | 120 | 205 | 116 | 57 | 30 | 4 | 0 | 0 |
| PEARL RIVER | 678 | 4 | 115 | 254 | 161 | 94 | 41 | 9 | 0 | 0 |
| PERRY | 178 | 0 | 35 | 71 | 48 | 15 | 8 | 1 | 0 | 0 |
| PIKE | 667 | 2 | 129 | 252 | 152 | 81 | 42 | 7 | 1 | 1 |
| PONTOTOC | 402 | 1 | 57 | 131 | 106 | 68 | 32 | 6 | 0 | 1 |
| PRENTISS | 327 | 0 | 51 | 121 | 90 | 43 | 20 | 2 | 0 | 0 |
| QUITMAN | 147 | 1 | 37 | 54 | 33 | 15 | 6 | 1 | 0 | 0 |
| RANKIN | 1,711 | 5 | 190 | 475 | 506 | 387 | 130 | 18 | 0 | 0 |
| SCOTT | 447 | 3 | 73 | 172 | 121 | 51 | 23 | 4 | 0 | 0 |
| SHARKEY | 100 | 3 | 16 | 41 | 25 | 12 | 2 | 1 | 0 | 0 |
| SIMPSON | 410 | 2 | 75 | 169 | 93 | 49 | 19 | 3 | 0 | 0 |
| SMITH | 200 | 0 | 26 | 76 | 56 | 28 | 13 | 1 | 0 | 0 |
| STONE | 198 | 1 | 35 | 76 | 43 | 27 | 13 | 3 | 0 | 0 |
| SUNFLOWER | 462 | 1 | 121 | 177 | 89 | 50 | 17 | 7 | 0 | 0 |
| TALLAHATCHIE | 185 | 3 | 46 | 66 | 49 | 15 | 5 | 1 | 0 | 0 |
| TATE | 379 | 0 | 62 | 154 | 74 | 64 | 16 | 9 | 0 | 0 |
| TIPPAH | 319 | 0 | 50 | 135 | 82 | 40 | 9 | 3 | 0 | 0 |
| TISHOMINGO | 223 | 0 | 38 | 79 | 63 | 34 | 9 | 0 | 0 | 0 |
| TUNICA | 200 | 0 | 38 | 84 | 45 | 22 | 8 | 3 | 0 | 0 |
| UNION | 350 | 2 | 54 | 134 | 94 | 48 | 13 | 5 | 0 | 0 |
| WALTHALL | 215 | 2 | 36 | 91 | 50 | 26 | 8 | 2 | 0 | 0 |
| WARREN | 720 | 6 | 116 | 260 | 170 | 115 | 42 | 11 | 0 | 0 |
| WASHINGTON | 997 | 9 | 213 | 374 | 235 | 112 | 46 | 8 | 0 | 0 |
| WAYNE | 309 | 1 | 64 | 113 | 85 | 30 | 13 | 3 | 0 | 0 |
| WEBSTER | 132 | 0 | 30 | 51 | 34 | 13 | 4 | 0 | 0 | 0 |
| WILKINSON | 142 | 2 | 21 | 47 | 34 | 24 | 12 | 2 | 0 | 0 |
| WINSTON | 226 | 3 | 40 | 77 | 54 | 38 | 14 | 0 | 0 | 0 |
| YALOBUSHA | 181 | 1 | 40 | 71 | 34 | 25 | 8 | 2 | 0 | 0 |
| YAZOO | 413 | 6 | 93 | 162 | 82 | 44 | 18 | 8 | 0 | 0 |

**TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|------------|-----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>22,620</u> | <u>27</u> | <u>2,874</u> | <u>7,021</u> | <u>6,413</u> | <u>4,373</u> | <u>1,573</u> | <u>322</u> | <u>13</u> | <u>4</u> |
| ADAMS | 149 | 0 | 19 | 48 | 42 | 29 | 10 | 1 | 0 | 0 |
| ALCORN | 397 | 3 | 51 | 118 | 127 | 67 | 26 | 5 | 0 | 0 |
| AMITE | 72 | 0 | 10 | 22 | 23 | 11 | 5 | 0 | 1 | 0 |
| ATTALA | 123 | 0 | 19 | 38 | 39 | 20 | 7 | 0 | 0 | 0 |
| BENTON | 65 | 0 | 8 | 24 | 19 | 13 | 1 | 0 | 0 | 0 |
| BOLIVAR | 147 | 0 | 13 | 39 | 53 | 32 | 8 | 2 | 0 | 0 |
| CALHOUN | 114 | 1 | 23 | 40 | 24 | 16 | 8 | 2 | 0 | 0 |
| CARROLL | 71 | 0 | 11 | 21 | 22 | 10 | 6 | 1 | 0 | 0 |
| CHICKASAW | 149 | 1 | 29 | 47 | 45 | 18 | 6 | 3 | 0 | 0 |
| CHOCTAW | 76 | 0 | 8 | 18 | 26 | 17 | 7 | 0 | 0 | 0 |
| CLAIBORNE | 12 | 0 | 2 | 4 | 2 | 3 | 1 | 0 | 0 | 0 |
| CLARKE | 113 | 0 | 13 | 33 | 37 | 23 | 3 | 4 | 0 | 0 |
| CLAY | 122 | 0 | 12 | 36 | 44 | 25 | 5 | 0 | 0 | 0 |
| COAHOMA | 77 | 1 | 11 | 18 | 24 | 14 | 7 | 1 | 1 | 0 |
| COPIAH | 175 | 0 | 30 | 59 | 45 | 34 | 6 | 0 | 1 | 0 |
| COVINGTON | 142 | 0 | 20 | 55 | 35 | 25 | 6 | 1 | 0 | 0 |
| DESOTO | 1,522 | 2 | 171 | 402 | 448 | 361 | 117 | 19 | 1 | 1 |
| FORREST | 587 | 1 | 64 | 215 | 162 | 116 | 26 | 3 | 0 | 0 |
| FRANKLIN | 57 | 0 | 8 | 10 | 22 | 12 | 4 | 1 | 0 | 0 |
| GEORGE | 325 | 0 | 55 | 119 | 79 | 45 | 24 | 3 | 0 | 0 |
| GREENE | 129 | 0 | 23 | 42 | 32 | 23 | 8 | 1 | 0 | 0 |
| GRENADA | 145 | 0 | 14 | 40 | 51 | 31 | 7 | 2 | 0 | 0 |
| HANCOCK | 464 | 0 | 77 | 134 | 117 | 88 | 39 | 7 | 2 | 0 |
| HARRISON | 2,060 | 1 | 286 | 720 | 522 | 368 | 128 | 33 | 1 | 1 |
| HINDS | 969 | 0 | 71 | 220 | 291 | 259 | 103 | 25 | 0 | 0 |
| HOLMES | 33 | 0 | 2 | 7 | 15 | 7 | 2 | 0 | 0 | 0 |
| HUMPHREYS | 30 | 0 | 6 | 11 | 6 | 4 | 2 | 1 | 0 | 0 |
| ISSAQUENA | 7 | 0 | 0 | 3 | 1 | 3 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 236 | 0 | 35 | 72 | 69 | 43 | 15 | 2 | 0 | 0 |
| JACKSON | 1,273 | 1 | 187 | 387 | 338 | 249 | 92 | 17 | 1 | 1 |
| JASPER | 87 | 0 | 10 | 30 | 28 | 15 | 4 | 0 | 0 | 0 |
| JEFFERSON | 11 | 0 | 3 | 2 | 3 | 1 | 1 | 1 | 0 | 0 |
| JEFF DAVIS | 56 | 0 | 14 | 16 | 14 | 6 | 5 | 1 | 0 | 0 |
| JONES | 608 | 2 | 90 | 203 | 169 | 93 | 42 | 9 | 0 | 0 |
| KEMPER | 37 | 0 | 4 | 10 | 16 | 5 | 2 | 0 | 0 | 0 |
| LAFAYETTE | 294 | 0 | 20 | 69 | 85 | 79 | 33 | 7 | 1 | 0 |
| LAMAR | 521 | 0 | 60 | 159 | 147 | 114 | 38 | 2 | 1 | 0 |
| LAUDERDALE | 605 | 0 | 52 | 171 | 190 | 142 | 38 | 12 | 0 | 0 |
| LAWRENCE | 94 | 0 | 15 | 29 | 27 | 20 | 2 | 1 | 0 | 0 |
| LEAKE | 187 | 0 | 36 | 68 | 47 | 23 | 11 | 2 | 0 | 0 |
| LEE | 790 | 1 | 104 | 217 | 231 | 159 | 68 | 10 | 0 | 0 |
| LEFLORE | 143 | 0 | 20 | 43 | 39 | 30 | 8 | 3 | 0 | 0 |

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 320 | 0 | 44 | 97 | 104 | 55 | 17 | 3 | 0 | 0 |
| LOWNDES | 449 | 1 | 39 | 133 | 141 | 90 | 34 | 10 | 1 | 0 |
| MADISON | 621 | 1 | 26 | 84 | 185 | 206 | 96 | 23 | 0 | 0 |
| MARION | 234 | 0 | 43 | 92 | 51 | 39 | 9 | 0 | 0 | 0 |
| MARSHALL | 243 | 0 | 35 | 89 | 60 | 37 | 17 | 5 | 0 | 0 |
| MONROE | 302 | 0 | 41 | 87 | 95 | 51 | 24 | 3 | 1 | 0 |
| MONTGOMERY | 66 | 0 | 8 | 25 | 14 | 9 | 8 | 2 | 0 | 0 |
| NESHOBA | 211 | 0 | 37 | 66 | 70 | 28 | 8 | 2 | 0 | 0 |
| NEWTON | 175 | 0 | 13 | 60 | 59 | 33 | 8 | 2 | 0 | 0 |
| NOXUBEE | 51 | 0 | 1 | 19 | 18 | 7 | 4 | 2 | 0 | 0 |
| OKTIBBEHA | 281 | 0 | 17 | 88 | 72 | 74 | 20 | 10 | 0 | 0 |
| PANOLA | 215 | 1 | 31 | 77 | 55 | 34 | 17 | 0 | 0 | 0 |
| PEARL RIVER | 571 | 2 | 94 | 204 | 142 | 85 | 35 | 9 | 0 | 0 |
| PERRY | 140 | 0 | 30 | 49 | 40 | 14 | 7 | 0 | 0 | 0 |
| PIKE | 260 | 0 | 37 | 89 | 75 | 35 | 21 | 2 | 1 | 0 |
| PONTOTOC | 341 | 1 | 47 | 111 | 91 | 58 | 26 | 6 | 0 | 1 |
| PRENTISS | 272 | 0 | 37 | 104 | 76 | 35 | 18 | 2 | 0 | 0 |
| QUITMAN | 24 | 0 | 6 | 9 | 3 | 4 | 2 | 0 | 0 | 0 |
| RANKIN | 1,372 | 3 | 146 | 356 | 435 | 321 | 98 | 13 | 0 | 0 |
| SCOTT | 264 | 1 | 41 | 112 | 69 | 27 | 12 | 2 | 0 | 0 |
| SHARKEY | 20 | 0 | 1 | 7 | 8 | 2 | 2 | 0 | 0 | 0 |
| SIMPSON | 245 | 1 | 40 | 91 | 60 | 38 | 13 | 2 | 0 | 0 |
| SMITH | 129 | 0 | 11 | 41 | 40 | 25 | 11 | 1 | 0 | 0 |
| STONE | 148 | 0 | 23 | 57 | 37 | 17 | 12 | 2 | 0 | 0 |
| SUNFLOWER | 87 | 0 | 10 | 22 | 30 | 15 | 6 | 4 | 0 | 0 |
| TALLAHATCHIE | 47 | 0 | 5 | 15 | 19 | 5 | 2 | 1 | 0 | 0 |
| TATE | 233 | 0 | 29 | 89 | 45 | 50 | 13 | 7 | 0 | 0 |
| TIPPAH | 242 | 0 | 32 | 101 | 64 | 36 | 7 | 2 | 0 | 0 |
| TISHOMINGO | 220 | 0 | 37 | 77 | 63 | 34 | 9 | 0 | 0 | 0 |
| TUNICA | 35 | 0 | 2 | 12 | 12 | 5 | 2 | 2 | 0 | 0 |
| UNION | 299 | 0 | 42 | 111 | 86 | 44 | 11 | 5 | 0 | 0 |
| WALTHALL | 91 | 0 | 10 | 42 | 22 | 14 | 2 | 1 | 0 | 0 |
| WARREN | 306 | 1 | 29 | 102 | 84 | 63 | 21 | 6 | 0 | 0 |
| WASHINGTON | 227 | 0 | 29 | 69 | 72 | 35 | 18 | 4 | 0 | 0 |
| WAYNE | 163 | 0 | 26 | 64 | 47 | 18 | 6 | 2 | 0 | 0 |
| WEBSTER | 91 | 0 | 16 | 32 | 28 | 12 | 3 | 0 | 0 | 0 |
| WILKINSON | 26 | 1 | 4 | 8 | 4 | 5 | 3 | 1 | 0 | 0 |
| WINSTON | 100 | 0 | 14 | 27 | 23 | 27 | 9 | 0 | 0 | 0 |
| YALOBUSHA | 86 | 0 | 15 | 36 | 20 | 11 | 3 | 1 | 0 | 0 |
| YAZOO | 139 | 0 | 20 | 48 | 38 | 22 | 8 | 3 | 0 | 0 |

**TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|------------|------------|-----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>18,891</u> | <u>166</u> | <u>4,085</u> | <u>7,385</u> | <u>3,994</u> | <u>2,140</u> | <u>909</u> | <u>195</u> | <u>12</u> | <u>5</u> |
| ADAMS | 323 | 4 | 64 | 133 | 69 | 36 | 17 | 0 | 0 | 0 |
| ALCORN | 76 | 1 | 20 | 38 | 7 | 6 | 3 | 1 | 0 | 0 |
| AMITE | 69 | 0 | 13 | 26 | 15 | 9 | 4 | 2 | 0 | 0 |
| ATTALA | 134 | 0 | 23 | 51 | 27 | 17 | 14 | 2 | 0 | 0 |
| BENTON | 53 | 0 | 14 | 22 | 10 | 5 | 2 | 0 | 0 | 0 |
| BOLIVAR | 458 | 6 | 104 | 210 | 81 | 40 | 14 | 2 | 1 | 0 |
| CALHOUN | 78 | 1 | 24 | 30 | 10 | 10 | 3 | 0 | 0 | 0 |
| CARROLL | 39 | 1 | 12 | 15 | 6 | 4 | 1 | 0 | 0 | 0 |
| CHICKASAW | 141 | 1 | 39 | 54 | 31 | 8 | 7 | 0 | 1 | 0 |
| CHOCTAW | 38 | 0 | 10 | 13 | 10 | 2 | 2 | 1 | 0 | 0 |
| CLAIBORNE | 156 | 0 | 28 | 64 | 33 | 18 | 8 | 5 | 0 | 0 |
| CLARKE | 91 | 0 | 14 | 44 | 19 | 9 | 4 | 1 | 0 | 0 |
| CLAY | 200 | 3 | 43 | 84 | 43 | 21 | 6 | 0 | 0 | 0 |
| COAHOMA | 428 | 8 | 113 | 183 | 78 | 25 | 18 | 2 | 1 | 0 |
| COPIAH | 232 | 1 | 59 | 95 | 49 | 22 | 5 | 1 | 0 | 0 |
| COVINGTON | 148 | 2 | 28 | 75 | 28 | 12 | 2 | 1 | 0 | 0 |
| DESOTO | 287 | 0 | 44 | 87 | 84 | 43 | 23 | 5 | 1 | 0 |
| FORREST | 507 | 2 | 106 | 224 | 91 | 51 | 29 | 4 | 0 | 0 |
| FRANKLIN | 39 | 0 | 8 | 18 | 9 | 1 | 2 | 1 | 0 | 0 |
| GEORGE | 41 | 0 | 17 | 13 | 8 | 3 | 0 | 0 | 0 | 0 |
| GREENE | 27 | 0 | 4 | 10 | 9 | 2 | 2 | 0 | 0 | 0 |
| GRENADA | 127 | 2 | 29 | 53 | 26 | 13 | 3 | 1 | 0 | 0 |
| HANCOCK | 49 | 0 | 9 | 18 | 11 | 5 | 4 | 2 | 0 | 0 |
| HARRISON | 896 | 6 | 157 | 341 | 219 | 120 | 35 | 15 | 3 | 0 |
| HINDS | 2,843 | 20 | 572 | 1,006 | 645 | 391 | 163 | 40 | 3 | 3 |
| HOLMES | 306 | 4 | 76 | 119 | 61 | 31 | 12 | 3 | 0 | 0 |
| HUMPHREYS | 175 | 6 | 51 | 88 | 17 | 8 | 3 | 2 | 0 | 0 |
| ISSAQUENA | 11 | 0 | 6 | 1 | 3 | 0 | 1 | 0 | 0 | 0 |
| ITAWAMBA | 26 | 0 | 3 | 10 | 8 | 2 | 2 | 1 | 0 | 0 |
| JACKSON | 535 | 3 | 100 | 203 | 136 | 60 | 31 | 2 | 0 | 0 |
| JASPER | 113 | 3 | 20 | 49 | 17 | 18 | 4 | 2 | 0 | 0 |
| JEFFERSON | 121 | 1 | 23 | 57 | 23 | 10 | 6 | 1 | 0 | 0 |
| JEFF DAVIS | 99 | 0 | 21 | 39 | 30 | 6 | 0 | 3 | 0 | 0 |
| JONES | 351 | 5 | 77 | 158 | 67 | 26 | 14 | 4 | 0 | 0 |
| KEMPER | 100 | 1 | 22 | 36 | 24 | 15 | 2 | 0 | 0 | 0 |
| LAFAYETTE | 188 | 3 | 41 | 61 | 43 | 25 | 12 | 3 | 0 | 0 |
| LAMAR | 105 | 1 | 12 | 44 | 23 | 18 | 7 | 0 | 0 | 0 |
| LAUDERDALE | 544 | 5 | 120 | 203 | 128 | 56 | 26 | 6 | 0 | 0 |
| LAWRENCE | 63 | 0 | 10 | 24 | 17 | 6 | 6 | 0 | 0 | 0 |
| LEAKE | 161 | 2 | 21 | 65 | 38 | 27 | 6 | 2 | 0 | 0 |
| LEE | 371 | 2 | 78 | 142 | 72 | 51 | 25 | 1 | 0 | 0 |
| LEFLORE | 449 | 2 | 117 | 188 | 79 | 47 | 11 | 4 | 1 | 0 |

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 127 | 1 | 34 | 47 | 26 | 15 | 2 | 2 | 0 | 0 |
| LOWNDES | 468 | 6 | 102 | 172 | 94 | 57 | 31 | 5 | 1 | 0 |
| MADISON | 536 | 4 | 100 | 171 | 130 | 85 | 40 | 6 | 0 | 0 |
| MARION | 165 | 0 | 36 | 67 | 38 | 19 | 5 | 0 | 0 | 0 |
| MARSHALL | 271 | 3 | 65 | 121 | 35 | 29 | 12 | 6 | 0 | 0 |
| MONROE | 174 | 2 | 39 | 62 | 41 | 21 | 6 | 3 | 0 | 0 |
| MONTGOMERY | 86 | 0 | 24 | 31 | 16 | 12 | 3 | 0 | 0 | 0 |
| NESHOBA | 237 | 3 | 60 | 72 | 65 | 27 | 9 | 1 | 0 | 0 |
| NEWTON | 152 | 0 | 32 | 64 | 34 | 13 | 6 | 3 | 0 | 0 |
| NOXUBEE | 143 | 0 | 28 | 69 | 20 | 16 | 8 | 2 | 0 | 0 |
| OKTIBBEHA | 275 | 2 | 56 | 105 | 55 | 31 | 24 | 1 | 0 | 1 |
| PANOLA | 319 | 1 | 89 | 128 | 61 | 23 | 13 | 4 | 0 | 0 |
| PEARL RIVER | 107 | 2 | 21 | 50 | 19 | 9 | 6 | 0 | 0 | 0 |
| PERRY | 38 | 0 | 5 | 22 | 8 | 1 | 1 | 1 | 0 | 0 |
| PIKE | 407 | 2 | 92 | 163 | 77 | 46 | 21 | 5 | 0 | 1 |
| PONTOTOC | 61 | 0 | 10 | 20 | 15 | 10 | 6 | 0 | 0 | 0 |
| PRENTISS | 55 | 0 | 14 | 17 | 14 | 8 | 2 | 0 | 0 | 0 |
| QUITMAN | 123 | 1 | 31 | 45 | 30 | 11 | 4 | 1 | 0 | 0 |
| RANKIN | 339 | 2 | 44 | 119 | 71 | 66 | 32 | 5 | 0 | 0 |
| SCOTT | 183 | 2 | 32 | 60 | 52 | 24 | 11 | 2 | 0 | 0 |
| SHARKEY | 80 | 3 | 15 | 34 | 17 | 10 | 0 | 1 | 0 | 0 |
| SIMPSON | 165 | 1 | 35 | 78 | 33 | 11 | 6 | 1 | 0 | 0 |
| SMITH | 71 | 0 | 15 | 35 | 16 | 3 | 2 | 0 | 0 | 0 |
| STONE | 50 | 1 | 12 | 19 | 6 | 10 | 1 | 1 | 0 | 0 |
| SUNFLOWER | 375 | 1 | 111 | 155 | 59 | 35 | 11 | 3 | 0 | 0 |
| TALLAHATCHIE | 138 | 3 | 41 | 51 | 30 | 10 | 3 | 0 | 0 | 0 |
| TATE | 146 | 0 | 33 | 65 | 29 | 14 | 3 | 2 | 0 | 0 |
| TIPPAH | 77 | 0 | 18 | 34 | 18 | 4 | 2 | 1 | 0 | 0 |
| TISHOMINGO | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| TUNICA | 165 | 0 | 36 | 72 | 33 | 17 | 6 | 1 | 0 | 0 |
| UNION | 51 | 2 | 12 | 23 | 8 | 4 | 2 | 0 | 0 | 0 |
| WALTHALL | 124 | 2 | 26 | 49 | 28 | 12 | 6 | 1 | 0 | 0 |
| WARREN | 414 | 5 | 87 | 158 | 86 | 52 | 21 | 5 | 0 | 0 |
| WASHINGTON | 770 | 9 | 184 | 305 | 163 | 77 | 28 | 4 | 0 | 0 |
| WAYNE | 146 | 1 | 38 | 49 | 38 | 12 | 7 | 1 | 0 | 0 |
| WEBSTER | 41 | 0 | 14 | 19 | 6 | 1 | 1 | 0 | 0 | 0 |
| WILKINSON | 116 | 1 | 17 | 39 | 30 | 19 | 9 | 1 | 0 | 0 |
| WINSTON | 126 | 3 | 26 | 50 | 31 | 11 | 5 | 0 | 0 | 0 |
| YALOBUSHA | 95 | 1 | 25 | 35 | 14 | 14 | 5 | 1 | 0 | 0 |
| YAZOO | 274 | 6 | 73 | 114 | 44 | 22 | 10 | 5 | 0 | 0 |

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|---------------|--------------|---------------|-------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>19,556</u> | <u>5,466</u> | <u>14,090</u> | <u>47.1</u> | <u>24.2</u> | <u>74.6</u> |
| ADAMS | 293 | 42 | 251 | 62.1 | 28.2 | 77.7 |
| ALCORN | 164 | 101 | 63 | 34.7 | 25.4 | 82.9 |
| AMITE | 45 | 5 | 40 | 31.9 | 6.9 | 58.0 |
| ATTALA | 117 | 23 | 94 | 45.5 | 18.7 | 70.1 |
| BENTON | 57 | 19 | 38 | 48.3 | 29.2 | 71.7 |
| BOLIVAR | 409 | 25 | 384 | 67.6 | 17.0 | 83.8 |
| CALHOUN | 90 | 31 | 59 | 46.9 | 27.2 | 75.6 |
| CARROLL | 38 | 7 | 31 | 34.5 | 9.8 | 79.5 |
| CHICKASAW | 154 | 46 | 108 | 53.1 | 30.9 | 76.6 |
| CHOCTAW | 40 | 13 | 27 | 35.1 | 17.1 | 71.0 |
| CLAIBORNE | 126 | 2 | 124 | 75.0 | 16.7 | 79.5 |
| CLARKE | 91 | 26 | 65 | 44.6 | 23.0 | 71.4 |
| CLAY | 184 | 25 | 159 | 57.1 | 20.5 | 79.5 |
| COAHOMA | 378 | 19 | 359 | 74.8 | 24.7 | 83.9 |
| COPIAH | 219 | 41 | 178 | 53.8 | 23.4 | 76.7 |
| COVINGTON | 155 | 30 | 125 | 53.4 | 21.1 | 84.4 |
| DESOTO | 513 | 357 | 156 | 28.4 | 23.4 | 54.4 |
| FORREST | 514 | 147 | 367 | 47.0 | 25.0 | 72.4 |
| FRANKLIN | 43 | 13 | 30 | 44.8 | 22.8 | 76.9 |
| GEORGE | 100 | 68 | 32 | 27.3 | 20.9 | 78.0 |
| GREENE | 44 | 25 | 19 | 28.2 | 19.4 | 70.4 |
| GRENADA | 141 | 33 | 108 | 51.8 | 22.8 | 85.0 |
| HANCOCK | 203 | 169 | 34 | 39.6 | 36.4 | 69.4 |
| HARRISON | 1,294 | 696 | 598 | 43.8 | 33.8 | 66.7 |
| HINDS | 2,246 | 195 | 2,051 | 58.9 | 20.1 | 72.1 |
| HOLMES | 258 | 6 | 252 | 76.1 | 18.2 | 82.4 |
| HUMPHREYS | 167 | 8 | 159 | 81.5 | 26.7 | 90.8 |
| ISSAQUENA | 11 | 2 | 9 | 61.1 | 28.6 | 81.8 |
| ITAWAMBA | 59 | 43 | 16 | 22.5 | 18.2 | 61.5 |
| JACKSON | 751 | 370 | 381 | 41.5 | 29.1 | 71.2 |
| JASPER | 93 | 16 | 77 | 46.5 | 18.4 | 68.1 |
| JEFFERSON | 93 | 3 | 90 | 70.4 | 27.3 | 74.4 |
| JEFF DAVIS | 80 | 8 | 72 | 51.6 | 14.3 | 72.7 |
| JONES | 468 | 182 | 286 | 48.8 | 29.9 | 81.5 |
| KEMPER | 78 | 8 | 70 | 56.9 | 21.6 | 70.0 |
| LAFAYETTE | 149 | 36 | 113 | 30.9 | 12.2 | 60.1 |
| LAMAR | 147 | 87 | 60 | 23.5 | 16.7 | 57.1 |
| LAUDERDALE | 544 | 130 | 414 | 47.3 | 21.5 | 76.1 |
| LAWRENCE | 62 | 20 | 42 | 39.5 | 21.3 | 66.7 |
| LEAKE | 169 | 61 | 108 | 48.6 | 32.6 | 67.1 |
| LEE | 415 | 168 | 247 | 35.7 | 21.3 | 66.6 |
| LEFLORE | 406 | 34 | 372 | 68.6 | 23.8 | 82.8 |

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 144 | 55 | 89 | 32.2 | 17.2 | 70.1 |
| LOWNDES | 421 | 92 | 329 | 45.9 | 20.5 | 70.3 |
| MADISON | 440 | 80 | 360 | 38.0 | 12.9 | 67.2 |
| MARION | 184 | 64 | 120 | 46.1 | 27.4 | 72.7 |
| MARSHALL | 289 | 72 | 217 | 56.2 | 29.6 | 80.1 |
| MONROE | 188 | 72 | 116 | 39.5 | 23.8 | 66.7 |
| MONTGOMERY | 83 | 21 | 62 | 54.6 | 31.8 | 72.1 |
| NESHOPA | 224 | 49 | 175 | 50.0 | 23.2 | 73.8 |
| NEWTON | 129 | 21 | 108 | 39.4 | 12.0 | 71.0 |
| NOXUBEE | 109 | 2 | 107 | 56.2 | 3.9 | 74.8 |
| OKTIBBEHA | 228 | 35 | 193 | 41.0 | 12.4 | 70.2 |
| PANOLA | 306 | 58 | 248 | 57.3 | 27.0 | 77.7 |
| PEARL RIVER | 252 | 169 | 83 | 37.2 | 29.6 | 77.6 |
| PERRY | 65 | 36 | 29 | 36.5 | 25.7 | 76.3 |
| PIKE | 386 | 58 | 328 | 57.9 | 22.3 | 80.6 |
| PONTOTOC | 105 | 72 | 33 | 26.1 | 21.1 | 54.1 |
| PRENTISS | 107 | 71 | 36 | 32.7 | 26.1 | 65.4 |
| QUITMAN | 121 | 12 | 109 | 82.3 | 50.0 | 88.6 |
| RANKIN | 472 | 274 | 198 | 27.6 | 20.0 | 58.4 |
| SCOTT | 240 | 103 | 137 | 53.7 | 39.0 | 74.9 |
| SHARKEY | 69 | 3 | 66 | 69.0 | 15.0 | 82.5 |
| SIMPSON | 181 | 55 | 126 | 44.1 | 22.4 | 76.4 |
| SMITH | 68 | 19 | 49 | 34.0 | 14.7 | 69.0 |
| STONE | 77 | 35 | 42 | 38.9 | 23.6 | 84.0 |
| SUNFLOWER | 329 | 13 | 316 | 71.2 | 14.9 | 84.3 |
| TALLAHATCHIE | 131 | 11 | 120 | 70.8 | 23.4 | 87.0 |
| TATE | 182 | 71 | 111 | 48.0 | 30.5 | 76.0 |
| TIPPAH | 100 | 59 | 41 | 31.3 | 24.4 | 53.2 |
| TISHOMINGO | 57 | 55 | 2 | 25.6 | 25.0 | 66.7 |
| TUNICA | 159 | 15 | 144 | 79.5 | 42.8 | 87.3 |
| UNION | 100 | 68 | 32 | 28.6 | 22.7 | 62.7 |
| WALTHALL | 98 | 21 | 77 | 45.6 | 23.1 | 62.1 |
| WARREN | 419 | 85 | 334 | 58.2 | 27.8 | 80.7 |
| WASHINGTON | 707 | 54 | 653 | 70.9 | 23.8 | 84.8 |
| WAYNE | 145 | 37 | 108 | 46.9 | 22.7 | 74.0 |
| WEBSTER | 61 | 24 | 37 | 46.2 | 26.4 | 90.2 |
| WILKINSON | 91 | 7 | 84 | 64.1 | 26.9 | 72.4 |
| WINSTON | 113 | 16 | 97 | 50.0 | 16.0 | 77.0 |
| YALOBUSHA | 95 | 22 | 73 | 52.5 | 25.6 | 76.8 |
| YAZOO | 273 | 40 | 233 | 66.1 | 28.8 | 85.0 |

**TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|------------|------------|----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>19,556</u> | <u>193</u> | <u>5,732</u> | <u>8,434</u> | <u>3,210</u> | <u>1,317</u> | <u>515</u> | <u>145</u> | <u>4</u> | <u>6</u> |
| ADAMS | 293 | 4 | 77 | 134 | 46 | 25 | 7 | 0 | 0 | 0 |
| ALCORN | 164 | 4 | 57 | 62 | 25 | 9 | 4 | 3 | 0 | 0 |
| AMITE | 45 | 0 | 14 | 19 | 8 | 2 | 2 | 0 | 0 | 0 |
| ATTALA | 117 | 0 | 32 | 52 | 20 | 8 | 5 | 0 | 0 | 0 |
| BENTON | 57 | 0 | 19 | 26 | 9 | 2 | 1 | 0 | 0 | 0 |
| BOLIVAR | 409 | 6 | 113 | 195 | 57 | 24 | 13 | 0 | 1 | 0 |
| CALHOUN | 90 | 2 | 31 | 42 | 9 | 4 | 2 | 0 | 0 | 0 |
| CARROLL | 38 | 1 | 16 | 15 | 3 | 3 | 0 | 0 | 0 | 0 |
| CHICKASAW | 154 | 2 | 54 | 61 | 27 | 6 | 4 | 0 | 0 | 0 |
| CHOCTAW | 40 | 0 | 16 | 14 | 6 | 2 | 1 | 1 | 0 | 0 |
| CLAIBORNE | 126 | 0 | 28 | 59 | 24 | 8 | 4 | 3 | 0 | 0 |
| CLARKE | 91 | 0 | 20 | 49 | 14 | 4 | 3 | 1 | 0 | 0 |
| CLAY | 184 | 3 | 50 | 83 | 31 | 15 | 2 | 0 | 0 | 0 |
| COAHOMA | 378 | 9 | 119 | 168 | 57 | 17 | 7 | 1 | 0 | 0 |
| COPIAH | 219 | 1 | 76 | 95 | 34 | 9 | 4 | 0 | 0 | 0 |
| COVINGTON | 155 | 2 | 38 | 78 | 23 | 12 | 1 | 1 | 0 | 0 |
| DESOTO | 513 | 2 | 167 | 187 | 85 | 51 | 17 | 3 | 0 | 1 |
| FORREST | 514 | 3 | 136 | 268 | 65 | 26 | 15 | 1 | 0 | 0 |
| FRANKLIN | 43 | 0 | 12 | 19 | 7 | 1 | 3 | 1 | 0 | 0 |
| GEORGE | 100 | 0 | 40 | 38 | 12 | 6 | 3 | 1 | 0 | 0 |
| GREENE | 44 | 0 | 16 | 15 | 9 | 4 | 0 | 0 | 0 | 0 |
| GRENADA | 141 | 2 | 38 | 65 | 22 | 8 | 5 | 1 | 0 | 0 |
| HANCOCK | 203 | 0 | 59 | 81 | 36 | 16 | 6 | 5 | 0 | 0 |
| HARRISON | 1,294 | 7 | 350 | 593 | 201 | 91 | 34 | 15 | 3 | 0 |
| HINDS | 2,246 | 20 | 605 | 933 | 412 | 178 | 64 | 31 | 0 | 3 |
| HOLMES | 258 | 4 | 77 | 110 | 48 | 14 | 2 | 3 | 0 | 0 |
| HUMPHREYS | 167 | 6 | 54 | 82 | 14 | 7 | 2 | 2 | 0 | 0 |
| ISSAQUENA | 11 | 0 | 6 | 3 | 2 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 59 | 0 | 19 | 22 | 12 | 2 | 2 | 2 | 0 | 0 |
| JACKSON | 751 | 4 | 233 | 308 | 133 | 46 | 23 | 4 | 0 | 0 |
| JASPER | 93 | 3 | 24 | 41 | 15 | 8 | 1 | 1 | 0 | 0 |
| JEFFERSON | 93 | 1 | 25 | 46 | 12 | 7 | 1 | 1 | 0 | 0 |
| JEFF DAVIS | 80 | 0 | 25 | 33 | 19 | 2 | 0 | 1 | 0 | 0 |
| JONES | 468 | 7 | 132 | 218 | 74 | 24 | 8 | 5 | 0 | 0 |
| KEMPER | 78 | 1 | 26 | 28 | 15 | 8 | 0 | 0 | 0 | 0 |
| LAFAYETTE | 149 | 3 | 49 | 61 | 22 | 9 | 4 | 1 | 0 | 0 |
| LAMAR | 147 | 1 | 38 | 79 | 18 | 8 | 2 | 1 | 0 | 0 |
| LAUDERDALE | 544 | 5 | 150 | 217 | 108 | 43 | 15 | 6 | 0 | 0 |
| LAWRENCE | 62 | 0 | 19 | 23 | 13 | 2 | 5 | 0 | 0 | 0 |
| LEAKE | 169 | 2 | 45 | 68 | 32 | 14 | 5 | 3 | 0 | 0 |
| LEE | 415 | 3 | 137 | 175 | 58 | 26 | 16 | 0 | 0 | 0 |
| LEFLORE | 406 | 2 | 129 | 183 | 58 | 26 | 6 | 2 | 0 | 0 |

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 144 | 1 | 54 | 57 | 21 | 9 | 1 | 1 | 0 | 0 |
| LOWNDES | 421 | 7 | 126 | 166 | 69 | 32 | 17 | 4 | 0 | 0 |
| MADISON | 440 | 5 | 115 | 185 | 80 | 38 | 15 | 2 | 0 | 0 |
| MARION | 184 | 0 | 57 | 85 | 28 | 12 | 2 | 0 | 0 | 0 |
| MARSHALL | 289 | 3 | 82 | 139 | 30 | 19 | 13 | 3 | 0 | 0 |
| MONROE | 188 | 2 | 63 | 76 | 33 | 11 | 3 | 0 | 0 | 0 |
| MONTGOMERY | 83 | 0 | 29 | 30 | 13 | 7 | 4 | 0 | 0 | 0 |
| NESHOBA | 224 | 3 | 72 | 66 | 52 | 26 | 5 | 0 | 0 | 0 |
| NEWTON | 129 | 0 | 34 | 60 | 19 | 11 | 3 | 2 | 0 | 0 |
| NOXUBEE | 109 | 0 | 26 | 57 | 16 | 6 | 4 | 0 | 0 | 0 |
| OKTIBBEHA | 228 | 2 | 60 | 107 | 43 | 11 | 3 | 1 | 0 | 1 |
| PANOLA | 306 | 2 | 101 | 132 | 44 | 15 | 10 | 2 | 0 | 0 |
| PEARL RIVER | 252 | 4 | 83 | 112 | 30 | 11 | 11 | 1 | 0 | 0 |
| PERRY | 65 | 0 | 19 | 31 | 10 | 1 | 4 | 0 | 0 | 0 |
| PIKE | 386 | 2 | 107 | 170 | 63 | 30 | 11 | 2 | 0 | 1 |
| PONTOTOC | 105 | 1 | 38 | 52 | 8 | 5 | 1 | 0 | 0 | 0 |
| PRENTISS | 107 | 0 | 35 | 40 | 20 | 6 | 6 | 0 | 0 | 0 |
| QUITMAN | 121 | 1 | 37 | 45 | 25 | 8 | 5 | 0 | 0 | 0 |
| RANKIN | 472 | 5 | 140 | 197 | 71 | 41 | 15 | 3 | 0 | 0 |
| SCOTT | 240 | 3 | 58 | 93 | 59 | 21 | 4 | 2 | 0 | 0 |
| SHARKEY | 69 | 3 | 15 | 30 | 15 | 5 | 0 | 1 | 0 | 0 |
| SIMPSON | 181 | 2 | 56 | 89 | 25 | 5 | 3 | 1 | 0 | 0 |
| SMITH | 68 | 0 | 19 | 36 | 11 | 2 | 0 | 0 | 0 | 0 |
| STONE | 77 | 1 | 25 | 25 | 10 | 10 | 4 | 2 | 0 | 0 |
| SUNFLOWER | 329 | 1 | 116 | 141 | 45 | 19 | 4 | 3 | 0 | 0 |
| TALLAHATCHIE | 131 | 3 | 44 | 52 | 23 | 7 | 2 | 0 | 0 | 0 |
| TATE | 182 | 0 | 50 | 84 | 32 | 10 | 3 | 3 | 0 | 0 |
| TIPPAH | 100 | 0 | 25 | 46 | 21 | 6 | 2 | 0 | 0 | 0 |
| TISHOMINGO | 57 | 0 | 19 | 22 | 9 | 5 | 2 | 0 | 0 | 0 |
| TUNICA | 159 | 0 | 37 | 70 | 34 | 12 | 5 | 1 | 0 | 0 |
| UNION | 100 | 2 | 40 | 43 | 10 | 3 | 2 | 0 | 0 | 0 |
| WALTHALL | 98 | 2 | 29 | 38 | 19 | 9 | 1 | 0 | 0 | 0 |
| WARREN | 419 | 6 | 109 | 188 | 64 | 35 | 14 | 3 | 0 | 0 |
| WASHINGTON | 707 | 9 | 198 | 302 | 129 | 46 | 20 | 3 | 0 | 0 |
| WAYNE | 145 | 1 | 49 | 56 | 30 | 7 | 1 | 1 | 0 | 0 |
| WEBSTER | 61 | 0 | 22 | 28 | 10 | 0 | 1 | 0 | 0 | 0 |
| WILKINSON | 91 | 2 | 20 | 37 | 19 | 9 | 4 | 0 | 0 | 0 |
| WINSTON | 113 | 3 | 33 | 45 | 24 | 6 | 2 | 0 | 0 | 0 |
| YALOBUSHA | 95 | 1 | 31 | 40 | 10 | 10 | 3 | 0 | 0 | 0 |
| YAZOO | 273 | 6 | 88 | 114 | 41 | 14 | 6 | 4 | 0 | 0 |

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|--------------|---------------|--------------|--------------|------------|------------|------------|-----------|----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>5,466</u> | <u>27</u> | <u>1,765</u> | <u>2,267</u> | <u>843</u> | <u>358</u> | <u>160</u> | <u>44</u> | <u>1</u> | <u>1</u> |
| ADAMS | 42 | 0 | 15 | 15 | 6 | 4 | 2 | 0 | 0 | 0 |
| ALCORN | 101 | 3 | 37 | 30 | 21 | 6 | 2 | 2 | 0 | 0 |
| AMITE | 5 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 0 |
| ATTALA | 23 | 0 | 10 | 8 | 5 | 0 | 0 | 0 | 0 | 0 |
| BENTON | 19 | 0 | 6 | 9 | 3 | 1 | 0 | 0 | 0 | 0 |
| BOLIVAR | 25 | 0 | 10 | 10 | 3 | 1 | 1 | 0 | 0 | 0 |
| CALHOUN | 31 | 1 | 8 | 15 | 4 | 1 | 2 | 0 | 0 | 0 |
| CARROLL | 7 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHICKASAW | 46 | 1 | 15 | 19 | 8 | 3 | 0 | 0 | 0 | 0 |
| CHOCTAW | 13 | 0 | 6 | 4 | 1 | 2 | 0 | 0 | 0 | 0 |
| CLAIBORNE | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLARKE | 26 | 0 | 7 | 14 | 3 | 1 | 0 | 1 | 0 | 0 |
| CLAY | 25 | 0 | 8 | 8 | 5 | 4 | 0 | 0 | 0 | 0 |
| COAHOMA | 19 | 1 | 6 | 6 | 4 | 2 | 0 | 0 | 0 | 0 |
| COPIAH | 41 | 0 | 18 | 16 | 5 | 1 | 1 | 0 | 0 | 0 |
| COVINGTON | 30 | 0 | 12 | 13 | 1 | 4 | 0 | 0 | 0 | 0 |
| DESOTO | 357 | 2 | 124 | 132 | 51 | 35 | 10 | 2 | 0 | 1 |
| FORREST | 147 | 1 | 34 | 80 | 21 | 8 | 3 | 0 | 0 | 0 |
| FRANKLIN | 13 | 0 | 6 | 2 | 3 | 0 | 2 | 0 | 0 | 0 |
| GEORGE | 68 | 0 | 24 | 29 | 7 | 4 | 3 | 1 | 0 | 0 |
| GREENE | 25 | 0 | 12 | 7 | 4 | 2 | 0 | 0 | 0 | 0 |
| GRENADA | 33 | 0 | 9 | 15 | 3 | 4 | 2 | 0 | 0 | 0 |
| HANCOCK | 169 | 0 | 50 | 67 | 29 | 14 | 5 | 4 | 0 | 0 |
| HARRISON | 696 | 1 | 202 | 333 | 92 | 43 | 17 | 7 | 1 | 0 |
| HINDS | 195 | 0 | 48 | 87 | 36 | 16 | 3 | 5 | 0 | 0 |
| HOLMES | 6 | 0 | 1 | 3 | 1 | 0 | 1 | 0 | 0 | 0 |
| HUMPHREYS | 8 | 0 | 3 | 3 | 2 | 0 | 0 | 0 | 0 | 0 |
| ISSAQUENA | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 43 | 0 | 16 | 13 | 9 | 2 | 2 | 1 | 0 | 0 |
| JACKSON | 370 | 1 | 139 | 138 | 53 | 22 | 13 | 4 | 0 | 0 |
| JASPER | 16 | 0 | 4 | 7 | 3 | 2 | 0 | 0 | 0 | 0 |
| JEFFERSON | 3 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| JEFF DAVIS | 8 | 0 | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| JONES | 182 | 2 | 56 | 75 | 34 | 9 | 4 | 2 | 0 | 0 |
| KEMPER | 8 | 0 | 4 | 2 | 1 | 1 | 0 | 0 | 0 | 0 |
| LAFAYETTE | 36 | 0 | 12 | 14 | 6 | 2 | 2 | 0 | 0 | 0 |
| LAMAR | 87 | 0 | 27 | 42 | 10 | 5 | 2 | 1 | 0 | 0 |
| LAUDERDALE | 130 | 0 | 32 | 53 | 24 | 14 | 4 | 3 | 0 | 0 |
| LAWRENCE | 20 | 0 | 9 | 4 | 5 | 0 | 2 | 0 | 0 | 0 |
| LEAKE | 61 | 0 | 24 | 19 | 10 | 4 | 3 | 1 | 0 | 0 |
| LEE | 168 | 1 | 65 | 64 | 25 | 6 | 7 | 0 | 0 | 0 |
| LEFLORE | 34 | 0 | 13 | 14 | 3 | 3 | 0 | 1 | 0 | 0 |

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 55 | 0 | 20 | 23 | 8 | 3 | 1 | 0 | 0 | 0 |
| LOWNDES | 92 | 1 | 29 | 34 | 17 | 6 | 3 | 2 | 0 | 0 |
| MADISON | 80 | 1 | 17 | 40 | 13 | 5 | 3 | 1 | 0 | 0 |
| MARION | 64 | 0 | 23 | 27 | 8 | 5 | 1 | 0 | 0 | 0 |
| MARSHALL | 72 | 0 | 19 | 35 | 9 | 5 | 4 | 0 | 0 | 0 |
| MONROE | 72 | 0 | 24 | 31 | 14 | 3 | 0 | 0 | 0 | 0 |
| MONTGOMERY | 21 | 0 | 6 | 6 | 3 | 3 | 3 | 0 | 0 | 0 |
| NESHOBA | 49 | 0 | 20 | 10 | 12 | 6 | 1 | 0 | 0 | 0 |
| NEWTON | 21 | 0 | 4 | 12 | 2 | 3 | 0 | 0 | 0 | 0 |
| NOXUBEE | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| OKTIBBEHA | 35 | 0 | 5 | 22 | 6 | 2 | 0 | 0 | 0 | 0 |
| PANOLA | 58 | 1 | 15 | 27 | 11 | 2 | 2 | 0 | 0 | 0 |
| PEARL RIVER | 169 | 2 | 62 | 70 | 19 | 7 | 8 | 1 | 0 | 0 |
| PERRY | 36 | 0 | 14 | 16 | 3 | 0 | 3 | 0 | 0 | 0 |
| PIKE | 58 | 0 | 18 | 25 | 9 | 6 | 0 | 0 | 0 | 0 |
| PONTOTOC | 72 | 1 | 28 | 38 | 3 | 2 | 0 | 0 | 0 | 0 |
| PRENTISS | 71 | 0 | 21 | 26 | 13 | 5 | 6 | 0 | 0 | 0 |
| QUITMAN | 12 | 0 | 6 | 3 | 1 | 0 | 2 | 0 | 0 | 0 |
| RANKIN | 274 | 3 | 99 | 104 | 37 | 22 | 8 | 1 | 0 | 0 |
| SCOTT | 103 | 1 | 27 | 41 | 25 | 6 | 2 | 1 | 0 | 0 |
| SHARKEY | 3 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| SIMPSON | 55 | 1 | 21 | 23 | 8 | 1 | 1 | 0 | 0 | 0 |
| SMITH | 19 | 0 | 5 | 12 | 1 | 1 | 0 | 0 | 0 | 0 |
| STONE | 35 | 0 | 13 | 9 | 6 | 3 | 3 | 1 | 0 | 0 |
| SUNFLOWER | 13 | 0 | 6 | 1 | 4 | 2 | 0 | 0 | 0 | 0 |
| TALLAHATCHIE | 11 | 0 | 3 | 5 | 3 | 0 | 0 | 0 | 0 | 0 |
| TATE | 71 | 0 | 19 | 32 | 12 | 5 | 2 | 1 | 0 | 0 |
| TIPPAH | 59 | 0 | 12 | 26 | 15 | 5 | 1 | 0 | 0 | 0 |
| TISHOMINGO | 55 | 0 | 18 | 21 | 9 | 5 | 2 | 0 | 0 | 0 |
| TUNICA | 15 | 0 | 1 | 6 | 5 | 2 | 1 | 0 | 0 | 0 |
| UNION | 68 | 0 | 29 | 27 | 9 | 2 | 1 | 0 | 0 | 0 |
| WALTHALL | 21 | 0 | 3 | 8 | 7 | 3 | 0 | 0 | 0 | 0 |
| WARREN | 85 | 1 | 23 | 43 | 10 | 5 | 2 | 1 | 0 | 0 |
| WASHINGTON | 54 | 0 | 16 | 23 | 11 | 1 | 3 | 0 | 0 | 0 |
| WAYNE | 37 | 0 | 13 | 16 | 7 | 1 | 0 | 0 | 0 | 0 |
| WEBSTER | 24 | 0 | 8 | 10 | 6 | 0 | 0 | 0 | 0 | 0 |
| WILKINSON | 7 | 1 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| WINSTON | 16 | 0 | 7 | 4 | 3 | 1 | 1 | 0 | 0 | 0 |
| YALOBUSHA | 22 | 0 | 7 | 10 | 2 | 2 | 1 | 0 | 0 | 0 |
| YAZOO | 40 | 0 | 15 | 15 | 7 | 2 | 1 | 0 | 0 | 0 |

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|--------------|--------------|------------|------------|------------|----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| <u>STATE</u> | <u>14,090</u> | <u>166</u> | <u>3,967</u> | <u>6,167</u> | <u>2,367</u> | <u>959</u> | <u>355</u> | <u>101</u> | <u>3</u> | <u>5</u> |
| ADAMS | 251 | 4 | 62 | 119 | 40 | 21 | 5 | 0 | 0 | 0 |
| ALCORN | 63 | 1 | 20 | 32 | 4 | 3 | 2 | 1 | 0 | 0 |
| AMITE | 40 | 0 | 13 | 17 | 7 | 2 | 1 | 0 | 0 | 0 |
| ATTALA | 94 | 0 | 22 | 44 | 15 | 8 | 5 | 0 | 0 | 0 |
| BENTON | 38 | 0 | 13 | 17 | 6 | 1 | 1 | 0 | 0 | 0 |
| BOLIVAR | 384 | 6 | 103 | 185 | 54 | 23 | 12 | 0 | 1 | 0 |
| CALHOUN | 59 | 1 | 23 | 27 | 5 | 3 | 0 | 0 | 0 | 0 |
| CARROLL | 31 | 1 | 11 | 13 | 3 | 3 | 0 | 0 | 0 | 0 |
| CHICKASAW | 108 | 1 | 39 | 42 | 19 | 3 | 4 | 0 | 0 | 0 |
| CHOCTAW | 27 | 0 | 10 | 10 | 5 | 0 | 1 | 1 | 0 | 0 |
| CLAIBORNE | 124 | 0 | 27 | 58 | 24 | 8 | 4 | 3 | 0 | 0 |
| CLARKE | 65 | 0 | 13 | 35 | 11 | 3 | 3 | 0 | 0 | 0 |
| CLAY | 159 | 3 | 42 | 75 | 26 | 11 | 2 | 0 | 0 | 0 |
| COAHOMA | 359 | 8 | 113 | 162 | 53 | 15 | 7 | 1 | 0 | 0 |
| COPIAH | 178 | 1 | 58 | 79 | 29 | 8 | 3 | 0 | 0 | 0 |
| COVINGTON | 125 | 2 | 26 | 65 | 22 | 8 | 1 | 1 | 0 | 0 |
| DESOTO | 156 | 0 | 43 | 55 | 34 | 16 | 7 | 1 | 0 | 0 |
| FORREST | 367 | 2 | 102 | 188 | 44 | 18 | 12 | 1 | 0 | 0 |
| FRANKLIN | 30 | 0 | 6 | 17 | 4 | 1 | 1 | 1 | 0 | 0 |
| GEORGE | 32 | 0 | 16 | 9 | 5 | 2 | 0 | 0 | 0 | 0 |
| GREENE | 19 | 0 | 4 | 8 | 5 | 2 | 0 | 0 | 0 | 0 |
| GRENADA | 108 | 2 | 29 | 50 | 19 | 4 | 3 | 1 | 0 | 0 |
| HANCOCK | 34 | 0 | 9 | 14 | 7 | 2 | 1 | 1 | 0 | 0 |
| HARRISON | 598 | 6 | 148 | 260 | 109 | 48 | 17 | 8 | 2 | 0 |
| HINDS | 2,051 | 20 | 557 | 846 | 376 | 162 | 61 | 26 | 0 | 3 |
| HOLMES | 252 | 4 | 76 | 107 | 47 | 14 | 1 | 3 | 0 | 0 |
| HUMPHREYS | 159 | 6 | 51 | 79 | 12 | 7 | 2 | 2 | 0 | 0 |
| ISSAQUENA | 9 | 0 | 6 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 16 | 0 | 3 | 9 | 3 | 0 | 0 | 1 | 0 | 0 |
| JACKSON | 381 | 3 | 94 | 170 | 80 | 24 | 10 | 0 | 0 | 0 |
| JASPER | 77 | 3 | 20 | 34 | 12 | 6 | 1 | 1 | 0 | 0 |
| JEFFERSON | 90 | 1 | 23 | 46 | 11 | 7 | 1 | 1 | 0 | 0 |
| JEFF DAVIS | 72 | 0 | 20 | 30 | 19 | 2 | 0 | 1 | 0 | 0 |
| JONES | 286 | 5 | 76 | 143 | 40 | 15 | 4 | 3 | 0 | 0 |
| KEMPER | 70 | 1 | 22 | 26 | 14 | 7 | 0 | 0 | 0 | 0 |
| LAFAYETTE | 113 | 3 | 37 | 47 | 16 | 7 | 2 | 1 | 0 | 0 |
| LAMAR | 60 | 1 | 11 | 37 | 8 | 3 | 0 | 0 | 0 | 0 |
| LAUDERDALE | 414 | 5 | 118 | 164 | 84 | 29 | 11 | 3 | 0 | 0 |
| LAWRENCE | 42 | 0 | 10 | 19 | 8 | 2 | 3 | 0 | 0 | 0 |
| LEAKE | 108 | 2 | 21 | 49 | 22 | 10 | 2 | 2 | 0 | 0 |
| LEE | 247 | 2 | 72 | 111 | 33 | 20 | 9 | 0 | 0 | 0 |
| LEFLORE | 372 | 2 | 116 | 169 | 55 | 23 | 6 | 1 | 0 | 0 |

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2002

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-24 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 89 | 1 | 34 | 34 | 13 | 6 | 0 | 1 | 0 | 0 |
| LOWNDES | 329 | 6 | 97 | 132 | 52 | 26 | 14 | 2 | 0 | 0 |
| MADISON | 360 | 4 | 98 | 145 | 67 | 33 | 12 | 1 | 0 | 0 |
| MARION | 120 | 0 | 34 | 58 | 20 | 7 | 1 | 0 | 0 | 0 |
| MARSHALL | 217 | 3 | 63 | 104 | 21 | 14 | 9 | 3 | 0 | 0 |
| MONROE | 116 | 2 | 39 | 45 | 19 | 8 | 3 | 0 | 0 | 0 |
| MONTGOMERY | 62 | 0 | 23 | 24 | 10 | 4 | 1 | 0 | 0 | 0 |
| NESHOBA | 175 | 3 | 52 | 56 | 40 | 20 | 4 | 0 | 0 | 0 |
| NEWTON | 108 | 0 | 30 | 48 | 17 | 8 | 3 | 2 | 0 | 0 |
| NOXUBEE | 107 | 0 | 26 | 56 | 15 | 6 | 4 | 0 | 0 | 0 |
| OKTIBBEHA | 193 | 2 | 55 | 85 | 37 | 9 | 3 | 1 | 0 | 1 |
| PANOLA | 248 | 1 | 86 | 105 | 33 | 13 | 8 | 2 | 0 | 0 |
| PEARL RIVER | 83 | 2 | 21 | 42 | 11 | 4 | 3 | 0 | 0 | 0 |
| PERRY | 29 | 0 | 5 | 15 | 7 | 1 | 1 | 0 | 0 | 0 |
| PIKE | 328 | 2 | 89 | 145 | 54 | 24 | 11 | 2 | 0 | 1 |
| PONTOTOC | 33 | 0 | 10 | 14 | 5 | 3 | 1 | 0 | 0 | 0 |
| PRENTISS | 36 | 0 | 14 | 14 | 7 | 1 | 0 | 0 | 0 | 0 |
| QUITMAN | 109 | 1 | 31 | 42 | 24 | 8 | 3 | 0 | 0 | 0 |
| RANKIN | 198 | 2 | 41 | 93 | 34 | 19 | 7 | 2 | 0 | 0 |
| SCOTT | 137 | 2 | 31 | 52 | 34 | 15 | 2 | 1 | 0 | 0 |
| SHARKEY | 66 | 3 | 15 | 28 | 14 | 5 | 0 | 1 | 0 | 0 |
| SIMPSON | 126 | 1 | 35 | 66 | 17 | 4 | 2 | 1 | 0 | 0 |
| SMITH | 49 | 0 | 14 | 24 | 10 | 1 | 0 | 0 | 0 | 0 |
| STONE | 42 | 1 | 12 | 16 | 4 | 7 | 1 | 1 | 0 | 0 |
| SUNFLOWER | 316 | 1 | 110 | 140 | 41 | 17 | 4 | 3 | 0 | 0 |
| TALLAHATCHIE | 120 | 3 | 41 | 47 | 20 | 7 | 2 | 0 | 0 | 0 |
| TATE | 111 | 0 | 31 | 52 | 20 | 5 | 1 | 2 | 0 | 0 |
| TIPPAH | 41 | 0 | 13 | 20 | 6 | 1 | 1 | 0 | 0 | 0 |
| TISHOMINGO | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| TUNICA | 144 | 0 | 36 | 64 | 29 | 10 | 4 | 1 | 0 | 0 |
| UNION | 32 | 2 | 11 | 16 | 1 | 1 | 1 | 0 | 0 | 0 |
| WALTHALL | 77 | 2 | 26 | 30 | 12 | 6 | 1 | 0 | 0 | 0 |
| WARREN | 334 | 5 | 86 | 145 | 54 | 30 | 12 | 2 | 0 | 0 |
| WASHINGTON | 653 | 9 | 182 | 279 | 118 | 45 | 17 | 3 | 0 | 0 |
| WAYNE | 108 | 1 | 36 | 40 | 23 | 6 | 1 | 1 | 0 | 0 |
| WEBSTER | 37 | 0 | 14 | 18 | 4 | 0 | 1 | 0 | 0 | 0 |
| WILKINSON | 84 | 1 | 17 | 34 | 19 | 9 | 4 | 0 | 0 | 0 |
| WINSTON | 97 | 3 | 26 | 41 | 21 | 5 | 1 | 0 | 0 | 0 |
| YALOBUSHA | 73 | 1 | 24 | 30 | 8 | 8 | 2 | 0 | 0 | 0 |
| YAZOO | 233 | 6 | 73 | 99 | 34 | 12 | 5 | 4 | 0 | 0 |

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------------|--------------|--------------|-------------|------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>4,644</u> | <u>1,831</u> | <u>2,813</u> | <u>11.2</u> | <u>8.1</u> | <u>14.9</u> |
| ADAMS | 73 | 10 | 63 | 15.5 | 6.7 | 19.5 |
| ALCORN | 62 | 47 | 15 | 13.1 | 11.8 | 19.7 |
| AMITE | 17 | 6 | 11 | 12.0 | 8.3 | 15.9 |
| ATTALA | 26 | 6 | 20 | 10.1 | 4.9 | 14.9 |
| BENTON | 11 | 4 | 7 | 9.3 | 6.2 | 13.2 |
| BOLIVAR | 76 | 15 | 61 | 12.6 | 10.2 | 13.3 |
| CALHOUN | 23 | 8 | 15 | 12.0 | 7.0 | 19.2 |
| CARROLL | 16 | 14 | 2 | 14.5 | 19.7 | 5.1 |
| CHICKASAW | 30 | 13 | 17 | 10.3 | 8.7 | 12.0 |
| CHOCTAW | 5 | 3 | 2 | 4.4 | 3.9 | 5.3 |
| CLAIBORNE | 20 | 0 | 20 | 11.9 | 0.0 | 12.8 |
| CLARKE | 27 | 19 | 8 | 13.2 | 16.8 | 8.8 |
| CLAY | 38 | 8 | 30 | 11.8 | 6.6 | 15.0 |
| COAHOMA | 74 | 6 | 68 | 14.6 | 7.8 | 15.9 |
| COPIAH | 57 | 20 | 37 | 14.0 | 11.4 | 15.9 |
| COVINGTON | 37 | 5 | 32 | 12.8 | 3.5 | 21.6 |
| DESOTO | 149 | 105 | 44 | 8.2 | 6.9 | 15.3 |
| FORREST | 112 | 32 | 80 | 10.2 | 5.4 | 15.8 |
| FRANKLIN | 11 | 6 | 5 | 11.4 | 10.5 | 12.8 |
| GEORGE | 39 | 34 | 5 | 10.6 | 10.5 | 12.2 |
| GREENE | 17 | 9 | 8 | 10.9 | 7.0 | 29.6 |
| GRENADA | 22 | 11 | 11 | 8.1 | 7.6 | 8.7 |
| HANCOCK | 35 | 30 | 5 | 6.8 | 6.5 | 10.2 |
| HARRISON | 298 | 165 | 133 | 10.1 | 8.0 | 14.8 |
| HINDS | 557 | 64 | 493 | 14.6 | 6.6 | 17.3 |
| HOLMES | 48 | 4 | 44 | 14.2 | 12.1 | 14.4 |
| HUMPHREYS | 35 | 3 | 32 | 17.1 | 10.0 | 18.3 |
| ISSAQUENA | 2 | 1 | 1 | 11.1 | 14.3 | 9.1 |
| ITAWAMBA | 29 | 22 | 7 | 11.1 | 9.3 | 26.9 |
| JACKSON | 172 | 107 | 65 | 9.5 | 8.4 | 12.2 |
| JASPER | 18 | 6 | 12 | 9.0 | 6.9 | 10.6 |
| JEFFERSON | 19 | 0 | 19 | 14.4 | 0.0 | 15.7 |
| JEFF DAVIS | 27 | 6 | 21 | 17.4 | 10.7 | 21.2 |
| JONES | 95 | 33 | 62 | 9.9 | 5.4 | 17.7 |
| KEMPER | 21 | 5 | 16 | 15.3 | 13.5 | 16.0 |
| LAFAYETTE | 51 | 21 | 30 | 10.6 | 7.1 | 16.0 |
| LAMAR | 57 | 47 | 10 | 9.1 | 9.0 | 9.5 |
| LAUDERDALE | 113 | 50 | 63 | 9.8 | 8.3 | 11.6 |
| LAWRENCE | 15 | 6 | 9 | 9.6 | 6.4 | 14.3 |
| LEAKE | 40 | 20 | 20 | 11.5 | 10.7 | 12.4 |
| LEE | 89 | 50 | 39 | 7.7 | 6.3 | 10.5 |
| LEFLORE | 72 | 4 | 68 | 12.2 | 2.8 | 15.1 |

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 42 | 31 | 11 | 9.4 | 9.7 | 8.7 |
| LOWNDES | 106 | 35 | 71 | 11.6 | 7.8 | 15.2 |
| MADISON | 142 | 62 | 80 | 12.3 | 10.0 | 14.9 |
| MARION | 44 | 20 | 24 | 11.0 | 8.5 | 14.5 |
| MARSHALL | 64 | 28 | 36 | 12.4 | 11.5 | 13.3 |
| MONROE | 55 | 33 | 22 | 11.6 | 10.9 | 12.6 |
| MONTGOMERY | 17 | 5 | 12 | 11.2 | 7.6 | 14.0 |
| NESHOBA | 46 | 17 | 29 | 10.3 | 8.0 | 12.2 |
| NEWTON | 29 | 16 | 13 | 8.9 | 9.1 | 8.6 |
| NOXUBEE | 31 | 0 | 31 | 16.0 | 0.0 | 21.7 |
| OKTIBBEHA | 50 | 17 | 33 | 9.0 | 6.0 | 12.0 |
| PANOLA | 65 | 20 | 45 | 12.2 | 9.3 | 14.1 |
| PEARL RIVER | 62 | 51 | 11 | 9.1 | 8.9 | 10.3 |
| PERRY | 22 | 11 | 11 | 12.4 | 7.8 | 28.9 |
| PIKE | 93 | 24 | 69 | 13.9 | 9.2 | 17.0 |
| PONTOTOC | 33 | 24 | 9 | 8.2 | 7.0 | 14.8 |
| PRENTISS | 34 | 26 | 8 | 10.4 | 9.6 | 14.5 |
| QUITMAN | 17 | 2 | 15 | 11.6 | 8.3 | 12.2 |
| RANKIN | 151 | 99 | 52 | 8.8 | 7.2 | 15.3 |
| SCOTT | 52 | 27 | 25 | 11.6 | 10.2 | 13.7 |
| SHARKEY | 14 | 1 | 13 | 14.0 | 5.0 | 16.2 |
| SIMPSON | 52 | 23 | 29 | 12.7 | 9.4 | 17.6 |
| SMITH | 31 | 14 | 17 | 15.5 | 10.8 | 23.9 |
| STONE | 20 | 14 | 6 | 10.1 | 9.4 | 12.0 |
| SUNFLOWER | 64 | 10 | 54 | 13.8 | 11.5 | 14.4 |
| TALLAHATCHIE | 25 | 4 | 21 | 13.5 | 8.5 | 15.2 |
| TATE | 48 | 27 | 21 | 12.7 | 11.6 | 14.4 |
| TIPPAH | 44 | 28 | 16 | 13.8 | 11.6 | 20.8 |
| TISHOMINGO | 21 | 21 | 0 | 9.4 | 9.5 | 0.0 |
| TUNICA | 26 | 2 | 24 | 13.0 | 5.7 | 14.5 |
| UNION | 38 | 30 | 8 | 10.8 | 10.0 | 15.7 |
| WALTHALL | 26 | 11 | 15 | 12.1 | 12.1 | 12.1 |
| WARREN | 75 | 22 | 53 | 10.4 | 7.2 | 12.8 |
| WASHINGTON | 135 | 17 | 118 | 13.5 | 7.5 | 15.3 |
| WAYNE | 28 | 9 | 19 | 9.1 | 5.5 | 13.0 |
| WEBSTER | 10 | 3 | 7 | 7.6 | 3.3 | 17.1 |
| WILKINSON | 16 | 2 | 14 | 11.3 | 7.7 | 12.1 |
| WINSTON | 20 | 6 | 14 | 8.8 | 6.0 | 11.1 |
| YALOBUSHA | 21 | 9 | 12 | 11.6 | 10.5 | 12.6 |
| YAZOO | 40 | 5 | 35 | 9.7 | 3.6 | 12.8 |

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|------------|------------|------------|------------|------------|------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>931</u> | <u>317</u> | <u>614</u> | <u>2.2</u> | <u>1.4</u> | <u>3.2</u> |
| ADAMS | 20 | 4 | 16 | 4.2 | 2.7 | 5.0 |
| ALCORN | 9 | 6 | 3 | 1.9 | 1.5 | 3.9 |
| AMITE | 5 | 2 | 3 | 3.5 | 2.8 | 4.3 |
| ATTALA | 9 | 1 | 8 | 3.5 | 0.8 | 6.0 |
| BENTON | 4 | 1 | 3 | 3.4 | 1.5 | 5.7 |
| BOLIVAR | 14 | 3 | 11 | 2.3 | 2.0 | 2.4 |
| CALHOUN | 7 | 3 | 4 | 3.6 | 2.6 | 5.1 |
| CARROLL | 5 | 5 | 0 | 4.5 | 7.0 | - |
| CHICKASAW | 4 | 1 | 3 | 1.4 | 0.7 | 2.1 |
| CHOCTAW | 0 | 0 | 0 | - | - | - |
| CLAIBORNE | 4 | 0 | 4 | 2.4 | - | 2.6 |
| CLARKE | 1 | 0 | 1 | 0.5 | - | 1.1 |
| CLAY | 12 | 0 | 12 | 3.7 | - | 6.0 |
| COAHOMA | 25 | 2 | 23 | 5.0 | 2.6 | 5.4 |
| COPIAH | 14 | 6 | 8 | 3.4 | 3.4 | 3.4 |
| COVINGTON | 8 | 1 | 7 | 2.8 | 0.7 | 4.7 |
| DESOTO | 35 | 21 | 14 | 1.9 | 1.4 | 4.9 |
| FORREST | 21 | 8 | 13 | 1.9 | 1.4 | 2.6 |
| FRANKLIN | 1 | 1 | 0 | 1.0 | 1.8 | - |
| GEORGE | 7 | 5 | 2 | 1.9 | 1.5 | 4.9 |
| GREENE | 4 | 3 | 1 | 2.6 | 2.3 | 3.7 |
| GRENADA | 5 | 2 | 3 | 1.8 | 1.4 | 2.4 |
| HANCOCK | 5 | 4 | 1 | 1.0 | 0.9 | 2.0 |
| HARRISON | 50 | 31 | 19 | 1.7 | 1.5 | 2.1 |
| HINDS | 111 | 10 | 101 | 2.9 | 1.0 | 3.6 |
| HOLMES | 9 | 0 | 9 | 2.6 | - | 2.9 |
| HUMPHREYS | 9 | 1 | 8 | 4.4 | 3.3 | 4.6 |
| ISSAQUENA | 0 | 0 | 0 | - | - | - |
| ITAWAMBA | 6 | 2 | 4 | 2.3 | 0.8 | 15.4 |
| JACKSON | 38 | 20 | 18 | 2.1 | 1.6 | 3.4 |
| JASPER | 3 | 2 | 1 | 1.5 | 2.3 | 0.9 |
| JEFFERSON | 3 | 0 | 3 | 2.3 | - | 2.5 |
| JEFF DAVIS | 5 | 1 | 4 | 3.2 | 1.8 | 4.0 |
| JONES | 15 | 3 | 12 | 1.6 | 0.5 | 3.4 |
| KEMPER | 2 | 1 | 1 | 1.5 | 2.7 | 1.0 |
| LAFAYETTE | 11 | 6 | 5 | 2.3 | 2.0 | 2.7 |
| LAMAR | 10 | 7 | 3 | 1.6 | 1.3 | 2.8 |
| LAUDERDALE | 23 | 12 | 11 | 2.0 | 2.0 | 2.0 |
| LAWRENCE | 2 | 0 | 2 | 1.3 | - | 3.2 |
| LEAKE | 6 | 4 | 2 | 1.7 | 2.1 | 1.2 |
| LEE | 14 | 5 | 9 | 1.2 | 0.6 | 2.4 |
| LEFLORE | 22 | 0 | 22 | 3.7 | - | 4.9 |

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 7 | 5 | 2 | 1.6 | 1.6 | 1.6 |
| LOWNDES | 20 | 7 | 13 | 2.2 | 1.6 | 2.8 |
| MADISON | 21 | 9 | 12 | 1.8 | 1.4 | 2.2 |
| MARION | 6 | 3 | 3 | 1.5 | 1.3 | 1.8 |
| MARSHALL | 13 | 5 | 8 | 2.5 | 2.0 | 3.0 |
| MONROE | 13 | 4 | 9 | 2.7 | 1.3 | 5.2 |
| MONTGOMERY | 1 | 0 | 1 | 0.6 | - | 1.2 |
| NESHOBA | 9 | 3 | 6 | 2.0 | 1.4 | 2.5 |
| NEWTON | 2 | 0 | 2 | 0.6 | - | 1.3 |
| NOXUBEE | 9 | 0 | 9 | 4.6 | - | 6.3 |
| OKTIBBEHA | 16 | 4 | 12 | 2.9 | 1.4 | 4.4 |
| PANOLA | 9 | 2 | 7 | 1.7 | 0.9 | 2.2 |
| PEARL RIVER | 11 | 8 | 3 | 1.6 | 1.4 | 2.8 |
| PERRY | 3 | 0 | 3 | 1.7 | - | 7.9 |
| PIKE | 21 | 6 | 15 | 3.1 | 2.3 | 3.7 |
| PONTOTOC | 7 | 4 | 3 | 1.7 | 1.2 | 4.9 |
| PRENTISS | 11 | 10 | 1 | 3.4 | 3.7 | 1.8 |
| QUITMAN | 3 | 0 | 3 | 2.0 | - | 2.4 |
| RANKIN | 29 | 20 | 9 | 1.7 | 1.4 | 2.6 |
| SCOTT | 12 | 4 | 8 | 2.7 | 1.5 | 4.4 |
| SHARKEY | 3 | 0 | 3 | 3.0 | - | 3.8 |
| SIMPSON | 4 | 3 | 1 | 1.0 | 1.2 | 0.6 |
| SMITH | 4 | 0 | 4 | 2.0 | 0.0 | 5.6 |
| STONE | 5 | 3 | 2 | 2.5 | 2.0 | 4.0 |
| SUNFLOWER | 17 | 0 | 17 | 3.7 | - | 4.5 |
| TALLAHATCHIE | 1 | 0 | 1 | 0.5 | - | 0.7 |
| TATE | 7 | 3 | 4 | 1.8 | 1.3 | 2.7 |
| TIPPAH | 11 | 10 | 1 | 3.4 | 4.1 | 1.3 |
| TISHOMINGO | 4 | 4 | 0 | 1.8 | 1.8 | - |
| TUNICA | 6 | 1 | 5 | 3.0 | 2.8 | 3.0 |
| UNION | 6 | 3 | 3 | 1.7 | 1.0 | 5.9 |
| WALTHALL | 11 | 4 | 7 | 5.1 | 4.4 | 5.6 |
| WARREN | 18 | 4 | 14 | 2.5 | 1.3 | 3.4 |
| WASHINGTON | 33 | 4 | 29 | 3.3 | 1.8 | 3.8 |
| WAYNE | 4 | 0 | 4 | 1.3 | - | 2.7 |
| WEBSTER | 1 | 0 | 1 | 0.8 | - | 2.4 |
| WILKINSON | 4 | 0 | 4 | 2.8 | - | 3.4 |
| WINSTON | 4 | 0 | 4 | 1.8 | - | 3.2 |
| YALOBUSHA | 0 | 0 | 0 | 0.0 | - | 0.0 |
| YAZOO | 7 | 0 | 7 | 1.7 | - | 2.6 |

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | NUMBER | | | PERCENT | | |
|------------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| STATE | 6,919 | 3,120 | 3,799 | 16.7 | 13.8 | 20.1 |
| ADAMS | 95 | 13 | 82 | 20.1 | 8.7 | 25.4 |
| ALCORN | 89 | 74 | 15 | 18.8 | 18.6 | 19.7 |
| AMITE | 21 | 3 | 18 | 14.9 | 4.2 | 26.1 |
| ATTALA | 53 | 19 | 34 | 20.6 | 15.4 | 25.4 |
| BENTON | 9 | 5 | 4 | 7.6 | 7.7 | 7.5 |
| BOLIVAR | 112 | 28 | 84 | 18.5 | 19.0 | 18.3 |
| CALHOUN | 28 | 14 | 14 | 14.6 | 12.3 | 17.9 |
| CARROLL | 21 | 15 | 6 | 19.1 | 21.1 | 15.4 |
| CHICKASAW | 67 | 31 | 36 | 23.1 | 20.8 | 25.5 |
| CHOCTAW | 10 | 6 | 4 | 8.8 | 7.9 | 10.5 |
| CLAIBORNE | 24 | 1 | 23 | 14.3 | 8.3 | 14.7 |
| CLARKE | 43 | 25 | 18 | 21.1 | 22.1 | 19.8 |
| CLAY | 58 | 16 | 42 | 18.0 | 13.1 | 21.0 |
| COAHOMA | 93 | 9 | 84 | 18.4 | 11.7 | 19.6 |
| COPIAH | 78 | 23 | 55 | 19.2 | 13.1 | 23.7 |
| COVINGTON | 44 | 15 | 29 | 15.2 | 10.6 | 19.6 |
| DESOTO | 166 | 125 | 41 | 9.2 | 8.2 | 14.3 |
| FORREST | 199 | 85 | 114 | 18.2 | 14.5 | 22.5 |
| FRANKLIN | 18 | 10 | 8 | 18.8 | 17.5 | 20.5 |
| GEORGE | 68 | 56 | 12 | 18.6 | 17.2 | 29.3 |
| GREENE | 21 | 15 | 6 | 13.5 | 11.6 | 22.2 |
| GRENADA | 32 | 8 | 24 | 11.8 | 5.5 | 18.9 |
| HANCOCK | 69 | 59 | 10 | 13.4 | 12.7 | 20.4 |
| HARRISON | 453 | 277 | 176 | 15.3 | 13.4 | 19.6 |
| HINDS | 838 | 145 | 693 | 22.0 | 15.0 | 24.4 |
| HOLMES | 68 | 5 | 63 | 20.0 | 15.2 | 20.6 |
| HUMPHREYS | 49 | 7 | 42 | 23.9 | 23.3 | 24.0 |
| ISSAQUENA | 1 | 0 | 1 | 5.6 | - | 9.1 |
| ITAWAMBA | 57 | 48 | 9 | 21.8 | 20.3 | 34.6 |
| JACKSON | 242 | 156 | 86 | 13.4 | 12.2 | 16.1 |
| JASPER | 22 | 12 | 10 | 11.0 | 13.8 | 8.8 |
| JEFFERSON | 23 | 1 | 22 | 17.4 | 9.1 | 18.2 |
| JEFF DAVIS | 30 | 5 | 25 | 19.4 | 8.9 | 25.2 |
| JONES | 114 | 64 | 50 | 11.9 | 10.5 | 14.2 |
| KEMPER | 24 | 5 | 19 | 17.5 | 13.5 | 19.0 |
| LAFAYETTE | 62 | 31 | 31 | 12.9 | 10.5 | 16.5 |
| LAMAR | 94 | 75 | 19 | 15.0 | 14.4 | 18.1 |
| LAUDERDALE | 169 | 86 | 83 | 14.7 | 14.2 | 15.2 |
| LAWRENCE | 31 | 13 | 18 | 19.7 | 13.8 | 28.6 |
| LEAKE | 60 | 29 | 31 | 17.2 | 15.5 | 19.2 |
| LEE | 264 | 160 | 104 | 22.7 | 20.2 | 28.0 |
| LEFLORE | 76 | 7 | 69 | 12.8 | 4.9 | 15.4 |

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2002

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 70 | 54 | 16 | 15.7 | 16.9 | 12.6 |
| LOWNDES | 166 | 77 | 89 | 18.1 | 17.1 | 19.0 |
| MADISON | 223 | 117 | 106 | 19.3 | 18.8 | 19.8 |
| MARION | 77 | 40 | 37 | 19.3 | 17.1 | 22.4 |
| MARSHALL | 60 | 24 | 36 | 11.7 | 9.9 | 13.3 |
| MONROE | 101 | 58 | 43 | 21.2 | 19.2 | 24.7 |
| MONTGOMERY | 22 | 8 | 14 | 14.5 | 12.1 | 16.3 |
| NESHOBA | 90 | 36 | 54 | 20.1 | 17.1 | 22.8 |
| NEWTON | 48 | 22 | 26 | 14.7 | 12.6 | 17.1 |
| NOXUBEE | 39 | 6 | 33 | 20.1 | 11.8 | 23.1 |
| OKTIBBEHA | 68 | 23 | 45 | 12.2 | 8.2 | 16.4 |
| PANOLA | 71 | 23 | 48 | 13.3 | 10.7 | 15.0 |
| PEARL RIVER | 81 | 65 | 16 | 11.9 | 11.4 | 15.0 |
| PERRY | 28 | 16 | 12 | 15.7 | 11.4 | 31.6 |
| PIKE | 133 | 37 | 96 | 19.9 | 14.2 | 23.6 |
| PONTOTOC | 66 | 49 | 17 | 16.4 | 14.4 | 27.9 |
| PRETISS | 72 | 52 | 20 | 22.0 | 19.1 | 36.4 |
| QUITMAN | 29 | 2 | 27 | 19.7 | 8.3 | 22.0 |
| RANKIN | 266 | 195 | 71 | 15.5 | 14.2 | 20.9 |
| SCOTT | 91 | 41 | 50 | 20.4 | 15.5 | 27.3 |
| SHARKEY | 18 | 1 | 17 | 18.0 | 5.0 | 21.2 |
| SIMPSON | 64 | 31 | 33 | 15.6 | 12.6 | 20.0 |
| SMITH | 26 | 13 | 13 | 13.0 | 10.1 | 18.3 |
| STONE | 36 | 26 | 10 | 18.2 | 17.6 | 20.0 |
| SUNFLOWER | 92 | 15 | 77 | 19.9 | 17.2 | 20.5 |
| TALLAHATCHIE | 22 | 6 | 16 | 11.9 | 12.8 | 11.6 |
| TATE | 61 | 33 | 28 | 16.1 | 14.2 | 19.2 |
| TIPPAH | 57 | 46 | 11 | 17.9 | 19.0 | 14.3 |
| TISHOMINGO | 31 | 30 | 1 | 13.9 | 13.6 | 33.3 |
| TUNICA | 22 | 1 | 21 | 11.0 | 2.8 | 12.7 |
| UNION | 45 | 37 | 8 | 12.8 | 12.4 | 15.7 |
| WALTHALL | 37 | 11 | 26 | 17.2 | 12.1 | 21.0 |
| WARREN | 110 | 47 | 63 | 15.3 | 15.4 | 15.2 |
| WASHINGTON | 184 | 35 | 149 | 18.4 | 15.4 | 19.4 |
| WAYNE | 42 | 14 | 28 | 13.6 | 8.6 | 19.2 |
| WEBSTER | 14 | 8 | 6 | 10.6 | 8.8 | 14.6 |
| WILKINSON | 24 | 3 | 21 | 16.9 | 11.5 | 18.1 |
| WINSTON | 27 | 9 | 18 | 11.9 | 9.0 | 14.3 |
| YALOBUSHA | 29 | 9 | 20 | 16.0 | 10.5 | 21.0 |
| YAZOO | 82 | 19 | 63 | 19.8 | 13.7 | 23.0 |

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|------------|------------|----------------|------------|------------|------------|------------|-------------|
| | NUMBER | | | NUMBER | | | RATIO** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>396</u> | <u>121</u> | <u>275</u> | <u>394</u> | <u>122</u> | <u>272</u> | <u>9.5</u> | <u>5.4</u> | <u>14.4</u> |
| ADAMS | 10 | 1 | 9 | 7 | 1 | 6 | 14.8 | 6.7 | 18.6 |
| ALCORN | 9 | 6 | 3 | 7 | 5 | 2 | 14.8 | 12.6 | 26.3 |
| AMITE | 1 | 0 | 1 | 5 | 1 | 4 | 35.5 | 13.9 | 58.0 |
| ATTALA | 0 | 0 | 0 | 1 | 0 | 1 | 3.9 | - | 7.5 |
| BENTON | 0 | 0 | 0 | 1 | 1 | 0 | 8.5 | 15.4 | - |
| BOLIVAR | 7 | 0 | 7 | 7 | 0 | 7 | 11.6 | - | 15.3 |
| CALHOUN | 0 | 0 | 0 | 3 | 0 | 3 | 15.6 | - | 38.5 |
| CARROLL | 0 | 0 | 0 | 1 | 1 | 0 | 9.1 | 14.1 | 0.0 |
| CHICKASAW | 0 | 0 | 0 | 6 | 4 | 2 | 20.7 | 26.8 | 14.2 |
| CHOCTAW | 0 | 0 | 0 | 1 | 0 | 1 | 8.8 | - | 26.3 |
| CLAIBORNE | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| CLARKE | 0 | 0 | 0 | 4 | 0 | 4 | 19.6 | - | 44.0 |
| CLAY | 6 | 1 | 5 | 5 | 1 | 4 | 15.5 | 8.2 | 20.0 |
| COAHOMA | 13 | 2 | 11 | 7 | 1 | 6 | 13.9 | 13.0 | 14.0 |
| COPIAH | 0 | 0 | 0 | 4 | 0 | 4 | 9.8 | - | 17.2 |
| COVINGTON | 0 | 0 | 0 | 1 | 0 | 1 | 3.4 | - | 6.8 |
| DESOTO | 13 | 5 | 8 | 5 | 3 | 2 | 2.8 | 2.0 | 7.0 |
| FORREST | 24 | 11 | 13 | 9 | 5 | 4 | 8.2 | 8.5 | 7.9 |
| FRANKLIN | 0 | 0 | 0 | 2 | 0 | 2 | 20.8 | - | 51.3 |
| GEORGE | 1 | 1 | 0 | 1 | 1 | 0 | 2.7 | 3.1 | - |
| GREENE | 0 | 0 | 0 | 3 | 1 | 2 | 19.2 | 7.8 | 74.1 |
| GRENADA | 9 | 3 | 6 | 3 | 1 | 2 | 11.0 | 6.9 | 15.7 |
| HANCOCK | 1 | 1 | 0 | 1 | 1 | 0 | 1.9 | 2.2 | - |
| HARRISON | 30 | 17 | 13 | 25 | 13 | 12 | 8.4 | 6.3 | 13.4 |
| HINDS | 104 | 15 | 89 | 41 | 2 | 39 | 10.8 | 2.1 | 13.7 |
| HOLMES | 0 | 0 | 0 | 5 | 1 | 4 | 14.7 | 30.3 | 13.1 |
| HUMPHREYS | 0 | 0 | 0 | 6 | 1 | 5 | 29.3 | 33.3 | 28.6 |
| ISSAQUENA | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| ITAWAMBA | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| JACKSON | 11 | 7 | 4 | 14 | 9 | 5 | 7.7 | 7.1 | 9.3 |
| JASPER | 0 | 0 | 0 | 3 | 0 | 3 | 15.0 | - | 26.5 |
| JEFFERSON | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| JEFF DAVIS | 0 | 0 | 0 | 3 | 2 | 1 | 19.4 | 35.7 | 10.1 |
| JONES | 12 | 3 | 9 | 13 | 5 | 8 | 13.6 | 8.2 | 22.8 |
| KEMPER | 0 | 0 | 0 | 1 | 0 | 1 | 7.3 | - | 10.0 |
| LAFAYETTE | 8 | 2 | 6 | 2 | 1 | 1 | 4.1 | 3.4 | 5.3 |
| LAMAR | 3 | 3 | 0 | 6 | 5 | 1 | 9.6 | 9.6 | 9.5 |
| LAUDERDALE | 23 | 8 | 15 | 13 | 2 | 11 | 11.3 | 3.3 | 20.2 |
| LAWRENCE | 0 | 0 | 0 | 2 | 1 | 1 | 12.7 | 10.6 | 15.9 |
| LEAKE | 0 | 0 | 0 | 4 | 0 | 4 | 11.5 | - | 24.8 |
| LEE | 16 | 8 | 8 | 7 | 1 | 6 | 6.0 | 1.3 | 16.2 |
| LEFLORE | 7 | 0 | 7 | 8 | 0 | 8 | 13.5 | - | 17.8 |

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|---------|-------|-----------|
| | NUMBER | | | NUMBER | | | RATIO** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 4 | 3 | 1 | 5 | 2 | 3 | 11.2 | 6.2 | 23.6 |
| LOWNDES | 3 | 1 | 2 | 5 | 1 | 4 | 5.4 | 2.2 | 8.5 |
| MADISON | 7 | 0 | 7 | 18 | 9 | 9 | 15.6 | 14.5 | 16.8 |
| MARION | 0 | 0 | 0 | 1 | 1 | 0 | 2.5 | 4.3 | - |
| MARSHALL | 0 | 0 | 0 | 3 | 2 | 1 | 5.8 | 8.2 | 3.7 |
| MONROE | 4 | 0 | 4 | 6 | 3 | 3 | 12.6 | 9.9 | 17.2 |
| MONTGOMERY | 0 | 0 | 0 | 1 | 0 | 1 | 6.6 | - | 11.6 |
| NESHOBA | 0 | 0 | 0 | 1 | 0 | 1 | 2.2 | - | 4.2 |
| NEWTON | 0 | 0 | 0 | 4 | 3 | 1 | 12.2 | 17.1 | 6.6 |
| NOXUBEE | 0 | 0 | 0 | 1 | 0 | 1 | 5.2 | - | 7.0 |
| OKTIBBEHA | 7 | 1 | 6 | 3 | 1 | 2 | 5.4 | 3.6 | 7.3 |
| PANOLA | 4 | 0 | 4 | 7 | 1 | 6 | 13.1 | 4.6 | 18.8 |
| PEARL RIVER | 2 | 2 | 0 | 4 | 2 | 2 | 5.9 | 3.5 | 18.7 |
| PERRY | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| PIKE | 5 | 1 | 4 | 3 | 2 | 1 | 4.5 | 7.7 | 2.4 |
| PONTOTOC | 0 | 0 | 0 | 1 | 0 | 1 | 2.5 | - | 16.4 |
| PRENTISS | 0 | 0 | 0 | 3 | 2 | 1 | 9.2 | 7.4 | 18.2 |
| QUITMAN | 0 | 0 | 0 | 3 | 1 | 2 | 20.4 | 41.7 | 16.3 |
| RANKIN | 18 | 10 | 8 | 9 | 4 | 5 | 5.3 | 2.9 | 14.7 |
| SCOTT | 0 | 0 | 0 | 2 | 2 | 0 | 4.5 | 7.6 | - |
| SHARKEY | 0 | 0 | 0 | 1 | 0 | 1 | 10.0 | - | 12.5 |
| SIMPSON | 1 | 1 | 0 | 6 | 3 | 3 | 14.6 | 12.2 | 18.2 |
| SMITH | 0 | 0 | 0 | 1 | 1 | 0 | 5.0 | 7.8 | - |
| STONE | 0 | 0 | 0 | 1 | 1 | 0 | 5.0 | 6.8 | - |
| SUNFLOWER | 2 | 0 | 2 | 7 | 0 | 7 | 15.2 | - | 18.7 |
| TALLAHATCHIE | 0 | 0 | 0 | 3 | 0 | 3 | 16.2 | - | 21.7 |
| TATE | 1 | 0 | 1 | 2 | 1 | 1 | 5.3 | 4.3 | 6.8 |
| TIPPAH | 0 | 0 | 0 | 3 | 1 | 2 | 9.4 | 4.1 | 26.0 |
| TISHOMINGO | 0 | 0 | 0 | 1 | 1 | 0 | 4.5 | 4.5 | - |
| TUNICA | 0 | 0 | 0 | 4 | 0 | 4 | 20.0 | - | 24.2 |
| UNION | 6 | 3 | 3 | 4 | 2 | 2 | 11.4 | 6.7 | 39.2 |
| WALTHALL | 0 | 0 | 0 | 3 | 0 | 3 | 14.0 | - | 24.2 |
| WARREN | 11 | 2 | 9 | 13 | 3 | 10 | 18.0 | 9.8 | 24.2 |
| WASHINGTON | 9 | 1 | 8 | 11 | 1 | 10 | 11.0 | 4.4 | 13.0 |
| WAYNE | 1 | 1 | 0 | 4 | 1 | 3 | 12.9 | 6.1 | 20.5 |
| WEBSTER | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| WILKINSON | 1 | 0 | 1 | 1 | 0 | 1 | 7.0 | - | 8.6 |
| WINSTON | 1 | 0 | 1 | 2 | 0 | 2 | 8.8 | - | 15.9 |
| YALOBUSHA | 0 | 0 | 0 | 4 | 0 | 4 | 22.1 | - | 42.1 |
| YAZOO | 1 | 1 | 0 | 6 | 1 | 5 | 14.5 | 7.2 | 18.2 |
| OUT OF STATE | 10 | 5 | 5 | 12 | 4 | 8 | | | |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|---------------|--------------|----------------|---------------|--------------|-------------|-------------|------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>28,161</u> | <u>18,763</u> | <u>9,398</u> | <u>28,765</u> | <u>19,168</u> | <u>9,597</u> | <u>10.0</u> | <u>10.9</u> | <u>8.6</u> |
| ADAMS | 460 | 229 | 231 | 393 | 205 | 188 | 11.7 | 13.6 | 10.2 |
| ALCORN | 405 | 367 | 38 | 419 | 377 | 42 | 12.1 | 12.4 | 9.9 |
| AMITE | 68 | 44 | 24 | 136 | 86 | 50 | 10.1 | 11.4 | 8.4 |
| ATTALA | 212 | 146 | 66 | 264 | 172 | 92 | 13.4 | 14.7 | 11.4 |
| BENTON | 35 | 25 | 10 | 87 | 59 | 28 | 11.0 | 11.8 | 9.6 |
| BOLIVAR | 351 | 116 | 235 | 414 | 147 | 267 | 10.4 | 11.1 | 10.0 |
| CALHOUN | 95 | 73 | 22 | 158 | 116 | 42 | 10.6 | 11.1 | 9.5 |
| CARROLL | 44 | 29 | 15 | 87 | 56 | 31 | 8.2 | 8.1 | 8.3 |
| CHICKASAW | 101 | 75 | 26 | 176 | 122 | 54 | 9.0 | 10.8 | 6.6 |
| CHOCTAW | 41 | 32 | 9 | 89 | 66 | 23 | 9.2 | 10.0 | 7.5 |
| CLAIBORNE | 62 | 19 | 43 | 100 | 18 | 82 | 8.5 | 10.4 | 8.2 |
| CLARKE | 120 | 88 | 32 | 180 | 128 | 52 | 10.0 | 11.0 | 8.2 |
| CLAY | 169 | 90 | 79 | 214 | 112 | 102 | 9.8 | 12.1 | 8.1 |
| COAHOMA | 361 | 124 | 237 | 374 | 122 | 252 | 12.4 | 14.9 | 11.5 |
| COPIAH | 177 | 97 | 80 | 274 | 159 | 115 | 9.5 | 11.5 | 7.7 |
| COVINGTON | 185 | 143 | 42 | 254 | 186 | 68 | 12.9 | 14.8 | 9.4 |
| DESOTO | 776 | 612 | 164 | 822 | 703 | 119 | 6.9 | 7.0 | 6.5 |
| FORREST | 1,204 | 861 | 343 | 729 | 513 | 216 | 9.9 | 10.9 | 8.1 |
| FRANKLIN | 53 | 42 | 11 | 87 | 63 | 24 | 10.4 | 12.1 | 7.6 |
| GEORGE | 184 | 161 | 23 | 204 | 177 | 27 | 10.3 | 9.9 | 14.2 |
| GREENE | 53 | 41 | 12 | 118 | 94 | 24 | 9.0 | 9.7 | 7.0 |
| GRENADA | 302 | 179 | 123 | 320 | 198 | 122 | 14.0 | 15.0 | 12.5 |
| HANCOCK | 340 | 316 | 24 | 460 | 430 | 30 | 10.3 | 10.6 | 7.3 |
| HARRISON | 2,053 | 1,673 | 380 | 1,831 | 1,459 | 372 | 9.6 | 10.5 | 7.1 |
| HINDS | 3,853 | 2,038 | 1,815 | 2,132 | 982 | 1,150 | 8.5 | 11.0 | 7.2 |
| HOLMES | 169 | 48 | 121 | 267 | 81 | 186 | 12.3 | 19.5 | 10.6 |
| HUMPHREYS | 94 | 28 | 66 | 155 | 46 | 109 | 14.4 | 15.4 | 14.0 |
| ISSAQUENA | 11 | 7 | 4 | 13 | 8 | 5 | 5.9 | 10.0 | 3.6 |
| ITAWAMBA | 160 | 154 | 6 | 267 | 256 | 11 | 11.6 | 12.0 | 6.6 |
| JACKSON | 1,126 | 906 | 220 | 1,193 | 969 | 224 | 9.0 | 9.7 | 6.7 |
| JASPER | 109 | 68 | 41 | 187 | 100 | 87 | 10.2 | 11.8 | 8.8 |
| JEFFERSON | 41 | 8 | 33 | 91 | 17 | 74 | 9.4 | 13.2 | 8.8 |
| JEFF DAVIS | 82 | 40 | 42 | 129 | 58 | 71 | 9.5 | 10.3 | 9.0 |
| JONES | 583 | 426 | 157 | 678 | 525 | 153 | 10.4 | 11.2 | 8.4 |
| KEMPER | 58 | 34 | 24 | 114 | 66 | 48 | 10.8 | 16.2 | 7.4 |
| LAFAYETTE | 579 | 416 | 163 | 343 | 249 | 94 | 8.7 | 8.7 | 8.5 |
| LAMAR | 359 | 311 | 48 | 315 | 283 | 32 | 7.6 | 8.1 | 5.2 |
| LAUDERDALE | 1,393 | 919 | 474 | 987 | 678 | 309 | 12.7 | 14.7 | 9.8 |
| LAWRENCE | 104 | 71 | 33 | 147 | 93 | 54 | 10.9 | 10.3 | 12.2 |
| LEAKE | 196 | 133 | 63 | 264 | 169 | 95 | 12.2 | 13.8 | 10.2 |
| LEE | 1,448 | 1,143 | 305 | 765 | 600 | 165 | 9.9 | 10.6 | 7.9 |
| LEFLORE | 550 | 238 | 312 | 437 | 195 | 242 | 11.8 | 17.9 | 9.2 |

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2002

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|-------|-------|-----------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 296 | 203 | 93 | 349 | 251 | 98 | 10.4 | 10.9 | 9.4 |
| LOWNDES | 620 | 413 | 207 | 540 | 362 | 178 | 8.8 | 10.6 | 6.6 |
| MADISON | 692 | 479 | 213 | 958 | 639 | 319 | 12.3 | 13.7 | 10.2 |
| MARION | 212 | 156 | 56 | 310 | 225 | 85 | 12.2 | 13.3 | 10.1 |
| MARSHALL | 184 | 98 | 86 | 350 | 188 | 162 | 10.0 | 10.9 | 9.0 |
| MONROE | 303 | 219 | 84 | 394 | 281 | 113 | 10.4 | 10.9 | 9.4 |
| MONTGOMERY | 98 | 58 | 40 | 145 | 91 | 54 | 12.2 | 14.3 | 9.8 |
| NESHOBA | 179 | 113 | 66 | 309 | 200 | 109 | 10.6 | 10.6 | 10.7 |
| NEWTON | 162 | 111 | 51 | 236 | 170 | 66 | 10.7 | 11.8 | 8.8 |
| NOXUBEE | 60 | 16 | 44 | 112 | 35 | 77 | 9.0 | 9.7 | 8.7 |
| OKTIBBEHA | 248 | 148 | 100 | 291 | 171 | 120 | 6.8 | 6.8 | 6.8 |
| PANOLA | 243 | 161 | 82 | 341 | 222 | 119 | 9.8 | 12.5 | 7.0 |
| PEARL RIVER | 354 | 314 | 40 | 501 | 431 | 70 | 9.9 | 9.9 | 9.8 |
| PERRY | 81 | 70 | 11 | 132 | 105 | 27 | 10.8 | 11.2 | 9.4 |
| PIKE | 432 | 249 | 183 | 461 | 262 | 199 | 11.8 | 13.3 | 10.3 |
| PONTOTOC | 154 | 142 | 12 | 268 | 237 | 31 | 9.9 | 10.3 | 7.6 |
| PRENTISS | 179 | 156 | 23 | 241 | 212 | 29 | 9.4 | 9.6 | 8.0 |
| QUITMAN | 67 | 22 | 45 | 105 | 37 | 68 | 10.7 | 12.4 | 10.0 |
| RANKIN | 657 | 511 | 146 | 849 | 693 | 156 | 7.0 | 7.1 | 6.6 |
| SCOTT | 219 | 150 | 69 | 287 | 193 | 94 | 10.1 | 11.4 | 8.2 |
| SHARKEY | 39 | 12 | 27 | 61 | 16 | 45 | 9.8 | 8.6 | 10.3 |
| SIMPSON | 252 | 176 | 76 | 306 | 214 | 92 | 11.0 | 11.9 | 9.4 |
| SMITH | 75 | 61 | 14 | 152 | 116 | 36 | 9.6 | 9.6 | 9.5 |
| STONE | 89 | 71 | 18 | 139 | 112 | 27 | 9.7 | 10.0 | 8.9 |
| SUNFLOWER | 224 | 100 | 124 | 323 | 140 | 183 | 9.5 | 14.9 | 7.5 |
| TALLAHATCHIE | 84 | 48 | 36 | 148 | 70 | 78 | 10.3 | 12.4 | 8.9 |
| TATE | 156 | 110 | 46 | 252 | 183 | 69 | 9.8 | 10.4 | 8.5 |
| TIPPAH | 206 | 178 | 28 | 275 | 241 | 34 | 13.1 | 13.9 | 9.1 |
| TISHOMINGO | 193 | 188 | 5 | 265 | 259 | 6 | 13.9 | 14.2 | 7.8 |
| TUNICA | 59 | 31 | 28 | 116 | 45 | 71 | 12.1 | 17.1 | 10.2 |
| UNION | 237 | 211 | 26 | 265 | 230 | 35 | 10.2 | 10.4 | 8.6 |
| WALTHALL | 128 | 64 | 64 | 179 | 100 | 79 | 11.8 | 12.1 | 11.4 |
| WARREN | 558 | 302 | 256 | 521 | 304 | 217 | 10.5 | 11.4 | 9.5 |
| WASHINGTON | 729 | 292 | 437 | 674 | 267 | 407 | 11.0 | 13.2 | 9.9 |
| WAYNE | 193 | 133 | 60 | 216 | 147 | 69 | 10.2 | 11.2 | 8.5 |
| WEBSTER | 120 | 95 | 25 | 149 | 114 | 35 | 14.4 | 14.1 | 15.6 |
| WILKINSON | 141 | 61 | 80 | 169 | 57 | 112 | 16.5 | 18.0 | 15.8 |
| WINSTON | 156 | 105 | 51 | 210 | 138 | 72 | 10.5 | 12.6 | 8.0 |
| YALOBUSHA | 97 | 67 | 30 | 170 | 118 | 52 | 12.8 | 14.6 | 10.0 |
| YAZOO | 219 | 99 | 120 | 322 | 149 | 173 | 11.4 | 11.9 | 11.0 |
| OUT OF STATE | 1,527 | 1,074 | 453 | 923 | 669 | 254 | | | |

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2002

| TOWN** | NUMBER | | |
|---------------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE |
| BILOXI | 478 | 390 | 88 |
| BRANDON | 234 | 212 | 22 |
| BROOKHAVEN | 185 | 120 | 65 |
| CANTON | 133 | 48 | 85 |
| CLARKSDALE | 268 | 88 | 180 |
| CLEVELAND | 169 | 69 | 100 |
| CLINTON | 193 | 148 | 45 |
| COLUMBUS | 335 | 212 | 123 |
| CORINTH | 260 | 225 | 35 |
| GAUTIER | 107 | 86 | 21 |
| GREENVILLE | 490 | 186 | 304 |
| GREENWOOD | 266 | 107 | 159 |
| GRENADA | 242 | 144 | 98 |
| GULFPORT | 735 | 516 | 219 |
| HATTIESBURG | 504 | 309 | 195 |
| INDIANOLA | 138 | 56 | 82 |
| JACKSON | 1,615 | 635 | 980 |
| LAUREL | 281 | 173 | 108 |
| LONG BEACH | 140 | 131 | 9 |
| MCCOMB | 210 | 115 | 95 |
| MERIDIAN | 567 | 356 | 211 |
| MOSS POINT | 221 | 126 | 95 |
| NATCHEZ | 271 | 136 | 135 |
| OCEAN SPRINGS | 221 | 195 | 26 |
| PASCAGOULA | 265 | 204 | 61 |
| PEARL | 154 | 135 | 19 |
| PICAYUNE | 163 | 109 | 54 |
| RIDGELAND | 527 | 403 | 124 |
| SOUTHAVEN | 261 | 232 | 29 |
| STARKVILLE | 167 | 96 | 71 |
| TUPELO | 401 | 311 | 90 |
| VICKSBURG | 384 | 189 | 195 |
| YAZOO CITY | 182 | 55 | 127 |

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|---|---------------|---------------|--------------|
| <u>001-358</u> | <u>ALL CAUSES</u> | <u>28,765</u> | <u>19,168</u> | <u>9,597</u> |
| <u>001-055</u> | <u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u> | <u>853</u> | <u>434</u> | <u>419</u> |
| <u>001-008</u> | <u>Intestinal infectious diseases</u> | <u>13</u> | <u>12</u> | <u>1</u> |
| <u>002-007</u> | <u>Other intestinal infectious diseases</u> | <u>13</u> | <u>12</u> | <u>1</u> |
| 003 | Paratyphoid fevers and other salmonella infections | 1 | 1 | 0 |
| 007 | Intestinal infections due to other specified organisms | 12 | 11 | 1 |
| <u>009-010</u> | <u>Tuberculosis</u> | <u>9</u> | <u>4</u> | <u>5</u> |
| 009 | Respiratory tuberculosis | 8 | 3 | 5 |
| 010 | Other tuberculosis | 1 | 1 | 0 |
| <u>011-019</u> | <u>Zoonotic and other bacterial diseases</u> | <u>550</u> | <u>318</u> | <u>232</u> |
| 017 | Meningococcal infection | 3 | 1 | 2 |
| 018 | Septicemia | 526 | 304 | 222 |
| 019 | Other zoonotic and bacterial diseases | 21 | 13 | 8 |
| <u>020-024</u> | <u>Infections with a predominantly sexual mode of transmission</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 023 | Gonococcal infection | 1 | 1 | 0 |
| <u>028-044</u> | <u>Viral diseases</u> | <u>242</u> | <u>73</u> | <u>169</u> |
| 030 | Arthropod-borne viral encephalitis | 8 | 7 | 1 |
| 033 | Herpesviral (herpes simplex) infections | 4 | 2 | 2 |
| 034 | Zoster (herpes zoster) | 1 | 0 | 1 |
| 038 | Viral hepatitis | 38 | 32 | 6 |
| <u>039-043</u> | <u>Human immunodeficiency virus [HIV] disease</u> | <u>184</u> | <u>29</u> | <u>155</u> |
| 039 | Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases | 68 | 11 | 57 |
| 040 | Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms | 6 | 2 | 4 |
| 041 | Human immunodeficiency virus (HIV) disease resulting in other specified diseases | 10 | 3 | 7 |
| 042 | Human immunodeficiency virus (HIV) disease resulting in other conditions | 60 | 6 | 54 |
| 043 | Unspecified human immunodeficiency virus (HIV) disease | 40 | 7 | 33 |
| 044 | All other and unspecified viral diseases | 7 | 3 | 4 |
| <u>045-055</u> | <u>Other and unspecified infectious and parasitic diseases and their sequelae</u> | <u>38</u> | <u>26</u> | <u>12</u> |
| 045 | Mycoses | 20 | 14 | 6 |
| <u>046-050</u> | <u>Protozoal diseases</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 049 | Pneumocystosis | 1 | 1 | 0 |
| 052 | Other and unspecified helminthiases | 1 | 0 | 1 |
| 053 | Sequelae of tuberculosis | 1 | 1 | 0 |
| 054 | Sequelae of poliomyelitis | 2 | 2 | 0 |
| 055 | All other and unspecified infectious and parasitic diseases and their sequelae | 13 | 8 | 5 |
| <u>056-115</u> | <u>NEOPLASMS</u> | <u>6,139</u> | <u>4,149</u> | <u>1,990</u> |
| <u>056-108</u> | <u>Malignant neoplasms</u> | <u>6,050</u> | <u>4,087</u> | <u>1,963</u> |
| <u>056-059</u> | <u>Malignant neoplasms of lip, oral cavity and pharynx</u> | <u>90</u> | <u>59</u> | <u>31</u> |
| 056 | Malignant neoplasms of lip | 1 | 1 | 0 |
| 057 | Malignant neoplasms of tongue | 14 | 13 | 1 |
| 058 | Malignant neoplasms of pharynx | 54 | 30 | 24 |

Table 10A - Page 2
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|--|--------------|--------------|------------|
| 059 | Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx | 21 | 15 | 6 |
| <u>060-070</u> | <u>Malignant neoplasms of digestive organs</u> | <u>1,390</u> | <u>888</u> | <u>502</u> |
| 060 | Malignant neoplasms of esophagus | 123 | 76 | 47 |
| 061 | Malignant neoplasms of stomach | 122 | 67 | 55 |
| 062 | Malignant neoplasms of small intestine | 8 | 5 | 3 |
| 063 | Malignant neoplasms of colon | 534 | 341 | 193 |
| 064 | Malignant neoplasms of rectosigmoid junction and rectum | 77 | 57 | 20 |
| 065 | Malignant neoplasms of anus and anal canal | 7 | 5 | 2 |
| 066 | Malignant neoplasms of liver | 135 | 102 | 33 |
| 067 | Intrahepatic bile duct carcinoma | 15 | 12 | 3 |
| 068 | Malignant neoplasms of gallbladder and extrahepatic bile ducts | 27 | 13 | 14 |
| 069 | Malignant neoplasms of pancreas | 330 | 200 | 130 |
| 070 | Malignant neoplasms of other and ill-defined digestive organs | 12 | 10 | 2 |
| <u>071-075</u> | <u>Malignant neoplasms of respiratory and intrathoracic organs</u> | <u>1,943</u> | <u>1,421</u> | <u>522</u> |
| 071 | Malignant neoplasms of nasal cavity, middle ear and accessory sinuses | 4 | 2 | 2 |
| 072 | Malignant neoplasms of larynx | 34 | 22 | 12 |
| 073 | Malignant neoplasms of trachea, bronchus and lung | 1,899 | 1,391 | 508 |
| 074 | Malignant neoplasms of thymus, heart, mediastinum and pleura | 6 | 6 | 0 |
| 076 | Malignant neoplasms of bone and articular cartilage | 21 | 11 | 10 |
| <u>077-078</u> | <u>Melanoma and other malignant neoplasms of skin</u> | <u>99</u> | <u>88</u> | <u>11</u> |
| 077 | Malignant melanoma of skin | 64 | 62 | 2 |
| 078 | Other malignant neoplasms of skin | 35 | 26 | 9 |
| <u>079-081</u> | <u>Malignant neoplasms of mesothelial and soft tissue</u> | <u>54</u> | <u>38</u> | <u>16</u> |
| 079 | Mesothelioma | 18 | 16 | 2 |
| 080 | Kaposi's sarcoma | 1 | 1 | 0 |
| 081 | Malignant neoplasms of other mesothelial and soft tissue | 35 | 21 | 14 |
| 082 | Malignant neoplasm of breast | 419 | 246 | 173 |
| <u>083-088</u> | <u>Malignant neoplasms of female genital organs</u> | <u>274</u> | <u>157</u> | <u>117</u> |
| 083 | Malignant neoplasms of vulva and vagina | 10 | 8 | 2 |
| 084 | Malignant neoplasms of cervix uteri | 62 | 28 | 34 |
| 085 | Malignant neoplasms of corpus uteri and uterus, part unspecified | 61 | 25 | 36 |
| 086 | Malignant neoplasms of ovary | 136 | 92 | 44 |
| 087 | Malignant neoplasms of other and unspecified female genital organs | 5 | 4 | 1 |
| <u>089-091</u> | <u>Malignant neoplasms of male genital organs</u> | <u>402</u> | <u>184</u> | <u>218</u> |
| 089 | Malignant neoplasms of prostate | 394 | 179 | 215 |
| 090 | Malignant neoplasms of testis | 6 | 4 | 2 |
| 091 | Malignant neoplasms of penis and other and unspecified male genital organs | 2 | 1 | 1 |
| <u>092-094</u> | <u>Malignant neoplasms of urinary tract</u> | <u>244</u> | <u>188</u> | <u>56</u> |
| 092 | Malignant neoplasms of kidney and renal pelvis | 129 | 95 | 34 |
| 093 | Malignant neoplasms of bladder | 111 | 89 | 22 |
| 094 | Malignant neoplasms of other and unspecified sites within the urinary tract | 4 | 4 | 0 |
| <u>096-097</u> | <u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u> | <u>148</u> | <u>120</u> | <u>28</u> |

Table 10A - Page 3
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|--|------------|------------|------------|
| 096 | Malignant neoplasms of brain | 146 | 120 | 26 |
| 097 | Malignant neoplasms of other parts of central nervous system | 2 | 0 | 2 |
| 098 | Malignant neoplasms of thyroid and other endocrine glands | 23 | 16 | 7 |
| 099 | Other malignant neoplasms of other and unspecified sites | 350 | 235 | 115 |
| <u>100-108</u> | <u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u> | <u>593</u> | <u>436</u> | <u>157</u> |
| 100 | Hodgkin's disease | 14 | 13 | 1 |
| 101 | Non-Hodgkin's lymphoma | 208 | 171 | 37 |
| 102 | Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue | 1 | 0 | 1 |
| 103 | Malignant immunoproliferative diseases | 1 | 1 | 0 |
| 104 | Multiple myeloma and malignant plasma cell neoplasms | 125 | 73 | 52 |
| <u>105-108</u> | <u>Leukemia</u> | <u>244</u> | <u>178</u> | <u>66</u> |
| 105 | Lymphoid leukemia | 60 | 45 | 15 |
| 106 | Myeloid leukemia | 93 | 69 | 24 |
| 107 | Monocytic leukemia | 2 | 1 | 1 |
| 108 | Other and unspecified leukemia | 89 | 63 | 26 |
| <u>111-113</u> | <u>Benign neoplasms</u> | <u>21</u> | <u>13</u> | <u>8</u> |
| 112 | Benign neoplasms of eye, brain and other parts of central nervous system | 12 | 8 | 4 |
| 113 | Benign neoplasms of other and unspecified sites | 9 | 5 | 4 |
| 114 | Neoplasms of uncertain or unknown behavior of specified sites | 64 | 47 | 17 |
| 115 | Neoplasm of uncertain or unknown behavior of unspecified sites | 4 | 2 | 2 |
| <u>116-122</u> | <u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u> | <u>130</u> | <u>66</u> | <u>64</u> |
| <u>116-119</u> | <u>Anemias</u> | <u>57</u> | <u>23</u> | <u>34</u> |
| 116 | Nutritional anemias | 2 | 1 | 1 |
| 117 | Hemolytic anemias | 20 | 2 | 18 |
| 118 | Aplastic anemias | 14 | 8 | 6 |
| 119 | Acute posthemorrhagic and other anemias | 21 | 12 | 9 |
| 120 | Coagulation defects, purpura and other hemorrhagic conditions | 29 | 18 | 11 |
| 121 | Other diseases of blood and blood-forming organs | 18 | 14 | 4 |
| 122 | Certain disorders involving the immune mechanism | 26 | 11 | 15 |
| <u>123-135</u> | <u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u> | <u>935</u> | <u>495</u> | <u>440</u> |
| <u>123-128</u> | <u>Endocrine diseases</u> | <u>691</u> | <u>342</u> | <u>349</u> |
| 123 | Disorders of thyroid gland | 12 | 8 | 4 |
| 124 | Diabetes mellitus | 664 | 324 | 340 |
| 125 | Disorders of pituitary gland | 3 | 3 | 0 |
| 127 | Diseases of thymus | 1 | 0 | 1 |
| 128 | Other endocrine diseases | 11 | 7 | 4 |
| <u>129-131</u> | <u>Malnutrition and other nutritional deficiencies</u> | <u>38</u> | <u>26</u> | <u>12</u> |
| <u>129-130</u> | <u>Malnutrition</u> | <u>37</u> | <u>26</u> | <u>11</u> |
| 129 | Nutritional marasmus | 1 | 0 | 1 |

Table 10A - Page 4
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|--|---------------|--------------|--------------|
| 130 | Other and unspecified malnutrition | 36 | 26 | 10 |
| 131 | Other nutritional deficiencies | 1 | 0 | 1 |
| 132 | Obesity and other hyperalimentation | 41 | 20 | 21 |
| <u>133-135</u> | <u>Metabolic disorders</u> | <u>165</u> | <u>107</u> | <u>58</u> |
| 133 | Cystic fibrosis | 4 | 4 | 0 |
| 134 | Volume depletion, disorders of fluid, electrolyte and acid-base balance | 117 | 76 | 41 |
| 135 | Other metabolic disorders | 44 | 27 | 17 |
| <u>136-144</u> | <u>MENTAL AND BEHAVIORAL DISORDERS</u> | <u>448</u> | <u>308</u> | <u>140</u> |
| 136 | Organic dementia | 305 | 225 | 80 |
| 137 | Other and unspecified organic mental disorders | 39 | 23 | 16 |
| <u>138-139</u> | <u>Mental and behavioral disorders due to psychoactive substance abuse</u> | <u>80</u> | <u>48</u> | <u>32</u> |
| 138 | Mental and behavioral disorders due to use of alcohol | 62 | 38 | 24 |
| 139 | Mental and behavioral disorders due to other psychoactive substance use | 18 | 10 | 8 |
| 140 | Schizophrenia, schizotypal and delusional disorders | 5 | 2 | 3 |
| 141 | Mood (affective) disorders | 6 | 4 | 2 |
| 143 | Mental retardation | 8 | 4 | 4 |
| 144 | Other and unspecified mental and behavioral disorders | 5 | 2 | 3 |
| <u>145-153</u> | <u>DISEASES OF THE NERVOUS SYSTEM</u> | <u>978</u> | <u>761</u> | <u>217</u> |
| 145 | Meningitis | 8 | 3 | 5 |
| 146 | Other inflammatory diseases of central nervous system | 7 | 4 | 3 |
| 147 | Parkinson's disease | 124 | 108 | 16 |
| 148 | Alzheimer's disease | 566 | 478 | 88 |
| 149 | Multiple sclerosis | 18 | 11 | 7 |
| 150 | Epilepsy | 22 | 11 | 11 |
| 151 | Transient cerebral ischemic attacks and related syndromes | 2 | 1 | 1 |
| 152 | Infantile cerebral palsy | 12 | 3 | 9 |
| 153 | All other diseases of nervous system | 219 | 142 | 77 |
| <u>154</u> | <u>DISEASES OF THE EYE AND ADNEXA</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>155</u> | <u>DISEASES OF THE EAR AND MASTOID PROCESS</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u>156-191</u> | <u>DISEASES OF THE CIRCULATORY SYSTEM</u> | <u>11,609</u> | <u>7,774</u> | <u>3,835</u> |
| <u>156-189</u> | <u>Major cardiovascular diseases</u> | <u>11,550</u> | <u>7,734</u> | <u>3,816</u> |
| <u>157-160</u> | <u>Chronic rheumatic heart diseases</u> | <u>25</u> | <u>16</u> | <u>9</u> |
| 157 | Rheumatic mitral valve diseases | 16 | 11 | 5 |
| 159 | Disorders of both mitral and aortic valves | 5 | 2 | 3 |
| 160 | Other chronic rheumatic heart diseases | 4 | 3 | 1 |
| <u>161-164</u> | <u>Hypertensive diseases</u> | <u>905</u> | <u>470</u> | <u>435</u> |
| 161 | Essential (primary) hypertension | 210 | 112 | 98 |
| 162 | Hypertensive heart disease | 525 | 285 | 240 |
| 163 | Hypertensive renal disease | 103 | 36 | 67 |
| 164 | Hypertensive heart and renal disease | 67 | 37 | 30 |

Table 10A - Page 5
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|--|--------------|--------------|--------------|
| <u>165-168</u> | <u>Ischemic heart diseases</u> | <u>5,310</u> | <u>3,684</u> | <u>1,626</u> |
| 165 | Acute myocardial infarction | 2,551 | 1,659 | 892 |
| 166 | Other acute ischemic heart diseases | 18 | 11 | 7 |
| 167 | Atherosclerotic cardiovascular disease, so described | 694 | 513 | 181 |
| 168 | All other forms of chronic ischemic heart disease | 2,047 | 1,501 | 546 |
| <u>169-170</u> | <u>Pulmonary heart disease and diseases of pulmonary circulation</u> | <u>206</u> | <u>131</u> | <u>75</u> |
| 169 | Pulmonary embolism | 132 | 80 | 52 |
| 170 | Other pulmonary heart disease and diseases of pulmonary circulation | 74 | 51 | 23 |
| <u>171-181</u> | <u>Other forms of heart disease</u> | <u>2,887</u> | <u>1,962</u> | <u>925</u> |
| 171 | Acute and subacute endocarditis | 12 | 4 | 8 |
| 172 | Diseases of pericardium and acute myocarditis | 6 | 2 | 4 |
| 173 | Nonrheumatic mitral valve disorders | 23 | 18 | 5 |
| 174 | Nonrheumatic aortic valve disorders | 93 | 77 | 16 |
| 175 | All other diseases of endocardium | 26 | 21 | 5 |
| 176 | Cardiomyopathy | 343 | 220 | 123 |
| 177 | Conduction disorders and cardiac dysrhythmias | 833 | 550 | 283 |
| 178 | Congestive heart failure | 1,191 | 834 | 357 |
| 179 | Other and unspecified heart failure | 103 | 69 | 34 |
| 180 | Myocarditis, unspecified and myocardial degeneration | 7 | 5 | 2 |
| 181 | All other and ill-defined forms of heart disease | 250 | 162 | 88 |
| <u>182-186</u> | <u>Cerebrovascular diseases</u> | <u>1,918</u> | <u>1,261</u> | <u>657</u> |
| 182 | Subarachnoid hemorrhage | 75 | 52 | 23 |
| 183 | Intracerebral and other intracranial hemorrhage | 332 | 211 | 121 |
| 184 | Cerebral infarction | 104 | 65 | 39 |
| 185 | Stroke, not specified as hemorrhage or infarction | 1,127 | 740 | 387 |
| 186 | Other cerebrovascular diseases and their sequelae | 280 | 193 | 87 |
| <u>187-189</u> | <u>Diseases of arteries, arterioles and capillaries</u> | <u>299</u> | <u>210</u> | <u>89</u> |
| 187 | Atherosclerosis | 70 | 53 | 17 |
| 188 | Aortic aneurysm and dissection | 137 | 104 | 33 |
| 189 | Other diseases of arteries, arterioles and capillaries | 92 | 53 | 39 |
| <u>190-191</u> | <u>Other disorders of circulatory system</u> | <u>59</u> | <u>40</u> | <u>19</u> |
| 190 | Phlebitis, thrombophlebitis, venous embolism and thrombosis | 42 | 29 | 13 |
| 191 | All other and unspecified disorders of circulatory system | 17 | 11 | 6 |
| <u>192-214</u> | <u>DISEASES OF THE RESPIRATORY SYSTEM</u> | <u>2,694</u> | <u>2,115</u> | <u>579</u> |
| <u>192-194</u> | <u>Acute upper respiratory infections</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| 193 | Acute laryngitis and tracheitis | 1 | 0 | 1 |
| <u>195-214</u> | <u>Other diseases of the respiratory system</u> | <u>2,693</u> | <u>2,115</u> | <u>578</u> |
| 195 | Influenza | 6 | 5 | 1 |
| <u>196-198</u> | <u>Pneumonia</u> | <u>792</u> | <u>563</u> | <u>229</u> |
| 196 | Viral pneumonia, not elsewhere classified | 6 | 1 | 5 |
| 197 | Bacterial pneumonia | 37 | 31 | 6 |
| 198 | Pneumonia due to other or unspecified organisms | 749 | 531 | 218 |
| <u>199-200</u> | <u>Other acute lower respiratory infections</u> | <u>7</u> | <u>3</u> | <u>4</u> |
| 199 | Acute bronchitis and bronchiolitis | 6 | 3 | 3 |
| 200 | Unspecified acute lower respiratory infection | 1 | 0 | 1 |
| 201 | Other diseases of upper respiratory tract | 1 | 1 | 0 |
| <u>202-207</u> | <u>Chronic lower respiratory diseases</u> | <u>1,372</u> | <u>1,146</u> | <u>226</u> |

Table 10A - Page 6
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|---|------------|------------|------------|
| 202 | Bronchitis, not specified as acute or chronic | 11 | 8 | 3 |
| 203 | Chronic bronchitis | 6 | 3 | 3 |
| 204 | Emphysema | 115 | 92 | 23 |
| 205 | Other chronic obstructive pulmonary disease | 1,184 | 1,015 | 169 |
| 206 | Asthma | 52 | 25 | 27 |
| 207 | Bronchiectasis | 4 | 3 | 1 |
| <u>208-211</u> | <u>Lung diseases due to external agents</u> | <u>218</u> | <u>175</u> | <u>43</u> |
| 208 | Pneumoconioses and chemical effects | 15 | 15 | 0 |
| 209 | Pneumonitis due to food and vomit | 203 | 160 | 43 |
| 212 | Suppurative and necrotic conditions of lower respiratory tract | 12 | 7 | 5 |
| 213 | Pleural effusion and plaque | 13 | 9 | 4 |
| 214 | All other diseases of respiratory system | 272 | 206 | 66 |
| <u>215-237</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>894</u> | <u>642</u> | <u>252</u> |
| <u>216-237</u> | <u>Diseases of other parts of digestive system</u> | <u>894</u> | <u>642</u> | <u>252</u> |
| 216 | Diseases of esophagus | 19 | 13 | 6 |
| <u>217-220</u> | <u>Peptic ulcer</u> | <u>41</u> | <u>28</u> | <u>13</u> |
| 217 | Gastric ulcer | 11 | 7 | 4 |
| 218 | Duodenal ulcer | 19 | 13 | 6 |
| 219 | Peptic ulcer, site unspecified | 11 | 8 | 3 |
| 221 | Gastritis and duodenitis | 5 | 2 | 3 |
| 222 | Dyspepsia and other diseases of stomach and duodenum | 6 | 2 | 4 |
| 223 | Diseases of appendix | 1 | 1 | 0 |
| 224 | Hernia | 13 | 9 | 4 |
| 225 | Crohn's disease and ulcerative colitis | 5 | 3 | 2 |
| 226 | Vascular disorders and obstruction of intestine without hernia | 143 | 105 | 38 |
| 227 | Diverticular disease of intestine | 28 | 21 | 7 |
| 228 | Other diseases of intestines and peritoneum | 59 | 39 | 20 |
| 229 | Diseases of peritoneum | 13 | 11 | 2 |
| <u>230-233</u> | <u>Diseases of liver</u> | <u>331</u> | <u>256</u> | <u>75</u> |
| 230 | Alcoholic liver disease | 81 | 57 | 24 |
| 231 | Chronic hepatitis, not elsewhere classified | 7 | 4 | 3 |
| 232 | Fibrosis and cirrhosis of liver | 139 | 117 | 22 |
| 233 | Other diseases of liver | 104 | 78 | 26 |
| 234 | Cholelithiasis and other disorders of gallbladder | 34 | 22 | 12 |
| <u>235-236</u> | <u>Disorders of biliary tract and pancreas</u> | <u>65</u> | <u>42</u> | <u>23</u> |
| 235 | Pancreatitis | 56 | 37 | 19 |
| 236 | Other disorders of biliary tract and pancreas | 9 | 5 | 4 |
| 237 | All other diseases of digestive system | 131 | 88 | 43 |
| <u>238-239</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>63</u> | <u>26</u> | <u>37</u> |
| 238 | Infections of skin and subcutaneous tissue | 13 | 4 | 9 |
| 239 | Other and unspecified diseases of skin and subcutaneous tissue | 50 | 22 | 28 |
| <u>240-246</u> | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u> | <u>106</u> | <u>63</u> | <u>43</u> |

Table 10A - Page 7
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|---|------------|------------|------------|
| 240 | Rheumatoid arthritis and related inflammatory polyarthropathies | 11 | 10 | 1 |
| 241 | Systemic lupus erythematosus | 24 | 8 | 16 |
| 242 | Other arthropathies and related disorders | 36 | 24 | 12 |
| 243 | Dorsopathies | 12 | 8 | 4 |
| 244 | Soft tissue disorders | 12 | 7 | 5 |
| <u>245-246</u> | <u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u> | <u>11</u> | <u>6</u> | <u>5</u> |
| 245 | Osteoporosis | 5 | 3 | 2 |
| 246 | Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue | 6 | 3 | 3 |
| <u>247-260</u> | <u>DISEASES OF THE GENITOURINARY SYSTEM</u> | <u>837</u> | <u>489</u> | <u>348</u> |
| <u>247-255</u> | <u>Diseases of urinary system</u> | <u>827</u> | <u>482</u> | <u>345</u> |
| <u>247-249</u> | <u>Glomerular diseases</u> | <u>7</u> | <u>5</u> | <u>2</u> |
| 247 | Acute and rapidly progressive nephritic syndrome | 1 | 1 | 0 |
| 248 | Nephrotic syndrome | 1 | 1 | 0 |
| 249 | Other and unspecified glomerular diseases | 5 | 3 | 2 |
| 250 | Renal tubulo-interstitial diseases | 13 | 12 | 1 |
| 251 | Renal failure | 574 | 309 | 265 |
| 252 | Urolithiasis | 2 | 2 | 0 |
| 254 | Urinary tract infection, site not specified | 205 | 140 | 65 |
| 255 | Other diseases of urinary system | 26 | 14 | 12 |
| <u>256-257</u> | <u>Diseases of male genital organs</u> | <u>5</u> | <u>5</u> | <u>0</u> |
| 256 | Hyperplasia of prostate | 2 | 2 | 0 |
| 257 | Other diseases of male genital organs | 3 | 3 | 0 |
| <u>259-260</u> | <u>Disorders of female genital organs</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 259 | Inflammatory diseases of female pelvic organs | 3 | 2 | 1 |
| 260 | Noninflammatory disorders of female genital tract | 2 | 0 | 2 |
| <u>261-273</u> | <u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u> | <u>9</u> | <u>2</u> | <u>7</u> |
| 270 | All other direct obstetric causes | 2 | 0 | 2 |
| 272 | Other deaths related to pregnancy, childbirth and the puerperium | 6 | 1 | 5 |
| 273 | Indirect obstetric deaths | 1 | 1 | 0 |
| <u>274-281</u> | <u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u> | <u>218</u> | <u>75</u> | <u>143</u> |
| 274 | Newborn affected by maternal factors and by complications of pregnancy, labor and delivery | 30 | 13 | 17 |
| 275 | Disorders related to short gestation and low birth weight, not elsewhere classified | 95 | 25 | 70 |
| 276 | Birth trauma | 2 | 2 | 0 |
| 277 | Intrauterine hypoxia and birth asphyxia | 4 | 3 | 1 |
| 278 | Respiratory distress of newborn | 11 | 3 | 8 |
| 279 | Other respiratory conditions originating in the perinatal period | 25 | 12 | 13 |

Table 10A - Page 8
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|--|--------------|--------------|------------|
| 280 | Infections specific to the perinatal period | 18 | 8 | 10 |
| 281 | Other and unspecified conditions originating in the perinatal period | 33 | 9 | 24 |
| <u>282-290</u> | <u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u> | <u>103</u> | <u>47</u> | <u>56</u> |
| 282 | Anencephaly and similar malformations | 3 | 3 | 0 |
| 283 | Spina bifida | 3 | 3 | 0 |
| 284 | All other congenital malformations of nervous system | 10 | 2 | 8 |
| 285 | Congenital malformations of heart | 27 | 14 | 13 |
| 286 | Other congenital malformations of circulatory system | 5 | 0 | 5 |
| 287 | Congenital malformations of respiratory system | 9 | 2 | 7 |
| 288 | Other congenital malformations and deformations | 22 | 10 | 12 |
| 289 | Down's syndrome | 12 | 7 | 5 |
| 290 | All other chromosomal abnormalities, not elsewhere classified | 12 | 6 | 6 |
| <u>291-294</u> | <u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u> | <u>375</u> | <u>218</u> | <u>157</u> |
| 291 | Senility | 39 | 25 | 14 |
| <u>292-293</u> | <u>Ill-defined and unknown causes of mortality</u> | <u>137</u> | <u>76</u> | <u>61</u> |
| 292 | Sudden infant death syndrome | 55 | 26 | 29 |
| 293 | Other ill-defined and unknown causes of mortality | 82 | 50 | 32 |
| 294 | All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified | 199 | 117 | 82 |
| <u>295-358</u> | <u>EXTERNAL CAUSES OF MORTALITY</u> | <u>2,373</u> | <u>1,504</u> | <u>869</u> |
| <u>295-330</u> | <u>Accidents</u> | <u>1,632</u> | <u>1,068</u> | <u>564</u> |
| 295 | Railway accidents | 8 | 4 | 4 |
| <u>296-306</u> | <u>Motor vehicle accidents</u> | <u>875</u> | <u>551</u> | <u>324</u> |
| 296 | Pedestrian involved in collision with motor vehicle | 66 | 29 | 37 |
| 297 | Pedal cyclist involved in collision with motor vehicle | 4 | 2 | 2 |
| 298 | Motorcyclist involved in any accident except collision with railway train | 29 | 23 | 6 |
| 300 | Other motor vehicle accident involving collision with railway train | 10 | 7 | 3 |
| 301 | Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian | 189 | 126 | 63 |
| 302 | Occupant of car, pickup truck or van involved in collision with other motor vehicle | 319 | 197 | 122 |
| 303 | Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle | 6 | 4 | 2 |
| 304 | Occupant of motor vehicle involved in noncollision accident | 159 | 105 | 54 |
| 305 | Occupant of special-use motor vehicle involved in any accident | 23 | 16 | 7 |
| 306 | Other and unspecified motor vehicle accidents | 70 | 42 | 28 |

Table 10A - Page 9
Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|---|------------|------------|------------|
| 308 | Other and unspecified land transport accidents | 4 | 2 | 2 |
| 309 | Water transport accidents | 23 | 15 | 8 |
| 310 | Air and space transport accidents | 4 | 4 | 0 |
| 311 | Other and unspecified transport accidents and their sequelae | 12 | 10 | 2 |
| <u>312-314</u> | <u>Falls</u> | <u>179</u> | <u>157</u> | <u>22</u> |
| 312 | Fall on same level | 35 | 30 | 5 |
| 313 | Fall from one level to another | 22 | 17 | 5 |
| 314 | Unspecified fall | 122 | 110 | 12 |
| 315 | Accidental discharge of firearms | 22 | 14 | 8 |
| 316 | Accidental explosion | 7 | 3 | 4 |
| 317 | Accidental drowning and submersion | 48 | 18 | 30 |
| 318 | Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract | 75 | 42 | 33 |
| 319 | Other accidental and unspecified threats to breathing | 6 | 4 | 2 |
| 320 | Accidental exposure to electric current | 10 | 7 | 3 |
| 322 | Accidental exposure to smoke, fire and flames | 110 | 41 | 69 |
| 323 | Accidental contact with heat and hot substances | 8 | 2 | 6 |
| 324 | Lightning | 2 | 2 | 0 |
| 326 | Cataclysmic storm and flood | 2 | 1 | 1 |
| <u>327-329</u> | <u>Accidental poisoning by and exposure to noxious substances</u> | <u>130</u> | <u>111</u> | <u>19</u> |
| 327 | Accidental poisoning by and exposure to drugs and other biological substances | 125 | 109 | 16 |
| 328 | Accidental poisoning by and exposure to other and unspecified solid or liquid substances | 2 | 1 | 1 |
| 329 | Accidental poisoning by and exposure to other gases and vapors | 3 | 1 | 2 |
| 330 | All other and unspecified accidents and their sequelae | 107 | 80 | 27 |
| <u>331-337</u> | <u>Intentional self-harm (suicide)</u> | <u>341</u> | <u>284</u> | <u>57</u> |
| 331 | Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances | 29 | 28 | 1 |
| 332 | Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors | 4 | 1 | 3 |
| 333 | Intentional self-poisoning (suicide) by and exposure to other gases and vapors | 5 | 5 | 0 |
| 334 | Intentional self-harm (suicide) by hanging, strangulation and suffocation | 35 | 26 | 9 |
| 335 | Intentional self-harm (suicide) by discharge of firearms | 254 | 211 | 43 |
| 336 | Intentional self-harm (suicide) by jumping from a high place | 2 | 2 | 0 |
| 337 | Intentional self-harm (suicide) by all other and unspecified means and their sequelae | 12 | 11 | 1 |
| <u>338-346</u> | <u>Assault (homicide)</u> | <u>304</u> | <u>89</u> | <u>215</u> |
| 339 | Assault (homicide) by hanging, strangulation and suffocation | 8 | 4 | 4 |
| 340 | Assault (homicide) by discharge of firearms | 206 | 55 | 151 |
| 341 | Assault (homicide) by sharp object | 41 | 10 | 31 |
| 342 | Assault (homicide) by blunt object | 10 | 3 | 7 |
| 343 | Assault (homicide) by bodily force | 3 | 1 | 2 |
| 345 | Neglect, abandonment and other maltreatment syndromes | 2 | 2 | 0 |
| 346 | Assault (homicide) by all other and unspecified means and their sequelae | 34 | 14 | 20 |
| <u>347-352</u> | <u>Event of undetermined intent</u> | <u>43</u> | <u>30</u> | <u>13</u> |

Table 10A - Page 10
 Deaths - Mississippi - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | WHITE | NON-WHITE |
|----------------|---|-----------|-----------|-----------|
| 347 | Poisoning by and exposure to drugs and biological substances, undetermined intent | 23 | 19 | 4 |
| 349 | Poisoning by and exposure to other gases and vapors, undetermined intent | 1 | 1 | 0 |
| 350 | Discharge of firearms, undetermined intent | 4 | 1 | 3 |
| 351 | Falling, jumping or pushed from a high place, undetermined intent | 1 | 1 | 0 |
| 352 | All other and unspecified events of undetermined intent and their sequelae | 14 | 8 | 6 |
| <u>353-354</u> | <u>Legal intervention</u> | <u>7</u> | <u>3</u> | <u>4</u> |
| 353 | Legal execution | 2 | 2 | 0 |
| 354 | Other legal intervention and their sequelae | 5 | 1 | 4 |
| 355 | Operations of war and their sequelae | 1 | 0 | 1 |
| <u>356-358</u> | <u>Complications of medical and surgical care</u> | <u>45</u> | <u>30</u> | <u>15</u> |
| 356 | Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae | 5 | 4 | 1 |
| 357 | Misadventures to patients during medical and surgical care and their sequelae | 5 | 4 | 1 |
| 358 | Other complications of medical and surgical care and their sequelae | 35 | 22 | 13 |
| 358 | Other complications of medical and surgical care and their sequelae | 35 | 22 | 13 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|---------------|---------------|--------------|
| <u>A00-Y89</u> | <u>ALL CAUSES</u> | <u>28,765</u> | <u>19,168</u> | <u>9,597</u> |
| <u>A00-B99</u> | <u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u> | <u>853</u> | <u>434</u> | <u>419</u> |
| <u>A00-A09</u> | <u>Intestinal infectious diseases</u> | <u>13</u> | <u>12</u> | <u>1</u> |
| A02 | Other salmonella infections | 1 | 1 | 0 |
| A04 | Other bacterial intestinal infections | 12 | 11 | 1 |
| <u>A16-A19</u> | <u>Tuberculosis</u> | <u>9</u> | <u>4</u> | <u>5</u> |
| A16 | Respiratory tuberculosis, not confirmed bacteriologically or histologically | 8 | 3 | 5 |
| A18 | Tuberculosis of other organs | 1 | 1 | 0 |
| <u>A30-A49</u> | <u>Other bacterial diseases</u> | <u>550</u> | <u>318</u> | <u>232</u> |
| A31 | Infection due to other mycobacteria | 6 | 6 | 0 |
| A32 | Listeriosis | 1 | 0 | 1 |
| A39 | Meningococcal infection | 3 | 1 | 2 |
| A40 | Streptococcal septicemia | 14 | 9 | 5 |
| A41 | Other septicemia | 512 | 295 | 217 |
| A43 | Nocardiosis | 1 | 1 | 0 |
| A48 | Other bacterial diseases, not elsewhere classified | 1 | 1 | 0 |
| A49 | Bacterial infection of unspecified site | 12 | 5 | 7 |
| <u>A50-A64</u> | <u>Infections with a predominantly sexual mode of transmission</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| A54 | Gonococcal infection | 1 | 1 | 0 |
| <u>A80-A89</u> | <u>Viral infections of the central nervous system</u> | <u>11</u> | <u>9</u> | <u>2</u> |
| A81 | Atypical virus infections of central nervous system | 2 | 2 | 0 |
| A83 | Mosquito-borne viral encephalitis | 8 | 7 | 1 |
| A86 | Unspecified viral encephalitis | 1 | 0 | 1 |
| <u>B00-B09</u> | <u>Viral infections characterized by skin and mucous membrane lesions</u> | <u>6</u> | <u>2</u> | <u>4</u> |
| B00 | Herpes-viral [herpes simplex] infections | 4 | 2 | 2 |
| B01 | Varicella [chickenpox] | 1 | 0 | 1 |
| B02 | Zoster [herpes zoster] | 1 | 0 | 1 |
| <u>B15-B19</u> | <u>Viral hepatitis</u> | <u>38</u> | <u>32</u> | <u>6</u> |
| B15 | Acute hepatitis A | 2 | 2 | 0 |
| B16 | Acute hepatitis B | 1 | 1 | 0 |
| B17 | Other acute viral hepatitis | 31 | 26 | 5 |
| B18 | Chronic viral hepatitis | 4 | 3 | 1 |
| <u>B20-B24</u> | <u>Human immunodeficiency virus [HIV] disease</u> | <u>184</u> | <u>29</u> | <u>155</u> |
| B20 | Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases | 68 | 11 | 57 |
| B21 | Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms | 6 | 2 | 4 |
| B22 | Human immunodeficiency virus [HIV] disease resulting in other specified diseases | 10 | 3 | 7 |
| B23 | Human immunodeficiency virus [HIV] disease resulting in other conditions | 60 | 6 | 54 |
| B24 | Unspecified human immunodeficiency virus [HIV] disease | 40 | 7 | 33 |
| <u>B25-B34</u> | <u>Other viral diseases</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| B25 | Cytomegaloviral disease | 2 | 1 | 1 |

Table 10B - Page 2
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|--------------|--------------|--------------|
| B34 | Viral infection of unspecified site | 1 | 0 | 1 |
| <u>B35-B49</u> | <u>Mycoses</u> | <u>20</u> | <u>14</u> | <u>6</u> |
| B37 | Candidiasis | 4 | 3 | 1 |
| B40 | Blastomycosis | 4 | 2 | 2 |
| B44 | Aspergillosis | 2 | 2 | 0 |
| B45 | Cryptococcosis | 3 | 3 | 0 |
| B48 | Other mycoses, not elsewhere classified | 1 | 1 | 0 |
| B49 | Unspecified mycosis | 6 | 3 | 3 |
| <u>B50-B64</u> | <u>Protozoal diseases</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| B59 | Pneumocystosis | 1 | 1 | 0 |
| <u>B65-B83</u> | <u>Helminthiasis</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| B78 | Strongyloidiasis | 1 | 0 | 1 |
| <u>B90-B94</u> | <u>Sequela of infectious and parasitic diseases</u> | <u>14</u> | <u>11</u> | <u>3</u> |
| B90 | Sequelae of tuberculosis | 1 | 1 | 0 |
| B91 | Sequelae of poliomyelitis | 2 | 2 | 0 |
| B94 | Sequelae of other and unspecified infectious and parasitic diseases | 11 | 8 | 3 |
| B99 | Other and unspecified infectious diseases | 2 | 0 | 2 |
| <u>C00-D48</u> | <u>NEOPLASMS</u> | <u>6,139</u> | <u>4,149</u> | <u>1,990</u> |
| <u>C00-C97</u> | <u>Malignant neoplasms</u> | <u>6,050</u> | <u>4,087</u> | <u>1,963</u> |
| <u>C00-C14</u> | <u>Malignant neoplasms of lip, oral cavity and pharynx</u> | <u>90</u> | <u>59</u> | <u>31</u> |
| C00 | Malignant neoplasm of lip | 1 | 1 | 0 |
| C01 | Malignant neoplasm of base of tongue | 1 | 1 | 0 |
| C02 | Malignant neoplasm of other and unspecified parts of tongue | 13 | 12 | 1 |
| C06 | Malignant neoplasm of other and unspecified parts of mouth | 13 | 9 | 4 |
| C07 | Malignant neoplasm of parotid gland | 5 | 4 | 1 |
| C09 | Malignant neoplasm of tonsil | 3 | 2 | 1 |
| C10 | Malignant neoplasm of oropharynx | 3 | 2 | 1 |
| C11 | Malignant neoplasm of nasopharynx | 5 | 3 | 2 |
| C12 | Malignant neoplasm of pyriform sinus | 1 | 1 | 0 |
| C13 | Malignant neoplasm of hypopharynx | 3 | 0 | 3 |
| C14 | Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx | 42 | 24 | 18 |
| <u>C15-C26</u> | <u>Malignant neoplasms of digestive organs</u> | <u>1,390</u> | <u>888</u> | <u>502</u> |
| C15 | Malignant neoplasm of esophagus | 123 | 76 | 47 |
| C16 | Malignant neoplasm of stomach | 122 | 67 | 55 |
| C17 | Malignant neoplasm of small intestine | 8 | 5 | 3 |
| C18 | Malignant neoplasm of colon | 534 | 341 | 193 |
| C19 | Malignant neoplasm of rectosigmoid junction | 21 | 16 | 5 |
| C20 | Malignant neoplasm of rectum | 56 | 41 | 15 |
| C21 | Malignant neoplasm of anus and anal canal | 7 | 5 | 2 |
| C22 | Malignant neoplasm of liver and intrahepatic bile ducts | 150 | 114 | 36 |
| C23 | Malignant neoplasm of gallbladder | 13 | 5 | 8 |
| C24 | Malignant neoplasm of other and unspecified parts of biliary tract | 14 | 8 | 6 |
| C25 | Malignant neoplasm of pancreas | 330 | 200 | 130 |

Table 10B - Page 3
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|--------------|--------------|------------|
| C26 | Malignant neoplasm of other and ill-defined digestive organs | 12 | 10 | 2 |
| <u>C30-C39</u> | <u>Malignant neoplasms of respiratory and intrathoracic organs</u> | <u>1,943</u> | <u>1,421</u> | <u>522</u> |
| C30 | Malignant neoplasm of nasal cavity and middle ear | 1 | 1 | 0 |
| C31 | Malignant neoplasm of accessory sinuses | 3 | 1 | 2 |
| C32 | Malignant neoplasm of larynx | 34 | 22 | 12 |
| C33 | Malignant neoplasm of trachea | 2 | 1 | 1 |
| C34 | Malignant neoplasm of bronchus and lung | 1,897 | 1,390 | 507 |
| C37 | Malignant neoplasm of thymus | 5 | 5 | 0 |
| C38 | Malignant neoplasm of heart, mediastinum, and pleura | 1 | 1 | 0 |
| <u>C40-C41</u> | <u>Malignant neoplasms of bone and articular cartilage</u> | <u>21</u> | <u>11</u> | <u>10</u> |
| C41 | Malignant neoplasm of bone and articular cartilage of other and unspecified sites | 21 | 11 | 10 |
| <u>C43-C44</u> | <u>Melanoma and other malignant neoplasms of skin</u> | <u>99</u> | <u>88</u> | <u>11</u> |
| C43 | Malignant melanoma of skin | 64 | 62 | 2 |
| C44 | Other malignant neoplasms of skin | 35 | 26 | 9 |
| <u>C45-C49</u> | <u>Malignant neoplasms of mesothelial and soft tissue</u> | <u>54</u> | <u>38</u> | <u>16</u> |
| C45 | Mesothelioma | 18 | 16 | 2 |
| C46 | Kaposi's sarcoma | 1 | 1 | 0 |
| C47 | Malignant neoplasm of peripheral nerves and autonomic nervous system | 1 | 1 | 0 |
| C48 | Malignant neoplasm of retroperitoneum and peritoneum | 6 | 3 | 3 |
| C49 | Malignant neoplasm of other connective and soft tissue | 28 | 17 | 11 |
| C50 | Malignant neoplasm of breast | 419 | 246 | 173 |
| <u>C51-C58</u> | <u>Malignant neoplasms of female genital organs</u> | <u>274</u> | <u>157</u> | <u>117</u> |
| C51 | Malignant neoplasm of vulva | 6 | 5 | 1 |
| C52 | Malignant neoplasm of vagina | 4 | 3 | 1 |
| C53 | Malignant neoplasm of cervix uteri | 62 | 28 | 34 |
| C54 | Malignant neoplasm of corpus uteri | 19 | 10 | 9 |
| C55 | Malignant neoplasm of uterus, part unspecified | 42 | 15 | 27 |
| C56 | Malignant neoplasm of ovary | 136 | 92 | 44 |
| C57 | Malignant neoplasm of other and unspecified female genital organs | 5 | 4 | 1 |
| <u>C60-C63</u> | <u>Malignant neoplasms of male genital organs</u> | <u>402</u> | <u>184</u> | <u>218</u> |
| C60 | Malignant neoplasm of penis | 2 | 1 | 1 |
| C61 | Malignant neoplasm of prostate | 394 | 179 | 215 |
| C62 | Malignant neoplasm of testis | 6 | 4 | 2 |
| <u>C64-C68</u> | <u>Malignant neoplasms of urinary tract</u> | <u>244</u> | <u>188</u> | <u>56</u> |
| C64 | Malignant neoplasm of kidney, except renal pelvis | 128 | 94 | 34 |
| C65 | Malignant neoplasm of renal pelvis | 1 | 1 | 0 |
| C66 | Malignant neoplasm of ureter | 1 | 1 | 0 |
| C67 | Malignant neoplasm of bladder | 111 | 89 | 22 |
| C68 | Malignant neoplasm of other and unspecified urinary organs | 3 | 3 | 0 |
| <u>C69-C72</u> | <u>Malignant neoplasms of eye, brain and other parts of central nervous system</u> | <u>148</u> | <u>120</u> | <u>28</u> |
| C70 | Malignant neoplasm of meninges | 1 | 0 | 1 |
| C71 | Malignant neoplasm of brain | 146 | 120 | 26 |
| C72 | Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system | 1 | 0 | 1 |

Table 10B - Page 4
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|------------|------------|
| <u>C73-C75</u> | <u>Malignant neoplasms of thyroid and other endocrine glands</u> | <u>23</u> | <u>16</u> | <u>7</u> |
| C73 | Malignant neoplasm of thyroid gland | 15 | 12 | 3 |
| C74 | Malignant neoplasm of adrenal gland | 6 | 2 | 4 |
| C75 | Malignant neoplasm of other endocrine glands and related structures | 2 | 2 | 0 |
| <u>C76-C80</u> | <u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u> | <u>301</u> | <u>199</u> | <u>102</u> |
| C76 | Malignant neoplasm of other and ill-defined sites | 60 | 41 | 19 |
| C77 | Secondary and unspecified malignant neoplasm of lymph nodes | 1 | 0 | 1 |
| C78 | Secondary malignant neoplasm of respiratory and digestive organs | 33 | 23 | 10 |
| C79 | Secondary malignant neoplasm of other sites | 23 | 13 | 10 |
| C80 | Malignant neoplasm without specification of site | 184 | 122 | 62 |
| <u>C81-C96</u> | <u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u> | <u>593</u> | <u>436</u> | <u>157</u> |
| C81 | Hodgkin's disease | 14 | 13 | 1 |
| C82 | Follicular [nodular] non-Hodgkin's lymphoma | 3 | 3 | 0 |
| C83 | Diffuse non-Hodgkin's lymphoma | 32 | 26 | 6 |
| C84 | Peripheral and cutaneous T-cell lymphomas | 11 | 6 | 5 |
| C85 | Other and unspecified types of non-Hodgkin's lymphoma | 162 | 136 | 26 |
| C88 | Malignant immunoproliferative diseases | 1 | 1 | 0 |
| C90 | Multiple myeloma and malignant plasma cell neoplasms | 125 | 73 | 52 |
| C91 | Lymphoid leukemia | 60 | 45 | 15 |
| C92 | Myeloid leukemia | 93 | 69 | 24 |
| C93 | Monocytic leukemia | 2 | 1 | 1 |
| C95 | Leukemia of unspecified cell type | 89 | 63 | 26 |
| C96 | Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue | 1 | 0 | 1 |
| C97 | Malignant neoplasms of independent (primary) multiple sites | 49 | 36 | 13 |
| <u>D10-D36</u> | <u>Benign neoplasms</u> | <u>21</u> | <u>13</u> | <u>8</u> |
| D12 | Benign neoplasm of colon, rectum, anus, and anal canal | 1 | 0 | 1 |
| D15 | Benign neoplasm of other and unspecified intrathoracic organs | 2 | 1 | 1 |
| D17 | Benign lipomatous neoplasm | 1 | 1 | 0 |
| D18 | Hemangioma and lymphangioma, any site | 1 | 0 | 1 |
| D21 | Other benign neoplasms of connective and other soft tissue | 1 | 1 | 0 |
| D32 | Benign neoplasm of meninges | 8 | 5 | 3 |
| D33 | Benign neoplasm of brain and other parts of central nervous system | 4 | 3 | 1 |
| D35 | Benign neoplasm of other and unspecified endocrine glands | 2 | 1 | 1 |
| D36 | Benign neoplasm of other and unspecified sites | 1 | 1 | 0 |
| <u>D37-D48</u> | <u>Neoplasms of uncertain or unknown behavior</u> | <u>68</u> | <u>49</u> | <u>19</u> |
| D37 | Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs | 4 | 2 | 2 |
| D38 | Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs | 2 | 1 | 1 |
| D43 | Neoplasm of uncertain or unknown behavior of brain and central nervous system | 14 | 7 | 7 |

Table 10B - Page 5
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|------------|------------|
| D45 | Polycythemia vera | 3 | 3 | 0 |
| D46 | Myelodysplastic syndromes | 31 | 26 | 5 |
| D47 | Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue | 10 | 8 | 2 |
| D48 | Neoplasm of uncertain or unknown behavior of other and unspecified sites | 4 | 2 | 2 |
| <u>D50-D89</u> | <u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u> | <u>130</u> | <u>66</u> | <u>64</u> |
| <u>D50-D53</u> | <u>Nutritional anemias</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| D50 | Iron deficiency anemia | 2 | 1 | 1 |
| <u>D55-D59</u> | <u>Hemolytic anemias</u> | <u>20</u> | <u>2</u> | <u>18</u> |
| D57 | Sickle-cell disorders | 13 | 1 | 12 |
| D58 | Other hereditary hemolytic anemias | 5 | 0 | 5 |
| D59 | Acquired hemolytic anemia | 2 | 1 | 1 |
| <u>D60-D64</u> | <u>Aplastic and other anemias</u> | <u>35</u> | <u>20</u> | <u>15</u> |
| D60 | Acquired pure red cell aplasia [erythroblastopenia] | 1 | 1 | 0 |
| D61 | Other aplastic anemias | 13 | 7 | 6 |
| D64 | Other anemias | 21 | 12 | 9 |
| <u>D65-D69</u> | <u>Coagulation defects, purpura and other hemorrhagic conditions</u> | <u>29</u> | <u>18</u> | <u>11</u> |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] | 8 | 7 | 1 |
| D66 | Hereditary factor VIII deficiency | 1 | 0 | 1 |
| D68 | Other coagulation defects | 10 | 6 | 4 |
| D69 | Purpura and other hemorrhagic conditions | 10 | 5 | 5 |
| <u>D70-D77</u> | <u>Other diseases of blood and blood-forming organs</u> | <u>18</u> | <u>14</u> | <u>4</u> |
| D70 | Agranulocytosis | 10 | 9 | 1 |
| D72 | Other disorders of white blood cells | 4 | 2 | 2 |
| D73 | Diseases of spleen | 3 | 2 | 1 |
| D75 | Other diseases of blood and blood-forming organs | 1 | 1 | 0 |
| <u>D80-D89</u> | <u>Certain disorders involving the immune mechanism</u> | <u>26</u> | <u>11</u> | <u>15</u> |
| D82 | Immunodeficiency associated with other major defects | 1 | 1 | 0 |
| D84 | Other immunodeficiencies | 10 | 7 | 3 |
| D86 | Sarcoidosis | 15 | 3 | 12 |
| <u>E00-E88</u> | <u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u> | <u>935</u> | <u>495</u> | <u>440</u> |
| <u>E00-E07</u> | <u>Disorders of thyroid gland</u> | <u>12</u> | <u>8</u> | <u>4</u> |
| E03 | Other hypothyroidism | 9 | 7 | 2 |
| E04 | Other nontoxic goiter | 1 | 1 | 0 |
| E05 | Thyrotoxicosis [hyperthyroidism] | 2 | 0 | 2 |
| <u>E10-E14</u> | <u>Diabetes mellitus</u> | <u>664</u> | <u>324</u> | <u>340</u> |
| E10 | Insulin-dependent diabetes mellitus | 60 | 26 | 34 |
| E11 | Noninsulin-dependent diabetes mellitus | 67 | 29 | 38 |
| E14 | Unspecified diabetes mellitus | 537 | 269 | 268 |
| <u>E15-E16</u> | <u>Other disorders of glucose regulation and pancreatic internal secretion</u> | <u>7</u> | <u>4</u> | <u>3</u> |

Table 10B - Page 6
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|------------|
| E16 | Other disorders of pancreatic internal secretion | 7 | 4 | 3 |
| <u>E20-E35</u> | <u>Disorders of other endocrine glands</u> | <u>8</u> | <u>6</u> | <u>2</u> |
| E20 | Hypoparathyroidism | 1 | 1 | 0 |
| E21 | Hyperparathyroidism and other disorders of parathyroid gland | 1 | 1 | 0 |
| E23 | Hypofunction and other disorders of the pituitary gland | 3 | 3 | 0 |
| E32 | Diseases of thymus | 1 | 0 | 1 |
| E34 | Other endocrine disorders | 2 | 1 | 1 |
| <u>E40-E46</u> | <u>Malnutrition</u> | <u>37</u> | <u>26</u> | <u>11</u> |
| E41 | Nutritional marasmus | 1 | 0 | 1 |
| E43 | Unspecified severe protein-energy malnutrition | 5 | 4 | 1 |
| E46 | Unspecified protein-energy malnutrition | 31 | 22 | 9 |
| <u>E50-E64</u> | <u>Other nutritional deficiencies</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| E63 | Other nutritional deficiencies | 1 | 0 | 1 |
| <u>E65-E68</u> | <u>Obesity and other hyperalimentation</u> | <u>41</u> | <u>20</u> | <u>21</u> |
| E66 | Obesity | 41 | 20 | 21 |
| <u>E70-E88</u> | <u>Metabolic disorders</u> | <u>165</u> | <u>107</u> | <u>58</u> |
| E71 | Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism | 2 | 0 | 2 |
| E72 | Other disorders of amino-acid metabolism | 3 | 1 | 2 |
| E75 | Disorders of sphingolipid metabolism and other lipid storage disorders | 2 | 2 | 0 |
| E78 | Disorders of lipoprotein metabolism and other lipidemias | 18 | 13 | 5 |
| E83 | Disorders of mineral metabolism | 6 | 4 | 2 |
| E84 | Cystic fibrosis | 4 | 4 | 0 |
| E85 | Amyloidosis | 7 | 4 | 3 |
| E86 | Volume depletion | 64 | 39 | 25 |
| E87 | Other disorders of fluid, electrolyte, and acid-base balance | 53 | 37 | 16 |
| E88 | Other metabolic disorders | 6 | 3 | 3 |
| <u>F00-F99</u> | <u>MENTAL AND BEHAVIORAL DISORDERS</u> | <u>448</u> | <u>308</u> | <u>140</u> |
| <u>F00-F09</u> | <u>Organic, including symptomatic, mental disorders</u> | <u>344</u> | <u>248</u> | <u>96</u> |
| F03 | Unspecified dementia | 305 | 225 | 80 |
| F05 | Delirium, not induced by alcohol and other psychoactive substances | 3 | 3 | 0 |
| F06 | Other mental disorders due to brain damage and dysfunction and to physical disease | 36 | 20 | 16 |
| <u>F10-F19</u> | <u>Mental and behavioral disorders due to psychoactive substance use</u> | <u>80</u> | <u>48</u> | <u>32</u> |
| F10 | Mental and behavioral disorders due to use of alcohol | 62 | 38 | 24 |
| F14 | Mental and behavioral disorders due to use of cocaine | 6 | 1 | 5 |
| F19 | Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances | 12 | 9 | 3 |
| <u>F20-F29</u> | <u>Schizophrenia, schizotypal and delusional disorders</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| F20 | Schizophrenia | 4 | 2 | 2 |
| F29 | Unspecified nonorganic psychosis | 1 | 0 | 1 |
| <u>F30-F39</u> | <u>Mood [affective] disorders</u> | <u>6</u> | <u>4</u> | <u>2</u> |
| F32 | Depressive episode | 5 | 3 | 2 |

Table 10B - Page 7
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|------------|
| F33 | Recurrent depressive disorder | 1 | 1 | 0 |
| <u>F50-F59</u> | <u>Behavioral syndromes associated with physiological disturbances and physical factors</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| F50 | Eating disorders | 2 | 1 | 1 |
| F54 | Psychological and behavioral factors associated with disorders or diseases classified elsewhere | 3 | 1 | 2 |
| <u>F70-F79</u> | <u>Mental retardation</u> | <u>8</u> | <u>4</u> | <u>4</u> |
| F73 | Profound mental retardation | 3 | 2 | 1 |
| F79 | Unspecified mental retardation | 5 | 2 | 3 |
| <u>G00-G98</u> | <u>DISEASES OF THE NERVOUS SYSTEM</u> | <u>978</u> | <u>761</u> | <u>217</u> |
| <u>G00-G09</u> | <u>Inflammatory diseases of the central nervous system</u> | <u>15</u> | <u>7</u> | <u>8</u> |
| G00 | Bacterial meningitis, not elsewhere classified | 2 | 2 | 0 |
| G03 | Meningitis due to other and unspecified causes | 6 | 1 | 5 |
| G04 | Encephalitis, myelitis, and encephalomyelitis | 3 | 2 | 1 |
| G06 | Intracranial and intraspinal abscess and granuloma | 3 | 2 | 1 |
| G09 | Sequelae of inflammatory diseases of central nervous system | 1 | 0 | 1 |
| <u>G10-G13</u> | <u>Systemic atrophies primarily affecting the central nervous system</u> | <u>73</u> | <u>61</u> | <u>12</u> |
| G10 | Huntington's disease | 6 | 6 | 0 |
| G11 | Hereditary ataxia | 3 | 2 | 1 |
| G12 | Spinal muscular atrophy and related syndromes | 64 | 53 | 11 |
| <u>G20-G26</u> | <u>Extrapyramidal and movement disorders</u> | <u>125</u> | <u>109</u> | <u>16</u> |
| G20 | Parkinson's disease | 124 | 108 | 16 |
| G24 | Dystonia | 1 | 1 | 0 |
| <u>G30-G32</u> | <u>Other degenerative diseases of the nervous system</u> | <u>578</u> | <u>487</u> | <u>91</u> |
| G30 | Alzheimer's disease | 566 | 478 | 88 |
| G31 | Other degenerative diseases of nervous system, not elsewhere classified | 12 | 9 | 3 |
| <u>G35-G37</u> | <u>Demyelinating diseases of the central nervous system</u> | <u>19</u> | <u>12</u> | <u>7</u> |
| G35 | Multiple sclerosis | 18 | 11 | 7 |
| G37 | Other demyelinating diseases of central nervous system | 1 | 1 | 0 |
| <u>G40-G47</u> | <u>Episodic and paroxysmal disorders</u> | <u>29</u> | <u>17</u> | <u>12</u> |
| G40 | Epilepsy | 18 | 9 | 9 |
| G41 | Status epilepticus | 4 | 2 | 2 |
| G45 | Transient cerebral ischemic attacks and related syndromes | 2 | 1 | 1 |
| G47 | Sleep disorders | 5 | 5 | 0 |
| <u>G60-G64</u> | <u>Polyneuropathies and other disorders of the peripheral nervous system</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| G61 | Inflammatory polyneuropathy | 3 | 2 | 1 |
| <u>G70-G73</u> | <u>Diseases of myoneural junction and muscle</u> | <u>14</u> | <u>10</u> | <u>4</u> |
| G70 | Myasthenia gravis and other myoneural disorders | 3 | 2 | 1 |
| G71 | Primary disorders of muscles | 9 | 7 | 2 |
| G72 | Other myopathies | 2 | 1 | 1 |
| <u>G80-G83</u> | <u>Cerebral palsy and other paralytic syndromes</u> | <u>25</u> | <u>13</u> | <u>12</u> |
| G80 | Infantile cerebral palsy | 12 | 3 | 9 |
| G81 | Hemiplegia | 1 | 0 | 1 |

Table 10B - Page 8
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|---------------|--------------|--------------|
| G82 | Paraplegia and tetraplegia | 12 | 10 | 2 |
| <u>G90-G99</u> | <u>Other disorders of the nervous system</u> | <u>97</u> | <u>43</u> | <u>54</u> |
| G91 | Hydrocephalus | 9 | 1 | 8 |
| G93 | Other disorders of brain | 85 | 40 | 45 |
| G95 | Other diseases of spinal cord | 2 | 1 | 1 |
| G98 | Other disorders of nervous system, not elsewhere classified | 1 | 1 | 0 |
| <u>H00-H59</u> | <u>DISEASES OF THE EYE AND ADNEXA</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>H60-H95</u> | <u>DISEASES OF THE EAR AND MASTOID PROCESS</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u>H80-H83</u> | <u>Diseases of inner ear</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| H83 | Other diseases of inner ear | 1 | 0 | 1 |
| <u>I00-I99</u> | <u>DISEASES OF THE CIRCULATORY SYSTEM</u> | <u>11,609</u> | <u>7,774</u> | <u>3,835</u> |
| <u>I05-I09</u> | <u>Chronic rheumatic heart diseases</u> | <u>25</u> | <u>16</u> | <u>9</u> |
| I05 | Rheumatic mitral valve diseases | 16 | 11 | 5 |
| I07 | Rheumatic tricuspid valve diseases | 1 | 1 | 0 |
| I08 | Multiple valve diseases | 5 | 2 | 3 |
| I09 | Other rheumatic heart diseases | 3 | 2 | 1 |
| <u>I10-I13</u> | <u>Hypertensive diseases</u> | <u>905</u> | <u>470</u> | <u>435</u> |
| I10 | Essential (primary) hypertension | 210 | 112 | 98 |
| I11 | Hypertensive heart disease | 525 | 285 | 240 |
| I12 | Hypertensive renal disease | 103 | 36 | 67 |
| I13 | Hypertensive heart and renal disease | 67 | 37 | 30 |
| <u>I20-I25</u> | <u>Ischemic heart diseases</u> | <u>5,310</u> | <u>3,684</u> | <u>1,626</u> |
| I20 | Angina pectoris | 11 | 7 | 4 |
| I21 | Acute myocardial infarction | 2,551 | 1,659 | 892 |
| I24 | Other acute ischemic heart diseases | 18 | 11 | 7 |
| I25 | Chronic ischemic heart disease | 2,730 | 2,007 | 723 |
| <u>I26-I28</u> | <u>Pulmonary heart disease and diseases of pulmonary circulation</u> | <u>206</u> | <u>131</u> | <u>75</u> |
| I26 | Pulmonary embolism | 132 | 80 | 52 |
| I27 | Other pulmonary heart diseases | 71 | 49 | 22 |
| I28 | Other diseases of pulmonary vessels | 3 | 2 | 1 |
| <u>I30-I51</u> | <u>Other forms of heart disease</u> | <u>2,887</u> | <u>1,962</u> | <u>925</u> |
| I30 | Acute pericarditis | 1 | 0 | 1 |
| I31 | Other diseases of pericardium | 4 | 2 | 2 |
| I33 | Acute and subacute endocarditis | 12 | 4 | 8 |
| I34 | Nonrheumatic mitral valve disorders | 23 | 18 | 5 |
| I35 | Nonrheumatic aortic valve disorders | 93 | 77 | 16 |
| I36 | Nonrheumatic tricuspid valve disorders | 1 | 1 | 0 |
| I38 | Endocarditis, valve unspecified | 25 | 20 | 5 |
| I40 | Acute myocarditis | 1 | 0 | 1 |
| I42 | Cardiomyopathy | 343 | 220 | 123 |
| I44 | Atrioventricular and left bundle-branch block | 3 | 3 | 0 |

Table 10B - Page 9
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|--------------|--------------|------------|
| 145 | Other conduction disorders | 2 | 2 | 0 |
| 146 | Cardiac arrest | 650 | 409 | 241 |
| 147 | Paroxysmal tachycardia | 11 | 9 | 2 |
| 148 | Atrial fibrillation and flutter | 92 | 73 | 19 |
| 149 | Other cardiac arrhythmias | 75 | 54 | 21 |
| 150 | Heart failure | 1,294 | 903 | 391 |
| 151 | Complications and ill-defined descriptions of heart disease | 257 | 167 | 90 |
| <u>160-169</u> | <u>Cerebrovascular diseases</u> | <u>1,918</u> | <u>1,261</u> | <u>657</u> |
| 160 | Subarachnoid hemorrhage | 75 | 52 | 23 |
| 161 | Intracerebral hemorrhage | 233 | 148 | 85 |
| 162 | Other nontraumatic intracranial hemorrhage | 99 | 63 | 36 |
| 163 | Cerebral infarction | 104 | 65 | 39 |
| 164 | Stroke, not specified as hemorrhage or infarction | 1,127 | 740 | 387 |
| 167 | Other cerebrovascular diseases | 115 | 77 | 38 |
| 169 | Sequelae of cerebrovascular disease | 165 | 116 | 49 |
| <u>170-178</u> | <u>Diseases of arteries, arterioles and capillaries</u> | <u>299</u> | <u>210</u> | <u>89</u> |
| 170 | Atherosclerosis | 70 | 53 | 17 |
| 171 | Aortic aneurysm and dissection | 137 | 104 | 33 |
| 172 | Other aneurysm | 7 | 6 | 1 |
| 173 | Other peripheral vascular diseases | 62 | 31 | 31 |
| 174 | Arterial embolism and thrombosis | 11 | 7 | 4 |
| 177 | Other disorders of arteries and arterioles | 11 | 8 | 3 |
| 178 | Diseases of capillaries | 1 | 1 | 0 |
| <u>180-189</u> | <u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u> | <u>51</u> | <u>34</u> | <u>17</u> |
| 180 | Phlebitis and thrombophlebitis | 39 | 27 | 12 |
| 182 | Other venous embolism and thrombosis | 3 | 2 | 1 |
| 183 | Varicose veins of lower extremities | 2 | 0 | 2 |
| 185 | Esophageal varices | 2 | 1 | 1 |
| 186 | Varicose veins of other sites | 1 | 1 | 0 |
| 187 | Other disorders of veins | 4 | 3 | 1 |
| <u>195-199</u> | <u>Other and unspecified disorders of the circulatory system</u> | <u>8</u> | <u>6</u> | <u>2</u> |
| 195 | Hypotension | 5 | 3 | 2 |
| 199 | Other and unspecified disorders of circulatory system | 3 | 3 | 0 |
| <u>J00-J98</u> | <u>DISEASES OF THE RESPIRATORY SYSTEM</u> | <u>2,694</u> | <u>2,115</u> | <u>579</u> |
| <u>J00-J06</u> | <u>Acute upper respiratory infections</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| J04 | Acute laryngitis and tracheitis | 1 | 0 | 1 |
| <u>J10-J18</u> | <u>Influenza and pneumonia</u> | <u>798</u> | <u>568</u> | <u>230</u> |
| J10 | Influenza due to identified influenza virus | 1 | 1 | 0 |
| J11 | Influenza, virus not identified | 5 | 4 | 1 |
| J12 | Viral pneumonia, not elsewhere classified | 6 | 1 | 5 |
| J13 | Pneumonia due to Streptococcus pneumoniae | 9 | 9 | 0 |
| J15 | Bacterial pneumonia, not elsewhere classified | 28 | 22 | 6 |
| J18 | Pneumonia, organism unspecified | 749 | 531 | 218 |
| <u>J20-J22</u> | <u>Other acute lower respiratory infections</u> | <u>7</u> | <u>3</u> | <u>4</u> |
| J20 | Acute bronchitis | 5 | 3 | 2 |

Table 10B - Page 10
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|--------------|--------------|------------|
| J21 | Acute bronchiolitis | 1 | 0 | 1 |
| J22 | Unspecified acute lower respiratory infection | 1 | 0 | 1 |
| <u>J30-J39</u> | <u>Other diseases of upper respiratory tract</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| J38 | Diseases of vocal cords and larynx, not elsewhere classified | 1 | 1 | 0 |
| <u>J40-J47</u> | <u>Chronic lower respiratory diseases</u> | <u>1,372</u> | <u>1,146</u> | <u>226</u> |
| J40 | Bronchitis, not specified as acute or chronic | 11 | 8 | 3 |
| J42 | Unspecified chronic bronchitis | 6 | 3 | 3 |
| J43 | Emphysema | 115 | 92 | 23 |
| J44 | Other chronic obstructive pulmonary disease | 1,184 | 1,015 | 169 |
| J45 | Asthma | 49 | 23 | 26 |
| J46 | Status asthmaticus | 3 | 2 | 1 |
| J47 | Bronchiectasis | 4 | 3 | 1 |
| <u>J60-J70</u> | <u>Lung diseases due to external agents</u> | <u>218</u> | <u>175</u> | <u>43</u> |
| J61 | Pneumoconiosis due to asbestos and other mineral fibers | 11 | 11 | 0 |
| J62 | Pneumoconiosis due to dust containing silica | 1 | 1 | 0 |
| J64 | Unspecified pneumoconiosis | 1 | 1 | 0 |
| J68 | Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors | 2 | 2 | 0 |
| J69 | Pneumonitis due to solids and liquids | 203 | 160 | 43 |
| <u>J80-J84</u> | <u>Other respiratory diseases principally affecting the interstitium</u> | <u>148</u> | <u>122</u> | <u>26</u> |
| J80 | Adult respiratory distress syndrome | 35 | 25 | 10 |
| J81 | Pulmonary edema | 13 | 8 | 5 |
| J82 | Pulmonary eosinophilia, not elsewhere classified | 2 | 2 | 0 |
| J84 | Other interstitial pulmonary diseases | 98 | 87 | 11 |
| <u>J85-J86</u> | <u>Suppurative and necrotic conditions of lower respiratory tract</u> | <u>12</u> | <u>7</u> | <u>5</u> |
| J85 | Abscess of lung and mediastinum | 7 | 3 | 4 |
| J86 | Pyothorax | 5 | 4 | 1 |
| <u>J90-J94</u> | <u>Other diseases of pleura</u> | <u>17</u> | <u>11</u> | <u>6</u> |
| J90 | Pleural effusion, not elsewhere classified | 13 | 9 | 4 |
| J93 | Pneumothorax | 3 | 1 | 2 |
| J94 | Other pleural conditions | 1 | 1 | 0 |
| <u>J95-J99</u> | <u>Other diseases of the respiratory system</u> | <u>120</u> | <u>82</u> | <u>38</u> |
| J96 | Respiratory failure, not elsewhere classified | 62 | 43 | 19 |
| J98 | Other respiratory disorders | 58 | 39 | 19 |
| <u>K00-K92</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>894</u> | <u>642</u> | <u>252</u> |
| <u>K20-K31</u> | <u>Diseases of esophagus, stomach and duodenum</u> | <u>71</u> | <u>45</u> | <u>26</u> |
| K21 | Gastroesophageal reflux disease | 11 | 6 | 5 |
| K22 | Other diseases of esophagus | 8 | 7 | 1 |
| K25 | Gastric ulcer | 11 | 7 | 4 |
| K26 | Duodenal ulcer | 19 | 13 | 6 |
| K27 | Peptic ulcer, site unspecified | 11 | 8 | 3 |
| K29 | Gastritis and duodenitis | 5 | 2 | 3 |
| K31 | Other diseases of stomach and duodenum | 6 | 2 | 4 |
| <u>K35-K38</u> | <u>Diseases of appendix</u> | <u>1</u> | <u>1</u> | <u>0</u> |

Table 10B - Page 11
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|-----------|
| K35 | Acute appendicitis | 1 | 1 | 0 |
| <u>K40-K46</u> | <u>Hernia</u> | <u>13</u> | <u>9</u> | <u>4</u> |
| K40 | Inguinal hernia | 4 | 3 | 1 |
| K42 | Umbilical hernia | 1 | 0 | 1 |
| K43 | Ventral hernia | 1 | 1 | 0 |
| K44 | Diaphragmatic hernia | 4 | 3 | 1 |
| K46 | Unspecified abdominal hernia | 3 | 2 | 1 |
| <u>K50-K52</u> | <u>Noninfective enteritis and colitis</u> | <u>27</u> | <u>16</u> | <u>11</u> |
| K50 | Crohn's disease [regional enteritis] | 4 | 2 | 2 |
| K51 | Ulcerative colitis | 1 | 1 | 0 |
| K52 | Other noninfective gastroenteritis and colitis | 22 | 13 | 9 |
| <u>K55-K63</u> | <u>Other diseases of intestines</u> | <u>208</u> | <u>152</u> | <u>56</u> |
| K55 | Vascular disorders of intestine | 75 | 53 | 22 |
| K56 | Paralytic ileus and intestinal obstruction without hernia | 68 | 52 | 16 |
| K57 | Diverticular disease of intestine | 28 | 21 | 7 |
| K59 | Other functional intestinal disorders | 3 | 2 | 1 |
| K61 | Abscess of anal and rectal regions | 2 | 2 | 0 |
| K62 | Other diseases of anus and rectum | 7 | 6 | 1 |
| K63 | Other diseases of intestine | 25 | 16 | 9 |
| <u>K65-K67</u> | <u>Diseases of peritoneum</u> | <u>13</u> | <u>11</u> | <u>2</u> |
| K65 | Peritonitis | 12 | 10 | 2 |
| K66 | Other disorders of peritoneum | 1 | 1 | 0 |
| <u>K70-K76</u> | <u>Diseases of liver</u> | <u>331</u> | <u>256</u> | <u>75</u> |
| K70 | Alcoholic liver disease | 81 | 57 | 24 |
| K72 | Hepatic failure, not elsewhere classified | 56 | 43 | 13 |
| K73 | Chronic hepatitis, not elsewhere classified | 7 | 4 | 3 |
| K74 | Fibrosis and cirrhosis of liver | 139 | 117 | 22 |
| K75 | Other inflammatory liver diseases | 8 | 4 | 4 |
| K76 | Other diseases of liver | 40 | 31 | 9 |
| <u>K80-K87</u> | <u>Disorders of gallbladder, biliary tract and pancreas</u> | <u>99</u> | <u>64</u> | <u>35</u> |
| K80 | Cholelithiasis | 10 | 6 | 4 |
| K81 | Cholecystitis | 21 | 15 | 6 |
| K82 | Other diseases of gallbladder | 3 | 1 | 2 |
| K83 | Other diseases of biliary tract | 7 | 4 | 3 |
| K85 | Acute pancreatitis | 41 | 31 | 10 |
| K86 | Other diseases of pancreas | 17 | 7 | 10 |
| <u>K90-K93</u> | <u>Other diseases of the digestive system</u> | <u>131</u> | <u>88</u> | <u>43</u> |
| K90 | Intestinal malabsorption | 4 | 1 | 3 |
| K92 | Other diseases of the digestive system | 127 | 87 | 40 |
| <u>L00-L98</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>63</u> | <u>26</u> | <u>37</u> |
| <u>L00-L08</u> | <u>Infections of the skin and subcutaneous tissue</u> | <u>13</u> | <u>4</u> | <u>9</u> |
| L02 | Cutaneous abscess, furuncle, and carbuncle | 2 | 1 | 1 |
| L03 | Cellulitis | 9 | 2 | 7 |
| L08 | Other local infections of skin and subcutaneous tissue | 2 | 1 | 1 |
| <u>L10-L14</u> | <u>Bullous disorders</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| L12 | Pemphigoid | 1 | 0 | 1 |

Table 10B - Page 12
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|-----------|-----------|
| <u>L40-L45</u> | <u>Papulosquamous disorders</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| L40 | Psoriasis | 1 | 1 | 0 |
| <u>L50-L54</u> | <u>Urticaria and erythema</u> | <u>5</u> | <u>3</u> | <u>2</u> |
| L51 | Erythema multiforme | 4 | 2 | 2 |
| L53 | Other erythematous conditions | 1 | 1 | 0 |
| <u>L80-L99</u> | <u>Other disorders of the skin and subcutaneous tissue</u> | <u>43</u> | <u>18</u> | <u>25</u> |
| L89 | Decubitus ulcer | 38 | 17 | 21 |
| L93 | Lupus erythematosus | 3 | 1 | 2 |
| L97 | Ulcer of lower limb, not elsewhere classified | 1 | 0 | 1 |
| L98 | Other disorders of skin and subcutaneous tissue, not elsewhere classified | 1 | 0 | 1 |
| <u>M00-M99</u> | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u> | <u>106</u> | <u>63</u> | <u>43</u> |
| <u>M00-M25</u> | <u>Arthropathies</u> | <u>27</u> | <u>21</u> | <u>6</u> |
| <u>M00-M03</u> | <u>Infectious arthropathies</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| M00 | Pyogenic arthritis | 3 | 2 | 1 |
| <u>M05-M14</u> | <u>Inflammatory polyarthropathies</u> | <u>16</u> | <u>13</u> | <u>3</u> |
| M05 | Seropositive rheumatoid arthritis | 3 | 3 | 0 |
| M06 | Other rheumatoid arthritis | 8 | 7 | 1 |
| M10 | Gout | 1 | 0 | 1 |
| M13 | Other arthritis | 4 | 3 | 1 |
| <u>M15-M19</u> | <u>Arthrosis</u> | <u>7</u> | <u>6</u> | <u>1</u> |
| M15 | Polyarthrosis | 1 | 1 | 0 |
| M19 | Other arthrosis | 6 | 5 | 1 |
| <u>M20-M25</u> | <u>Other joint disorders</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| M24 | Other specific joint derangements | 1 | 0 | 1 |
| <u>M30-M36</u> | <u>Systemic connective tissue disorders</u> | <u>44</u> | <u>21</u> | <u>23</u> |
| M30 | Polyarteritis nodosa and related conditions | 1 | 0 | 1 |
| M31 | Other necrotizing vasculopathies | 6 | 4 | 2 |
| M32 | Systemic lupus erythematosus | 24 | 8 | 16 |
| M34 | Systemic sclerosis | 9 | 6 | 3 |
| M35 | Other systemic involvement of connective tissue | 4 | 3 | 1 |
| <u>M40-M54</u> | <u>Dorsopathies</u> | <u>12</u> | <u>8</u> | <u>4</u> |
| <u>M40-M43</u> | <u>Deforming dorsopathies</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| M41 | Scoliosis | 3 | 2 | 1 |
| <u>M45-M49</u> | <u>Spondylopathies</u> | <u>7</u> | <u>5</u> | <u>2</u> |
| M45 | Ankylosing spondylitis | 1 | 1 | 0 |
| M46 | Other inflammatory spondylopathies | 3 | 2 | 1 |
| M47 | Spondylosis | 1 | 0 | 1 |
| M48 | Other spondylopathies | 2 | 2 | 0 |
| <u>M50-M54</u> | <u>Other dorsopathies</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| M51 | Other intervertebral disc disorders | 1 | 1 | 0 |
| M54 | Dorsalgia | 1 | 0 | 1 |
| <u>M60-M79</u> | <u>Soft tissue disorders</u> | <u>12</u> | <u>7</u> | <u>5</u> |
| <u>M60-M63</u> | <u>Disorders of muscles</u> | <u>9</u> | <u>5</u> | <u>4</u> |
| M60 | Myositis | 1 | 0 | 1 |

Table 10B - Page 13
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|------------|------------|
| M62 | Other disorders of muscle | 8 | 5 | 3 |
| <u>M70-M79</u> | <u>Other soft tissue disorders</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| M72 | Fibroblastic disorders | 3 | 2 | 1 |
| <u>M80-M94</u> | <u>Osteopathies and chondropathies</u> | <u>11</u> | <u>6</u> | <u>5</u> |
| <u>M80-M85</u> | <u>Disorders of bone density and structure</u> | <u>6</u> | <u>3</u> | <u>3</u> |
| M80 | Osteoporosis with pathological fracture | 1 | 1 | 0 |
| M81 | Osteoporosis without pathological fracture | 4 | 2 | 2 |
| M84 | Disorders of continuity of bone | 1 | 0 | 1 |
| <u>M86-M90</u> | <u>Other osteopathies</u> | <u>5</u> | <u>3</u> | <u>2</u> |
| M86 | Osteomyelitis | 3 | 2 | 1 |
| M88 | Paget's disease of bone [osteitis deformans] | 1 | 0 | 1 |
| M89 | Other disorders of bone | 1 | 1 | 0 |
| <u>N00-N98</u> | <u>DISEASES OF THE GENITOURINARY SYSTEM</u> | <u>837</u> | <u>489</u> | <u>348</u> |
| <u>N00-N07</u> | <u>Glomerular diseases</u> | <u>7</u> | <u>5</u> | <u>2</u> |
| N00 | Acute nephritic syndrome | 1 | 1 | 0 |
| N03 | Chronic nephritic syndrome | 3 | 1 | 2 |
| N04 | Nephrotic syndrome | 1 | 1 | 0 |
| N05 | Unspecified nephritic syndrome | 2 | 2 | 0 |
| <u>N10-N16</u> | <u>Renal tubulo-interstitial diseases</u> | <u>13</u> | <u>12</u> | <u>1</u> |
| N10 | Acute tubulo-interstitial nephritis | 3 | 3 | 0 |
| N12 | Tubulo-interstitial nephritis, not specified as acute or chronic | 9 | 8 | 1 |
| N15 | Other renal tubulo-interstitial diseases | 1 | 1 | 0 |
| <u>N17-N19</u> | <u>Renal failure</u> | <u>574</u> | <u>309</u> | <u>265</u> |
| N17 | Acute renal failure | 83 | 53 | 30 |
| N18 | Chronic renal failure | 231 | 109 | 122 |
| N19 | Unspecified renal failure | 260 | 147 | 113 |
| <u>N20-N23</u> | <u>Urolithiasis</u> | <u>2</u> | <u>2</u> | <u>0</u> |
| N20 | Calculus of kidney and ureter | 2 | 2 | 0 |
| <u>N25-N29</u> | <u>Other disorders of kidney and ureter</u> | <u>21</u> | <u>10</u> | <u>11</u> |
| N28 | Other disorders of kidney and ureter, not elsewhere classified | 21 | 10 | 11 |
| <u>N30-N39</u> | <u>Other diseases of urinary system</u> | <u>210</u> | <u>144</u> | <u>66</u> |
| N30 | Cystitis | 1 | 0 | 1 |
| N31 | Neuromuscular dysfunction of bladder, not elsewhere classified | 1 | 1 | 0 |
| N32 | Other disorders of bladder | 2 | 2 | 0 |
| N39 | Other disorders of urinary system | 206 | 141 | 65 |
| <u>N40-N50</u> | <u>Diseases of male genital organs</u> | <u>5</u> | <u>5</u> | <u>0</u> |
| N40 | Hyperplasia of prostate | 2 | 2 | 0 |
| N41 | Inflammatory diseases of prostate | 1 | 1 | 0 |
| N42 | Other disorders of prostate | 2 | 2 | 0 |
| <u>N70-N77</u> | <u>Inflammatory diseases of female pelvic organs</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| N73 | Other female pelvic inflammatory diseases | 3 | 2 | 1 |
| <u>N80-N98</u> | <u>Noninflammatory disorders of female genital tract</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| N82 | Fistulae involving female genital tract | 1 | 0 | 1 |

Table 10B - Page 14
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|-----------|------------|
| N83 | Noninflammatory disorders of ovary, fallopian tube, and broad ligament | 1 | 0 | 1 |
| <u>O00-O99</u> | <u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u> | <u>9</u> | <u>2</u> | <u>7</u> |
| <u>O10-O92</u> | <u>Other direct obstetric deaths</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| <u>O20-O29</u> | <u>Other maternal disorders predominantly related to pregnancy</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| O26 | Maternal care for other conditions predominantly related to pregnancy | 1 | 0 | 1 |
| <u>O60-O75</u> | <u>Complications of labor and delivery</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| O75 | Other complications of labor and delivery, not elsewhere classified | 1 | 0 | 1 |
| <u>O95-O99</u> | <u>Other obstetric conditions, not elsewhere classified</u> | <u>7</u> | <u>2</u> | <u>5</u> |
| O96 | Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery | 6 | 1 | 5 |
| O99 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium | 1 | 1 | 0 |
| <u>P00-P96</u> | <u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u> | <u>218</u> | <u>75</u> | <u>143</u> |
| <u>P00-P04</u> | <u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u> | <u>30</u> | <u>13</u> | <u>17</u> |
| P00 | Newborn affected by maternal conditions that may be unrelated to present pregnancy | 2 | 0 | 2 |
| P01 | Newborn affected by maternal complications of pregnancy | 14 | 7 | 7 |
| P02 | Newborn affected by complications of placenta, cord, and membranes | 13 | 6 | 7 |
| P03 | Newborn affected by other complications of labor and delivery | 1 | 0 | 1 |
| <u>P05-P08</u> | <u>Disorders related to length of gestation and fetal growth</u> | <u>96</u> | <u>25</u> | <u>71</u> |
| P05 | Slow fetal growth and fetal malnutrition | 1 | 0 | 1 |
| P07 | Disorders related to short gestation and low birthweight, not elsewhere classified | 95 | 25 | 70 |
| <u>P10-P15</u> | <u>Birth trauma</u> | <u>2</u> | <u>2</u> | <u>0</u> |
| P10 | Intracranial laceration and hemorrhage due to birth injury | 2 | 2 | 0 |
| <u>P20-P29</u> | <u>Respiratory and cardiovascular disorders specific to the perinatal period</u> | <u>52</u> | <u>23</u> | <u>29</u> |
| P20 | Intrauterine hypoxia | 1 | 1 | 0 |
| P21 | Birth asphyxia | 3 | 2 | 1 |
| P22 | Respiratory distress of newborn | 11 | 3 | 8 |
| P23 | Congenital pneumonia | 5 | 4 | 1 |
| P25 | Interstitial emphysema and related conditions originating in the perinatal period | 4 | 3 | 1 |
| P26 | Pulmonary hemorrhage originating in the perinatal period | 5 | 1 | 4 |
| P27 | Chronic respiratory disease originating in the perinatal period | 3 | 1 | 2 |
| P28 | Other respiratory conditions originating in the perinatal period | 8 | 3 | 5 |

Table 10B - Page 15
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|-----------|-----------|
| P29 | Cardiovascular disorders originating in the perinatal period | 12 | 5 | 7 |
| <u>P35-P39</u> | <u>Infections specific to the perinatal period</u> | <u>18</u> | <u>8</u> | <u>10</u> |
| P35 | Congenital viral diseases | 1 | 1 | 0 |
| P36 | Bacterial sepsis of newborn | 17 | 7 | 10 |
| <u>P50-P61</u> | <u>Hemorrhagic and hematological disorders of fetus and newborn</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| P52 | Intracranial nontraumatic hemorrhage of fetus and newborn | 2 | 1 | 1 |
| P54 | Other neonatal hemorrhages | 1 | 0 | 1 |
| P61 | Other perinatal hematological disorders | 2 | 1 | 1 |
| <u>P75-P78</u> | <u>Digestive system disorders of fetus and newborn</u> | <u>10</u> | <u>2</u> | <u>8</u> |
| P77 | Necrotizing enterocolitis of newborn | 9 | 2 | 7 |
| P78 | Other perinatal digestive system disorders | 1 | 0 | 1 |
| <u>P80-P83</u> | <u>Conditions involving the integument and temperature regulation of fetus and newborn</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| P83 | Other conditions of integument specific to newborn | 1 | 0 | 1 |
| <u>P90-P96</u> | <u>Other disorders originating in the perinatal period</u> | <u>4</u> | <u>0</u> | <u>4</u> |
| P96 | Other conditions originating in the perinatal period | 4 | 0 | 4 |
| <u>Q00-Q99</u> | <u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u> | <u>103</u> | <u>47</u> | <u>56</u> |
| <u>Q00-Q07</u> | <u>Congenital malformations of the nervous system</u> | <u>16</u> | <u>8</u> | <u>8</u> |
| Q00 | Anencephaly and similar malformations | 3 | 3 | 0 |
| Q02 | Microcephaly | 2 | 0 | 2 |
| Q03 | Congenital hydrocephalus | 2 | 0 | 2 |
| Q04 | Other congenital malformations of brain | 5 | 1 | 4 |
| Q05 | Spina bifida | 3 | 3 | 0 |
| Q07 | Other congenital malformations of nervous system | 1 | 1 | 0 |
| <u>Q20-Q28</u> | <u>Congenital malformations of the circulatory system</u> | <u>32</u> | <u>14</u> | <u>18</u> |
| Q20 | Congenital malformations of cardiac chambers and connections | 2 | 2 | 0 |
| Q21 | Congenital malformations of cardiac septa | 4 | 3 | 1 |
| Q22 | Congenital malformations of pulmonary and tricuspid valves | 1 | 1 | 0 |
| Q24 | Other congenital malformations of heart | 20 | 8 | 12 |
| Q25 | Congenital malformations of great arteries | 3 | 0 | 3 |
| Q27 | Other congenital malformations of peripheral vascular system | 1 | 0 | 1 |
| Q28 | Other congenital malformations of circulatory system | 1 | 0 | 1 |
| <u>Q30-Q34</u> | <u>Congenital malformations of the respiratory system</u> | <u>9</u> | <u>2</u> | <u>7</u> |
| Q32 | Congenital malformations of trachea and bronchus | 1 | 0 | 1 |
| Q33 | Congenital malformations of lung | 8 | 2 | 6 |
| <u>Q35-Q37</u> | <u>Cleft lip and cleft palate</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| Q35 | Cleft palate | 1 | 1 | 0 |
| <u>Q38-Q45</u> | <u>Other congenital malformations of the digestive system</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| Q41 | Congenital absence, atresia, and stenosis of small intestine | 1 | 0 | 1 |
| Q43 | Other congenital malformations of intestine | 1 | 0 | 1 |
| <u>Q60-Q64</u> | <u>Congenital malformations of the urinary system</u> | <u>7</u> | <u>4</u> | <u>3</u> |
| Q60 | Renal agenesis and other reduction defects of kidney | 4 | 3 | 1 |
| Q61 | Cystic kidney disease | 3 | 1 | 2 |
| <u>Q65-Q79</u> | <u>Congenital malformations and deformations of the musculoskeletal system</u> | <u>4</u> | <u>3</u> | <u>1</u> |

Table 10B - Page 16
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|------------|
| Q67 | Congenital musculoskeletal deformities of head, face, spine, and chest | 1 | 1 | 0 |
| Q75 | Other congenital malformations of skull and face bones | 1 | 0 | 1 |
| Q79 | Congenital malformations of musculoskeletal system, not elsewhere classified | 2 | 2 | 0 |
| <u>Q80-Q89</u> | <u>Other congenital malformations</u> | <u>8</u> | <u>2</u> | <u>6</u> |
| Q85 | Phakomatoses, not elsewhere classified | 2 | 1 | 1 |
| Q87 | Other specified congenital malformation syndromes affecting multiple systems | 1 | 0 | 1 |
| Q89 | Other congenital malformations, not elsewhere classified | 5 | 1 | 4 |
| <u>Q90-Q99</u> | <u>Chromosomal abnormalities, not elsewhere classified</u> | <u>24</u> | <u>13</u> | <u>11</u> |
| Q90 | Down's syndrome | 12 | 7 | 5 |
| Q91 | Edwards' syndrome and Patau's syndrome | 11 | 5 | 6 |
| Q99 | Other chromosome abnormalities, not elsewhere classified | 1 | 1 | 0 |
| <u>R00-R99</u> | <u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u> | <u>375</u> | <u>218</u> | <u>157</u> |
| <u>R00-R09</u> | <u>Symptoms and signs involving the circulatory and respiratory systems</u> | <u>104</u> | <u>62</u> | <u>42</u> |
| R02 | Gangrene, not elsewhere classified | 6 | 1 | 5 |
| R04 | Hemorrhage from respiratory passages | 1 | 0 | 1 |
| R06 | Abnormalities of breathing | 3 | 2 | 1 |
| R09 | Other symptoms and signs involving the circulatory and respiratory systems | 94 | 59 | 35 |
| <u>R10-R19</u> | <u>Symptoms and signs involving the digestive system and abdomen</u> | <u>5</u> | <u>4</u> | <u>1</u> |
| R10 | Abdominal and pelvic pain | 2 | 1 | 1 |
| R13 | Dysphagia | 1 | 1 | 0 |
| R18 | Ascites | 1 | 1 | 0 |
| R19 | Other symptoms and signs involving the digestive system and abdomen | 1 | 1 | 0 |
| <u>R50-R69</u> | <u>General symptoms and signs</u> | <u>125</u> | <u>76</u> | <u>49</u> |
| R50 | Fever of unknown origin | 1 | 1 | 0 |
| R53 | Malaise and fatigue | 25 | 15 | 10 |
| R54 | Senility | 39 | 25 | 14 |
| R55 | Syncope and collapse | 1 | 1 | 0 |
| R56 | Convulsions, not elsewhere classified | 27 | 12 | 15 |
| R57 | Shock, not elsewhere classified | 9 | 5 | 4 |
| R58 | Hemorrhage, not elsewhere classified | 3 | 1 | 2 |
| R62 | Lack of expected normal physiological development | 15 | 12 | 3 |
| R64 | Cachexia | 3 | 3 | 0 |
| R68 | Other general symptoms and signs | 2 | 1 | 1 |
| <u>R70-R79</u> | <u>Abnormal findings on examination of blood, without diagnosis</u> | <u>3</u> | <u>0</u> | <u>3</u> |
| R73 | Elevated blood glucose level | 1 | 0 | 1 |
| R75 | Laboratory evidence of human immunodeficiency virus [HIV] | 1 | 0 | 1 |
| R79 | Other abnormal findings of blood chemistry | 1 | 0 | 1 |

Table 10B - Page 17
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|--------------|--------------|------------|
| <u>R90-R94</u> | <u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| R91 | Abnormal findings on diagnostic imaging of lung | 1 | 0 | 1 |
| <u>R95-R99</u> | <u>Ill-defined and unknown causes of mortality</u> | <u>137</u> | <u>76</u> | <u>61</u> |
| R95 | Sudden infant death syndrome | 55 | 26 | 29 |
| R96 | Other sudden death, cause unknown | 1 | 1 | 0 |
| R99 | Other ill-defined and unspecified causes of mortality | 81 | 49 | 32 |
| <u>V01-Y89</u> | <u>EXTERNAL CAUSES OF MORTALITY</u> | <u>2,373</u> | <u>1,504</u> | <u>869</u> |
| <u>V01-V09</u> | <u>Pedestrian injured in transport accident</u> | <u>78</u> | <u>35</u> | <u>43</u> |
| V01 | Pedestrian injured in collision with pedal cycle | 1 | 0 | 1 |
| V03 | Pedestrian injured in collision with car, pickup truck, or van | 63 | 28 | 35 |
| V04 | Pedestrian injured in collision with heavy transport vehicle or bus | 3 | 1 | 2 |
| V05 | Pedestrian injured in collision with railway train or railway vehicle | 7 | 4 | 3 |
| V09 | Pedestrian injured in other and unspecified transport accidents | 4 | 2 | 2 |
| <u>V10-V19</u> | <u>Pedal cyclist injured in transport accident</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| V13 | Pedal cyclist injured in collision with car, pickup truck, or van | 3 | 1 | 2 |
| V19 | Pedal cyclist injured in other and unspecified transport accidents | 1 | 1 | 0 |
| <u>V20-V29</u> | <u>Motorcycle rider injured in transport accident</u> | <u>28</u> | <u>22</u> | <u>6</u> |
| V20 | Motorcycle rider injured in collision with pedestrian or animal | 1 | 1 | 0 |
| V22 | Motorcycle rider injured in collision with two- or three-wheeled motor vehicle | 2 | 1 | 1 |
| V23 | Motorcycle rider injured in collision with car, pickup truck, or van | 11 | 8 | 3 |
| V27 | Motorcycle rider injured in collision with fixed or stationary object | 7 | 6 | 1 |
| V28 | Motorcycle rider injured in noncollision transport accident | 3 | 2 | 1 |
| V29 | Motorcycle rider injured in other and unspecified transport accidents | 4 | 4 | 0 |
| <u>V30-V39</u> | <u>Occupant of three-wheeled motor vehicle injured in transport accident</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| V37 | Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object | 1 | 1 | 0 |
| <u>V40-V49</u> | <u>Car occupant injured in transport accident</u> | <u>512</u> | <u>310</u> | <u>202</u> |
| V40 | Car occupant injured in collision with pedestrian or animal | 1 | 0 | 1 |
| V43 | Car occupant injured in collision with car, pickup truck, or van | 191 | 111 | 80 |
| V44 | Car occupant injured in collision with heavy transport vehicle or bus | 63 | 40 | 23 |
| V45 | Car occupant injured in collision with railway train or railway vehicle | 8 | 6 | 2 |

Table 10B - Page 18
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|-----------|
| V47 | Car occupant injured in collision with fixed or stationary object | 131 | 82 | 49 |
| V48 | Car occupant injured in noncollision transport accident | 109 | 66 | 43 |
| V49 | Car occupant injured in other and unspecified transport accidents | 9 | 5 | 4 |
| <u>V50-V59</u> | <u>Occupant of pick-up truck or van injured in transport accident</u> | <u>156</u> | <u>119</u> | <u>37</u> |
| V53 | Occupant of pickup truck or van injured in collision with car, pickup truck, or van | 39 | 27 | 12 |
| V54 | Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus | 15 | 14 | 1 |
| V57 | Occupant of pickup truck or van injured in collision with fixed or stationary object | 54 | 42 | 12 |
| V58 | Occupant of pickup truck or van injured in noncollision transport accident | 46 | 36 | 10 |
| V59 | Occupant of pickup truck or van injured in other and unspecified transport accidents | 2 | 0 | 2 |
| <u>V60-V69</u> | <u>Occupant of heavy transport vehicle injured in transport accident</u> | <u>15</u> | <u>10</u> | <u>5</u> |
| V60 | Occupant of heavy transport vehicle injured in collision with pedestrian or animal | 1 | 1 | 0 |
| V63 | Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van | 3 | 2 | 1 |
| V64 | Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus | 2 | 1 | 1 |
| V65 | Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle | 2 | 1 | 1 |
| V67 | Occupant of heavy transport vehicle injured in collision with fixed or stationary object | 2 | 1 | 1 |
| V68 | Occupant of heavy transport vehicle injured in noncollision transport accident | 4 | 3 | 1 |
| V69 | Occupant of heavy transport vehicle injured in other and unspecified transport accidents | 1 | 1 | 0 |
| <u>V80-V89</u> | <u>Other land transport accidents</u> | <u>93</u> | <u>58</u> | <u>35</u> |
| V81 | Occupant of railway train or railway vehicle injured in transport accident | 1 | 0 | 1 |
| V84 | Occupant of special vehicle mainly used in agriculture injured in transport accident | 8 | 4 | 4 |
| V86 | Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident | 15 | 12 | 3 |
| V87 | Traffic accident of specified type but victim's mode of transport unknown | 9 | 4 | 5 |
| V89 | Motor- or nonmotor-vehicle accident, type of vehicle unspecified | 60 | 38 | 22 |
| <u>V90-V94</u> | <u>Water transport accidents</u> | <u>23</u> | <u>15</u> | <u>8</u> |
| V90 | Accident to watercraft causing drowning and submersion | 10 | 6 | 4 |
| V92 | Water-transport-related drowning and submersion without accident to watercraft | 11 | 7 | 4 |

Table 10B - Page 19
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|------------|------------|-----------|
| V94 | Other and unspecified water transport accidents | 2 | 2 | 0 |
| <u>V95-V97</u> | <u>Air and space transport accidents</u> | <u>4</u> | <u>4</u> | <u>0</u> |
| V95 | Accident to powered aircraft causing injury to occupant | 4 | 4 | 0 |
| <u>W00-W19</u> | <u>Falls</u> | <u>179</u> | <u>157</u> | <u>22</u> |
| W01 | Fall on same level from slipping, tripping, and stumbling | 8 | 8 | 0 |
| W05 | Fall involving wheelchair | 5 | 4 | 1 |
| W06 | Fall involving bed | 7 | 4 | 3 |
| W09 | Fall involving playground equipment | 1 | 1 | 0 |
| W10 | Fall on and from stairs and steps | 7 | 6 | 1 |
| W11 | Fall on and from ladder | 4 | 4 | 0 |
| W12 | Fall on and from scaffolding | 3 | 2 | 1 |
| W13 | Fall from, out of, or through building or structure | 7 | 4 | 3 |
| W17 | Other fall from one level to another | 1 | 1 | 0 |
| W18 | Other fall on same level | 14 | 13 | 1 |
| W19 | Unspecified fall | 122 | 110 | 12 |
| <u>W20-W49</u> | <u>Exposure to inanimate mechanical forces</u> | <u>60</u> | <u>41</u> | <u>19</u> |
| W20 | Struck by thrown, projected, or falling object | 11 | 9 | 2 |
| W22 | Striking against or struck by other objects | 1 | 1 | 0 |
| W23 | Caught, crushed, jammed, or pinched in or between objects | 2 | 1 | 1 |
| W24 | Contact with lifting and transmission devices, not elsewhere classified | 2 | 2 | 0 |
| W25 | Contact with sharp glass | 1 | 0 | 1 |
| W26 | Contact with knife, sword, or dagger | 1 | 1 | 0 |
| W28 | Contact with powered lawn mower | 3 | 3 | 0 |
| W29 | Contact with other powered hand tools and household machinery | 1 | 1 | 0 |
| W30 | Contact with agricultural machinery | 3 | 3 | 0 |
| W31 | Contact with other and unspecified machinery | 3 | 1 | 2 |
| W32 | Handgun discharge | 4 | 2 | 2 |
| W33 | Rifle, shotgun, and larger firearm discharge | 8 | 7 | 1 |
| W34 | Discharge from other and unspecified firearms | 10 | 5 | 5 |
| W38 | Explosion and rupture of other specified pressurized devices | 1 | 1 | 0 |
| W40 | Explosion of other materials | 7 | 3 | 4 |
| W44 | Foreign body entering into or through eye or natural orifice | 1 | 1 | 0 |
| W49 | Exposure to other and unspecified inanimate mechanical forces | 1 | 0 | 1 |
| <u>W65-W74</u> | <u>Accidental drowning and submersion</u> | <u>48</u> | <u>18</u> | <u>30</u> |
| W65 | Drowning and submersion while in bathtub | 2 | 1 | 1 |
| W66 | Drowning and submersion following fall into bathtub | 1 | 1 | 0 |
| W67 | Drowning and submersion while in swimming pool | 10 | 1 | 9 |
| W68 | Drowning and submersion following fall into swimming pool | 2 | 1 | 1 |
| W69 | Drowning and submersion while in natural water | 19 | 8 | 11 |
| W70 | Drowning and submersion following fall into natural water | 3 | 0 | 3 |
| W73 | Other specified drowning and submersion | 6 | 3 | 3 |
| W74 | Unspecified drowning and submersion | 5 | 3 | 2 |
| <u>W75-W84</u> | <u>Other accidental threats to breathing</u> | <u>81</u> | <u>46</u> | <u>35</u> |
| W75 | Accidental suffocation and strangulation in bed | 3 | 1 | 2 |
| W76 | Other accidental hanging and strangulation | 2 | 2 | 0 |

Table 10B - Page 20
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|------------|-----------|
| W78 | Inhalation of gastric contents | 8 | 7 | 1 |
| W79 | Inhalation and ingestion of food causing obstruction of respiratory tract | 14 | 9 | 5 |
| W80 | Inhalation and ingestion of other objects causing obstruction of respiratory tract | 53 | 26 | 27 |
| W84 | Unspecified threat to breathing | 1 | 1 | 0 |
| <u>W85-W99</u> | <u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u> | <u>10</u> | <u>7</u> | <u>3</u> |
| W85 | Exposure to electric transmission lines | 1 | 1 | 0 |
| W86 | Exposure to other specified electric current | 5 | 3 | 2 |
| W87 | Exposure to unspecified electric current | 4 | 3 | 1 |
| <u>X00-X09</u> | <u>Exposure to smoke, fire and flames</u> | <u>110</u> | <u>41</u> | <u>69</u> |
| X00 | Exposure to uncontrolled fire in building or structure | 98 | 35 | 63 |
| X02 | Exposure to controlled fire in building or structure | 2 | 0 | 2 |
| X04 | Exposure to ignition of highly flammable material | 1 | 0 | 1 |
| X05 | Exposure to ignition or melting of nightwear | 1 | 1 | 0 |
| X06 | Exposure to ignition or melting of other clothing and apparel | 3 | 3 | 0 |
| X08 | Exposure to other specified smoke, fire, and flames | 2 | 1 | 1 |
| X09 | Exposure to unspecified smoke, fire, and flames | 3 | 1 | 2 |
| <u>X10-X19</u> | <u>Contact with heat and hot substances</u> | <u>8</u> | <u>2</u> | <u>6</u> |
| X10 | Contact with hot drinks, food, fats, and cooking oils | 2 | 1 | 1 |
| X11 | Contact with hot tap water | 1 | 0 | 1 |
| X16 | Contact with hot heating appliances, radiators, and pipes | 5 | 1 | 4 |
| <u>X20-X29</u> | <u>Contact with venomous animals and plants</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| X25 | Contact with other specified venomous arthropods | 1 | 1 | 0 |
| <u>X30-X39</u> | <u>Exposure to forces of nature</u> | <u>16</u> | <u>12</u> | <u>4</u> |
| X30 | Exposure to excessive natural heat | 3 | 3 | 0 |
| X31 | Exposure to excessive natural cold | 9 | 6 | 3 |
| X33 | Victim of lightning | 2 | 2 | 0 |
| X37 | Victim of cataclysmic storm | 1 | 0 | 1 |
| X38 | Victim of flood | 1 | 1 | 0 |
| <u>X40-X49</u> | <u>Accidental poisoning by and exposure to noxious substances</u> | <u>130</u> | <u>111</u> | <u>19</u> |
| X40 | Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics | 4 | 4 | 0 |
| X41 | Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified | 2 | 2 | 0 |
| X42 | Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified | 25 | 18 | 7 |
| X44 | Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances | 94 | 85 | 9 |
| X45 | Accidental poisoning by and exposure to alcohol | 1 | 0 | 1 |
| X47 | Accidental poisoning by and exposure to other gases and vapors | 3 | 1 | 2 |
| X48 | Accidental poisoning by and exposure to pesticides | 1 | 1 | 0 |

Table 10B - Page 21
Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|--|------------|------------|------------|
| <u>X50-X57</u> | <u>Overexertion, travel and privation</u> | <u>3</u> | <u>3</u> | <u>0</u> |
| X50 | Overexertion and strenuous or repetitive movements | 3 | 3 | 0 |
| <u>X58-X59</u> | <u>Accidental exposure to other and unspecified factors</u> | <u>54</u> | <u>39</u> | <u>15</u> |
| X59 | Exposure to unspecified factor | 54 | 39 | 15 |
| <u>X60-X84</u> | <u>Intentional self-harm</u> | <u>341</u> | <u>284</u> | <u>57</u> |
| X60 | Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics | 3 | 3 | 0 |
| X61 | Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified | 3 | 2 | 1 |
| X64 | Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances | 23 | 23 | 0 |
| X66 | Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors | 1 | 1 | 0 |
| X67 | Intentional self-poisoning (suicide) by and exposure to other gases and vapors | 5 | 5 | 0 |
| X69 | Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances | 3 | 0 | 3 |
| X70 | Intentional self harm (suicide) by hanging, strangulation, and suffocation | 35 | 26 | 9 |
| X71 | Intentional self harm (suicide) by drowning and submersion | 1 | 1 | 0 |
| X72 | Intentional self harm (suicide) by handgun discharge | 101 | 87 | 14 |
| X73 | Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge | 48 | 42 | 6 |
| X74 | Intentional self harm (suicide) by other and unspecified firearm discharge | 105 | 82 | 23 |
| X78 | Intentional self harm (suicide) by sharp object | 6 | 6 | 0 |
| X79 | Intentional self harm (suicide) by blunt object | 1 | 0 | 1 |
| X80 | Intentional self harm (suicide) by jumping from a high place | 2 | 2 | 0 |
| X81 | Intentional self harm (suicide) by jumping or lying before moving object | 3 | 3 | 0 |
| X83 | Intentional self harm (suicide) by other specified means | 1 | 1 | 0 |
| <u>X85-Y09</u> | <u>Assault</u> | <u>301</u> | <u>89</u> | <u>212</u> |
| X91 | Assault (homicide) by hanging, strangulation, and suffocation | 8 | 4 | 4 |
| X92 | Assault (homicide) by drowning and submersion | 1 | 0 | 1 |
| X93 | Assault (homicide) by handgun discharge | 59 | 11 | 48 |
| X94 | Assault (homicide) by rifle, shotgun, and larger firearm discharge | 18 | 5 | 13 |
| X95 | Assault (homicide) by other and unspecified firearm discharge | 129 | 39 | 90 |
| X96 | Assault (homicide) by explosive material | 1 | 1 | 0 |
| X97 | Assault (homicide) by smoke, fire, and flames | 3 | 1 | 2 |
| X99 | Assault (homicide) by sharp object | 41 | 10 | 31 |
| Y00 | Assault (homicide) by blunt object | 10 | 3 | 7 |
| Y03 | Assault (homicide) by crashing of motor vehicle | 1 | 0 | 1 |

Table 10B - Page 22
 Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|-----------|-----------|-----------|
| Y04 | Assault (homicide) by bodily force | 3 | 1 | 2 |
| Y07 | Other maltreatment syndromes | 2 | 2 | 0 |
| Y08 | Assault (homicide) by other specified means | 9 | 5 | 4 |
| Y09 | Assault (homicide) by unspecified means | 16 | 7 | 9 |
| <u>Y10-Y34</u> | <u>Event of undetermined intent</u> | <u>43</u> | <u>30</u> | <u>13</u> |
| Y10 | Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent | 1 | 1 | 0 |
| Y11 | Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent | 2 | 2 | 0 |
| Y12 | Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent | 6 | 5 | 1 |
| Y14 | Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent | 14 | 11 | 3 |
| Y17 | Poisoning by and exposure to other gases and vapors, undetermined intent | 1 | 1 | 0 |
| Y20 | Hanging, strangulation, and suffocation, undetermined intent | 1 | 1 | 0 |
| Y21 | Drowning and submersion, undetermined intent | 1 | 0 | 1 |
| Y22 | Handgun discharge, undetermined intent | 1 | 0 | 1 |
| Y24 | Other and unspecified firearm discharge, undetermined intent | 3 | 1 | 2 |
| Y26 | Exposure to smoke, fire, and flames, undetermined intent | 4 | 1 | 3 |
| Y30 | Falling, jumping, or pushed from a high place, undetermined intent | 1 | 1 | 0 |
| Y31 | Falling, lying, or running before or into moving object, undetermined intent | 2 | 2 | 0 |
| Y33 | Other specified events, undetermined intent | 1 | 1 | 0 |
| Y34 | Unspecified event, undetermined intent | 5 | 3 | 2 |
| <u>Y35-Y36</u> | <u>Legal intervention and operations of war</u> | <u>7</u> | <u>3</u> | <u>4</u> |
| Y35 | Legal intervention | 7 | 3 | 4 |
| <u>Y40-Y59</u> | <u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u> | <u>5</u> | <u>4</u> | <u>1</u> |
| Y48 | Anesthetics and therapeutic gases | 1 | 1 | 0 |
| Y49 | Psychotropic drugs, not elsewhere classified | 1 | 1 | 0 |
| Y57 | Other and unspecified drugs and medicaments | 3 | 2 | 1 |
| <u>Y60-Y69</u> | <u>Misadventures to patients during surgical and medical care</u> | <u>5</u> | <u>4</u> | <u>1</u> |
| Y60 | Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care | 2 | 1 | 1 |
| Y61 | Foreign object accidentally left in body during surgical and medical care | 1 | 1 | 0 |
| Y65 | Other misadventures during surgical and medical care | 2 | 2 | 0 |
| <u>Y70-Y82</u> | <u>Medical devices associated with adverse incidents in diagnostic and therapeutic use</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| Y74 | General hospital and personal-use devices associated with adverse incidents | 1 | 1 | 0 |
| <u>Y83-Y84</u> | <u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u> | <u>33</u> | <u>21</u> | <u>12</u> |

Table 10B - Page 23
 Deaths - Mississippi - 2002

| INTERNATIONAL CLASSIFICATION NUMBER* | CAUSE OF DEATH* | TOTAL | WHITE | NON-WHITE |
|--------------------------------------|---|-----------|-----------|-----------|
| Y83 | Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure | 26 | 16 | 10 |
| Y84 | Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure | 7 | 5 | 2 |
| <u>Y85-Y89</u> | <u>Sequelae of external causes of mortality</u> | <u>23</u> | <u>14</u> | <u>9</u> |
| Y85 | Sequelae of transport accidents | 12 | 10 | 2 |
| Y86 | Sequelae of other accidents | 6 | 4 | 2 |
| Y87 | Sequelae of intentional self harm, assault, and events of undetermined intent | 3 | 0 | 3 |
| Y88 | Sequelae with surgical and medical care as external cause | 1 | 0 | 1 |
| Y89 | Sequelae of other external causes | 1 | 0 | 1 |
| Y89 | Sequelae of other external causes | 1 | 0 | 1 |

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2002**

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | UNKNOWN | |
|---------------|---|--------|-------|------|---------------|-----|-----------------------|---------|-------|-----|-------|-------|-------|-------|-------|-------|-------------|-------|---------|---|
| | | NUMBER | RATE# | | | | | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65 AND OVER | | | |
| | | | | | | | | | | | | | | | | | | | | |
| 001-358 | ALL CAUSES | 28,765 | 10.0 | W | 19,168 | M | 9,413 | 92 | 15 | 14 | 21 | 192 | 211 | 410 | 832 | 1,336 | 6,288 | 2 | | |
| | | | | | | | F | 9,755 | 63 | 15 | 5 | 14 | 78 | 112 | 243 | 472 | 796 | 7,956 | 1 | |
| | | | | | | | NW | M | 4,816 | 150 | 26 | 18 | 28 | 163 | 208 | 377 | 599 | 785 | 2,461 | 1 |
| | | | | | | | | F | 4,781 | 123 | 16 | 28 | 18 | 79 | 130 | 247 | 433 | 554 | 3,153 | 0 |
| 001-055 | INFECTIOUS AND PARASITIC DISEASES | 853 | 29.7 | W | 434 | M | 209 | 3 | 1 | 0 | 1 | 1 | 3 | 18 | 24 | 39 | 119 | 0 | | |
| | | | | | | | F | 225 | 0 | 0 | 0 | 0 | 3 | 7 | 21 | 24 | 170 | 0 | | |
| | | | | | | | NW | M | 223 | 4 | 1 | 0 | 1 | 1 | 24 | 56 | 38 | 20 | 78 | 0 |
| | | | | | | | | F | 196 | 4 | 0 | 0 | 2 | 7 | 19 | 20 | 27 | 16 | 101 | 0 |
| 009,010 | TUBERCULOSIS | 9 | 0.3 | W | 4 | M | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | | |
| | | | | | | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | |
| | | | | | | | NW | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| | | | | | | | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 |
| 039-043 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE | 184 | 6.4 | W | 29 | M | 24 | 0 | 0 | 0 | 0 | 0 | 2 | 11 | 6 | 4 | 1 | 0 | | |
| | | | | | | | F | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 0 | 0 | |
| | | | | | | | NW | M | 109 | 0 | 0 | 0 | 1 | 1 | 21 | 48 | 28 | 7 | 3 | 0 |
| | | | | | | | | F | 46 | 0 | 0 | 0 | 0 | 5 | 14 | 13 | 9 | 1 | 4 | 0 |
| 056-108 | MALIGNANT NEOPLASMS | 6,050 | 210.7 | W | 4,087 | M | 2,228 | 0 | 1 | 1 | 0 | 6 | 9 | 46 | 198 | 430 | 1,537 | 0 | | |
| | | | | | | | F | 1,859 | 0 | 1 | 0 | 0 | 4 | 21 | 64 | 170 | 316 | 1,283 | 0 | |
| | | | | | | | NW | M | 1,070 | 0 | 1 | 4 | 0 | 3 | 9 | 42 | 123 | 224 | 664 | 0 |
| | | | | | | | | F | 893 | 0 | 0 | 2 | 0 | 5 | 11 | 51 | 122 | 172 | 530 | 0 |
| 109-115 | IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE | 89 | 3.1 | W | 62 | M | 29 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 22 | 0 | | |
| | | | | | | | F | 33 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 29 | 0 | |
| | | | | | | | NW | M | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 9 | 0 |
| | | | | | | | | F | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 14 | 0 |

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | 65 AND OVER | UNKNOWN | |
|---------------|---|--------|-------|------|---------------|-----|-----------------------|---------|-----|-----|-------|-------|-------|-------|-------|-------|----|----|-------------|---------|---|
| | | NUMBER | RATE# | | | | | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| 116-122 | DISEASES OF BLOOD AND BLOOD-FORMING ORGANS | 130 | 4.5 | W | 66 | M | 33 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 5 | 20 | 0 | | | |
| | | | | | F | 33 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 24 | 0 | | | | | |
| | | | | NW | 64 | M | 23 | 0 | 0 | 0 | 0 | 4 | 4 | 5 | 2 | 4 | 4 | 0 | | | |
| | | | | | F | 41 | 1 | 0 | 0 | 1 | 1 | 5 | 6 | 7 | 5 | 15 | 0 | | | | |
| 116-119 | ANEMIAS | 57 | 2.0 | W | 23 | M | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 6 | 0 | | | |
| | | | | | F | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 11 | 0 | | | | | |
| | | | | NW | 34 | M | 14 | 0 | 0 | 0 | 0 | 4 | 1 | 1 | 2 | 2 | 4 | 0 | | | |
| | | | | | F | 20 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 10 | 0 | | | | |
| | | | | | W | 495 | 32.6 | 495 | M | 217 | 0 | 0 | 0 | 2 | 2 | 5 | 11 | 27 | 37 | 133 | 0 |
| | | | | | | | | F | 278 | 0 | 0 | 0 | 1 | 1 | 3 | 5 | 14 | 18 | 236 | 0 | |
| NW | 440 | M | 173 | 1 | 0 | 0 | 0 | 3 | 6 | 11 | 18 | 35 | 99 | 0 | | | | | | | |
| | | F | 267 | 1 | 0 | 0 | 1 | 4 | 8 | 11 | 26 | 33 | 183 | 0 | | | | | | | |
| 124 | DIABETES MELLITUS | 664 | 23.1 | W | 324 | M | 149 | 0 | 0 | 0 | 2 | 1 | 4 | 7 | 22 | 25 | 88 | 0 | | | |
| | | | | | F | 175 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 10 | 12 | 150 | 0 | | | | |
| | | | | NW | 340 | M | 127 | 0 | 0 | 0 | 0 | 1 | 2 | 7 | 13 | 31 | 73 | 0 | | | |
| | | | | | F | 213 | 0 | 0 | 0 | 1 | 2 | 4 | 9 | 23 | 29 | 145 | 0 | | | | |
| 129-131 | MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES | 38 | 1.3 | W | 26 | M | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 11 | 0 | | | | |
| | | | | | F | 13 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 11 | 0 | | | | | |
| | | | | NW | 12 | M | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | | | | |
| | | | | | F | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | | | | |
| 136-144 | MENTAL AND BEHAVIORAL DISORDERS | 448 | 15.6 | W | 308 | M | 118 | 0 | 0 | 0 | 0 | 1 | 4 | 9 | 13 | 11 | 80 | 0 | | | |
| | | | | | F | 190 | 1 | 0 | 0 | 0 | 0 | 3 | 2 | 2 | 7 | 175 | 0 | | | | |
| | | | | NW | 140 | M | 64 | 0 | 0 | 0 | 1 | 2 | 3 | 7 | 7 | 9 | 35 | 0 | | | |
| | | | | | F | 76 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 3 | 68 | 0 | | | | |
| 138 | MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL | 62 | 2.2 | W | 38 | M | 31 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 12 | 9 | 3 | 0 | | | |
| | | | | | F | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 1 | 0 | | | | |
| | | | | NW | 24 | M | 22 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 7 | 6 | 4 | 0 | | | |
| | | | | | F | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | | | |

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | | 65 AND OVER | UNKNOWN |
|---------------|---|--------|-------|------|---------------|-------|-----------------------|--------|-------|---------|-----|-----|-------|-------|-------|-------|-------|-------|---|-------------|---------|
| | | | | | | | | NUMBER | RATE# | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| 145-153 | DISEASES OF THE NERVOUS SYSTEM | 978 | 34.0 | W | 761 | M | 296 | 2 | 1 | 2 | 0 | 6 | 3 | 7 | 14 | 19 | 242 | 0 | | | |
| | | | | | | F | 465 | 1 | 2 | 0 | 1 | 0 | 8 | 10 | 20 | 423 | 0 | | | | |
| | | | | | NW | 217 | M | 84 | 0 | 2 | 2 | 1 | 1 | 6 | 10 | 9 | 43 | 0 | | | |
| | | | | | F | 133 | 2 | 3 | 1 | 1 | 5 | 3 | 4 | 12 | 9 | 93 | 0 | | | | |
| 145 | MENINGITIS | 8 | 0.3 | W | 3 | M | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | | | |
| | | | | | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | NW | 5 | M | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | | | |
| | | | | | F | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 147 | PARKINSON'S DISEASE | 124 | 4.3 | W | 108 | M | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 61 | 0 | | | |
| | | | | | | F | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 42 | 0 | | | | |
| | | | | | NW | 16 | M | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | | | |
| | | | | | F | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | | | | | |
| 148 | ALZHEIMER'S DISEASE | 566 | 19.7 | W | 478 | M | 137 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 135 | 0 | | | | |
| | | | | | | F | 341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 337 | 0 | | | | |
| | | | | | NW | 88 | M | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 | | | |
| | | | | | F | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 63 | 0 | | | | | |
| 150 | EPILEPSY | 22 | 0.8 | W | 11 | M | 7 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 1 | 0 | 0 | 0 | | | |
| | | | | | | F | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | | | | |
| | | | | | NW | 11 | M | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 0 | | | |
| | | | | | F | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 0 | | | | | |
| 155 | DISEASES OF THE EAR AND MASTOID PROCESS | 1 | ** | W | 0 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | NW | 1 | M | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 156-191 | DISEASES OF THE CIRCULATORY SYSTEM | 11,609 | 404.2 | W | 7,774 | M | 3,538 | 5 | 0 | 0 | 0 | 6 | 11 | 102 | 289 | 493 | 2,631 | 1 | | | |
| | | | | | | F | 4,236 | 4 | 0 | 0 | 1 | 5 | 13 | 43 | 113 | 256 | 3,800 | 1 | | | |
| | | | | | NW | 3,835 | M | 1,762 | 4 | 0 | 0 | 1 | 15 | 24 | 103 | 233 | 318 | 1,064 | 0 | | |
| | | | | | F | 2,073 | 2 | 2 | 0 | 2 | 9 | 18 | 73 | 145 | 221 | 1,601 | 0 | | | | |

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | UNKNOWN |
|-----------------------|------------------------------------|--------|-------|------|---------------|-----|-----------------------|--------|-------|---------|-----|-----|-------|-------|-------|-------|-------|-------|---------|
| | | | | | | | | NUMBER | RATE# | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | |
| | | | | | | | | | | | | | | | | | | | |
| 156-189 | MAJOR CARDIO-VASCULAR DISEASES | 11,550 | 402.2 | W | 7,734 | M | 3,521 | 5 | 0 | 0 | 0 | 6 | 10 | 101 | 286 | 491 | 2,621 | 1 | |
| | | | | | | F | 4,213 | 4 | 0 | 0 | 1 | 5 | 12 | 42 | 111 | 253 | 3,784 | 1 | |
| | | | | NW | 3,816 | M | 1,759 | 4 | 0 | 0 | 1 | 15 | 24 | 103 | 233 | 317 | 1,062 | 0 | |
| | | | | | | F | 2,057 | 2 | 2 | 0 | 2 | 9 | 17 | 70 | 145 | 217 | 1,593 | 0 | |
| 156-160, 162, 164-181 | HEART DISEASES | 9,020 | 314.1 | W | 6,115 | M | 2,869 | 3 | 0 | 0 | 0 | 5 | 9 | 90 | 251 | 413 | 2,098 | 0 | |
| | | | | | | F | 3,246 | 3 | 0 | 0 | 1 | 1 | 8 | 33 | 86 | 195 | 2,918 | 1 | |
| | | | | NW | 2,905 | M | 1,363 | 4 | 0 | 0 | 1 | 12 | 21 | 88 | 177 | 241 | 819 | 0 | |
| | | | | | | F | 1,542 | 2 | 2 | 0 | 2 | 7 | 16 | 49 | 103 | 169 | 1,192 | 0 | |
| 161,163 | HYPERTENSION | 313 | 10.9 | W | 148 | M | 56 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 10 | 40 | 0 | | |
| | | | | | | F | 92 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 7 | 80 | 0 | | |
| | | | | NW | 165 | M | 75 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 12 | 15 | 40 | 0 | |
| | | | | | | F | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 8 | 74 | 0 | |
| 182-186 | CEREBROVASCULAR DISEASES | 1,918 | 66.8 | W | 1,261 | M | 482 | 1 | 0 | 0 | 0 | 1 | 6 | 25 | 53 | 395 | 1 | | |
| | | | | | | F | 779 | 1 | 0 | 0 | 0 | 2 | 3 | 8 | 17 | 42 | 706 | 0 | |
| | | | | NW | 657 | M | 284 | 0 | 0 | 0 | 0 | 3 | 2 | 7 | 41 | 51 | 180 | 0 | |
| | | | | | | F | 373 | 0 | 0 | 0 | 0 | 1 | 1 | 17 | 30 | 32 | 292 | 0 | |
| 187 | ATHEROSCLEROSIS | 70 | 2.4 | W | 53 | M | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 21 | 0 | | |
| | | | | | | F | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 30 | 0 | |
| | | | | NW | 17 | M | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | |
| | | | | | | F | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 0 |
| 192-214 | DISEASES OF THE RESPIRATORY SYSTEM | 2,694 | 93.8 | W | 2,115 | M | 1,011 | 1 | 1 | 0 | 0 | 3 | 5 | 9 | 33 | 113 | 845 | 1 | |
| | | | | | | F | 1,104 | 0 | 1 | 1 | 0 | 2 | 7 | 9 | 30 | 59 | 995 | 0 | |
| | | | | NW | 579 | M | 289 | 7 | 2 | 1 | 2 | 0 | 2 | 7 | 18 | 45 | 205 | 0 | |
| | | | | | | F | 290 | 7 | 4 | 2 | 1 | 2 | 6 | 8 | 22 | 34 | 204 | 0 | |
| 195 | INFLUENZA | 6 | 0.2 | W | 5 | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | |
| | | | | | | F | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | |
| | | | | NW | 1 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | | UNKNOWN |
|----------------|---|------------|-------------|------|---------------|-----|-----------------------|------------|------------|----------|----------|----------|----------|-----------|-----------|-----------|------------|-----------|-------------|---------|
| | | | | | | | | NUMBER | RATE# | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65 AND OVER | |
| | | | | | | | | | | | | | | | | | | | | |
| 196-198 | PNEUMONIA | 792 | 27.6 | W | 563 | M | 213 | 1 | 0 | 0 | 0 | 2 | 1 | 2 | 7 | 13 | 187 | 0 | | |
| | | | | | | | F | 350 | 0 | 1 | 0 | 0 | 0 | 3 | 3 | 8 | 11 | 324 | 0 | |
| | | | | | | | NW | M | 91 | 3 | 1 | 1 | 0 | 0 | 1 | 1 | 4 | 9 | 71 | 0 |
| | | | | | | | | F | 138 | 3 | 0 | 0 | 0 | 0 | 3 | 6 | 6 | 14 | 106 | 0 |
| 204 | EMPHYSEMA | 115 | 4.0 | W | 92 | M | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 12 | 39 | 1 | | |
| | | | | | | | F | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 32 | 0 | |
| | | | | | | | NW | M | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 12 | 0 |
| | | | | | | | | F | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 0 |
| <u>215-237</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>894</u> | <u>31.1</u> | W | <u>642</u> | M | <u>312</u> | <u>2</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>3</u> | <u>12</u> | <u>53</u> | <u>56</u> | <u>185</u> | <u>0</u> | | |
| | | | | | | | F | <u>330</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>4</u> | <u>14</u> | <u>36</u> | <u>31</u> | <u>245</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>127</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>6</u> | <u>10</u> | <u>25</u> | <u>30</u> | <u>53</u> | <u>0</u> | |
| | | | | | | | | F | <u>125</u> | <u>5</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>6</u> | <u>17</u> | <u>11</u> | <u>20</u> | <u>66</u> | <u>0</u> | |
| 217-220 | PEPTIC ULCER | 41 | 1.4 | W | 28 | M | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 7 | 0 | | | |
| | | | | | | | F | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 14 | 0 | | |
| | | | | | | | NW | M | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 0 | |
| | | | | | | | | F | 8 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 0 | |
| 230-232 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 227 | 7.9 | W | 178 | M | 113 | 0 | 0 | 0 | 0 | 3 | 8 | 32 | 27 | 43 | 0 | | | |
| | | | | | | | F | 65 | 0 | 0 | 0 | 0 | 2 | 7 | 16 | 10 | 30 | 0 | | |
| | | | | | | | NW | M | 28 | 0 | 0 | 0 | 0 | 1 | 4 | 11 | 8 | 4 | 0 | |
| | | | | | | | | F | 21 | 0 | 0 | 0 | 0 | 2 | 3 | 5 | 7 | 4 | 0 | |
| <u>238-239</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>63</u> | <u>2.2</u> | W | <u>26</u> | M | <u>9</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>8</u> | <u>0</u> | | | |
| | | | | | | | F | <u>17</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>16</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>11</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>2</u> | <u>1</u> | <u>6</u> | <u>0</u> | |
| | | | | | | | | F | <u>26</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>1</u> | <u>23</u> | <u>0</u> | |
| <u>240-246</u> | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u> | <u>106</u> | <u>3.7</u> | W | <u>63</u> | M | <u>24</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>4</u> | <u>3</u> | <u>15</u> | <u>0</u> | | | |
| | | | | | | | F | <u>39</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>8</u> | <u>30</u> | <u>0</u> | | | |
| | | | | | | | NW | M | <u>16</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>0</u> | <u>2</u> | <u>3</u> | <u>3</u> | <u>5</u> | <u>1</u> | |
| | | | | | | | | F | <u>27</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>4</u> | <u>5</u> | <u>4</u> | <u>5</u> | <u>8</u> | <u>0</u> | |

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | 65 AND OVER | UNKNOWN | |
|---------------|---|-------|------|------|---------------|-----|-----------------------|--------|-------|---------|-----|-----|-------|-------|-------|-------|-------|-------|-------------|---------|---|
| | | | | | | | | NUMBER | RATE# | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| 247-260 | DISEASES OF THE GENITOURINARY SYSTEM | 837 | 29.1 | W | 489 | M | 209 | 3 | 0 | 0 | 0 | 0 | 0 | 5 | 10 | 21 | 170 | 0 | | | |
| | | | | | | | F | 280 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 8 | 14 | 253 | 0 | | |
| | | | | | | | NW | M | 148 | 4 | 0 | 0 | 0 | 1 | 4 | 6 | 14 | 28 | 91 | 0 | |
| | | | | | | | | F | 200 | 2 | 0 | 0 | 1 | 0 | 3 | 4 | 17 | 15 | 158 | 0 | |
| 247-249 | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS | 581 | 20.2 | W | 314 | M | 153 | 3 | 0 | 0 | 0 | 0 | 0 | 5 | 9 | 14 | 122 | 0 | | | |
| | | | | | | | F | 161 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 8 | 12 | 136 | 0 | | |
| | | | | | | | NW | M | 111 | 4 | 0 | 0 | 0 | 1 | 3 | 6 | 10 | 25 | 62 | 0 | |
| | | | | | | | | F | 156 | 2 | 0 | 0 | 1 | 0 | 3 | 2 | 17 | 14 | 117 | 0 | |
| 261-273 | PREGNANCY, CHILDBIRTH AND THE PUERPERIUM | 9 | 21.7 | W | 2 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | | | F | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | | |
| | | | | | | | NW | M | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | | | | F | 7 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 0 | 0 | |
| 274-281 | CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 218 | 5.2 | W | 75 | M | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | | | | | | F | 28 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | | | | | | NW | M | 89 | 89 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | | | | | | | F | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 282-290 | CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES | 103 | 3.6 | W | 47 | M | 19 | 10 | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 2 | 1 | 0 | | | |
| | | | | | | | F | 28 | 12 | 2 | 0 | 2 | 1 | 0 | 4 | 2 | 2 | 3 | 0 | | |
| | | | | | | | NW | M | 56 | 23 | 17 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 |
| | | | | | | | | F | 33 | 20 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 0 | |
| 291-294 | SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC | 375 | 13.0 | W | 218 | M | 87 | 16 | 0 | 0 | 0 | 5 | 6 | 9 | 7 | 8 | 36 | 0 | | | |
| | | | | | | | F | 131 | 14 | 0 | 0 | 0 | 0 | 2 | 5 | 3 | 5 | 102 | 0 | | |
| | | | | | | | NW | M | 157 | 87 | 18 | 1 | 1 | 1 | 3 | 8 | 6 | 8 | 11 | 30 | 0 |
| | | | | | | | | F | 70 | 21 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 41 | 0 | |
| 295-358 | ALL EXTERNAL CAUSES | 2,373 | 82.6 | W | 1,504 | M | 1,027 | 3 | 9 | 11 | 17 | 159 | 157 | 179 | 152 | 96 | 244 | 0 | | | |
| | | | | | | | F | 477 | 2 | 9 | 4 | 10 | 63 | 53 | 76 | 60 | 28 | 172 | 0 | | |
| | | | | | | | NW | M | 869 | 616 | 4 | 17 | 10 | 20 | 126 | 111 | 110 | 97 | 47 | 74 | 0 |
| | | | | | | | | F | 253 | 4 | 6 | 22 | 6 | 41 | 40 | 39 | 34 | 14 | 47 | 0 | |

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2002

| GROUP NUMBER* | CAUSE OF DEATH | TOTAL | | RACE | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | | UNKNOWN |
|---------------|-------------------------|-------|------|------|---------------|-----|-----------------------|--------|-------|---------|-----|-----|-------|-------|-------|-------|-------|-------|---------|
| | | | | | | | | NUMBER | RATE# | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | |
| | | | | | | | | | | | | | | | | | | | |
| 296-306 | MOTOR VEHICLE ACCIDENTS | 875 | 30.5 | W | 551 | M | 360 | 1 | 2 | 3 | 7 | 91 | 58 | 58 | 43 | 37 | 60 | 0 | |
| | | | | | | F | 191 | 1 | 5 | 1 | 9 | 46 | 24 | 31 | 20 | 10 | 44 | 0 | |
| | | | | | NW | 324 | M | 221 | 0 | 6 | 4 | 6 | 44 | 40 | 38 | 37 | 26 | 20 | 0 |
| | | | | | | | F | 103 | 1 | 1 | 7 | 2 | 25 | 16 | 21 | 14 | 8 | 8 | 0 |
| 295, 307-330 | ALL OTHER ACCIDENTS | 757 | 26.4 | W | 517 | M | 336 | 1 | 7 | 5 | 5 | 25 | 46 | 52 | 43 | 24 | 128 | 0 | |
| | | | | | | F | 181 | 1 | 3 | 2 | 1 | 6 | 15 | 25 | 12 | 8 | 108 | 0 | |
| | | | | | NW | 240 | M | 153 | 3 | 9 | 6 | 10 | 14 | 16 | 24 | 24 | 11 | 36 | 0 |
| | | | | | | | F | 87 | 3 | 4 | 12 | 4 | 4 | 6 | 3 | 13 | 4 | 34 | 0 |
| 331-337 | SUICIDE | 341 | 11.9 | W | 284 | M | 234 | 0 | 0 | 0 | 4 | 30 | 38 | 52 | 49 | 25 | 36 | 0 | |
| | | | | | | F | 50 | 0 | 0 | 0 | 0 | 7 | 10 | 11 | 13 | 4 | 5 | 0 | |
| | | | | | NW | 57 | M | 53 | 0 | 0 | 0 | 1 | 17 | 12 | 11 | 6 | 4 | 2 | 0 |
| | | | | | | | F | 4 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| 338-346 | HOMICIDE | 304 | 10.6 | W | 89 | M | 61 | 1 | 0 | 3 | 0 | 10 | 9 | 14 | 13 | 6 | 5 | 0 | |
| | | | | | | F | 28 | 0 | 1 | 0 | 0 | 4 | 3 | 7 | 5 | 4 | 4 | 0 | |
| | | | | | NW | 215 | M | 173 | 1 | 1 | 0 | 3 | 48 | 43 | 33 | 27 | 6 | 11 | 0 |
| | | | | | | | F | 42 | 0 | 1 | 1 | 0 | 10 | 14 | 11 | 4 | 0 | 1 | 0 |
| 353,354 | LEGAL INTERVENTION | 7 | 0.2 | W | 3 | M | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | |
| | | | | | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | NW | 4 | M | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 |
| | | | | | | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

- 120 -

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2002

| COUNTY | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|--------------|---------------|------------|------------|-----------------|------------|------------|---------------------|-----------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>428</u> | <u>155</u> | <u>273</u> | <u>281</u> | <u>100</u> | <u>181</u> | <u>147</u> | <u>55</u> | <u>92</u> |
| ADAMS | 5 | 2 | 3 | 3 | 1 | 2 | 2 | 1 | 1 |
| ALCORN | 7 | 6 | 1 | 5 | 4 | 1 | 2 | 2 | 0 |
| AMITE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ATTALA | 6 | 0 | 6 | 4 | 0 | 4 | 2 | 0 | 2 |
| BENTON | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| BOLIVAR | 8 | 1 | 7 | 6 | 1 | 5 | 2 | 0 | 2 |
| CALHOUN | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 0 |
| CARROLL | 2 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 |
| CHICKASAW | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| CHOCTAW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLAIBORNE | 3 | 0 | 3 | 1 | 0 | 1 | 2 | 0 | 2 |
| CLARKE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLAY | 7 | 0 | 7 | 7 | 0 | 7 | 0 | 0 | 0 |
| COAHOMA | 17 | 1 | 16 | 14 | 1 | 13 | 3 | 0 | 3 |
| COPIAH | 6 | 1 | 5 | 3 | 1 | 2 | 3 | 0 | 3 |
| COVINGTON | 4 | 0 | 4 | 2 | 0 | 2 | 2 | 0 | 2 |
| DESOTO | 14 | 9 | 5 | 13 | 8 | 5 | 1 | 1 | 0 |
| FORREST | 10 | 4 | 6 | 5 | 2 | 3 | 5 | 2 | 3 |
| FRANKLIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GEORGE | 4 | 2 | 2 | 4 | 2 | 2 | 0 | 0 | 0 |
| GREENE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GRENADA | 3 | 2 | 1 | 3 | 2 | 1 | 0 | 0 | 0 |
| HANCOCK | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| HARRISON | 21 | 12 | 9 | 11 | 7 | 4 | 10 | 5 | 5 |
| HINDS | 39 | 2 | 37 | 28 | 2 | 26 | 11 | 0 | 11 |
| HOLMES | 6 | 0 | 6 | 1 | 0 | 1 | 5 | 0 | 5 |
| HUMPHREYS | 5 | 0 | 5 | 5 | 0 | 5 | 0 | 0 | 0 |
| ISSAQUENA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 2 | 0 | 2 | 2 | 0 | 2 | 0 | 0 | 0 |
| JACKSON | 13 | 7 | 6 | 9 | 5 | 4 | 4 | 2 | 2 |
| JASPER | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| JEFFERSON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JEFF DAVIS | 2 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| JONES | 10 | 5 | 5 | 5 | 2 | 3 | 5 | 3 | 2 |
| KEMPER | 2 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| LAFAYETTE | 7 | 3 | 4 | 7 | 3 | 4 | 0 | 0 | 0 |
| LAMAR | 6 | 6 | 0 | 3 | 3 | 0 | 3 | 3 | 0 |
| LAUDERDALE | 9 | 4 | 5 | 4 | 3 | 1 | 5 | 1 | 4 |
| LAWRENCE | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| LEAKE | 6 | 6 | 0 | 3 | 3 | 0 | 3 | 3 | 0 |
| LEE | 19 | 9 | 10 | 12 | 4 | 8 | 7 | 5 | 2 |
| LEFLORE | 9 | 0 | 9 | 6 | 0 | 6 | 3 | 0 | 3 |

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2002

| COUNTY | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|--------------|---------------|-------|-----------|-----------------|-------|-----------|---------------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 2 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 |
| LOWNDES | 5 | 3 | 2 | 4 | 3 | 1 | 1 | 0 | 1 |
| MADISON | 14 | 3 | 11 | 8 | 2 | 6 | 6 | 1 | 5 |
| MARION | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| MARSHALL | 7 | 2 | 5 | 4 | 0 | 4 | 3 | 2 | 1 |
| MONROE | 5 | 2 | 3 | 5 | 2 | 3 | 0 | 0 | 0 |
| MONTGOMERY | 2 | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 1 |
| NESHOBA | 3 | 0 | 3 | 3 | 0 | 3 | 0 | 0 | 0 |
| NEWTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOXUBEE | 3 | 1 | 2 | 1 | 0 | 1 | 2 | 1 | 1 |
| OKTIBBEHA | 5 | 2 | 3 | 5 | 2 | 3 | 0 | 0 | 0 |
| PANOLA | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| PEARL RIVER | 9 | 5 | 4 | 6 | 3 | 3 | 3 | 2 | 1 |
| PERRY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PIKE | 5 | 0 | 5 | 2 | 0 | 2 | 3 | 0 | 3 |
| PONTOTOC | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| PRENTISS | 4 | 4 | 0 | 3 | 3 | 0 | 1 | 1 | 0 |
| QUITMAN | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| RANKIN | 13 | 7 | 6 | 11 | 7 | 4 | 2 | 0 | 2 |
| SCOTT | 7 | 4 | 3 | 5 | 2 | 3 | 2 | 2 | 0 |
| SHARKEY | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| SIMPSON | 4 | 3 | 1 | 1 | 0 | 1 | 3 | 3 | 0 |
| SMITH | 4 | 1 | 3 | 2 | 0 | 2 | 2 | 1 | 1 |
| STONE | 4 | 3 | 1 | 2 | 1 | 1 | 2 | 2 | 0 |
| SUNFLOWER | 10 | 0 | 10 | 8 | 0 | 8 | 2 | 0 | 2 |
| TALLAHATCHIE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TATE | 5 | 1 | 4 | 4 | 0 | 4 | 1 | 1 | 0 |
| TIPPAH | 6 | 6 | 0 | 5 | 5 | 0 | 1 | 1 | 0 |
| TISHOMINGO | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| TUNICA | 5 | 2 | 3 | 4 | 2 | 2 | 1 | 0 | 1 |
| UNION | 3 | 2 | 1 | 1 | 0 | 1 | 2 | 2 | 0 |
| WALTHALL | 4 | 2 | 2 | 3 | 2 | 1 | 1 | 0 | 1 |
| WARREN | 4 | 1 | 3 | 2 | 1 | 1 | 2 | 0 | 2 |
| WASHINGTON | 14 | 2 | 12 | 6 | 2 | 4 | 8 | 0 | 8 |
| WAYNE | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| WEBSTER | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| WILKINSON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WINSTON | 2 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| YALOBUSHA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| YAZOO | 7 | 0 | 7 | 3 | 0 | 3 | 4 | 0 | 4 |

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1998-2002 (5-YEAR AVERAGE)

| COUNTY | INFANT** | | | NEONATAL** | | | POSTNEONATAL** | | |
|--------------|-------------|------------|-------------|------------|------------|------------|----------------|------------|------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>10.4</u> | <u>6.7</u> | <u>14.6</u> | <u>6.5</u> | <u>4.0</u> | <u>9.4</u> | <u>3.9</u> | <u>2.7</u> | <u>5.2</u> |
| ADAMS | 12.4 | 12.3 | 12.5 | 7.9 | 6.2 | 8.8 | 4.6 | 6.2 | 3.8 |
| ALCORN | 9.2 | 7.8 | 16.3 | 6.1 | 4.7 | 13.6 | 3.0 | 3.1 | 2.7 |
| AMITE | 6.0 | 4.8 | 7.3 | 2.4 | 2.4 | 2.4 | 3.6 | 2.4 | 4.9 |
| ATTALA | 11.8 | 4.4 | 19.2 | 8.1 | 3.0 | 13.3 | 3.7 | 1.5 | 5.9 |
| BENTON | 11.7 | 15.1 | 7.5 | 3.3 | 6.0 | - | 8.3 | 9.0 | 7.5 |
| BOLIVAR | 11.3 | 8.9 | 12.1 | 7.6 | 6.4 | 8.0 | 3.7 | 2.6 | 4.0 |
| CALHOUN | 7.9 | 9.2 | 5.4 | 5.9 | 6.2 | 5.4 | 2.0 | 3.1 | - |
| CARROLL | 11.0 | 9.1 | 13.9 | 7.4 | 6.1 | 9.2 | 3.7 | 3.0 | 4.6 |
| CHICKASAW | 8.9 | 7.5 | 10.4 | 5.7 | 3.7 | 7.8 | 3.2 | 3.7 | 2.6 |
| CHOCTAW | 8.7 | 5.5 | 14.0 | 5.2 | - | 14.0 | 3.5 | 5.5 | - |
| CLAIBORNE | 14.0 | 13.5 | 14.0 | 9.3 | 13.5 | 8.9 | 4.7 | - | 5.1 |
| CLARKE | 4.2 | 3.1 | 5.6 | 2.6 | 3.1 | 1.9 | 1.7 | - | 3.8 |
| CLAY | 14.3 | 7.5 | 17.5 | 11.3 | 5.6 | 14.0 | 3.0 | 1.9 | 3.5 |
| COAHOMA | 15.7 | 6.3 | 17.6 | 10.3 | 4.2 | 11.5 | 5.5 | 2.1 | 6.1 |
| COPIAH | 16.8 | 8.0 | 22.9 | 11.7 | 5.7 | 15.8 | 5.1 | 2.3 | 7.1 |
| COVINGTON | 12.5 | 10.9 | 14.4 | 6.6 | 4.9 | 8.6 | 5.9 | 6.1 | 5.8 |
| DESOTO | 8.3 | 6.5 | 18.3 | 6.0 | 4.5 | 15.2 | 2.2 | 2.0 | 3.2 |
| FORREST | 8.0 | 5.8 | 10.7 | 4.4 | 3.4 | 5.7 | 3.5 | 2.4 | 4.9 |
| FRANKLIN | 8.5 | 3.0 | 15.8 | 3.4 | - | 7.9 | 5.1 | 3.0 | 7.9 |
| GEORGE | 14.2 | 14.0 | 15.5 | 10.8 | 10.2 | 15.5 | 3.4 | 3.8 | - |
| GREENE | 7.6 | 8.0 | 6.0 | 5.0 | 6.4 | - | 2.5 | 1.6 | 6.0 |
| GRENADA | 10.0 | 3.8 | 16.6 | 8.6 | 3.8 | 13.8 | 1.3 | - | 2.8 |
| HANCOCK | 6.1 | 5.9 | 8.0 | 1.5 | 1.3 | 4.0 | 4.6 | 4.6 | 4.0 |
| HARRISON | 9.5 | 7.5 | 14.1 | 5.2 | 4.3 | 7.4 | 4.3 | 3.2 | 6.7 |
| HINDS | 13.0 | 7.8 | 14.8 | 8.1 | 5.8 | 8.9 | 4.8 | 1.9 | 5.9 |
| HOLMES | 15.3 | 4.5 | 16.6 | 8.1 | - | 9.2 | 7.1 | 4.5 | 7.5 |
| HUMPHREYS | 13.4 | - | 16.2 | 11.5 | - | 13.9 | 1.9 | - | 2.3 |
| ISSAQUENA | - | - | - | - | - | - | - | - | - |
| ITAWAMBA | 8.4 | 6.6 | 27.8 | 6.1 | 4.1 | 27.8 | 2.3 | 2.5 | - |
| JACKSON | 7.0 | 4.7 | 12.2 | 4.3 | 2.7 | 7.9 | 2.7 | 2.0 | 4.3 |
| JASPER | 8.9 | 7.8 | 9.7 | 4.5 | 1.9 | 6.0 | 4.5 | 5.8 | 3.6 |
| JEFFERSON | 10.5 | 20.8 | 9.7 | 6.0 | - | 6.4 | 4.5 | 20.8 | 3.2 |
| JEFF DAVIS | 12.6 | 9.1 | 14.5 | 8.4 | 9.1 | 8.1 | 4.2 | - | 6.5 |
| JONES | 10.8 | 9.2 | 13.3 | 5.7 | 4.3 | 8.0 | 5.1 | 4.9 | 5.3 |
| KEMPER | 13.0 | 5.4 | 15.7 | 10.1 | 5.4 | 11.8 | 2.9 | - | 3.9 |
| LAFAYETTE | 9.9 | 9.3 | 10.8 | 9.0 | 8.5 | 9.7 | 0.9 | 0.8 | 1.1 |
| LAMAR | 9.1 | 8.2 | 13.8 | 6.5 | 5.4 | 11.8 | 2.6 | 2.7 | 2.0 |
| LAUDERDALE | 12.2 | 5.3 | 19.5 | 7.3 | 2.3 | 12.5 | 4.9 | 3.0 | 7.0 |
| LAWRENCE | 6.6 | 3.6 | 11.3 | 3.3 | 1.8 | 5.7 | 3.3 | 1.8 | 5.7 |
| LEAKE | 12.6 | 12.5 | 12.7 | 6.3 | 6.8 | 5.8 | 6.3 | 5.7 | 6.9 |
| LEE | 9.8 | 5.6 | 18.7 | 6.4 | 2.4 | 14.6 | 3.4 | 3.2 | 4.0 |
| LEFLORE | 13.4 | 6.1 | 15.4 | 9.2 | 3.0 | 10.8 | 4.2 | 3.0 | 4.6 |

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1998-2002 AVERAGE

| COUNTY | INFANT** | | | NEONATAL** | | | POSTNEONATAL** | | |
|--------------|----------|-------|-----------|------------|-------|-----------|----------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 6.8 | 5.3 | 9.7 | 5.1 | 4.6 | 6.0 | 1.7 | 0.6 | 3.6 |
| LOWNDES | 10.3 | 6.0 | 14.6 | 7.4 | 3.4 | 11.2 | 2.9 | 2.6 | 3.3 |
| MADISON | 10.6 | 5.0 | 16.9 | 6.8 | 3.1 | 11.0 | 3.8 | 1.8 | 5.9 |
| MARION | 5.8 | 5.4 | 6.5 | 3.7 | 3.6 | 3.9 | 2.1 | 1.8 | 2.6 |
| MARSHALL | 13.0 | 8.6 | 16.4 | 9.5 | 5.2 | 13.0 | 3.4 | 3.4 | 3.4 |
| MONROE | 11.0 | 6.3 | 18.9 | 6.3 | 3.8 | 10.5 | 4.7 | 2.5 | 8.4 |
| MONTGOMERY | 27.0 | 11.7 | 38.0 | 22.1 | 8.8 | 31.7 | 4.9 | 2.9 | 6.3 |
| NESHOBA | 8.9 | 5.0 | 13.0 | 4.2 | 1.7 | 6.9 | 4.7 | 3.3 | 6.1 |
| NEWTON | 9.0 | 5.5 | 13.4 | 4.8 | 4.4 | 5.4 | 4.2 | 1.1 | 8.0 |
| NOXUBEE | 22.0 | 3.9 | 27.6 | 10.1 | - | 13.2 | 11.9 | 3.9 | 14.4 |
| OKTIBBEHA | 7.4 | 3.9 | 10.4 | 6.3 | 3.9 | 8.4 | 1.1 | - | 2.1 |
| PANOLA | 11.1 | 6.2 | 14.3 | 6.6 | 1.8 | 9.7 | 4.5 | 4.4 | 4.6 |
| PEARL RIVER | 6.6 | 5.1 | 14.3 | 3.9 | 2.5 | 10.7 | 2.7 | 2.5 | 3.6 |
| PERRY | 6.5 | 2.9 | 16.7 | 5.4 | 1.5 | 16.7 | 1.1 | 1.5 | - |
| PIKE | 7.4 | 2.4 | 10.7 | 4.6 | 1.6 | 6.6 | 2.8 | 0.8 | 4.1 |
| PONTOTOC | 4.2 | 3.7 | 7.0 | 2.1 | 1.9 | 3.5 | 2.1 | 1.9 | 3.5 |
| PRENTISS | 9.7 | 11.6 | - | 7.3 | 8.7 | - | 2.4 | 2.9 | - |
| QUITMAN | 13.0 | 13.6 | 12.9 | 5.9 | 13.6 | 4.3 | 7.1 | - | 8.6 |
| RANKIN | 7.3 | 5.4 | 14.9 | 4.8 | 3.2 | 11.8 | 2.4 | 2.3 | 3.1 |
| SCOTT | 14.9 | 14.7 | 15.2 | 7.2 | 6.5 | 8.1 | 7.7 | 8.2 | 7.1 |
| SHARKEY | 3.6 | - | 4.4 | - | - | - | 3.6 | - | 4.4 |
| SIMPSON | 11.9 | 8.8 | 16.0 | 6.5 | 1.8 | 12.6 | 5.5 | 7.0 | 3.4 |
| SMITH | 8.8 | 4.3 | 18.1 | 6.8 | 2.9 | 15.1 | 2.0 | 1.4 | 3.0 |
| STONE | 8.0 | 6.8 | 11.1 | 5.0 | 2.7 | 11.1 | 3.0 | 4.1 | - |
| SUNFLOWER | 15.6 | 5.8 | 18.1 | 8.8 | 1.9 | 10.4 | 6.9 | 3.9 | 7.6 |
| TALLAHATCHIE | 4.8 | - | 6.8 | 2.9 | - | 4.1 | 1.9 | - | 2.7 |
| TATE | 11.4 | 5.8 | 20.8 | 6.2 | 1.7 | 13.9 | 5.2 | 4.1 | 6.9 |
| TIPPAH | 8.0 | 8.4 | 6.3 | 5.6 | 5.4 | 6.3 | 2.5 | 3.1 | - |
| TISHOMINGO | 8.6 | 8.8 | - | 4.3 | 4.4 | - | 4.3 | 4.4 | - |
| TUNICA | 22.2 | 14.8 | 23.5 | 11.1 | 14.8 | 10.4 | 11.1 | - | 13.0 |
| UNION | 7.9 | 7.3 | 10.7 | 4.2 | 3.3 | 8.0 | 3.7 | 4.0 | 2.7 |
| WALTHALL | 10.9 | 8.4 | 12.8 | 8.2 | 8.4 | 8.0 | 2.7 | - | 4.8 |
| WARREN | 10.5 | 5.8 | 14.1 | 6.4 | 4.7 | 7.7 | 4.1 | 1.2 | 6.4 |
| WASHINGTON | 12.3 | 4.5 | 14.7 | 6.7 | 3.8 | 7.6 | 5.6 | 0.8 | 7.1 |
| WAYNE | 9.2 | 4.9 | 13.6 | 6.2 | 2.4 | 9.9 | 3.1 | 2.4 | 3.7 |
| WEBSTER | 9.8 | 5.8 | 20.5 | 4.2 | 3.9 | 5.1 | 5.6 | 1.9 | 15.4 |
| WILKINSON | 5.8 | - | 7.4 | 1.4 | - | 1.9 | 4.4 | - | 5.6 |
| WINSTON | 9.6 | 5.2 | 13.0 | 8.2 | 5.2 | 10.4 | 1.5 | - | 2.6 |
| YALOBUSHA | 7.5 | 6.3 | 8.8 | 4.3 | 4.2 | 4.4 | 3.2 | 2.1 | 4.4 |
| YAZOO | 12.0 | 6.5 | 15.0 | 7.6 | 2.6 | 10.2 | 4.5 | 3.9 | 4.8 |

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 2002**

| CAUSE OF DEATH AND GROUP NUMBER** | TOTAL | | RACE | TOTAL BY RACE | UNDER 28 DAYS OF AGE | | | | | | 28 DAYS AND OVER |
|---|------------|-------------|------|---------------------|----------------------|------------|-----------|-----------|-----------|-----------|---------------------------|
| | NUMBER | RATE# | | | TOT- | < 1 | 1- | 7- | 14- | 21- | |
| | | | | | AL | DAY | 6 | 13 | 20 | 27 | |
| <u>ALL CAUSES</u> | <u>428</u> | <u>10.3</u> | W | <u>155</u> | <u>100</u> | <u>50</u> | <u>18</u> | <u>14</u> | <u>8</u> | <u>10</u> | <u>55</u> |
| | | | NW | <u>273</u> | <u>181</u> | <u>107</u> | <u>30</u> | <u>17</u> | <u>16</u> | <u>11</u> | <u>92</u> |
| SEPTICEMIA (008) | 7 | 0.2 | W | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | | | NW | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| MENINGITIS (033) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| INFANTILE SPINAL MUSCULAR ATROPHY, TYPE I (WERDNIG-HOFFMAN) (034) | 1 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036) | 1 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE EAR AND MASTOID PROCESS (038) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| DISEASES OF THE CIRCULATORY SYSTEM (039-044) | 15 | 0.4 | W | 9 | 1 | 0 | 0 | 1 | 0 | 0 | 8 |
| | | | NW | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| INFLUENZA AND PNEUMONIA (046,047) | 7 | 0.2 | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053) | 5 | 0.1 | W | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | | | NW | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056) | 10 | 0.2 | W | 4 | 3 | 1 | 2 | 0 | 0 | 0 | 1 |
| | | | NW | 6 | 6 | 0 | 2 | 2 | 2 | 0 | 0 |
| NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063) | 14 | 0.3 | W | 7 | 7 | 7 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 7 | 7 | 7 | 0 | 0 | 0 | 0 | 0 |

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2002

| CAUSE OF DEATH AND GROUP NUMBER** | TOTAL | | RACE | TOTAL BY RACE | UNDER 28 DAYS OF AGE | | | | | | 28 DAYS AND OVER |
|--|--------|-------|------|---------------------|----------------------|-----|----|----|-----|-----|---------------------------|
| | NUMBER | RATE# | | | TOT- | < 1 | 1- | 7- | 14- | 21- | |
| | | | | | AL | DAY | 6 | 13 | 20 | 27 | |
| NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067) | 13 | 0.3 | W | 6 | 6 | 6 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 7 | 7 | 6 | 1 | 0 | 0 | 0 | 0 |
| NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| SLOW FETAL GROWTH AND FETAL MALNUTRITION (070) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072) | 95 | 2.3 | W | 25 | 25 | 19 | 3 | 1 | 1 | 1 | 0 |
| | | | NW | 70 | 68 | 61 | 4 | 0 | 1 | 2 | 2 |
| BIRTH TRAUMA (074) | 2 | ## | W | 2 | 2 | 0 | 1 | 1 | 0 | 0 | 0 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076) | 4 | 0.1 | W | 3 | 3 | 0 | 1 | 1 | 1 | 0 | 0 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| RESPIRATORY DISTRESS OF NEWBORN (077) | 11 | 0.3 | W | 3 | 3 | 1 | 2 | 0 | 0 | 0 | 0 |
| | | | NW | 8 | 8 | 2 | 5 | 1 | 0 | 0 | 0 |
| CONGENITAL PNEUMONIA (078) | 5 | 0.1 | W | 4 | 4 | 0 | 0 | 2 | 1 | 1 | 0 |
| | | | NW | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080) | 4 | 0.1 | W | 3 | 3 | 2 | 0 | 0 | 0 | 1 | 0 |
| | | | NW | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081) | 5 | 0.1 | W | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| | | | NW | 4 | 4 | 0 | 4 | 0 | 0 | 0 | 0 |
| CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082) | 3 | 0.1 | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| ATELECTASIS (083) | 5 | 0.1 | W | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 3 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| BACTERIAL SEPSIS OF NEWBORN (085) | 17 | 0.4 | W | 7 | 7 | 1 | 2 | 2 | 1 | 1 | 0 |
| | | | NW | 10 | 10 | 1 | 1 | 6 | 1 | 1 | 0 |
| NEONATAL HEMORRHAGE (088) | 3 | 0.1 | W | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| | | | NW | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 |
| HEMATOLOGICAL DISORDERS (091) | 2 | ## | W | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2002

| CAUSE OF DEATH AND GROUP NUMBER** | TOTAL | | RACE | TOTAL BY RACE | UNDER 28 DAYS OF AGE | | | | | | 28 DAYS AND OVER |
|--|--------|-------|------|---------------|----------------------|-----|----|----|-----|-----|------------------|
| | NUMBER | RATE# | | | TOT- | < 1 | 1- | 7- | 14- | 21- | |
| | | | | | AL | DAY | 6 | 13 | 20 | 27 | |
| NECROTIZING ENTEROCOLITIS OF NEWBORN (093) | 9 | 0.2 | W | 2 | 2 | 0 | 0 | 1 | 0 | 1 | 0 |
| | | | NW | 7 | 7 | 0 | 0 | 3 | 2 | 2 | 0 |
| HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110) | 59 | 1.4 | W | 22 | 16 | 7 | 1 | 2 | 3 | 3 | 6 |
| | | | NW | 37 | 24 | 9 | 7 | 2 | 3 | 3 | 13 |
| SUDDEN INFANT DEATH SYNDROME (111) | 55 | 1.3 | W | 26 | 4 | 0 | 0 | 2 | 1 | 1 | 22 |
| | | | NW | 29 | 3 | 0 | 1 | 1 | 1 | 0 | 26 |
| ACCIDENTS (114-124) | 11 | 0.3 | W | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | | | NW | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| ASSAULT (HOMICIDE) (125-128) | 2 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ALL OTHER CAUSES | 55 | 1.3 | W | 14 | 9 | 4 | 3 | 1 | 0 | 1 | 5 |
| | | | NW | 41 | 23 | 13 | 3 | 1 | 4 | 2 | 18 |

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2002

| COUNTY | TOTAL | MOTOR VEHICLE | OTHER TRANS- PORT | POISON- ING | FALLS | SMOKE, FIRE, FLAMES | DROWNING AND SUB- MERSION | FIRE- ARMS | ALL OTHER |
|--------------|--------------|------------------|-------------------------|----------------|------------|---------------------------|---------------------------------|---------------|--------------|
| <u>STATE</u> | <u>1,637</u> | <u>898</u> | <u>55</u> | <u>134</u> | <u>179</u> | <u>108</u> | <u>50</u> | <u>17</u> | <u>196</u> |
| ADAMS | 13 | 7 | 0 | 0 | 2 | 0 | 0 | 0 | 4 |
| ALCORN | 21 | 10 | 0 | 4 | 2 | 0 | 0 | 0 | 5 |
| AMITE | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ATTALA | 7 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| BENTON | 6 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 |
| BOLIVAR | 9 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| CALHOUN | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CARROLL | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHICKASAW | 4 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| CHOCTAW | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLAIBORNE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| CLARKE | 8 | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| CLAY | 3 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| COAHOMA | 15 | 10 | 2 | 0 | 1 | 0 | 1 | 0 | 1 |
| COPIAH | 18 | 11 | 1 | 0 | 2 | 4 | 0 | 0 | 0 |
| COVINGTON | 14 | 7 | 0 | 1 | 1 | 4 | 0 | 0 | 1 |
| DESOTO | 41 | 23 | 1 | 6 | 5 | 1 | 0 | 0 | 5 |
| FORREST | 88 | 56 | 6 | 4 | 15 | 1 | 0 | 0 | 6 |
| FRANKLIN | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GEORGE | 15 | 10 | 1 | 2 | 1 | 0 | 0 | 0 | 1 |
| GREENE | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GRENADA | 18 | 13 | 0 | 0 | 1 | 4 | 0 | 0 | 0 |
| HANCOCK | 28 | 16 | 0 | 7 | 1 | 2 | 0 | 0 | 2 |
| HARRISON | 111 | 26 | 7 | 36 | 11 | 2 | 9 | 0 | 20 |
| HINDS | 223 | 130 | 5 | 1 | 40 | 4 | 3 | 1 | 39 |
| HOLMES | 17 | 7 | 1 | 0 | 0 | 6 | 1 | 0 | 2 |
| HUMPHREYS | 6 | 4 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| ISSAQUENA | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| JACKSON | 71 | 18 | 5 | 20 | 8 | 4 | 3 | 2 | 11 |
| JASPER | 12 | 7 | 0 | 0 | 1 | 3 | 0 | 0 | 1 |
| JEFFERSON | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JEFF DAVIS | 5 | 4 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| JONES | 31 | 18 | 1 | 2 | 0 | 3 | 1 | 0 | 6 |
| KEMPER | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LAFAYETTE | 26 | 10 | 1 | 1 | 10 | 0 | 0 | 0 | 4 |
| LAMAR | 13 | 7 | 0 | 0 | 3 | 1 | 0 | 0 | 2 |
| LAUDERDALE | 55 | 32 | 3 | 4 | 5 | 0 | 0 | 0 | 11 |
| LAWRENCE | 5 | 4 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| LEAKE | 21 | 17 | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| LEE | 85 | 35 | 1 | 7 | 27 | 1 | 1 | 1 | 12 |
| LEFLORE | 25 | 14 | 0 | 0 | 2 | 2 | 2 | 0 | 5 |

TABLE 14 -PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2002

| COUNTY | TOTAL | MOTOR VEHICLE | OTHER TRANS- PORT | POISON- ING | FALLS | SMOKE, FIRE, FLAMES | DROWNING AND SUB- MERSION | FIRE- ARMS | ALL OTHER |
|--------------|-------|------------------|-------------------------|----------------|-------|---------------------------|---------------------------------|---------------|--------------|
| LINCOLN | 11 | 2 | 0 | 2 | 2 | 2 | 0 | 1 | 2 |
| LOWNDES | 25 | 10 | 1 | 3 | 8 | 0 | 1 | 1 | 1 |
| MADISON | 26 | 22 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| MARION | 14 | 6 | 1 | 2 | 1 | 1 | 1 | 0 | 2 |
| MARSHALL | 14 | 10 | 1 | 1 | 0 | 2 | 0 | 0 | 0 |
| MONROE | 18 | 13 | 0 | 0 | 1 | 1 | 1 | 1 | 1 |
| MONTGOMERY | 11 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| NESHOBA | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NEWTON | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOXUBEE | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OKTIBBEHA | 14 | 8 | 1 | 3 | 0 | 2 | 0 | 0 | 0 |
| PANOLA | 21 | 13 | 0 | 3 | 0 | 1 | 1 | 0 | 3 |
| PEARL RIVER | 31 | 18 | 0 | 7 | 1 | 1 | 0 | 1 | 3 |
| PERRY | 7 | 3 | 0 | 1 | 0 | 0 | 0 | 2 | 1 |
| PIKE | 23 | 15 | 1 | 3 | 0 | 0 | 1 | 0 | 3 |
| PONTOTOC | 12 | 6 | 0 | 1 | 1 | 1 | 0 | 1 | 2 |
| PRENTISS | 8 | 5 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| QUITMAN | 11 | 7 | 0 | 1 | 0 | 1 | 2 | 0 | 0 |
| RANKIN | 36 | 21 | 1 | 2 | 2 | 7 | 0 | 0 | 3 |
| SCOTT | 19 | 13 | 0 | 0 | 0 | 3 | 1 | 0 | 2 |
| SHARKEY | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| SIMPSON | 22 | 16 | 0 | 1 | 3 | 1 | 0 | 0 | 1 |
| SMITH | 4 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| STONE | 7 | 5 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| SUNFLOWER | 10 | 6 | 1 | 0 | 1 | 0 | 2 | 0 | 0 |
| TALLAHATCHIE | 7 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| TATE | 12 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| TIPPAH | 8 | 7 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| TISHOMINGO | 13 | 6 | 1 | 1 | 0 | 1 | 2 | 0 | 2 |
| TUNICA | 9 | 7 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| UNION | 11 | 7 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| WALTHALL | 11 | 6 | 1 | 0 | 0 | 3 | 1 | 0 | 0 |
| WARREN | 15 | 10 | 0 | 0 | 1 | 1 | 1 | 0 | 2 |
| WASHINGTON | 68 | 23 | 0 | 0 | 7 | 23 | 2 | 2 | 11 |
| WAYNE | 16 | 9 | 0 | 0 | 1 | 3 | 2 | 0 | 1 |
| WEBSTER | 4 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| WILKINSON | 6 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 1 |
| WINSTON | 11 | 7 | 1 | 1 | 1 | 0 | 0 | 1 | 0 |
| YALOBUSHA | 6 | 3 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| YAZOO | 19 | 11 | 1 | 1 | 1 | 2 | 1 | 0 | 2 |

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2002

| COUNTY | LICENSURE DATA | | | OCCURRENCE DATA | | | RESIDENCE DATA | | |
|--------------|----------------|---------------|--------------|-----------------|---------------|--------------|----------------|---------------|--------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>18,447</u> | <u>12,451</u> | <u>5,996</u> | <u>18,447</u> | <u>12,451</u> | <u>5,996</u> | <u>17,169</u> | <u>11,485</u> | <u>5,684</u> |
| ADAMS | 294 | 175 | 119 | 314 | 191 | 123 | 203 | 98 | 105 |
| ALCORN | 134 | 123 | 11 | 140 | 129 | 11 | 111 | 103 | 8 |
| AMITE | 100 | 71 | 29 | 90 | 60 | 30 | 85 | 54 | 31 |
| ATTALA | 141 | 98 | 43 | 139 | 93 | 46 | 137 | 100 | 37 |
| BENTON | 22 | 16 | 6 | 45 | 30 | 15 | 28 | 20 | 8 |
| BOLIVAR | 0 | 0 | 0 | 23 | 14 | 9 | 16 | 13 | 3 |
| CALHOUN | 108 | 78 | 30 | 101 | 75 | 26 | 107 | 77 | 30 |
| CARROLL | 60 | 44 | 16 | 64 | 46 | 18 | 62 | 46 | 16 |
| CHICKASAW | 143 | 91 | 52 | 161 | 105 | 56 | 141 | 94 | 47 |
| CHOCTAW | 70 | 50 | 20 | 69 | 51 | 18 | 64 | 44 | 20 |
| CLAIBORNE | 64 | 4 | 60 | 69 | 11 | 58 | 58 | 3 | 55 |
| CLARKE | 88 | 54 | 34 | 113 | 68 | 45 | 96 | 52 | 44 |
| CLAY | 125 | 61 | 64 | 139 | 69 | 70 | 120 | 56 | 64 |
| COAHOMA | 115 | 36 | 79 | 124 | 41 | 83 | 99 | 33 | 66 |
| COPIAH | 193 | 96 | 97 | 213 | 113 | 100 | 191 | 94 | 97 |
| COVINGTON | 152 | 109 | 43 | 150 | 110 | 40 | 164 | 122 | 42 |
| DESOTO | 611 | 525 | 86 | 528 | 463 | 65 | 464 | 410 | 54 |
| FORREST | 698 | 484 | 214 | 621 | 425 | 196 | 578 | 389 | 189 |
| FRANKLIN | 40 | 33 | 7 | 42 | 36 | 6 | 39 | 33 | 6 |
| GEORGE | 155 | 138 | 17 | 154 | 141 | 13 | 126 | 115 | 11 |
| GREENE | 74 | 65 | 9 | 75 | 65 | 10 | 73 | 65 | 8 |
| GRENADA | 164 | 107 | 57 | 157 | 98 | 59 | 143 | 101 | 42 |
| HANCOCK | 292 | 284 | 8 | 279 | 269 | 10 | 266 | 257 | 9 |
| HARRISON | 1,622 | 1,272 | 350 | 1,682 | 1,338 | 344 | 1,329 | 1,020 | 309 |
| HINDS | 1,895 | 820 | 1,075 | 1,826 | 807 | 1,019 | 1,620 | 637 | 983 |
| HOLMES | 141 | 30 | 111 | 160 | 40 | 120 | 129 | 26 | 103 |
| HUMPHREYS | 60 | 25 | 35 | 70 | 26 | 44 | 56 | 18 | 38 |
| ISSAQUENA | 2 | 0 | 2 | 5 | 2 | 3 | 5 | 2 | 3 |
| ITAWAMBA | 127 | 119 | 8 | 134 | 127 | 7 | 134 | 127 | 7 |
| JACKSON | 709 | 553 | 156 | 722 | 566 | 156 | 748 | 585 | 163 |
| JASPER | 133 | 65 | 68 | 137 | 64 | 73 | 133 | 62 | 71 |
| JEFFERSON | 44 | 6 | 38 | 50 | 10 | 40 | 41 | 6 | 35 |
| JEFF DAVIS | 102 | 53 | 49 | 110 | 54 | 56 | 100 | 51 | 49 |
| JONES | 476 | 352 | 124 | 465 | 346 | 119 | 447 | 328 | 119 |
| KEMPER | 65 | 26 | 39 | 71 | 25 | 46 | 59 | 26 | 33 |
| LAFAYETTE | 237 | 176 | 61 | 231 | 174 | 57 | 218 | 157 | 61 |
| LAMAR | 272 | 248 | 24 | 275 | 249 | 26 | 357 | 306 | 51 |
| LAUDERDALE | 505 | 341 | 164 | 500 | 340 | 160 | 444 | 292 | 152 |
| LAWRENCE | 97 | 73 | 24 | 122 | 91 | 31 | 93 | 67 | 26 |
| LEAKE | 133 | 85 | 48 | 143 | 90 | 53 | 148 | 93 | 55 |
| LEE | 551 | 425 | 126 | 501 | 391 | 110 | 490 | 375 | 115 |
| LEFLORE | 181 | 76 | 105 | 181 | 77 | 104 | 157 | 61 | 96 |

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2002

| COUNTY | LICENSURE DATA | | | OCCURRENCE DATA | | | RESIDENCE DATA | | |
|--------------|----------------|-------|-----------|-----------------|-------|-----------|----------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 310 | 215 | 95 | 293 | 202 | 91 | 291 | 210 | 81 |
| LOWNDES | 313 | 187 | 126 | 315 | 183 | 132 | 273 | 151 | 122 |
| MADISON | 412 | 262 | 150 | 455 | 294 | 161 | 525 | 328 | 197 |
| MARION | 236 | 166 | 70 | 239 | 165 | 74 | 217 | 155 | 62 |
| MARSHALL | 143 | 83 | 60 | 135 | 80 | 55 | 120 | 73 | 47 |
| MONROE | 196 | 140 | 56 | 223 | 166 | 57 | 203 | 141 | 62 |
| MONTGOMERY | 72 | 37 | 35 | 78 | 40 | 38 | 72 | 33 | 39 |
| NESHOBA | 189 | 118 | 71 | 204 | 132 | 72 | 201 | 123 | 78 |
| NEWTON | 143 | 98 | 45 | 136 | 97 | 39 | 154 | 110 | 44 |
| NOXUBEE | 67 | 15 | 52 | 80 | 26 | 54 | 63 | 15 | 48 |
| OKTIBBEHA | 278 | 173 | 105 | 237 | 133 | 104 | 274 | 174 | 100 |
| PANOLA | 177 | 106 | 71 | 178 | 99 | 79 | 167 | 93 | 74 |
| PEARL RIVER | 353 | 314 | 39 | 353 | 313 | 40 | 336 | 300 | 36 |
| PERRY | 78 | 66 | 12 | 84 | 71 | 13 | 90 | 75 | 15 |
| PIKE | 313 | 181 | 132 | 327 | 189 | 138 | 282 | 162 | 120 |
| PONTOTOC | 181 | 159 | 22 | 165 | 144 | 21 | 183 | 160 | 23 |
| PRENTISS | 118 | 104 | 14 | 123 | 107 | 16 | 109 | 94 | 15 |
| QUITMAN | 43 | 10 | 33 | 49 | 13 | 36 | 48 | 14 | 34 |
| RANKIN | 937 | 805 | 132 | 770 | 647 | 123 | 972 | 829 | 143 |
| SCOTT | 217 | 150 | 67 | 226 | 161 | 65 | 203 | 141 | 62 |
| SHARKEY | 26 | 14 | 12 | 29 | 15 | 14 | 17 | 9 | 8 |
| SIMPSON | 194 | 141 | 53 | 199 | 145 | 54 | 196 | 140 | 56 |
| SMITH | 93 | 74 | 19 | 107 | 86 | 21 | 106 | 85 | 21 |
| STONE | 123 | 104 | 19 | 122 | 103 | 19 | 103 | 92 | 11 |
| SUNFLOWER | 121 | 32 | 89 | 135 | 41 | 94 | 77 | 21 | 56 |
| TALLAHATCHIE | 56 | 23 | 33 | 64 | 30 | 34 | 60 | 24 | 36 |
| TATE | 159 | 104 | 55 | 170 | 121 | 49 | 148 | 104 | 44 |
| TIPPAH | 113 | 94 | 19 | 135 | 111 | 24 | 116 | 96 | 20 |
| TISHOMINGO | 85 | 84 | 1 | 85 | 84 | 1 | 73 | 72 | 1 |
| TUNICA | 69 | 28 | 41 | 75 | 34 | 41 | 61 | 20 | 41 |
| UNION | 146 | 132 | 14 | 144 | 126 | 18 | 146 | 132 | 14 |
| WALTHALL | 124 | 76 | 48 | 118 | 68 | 50 | 121 | 71 | 50 |
| WARREN | 341 | 204 | 137 | 347 | 215 | 132 | 298 | 168 | 130 |
| WASHINGTON | 208 | 106 | 102 | 211 | 108 | 103 | 183 | 90 | 93 |
| WAYNE | 117 | 71 | 46 | 116 | 75 | 41 | 114 | 71 | 43 |
| WEBSTER | 74 | 62 | 12 | 73 | 63 | 10 | 77 | 66 | 11 |
| WILKINSON | 52 | 18 | 34 | 59 | 26 | 33 | 46 | 14 | 32 |
| WINSTON | 138 | 69 | 69 | 146 | 73 | 73 | 127 | 63 | 64 |
| YALOBUSHA | 89 | 66 | 23 | 89 | 63 | 26 | 100 | 77 | 23 |
| YAZOO | 148 | 73 | 75 | 158 | 82 | 76 | 138 | 71 | 67 |
| OUT OF STATE | * | * | * | * | * | * | 1,278 | 966 | 312 |

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2002

| COUNTY | TOTAL | WHITE | NON-WHITE | UN-KNOWN | COUNTY | TOTAL | WHITE | NON-WHITE | UN-KNOWN |
|--------------|---------------|---------------|--------------|------------|--------------|-------|-------|-----------|----------|
| <u>STATE</u> | <u>14,196</u> | <u>10,548</u> | <u>3,466</u> | <u>182</u> | | | | | |
| ADAMS | 129 | 73 | 55 | 1 | LINCOLN | 168 | 132 | 34 | 2 |
| ALCORN | 271 | 237 | 30 | 4 | LOWNDES | 286 | 204 | 80 | 2 |
| AMITE | 57 | 46 | 11 | 0 | MADISON | 270 | 202 | 64 | 4 |
| ATTALA | 87 | 66 | 21 | 0 | MARION | 131 | 101 | 30 | 0 |
| BENTON | 37 | 28 | 9 | 0 | MARSHALL | 168 | 109 | 55 | 4 |
| BOLIVAR | 125 | 61 | 64 | 0 | MONROE | 236 | 195 | 41 | 0 |
| CALHOUN | 74 | 62 | 11 | 1 | MONTGOMERY | 39 | 31 | 8 | 0 |
| CARROLL | 33 | 27 | 6 | 0 | NESHOBA | 141 | 113 | 28 | 0 |
| CHICKASAW | 80 | 60 | 17 | 3 | NEWTON | 134 | 101 | 32 | 1 |
| CHOCTAW | 43 | 29 | 14 | 0 | NOXUBEE | 38 | 13 | 25 | 0 |
| CLAIBORNE | 26 | 3 | 23 | 0 | OKTIBBEHA | 96 | 61 | 35 | 0 |
| CLARKE | 64 | 52 | 12 | 0 | PANOLA | 174 | 116 | 58 | 0 |
| CLAY | 81 | 44 | 36 | 1 | PEARL RIVER | 276 | 254 | 22 | 0 |
| COAHOMA | 95 | 34 | 61 | 0 | PERRY | 67 | 61 | 5 | 1 |
| COPIAH | 102 | 61 | 41 | 0 | PIKE | 215 | 122 | 86 | 7 |
| COVINGTON | 107 | 94 | 12 | 1 | PONTOTOC | 161 | 140 | 21 | 0 |
| DESOTO | 756 | 668 | 61 | 27 | PRENTISS | 198 | 169 | 18 | 11 |
| FORREST | 379 | 290 | 88 | 1 | QUITMAN | 30 | 16 | 14 | 0 |
| FRANKLIN | 38 | 34 | 4 | 0 | RANKIN | 674 | 602 | 72 | 0 |
| GEORGE | 108 | 97 | 5 | 6 | SCOTT | 149 | 95 | 54 | 0 |
| GREENE | 49 | 43 | 1 | 5 | SHARKEY | 10 | 6 | 4 | 0 |
| GRENADA | 117 | 88 | 29 | 0 | SIMPSON | 144 | 126 | 18 | 0 |
| HANCOCK | 220 | 201 | 13 | 6 | SMITH | 82 | 68 | 14 | 0 |
| HARRISON | 1,201 | 937 | 218 | 46 | STONE | 82 | 77 | 5 | 0 |
| HINDS | 1,040 | 425 | 605 | 10 | SUNFLOWER | 95 | 39 | 56 | 0 |
| HOLMES | 49 | 13 | 36 | 0 | TALLAHATCHIE | 39 | 21 | 18 | 0 |
| HUMPHREYS | 1 | 1 | 0 | 0 | TATE | 136 | 115 | 21 | 0 |
| ISSAQUENA | 4 | 2 | 2 | 0 | TIPPAH | 142 | 125 | 12 | 5 |
| ITAWAMBA | 165 | 154 | 5 | 6 | TISHOMINGO | 136 | 132 | 4 | 0 |
| JACKSON | 785 | 659 | 126 | 0 | TUNICA | 36 | 17 | 19 | 0 |
| JASPER | 70 | 43 | 27 | 0 | UNION | 168 | 144 | 20 | 4 |
| JEFFERSON | 23 | 4 | 19 | 0 | WALTHALL | 78 | 53 | 25 | 0 |
| JEFF DAVIS | 56 | 30 | 26 | 0 | WARREN | 248 | 164 | 83 | 1 |
| JONES | 388 | 325 | 62 | 1 | WASHINGTON | 264 | 130 | 134 | 0 |
| KEMPER | 34 | 19 | 15 | 0 | WAYNE | 83 | 64 | 19 | 0 |
| LAFAYETTE | 97 | 75 | 22 | 0 | WEBSTER | 38 | 30 | 8 | 0 |
| LAMAR | 256 | 237 | 19 | 0 | WILKINSON | 24 | 10 | 14 | 0 |
| LAUDERDALE | 417 | 302 | 114 | 1 | WINSTON | 62 | 41 | 21 | 0 |
| LAWRENCE | 54 | 38 | 16 | 0 | YALOBUSHA | 69 | 53 | 16 | 0 |
| LEAKE | 110 | 83 | 27 | 0 | YAZOO | 99 | 63 | 36 | 0 |
| LEE | 526 | 407 | 99 | 20 | | | | | |
| LEFLORE | 156 | 81 | 75 | 0 | | | | | |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2002

| COUNTY | TOTAL | WHITE | NON-WHITE | UN-KNOWN | COUNTY | TOTAL | WHITE | NON-WHITE | UN-KNOWN |
|--------------|--------------|------------|--------------|----------|--------------|-------|-------|-----------|----------|
| <u>STATE</u> | <u>3,455</u> | <u>919</u> | <u>2,534</u> | <u>2</u> | | | | | |
| ADAMS | 61 | 12 | 49 | 0 | LINCOLN | 35 | 7 | 28 | 0 |
| ALCORN | 2 | 1 | 1 | 0 | LOWNDES | 10 | 3 | 7 | 0 |
| AMITE | 17 | 3 | 14 | 0 | MADISON | 246 | 80 | 166 | 0 |
| ATTALA | 33 | 6 | 27 | 0 | MARION | 19 | 7 | 12 | 0 |
| BENTON | 2 | 0 | 2 | 0 | MARSHALL | 2 | 1 | 1 | 0 |
| BOLIVAR | 24 | 5 | 19 | 0 | MONROE | 1 | 0 | 1 | 0 |
| CALHOUN | 4 | 1 | 3 | 0 | MONTGOMERY | 12 | 6 | 6 | 0 |
| CARROLL | 6 | 2 | 4 | 0 | NESHOPA | 20 | 11 | 9 | 0 |
| CHICKASAW | 5 | 3 | 2 | 0 | NEWTON | 30 | 10 | 20 | 0 |
| CHOCTAW | 3 | 2 | 1 | 0 | NOXUBEE | 1 | 0 | 1 | 0 |
| CLAIBORNE | 36 | 1 | 35 | 0 | OKTIBBEHA | 25 | 11 | 14 | 0 |
| CLARKE | 11 | 4 | 7 | 0 | PANOLA | 1 | 0 | 1 | 0 |
| CLAY | 3 | 1 | 2 | 0 | PEARL RIVER | 5 | 4 | 1 | 0 |
| COAHOMA | 0 | 0 | 0 | 0 | PERRY | 5 | 4 | 1 | 0 |
| COPIAH | 67 | 13 | 54 | 0 | PIKE | 76 | 14 | 62 | 0 |
| COVINGTON | 21 | 9 | 12 | 0 | PONTOTOC | 2 | 1 | 1 | 0 |
| DESOTO | 1 | 0 | 1 | 0 | PRENTISS | 1 | 0 | 1 | 0 |
| FORREST | 152 | 60 | 92 | 0 | QUITMAN | 1 | 1 | 0 | 0 |
| FRANKLIN | 7 | 2 | 5 | 0 | RANKIN | 283 | 173 | 110 | 0 |
| GEORGE | 2 | 2 | 0 | 0 | SCOTT | 65 | 27 | 38 | 0 |
| GREENE | 0 | 0 | 0 | 0 | SHARKEY | 10 | 2 | 8 | 0 |
| GRENADA | 17 | 13 | 4 | 0 | SIMPSON | 39 | 18 | 21 | 0 |
| HANCOCK | 0 | 0 | 0 | 0 | SMITH | 19 | 14 | 5 | 0 |
| HARRISON | 31 | 15 | 15 | 1 | STONE | 3 | 3 | 0 | 0 |
| HINDS | 1,267 | 175 | 1,091 | 1 | SUNFLOWER | 27 | 4 | 23 | 0 |
| HOLMES | 83 | 5 | 78 | 0 | TALLAHATCHIE | 0 | 0 | 0 | 0 |
| HUMPHREYS | 16 | 2 | 14 | 0 | TATE | 1 | 1 | 0 | 0 |
| ISSAQUENA | 5 | 0 | 5 | 0 | TIPPAH | 0 | 0 | 0 | 0 |
| ITAWAMBA | 1 | 0 | 1 | 0 | TISHOMINGO | 0 | 0 | 0 | 0 |
| JACKSON | 3 | 2 | 1 | 0 | TUNICA | 0 | 0 | 0 | 0 |
| JASPER | 14 | 1 | 13 | 0 | UNION | 4 | 4 | 0 | 0 |
| JEFFERSON | 26 | 1 | 25 | 0 | WALTHALL | 15 | 2 | 13 | 0 |
| JEFF DAVIS | 8 | 3 | 5 | 0 | WARREN | 149 | 33 | 116 | 0 |
| JONES | 62 | 30 | 32 | 0 | WASHINGTON | 67 | 13 | 54 | 0 |
| KEMPER | 5 | 1 | 4 | 0 | WAYNE | 8 | 3 | 5 | 0 |
| LAFAYETTE | 11 | 7 | 4 | 0 | WEBSTER | 2 | 1 | 1 | 0 |
| LAMAR | 32 | 20 | 12 | 0 | WILKINSON | 2 | 0 | 2 | 0 |
| LAUDERDALE | 37 | 10 | 27 | 0 | WINSTON | 11 | 3 | 8 | 0 |
| LAWRENCE | 24 | 8 | 16 | 0 | YALOBUSHA | 3 | 3 | 0 | 0 |
| LEAKE | 33 | 7 | 26 | 0 | YAZOO | 62 | 16 | 46 | 0 |
| LEE | 3 | 3 | 0 | 0 | | | | | |
| LEFLORE | 58 | 9 | 49 | 0 | | | | | |

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2002

| COUNTY | TOTAL** | | | WHITE | | | NONWHITE | | |
|--------------|--------------|------------|--------------|--------------|-----------|--------------|--------------|------------|--------------|
| | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 |
| <u>STATE</u> | <u>8,192</u> | <u>244</u> | <u>7,948</u> | <u>3,266</u> | <u>39</u> | <u>3,227</u> | <u>4,925</u> | <u>205</u> | <u>4,720</u> |
| ADAMS | 103 | 4 | 99 | 22 | 0 | 22 | 81 | 4 | 77 |
| ALCORN | 81 | 4 | 77 | 57 | 3 | 54 | 24 | 1 | 23 |
| AMITE | 26 | 0 | 26 | 11 | 0 | 11 | 15 | 0 | 15 |
| ATTALA | 51 | 2 | 49 | 19 | 0 | 19 | 32 | 2 | 30 |
| BENTON | 23 | 0 | 23 | 9 | 0 | 9 | 14 | 0 | 14 |
| BOLIVAR | 130 | 7 | 123 | 14 | 0 | 14 | 116 | 7 | 109 |
| CALHOUN | 51 | 2 | 49 | 24 | 1 | 23 | 27 | 1 | 26 |
| CARROLL | 25 | 1 | 24 | 11 | 0 | 11 | 14 | 1 | 13 |
| CHICKASAW | 71 | 2 | 69 | 30 | 1 | 29 | 41 | 1 | 40 |
| CHOCTAW | 21 | 0 | 21 | 8 | 0 | 8 | 13 | 0 | 13 |
| CLAIBORNE | 39 | 1 | 38 | 2 | 0 | 2 | 37 | 1 | 36 |
| CLARKE | 32 | 1 | 31 | 14 | 1 | 13 | 18 | 0 | 18 |
| CLAY | 64 | 3 | 61 | 12 | 0 | 12 | 52 | 3 | 49 |
| COAHOMA | 135 | 9 | 126 | 12 | 1 | 11 | 123 | 8 | 115 |
| COPIAH | 106 | 1 | 105 | 33 | 0 | 33 | 73 | 1 | 72 |
| COVINGTON | 56 | 3 | 53 | 21 | 0 | 21 | 35 | 3 | 32 |
| DESOTO | 219 | 3 | 216 | 174 | 2 | 172 | 45 | 1 | 44 |
| FORREST | 213 | 3 | 210 | 84 | 1 | 83 | 129 | 2 | 127 |
| FRANKLIN | 17 | 0 | 17 | 9 | 0 | 9 | 8 | 0 | 8 |
| GEORGE | 75 | 0 | 75 | 57 | 0 | 57 | 18 | 0 | 18 |
| GREENE | 27 | 0 | 27 | 23 | 0 | 23 | 4 | 0 | 4 |
| GRENADA | 51 | 2 | 49 | 19 | 0 | 19 | 32 | 2 | 30 |
| HANCOCK | 91 | 0 | 91 | 82 | 0 | 82 | 9 | 0 | 9 |
| HARRISON | 510 | 9 | 501 | 327 | 1 | 326 | 182 | 8 | 174 |
| HINDS | 895 | 31 | 864 | 108 | 2 | 106 | 787 | 29 | 758 |
| HOLMES | 96 | 4 | 92 | 4 | 0 | 4 | 92 | 4 | 88 |
| HUMPHREYS | 68 | 6 | 62 | 7 | 0 | 7 | 61 | 6 | 55 |
| ISSAQUENA | 6 | 0 | 6 | 0 | 0 | 0 | 6 | 0 | 6 |
| ITAWAMBA | 40 | 0 | 40 | 35 | 0 | 35 | 5 | 0 | 5 |
| JACKSON | 328 | 5 | 323 | 207 | 1 | 206 | 121 | 4 | 117 |
| JASPER | 33 | 3 | 30 | 10 | 0 | 10 | 23 | 3 | 20 |
| JEFFERSON | 34 | 1 | 33 | 3 | 0 | 3 | 31 | 1 | 30 |
| JEFF DAVIS | 37 | 1 | 36 | 15 | 0 | 15 | 22 | 1 | 21 |
| JONES | 192 | 9 | 183 | 97 | 2 | 95 | 95 | 7 | 88 |
| KEMPER | 31 | 1 | 30 | 6 | 0 | 6 | 25 | 1 | 24 |
| LAFAYETTE | 68 | 3 | 65 | 23 | 0 | 23 | 45 | 3 | 42 |
| LAMAR | 84 | 1 | 83 | 68 | 0 | 68 | 16 | 1 | 15 |
| LAUDERDALE | 231 | 6 | 225 | 74 | 1 | 73 | 157 | 5 | 152 |
| LAWRENCE | 28 | 0 | 28 | 16 | 0 | 16 | 12 | 0 | 12 |
| LEAKE | 63 | 2 | 61 | 37 | 0 | 37 | 26 | 2 | 24 |
| LEE | 191 | 3 | 188 | 109 | 1 | 108 | 82 | 2 | 80 |
| LEFLORE | 152 | 2 | 150 | 24 | 0 | 24 | 128 | 2 | 126 |

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2002

| COUNTY | TOTAL** | | | WHITE | | | NONWHITE | | |
|--------------|---------|----------|---------|-------|----------|---------|----------|----------|---------|
| | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 |
| LINCOLN | 86 | 1 | 85 | 45 | 0 | 45 | 41 | 1 | 40 |
| LOWNDES | 185 | 9 | 176 | 46 | 1 | 45 | 139 | 8 | 131 |
| MADISON | 174 | 9 | 165 | 42 | 2 | 40 | 132 | 7 | 125 |
| MARION | 85 | 0 | 85 | 46 | 0 | 46 | 39 | 0 | 39 |
| MARSHALL | 103 | 3 | 100 | 35 | 0 | 35 | 68 | 3 | 65 |
| MONROE | 98 | 4 | 94 | 44 | 0 | 44 | 54 | 4 | 50 |
| MONTGOMERY | 41 | 1 | 40 | 13 | 1 | 12 | 28 | 0 | 28 |
| NESHOBA | 110 | 3 | 107 | 43 | 0 | 43 | 67 | 3 | 64 |
| NEWTON | 57 | 1 | 56 | 20 | 1 | 19 | 37 | 0 | 37 |
| NOXUBEE | 35 | 3 | 32 | 1 | 0 | 1 | 34 | 3 | 31 |
| OKTIBBEHA | 109 | 2 | 107 | 32 | 0 | 32 | 77 | 2 | 75 |
| PANOLA | 125 | 2 | 123 | 32 | 1 | 31 | 93 | 1 | 92 |
| PEARL RIVER | 120 | 4 | 116 | 97 | 2 | 95 | 23 | 2 | 21 |
| PERRY | 37 | 0 | 37 | 31 | 0 | 31 | 6 | 0 | 6 |
| PIKE | 148 | 3 | 145 | 40 | 0 | 40 | 108 | 3 | 105 |
| PONTOTOC | 62 | 1 | 61 | 50 | 1 | 49 | 12 | 0 | 12 |
| PRENTISS | 52 | 1 | 51 | 37 | 0 | 37 | 15 | 1 | 14 |
| QUITMAN | 39 | 1 | 38 | 7 | 0 | 7 | 32 | 1 | 31 |
| RANKIN | 262 | 9 | 253 | 192 | 6 | 186 | 70 | 3 | 67 |
| SCOTT | 93 | 3 | 90 | 49 | 1 | 48 | 44 | 2 | 42 |
| SHARKEY | 24 | 3 | 21 | 1 | 0 | 1 | 23 | 3 | 20 |
| SIMPSON | 85 | 2 | 83 | 46 | 1 | 45 | 39 | 1 | 38 |
| SMITH | 34 | 0 | 34 | 17 | 0 | 17 | 17 | 0 | 17 |
| STONE | 39 | 1 | 38 | 24 | 0 | 24 | 15 | 1 | 14 |
| SUNFLOWER | 132 | 3 | 129 | 12 | 0 | 12 | 120 | 3 | 117 |
| TALLAHATCHIE | 49 | 3 | 46 | 5 | 0 | 5 | 44 | 3 | 41 |
| TATE | 62 | 0 | 62 | 29 | 0 | 29 | 33 | 0 | 33 |
| TIPPAH | 51 | 0 | 51 | 33 | 0 | 33 | 18 | 0 | 18 |
| TISHOMINGO | 38 | 0 | 38 | 37 | 0 | 37 | 1 | 0 | 1 |
| TUNICA | 39 | 1 | 38 | 2 | 0 | 2 | 37 | 1 | 36 |
| UNION | 58 | 2 | 56 | 44 | 0 | 44 | 14 | 2 | 12 |
| WALTHALL | 41 | 2 | 39 | 12 | 0 | 12 | 29 | 2 | 27 |
| WARREN | 144 | 6 | 138 | 38 | 1 | 37 | 106 | 5 | 101 |
| WASHINGTON | 246 | 12 | 234 | 36 | 2 | 34 | 210 | 10 | 200 |
| WAYNE | 72 | 1 | 71 | 28 | 0 | 28 | 44 | 1 | 43 |
| WEBSTER | 32 | 0 | 32 | 18 | 0 | 18 | 14 | 0 | 14 |
| WILKINSON | 23 | 2 | 21 | 5 | 1 | 4 | 18 | 1 | 17 |
| WINSTON | 48 | 3 | 45 | 15 | 0 | 15 | 33 | 3 | 30 |
| YALOBUSHA | 44 | 1 | 43 | 17 | 0 | 17 | 27 | 1 | 26 |
| YAZOO | 116 | 7 | 109 | 28 | 0 | 28 | 88 | 7 | 81 |

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

**TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2002**

| COUNTY | TOTAL** | | | WHITE | | | NONWHITE | | |
|--------------|-------------|------------|-------------|-------------|------------|-------------|-------------|------------|-------------|
| | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 |
| <u>STATE</u> | <u>38.2</u> | <u>2.3</u> | <u>73.8</u> | <u>29.1</u> | <u>0.7</u> | <u>56.9</u> | <u>48.3</u> | <u>4.0</u> | <u>92.7</u> |
| ADAMS | 41.1 | 3.2 | 78.6 | 25.6 | - | 49.4 | 49.3 | 4.8 | 94.6 |
| ALCORN | 37.9 | 3.6 | 75.5 | 31.7 | 3.2 | 63.1 | 70.6 | 5.7 | 140.2 |
| AMITE | 26.2 | - | 50.1 | 25.2 | - | 49.3 | 27.0 | - | 50.7 |
| ATTALA | 36.8 | 2.7 | 74.9 | 30.0 | - | 62.1 | 42.5 | 4.9 | 86.2 |
| BENTON | 44.7 | 0.0 | 92.0 | 34.2 | - | 70.3 | 55.6 | - | 114.8 |
| BOLIVAR | 37.5 | 4.3 | 66.6 | 17.5 | - | 30.2 | 43.4 | 5.4 | 78.8 |
| CALHOUN | 50.6 | 4.0 | 96.3 | 39.7 | 3.4 | 74.4 | 67.2 | 5.0 | 130.0 |
| CARROLL | 34.7 | 2.8 | 66.3 | 28.7 | - | 55.0 | 41.5 | 5.7 | 80.2 |
| CHICKASAW | 49.8 | 2.7 | 99.3 | 47.0 | 3.1 | 91.5 | 52.1 | 2.4 | 105.8 |
| CHOCTAW | 26.4 | - | 51.3 | 16.7 | - | 32.0 | 41.0 | - | 81.8 |
| CLAIBORNE | 32.5 | 2.3 | 49.4 | 29.4 | - | 58.8 | 32.7 | 2.5 | 49.0 |
| CLARKE | 25.3 | 1.6 | 49.3 | 20.0 | 2.7 | 39.4 | 31.8 | - | 60.2 |
| CLAY | 37.4 | 3.5 | 70.7 | 23.7 | - | 46.5 | 43.2 | 5.0 | 81.0 |
| COAHOMA | 50.7 | 6.9 | 92.7 | 24.2 | 4.0 | 44.2 | 56.8 | 7.6 | 103.6 |
| COPIAH | 44.8 | 1.0 | 79.8 | 37.2 | - | 65.3 | 49.3 | 1.5 | 88.8 |
| COVINGTON | 36.2 | 3.8 | 70.0 | 25.2 | - | 53.0 | 49.0 | 8.5 | 88.6 |
| DESOTO | 25.7 | 0.6 | 55.1 | 25.1 | 0.5 | 53.6 | 28.1 | 1.1 | 61.9 |
| FORREST | 38.5 | 1.2 | 67.6 | 28.1 | 0.8 | 47.7 | 50.8 | 1.7 | 92.9 |
| FRANKLIN | 26.6 | - | 50.4 | 28.3 | - | 51.4 | 24.8 | - | 49.4 |
| GEORGE | 52.3 | - | 110.4 | 45.6 | - | 96.1 | 98.9 | - | 209.3 |
| GREENE | 33.9 | - | 70.1 | 38.4 | - | 81.6 | 20.2 | - | 38.8 |
| GRENADA | 28.9 | 2.0 | 63.6 | 22.2 | - | 48.3 | 35.2 | 3.8 | 79.4 |
| HANCOCK | 29.8 | - | 62.3 | 30.4 | - | 63.3 | 25.8 | - | 54.2 |
| HARRISON | 38.6 | 1.3 | 76.9 | 37.8 | 0.2 | 75.8 | 39.9 | 3.4 | 78.6 |
| HINDS | 46.2 | 3.3 | 87.0 | 21.0 | 0.9 | 37.0 | 55.4 | 4.0 | 107.2 |
| HOLMES | 49.1 | 4.4 | 88.0 | 14.3 | - | 21.6 | 54.9 | 4.9 | 102.3 |
| HUMPHREYS | 72.2 | 13.1 | 128.1 | 42.7 | - | 81.4 | 78.4 | 15.8 | 138.2 |
| ISSAQUENA | 30.9 | - | 59.4 | - | - | - | 41.1 | - | 78.9 |
| ITAWAMBA | 23.7 | - | 46.7 | 23.2 | - | 47.1 | 28.6 | - | 43.9 |
| JACKSON | 33.4 | 1.0 | 69.5 | 30.1 | 0.3 | 63.5 | 41.0 | 2.6 | 83.6 |
| JASPER | 23.6 | 4.1 | 45.2 | 20.8 | - | 43.3 | 25.0 | 6.1 | 46.3 |
| JEFFERSON | 44.2 | 2.6 | 84.4 | 47.6 | - | 96.8 | 43.8 | 2.9 | 83.3 |
| JEFF DAVIS | 35.5 | 2.0 | 66.5 | 47.6 | - | 88.2 | 30.3 | 2.8 | 56.6 |
| JONES | 41.5 | 4.1 | 75.9 | 33.2 | 1.5 | 60.2 | 55.7 | 8.0 | 105.4 |
| KEMPER | 40.5 | 2.9 | 71.2 | 25.8 | - | 42.6 | 46.9 | 4.0 | 85.7 |
| LAFAYETTE | 22.0 | 3.0 | 30.8 | 10.6 | - | 15.0 | 48.2 | 8.3 | 73.3 |
| LAMAR | 27.6 | 0.6 | 55.6 | 27.4 | - | 55.7 | 28.4 | 3.4 | 54.9 |
| LAUDERDALE | 41.4 | 2.1 | 83.1 | 27.4 | 0.7 | 55.4 | 54.4 | 3.3 | 109.4 |
| LAWRENCE | 28.6 | - | 59.8 | 26.7 | - | 56.1 | 31.7 | - | 65.6 |
| LEAKE | 40.6 | 2.4 | 83.8 | 51.4 | - | 110.1 | 31.3 | 4.6 | 61.2 |
| LEE | 34.8 | 1.0 | 72.6 | 30.7 | 0.5 | 65.2 | 42.4 | 2.0 | 85.6 |
| LEFLORE | 49.6 | 1.4 | 93.9 | 38.3 | - | 73.6 | 52.6 | 1.7 | 99.0 |

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2002

| COUNTY | TOTAL** | | | WHITE | | | NONWHITE | | |
|--------------|---------|----------|---------|-------|----------|---------|----------|----------|---------|
| | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 | TOTAL | UNDER 15 | 15 - 19 |
| LINCOLN | 36.5 | 0.8 | 75.4 | 30.3 | - | 64.1 | 47.0 | 2.2 | 94.1 |
| LOWNDES | 39.3 | 3.8 | 75.9 | 21.1 | 1.0 | 39.6 | 55.0 | 5.9 | 110.9 |
| MADISON | 29.0 | 2.9 | 57.4 | 13.8 | 1.2 | 28.8 | 44.6 | 4.8 | 84.1 |
| MARION | 44.7 | - | 87.2 | 42.3 | - | 81.0 | 47.8 | - | 95.8 |
| MARSHALL | 40.1 | 2.3 | 79.0 | 36.1 | - | 75.4 | 42.6 | 3.8 | 81.1 |
| MONROE | 35.4 | 2.8 | 71.0 | 26.1 | - | 55.4 | 49.8 | 7.2 | 94.5 |
| MONTGOMERY | 45.4 | 2.0 | 95.9 | 37.1 | 5.4 | 73.2 | 50.5 | - | 110.7 |
| NESHOBA | 50.9 | 2.8 | 100.0 | 37.2 | 0.0 | 73.6 | 66.6 | 5.8 | 131.7 |
| NEWTON | 34.0 | 1.2 | 64.6 | 21.1 | 2.3 | 37.2 | 50.6 | - | 103.6 |
| NOXUBEE | 34.2 | 5.5 | 66.7 | 5.3 | - | 11.2 | 40.8 | 6.8 | 79.3 |
| OKTIBBEHA | 33.2 | 1.7 | 50.8 | 20.4 | - | 29.3 | 44.8 | 2.8 | 73.9 |
| PANOLA | 45.4 | 1.4 | 89.1 | 30.1 | 1.9 | 56.4 | 55.0 | 1.2 | 110.8 |
| PEARL RIVER | 32.0 | 2.2 | 60.7 | 31.5 | 1.4 | 59.4 | 34.6 | 5.7 | 67.1 |
| PERRY | 40.8 | - | 84.7 | 49.8 | - | 100.3 | 21.1 | - | 46.9 |
| PIKE | 51.0 | 2.1 | 99.6 | 34.1 | - | 66.1 | 62.6 | 3.4 | 123.5 |
| PONTOTOC | 31.5 | 1.0 | 65.7 | 31.4 | 1.2 | 64.7 | 32.2 | - | 70.2 |
| PRENTISS | 28.1 | 1.2 | 52.1 | 24.6 | - | 47.2 | 43.7 | 6.8 | 71.8 |
| QUITMAN | 46.8 | 2.3 | 94.8 | 42.9 | - | 94.6 | 47.7 | 2.9 | 94.8 |
| RANKIN | 31.7 | 2.2 | 61.7 | 30.2 | 1.9 | 58.7 | 36.8 | 3.1 | 72.0 |
| SCOTT | 43.1 | 2.6 | 88.1 | 44.9 | 1.8 | 91.1 | 41.2 | 3.5 | 85.0 |
| SHARKEY | 44.0 | 11.4 | 73.9 | 8.5 | - | 16.4 | 53.6 | 14.6 | 89.7 |
| SIMPSON | 42.0 | 1.9 | 85.5 | 41.8 | 1.7 | 86.0 | 42.2 | 2.1 | 84.8 |
| SMITH | 30.5 | - | 63.6 | 22.4 | - | 45.8 | 47.6 | - | 103.6 |
| STONE | 34.8 | 2.0 | 60.8 | 28.8 | - | 51.8 | 51.9 | 7.9 | 86.4 |
| SUNFLOWER | 50.8 | 2.5 | 92.5 | 23.7 | - | 41.4 | 57.3 | 3.0 | 106.0 |
| TALLAHATCHIE | 39.6 | 4.6 | 78.4 | 14.8 | - | 28.9 | 48.8 | 6.2 | 99.0 |
| TATE | 29.2 | - | 57.1 | 23.1 | - | 47.8 | 38.0 | - | 68.9 |
| TIPPAH | 34.4 | - | 67.5 | 28.6 | - | 57.0 | 54.7 | - | 101.7 |
| TISHOMINGO | 32.0 | - | 68.3 | 32.3 | - | 69.5 | 23.8 | - | 41.7 |
| TUNICA | 47.8 | 2.4 | 96.7 | 20.2 | - | 40.0 | 51.7 | 2.7 | 105.0 |
| UNION | 33.8 | 2.2 | 69.1 | 31.1 | - | 65.4 | 46.2 | 12.0 | 87.6 |
| WALTHALL | 35.9 | 3.4 | 70.6 | 25.0 | - | 49.4 | 43.8 | 5.7 | 87.4 |
| WARREN | 38.3 | 3.1 | 76.5 | 21.9 | 1.1 | 44.0 | 52.3 | 4.7 | 104.9 |
| WASHINGTON | 48.9 | 4.8 | 93.0 | 30.4 | 3.5 | 55.0 | 54.6 | 5.1 | 105.4 |
| WAYNE | 44.0 | 1.2 | 84.3 | 32.2 | - | 63.8 | 57.4 | 2.7 | 106.7 |
| WEBSTER | 43.8 | - | 84.6 | 35.3 | - | 70.9 | 63.6 | - | 112.9 |
| WILKINSON | 32.2 | 5.6 | 58.5 | 33.8 | 14.1 | 51.9 | 31.8 | 3.5 | 60.3 |
| WINSTON | 33.6 | 4.1 | 64.6 | 24.4 | - | 51.9 | 40.6 | 7.4 | 73.7 |
| YALOBUSHA | 47.7 | 2.1 | 96.8 | 39.8 | - | 82.1 | 54.4 | 3.9 | 109.7 |
| YAZOO | 54.4 | 6.5 | 104.0 | 40.7 | - | 78.9 | 61.0 | 9.3 | 116.9 |

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH ARE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | ADAMS COUNTY | | | | | | ALCORN COUNTY | | | | | |
|--|--------------|------------|------------|-------------|-------------|-------------|---------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 393 | 205 | 188 | 11.7 | 13.6 | 10.2 | 419 | 377 | 42 | 12.1 | 12.4 | 9.9 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 12 | 5 | 7 | 35.7 | 33.2 | 37.8 | 9 | 8 | 1 | 25.9 | 26.2 | 23.6 |
| HIV DISEASE (039-043) | 2 | 1 | 1 | 6.0 | 6.6 | 5.4 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 79 | 43 | 36 | 235.3 | 285.6 | 194.4 | 67 | 60 | 7 | 192.9 | 196.7 | 165.4 |
| DIABETES MELLITUS (124) | 6 | 2 | 4 | 17.9 | 13.3 | 21.6 | 2 | 2 | 0 | 5.8 | 6.6 | - |
| ALZHEIMERS DISEASE (148) | 11 | 11 | 0 | 32.8 | 73.1 | - | 16 | 15 | 1 | 46.1 | 49.2 | 23.6 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 154 | 73 | 81 | 458.7 | 484.9 | 437.4 | 197 | 176 | 21 | 567.2 | 577.0 | 496.1 |
| HEART DISEASES (156-160,162, 164-181) | 121 | 60 | 61 | 360.4 | 398.6 | 329.4 | 140 | 127 | 13 | 403.1 | 416.4 | 307.1 |
| HYPERTENSION (161,163) | 5 | 1 | 4 | 14.9 | 6.6 | 21.6 | 6 | 3 | 3 | 17.3 | 9.8 | 70.9 |
| CEREBROVASCULAR DISEASES (182-186) | 24 | 11 | 13 | 71.5 | 73.1 | 70.2 | 48 | 43 | 5 | 138.2 | 141.0 | 118.1 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 12 | 7 | 5 | 35.7 | 46.5 | 27.0 | 12 | 12 | 0 | 34.5 | 39.3 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 20 | 11 | 9 | 59.6 | 73.1 | 48.6 | 22 | 21 | 1 | 63.3 | 68.8 | 23.6 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 5.8 | 6.6 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 2 | 1 | 8.9 | 13.3 | 5.4 | 2 | 2 | 0 | 5.8 | 6.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 9 | 3 | 6 | 26.8 | 19.9 | 32.4 | 7 | 5 | 2 | 20.2 | 16.4 | 47.2 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 2.1 | - | 3.1 | 4 | 3 | 1 | 8.4 | 7.6 | 13.2 |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 0 | 2 | 6.0 | - | 10.8 | 2 | 2 | 0 | 5.8 | 6.6 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 2 | 2 | 0 | 4.2 | 13.4 | - | 1 | 1 | 0 | 2.1 | 2.5 | - |
| ACCIDENTS (295-330) | 20 | 11 | 9 | 59.6 | 73.1 | 48.6 | 21 | 19 | 2 | 60.5 | 62.3 | 47.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 13 | 6 | 7 | 38.7 | 39.8 | 37.8 | 6 | 6 | 0 | 17.3 | 19.7 | - |
| SUICIDE (331-337) | 6 | 4 | 2 | 17.9 | 26.6 | 10.8 | 5 | 5 | 0 | 14.4 | 16.4 | - |
| HOMICIDE (338-346) | 5 | 2 | 3 | 14.9 | 13.3 | 16.2 | 1 | 1 | 0 | 2.9 | 3.3 | - |

| CAUSE AND GROUP NUMBER* | AMITE COUNTY | | | | | | ATTALA COUNTY | | | | | |
|--|--------------|-----------|-----------|-------------|-------------|------------|---------------|------------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 136 | 86 | 50 | 10.1 | 11.4 | 8.4 | 264 | 172 | 92 | 13.4 | 14.7 | 11.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 5 | 5 | 0 | 37.2 | 66.4 | - | 0 | 0 | 0 | - | - | - |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 7.4 | - | 16.9 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 37 | 24 | 13 | 275.1 | 318.7 | 219.6 | 43 | 24 | 19 | 217.7 | 204.9 | 236.5 |
| DIABETES MELLITUS (124) | 1 | 1 | 0 | 7.4 | 13.3 | - | 10 | 4 | 6 | 50.6 | 34.1 | 74.7 |
| ALZHEIMERS DISEASE (148) | 0 | 0 | 0 | - | - | - | 5 | 4 | 1 | 25.3 | 34.1 | 12.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 51 | 31 | 20 | 379.2 | 411.7 | 337.8 | 103 | 72 | 31 | 521.6 | 614.6 | 385.9 |
| HEART DISEASES (156-160,162, 164-181) | 42 | 27 | 15 | 312.2 | 358.6 | 253.3 | 68 | 51 | 17 | 344.3 | 435.3 | 211.6 |
| HYPERTENSION (161,163) | 3 | 1 | 2 | 22.3 | 13.3 | 33.8 | 8 | 4 | 4 | 40.5 | 34.1 | 49.8 |
| CEREBROVASCULAR DISEASES (182-186) | 6 | 3 | 3 | 44.6 | 39.8 | 50.7 | 25 | 17 | 8 | 126.6 | 145.1 | 99.6 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 7 | 4 | 3 | 52.0 | 53.1 | 50.7 | 13 | 11 | 2 | 65.8 | 93.9 | 24.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 4 | 0 | 29.7 | 53.1 | - | 18 | 16 | 2 | 91.1 | 136.6 | 24.9 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.1 | - | 12.4 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 2 | 2 | 29.7 | 26.6 | 33.8 | 4 | 0 | 4 | 20.2 | - | 49.8 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 11.7 | - | 22.4 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 10.1 | - | 24.9 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.9 | - | 7.5 |
| ACCIDENTS (295-330) | 7 | 5 | 2 | 52.0 | 66.4 | 33.8 | 11 | 8 | 3 | 55.7 | 68.3 | 37.3 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 7 | 5 | 2 | 52.0 | 66.4 | 33.8 | 3 | 3 | 0 | 15.2 | 25.6 | - |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.1 | - | 12.4 |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 4 | 3 | 1 | 20.2 | 25.6 | 12.4 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2002

| CAUSE AND GROUP NUMBER* | BENTON COUNTY | | | | | | BOLIVAR COUNTY | | | | | |
|--|---------------|-----------|-----------|-------------|-------------|------------|----------------|------------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 87 | 59 | 28 | 11.0 | 11.8 | 9.6 | 414 | 147 | 267 | 10.4 | 11.1 | 10.0 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 12.6 | 7.5 | 15.0 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 22 | 15 | 7 | 277.2 | 299.3 | 239.5 | 92 | 28 | 64 | 230.9 | 211.1 | 240.8 |
| DIABETES MELLITUS (124) | 3 | 3 | 0 | 37.8 | 59.8 | - | 10 | 1 | 9 | 25.1 | 7.5 | 33.9 |
| ALZHEIMERS DISEASE (148) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.5 | 7.5 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 37 | 26 | 11 | 466.3 | 518.8 | 376.3 | 202 | 74 | 128 | 507.0 | 557.8 | 481.7 |
| HEART DISEASES (156-160,162, 164-181) | 31 | 25 | 6 | 390.7 | 498.8 | 205.3 | 154 | 61 | 93 | 386.6 | 459.8 | 350.0 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 12.6 | - | 34.2 | 16 | 3 | 13 | 40.2 | 22.6 | 48.9 |
| CEREBROVASCULAR DISEASES (182-186) | 5 | 1 | 4 | 63.0 | 20.0 | 136.8 | 27 | 8 | 19 | 67.8 | 60.3 | 71.5 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 3 | 1 | 2 | 37.8 | 20.0 | 68.4 | 10 | 3 | 7 | 25.1 | 22.6 | 26.3 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 3 | 3 | 0 | 37.8 | 59.8 | - | 10 | 7 | 3 | 25.1 | 52.8 | 11.3 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.5 | 7.5 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 2 | 1 | 1 | 25.2 | 20.0 | 34.2 | 7 | 1 | 6 | 17.6 | 7.5 | 22.6 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 3 | 1 | 2 | 5.0 | 6.8 | 4.4 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 5.0 | - | 7.5 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 1 | 0 | 8.5 | 15.4 | - | 1 | 0 | 1 | 1.6 | - | 2.2 |
| ACCIDENTS (295-330) | 8 | 4 | 4 | 100.8 | 79.8 | 136.8 | 15 | 5 | 10 | 37.6 | 37.7 | 37.6 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 1 | 0 | 1 | 12.6 | - | 34.2 | 12 | 4 | 8 | 30.1 | 30.2 | 30.1 |
| SUICIDE (331-337) | 1 | 1 | 0 | 12.6 | 20.0 | - | 2 | 1 | 1 | 5.0 | 7.5 | 3.8 |
| HOMICIDE (338-346) | 2 | 0 | 2 | 25.2 | - | 68.4 | 7 | 0 | 7 | 17.6 | - | 26.3 |

| CAUSE AND GROUP NUMBER* | CALHOUN COUNTY | | | | | | CARROLL COUNTY | | | | | |
|--|----------------|------------|-----------|-------------|-------------|------------|----------------|-----------|-----------|------------|------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 158 | 116 | 42 | 10.6 | 11.1 | 9.5 | 87 | 56 | 31 | 8.2 | 8.1 | 8.3 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 3 | 0 | 20.1 | 28.6 | - | 0 | 0 | 0 | - | - | - |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 26 | 17 | 9 | 174.5 | 162.4 | 203.1 | 24 | 14 | 10 | 225.8 | 203.0 | 268.0 |
| DIABETES MELLITUS (124) | 2 | 1 | 1 | 13.4 | 9.6 | 22.6 | 4 | 1 | 3 | 37.6 | 14.5 | 80.4 |
| ALZHEIMERS DISEASE (148) | 2 | 2 | 0 | 13.4 | 19.1 | - | 3 | 3 | 0 | 28.2 | 43.5 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 79 | 57 | 22 | 530.2 | 544.5 | 496.5 | 33 | 20 | 13 | 310.5 | 290.0 | 348.3 |
| HEART DISEASES (156-160,162, 164-181) | 61 | 43 | 18 | 409.4 | 410.7 | 406.2 | 30 | 20 | 10 | 282.3 | 290.0 | 268.0 |
| HYPERTENSION (161,163) | 2 | 1 | 1 | 13.4 | 9.6 | 22.6 | 1 | 0 | 1 | 9.4 | - | 26.8 |
| CEREBROVASCULAR DISEASES (182-186) | 15 | 12 | 3 | 100.7 | 114.6 | 67.7 | 1 | 0 | 1 | 9.4 | - | 26.8 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 7 | 6 | 1 | 47.0 | 57.3 | 22.6 | 6 | 6 | 0 | 56.4 | 87.0 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 9 | 9 | 0 | 60.4 | 86.0 | - | 5 | 4 | 1 | 47.0 | 58.0 | 26.8 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 4 | 2 | 40.3 | 38.2 | 45.1 | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 2 | 1 | 1 | 10.4 | 8.8 | 12.8 | 1 | 1 | 0 | 9.1 | 14.1 | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 6 | 3 | 3 | 40.3 | 28.6 | 67.7 | 7 | 5 | 2 | 65.9 | 72.5 | 53.6 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 4 | 1 | 3 | 26.8 | 9.6 | 67.7 | 6 | 4 | 2 | 56.4 | 58.0 | 53.6 |
| SUICIDE (331-337) | 1 | 1 | 0 | 6.7 | 9.6 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | CHICKASAW COUNTY | | | | | | CHOCTAW COUNTY | | | | | |
|--|------------------|------------|-----------|------------|-------------|------------|----------------|-----------|-----------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 176 | 122 | 54 | 9.0 | 10.8 | 6.6 | 89 | 66 | 23 | 9.2 | 10.0 | 7.5 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 2 | 1 | 15.4 | 17.6 | 12.2 | 0 | 0 | 0 | - | - | - |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 5.1 | - | 12.2 | 1 | 1 | 0 | 10.4 | 15.2 | - |
| MALIGNANT NEOPLASMS (056-108) | 43 | 32 | 11 | 220.2 | 282.4 | 134.3 | 12 | 8 | 4 | 124.3 | 121.8 | 129.8 |
| DIABETES MELLITUS (124) | 9 | 5 | 4 | 46.1 | 44.1 | 48.8 | 1 | 1 | 0 | 10.4 | 15.2 | - |
| ALZHEIMERS DISEASE (148) | 2 | 2 | 0 | 10.2 | 17.6 | - | 1 | 1 | 0 | 10.4 | 15.2 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 72 | 50 | 22 | 368.8 | 441.3 | 268.5 | 41 | 33 | 8 | 424.8 | 502.3 | 259.6 |
| HEART DISEASES (156-160,162, 164-181) | 63 | 46 | 17 | 322.7 | 406.0 | 207.5 | 34 | 29 | 5 | 352.2 | 441.4 | 162.2 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.4 | - | 32.4 |
| CEREBROVASCULAR DISEASES (182-186) | 8 | 4 | 4 | 41.0 | 35.3 | 48.8 | 6 | 4 | 2 | 62.2 | 60.9 | 64.9 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 5 | 3 | 2 | 25.6 | 26.5 | 24.4 | 2 | 1 | 1 | 20.7 | 15.2 | 32.4 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 5 | 1 | 4 | 25.6 | 8.8 | 48.8 | 7 | 7 | 0 | 72.5 | 106.5 | - |
| PEPTIC ULCER (217-220) | 2 | 1 | 1 | 10.2 | 8.8 | 12.2 | 1 | 0 | 1 | 10.4 | - | 32.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 2 | 0 | 10.2 | 17.6 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 1 | 3 | 20.5 | 8.8 | 36.6 | 1 | 0 | 1 | 10.4 | - | 32.4 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 10 | 9 | 1 | 51.2 | 79.4 | 12.2 | 10 | 5 | 5 | 103.6 | 76.1 | 162.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 2 | 2 | 0 | 10.2 | 17.6 | - | 6 | 2 | 4 | 62.2 | 30.4 | 129.8 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 2 | 1 | 1 | 10.2 | 8.8 | 12.2 | 0 | 0 | 0 | - | - | - |

| CAUSE AND GROUP NUMBER* | CLAIBORNE COUNTY | | | | | | CLARKE COUNTY | | | | | |
|--|------------------|-----------|-----------|------------|-------------|------------|---------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 100 | 18 | 82 | 8.5 | 10.4 | 8.2 | 180 | 128 | 52 | 10.0 | 11.0 | 8.2 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 0 | 3 | 25.6 | - | 30.0 | 2 | 2 | 0 | 11.1 | 17.2 | - |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 11 | 2 | 9 | 93.7 | 115.1 | 90.0 | 32 | 24 | 8 | 178.1 | 206.5 | 126.1 |
| DIABETES MELLITUS (124) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 11.1 | 8.6 | 15.8 |
| ALZHEIMERS DISEASE (148) | 0 | 0 | 0 | - | - | - | 8 | 8 | 0 | 44.5 | 68.8 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 63 | 12 | 51 | 536.8 | 690.4 | 510.2 | 80 | 57 | 23 | 445.2 | 490.4 | 362.5 |
| HEART DISEASES (156-160,162, 164-181) | 56 | 11 | 45 | 477.2 | 632.9 | 450.1 | 66 | 50 | 16 | 367.3 | 430.2 | 252.2 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.6 | 8.6 | - |
| CEREBROVASCULAR DISEASES (182-186) | 6 | 1 | 5 | 51.1 | 57.5 | 50.0 | 12 | 5 | 7 | 66.8 | 43.0 | 110.3 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 1 | 0 | 1 | 8.5 | - | 10.0 | 10 | 7 | 3 | 55.6 | 60.2 | 47.3 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 1 | 0 | 1 | 8.5 | - | 10.0 | 8 | 7 | 1 | 44.5 | 60.2 | 15.8 |
| PEPTIC ULCER (217-220) | 1 | 0 | 1 | 8.5 | - | 10.0 | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.6 | 8.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 0 | 1 | 8.5 | - | 10.0 | 5 | 3 | 2 | 27.8 | 25.8 | 31.5 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 6.0 | - | 6.4 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 1 | 1 | 17.0 | 57.5 | 10.0 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 5 | 0 | 5 | 42.6 | - | 50.0 | 10 | 6 | 4 | 55.6 | 51.6 | 63.0 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 2 | 0 | 2 | 17.0 | - | 20.0 | 6 | 4 | 2 | 33.4 | 34.4 | 31.5 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.6 | 8.6 | - |
| HOMICIDE (338-346) | 3 | 0 | 3 | 25.6 | - | 30.0 | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER* | CLAY COUNTY | | | | | | COAHOMA COUNTY | | | | | |
|--|-------------|------------|------------|------------|-------------|------------|----------------|------------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 214 | 112 | 102 | 9.8 | 12.1 | 8.1 | 374 | 122 | 252 | 12.4 | 14.9 | 11.5 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 5 | 2 | 32.0 | 54.1 | 15.8 | 7 | 0 | 7 | 23.2 | - | 31.9 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 9.2 | - | 15.8 | 2 | 0 | 2 | 6.6 | - | 9.1 |
| MALIGNANT NEOPLASMS (056-108) | 59 | 35 | 24 | 269.9 | 378.8 | 190.2 | 86 | 34 | 52 | 285.2 | 414.4 | 236.8 |
| DIABETES MELLITUS (124) | 7 | 2 | 5 | 32.0 | 21.6 | 39.6 | 23 | 7 | 16 | 76.3 | 85.3 | 72.9 |
| ALZHEIMERS DISEASE (148) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 6.6 | 12.2 | 4.6 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 77 | 37 | 40 | 352.3 | 400.4 | 317.0 | 140 | 49 | 91 | 464.2 | 597.3 | 414.5 |
| HEART DISEASES (156-160,162, 164-181) | 64 | 33 | 31 | 292.8 | 357.1 | 245.7 | 108 | 44 | 64 | 358.1 | 536.3 | 291.5 |
| HYPERTENSION (161,163) | 5 | 1 | 4 | 22.9 | 10.8 | 31.7 | 8 | 1 | 7 | 26.5 | 12.2 | 31.9 |
| CEREBROVASCULAR DISEASES (182-186) | 8 | 3 | 5 | 36.6 | 32.5 | 39.6 | 23 | 4 | 19 | 76.3 | 48.8 | 86.5 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 6 | 4 | 2 | 27.4 | 43.3 | 15.8 | 12 | 3 | 9 | 39.8 | 36.6 | 41.0 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 10 | 6 | 4 | 45.8 | 64.9 | 31.7 | 10 | 6 | 4 | 33.2 | 73.1 | 18.2 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 6.6 | 24.4 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.3 | - | 4.6 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 1 | 0 | 4.6 | 10.8 | - | 8 | 1 | 7 | 26.5 | 12.2 | 31.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 6 | 0 | 6 | 18.6 | - | 30.0 | 12 | 1 | 11 | 23.8 | 13.0 | 25.7 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.0 | - | 2.3 |
| ACCIDENTS (295-330) | 5 | 3 | 2 | 22.9 | 32.5 | 15.8 | 20 | 6 | 14 | 66.3 | 73.1 | 63.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 1 | 0 | 1 | 4.6 | - | 7.9 | 10 | 0 | 10 | 33.2 | - | 45.6 |
| SUICIDE (331-337) | 7 | 7 | 0 | 32.0 | 75.8 | - | 3 | 1 | 2 | 9.9 | 12.2 | 9.1 |
| HOMICIDE (338-346) | 2 | 0 | 2 | 9.2 | - | 15.8 | 9 | 0 | 9 | 29.8 | - | 41.0 |

| CAUSE AND GROUP NUMBER* | COPIAH COUNTY | | | | | | COVINGTON COUNTY | | | | | |
|--|---------------|------------|------------|------------|-------------|------------|------------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 274 | 159 | 115 | 9.5 | 11.5 | 7.7 | 254 | 186 | 68 | 12.9 | 14.8 | 9.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 4 | 2 | 2 | 13.9 | 14.4 | 13.4 | 4 | 3 | 1 | 20.3 | 23.9 | 13.9 |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 3.5 | - | 6.7 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 63 | 41 | 22 | 218.7 | 295.9 | 147.1 | 45 | 32 | 13 | 228.1 | 255.3 | 180.7 |
| DIABETES MELLITUS (124) | 2 | 1 | 1 | 6.9 | 7.2 | 6.7 | 1 | 0 | 1 | 5.1 | - | 13.9 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 3.5 | 7.2 | - | 4 | 4 | 0 | 20.3 | 31.9 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 117 | 65 | 52 | 406.1 | 469.2 | 347.7 | 110 | 84 | 26 | 557.6 | 670.2 | 361.4 |
| HEART DISEASES (156-160,162, 164-181) | 102 | 57 | 45 | 354.1 | 411.4 | 300.9 | 87 | 66 | 21 | 441.0 | 526.6 | 291.9 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.1 | - | 13.9 |
| CEREBROVASCULAR DISEASES (182-186) | 11 | 6 | 5 | 38.2 | 43.3 | 33.4 | 20 | 16 | 4 | 101.4 | 127.7 | 55.6 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.1 | 8.0 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 6 | 3 | 3 | 20.8 | 21.6 | 20.1 | 7 | 6 | 1 | 35.5 | 47.9 | 13.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 10 | 6 | 4 | 34.7 | 43.3 | 26.7 | 21 | 19 | 2 | 106.4 | 151.6 | 27.8 |
| PEPTIC ULCER (217-220) | 1 | 1 | 0 | 3.5 | 7.2 | - | 1 | 1 | 0 | 5.1 | 8.0 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 4 | 3 | 1 | 13.9 | 21.6 | 6.7 | 1 | 0 | 1 | 5.1 | - | 13.9 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 8 | 4 | 4 | 27.8 | 28.9 | 26.7 | 4 | 3 | 1 | 20.3 | 23.9 | 13.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 2 | 1 | 1 | 4.9 | 5.7 | 4.3 | 2 | 0 | 2 | 6.9 | - | 13.5 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 0 | 1 | 3.5 | - | 6.7 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 2.4 | - | 4.3 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 18 | 11 | 7 | 62.5 | 79.4 | 46.8 | 17 | 7 | 10 | 86.2 | 55.8 | 139.0 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 9 | 5 | 4 | 31.2 | 36.1 | 26.7 | 6 | 3 | 3 | 30.4 | 23.9 | 41.7 |
| SUICIDE (331-337) | 1 | 1 | 0 | 3.5 | 7.2 | - | 5 | 2 | 3 | 25.3 | 16.0 | 41.7 |
| HOMICIDE (338-346) | 1 | 0 | 1 | 3.5 | - | 6.7 | 3 | 3 | 0 | 15.2 | 23.9 | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2002

| CAUSE AND GROUP NUMBER* | DESOTO COUNTY | | | | | | FORREST COUNTY | | | | | |
|--|---------------|------------|------------|------------|------------|------------|----------------|------------|------------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 822 | 703 | 119 | 6.9 | 7.0 | 6.5 | 729 | 513 | 216 | 9.9 | 10.9 | 8.1 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.4 | - | 3.8 |
| SEPTICEMIA (018) | 17 | 13 | 4 | 14.4 | 13.0 | 21.8 | 15 | 8 | 7 | 20.4 | 17.0 | 26.4 |
| HIV DISEASE (039-043) | 3 | 3 | 0 | 2.5 | 3.0 | - | 6 | 2 | 4 | 8.2 | 4.3 | 15.0 |
| MALIGNANT NEOPLASMS (056-108) | 217 | 187 | 30 | 183.2 | 186.7 | 163.8 | 134 | 97 | 37 | 182.4 | 206.8 | 139.3 |
| DIABETES MELLITUS (124) | 41 | 32 | 9 | 34.6 | 32.0 | 49.1 | 34 | 18 | 16 | 46.3 | 38.4 | 60.2 |
| ALZHEIMERS DISEASE (148) | 10 | 7 | 3 | 8.4 | 7.0 | 16.4 | 25 | 19 | 6 | 34.0 | 40.5 | 22.6 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 276 | 244 | 32 | 233.0 | 243.6 | 174.7 | 276 | 196 | 80 | 375.7 | 417.9 | 301.2 |
| HEART DISEASES (156-160,162, 164-181) | 191 | 169 | 22 | 161.2 | 168.8 | 120.1 | 212 | 150 | 62 | 288.6 | 319.8 | 233.4 |
| HYPERTENSION (161,163) | 31 | 25 | 6 | 26.2 | 25.0 | 32.8 | 13 | 11 | 2 | 17.7 | 23.4 | 7.5 |
| CEREBROVASCULAR DISEASES (182-186) | 47 | 45 | 2 | 39.7 | 44.9 | 10.9 | 46 | 31 | 15 | 62.6 | 66.1 | 56.5 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 0.8 | 1.0 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 15 | 15 | 0 | 12.7 | 15.0 | - | 23 | 19 | 4 | 31.3 | 40.5 | 15.0 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 44 | 42 | 2 | 37.1 | 41.9 | 10.9 | 39 | 36 | 3 | 53.1 | 76.8 | 11.3 |
| PEPTIC ULCER (217-220) | 2 | 2 | 0 | 1.7 | 2.0 | - | 2 | 1 | 1 | 2.7 | 2.1 | 3.8 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 13 | 12 | 1 | 11.0 | 12.0 | 5.5 | 5 | 4 | 1 | 6.8 | 8.5 | 3.8 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 17 | 12 | 5 | 14.4 | 12.0 | 27.3 | 14 | 10 | 4 | 19.0 | 21.3 | 15.0 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 91.4 | - | 197.2 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 9 | 5 | 4 | 5.0 | 3.3 | 13.9 | 3 | 2 | 1 | 2.7 | 3.4 | 2.0 |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 1 | 1 | 1.7 | 1.0 | 5.5 | 5 | 2 | 3 | 6.8 | 4.3 | 11.3 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 49 | 41 | 8 | 41.4 | 40.9 | 43.7 | 40 | 27 | 13 | 54.4 | 57.6 | 48.9 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 23 | 21 | 2 | 19.4 | 21.0 | 10.9 | 20 | 16 | 4 | 27.2 | 34.1 | 15.0 |
| SUICIDE (331-337) | 16 | 16 | 0 | 13.5 | 16.0 | - | 5 | 5 | 0 | 6.8 | 10.7 | - |
| HOMICIDE (338-346) | 3 | 2 | 1 | 2.5 | 2.0 | 5.5 | 7 | 2 | 5 | 9.5 | 4.3 | 18.8 |

| CAUSE AND GROUP NUMBER* | FRANKLIN COUNTY | | | | | | GEORGE COUNTY | | | | | |
|--|-----------------|-----------|-----------|-------------|-------------|------------|---------------|------------|-----------|-------------|------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 87 | 63 | 24 | 10.4 | 12.1 | 7.6 | 204 | 177 | 27 | 10.3 | 9.9 | 14.2 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 2 | 0 | 24.0 | 38.4 | - | 1 | 0 | 1 | 5.0 | - | 52.4 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 24.0 | - | 63.6 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 16 | 11 | 5 | 191.6 | 211.3 | 159.1 | 39 | 34 | 5 | 197.0 | 190.1 | 262.0 |
| DIABETES MELLITUS (124) | 3 | 2 | 1 | 35.9 | 38.4 | 31.8 | 19 | 13 | 6 | 96.0 | 72.7 | 314.5 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 12.0 | 19.2 | - | 1 | 1 | 0 | 5.0 | 5.6 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 41 | 29 | 12 | 491.1 | 557.0 | 381.8 | 63 | 57 | 6 | 318.2 | 318.6 | 314.5 |
| HEART DISEASES (156-160,162, 164-181) | 35 | 26 | 9 | 419.2 | 499.4 | 286.4 | 39 | 36 | 3 | 197.0 | 201.2 | 157.2 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 15.2 | 11.2 | 52.4 |
| CEREBROVASCULAR DISEASES (182-186) | 6 | 3 | 3 | 71.9 | 57.6 | 95.4 | 18 | 16 | 2 | 90.9 | 89.4 | 104.8 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 0 | 0 | 0 | - | - | - | 4 | 4 | 0 | 20.2 | 22.4 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 3 | 2 | 1 | 35.9 | 38.4 | 31.8 | 19 | 16 | 3 | 96.0 | 89.4 | 157.2 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 12.0 | 19.2 | - | 5 | 5 | 0 | 25.2 | 28.0 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 1 | 0 | 12.0 | 19.2 | - | 1 | 1 | 0 | 5.0 | 5.6 | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 5.5 | 3.1 | 24.4 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 10.1 | 5.6 | 52.4 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 2 | 2 | 0 | 24.0 | 38.4 | - | 12 | 11 | 1 | 60.6 | 61.5 | 52.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 2 | 2 | 0 | 24.0 | 38.4 | - | 5 | 4 | 1 | 25.2 | 22.4 | 52.4 |
| SUICIDE (331-337) | 5 | 5 | 0 | 59.9 | 96.0 | - | 3 | 3 | 0 | 15.2 | 16.8 | - |
| HOMICIDE (338-346) | 1 | 0 | 1 | 12.0 | - | 31.8 | 3 | 3 | 0 | 15.2 | 16.8 | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | GREENE COUNTY | | | | | | GRENADA COUNTY | | | | | |
|--|---------------|-----------|-----------|------------|------------|------------|----------------|------------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 118 | 94 | 24 | 9.0 | 9.7 | 7.0 | 320 | 198 | 122 | 14.0 | 15.0 | 12.5 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 1 | 2 | 22.9 | 10.3 | 58.5 | 10 | 4 | 6 | 43.6 | 30.4 | 61.6 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 28 | 27 | 1 | 213.8 | 279.0 | 29.3 | 65 | 48 | 17 | 283.6 | 364.5 | 174.4 |
| DIABETES MELLITUS (124) | 5 | 2 | 3 | 38.2 | 20.7 | 87.8 | 3 | 1 | 2 | 13.1 | 7.6 | 20.5 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 7.6 | 10.3 | - | 1 | 1 | 0 | 4.4 | 7.6 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 51 | 36 | 15 | 389.5 | 371.9 | 439.1 | 150 | 95 | 55 | 654.6 | 721.3 | 564.4 |
| HEART DISEASES (156-160,162, 164-181) | 42 | 28 | 14 | 320.7 | 289.3 | 409.8 | 111 | 66 | 45 | 484.4 | 501.1 | 461.8 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 8.7 | 7.6 | 10.3 |
| CEREBROVASCULAR DISEASES (182-186) | 7 | 7 | 0 | 53.4 | 72.3 | - | 34 | 25 | 9 | 148.4 | 189.8 | 92.4 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 2 | 2 | 0 | 15.3 | 20.7 | - | 15 | 9 | 6 | 65.4 | 68.3 | 61.6 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 4 | 0 | 30.5 | 41.3 | - | 9 | 9 | 0 | 39.3 | 68.3 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 8.7 | - | 20.5 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 2 | 1 | 1 | 15.3 | 10.3 | 29.3 | 4 | 1 | 3 | 17.4 | 7.6 | 30.8 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 7.4 | 6.9 | 7.9 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.7 | 6.9 | - |
| ACCIDENTS (295-330) | 7 | 6 | 1 | 53.4 | 62.0 | 29.3 | 15 | 6 | 9 | 65.4 | 45.6 | 92.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 7 | 6 | 1 | 53.4 | 62.0 | 29.3 | 8 | 5 | 3 | 34.9 | 38.0 | 30.8 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 4.4 | 7.6 | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 8.7 | - | 20.5 |

| CAUSE AND GROUP NUMBER | HANCOCK COUNTY | | | | | | HARRISON COUNTY | | | | | |
|--|----------------|------------|-----------|-------------|-------------|------------|-----------------|--------------|------------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 460 | 430 | 30 | 10.3 | 10.6 | 7.3 | 1,831 | 1,459 | 372 | 9.6 | 10.5 | 7.1 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 4 | 4 | 0 | 9.0 | 9.9 | - | 39 | 32 | 7 | 20.4 | 23.1 | 13.4 |
| HIV DISEASE (039-043) | 4 | 3 | 1 | 9.0 | 7.4 | 24.4 | 11 | 3 | 8 | 5.8 | 2.2 | 15.3 |
| MALIGNANT NEOPLASMS (056-108) | 102 | 92 | 10 | 228.3 | 226.8 | 243.5 | 392 | 317 | 75 | 205.3 | 228.6 | 143.5 |
| DIABETES MELLITUS (124) | 7 | 6 | 1 | 15.7 | 14.8 | 24.4 | 18 | 12 | 6 | 9.4 | 8.6 | 11.5 |
| ALZHEIMERS DISEASE (148) | 9 | 9 | 0 | 20.1 | 22.2 | - | 28 | 26 | 2 | 14.7 | 18.8 | 3.8 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 181 | 169 | 12 | 405.2 | 416.6 | 292.2 | 743 | 590 | 153 | 389.1 | 425.5 | 292.7 |
| HEART DISEASES (156-160,162, 164-181) | 141 | 132 | 9 | 315.6 | 325.4 | 219.2 | 633 | 510 | 123 | 331.5 | 367.8 | 235.3 |
| HYPERTENSION (161,163) | 1 | 1 | 0 | 2.2 | 2.5 | - | 6 | 4 | 2 | 3.1 | 2.9 | 3.8 |
| CEREBROVASCULAR DISEASES (182-186) | 31 | 28 | 3 | 69.4 | 69.0 | 73.1 | 75 | 56 | 19 | 39.3 | 40.4 | 36.4 |
| ATHEROSCLEROSIS (187) | 2 | 2 | 0 | 4.5 | 4.9 | - | 9 | 6 | 3 | 4.7 | 4.3 | 5.7 |
| INFLUENZA AND PNEUMONIA (195-198) | 9 | 9 | 0 | 20.1 | 22.2 | - | 37 | 34 | 3 | 19.4 | 24.5 | 5.7 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 36 | 36 | 0 | 80.6 | 88.7 | - | 73 | 61 | 12 | 38.2 | 44.0 | 23.0 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 1.0 | 0.7 | 1.9 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 11 | 11 | 0 | 24.6 | 27.1 | - | 16 | 14 | 2 | 8.4 | 10.1 | 3.8 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 5 | 1 | 13.4 | 12.3 | 24.4 | 45 | 35 | 10 | 23.6 | 25.2 | 19.1 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 33.8 | 48.5 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 10 | 5 | 5 | 3.4 | 2.4 | 5.6 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 7 | 5 | 2 | 3.7 | 3.6 | 3.8 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 2 | 2 | 0 | 3.9 | 4.3 | - | 3 | 2 | 1 | 1.0 | 1.0 | 1.1 |
| ACCIDENTS (295-330) | 29 | 27 | 2 | 64.9 | 66.6 | 48.7 | 97 | 76 | 21 | 50.8 | 54.8 | 40.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 16 | 15 | 1 | 35.8 | 37.0 | 24.4 | 26 | 20 | 6 | 13.6 | 14.4 | 11.5 |
| SUICIDE (331-337) | 9 | 9 | 0 | 20.1 | 22.2 | - | 45 | 39 | 6 | 23.6 | 28.1 | 11.5 |
| HOMICIDE (338-346) | 2 | 2 | 0 | 4.5 | 4.9 | - | 23 | 14 | 9 | 12.0 | 10.1 | 17.2 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | HINDS COUNTY | | | | | | HOLMES COUNTY | | | | | |
|--|--------------|------------|------------|------------|-------------|------------|---------------|-----------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 2,132 | 982 | 150 | 8.5 | 11.0 | 7.2 | 267 | 81 | 186 | 12.3 | 19.5 | 10.6 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 51 | 18 | 33 | 20.4 | 20.1 | 20.6 | 6 | 3 | 3 | 27.7 | 72.4 | 17.1 |
| HIV DISEASE (039-043) | 48 | 4 | 44 | 19.2 | 4.5 | 27.5 | 2 | 0 | 2 | 9.2 | - | 11.4 |
| MALIGNANT NEOPLASMS (056-108) | 395 | 188 | 207 | 158.3 | 210.4 | 129.2 | 49 | 19 | 30 | 226.3 | 458.5 | 171.4 |
| DIABETES MELLITUS (124) | 35 | 10 | 25 | 14.0 | 11.2 | 15.6 | 5 | 1 | 4 | 23.1 | 24.1 | 22.8 |
| ALZHEIMERS DISEASE (148) | 38 | 31 | 7 | 15.2 | 34.7 | 4.4 | 2 | 0 | 2 | 9.2 | - | 11.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 859 | 395 | 464 | 344.2 | 442.0 | 289.6 | 108 | 36 | 72 | 498.8 | 868.7 | 411.3 |
| HEART DISEASES (156-160,162, 164-181) | 665 | 308 | 357 | 266.4 | 344.6 | 222.8 | 74 | 28 | 46 | 341.8 | 675.7 | 262.8 |
| HYPERTENSION (161,163) | 17 | 6 | 11 | 6.8 | 6.7 | 6.9 | 7 | 0 | 7 | 32.3 | - | 40.0 |
| CEREBROVASCULAR DISEASES (182-186) | 153 | 69 | 84 | 61.3 | 77.2 | 52.4 | 25 | 7 | 18 | 115.5 | 168.9 | 102.8 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 0.4 | 1.1 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 60 | 37 | 23 | 24.0 | 41.4 | 14.4 | 10 | 1 | 9 | 46.2 | 24.1 | 51.4 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 79 | 55 | 24 | 31.6 | 61.5 | 15.0 | 10 | 6 | 4 | 46.2 | 144.8 | 22.8 |
| PEPTIC ULCER (217-220) | 8 | 6 | 2 | 3.2 | 6.7 | 1.2 | 1 | 0 | 1 | 4.6 | - | 5.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 16 | 12 | 4 | 6.4 | 13.4 | 2.5 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 39 | 11 | 28 | 15.6 | 12.3 | 17.5 | 5 | 1 | 4 | 23.1 | 24.1 | 22.8 |
| MATERNAL CAUSES (261-273) | 3 | 0 | 3 | 78.7 | - | 105.5 | 1 | 0 | 1 | 295.0 | - | 326.8 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 23 | 1 | 22 | 6.0 | 1.0 | 7.7 | 1 | 0 | 1 | 3.0 | - | 3.3 |
| CONGENITAL MALFORMATIONS (282-290) | 14 | 5 | 9 | 5.6 | 5.6 | 5.6 | 1 | 0 | 1 | 4.6 | - | 5.7 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 0.3 | - | 0.4 | 1 | 0 | 1 | 3.0 | - | 3.3 |
| ACCIDENTS (295-330) | 102 | 44 | 58 | 40.9 | 49.2 | 36.2 | 19 | 1 | 18 | 87.8 | 24.1 | 102.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 56 | 22 | 34 | 22.4 | 24.6 | 21.2 | 7 | 0 | 7 | 32.3 | - | 40.0 |
| SUICIDE (331-337) | 24 | 14 | 10 | 9.6 | 15.7 | 6.2 | 2 | 0 | 2 | 9.2 | - | 11.4 |
| HOMICIDE (338-346) | 49 | 6 | 43 | 19.6 | 6.7 | 26.8 | 10 | 1 | 9 | 46.2 | 24.1 | 51.4 |

| CAUSE AND GROUP NUMBER | HUMPHREYS COUNTY | | | | | | ISSAQUENA COUNTY | | | | | |
|--|------------------|-----------|------------|-------------|-------------|-------------|------------------|----------|-----------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 155 | 46 | 109 | 14.4 | 15.4 | 14.0 | 13 | 8 | 5 | 5.9 | 10.0 | 3.6 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 1 | 0 | 1 | 9.3 | - | 12.9 | 0 | 0 | 0 | - | - | - |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 9.3 | - | 12.9 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 40 | 17 | 23 | 372.1 | 567.8 | 296.5 | 3 | 3 | 0 | 136.7 | 375.9 | - |
| DIABETES MELLITUS (124) | 3 | 1 | 2 | 27.9 | 33.4 | 25.8 | 1 | 0 | 1 | 45.6 | - | 71.6 |
| ALZHEIMERS DISEASE (148) | 2 | 1 | 1 | 18.6 | 33.4 | 12.9 | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 56 | 11 | 45 | 520.9 | 367.4 | 580.2 | 6 | 3 | 3 | 273.5 | 375.9 | 214.9 |
| HEART DISEASES (156-160,162, 164-181) | 45 | 8 | 37 | 418.6 | 267.2 | 477.0 | 6 | 3 | 3 | 273.5 | 375.9 | 214.9 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 11 | 3 | 8 | 102.3 | 100.2 | 103.1 | 0 | 0 | 0 | - | - | - |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 8 | 4 | 4 | 74.4 | 133.6 | 51.6 | 0 | 0 | 0 | - | - | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 3 | 3 | 0 | 27.9 | 100.2 | - | 0 | 0 | 0 | - | - | - |
| PEPTIC ULCER (217-220) | 1 | 0 | 1 | 9.3 | - | 12.9 | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 18.6 | 33.4 | 12.9 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 3 | 0 | 3 | 27.9 | - | 38.7 | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 3 | 0 | 3 | 14.6 | - | 17.1 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 11 | 4 | 7 | 102.3 | 133.6 | 90.2 | 2 | 1 | 1 | 91.2 | 125.3 | 71.6 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 9 | 3 | 6 | 83.7 | 100.2 | 77.4 | 2 | 1 | 1 | 91.2 | 125.3 | 71.6 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | ITAWAMBA COUNTY | | | | | | JACKSON COUNTY | | | | | |
|--|-----------------|------------|-----------|-------------|-------------|------------|----------------|------------|------------|------------|------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 267 | 256 | 11 | 11.6 | 12.0 | 6.6 | 1,193 | 969 | 224 | 9.0 | 9.7 | 6.7 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 3 | 0 | 13.0 | 14.1 | - | 19 | 13 | 6 | 14.2 | 13.0 | 18.0 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 3.8 | 1.0 | 12.0 |
| MALIGNANT NEOPLASMS (056-108) | 57 | 54 | 3 | 248.1 | 253.4 | 180.1 | 263 | 224 | 39 | 197.4 | 224.2 | 116.9 |
| DIABETES MELLITUS (124) | 7 | 7 | 0 | 30.5 | 32.8 | - | 12 | 7 | 5 | 9.0 | 7.0 | 15.0 |
| ALZHEIMERS DISEASE (148) | 8 | 8 | 0 | 34.8 | 37.5 | - | 34 | 32 | 2 | 25.5 | 32.0 | 6.0 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 114 | 109 | 5 | 496.2 | 511.5 | 300.1 | 434 | 348 | 86 | 325.7 | 348.4 | 257.7 |
| HEART DISEASES (156-160,162, 164-181) | 81 | 77 | 4 | 352.6 | 361.4 | 240.1 | 310 | 245 | 65 | 232.6 | 245.3 | 194.8 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 5 | 4 | 1 | 3.8 | 4.0 | 3.0 |
| CEREBROVASCULAR DISEASES (182-186) | 31 | 30 | 1 | 134.9 | 140.8 | 60.0 | 101 | 82 | 19 | 75.8 | 82.1 | 56.9 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 7 | 7 | 0 | 5.2 | 7.0 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 8 | 8 | 0 | 34.8 | 37.5 | - | 26 | 21 | 5 | 19.5 | 21.0 | 15.0 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 17 | 17 | 0 | 74.0 | 79.8 | - | 72 | 66 | 6 | 54.0 | 66.1 | 18.0 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 2 | 0 | 8.7 | 9.4 | - | 10 | 10 | 0 | 7.5 | 10.0 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 4 | 0 | 17.4 | 18.8 | - | 14 | 10 | 4 | 10.5 | 10.0 | 12.0 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 2 | 0 | 2 | 7.6 | - | 76.9 | 8 | 5 | 3 | 4.4 | 3.9 | 5.6 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 6 | 3 | 3 | 4.5 | 3.0 | 9.0 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 0.6 | 0.8 | - |
| ACCIDENTS (295-330) | 13 | 12 | 1 | 56.6 | 56.3 | 60.0 | 86 | 71 | 15 | 64.5 | 71.1 | 45.0 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 5 | 4 | 1 | 21.8 | 18.8 | 60.0 | 26 | 19 | 7 | 19.5 | 19.0 | 21.0 |
| SUICIDE (331-337) | 5 | 5 | 0 | 21.8 | 23.5 | - | 26 | 24 | 2 | 19.5 | 24.0 | 6.0 |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 14 | 6 | 8 | 10.5 | 6.0 | 24.0 |

| CAUSE AND GROUP NUMBER | JASPER COUNTY | | | | | | JEFFERSON COUNTY | | | | | |
|--|---------------|------------|-----------|-------------|-------------|------------|------------------|-----------|-----------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 187 | 100 | 87 | 10.2 | 11.8 | 8.8 | 91 | 17 | 74 | 9.4 | 13.2 | 8.8 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 3 | 4 | 38.3 | 35.6 | 40.6 | 0 | 0 | 0 | - | - | - |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 34 | 15 | 19 | 185.9 | 177.9 | 192.8 | 27 | 4 | 23 | 279.5 | 309.8 | 274.8 |
| DIABETES MELLITUS (124) | 3 | 3 | 0 | 16.4 | 35.6 | - | 6 | 0 | 6 | 62.1 | - | 71.7 |
| ALZHEIMERS DISEASE (148) | 2 | 1 | 1 | 10.9 | 11.8 | 10.1 | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 85 | 51 | 34 | 464.8 | 604.8 | 345.1 | 33 | 8 | 25 | 341.6 | 619.7 | 298.7 |
| HEART DISEASES (156-160,162, 164-181) | 72 | 44 | 28 | 393.7 | 521.8 | 284.2 | 27 | 6 | 21 | 279.5 | 464.8 | 250.9 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.4 | - | 11.9 |
| CEREBROVASCULAR DISEASES (182-186) | 11 | 7 | 4 | 60.2 | 83.0 | 40.6 | 5 | 2 | 3 | 51.8 | 154.9 | 35.8 |
| ATHEROSCLEROSIS (187) | 1 | 0 | 1 | 5.5 | - | 10.1 | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 6 | 4 | 2 | 32.8 | 47.4 | 20.3 | 2 | 1 | 1 | 20.7 | 77.4 | 11.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 12 | 3 | 9 | 65.6 | 35.6 | 91.3 | 4 | 0 | 4 | 41.4 | - | 47.8 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 10.4 | 77.4 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 3 | 2 | 1 | 16.4 | 23.7 | 10.1 | 4 | 1 | 3 | 41.4 | 77.4 | 35.8 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 1 | 1 | 10.9 | 11.8 | 10.1 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 17 | 7 | 10 | 93.0 | 83.0 | 101.5 | 4 | 1 | 3 | 41.4 | 77.4 | 35.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 9 | 4 | 5 | 49.2 | 47.4 | 50.7 | 3 | 1 | 2 | 31.0 | 77.4 | 23.9 |
| SUICIDE (331-337) | 2 | 2 | 0 | 10.9 | 23.7 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 2 | 0 | 2 | 10.9 | - | 20.3 | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2002

| CAUSE AND GROUP NUMBER | JEFF DAVIS COUNTY | | | | | | JONES COUNTY | | | | | |
|--|-------------------|-----------|-----------|------------|-------------|------------|--------------|------------|------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 129 | 58 | 71 | 9.5 | 10.3 | 9.0 | 678 | 525 | 153 | 10.4 | 11.2 | 8.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.5 | - | 5.5 |
| SEPTICEMIA (018) | 6 | 2 | 4 | 44.4 | 35.4 | 50.8 | 21 | 14 | 7 | 32.3 | 29.9 | 38.3 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.5 | - | 5.5 |
| MALIGNANT NEOPLASMS (056-108) | 17 | 9 | 8 | 125.7 | 159.3 | 101.6 | 152 | 117 | 35 | 233.6 | 250.1 | 191.6 |
| DIABETES MELLITUS (124) | 1 | 0 | 1 | 7.4 | - | 12.7 | 15 | 11 | 4 | 23.0 | 23.5 | 21.9 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 7.4 | 17.7 | - | 11 | 8 | 3 | 16.9 | 17.1 | 16.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 64 | 25 | 39 | 473.3 | 442.6 | 495.4 | 258 | 199 | 59 | 396.6 | 425.4 | 323.0 |
| HEART DISEASES (156-160,162, 164-181) | 51 | 21 | 30 | 377.2 | 371.7 | 381.1 | 211 | 165 | 46 | 324.4 | 352.7 | 251.8 |
| HYPERTENSION (161,163) | 2 | 0 | 2 | 14.8 | - | 25.4 | 6 | 4 | 2 | 9.2 | 8.6 | 10.9 |
| CEREBROVASCULAR DISEASES (182-186) | 11 | 4 | 7 | 81.4 | 70.8 | 88.9 | 37 | 28 | 9 | 56.9 | 59.8 | 49.3 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 3 | 3 | 0 | 22.2 | 53.1 | - | 28 | 26 | 2 | 43.0 | 55.6 | 10.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 3 | 1 | 29.6 | 53.1 | 12.7 | 29 | 26 | 3 | 44.6 | 55.6 | 16.4 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 1.5 | 2.1 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 7 | 5 | 2 | 10.8 | 10.7 | 10.9 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 0 | 1 | 7.4 | - | 12.7 | 13 | 9 | 4 | 20.0 | 19.2 | 21.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 6.4 | - | 10.1 | 6 | 2 | 4 | 6.2 | 3.3 | 11.4 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 1 | 0 | 7.4 | 17.7 | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 2.1 | 3.3 | - |
| ACCIDENTS (295-330) | 13 | 7 | 6 | 96.1 | 123.9 | 76.2 | 40 | 29 | 11 | 61.5 | 62.0 | 60.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 9 | 4 | 5 | 66.6 | 70.8 | 63.5 | 22 | 19 | 3 | 33.8 | 40.6 | 16.4 |
| SUICIDE (331-337) | 3 | 1 | 2 | 22.2 | 17.7 | 25.4 | 4 | 4 | 0 | 6.1 | 8.6 | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 3 | 1 | 2 | 4.6 | 2.1 | 10.9 |

| CAUSE AND GROUP NUMBER | KEMPER COUNTY | | | | | | LAFAYETTE COUNTY | | | | | |
|--|---------------|-----------|-----------|-------------|-------------|------------|------------------|------------|-----------|------------|------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 114 | 66 | 48 | 10.8 | 16.2 | 7.4 | 343 | 249 | 94 | 8.7 | 8.7 | 8.5 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 1 | 1 | 18.9 | 24.5 | 15.3 | 2 | 1 | 1 | 5.1 | 3.5 | 9.1 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 5.1 | 3.5 | 9.1 |
| MALIGNANT NEOPLASMS (056-108) | 18 | 10 | 8 | 169.9 | 245.3 | 122.7 | 70 | 47 | 23 | 177.1 | 164.9 | 208.5 |
| DIABETES MELLITUS (124) | 2 | 0 | 2 | 18.9 | - | 30.7 | 10 | 5 | 5 | 25.3 | 17.5 | 45.3 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 9.4 | 24.5 | - | 24 | 19 | 5 | 60.7 | 66.7 | 45.3 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 53 | 32 | 21 | 500.2 | 785.1 | 322.1 | 117 | 95 | 22 | 296.0 | 333.4 | 199.4 |
| HEART DISEASES (156-160,162, 164-181) | 44 | 29 | 15 | 415.3 | 711.5 | 230.1 | 97 | 82 | 15 | 245.4 | 287.8 | 136.0 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 9.4 | - | 15.3 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 8 | 3 | 5 | 75.5 | 73.6 | 76.7 | 18 | 11 | 7 | 45.5 | 38.6 | 63.5 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.5 | 3.5 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 1 | 1 | 0 | 9.4 | 24.5 | - | 14 | 12 | 2 | 35.4 | 42.1 | 18.1 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 3 | 3 | 0 | 28.3 | 73.6 | - | 18 | 14 | 4 | 45.5 | 49.1 | 36.3 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 4 | 3 | 1 | 10.1 | 10.5 | 9.1 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 3 | 3 | 56.6 | 73.6 | 46.0 | 6 | 5 | 1 | 15.2 | 17.5 | 9.1 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 1 | 0 | 7.3 | 27.0 | - | 5 | 2 | 3 | 10.4 | 6.8 | 16.0 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.5 | 3.5 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 11 | 5 | 6 | 103.8 | 122.7 | 92.0 | 15 | 9 | 6 | 38.0 | 31.6 | 54.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 8 | 4 | 4 | 75.5 | 98.1 | 61.4 | 9 | 5 | 4 | 22.8 | 17.5 | 36.3 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 5.1 | 3.5 | 9.1 |
| HOMICIDE (338-346) | 1 | 0 | 1 | 9.4 | - | 15.3 | 3 | 1 | 2 | 7.6 | 3.5 | 18.1 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2002

| CAUSE AND GROUP NUMBER | LAMAR COUNTY | | | | | | LAUDERDALE COUNTY | | | | | |
|--|--------------|------------|-----------|------------|------------|------------|-------------------|------------|------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 315 | 283 | 32 | 7.6 | 8.1 | 5.2 | 987 | 678 | 309 | 12.7 | 14.7 | 9.8 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 7 | 0 | 17.0 | 20.0 | - | 11 | 7 | 4 | 14.2 | 15.2 | 12.7 |
| HIV DISEASE (039-043) | 3 | 3 | 0 | 7.3 | 8.6 | - | 14 | 3 | 11 | 18.0 | 6.5 | 34.9 |
| MALIGNANT NEOPLASMS (056-108) | 69 | 64 | 5 | 167.6 | 182.7 | 81.5 | 197 | 132 | 65 | 253.9 | 286.4 | 206.2 |
| DIABETES MELLITUS (124) | 7 | 5 | 2 | 17.0 | 14.3 | 32.6 | 23 | 10 | 13 | 29.6 | 21.7 | 41.2 |
| ALZHEIMERS DISEASE (148) | 7 | 7 | 0 | 17.0 | 20.0 | - | 55 | 45 | 10 | 70.9 | 97.6 | 31.7 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 132 | 115 | 17 | 320.6 | 328.3 | 277.0 | 381 | 275 | 106 | 491.0 | 596.7 | 336.3 |
| HEART DISEASES (156-160,162, 164-181) | 97 | 85 | 12 | 235.6 | 242.6 | 195.5 | 315 | 224 | 91 | 405.9 | 486.1 | 288.7 |
| HYPERTENSION (161,163) | 2 | 2 | 0 | 4.8 | 5.7 | - | 3 | 3 | 0 | 3.9 | 6.5 | - |
| CEREBROVASCULAR DISEASES (182-186) | 29 | 24 | 5 | 70.4 | 68.5 | 81.5 | 57 | 43 | 14 | 73.4 | 93.3 | 44.4 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 0 | 0 | 0 | - | - | - | 24 | 11 | 13 | 30.9 | 23.9 | 41.2 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 10 | 10 | 0 | 24.3 | 28.5 | - | 60 | 49 | 11 | 77.3 | 106.3 | 34.9 |
| PEPTIC ULCER (217-220) | 1 | 1 | 0 | 2.4 | 2.8 | - | 1 | 1 | 0 | 1.3 | 2.2 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 4 | 4 | 0 | 9.7 | 11.4 | - | 7 | 6 | 1 | 9.0 | 13.0 | 3.2 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 6 | 0 | 14.6 | 17.1 | - | 24 | 5 | 19 | 30.9 | 10.8 | 60.3 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 87.0 | - | 183.8 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 2 | 2 | 0 | 3.2 | 3.8 | - | 4 | 2 | 2 | 3.5 | 3.3 | 3.7 |
| CONGENITAL MALFORMATIONS (282-290) | 3 | 3 | 0 | 7.3 | 8.6 | - | 3 | 3 | 0 | 3.9 | 6.5 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 0.9 | - | 1.8 |
| ACCIDENTS (295-330) | 22 | 20 | 2 | 53.4 | 57.1 | 32.6 | 29 | 21 | 8 | 37.4 | 45.6 | 25.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 12 | 11 | 1 | 29.2 | 31.4 | 16.3 | 18 | 12 | 6 | 23.2 | 26.0 | 19.0 |
| SUICIDE (331-337) | 3 | 3 | 0 | 7.3 | 8.6 | - | 10 | 10 | 0 | 12.9 | 21.7 | - |
| HOMICIDE (338-346) | 1 | 1 | 0 | 2.4 | 2.8 | - | 10 | 5 | 5 | 12.9 | 10.8 | 15.9 |

| CAUSE AND GROUP NUMBER | LAWRENCE COUNTY | | | | | | LEAKE COUNTY | | | | | |
|--|-----------------|-----------|-----------|-------------|-------------|-------------|--------------|------------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 147 | 93 | 54 | 10.9 | 10.3 | 12.2 | 264 | 169 | 95 | 12.2 | 13.8 | 10.2 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 1 | 1 | 0 | 7.4 | 11.1 | - | 8 | 3 | 5 | 37.1 | 24.5 | 53.8 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 34 | 18 | 16 | 252.8 | 199.2 | 362.8 | 51 | 30 | 21 | 236.8 | 244.8 | 226.2 |
| DIABETES MELLITUS (124) | 5 | 3 | 2 | 37.2 | 33.2 | 45.4 | 1 | 1 | 0 | 4.6 | 8.2 | - |
| ALZHEIMERS DISEASE (148) | 4 | 3 | 1 | 29.7 | 33.2 | 22.7 | 4 | 3 | 1 | 18.6 | 24.5 | 10.8 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 58 | 37 | 21 | 431.3 | 409.4 | 476.2 | 101 | 70 | 31 | 468.9 | 571.1 | 333.9 |
| HEART DISEASES (156-160,162, 164-181) | 46 | 33 | 13 | 342.0 | 365.1 | 294.8 | 76 | 51 | 25 | 352.8 | 416.1 | 269.3 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 6 | 4 | 2 | 27.8 | 32.6 | 21.5 |
| CEREBROVASCULAR DISEASES (182-186) | 8 | 1 | 7 | 59.5 | 11.1 | 158.7 | 17 | 13 | 4 | 78.9 | 106.1 | 43.1 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 7.4 | 11.1 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 4 | 2 | 2 | 29.7 | 22.1 | 45.4 | 4 | 4 | 0 | 18.6 | 32.6 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 4 | 0 | 29.7 | 44.2 | - | 12 | 10 | 2 | 55.7 | 81.6 | 21.5 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 7.4 | 11.1 | - | 6 | 4 | 2 | 27.8 | 32.6 | 21.5 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 0 | 1 | 7.4 | - | 22.7 | 8 | 3 | 5 | 37.1 | 24.5 | 53.8 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 4 | 4 | 0 | 11.5 | 21.4 | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 6.4 | - | 15.9 | 1 | 1 | 0 | 2.9 | 5.3 | - |
| ACCIDENTS (295-330) | 6 | 4 | 2 | 44.6 | 44.2 | 45.4 | 24 | 12 | 12 | 111.4 | 97.9 | 129.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 4 | 2 | 2 | 29.7 | 22.1 | 45.4 | 19 | 9 | 10 | 88.2 | 73.4 | 107.7 |
| SUICIDE (331-337) | 4 | 2 | 2 | 29.7 | 22.1 | 45.4 | 2 | 2 | 0 | 9.3 | 16.3 | - |
| HOMICIDE (338-346) | 2 | 2 | 0 | 14.9 | - | 45.4 | 1 | 0 | 1 | 4.6 | - | 10.8 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | LEE COUNTY | | | | | | LEFLORE COUNTY | | | | | |
|--|------------|------------|------------|------------|-------------|------------|----------------|------------|------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 765 | 600 | 165 | 9.9 | 10.6 | 7.9 | 437 | 195 | 242 | 11.8 | 17.9 | 9.2 |
| TUBERCULOSIS (009,010) | 1 | 1 | 0 | 1.3 | 1.8 | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 10 | 10 | 0 | 13.0 | 17.8 | - | 4 | 1 | 3 | 10.8 | 9.2 | 11.4 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 2.6 | - | 9.6 | 2 | 0 | 2 | 5.4 | - | 7.6 |
| MALIGNANT NEOPLASMS (056-108) | 151 | 120 | 31 | 195.5 | 213.1 | 148.2 | 81 | 34 | 47 | 218.3 | 311.9 | 179.4 |
| DIABETES MELLITUS (124) | 13 | 9 | 4 | 16.8 | 16.0 | 19.1 | 6 | 2 | 4 | 16.2 | 18.3 | 15.3 |
| ALZHEIMERS DISEASE (148) | 22 | 21 | 1 | 28.5 | 37.3 | 4.8 | 3 | 2 | 1 | 8.1 | 18.3 | 3.8 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 316 | 250 | 66 | 409.2 | 444.0 | 315.6 | 194 | 94 | 100 | 522.9 | 862.4 | 381.7 |
| HEART DISEASES (156-160,162, 164-181) | 248 | 198 | 50 | 321.2 | 351.6 | 239.1 | 158 | 75 | 83 | 425.9 | 688.1 | 316.8 |
| HYPERTENSION (161,163) | 6 | 4 | 2 | 7.8 | 7.1 | 9.6 | 3 | 1 | 2 | 8.1 | 9.2 | 7.6 |
| CEREBROVASCULAR DISEASES (182-186) | 59 | 45 | 14 | 76.4 | 79.9 | 66.9 | 31 | 16 | 15 | 83.6 | 146.8 | 57.2 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 1.3 | 1.8 | - | 1 | 1 | 0 | 2.7 | 9.2 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 22 | 16 | 6 | 28.5 | 28.4 | 28.7 | 27 | 13 | 14 | 72.8 | 119.3 | 53.4 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 28 | 26 | 2 | 36.3 | 46.2 | 9.6 | 25 | 15 | 10 | 67.4 | 137.6 | 38.2 |
| PEPTIC ULCER (217-220) | 1 | 1 | 0 | 1.3 | 1.8 | - | 2 | 1 | 1 | 5.4 | 9.2 | 3.8 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 7 | 4 | 3 | 9.1 | 7.1 | 14.3 | 1 | 1 | 0 | 2.7 | 9.2 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 15 | 11 | 4 | 19.4 | 19.5 | 19.1 | 8 | 2 | 6 | 21.6 | 18.3 | 22.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 7 | 1 | 6 | 6.0 | 1.3 | 16.2 | 5 | 0 | 5 | 8.4 | - | 11.1 |
| CONGENITAL MALFORMATIONS (282-290) | 6 | 2 | 4 | 7.8 | 3.6 | 19.1 | 1 | 0 | 1 | 2.7 | - | 3.8 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 4 | 3 | 1 | 3.4 | 3.8 | 2.7 | 1 | 0 | 1 | 1.7 | - | 2.2 |
| ACCIDENTS (295-330) | 54 | 43 | 11 | 69.9 | 76.4 | 52.6 | 19 | 7 | 12 | 51.2 | 64.2 | 45.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 28 | 20 | 8 | 36.3 | 35.5 | 38.2 | 9 | 3 | 6 | 24.2 | 27.5 | 22.9 |
| SUICIDE (331-337) | 12 | 11 | 1 | 15.5 | 19.5 | 4.8 | 3 | 2 | 1 | 8.1 | 18.3 | 3.8 |
| HOMICIDE (338-346) | 4 | 3 | 1 | 5.2 | 5.3 | 4.8 | 6 | 0 | 6 | 16.2 | - | 22.9 |

| CAUSE AND GROUP NUMBER | LINCOLN COUNTY | | | | | | LOWNDES COUNTY | | | | | |
|--|----------------|------------|-----------|-------------|-------------|------------|----------------|------------|------------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 349 | 251 | 98 | 10.4 | 10.9 | 9.4 | 540 | 362 | 178 | 8.8 | 10.6 | 6.6 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 3 | 3 | 0 | 9.0 | 13.0 | - | 15 | 9 | 6 | 24.6 | 26.4 | 22.3 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 8.2 | 2.9 | 14.8 |
| MALIGNANT NEOPLASMS (056-108) | 68 | 45 | 23 | 203.3 | 195.1 | 221.5 | 119 | 77 | 42 | 195.2 | 226.3 | 155.8 |
| DIABETES MELLITUS (124) | 18 | 11 | 7 | 53.8 | 47.7 | 67.4 | 13 | 6 | 7 | 21.3 | 17.6 | 26.0 |
| ALZHEIMERS DISEASE (148) | 6 | 6 | 0 | 17.9 | 26.0 | - | 6 | 6 | 0 | 9.8 | 17.6 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 132 | 96 | 36 | 394.6 | 416.2 | 346.7 | 216 | 146 | 70 | 354.2 | 429.1 | 259.7 |
| HEART DISEASES (156-160,162, 164-181) | 95 | 72 | 23 | 284.0 | 312.2 | 221.5 | 169 | 121 | 48 | 277.1 | 355.6 | 178.1 |
| HYPERTENSION (161,163) | 14 | 7 | 7 | 41.8 | 30.3 | 67.4 | 17 | 5 | 12 | 27.9 | 14.7 | 44.5 |
| CEREBROVASCULAR DISEASES (182-186) | 20 | 14 | 6 | 59.8 | 60.7 | 57.8 | 25 | 18 | 7 | 41.0 | 52.9 | 26.0 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 15 | 12 | 3 | 44.8 | 52.0 | 28.9 | 9 | 5 | 4 | 14.8 | 14.7 | 14.8 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 27 | 24 | 3 | 80.7 | 104.0 | 28.9 | 26 | 25 | 1 | 42.6 | 73.5 | 3.7 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 3.3 | 2.9 | 3.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 3 | 0 | 9.0 | 13.0 | - | 6 | 3 | 3 | 9.8 | 8.8 | 11.1 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 4 | 2 | 17.9 | 17.3 | 19.3 | 12 | 10 | 2 | 19.7 | 29.4 | 7.4 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 1 | 0 | 2.2 | 3.1 | - | 2 | 1 | 1 | 2.2 | 2.2 | 2.1 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 1 | 0 | 3.0 | 4.3 | - | 1 | 1 | 0 | 1.6 | 2.9 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 2.2 | 2.2 | 2.1 |
| ACCIDENTS (295-330) | 23 | 14 | 9 | 68.8 | 60.7 | 86.7 | 20 | 13 | 7 | 32.8 | 38.2 | 26.0 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 13 | 9 | 4 | 38.9 | 39.0 | 38.5 | 9 | 4 | 5 | 14.8 | 11.8 | 18.6 |
| SUICIDE (331-337) | 3 | 2 | 1 | 9.0 | 8.7 | 9.6 | 6 | 5 | 1 | 9.8 | 14.7 | 3.7 |
| HOMICIDE (338-346) | 1 | 0 | 1 | 3.0 | - | 9.6 | 3 | 1 | 2 | 4.9 | 2.9 | 7.4 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | MADISON COUNTY | | | | | | MARION COUNTY | | | | | |
|--|----------------|------------|------------|-------------|-------------|-------------|---------------|------------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 958 | 639 | 319 | 12.3 | 13.7 | 10.2 | 310 | 225 | 85 | 12.2 | 13.3 | 10.1 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 8 | 4 | 4 | 10.3 | 8.6 | 12.8 | 3 | 2 | 1 | 11.8 | 11.8 | 11.9 |
| HIV DISEASE (039-043) | 13 | 0 | 13 | 16.7 | - | 41.7 | 1 | 0 | 1 | 4.0 | - | 11.9 |
| MALIGNANT NEOPLASMS (056-108) | 293 | 192 | 101 | 376.2 | 411.0 | 324.1 | 64 | 43 | 21 | 252.8 | 254.1 | 250.1 |
| DIABETES MELLITUS (124) | 16 | 5 | 11 | 20.5 | 10.7 | 35.3 | 7 | 2 | 5 | 27.6 | 11.8 | 59.5 |
| ALZHEIMERS DISEASE (148) | 41 | 37 | 4 | 52.6 | 79.2 | 12.8 | 13 | 13 | 0 | 51.3 | 76.8 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 298 | 206 | 92 | 382.7 | 441.0 | 295.2 | 131 | 94 | 37 | 517.4 | 555.5 | 440.6 |
| HEART DISEASES (156-160,162, 164-181) | 221 | 154 | 67 | 283.8 | 329.7 | 215.0 | 93 | 70 | 23 | 367.3 | 413.7 | 273.9 |
| HYPERTENSION (161,163) | 4 | 1 | 3 | 5.1 | 2.1 | 9.6 | 3 | 1 | 2 | 11.8 | 5.9 | 23.8 |
| CEREBROVASCULAR DISEASES (182-186) | 67 | 45 | 22 | 86.0 | 96.3 | 70.6 | 29 | 18 | 11 | 114.5 | 106.4 | 131.0 |
| ATHEROSCLEROSIS (187) | 2 | 2 | 0 | 2.6 | 4.3 | - | 2 | 2 | 0 | 7.9 | 11.8 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 20 | 19 | 1 | 25.7 | 40.7 | 3.2 | 9 | 8 | 1 | 35.5 | 47.3 | 11.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 46 | 37 | 9 | 59.1 | 79.2 | 28.9 | 12 | 11 | 1 | 47.4 | 65.0 | 11.9 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 4.0 | 5.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 16 | 12 | 4 | 20.5 | 25.7 | 12.8 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 17 | 7 | 10 | 21.8 | 15.0 | 32.1 | 5 | 4 | 1 | 19.7 | 23.6 | 11.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 7 | 2 | 5 | 6.0 | 3.2 | 9.3 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 4 | 1 | 3 | 5.1 | 2.1 | 9.6 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 3 | 0 | 3 | 2.6 | - | 5.6 | 1 | 1 | 0 | 2.5 | 4.3 | - |
| ACCIDENTS (295-330) | 31 | 22 | 9 | 39.8 | 47.1 | 28.9 | 16 | 11 | 5 | 63.2 | 65.0 | 59.5 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 20 | 12 | 8 | 25.7 | 25.7 | 25.7 | 9 | 6 | 3 | 35.5 | 35.4 | 35.7 |
| SUICIDE (331-337) | 8 | 8 | 0 | 10.3 | 17.1 | - | 2 | 1 | 1 | 7.9 | 5.9 | 11.9 |
| HOMICIDE (338-346) | 11 | 1 | 10 | 14.1 | 2.1 | 32.1 | 3 | 1 | 2 | 11.8 | 5.9 | 23.8 |

| CAUSE AND GROUP NUMBER | MARSHALL COUNTY | | | | | | MONROE COUNTY | | | | | |
|--|-----------------|------------|------------|-------------|-------------|------------|---------------|------------|------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 350 | 188 | 162 | 10.0 | 10.9 | 9.0 | 394 | 281 | 113 | 10.4 | 10.9 | 9.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 5 | 2 | 19.9 | 29.0 | 11.1 | 9 | 5 | 4 | 23.8 | 19.4 | 33.5 |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 2.8 | - | 5.6 | 1 | 0 | 1 | 2.6 | - | 8.4 |
| MALIGNANT NEOPLASMS (056-108) | 78 | 46 | 32 | 221.8 | 267.3 | 178.2 | 69 | 47 | 22 | 182.8 | 182.2 | 184.1 |
| DIABETES MELLITUS (124) | 10 | 3 | 7 | 28.4 | 17.4 | 39.0 | 7 | 2 | 5 | 18.5 | 7.8 | 41.8 |
| ALZHEIMERS DISEASE (148) | 6 | 5 | 1 | 17.1 | 29.0 | 5.6 | 9 | 7 | 2 | 23.8 | 27.1 | 16.7 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 125 | 63 | 62 | 355.5 | 366.1 | 345.3 | 176 | 123 | 53 | 466.3 | 476.8 | 443.6 |
| HEART DISEASES (156-160,162, 164-181) | 86 | 41 | 45 | 244.6 | 238.3 | 250.6 | 129 | 93 | 36 | 341.8 | 360.5 | 301.3 |
| HYPERTENSION (161,163) | 14 | 8 | 6 | 39.8 | 46.5 | 33.4 | 14 | 6 | 8 | 37.1 | 23.2 | 67.0 |
| CEREBROVASCULAR DISEASES (182-186) | 23 | 13 | 10 | 65.4 | 75.6 | 55.7 | 28 | 19 | 9 | 74.2 | 73.6 | 75.3 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 2.8 | 5.8 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 8 | 5 | 3 | 22.8 | 29.0 | 16.7 | 17 | 15 | 2 | 45.0 | 58.1 | 16.7 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 23 | 22 | 1 | 65.4 | 127.8 | 5.6 | 20 | 18 | 2 | 53.0 | 69.8 | 16.7 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 2 | 1 | 8.5 | 11.6 | 5.6 | 2 | 1 | 1 | 5.3 | 3.9 | 8.4 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 11 | 2 | 9 | 31.3 | 11.6 | 50.1 | 13 | 8 | 5 | 34.4 | 31.0 | 41.8 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 3 | 0 | 3 | 5.8 | - | 11.1 | 4 | 2 | 2 | 8.4 | 6.6 | 11.5 |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 1 | 1 | 5.7 | 5.8 | 5.6 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 1 | 0 | 1.9 | 4.1 | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 26 | 9 | 17 | 73.9 | 52.3 | 94.7 | 25 | 19 | 6 | 66.2 | 73.6 | 50.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 15 | 5 | 10 | 42.6 | 29.0 | 55.7 | 12 | 11 | 1 | 31.8 | 42.6 | 8.4 |
| SUICIDE (331-337) | 1 | 0 | 1 | 2.8 | - | 5.6 | 4 | 4 | 0 | 10.6 | 15.5 | - |
| HOMICIDE (338-346) | 4 | 1 | 3 | 11.4 | 5.8 | 16.7 | 3 | 1 | 2 | 7.9 | 3.9 | 16.7 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | MONTGOMERY COUNTY | | | | | | NESHOMA COUNTY | | | | | |
|--|-------------------|-----------|-----------|-------------|-------------|------------|----------------|------------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 145 | 91 | 54 | 12.2 | 14.3 | 9.8 | 309 | 200 | 109 | 10.6 | 10.6 | 10.7 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 2 | 0 | 16.8 | 31.5 | - | 9 | 4 | 5 | 31.0 | 21.2 | 49.0 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 30 | 20 | 10 | 252.9 | 315.4 | 181.1 | 54 | 37 | 17 | 186.0 | 196.6 | 166.5 |
| DIABETES MELLITUS (124) | 5 | 3 | 2 | 42.1 | 47.3 | 36.2 | 6 | 2 | 4 | 20.7 | 10.6 | 39.2 |
| ALZHEIMERS DISEASE (148) | 4 | 3 | 1 | 33.7 | 47.3 | 18.1 | 8 | 5 | 3 | 27.6 | 26.6 | 29.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 63 | 43 | 20 | 531.1 | 678.0 | 362.2 | 135 | 93 | 42 | 465.1 | 494.2 | 411.4 |
| HEART DISEASES (156-160,162, 164-181) | 50 | 33 | 17 | 421.5 | 520.3 | 307.9 | 104 | 72 | 32 | 358.3 | 382.6 | 313.4 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 12 | 9 | 3 | 101.2 | 141.9 | 54.3 | 26 | 19 | 7 | 89.6 | 101.0 | 68.6 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 1 | 1 | 0 | 8.4 | 15.8 | - | 13 | 8 | 5 | 44.8 | 42.5 | 49.0 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 2 | 2 | 0 | 16.8 | 31.5 | - | 7 | 6 | 1 | 24.1 | 31.9 | 9.8 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 16.8 | 15.8 | 18.1 | 9 | 3 | 6 | 31.0 | 15.9 | 58.8 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 1 | 3 | 33.7 | 15.8 | 54.3 | 8 | 6 | 2 | 27.6 | 31.9 | 19.6 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 6.6 | - | 11.6 | 2 | 0 | 2 | 4.5 | - | 8.4 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 6.9 | - | 19.6 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 6.6 | - | 11.6 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 14 | 8 | 6 | 118.0 | 126.1 | 108.7 | 15 | 11 | 4 | 51.7 | 58.4 | 39.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 11 | 6 | 5 | 92.7 | 94.6 | 90.6 | 14 | 11 | 3 | 48.2 | 58.4 | 29.4 |
| SUICIDE (331-337) | 2 | 2 | 0 | 16.8 | 31.5 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 6.9 | 5.3 | 9.8 |

| CAUSE AND GROUP NUMBER | NEWTON COUNTY | | | | | | NOXUBEE | | | | | |
|--|---------------|------------|-----------|-------------|-------------|------------|------------|-----------|-----------|------------|------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 236 | 170 | 66 | 10.7 | 11.8 | 8.8 | 112 | 35 | 77 | 9.0 | 9.7 | 8.7 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 1 | 1 | 9.1 | 6.9 | 13.3 | 4 | 0 | 4 | 32.2 | - | 45.3 |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 4.6 | - | 13.3 | 1 | 0 | 1 | 8.0 | - | 11.3 |
| MALIGNANT NEOPLASMS (056-108) | 39 | 28 | 11 | 177.5 | 194.0 | 146.0 | 26 | 6 | 20 | 209.0 | 166.3 | 226.5 |
| DIABETES MELLITUS (124) | 8 | 5 | 3 | 36.4 | 34.6 | 39.8 | 3 | 0 | 3 | 24.1 | - | 34.0 |
| ALZHEIMERS DISEASE (148) | 4 | 3 | 1 | 18.2 | 20.8 | 13.3 | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 115 | 84 | 31 | 523.5 | 582.0 | 411.5 | 50 | 19 | 31 | 402.0 | 526.6 | 351.1 |
| HEART DISEASES (156-160,162, 164-181) | 86 | 66 | 20 | 391.5 | 457.2 | 265.5 | 40 | 13 | 27 | 321.6 | 360.3 | 305.8 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 4.6 | - | 13.3 | 1 | 1 | 0 | 8.0 | 27.7 | - |
| CEREBROVASCULAR DISEASES (182-186) | 27 | 17 | 10 | 122.9 | 117.8 | 132.7 | 9 | 5 | 4 | 72.4 | 138.6 | 45.3 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 6 | 6 | 0 | 27.3 | 41.6 | - | 6 | 4 | 2 | 48.2 | 110.9 | 22.6 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 15 | 10 | 5 | 68.3 | 69.3 | 66.4 | 3 | 0 | 3 | 24.1 | - | 34.0 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 9.1 | 6.9 | 13.3 | 1 | 1 | 0 | 8.0 | 27.7 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 8 | 4 | 4 | 36.4 | 27.7 | 53.1 | 1 | 0 | 1 | 8.0 | - | 11.3 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.2 | - | 7.0 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 10 | 7 | 3 | 45.5 | 48.5 | 39.8 | 4 | 0 | 4 | 32.2 | - | 45.3 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 7 | 4 | 3 | 31.9 | 27.7 | 39.8 | 4 | 0 | 4 | 32.2 | - | 45.3 |
| SUICIDE (331-337) | 1 | 1 | 0 | 4.6 | 6.9 | - | 1 | 1 | 0 | 8.0 | 27.7 | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | OKTIBBEHA COUNTY | | | | | | PANOLA COUNTY | | | | | |
|--|------------------|------------|------------|------------|------------|------------|---------------|------------|------------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 291 | 171 | 120 | 6.8 | 6.8 | 6.8 | 341 | 222 | 119 | 9.8 | 12.5 | 7.0 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.9 | 5.6 | - |
| SEPTICEMIA (018) | 3 | 1 | 2 | 7.0 | 4.0 | 11.4 | 4 | 1 | 3 | 11.4 | 5.6 | 17.5 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 4.7 | - | 11.4 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 58 | 30 | 28 | 135.7 | 119.0 | 159.6 | 84 | 60 | 24 | 240.6 | 336.8 | 140.4 |
| DIABETES MELLITUS (124) | 4 | 1 | 3 | 9.4 | 4.0 | 17.1 | 5 | 2 | 3 | 14.3 | 11.2 | 17.5 |
| ALZHEIMERS DISEASE (148) | 7 | 4 | 3 | 16.4 | 15.9 | 17.1 | 8 | 5 | 3 | 22.9 | 28.1 | 17.5 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 125 | 78 | 47 | 292.4 | 309.4 | 267.9 | 131 | 83 | 48 | 375.2 | 465.9 | 280.7 |
| HEART DISEASES (156-160,162, 164-181) | 104 | 64 | 40 | 243.3 | 253.9 | 228.0 | 100 | 65 | 35 | 286.4 | 364.9 | 204.7 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 17 | 11 | 6 | 39.8 | 43.6 | 34.2 | 28 | 15 | 13 | 80.2 | 84.2 | 76.0 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.9 | 5.6 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 8 | 5 | 3 | 18.7 | 19.8 | 17.1 | 8 | 5 | 3 | 22.9 | 28.1 | 17.5 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 12 | 9 | 3 | 28.1 | 35.7 | 17.1 | 17 | 14 | 3 | 48.7 | 78.6 | 17.5 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 3 | 0 | 7.0 | 11.9 | - | 2 | 1 | 1 | 5.7 | 5.6 | 5.8 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 3 | 0 | 3 | 7.0 | - | 17.1 | 8 | 3 | 5 | 22.9 | 16.8 | 29.2 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 4 | 2 | 2 | 7.2 | 7.1 | 7.3 | 1 | 0 | 1 | 1.9 | - | 3.1 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 0 | 1 | 2.3 | - | 5.7 | 1 | 0 | 1 | 2.9 | - | 5.8 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 14 | 7 | 7 | 32.7 | 27.8 | 39.9 | 23 | 16 | 7 | 65.9 | 89.8 | 40.9 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 9 | 4 | 5 | 21.0 | 15.9 | 28.5 | 15 | 9 | 6 | 43.0 | 50.5 | 35.1 |
| SUICIDE (331-337) | 3 | 2 | 1 | 7.0 | 7.9 | 5.7 | 3 | 3 | 0 | 8.6 | 16.8 | - |
| HOMICIDE (338-346) | 6 | 4 | 2 | 14.0 | 15.9 | 11.4 | 1 | 0 | 1 | 2.9 | - | 5.8 |

| CAUSE AND GROUP NUMBER | PEARL RIVER COUNTY | | | | | | PERRY COUNTY | | | | | |
|--|--------------------|------------|-----------|------------|------------|------------|--------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 501 | 431 | 70 | 9.9 | 9.9 | 9.8 | 132 | 105 | 27 | 10.8 | 11.2 | 9.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 10 | 8 | 2 | 19.8 | 18.5 | 28.0 | 8 | 4 | 4 | 65.6 | 42.8 | 139.6 |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 2.0 | - | 14.0 | 1 | 0 | 1 | 8.2 | - | 34.9 |
| MALIGNANT NEOPLASMS (056-108) | 112 | 99 | 13 | 221.9 | 228.5 | 182.0 | 35 | 31 | 4 | 286.9 | 332.1 | 139.6 |
| DIABETES MELLITUS (124) | 16 | 11 | 5 | 31.7 | 25.4 | 70.0 | 2 | 1 | 1 | 16.4 | 10.7 | 34.9 |
| ALZHEIMERS DISEASE (148) | 8 | 7 | 1 | 15.8 | 16.2 | 14.0 | 1 | 1 | 0 | 8.2 | 10.7 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 170 | 146 | 24 | 336.8 | 336.9 | 336.1 | 40 | 34 | 6 | 327.9 | 364.3 | 209.4 |
| HEART DISEASES (156-160,162, 164-181) | 132 | 116 | 16 | 261.5 | 267.7 | 224.0 | 35 | 30 | 5 | 286.9 | 321.4 | 174.4 |
| HYPERTENSION (161,163) | 5 | 3 | 2 | 9.9 | 6.9 | 28.0 | 2 | 1 | 1 | 16.4 | 10.7 | 34.9 |
| CEREBROVASCULAR DISEASES (182-186) | 26 | 20 | 6 | 51.5 | 46.2 | 84.0 | 3 | 3 | 0 | 24.6 | 32.1 | - |
| ATHEROSCLEROSIS (187) | 2 | 2 | 0 | 4.0 | 4.6 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 10 | 8 | 2 | 19.8 | 18.5 | 28.0 | 3 | 2 | 1 | 24.6 | 21.4 | 34.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 39 | 37 | 2 | 77.3 | 85.4 | 28.0 | 2 | 2 | 0 | 16.4 | 21.4 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 6 | 6 | 0 | 11.9 | 13.8 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 5 | 1 | 11.9 | 11.5 | 14.0 | 3 | 2 | 1 | 24.6 | 21.4 | 34.9 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 5 | 3 | 2 | 7.4 | 5.2 | 18.7 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 3 | 2 | 1 | 5.9 | 4.6 | 14.0 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 39 | 32 | 7 | 77.3 | 73.8 | 98.0 | 10 | 8 | 2 | 82.0 | 85.7 | 69.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 21 | 16 | 5 | 41.6 | 36.9 | 70.0 | 4 | 3 | 1 | 32.8 | 32.1 | 34.9 |
| SUICIDE (331-337) | 3 | 3 | 0 | 5.9 | 6.9 | - | 2 | 2 | 0 | 16.4 | 21.4 | - |
| HOMICIDE (338-346) | 2 | 0 | 2 | 4.0 | - | 28.0 | 3 | 0 | 3 | 24.6 | - | 104.7 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | PIKE COUNTY | | | | | | PONTOTOC COUNTY | | | | | |
|--|-------------|------------|------------|-------------|-------------|-------------|-----------------|------------|-----------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 461 | 262 | 199 | 11.8 | 13.3 | 10.3 | 268 | 237 | 31 | 9.9 | 10.3 | 7.6 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 17 | 5 | 12 | 43.6 | 25.3 | 62.3 | 1 | 1 | 0 | 3.7 | 4.4 | - |
| HIV DISEASE (039-043) | 5 | 0 | 5 | 12.8 | - | 26.0 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 97 | 58 | 39 | 248.8 | 294.0 | 202.5 | 75 | 69 | 6 | 277.4 | 300.9 | 146.3 |
| DIABETES MELLITUS (124) | 23 | 7 | 16 | 59.0 | 35.5 | 83.1 | 8 | 5 | 3 | 29.6 | 21.8 | 73.1 |
| ALZHEIMERS DISEASE (148) | 5 | 1 | 4 | 12.8 | 5.1 | 20.8 | 4 | 3 | 1 | 14.8 | 13.1 | 24.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 176 | 105 | 71 | 451.4 | 532.3 | 368.6 | 95 | 81 | 14 | 351.4 | 353.2 | 341.3 |
| HEART DISEASES (156-160,162, 164-181) | 149 | 93 | 56 | 382.2 | 471.4 | 290.8 | 72 | 61 | 11 | 266.4 | 266.0 | 268.2 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 2.6 | - | 5.2 | 2 | 2 | 0 | 7.4 | 8.7 | - |
| CEREBROVASCULAR DISEASES (182-186) | 22 | 10 | 12 | 56.4 | 50.7 | 62.3 | 17 | 15 | 2 | 62.9 | 65.4 | 48.8 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.7 | 4.4 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 11 | 7 | 4 | 28.2 | 35.5 | 20.8 | 10 | 10 | 0 | 37.0 | 43.6 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 27 | 23 | 4 | 69.2 | 116.6 | 20.8 | 14 | 14 | 0 | 51.8 | 61.0 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 5.1 | 5.1 | 5.2 | 1 | 1 | 0 | 3.7 | 4.4 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 3 | 3 | 15.4 | 15.2 | 15.6 | 6 | 6 | 0 | 22.2 | 26.2 | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 1.5 | - | 2.4 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 0 | 2 | 5.1 | - | 10.4 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 2 | 0 | 2 | 3.0 | - | 4.9 | 1 | 0 | 1 | 2.5 | - | 16.4 |
| ACCIDENTS (295-330) | 20 | 11 | 9 | 51.3 | 55.8 | 46.7 | 21 | 19 | 2 | 77.7 | 82.9 | 48.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 12 | 9 | 3 | 30.8 | 45.6 | 15.6 | 10 | 8 | 2 | 37.0 | 34.9 | 48.8 |
| SUICIDE (331-337) | 10 | 5 | 5 | 25.6 | 25.3 | 26.0 | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 4 | 1 | 3 | 10.3 | 5.1 | 15.6 | 1 | 1 | 0 | 3.7 | 4.4 | - |

| CAUSE AND GROUP NUMBER | PRENTISS COUNTY | | | | | | QUITMAN COUNTY | | | | | |
|--|-----------------|------------|-----------|------------|------------|------------|----------------|-----------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 241 | 212 | 29 | 9.4 | 9.6 | 8.0 | 105 | 37 | 68 | 10.7 | 12.4 | 10.0 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 2 | 0 | 7.8 | 9.0 | - | 2 | 0 | 2 | 20.4 | - | 29.4 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.2 | - | 14.7 |
| MALIGNANT NEOPLASMS (056-108) | 53 | 42 | 11 | 205.8 | 190.0 | 302.1 | 25 | 9 | 16 | 254.9 | 300.5 | 234.9 |
| DIABETES MELLITUS (124) | 4 | 4 | 0 | 15.5 | 18.1 | - | 5 | 1 | 4 | 51.0 | 33.4 | 58.7 |
| ALZHEIMERS DISEASE (148) | 7 | 7 | 0 | 27.2 | 31.7 | - | 1 | 1 | 0 | 10.2 | 33.4 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 89 | 78 | 11 | 345.7 | 352.9 | 302.1 | 37 | 18 | 19 | 377.3 | 601.0 | 279.0 |
| HEART DISEASES (156-160,162, 164-181) | 69 | 63 | 6 | 268.0 | 285.0 | 164.8 | 29 | 15 | 14 | 295.7 | 500.8 | 205.6 |
| HYPERTENSION (161,163) | 3 | 3 | 0 | 11.6 | 13.6 | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 16 | 11 | 5 | 62.1 | 49.8 | 137.3 | 7 | 3 | 4 | 71.4 | 100.2 | 58.7 |
| ATHEROSCLEROSIS (187) | 1 | 1 | 0 | 3.9 | 4.5 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 15 | 13 | 2 | 58.3 | 58.8 | 54.9 | 1 | 0 | 1 | 10.2 | - | 14.7 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 19 | 19 | 0 | 73.8 | 86.0 | - | 5 | 3 | 2 | 51.0 | 100.2 | 29.4 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 3.9 | 4.5 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 5 | 1 | 23.3 | 22.6 | 27.5 | 1 | 0 | 1 | 10.2 | - | 14.7 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 3 | 3 | 0 | 9.2 | 11.0 | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 6.8 | - | 8.1 |
| ACCIDENTS (295-330) | 11 | 11 | 0 | 42.7 | 49.8 | - | 9 | 1 | 8 | 91.8 | 33.4 | 117.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 7 | 7 | 0 | 27.2 | 31.7 | - | 5 | 1 | 4 | 51.0 | 33.4 | 58.7 |
| SUICIDE (331-337) | 3 | 3 | 0 | 11.6 | 13.6 | - | 2 | 1 | 1 | 20.4 | 33.4 | 14.7 |
| HOMICIDE (338-346) | 1 | 1 | 0 | 3.9 | 4.5 | - | 3 | 1 | 2 | 30.6 | 33.4 | 29.4 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | RANKIN COUNTY | | | | | | SCOTT COUNTY | | | | | |
|--|---------------|------------|------------|------------|------------|------------|--------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 849 | 693 | 156 | 7.0 | 7.1 | 6.6 | 287 | 193 | 94 | 10.1 | 11.4 | 8.2 |
| TUBERCULOSIS (009,010) | 1 | 1 | 0 | 0.8 | 1.0 | - | 2 | 1 | 1 | 7.0 | 5.9 | 8.7 |
| SEPTICEMIA (018) | 20 | 15 | 5 | 16.4 | 15.3 | 21.2 | 2 | 2 | 0 | 7.0 | 11.9 | - |
| HIV DISEASE (039-043) | 4 | 0 | 4 | 3.3 | - | 16.9 | 3 | 1 | 2 | 10.6 | 5.9 | 17.4 |
| MALIGNANT NEOPLASMS (056-108) | 176 | 153 | 23 | 144.8 | 156.2 | 97.4 | 63 | 45 | 18 | 222.3 | 266.8 | 156.9 |
| DIABETES MELLITUS (124) | 14 | 11 | 3 | 11.5 | 11.2 | 12.7 | 5 | 3 | 2 | 17.6 | 17.8 | 17.4 |
| ALZHEIMERS DISEASE (148) | 7 | 6 | 1 | 5.8 | 6.1 | 4.2 | 2 | 2 | 0 | 7.0 | 11.9 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 353 | 279 | 74 | 290.4 | 284.8 | 313.5 | 117 | 75 | 42 | 412.9 | 444.8 | 366.0 |
| HEART DISEASES (156-160,162, 164-181) | 292 | 229 | 63 | 240.2 | 233.7 | 266.9 | 92 | 54 | 38 | 324.6 | 320.2 | 331.2 |
| HYPERTENSION (161,163) | 2 | 0 | 2 | 1.6 | - | 8.5 | 1 | 1 | 0 | 3.5 | 5.9 | - |
| CEREBROVASCULAR DISEASES (182-186) | 47 | 39 | 8 | 38.6 | 39.8 | 33.9 | 15 | 11 | 4 | 52.9 | 65.2 | 34.8 |
| ATHEROSCLEROSIS (187) | 1 | 0 | 1 | 0.8 | - | 4.2 | 9 | 9 | 0 | 31.8 | 53.4 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 19 | 15 | 4 | 15.6 | 15.3 | 16.9 | 6 | 2 | 4 | 21.2 | 11.9 | 34.8 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 45 | 40 | 5 | 37.0 | 40.8 | 21.2 | 12 | 11 | 1 | 42.3 | 65.2 | 8.7 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 0.8 | 1.0 | - | 3 | 3 | 0 | 10.6 | 17.8 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 13 | 11 | 2 | 10.7 | 11.2 | 8.5 | 8 | 6 | 2 | 28.2 | 35.6 | 17.4 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 8 | 4 | 4 | 4.7 | 2.9 | 11.8 | 3 | 1 | 2 | 6.7 | 3.8 | 10.9 |
| CONGENITAL MALFORMATIONS (282-290) | 5 | 4 | 1 | 4.1 | 4.1 | 4.2 | 1 | 0 | 1 | 3.5 | - | 8.7 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 6.7 | 7.6 | 5.5 |
| ACCIDENTS (295-330) | 58 | 51 | 7 | 47.7 | 52.0 | 29.6 | 21 | 13 | 8 | 74.1 | 77.1 | 69.7 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 31 | 28 | 3 | 25.5 | 28.6 | 12.7 | 14 | 8 | 6 | 49.4 | 47.4 | 52.3 |
| SUICIDE (331-337) | 13 | 13 | 0 | 10.7 | 13.3 | - | 4 | 4 | 0 | 14.1 | 23.7 | - |
| HOMICIDE (338-346) | 8 | 5 | 3 | 6.6 | 5.1 | 12.7 | 1 | 1 | 0 | 3.5 | 5.9 | - |

| CAUSE AND GROUP NUMBER | SHARKEY COUNTY | | | | | | SIMPSON COUNTY | | | | | |
|--|----------------|-----------|-----------|------------|------------|-------------|----------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 61 | 16 | 45 | 9.8 | 8.6 | 10.3 | 306 | 214 | 92 | 11.0 | 11.9 | 9.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 0 | 2 | 32.0 | - | 45.6 | 3 | 3 | 0 | 10.8 | 16.7 | - |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 18 | 4 | 14 | 287.9 | 213.8 | 319.6 | 48 | 36 | 12 | 173.5 | 201.0 | 123.0 |
| DIABETES MELLITUS (124) | 4 | 0 | 4 | 64.0 | - | 91.3 | 4 | 2 | 2 | 14.4 | 11.2 | 20.5 |
| ALZHEIMERS DISEASE (148) | 2 | 1 | 1 | 32.0 | 53.4 | 22.8 | 3 | 3 | 0 | 10.8 | 16.7 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 15 | 3 | 12 | 239.9 | 160.3 | 273.9 | 147 | 94 | 53 | 531.2 | 524.8 | 543.0 |
| HEART DISEASES (156-160,162, 164-181) | 11 | 1 | 10 | 175.9 | 53.4 | 228.2 | 105 | 69 | 36 | 379.4 | 385.2 | 368.8 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 7 | 6 | 1 | 25.3 | 33.5 | 10.2 |
| CEREBROVASCULAR DISEASES (182-186) | 4 | 2 | 2 | 64.0 | 106.9 | 45.6 | 25 | 14 | 11 | 90.3 | 78.2 | 112.7 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 9 | 4 | 5 | 32.5 | 22.3 | 51.2 |
| INFLUENZA AND PNEUMONIA (195-198) | 4 | 2 | 2 | 64.0 | 106.9 | 45.6 | 10 | 7 | 3 | 36.1 | 39.1 | 30.7 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 2 | 2 | 64.0 | 106.9 | 45.6 | 18 | 17 | 1 | 65.0 | 94.9 | 10.2 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.6 | 5.6 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.6 | 5.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 0 | 1 | 16.0 | - | 22.8 | 7 | 4 | 3 | 25.3 | 22.3 | 30.7 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 3 | 3 | 0 | 7.3 | 12.2 | - |
| ACCIDENTS (295-330) | 2 | 1 | 1 | 32.0 | 53.4 | 22.8 | 30 | 21 | 9 | 108.4 | 117.2 | 92.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 1 | 1 | 0 | 16.0 | 53.4 | - | 22 | 15 | 7 | 79.5 | 83.7 | 71.7 |
| SUICIDE (331-337) | 0 | 0 | 0 | - | - | - | 4 | 3 | 1 | 14.4 | 16.7 | 10.2 |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.6 | 5.6 | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | SMITH COUNTY | | | | | | STONE COUNTY | | | | | |
|--|--------------|------------|-----------|------------|------------|------------|--------------|------------|-----------|------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 152 | 116 | 36 | 9.6 | 9.6 | 9.5 | 139 | 112 | 27 | 9.7 | 10.0 | 8.9 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 2 | 1 | 1 | 12.6 | 8.3 | 26.3 | 1 | 1 | 0 | 7.0 | 8.9 | - |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 30 | 24 | 6 | 188.8 | 198.4 | 157.9 | 30 | 23 | 7 | 210.1 | 204.4 | 231.0 |
| DIABETES MELLITUS (124) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 14.0 | 8.9 | 33.0 |
| ALZHEIMERS DISEASE (148) | 5 | 5 | 0 | 31.5 | 41.3 | - | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 64 | 52 | 12 | 402.7 | 430.0 | 315.9 | 52 | 41 | 11 | 364.1 | 364.4 | 363.0 |
| HEART DISEASES (156-160,162, 164-181) | 54 | 45 | 9 | 339.8 | 372.1 | 236.9 | 41 | 33 | 8 | 287.1 | 293.3 | 264.0 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 7.0 | - | 33.0 |
| CEREBROVASCULAR DISEASES (182-186) | 5 | 4 | 1 | 31.5 | 33.1 | 26.3 | 5 | 4 | 1 | 35.0 | 35.6 | 33.0 |
| ATHEROSCLEROSIS (187) | 4 | 2 | 2 | 25.2 | 16.5 | 52.6 | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 4 | 2 | 2 | 25.2 | 16.5 | 52.6 | 2 | 2 | 0 | 14.0 | 17.8 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 10 | 9 | 1 | 62.9 | 74.4 | 26.3 | 10 | 10 | 0 | 70.0 | 88.9 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 6.3 | 8.3 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 3 | 1 | 2 | 18.9 | 8.3 | 52.6 | 4 | 4 | 0 | 28.0 | 35.6 | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 10.1 | 6.8 | 20.0 |
| CONGENITAL MALFORMATIONS (282-290) | 2 | 1 | 1 | 12.6 | 8.3 | 26.3 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 5.0 | - | 14.1 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 10 | 8 | 2 | 62.9 | 66.1 | 52.6 | 11 | 8 | 3 | 77.0 | 71.1 | 99.0 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 8 | 6 | 2 | 50.3 | 49.6 | 52.6 | 9 | 6 | 3 | 63.0 | 53.3 | 99.0 |
| SUICIDE (331-337) | 1 | 1 | 0 | 6.3 | 8.3 | - | 5 | 5 | 0 | 35.0 | 44.4 | - |
| HOMICIDE (338-346) | 2 | 1 | 1 | 12.6 | 8.3 | 26.3 | 2 | 0 | 2 | 14.0 | - | 66.0 |

| CAUSE AND GROUP NUMBER | SUNFLOWER COUNTY | | | | | | TALLAHATCHIE COUNTY | | | | | |
|--|------------------|------------|------------|------------|-------------|------------|---------------------|-----------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 323 | 140 | 183 | 9.5 | 14.9 | 7.5 | 148 | 70 | 78 | 10.3 | 12.4 | 8.9 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 1 | 6 | 20.6 | 10.6 | 24.5 | 2 | 1 | 1 | 13.9 | 17.8 | 11.4 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 5.9 | - | 8.2 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 59 | 30 | 29 | 174.1 | 318.8 | 118.5 | 29 | 14 | 15 | 201.2 | 249.1 | 170.6 |
| DIABETES MELLITUS (124) | 6 | 3 | 3 | 17.7 | 31.9 | 12.2 | 3 | 0 | 3 | 20.8 | - | 34.1 |
| ALZHEIMERS DISEASE (148) | 6 | 4 | 2 | 17.7 | 42.5 | 8.2 | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 139 | 54 | 85 | 410.2 | 573.8 | 347.2 | 54 | 27 | 27 | 374.7 | 480.4 | 307.1 |
| HEART DISEASES (156-160,162, 164-181) | 111 | 41 | 70 | 327.5 | 435.7 | 286.0 | 39 | 23 | 16 | 270.6 | 409.2 | 182.0 |
| HYPERTENSION (161,163) | 3 | 0 | 3 | 8.8 | - | 12.2 | 2 | 1 | 1 | 13.9 | 17.8 | 11.4 |
| CEREBROVASCULAR DISEASES (182-186) | 21 | 10 | 11 | 62.0 | 106.3 | 44.9 | 12 | 3 | 9 | 83.3 | 53.4 | 102.4 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 9 | 5 | 4 | 26.6 | 53.1 | 16.3 | 7 | 3 | 4 | 48.6 | 53.4 | 45.5 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 11 | 9 | 2 | 32.4 | 95.6 | 8.2 | 13 | 8 | 5 | 90.2 | 142.3 | 56.9 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 5.9 | 10.6 | 4.1 | 2 | 2 | 0 | 13.9 | 35.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 14 | 6 | 8 | 41.3 | 63.8 | 32.7 | 2 | 0 | 2 | 13.9 | - | 22.8 |
| MATERNAL CAUSES (261-273) | 1 | 1 | 0 | 216.4 | 1,149.4 | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 6 | 0 | 6 | 13.0 | - | 16.0 | 0 | 0 | 0 | - | - | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 2 | 0 | 2 | 4.3 | - | 5.3 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 18 | 9 | 9 | 53.1 | 95.6 | 36.8 | 13 | 7 | 6 | 90.2 | 124.6 | 68.2 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 11 | 4 | 7 | 32.4 | 42.5 | 28.6 | 8 | 5 | 3 | 55.5 | 89.0 | 34.1 |
| SUICIDE (331-337) | 1 | 1 | 0 | 3.0 | 10.6 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 2 | 0 | 2 | 5.9 | - | 8.2 | 5 | 1 | 4 | 34.7 | 17.8 | 45.5 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPP AH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | TATE COUNTY | | | | | | TIPP AH COUNTY | | | | | |
|--|-------------|------------|-----------|------------|-------------|------------|----------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 252 | 183 | 69 | 9.8 | 10.4 | 8.5 | 275 | 241 | 34 | 13.1 | 13.9 | 9.1 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 7 | 6 | 1 | 27.2 | 34.1 | 12.3 | 3 | 1 | 2 | 14.2 | 5.8 | 53.8 |
| HIV DISEASE (039-043) | 4 | 1 | 3 | 15.5 | 5.7 | 36.9 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 52 | 43 | 9 | 201.9 | 244.1 | 110.6 | 49 | 44 | 5 | 232.8 | 254.0 | 134.4 |
| DIABETES MELLITUS (124) | 6 | 3 | 3 | 23.3 | 17.0 | 36.9 | 6 | 5 | 1 | 28.5 | 28.9 | 26.9 |
| ALZHEIMERS DISEASE (148) | 5 | 4 | 1 | 19.4 | 22.7 | 12.3 | 1 | 1 | 0 | 4.8 | 5.8 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 90 | 63 | 27 | 349.5 | 357.6 | 331.9 | 125 | 108 | 17 | 594.0 | 623.4 | 457.0 |
| HEART DISEASES (156-160,162, 164-181) | 71 | 51 | 20 | 275.7 | 289.5 | 245.8 | 98 | 83 | 15 | 465.7 | 479.1 | 403.2 |
| HYPERTENSION (161,163) | 4 | 3 | 1 | 15.5 | 17.0 | 12.3 | 5 | 4 | 1 | 23.8 | 23.1 | 26.9 |
| CEREBROVASCULAR DISEASES (182-186) | 15 | 9 | 6 | 58.2 | 51.1 | 73.8 | 22 | 21 | 1 | 104.5 | 121.2 | 26.9 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 12 | 10 | 2 | 46.6 | 56.8 | 24.6 | 5 | 5 | 0 | 23.8 | 28.9 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 17 | 13 | 4 | 66.0 | 73.8 | 49.2 | 13 | 13 | 0 | 61.8 | 75.0 | - |
| PEPTIC ULCER (217-220) | 1 | 0 | 1 | 3.9 | - | 12.3 | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 1 | 1 | 0 | 3.9 | 5.7 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 7 | 3 | 4 | 27.2 | 17.0 | 49.2 | 8 | 8 | 0 | 38.0 | 46.2 | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 4 | 0 | 4 | 10.6 | - | 27.4 | 4 | 4 | 0 | 12.5 | 16.5 | - |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 9.5 | 11.5 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.1 | 4.1 | - |
| ACCIDENTS (295-330) | 13 | 12 | 1 | 50.5 | 68.1 | 12.3 | 10 | 9 | 1 | 47.5 | 52.0 | 26.9 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 7 | 6 | 1 | 27.2 | 34.1 | 12.3 | 9 | 8 | 1 | 42.8 | 46.2 | 26.9 |
| SUICIDE (331-337) | 4 | 3 | 1 | 15.5 | 17.0 | 12.3 | 4 | 4 | 0 | 19.0 | 23.1 | - |
| HOMICIDE (338-346) | 2 | 1 | 1 | 7.8 | 5.7 | 12.3 | 0 | 0 | 0 | - | - | - |

| CAUSE AND GROUP NUMBER | TISHOMINGO COUNTY | | | | | | TUNICA COUNTY | | | | | |
|--|-------------------|------------|-----------|-------------|-------------|------------|---------------|-----------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 265 | 259 | 6 | 13.9 | 14.2 | 7.8 | 116 | 45 | 71 | 12.1 | 17.1 | 10.2 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 1 | 1 | 0 | 5.2 | 5.5 | - | 6 | 3 | 3 | 62.7 | 114.3 | 43.2 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 4 | 0 | 4 | 41.8 | - | 57.5 |
| MALIGNANT NEOPLASMS (056-108) | 49 | 47 | 2 | 257.2 | 257.1 | 260.1 | 20 | 8 | 12 | 208.9 | 304.9 | 172.6 |
| DIABETES MELLITUS (124) | 3 | 3 | 0 | 15.7 | 16.4 | - | 5 | 1 | 4 | 52.2 | 38.1 | 57.5 |
| ALZHEIMERS DISEASE (148) | 5 | 5 | 0 | 26.2 | 27.4 | - | 2 | 1 | 1 | 20.9 | 38.1 | 14.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 116 | 114 | 2 | 608.9 | 623.6 | 260.1 | 37 | 14 | 23 | 386.4 | 533.5 | 330.9 |
| HEART DISEASES (156-160,162, 164-181) | 95 | 95 | 0 | 498.7 | 519.7 | - | 27 | 10 | 17 | 282.0 | 381.1 | 244.6 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 5.2 | - | 130.0 | 5 | 1 | 4 | 52.2 | 38.1 | 57.5 |
| CEREBROVASCULAR DISEASES (182-186) | 14 | 13 | 1 | 73.5 | 71.1 | 130.0 | 4 | 2 | 2 | 41.8 | 76.2 | 28.8 |
| ATHEROSCLEROSIS (187) | 5 | 5 | 0 | 26.2 | 27.4 | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 9 | 9 | 0 | 47.2 | 49.2 | - | 1 | 1 | 0 | 10.4 | 38.1 | - |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 14 | 14 | 0 | 73.5 | 76.6 | - | 4 | 3 | 1 | 41.8 | 114.3 | 14.4 |
| PEPTIC ULCER (217-220) | 2 | 2 | 0 | 10.5 | 10.9 | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 2 | 0 | 10.5 | 10.9 | - | 1 | 1 | 0 | 10.4 | 38.1 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 6 | 6 | 0 | 31.5 | 32.8 | - | 4 | 1 | 3 | 41.8 | 38.1 | 43.2 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 2 | 2 | 0 | 9.0 | 9.1 | - | 4 | 2 | 2 | 20.0 | 57.1 | 12.1 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.4 | - | 14.4 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 15 | 15 | 0 | 78.7 | 82.0 | - | 8 | 3 | 5 | 83.6 | 114.3 | 71.9 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 8 | 8 | 0 | 42.0 | 43.8 | - | 7 | 3 | 4 | 73.1 | 114.3 | 57.5 |
| SUICIDE (331-337) | 5 | 5 | 0 | 26.2 | 27.4 | - | 1 | 1 | 0 | 10.4 | 38.1 | - |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 31.3 | - | 43.2 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | UNION COUNTY | | | | | | WALTHALL COUNTY | | | | | |
|--|--------------|------------|-----------|-------------|-------------|------------|-----------------|------------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 265 | 230 | 35 | 10.2 | 10.4 | 8.6 | 179 | 100 | 79 | 11.8 | 12.1 | 11.4 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 1 | 1 | 0 | 3.8 | 4.5 | - | 4 | 1 | 3 | 26.4 | 12.1 | 43.5 |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 3.8 | - | 24.5 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 58 | 50 | 8 | 222.2 | 227.1 | 195.8 | 29 | 11 | 18 | 191.5 | 133.4 | 260.9 |
| DIABETES MELLITUS (124) | 2 | 2 | 0 | 7.7 | 9.1 | - | 6 | 3 | 3 | 39.6 | 36.4 | 43.5 |
| ALZHEIMERS DISEASE (148) | 3 | 3 | 0 | 11.5 | 13.6 | - | 0 | 0 | 0 | - | - | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 139 | 118 | 21 | 532.6 | 536.0 | 514.1 | 81 | 56 | 25 | 535.0 | 679.4 | 362.4 |
| HEART DISEASES (156-160,162, 164-181) | 107 | 91 | 16 | 410.0 | 413.4 | 391.7 | 66 | 47 | 19 | 435.9 | 570.2 | 275.4 |
| HYPERTENSION (161,163) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 13.2 | 12.1 | 14.5 |
| CEREBROVASCULAR DISEASES (182-186) | 26 | 22 | 4 | 99.6 | 99.9 | 97.9 | 12 | 7 | 5 | 79.2 | 84.9 | 72.5 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 4 | 4 | 0 | 15.3 | 18.2 | - | 8 | 4 | 4 | 52.8 | 48.5 | 58.0 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 8 | 8 | 0 | 30.6 | 36.3 | - | 6 | 4 | 2 | 39.6 | 48.5 | 29.0 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 2 | 1 | 1 | 7.7 | 4.5 | 24.5 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 7 | 6 | 1 | 26.8 | 27.2 | 24.5 | 3 | 0 | 3 | 19.8 | - | 43.5 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 0 | 1 | 2.8 | - | 19.6 | 3 | 2 | 1 | 14.0 | 22.0 | 8.1 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 12 | 12 | 0 | 46.0 | 54.5 | - | 14 | 5 | 9 | 92.5 | 60.6 | 130.5 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 6 | 6 | 0 | 23.0 | 27.2 | - | 9 | 4 | 5 | 59.4 | 48.5 | 72.5 |
| SUICIDE (331-337) | 5 | 5 | 0 | 19.2 | 22.7 | - | 2 | 0 | 2 | 13.2 | - | 29.0 |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 19.8 | - | 43.5 |

| CAUSE AND GROUP NUMBER | WARREN COUNTY | | | | | | WASHINGTON COUNTY | | | | | |
|--|---------------|------------|------------|-------------|-------------|------------|-------------------|------------|------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 521 | 304 | 217 | 10.5 | 11.4 | 9.5 | 674 | 267 | 407 | 11.0 | 13.2 | 9.9 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.6 | - | 2.4 |
| SEPTICEMIA (018) | 7 | 5 | 2 | 14.2 | 18.8 | 8.7 | 13 | 5 | 8 | 21.2 | 24.7 | 19.5 |
| HIV DISEASE (039-043) | 8 | 1 | 7 | 16.2 | 3.8 | 30.6 | 2 | 0 | 2 | 3.3 | - | 4.9 |
| MALIGNANT NEOPLASMS (056-108) | 104 | 59 | 45 | 210.3 | 222.2 | 196.5 | 151 | 63 | 88 | 246.3 | 311.4 | 214.2 |
| DIABETES MELLITUS (124) | 8 | 2 | 6 | 16.2 | 7.5 | 26.2 | 17 | 6 | 11 | 27.7 | 29.6 | 26.8 |
| ALZHEIMERS DISEASE (148) | 7 | 6 | 1 | 14.2 | 22.6 | 4.4 | 8 | 4 | 4 | 13.0 | 19.8 | 9.7 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 213 | 127 | 86 | 430.8 | 478.4 | 375.6 | 289 | 123 | 166 | 471.3 | 607.9 | 404.1 |
| HEART DISEASES (156-160,162, 164-181) | 166 | 105 | 61 | 335.7 | 395.5 | 266.4 | 240 | 107 | 133 | 391.4 | 528.8 | 323.7 |
| HYPERTENSION (161,163) | 3 | 0 | 3 | 6.1 | - | 13.1 | 7 | 1 | 6 | 11.4 | 4.9 | 14.6 |
| CEREBROVASCULAR DISEASES (182-186) | 39 | 20 | 19 | 78.9 | 75.3 | 83.0 | 38 | 15 | 23 | 62.0 | 74.1 | 56.0 |
| ATHEROSCLEROSIS (187) | 2 | 0 | 2 | 4.0 | - | 8.7 | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 11 | 3 | 8 | 22.2 | 11.3 | 34.9 | 12 | 6 | 6 | 19.6 | 29.6 | 14.6 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 36 | 29 | 7 | 72.8 | 109.2 | 30.6 | 19 | 8 | 11 | 31.0 | 39.5 | 26.8 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 1.6 | 4.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 5 | 5 | 0 | 10.1 | 18.8 | - | 2 | 2 | 0 | 3.3 | 9.9 | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 12 | 5 | 7 | 24.3 | 18.8 | 30.6 | 17 | 3 | 14 | 27.7 | 14.8 | 34.1 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 100.3 | - | 129.9 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 1 | 1 | 0 | 1.4 | 3.3 | - | 5 | 2 | 3 | 5.0 | 8.8 | 3.9 |
| CONGENITAL MALFORMATIONS (282-290) | 3 | 2 | 1 | 6.1 | 7.5 | 4.4 | 4 | 0 | 4 | 6.5 | - | 9.7 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 0 | 1 | 1.4 | - | 2.4 | 3 | 0 | 3 | 3.0 | - | 3.9 |
| ACCIDENTS (295-330) | 23 | 12 | 11 | 46.5 | 45.2 | 48.0 | 36 | 11 | 25 | 58.7 | 54.4 | 60.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 15 | 7 | 8 | 30.3 | 26.4 | 34.9 | 20 | 7 | 13 | 32.6 | 34.6 | 31.6 |
| SUICIDE (331-337) | 3 | 2 | 1 | 6.1 | 7.5 | 4.4 | 5 | 4 | 1 | 8.2 | 19.8 | 2.4 |
| HOMICIDE (338-346) | 7 | 2 | 5 | 14.2 | 7.5 | 21.8 | 24 | 3 | 21 | 39.1 | 14.8 | 51.1 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2002**

| CAUSE AND GROUP NUMBER | WAYNE COUNTY | | | | | | WEBSTER COUNTY | | | | | |
|--|--------------|------------|-----------|-------------|-------------|------------|----------------|------------|-----------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 216 | 147 | 69 | 10.2 | 11.2 | 8.5 | 149 | 114 | 35 | 14.4 | 14.1 | 15.6 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 4 | 3 | 1 | 18.8 | 22.9 | 12.3 | 1 | 1 | 0 | 9.7 | 12.4 | - |
| HIV DISEASE (039-043) | 1 | 0 | 1 | 4.7 | - | 12.3 | 1 | 0 | 1 | 9.7 | - | 44.5 |
| MALIGNANT NEOPLASMS (056-108) | 44 | 28 | 16 | 207.4 | 213.6 | 197.2 | 34 | 25 | 9 | 329.6 | 309.9 | 400.2 |
| DIABETES MELLITUS (124) | 10 | 5 | 5 | 47.1 | 38.2 | 61.6 | 3 | 1 | 2 | 29.1 | 12.4 | 88.9 |
| ALZHEIMERS DISEASE (148) | 6 | 4 | 2 | 28.3 | 30.5 | 24.6 | 5 | 5 | 0 | 48.5 | 62.0 | - |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 84 | 60 | 24 | 395.9 | 457.8 | 295.8 | 64 | 49 | 15 | 620.3 | 607.3 | 667.0 |
| HEART DISEASES (156-160,162, 164-181) | 68 | 49 | 19 | 320.5 | 373.9 | 234.2 | 50 | 40 | 10 | 484.6 | 495.8 | 444.6 |
| HYPERTENSION (161,163) | 4 | 3 | 1 | 18.8 | 22.9 | 12.3 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 10 | 8 | 2 | 47.1 | 61.0 | 24.6 | 11 | 8 | 3 | 106.6 | 99.2 | 133.4 |
| ATHEROSCLEROSIS (187) | 1 | 0 | 1 | 4.7 | - | 12.3 | 0 | 0 | 0 | - | - | - |
| INFLUENZA AND PNEUMONIA (195-198) | 2 | 2 | 0 | 9.4 | 15.3 | - | 7 | 5 | 2 | 67.8 | 62.0 | 88.9 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 7 | 6 | 1 | 33.0 | 45.8 | 12.3 | 1 | 1 | 0 | 9.7 | 12.4 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 2 | 1 | 14.1 | 15.3 | 12.3 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 3 | 1 | 18.8 | 22.9 | 12.3 | 4 | 4 | 0 | 38.8 | 49.6 | - |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 7.6 | - | 24.4 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 0 | 1 | 4.7 | - | 12.3 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 1 | 1 | 0 | 3.2 | 6.1 | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 22 | 16 | 6 | 103.7 | 122.1 | 74.0 | 9 | 7 | 2 | 87.2 | 86.8 | 88.9 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 12 | 10 | 2 | 56.6 | 76.3 | 24.6 | 2 | 2 | 0 | 19.4 | 24.8 | - |
| SUICIDE (331-337) | 1 | 0 | 1 | 4.7 | - | 12.3 | 0 | 0 | 0 | - | - | - |
| HOMICIDE (338-346) | 2 | 0 | 2 | 9.4 | - | 24.6 | 2 | 1 | 1 | 19.4 | 12.4 | 44.5 |

| CAUSE AND GROUP NUMBER | WILKINSON COUNTY | | | | | | WINSTON COUNTY | | | | | |
|--|------------------|-----------|------------|-------------|-------------|-------------|----------------|------------|-----------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 169 | 57 | 112 | 16.5 | 18.0 | 15.8 | 210 | 138 | 72 | 10.5 | 12.6 | 8.0 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| SEPTICEMIA (018) | 4 | 1 | 3 | 39.1 | 31.6 | 42.5 | 4 | 3 | 1 | 20.0 | 27.3 | 11.1 |
| HIV DISEASE (039-043) | 2 | 0 | 2 | 19.6 | - | 28.3 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (056-108) | 35 | 13 | 22 | 342.2 | 410.7 | 311.5 | 46 | 26 | 20 | 230.0 | 236.7 | 221.8 |
| DIABETES MELLITUS (124) | 11 | 2 | 9 | 107.5 | 63.2 | 127.4 | 2 | 2 | 0 | 10.0 | 18.2 | - |
| ALZHEIMERS DISEASE (148) | 3 | 3 | 0 | 29.3 | 94.8 | - | 5 | 4 | 1 | 25.0 | 36.4 | 11.1 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 64 | 19 | 45 | 625.7 | 600.3 | 637.1 | 86 | 58 | 28 | 430.0 | 528.1 | 310.5 |
| HEART DISEASES (156-160,162, 164-181) | 46 | 13 | 33 | 449.7 | 410.7 | 467.2 | 57 | 36 | 21 | 285.0 | 327.8 | 232.9 |
| HYPERTENSION (161,163) | 4 | 1 | 3 | 39.1 | 31.6 | 42.5 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (182-186) | 11 | 5 | 6 | 107.5 | 158.0 | 85.0 | 25 | 20 | 5 | 125.0 | 182.1 | 55.4 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 10.0 | - | 22.2 |
| INFLUENZA AND PNEUMONIA (195-198) | 7 | 5 | 2 | 68.4 | 158.0 | 28.3 | 11 | 8 | 3 | 55.0 | 72.8 | 33.3 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 4 | 1 | 3 | 39.1 | 31.6 | 42.5 | 5 | 5 | 0 | 25.0 | 45.5 | - |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.0 | - | 11.1 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 4 | 1 | 3 | 39.1 | 31.6 | 42.5 | 3 | 2 | 1 | 15.0 | 18.2 | 11.1 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 4.4 | - | 7.9 |
| CONGENITAL MALFORMATIONS (282-290) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.0 | 9.1 | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (295-330) | 7 | 2 | 5 | 68.4 | 63.2 | 70.8 | 12 | 8 | 4 | 60.0 | 72.8 | 44.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 4 | 2 | 2 | 39.1 | 63.2 | 28.3 | 6 | 4 | 2 | 30.0 | 36.4 | 22.2 |
| SUICIDE (331-337) | 1 | 1 | 0 | 9.8 | 31.6 | - | 4 | 3 | 1 | 20.0 | 27.3 | 11.1 |
| HOMICIDE (338-346) | 1 | 0 | 1 | 9.8 | - | 14.2 | 0 | 0 | 0 | - | - | - |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA, YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2002

| CAUSE AND GROUP NUMBER | YALOBUSHA COUTNY | | | | | | YAZOO COUNTY | | | | | |
|--|------------------|------------|-----------|-------------|-------------|-------------|--------------|------------|------------|-------------|-------------|-------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 170 | 118 | 52 | 12.8 | 14.6 | 10.0 | 322 | 149 | 173 | 11.4 | 11.9 | 11.0 |
| TUBERCULOSIS (009,010) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.5 | - | 6.4 |
| SEPTICEMIA (018) | 0 | 0 | 0 | - | - | - | 9 | 5 | 4 | 31.9 | 40.0 | 25.5 |
| HIV DISEASE (039-043) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 10.6 | - | 19.1 |
| MALIGNANT NEOPLASMS (056-108) | 40 | 28 | 12 | 300.5 | 345.7 | 230.2 | 65 | 23 | 42 | 230.5 | 183.8 | 267.7 |
| DIABETES MELLITUS (124) | 1 | 0 | 1 | 7.5 | - | 19.2 | 18 | 5 | 13 | 63.8 | 40.0 | 82.9 |
| ALZHEIMERS DISEASE (148) | 1 | 1 | 0 | 7.5 | 12.3 | - | 2 | 1 | 1 | 7.1 | 8.0 | 6.4 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 72 | 48 | 24 | 540.9 | 592.7 | 460.4 | 139 | 77 | 62 | 492.9 | 615.5 | 395.2 |
| HEART DISEASES (156-160,162, 164-181) | 57 | 40 | 17 | 428.2 | 493.9 | 326.1 | 110 | 62 | 48 | 390.1 | 495.6 | 305.9 |
| HYPERTENSION (161,163) | 1 | 0 | 1 | 7.5 | - | 19.2 | 7 | 0 | 7 | 24.8 | - | 44.6 |
| CEREBROVASCULAR DISEASES (182-186) | 14 | 8 | 6 | 105.2 | 98.8 | 115.1 | 20 | 14 | 6 | 70.9 | 111.9 | 38.2 |
| ATHEROSCLEROSIS (187) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.5 | 8.0 | - |
| INFLUENZA AND PNEUMONIA (195-198) | 4 | 2 | 2 | 30.0 | 24.7 | 38.4 | 3 | 0 | 3 | 10.6 | - | 19.1 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 12 | 11 | 1 | 90.1 | 135.8 | 19.2 | 7 | 5 | 2 | 24.8 | 40.0 | 12.7 |
| PEPTIC ULCER (217-220) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 3 | 2 | 1 | 22.5 | 24.7 | 19.2 | 2 | 1 | 1 | 7.1 | 8.0 | 6.4 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 1 | 1 | 0 | 7.5 | 12.3 | - | 4 | 1 | 3 | 14.2 | 8.0 | 19.1 |
| MATERNAL CAUSES (261-273) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 7.3 | - | 10.9 |
| CONGENITAL MALFORMATIONS (282-290) | 1 | 0 | 1 | 7.5 | - | 19.2 | 0 | 0 | 0 | - | - | - |
| SUDDEN INFANT DEATH SYNDROME# (292) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.4 | - | 3.6 |
| ACCIDENTS (295-330) | 9 | 7 | 2 | 67.6 | 86.4 | 38.4 | 20 | 11 | 9 | 70.9 | 87.9 | 57.4 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 5 | 3 | 2 | 37.6 | 37.0 | 38.4 | 8 | 6 | 2 | 28.4 | 48.0 | 12.7 |
| SUICIDE (331-337) | 2 | 2 | 0 | 15.0 | 24.7 | - | 3 | 1 | 2 | 10.6 | 8.0 | 12.7 |
| HOMICIDE (338-346) | 0 | 0 | 0 | - | - | - | 5 | 2 | 3 | 17.7 | 16.0 | 19.1 |

| CAUSE AND GROUP NUMBER | STATE OF MISSISSIPPI | | | | | |
|--|----------------------|---------------|--------------|-------------|-------------|------------|
| | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALL CAUSES | 28,765 | 19,168 | 9,597 | 10.0 | 10.9 | 8.6 |
| TUBERCULOSIS (009,010) | 9 | 4 | 5 | 0.3 | 0.2 | 0.4 |
| SEPTICEMIA (018) | 526 | 304 | 222 | 18.3 | 17.2 | 20.0 |
| HIV DISEASE (039-043) | 184 | 29 | 155 | 6.4 | 1.6 | 14.0 |
| MALIGNANT NEOPLASMS (056-108) | 6,050 | 4,087 | 1,963 | 210.7 | 231.8 | 177.0 |
| DIABETES MELLITUS (124) | 664 | 324 | 340 | 23.1 | 18.4 | 30.6 |
| ALZHEIMERS DISEASE (148) | 566 | 478 | 88 | 19.7 | 27.1 | 7.9 |
| MAJOR CARDIOVASCULAR DISEASES# (156-189) | 11,550 | 7,734 | 3,816 | 402.2 | 438.7 | 344.1 |
| HEART DISEASES (156-160,162, 164-181) | 9,020 | 6,115 | 2,905 | 314.1 | 346.9 | 261.9 |
| HYPERTENSION (161,163) | 313 | 148 | 165 | 10.9 | 8.4 | 14.9 |
| CEREBROVASCULAR DISEASES (182-186) | 1,918 | 1,261 | 657 | 66.8 | 71.5 | 59.2 |
| ATHEROSCLEROSIS (187) | 70 | 53 | 17 | 2.4 | 3.0 | 1.5 |
| INFLUENZA AND PNEUMONIA (195-198) | 798 | 568 | 230 | 27.8 | 32.2 | 20.7 |
| EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207) | 1,372 | 1,146 | 226 | 47.8 | 65.0 | 20.4 |
| PEPTIC ULCER (217-220) | 41 | 28 | 13 | 1.4 | 1.6 | 1.2 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232) | 227 | 178 | 49 | 7.9 | 10.1 | 4.4 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253) | 581 | 314 | 267 | 20.2 | 17.8 | 24.1 |
| MATERNAL CAUSES (261-273) | 9 | 2 | 7 | 21.7 | 8.8 | 37.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281) | 218 | 75 | 143 | 5.2 | 3.3 | 7.6 |
| CONGENITAL MALFORMATIONS (282-290) | 103 | 47 | 56 | 3.6 | 2.7 | 5.0 |
| SUDDEN INFANT DEATH SYNDROME# (292) | 55 | 26 | 29 | 1.3 | 1.1 | 1.5 |
| ACCIDENTS (295-330) | 1,632 | 1,068 | 564 | 56.8 | 60.6 | 50.8 |
| MOTOR VEHICLE ACCIDENTS# (296-306) | 875 | 551 | 324 | 30.5 | 31.2 | 29.2 |
| SUICIDE (331-337) | 341 | 284 | 57 | 11.9 | 16.1 | 5.1 |
| HOMICIDE (338-346) | 304 | 89 | 215 | 10.6 | 5.0 | 19.4 |

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2002
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2002)

| YEAR | NUMBER | | | RATE* | | |
|------|--------|--------|-----------|-------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1913 | 41,103 | 21,874 | 19,229 | 21.9 | 26.6 | 18.2 |
| 1914 | 40,623 | 21,360 | 19,263 | 21.4 | 25.7 | 18.0 |
| 1915 | 39,484 | 20,999 | 18,485 | 20.5 | 23.8 | 17.1 |
| 1916 | 39,033 | 20,130 | 18,903 | 20.0 | 23.6 | 17.2 |
| 1917 | 37,141 | 19,056 | 18,085 | 18.8 | 22.0 | 16.3 |
| 1918 | 39,391 | 20,005 | 19,386 | 19.7 | 22.8 | 17.2 |
| 1919 | 42,491 | 22,028 | 20,463 | 21.0 | 24.9 | 18.0 |
| 1920 | 43,743 | 22,438 | 21,305 | 24.4 | 26.3 | 22.7 |
| 1921 | 46,482 | 23,703 | 22,779 | 25.6 | 27.3 | 24.1 |
| 1922 | 43,723 | 21,286 | 22,437 | 23.8 | 24.1 | 23.6 |
| 1923 | 43,266 | 21,140 | 22,126 | 23.3 | 23.6 | 23.1 |
| 1924 | 43,960 | 22,180 | 21,780 | 23.4 | 24.3 | 22.5 |
| 1925 | 45,563 | 22,265 | 23,298 | 24.0 | 24.1 | 23.9 |
| 1926 | 50,449 | 24,600 | 25,849 | 26.2 | 26.2 | 26.3 |
| 1927 | 49,204 | 24,163 | 25,041 | 25.3 | 25.3 | 25.3 |
| 1928 | 48,126 | 23,642 | 24,484 | 24.5 | 24.4 | 24.5 |
| 1929 | 45,570 | 22,105 | 23,465 | 22.9 | 22.5 | 23.3 |
| 1930 | 47,982 | 23,192 | 24,790 | 23.8 | 23.2 | 24.0 |
| 1931 | 45,123 | 21,637 | 23,486 | 22.2 | 21.4 | 22.9 |
| 1932 | 46,481 | 21,883 | 24,598 | 22.6 | 21.4 | 23.9 |
| 1933 | 44,184 | 20,407 | 23,777 | 21.3 | 19.7 | 22.9 |
| 1934 | 47,905 | 22,342 | 25,563 | 23.0 | 21.4 | 24.6 |
| 1935 | 48,291 | 21,972 | 26,319 | 23.0 | 20.8 | 25.1 |
| 1936 | 49,261 | 22,194 | 27,067 | 23.3 | 20.8 | 25.7 |
| 1937 | 52,170 | 23,285 | 28,885 | 24.4 | 21.6 | 27.3 |
| 1938 | 53,729 | 24,046 | 29,683 | 25.0 | 22.1 | 27.8 |
| 1939 | 52,288 | 23,505 | 28,783 | 24.1 | 21.4 | 26.8 |
| 1940 | 52,526 | 23,084 | 29,442 | 24.0 | 20.9 | 27.3 |
| 1941 | 54,561 | 24,167 | 30,394 | 24.7 | 21.6 | 28.0 |
| 1942 | 56,521 | 25,306 | 31,215 | 25.4 | 22.4 | 28.6 |
| 1943 | 59,408 | 27,611 | 31,797 | 28.9 | 26.4 | 31.6 |
| 1944 | 56,586 | 25,647 | 30,939 | 28.3 | 25.2 | 31.6 |
| 1945 | 53,540 | 23,426 | 30,114 | 26.9 | 23.1 | 30.9 |
| 1946 | 61,430 | 29,715 | 31,715 | 26.8 | 25.4 | 28.2 |
| 1947 | 66,291 | 32,423 | 33,868 | 28.6 | 27.5 | 29.9 |
| 1948 | 65,291 | 29,666 | 35,625 | 28.0 | 24.9 | 31.2 |
| 1949 | 66,128 | 28,786 | 37,342 | 28.1 | 24.0 | 32.5 |
| 1950 | 64,427 | 27,188 | 37,239 | 29.6 | 22.9 | 37.6 |
| 1951 | 65,512 | 27,798 | 37,714 | 30.1 | 23.4 | 38.1 |
| 1952 | 64,509 | 28,073 | 36,436 | 29.6 | 23.6 | 36.8 |
| 1953 | 64,061 | 28,312 | 35,749 | 29.4 | 23.8 | 36.1 |
| 1954 | 64,748 | 28,781 | 35,967 | 29.7 | 24.2 | 36.3 |
| 1955 | 63,244 | 27,546 | 35,698 | 29.0 | 23.2 | 36.0 |
| 1956 | 62,178 | 27,278 | 34,900 | 29.5 | 23.8 | 36.2 |
| 1957 | 60,712 | 26,804 | 33,908 | 28.8 | 23.4 | 35.2 |
| 1958 | 59,189 | 26,812 | 32,377 | 27.1 | 20.9 | 35.9 |
| 1959 | 60,562 | 27,979 | 32,583 | 27.2 | 20.9 | 36.6 |

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2002

| YEAR | NUMBER | | | RATE* | | |
|--------|--------|--------|-----------|-------|---------------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1960 | 59,210 | 27,198 | 32,012 | 27.2 | 21.6 | 34.8 |
| 1961 | 59,523 | 27,435 | 32,088 | 27.3 | 21.8 | 34.8 |
| 1962 | 58,921 | 27,512 | 31,409 | 26.1 | 20.8 | 33.5 |
| 1963 | 57,316 | 26,823 | 30,493 | 25.0 | 19.9 | 32.4 |
| 1964 | 56,650 | 25,942 | 30,708 | 24.5 | 18.9 | 32.5 |
| 1965 | 51,171 | 23,369 | 27,802 | 22.0 | 17.4 | 28.2 |
| 1966 | 48,230 | 22,736 | 25,494 | 20.4 | 16.5 | 25.9 |
| 1967 | 46,594 | 22,675 | 23,919 | 19.7 | 15.9 | 25.6 |
| 1968 | 45,719 | 22,807 | 22,912 | 19.4 | 15.7 | 25.4 |
| 1969 | 47,120 | 24,025 | 23,095 | 21.2 | 17.2 | 28.0 |
| 1970 | 48,141 | 24,893 | 23,248 | 21.7 | 17.9 | 28.2 |
| 1971 | 48,601 | 25,199 | 23,402 | 21.9 | 18.1 | 28.4 |
| 1972 | 45,907 | 23,745 | 22,162 | 20.3 | NOT AVAILABLE | |
| 1973 | 44,638 | 23,119 | 21,519 | 19.3 | NOT AVAILABLE | |
| 1974 | 44,032 | 23,023 | 21,009 | 18.9 | NOT AVAILABLE | |
| 1975 | 43,336 | 22,559 | 20,777 | 18.5 | NOT AVAILABLE | |
| 1976 | 42,983 | 22,605 | 20,378 | 18.2 | NOT AVAILABLE | |
| 1977 | 45,532 | 23,369 | 22,163 | 19.1 | NOT AVAILABLE | |
| 1978 | 44,373 | 22,632 | 21,741 | 18.5 | NOT AVAILABLE | |
| 1979 | 45,919 | 23,487 | 22,432 | 19.1 | NOT AVAILABLE | |
| 1980 | 47,821 | 24,687 | 23,134 | 19.0 | 15.3 | 25.5 |
| 1981 | 46,228 | 23,777 | 22,451 | 18.3 | 14.7 | 24.8 |
| 1982 | 45,926 | 24,028 | 21,898 | 18.0 | NOT AVAILABLE | |
| 1983 | 43,992 | 22,659 | 21,333 | 17.0 | NOT AVAILABLE | |
| 1984 | 43,742 | 22,672 | 21,070 | 16.9 | NOT AVAILABLE | |
| 1985 | 43,432 | 22,943 | 20,489 | 16.3 | 13.5 | 21.5 |
| 1986 | 41,868 | 22,060 | 19,808 | 15.8 | 13.0 | 20.8 |
| 1987 | 41,279 | 21,576 | 19,703 | 15.2 | 12.4 | 20.2 |
| 1988 | 42,040 | 21,685 | 20,355 | 15.3 | 12.3 | 20.6 |
| 1989** | 43,026 | 22,069 | 20,957 | 15.5 | 12.4 | 20.9 |
| 1990** | 43,547 | 22,280 | 21,267 | 16.9 | 13.6 | 22.6 |
| 1991** | 43,184 | 21,908 | 21,276 | 16.8 | 13.4 | 22.6 |
| 1992** | 42,676 | 21,700 | 20,976 | 16.6 | 13.3 | 22.3 |
| 1993** | 42,134 | 21,246 | 20,888 | 16.4 | 13.0 | 22.2 |
| 1994** | 41,938 | 21,536 | 20,402 | 16.3 | 13.2 | 21.7 |
| 1995** | 41,332 | 21,571 | 19,761 | 15.3 | 12.7 | 19.8 |
| 1996** | 40,978 | 21,447 | 19,531 | 15.2 | 12.7 | 19.5 |
| 1997** | 41,527 | 22,021 | 19,506 | 15.4 | 13.0 | 19.5 |
| 1998** | 42,917 | 22,950 | 19,967 | 15.6 | 13.3 | 19.3 |
| 1999** | 42,678 | 22,652 | 20,026 | 15.4 | 13.1 | 19.2 |
| 2000** | 44,075 | 23,540 | 20,535 | 15.5 | 13.5 | 18.7 |
| 2001** | 42,277 | 22,798 | 19,479 | 14.9 | 13.0 | 17.7 |
| 2002** | 41,511 | 22,620 | 18,891 | 14.4 | 12.8 | 17.0 |

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2002,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2002)

| YEAR | NUMBER | | | RATE* | | |
|------|--------|--------|-----------|-------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1913 | 21,305 | 7,643 | 13,662 | 11.4 | 9.3 | 13.0 |
| 1914 | 21,485 | 7,442 | 14,043 | 11.3 | 8.9 | 13.1 |
| 1915 | 24,001 | 8,088 | 15,913 | 12.5 | 9.6 | 14.7 |
| 1916 | 21,794 | 7,588 | 14,206 | 11.2 | 8.9 | 13.0 |
| 1917 | 23,579 | 8,048 | 15,531 | 11.9 | 9.3 | 14.0 |
| 1918 | 30,437 | 10,177 | 20,260 | 15.2 | 11.6 | 18.0 |
| 1919 | 22,667 | 8,142 | 14,525 | 12.7 | 9.5 | 15.5 |
| 1920 | 22,072 | 7,916 | 14,156 | 12.3 | 9.3 | 15.1 |
| 1921 | 19,991 | 7,308 | 12,683 | 11.0 | 8.4 | 13.4 |
| 1922 | 19,278 | 7,312 | 11,966 | 10.5 | 8.3 | 12.6 |
| 1923 | 20,363 | 7,688 | 12,675 | 11.0 | 8.6 | 13.2 |
| 1924 | 21,155 | 7,809 | 13,346 | 11.3 | 8.6 | 13.8 |
| 1925 | 22,229 | 8,143 | 14,086 | 11.7 | 8.8 | 14.4 |
| 1926 | 23,929 | 9,133 | 14,796 | 12.5 | 9.7 | 15.1 |
| 1927 | 23,257 | 8,765 | 14,492 | 12.0 | 9.2 | 14.6 |
| 1928 | 25,965 | 10,111 | 15,854 | 13.2 | 10.4 | 15.9 |
| 1929 | 25,868 | 10,048 | 15,820 | 13.0 | 10.2 | 15.7 |
| 1930 | 24,098 | 9,072 | 15,026 | 11.9 | 9.0 | 14.8 |
| 1931 | 22,007 | 8,641 | 13,366 | 10.8 | 8.5 | 13.0 |
| 1932 | 20,322 | 8,295 | 12,027 | 9.9 | 8.1 | 11.6 |
| 1933 | 21,617 | 8,898 | 12,719 | 10.4 | 8.6 | 12.2 |
| 1934 | 21,786 | 9,350 | 12,436 | 10.5 | 9.0 | 12.0 |
| 1935 | 21,285 | 9,186 | 12,099 | 10.1 | 8.7 | 11.6 |
| 1936 | 24,127 | 10,367 | 13,760 | 11.4 | 9.7 | 13.1 |
| 1937 | 24,005 | 10,055 | 13,950 | 11.2 | 9.3 | 13.2 |
| 1938 | 22,814 | 9,471 | 13,343 | 10.6 | 8.7 | 12.5 |
| 1939 | 22,701 | 9,464 | 13,237 | 10.5 | 8.6 | 12.3 |
| 1940 | 23,185 | 9,565 | 13,620 | 10.6 | 8.6 | 12.6 |
| 1941 | 22,573 | 9,442 | 13,131 | 10.2 | 8.4 | 12.1 |
| 1942 | 20,693 | 8,750 | 11,943 | 9.3 | 7.7 | 10.9 |
| 1943 | 20,850 | 9,139 | 11,711 | 10.2 | 8.7 | 11.6 |
| 1944 | 20,199 | 8,830 | 11,369 | 10.1 | 8.7 | 11.6 |
| 1945 | 19,024 | 8,452 | 10,572 | 9.6 | 8.3 | 10.8 |
| 1946 | 19,321 | 8,995 | 10,326 | 8.4 | 7.7 | 9.2 |
| 1947 | 20,007 | 9,238 | 10,769 | 8.6 | 7.8 | 9.5 |
| 1948 | 20,183 | 9,216 | 10,967 | 8.6 | 7.7 | 9.6 |
| 1949 | 20,489 | 9,233 | 11,256 | 8.7 | 7.7 | 9.8 |
| 1950 | 20,567 | 9,466 | 11,101 | 9.4 | 8.0 | 11.2 |
| 1951 | 21,007 | 9,593 | 11,414 | 9.6 | 8.1 | 11.5 |
| 1952 | 20,657 | 9,387 | 11,270 | 9.5 | 7.9 | 11.4 |
| 1953 | 20,492 | 9,495 | 10,997 | 9.4 | 8.0 | 11.1 |
| 1954 | 19,353 | 9,453 | 9,900 | 8.9 | 8.0 | 10.0 |
| 1955 | 19,403 | 9,501 | 9,902 | 8.9 | 8.0 | 10.0 |
| 1956 | 19,780 | 9,969 | 9,811 | 9.4 | 8.7 | 10.2 |
| 1957 | 20,476 | 10,339 | 10,137 | 9.7 | 9.0 | 10.5 |
| 1958 | 21,541 | 10,811 | 10,730 | 9.9 | 8.4 | 11.9 |
| 1959 | 20,890 | 10,742 | 10,148 | 9.4 | 8.0 | 11.4 |

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2002

| YEAR | NUMBER | | | RATE* | | |
|------|--------|--------|---------------|-------|---------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1960 | 21,713 | 11,204 | 10,509 | 10.0 | 8.9 | 11.4 |
| 1961 | 21,232 | 11,063 | 10,169 | 9.7 | 8.8 | 11.0 |
| 1962 | 22,713 | 11,868 | 10,845 | 10.0 | 9.0 | 11.6 |
| 1963 | 23,339 | 12,118 | 11,221 | 10.2 | 9.0 | 11.9 |
| 1964 | 22,559 | 12,039 | 10,520 | 9.7 | 8.8 | 11.1 |
| 1965 | 22,652 | 12,376 | 10,276 | 9.7 | 9.2 | 10.4 |
| 1966 | 23,350 | 12,976 | 10,374 | 9.9 | 9.4 | 10.5 |
| 1967 | 22,609 | 12,816 | 9,793 | 9.6 | 9.0 | 10.5 |
| 1968 | 23,986 | 13,468 | 10,518 | 10.2 | 9.3 | 11.7 |
| 1969 | 23,865 | 13,873 | 9,992 | 10.8 | 10.0 | 12.1 |
| 1970 | 23,305 | 13,623 | 9,682 | 10.5 | 9.8 | 11.8 |
| 1971 | 23,426 | 13,980 | 9,446 | 10.6 | 10.0 | 11.5 |
| 1972 | 23,663 | 14,077 | 9,586 | 10.5 | NOT AVAILABLE | |
| 1973 | 24,007 | 14,461 | 9,546 | 10.4 | NOT AVAILABLE | |
| 1974 | 23,153 | 14,268 | 8,885 | 9.9 | NOT AVAILABLE | |
| 1975 | 22,768 | 13,790 | 8,978 | 9.7 | NOT AVAILABLE | |
| 1976 | 23,124 | 14,307 | 8,817 | 9.8 | NOT AVAILABLE | |
| 1977 | 23,022 | 14,318 | 8,704 | 9.6 | NOT AVAILABLE | |
| 1978 | 23,363 | 14,631 | 8,732 | 9.7 | NOT AVAILABLE | |
| 1979 | 22,932 | 14,348 | 8,584 | 9.5 | NOT AVAILABLE | |
| 1980 | 23,576 | 14,531 | 9,045 | 9.4 | 9.0 | 10.0 |
| 1981 | 23,405 | 14,876 | 8,529 | 9.3 | 9.2 | 9.4 |
| 1982 | 23,173 | 14,863 | 8,310 | 9.1 | NOT AVAILABLE | |
| 1983 | 23,831 | 15,250 | 8,581 | 9.2 | NOT AVAILABLE | |
| 1984 | 23,781 | 15,225 | 8,556 | 9.2 | NOT AVAILABLE | |
| 1985 | 24,568 | 15,803 | 8,765 | 9.2 | 9.3 | 9.2 |
| 1986 | 24,341 | 15,694 | 8,647 | 9.2 | 9.2 | 9.1 |
| 1987 | 24,525 | 15,835 | 8,690 | 9.0 | 9.1 | 8.9 |
| 1988 | 24,706 | 16,034 | 8,672 | 9.0 | 9.1 | 8.8 |
| 1989 | 25,273 | 16,386 | 8,887 | 9.1 | 9.2 | 8.9 |
| 1990 | 24,994 | 16,088 | 8,906 | 9.7 | 9.8 | 9.5 |
| 1991 | 25,503 | 16,393 | 9,110 | 9.9 | 10.0 | 9.7 |
| 1992 | 25,163 | 16,417 | 8,746 | 9.8 | 10.0 | 9.3 |
| 1993 | 26,271 | 17,003 | 9,268 | 10.2 | 10.4 | 9.9 |
| 1994 | 26,657 | 17,210 | 9,447 | 10.4 | 10.5 | 10.0 |
| 1995 | 26,910 | 17,729 | 9,181 | 10.0 | 10.5 | 9.2 |
| 1996 | 26,566 | 17,488 | 9,078 | 9.9 | 10.3 | 9.1 |
| 1997 | 27,380 | 18,034 | 9,346 | 10.2 | 10.6 | 9.3 |
| 1998 | 27,737 | 18,343 | 9,394 | 10.1 | 10.7 | 9.1 |
| 1999 | 28,090 | 18,693 | 9,397 | 10.1 | 10.8 | 9.0 |
| 2000 | 28,529 | 19,189 | 9,340 | 10.0 | 11.0 | 8.5 |
| 2001 | 28,134 | 18,774 | 9,360 | 9.9 | 10.8 | 8.5 |
| 2002 | 28,765 | 19,168 | 9,597 | 10.0 | 10.9 | 8.6 |

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2002,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2002)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|---------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1913 | 447 | 162 | 285 | 1,087.5 | 740.6 | 1,482.1 |
| 1914 | 413 | 124 | 289 | 1,016.7 | 580.5 | 1,500.3 |
| 1915 | 289 | 88 | 201 | 731.9 | 419.1 | 1,087.4 |
| 1916 | 326 | 102 | 224 | 835.2 | 506.7 | 1,185.0 |
| 1917 | 297 | 105 | 192 | 799.6 | 551.0 | 1,061.6 |
| 1918 | 302 | 82 | 220 | 766.7 | 409.9 | 1,134.8 |
| 1919 | 407 | 173 | 234 | 957.8 | 785.4 | 1,143.5 |
| 1920 | 393 | 127 | 266 | 898.4 | 566.0 | 1,248.5 |
| 1921 | 391 | 145 | 246 | 841.2 | 611.7 | 1,079.9 |
| 1922 | 313 | 110 | 203 | 715.9 | 516.8 | 904.8 |
| 1923 | 321 | 108 | 213 | 741.9 | 510.9 | 962.7 |
| 1924 | 413 | 137 | 276 | 939.5 | 617.7 | 1,267.2 |
| 1925 | 435 | 143 | 292 | 954.7 | 642.3 | 1,253.3 |
| 1926 | 388 | 153 | 235 | 769.1 | 622.0 | 909.1 |
| 1927 | 409 | 134 | 275 | 831.2 | 554.6 | 1,098.2 |
| 1928 | 421 | 161 | 260 | 874.8 | 681.0 | 1,061.9 |
| 1929 | 410 | 152 | 258 | 899.7 | 687.6 | 1,099.5 |
| 1930 | 489 | 171 | 318 | 1,019.1 | 737.3 | 1,282.8 |
| 1931 | 352 | 131 | 221 | 780.1 | 605.4 | 941.0 |
| 1932 | 279 | 103 | 176 | 600.2 | 470.7 | 715.5 |
| 1933 | 315 | 116 | 199 | 712.9 | 568.4 | 836.9 |
| 1934 | 306 | 116 | 190 | 638.8 | 519.2 | 743.3 |
| 1935 | 334 | 137 | 197 | 691.6 | 623.5 | 748.5 |
| 1936 | 358 | 134 | 224 | 726.7 | 603.8 | 827.6 |
| 1937 | 370 | 150 | 220 | 709.2 | 644.2 | 761.6 |
| 1938 | 333 | 116 | 217 | 619.8 | 482.4 | 731.0 |
| 1939 | 311 | 97 | 214 | 594.8 | 412.7 | 743.5 |
| 1940 | 327 | 106 | 221 | 622.5 | 459.2 | 750.6 |
| 1941 | 293 | 93 | 200 | 537.0 | 384.8 | 658.0 |
| 1942 | 248 | 77 | 171 | 438.8 | 304.3 | 547.8 |
| 1943 | 233 | 66 | 167 | 392.2 | 239.0 | 525.2 |
| 1944 | 225 | 72 | 153 | 397.6 | 280.7 | 494.5 |
| 1945 | 216 | 64 | 152 | 403.4 | 273.2 | 504.7 |
| 1946 | 199 | 67 | 132 | 323.9 | 225.5 | 416.2 |
| 1947 | 175 | 50 | 125 | 264.0 | 154.2 | 369.1 |
| 1948 | 177 | 38 | 139 | 271.1 | 128.1 | 390.2 |
| 1949 | 147 | 32 | 115 | 222.3 | 111.2 | 308.0 |
| 1950 | 165 | 30 | 135 | 256.1 | 110.3 | 362.5 |
| 1951 | 143 | 28 | 115 | 218.3 | 100.7 | 304.9 |
| 1952 | 119 | 15 | 104 | 184.5 | 53.4 | 285.4 |
| 1953 | 119 | 24 | 95 | 185.8 | 84.8 | 265.7 |
| 1954 | 104 | 11 | 93 | 160.6 | 38.2 | 258.6 |
| 1955 | 76 | 12 | 64 | 120.2 | 43.6 | 179.3 |
| 1956 | 74 | 12 | 62 | 119.0 | 44.0 | 177.6 |
| 1957 | 75 | 14 | 61 | 123.5 | 52.2 | 179.9 |
| 1958 | 53 | 10 | 43 | 89.5 | 37.3 | 132.8 |
| 1959 | 55 | 9 | 46 | 90.8 | 32.2 | 141.2 |

TABE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2002

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1960 | 59 | 8 | 51 | 99.6 | 29.4 | 159.3 |
| 1961 | 49 | 9 | 40 | 82.3 | 32.8 | 124.6 |
| 1962 | 55 | 7 | 48 | 93.3 | 25.4 | 152.8 |
| 1963 | 44 | 9 | 35 | 76.8 | 33.6 | 114.8 |
| 1964 | 57 | 9 | 48 | 100.6 | 34.7 | 156.3 |
| 1965 | 40 | 3 | 37 | 78.2 | 12.8 | 133.1 |
| 1966 | 27 | 6 | 21 | 56.0 | 26.4 | 82.4 |
| 1967 | 36 | 10 | 26 | 77.3 | 44.1 | 108.7 |
| 1968 | 21 | 3 | 18 | 45.9 | 13.2 | 78.6 |
| 1969 | 23 | 3 | 20 | 48.8 | 12.5 | 86.6 |
| 1970 | 34 | 5 | 29 | 70.6 | 20.1 | 124.7 |
| 1971 | 21 | 5 | 16 | 43.2 | 19.8 | 68.4 |
| 1972 | 24 | 5 | 19 | 52.3 | 21.0 | 85.7 |
| 1973 | 12 | 4 | 8 | 26.9 | 17.3 | 37.2 |
| 1974 | 12 | 4 | 8 | 27.2 | 17.4 | 38.1 |
| 1975 | 6 | 0 | 6 | 13.8 | - | 28.9 |
| 1976 | 8 | 4 | 4 | 18.6 | 17.7 | 19.6 |
| 1977 | 10 | 2 | 8 | 22.0 | 8.6 | 36.1 |
| 1978 | 6 | 1 | 5 | 13.5 | 4.4 | 23.0 |
| 1979 | 10 | 3 | 7 | 21.8 | 12.8 | 31.2 |
| 1980 | 2 | 1 | 1 | 4.2 | 4.0 | 4.3 |
| 1981 | 7 | 5 | 2 | 15.1 | 21.0 | 8.9 |
| 1982 | 1 | 1 | 0 | 2.2 | 4.2 | - |
| 1983 | 1 | 0 | 1 | 2.3 | - | 4.7 |
| 1984 | 3 | 1 | 2 | 6.8 | 4.4 | 9.5 |
| 1985 | 3 | 2 | 1 | 6.9 | 8.7 | 4.9 |
| 1986 | 3 | 0 | 3 | 7.2 | - | 15.1 |
| 1987 | 4 | 2 | 2 | 9.7 | 9.3 | 10.2 |
| 1988 | 7 | 2 | 5 | 16.6 | 9.2 | 24.6 |
| 1989 | 6 | 1 | 5 | 13.9 | 4.5 | 23.8 |
| 1990 | 6 | 0 | 6 | 13.8 | - | 28.2 |
| 1991 | 3 | 2 | 1 | 6.9 | 9.1 | 4.7 |
| 1992 | 4 | 1 | 3 | 9.4 | 4.6 | 14.3 |
| 1993 | 11 | 2 | 9 | 26.1 | 9.4 | 43.1 |
| 1994 | 4 | 1 | 3 | 9.5 | 4.6 | 14.7 |
| 1995 | 5 | 0 | 5 | 12.1 | - | 25.3 |
| 1996 | 1 | 0 | 1 | 2.4 | - | 5.1 |
| 1997 | 11 | 4 | 7 | 26.5 | 18.2 | 35.9 |
| 1998 | 4 | 2 | 2 | 9.3 | 8.7 | 10.0 |
| 1999 | 6 | 2 | 4 | 14.0 | 8.8 | 20.0 |
| 2000 | 8 | 2 | 6 | 18.2 | 8.5 | 29.2 |
| 2001 | 12 | 4 | 8 | 28.4 | 17.5 | 41.1 |
| 2002 | 9 | 2 | 7 | 21.7 | 8.8 | 37.0 |

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2002
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2002)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1917 | 3,689 | 1,296 | 2,393 | 99.3 | 68.0 | 132.3 |
| 1918 | # | # | # | # | # | # |
| 1919 | 3,554 | # | # | 83.6 | # | # |
| 1920 | 3,499 | 1,344 | 2,155 | 80.0 | 59.9 | 101.1 |
| 1921 | 3,157 | 1,243 | 1,914 | 67.9 | 52.4 | 84.0 |
| 1922 | 2,826 | 1,067 | 1,759 | 64.6 | 50.1 | 78.4 |
| 1923 | 2,908 | 1,104 | 1,804 | 67.2 | 52.2 | 81.5 |
| 1924 | 3,137 | 1,188 | 1,949 | 71.4 | 53.6 | 89.5 |
| 1925 | 3,176 | 1,179 | 1,997 | 69.7 | 53.0 | 85.7 |
| 1926 | 3,578 | 1,447 | 2,131 | 70.9 | 58.8 | 82.4 |
| 1927 | 3,291 | 1,303 | 1,988 | 66.9 | 54.0 | 79.4 |
| 1928 | 3,567 | 1,416 | 2,151 | 74.1 | 59.9 | 87.9 |
| 1929 | 3,275 | 1,268 | 2,007 | 71.9 | 57.4 | 85.5 |
| 1930 | 3,276 | 1,182 | 2,094 | 68.3 | 51.0 | 84.5 |
| 1931 | 2,547 | 961 | 1,586 | 56.4 | 44.4 | 67.5 |
| 1932 | 2,482 | 965 | 1,517 | 53.4 | 44.1 | 61.7 |
| 1933 | 2,800 | 1,035 | 1,765 | 63.4 | 50.7 | 74.2 |
| 1934 | 3,070 | 1,199 | 1,871 | 64.1 | 53.7 | 73.2 |
| 1935 | 2,587 | 1,044 | 1,543 | 53.6 | 47.5 | 58.6 |
| 1936 | 2,883 | 1,105 | 1,778 | 58.5 | 49.8 | 65.7 |
| 1937 | 3,098 | 1,174 | 1,924 | 59.4 | 50.4 | 66.6 |
| 1938 | 3,051 | 1,205 | 1,846 | 56.8 | 50.1 | 62.2 |
| 1939 | 2,908 | 1,135 | 1,773 | 55.6 | 48.3 | 61.6 |
| 1940 | 2,864 | 1,070 | 1,794 | 54.5 | 46.4 | 60.9 |
| 1941 | 2,969 | 1,113 | 1,856 | 54.4 | 46.1 | 61.1 |
| 1942 | 2,654 | 957 | 1,697 | 47.0 | 37.8 | 54.4 |
| 1943 | 2,774 | 1,137 | 1,637 | 46.7 | 41.2 | 51.5 |
| 1944 | 2,481 | 965 | 1,516 | 43.6 | 37.1 | 49.0 |
| 1945 | 2,192 | 846 | 1,346 | 40.9 | 36.1 | 44.7 |
| 1946 | 2,298 | 1,005 | 1,293 | 37.4 | 33.8 | 40.8 |
| 1947 | 2,428 | 1,009 | 1,419 | 36.6 | 31.1 | 41.9 |
| 1948 | 2,470 | 988 | 1,482 | 37.8 | 33.3 | 41.6 |
| 1949 | 2,612 | 900 | 1,712 | 39.5 | 31.3 | 45.8 |
| 1950 | 2,348 | 763 | 1,585 | 36.4 | 28.1 | 42.6 |
| 1951 | 2,589 | 814 | 1,775 | 39.5 | 29.3 | 47.1 |
| 1952 | 2,592 | 760 | 1,832 | 40.2 | 27.1 | 50.3 |
| 1953 | 2,534 | 807 | 1,727 | 39.6 | 28.5 | 48.3 |
| 1954 | 2,360 | 744 | 1,616 | 36.4 | 25.8 | 44.9 |
| 1955 | 2,338 | 680 | 1,658 | 37.0 | 24.7 | 46.4 |
| 1956 | 2,353 | 734 | 1,619 | 37.8 | 26.9 | 46.4 |
| 1957 | 2,257 | 694 | 1,563 | 37.2 | 25.9 | 46.1 |
| 1958 | 2,424 | 706 | 1,718 | 41.0 | 26.3 | 53.1 |
| 1959 | 2,355 | 677 | 1,678 | 38.9 | 24.2 | 51.5 |

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2002

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1960 | 2,457 | 714 | 1,743 | 41.5 | 26.2 | 54.4 |
| 1961 | 2,250 | 645 | 1,605 | 37.8 | 23.5 | 50.0 |
| 1962 | 2,353 | 705 | 1,648 | 39.9 | 25.6 | 52.5 |
| 1963 | 2,372 | 610 | 1,762 | 41.4 | 22.7 | 57.8 |
| 1964 | 2,230 | 599 | 1,631 | 39.4 | 23.1 | 53.1 |
| 1965 | 2,126 | 593 | 1,533 | 41.5 | 25.4 | 55.1 |
| 1966 | 1,856 | 520 | 1,336 | 38.5 | 22.9 | 52.4 |
| 1967 | 1,645 | 512 | 1,133 | 35.3 | 22.6 | 47.4 |
| 1968 | 1,613 | 517 | 1,096 | 35.3 | 22.7 | 47.8 |
| 1969 | 1,513 | 530 | 983 | 32.1 | 22.1 | 42.6 |
| 1970 | 1,403 | 480 | 923 | 29.1 | 19.3 | 39.7 |
| 1971 | 1,311 | 460 | 851 | 27.0 | 18.2 | 36.4 |
| 1972 | 1,187 | 459 | 728 | 25.8 | 19.3 | 32.8 |
| 1973 | 1,154 | 392 | 762 | 25.8 | 17.0 | 35.4 |
| 1974 | 1,024 | 356 | 668 | 23.2 | 15.5 | 31.8 |
| 1975 | 975 | 356 | 619 | 22.5 | 15.8 | 29.8 |
| 1976 | 927 | 331 | 596 | 21.6 | 14.6 | 29.2 |
| 1977 | 834 | 285 | 549 | 18.3 | 12.2 | 24.8 |
| 1978 | 846 | 266 | 580 | 19.1 | 11.8 | 26.7 |
| 1979 | 809 | 280 | 529 | 17.6 | 11.9 | 23.6 |
| 1980 | 812 | 272 | 540 | 17.0 | 11.0 | 23.3 |
| 1981 | 711 | 248 | 463 | 15.4 | 10.4 | 20.6 |
| 1982 | 706 | 249 | 457 | 15.4 | 10.4 | 20.9 |
| 1983 | 664 | 240 | 424 | 15.1 | 10.6 | 19.9 |
| 1984 | 629 | 224 | 405 | 14.4 | 9.9 | 19.2 |
| 1985 | 596 | 213 | 383 | 13.7 | 9.3 | 18.7 |
| 1986 | 517 | 197 | 320 | 12.3 | 8.9 | 16.2 |
| 1987 | 565 | 212 | 353 | 13.7 | 9.8 | 17.9 |
| 1988 | 516 | 189 | 327 | 12.3 | 8.7 | 16.1 |
| 1989 | 498 | 190 | 308 | 11.6 | 8.6 | 14.7 |
| 1990 | 528 | 189 | 339 | 12.1 | 8.5 | 15.9 |
| 1991 | 493 | 163 | 330 | 11.4 | 7.4 | 15.5 |
| 1992 | 508 | 170 | 338 | 11.9 | 7.8 | 16.1 |
| 1993 | 482 | 178 | 304 | 11.4 | 8.4 | 14.6 |
| 1994 | 459 | 158 | 301 | 10.9 | 7.3 | 14.8 |
| 1995 | 435 | 149 | 286 | 10.5 | 6.9 | 14.5 |
| 1996 | 451 | 169 | 282 | 11.0 | 7.9 | 14.4 |
| 1997 | 440 | 156 | 284 | 10.6 | 7.1 | 14.6 |
| 1998 | 436 | 146 | 290 | 10.2 | 6.4 | 14.5 |
| 1999 | 435 | 152 | 283 | 10.2 | 6.7 | 14.1 |
| 2000 | 468 | 157 | 311 | 10.6 | 6.7 | 15.1 |
| 2001 | 443 | 157 | 286 | 10.5 | 6.9 | 14.7 |
| 2002 | 428 | 155 | 273 | 10.3 | 6.8 | 14.4 |

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2002
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2002)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1924 | 1,598 | 730 | 868 | 36.4 | 32.9 | 39.8 |
| 1925 | 1,639 | 701 | 938 | 36.0 | 31.5 | 40.3 |
| 1926 | 1,731 | 823 | 908 | 34.3 | 33.4 | 35.1 |
| 1927 | 1,644 | 786 | 858 | 33.4 | 32.5 | 34.3 |
| 1928 | 1,788 | 804 | 984 | 37.2 | 34.0 | 40.2 |
| 1929 | 1,662 | 773 | 889 | 36.5 | 35.0 | 37.9 |
| 1930 | 1,692 | 715 | 977 | 35.3 | 30.8 | 39.4 |
| 1931 | 1,339 | 590 | 749 | 29.7 | 27.3 | 31.9 |
| 1932 | 1,361 | 572 | 789 | 29.3 | 26.1 | 32.1 |
| 1933 | 1,540 | 636 | 904 | 34.8 | 31.2 | 38.0 |
| 1934 | 1,505 | 644 | 861 | 31.4 | 28.8 | 33.7 |
| 1935 | 1,446 | 642 | 804 | 29.9 | 29.2 | 30.5 |
| 1936 | 1,494 | 676 | 818 | 30.3 | 30.4 | 30.2 |
| 1937 | 1,678 | 755 | 923 | 32.2 | 32.4 | 32.0 |
| 1938 | 1,688 | 747 | 941 | 31.4 | 31.1 | 31.7 |
| 1939 | 1,637 | 735 | 902 | 31.3 | 31.3 | 31.3 |
| 1940 | 1,613 | 680 | 933 | 30.7 | 29.4 | 31.7 |
| 1941 | 1,663 | 734 | 929 | 30.5 | 30.4 | 30.6 |
| 1942 | 1,544 | 638 | 906 | 27.3 | 25.2 | 29.0 |
| 1943 | 1,652 | 791 | 861 | 27.8 | 28.6 | 27.1 |
| 1944 | 1,436 | 661 | 775 | 25.2 | 25.4 | 25.1 |
| 1945 | 1,351 | 624 | 727 | 25.2 | 26.6 | 24.1 |
| 1946 | 1,561 | 794 | 767 | 25.4 | 26.7 | 24.2 |
| 1947 | 1,595 | 750 | 845 | 24.1 | 23.1 | 24.9 |
| 1948 | 1,674 | 773 | 901 | 25.6 | 26.0 | 25.3 |
| 1949 | 1,594 | 661 | 933 | 24.1 | 23.0 | 25.0 |
| 1950 | 1,446 | 560 | 886 | 22.4 | 20.6 | 23.8 |
| 1951 | 1,679 | 626 | 1,053 | 25.6 | 22.5 | 27.9 |
| 1952 | 1,658 | 581 | 1,077 | 25.7 | 20.7 | 29.6 |
| 1953 | 1,630 | 635 | 995 | 25.4 | 22.4 | 27.8 |
| 1954 | 1,521 | 601 | 920 | 23.5 | 20.9 | 25.6 |
| 1955 | 1,440 | 527 | 913 | 22.8 | 19.1 | 25.6 |
| 1956 | 1,451 | 581 | 870 | 23.3 | 21.3 | 24.9 |
| 1957 | 1,425 | 540 | 885 | 23.5 | 20.1 | 26.1 |
| 1958 | 1,475 | 540 | 935 | 24.9 | 20.1 | 28.9 |
| 1959 | 1,450 | 515 | 935 | 23.9 | 18.4 | 28.7 |
| 1960 | 1,497 | 550 | 947 | 25.3 | 20.2 | 29.6 |
| 1961 | 1,401 | 509 | 892 | 23.5 | 18.6 | 27.8 |
| 1962 | 1,456 | 550 | 906 | 24.7 | 20.0 | 28.8 |
| 1963 | 1,449 | 470 | 979 | 25.3 | 17.5 | 32.1 |
| 1964 | 1,372 | 460 | 912 | 24.2 | 17.7 | 29.7 |
| 1965 | 1,283 | 470 | 813 | 25.1 | 20.1 | 29.2 |
| 1966 | 1,123 | 386 | 737 | 23.3 | 17.0 | 28.9 |
| 1967 | 1,053 | 388 | 665 | 22.6 | 17.1 | 27.8 |
| 1968 | 1,116 | 424 | 692 | 24.4 | 18.6 | 30.2 |
| 1969 | 1,066 | 441 | 625 | 22.6 | 18.4 | 27.1 |

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2002

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1970 | 976 | 391 | 585 | 20.3 | 15.7 | 25.2 |
| 1971 | 940 | 382 | 558 | 19.3 | 15.2 | 23.8 |
| 1972 | 837 | 362 | 475 | 18.2 | 15.2 | 21.4 |
| 1973 | 793 | 301 | 492 | 17.8 | 13.0 | 22.9 |
| 1974 | 710 | 276 | 434 | 16.1 | 12.0 | 20.6 |
| 1975 | 677 | 257 | 420 | 15.6 | 11.4 | 20.2 |
| 1976 | 626 | 243 | 383 | 14.6 | 10.7 | 18.8 |
| 1977 | 588 | 222 | 366 | 12.9 | 9.5 | 16.5 |
| 1978 | 559 | 191 | 368 | 12.6 | 8.4 | 16.9 |
| 1979 | 514 | 191 | 323 | 11.2 | 8.1 | 14.4 |
| 1980 | 523 | 189 | 334 | 10.9 | 7.6 | 14.4 |
| 1981 | 486 | 166 | 320 | 10.5 | 7.0 | 14.2 |
| 1982 | 467 | 166 | 301 | 10.2 | 6.9 | 13.7 |
| 1983 | 410 | 160 | 250 | 9.3 | 7.1 | 11.7 |
| 1984 | 395 | 158 | 237 | 9.0 | 7.0 | 11.2 |
| 1985 | 368 | 127 | 241 | 8.5 | 5.5 | 11.8 |
| 1986 | 323 | 133 | 190 | 7.7 | 6.0 | 9.6 |
| 1987 | 363 | 128 | 235 | 8.8 | 5.9 | 11.9 |
| 1988 | 318 | 118 | 200 | 7.6 | 5.4 | 9.8 |
| 1989 | 309 | 132 | 177 | 7.2 | 6.0 | 8.4 |
| 1990 | 332 | 111 | 221 | 7.6 | 5.0 | 10.4 |
| 1991 | 303 | 95 | 208 | 7.0 | 4.3 | 9.8 |
| 1992 | 320 | 97 | 223 | 7.5 | 4.5 | 10.6 |
| 1993 | 298 | 111 | 187 | 7.1 | 5.2 | 9.0 |
| 1994 | 273 | 93 | 180 | 6.5 | 4.3 | 8.8 |
| 1995 | 254 | 88 | 166 | 6.1 | 4.1 | 8.4 |
| 1996 | 294 | 103 | 191 | 7.2 | 4.8 | 9.8 |
| 1997 | 269 | 96 | 173 | 6.5 | 4.4 | 8.9 |
| 1998 | 265 | 76 | 189 | 6.2 | 3.3 | 9.5 |
| 1999 | 267 | 91 | 176 | 6.2 | 4.0 | 8.8 |
| 2000 | 289 | 91 | 198 | 6.6 | 3.9 | 9.6 |
| 2001 | 277 | 96 | 181 | 6.6 | 4.2 | 9.3 |
| 2002 | 281 | 100 | 181 | 6.8 | 4.4 | 9.6 |

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2002
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2002)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1924 | 1,539 | 458 | 1,081 | 35.0 | 20.6 | 49.6 |
| 1925 | 1,537 | 478 | 1,059 | 33.7 | 21.5 | 45.4 |
| 1926 | 1,847 | 624 | 1,223 | 36.6 | 25.4 | 47.3 |
| 1927 | 1,647 | 517 | 1,130 | 33.5 | 21.4 | 45.1 |
| 1928 | 1,779 | 612 | 1,167 | 37.0 | 25.9 | 47.7 |
| 1929 | 1,613 | 495 | 1,118 | 35.4 | 22.4 | 47.6 |
| 1930 | 1,584 | 467 | 1,117 | 33.0 | 20.1 | 45.0 |
| 1931 | 1,208 | 371 | 837 | 26.8 | 17.1 | 35.6 |
| 1932 | 1,121 | 393 | 728 | 24.1 | 18.0 | 29.6 |
| 1933 | 1,260 | 399 | 861 | 28.5 | 19.6 | 36.2 |
| 1934 | 1,565 | 555 | 1,010 | 32.7 | 24.8 | 39.5 |
| 1935 | 1,141 | 402 | 739 | 23.6 | 18.3 | 28.1 |
| 1936 | 1,389 | 429 | 960 | 28.2 | 19.3 | 35.5 |
| 1937 | 1,420 | 419 | 1,001 | 27.2 | 18.0 | 34.6 |
| 1938 | 1,363 | 458 | 905 | 25.4 | 19.0 | 30.5 |
| 1939 | 1,271 | 400 | 871 | 24.3 | 17.0 | 30.3 |
| 1940 | 1,251 | 390 | 861 | 23.8 | 16.9 | 29.2 |
| 1941 | 1,306 | 379 | 927 | 23.9 | 15.7 | 30.5 |
| 1942 | 1,110 | 319 | 791 | 19.6 | 12.6 | 25.3 |
| 1943 | 1,122 | 346 | 776 | 18.9 | 12.5 | 24.4 |
| 1944 | 1,045 | 304 | 741 | 18.4 | 11.7 | 24.0 |
| 1945 | 841 | 222 | 619 | 15.7 | 9.5 | 20.6 |
| 1946 | 737 | 211 | 526 | 12.0 | 7.1 | 16.6 |
| 1947 | 833 | 259 | 574 | 12.6 | 8.0 | 16.9 |
| 1948 | 796 | 215 | 581 | 12.2 | 7.2 | 16.3 |
| 1949 | 1,018 | 239 | 779 | 15.4 | 8.3 | 20.9 |
| 1950 | 902 | 203 | 699 | 14.0 | 7.5 | 18.8 |
| 1951 | 910 | 188 | 722 | 13.9 | 6.8 | 19.1 |
| 1952 | 934 | 179 | 755 | 14.5 | 6.4 | 20.7 |
| 1953 | 904 | 172 | 732 | 14.1 | 6.1 | 20.5 |
| 1954 | 839 | 143 | 696 | 13.0 | 5.0 | 19.4 |
| 1955 | 898 | 153 | 745 | 14.2 | 5.6 | 20.9 |
| 1956 | 902 | 153 | 749 | 14.5 | 5.6 | 21.5 |
| 1957 | 832 | 154 | 678 | 13.7 | 5.7 | 20.0 |
| 1958 | 949 | 166 | 783 | 16.0 | 6.2 | 24.2 |
| 1959 | 905 | 162 | 743 | 14.9 | 5.8 | 22.8 |
| 1960 | 960 | 164 | 796 | 16.2 | 6.0 | 24.9 |
| 1961 | 849 | 136 | 713 | 14.3 | 5.0 | 22.2 |
| 1962 | 897 | 155 | 742 | 15.2 | 5.6 | 23.6 |
| 1963 | 923 | 140 | 783 | 16.1 | 5.2 | 25.7 |
| 1964 | 858 | 139 | 719 | 15.1 | 5.4 | 23.4 |
| 1965 | 843 | 123 | 720 | 16.5 | 5.3 | 25.9 |
| 1966 | 733 | 134 | 599 | 15.2 | 5.9 | 23.5 |
| 1967 | 592 | 124 | 468 | 12.7 | 5.5 | 19.6 |
| 1968 | 497 | 93 | 404 | 10.9 | 4.1 | 17.6 |
| 1969 | 447 | 89 | 358 | 9.5 | 3.7 | 15.5 |

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2002

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1970 | 427 | 89 | 338 | 8.9 | 3.6 | 14.5 |
| 1971 | 371 | 78 | 293 | 7.6 | 3.1 | 12.5 |
| 1972 | 350 | 97 | 253 | 7.6 | 4.1 | 11.4 |
| 1973 | 361 | 91 | 270 | 8.1 | 3.9 | 12.5 |
| 1974 | 314 | 80 | 234 | 7.1 | 3.5 | 11.1 |
| 1975 | 298 | 99 | 199 | 6.9 | 4.4 | 9.6 |
| 1976 | 301 | 88 | 213 | 7.0 | 3.9 | 10.4 |
| 1977 | 246 | 63 | 183 | 5.4 | 2.7 | 8.2 |
| 1978 | 287 | 75 | 212 | 6.5 | 3.3 | 9.8 |
| 1979 | 295 | 89 | 206 | 6.4 | 3.8 | 9.2 |
| 1980 | 289 | 83 | 206 | 6.0 | 3.4 | 8.9 |
| 1981 | 225 | 82 | 143 | 4.9 | 3.4 | 6.4 |
| 1982 | 239 | 83 | 156 | 5.2 | 3.4 | 7.1 |
| 1983 | 254 | 80 | 174 | 5.8 | 3.5 | 8.2 |
| 1984 | 234 | 66 | 168 | 5.4 | 2.9 | 8.0 |
| 1985 | 228 | 86 | 142 | 5.2 | 3.7 | 6.9 |
| 1986 | 194 | 64 | 130 | 4.6 | 2.9 | 6.6 |
| 1987 | 202 | 84 | 118 | 4.9 | 3.9 | 6.0 |
| 1988 | 198 | 71 | 127 | 4.7 | 3.3 | 6.2 |
| 1989 | 189 | 58 | 131 | 4.4 | 2.6 | 6.2 |
| 1990 | 196 | 78 | 118 | 4.5 | 3.5 | 5.5 |
| 1991 | 190 | 68 | 122 | 4.4 | 3.1 | 5.7 |
| 1992 | 188 | 73 | 115 | 4.4 | 3.4 | 5.5 |
| 1993 | 184 | 67 | 117 | 4.4 | 3.2 | 5.6 |
| 1994 | 186 | 65 | 121 | 4.4 | 3.0 | 5.9 |
| 1995 | 181 | 61 | 120 | 4.4 | 2.8 | 6.1 |
| 1996 | 157 | 66 | 91 | 3.8 | 3.1 | 4.6 |
| 1997 | 171 | 60 | 111 | 4.1 | 2.7 | 5.7 |
| 1998 | 171 | 70 | 101 | 4.0 | 3.0 | 5.0 |
| 1999 | 168 | 61 | 107 | 3.9 | 2.7 | 5.3 |
| 2000 | 179 | 66 | 113 | 4.1 | 2.8 | 5.5 |
| 2001 | 166 | 61 | 105 | 3.9 | 2.7 | 5.4 |
| 2002 | 147 | 55 | 92 | 3.5 | 2.4 | 4.9 |

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2002

| YEAR | MARRIAGES | | | DIVORCES | | |
|-------|-----------|--------|-----------|----------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1926* | 28,712 | | | 2,766 | | |
| 1927* | 29,048** | 11,402 | 17,383 | 2,895 | | |
| 1928 | 30,231** | 11,662 | 18,257 | 3,009 | 1,435 | 1,574 |
| 1929 | 31,495** | 12,864 | 18,388 | 3,172 | 1,598 | 1,574 |
| 1930 | 25,728** | 10,815 | 14,751 | 2,743 | 1,487 | 1,256 |
| 1931 | 21,589** | 9,952 | 11,629 | 2,015 | 1,308 | 707 |
| 1932 | 22,688** | 10,147 | 12,453 | 1,918 | 1,308 | 610 |
| 1933 | 27,567** | 12,201 | 15,300 | 1,955 | 1,396 | 559 |
| 1934 | 30,149** | 13,497 | 16,541 | 2,446 | 1,704 | 742 |
| 1935 | 28,722** | 12,955 | 15,635 | 2,425 | 1,681 | 744 |
| 1936 | 32,480** | 14,120 | 18,196 | 2,520 | 1,690 | 830 |
| 1937 | 32,055** | 14,802 | 17,246 | 2,977 | 1,984 | 993 |
| 1938 | 31,495 | 14,224 | 17,271 | 2,916 | 2,069 | 847 |
| 1939 | 31,956 | 15,370 | 16,586 | 3,034 | 2,166 | 868 |
| 1940 | 34,088 | 16,834 | 17,254 | 3,251 | 2,295 | 956 |
| 1941 | 42,142 | 21,611 | 20,531 | 3,831 | 2,444 | 1,387 |
| 1942 | 49,565 | 27,227 | 22,338 | 4,326 | 2,606 | 1,720 |
| 1943 | 46,030 | 23,445 | 22,585 | 5,851 | 3,062 | 2,789 |
| 1944 | 41,559 | 21,173 | 20,386 | 6,742 | 3,425 | 3,317 |
| 1945 | 44,871 | 24,738 | 20,133 | 6,727 | 3,919 | 2,808 |
| 1946 | 64,204 | 37,099 | 27,105 | 9,495 | 5,867 | 3,628 |
| 1947 | 53,584 | 30,514 | 23,070 | 7,004 | 4,323 | 2,681 |
| 1948 | 53,645 | 31,504 | 22,141 | 6,697 | 3,864 | 2,833 |
| 1949 | 52,765 | 32,191 | 20,574 | 6,285 | 3,621 | 2,664 |
| 1950 | 56,738 | 37,871 | 18,867 | 6,065 | 3,711 | 2,354 |
| 1951 | 57,321 | 37,857 | 19,464 | 5,464 | 3,601 | 1,863 |
| 1952 | 58,116 | 39,162 | 18,954 | 5,419 | 3,607 | 1,812 |
| 1953 | 61,751 | 42,961 | 18,790 | 5,204 | 3,515 | 1,689 |
| 1954 | 61,381 | 43,268 | 18,113 | 5,001 | 3,424 | 1,577 |
| 1955 | 66,423 | 47,618 | 18,805 | 4,845 | 3,372 | 1,473 |
| 1956 | 66,223 | 48,140 | 18,083 | 5,027 | 3,452 | 1,575 |
| 1957 | 62,495 | 46,868 | 15,627 | 4,974 | 3,350 | 1,624 |
| 1958 | 36,402 | 26,998 | 9,404 | 5,016 | 3,485 | 1,531 |
| 1959 | 20,447 | 13,547 | 6,900 | 5,108 | 3,557 | 1,551 |
| 1960 | 21,233 | 14,029 | 7,204 | 5,260 | 3,553 | 1,707 |
| 1961 | 21,610 | 14,438 | 7,172 | 5,213 | 3,545 | 1,668 |
| 1962 | 22,007 | 14,432 | 7,575 | 5,467 | 3,827 | 1,640 |
| 1963 | 22,140 | 14,508 | 7,632 | 5,452 | 3,930 | 1,522 |
| 1964 | 22,784 | 15,159 | 7,625 | 5,631 | 4,077 | 1,554 |
| 1965 | 23,343 | 15,613 | 7,730 | 5,730 | 4,220 | 1,510 |
| 1966 | 23,476 | 15,860 | 7,616 | 6,306 | 4,650 | 1,656 |
| 1967 | 23,535 | 15,752 | 7,783 | 6,455 | 4,704 | 1,751 |
| 1968 | 25,355 | 17,142 | 8,213 | 7,020 | 5,202 | 1,818 |
| 1969 | 25,956 | 17,582 | 8,374 | 7,506 | 5,616 | 1,890 |

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2002

| YEAR | MARRIAGES | | | DIVORCES | | |
|------|-----------|--------|-----------|----------|--------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1970 | 26,328 | 17,883 | 8,445 | 8,211 | 6,227 | 1,984 |
| 1971 | 27,597 | 18,668 | 8,929 | 8,936 | 6,705 | 2,231 |
| 1972 | 28,703 | 19,178 | 9,525 | 10,097 | 7,510 | 2,587 |
| 1973 | 28,513 | 19,276 | 9,237 | 10,787 | 8,138 | 2,649 |
| 1974 | 27,613 | 19,236 | 8,377 | 11,866 | 9,203 | 2,663 |
| 1975 | 26,279 | 18,602 | 7,677 | 12,303 | 9,570 | 2,733 |
| 1976 | 26,772 | 18,969 | 7,803 | 12,243 | 9,399 | 2,844 |
| 1977 | 26,843 | 19,200 | 7,643 | 12,759 | 9,921 | 2,838 |
| 1978 | 27,280 | 19,762 | 7,518 | 13,313 | 10,339 | 2,974 |
| 1979 | 27,279 | 19,843 | 7,436 | 13,628 | 10,402 | 3,226 |
| 1980 | 27,908 | 20,620 | 7,288 | 13,846 | 10,760 | 3,086 |
| 1981 | 28,002 | 20,877 | 7,125 | 14,182** | 10,403 | 2,795 |
| 1982 | 27,584 | 20,547 | 7,037 | 12,861** | 10,239 | 2,570 |
| 1983 | 26,921 | 19,950 | 6,971 | 13,436** | 10,709 | 2,674 |
| 1984 | 26,025 | 19,255 | 6,770 | 12,911** | 10,205 | 2,664 |
| 1985 | 24,750 | 18,241 | 6,509 | 12,535** | 9,766 | 2,662 |
| 1986 | 24,283 | 17,729 | 6,554 | 12,871** | 10,155 | 2,630 |
| 1987 | 23,729 | 17,286 | 6,443 | 12,142** | 9,542 | 2,420 |
| 1988 | 24,919 | 18,335 | 6,584 | 12,097** | 9,454 | 2,473 |
| 1989 | 24,240 | 17,735 | 6,505 | 12,945** | 9,823 | 2,755 |
| 1990 | 24,348 | 17,766 | 6,582 | 12,735** | 9,498 | 2,804 |
| 1991 | 23,446 | 17,235 | 6,211 | 13,027** | 9,926 | 2,689 |
| 1992 | 22,995 | 16,776 | 6,219 | 12,758** | 9,785 | 2,667 |
| 1993 | 23,271 | 17,066 | 6,205 | 13,860** | 10,513 | 2,940 |
| 1994 | 22,872 | 16,479 | 6,393 | 13,302** | 10,110 | 2,890 |
| 1995 | 22,150 | 15,714 | 6,436 | 13,182** | 10,073 | 2,850 |
| 1996 | 21,550 | 15,219 | 6,331 | 14,263** | 10,658 | 3,180 |
| 1997 | 21,338 | 14,630 | 6,708 | 13,860** | 10,376 | 3,101 |
| 1998 | 20,911 | 14,222 | 6,689 | 13,748** | 10,310 | 3,004 |
| 1999 | 21,828 | 14,436 | 7,392 | 14,056** | 10,625 | 3,221 |
| 2000 | 19,879 | 13,232 | 6,647 | 14,177** | 10,666 | 3,312 |
| 2001 | 18,605 | 12,483 | 6,122 | 14,198** | 10,683 | 3,370 |
| 2002 | 18,447 | 12,451 | 5,996 | 14,169** | 10,548 | 3,466 |

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2002

| YEAR | NUMBER | | | | RATIO* | | |
|------|--------|-------|---------------|--------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE |
| 1976 | 1,510 | 976 | 515 | 19 | 35.1 | 43.2 | 25.3 |
| 1977 | 2,446 | 1,531 | 907 | 8 | 53.7 | 65.5 | 40.9 |
| 1978 | 3,280 | 1,998 | 1,270 | 12 | 73.9 | 88.3 | 58.4 |
| 1979 | 4,411 | 2,765 | 1,636 | 10 | 96.1 | 117.7 | 72.9 |
| 1980 | 5,543 | 3,283 | 2,250 | 10 | 115.9 | 133.0 | 97.2 |
| 1981 | 5,561 | 3,236 | 2,263 | 62 | 120.3 | 136.1 | 100.8 |
| 1982 | 5,145 | 2,954 | 2,174 | 17 | 112.0 | 122.9 | 99.3 |
| 1983 | 4,560 | 2,473 | 2,084 | 3 | 103.6 | 109.1 | 97.7 |
| 1984 | 4,585 | 2,633 | 1,945 | 7 | 104.8 | 116.1 | 92.3 |
| 1985 | 5,288 | 2,922 | 2,359 | 7 | 121.8 | 127.4 | 115.1 |
| 1986 | 4,521 | 2,505 | 2,013 | 3 | 108.0 | 113.6 | 101.6 |
| 1987 | 5,469 | 2,950 | 2,517 | 2 | 132.5 | 136.7 | 127.7 |
| 1988 | 5,170 | 2,561 | 2,588 | 21 | 123.0 | 118.1 | 127.1 |
| 1989 | 5,490 | 2,674 | 2,802 | 14 | 127.6 | 121.2 | 133.7 |
| 1990 | 6,842 | 3,334 | 3,485 | 23 | 157.1 | 149.6 | 163.9 |
| 1991 | 8,184 | 3,910 | 4,244 | 30 | 189.5 | 178.5 | 199.5 |
| 1992 | 7,555 | 3,425 | 4,127 | 3 | 177.0 | 157.8 | 196.7 |
| 1993 | 6,002 | 2,425 | 3,551 | 26 | 142.4 | 114.1 | 170.0 |
| 1994 | 3,979 | 1,414 | 2,558 | 7 | 94.9 | 65.6 | 125.4 |
| 1995 | 3,563 | 1,288 | 2,274 | 1 | 86.2 | 59.7 | 115.1 |
| 1996 | 4,206 | 1,340 | 2,859 | 7 | 102.6 | 62.5 | 146.4 |
| 1997 | 4,325 | 1,418 | 2,906 | 1 | 104.1 | 64.4 | 149.0 |
| 1998 | 3,955 | 1,215 | 2,737 | 3 | 92.2 | 52.9 | 137.1 |
| 1999 | 3,878 | 1,060 | 2,810 | 8 | 90.9 | 46.8 | 140.3 |
| 2000 | 3,758 | 1,039 | 2,711 | 8 | 85.3 | 44.1 | 132.0 |
| 2001 | 3,566 | 960 | 2,598 | 8 | 84.3 | 42.1 | 133.4 |
| 2002 | 3,605 | 970 | 2,633 | 2 | 85.3 | 42.5 | 135.2 |

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2002

| YEAR | NUMBER | | | RATE* | | |
|-------|---------|-------|-----------|---------|-------|-----------|
| | TOTAL** | WHITE | NON-WHITE | TOTAL** | WHITE | NON-WHITE |
| 1979 | 13,347 | 5,401 | 7,895 | 55.9 | 40.4 | 75.2 |
| 1980 | 13,544 | 5,712 | 7,808 | 56.8 | 42.7 | 74.4 |
| 1981 | 12,804 | 5,399 | 7,365 | 53.7 | 40.4 | 70.2 |
| 1982 | 12,217 | 5,125 | 7,080 | 51.2 | 38.4 | 67.4 |
| 1983 | 11,435 | 4,708 | 6,727 | 52.6 | 38.1 | 71.4 |
| 1984 | 11,091 | 4,382 | 6,709 | 51.0 | 35.5 | 71.3 |
| 1985 | 10,998 | 4,455 | 6,543 | 50.5 | 36.1 | 69.5 |
| 1986 | 10,231 | 4,077 | 6,154 | 47.0 | 33.0 | 65.4 |
| 1987 | 10,244 | 4,057 | 6,187 | 47.6 | 33.2 | 66.4 |
| 1988 | 10,565 | 4,174 | 6,391 | 49.3 | 34.3 | 69.0 |
| 1989# | 11,267 | 4,403 | 6,855 | 52.9 | 36.4 | 74.4 |
| 1990# | 11,379 | 4,457 | 6,916 | 53.1 | 39.0 | 69.3 |
| 1991# | 11,545 | 4,485 | 7,056 | 53.9 | 39.2 | 70.7 |
| 1992# | 11,089 | 4,119 | 6,969 | 51.8 | 36.0 | 69.8 |
| 1993# | 10,962 | 3,911 | 7,046 | 51.2 | 34.2 | 70.6 |
| 1994# | 10,802 | 3,889 | 6,911 | 50.4 | 34.0 | 69.3 |
| 1995# | 10,778 | 3,984 | 6,789 | 49.9 | 34.5 | 67.5 |
| 1996# | 10,401 | 3,787 | 6,612 | 48.1 | 32.8 | 65.7 |
| 1997# | 9,989 | 3,681 | 6,305 | 46.2 | 31.9 | 62.7 |
| 1998# | 9,891 | 3,748 | 6,143 | 45.9 | 32.8 | 60.5 |
| 1999# | 9,675 | 3,646 | 6,027 | 45.2 | 32.1 | 59.8 |
| 2000# | 9,508 | 3,618 | 5,889 | 42.9 | 31.1 | 55.9 |
| 2001# | 8,624 | 3,309 | 5,314 | 38.9 | 28.4 | 50.4 |
| 2002# | 8,192 | 3,266 | 4,925 | 38.2 | 29.1 | 48.3 |

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|------------------------------------|
| 001 | Cholera | A00 |
| 002 | Typhoid fever | A01.0 |
| 003 | Paratyphoid fevers and other salmonella infections | A01.1-A01.4, A02 |
| 004 | Shigellosis | A03 |
| 005 | Other bacterial food-borne intoxications | A05 |
| 006 | Amebiasis | A06 |
| 007 | Intestinal infections due to other specified organisms | A04, A07-A08 |
| 008 | Diarrhea and gastroenteritis of presumed infectious origin | A09 |
| 009 | Respiratory tuberculosis | A16 |
| 010 | Other tuberculosis | A17-A19 |
| 011 | Plague | A20 |
| 012 | Brucellosis | A23 |
| 013 | Tetanus | A33-A35 |
| 014 | Diphtheria | A36 |
| 015 | Whooping cough | A37 |
| 016 | Scarlet fever and erysipelas | A38, A46 |
| 017 | Meningococcal infection | A39 |
| 018 | Septicemia | A40-A41 |
| 019 | Other zoonotic and bacterial diseases | A21-A22, A24-A32, A42-A44, A48-A49 |
| 020 | Cardiovascular syphilis | A52.0 |
| 021 | Neurosyphilis | A52.1-A52.3 |
| 022 | Other and unspecified syphilis | A50-A51, A52.7-A52.9, A53 |
| 023 | Gonococcal infection | A54 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|---|
| 024 | Other infections with a predominately sexual mode of transmission | A55-A64 |
| 025 | Lyme disease | A69.2 |
| 026 | Typhus fever | A75 |
| 027 | All other infections caused by spirochetes, chlamydia or rickettsia | A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79 |
| 028 | Acute poliomyelitis | A80 |
| 029 | Rabies | A82 |
| 030 | Arthropod-borne viral encephalitis | A83-A84, A85.2 |
| 031 | Yellow fever | A95 |
| 032 | Other and unspecified arthropod-borne viral and hemorrhagic fevers | A90-A94, A96-A99 |
| 033 | Herpesviral (herpes simplex) infections | B00 |
| 034 | Zoster (herpes zoster) | B02 |
| 035 | Smallpox | B03 |
| 036 | Measles | B05 |
| 037 | Rubella (German measles) | B06 |
| 038 | Viral hepatitis | B15-B19 |
| 039 | Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases | B20 |
| 040 | Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms | B21 |
| 041 | Human immunodeficiency virus (HIV) disease resulting in other specified diseases | B22 |
| 042 | Human immunodeficiency virus (HIV) disease resulting in other conditions | B23 |
| 043 | Unspecified human immunodeficiency virus (HIV) disease | B24 |
| 044 | All other and unspecified viral diseases | A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34 |
| 045 | Mycoses | B35-B49 |
| 046 | Malaria | B50-B54 |
| 047 | Leishmaniasis | B55 |
| 048 | Trypanosomiasis | B56-B57 |
| 049 | Pneumocystosis | B59 |
| 050 | Other and unspecified protozoal diseases | B58, B60-B64 |
| 051 | Schistosomiasis (bilharziasis) | B65 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|-----------------------|
| 052 | Other and unspecified helminthiases | B66-B83 |
| 053 | Sequelae of tuberculosis | B90 |
| 054 | Sequelae of poliomyelitis | B91 |
| 055 | All other and unspecified infectious and parasitic diseases and their sequela | B85-B89, B92-B99 |
| 056 | Malignant neoplasms of lip | C00 |
| 057 | Malignant neoplasms of tongue | C01-C02 |
| 058 | Malignant neoplasms of pharynx | C10-C13, C14.0 |
| 059 | Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx | C03-C09, C14.2-C14.8 |
| 060 | Malignant neoplasms of esophagus | C15 |
| 061 | Malignant neoplasms of stomach | C16 |
| 062 | Malignant neoplasms of small intestine | C17 |
| 063 | Malignant neoplasms of colon | C18 |
| 064 | Malignant neoplasms of rectosigmoid junction and rectum | C19-C20 |
| 065 | Malignant neoplasms of anus and anal canal | C21 |
| 066 | Malignant neoplasms of liver | C22.0, C22.2-C22.9 |
| 067 | Intrahepatic bile duct carcinoma | C22.1 |
| 068 | Malignant neoplasms of gallbladder and extrahepatic bile ducts | C23-C24 |
| 069 | Malignant neoplasms of pancreas | C25 |
| 070 | Malignant neoplasms of other and ill-defined digestive organs | C26 |
| 071 | Malignant neoplasms of nasal cavity, middle ear and accessory sinuses | C30-C31 |
| 072 | Malignant neoplasms of larynx | C32 |
| 073 | Malignant neoplasms of trachea, bronchus and lung | C33-C34 |
| 074 | Malignant neoplasms of thymus, heart, mediastinum and pleura | C37-C38 |
| 075 | Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs | C39 |
| 076 | Malignant neoplasms of bone and articular cartilage | C40-C41 |
| 077 | Malignant melanoma of skin | C43 |
| 078 | Other malignant neoplasms of skin | C44 |
| 079 | Mesothelioma | C45 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|-----------------------|
| 080 | Kaposi's sarcoma | C46 |
| 081 | Malignant neoplasms of other mesothelial and soft tissue | C47-C49 |
| 082 | Malignant neoplasm of breast | C50 |
| 083 | Malignant neoplasms of vulva and vagina | C51-C52 |
| 084 | Malignant neoplasms of cervix uteri | C53 |
| 085 | Malignant neoplasms of corpus uteri and uterus, part unspecified | C54-C55 |
| 086 | Malignant neoplasms of ovary | C56 |
| 087 | Malignant neoplasms of other and unspecified female genital organs | C57 |
| 088 | Malignant neoplasms of placenta | C58 |
| 089 | Malignant neoplasms of prostate | C61 |
| 090 | Malignant neoplasms of testis | C62 |
| 091 | Malignant neoplasms of penis and other and unspecified male genital organs | C60, C63 |
| 092 | Malignant neoplasms of kidney and renal pelvis | C64-C65 |
| 093 | Malignant neoplasms of bladder | C67 |
| 094 | Malignant neoplasms of other and unspecified sites within the urinary tract | C66, C68 |
| 095 | Malignant neoplasm of eye and adnexa | C69 |
| 096 | Malignant neoplasms of brain | C71 |
| 097 | Malignant neoplasms of other parts of central nervous system | C70, C72 |
| 098 | Malignant neoplasms of thyroid and other endocrine glands | C73-C75 |
| 099 | Other malignant neoplasms of other and unspecified sites | C76-C80, C97 |
| 100 | Hodgkin's disease | C81 |
| 101 | Non-Hodgkin's lymphoma | C82-C85 |
| 102 | Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue | C96 |
| 103 | Malignant immunoproliferative diseases | C88 |
| 104 | Multiple myeloma and malignant plasma cell neoplasms | C90 |
| 105 | Lymphoid leukemia | C91 |
| 106 | Myeloid leukemia | C92 |
| 107 | Monocytic leukemia | C93 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|---------------------------|
| 108 | Other and unspecified leukemia | C94-C95 |
| 109 | Carcinoma in situ of breast and genitourinary system | D05-D07 |
| 110 | Carcinoma in situ of other and unspecified sites | D00-D04, D09 |
| 111 | Benign neoplasms of female genital organs | D25-D28 |
| 112 | Benign neoplasms of eye, brain and other parts of central nervous system | D31-D33 |
| 113 | Benign neoplasms of other and unspecified sites | D10-D24, D29-D30, D34-D36 |
| 114 | Neoplasms of uncertain or unknown behavior of specified sites | D37-D47 |
| 115 | Neoplasm of uncertain or unknown behavior of unspecified sites | D48 |
| 116 | Nutritional anemias | D50-D53 |
| 117 | Hemolytic anemias | D55-D59 |
| 118 | Aplastic anemias | D60-D61 |
| 119 | Acute posthemorrhagic and other anemias | D62, D64 |
| 120 | Coagulation defects, purpura and other hemorrhagic conditions | D65-D69 |
| 121 | Other diseases of blood and blood-forming organs | D70-D76 |
| 122 | Certain disorders involving the immune mechanism | D80-D89 |
| 123 | Disorders of thyroid gland | E00-E07 |
| 124 | Diabetes mellitus | E10-E14 |
| 125 | Disorders of pituitary gland | E22-E23 |
| 126 | Disorders of adrenal glands | E24-E27 |
| 127 | Diseases of thymus | E32 |
| 128 | Other endocrine diseases | E15-E21, E28-E31, E34 |
| 129 | Nutritional marasmus | E41 |
| 130 | Other and unspecified malnutrition | E40, E42-E46 |
| 131 | Other nutritional deficiencies | E50-E64 |
| 132 | Obesity and other hyperalimentation | E65-E68 |
| 133 | Cystic fibrosis | E84 |
| 134 | Volume depletion, disorders of fluid, electrolyte and acid-base balance | E86-E87 |
| 135 | Other metabolic disorders | E70-E83, E85, E88 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|---|
| 136 | Organic dementia | F01, F03 |
| 137 | Other and unspecified organic mental disorders | F04-F09 |
| 138 | Mental and behavioral disorders due to use of alcohol | F10 |
| 139 | Mental and behavioral disorders due to other psychoactive substance use | F11-F19 |
| 140 | Schizophrenia, schizotypal and delusional disorders | F20-F29 |
| 141 | Mood (affective) disorders | F30-F39 |
| 142 | Neurotic, stress-related and somatoform disorders | F40-F48 |
| 143 | Mental retardation | F70-F79 |
| 144 | Other and unspecified mental and behavioral disorders | F50-F69, F80-F99 |
| 145 | Meningitis | G00, G03 |
| 146 | Other inflammatory diseases of central nervous system | G04-G09 |
| 147 | Parkinson's disease | G20-G21 |
| 148 | Alzheimer's disease | G30 |
| 149 | Multiple sclerosis | G35 |
| 150 | Epilepsy | G40-G41 |
| 151 | Transient cerebral ischemic attacks and related syndromes | G45 |
| 152 | Infantile cerebral palsy | G80 |
| 153 | All other diseases of nervous system | G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98 |
| 154 | Diseases of the eye and adnexa | H00-H57 |
| 155 | Diseases of the ear and mastoid process | H60-H93 |
| 156 | Acute rheumatic fever | I00-I02 |
| 157 | Rheumatic mitral valve diseases | I05 |
| 158 | Rheumatic aortic valve diseases | I06 |
| 159 | Disorders of both mitral and aortic valves | I08.0 |
| 160 | Other chronic rheumatic heart diseases | I07, I08.1-I08.9, I09 |
| 161 | Essential (primary) hypertension | I10 |
| 162 | Hypertensive heart disease | I11 |
| 163 | Hypertensive renal disease | I12 |
| 164 | Hypertensive heart and renal disease | I13 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|--------------------------|
| 165 | Acute myocardial infarction | I21-I22 |
| 166 | Other acute ischemic heart diseases | I24 |
| 167 | Atherosclerotic cardiovascular disease, so described | I25.0 |
| 168 | All other forms of chronic ischemic heart disease | I20, I25.1-I25.9 |
| 169 | Pulmonary embolism | I26 |
| 170 | Other pulmonary heart disease and diseases of pulmonary circulation | I27-I28 |
| 171 | Acute and subacute endocarditis | I33 |
| 172 | Diseases of pericardium and acute myocarditis | I30-I31, I40 |
| 173 | Nonrheumatic mitral valve disorders | I34 |
| 174 | Nonrheumatic aortic valve disorders | I35 |
| 175 | All other diseases of endocardium | I36-I38 |
| 176 | Cardiomyopathy | I42 |
| 177 | Conduction disorders and cardiac dysrhythmias | I44-I49 |
| 178 | Congestive heart failure | I50.0 |
| 179 | Other and unspecified heart failure | I50.1-I50.9 |
| 180 | Myocarditis, unspecified and myocardial degeneration | I51.4-I51.5 |
| 181 | All other and ill-defined forms of heart disease | I51.0-I51.3, I51.6-I51.9 |
| 182 | Subarachnoid hemorrhage | I60 |
| 183 | Intracerebral and other intracranial hemorrhage | I61-I62 |
| 184 | Cerebral infarction | I63 |
| 185 | Stroke, not specified as hemorrhage or infarction | I64 |
| 186 | Other cerebrovascular diseases and their sequelae | I67, I69 |
| 187 | Atherosclerosis | I70 |
| 188 | Aortic aneurysm and dissection | I71 |
| 189 | Other diseases of arteries, arterioles and capillaries | I72-I78 |
| 190 | Phlebitis, thrombophlebitis, venous embolism and thrombosis | I80-I82 |
| 191 | All other and unspecified disorders of circulatory system | I83-I99 |
| 192 | Acute pharyngitis and tonsillitis | J02-J03 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|-----------------------|
| 193 | Acute laryngitis and tracheitis | J04 |
| 194 | Other and unspecified acute upper respiratory infections | J00-J01, J05-J06 |
| 195 | Influenza | J10-J11 |
| 196 | Viral pneumonia, not elsewhere classified | J12 |
| 197 | Bacterial pneumonia | J13-J15 |
| 198 | Pneumonia due to other or unspecified organisms | J16, J18 |
| 199 | Acute bronchitis and bronchiolitis | J20-J21 |
| 200 | Unspecified acute lower respiratory infection | J22 |
| 201 | Other diseases of upper respiratory tract | J30-J39 |
| 202 | Bronchitis, not specified as acute or chronic | J40 |
| 203 | Chronic bronchitis | J41-J42 |
| 204 | Emphysema | J43 |
| 205 | Other chronic obstructive pulmonary disease | J44 |
| 206 | Asthma | J45-J46 |
| 207 | Bronchiectasis | J47 |
| 208 | Pneumoconioses and chemical effects | J60-J66, J68 |
| 209 | Pneumonitis due to food and vomit | J69.0 |
| 210 | Other pneumonitis due to solids and liquids | J69.1-J69.8 |
| 211 | Other lung diseases due to external agents | J67, J70 |
| 212 | Suppurative and necrotic conditions of lower respiratory tract | J85-J86 |
| 213 | Pleural effusion and plaque | J90, J92 |
| 214 | All other diseases of respiratory system | J80-J84, J93-J98 |
| 215 | Diseases of oral cavity, salivary glands and jaws | K00-K14 |
| 216 | Diseases of esophagus | K20-K22 |
| 217 | Gastric ulcer | K25 |
| 218 | Duodenal ulcer | K26 |
| 219 | Peptic ulcer, site unspecified | K27 |
| 220 | Gastrojejunal ulcer | K28 |
| 221 | Gastritis and duodenitis | K29 |
| 222 | Dyspepsia and other diseases of stomach and duodenum | K30-K31 |
| 223 | Diseases of appendix | K35-K38 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|----------------------------|
| 224 | Hernia | K40-K46 |
| 225 | Crohn's disease and ulcerative colitis | K50-K51 |
| 226 | Vascular disorders and obstruction of intestine without hernia | K55-K56 |
| 227 | Diverticular disease of intestine | K57 |
| 228 | Other diseases of intestines and peritoneum | K52, K58-K63 |
| 229 | Diseases of peritoneum | K65-K66 |
| 230 | Alcoholic liver disease | K70 |
| 231 | Chronic hepatitis, not elsewhere classified | K73 |
| 232 | Fibrosis and cirrhosis of liver | K74 |
| 233 | Other diseases of liver | K71-K72, K75-K76 |
| 234 | Cholelithiasis and other disorders of gallbladder | K80-K82 |
| 235 | Pancreatitis | K85, K86.0-K86.1 |
| 236 | Other disorders of biliary tract and pancreas | K83, K86.2-K86.9 |
| 237 | All other diseases of digestive system | K90, K92 |
| 238 | Infections of skin and subcutaneous tissue | L00-L08 |
| 239 | Other and unspecified diseases of skin and subcutaneous tissue | L10-L98 |
| 240 | Rheumatoid arthritis and related inflammatory polyarthropathies | M05-M08 |
| 241 | Systemic lupus erythematosus | M32 |
| 242 | Other arthropathies and related disorders | M00, M02, M10-M31, M33-M35 |
| 243 | Dorsopathies | M40-M54 |
| 244 | Soft tissue disorders | M60-M79 |
| 245 | Osteoporosis | M80-M81 |
| 246 | Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue | M83-M99 |
| 247 | Acute and rapidly progressive nephritic syndrome | N00-N01 |
| 248 | Nephrotic syndrome | N04 |
| 249 | Other and unspecified glomerular diseases | N02-N03, N05-N07 |
| 250 | Renal tubulo-interstitial diseases | N10-N15 |
| 251 | Renal failure | N17-N19 |
| 252 | Urolithiasis | N20-N23 |
| 253 | Other and unspecified disorders of kidney | N25-N27 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|--|
| 254 | Urinary tract infection, site not specified | N39.0 |
| 255 | Other diseases of urinary system | N28-N36, N39.1-N39.9 |
| 256 | Hyperplasia of prostate | N40 |
| 257 | Other diseases of male genital organs | N41-N50 |
| 258 | Disorders of breast | N60-N64 |
| 259 | Inflammatory diseases of female pelvic organs | N70-N76 |
| 260 | Noninflammatory disorders of female genital tract | N80-N98 |
| 261 | Ectopic pregnancy | 000 |
| 262 | Spontaneous abortion | 003 |
| 263 | Medical abortion | 004 |
| 264 | Other abortion | 005 |
| 265 | Other and unspecified pregnancy with abortive outcome | 001-002, 006-007 |
| 266 | Eclampsia and pre-eclampsia | 011, 013-016 |
| 267 | Hemorrhage of pregnancy and childbirth and placenta previa | 020, 044-046, 067, 072 |
| 268 | Obstetric embolism | 088 |
| 269 | Other complications predominately related to the puerperium | 085-087, 089-092 |
| 270 | All other direct obstetric causes | 010, 012, 021-043, 047-066, 068-071, 073-075 |
| 271 | Obstetric death of unspecified cause | 095 |
| 272 | Other deaths related to pregnancy, childbirth and the puerperium | 096-097 |
| 273 | Indirect obstetric deaths | 098-099 |
| 274 | Newborn affected by maternal factors and by complications of pregnancy, labor and delivery | P00-P04 |
| 275 | Disorders related to short gestation and low birth weight, not elsewhere classified | P07 |
| 276 | Birth trauma | P10-P15 |
| 277 | Intrauterine hypoxia and birth asphyxia | P20-P21 |
| 278 | Respiratory distress of newborn | P22 |
| 279 | Other respiratory conditions originating in the perinatal period | P23-P28 |
| 280 | Infections specific to the perinatal period | P35-P39 |
| 281 | Other and unspecified conditions originating in the perinatal period | P05, P08, P29, P50-P96 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|--|
| 282 | Anencephaly and similar malformations | Q00 |
| 283 | Spina bifida | Q05 |
| 284 | All other congenital malformations of nervous system | Q01-Q04, Q06-Q07 |
| 285 | Congenital malformations of heart | Q20-Q24 |
| 286 | Other congenital malformations of circulatory system | Q25-Q28 |
| 287 | Congenital malformations of respiratory system | Q30-Q34 |
| 288 | Other congenital malformations and deformations | Q10-Q18, Q35-Q89 |
| 289 | Down's syndrome | Q90 |
| 290 | All other chromosomal abnormalities, not elsewhere classified | Q91-Q99 |
| 291 | Senility | R54 |
| 292 | Sudden infant death syndrome | R95 |
| 293 | Other ill-defined and unknown causes of mortality | R96-R99 |
| 294 | All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified | R00-R53, R55-R94 |
| 295 | Railway accidents | V05, V15, V80.6, V81.2-V81.9 |
| 296 | Pedestrian involved in collision with motor vehicle | V02-V04 |
| 297 | Pedal cyclist involved in collision with motor vehicle | V12-V14, V19.0-V19.2, V19.4-V19.6 |
| 298 | Motorcyclist involved in any accident except collision with railway train | V20-V24, V26-V34, V36-V39 |
| 299 | Motorcyclist involved in collision with railway train | V25, V35 |
| 300 | Other motor vehicle accident involving collision with railway train | V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6 |
| 301 | Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian | V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77 |
| 302 | Occupant of car, pickup truck or van involved in collision with other motor vehicle | V42-V44, V49, V52-V54, V59 |
| 303 | Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle | V62-V64, V69, V72-V74, V79 |
| 304 | Occupant of motor vehicle involved in noncollision accident | V48, V58, V68, V78 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|--|
| 305 | Occupant of special-use motor vehicle involved in any accident | V83-V86 |
| 306 | Other and unspecified motor vehicle accidents | V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2 |
| 307 | Streetcar accidents | V82.2-V82.9 |
| 308 | Other and unspecified land transport accidents | V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9 |
| 309 | Water transport accidents | V90-V94 |
| 310 | Air and space transport accidents | V95-V97 |
| 311 | Other and unspecified transport accidents and their sequelae | V98-V99, Y85 |
| 312 | Fall on same level | W00-W09, W18 |
| 313 | Fall from one level to another | W10-W17 |
| 314 | Unspecified fall | W19 |
| 315 | Accidental discharge of firearms | W32-W34 |
| 316 | Accidental explosion | W39-W40 |
| 317 | Accidental drowning and submersion | W65-W74 |
| 318 | Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract | W78-W80 |
| 319 | Other accidental and unspecified threats to breathing | W75-W77, W81-W84 |
| 320 | Accidental exposure to electric current | W85-W87 |
| 321 | Accidental exposure to radiation | W88-W91 |
| 322 | Accidental exposure to smoke, fire and flames | X00-X09 |
| 323 | Accidental contact with heat and hot substances | X10-X19 |
| 324 | Lightning | X33 |
| 325 | Earthquake, volcanic eruption, avalanche, landslide and other earth movements | X34-X36 |
| 326 | Cataclysmic storm and flood | X37-X38 |
| 327 | Accidental poisoning by and exposure to drugs and other biological substances | X40-X44 |
| 328 | Accidental poisoning by and exposure to other and unspecified solid or liquid substances | X45-X46, X48-X49 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|--|
| 329 | Accidental poisoning by and exposure to other gases and vapors | X47 |
| 330 | All other and unspecified accidents and their sequelae | W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86 |
| 331 | Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances | X60-X64 |
| 332 | Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors | X65-X66, X68-X69 |
| 333 | Intentional self-poisoning (suicide) by and exposure to other gases and vapors | X67 |
| 334 | Intentional self-harm (suicide) by hanging, strangulation and suffocation | X70 |
| 335 | Intentional self-harm (suicide) by discharge of firearms | X72-X74 |
| 336 | Intentional self-harm (suicide) by jumping from a high place | X80 |
| 337 | Intentional self-harm (suicide) by all other and unspecified means and their sequelae | X71, X75-X79, X81-X84, Y87.0 |
| 338 | Assault (homicide) by drugs, biological substances and other and unspecified noxious substances | X85-X90 |
| 339 | Assault (homicide) by hanging, strangulation and suffocation | X91 |
| 340 | Assault (homicide) by discharge of firearms | X93-X95 |
| 341 | Assault (homicide) by sharp object | X99 |
| 342 | Assault (homicide) by blunt object | Y00 |
| 343 | Assault (homicide) by bodily force | Y04 |
| 344 | Sexual assault (homicide) by bodily force | Y05 |
| 345 | Neglect, abandonment and other maltreatment syndromes | Y06-Y07 |
| 346 | Assault (homicide) by all other and unspecified means and their sequelae | X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1 |
| 347 | Poisoning by and exposure to drugs and biological substances, undetermined intent | Y10-Y14 |
| 348 | Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent | Y15-Y16, Y18-Y19 |
| 349 | Poisoning by and exposure to other gases and vapors, undetermined intent | Y17 |
| 350 | Discharge of firearms, undetermined intent | Y22-Y24 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|---|
| 351 | Falling, jumping or pushed from a high place, undetermined intent | Y30 |
| 352 | All other and unspecified events of undetermined intent and their sequelae | Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9 |
| 353 | Legal execution | Y35.5 |
| 354 | Other legal intervention and their sequelae | Y35.0-Y35.4, Y35.6-Y35.7, Y89.0 |
| 355 | Operations of war and their sequelae | Y36, Y89.1 |
| 356 | Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae | Y40-Y59, Y88.0 |
| 357 | Misadventures to patients during medical and surgical care and their sequelae | Y60-Y69, Y88.1 |
| 358 | Other complications of medical and surgical care and their sequelae | Y70-Y84, Y88.2-Y88.3 |

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

| Group Numbers Included* | Cause of Death | ICD-10 Codes Included |
|--------------------------|--|-------------------------------|
| 002, 003 | Salmonella infections | A01-A02 |
| 004, 006 | Shigellosis and amebiasis | A03, A06 |
| 009, 010 | Tuberculosis | A16-A19 |
| 015 | Whooping cough | A37 |
| 016 | Scarlet fever and erysipelas | A38, A46 |
| 017 | Meningococcal infection | A39 |
| 018 | Septicemia | A40-A41 |
| 020-022 | Syphilis | A50-A53 |
| 028 | Acute poliomyelitis | A80 |
| 030 | Arthropod-borne viral encephalitis | A83-A84, A85.2 |
| 036 | Measles | B05 |
| 038 | Viral hepatitis | B15-B19 |
| 039-043 | Human immunodeficiency virus (HIV) disease | B20-B24 |
| 046 | Malaria | B50-B54 |
| 056-108 | Malignant neoplasms | C00-C97 |
| 110-115 | In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior | D00-D48 |
| 116-119 | Anemias | D50-D64 |
| 124 | Diabetes mellitus | E10-E14 |
| 129-131 | Nutritional deficiencies | E40-E64 |
| 145 | Meningitis | G00, G03 |
| 147 | Parkinson's disease | G20-G21 |
| 148 | Alzheimer's disease | G30 |
| 156-160, 162, 164-181 | Diseases of heart | I00-I09, I11, I13, I20-I51 |
| 161, 163 | Essential (primary) hypertension and hypertensive renal disease | I10, I12 |

| Group Numbers Included* | Cause of Death | ICD-10 Codes Included |
|-------------------------|--|---------------------------|
| 182-186 | Cerebrovascular diseases | I60-I69 |
| 187 | Atherosclerosis | I70 |
| 188 | Aortic aneurysm and dissection | I71 |
| 195-198 | Influenza and pneumonia | J10-J18 |
| 199 | Acute bronchitis and bronchiolitis | J20-J21 |
| 202-207 | Chronic lower respiratory diseases | J40-J47 |
| 208 | Pneumoconioses and chemical effects | J60-J66, J68 |
| 209, 210 | Pneumonitis due to solids and liquids | J69 |
| 217-220 | Peptic ulcer | K25-K28 |
| 223 | Diseases of appendix | K35-K38 |
| 224 | Hernia | K40-K46 |
| 230-232 | Chronic liver disease and cirrhosis | K70, K73-K74 |
| 234 | Cholelithiasis and other disorders of gallbladder | K80-K82 |
| 247-249, 251, 253 | Nephritis, nephrotic syndrome and nephrosis | N00-N07, N17-N19, N25-N27 |
| ** | Infections of kidney | N10-N12, N13.6, N15.1 |
| 256 | Hyperplasia of prostate | N40 |
| 259 | Inflammatory diseases of female pelvic organs | N70-N76 |
| 261-273 | Pregnancy, childbirth and the puerperium | 000-099 |
| 274-281 | Certain conditions originating in the perinatal period | P00-P96 |
| 282-290 | Congenital malformations, deformations and chromosomal abnormalities | Q00-Q99 |
| 295-330 | Accidents | V01-X59, Y85, Y86 |
| 331-337 | Intentional self-harm (suicide) | X60-X84, Y87.0 |
| 338-346 | Assault (homicide) | X85-Y09, Y87.1 |
| 353-354 | Legal intervention | Y35, Y89.0 |
| 335 | Operations of war and their sequelae | Y36, Y89.1 |
| 356-358 | Complications of medical and surgical care | Y40-Y84, Y88 |

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for certain conditions originating in the perinatal period and congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|---|
| | <u>Certain infectious and parasitic diseases</u> | <u>A00-B99</u> |
| 001 | Certain intestinal infectious diseases | A00-A08 |
| 002 | # Diarrhea and gastroenteritis of presumed infectious origin | A09 |
| 003 | # Tuberculosis | A16-A19 |
| 004 | # Tetanus | A33, A35 |
| 005 | # Diphtheria | A36 |
| 006 | # Whooping cough | A37 |
| 007 | # Meningococcal infection | A39 |
| 008 | # Septicemia | A40-A41 |
| 009 | # Congenital syphilis | A50 |
| 010 | # Gonococcal infection | A54 |
| | <u>Viral diseases</u> | <u>A80-B34</u> |
| 011 | # Acute poliomyelitis | A80 |
| 012 | # Varicella (chickenpox) | B01 |
| 013 | # Measles | B05 |
| 014 | # Human immunodeficiency virus (HIV) disease | B20-B24 |
| 015 | # Mumps | B26 |
| 016 | Other and unspecified viral diseases | A81-B00, B02-B04, B06-B19, B25, B27-B34 |
| 017 | # Candidiasis | B37 |
| 018 | # Malaria | B50-B54 |
| 019 | # Pneumocystosis | B59 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|---|
| 020 | Other and unspecified infectious and parasitic diseases and their sequelae | A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99 |
| | <u>Neoplasms</u> | <u>C00-D48</u> |
| | # <u>Malignant neoplasms</u> | <u>C00-C97</u> |
| 021 | Hodgkin's disease and non-Hodgkin's lymphomas | C81-C85 |
| 022 | Leukemia | C91-C95 |
| 023 | Other and unspecified malignant neoplasms | C00-C80, C88, C90, C96-C97 |
| 024 | # In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior | D00-D48 |
| | # <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u> | <u>D50-D89</u> |
| 025 | Anemias | D50-D64 |
| 026 | Hemorrhagic conditions and other diseases of blood and blood-forming organs | D65-D76 |
| 027 | Certain disorders involving the immune mechanism | D80-D89 |
| | <u>Endocrine, nutritional and metabolic diseases</u> | <u>E00-E88</u> |
| 028 | # Short stature, not elsewhere classified | E34.3 |
| 029 | # Nutritional deficiencies | E40-E64 |
| 030 | # Cystic fibrosis | E84 |
| 031 | # Volume depletion, disorders of fluid, electrolyte and acid-base balance | E86-E87 |
| 032 | All other endocrine, nutritional and metabolic diseases | E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88 |
| | <u>Diseases of the nervous system</u> | <u>G00-G98</u> |
| 033 | # Meningitis | G00, G03 |
| 034 | # Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) | G12.0 |
| 035 | # Infantile cerebral palsy | G80 |
| 036 | # Anoxic brain damage, not elsewhere classified | G93.1 |
| 037 | Other diseases of nervous system | G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98 |
| 038 | # Diseases of the ear and mastoid process | H60-H93 |
| | # <u>Diseases of the circulatory system</u> | <u>I00-I99</u> |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|--|
| 039 | Pulmonary heart disease and diseases of pulmonary circulation | I26-I28 |
| 040 | Pericarditis, endocarditis and myocarditis | I30, I33, I40 |
| 041 | Cardiomyopathy | I42 |
| 042 | Cardiac arrest | I46 |
| 043 | Cerebrovascular diseases | I60-I69 |
| 044 | All other diseases of circulatory system | I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99 |
| | <u>Diseases of the respiratory system</u> | <u>J00-J98</u> |
| 045 | Acute upper respiratory infections | J00-J06 |
| | # <u>Influenza and pneumonia</u> | <u>J10-J18</u> |
| 046 | Influenza | J10-J11 |
| 047 | Pneumonia | J12-J18 |
| 048 | # Acute bronchitis and acute bronchiolitis | J20-J21 |
| 049 | # Bronchitis, chronic and unspecified | J40-J42 |
| 050 | # Asthma | J45-J46 |
| 051 | # Pneumonitis due to solids and liquids | J69 |
| 052 | Other and unspecified diseases of respiratory system | J22, J30-J39, J43-J44, J47-J68, J70-J98 |
| | <u>Diseases of the digestive system</u> | <u>K00-K92</u> |
| 053 | # Gastritis, duodenitis, and noninfective enteritis and colitis | K29, K50-K55 |
| 054 | # Hernia of abdominal cavity and intestinal obstruction without hernia | K40-K46, K56 |
| 055 | All other and unspecified diseases of digestive system | K00-K28, K30-K38, K57-K92 |
| | <u>Diseases of the genitourinary system</u> | <u>N00-N98</u> |
| 056 | # Renal failure and other disorders of kidney | N17-N19, N25, N27 |
| 057 | Other and unspecified diseases of genitourinary system | N00-N15, N20-N23, N26, N28-N98 |
| | <u>Certain conditions originating in the perinatal period</u> | <u>P00-P96</u> |
| | <u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u> | <u>P00-P04</u> |
| 058 | # Newborn affected by maternal hypertensive disorders | P00.0 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|--------------------------|
| 059 | # Newborn affected by other maternal conditions which may be unrelated to present pregnancy | P00.1-P00.9 |
| | <u># Newborn affected by maternal complications of pregnancy</u> | <u>P01</u> |
| 060 | Newborn affected by incompetent cervix | P01.0 |
| 061 | Newborn affected by premature rupture of membranes | P01.1 |
| 062 | Newborn affected by multiple pregnancy | P01.5 |
| 063 | Newborn affected by other maternal complications of pregnancy | P01.2-P01.4, P01.6-P01.9 |
| | <u># Newborn affected by complications of placenta, cord and membranes</u> | <u>P02</u> |
| 064 | Newborn affected by complications involving placenta | P02.0-P02.3 |
| 065 | Newborn affected by complications involving cord | P02.4-P02.6 |
| 066 | Newborn affected by chorioamnionitis | P02.7 |
| 067 | Newborn affected by other and unspecified abnormalities of membranes | P02.8-P02.9 |
| 068 | # Newborn affected by other complications of labor and delivery | P03 |
| 069 | # Newborn affected by noxious influences transmitted via placenta or breast milk | P04 |
| | <u>Disorders related to length of gestation and fetal malnutrition</u> | <u>P05-P08</u> |
| 070 | # Slow fetal growth and fetal malnutrition | P05 |
| | <u># Disorders related to short gestation and low birth weight, not elsewhere classified</u> | <u>P07</u> |
| 071 | Extremely low birth weight or extreme immaturity | P07.0, P07.2 |
| 072 | Other low birth weight or preterm | P07.1, P07.3 |
| 073 | # Disorders related to long gestation and high birth weight | P08 |
| 074 | # Birth trauma | P10-P15 |
| | <u># Intrauterine hypoxia and birth asphyxia</u> | <u>P20-P21</u> |
| 075 | Intrauterine hypoxia | P20 |
| 076 | Birth asphyxia | P21 |
| 077 | # Respiratory distress of newborn | P22 |
| | <u>Other respiratory conditions originating in the perinatal period</u> | <u>P23-P28</u> |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|---|
| 078 | # Congenital pneumonia | P23 |
| 079 | # Neonatal aspiration syndromes | P24 |
| 080 | # Interstitial emphysema and related conditions originating in the perinatal period | P25 |
| 081 | # Pulmonary hemorrhage originating in the perinatal period | P26 |
| 082 | # Chronic respiratory disease originating in the perinatal period | P27 |
| 083 | # Atelectasis | P28.0-P28.1 |
| 084 | All other respiratory conditions originating in the perinatal period | P28.2-P28.9 |
| | <u>Infections specific to the perinatal period</u> | <u>P35-P39</u> |
| 085 | # Bacterial sepsis of newborn | P36 |
| 086 | # Omphalitis of newborn with or without mild hemorrhage | P38 |
| 087 | All other infections specific to the perinatal period | P35, P37, P39 |
| | <u>Hemorrhagic and hematological disorders of newborn</u> | <u>P50-P61</u> |
| 088 | # Neonatal hemorrhage | P50-P52, P54 |
| 089 | # Hemorrhagic disease of newborn | P53 |
| 090 | # Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice | P55-P59 |
| 091 | # Hematological disorders | P60-P61 |
| 092 | # Syndrome of infant of a diabetic mother and neonatal diabetes mellitus | P70.0-P70.2 |
| 093 | # Necrotizing enterocolitis of newborn | P77 |
| 094 | # Hydrops fetalis not due to hemolytic disease | P83.2 |
| 095 | Other perinatal conditions | P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96 |
| | <u># Congenital malformations, deformations and chromosomal abnormalities</u> | <u>Q00-Q99</u> |
| 096 | Anencephaly and similar malformations | Q00 |
| 097 | Congenital hydrocephalus | Q03 |
| 098 | Spina bifida | Q05 |
| 099 | Other congenital malformations of nervous system | Q01-Q02, Q04, Q06-Q07 |
| 100 | Congenital malformations of heart | Q20-Q24 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|--|---|
| 101 | Other congenital malformations of circulatory system | Q25-Q28 |
| 102 | Congenital malformations of respiratory system | Q30-Q34 |
| 103 | Congenital malformations of digestive system | Q35-Q45 |
| 104 | Congenital malformations of genitourinary system | Q50-Q64 |
| 105 | Congenital malformations and deformations of musculoskeletal system, limbs and integument | Q65-Q85 |
| 106 | Down's syndrome | Q90 |
| 107 | Edward's syndrome | Q91.0-Q91.3 |
| 108 | Patau's syndrome | Q91.4-Q91.7 |
| 109 | Other congenital malformations and deformations | Q10-Q18, Q86-Q89 |
| 110 | Other chromosomal abnormalities, not elsewhere classified | Q92-Q99 |
| | <u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u> | <u>R00-R99</u> |
| 111 | # Sudden infant death syndrome | R95 |
| 112 | Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified | R00-R53, R55-R94, R96-R99 |
| 113 | All other diseases (Residual) | F01-F99, H00-H57, L00-M99 |
| | <u>External causes of mortality</u> | <u>V01-Y89</u> |
| | # <u>Accidents</u> | <u>V01-X59, Y85-Y86</u> |
| | <u>Transport accidents</u> | <u>V01-V99, Y85</u> |
| 114 | Motor vehicle accidents | V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2 |
| 115 | Other and unspecified transport accidents and their sequelae | V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85 |
| 116 | Falls | W00-W19 |
| 117 | Accidental discharge of firearms | W32-W34 |
| 118 | Accidental drowning and submersion | W65-W74 |

| Group | Cause of Death | ICD-10 Codes Included |
|-------|---|--|
| 119 | Accidental suffocation and strangulation in bed | W75 |
| 120 | Other accidental suffocation and strangulation | W76-W77, W81-W84 |
| 121 | Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract | W78-W80 |
| 122 | Accidents caused by exposure to smoke, fire and flames | X00-X09 |
| 123 | Accidental poisoning and exposure to noxious substances | X40-X49 |
| 124 | Other and unspecified accidents and their sequelae | W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86 |
| | # <u>Assault (homicide)</u> | <u>X85-Y09, Y87.1</u> |
| 125 | Assault (homicide) by hanging, strangulation and suffocation | X91 |
| 126 | Assault (homicide) by discharge of firearms | X93-X95 |
| 127 | Neglect, abandonment and other maltreatment syndromes | Y06-Y07 |
| 128 | Assault (homicide) by other and unspecified means and their sequelae | X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1 |
| 129 | # Complications of medical and surgical care | Y40-Y84, Y88 |
| 130 | Other external causes and their sequelae | X60-X84, Y10-Y36, Y87.0, Y87.2, Y89 |

Category is used for ranking leading causes of infant death.

MISSISSIPPI DEPARTMENT OF HEALTH

www.HealthyMS.com

1-866-HLTHY4U

1-866-458-4948