

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 1999	
POPULATION	
Table P1. Estimated Population, by Age, Race, and Sex, Mississippi, 1999 ...	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1999	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 1999

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1997-1999	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1974, 1979, 1984, 1989, 1994, 1999	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1999	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32
Table C13C.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	34
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ...	35
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

SUMMARY TABLES, 1999

Page

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	40
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44

MAJOR TABLES, 1999

POPULATION

Table i.	1999 Estimated Population and Percent Change From 1990 Census Population, Mississippi	47
----------	---	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1999	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1999	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1999	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1999	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1999	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1999	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1999 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1999	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1999	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1999	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1999	70

MAJOR TABLES, 1999

LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1999	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1999	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1999	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1999	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 1999	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 1999	91
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1999	113
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1999	120
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1994-1999 (5-Year Average)	122
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1999	124
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1999	127

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1999	129
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1999	131
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1999	132
-----------	---	-----

TEENAGE PREGNANCY

Table 18A.	Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 1999	133
Table 18B.	Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 1999	135

MAJOR TABLES, 1999

Page

DEATHS (COUNTY AND STATE SUMMARIES)

Table 19.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	138
	The State	158

TIME SERIES TABLES

Page

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-1999, (Occurrence Data 1913-1943, Residence Data 1944-1999)	161
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-1999, (Occurrence Data 1913-1943, Residence Data 1944-1999)	163
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1999, (Occurrence Data 1913-1943, Residence Data 1944-1999)	165
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1999, (Occurrence Data 1917-1943, Residence Data 1944-1999)	167
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1999, (Occurrence Data 1924-1944, Residence Data 1945-1999)	169
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1999, (Occurrence Data 1924-1943, Residence Data 1944-1999)	171
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1999	173
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1999	175
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-1999	176

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	179
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	193
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	195

VITAL STATISTICS MISSISSIPPI, 1999

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1999; the second part contains major statistical tables for 1999. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this bulletin are 1999 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories, such as age/race/sex groups, should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision is being used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES, 1999

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. ESTIMATED POPULATION*, BY AGE, RACE, AND SEX,
MISSISSIPPI, 1999**

AGE	TOTAL			WHI TE			NONWHI TE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2, 768, 619	1, 326, 704	1, 441, 915	1, 728, 520	841, 467	887, 053	1, 040, 099	485, 237	554, 862
0-4	202, 435	103, 079	99, 356	109, 990	56, 110	53, 880	92, 445	46, 969	45, 476
(UNDER 1)	41, 463	20, 956	20, 507	22, 487	11, 286	11, 201	18, 976	9, 670	9, 306
(1-4)	160, 972	82, 123	78, 849	87, 503	44, 824	42, 679	73, 469	37, 299	36, 170
5-9	208, 431	106, 360	102, 071	110, 747	56, 876	53, 871	97, 684	49, 484	48, 200
10-14	207, 238	106, 021	101, 217	111, 319	57, 190	54, 129	95, 919	48, 831	47, 088
15-19	229, 775	116, 740	113, 035	122, 555	63, 256	59, 299	107, 220	53, 484	53, 736
20-24	207, 458	102, 357	105, 101	115, 059	58, 818	56, 241	92, 399	43, 539	48, 860
25-29	195, 588	93, 561	102, 027	116, 676	57, 934	58, 742	78, 912	35, 627	43, 285
30-34	182, 467	87, 634	94, 833	114, 334	57, 059	57, 275	68, 133	30, 575	37, 558
35-39	206, 628	100, 435	106, 193	131, 834	66, 471	65, 363	74, 794	33, 964	40, 830
40-44	210, 721	103, 126	107, 595	134, 391	67, 625	66, 766	76, 330	35, 501	40, 829
45-49	184, 769	89, 056	95, 713	122, 013	60, 196	61, 817	62, 756	28, 860	33, 896
50-54	157, 317	74, 702	82, 615	113, 123	55, 138	57, 985	44, 194	19, 564	24, 630
55-59	127, 655	59, 483	68, 172	94, 302	45, 278	49, 024	33, 353	14, 205	19, 148
60-64	112, 645	51, 527	61, 118	83, 455	39, 561	43, 894	29, 190	11, 966	17, 224
65-69	95, 967	42, 597	53, 370	71, 017	32, 349	38, 668	24, 950	10, 248	14, 702
70-74	86, 236	36, 587	49, 649	64, 970	28, 181	36, 789	21, 266	8, 406	12, 860
75-79	69, 274	26, 848	42, 426	52, 198	20, 622	31, 576	17, 076	6, 226	10, 850
80-84	42, 896	15, 115	27, 781	32, 155	11, 325	20, 830	10, 741	3, 790	6, 951
85 & OVER	41, 119	11, 476	29, 643	28, 382	7, 478	20, 904	12, 737	3, 998	8, 739
UNDER 15	618, 104	315, 460	302, 644	332, 056	170, 176	161, 880	286, 048	145, 284	140, 764
15-64	1, 815, 023	878, 621	936, 402	1, 147, 742	571, 336	576, 406	667, 281	307, 285	359, 996
65 & OVER	335, 492	132, 623	202, 869	248, 722	99, 955	148, 767	86, 770	32, 668	54, 102
MEDI AN AGE	33. 6	32. 0	35. 2	37. 4	36. 0	38. 8	27. 2	25. 0	28. 9

* THIS 1999 POPULATION ESTIMATE WAS OBTAINED FROM THE U. S. BUREAU OF THE CENSUS.

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1999**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	42,678	117			
JANUARY	3,519	114	JULY	3,797	122
FEBRUARY	3,140	112	AUGUST	3,888	125
MARCH	3,455	111	SEPTEMBER	3,853	128
APRIL	3,114	104	OCTOBER	3,644	118
MAY	3,273	106	NOVEMBER	3,547	118
JUNE	3,538	118	DECEMBER	3,910	126

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1999**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1980#	99.4	99.7	99.1
1971#	92.2	99.6	84.2	1981#	99.3	99.6	99.0
1972#	95.2	99.8	90.4	1982#	99.4	99.6	99.2
1973#	96.4	99.7	92.8	1983#	99.5	99.6	99.4
1974#	97.4	99.7	94.8	1984#	99.5	99.6	99.4
1975#	97.9	99.6	96.0	1985#	99.6	99.7	99.4
1976#	98.5	99.7	97.3	1986#	99.6	99.7	99.5
1977#	98.9	99.7	98.1	1987#	99.6	99.8	99.5
1978#	99.1	99.7	98.4	1988#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1989#	99.6	99.8	99.5
				1990#	99.6	99.6	99.6
				1991#	99.6	99.6	99.6
				1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
				1994#	99.7	99.7	99.7
				1995#	99.7	99.7	99.6
				1996#	99.7	99.7	99.7
				1997#	99.7	99.8	99.7
				1998#	99.6	99.7	99.6
				1999#	99.7	99.7	99.7

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1999**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI - CIAN	CERTI - FI ED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI - CIAN	CERTI - FI ED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>42,678</u>	<u>41,838</u>	<u>680</u>	<u>31</u>	<u>113</u>	<u>15</u>	<u>100.0</u>	<u>98.0</u>	<u>1.6</u>	<u>0.1</u>	<u>0.3</u>	<u>*</u>
HOSPI TAL CLI NI C/DOCTOR' S OFFI CE	42,549	41,821	674	2	47	5	99.7	98.0	1.6	*	0.1	*
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	110	13	6	28	59	4	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	11	1	0	1	6	3	*	*	-	*	*	*
UNKNOWN PLACE	5	1	0	0	1	3	*	*	-	-	*	*
<u>WHI TE</u>	<u>22,652</u>	<u>22,319</u>	<u>246</u>	<u>29</u>	<u>49</u>	<u>8</u>	<u>100.0</u>	<u>98.5</u>	<u>1.1</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPI TAL CLI NI C/DOCTOR' S OFFI CE	22,578	22,315	240	1	18	4	99.7	98.5	1.1	*	0.1	*
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	62	1	6	27	27	1	0.3	*	*	0.1	0.1	*
UNKNOWN PLACE	6	1	0	1	4	0	*	*	-	*	*	-
UNKNOWN PLACE	3	0	0	0	0	3	*	-	-	-	-	*
<u>NONWHI TE</u>	<u>20,026</u>	<u>19,519</u>	<u>434</u>	<u>2</u>	<u>64</u>	<u>7</u>	<u>100.0</u>	<u>97.5</u>	<u>2.2</u>	<u>*</u>	<u>0.3</u>	<u>*</u>
HOSPI TAL CLI NI C/DOCTOR' S OFFI CE	19,971	19,506	434	1	29	1	99.7	97.4	2.2	*	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	48	12	0	1	32	3	0.2	0.1	-	*	0.2	*
UNKNOWN PLACE	5	0	0	0	2	3	*	-	-	-	*	*
UNKNOWN PLACE	2	1	0	0	1	0	*	*	-	-	*	-

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES, BY AGE AND RACE OF MOTHER MISSISSIPPI, 1999

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.9</u>	<u>62.3</u>	<u>75.5</u>
UNDER 15	209	36	173	0.5	0.2	0.9	2.1	0.7	3.7
15-19	8,196	3,157	5,039	19.2	13.9	25.2	72.5	53.2	93.8
20-24	14,061	6,681	7,380	32.9	29.5	36.8	133.8	118.8	151.0
25-29	10,914	6,765	4,149	25.6	29.9	20.7	107.0	115.2	95.8
30-34	6,235	4,127	2,108	14.6	18.2	10.5	65.7	72.0	56.1
35-39	2,599	1,626	973	6.1	7.2	4.8	24.5	24.9	23.8
40-44	437	242	195	1.0	1.1	1.0	4.1	3.6	4.8
45-49	19	14	5	**	0.1	**	0.2	0.2	0.1
UNKNOWN	8	4	4	**	**	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER MISSISSIPPI, 1999

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	274	162	112	0.6	0.7	0.6	0.6	0.7	0.6
7-9 YEARS	3,572	1,778	1,794	8.4	7.9	9.0	9.0	8.6	9.5
10, 11 YEARS	7,065	2,670	4,395	16.6	11.8	22.0	25.6	20.4	31.6
12 YEARS	13,995	6,613	7,382	32.9	29.3	37.0	58.5	49.7	68.5
1-3 YEARS COLLEGE	10,731	6,080	4,651	25.2	26.9	23.3	83.8	76.6	91.8
4 OR MORE YEARS OF COLLEGE	6,908	5,277	1,631	16.2	23.4	8.2	100.0	100.0	100.0
UNKNOWN	133	72	61						
<u>MEDIAN YEARS COMPLETED*</u>	<u>12.7</u>	<u>13.0</u>	<u>12.5</u>						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1999**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>19,603</u>	<u>4,747</u>	<u>14,856</u>	<u>45.9</u>	<u>21.0</u>	<u>74.2</u>
UNDER 15	203	31	172	97.1	86.1	99.4
15-19	6,642	1,773	4,869	81.0	56.2	96.6
20-24	7,766	1,722	6,044	55.2	25.8	81.9
25-29	3,064	721	2,343	28.1	10.6	56.5
30-34	1,243	318	925	19.9	7.7	43.9
35-39	554	146	408	21.3	9.0	41.9
40-44	122	33	89	27.9	13.6	45.6
45-49	4	1	3	21.0	7.1	60.0
UNKNOWN	5	2	3			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1999**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.9</u>	<u>62.3</u>	<u>75.5</u>	<u>24.6</u>	<u>26.1</u>	<u>22.9</u>
FIRST	14,661	8,137	6,524	34.4	35.9	32.6	23.3	22.4	24.6	21.1	22.9	19.7
SECOND	13,055	7,256	5,799	30.6	32.0	29.0	20.8	20.0	21.9	24.7	26.4	22.8
THIRD	8,117	4,209	3,908	19.0	18.6	19.5	12.9	11.6	14.7	26.6	28.2	24.8
FOURTH	3,810	1,771	2,039	8.9	7.8	10.2	6.0	4.9	7.7	27.7	29.4	26.0
FIFTH	1,708	743	965	4.0	3.3	4.8	2.7	2.0	3.6	28.6	30.3	27.3
SIXTH	657	264	393	1.5	1.2	2.0	1.0	0.7	1.5	29.8	31.5	29.1
SEVENTH	289	118	171	0.7	0.5	0.8	0.5	0.3	0.6	31.5	33.2	30.2
EIGHTH	157	66	91	0.4	0.3	0.4	0.2	0.2	0.3	32.0	33.7	31.1
NINTH	75	29	46	0.2	0.1	0.2	0.1	0.1	0.2	33.8	37.5	32.5
TENTH AND OVER	89	36	53	0.2	0.2	0.3	0.1	0.1	0.2	35.7	36.5	35.2
UNKNOWN	60	23	37	0.1	0.1	0.2	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1999**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	449	81	368	1.0	0.4	1.8
<u>SOME PRENATAL CARE</u>	<u>42,031</u>	<u>22,497</u>	<u>19,534</u>	<u>98.5</u>	<u>99.3</u>	<u>97.5</u>
FIRST TRIMESTER	34,571	20,090	14,481	81.0	88.7	72.3
SECOND TRIMESTER	6,278	2,070	4,208	14.7	9.1	21.0
THI RD TRIMESTER	1,043	289	754	2.4	1.3	3.8
UNKNOWN MONTH	139	48	91	0.3	0.2	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	198	74	124	0.5	0.3	0.6

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1999**

MATURI TY*	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,719	673	1,046	4.0	3.0	5.2
PREMATURE ONLY**	3,917	1,691	2,226	9.2	7.5	11.1
BOTH IMMATURE AND PREMATURE	2,702	999	1,703	6.3	4.4	8.5
TOTAL IMMATURE	4,421	1,672	2,749	10.4	7.4	13.7
TOTAL PREMATURE	6,619	2,690	3,929	15.5	11.9	19.6
TOTAL IMMATURE AND/OR PREMATURE	8,338	3,363	4,975	19.5	14.8	24.8
NEI THER IMMATURE NOR PREMATURE**	34,340	19,289	15,051	80.5	85.2	75.2

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEI THER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1999**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>527</u>	<u>260</u>	<u>267</u>
ANENCEPHALUS	2	0	2
SPI NA BI FI DA/MENI NGOCELE	18	12	6
HYDROCEPHALUS	15	8	7
MI CROCEPHALUS	2	1	1
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	4	2	2
HEART MALFORMATIONS	53	29	24
OTHER CI RCU LATORY/RESPI RATORY ANOMALIES	40	27	13
RECTAL ATRESIA/STENOSIS	2	1	1
TRACHEO-ESOPHAGEAL FI STULA/ESOPHAGEAL ATRESIA	6	2	4
OMPHALOCELE/GASTROSCHISI S	34	7	27
OTHER GASTROI NTESTI NAL ANOMALIES	18	5	13
MALFORMED GENI TALIA	37	26	11
RENAL AGENESI S	7	5	2
OTHER UROGENI TAL ANOMALIES	18	9	9
CLEFT LI P/PALATE	34	18	16
POLYDACTYLY/SYNDACTYLY/ADACTYLY	76	22	54
CLUB FOOT	23	14	9
DI APHRAGMATI C HERNIA	5	3	2
OTHER MUSCULO SKELE TAL/I NTEGUMENTAL ANOMALIES	71	33	38
DOWNS SYNDROME	21	15	6
OTHER CHROMOSOMAL ANOMALIES	2	1	1
<u>OTHER</u>	<u>39</u>	<u>20</u>	<u>19</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1999**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>13,027</u>	<u>5,862</u>	<u>7,165</u>
ANEMIA (HCT. < 30/HGB. < 10)	1,261	464	797
CARDIAC DISEASE	198	150	48
ACUTE OR CHRONIC LUNG DISEASE	423	191	232
DIABETES	1,108	628	480
GENITAL HERPES	250	151	99
HYDRAMNIOS/OLIGOHYDRAMNIOS	468	204	264
HEMOGLOBINOPATHY	250	6	244
HYPERTENSION, CHRONIC	671	252	419
HYPERTENSION, PREGNANCY-ASSOCIATED	2,589	1,316	1,273
ECLAMPSIA	211	106	105
INCOMPETENT CERVIX	88	44	44
PREVIOUS INFANT 4000+ GRAMS	203	139	64
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	619	242	377
RENAL DISEASE	112	76	36
RH SENSITIZATION	313	243	70
UTERINE BLEEDING	156	91	65
OTHER	4,107	1,559	2,548

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER MISSISSIPPI, 1999

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL LIVE BIRTHS</u>	<u>42,678</u>	<u>22,652</u>	<u>20,026</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	37,198	18,348	18,850	87.2	81.0	94.1
<u>SOME</u>	<u>5,379</u>	<u>4,258</u>	<u>1,121</u>	<u>12.6</u>	<u>18.8</u>	<u>5.6</u>
1-9 CIGARETTES PER DAY	1,732	1,193	539	4.0	5.3	2.7
10-19 CIGARETTES PER DAY	2,113	1,728	385	5.0	7.6	1.9
20-29 CIGARETTES PER DAY	1,220	1,093	127	2.8	4.8	0.6
30-39 CIGARETTES PER DAY	108	100	8	0.2	0.4	*
40-49 CIGARETTES PER DAY	43	38	5	0.1	0.2	*
50-59 CIGARETTES PER DAY	4	4	0	*	*	-
60 OR MORE PER DAY	6	5	1	*	*	*
UNKNOWN AMOUNT	153	97	56	0.4	0.4	0.3
NOT STATED	101	46	55	0.2	0.2	0.3
ALCOHOL USE DURING PREGNANCY						
NONE	42,287	22,498	19,789	99.1	99.3	98.8
<u>SOME</u>	<u>280</u>	<u>103</u>	<u>177</u>	<u>0.6</u>	<u>0.4</u>	<u>0.9</u>
1 DRINK PER WEEK	68	32	36	0.2	0.1	0.2
2 DRINKS PER WEEK	44	11	33	0.1	*	0.2
3 DRINKS PER WEEK	32	10	22	0.1	*	0.1
4 DRINKS PER WEEK	6	1	5	*	*	*
5 DRINKS PER WEEK	5	3	2	*	*	*
6 OR MORE PER WEEK	38	16	22	0.1	0.1	0.1
UNKNOWN AMOUNT	87	30	57	0.2	0.1	0.3
NOT STATED	111	51	60	0.3	0.2	0.3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	884	342	542	2.1	1.5	2.7
1-4 POUNDS	417	176	241	1.0	0.8	1.2
5-9 POUNDS	1,117	444	673	2.6	2.0	3.4
10-14 POUNDS	2,399	964	1,435	5.6	4.2	7.2
15-19 POUNDS	3,069	1,441	1,628	7.2	6.4	8.1
20-24 POUNDS	5,664	2,782	2,882	13.3	12.3	14.4
25-29 POUNDS	5,653	3,111	2,542	13.2	13.7	12.7
30-34 POUNDS	6,681	3,755	2,926	15.6	16.6	14.6
35-39 POUNDS	4,247	2,601	1,646	10.0	11.5	8.2
40-44 POUNDS	4,206	2,529	1,677	9.8	11.2	8.4
45 OR MORE POUNDS	6,150	3,725	2,425	14.4	16.4	12.1
UNKNOWN AMOUNT	2,191	782	1,409	5.1	3.4	7.0
MEDIAN WEIGHT GAIN (LBS)**	30.8	32.2	28.8			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1999**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>14,859</u>	<u>7,827</u>	<u>7,032</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	442	231	211
MECONIUM, MODERATE/HEAVY	2,375	1,014	1,361
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1,806	651	1,155
ABRUPTIO PLACENTA	237	106	131
PLACENTA PREVIA	125	65	60
OTHER EXCESSIVE BLEEDING	93	50	43
SEIZURES DURING LABOR	23	12	11
PRECIPITOUS LABOR (< 3 HOURS)	527	247	280
PROLONGED LABOR (> 20 HOURS)	264	153	111
DYSFUNCTIONAL LABOR	1,332	767	565
BREECH/MALPRESENTATION	1,617	1,015	602
CEPHALOPELVIC DISPROPORTION	1,190	729	461
CORD PROLAPSE	70	40	30
ANESTHETIC COMPLICATIONS	17	11	6
FETAL DISTRESS	2,199	1,092	1,107
OTHER	2,542	1,644	898

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1999**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>46,440</u>	<u>24,872</u>	<u>21,568</u>
VAGINAL	30,158	15,819	14,339
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	776	398	378
PRIMARY C-SECTION	6,804	3,811	2,993
REPEAT C-SECTION	4,884	2,590	2,294
FORCEPS	1,745	1,062	683
VACUUM	2,073	1,192	881

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1999**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>76,492</u>	<u>43,633</u>	<u>32,859</u>
AMNIOCENTESIS	309	210	99
ELECTRONIC FETAL MONITORING	36,411	20,178	16,233
INDUCTION OF LABOR	7,244	4,838	2,406
STIMULATION OF LABOR	6,449	3,628	2,821
TOCOLYSIS	958	487	471
ULTRASOUND	24,564	13,962	10,602
OTHER	557	330	227

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1999**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>3,495</u>	<u>1,792</u>	<u>1,703</u>
ANEMIA (HCT. < 39/HGB. < 13)	49	17	32
BIRTH INJURY	94	58	36
FETAL ALCOHOL SYNDROME	2	0	2
HYALINE MEMBRANE DISEASE/RDS	534	274	260
MECONIUM ASPIRATION SYNDROME	89	36	53
ASSISTED VENTILATION < 30 MINUTES	1,083	656	427
ASSISTED VENTILATION 30 MINUTES OR MORE	617	232	385
SEIZURES	25	12	13
OTHER	1,002	507	495

FETAL DEATHS

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1999**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>440</u>	<u>425</u>	<u>5</u>	<u>0</u>	<u>6</u>	<u>4</u>	<u>100.0</u>	<u>96.6</u>	<u>1.1</u>	<u>-</u>	<u>1.4</u>	<u>0.9</u>
HOSPI TAL CLI NI C/DOCTOR' S	435	423	5	0	4	3	98.9	96.1	1.1	-	0.9	0.7
OFFI CE	1	1	0	0	0	0	0.2	0.2	-	-	-	-
HOME	3	1	0	0	2	0	0.7	0.2	-	-	0.4	-
OTHER PLACE	1	0	0	0	0	1	0.2	-	-	-	-	0.2
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHI TE</u>	<u>149</u>	<u>146</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>100.0</u>	<u>98.0</u>	<u>-</u>	<u>-</u>	<u>1.3</u>	<u>0.7</u>
HOSPI TAL CLI NI C/DOCTOR' S	149	146	0	0	2	1	100.0	98.0	-	-	1.3	0.7
OFFI CE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHI TE</u>	<u>291</u>	<u>279</u>	<u>5</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>100.0</u>	<u>95.9</u>	<u>1.7</u>	<u>-</u>	<u>1.4</u>	<u>1.0</u>
HOSPI TAL CLI NI C/DOCTOR' S	286	277	5	0	2	2	98.3	95.2	1.7	-	0.7	0.7
OFFI CE	1	1	0	0	0	0	0.3	0.3	-	-	-	-
HOME	3	1	0	0	2	0	1.0	0.3	-	-	0.7	-
OTHER PLACE	1	0	0	0	0	1	0.3	-	-	-	-	0.3
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1999**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>440</u>	<u>149</u>	<u>291</u>	<u>10.3</u>	<u>6.6</u>	<u>14.5</u>
UNDER 15	3	1	2	14.4	#	11.6
15-19	87	19	68	10.6	6.0	13.5
20-24	139	40	99	9.9	6.0	13.4
25-29	112	46	66	10.3	6.8	15.9
30-34	47	23	24	7.5	5.6	11.4
35-39	37	15	22	14.2	9.2	22.6
40-44	13	5	8	29.7	20.7	41.0
UNKNOWN	2	0	2			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1999**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.4	1.8	6.4	1.3	8.9
SOME CARE	98.2	99.1	97.1	87.7	94.0	84.5
UNKNOWN WHETHER ANY CARE	0.8	0.5	1.1	5.9	4.7	6.5

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1997-1999**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1997	1998	1999	1997	1998	1999	1997	1998	1999
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>526</u>	<u>427</u>	<u>440</u>	<u>163</u>	<u>147</u>	<u>149</u>	<u>363</u>	<u>280</u>	<u>291</u>
UNDER 20	38	33	22	11	12	7	27	21	15
<u>20 AND OVER</u>	<u>404</u>	<u>331</u>	<u>353</u>	<u>132</u>	<u>120</u>	<u>124</u>	<u>272</u>	<u>211</u>	<u>229</u>
20-22	97	83	100	30	21	23	67	62	77
23-27	109	80	81	29	26	27	80	54	54
28-36	123	104	124	45	44	52	78	60	72
37 AND OVER	75	64	48	28	29	22	47	35	26
UNKNOWN	84	63	65	20	15	18	64	48	47
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>12.7</u>	<u>9.9</u>	<u>10.3</u>	<u>7.4</u>	<u>6.4</u>	<u>6.6</u>	<u>18.6</u>	<u>14.0</u>	<u>14.5</u>
UNDER 20	0.9	0.8	0.5	0.5	0.5	0.3	1.4	1.0	0.7
<u>20 AND OVER</u>	<u>9.7</u>	<u>7.7</u>	<u>8.3</u>	<u>6.0</u>	<u>5.2</u>	<u>5.5</u>	<u>13.9</u>	<u>10.6</u>	<u>11.4</u>
20-22	2.3	1.9	2.3	1.4	0.9	1.0	3.4	3.1	3.8
23-27	2.6	1.9	1.9	1.3	1.1	1.2	4.1	2.7	2.7
28-36	3.0	2.4	2.9	2.0	1.9	2.3	4.0	3.0	3.6
37 AND OVER	1.8	1.5	1.1	1.3	1.3	1.0	2.4	1.8	1.3
UNKNOWN	2.0	1.5	1.5	0.9	0.6	0.8	3.3	2.4	2.3

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1999**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,090</u>	<u>77</u>			
JANUARY	2,495	80	JULY	2,288	74
FEBRUARY	2,383	85	AUGUST	2,299	74
MARCH	2,755	89	SEPTEMBER	2,133	71
APRIL	2,186	73	OCTOBER	2,280	74
MAY	2,312	74	NOVEMBER	2,129	71
JUNE	2,084	69	DECEMBER	2,746	88

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1999**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,090</u>	<u>18,693</u>	<u>9,397</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.1</u>	<u>10.8</u>	<u>9.0</u>
UNDER 1	435	152	283	1.5	0.8	3.0	10.5	6.8	14.9
1-4	91	39	52	0.3	0.2	0.6	0.6	0.4	0.7
5-9	59	34	25	0.2	0.2	0.3	0.3	0.3	0.2
10-14	79	43	36	0.3	0.2	0.4	0.4	0.4	0.4
15-24	535	262	273	1.9	1.4	2.9	1.2	1.1	1.4
25-34	624	308	316	2.2	1.6	3.4	1.6	1.3	2.1
35-44	1,291	632	659	4.6	3.4	7.0	3.1	2.4	4.4
45-54	2,051	1,116	935	7.3	6.0	10.0	6.0	4.7	8.7
55-64	3,273	2,095	1,178	11.6	11.2	12.5	13.6	11.8	18.8
65-74	5,658	3,927	1,731	20.1	21.0	18.4	31.0	28.9	37.4
75 & OVER	13,994	10,085	3,909	49.8	54.0	41.6	91.3	89.4	96.4

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 1999**

AGE	TOTAL			WHI TE			NONWHI TE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,191</u>	<u>13,899</u>	<u>1.02</u>	<u>9,412</u>	<u>9,281</u>	<u>1.01</u>	<u>4,779</u>	<u>4,618</u>	<u>1.03</u>
UNDER 1	248	187	1.33	93	59	1.58	155	128	1.21
1-4	57	34	1.68	24	15	1.60	33	19	1.74
5-9	35	24	1.46	21	13	1.62	14	11	1.27
10-14	54	25	2.16	26	17	1.53	28	8	3.50
15-24	377	158	2.39	187	75	2.49	190	83	2.29
25-34	418	206	2.03	214	94	2.28	204	112	1.82
35-44	803	488	1.64	419	213	1.97	384	275	1.40
45-54	1,317	734	1.79	751	365	2.06	566	369	1.53
55-64	1,998	1,275	1.57	1,345	750	1.79	653	525	1.24
65-74	3,181	2,477	1.28	2,299	1,628	1.41	882	849	1.04
75-84	3,540	3,810	0.93	2,613	2,750	0.95	927	1,060	0.87
85 AND OVER	2,163	4,481	0.48	1,420	3,302	0.43	743	1,179	0.63
MEDI AN AGE	70.6	78.5		72.1	80.1		66.8	74.2	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1999**

AGE	TOTAL		WHI TE		NONWHI TE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.7</u>	<u>9.6</u>	<u>11.2</u>	<u>10.5</u>	<u>9.8</u>	<u>8.3</u>
UNDER 1	11.8	9.1	8.2	5.3	16.0	13.8
1-4	0.7	0.4	0.5	0.4	0.9	0.5
5-9	0.3	0.2	0.4	0.2	0.3	0.2
10-14	0.5	0.2	0.4	0.3	0.6	0.2
15-24	1.7	0.7	1.5	0.6	2.0	0.8
25-34	2.3	1.0	1.9	0.8	3.1	1.4
35-44	3.9	2.3	3.1	1.6	5.5	3.4
45-54	8.0	4.1	6.5	3.0	11.7	6.3
55-64	18.0	9.9	15.8	8.1	25.0	14.4
65-74	40.2	24.0	38.0	21.6	47.3	30.8
75 AND OVER	106.7	83.0	102.3	82.6	119.2	84.4

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,972</u>	<u>15,594</u>	<u>7,378</u>	<u>8.3</u>	<u>9.0</u>	<u>7.1</u>	<u>81.8</u>	<u>83.4</u>	<u>78.5</u>
1. HEART DISEASES (156-160, 162, 164-181)	9,309	6,346	2,963	336.2	367.1	284.9	33.1	33.9	31.5
2. MALIGNANT NEOPLASMS (056-108)	6,131	4,197	1,934	221.4	242.8	185.9	21.8	22.4	20.6
3. CEREBROVASCULAR DISEASE (182-186)	1,849	1,229	620	66.8	71.1	59.6	6.6	6.6	6.6
4. ACCIDENTS (295-330)	1,639	1,036	603	59.2	59.9	58.0	5.8	5.5	6.4
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,262	1,033	229	45.6	59.8	22.0	4.5	5.5	2.4
6. INFLUENZA AND PNEUMONIA (195-198)	796	571	225	28.8	33.0	21.6	2.8	3.0	2.4
7. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249, 251, 253)	620	314	306	22.4	18.2	29.4	2.2	1.7	3.2
8. DIABETES MELLITUS (124)	589	325	264	21.3	18.8	25.4	2.1	1.7	2.8
9. SEPTICEMIA (018)	426	253	173	15.4	14.6	16.6	1.5	1.4	1.8
10. ALZHEIMERS DISEASE (148)	351	290	61	12.7	16.8	5.9	1.2	1.6	0.6

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1999**

AGE	CAUSE AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>91</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (295-330)	41	45.0	25.5
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	9	9.9	5.6
	3. HOMICIDE (338-346)	5	5.5	3.1
	4. INFLUENZA AND PNEUMONIA (195-198)	4	4.4	2.5
	5T. MALIGNANT NEOPLASMS (056-108)	3	3.3	1.9
	5T. CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3.3	1.9
5-14	<u>ALL CAUSES</u>	<u>138</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (295-330)	82	59.4	19.7
	2. MALIGNANT NEOPLASMS (056-108)	13	9.4	3.1
	3T. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	6	4.3	1.4
	3T. HOMICIDE (338-346)	6	4.3	1.4
	5T. ANEMIAS (116-119)	3	2.2	0.7
	5T. HEART DISEASES (156-160, 162, 164-181)	3	2.2	0.7
15-24	<u>ALL CAUSES</u>	<u>535</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	272	50.8	62.2
	2. HOMICIDE (338-346)	94	17.6	21.5
	3. SUICIDE (331-337)	43	8.0	9.8
	4. HEART DISEASES (156-160, 162, 164-181)	22	4.1	5.0
	5. MALIGNANT NEOPLASMS (056-108)	21	3.9	4.8
25-44	<u>ALL CAUSES</u>	<u>1,915</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	465	24.3	58.5
	2. HEART DISEASES (156-160, 162, 164-181)	313	16.3	39.4
	3. MALIGNANT NEOPLASMS (056-108)	271	14.2	34.1
	4. HOMICIDE (338-346)	139	7.2	17.5
	5. SUICIDE (331-337)	118	6.2	14.8
45-64	<u>ALL CAUSES</u>	<u>5,324</u>	<u>100.0</u>	<u>9.1</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,691	31.8	290.4
	2. HEART DISEASES (156-160, 162, 164-181)	1,600	30.0	274.7
	3. ACCIDENTS (295-330)	321	6.0	55.1
	4. CEREBROVASCULAR DISEASE (182-186)	268	5.0	46.0
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	158	3.0	27.1
65 & OVER	<u>ALL CAUSES</u>	<u>19,652</u>	<u>100.0</u>	<u>58.6</u>
	1. HEART DISEASES (156-160, 162, 164-181)	7,350	37.4	2,190.8
	2. MALIGNANT NEOPLASMS (056-108)	4,130	21.0	1,231.0
	3. CEREBROVASCULAR DISEASE (182-186)	1,499	7.6	446.8
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,082	5.5	322.5
	5. INFLUENZA AND PNEUMONIA (195-198)	698	3.6	208.0

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1999**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,330</u>	<u>1,055</u>	<u>1,867</u>	<u>879</u>	<u>276.9</u>	<u>217.4</u>	<u>210.5</u>	<u>158.4</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	905	357	529	163	107.6	73.6	59.6	29.4
2. DIGESTIVE ORGANS (060-070)	484	255	392	244	57.5	52.6	44.2	44.0
3. GENITAL ORGANS (083-091)	216	215	163	115	25.7	44.3	18.4	20.7
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	222	59	183	66	26.4	12.2	20.6	11.9
5. BREAST (082)	1	0	265	163	0.1	-	29.9	29.4
6. URINARY TRACT (092-094)	126	32	56	31	15.0	6.6	6.3	5.6
7. BRAIN (096)	82	19	56	14	9.7	3.9	6.3	2.5
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	48	36	13	11	5.7	7.4	1.5	2.0
9. SKIN (077, 078)	38	6	25	0	4.5	1.2	2.8	-
10. BONE AND ARTICULAR CARTILAGE (076)	11	6	11	5	1.3	1.2	1.2	0.9
- OTHER AND UNSPECIFIED SITES (079-081, 095, 097-99)	197	70	174	67	23.4	14.4	19.6	12.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1974, 1979, 1984, 1989, 1994, 1999**

DISEASE*	1974	1979	1984	1989	1994	1999
TUBERCULOSIS OF RESPIRATORY SYSTEM	38	38	23	19	14	13
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	943	1,143	1,374	1,659	1,697	1,954
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	904	1,109	1,312	1,613	1,647	1,906
CHRONIC AND UNQUALIFIED BRONCHITIS	51	32	38	44	53	20
EMPHYSEMA	180	124	101	109	129	179
ASTHMA	14	24	44	49	53	41

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES, AND CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE MISSISSIPPI, 1999

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,325</u>	<u>849</u>	<u>476</u>	<u>80.8</u>	<u>82.0</u>	<u>78.9</u>
1. MOTOR VEHICLE (296-306)	954	591	363	58.2	57.0	60.2
2. FALLS (312-314)	151	125	26	9.2	12.1	4.3
3. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	83	38	45	5.1	3.7	7.5
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	74	47	27	4.5	4.5	4.5
5. POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES (327-329)	63	48	15	3.8	4.6	2.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1999**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE							
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER
<u>ALL ACCIDENTS</u>	<u>1,639</u>	<u>1,104</u>	<u>535</u>	<u>15</u>	<u>41</u>	<u>82</u>	<u>272</u>	<u>222</u>	<u>243</u>	<u>321</u>	<u>443</u>
MOTOR VEHICLE (296-306)	954	667	287	5	17	46	225	164	154	190	153
OTHER LAND TRANSPORT (295, 307-308)	17	13	4	0	0	1	2	7	4	2	1
WATER TRANSPORT (309)	25	21	4	0	1	2	5	5	4	7	1
AIR AND SPACE TRANSPORT (310)	4	4	0	0	0	0	0	0	2	1	1
FALLS (312-314)	151	78	73	0	1	2	1	5	4	24	114
DISCHARGE OF FIREARMS (315)	41	38	3	0	0	6	11	7	4	8	5
EXPLOSION (316)	2	2	0	0	0	0	0	0	0	1	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	57	46	11	0	8	11	9	7	8	7	7
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	74	30	44	1	4	1	0	0	3	10	55
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	16	9	7	7	1	2	0	0	3	1	2
EXPOSURE TO ELECTRIC CURRENT (320)	8	7	1	0	0	0	0	2	2	2	2
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	83	51	32	2	7	9	8	7	7	18	25
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	5	4	1	0	1	0	0	0	1	2	1
<u>POISONING (327-329)</u>	<u>63</u>	<u>41</u>	<u>22</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>11</u>	<u>25</u>	<u>15</u>	<u>7</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	59	38	21	0	0	1	4	10	23	15	6
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328, 329)	4	3	1	0	0	0	0	1	2	0	1
ALL OTHER ACCIDENTS (311, 321, 324- 326, 330)	139	93	46	0	1	1	7	7	22	33	68

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1999

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 1999**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL UNDER 1 YEAR</u>	<u>435</u>	<u>152</u>	<u>283</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.2</u>	<u>6.7</u>	<u>14.1</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>267</u>	<u>91</u>	<u>176</u>	<u>61.4</u>	<u>59.9</u>	<u>62.2</u>	<u>6.2</u>	<u>4.0</u>	<u>8.8</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>211</u>	<u>69</u>	<u>142</u>	<u>48.5</u>	<u>45.4</u>	<u>50.2</u>	<u>4.9</u>	<u>3.0</u>	<u>7.1</u>
UNDER 1 DAY	151	43	108	34.7	28.3	38.2	3.5	1.9	5.4
1-6 DAYS	60	26	34	13.8	17.1	12.0	1.4	1.1	1.7
7-27 DAYS	56	22	34	12.9	14.5	12.0	1.3	1.0	1.7
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>168</u>	<u>61</u>	<u>107</u>	<u>38.6</u>	<u>40.1</u>	<u>37.8</u>	<u>3.9</u>	<u>2.7</u>	<u>5.3</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>435</u>	<u>152</u>	<u>283</u>	<u>10.2</u>	<u>6.7</u>	<u>14.1</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071, 072)	81	21	60	1.9	0.9	3.0
2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	68	30	38	1.6	1.3	1.9
3. SUDDEN INFANT DEATH SYNDROME (111)	62	26	36	1.4	1.1	1.8
4T. RESPIRATORY DISTRESS OF NEWBORN (077)	17	5	12	0.4	0.2	0.6
4T. BACTERIAL SEPSIS OF NEWBORN (085)	17	5	12	0.4	0.2	0.6
6T. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	15	6	9	0.4	0.3	0.4
6T. ACCIDENTS (114-124)	15	7	8	0.4	0.3	0.4
8. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	11	2	9	0.2	0.1	0.4
9T. INFLUENZA AND PNEUMONIA (046, 047)	10	3	7	0.2	0.1	0.4
9T. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	10	4	6	0.2	0.2	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>ALL RACES - ALL CAUSES</u>	<u>280,429</u>	<u>10,722.5</u>
HEART DISEASES (156-160, 162, 164-181)	52,421	2,004.4
ISCHEMIC HEART DISEASE (165-168)	33,033	1,263.0
CEREBROVASCULAR DISEASES (182-186)	9,694	370.7
MALIGNANT NEOPLASMS (056-108)	52,012	1,988.7
RESPIRATORY SYSTEM (071-075)	15,831	605.3
COLORECTAL (063,064)	4,250	162.5
PROSTATE (089)#	966	75.9
BREAST (082)##	5,168	385.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	5,425	207.4
PNEUMONIA AND INFLUENZA (195-198)	3,796	145.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,221	161.4
DIABETES MELLITUS (124)	4,543	173.7
HIV INFECTION (039-043)	5,329	203.8
UNINTENTIONAL INJURIES (295-330)	50,846	1,944.2
MOTOR VEHICLE CRASHES (296-306)	34,576	1,322.0
SUICIDE (331-337)	8,872	339.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	13,315	509.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
WHITE MALES AND FEMALES
MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>WHITE MALES - ALL CAUSES</u>	<u>97,031</u>	<u>12,098.0</u>
HEART DISEASES (156-160, 162, 164-181)	20,387	2,541.9
ISCHEMIC HEART DISEASE (165-168)	14,879	1,855.1
CEREBROVASCULAR DISEASES (182-186)	2,345	292.4
MALIGNANT NEOPLASMS (056-108)	18,753	2,338.2
RESPIRATORY SYSTEM (071-075)	7,034	877.0
COLORECTAL (063,064)	1,639	204.4
PROSTATE (089)	360	44.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,172	270.8
PNEMONIA AND INFLUENZA (195-198)	1,044	130.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,853	231.0
DIABETES MELLITUS (124)	1,231	153.5
HIV INFECTION (039-043)	693	86.4
UNINTENTIONAL INJURIES (295-330)	21,820	2,720.6
MOTOR VEHICLE CRASHES (296-306)	14,554	1,814.6
SUICIDE (331-337)	5,480	683.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,435	303.6
<u>WHITE FEMALES - ALL CAUSES</u>	<u>51,650</u>	<u>6,347.2</u>
HEART DISEASES (156-160, 162, 164-181)	8,200	1,007.7
ISCHEMIC HEART DISEASE (165-168)	4,960	609.5
CEREBROVASCULAR DISEASES (182-186)	1,893	232.6
MALIGNANT NEOPLASMS (056-108)	13,806	1,696.6
RESPIRATORY SYSTEM (071-075)	3,568	438.5
COLORECTAL (063,064)	918	112.8
BREAST (082)	2,660	326.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,491	183.2
PNEMONIA AND INFLUENZA (195-198)	847	104.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,001	123.0
DIABETES MELLITUS (124)	853	104.8
HIV INFECTION (039-043)	79	9.7
UNINTENTIONAL INJURIES (295-330)	8,285	1,018.1
MOTOR VEHICLE CRASHES (296-306)	6,066	745.4
SUICIDE (331-337)	1,207	148.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	961	118.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
NONWHITE MALES AND FEMALES
MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>NONWHITE MALES - ALL CAUSES</u>	<u>78,621</u>	<u>16,684.4</u>
HEART DISEASES (156-160, 162, 164-181)	13,427	2,849.4
ISCHEMIC HEART DISEASE (165-168)	7,814	1,658.2
CEREBROVASCULAR DISEASES (182-186)	2,808	595.9
MALIGNANT NEOPLASMS (056-108)	10,385	2,203.8
RESPIRATORY SYSTEM (071-075)	3,595	762.9
COLORECTAL (063,064)	873	185.3
PROSTATE (089)	606	128.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	715	151.7
PNEMONIA AND INFLUENZA (195-198)	1,062	225.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	800	169.8
DIABETES MELLITUS (124)	1,150	244.0
HIV INFECTION (039-043)	3,334	707.5
UNINTENTIONAL INJURIES (295-330)	14,506	3,078.4
MOTOR VEHICLE CRASHES (296-306)	9,407	1,996.3
SUICIDE (331-337)	1,939	411.5
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	7,635	1,620.2
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>53,127</u>	<u>10,055.8</u>
HEART DISEASES (156-160, 162, 164-181)	10,407	1,969.8
ISCHEMIC HEART DISEASE (165-168)	5,380	1,018.3
CEREBROVASCULAR DISEASES (182-186)	2,648	501.2
MALIGNANT NEOPLASMS (056-108)	9,068	1,716.4
RESPIRATORY SYSTEM (071-075)	1,634	309.3
COLORECTAL (063,064)	820	155.2
BREAST (082)	2,508	474.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,047	198.2
PNEMONIA AND INFLUENZA (195-198)	843	159.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	567	107.3
DIABETES MELLITUS (124)	1,309	247.8
HIV INFECTION (039-043)	1,223	231.5
UNINTENTIONAL INJURIES (295-330)	6,235	1,180.2
MOTOR VEHICLE CRASHES (296-306)	4,549	861.0
SUICIDE (331-337)	246	46.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,284	432.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1999**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>21,828</u>	<u>60</u>			
JANUARY	1,140	37	JULY	2,346	76
FEBRUARY	1,442	52	AUGUST	1,740	56
MARCH	1,711	55	SEPTEMBER	1,694	56
APRIL	1,785	60	OCTOBER	1,782	57
MAY	2,281	74	NOVEMBER	1,607	54
JUNE	2,427	81	DECEMBER	1,873	60

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1999**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>21, 828</u>	<u>14, 436</u>	<u>7, 392</u>	<u>21, 828</u>	<u>14, 397</u>	<u>7, 431</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>UNDER 20</u>	<u>2, 569</u>	<u>2, 248</u>	<u>321</u>	<u>947</u>	<u>833</u>	<u>114</u>	<u>11. 8</u>	<u>15. 6</u>	<u>4. 3</u>	<u>4. 3</u>	<u>5. 8</u>	<u>1. 5</u>
14	5	5	0	0	0	0	*	*	-	-	-	-
15	89	81	8	1	1	0	0. 4	0. 6	0. 1	*	*	-
16	177	166	11	12	12	0	0. 8	1. 2	0. 1	*	0. 1	-
17	413	385	28	99	95	4	1. 9	2. 7	0. 4	0. 4	0. 7	*
18	846	765	81	297	269	28	3. 9	5. 3	1. 1	1. 4	1. 9	0. 4
19	1, 039	846	193	538	456	82	4. 8	5. 9	2. 6	2. 5	3. 2	1. 1
20-24	6, 132	4, 256	1, 876	5, 510	4, 016	1, 494	28. 1	29. 5	25. 4	25. 2	27. 9	20. 1
25-34	7, 161	4, 122	3, 039	8, 033	4, 884	3, 149	32. 8	28. 6	41. 1	36. 8	33. 9	42. 4
35-44	3, 677	2, 184	1, 493	4, 165	2, 512	1, 653	16. 8	15. 1	20. 2	19. 1	17. 4	22. 2
45-54	1, 493	994	499	1, 888	1, 211	677	6. 8	6. 9	6. 8	8. 6	8. 4	9. 1
55-64	495	392	103	763	552	211	2. 3	2. 7	1. 4	3. 5	3. 8	2. 8
65-74	243	189	54	354	260	94	1. 1	1. 3	0. 7	1. 6	1. 8	1. 3
75 & OVER	58	51	7	168	129	39	0. 3	0. 4	0. 1	0. 8	0. 9	0. 5

* LESS THAN 0.06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1999**

ALL AND FIRST MARRIAGES	BRI DE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
ALL MARRIAGES	28.1	26.7	29.9	30.5	29.8	31.7
FIRST MARRIAGES	23.7	22.4	27.1	25.7	24.3	28.6

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1999**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>21,828</u>	<u>14,436</u>	<u>7,392</u>	<u>21,828</u>	<u>14,397</u>	<u>7,431</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FI RST	13,111	7,810	5,301	13,109	8,081	5,028	60.1	54.1	71.7	60.0	56.1	67.7
<u>REMARRIAGE</u>	<u>8,712</u>	<u>6,622</u>	<u>2,090</u>	<u>8,717</u>	<u>6,314</u>	<u>2,403</u>	<u>39.9</u>	<u>45.9</u>	<u>28.3</u>	<u>39.9</u>	<u>43.8</u>	<u>32.3</u>
SECOND	5,728	4,041	1,687	5,926	4,034	1,892	26.2	28.0	22.8	27.1	28.0	25.5
<u>OVER TWO</u>	<u>2,982</u>	<u>2,579</u>	<u>403</u>	<u>2,791</u>	<u>2,280</u>	<u>511</u>	<u>13.7</u>	<u>17.9</u>	<u>5.4</u>	<u>12.8</u>	15.8	6.9
THI RD	2,126	1,782	344	1,995	1,577	418	9.7	12.3	4.6	9.1	11.0	5.6
FOURTH	625	574	51	596	523	73	2.9	4.0	0.7	2.7	3.6	1.0
FI FTH	175	170	5	147	132	15	0.8	1.2	0.1	0.7	0.9	0.2
SI XTH	34	32	2	39	36	3	0.2	0.2	#	0.2	0.2	#
SEVENTH	18	17	1	10	9	1	0.1	0.1	#	#	0.1	#
EI GHTH	3	3	0	4	3	1	#	#	-	#	#	#
NI NTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	1	1	0	0	0	0	#	#	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	2	2	0	0	0	0	#	#	-	-	-	-
UNKNOWN**	5	4	1	2	2	0	#	#	#	#	#	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1999**

PREVIOUS MARI TAL STATUS	BRI DE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
NUMBER						
<u>TOTAL</u>	<u>21,828</u>	<u>14,436</u>	<u>7,392</u>	<u>21,828</u>	<u>14,397</u>	<u>7,431</u>
NOT PREVIOUSLY MARRIED	13,111	7,810	5,301	13,109	8,081	5,028
<u>REMARRI AGES</u>	<u>8,712</u>	<u>6,622</u>	<u>2,090</u>	<u>8,717</u>	<u>6,314</u>	<u>2,403</u>
WI DOWED	872	653	219	738	544	194
DI VORCED*	7,827	5,958	1,869	7,973	5,766	2,207
UNKNOWN**	13	11	2	6	4	2
UNKNOWN#	5	4	1	2	2	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	60.1	54.1	71.7	60.0	56.1	67.7
<u>REMARRI AGES</u>	<u>39.9</u>	<u>45.9</u>	<u>28.3</u>	<u>39.9</u>	<u>43.8</u>	<u>32.3</u>
WI DOWED	4.0	4.5	3.0	3.4	3.8	2.6
DI VORCED*	35.8	41.3	25.3	36.5	40.0	29.7
UNKNOWN**	0.1	0.1	##	##	##	##
UNKNOWN#	##	##	##	##	##	-

* INCLUDES THOSE WHOSE LAST MARRI AGE WAS ANNULLED.

** UNKNOWN WHETHER WI DOWED OR DI VORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRI AGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1999**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHI TE			NONWHI TE		
	TOTAL	MI SSI S- SI PPI	OTHER	TOTAL	MI SSI S- SI PPI	OTHER	TOTAL	MI SSI S- SI PPI	OTHER
NUMBER									
<u>TOTAL</u>	<u>21,828</u>	<u>20,611</u>	<u>1,217</u>	<u>14,436</u>	<u>13,526</u>	<u>910</u>	<u>7,392</u>	<u>7,085</u>	<u>307</u>
MI SSI SSI PPI	20,193	19,929	264	13,225	13,043	182	6,968	6,886	82
OTHER	1,635	682	953	1,211	483	728	424	199	225
PERCENT									
<u>TOTAL</u>	<u>100.0</u>	<u>94.4</u>	<u>5.6</u>	<u>100.0</u>	<u>93.7</u>	<u>6.3</u>	<u>100.0</u>	<u>95.8</u>	<u>4.2</u>
MI SSI SSI PPI	92.5	91.3	1.2	91.6	90.4	1.3	94.3	93.2	1.1
OTHER	7.5	3.1	4.4	8.4	3.3	5.0	5.7	2.7	3.0

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1999**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL</u>	<u>14,056</u>	<u>10,625</u>	<u>3,221</u>	<u>210</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	12,271	9,553	2,544	174	87.3	89.9	79.0	82.8
CRUEL AND INHUMAN TREATMENT	922	611	299	12	6.6	5.8	9.3	5.7
DESERTION	416	175	230	11	3.0	1.6	7.1	5.2
ADULTERY	275	185	83	7	2.0	1.7	2.6	3.3
DRUNKENNESS	75	40	33	2	0.5	0.4	1.0	1.0
PENITENTIARY	62	34	28	0	0.4	0.3	0.9	-
ANNULMENT	24	20	1	3	0.2	0.2	**	1.4
BI GAMY	8	5	2	1	**	**	0.1	0.5
MISCELLANEOUS & OTHER	2	2	0	0	**	**	-	-
UNKNOWN	1	0	1	0	**	-	**	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1999**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>14,056</u>	<u>10,625</u>	<u>3,221</u>	<u>210</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	7,072	5,398	1,550	124	50.3	50.8	48.1	59.0
ONE	3,618	2,748	822	48	25.7	25.9	25.5	22.8
TWO	2,456	1,852	574	30	17.5	17.4	17.8	14.3
THREE OR MORE	909	626	275	8	6.5	5.9	8.5	3.8
UNKNOWN	1	1	0	0	**	**	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1999**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL DI VORCES</u>	<u>14,056</u>	<u>10,625</u>	<u>3,221</u>	<u>210</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,499</u>	<u>4,458</u>	<u>960</u>	<u>81</u>	<u>39.1</u>	<u>42.0</u>	<u>29.8</u>	<u>38.6</u>
<u>UNDER ONE</u>	<u>686</u>	<u>599</u>	<u>78</u>	<u>9</u>	<u>4.9</u>	<u>5.6</u>	<u>2.4</u>	<u>4.3</u>
<u>ONE</u>	<u>1,220</u>	<u>1,040</u>	<u>161</u>	<u>19</u>	<u>8.7</u>	<u>9.8</u>	<u>5.0</u>	<u>9.0</u>
<u>TWO</u>	<u>1,284</u>	<u>1,039</u>	<u>225</u>	<u>20</u>	<u>9.1</u>	<u>9.8</u>	<u>7.0</u>	<u>9.5</u>
<u>THREE</u>	<u>1,242</u>	<u>955</u>	<u>267</u>	<u>20</u>	<u>8.8</u>	<u>9.0</u>	<u>8.3</u>	<u>9.5</u>
<u>FOUR</u>	<u>1,067</u>	<u>825</u>	<u>229</u>	<u>13</u>	<u>7.6</u>	<u>7.8</u>	<u>7.1</u>	<u>6.2</u>
<u>FIVE-NINE</u>	<u>3,745</u>	<u>2,741</u>	<u>959</u>	<u>45</u>	<u>26.6</u>	<u>25.8</u>	<u>29.8</u>	<u>21.4</u>
<u>TEN-NINETEEN</u>	<u>3,094</u>	<u>2,229</u>	<u>830</u>	<u>35</u>	<u>22.0</u>	<u>21.0</u>	<u>25.8</u>	<u>16.7</u>
<u>TWENTY AND OVER</u>	<u>1,619</u>	<u>1,139</u>	<u>446</u>	<u>34</u>	<u>11.5</u>	<u>10.7</u>	<u>13.8</u>	<u>16.2</u>
<u>UNKNOWN</u>	<u>99</u>	<u>58</u>	<u>26</u>	<u>15</u>	<u>0.7</u>	<u>0.5</u>	<u>0.8</u>	<u>7.1</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1999**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,878</u>	<u>1,060</u>	<u>2,810</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>90.9</u>	<u>46.8</u>	<u>140.3</u>
UNDER 15	39	8	31	0	1.0	0.8	1.1	186.6	222.2	179.2
15-19	768	258	509	1	19.8	24.3	18.1	93.7	81.7	101.0
20-24	1,387	340	1,047	0	35.8	32.1	37.3	98.6	50.9	141.9
25-29	904	208	691	5	23.3	19.6	24.6	82.8	30.7	166.5
30-34	448	133	314	1	11.6	12.5	11.2	71.8	32.2	149.0
35-39	244	81	162	1	6.3	7.6	5.8	93.9	49.8	166.5
40-44	85	31	54	0	2.2	2.9	1.9	194.5	128.1	276.9
45-49	2	0	2	0	**	-	0.1	105.3	-	400.0
UNKNOWN	1	1	0	0	**	0.1	-			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1999**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,878</u>	<u>1,060</u>	<u>2,810</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	3,696	978	2,710	8	95.3	92.3	96.4
<u>NONRESIDENT</u>	<u>182</u>	<u>82</u>	<u>100</u>	<u>0</u>	<u>4.7</u>	<u>7.7</u>	<u>3.6</u>
BORDER STATE	168	77	91	0	4.3	7.3	3.2
OTHER STATE	14	5	9	0	0.4	0.5	0.3
<u>MARITAL STATUS</u>							
MARRIED	557	242	312	3	14.4	22.8	11.1
NOT MARRIED	3,313	816	2,492	5	85.4	77.0	88.7
UNKNOWN	8	2	6	0	0.2	0.2	0.2
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	12	6	6	0	0.3	0.6	0.2
7-9 YEARS	161	64	96	1	4.2	6.0	3.4
10, 11 YEARS	430	149	281	0	11.1	14.0	10.0
12 YEARS	1,226	318	906	2	31.6	30.0	32.2
1-3 YEARS COLLEGE	1,459	351	1,105	3	37.6	33.1	39.3
4 OR MORE YEARS COLLEGE	536	155	380	1	13.8	14.6	13.5
UNKNOWN	54	17	36	1	1.4	1.6	1.3
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,364	500	863	1	35.2	47.2	30.7
ONE	1,262	308	950	4	32.5	29.0	33.8
TWO	825	179	644	2	21.3	16.9	22.9
THREE	299	58	240	1	7.7	5.5	8.5
FOUR	89	13	76	0	2.3	1.2	2.7
FIVE OR MORE	39	2	37	0	1.0	0.2	1.3
UNKNOWN	0	0	0	0	-	-	-
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	2,647	765	1,876	6	68.2	72.2	66.8
ONE	931	230	700	1	24.0	21.7	24.9
TWO	229	50	178	1	5.9	4.7	6.3
THREE OR MORE	70	14	56	0	1.8	1.3	2.0
UNKNOWN	1	1	0	0	*	0.1	-

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1999**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,878</u>	<u>1,060</u>	<u>2,810</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	2,034	593	1,436	5	52.4	55.9	51.1
9, 10	902	236	664	2	23.2	22.3	23.6
11, 12	502	118	383	1	12.9	11.1	13.6
13-15	350	75	275	0	9.0	7.1	9.8
16-20	33	13	20	0	0.8	1.2	0.7
21 OR MORE	17	11	6	0	0.4	1.0	0.2
UNKNOWN	40	14	26	0	1.0	1.3	0.9
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,591	657	1,930	4	66.8	62.0	68.7
MEDICAL (NONSURGICAL)	2	0	2	0	**	-	0.1
DILATION AND EVACUATION	1,256	388	864	4	32.4	36.6	30.7
INTRA-UTERINE							
INSTILLATION	18	11	7	0	0.5	1.0	0.2
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR							
HYSTERECTOMY	1	0	1	0	**	-	**
OTHER	10	4	6	0	0.2	0.4	0.2

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES

1999

TABLE i
1999 ESTIMATED POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION
MISSISSIPPI

COUNTY	1999 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE TOTAL</u>	<u>2,768,619</u>	<u>1,728,520</u>	<u>1,040,099</u>	<u>7.6</u>	<u>5.8</u>	<u>10.7</u>
ADAMS	33,657	16,351	17,306	-4.8	-9.3	-0.1
ALCORN	33,080	28,881	4,199	4.3	2.8	15.4
AMI TE	13,906	7,249	6,657	4.3	-0.3	9.9
ATTALA	18,338	10,552	7,786	-0.8	-5.1	5.7
BENTON	8,091	4,740	3,351	0.6	-2.6	5.5
BOLI VAR	39,826	13,787	26,039	-4.9	-9.6	-2.2
CALHOUN	14,891	10,553	4,338	-0.1	-2.5	6.4
CARROLL	9,967	5,748	4,219	7.9	3.4	14.7
CHI CKASAW	18,121	10,622	7,499	0.2	-4.0	6.7
CHOCTAW	9,366	6,334	3,032	3.2	0.2	10.2
CLAI BORNE	11,596	2,004	9,592	2.0	0.5	2.3
CLARKE	18,445	11,616	6,829	6.5	2.7	13.8
CLAY	21,657	9,547	12,110	2.5	-2.5	6.9
COAHOMA	31,094	10,295	20,799	-1.8	-6.4	0.6
COPI AH	28,892	13,562	15,330	4.7	-0.3	9.6
COVI NGTON	17,889	11,147	6,742	8.2	4.2	15.7
DESOTO	102,131	87,067	15,064	50.4	47.9	66.4
FORREST	74,927	49,209	25,718	9.7	5.4	18.8
FRANKLI N	8,160	4,964	3,196	-2.6	-6.2	3.5
GEORGE	20,185	17,956	2,229	21.1	19.5	35.2
GREENE	12,630	9,071	3,559	23.6	13.4	60.2
GRENADA	22,450	12,510	9,940	4.2	-0.4	10.5
HANCOCK	41,518	37,001	4,517	30.7	29.3	44.1
HARRI SON	178,567	133,838	44,729	8.0	4.9	18.5
HI NDS	245,737	112,415	133,322	-3.4	-8.7	1.6
HOLMES	21,562	4,895	16,667	-0.2	-5.4	1.4
HUMPHREYS	11,214	3,367	7,847	-7.6	-12.7	-5.2
I SSAQUENA	1,635	669	966	-14.4	-19.7	-10.2
I TAWAMBA	21,085	19,355	1,730	5.3	4.1	21.7
JACKSON	133,120	101,436	31,684	15.5	12.6	26.1
JASPER	18,110	8,410	9,700	5.8	0.0	11.4
JEFFERSON	8,385	1,107	7,278	-3.1	-6.6	-2.5
JEFF DAVI S	13,770	5,852	7,918	-2.0	-7.6	2.6
JONES	63,054	45,722	17,332	1.6	-1.0	9.4
KEMPER	10,487	4,230	6,257	1.3	-4.0	5.2
LAFAYETTE	34,914	24,275	10,639	9.7	4.8	22.6
LAMAR	38,127	32,787	5,340	25.3	23.3	39.6
LAUDERDALE	75,978	47,129	28,849	0.6	-3.2	7.4
LAWRENCE	13,066	8,407	4,659	4.9	1.3	12.0
LEAKE	19,602	11,262	8,340	6.3	1.6	13.5
LEE	75,211	57,291	17,920	14.7	11.8	25.1
LEFLORE	36,816	13,330	23,486	-1.4	-8.2	2.9

TABLE i - PAGE 2
 1999 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	1999 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	32,105	21,614	10,491	6.0	2.1	15.1
LOWNDES	60,527	36,037	24,490	2.0	-1.9	8.5
MADISON	74,562	39,136	35,426	38.6	31.4	47.6
MARION	26,538	17,770	8,768	3.9	0.2	12.2
MARSHALL	32,323	15,134	17,189	6.5	2.0	10.8
MONROE	38,230	25,658	12,572	4.5	1.0	12.4
MONTGOMERY	12,394	6,642	5,752	*	-4.0	5.1
NESHOBA	27,639	18,156	9,483	11.4	7.1	20.7
NEWTON	21,741	14,127	7,614	7.1	3.1	15.5
NOXUBEE	12,497	3,713	8,784	-0.8	-6.2	1.6
OKTIBBEHA	39,765	23,617	16,148	3.6	-1.9	12.8
PANOLA	33,913	16,549	17,364	13.0	7.6	18.8
PEARL RIVER	47,969	40,064	7,905	23.9	21.8	35.7
PERRY	12,039	8,985	3,054	10.8	7.8	20.6
PIKE	37,910	19,522	18,388	2.8	-2.1	8.5
PONTOTOC	25,685	21,372	4,313	15.5	13.0	29.9
PRENTISS	24,497	21,188	3,309	5.2	3.5	18.1
QUITMAN	9,780	3,742	6,038	-6.8	-12.0	-3.2
RANKIN	112,348	90,495	21,853	28.9	25.6	44.4
SCOTT	24,911	14,781	10,130	3.2	-0.3	8.8
SHARKEY	6,543	2,034	4,509	-7.4	-13.0	-4.6
SIMPSON	25,375	16,489	8,886	5.9	2.3	13.5
SMITH	15,431	11,691	3,740	4.3	1.5	14.0
STONE	13,488	10,193	3,295	25.5	21.9	38.0
SUNFLOWER	33,257	10,823	22,434	1.2	-6.7	5.5
TALLAHATCHIE	14,587	5,652	8,935	-4.1	-9.7	-0.2
TATE	24,417	15,287	9,130	13.9	9.6	21.9
TIPPAH	21,069	17,193	3,876	7.9	5.8	18.5
TISHOMINGO	18,742	17,917	825	6.0	5.3	22.6
TUNICA	7,935	1,821	6,114	-2.8	-8.6	-0.9
UNION	24,121	20,157	3,964	9.2	7.2	20.8
WALTHALL	14,211	7,801	6,410	-1.0	-5.5	5.1
WARREN	49,148	28,409	20,739	2.6	-1.6	9.1
WASHINGTON	64,265	25,251	39,014	-5.4	-10.9	-1.5
WAYNE	20,637	12,654	7,983	5.7	1.2	13.9
WEBSTER	10,633	8,111	2,522	4.0	2.0	11.2
WILKINSON	9,042	2,754	6,288	-6.6	-11.8	-4.1
WINSTON	19,253	10,641	8,612	-0.9	-4.6	4.0
YALOBUSHA	12,627	7,535	5,092	4.9	0.7	11.8
YAZOO	25,208	11,262	13,946	-1.2	-5.8	2.9

* LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	41,747	21,525	20,222	42,678	22,652	20,026	15.4	13.1	19.2
ADAMS	997	353	644	465	145	320	13.8	8.9	18.5
ALCORN	554	485	69	416	353	63	12.6	12.2	15.0
AMITE	1	1	0	171	86	85	12.3	11.9	12.8
ATTALA	179	73	106	263	133	130	14.3	12.6	16.7
BENTON	0	0	0	129	66	63	15.9	13.9	18.8
BOLIVAR	685	132	553	661	159	502	16.6	11.5	19.3
CALHOUN	1	0	1	184	120	64	12.4	11.4	14.8
CARROLL	0	0	0	102	57	45	10.2	9.9	10.7
CHICKASAW	0	0	0	342	162	180	18.9	15.2	24.0
CHOCTAW	0	0	0	118	76	42	12.6	12.0	13.8
CLABORNE	2	1	1	161	16	145	13.9	8.0	15.1
CLARKE	1	1	0	242	120	122	13.1	10.3	17.9
CLAY	425	161	264	348	114	234	16.1	11.9	19.3
COAHOMA	1,030	196	834	563	91	472	18.1	8.8	22.7
COPIAH	198	48	150	413	158	255	14.3	11.6	16.6
COVINGTON	196	62	134	285	150	135	15.9	13.4	20.0
DESOTO	1,179	658	521	1,632	1,381	251	16.0	15.9	16.7
FORREST	2,904	1,955	949	1,081	598	483	14.4	12.2	18.8
FRANKLIN	0	0	0	134	72	62	16.4	14.5	19.4
GEORGE	181	153	28	363	328	35	18.0	18.3	15.7
GREENE	0	0	0	178	136	42	14.1	15.0	11.8
GRENADA	659	331	328	274	146	128	12.2	11.7	12.9
HANCOCK	417	365	52	548	490	58	13.2	13.2	12.8
HARRISON	3,605	2,622	983	3,034	2,138	896	17.0	16.0	20.0
HINDS	6,422	1,947	4,475	3,864	991	2,873	15.7	8.8	21.5
HOLMES	58	2	56	411	47	364	19.1	9.6	21.8
HUMPHREYS	5	1	4	203	31	172	18.1	9.2	21.9
ISSAQUENA	0	0	0	20	6	14	12.2	9.0	14.5
ITAWAMBA	0	0	0	261	236	25	12.4	12.2	14.4
JACKSON	1,309	870	439	1,860	1,317	543	14.0	13.0	17.1
JASPER	0	0	0	265	104	161	14.6	12.4	16.6
JEFFERSON	0	0	0	140	8	132	16.7	7.2	18.1
JEFFERSON	1	0	1	196	57	139	14.2	9.7	17.6
JONES	1,054	458	596	1,010	620	390	16.0	13.6	22.5
KEMPER	1	1	0	139	37	102	13.2	8.7	16.3
LAFAYETTE	754	437	317	447	254	193	12.8	10.5	18.1
LAMAR	664	485	179	594	506	88	15.6	15.4	16.5
LAUDERDALE	2,481	1,276	1,205	1,173	569	604	15.4	12.1	20.9
LAWRENCE	0	0	0	172	112	60	13.2	13.3	12.9
LEAKE	1	0	1	324	158	166	16.5	14.0	19.9
LEE	2,429	1,831	598	1,222	811	411	16.2	14.2	22.9
LEFLORE	769	110	659	607	107	500	16.5	8.0	21.3

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	586	384	202	468	309	159	14.6	14.3	15.2
LOWNDES	1,009	427	582	979	490	489	16.2	13.6	20.0
MADISON	355	7	348	1,167	601	566	15.6	15.4	16.0
MARION	2	1	1	382	223	159	14.4	12.5	18.1
MARSHALL	4	2	2	534	217	317	16.5	14.3	18.4
MONROE	759	507	252	503	305	198	13.2	11.9	15.7
MONTGOMERY	34	9	25	157	69	88	12.7	10.4	15.3
NESHOBA	3	1	2	496	266	230	17.9	14.6	24.2
NEWTON	3	1	2	302	162	140	13.9	11.5	18.4
NOXUBEE	6	1	5	251	58	193	20.1	15.6	22.0
OKTIBBEHA	1,161	576	585	536	260	276	13.5	11.0	17.1
PANOLA	262	72	190	590	237	353	17.4	14.3	20.3
PEARL RIVER	345	250	95	697	580	117	14.5	14.5	14.8
PERRY	0	0	0	198	135	63	16.4	15.0	20.6
PIKE	957	396	561	664	239	425	17.5	12.2	23.1
PONTOTOC	5	5	0	365	304	61	14.2	14.2	14.1
PRENTISS	158	137	21	325	271	54	13.3	12.8	16.3
QUITMAN	1	0	1	182	43	139	18.6	11.5	23.0
RANKIN	2,685	2,149	536	1,579	1,286	293	14.0	14.2	13.4
SCOTT	5	2	3	433	231	202	17.4	15.6	19.9
SHARKEY	2	0	2	113	15	98	17.3	7.4	21.7
SIMPSON	3	1	2	400	218	182	15.8	13.2	20.5
SMITH	0	0	0	191	122	69	12.4	10.4	18.4
STONE	0	0	0	214	150	64	15.9	14.7	19.4
SUNFLOWER	435	94	341	584	124	460	17.6	11.4	20.5
TALLAHATCHIE	0	0	0	207	57	150	14.2	10.1	16.8
TATE	31	13	18	371	230	141	15.2	15.0	15.4
TIPPAH	1	1	0	316	250	66	15.0	14.5	17.0
TISHOMINGO	0	0	0	239	235	4	12.8	13.1	4.8
TUNICA	0	0	0	162	25	137	20.4	13.7	22.4
UNION	932	620	312	386	306	80	16.0	15.2	20.2
WALTHALL	1	1	0	227	94	133	16.0	12.0	20.7
WARREN	1,244	406	838	846	378	468	17.2	13.3	22.6
WASHINGTON	1,160	286	874	1,104	247	857	17.2	9.8	22.0
WAYNE	326	140	186	317	145	172	15.4	11.4	21.5
WEBSTER	0	0	0	137	109	28	12.9	13.4	11.1
WILKINSON	98	20	78	126	30	96	13.9	10.9	15.3
WINSTON	2	0	2	294	124	170	15.3	11.6	19.7
YALOBUSHA	1	0	1	184	93	91	14.6	12.3	17.9
YAZOO	9	1	8	437	148	289	17.3	13.1	20.7
OUT OF STATE	2,478	2,080	398	1,547	953	594			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
 LIVE BIRTHS - MISSISSIPPI - 1999

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	900	607	293
BRANDON	308	244	64
BROOKHAVEN	148	52	96
CANTON	255	19	236
CLARKSDALE	405	73	332
CLEVELAND	254	74	180
CLINTON	257	162	95
COLUMBUS	438	153	285
CORINTH	183	129	54
GAUTIER	253	158	95
GREENVILLE	756	134	622
GREENWOOD	398	65	333
GRENADA	189	85	104
GULFPORT	1,110	656	454
HATTIESBURG	730	279	451
INDIANOLA	258	57	201
JACKSON	3,061	547	2,514
LAUREL	366	103	263
LONG BEACH	236	207	29
MCCOMB	280	63	217
MERIDIAN	665	217	448
MOSS POINT	258	75	183
NATCHEZ	269	62	207
OCEAN SPRINGS	273	235	38
PASCAGOULA	457	283	174
PEARL	321	244	77
PI CAYUNE	192	111	81
RIDGELAND	309	222	87
SOUTHAVEN	411	377	34
STARKVILLE	322	161	161
TUPELO	535	321	214
VICKSBURG	501	133	368
YAZOOCITY	260	44	216

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	TOTAL	WHI TE	NON- WHI TE	COUNTY	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>67.9</u>	<u>62.3</u>	<u>75.5</u>				
ADAMS	63.6	46.7	76.0	LI NCOLN	67.9	72.7	60.2
ALCORN	60.2	60.1	60.5	LOWNDES	65.3	59.7	72.2
AMI TE	60.1	65.4	55.4	MADI SON	61.6	60.7	62.5
ATTALA	69.9	71.2	68.6	MARI ON	68.3	64.2	75.0
BENTON	79.1	78.1	80.2	MARSHALL	72.2	72.3	72.2
BOLI VAR	66.4	51.8	73.0	MONROE	60.2	59.6	61.1
CALHOUN	61.0	62.6	58.2	MONTGOMERY	61.4	59.8	62.6
CARROLL	50.1	53.4	46.5	NESHOBA	83.6	73.6	99.2
CHI CKASAW	86.4	77.9	95.7	NEWTON	64.9	59.0	73.3
CHOCTAW	61.5	62.2	60.2	NOXUBEE	91.9	92.2	91.9
CLAI BORNE	50.7	50.0	50.8	OKTI BBEHA	49.3	40.9	61.1
CLARKE	61.7	53.5	72.7	PANOLA	77.9	73.7	81.0
CLAY	70.3	62.2	75.1	PEARL RI VER	67.4	70.0	56.9
COAHOMA	80.9	47.2	93.8	PERRY	75.5	71.7	85.4
COPI AH	63.9	61.6	65.4	PI KE	79.1	63.0	92.2
COVI NGTON	74.1	68.0	82.2	PONTOTOC	65.0	67.9	53.7
DESOTO	69.0	68.9	69.9	PRENTI SS	61.8	62.0	60.9
FORREST	55.9	49.8	65.7	QUI TMAN	84.2	60.8	95.6
FRANKLI N	80.9	80.1	81.8	RANKI N	60.5	62.0	54.8
GEORGE	83.1	85.1	68.1	SCOTT	80.8	81.4	80.1
GREENE	78.7	78.5	79.4	SHARKEY	73.0	37.8	85.1
GRENADA	54.8	58.1	51.4	SI MPSON	74.4	68.0	84.0
HANCOCK	66.6	68.6	53.7	SMI TH	60.0	54.0	74.9
HARRI SON	75.5	74.4	78.2	STONE	69.6	68.2	73.3
HI NDS	63.0	40.9	77.4	SUNFLOWER	88.7	67.7	96.8
HOLMES	84.8	55.2	91.0	TALLAHATCHI E	65.9	56.9	70.2
HUMPHREYS	80.4	48.4	91.2	TATE	64.8	69.4	58.6
I SSAQUENA	61.0	45.8	71.1	TI PPAH	71.6	72.3	69.0
I TAWAMBA	59.3	58.9	63.6	TI SHOMI NGO	64.0	66.6	19.0
JACKSON	63.1	62.0	65.7	TUNI CA	89.2	75.1	92.3
JASPER	68.3	66.2	69.7	UNI ON	75.5	74.4	79.7
JEFFERSON	73.6	49.1	75.9	WALTHALL	78.7	67.6	89.1
JEFF DAVI S	65.2	51.6	73.0	WARREN	75.7	63.5	89.6
JONES	74.8	67.3	91.0	WASHI NGTON	74.4	48.9	87.6
KEMPER	61.0	52.5	64.8	WAYNE	67.3	55.0	82.9
LAFAYETTE	46.0	37.9	64.0	WEBSTER	63.7	70.8	45.7
LAMAR	65.6	67.1	58.3	WI LKINSON	65.6	65.1	65.7
LAUDERDALE	68.2	58.7	80.5	WI NSTON	72.5	65.0	79.2
LAWRENCE	61.8	69.5	51.3	YALOBUSHA	69.3	68.9	69.7
LEAKE	80.0	76.2	83.9	YAZOO	82.3	71.0	89.6
LEE	70.8	64.3	88.3				
LEFLORE	74.4	43.1	88.2				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (1999 POPULATI ON ESTI MATE).

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1999

COUNTY	TOTAL	WHI TE			NONWHI TE			SEX			
		TOTAL	HOSP. OR CLI N I C	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLI N I C	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42, 678</u>	<u>22, 651</u>	<u>22, 578</u>	<u>4</u>	<u>69</u>	<u>20, 026</u>	<u>19, 971</u>	<u>13</u>	<u>42</u>	<u>21, 746</u>	<u>20, 932</u>
ADAMS	465	145	145	0	0	320	319	0	1	242	223
ALCORN	416	353	353	0	0	63	63	0	0	207	209
AMI TE	171	86	85	0	1	85	85	0	0	86	85
ATTALA	263	133	133	0	0	130	128	0	2	142	121
BENTON	129	66	66	0	0	63	63	0	0	66	63
BOLI VAR	661	159	158	0	1	502	502	0	0	327	334
CALHOUN	184	120	120	0	0	64	64	0	0	100	84
CARROLL	102	57	57	0	0	45	45	0	0	52	50
CHI CKASAW	342	162	161	1	0	180	180	0	0	178	164
CHOCTAW	118	76	76	0	0	42	42	0	0	64	54
CLAI BORNE	161	16	15	0	1	145	145	0	0	86	75
CLARKE	242	120	119	0	1	122	122	0	0	113	129
CLAY	348	114	113	0	1	234	233	0	1	187	161
COAHOMA	563	91	91	0	0	472	471	0	1	274	289
COPI AH	413	158	158	0	0	255	255	0	0	208	205
COVI NGTON	285	150	149	0	1	135	135	0	0	145	140
DESOTO	1, 631	1, 380	1, 374	0	6	251	251	0	0	827	805
FORREST	1, 081	598	597	0	1	483	482	0	1	536	545
FRANKLI N	134	72	72	0	0	62	62	0	0	77	57
GEORGE	363	328	328	0	0	35	35	0	0	186	177
GREENE	178	136	136	0	0	42	42	0	0	92	86
GRENADA	274	146	146	0	0	128	128	0	0	138	136
HANCOCK	548	490	487	0	3	58	58	0	0	300	248
HARRI SON	3, 034	2, 138	2, 131	0	7	896	894	1	1	1, 584	1, 450

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1999

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,864	991	988	0	3	2,873	2,866	1	6	1,919	1,945
HOLMES	411	47	47	0	0	364	364	0	0	224	187
HUMPHREYS	203	31	30	0	1	172	172	0	0	109	94
ISSAQUENA	20	6	6	0	0	14	14	0	0	7	13
I TAWAMBA	261	236	236	0	0	25	25	0	0	117	144
JACKSON	1,860	1,317	1,316	0	1	543	540	0	3	948	912
JASPER	265	104	104	0	0	161	161	0	0	127	138
JEFFERSON	140	8	8	0	0	132	131	0	1	68	72
JEFF DAVIS	196	57	57	0	0	139	139	0	0	102	94
JONES	1,010	620	614	0	6	390	389	0	1	500	510
KEMPER	139	37	36	0	1	102	101	0	1	68	71
LAFAYETTE	447	254	251	0	3	193	192	0	1	223	224
LAMAR	594	506	506	0	0	88	88	0	0	302	292
LAUDERDALE	1,173	569	568	0	1	604	602	0	2	645	528
LAWRENCE	172	112	111	0	1	60	60	0	0	97	75
LEAKE	324	158	158	0	0	166	166	0	0	165	159
LEE	1,222	811	809	0	2	411	410	0	1	612	610
LEFLORE	607	107	107	0	0	500	496	4	0	309	298
LINCOLN	468	309	309	0	0	159	157	0	2	225	243
LOWNDES	979	490	486	1	3	489	489	0	0	504	475
MADISON	1,167	601	601	0	0	566	565	0	1	575	592
MARION	382	223	222	0	1	159	158	0	1	190	192
MARSHALL	534	217	215	0	2	317	316	1	0	264	270
MONROE	503	305	305	0	0	198	197	0	1	253	250
MONTGOMERY	157	69	69	0	0	88	88	0	0	72	85
NESHOBA	496	266	266	0	0	230	230	0	0	250	246
NEWTON	302	162	161	1	0	140	139	0	1	166	136
NOXUBEE	251	58	57	0	1	193	190	0	3	132	119
OKTIBBEHA	536	260	260	0	0	276	276	0	0	276	260
PANOLA	590	237	235	1	1	353	352	1	0	281	309

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1999

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	697	580	579	0	1	117	117	0	0	369	328
PERRY	198	135	135	0	0	63	63	0	0	99	99
PIKE	664	239	239	0	0	425	421	1	3	339	325
PONTOTOC	365	304	300	0	4	61	61	0	0	185	180
PRENTISS	325	271	270	0	1	54	54	0	0	176	149
QUITMAN	182	43	43	0	0	139	138	0	1	88	94
RANKIN	1,579	1,286	1,285	0	1	293	293	0	0	793	786
SCOTT	433	231	230	0	1	202	202	0	0	237	196
SHARKEY	113	15	15	0	0	98	98	0	0	67	46
SIMPSON	400	218	217	0	1	182	181	1	0	204	196
SMITH	191	122	122	0	0	69	69	0	0	94	97
STONE	214	150	150	0	0	64	64	0	0	101	113
SUNFLOWER	584	124	124	0	0	460	459	1	0	295	289
TALLAHATCHIE	207	57	57	0	0	150	149	0	1	104	103
TATE	371	230	227	0	3	141	140	1	0	179	192
TIPPAAH	316	250	249	0	1	66	66	0	0	171	145
TISHOMINGO	239	235	235	0	0	4	4	0	0	129	110
TUNICA	162	25	25	0	0	137	137	0	0	87	75
UNION	386	306	306	0	0	80	80	0	0	194	192
WALTHALL	227	94	93	0	1	133	133	0	0	106	121
WARREN	846	378	376	0	2	468	467	0	1	409	437
WASHINGTON	1,104	247	247	0	0	857	853	1	3	565	539
WAYNE	317	145	144	0	1	172	172	0	0	162	155
WEBSTER	137	109	109	0	0	28	28	0	0	75	62
WILKINSON	126	30	29	0	1	96	96	0	0	75	51
WINSTON	294	124	124	0	0	170	170	0	0	167	127
YALOBUSHA	184	93	93	0	0	91	90	0	1	96	88
YAZOO	437	148	147	0	1	289	289	0	0	233	204

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	42,678	209	8,196	14,061	10,914	6,235	2,599	437	19	8
ADAMS	465	2	80	179	110	55	30	9	0	0
ALCORN	416	1	83	153	113	44	20	2	0	0
AMITE	171	1	27	67	45	20	11	0	0	0
ATTALA	263	1	41	92	78	35	12	4	0	0
BENTON	129	0	29	56	27	10	6	1	0	0
BOLIVAR	661	4	190	217	147	65	35	3	0	0
CALHOUN	184	1	42	48	46	38	8	1	0	0
CARROLL	102	1	13	39	19	24	6	0	0	0
CHICKASAW	342	2	68	120	68	54	27	3	0	0
CHOCTAW	118	2	18	44	33	15	6	0	0	0
CLAIBORNE	161	1	36	61	34	23	4	2	0	0
CLARKE	242	1	42	93	63	31	7	5	0	0
CLAY	348	1	72	115	86	41	27	6	0	0
COAHOMA	563	6	169	204	111	50	19	4	0	0
COPIAH	413	3	79	153	104	48	23	3	0	0
COVINGTON	285	1	72	99	70	29	10	3	0	1
DESOTO	1,632	5	218	396	548	326	116	23	0	0
FORREST	1,081	3	217	372	259	148	74	7	0	1
FRANKLIN	134	1	29	38	40	19	4	3	0	0
GEORGE	363	0	75	134	100	37	15	2	0	0
GREENE	178	0	40	65	41	20	10	2	0	0
GRENADA	274	4	40	98	77	40	13	2	0	0
HANCOCK	548	2	81	171	145	89	53	7	0	0
HARRISON	3,034	9	504	1,011	756	517	201	34	2	0
HINDS	3,864	27	763	1,190	917	615	304	44	3	1
HOLMES	411	2	95	138	94	52	26	4	0	0
HUMPHREYS	203	3	62	74	35	15	12	2	0	0
ISSAQUENA	20	0	7	6	4	1	1	1	0	0
ITAWAMBA	261	1	49	98	70	33	8	2	0	0
JACKSON	1,860	4	309	622	495	297	106	24	1	2
JASPER	265	2	49	102	67	31	13	1	0	0
JEFFERSON	140	2	28	55	26	19	7	3	0	0
JEFF DAVIS	196	1	36	88	43	18	9	1	0	0
JONES	1,010	5	212	351	259	111	58	14	0	0
KEMPER	139	0	24	49	30	23	9	4	0	0
LAFAYETTE	447	1	77	133	122	73	36	4	1	0
LAMAR	594	2	77	174	183	108	45	3	2	0
LAUDERDALE	1,173	4	186	389	338	178	72	6	0	0
LAWRENCE	172	0	30	63	39	24	14	2	0	0
LEAKE	324	3	60	116	79	42	20	4	0	0
LEE	1,222	7	200	354	348	229	68	16	0	0
LEFLORE	607	4	161	251	107	50	29	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	468	6	84	159	133	51	31	4	0	0
LOWNDES	979	8	182	288	270	155	72	4	0	0
MADISON	1,167	6	129	278	306	292	137	15	4	0
MARION	382	4	81	128	91	55	19	3	0	1
MARSHALL	534	1	128	194	110	67	29	5	0	0
MONROE	503	2	72	175	139	82	28	5	0	0
MONTGOMERY	157	1	35	51	39	23	6	2	0	0
NESHOBA	496	1	82	168	148	65	24	8	0	0
NEWTON	302	0	46	117	76	39	22	2	0	0
NOXUBEE	251	0	60	85	65	28	10	3	0	0
OKTIBBEHA	536	3	85	153	143	105	42	5	0	0
PANOLA	590	4	132	229	127	62	32	4	0	0
PEARL RIVER	697	3	134	237	181	106	31	5	0	0
PERRY	198	2	42	70	49	20	13	2	0	0
PIKE	664	4	156	236	163	76	23	6	0	0
PONTOTOC	365	2	59	115	104	62	22	0	1	0
PRENTISS	325	0	64	126	84	39	8	2	2	0
QUITMAN	182	2	54	68	35	14	7	2	0	0
RANKIN	1,579	5	203	362	556	316	121	16	0	0
SCOTT	433	1	99	136	104	57	31	4	1	0
SHARKEY	113	0	33	47	18	10	4	1	0	0
SIMPSON	400	1	110	119	96	54	17	3	0	0
SMITH	191	0	34	74	45	20	16	2	0	0
STONE	214	1	41	71	61	27	12	1	0	0
SUNFLOWER	584	2	154	245	113	50	18	2	0	0
TALLAHATCHIE	207	1	59	72	40	23	10	2	0	0
TATE	371	0	81	131	99	35	20	5	0	0
TIPPAH	316	1	74	109	71	44	11	6	0	0
TISHOMINGO	239	0	40	83	64	37	15	0	0	0
TUNICA	162	1	45	61	28	18	6	1	1	1
UNION	386	1	72	147	91	53	20	2	0	0
WALTHALL	227	0	46	92	47	31	9	2	0	0
WARREN	846	5	160	289	224	118	37	13	0	0
WASHINGTON	1,104	10	292	372	251	126	44	9	0	0
WAYNE	317	2	65	99	98	33	16	4	0	0
WEBSTER	137	2	26	51	29	18	7	3	1	0
WILKINSON	126	0	25	36	25	21	15	4	0	0
WINSTON	294	3	72	87	77	35	17	2	0	1
YALOBUSHA	184	1	38	67	48	20	7	3	0	0
YAZOO	437	3	112	156	90	51	16	9	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	22,652	36	3,157	6,681	6,765	4,127	1,626	242	14	4
ADAMS	145	0	8	48	44	29	12	4	0	0
ALCORN	353	1	66	121	103	41	19	2	0	0
AMITE	86	0	6	33	29	11	7	0	0	0
ATTALA	133	0	15	49	44	20	4	1	0	0
BENTON	66	0	11	28	17	7	2	1	0	0
BOLIVAR	159	0	23	43	51	28	11	3	0	0
CALHOUN	120	1	19	26	35	32	7	0	0	0
CARROLL	57	0	7	19	11	15	5	0	0	0
CHICKASAW	162	0	22	57	32	34	15	2	0	0
CHOCTAW	76	1	13	25	24	9	4	0	0	0
CLAIBORNE	16	0	1	4	2	9	0	0	0	0
CLARKE	120	0	22	46	33	17	2	0	0	0
CLAY	114	0	18	29	34	18	11	4	0	0
COAHOMA	91	0	14	21	33	19	4	0	0	0
COPIAH	158	0	24	45	51	29	8	1	0	0
COVINGTON	150	0	38	36	45	23	6	2	0	0
DESOTO	1,381	4	156	335	488	285	96	17	0	0
FORREST	598	2	97	178	166	97	54	4	0	0
FRANKLIN	72	0	12	21	24	12	2	1	0	0
GEORGE	328	0	63	121	95	36	12	1	0	0
GREENE	136	0	29	50	32	14	9	2	0	0
GRENADA	146	0	16	43	54	23	9	1	0	0
HANCOCK	490	2	72	148	134	78	50	6	0	0
HARRISON	2,138	3	312	680	554	396	167	24	2	0
HINDS	991	0	86	216	303	242	127	15	1	1
HOLMES	47	0	4	15	16	7	4	1	0	0
HUMPHREYS	31	0	6	12	6	3	4	0	0	0
ISSAQUENA	6	0	0	2	3	0	0	1	0	0
ITAWAMBA	236	0	44	88	65	31	7	1	0	0
JACKSON	1,317	2	186	409	375	239	89	15	1	1
JASPER	104	0	12	33	33	21	5	0	0	0
JEFFERSON	8	0	1	2	2	0	2	1	0	0
JEFF DAVIS	57	0	10	23	14	7	3	0	0	0
JONES	620	0	100	203	177	87	42	11	0	0
KEMPER	37	0	5	11	12	6	3	0	0	0
LAFAYETTE	254	0	23	58	84	59	26	3	1	0
LAMAR	506	0	58	148	155	100	40	3	2	0
LAUDERDALE	569	1	47	167	193	116	42	3	0	0
LAWRENCE	112	0	21	38	27	20	6	0	0	0
LEAKE	158	0	28	51	44	23	11	1	0	0
LEE	811	3	110	193	259	183	53	10	0	0
LEFLORE	107	0	21	37	28	13	7	1	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	309	0	45	98	104	37	21	4	0	0
LOWNDES	490	1	50	146	149	102	40	2	0	0
MADISON	601	0	20	65	193	215	96	9	3	0
MARION	223	2	45	77	55	31	10	3	0	0
MARSHALL	217	0	39	80	46	37	14	1	0	0
MONROE	305	0	40	97	93	53	19	3	0	0
MONTGOMERY	69	0	12	19	19	15	3	1	0	0
NESHOBA	266	1	31	80	96	39	15	4	0	0
NEWTON	162	0	22	53	49	24	14	0	0	0
NOXUBEE	58	0	4	16	25	7	4	2	0	0
OKTIBBEHA	260	0	17	60	88	67	24	4	0	0
PANOLA	237	1	41	87	53	38	14	3	0	0
PEARL RIVER	580	1	101	192	159	98	24	5	0	0
PERRY	135	1	29	46	33	17	8	1	0	0
PIKE	239	1	34	70	80	37	13	4	0	0
PONTOTOC	304	2	47	89	92	56	17	0	1	0
PRENTISS	271	0	54	101	71	36	7	1	1	0
QUITMAN	43	0	6	18	12	3	3	1	0	0
RANKIN	1,286	2	139	271	485	272	103	14	0	0
SCOTT	231	1	50	70	51	41	17	1	0	0
SHARKEY	15	0	1	8	4	1	1	0	0	0
SIMPSON	218	0	54	59	62	32	10	1	0	0
SMITH	122	0	17	46	34	18	7	0	0	0
STONE	150	0	28	51	41	21	8	1	0	0
SUNFLOWER	124	0	9	48	41	18	7	1	0	0
TALLAHATCHIE	57	0	7	19	15	9	6	1	0	0
TATE	230	0	32	80	71	29	14	4	0	0
TIPPDAH	250	1	49	89	61	37	10	3	0	0
TISHOMINGO	235	0	40	81	63	36	15	0	0	0
TUNICA	25	0	7	7	2	4	2	1	1	1
UNION	306	0	55	108	79	45	17	2	0	0
WALTHALL	94	0	12	40	23	13	5	1	0	0
WARREN	378	0	50	117	122	62	19	8	0	0
WASHINGTON	247	0	37	70	78	47	12	3	0	0
WAYNE	145	0	28	43	50	15	9	0	0	0
WEBSTER	109	2	16	40	26	16	6	2	1	0
WILKINSON	30	0	2	6	11	7	3	1	0	0
WINSTON	124	0	17	36	36	19	13	2	0	1
YALOBUSHA	93	0	21	28	24	12	5	3	0	0
YAZOO	148	0	23	58	38	22	4	3	0	0

**TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>20,026</u>	<u>173</u>	<u>5,039</u>	<u>7,380</u>	<u>4,149</u>	<u>2,108</u>	<u>973</u>	<u>195</u>	<u>5</u>	<u>4</u>
ADAMS	320	2	72	131	66	26	18	5	0	0
ALCORN	63	0	17	32	10	3	1	0	0	0
AMITE	85	1	21	34	16	9	4	0	0	0
ATTALA	130	1	26	43	34	15	8	3	0	0
BENTON	63	0	18	28	10	3	4	0	0	0
BOLIVAR	502	4	167	174	96	37	24	0	0	0
CALHOUN	64	0	23	22	11	6	1	1	0	0
CARROLL	45	1	6	20	8	9	1	0	0	0
CHICKASAW	180	2	46	63	36	20	12	1	0	0
CHOCTAW	42	1	5	19	9	6	2	0	0	0
CLAIBORNE	145	1	35	57	32	14	4	2	0	0
CLARKE	122	1	20	47	30	14	5	5	0	0
CLAY	234	1	54	86	52	23	16	2	0	0
COAHOMA	472	6	155	183	78	31	15	4	0	0
COPIAH	255	3	55	108	53	19	15	2	0	0
COVINGTON	135	1	34	63	25	6	4	1	0	1
DESOTO	251	1	62	61	60	41	20	6	0	0
FORREST	483	1	120	194	93	51	20	3	0	1
FRANKLIN	62	1	17	17	16	7	2	2	0	0
GEORGE	35	0	12	13	5	1	3	1	0	0
GREENE	42	0	11	15	9	6	1	0	0	0
GRENADA	128	4	24	55	23	17	4	1	0	0
HANCOCK	58	0	9	23	11	11	3	1	0	0
HARRISON	896	6	192	331	202	121	34	10	0	0
HINDS	2,873	27	677	974	614	373	177	29	2	0
HOLMES	364	2	91	123	78	45	22	3	0	0
HUMPHREYS	172	3	56	62	29	12	8	2	0	0
ISSAQUENA	14	0	7	4	1	1	1	0	0	0
ITAWAMBA	25	1	5	10	5	2	1	1	0	0
JACKSON	543	2	123	213	120	58	17	9	0	1
JASPER	161	2	37	69	34	10	8	1	0	0
JEFFERSON	132	2	27	53	24	19	5	2	0	0
JEFF DAVIS	139	1	26	65	29	11	6	1	0	0
JONES	390	5	112	148	82	24	16	3	0	0
KEMPER	102	0	19	38	18	17	6	4	0	0
LAFAYETTE	193	1	54	75	38	14	10	1	0	0
LAMAR	88	2	19	26	28	8	5	0	0	0
LAUDERDALE	604	3	139	222	145	62	30	3	0	0
LAWRENCE	60	0	9	25	12	4	8	2	0	0
LEAKE	166	3	32	65	35	19	9	3	0	0
LEE	411	4	90	161	89	46	15	6	0	0
LEFLORE	500	4	140	214	79	37	22	4	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	159	6	39	61	29	14	10	0	0	0
LOWNDES	489	7	132	142	121	53	32	2	0	0
MADISON	566	6	109	213	113	77	41	6	1	0
MARION	159	2	36	51	36	24	9	0	0	1
MARSHALL	317	1	89	114	64	30	15	4	0	0
MONROE	198	2	32	78	46	29	9	2	0	0
MONTGOMERY	88	1	23	32	20	8	3	1	0	0
NESHOBA	230	0	51	88	52	26	9	4	0	0
NEWTON	140	0	24	64	27	15	8	2	0	0
NOXUBEE	193	0	56	69	40	21	6	1	0	0
OKTIBBEHA	276	3	68	93	55	38	18	1	0	0
PANOLA	353	3	91	142	74	24	18	1	0	0
PEARL RIVER	117	2	33	45	22	8	7	0	0	0
PERRY	63	1	13	24	16	3	5	1	0	0
PIKE	425	3	122	166	83	39	10	2	0	0
PONTOTOC	61	0	12	26	12	6	5	0	0	0
PRENTISS	54	0	10	25	13	3	1	1	1	0
QUITMAN	139	2	48	50	23	11	4	1	0	0
RANKIN	293	3	64	91	71	44	18	2	0	0
SCOTT	202	0	49	66	53	16	14	3	1	0
SHARKEY	98	0	32	39	14	9	3	1	0	0
SIMPSON	182	1	56	60	34	22	7	2	0	0
SMITH	69	0	17	28	11	2	9	2	0	0
STONE	64	1	13	20	20	6	4	0	0	0
SUNFLOWER	460	2	145	197	72	32	11	1	0	0
TALLAHATCHIE	150	1	52	53	25	14	4	1	0	0
TATE	141	0	49	51	28	6	6	1	0	0
TIPPDAH	66	0	25	20	10	7	1	3	0	0
TISHOMINGO	4	0	0	2	1	1	0	0	0	0
TUNICA	137	1	38	54	26	14	4	0	0	0
UNION	80	1	17	39	12	8	3	0	0	0
WALTHALL	133	0	34	52	24	18	4	1	0	0
WARREN	468	5	110	172	102	56	18	5	0	0
WASHINGTON	857	10	255	302	173	79	32	6	0	0
WAYNE	172	2	37	56	48	18	7	4	0	0
WEBSTER	28	0	10	11	3	2	1	1	0	0
WILKINSON	96	0	23	30	14	14	12	3	0	0
WINSTON	170	3	55	51	41	16	4	0	0	0
YALOBUSHA	91	1	17	39	24	8	2	0	0	0
YAZOO	289	3	89	98	52	29	12	6	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>19,603</u>	<u>4,747</u>	<u>14,856</u>	<u>45.9</u>	<u>21.0</u>	<u>74.2</u>
ADAMS	273	24	249	58.7	16.6	77.8
ALCORN	131	85	46	31.5	24.1	73.0
AMI TE	75	14	61	43.9	16.3	71.8
ATTALA	113	23	90	43.0	17.3	69.2
BENTON	52	7	45	40.3	10.6	71.4
BOLI VAR	455	30	425	68.8	18.9	84.7
CALHOUN	73	22	51	39.7	18.3	79.7
CARROLL	39	7	32	38.2	12.3	71.1
CHI CKASAW	160	29	131	46.8	17.9	72.8
CHOCTAW	35	10	25	29.7	13.2	59.5
CLAI BORNE	118	5	113	73.3	31.2	77.9
CLARKE	121	26	95	50.0	21.7	77.9
CLAY	192	17	175	55.2	14.9	74.8
COAHOMA	407	20	387	72.3	22.0	82.0
COPI AH	221	36	185	53.5	22.8	72.5
COVI NGTON	140	31	109	49.1	20.7	80.7
DESOTO	420	280	140	25.7	20.3	55.8
FORREST	512	147	365	47.4	24.6	75.6
FRANKLI N	56	11	45	41.8	15.3	72.6
GEORGE	89	66	23	24.5	20.1	65.7
GREENE	53	23	30	29.8	16.9	71.4
GRENADA	133	28	105	48.5	19.2	82.0
HANCOCK	198	163	35	36.1	33.3	60.3
HARRI SON	1,253	662	591	41.3	31.0	66.0
HI NDS	2,244	171	2,073	58.1	17.2	72.2
HOLMES	306	4	302	74.4	8.5	83.0
HUMPHREYS	156	8	148	76.8	25.8	86.0
I SSAQUENA	12	0	12	60.0	0.0	85.7
I TAWAMBA	68	51	17	26.0	21.6	68.0
JACKSON	716	343	373	38.5	26.0	68.7
JASPER	131	16	115	49.4	15.4	71.4
JEFFERSON	99	1	98	70.7	12.5	74.2
JEFF DAVI S	111	9	102	56.6	15.8	73.4
JONES	401	99	302	39.7	16.0	77.4
KEMPER	71	4	67	51.1	10.8	65.7
LAFAYETTE	162	40	122	36.2	15.7	63.2
LAMAR	135	82	53	22.7	16.2	60.2
LAUDERDALE	508	80	428	43.3	14.1	70.9
LAWRENCE	52	18	34	30.2	16.1	56.7
LEAKE	155	34	121	47.8	21.5	72.9
LEE	456	175	281	37.3	21.6	68.4
LEFLORE	445	26	419	73.3	24.3	83.8

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	154	44	110	32.9	14.2	69.2
LOWNDES	434	84	350	44.3	17.1	71.6
MADISON	427	37	390	36.6	6.2	68.9
MARION	149	41	108	39.0	18.4	67.9
MARSHALL	313	59	254	58.6	27.2	80.1
MONROE	197	58	139	39.2	19.0	70.2
MONTGOMERY	78	13	65	49.7	18.8	73.9
NESHOBA	208	48	160	41.9	18.0	69.6
NEWTON	127	32	95	42.0	19.8	67.8
NOXUBEE	151	2	149	60.2	3.4	77.2
OKTIBBEHA	199	21	178	37.1	8.1	64.5
PANOLA	329	55	274	55.8	23.2	77.6
PEARL RIVER	239	151	88	34.3	26.0	75.2
PERRY	79	34	45	39.9	25.2	71.4
PIKE	367	55	312	55.3	23.0	73.4
PONTOTOC	100	60	40	27.4	19.7	65.6
PRENTISS	104	68	36	32.0	25.1	66.7
QUITMAN	136	14	122	74.7	32.6	87.8
RANKIN	412	234	178	26.1	18.2	60.8
SCOTT	222	71	151	51.3	30.7	74.8
SHARKEY	93	5	88	82.3	33.3	89.8
SIMPSON	181	46	135	45.2	21.1	74.2
SMITH	69	18	51	36.1	14.8	73.9
STONE	84	37	47	39.2	24.7	73.4
SUNFLOWER	418	19	399	71.6	15.3	86.7
TALLAHATCHIE	127	7	120	61.4	12.3	80.0
TATE	158	40	118	42.6	17.4	83.7
TIPPACH	102	56	46	32.3	22.4	69.7
TISHOMINGO	52	49	3	21.8	20.8	75.0
TUNICA	120	8	112	74.1	32.0	81.8
UNION	116	62	54	30.0	20.3	67.5
WALTHALL	101	14	87	44.5	14.9	65.4
WARREN	462	99	363	54.6	26.2	77.6
WASHINGTON	773	58	715	70.0	23.5	83.4
WAYNE	145	25	120	45.7	17.2	69.8
WEBSTER	37	19	18	27.0	17.4	64.3
WILKINSON	73	3	70	57.9	10.0	72.9
WINSTON	152	22	130	51.7	17.7	76.5
YALOBUSHA	95	17	78	51.6	18.3	85.7
YAZOO	273	35	238	62.5	23.6	82.4

**TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,603</u>	<u>203</u>	<u>6,642</u>	<u>7,766</u>	<u>3,064</u>	<u>1,243</u>	<u>554</u>	<u>122</u>	<u>4</u>	<u>5</u>
ADAMS	273	2	76	118	42	17	15	3	0	0
ALCORN	131	1	48	55	17	6	3	1	0	0
AMITE	75	1	23	35	12	3	1	0	0	0
ATTALA	113	1	34	45	21	6	4	2	0	0
BENTON	52	0	21	23	4	3	1	0	0	0
BOLIVAR	455	4	181	166	70	21	13	0	0	0
CALHOUN	73	1	32	25	8	5	1	1	0	0
CARROLL	39	1	9	18	2	6	3	0	0	0
CHICKASAW	160	2	52	66	22	8	9	1	0	0
CHOCTAW	35	2	7	18	5	3	0	0	0	0
CLAIBORNE	118	1	33	54	18	7	3	2	0	0
CLARKE	121	1	28	51	23	10	5	3	0	0
CLAY	192	1	64	71	35	12	8	1	0	0
COAHOMA	407	6	156	161	54	23	4	3	0	0
COPIAH	221	3	67	104	28	10	8	1	0	0
COVINGTON	140	1	50	58	24	5	1	0	0	1
DESOTO	420	4	159	133	75	29	14	6	0	0
FORREST	512	3	180	214	68	30	15	1	0	1
FRANKLIN	56	1	20	21	7	5	1	1	0	0
GEORGE	89	0	43	33	7	4	2	0	0	0
GREENE	53	0	19	20	8	3	2	1	0	0
GRENADA	133	4	33	59	20	14	2	1	0	0
HANCOCK	198	2	68	81	26	11	10	0	0	0
HARRISON	1,253	9	393	499	201	98	41	11	1	0
HINDS	2,244	27	716	873	366	167	76	18	1	0
HOLMES	306	2	92	116	62	20	11	3	0	0
HUMPHREYS	156	3	60	59	21	9	4	0	0	0
ISSAQUENA	12	0	7	4	0	1	0	0	0	0
ITAWAMBA	68	1	28	25	7	6	1	0	0	0
JACKSON	716	4	244	288	113	48	16	2	0	1
JASPER	131	2	38	60	20	6	4	1	0	0
JEFFERSON	99	2	27	43	12	10	3	2	0	0
JEFF DAVIS	111	1	28	53	18	7	3	1	0	0
JONES	401	5	154	152	60	17	10	3	0	0
KEMPER	71	0	17	32	11	7	4	0	0	0
LAFAYETTE	162	1	66	63	26	5	1	0	0	0
LAMAR	135	2	47	53	20	8	4	1	0	0
LAUDERDALE	508	4	161	199	95	31	18	0	0	0
LAWRENCE	52	0	17	25	6	1	3	0	0	0
LEAKE	155	3	44	61	27	13	6	1	0	0
LEE	456	7	149	175	76	33	9	7	0	0
LEFLORE	445	4	152	195	57	22	12	3	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	154	5	51	68	19	4	5	2	0	0
LOWNDES	434	7	160	148	74	25	18	2	0	0
MADISON	427	6	110	183	73	40	12	2	1	0
MARION	149	3	49	55	24	13	3	1	0	1
MARSHALL	313	1	111	128	50	16	6	1	0	0
MONROE	197	2	49	77	39	21	7	2	0	0
MONTGOMERY	78	1	28	29	14	3	2	1	0	0
NESHOBA	208	1	67	77	41	16	6	0	0	0
NEWTON	127	0	34	63	13	8	7	2	0	0
NOXUBEE	151	0	55	60	26	8	2	0	0	0
OKTIBBEHA	199	3	72	82	24	12	6	0	0	0
PANOLA	329	4	113	138	51	12	11	0	0	0
PEARL RIVER	239	3	92	97	30	15	2	0	0	0
PERRY	79	2	30	30	14	2	1	0	0	0
PIKE	367	4	133	157	51	18	4	0	0	0
PONTOTOC	100	2	35	40	17	5	1	0	0	0
PRENTISS	104	0	35	44	16	6	1	2	0	0
QUITMAN	136	2	52	51	20	7	4	0	0	0
RANKIN	412	5	140	146	76	34	10	1	0	0
SCOTT	222	1	77	83	43	9	7	1	1	0
SHARKEY	93	0	32	43	10	8	0	0	0	0
SIMPSON	181	1	76	56	25	16	5	2	0	0
SMITH	69	0	20	31	11	3	4	0	0	0
STONE	84	1	32	29	15	5	1	1	0	0
SUNFLOWER	418	2	147	185	55	19	9	1	0	0
TALLAHATCHIE	127	1	52	49	20	4	1	0	0	0
TATE	158	0	65	61	23	5	3	1	0	0
TIPPDAH	102	0	52	27	15	7	0	1	0	0
TISHOMINGO	52	0	23	10	12	4	3	0	0	0
TUNICA	120	1	42	47	19	7	3	1	0	0
UNION	116	1	41	52	11	6	5	0	0	0
WALTHALL	101	0	39	39	12	8	2	1	0	0
WARREN	462	5	146	192	73	32	9	5	0	0
WASHINGTON	773	10	269	296	124	49	20	5	0	0
WAYNE	145	2	45	59	32	6	0	1	0	0
WEBSTER	37	1	17	14	2	1	1	1	0	0
WILKINSON	73	0	23	26	9	8	7	0	0	0
WINSTON	152	3	63	43	28	8	6	0	0	1
YALOBUSHA	95	1	24	42	19	6	3	0	0	0
YAZOO	273	3	98	105	40	17	6	4	0	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>4,747</u>	<u>31</u>	<u>1,773</u>	<u>1,722</u>	<u>721</u>	<u>318</u>	<u>146</u>	<u>33</u>	<u>1</u>	<u>2</u>
ADAMS	24	0	5	11	4	2	2	0	0	0
ALCORN	85	1	31	32	12	5	3	1	0	0
AMITE	14	0	3	9	2	0	0	0	0	0
ATTALA	23	0	8	10	3	1	1	0	0	0
BENTON	7	0	4	2	1	0	0	0	0	0
BOLIVAR	30	0	15	11	3	1	0	0	0	0
CALHOUN	22	1	10	7	2	1	1	0	0	0
CARROLL	7	0	3	2	0	0	2	0	0	0
CHICKASAW	29	0	9	9	4	4	3	0	0	0
CHOCTAW	10	1	3	3	2	1	0	0	0	0
CLAIBORNE	5	0	1	3	0	1	0	0	0	0
CLARKE	26	0	9	12	2	3	0	0	0	0
CLAY	17	0	11	3	1	1	0	1	0	0
COAHOMA	20	0	9	5	4	2	0	0	0	0
COPIAH	36	0	14	16	5	1	0	0	0	0
COVINGTON	31	0	16	6	6	3	0	0	0	0
DESOTO	280	3	99	91	53	23	7	4	0	0
FORREST	147	2	63	54	17	7	4	0	0	0
FRANKLIN	11	0	3	6	1	1	0	0	0	0
GEORGE	66	0	31	23	6	4	2	0	0	0
GREENE	23	0	9	9	2	0	2	1	0	0
GRENADA	28	0	9	12	3	3	1	0	0	0
HANCOCK	163	2	59	65	20	8	9	0	0	0
HARRISON	662	3	219	250	101	54	27	7	1	0
HINDS	171	0	51	66	37	9	5	3	0	0
HOLMES	4	0	1	1	2	0	0	0	0	0
HUMPHREYS	8	0	4	3	0	0	1	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
I TAWAMBA	51	0	23	16	7	5	0	0	0	0
JACKSON	343	2	127	116	57	31	8	1	0	1
JASPER	16	0	4	3	7	2	0	0	0	0
JEFFERSON	1	0	0	0	1	0	0	0	0	0
JEFF DAVIS	9	0	4	3	1	1	0	0	0	0
JONES	99	0	44	33	14	4	3	1	0	0
KEMPER	4	0	0	3	1	0	0	0	0	0
LAFAYETTE	40	0	14	15	10	1	0	0	0	0
LAMAR	82	0	30	31	13	5	2	1	0	0
LAUDERDALE	80	1	26	28	17	5	3	0	0	0
LAWRENCE	18	0	8	7	2	1	0	0	0	0
LEAKE	34	0	13	9	6	5	1	0	0	0
LEE	175	3	61	55	32	17	5	2	0	0
LEFLORE	26	0	13	9	2	0	1	1	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	44	0	17	22	1	0	2	2	0	0
LOWNDES	84	0	32	40	8	2	2	0	0	0
MADISON	37	0	8	13	6	5	4	1	0	0
MARION	41	1	15	15	6	3	0	1	0	0
MARSHALL	59	0	25	24	7	2	1	0	0	0
MONROE	58	0	18	15	14	7	3	1	0	0
MONTGOMERY	13	0	6	4	1	1	1	0	0	0
NESHOBA	48	1	19	15	8	3	2	0	0	0
NEWTON	32	0	11	15	3	0	3	0	0	0
NOXUBEE	2	0	1	1	0	0	0	0	0	0
OKTIBBEHA	21	0	7	7	4	2	1	0	0	0
PANOLA	55	1	25	20	5	3	1	0	0	0
PEARL RIVER	151	1	61	61	16	11	1	0	0	0
PERRY	34	1	18	10	4	0	1	0	0	0
PIKE	55	1	18	26	7	3	0	0	0	0
PONTOTOC	60	2	24	21	10	3	0	0	0	0
PRENTISS	68	0	26	29	7	4	1	1	0	0
QUINTMAN	14	0	4	4	4	1	1	0	0	0
RANKIN	234	2	81	80	43	22	5	1	0	0
SCOTT	71	1	29	25	10	3	3	0	0	0
SHARKEY	5	0	1	4	0	0	0	0	0	0
SIMPSON	46	0	21	13	5	5	2	0	0	0
SMITH	18	0	5	8	3	1	1	0	0	0
STONE	37	0	19	10	5	1	1	1	0	0
SUNFLOWER	19	0	4	9	5	1	0	0	0	0
TALLAHATCHIE	7	0	2	3	1	1	0	0	0	0
TATE	40	0	16	15	8	1	0	0	0	0
TIPPDAH	56	0	28	15	11	2	0	0	0	0
TISHOMINGO	49	0	23	9	11	3	3	0	0	0
TUNICA	8	0	4	1	1	0	1	1	0	0
UNION	62	0	26	25	6	2	3	0	0	0
WALTHALL	14	0	6	4	3	1	0	0	0	0
WARREN	99	0	38	40	11	4	5	1	0	0
WASHINGTON	58	0	21	24	9	4	0	0	0	0
WAYNE	25	0	11	10	4	0	0	0	0	0
WEBSTER	19	1	7	8	1	1	1	0	0	0
WILKINSON	3	0	1	1	0	1	0	0	0	0
WINSTON	22	0	9	5	3	2	2	0	0	1
YALOBUSHA	17	0	7	6	1	1	2	0	0	0
YAZOO	35	0	13	16	6	0	0	0	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1999**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	14,856	172	4,869	6,044	2,343	925	408	89	3	3
ADAMS	249	2	71	107	38	15	13	3	0	0
ALCORN	46	0	17	23	5	1	0	0	0	0
AMITE	61	1	20	26	10	3	1	0	0	0
ATTALA	90	1	26	35	18	5	3	2	0	0
BENTON	45	0	17	21	3	3	1	0	0	0
BOLIVAR	425	4	166	155	67	20	13	0	0	0
CALHOUN	51	0	22	18	6	4	0	1	0	0
CARROLL	32	1	6	16	2	6	1	0	0	0
CHICKASAW	131	2	43	57	18	4	6	1	0	0
CHOCTAW	25	1	4	15	3	2	0	0	0	0
CLAIBORNE	113	1	32	51	18	6	3	2	0	0
CLARKE	95	1	19	39	21	7	5	3	0	0
CLAY	175	1	53	68	34	11	8	0	0	0
COAHOMA	387	6	147	156	50	21	4	3	0	0
COPIAH	185	3	53	88	23	9	8	1	0	0
COVINGTON	109	1	34	52	18	2	1	0	0	1
DESOTO	140	1	60	42	22	6	7	2	0	0
FORREST	365	1	117	160	51	23	11	1	0	1
FRANKLIN	45	1	17	15	6	4	1	1	0	0
GEORGE	23	0	12	10	1	0	0	0	0	0
GREENE	30	0	10	11	6	3	0	0	0	0
GRENADA	105	4	24	47	17	11	1	1	0	0
HANCOCK	35	0	9	16	6	3	1	0	0	0
HARRISON	591	6	174	249	100	44	14	4	0	0
HINDS	2,073	27	665	807	329	158	71	15	1	0
HOLMES	302	2	91	115	60	20	11	3	0	0
HUMPHREYS	148	3	56	56	21	9	3	0	0	0
ISSAQUENA	12	0	7	4	0	1	0	0	0	0
ITAWAMBA	17	1	5	9	0	1	1	0	0	0
JACKSON	373	2	117	172	56	17	8	1	0	0
JASPER	115	2	34	57	13	4	4	1	0	0
JEFFERSON	98	2	27	43	11	10	3	2	0	0
JEFF DAVIS	102	1	24	50	17	6	3	1	0	0
JONES	302	5	110	119	46	13	7	2	0	0
KEMPER	67	0	17	29	10	7	4	0	0	0
LAFAYETTE	122	1	52	48	16	4	1	0	0	0
LAMAR	53	2	17	22	7	3	2	0	0	0
LAUDERDALE	428	3	135	171	78	26	15	0	0	0
LAWRENCE	34	0	9	18	4	0	3	0	0	0
LEAKE	121	3	31	52	21	8	5	1	0	0
LEE	281	4	88	120	44	16	4	5	0	0
LEFLORE	419	4	139	186	55	22	11	2	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1999

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	110	5	34	46	18	4	3	0	0	0
LOWNDES	350	7	128	108	66	23	16	2	0	0
MADISON	390	6	102	170	67	35	8	1	1	0
MARION	108	2	34	40	18	10	3	0	0	1
MARSHALL	254	1	86	104	43	14	5	1	0	0
MONROE	139	2	31	62	25	14	4	1	0	0
MONTGOMERY	65	1	22	25	13	2	1	1	0	0
NESHOBA	160	0	48	62	33	13	4	0	0	0
NEWTON	95	0	23	48	10	8	4	2	0	0
NOXUBEE	149	0	54	59	26	8	2	0	0	0
OKTIBBEHA	178	3	65	75	20	10	5	0	0	0
PANOLA	274	3	88	118	46	9	10	0	0	0
PEARL RIVER	88	2	31	36	14	4	1	0	0	0
PERRY	45	1	12	20	10	2	0	0	0	0
PIKE	312	3	115	131	44	15	4	0	0	0
PONTOTOC	40	0	11	19	7	2	1	0	0	0
PRENTISS	36	0	9	15	9	2	0	1	0	0
QUITMAN	122	2	48	47	16	6	3	0	0	0
RANKIN	178	3	59	66	33	12	5	0	0	0
SCOTT	151	0	48	58	33	6	4	1	1	0
SHARKEY	88	0	31	39	10	8	0	0	0	0
SIMPSON	135	1	55	43	20	11	3	2	0	0
SMITH	51	0	15	23	8	2	3	0	0	0
STONE	47	1	13	19	10	4	0	0	0	0
SUNFLOWER	399	2	143	176	50	18	9	1	0	0
TALLAHATCHIE	120	1	50	46	19	3	1	0	0	0
TATE	118	0	49	46	15	4	3	1	0	0
TIPPAH	46	0	24	12	4	5	0	1	0	0
TISHOMINGO	3	0	0	1	1	1	0	0	0	0
TUNICA	112	1	38	46	18	7	2	0	0	0
UNION	54	1	15	27	5	4	2	0	0	0
WALTHALL	87	0	33	35	9	7	2	1	0	0
WARREN	363	5	108	152	62	28	4	4	0	0
WASHINGTON	715	10	248	272	115	45	20	5	0	0
WAYNE	120	2	34	49	28	6	0	1	0	0
WEBSTER	18	0	10	6	1	0	0	1	0	0
WILKINSON	70	0	22	25	9	7	7	0	0	0
WINSTON	130	3	54	38	25	6	4	0	0	0
YALOBUSHA	78	1	17	36	18	5	1	0	0	0
YAZOO	238	3	85	89	34	17	6	4	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4,421</u>	<u>1,672</u>	<u>2,749</u>	<u>10.4</u>	<u>7.4</u>	<u>13.7</u>
ADAMS	64	15	49	13.8	10.3	15.3
ALCORN	36	28	8	8.6	7.9	12.7
AMITE	11	4	7	6.4	4.6	8.2
ATTALA	20	8	12	7.6	6.0	9.2
BENTON	19	5	14	14.7	7.6	22.2
BOLIVAR	79	14	65	12.0	8.8	12.9
CALHOUN	20	9	11	10.9	7.5	17.2
CARROLL	13	7	6	12.7	12.3	13.3
CHICKASAW	35	7	28	10.2	4.3	15.6
CHOCTAW	14	6	8	11.9	7.9	19.0
CLAIBORNE	25	2	23	15.5	12.5	15.9
CLARKE	23	11	12	9.5	9.2	9.8
CLAY	40	6	34	11.5	5.3	14.5
COAHOMA	63	11	52	11.2	12.1	11.0
COPIAH	55	12	43	13.3	7.6	16.9
COVINGTON	22	10	12	7.7	6.7	8.9
DESOTO	114	84	30	7.0	6.1	12.0
FORREST	105	46	59	9.7	7.7	12.2
FRANKLIN	10	4	6	7.5	5.6	9.7
GEORGE	41	37	4	11.3	11.3	11.4
GREENE	21	15	6	11.8	11.0	14.3
GRENADA	21	9	12	7.7	6.2	9.4
HANCOCK	44	37	7	8.0	7.6	12.1
HARRISON	268	153	115	8.8	7.2	12.8
HINDS	556	69	487	14.4	7.0	17.0
HOLMES	57	4	53	13.9	8.5	14.6
HUMPHREYS	30	2	28	14.8	6.4	16.3
ISSAQUENA	4	1	3	20.0	16.7	21.4
I TAWAMBA	13	11	2	5.0	4.7	8.0
JACKSON	157	88	69	8.4	6.7	12.7
JASPER	38	10	28	14.3	9.6	17.4
JEFFERSON	21	0	21	15.0	-	15.9
JEFF DAVIS	30	3	27	15.3	5.3	19.4
JONES	96	42	54	9.5	6.8	13.8
KEMPER	18	1	17	13.0	2.7	16.7
LAFAYETTE	43	22	21	9.6	8.7	10.9
LAMAR	50	38	12	8.4	7.5	13.6
LAUDERDALE	119	38	81	10.1	6.7	13.4
LAWRENCE	17	11	6	9.9	9.8	10.0
LEAKE	30	13	17	9.2	8.2	10.2
LEE	102	52	50	8.3	6.4	12.2
LEFLORE	69	8	61	11.4	7.5	12.2

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	38	20	18	8.1	6.5	11.3
LOWNDES	113	41	72	11.5	8.4	14.7
MADISON	118	43	75	10.1	7.2	13.2
MARION	38	20	18	9.9	9.0	11.3
MARSHALL	63	15	48	11.8	6.9	15.1
MONROE	52	26	26	10.3	8.5	13.1
MONTGOMERY	12	4	8	7.6	5.8	9.1
NESHOBA	46	20	26	9.3	7.5	11.3
NEWTON	29	10	19	9.6	6.2	13.6
NOXUBEE	44	5	39	17.5	8.6	20.2
OKTIBBEHA	49	13	36	9.1	5.0	13.0
PANOLA	55	18	37	9.3	7.6	10.5
PEARL RIVER	57	44	13	8.2	7.6	11.1
PERRY	26	12	14	13.1	8.9	22.2
PIKE	67	14	53	10.1	5.8	12.5
PONTOTOC	32	25	7	8.8	8.2	11.5
PRENTISS	16	11	5	4.9	4.0	9.2
QUITMAN	27	7	20	14.8	16.3	14.4
RANKIN	135	93	42	8.6	7.2	14.3
SCOTT	47	18	29	10.8	7.8	14.4
SHARKEY	13	1	12	11.5	6.7	12.2
SIMPSON	51	22	29	12.8	10.1	15.9
SMITH	22	11	11	11.5	9.0	15.9
STONE	23	13	10	10.7	8.7	15.6
SUNFLOWER	74	18	56	12.7	14.5	12.2
TALLAHATCHIE	24	7	17	11.6	12.3	11.3
TATE	33	16	17	8.9	7.0	12.0
TIPPAH	36	20	16	11.4	8.0	24.2
TISHOMINGO	19	19	0	8.0	8.1	-
TUNICA	13	0	13	8.0	-	9.5
UNION	47	28	19	12.2	9.2	23.8
WALTHALL	20	5	15	8.8	5.3	11.3
WARREN	101	45	56	11.9	11.9	12.0
WASHINGTON	103	12	91	9.3	4.8	10.6
WAYNE	26	5	21	8.2	3.4	12.2
WEBSTER	8	5	3	5.8	4.6	10.7
WILKINSON	19	1	18	15.1	3.3	18.8
WINSTON	33	7	26	11.2	5.6	15.3
YALOBUSHA	13	8	5	7.1	8.6	5.5
YAZOO	66	17	49	15.1	11.5	17.0

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>914</u>	<u>316</u>	<u>598</u>	<u>2.1</u>	<u>1.4</u>	<u>3.0</u>
ADAMS	8	0	8	1.7	-	2.5
ALCORN	9	9	0	2.2	2.6	-
AMITE	2	0	2	1.2	-	2.4
ATTALA	5	2	3	1.9	1.5	2.3
BENTON	3	1	2	2.3	1.5	3.2
BOLIVAR	16	1	15	2.4	0.6	3.0
CALHOUN	7	3	4	3.8	2.5	6.2
CARROLL	3	1	2	2.9	1.8	4.4
CHICKASAW	7	2	5	2.0	1.2	2.8
CHOCTAW	5	1	4	4.2	1.3	9.5
CLABORNE	6	0	6	3.7	-	4.1
CLARKE	7	2	5	2.9	1.7	4.1
CLAY	9	1	8	2.6	0.9	3.4
COAHOMA	18	3	15	3.2	3.3	3.2
COPIAH	16	2	14	3.9	1.3	5.5
COVINGTON	3	1	2	1.0	0.7	1.5
DESOTO	36	21	15	2.2	1.5	6.0
FORREST	22	11	11	2.0	1.8	2.3
FRANKLIN	1	0	1	0.7	-	1.6
GEORGE	8	8	0	2.2	2.4	-
GREENE	1	0	1	0.6	-	2.4
GRENADA	2	1	1	0.7	0.7	0.8
HANCOCK	9	8	1	1.6	1.6	1.7
HARRISON	57	26	31	1.9	1.2	3.5
HINDS	111	16	95	2.9	1.6	3.3
HOLMES	11	0	11	2.7	-	3.0
HUMPHREYS	7	1	6	3.4	3.2	3.5
ISSAQUENA	2	0	2	10.0	-	14.3
I TAWAMBA	4	3	1	1.5	1.3	4.0
JACKSON	30	18	12	1.6	1.4	2.2
JASPER	9	4	5	3.4	3.8	3.1
JEFFERSON	1	0	1	0.7	-	0.8
JEFF DAVIS	8	0	8	4.1	-	5.8
JONES	14	9	5	1.4	1.4	1.3
KEMPER	3	0	3	2.2	-	2.9
LAFAYETTE	9	5	4	2.0	2.0	2.1
LAMAR	9	4	5	1.5	0.8	5.7
LAUDERDALE	26	5	21	2.2	0.9	3.5
LAWRENCE	6	4	2	3.5	3.6	3.3
LEAKE	3	1	2	0.9	0.6	1.2
LEE	25	15	10	2.0	1.8	2.4
LEFLORE	12	1	11	2.0	0.9	2.2

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
LINCOLN	12	6	6	2.6	1.9	3.8
LOWNDES	21	10	11	2.1	2.0	2.2
MADISON	25	9	16	2.1	1.5	2.8
MARION	8	2	6	2.1	0.9	3.8
MARSHALL	9	3	6	1.7	1.4	1.9
MONROE	14	5	9	2.8	1.6	4.5
MONTGOMERY	4	1	3	2.5	1.4	3.4
NESHOBA	10	3	7	2.0	1.1	3.0
NEWTON	3	2	1	1.0	1.2	0.7
NOXUBEE	9	1	8	3.6	1.7	4.1
OKTIBBEHA	12	2	10	2.2	0.8	3.6
PANOLA	10	2	8	1.7	0.8	2.3
PEARL RIVER	14	9	5	2.0	1.6	4.3
PERRY	7	5	2	3.5	3.7	3.2
PIKE	14	1	13	2.1	0.4	3.0
PONTOTOC	5	2	3	1.4	0.6	4.9
PRENTISS	3	3	0	0.9	1.1	-
QUITMAN	5	2	3	2.7	4.6	2.2
RANKIN	22	16	6	1.4	1.2	2.0
SCOTT	7	1	6	1.6	0.4	3.0
SHARKEY	1	1	0	0.9	6.7	-
SIMPSON	6	2	4	1.5	0.9	2.2
SMITH	3	2	1	1.6	1.6	1.4
STONE	7	3	4	3.3	2.0	6.2
SUNFLOWER	17	2	15	2.9	1.6	3.3
TALLAHATCHIE	6	0	6	2.9	-	4.0
TATE	3	2	1	0.8	0.9	0.7
TIPPAH	4	1	3	1.3	0.4	4.5
TISHOMINGO	2	2	0	0.8	0.8	-
TUNICA	3	0	3	1.8	-	2.2
UNION	7	2	5	1.8	0.6	6.2
WALTHALL	2	0	2	0.9	-	1.5
WARREN	29	12	17	3.4	3.2	3.6
WASHINGTON	22	3	19	2.0	1.2	2.2
WAYNE	5	1	4	1.6	0.7	2.3
WEBSTER	2	1	1	1.5	0.9	3.6
WILKINSON	3	0	3	2.4	-	3.1
WINSTON	12	3	9	4.1	2.4	5.3
YALOBUSHA	1	1	0	0.5	1.1	-
YAZOO	15	3	12	3.4	2.0	4.2

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>6, 619</u>	<u>2, 690</u>	<u>3, 929</u>	<u>15. 5</u>	<u>11. 9</u>	<u>19. 6</u>
ADAMS	84	19	65	18. 1	13. 1	20. 3
ALCORN	66	56	10	15. 9	15. 9	15. 9
AMI TE	18	5	13	10. 5	5. 8	15. 3
ATTALA	45	17	28	17. 1	12. 8	21. 5
BENTON	26	10	16	20. 2	15. 2	25. 4
BOLI VAR	145	24	121	21. 9	15. 1	24. 1
CALHOUN	26	14	12	14. 1	11. 7	18. 8
CARROLL	13	9	4	12. 7	15. 8	8. 9
CHI CKASAW	46	15	31	13. 4	9. 2	17. 2
CHOCTAW	20	13	7	16. 9	17. 1	16. 7
CLAI BORNE	34	4	30	21. 1	25. 0	20. 7
CLARKE	35	14	21	14. 5	11. 7	17. 2
CLAY	62	13	49	17. 8	11. 4	20. 9
COAHOMA	100	14	86	17. 8	15. 4	18. 2
COPI AH	75	20	55	18. 2	12. 6	21. 6
COVI NGTON	46	16	30	16. 1	10. 7	22. 2
DESOTO	178	134	44	10. 9	9. 7	17. 5
FORREST	156	60	96	14. 4	10. 0	19. 9
FRANKLI N	11	3	8	8. 2	4. 2	12. 9
GEORGE	62	50	12	17. 1	15. 2	34. 3
GREENE	16	10	6	9. 0	7. 4	14. 3
GRENADA	45	19	26	16. 4	13. 0	20. 3
HANCOCK	64	56	8	11. 7	11. 4	13. 8
HARRI SON	429	260	169	14. 1	12. 2	18. 9
HI NDS	787	122	665	20. 4	12. 3	23. 1
HOLMES	88	3	85	21. 4	6. 4	23. 4
HUMPHREYS	38	4	34	18. 7	12. 9	19. 8
I SSAQUENA	5	1	4	25. 0	16. 7	28. 6
I TAWAMBA	24	20	4	9. 2	8. 5	16. 0
JACKSON	221	145	76	11. 9	11. 0	14. 0
JASPER	40	14	26	15. 1	13. 5	16. 1
JEFFERSON	21	0	21	15. 0	-	15. 9
JEFF DAVI S	45	7	38	23. 0	12. 3	27. 3
JONES	130	62	68	12. 9	10. 0	17. 4
KEMPER	23	4	19	16. 5	10. 8	18. 6
LAFAYETTE	63	36	27	14. 1	14. 2	14. 0
LAMAR	66	54	12	11. 1	10. 7	13. 6
LAUDERDALE	182	68	114	15. 5	12. 0	18. 9
LAWRENCE	27	15	12	15. 7	13. 4	20. 0
LEAKE	53	22	31	16. 4	13. 9	18. 7
LEE	188	94	94	15. 4	11. 6	22. 9
LEFLORE	89	10	79	14. 7	9. 3	15. 8

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1999

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	55	26	29	11.8	8.4	18.2
LOWNDES	162	65	97	16.5	13.3	19.8
MADISON	199	72	127	17.0	12.0	22.4
MARION	44	18	26	11.5	8.1	16.4
MARSHALL	85	27	58	15.9	12.4	18.3
MONROE	68	39	29	13.5	12.8	14.6
MONTGOMERY	30	10	20	19.1	14.5	22.7
NESHOBA	69	26	43	13.9	9.8	18.7
NEWTON	43	13	30	14.2	8.0	21.4
NOXUBEE	60	7	53	23.9	12.1	27.5
OKTIBBEHA	70	24	46	13.1	9.2	16.7
PANOLA	113	32	81	19.2	13.5	22.9
PEARL RIVER	80	63	17	11.5	10.9	14.5
PERRY	35	21	14	17.7	15.6	22.2
PIKE	80	18	62	12.0	7.5	14.6
PONTOTOC	52	44	8	14.2	14.5	13.1
PRENTISS	54	46	8	16.6	17.0	14.8
QUITMAN	27	8	19	14.8	18.6	13.7
RANKIN	253	184	69	16.0	14.3	23.5
SCOTT	76	32	44	17.6	13.8	21.8
SHARKEY	20	2	18	17.7	13.3	18.4
SIMPSON	71	27	44	17.8	12.4	24.2
SMITH	24	14	10	12.6	11.5	14.5
STONE	28	17	11	13.1	11.3	17.2
SUNFLOWER	105	20	85	18.0	16.1	18.5
TALLAHATCHIE	27	6	21	13.0	10.5	14.0
TATE	51	29	22	13.7	12.6	15.6
TIPPAH	61	40	21	19.3	16.0	31.8
TISHOMINGO	27	27	0	11.3	11.5	-
TUNICA	28	2	26	17.3	8.0	19.0
UNION	60	44	16	15.5	14.4	20.0
WALTHALL	30	7	23	13.2	7.4	17.3
WARREN	146	58	88	17.2	15.3	18.8
WASHINGTON	167	24	143	15.1	9.7	16.7
WAYNE	40	9	31	12.6	6.2	18.0
WEBSTER	18	13	5	13.1	11.9	17.8
WILKINSON	21	1	20	16.7	3.3	20.8
WINSTON	47	14	33	16.0	11.3	19.4
YALOBUSHA	17	8	9	9.2	8.6	9.9
YAZOO	84	17	67	19.2	11.5	23.2

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>437</u>	<u>143</u>	<u>294</u>	<u>440</u>	<u>149</u>	<u>291</u>	<u>10.3</u>	<u>6.6</u>	<u>14.5</u>
ADAMS	5	2	3	3	1	2	6.4	6.9	6.2
ALCORN	7	7	0	6	5	1	14.4	14.2	15.9
AMITE	0	0	0	1	0	1	5.8	-	11.8
ATTALA	0	0	0	3	1	2	11.4	7.5	15.4
BENTON	0	0	0	1	1	0	7.8	15.2	-
BOLIVAR	8	0	8	7	0	7	10.6	-	13.9
CALHOUN	1	0	1	2	1	1	10.9	8.3	15.6
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	1	1	0	6	2	4	17.5	12.3	22.2
CHOCTAW	0	0	0	1	0	1	8.5	-	23.8
CLAYBORNE	1	0	1	2	0	2	12.4	-	13.8
CLARKE	0	0	0	5	2	3	20.7	16.7	24.6
CLAY	9	4	5	5	1	4	14.4	8.8	17.1
COAHOMA	10	0	10	5	0	5	8.9	-	10.6
COPIAH	0	0	0	6	0	6	14.5	-	23.5
COVINGTON	1	1	0	3	0	3	10.5	-	22.2
DESOTO	5	1	4	10	9	1	6.1	6.5	4.0
FORREST	24	11	13	10	7	3	9.2	11.7	6.2
FRANKLIN	0	0	0	1	1	0	7.5	13.9	-
GEORGE	1	0	1	2	1	1	5.5	3.0	28.6
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	2	0	2	3	0	3	10.9	-	23.4
HANCOCK	3	2	1	4	3	1	7.3	6.1	17.2
HARRISON	24	17	7	16	11	5	5.3	5.1	5.6
HINDS	111	19	92	48	6	42	12.4	6.0	14.6
HOLMES	0	0	0	4	0	4	9.7	-	11.0
HUMPHREYS	0	0	0	1	0	1	4.9	-	5.8
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	1	1	7.7	4.2	40.0
JACKSON	10	4	6	15	8	7	8.1	6.1	12.9
JASPER	0	0	0	2	2	0	7.5	19.2	-
JEFFERSON	0	0	0	1	1	0	7.1	125	-
JEFFERSON DAVIS	0	0	0	0	0	0	-	-	-
JONES	12	4	8	13	4	9	12.9	6.4	23.1
KEMPER	0	0	0	1	0	1	7.2	-	9.8
LAFAYETTE	6	2	4	4	1	3	8.9	3.9	15.5
LAMAR	3	0	3	3	1	2	5.0	2.0	22.7
LAUDERDALE	23	5	18	12	3	9	10.2	5.3	14.9
LAWRENCE	0	0	0	3	1	2	17.4	8.9	33.3
LEAKE	0	0	0	5	2	3	15.4	12.6	18.1
LEE	30	18	12	15	9	6	12.3	11.1	14.6
LEFLORE	7	0	7	8	1	7	13.2	9.3	14.0

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	5	2	10	5	5	21.4	16.2	31.4
LOWNDES	12	3	9	15	7	8	15.3	14.3	16.4
MADISON	3	0	3	4	0	4	3.4	-	7.1
MARION	1	0	1	4	1	3	10.5	4.5	18.9
MARSHALL	0	0	0	1	0	1	1.9	-	3.2
MONROE	5	2	3	3	1	2	6.0	3.3	10.1
MONTGOMERY	0	0	0	0	0	0	-	-	-
NESHOBA	0	0	0	4	1	3	8.1	3.8	13.0
NEWTON	0	0	0	5	0	5	16.6	-	35.7
NOXUBEE	0	0	0	2	0	2	8.0	-	10.4
OKTIBBEHA	10	0	10	7	0	7	13.1	-	25.4
PANOLA	3	0	3	5	1	4	8.5	4.2	11.3
PEARL RIVER	4	2	2	6	3	3	8.6	5.2	25.6
PERRY	0	0	0	2	0	2	10.1	-	31.7
PIKE	4	1	3	8	2	6	12.0	8.4	14.1
PONTOTOC	0	0	0	3	1	2	8.2	3.3	32.8
PRENTISS	1	0	1	6	5	1	18.5	18.4	18.5
QUITMAN	0	0	0	5	0	5	27.5	-	36.0
RANKIN	29	18	11	19	11	8	12.0	8.6	27.3
SCOTT	0	0	0	8	5	3	18.5	21.6	14.8
SHARKEY	0	0	0	2	0	2	17.7	-	20.4
SIMPSON	0	0	0	7	4	3	17.5	18.3	16.5
SMITH	0	0	0	1	0	1	5.2	-	14.5
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	8	1	7	9	0	9	15.4	-	19.6
TALLAHATCHIE	0	0	0	2	1	1	9.7	17.5	6.7
TATE	0	0	0	3	0	3	8.1	-	21.3
TIPPAH	0	0	0	2	2	0	6.3	8.0	-
TISHOMINGO	0	0	0	1	1	0	4.2	4.2	-
TUNICA	0	0	0	2	0	2	12.3	-	14.6
UNION	5	5	0	2	2	0	5.2	6.5	-
WALTHALL	0	0	0	1	0	1	4.4	-	7.5
WARREN	16	3	13	18	5	13	21.3	13.2	27.8
WASHINGTON	18	3	15	20	2	18	18.1	8.1	21.0
WAYNE	6	2	4	4	1	3	12.6	6.9	17.4
WEBSTER	0	0	0	2	0	2	14.6	-	71.4
WILKINSON	0	0	0	0	0	0	-	-	-
WINSTON	1	0	1	3	0	3	10.2	-	17.6
YALOBUSHA	0	0	0	0	0	0	-	-	-
YAZOO	0	0	0	5	2	3	11.4	13.5	10.4
OUT OF STATE	18	13	5	15	7	8			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	27,444	18,198	9,246	28,090	18,693	9,397	10.1	10.8	9.0
ADAMS	514	271	243	442	232	210	13.1	14.2	12.1
ALCORN	386	356	30	424	382	42	12.8	13.2	10.0
AMITE	50	25	25	130	69	61	9.3	9.5	9.2
ATTALA	194	146	48	254	179	75	13.8	17.0	9.6
BENTON	35	28	7	94	69	25	11.6	14.6	7.5
BOLIVAR	376	129	247	436	162	274	10.9	11.8	10.5
CALHOUN	109	78	31	193	149	44	13.0	14.1	10.1
CARROLL	39	27	12	95	68	27	9.5	11.8	6.4
CHICKASAW	147	111	36	228	156	72	12.6	14.7	9.6
CHOCTAW	64	45	19	105	74	31	11.2	11.7	10.2
CLABORNE	73	31	42	115	34	81	9.9	17.0	8.4
CLARKE	137	93	44	199	137	62	10.8	11.8	9.1
CLAY	171	95	76	221	120	101	10.2	12.6	8.3
COAHOMA	362	139	223	358	146	212	11.5	14.2	10.2
COPIAH	194	91	103	312	150	162	10.8	11.1	10.6
COVINGTON	134	101	33	183	135	48	10.2	12.1	7.1
DESOTO	611	502	109	755	663	92	7.4	7.6	6.1
FORREST	1,187	869	318	769	547	222	10.3	11.1	8.6
FRANKLIN	77	51	26	93	66	27	11.4	13.3	8.4
GEORGE	147	130	17	188	169	19	9.3	9.4	8.5
GREENE	45	40	5	88	74	14	7.0	8.2	3.9
GRENADA	299	204	95	286	187	99	12.7	14.9	10.0
HANCOCK	336	295	41	445	404	41	10.7	10.9	9.1
HARRISON	2,004	1,655	349	1,758	1,448	310	9.8	10.8	6.9
HINDS	4,031	2,168	1,863	2,340	1,149	1,191	9.5	10.2	8.9
HOLMES	170	53	117	255	78	177	11.8	15.9	10.6
HUMPHREYS	83	27	56	134	51	83	11.9	15.1	10.6
ISSAQUENA	8	8	0	13	9	4	8.0	13.4	4.1
ITAWAMBA	154	148	6	256	246	10	12.1	12.7	5.8
JACKSON	1,016	823	193	1,103	897	206	8.3	8.8	6.5
JASPER	77	50	27	175	97	78	9.7	11.5	8.0
JEFFERSON	48	11	37	92	20	72	11.0	18.1	9.9
JEFF DAVIS	103	53	50	145	72	73	10.5	12.3	9.2
JONES	562	420	142	657	512	145	10.4	11.2	8.4
KEMPER	38	19	19	93	51	42	8.9	12.0	6.7
LAFAYETTE	495	369	126	278	214	64	8.0	8.8	6.0
LAMAR	352	294	58	283	251	32	7.4	7.6	6.0
LAUDERDALE	1,332	875	457	939	653	286	12.4	13.8	9.9
LAWRENCE	93	62	31	137	93	44	10.5	11.1	9.4
LEAKE	169	114	55	239	142	97	12.2	12.6	11.6
LEE	1,461	1,143	318	720	572	148	9.6	10.0	8.2
LEFLORE	525	215	310	419	178	241	11.4	13.4	10.3

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1999

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	412	302	110	452	327	125	14.1	15.1	11.9
LOWNDES	527	316	211	499	289	210	8.2	8.0	8.6
MADISON	380	236	144	627	388	239	8.4	9.9	6.7
MARION	244	176	68	329	230	99	12.4	12.9	11.3
MARSHALL	204	97	107	358	178	180	11.1	11.8	10.5
MONROE	296	196	100	400	270	130	10.5	10.5	10.3
MONTGOMERY	126	83	43	152	90	62	12.3	13.6	10.8
NESHOPA	181	124	57	290	211	79	10.5	11.6	8.3
NEWTON	201	136	65	235	158	77	10.8	11.2	10.1
NOXUBEE	103	32	71	146	45	101	11.7	12.1	11.5
OKTIBBEHA	252	155	97	286	168	118	7.2	7.1	7.3
PANOLA	222	134	88	348	200	148	10.3	12.1	8.5
PEARL RIVER	304	263	41	409	357	52	8.5	8.9	6.6
PERRY	75	57	18	128	94	34	10.6	10.5	11.1
PIKE	407	235	172	429	241	188	11.3	12.3	10.2
PONTOTOC	127	117	10	241	209	32	9.4	9.8	7.4
PRENTISS	160	147	13	245	223	22	10.0	10.5	6.6
QUITMAN	83	41	42	130	65	65	13.3	17.4	10.8
RANKIN	640	496	144	790	635	155	7.0	7.0	7.1
SCOTT	209	149	60	306	206	100	12.3	13.9	9.9
SHARKEY	57	27	30	65	29	36	9.9	14.2	8.0
SIMPSON	225	169	56	286	206	80	11.3	12.5	9.0
SMITH	73	57	16	187	147	40	12.1	12.6	10.7
STONE	86	72	14	150	125	25	11.1	12.3	7.6
SUNFLOWER	257	95	162	323	123	200	9.7	11.4	8.9
TALLAHATCHIE	77	49	28	158	83	75	10.8	14.7	8.4
TATE	149	106	43	234	170	64	9.6	11.1	7.0
TIPPAH	183	152	31	257	220	37	12.2	12.8	9.5
TISHOMINGO	174	164	10	258	248	10	13.8	13.8	12.1
TUNICA	59	26	33	103	39	64	13.0	21.4	10.5
UNION	210	190	20	243	215	28	10.1	10.7	7.1
WALTHALL	122	91	31	167	118	49	11.8	15.1	7.6
WARREN	578	311	267	527	298	229	10.7	10.5	11.0
WASHINGTON	729	280	449	685	262	423	10.6	10.4	10.8
WAYNE	184	121	63	207	141	66	10.0	11.1	8.3
WEBSTER	113	93	20	133	111	22	12.5	13.7	8.7
WILKINSON	101	47	54	122	43	79	13.5	15.6	12.6
WINSTON	186	124	62	248	169	79	12.9	15.9	9.2
YALOBUSHA	73	50	23	160	106	54	12.7	14.1	10.6
YAZOO	247	118	129	328	151	177	13.0	13.4	12.7
OUT OF STATE	1,588	1,153	435	942	658	284			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
 DEATHS - MISSISSIPPI - 1999

TOWN**	NUMBER		
	TOTAL	WHITE	NON- WHITE
BI LOXI	426	353	73
BRANDON	227	206	21
BROOKHAVEN	295	207	88
CANTON	135	40	95
CLARKSDALE	274	113	161
CLEVELAND	161	71	90
CLINTON	172	134	38
COLUMBUS	303	160	143
CORINTH	219	183	36
GAUTIER	92	78	14
GREENVILLE	484	189	295
GREENWOOD	245	98	147
GRENADA	220	139	81
GULFPORT	748	569	179
HATTIESBURG	518	316	202
INDIANOLA	118	47	71
JACKSON	1,860	867	993
LAUREL	257	173	84
LONG BEACH	124	117	7
MCCOMB	216	126	90
MERIDIAN	643	411	232
MOSS POINT	183	83	100
NATCHEZ	302	152	150
OCEAN SPRINGS	227	205	22
PASCAGOULA	265	210	55
PEARL	120	98	22
PI CAYUNE	115	78	37
RIDGELAND	206	161	45
SOUTHAVEN	246	235	11
STARKVILLE	144	85	59
TUPELO	383	296	87
VICKSBURG	403	202	201
YAZOO CITY	202	75	127

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES*)
MISSISSIPPI RESIDENTS, 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,090</u>	<u>18,693</u>	<u>9,397</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>720</u>	<u>364</u>	<u>356</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>6</u>	<u>5</u>	<u>1</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>4</u>	<u>3</u>	<u>1</u>
007	Intestinal infections due to other specified organisms	4	3	1
008	Diarrhea and gastroenteritis of presumed infectious origin	2	2	0
<u>009-010</u>	<u>Tuberculosis</u>	<u>13</u>	<u>3</u>	<u>10</u>
009	Respiratory tuberculosis	13	3	10
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>447</u>	<u>267</u>	<u>180</u>
017	Meningococcal infection	2	2	0
018	Septicemia	426	253	173
019	Other zoonotic and bacterial diseases	19	12	7
<u>028-044</u>	<u>Viral diseases</u>	<u>189</u>	<u>48</u>	<u>141</u>
033	Herpesviral (herpes simplex) infections	4	1	3
034	Zoster (herpes zoster)	1	1	0
038	Viral hepatitis	26	20	6
<u>039-043</u>	<u>Human immunodeficiency virus (HIV) disease</u>	<u>153</u>	<u>22</u>	<u>131</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	71	10	61
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	8	1	7
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	6	0	6
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	38	6	32
043	Unspecified human immunodeficiency virus (HIV) disease	30	5	25
044	All other and unspecified viral diseases	5	4	1
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>65</u>	<u>41</u>	<u>24</u>
045	Mycoses	23	9	14
<u>046-050</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
049	Pneumocystosis	2	2	0
053	Sequelae of tuberculosis	4	2	2
054	Sequelae of poliomyelitis	2	2	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	34	26	8
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,225</u>	<u>4,264</u>	<u>1,961</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,131</u>	<u>4,197</u>	<u>1,934</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>108</u>	<u>61</u>	<u>47</u>
057	Of tongue	12	6	6
058	Of pharynx	78	43	35
059	Of other and unspecified sites within the lip	18	12	6
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,375</u>	<u>876</u>	<u>499</u>
060	Of esophagus	103	66	37
061	Of stomach	148	62	86

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
062	Of small intestine	10	7	3
063	Colon	498	316	182
064	Rectosigmoid junction and rectum	79	56	23
065	Anus and anal canal	3	3	0
066	Liver	135	96	39
067	Intrahepatic bile duct carcinoma	14	10	4
068	Of gallbladder and extrahepatic bile ducts	31	24	7
069	Of pancreas	330	218	112
070	Of other and ill-defined digestive organs	24	18	6
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,954</u>	<u>1,434</u>	<u>520</u>
071	Of nasal cavity, middle ear and accessory sinuses	9	8	1
072	Of larynx	38	21	17
073	Of trachea, bronchus and lung	1,906	1,404	502
074	Of thymus, heart, mediastinum and pleura	1	1	0
076	Malignant neoplasms of bone and articular cartilage	33	22	11
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>69</u>	<u>63</u>	<u>6</u>
077	Malignant melanoma of skin	53	51	2
078	Other malignant neoplasms of skin	16	12	4
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>54</u>	<u>46</u>	<u>8</u>
079	Mesothelioma	20	20	0
081	Of other mesothelial and soft tissue	34	26	8
082	Malignant neoplasm of breast	429	266	163
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>278</u>	<u>163</u>	<u>115</u>
083	Of vulva and vagina	8	7	1
084	Of cervix uteri	69	33	36
085	Of corpus uteri and uterus, part unspecified	60	27	33
086	Of ovary	136	94	42
087	Of other and unspecified female genital organs	5	2	3
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>431</u>	<u>216</u>	<u>215</u>
089	Of prostate	425	210	215
090	Of testis	5	5	0
091	Of penis and other and unspecified male genital organs	1	1	0
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>245</u>	<u>182</u>	<u>63</u>
092	Of kidney and renal pelvis	131	95	36
093	Of bladder	110	83	27
094	Of other and unspecified sites within the urinary tract	4	4	0
095	Malignant neoplasm of eye and adnexa	2	2	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>173</u>	<u>139</u>	<u>34</u>
096	Of brain	171	138	33
097	Of other parts of central nervous system	2	1	1
098	Malignant neoplasms of thyroid and other endocrine glands	30	18	12
099	Other malignant neoplasms of other and unspecified sites	420	304	116
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>530</u>	<u>405</u>	<u>125</u>
100	Hodgkin's disease	16	13	3
101	Non-Hodgkin's lymphoma	201	161	40

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
102	Of other and unspecified lymphoid, hematopoietic and related tissue	1	0	1
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	101	65	36
(105-108)	(Leukemia)	<u>210</u>	<u>165</u>	<u>45</u>
105	Lymphoid leukemia	57	43	14
106	Myeloid leukemia	82	62	20
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	69	58	11
<u>111-113</u>	<u>Benign neoplasms</u>	<u>19</u>	<u>13</u>	<u>6</u>
112	Of eye, brain and other parts of central nervous system	8	6	2
113	Of other and unspecified sites	11	7	4
114	Neoplasms of uncertain or unknown behavior of specified sites	70	53	17
115	Neoplasm of uncertain or unknown behavior of unspecified sites	5	1	4
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>107</u>	<u>57</u>	<u>50</u>
<u>116-119</u>	<u>Anemias</u>	<u>50</u>	<u>21</u>	<u>29</u>
116	Nutritional anemias	4	2	2
117	Hemolytic anemias	13	0	13
118	Aplastic anemias	7	5	2
119	Acute posthemorrhagic and other anemias	26	14	12
120	Coagulation defects, purpura and other hemorrhagic conditions	33	24	9
121	Other diseases of blood and blood-forming organs	10	7	3
122	Certain disorders involving the immune mechanism	14	5	9
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>832</u>	<u>466</u>	<u>366</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>600</u>	<u>331</u>	<u>269</u>
123	Disorders of thyroid gland	6	5	1
124	Diabetes mellitus	589	325	264
125	Disorders of pituitary gland	1	1	0
128	Other endocrine diseases	4	0	4
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>51</u>	<u>28</u>	<u>23</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>46</u>	<u>25</u>	<u>21</u>
129	Nutritional marasmus	2	0	2
130	Other and unspecified malnutrition	44	25	19
131	Other nutritional deficiencies	5	3	2
132	Obesity and other hyperalimentation	30	14	16
<u>133-135</u>	<u>Metabolic disorders</u>	<u>151</u>	<u>93</u>	<u>58</u>
133	Cystic fibrosis	7	6	1
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	122	73	49
135	Other metabolic disorders	22	14	8
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>247</u>	<u>166</u>	<u>81</u>

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
136	Organic dementia	118	81	37
137	Other and unspecified organic mental disorders	38	29	9
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>73</u>	<u>43</u>	<u>30</u>
138	Mental and behavioral disorders due to use of alcohol	58	35	23
139	Mental and behavioral disorders due to other psychoactive substance abuse	15	8	7
140	Schizophrenia, schizotypal and delusional disorders	3	2	1
141	Mood (affective) disorders	6	6	0
143	Mental retardation	6	3	3
144	Other and unspecified mental and behavioral disorders	3	2	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>738</u>	<u>564</u>	<u>174</u>
145	Meningitis	16	9	7
146	Other inflammatory diseases of central nervous system	5	0	5
147	Parkinson's disease	118	104	14
148	Alzheimer's disease	351	290	61
149	Multiple sclerosis	16	11	5
150	Epilepsy	29	12	17
151	Transient cerebral ischemic attacks and related syndromes	3	2	1
152	Infantile cerebral palsy	4	3	1
153	All other diseases of nervous system	196	133	63
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,784</u>	<u>7,955</u>	<u>3,829</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>11,742</u>	<u>7,933</u>	<u>3,809</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>15</u>	<u>11</u>	<u>4</u>
157	Rheumatic mitral valve diseases	13	11	2
160	Other chronic rheumatic heart diseases	2	0	2
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>803</u>	<u>391</u>	<u>412</u>
161	Essential (primary) hypertension	173	99	74
162	Hypertensive heart disease	502	245	257
163	Hypertensive renal disease	76	27	49
164	Hypertensive heart and renal disease	52	20	32
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>5,868</u>	<u>4,122</u>	<u>1,746</u>
165	Acute myocardial infarction	2,656	1,770	886
166	Other acute ischemic heart diseases	9	8	1
167	Atherosclerotic cardiovascular disease, so described	1,185	824	361
168	All other forms of chronic ischemic heart disease	2,018	1,520	498
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>205</u>	<u>117</u>	<u>88</u>
169	Pulmonary embolism	169	99	70
170	Other pulmonary heart disease and diseases of pulmonary circulation	36	18	18

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,667</u>	<u>1,831</u>	<u>836</u>
171	Acute and subacute endocarditis	6	5	1
172	Diseases of pericardium and acute myocarditis	9	6	3
173	Nonrheumatic mitral valve disorders	26	19	7
174	Nonrheumatic aortic valve disorders	82	67	15
175	All other diseases of endocardium	22	15	7
176	Cardiomyopathy	312	191	121
177	Conduction disorders and cardiac dysrhythmias	764	496	268
178	Congestive heart failure	1,129	829	300
179	Other and unspecified heart failure	113	76	37
180	Myocarditis, unspecified and myocardial degeneration	3	3	0
181	All other and ill-defined forms of heart disease	201	124	77
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,849</u>	<u>1,229</u>	<u>620</u>
182	Subarachnoid hemorrhage	77	49	28
183	Intracerebral and other intracranial hemorrhage	306	203	103
184	Cerebral infarction	115	75	40
185	Stroke, not specified as hemorrhage or infarction	1,107	738	369
186	Other cerebrovascular diseases and their sequelae	244	164	80
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>335</u>	<u>232</u>	<u>103</u>
187	Atherosclerosis	100	72	28
188	Aortic aneurysm and dissection	137	102	35
189	Other diseases of arteries, arterioles and capillaries	98	58	40
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>42</u>	<u>22</u>	<u>20</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	22	10	12
191	All other and unspecified disorders of circulatory system	20	12	8
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,545</u>	<u>1,945</u>	<u>600</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>3</u>	<u>2</u>	<u>1</u>
194	Other and unspecified acute upper respiratory infections	3	2	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,542</u>	<u>1,943</u>	<u>599</u>
195	Influenza	6	5	1
<u>196-198</u>	<u>Pneumonia</u>	<u>790</u>	<u>566</u>	<u>224</u>
196	Viral pneumonia, not elsewhere classified	13	5	8
197	Bacterial pneumonia	36	30	6
198	Pneumonia due to other or unspecified organisms	741	531	210
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>10</u>	<u>7</u>	<u>3</u>
199	Acute bronchitis and bronchiolitis	8	5	3
200	Unspecified acute lower respiratory infection	2	2	0
201	Other diseases of upper respiratory tract	1	0	1
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,262</u>	<u>1,033</u>	<u>229</u>

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
202	Bronchitis, not specified as acute or chronic	11	9	2
203	Chronic bronchitis	9	7	2
204	Emphysema	179	152	27
205	Other chronic obstructive pulmonary disease	1,014	847	167
206	Asthma	41	11	30
207	Bronchiectasis	8	7	1
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>193</u>	<u>125</u>	<u>68</u>
208	Pneumoconioses and chemical effects	5	5	0
209	Pneumonitis due to food and vomit	187	120	67
211	Other lung diseases due to external agents	1	0	1
212	Suppurative and necrotic conditions of lower respiratory tract	7	5	2
213	Pleural effusion and plaque	10	6	4
214	All other diseases of respiratory system	263	196	67
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>915</u>	<u>658</u>	<u>257</u>
215	Diseases of oral cavity, salivary glands and jaws	1	0	1
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>914</u>	<u>658</u>	<u>256</u>
216	Diseases of esophagus	16	10	6
<u>217-220</u>	<u>Peptic ulcer</u>	<u>39</u>	<u>27</u>	<u>12</u>
217	Gastric ulcer	11	7	4
218	Duodenal ulcer	16	14	2
219	Peptic ulcer, site unspecified	12	6	6
221	Gastritis and duodenitis	3	2	1
222	Dyspepsia and other diseases of stomach and duodenum	12	10	2
223	Diseases of appendix	1	1	0
224	Hernia	15	13	2
225	Crohn's disease and ulcerative colitis	9	7	2
226	Vascular disorders and obstruction of intestine without hernia	161	122	39
227	Diverticular disease of intestine	37	31	6
228	Other diseases of intestines and peritoneum	44	31	13
229	Diseases of peritoneum	24	15	9
<u>230-233</u>	<u>Diseases of liver</u>	<u>351</u>	<u>246</u>	<u>105</u>
230	Alcoholic liver disease	88	59	29
231	Chronic hepatitis, not elsewhere classified	4	1	3
232	Fibrosis and cirrhosis of liver	156	114	42
233	Other diseases of liver	103	72	31
234	Cholelithiasis and other disorders of gallbladder	24	14	10
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>61</u>	<u>44</u>	<u>17</u>
235	Pancreatitis	52	36	16
236	Other disorders of biliary tract and pancreas	9	8	1
237	All other diseases of digestive system	117	85	32
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>57</u>	<u>22</u>	<u>35</u>
238	Infections of skin and subcutaneous tissue	8	4	4
239	Other and unspecified diseases of skin and subcutaneous tissue	49	18	31

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>85</u>	<u>46</u>	<u>39</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	15	9	6
241	Systemic lupus erythematosus	16	6	10
242	Other arthropathies and related disorders	31	17	14
243	Dorsopathies	7	5	2
244	Soft tissue disorders	9	5	4
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>7</u>	<u>4</u>	<u>3</u>
245	Osteoporosis	3	3	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system	4	1	3
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>870</u>	<u>475</u>	<u>395</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>861</u>	<u>469</u>	<u>392</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>10</u>	<u>3</u>	<u>7</u>
248	Nephrotic syndrome	3	1	2
249	Other and unspecified glomerular diseases	7	2	5
250	Renal tubulo-interstitial diseases	20	13	7
251	Renal failure	609	310	299
252	Urolithiasis	2	2	0
253	Other and unspecified disorders of kidney	1	1	0
254	Urinary tract infection, site not specified	198	125	73
255	Other diseases of urinary system	21	15	6
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>4</u>	<u>3</u>	<u>1</u>
256	Hyperplasia of prostate	4	3	1
258	Disorders of breast	2	1	1
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>3</u>	<u>2</u>	<u>1</u>
259	Inflammatory diseases of female pelvic organs	3	2	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>6</u>	<u>2</u>	<u>4</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>2</u>	<u>0</u>	<u>2</u>
266	Eclampsia and pre-eclampsia	1	0	1
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
268	Obstetric embolism	1	0	1
270	All other direct obstetric causes	1	1	0
272	Other deaths related to pregnancy, childbirth	1	0	1
273	Indirect obstetric deaths	2	1	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>215</u>	<u>68</u>	<u>147</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	31	11	20
275	Disorders related to short gestation and low birth weight, not elsewhere classified	81	21	60
277	Intrauterine hypoxia and birth asphyxia	5	2	3
278	Respiratory distress of newborn	17	5	12

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
279	Other respiratory conditions originating in the perinatal period	21	10	11
280	Infections specific to the perinatal period	17	5	12
281	Other and unspecified conditions originating in the perinatal period	43	14	29
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>107</u>	<u>53</u>	<u>54</u>
284	All other congenital malformations of nervous system	12	3	9
285	Congenital malformations of heart	38	18	20
286	Other congenital malformations of circulatory system	5	3	2
287	Congenital malformations of respiratory system	14	7	7
288	Other congenital malformations and deformations	26	16	10
289	Down's syndrome	6	3	3
290	All other chromosomal abnormalities, not elsewhere classified	6	3	3
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>290</u>	<u>158</u>	<u>132</u>
291	Senility	9	7	2
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>107</u>	<u>55</u>	<u>52</u>
292	Sudden infant death syndrome	62	26	36
293	Other ill-defined and unknown causes of mortality	45	29	16
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	174	96	78
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,345</u>	<u>1,429</u>	<u>916</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,639</u>	<u>1,036</u>	<u>603</u>
295	Railway accidents	9	8	1
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>954</u>	<u>591</u>	<u>363</u>
296	Pedestrian involved in collision with motor vehicle	58	21	37
297	Pedal cyclist involved in collision with motor vehicle	6	4	2
298	Motorcyclist involved in any accident except collision with railway train	17	9	8
300	Other motor vehicle accident involving collision with railway train	19	16	3
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	230	138	92
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	327	199	128
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	9	9	0

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
304	Occupant of motor vehicle involved in noncollision accident	139	91	48
305	Occupant of special-use motor vehicle involved in any accident	35	26	9
306	Other and unspecified motor vehicle accidents	114	78	36
308	Other and unspecified land transport accidents	8	7	1
309	Water transport accidents	25	15	10
310	Air and space transport accidents	4	4	0
311	Other and unspecified transport accidents and their sequelae	8	4	4
<u>312-314</u>	<u>Falls</u>	<u>151</u>	<u>125</u>	<u>26</u>
312	Fall on same level	21	18	3
313	Fall from one level to another	26	23	3
314	Unspecified fall	104	84	20
315	Accidental discharge of firearms	41	26	15
316	Accidental explosion	2	1	1
317	Accidental drowning and submersion	57	29	28
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	74	47	27
319	Other accidental and unspecified threats to breathing	16	8	8
320	Accidental exposure to electric current	8	5	3
322	Accidental exposure to smoke, fire and flames	83	38	45
323	Accidental contact with heat and hot substances	5	2	3
324	Lightning	2	2	0
326	Cataclysmic storm and flood	2	0	2
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>63</u>	<u>48</u>	<u>15</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	59	47	12
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	1	0	1
329	Accidental poisoning by and exposure to other gases and vapors	3	1	2
330	All other and unspecified accidents and their sequelae	127	76	51
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>305</u>	<u>246</u>	<u>59</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	20	19	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	3	3	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	30	21	9
335	Intentional self-harm (suicide) by discharge of firearms	245	200	45
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	7	3	4
<u>338-346</u>	<u>Assault (homicide)</u>	<u>312</u>	<u>89</u>	<u>223</u>
339	Assault (homicide) by hanging, strangulation and suffocation	11	6	5
340	Assault (homicide) by discharge of firearms	214	55	159

Table 10A - Page 10
 Deaths - Mississippi - 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
341	Assault (homicide) by sharp object	42	10	32
342	Assault (homicide) by blunt object	9	4	5
343	Assault (homicide) by bodily force	2	1	1
345	Neglect, abandonment and other maltreatment syndromes	3	0	3
346	Assault (homicide) by all other and unspecified means and their sequelae	31	13	18
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>30</u>	<u>21</u>	<u>9</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	7	6	1
350	Discharge of firearms, undetermined intent	10	6	4
351	Falling, jumping or pushed from a high place, undetermined intent	1	0	1
352	All other and unspecified events of undetermined intent and their sequelae	12	9	3
<u>353-354</u>	<u>Legal intervention</u>	<u>5</u>	<u>2</u>	<u>3</u>
354	Other legal intervention and their sequelae	5	2	3
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>54</u>	<u>35</u>	<u>19</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	2	2	0
357	Misadventures to patients during medical and surgical care and their sequelae	5	2	3
358	Other complications of medical and surgical care and their sequelae	47	31	16

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1999**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,090</u>	<u>18,693</u>	<u>9,397</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>720</u>	<u>364</u>	<u>356</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>6</u>	<u>5</u>	<u>1</u>
A04	Other bacterial intestinal infections	4	3	1
A09	Diarrhea and gastroenteritis of presumed infectious origin	2	2	0
<u>A15-A19</u>	<u>Tuberculosis</u>	<u>13</u>	<u>3</u>	<u>10</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	13	3	10
<u>A20-A28</u>	<u>Certain zoonotic bacterial diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
A28	Other zoonotic bacterial diseases, not elsewhere classified	1	1	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>446</u>	<u>266</u>	<u>180</u>
A31	Infection due to other mycobacteria	2	2	0
A32	Listeriosis	1	0	1
A39	Meningococcal infection	2	2	0
A40	Streptococcal septicemia	7	2	5
A41	Other septicemia	419	251	168
A48	Other bacterial diseases, not elsewhere classified	3	2	1
A49	Bacterial infection of unspecified site	12	7	5
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>5</u>	<u>2</u>	<u>3</u>
B00	Herpes-viral [herpes simplex] infections	4	1	3
B02	Zoster [herpes zoster]	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>26</u>	<u>20</u>	<u>6</u>
B15	Acute hepatitis A	1	1	0
B16	Acute hepatitis B	2	2	0
B17	Other acute viral hepatitis	17	14	3
B18	Chronic viral hepatitis	5	3	2
B19	Unspecified viral hepatitis	1	0	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>153</u>	<u>22</u>	<u>131</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	71	10	61
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	8	1	7
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	6	0	6
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	38	6	32
B24	Unspecified human immunodeficiency virus [HIV] disease	30	5	25
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>5</u>	<u>4</u>	<u>1</u>
B25	Cytomegaloviral disease	1	0	1
B33	Other viral diseases, not elsewhere classified	1	1	0
B34	Viral infection of unspecified site	3	3	0
<u>B35-B49</u>	<u>Mycoses</u>	<u>23</u>	<u>9</u>	<u>14</u>
B37	Candidiasis	7	2	5
B39	Histoplasmosis	1	1	0
B40	Blastomycosis	3	1	2
B44	Aspergillosis	3	1	2

Table 10B - Page 2
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
B45	Cryptococcosis	3	3	0
B46	Zygomycosis	1	0	1
B49	Unspecified mycosis	5	1	4
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
B59	Pneumocystosis	2	2	0
<u>B90-B94</u>	<u>Sequelae of infectious and parasitic diseases</u>	<u>38</u>	<u>28</u>	<u>10</u>
B90	Sequelae of tuberculosis	4	2	2
B91	Sequelae of poliomyelitis	2	2	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	32	24	8
B99	Other and unspecified infectious diseases	2	2	0
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,225</u>	<u>4,264</u>	<u>1,961</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,131</u>	<u>4,197</u>	<u>1,934</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>108</u>	<u>61</u>	<u>47</u>
C02	Malignant neoplasm of other and unspecified parts of tongue	12	6	6
C03	Malignant neoplasm of gum	1	1	0
C04	Malignant neoplasm of floor of mouth	1	1	0
C06	Malignant neoplasm of other and unspecified parts of mouth	8	4	4
C07	Malignant neoplasm of parotid gland	4	2	2
C08	Malignant neoplasm of other and unspecified major salivary glands	1	1	0
C09	Malignant neoplasm of tonsil	3	3	0
C10	Malignant neoplasm of oropharynx	6	5	1
C11	Malignant neoplasm of nasopharynx	5	3	2
C12	Malignant neoplasm of pyriform sinus	3	3	0
C13	Malignant neoplasm of hypopharynx	4	1	3
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	60	31	29
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,375</u>	<u>876</u>	<u>499</u>
C15	Malignant neoplasm of esophagus	103	66	37
C16	Malignant neoplasm of stomach	148	62	86
C17	Malignant neoplasm of small intestine	10	7	3
C18	Malignant neoplasm of colon	498	316	182
C19	Malignant neoplasm of rectosigmoid junction	18	12	6
C20	Malignant neoplasm of rectum	61	44	17
C21	Malignant neoplasm of anus and anal canal	3	3	0
C22	Malignant neoplasm of liver and intrahepatic bile ducts	149	106	43
C23	Malignant neoplasm of gallbladder	21	16	5
C24	Malignant neoplasm of other and unspecified parts of biliary tract	10	8	2
C25	Malignant neoplasm of pancreas	330	218	112
C26	Malignant neoplasm of other and ill-defined digestive organs	24	18	6
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,954</u>	<u>1,434</u>	<u>520</u>
C30	Malignant neoplasm of nasal cavity and middle ear	1	1	0
C31	Malignant neoplasm of accessory sinuses	8	7	1
C32	Malignant neoplasm of larynx	38	21	17

Table 10B - Page 3
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
C33	Malignant neoplasm of trachea	1	1	0
C34	Malignant neoplasm of bronchus and lung	1,905	1,403	502
C38	Malignant neoplasm of heart, mediastinum, and pleura	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>33</u>	<u>22</u>	<u>11</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	33	22	11
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>69</u>	<u>63</u>	<u>6</u>
C43	Malignant melanoma of skin	53	51	2
C44	Other malignant neoplasms of skin	16	12	4
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>54</u>	<u>46</u>	<u>8</u>
C45	Mesothelioma	20	20	0
C48	Malignant neoplasm of retroperitoneum and peritoneum	8	6	2
C49	Malignant neoplasm of other connective and soft tissue	26	20	6
C50	Malignant neoplasm of breast	429	266	163
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>278</u>	<u>163</u>	<u>115</u>
C51	Malignant neoplasm of vulva	6	5	1
C52	Malignant neoplasm of vagina	2	2	0
C53	Malignant neoplasm of cervix uteri	69	33	36
C54	Malignant neoplasm of corpus uteri	31	14	17
C55	Malignant neoplasm of uterus, part unspecified	29	13	16
C56	Malignant neoplasm of ovary	136	94	42
C57	Malignant neoplasm of other and unspecified female genital organs	5	2	3
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>431</u>	<u>216</u>	<u>215</u>
C60	Malignant neoplasm of penis	1	1	0
C61	Malignant neoplasm of prostate	425	210	215
C62	Malignant neoplasm of testis	5	5	0
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>245</u>	<u>182</u>	<u>63</u>
C64	Malignant neoplasm of kidney, except renal pelvis	127	92	35
C65	Malignant neoplasm of renal pelvis	4	3	1
C66	Malignant neoplasm of ureter	2	2	0
C67	Malignant neoplasm of bladder	110	83	27
C68	Malignant neoplasm of other and unspecified urinary organs	2	2	0
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>175</u>	<u>141</u>	<u>34</u>
C69	Malignant neoplasm of eye and adnexa	2	2	0
C71	Malignant neoplasm of brain	171	138	33
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	2	1	1
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>30</u>	<u>18</u>	<u>12</u>
C73	Malignant neoplasm of thyroid gland	15	11	4
C74	Malignant neoplasm of adrenal gland	8	5	3
C75	Malignant neoplasm of other endocrine glands and related structures	7	2	5

Table 10B - Page 4
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>352</u>	<u>252</u>	<u>100</u>
C76	Malignant neoplasm of other and ill-defined sites	51	35	16
C77	Secondary and unspecified malignant neoplasm of lymph nodes	2	2	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	37	28	9
C79	Secondary malignant neoplasm of other sites	23	15	8
C80	Malignant neoplasm without specification of site	239	172	67
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>530</u>	<u>405</u>	<u>125</u>
C81	Hodgkins disease	16	13	3
C82	Follicular [nodular] non-Hodgkins lymphoma	3	3	0
C83	Diffuse non-Hodgkins lymphoma	21	17	4
C84	Peripheral and cutaneous T-cell lymphomas	10	8	2
C85	Other and unspecified types of non-Hodgkins lymphoma	167	133	34
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	101	65	36
C91	Lymphoid leukemia	57	43	14
C92	Myeloid leukemia	82	62	20
C93	Monocytic leukemia	2	2	0
C94	Other leukemias of specified cell type	2	2	0
C95	Leukemia of unspecified cell type	67	56	11
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	0	1
C97	Malignant neoplasms of independent (primary) multiple sites	68	52	16
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>19</u>	<u>13</u>	<u>6</u>
D13	Benign neoplasm of other and ill-defined parts of digestive system	4	3	1
D15	Benign neoplasm of other and unspecified intrathoracic organs	1	1	0
D18	Hemangioma and lymphangioma, any site	3	3	0
D21	Other benign neoplasms of connective and other soft tissue	1	0	1
D32	Benign neoplasm of meninges	3	3	0
D33	Benign neoplasm of brain and other parts of central nervous system	5	3	2
D35	Benign neoplasm of other and unspecified endocrine glands	1	0	1
D36	Benign neoplasm of other and unspecified sites	1	0	1
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>75</u>	<u>54</u>	<u>21</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	5	3	2
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	3	2	1
D41	Neoplasm of uncertain or unknown behavior of urinary organs	1	1	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	19	14	5

Table 10B - Page 5
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
D45	Polycythemia vera	2	1	1
D46	Myelodysplastic syndromes	29	23	6
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	11	9	2
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	5	1	4
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>107</u>	<u>57</u>	<u>50</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>4</u>	<u>2</u>	<u>2</u>
D50	Iron deficiency anemia	1	1	0
D51	Vitamin B-12 deficiency anemia	2	1	1
D53	Other nutritional anemias	1	0	1
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>13</u>	<u>0</u>	<u>13</u>
D57	Sickle-cell disorders	13	0	13
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>33</u>	<u>19</u>	<u>14</u>
D61	Other aplastic anemias	7	5	2
D64	Other anemias	26	14	12
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>33</u>	<u>24</u>	<u>9</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	7	7	0
D66	Hereditary factor VIII deficiency	1	1	0
D68	Other coagulation defects	17	9	8
D69	Purpura and other hemorrhagic conditions	8	7	1
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>10</u>	<u>7</u>	<u>3</u>
D70	Agranulocytosis	7	4	3
D71	Functional disorders of polymorphonuclear neutrophils	1	1	0
D72	Other disorders of white blood cells	1	1	0
D75	Other diseases of blood and blood-forming organs	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>14</u>	<u>5</u>	<u>9</u>
D81	Combined immunodeficiencies	1	1	0
D84	Other immunodeficiencies	5	3	2
D86	Sarcoidosis	8	1	7
<u>E00-E90</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>832</u>	<u>466</u>	<u>366</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>6</u>	<u>5</u>	<u>1</u>
E03	Other hypothyroidism	4	4	0
E05	Thyrotoxicosis [hyperthyroidism]	2	1	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>589</u>	<u>325</u>	<u>264</u>
E10	Insulin-dependent diabetes mellitus	79	45	34
E11	Noninsulin-dependent diabetes mellitus	57	27	30
E14	Unspecified diabetes mellitus	453	253	200
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>3</u>	<u>0</u>	<u>3</u>
E16	Other disorders of pancreatic internal secretion	3	0	3
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>2</u>	<u>1</u>	<u>1</u>
E23	Hypofunction and other disorders of the pituitary gland	1	1	0

Table 10B - Page 6
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
E34	Other endocrine disorders	1	0	1
<u>E40-E46</u>	<u>Malnutrition</u>	<u>46</u>	<u>25</u>	<u>21</u>
E41	Nutritional marasmus	2	0	2
E43	Unspecified severe protein-energy malnutrition	6	5	1
E46	Unspecified protein-energy malnutrition	38	20	18
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>5</u>	<u>3</u>	<u>2</u>
E63	Other nutritional deficiencies	2	1	1
E64	Sequelae of malnutrition and other nutritional deficiencies	3	2	1
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>30</u>	<u>14</u>	<u>16</u>
E66	Obesity	30	14	16
<u>E70-E90</u>	<u>Metabolic disorders</u>	<u>151</u>	<u>93</u>	<u>58</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	1	0	1
E72	Other disorders of amino-acid metabolism	1	1	0
E74	Other disorders of carbohydrate metabolism	1	1	0
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	2	2	0
E76	Disorders of glycosaminoglycan metabolism	2	1	1
E78	Disorders of lipoprotein metabolism and other lipoproteins	5	4	1
E83	Disorders of mineral metabolism	4	3	1
E84	Cystic fibrosis	7	6	1
E85	Amyloidosis	3	0	3
E86	Volume depletion	69	36	33
E87	Other disorders of fluid, electrolyte, and acid-base balance	53	37	16
E88	Other metabolic disorders	3	2	1
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>247</u>	<u>166</u>	<u>81</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>156</u>	<u>110</u>	<u>46</u>
F03	Unspecified dementia	118	81	37
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	38	29	9
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>73</u>	<u>43</u>	<u>30</u>
F10	Mental and behavioral disorders due to use of alcohol	58	35	23
F14	Mental and behavioral disorders due to use of cocaine	6	2	4
F17	Mental and behavioral disorders due to use of tobacco	3	3	0
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	6	3	3
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>3</u>	<u>2</u>	<u>1</u>
F20	Schizophrenia	3	2	1
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>6</u>	<u>6</u>	<u>0</u>
F32	Depressive episode	6	6	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>3</u>	<u>2</u>	<u>1</u>

Table 10B - Page 7
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	2	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>6</u>	<u>3</u>	<u>3</u>
F72	Severe mental retardation	1	0	1
F79	Unspecified mental retardation	5	3	2
<u>G00-G99</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>738</u>	<u>564</u>	<u>174</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>21</u>	<u>9</u>	<u>12</u>
G00	Bacterial meningitis, not elsewhere classified	8	4	4
G03	Meningitis due to other and unspecified causes	8	5	3
G04	Encephalitis, myelitis, and encephalomyelitis	3	0	3
G06	Intracranial and intraspinal abscess and granuloma	1	0	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>57</u>	<u>46</u>	<u>11</u>
G10	Huntingtons disease	4	3	1
G11	Hereditary ataxia	2	2	0
G12	Spinal muscular atrophy and related syndromes	51	41	10
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>121</u>	<u>107</u>	<u>14</u>
G20	Parkinsons disease	118	104	14
G23	Other degenerative diseases of basal ganglia	3	3	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>358</u>	<u>297</u>	<u>61</u>
G30	Alzheimers disease	351	290	61
G31	Other degenerative diseases of nervous system, not elsewhere classified	7	7	0
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>16</u>	<u>11</u>	<u>5</u>
G35	Multiple sclerosis	16	11	5
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>38</u>	<u>17</u>	<u>21</u>
G40	Epilepsy	19	8	11
G41	Status epilepticus	10	4	6
G45	Transient cerebral ischemic attacks and related syndromes	3	2	1
G47	Sleep disorders	6	3	3
<u>G60-G64</u>	<u>Polynuropathies and other disorders of the peripheral nervous system</u>	<u>5</u>	<u>3</u>	<u>2</u>
G61	Inflammatory polynuropathy	3	2	1
G62	Other polynuropathies	2	1	1
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>27</u>	<u>24</u>	<u>3</u>
G70	Myasthenia gravis and other myoneural disorders	7	7	0
G71	Primary disorders of muscles	16	13	3
G72	Other myopathies	4	4	0
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>19</u>	<u>11</u>	<u>8</u>
G80	Infantile cerebral palsy	4	3	1
G81	Hemiplegia	1	1	0
G82	Paraplegia and tetraplegia	13	7	6
G83	Other paralytic syndromes	1	0	1

Table 10B - Page 8
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>76</u>	<u>39</u>	<u>37</u>
G90	Disorders of autonomic nervous system	1	1	0
G91	Hydrocephalus	6	2	4
G92	Toxic encephalopathy	2	2	0
G93	Other disorders of brain	66	33	33
G95	Other diseases of spinal cord	1	1	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>H49-H52</u>	<u>Disorders of ocular muscles, binocular movement, accommodation and refraction</u>	<u>1</u>	<u>1</u>	<u>0</u>
H49	Paralytic strabismus	1	1	0
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>H65-H75</u>	<u>Diseases of middle ear and mastoid</u>	<u>1</u>	<u>0</u>	<u>1</u>
H66	Suppurative and unspecified otitis media	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,784</u>	<u>7,955</u>	<u>3,829</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>15</u>	<u>11</u>	<u>4</u>
I05	Rheumatic mitral valve diseases	13	11	2
I07	Rheumatic tricuspid valve diseases	1	0	1
I09	Other rheumatic heart diseases	1	0	1
<u>I10-I15</u>	<u>Hypertensive diseases</u>	<u>803</u>	<u>391</u>	<u>412</u>
I10	Essential (primary) hypertension	173	99	74
I11	Hypertensive heart disease	502	245	257
I12	Hypertensive renal disease	76	27	49
I13	Hypertensive heart and renal disease	52	20	32
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>5,868</u>	<u>4,122</u>	<u>1,746</u>
I20	Angina pectoris	10	6	4
I21	Acute myocardial infarction	2,656	1,770	886
I24	Other acute ischemic heart diseases	9	8	1
I25	Chronic ischemic heart disease	3,193	2,338	855
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>205</u>	<u>117</u>	<u>88</u>
I26	Pulmonary embolism	169	99	70
I27	Other pulmonary heart diseases	35	17	18
I28	Other diseases of pulmonary vessels	1	1	0
<u>I30-I52</u>	<u>Other forms of heart disease</u>	<u>2,667</u>	<u>1,831</u>	<u>836</u>
I31	Other diseases of pericardium	7	6	1
I33	Acute and subacute endocarditis	6	5	1
I34	Nonrheumatic mitral valve disorders	26	19	7
I35	Nonrheumatic aortic valve disorders	82	67	15
I38	Endocarditis, valve unspecified	22	15	7
I40	Acute myocarditis	2	0	2
I42	Cardiomyopathy	312	191	121
I44	Atrioventricular and left bundle-branch block	3	3	0
I45	Other conduction disorders	1	1	0
I46	Cardiac arrest	606	371	235
I47	Paroxysmal tachycardia	11	9	2
I48	Atrial fibrillation and flutter	85	72	13
I49	Other cardiac arrhythmias	58	40	18
I50	Heart failure	1,242	905	337
I51	Complications and ill-defined descriptions of heart disease	204	127	77

Table 10B - Page 9
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,849</u>	<u>1,229</u>	<u>620</u>
I60	Subarachnoid hemorrhage	77	49	28
I61	Intracerebral hemorrhage	238	161	77
I62	Other nontraumatic intracranial hemorrhage	68	42	26
I63	Cerebral infarction	115	75	40
I64	Stroke, not specified as hemorrhage or infarction	1,107	738	369
I67	Other cerebrovascular diseases	92	64	28
I69	Sequelae of cerebrovascular disease	152	100	52
<u>I70-I79</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>335</u>	<u>232</u>	<u>103</u>
I70	Atherosclerosis	100	72	28
I71	Aortic aneurysm and dissection	137	102	35
I72	Other aneurysm	15	10	5
I73	Other peripheral vascular diseases	53	25	28
I74	Arterial embolism and thrombosis	14	10	4
I77	Other disorders of arteries and arterioles	14	11	3
I78	Diseases of capillaries	2	2	0
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>32</u>	<u>15</u>	<u>17</u>
I80	Phlebitis and thrombophlebitis	18	8	10
I81	Portal vein thrombosis	1	1	0
I82	Other venous embolism and thrombosis	3	1	2
I83	Varicose veins of lower extremities	1	0	1
I85	Esophageal varices	3	1	2
I87	Other disorders of veins	3	1	2
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	3	3	0
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>10</u>	<u>7</u>	<u>3</u>
I95	Hypotension	5	3	2
I99	Other and unspecified disorders of circulatory system	5	4	1
<u>J00-J99</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,545</u>	<u>1,945</u>	<u>600</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>3</u>	<u>2</u>	<u>1</u>
J06	Acute upper respiratory infections of multiple and unspecified sites	3	2	1
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>796</u>	<u>571</u>	<u>225</u>
J11	Influenza, virus not identified	6	5	1
J12	Viral pneumonia, not elsewhere classified	13	5	8
J13	Pneumonia due to Streptococcus pneumoniae	4	3	1
J14	Pneumonia due to Hemophilus influenzae	1	1	0
J15	Bacterial pneumonia, not elsewhere classified	31	26	5
J18	Pneumonia, organism unspecified	741	531	210
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>10</u>	<u>7</u>	<u>3</u>
J20	Acute bronchitis	6	4	2
J21	Acute bronchiolitis	2	1	1
J22	Unspecified acute lower respiratory infection	2	2	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>1</u>	<u>0</u>	<u>1</u>
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	0	1
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,262</u>	<u>1,033</u>	<u>229</u>
J40	Bronchitis, not specified as acute or chronic	11	9	2
J41	Simple and mucopurulent chronic bronchitis	4	3	1

Table 10B - Page 10
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
J42	Unspecified chronic bronchitis	5	4	1
J43	Emphysema	179	152	27
J44	Other chronic obstructive pulmonary disease	1,014	847	167
J45	Asthma	37	10	27
J46	Status asthmaticus	4	1	3
J47	Bronchiectasis	8	7	1
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>193</u>	<u>125</u>	<u>68</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	4	4	0
J62	Pneumoconiosis due to dust containing silica	1	1	0
J69	Pneumonitis due to solids and liquids	187	120	67
J70	Respiratory conditions due to other external agents	1	0	1
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>151</u>	<u>120</u>	<u>31</u>
J80	Adult respiratory distress syndrome	34	25	9
J81	Pulmonary edema	14	10	4
J82	Pulmonary eosinophilia, not elsewhere classified	4	3	1
J84	Other interstitial pulmonary diseases	99	82	17
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>7</u>	<u>5</u>	<u>2</u>
J85	Abscess of lung and mediastinum	2	0	2
J86	Pyothorax	5	5	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>12</u>	<u>6</u>	<u>6</u>
J90	Pleural effusion, not elsewhere classified	10	6	4
J93	Pneumothorax	2	0	2
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>110</u>	<u>76</u>	<u>34</u>
J96	Respiratory failure, not elsewhere classified	61	37	24
J98	Other respiratory disorders	49	39	10
<u>K00-K93</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>915</u>	<u>658</u>	<u>257</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>1</u>	<u>0</u>	<u>1</u>
K13	Other diseases of lip and oral mucosa	1	0	1
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>70</u>	<u>49</u>	<u>21</u>
K20	Esophagitis	1	0	1
K21	Gastroesophageal reflux disease	4	3	1
K22	Other diseases of esophagus	11	7	4
K25	Gastric ulcer	11	7	4
K26	Duodenal ulcer	16	14	2
K27	Peptic ulcer, site unspecified	12	6	6
K29	Gastritis and duodenitis	3	2	1
K31	Other diseases of stomach and duodenum	12	10	2
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>1</u>	<u>1</u>	<u>0</u>
K35	Acute appendicitis	1	1	0
<u>K40-K46</u>	<u>Hernia</u>	<u>15</u>	<u>13</u>	<u>2</u>
K40	Inguinal hernia	4	3	1
K43	Ventral hernia	4	4	0
K44	Diaphragmatic hernia	3	3	0
K45	Other abdominal hernia	1	1	0
K46	Unspecified abdominal hernia	3	2	1
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>20</u>	<u>16</u>	<u>4</u>
K50	Crohn's disease [regional enteritis]	7	5	2
K51	Ulcerative colitis	2	2	0

Table 10B - Page 11
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
K52	Other noninfective gastroenteritis and colitis	11	9	2
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>231</u>	<u>175</u>	<u>56</u>
K55	Vascular disorders of intestine	106	85	21
K56	Paralytic ileus and intestinal obstruction without hernia	55	37	18
K57	Diverticular disease of intestine	37	31	6
K59	Other functional intestinal disorders	5	3	2
K62	Other diseases of anus and rectum	2	1	1
K63	Other diseases of intestine	26	18	8
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>24</u>	<u>15</u>	<u>9</u>
K65	Peritonitis	20	11	9
K66	Other disorders of peritoneum	4	4	0
<u>K70-K77</u>	<u>Diseases of liver</u>	<u>351</u>	<u>246</u>	<u>105</u>
K70	Alcoholic liver disease	88	59	29
K72	Hepatic failure, not elsewhere classified	61	41	20
K73	Chronic hepatitis, not elsewhere classified	4	1	3
K74	Fibrosis and cirrhosis of liver	156	114	42
K75	Other inflammatory liver diseases	7	6	1
K76	Other diseases of liver	35	25	10
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>85</u>	<u>58</u>	<u>27</u>
K80	Cholelithiasis	7	4	3
K81	Cholecystitis	13	7	6
K82	Other diseases of gallbladder	4	3	1
K83	Other diseases of biliary tract	7	6	1
K85	Acute pancreatitis	43	33	10
K86	Other diseases of pancreas	11	5	6
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>117</u>	<u>85</u>	<u>32</u>
K90	Intestinal malabsorption	2	1	1
K92	Other diseases of the digestive system	115	84	31
<u>L00-L99</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>57</u>	<u>22</u>	<u>35</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>8</u>	<u>4</u>	<u>4</u>
L02	Cutaneous abscess, furuncle, and carbuncle	1	0	1
L03	Cellulitis	7	4	3
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L12	Pemphigoid	1	1	0
<u>L20-L30</u>	<u>Dermatitis and eczema</u>	<u>1</u>	<u>0</u>	<u>1</u>
L30	Other dermatitis	1	0	1
<u>L40-L45</u>	<u>Papulosquamous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L40	Psoriasis	1	1	0
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>3</u>	<u>2</u>	<u>1</u>
L51	Erythema multiforme	3	2	1
<u>L60-L75</u>	<u>Disorders of skin appendages</u>	<u>1</u>	<u>0</u>	<u>1</u>
L73	Other follicular disorders	1	0	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>42</u>	<u>14</u>	<u>28</u>
L89	Decubitus ulcer	37	10	27
L93	Lupus erythematosus	4	3	1
L97	Ulcer of lower limb, not elsewhere classified	1	1	0
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>85</u>	<u>46</u>	<u>39</u>

Table 10B - Page 12
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>M00-M25</u>	<u>Arthropathies</u>	<u>25</u>	<u>17</u>	<u>8</u>
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>20</u>	<u>13</u>	<u>7</u>
M05	Seropositive rheumatoid arthritis	1	1	0
M06	Other rheumatoid arthritis	14	8	6
M10	Gout	2	1	1
M13	Other arthritis	3	3	0
<u>M15-M19</u>	<u>Arthrosis</u>	<u>5</u>	<u>4</u>	<u>1</u>
M17	Gonarthrosis [arthrosis of knee]	1	1	0
M19	Other arthrosis	4	3	1
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>37</u>	<u>15</u>	<u>22</u>
M30	Polarteritis nodosa and related conditions	1	1	0
M31	Other necrotizing vasculopathies	12	6	6
M32	Systemic lupus erythematosus	16	6	10
M33	Dermatopolymyositis	1	0	1
M34	Systemic sclerosis	5	2	3
M35	Other systemic involvement of connective tissue	2	0	2
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>7</u>	<u>5</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M40	Kyphosis and lordosis	2	2	0
M41	Scoliosis	1	1	0
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>3</u>	<u>2</u>	<u>1</u>
M46	Other inflammatory spondylopathies	1	0	1
M48	Other spondylopathies	2	2	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
M50	Cervical disc disorders	1	0	1
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>9</u>	<u>5</u>	<u>4</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>2</u>	<u>2</u>	<u>0</u>
M62	Other disorders of muscle	2	2	0
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>7</u>	<u>3</u>	<u>4</u>
M72	Fibroblastic disorders	7	3	4
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>6</u>	<u>4</u>	<u>2</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>4</u>	<u>4</u>	<u>0</u>
M80	Osteoporosis with pathological fracture	1	1	0
M81	Osteoporosis without pathological fracture	2	2	0
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>2</u>	<u>0</u>	<u>2</u>
M86	Osteomyelitis	2	0	2
<u>M95-M99</u>	<u>Other disorders of the musculoskeletal system and connective tissue</u>	<u>1</u>	<u>0</u>	<u>1</u>
M95	Other acquired deformities of musculoskeletal system and connective tissue	1	0	1
<u>N00-N99</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>870</u>	<u>475</u>	<u>395</u>
<u>N00-N08</u>	<u>Glomerular diseases</u>	<u>10</u>	<u>3</u>	<u>7</u>
N03	Chronic nephritic syndrome	5	1	4
N04	Nephrotic syndrome	3	1	2
N05	Unspecified nephritic syndrome	2	1	1
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>20</u>	<u>13</u>	<u>7</u>
N10	Acute tubulo-interstitial nephritis	2	1	1
N11	Chronic tubulo-interstitial nephritis	2	2	0
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	9	6	3
N13	Obstructive and reflux uropathy	2	1	1
N14	Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions	1	0	1

Table 10B - Page 13
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
N15	Other renal tubulo-interstitial diseases	4	3	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>609</u>	<u>310</u>	<u>299</u>
N17	Acute renal failure	71	46	25
N18	Chronic renal failure	244	102	142
N19	Unspecified renal failure	294	162	132
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>2</u>	<u>2</u>	<u>0</u>
N20	Calculus of kidney and ureter	2	2	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>13</u>	<u>10</u>	<u>3</u>
N25	Disorders resulting from impaired renal tubular function	1	1	0
N28	Other disorders of kidney and ureter, not elsewhere classified	12	9	3
<u>N30-N39</u>	<u>Other disorders of urinary system</u>	<u>207</u>	<u>131</u>	<u>76</u>
N30	Cystitis	4	2	2
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	4	3	1
N32	Other disorders of bladder	1	1	0
N39	Other disorders of urinary system	198	125	73
<u>N40-N51</u>	<u>Diseases of male genital organs</u>	<u>4</u>	<u>3</u>	<u>1</u>
N40	Hyperplasia of prostate	4	3	1
<u>N60-N64</u>	<u>Disorders of breast</u>	<u>2</u>	<u>1</u>	<u>1</u>
N63	Unspecified lump in breast	1	1	0
N64	Other disorders of breast	1	0	1
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>3</u>	<u>2</u>	<u>1</u>
N71	Inflammatory disease of uterus, except cervix	1	1	0
N73	Other female pelvic inflammatory diseases	2	1	1
<u>000-099</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>6</u>	<u>2</u>	<u>4</u>
<u>010-016</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
016	Unspecified maternal hypertension	1	0	1
<u>020-029</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>1</u>	<u>1</u>	<u>0</u>
026	Maternal care for other conditions predominantly related to pregnancy	1	1	0
<u>085-092</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
088	Obstetric embolism	1	0	1
<u>095-099</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>3</u>	<u>1</u>	<u>2</u>
096	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	1	0	1
099	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	2	1	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>215</u>	<u>68</u>	<u>147</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>31</u>	<u>11</u>	<u>20</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	2	0	2

Table 10B - Page 14
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
P01	Newborn affected by maternal complications of pregnancy	15	6	9
P02	Newborn affected by complications of placenta, cord, and membranes	10	4	6
P03	Newborn affected by other complications of labor and delivery	4	1	3
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>82</u>	<u>21</u>	<u>61</u>
P05	Slow fetal growth and fetal malnutrition	1	0	1
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	81	21	60
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>66</u>	<u>25</u>	<u>41</u>
P21	Birth asphyxia	5	2	3
P22	Respiratory distress of newborn	17	5	12
P23	Congenital pneumonia	2	1	1
P24	Neonatal aspiration syndromes	1	0	1
P25	Interstitial emphysema and related conditions originating in the perinatal period	1	1	0
P26	Pulmonary hemorrhage originating in the perinatal period	9	4	5
P27	Chronic respiratory disease originating in the perinatal period	3	1	2
P28	Other respiratory conditions originating in the perinatal period	5	3	2
P29	Cardiovascular disorders originating in the perinatal period	23	8	15
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>17</u>	<u>5</u>	<u>12</u>
P36	Bacterial sepsis of newborn	17	5	12
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>3</u>	<u>1</u>	<u>2</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	3	1	2
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>4</u>	<u>0</u>	<u>4</u>
P77	Necrotizing enterocolitis of newborn	4	0	4
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>5</u>	<u>3</u>	<u>2</u>
P80	Hypothermia of newborn	1	1	0
P83	Other conditions of integument specific to newborn	4	2	2
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>7</u>	<u>2</u>	<u>5</u>
P90	Convulsions of newborn	1	1	0
P91	Other disturbances of cerebral status of newborn	1	0	1
P96	Other conditions originating in the perinatal period	5	1	4
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>107</u>	<u>53</u>	<u>54</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>12</u>	<u>3</u>	<u>9</u>
Q02	Microcephaly	3	0	3
Q03	Congenital hydrocephalus	2	0	2
Q04	Other congenital malformations of brain	7	3	4

Table 10B - Page 15
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>43</u>	<u>21</u>	<u>22</u>
Q20	Congenital malformations of cardiac chambers and connections	2	1	1
Q21	Congenital malformations of cardiac septa	10	7	3
Q22	Congenital malformations of pulmonary and tricuspid valves	1	0	1
Q23	Congenital malformations of aortic and mitral valves	6	3	3
Q24	Other congenital malformations of heart	19	7	12
Q25	Congenital malformations of great arteries	2	1	1
Q26	Congenital malformations of great veins	1	0	1
Q27	Other congenital malformations of peripheral vascular system	1	1	0
Q28	Other congenital malformations of circulatory system	1	1	0
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>14</u>	<u>7</u>	<u>7</u>
Q33	Congenital malformations of lung	14	7	7
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>5</u>	<u>3</u>	<u>2</u>
Q39	Congenital malformations of esophagus	1	0	1
Q40	Other congenital malformations of upper alimentary tract	1	1	0
Q43	Other congenital malformations of intestine	2	1	1
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	1	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>4</u>	<u>3</u>	<u>1</u>
Q60	Renal agenesis and other reduction defects of kidney	2	1	1
Q61	Cystic kidney disease	2	2	0
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>7</u>	<u>3</u>	<u>4</u>
Q74	Other congenital malformations of limb(s)	1	1	0
Q78	Other osteochondrodysplasias	2	0	2
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	4	2	2
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>10</u>	<u>7</u>	<u>3</u>
Q81	Epidermolysis bullosa	1	1	0
Q85	Phakomatoses, not elsewhere classified	2	2	0
Q87	Other specified congenital malformation syndromes affecting multiple systems	1	1	0
Q89	Other congenital malformations, not elsewhere classified	6	3	3
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>12</u>	<u>6</u>	<u>6</u>
Q90	Down's syndrome	6	3	3
Q91	Edward's syndrome and Patau's syndrome	6	3	3
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>290</u>	<u>158</u>	<u>132</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>103</u>	<u>65</u>	<u>38</u>
R00	Abnormalities of heart beat	1	1	0

Table 10B - Page 16
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
R02	Gangrene, not elsewhere classified	1	0	1
R04	Hemorrhage from respiratory passages	4	1	3
R06	Abnormalities of breathing	3	3	0
R09	Other symptoms and signs involving the circulatory and respiratory systems	94	60	34
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>2</u>	<u>1</u>	<u>1</u>
R13	Dysphagia	1	1	0
R16	Hepatomegaly and splenomegaly, not elsewhere classified	1	0	1
<u>R25-R29</u>	<u>Symptoms and signs involving the nervous and musculoskeletal systems</u>	<u>1</u>	<u>1</u>	<u>0</u>
R29	Other symptoms and signs involving the nervous and musculoskeletal systems	1	1	0
<u>R40-R46</u>	<u>Symptoms and signs involving cognition, perception, emotional state and behavior</u>	<u>1</u>	<u>0</u>	<u>1</u>
R40	Somnolence, stupor, and coma	1	0	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>70</u>	<u>34</u>	<u>36</u>
R50	Fever of unknown origin	2	1	1
R53	Malaise and fatigue	7	4	3
R54	Senility	9	7	2
R55	Syncope and collapse	1	0	1
R56	Convulsions, not elsewhere classified	25	10	15
R57	Shock, not elsewhere classified	14	5	9
R58	Hemorrhage, not elsewhere classified	5	4	1
R62	Lack of expected normal physiological development	4	2	2
R63	Symptoms and signs concerning food and fluid intake	2	0	2
R64	Cachexia	1	1	0
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>0</u>	<u>2</u>
R75	Laboratory evidence of human immunodeficiency virus [HIV]	2	0	2
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>4</u>	<u>2</u>	<u>2</u>
R91	Abnormal findings on diagnostic imaging of lung	4	2	2
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>107</u>	<u>55</u>	<u>52</u>
R95	Sudden infant death syndrome	62	26	36
R96	Other sudden death, cause unknown	2	0	2
R99	Other ill-defined and unspecified causes of mortality	43	29	14
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,345</u>	<u>1,429</u>	<u>916</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>82</u>	<u>37</u>	<u>45</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	57	21	36
V04	Pedestrian injured in collision with heavy transport vehicle or bus	1	0	1
V05	Pedestrian injured in collision with railway train or railway vehicle	7	7	0
V06	Pedestrian injured in collision with other nonmotor vehicle	1	1	0
V09	Pedestrian injured in other and unspecified transport accidents	16	8	8

Table 10B - Page 17
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>6</u>	<u>4</u>	<u>2</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	5	4	1
V19	Pedal cyclist injured in other and unspecified transport accidents	1	0	1
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>17</u>	<u>9</u>	<u>8</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	8	5	3
V27	Motorcycle rider injured in collision with fixed or stationary object	4	1	3
V28	Motorcycle rider injured in noncollision transport accident	3	1	2
V29	Motorcycle rider injured in other and unspecified transport accidents	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>543</u>	<u>307</u>	<u>236</u>
V40	Car occupant injured in collision with pedestrian or animal	3	0	3
V43	Car occupant injured in collision with car, pickup truck, or van	196	107	89
V44	Car occupant injured in collision with heavy transport vehicle or bus	60	42	18
V45	Car occupant injured in collision with railway train or railway vehicle	12	9	3
V47	Car occupant injured in collision with fixed or stationary object	162	86	76
V48	Car occupant injured in noncollision transport accident	92	53	39
V49	Car occupant injured in other and unspecified transport accidents	18	10	8
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>158</u>	<u>126</u>	<u>32</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	28	21	7
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	21	15	6
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	2	2	0
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	61	50	11
V58	Occupant of pickup truck or van injured in noncollision transport accident	42	34	8
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	4	4	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>17</u>	<u>14</u>	<u>3</u>
V60	Occupant of heavy transport vehicle injured in collision with pedestrian or animal	1	0	1
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	3	3	0
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	3	3	0

Table 10B - Page 18
 Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	3	2	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	5	4	1
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	2	2	0
<u>V70-V79</u>	<u>Bus occupant injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V74	Bus occupant injured in collision with heavy transport vehicle or bus	1	1	0
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>147</u>	<u>108</u>	<u>39</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	2	2	0
V81	Occupant of railway train or railway vehicle injured in transport accident	6	5	1
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	2	1	1
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	7	5	2
V85	Occupant of special construction vehicle injured in transport accident	5	4	1
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	21	16	5
V87	Traffic accident of specified type but victim's mode of transport unknown	22	20	2
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	82	55	27
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>25</u>	<u>15</u>	<u>10</u>
V90	Accident to watercraft causing drowning and submersion	10	5	5
V91	Accident to watercraft causing other injury	4	4	0
V92	Water-transport-related drowning and submersion without accident to watercraft	8	3	5
V93	Accident onboard watercraft without accident to watercraft, not causing drowning and submersion	1	1	0
V94	Other and unspecified water transport accidents	2	2	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>4</u>	<u>4</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	3	3	0
V96	Accident to nonpowered aircraft causing injury to occupant	1	1	0
<u>W00-W19</u>	<u>Falls</u>	<u>151</u>	<u>125</u>	<u>26</u>
W01	Fall on same level from slipping, tripping, and stumbling	4	3	1
W03	Other fall on same level due to collision with, or pushing by, another person	1	1	0
W05	Fall involving wheelchair	4	4	0
W06	Fall involving bed	3	3	0
W07	Fall involving chair	3	1	2
W08	Fall involving other furniture	1	1	0
W10	Fall on and from stairs and steps	2	2	0

Table 10B - Page 19
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
W11	Fall on and from ladder	4	4	0
W12	Fall on and from scaffolding	1	1	0
W13	Fall from, out of, or through building or structure	7	7	0
W14	Fall from tree	4	3	1
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	7	5	2
W18	Other fall on same level	5	5	0
W19	Unspecified fall	104	84	20
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>88</u>	<u>56</u>	<u>32</u>
W20	Struck by thrown, projected, or falling object	28	19	9
W22	Striking against or struck by other objects	2	2	0
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	3	1	2
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	2	2	0
W31	Contact with other and unspecified machinery	6	2	4
W32	Handgun discharge	10	7	3
W33	Rifle, shotgun, and larger firearm discharge	3	3	0
W34	Discharge from other and unspecified firearms	28	16	12
W38	Explosion and rupture of other specified pressurized devices	1	1	0
W40	Explosion of other materials	2	1	1
W44	Foreign body entering into or through eye or natural orifice	1	0	1
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>2</u>	<u>2</u>	<u>0</u>
W55	Bitten or struck by other mammals	1	1	0
W57	Bitten or stung by nonvenomous insect and other nonvenomous arthropods	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>57</u>	<u>29</u>	<u>28</u>
W65	Drowning and submersion while in bathtub	2	1	1
W66	Drowning and submersion following fall into bathtub	1	0	1
W67	Drowning and submersion while in swimming pool	14	6	8
W68	Drowning and submersion following fall into swimming pool	2	2	0
W69	Drowning and submersion while in natural water	26	14	12
W70	Drowning and submersion following fall into natural water	4	2	2
W73	Other specified drowning and submersion	2	1	1
W74	Unspecified drowning and submersion	6	3	3
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>90</u>	<u>55</u>	<u>35</u>
W75	Accidental suffocation and strangulation in bed	5	1	4
W76	Other accidental hanging and strangulation	3	2	1
W78	Inhalation of gastric contents	6	3	3
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	13	9	4
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	55	35	20
W83	Other specified threats to breathing	4	3	1

Table 10B - Page 20
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
W84	Unspecified threat to breathing	4	2	2
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>8</u>	<u>5</u>	<u>3</u>
W85	Exposure to electric transmission lines	4	2	2
W86	Exposure to other specified electric current	2	1	1
W87	Exposure to unspecified electric current	2	2	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>83</u>	<u>38</u>	<u>45</u>
X00	Exposure to uncontrolled fire in building or structure	67	29	38
X01	Exposure to uncontrolled fire, not in building or structure	2	2	0
X02	Exposure to controlled fire in building or structure	2	0	2
X03	Exposure to controlled fire, not in building or structure	1	1	0
X04	Exposure to ignition of highly flammable material	4	3	1
X06	Exposure to ignition or melting of other clothing and apparel	1	0	1
X09	Exposure to unspecified smoke, fire, and flames	6	3	3
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>5</u>	<u>2</u>	<u>3</u>
X11	Contact with hot tap water	1	0	1
X12	Contact with other hot fluids	1	1	0
X15	Contact with hot household appliances	1	1	0
X16	Contact with hot heating appliances, radiators, and pipes	2	0	2
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>1</u>	<u>1</u>	<u>0</u>
X23	Contact with hornets, wasps, and bees	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>21</u>	<u>7</u>	<u>14</u>
X30	Exposure to excessive natural heat	10	3	7
X31	Exposure to excessive natural cold	7	2	5
X33	Victim of lightning	2	2	0
X37	Victim of cataclysmic storm	2	0	2
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>63</u>	<u>48</u>	<u>15</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	0	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	4	4	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	13	9	4
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	41	34	7
X45	Accidental poisoning by and exposure to alcohol	1	0	1
X47	Accidental poisoning by and exposure to other gases and vapors	3	1	2
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>55</u>	<u>36</u>	<u>19</u>

Table 10B - Page 21
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X59	Exposure to unspecified factor	55	36	19
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>305</u>	<u>246</u>	<u>59</u>
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	3	2	1
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	17	17	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	3	3	0
X70	Intentional self-harm (suicide) by hanging, strangulation, and suffocation	30	21	9
X71	Intentional self-harm (suicide) by drowning and submersion	1	0	1
X72	Intentional self-harm (suicide) by handgun discharge	76	66	10
X73	Intentional self-harm (suicide) by rifle, shotgun, and larger firearm discharge	41	34	7
X74	Intentional self-harm (suicide) by other and unspecified firearm discharge	128	100	28
X76	Intentional self-harm (suicide) by smoke, fire, and flames	2	0	2
X78	Intentional self-harm (suicide) by sharp object	2	1	1
X81	Intentional self-harm (suicide) by jumping or lying before moving object	2	2	0
<u>X85-Y09</u>	<u>Assault</u>	<u>308</u>	<u>88</u>	<u>220</u>
X91	Assault (homicide) by hanging, strangulation, and suffocation	11	6	5
X92	Assault (homicide) by drowning and submersion	3	0	3
X93	Assault (homicide) by handgun discharge	76	15	61
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	27	8	19
X95	Assault (homicide) by other and unspecified firearm discharge	111	32	79
X99	Assault (homicide) by sharp object	42	10	32
Y00	Assault (homicide) by blunt object	9	4	5
Y03	Assault (homicide) by crashing of motor vehicle	2	1	1
Y04	Assault (homicide) by bodily force	2	1	1
Y07	Other maltreatment syndromes	3	0	3
Y08	Assault (homicide) by other specified means	4	1	3
Y09	Assault (homicide) by unspecified means	18	10	8
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>30</u>	<u>21</u>	<u>9</u>
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	1	1	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	6	5	1
Y21	Drowning and submersion, undetermined intent	3	2	1
Y22	Handgun discharge, undetermined intent	2	1	1
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	3	3	0

Table 10B - Page 22
Deaths - Mississippi - 1999

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Y24	Other and unspecified firearm discharge, undetermined intent	5	2	3
Y30	Falling, jumping, or pushed from a high place, undetermined intent	1	0	1
Y31	Falling, lying, or running before or into moving object, undetermined intent	2	2	0
Y32	Crashing of motor vehicle, undetermined intent	2	1	1
Y33	Other specified events, undetermined intent	2	2	0
Y34	Unspecified event, undetermined intent	3	2	1
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>5</u>	<u>2</u>	<u>3</u>
Y35	Legal intervention	5	2	3
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>2</u>	<u>2</u>	<u>0</u>
Y59	Other and unspecified vaccines and biological substances	2	2	0
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>5</u>	<u>2</u>	<u>3</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	4	2	2
Y65	Other misadventures during surgical and medical care	1	0	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>46</u>	<u>30</u>	<u>16</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	33	23	10
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	13	7	6
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>20</u>	<u>9</u>	<u>11</u>
Y85	Sequelae of transport accidents	8	4	4
Y86	Sequelae of other accidents	7	3	4
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	4	1	3
Y88	Sequelae with surgical and medical care as external cause	1	1	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1999**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER			
001-358	ALL CAUSES	28,090	10.1	W	18,693	M	9,412	93	24	21	26	187	214	419	751	1,345	6,332			
							9,281	59	15	13	17	75	94	213	365	750	7,680			
							NW	9,397	M	4,779	155	33	14	28	190	204	384	566	653	2,552
									F	4,618	128	19	11	8	83	112	275	369	525	3,088
001-055	INFECTIOUS AND PARASITIC DISEASES	720	26.0	W	364	M	177	0	1	2	0	2	6	19	21	15	111			
							187	2	0	0	0	0	1	11	12	22	139			
							NW	356	M	200	1	3	1	0	2	29	41	34	24	65
									F	156	6	0	0	0	2	13	21	13	13	88
009,010	TUBERCULOSIS	13	0.5	W	3	M	1	0	0	0	0	0	0	0	0	1	0			
							2	0	0	0	0	0	0	0	0	0	2			
							NW	10	M	6	0	1	0	0	0	0	0	2	1	2
									F	4	0	0	0	0	0	0	1	1	0	2
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	153	5.5	W	22	M	20	0	0	0	0	4	10	6	0	0				
							2	0	0	0	0	0	2	0	0	0				
							NW	131	M	99	0	1	1	0	1	28	35	21	6	6
									F	32	0	0	0	0	2	13	11	4	1	1
056-108	MALIGNANT NEOPLASMS	6,131	221.4	W	4,197	M	2,330	0	0	0	1	5	17	64	204	450	1,589			
							1,867	0	1	0	2	5	14	58	143	301	1,343			
							NW	1,934	M	1,055	1	1	2	5	5	10	47	131	194	659
									F	879	1	1	1	2	6	9	52	109	159	539
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	94	3.4	W	67	M	29	1	0	0	0	0	1	2	0	0	25			
							38	0	1	0	0	0	2	0	3	2	30			
							NW	27	M	15	1	1	0	0	0	0	0	0	0	13
									F	12	0	0	0	0	0	0	0	1	1	10

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE									
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER
116-122	<u>DI SEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>107</u>	<u>3.9</u>	W	<u>57</u>	M	<u>33</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>25</u>
						F	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>17</u>
				NW	<u>50</u>	M	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>1</u>	<u>0</u>	<u>7</u>
						F	<u>31</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>4</u>	<u>7</u>	<u>1</u>	<u>14</u>
116-119	ANEMIAS	50	1.8	W	21	M	13	0	0	0	0	0	0	0	0	0	13
						F	8	0	0	0	0	1	0	0	0	0	7
				NW	29	M	12	0	0	0	1	1	2	2	1	0	5
						F	17	0	0	2	0	0	0	3	2	1	9
123-135	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>832</u>	<u>30.0</u>	W	<u>466</u>	M	<u>213</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>10</u>	<u>24</u>	<u>33</u>	<u>140</u>
						F	<u>253</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>4</u>	<u>8</u>	<u>10</u>	<u>20</u>	<u>208</u>
				NW	<u>366</u>	M	<u>151</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>5</u>	<u>8</u>	<u>16</u>	<u>24</u>	<u>93</u>
						F	<u>215</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>9</u>	<u>14</u>	<u>34</u>	<u>147</u>
124	DIABETES MELLITUS	589	21.3	W	325	M	151	0	0	0	0	0	0	4	18	28	101
						F	174	0	0	0	0	1	0	5	7	15	146
				NW	264	M	108	0	0	0	0	1	2	5	15	18	67
						F	156	0	1	0	1	1	1	7	10	25	110
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	51	1.8	W	28	M	8	0	0	0	0	0	0	0	0	0	8
						F	20	0	0	0	0	0	0	1	0	4	15
				NW	23	M	10	0	0	0	0	0	0	0	0	2	8
						F	13	0	0	0	0	0	1	0	1	1	10
136-144	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>247</u>	<u>8.9</u>	W	<u>166</u>	M	<u>77</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>13</u>	<u>6</u>	<u>52</u>
						F	<u>89</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>5</u>	<u>1</u>	<u>77</u>
				NW	<u>81</u>	M	<u>45</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>8</u>	<u>26</u>
						F	<u>36</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>0</u>	<u>28</u>
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	58	2.1	W	35	M	27	0	0	0	0	0	1	2	13	5	6
						F	8	0	0	0	0	0	0	2	4	1	1
				NW	23	M	18	0	0	0	0	0	0	4	3	4	7
						F	5	0	0	0	0	0	2	1	2	0	0

TABLE 11 - PAGE 4
DEATHS - MI SSI SSI PPI - 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER			
156-191	<u>DI SEASES OF THE CIRCULATORY SYSTEM</u>	11,784	425.6	W	7,955	M	3,698	2	0	0	1	7	30	90	251	536	2,781			
							F	4,257	0	0	0	6	8	45	94	224	3,880			
							NW	M	1,732	4	2	1	2	8	24	102	212	285	1,092	
								F	2,097	5	1	0	0	9	19	94	143	217	1,609	
156-189	<u>MAJOR CARDIO-VASCULAR DI SEASES</u>	11,742	424.1	W	7,933	M	3,693	1	0	0	1	7	30	90	249	536	2,779			
							F	4,240	0	0	0	6	8	45	92	224	3,865			
							NW	M	1,723	4	2	1	2	8	23	102	211	283	1,087	
								F	2,086	5	1	0	0	7	18	93	142	215	1,605	
156-160, 162, 164-181	HEART DI SEASES	9,309	336.2	W	6,346	M	3,033	1	0	0	1	4	23	80	225	457	2,242			
							F	3,313	0	0	0	4	5	31	72	186	3,015			
							NW	M	1,371	4	1	1	1	7	18	74	162	232	871	
								F	1,592	5	0	0	0	7	15	67	101	166	1,231	
161, 163	HYPERTENSI ON	249	9.0	W	126	M	51	0	0	0	0	1	2	4	6	38				
							F	75	0	0	0	0	0	2	2	3	68			
							NW	M	51	0	0	0	0	1	1	3	7	6	33	
								F	72	0	0	0	0	0	0	5	4	6	57	
182-186	CEREBROVASCULAR DI SEASES	1,849	66.8	W	1,229	M	489	0	0	0	0	3	3	8	17	56	402			
							F	740	0	0	0	0	2	3	12	16	32	675		
							NW	M	250	0	1	0	1	0	4	22	36	37	149	
								F	370	0	1	0	0	0	2	20	35	39	273	
187	ATHEROSCLEROSI S	100	3.6	W	72	M	23	0	0	0	0	0	0	0	0	1	22			
							F	49	0	0	0	0	0	0	0	0	0	49		
							NW	M	14	0	0	0	0	0	0	0	0	0	2	12
								F	14	0	0	0	0	0	0	0	0	2	1	11
192-214	<u>DI SEASES OF THE RESPI RATORY SYSTEM</u>	2,545	91.9	W	1,945	M	958	2	1	1	0	2	6	13	22	87	824			
							F	987	4	0	0	1	1	5	10	20	68	878		
							NW	M	324	4	2	0	1	1	4	15	19	18	260	
								F	276	4	2	0	1	1	9	9	18	26	206	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE														
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER					
195	INFLUENZA	6	0.2	W	5	M	2	0	0	1	0	0	0	0	0	0	0	1				
							3	0	0	0	0	0	0	0	0	0	0	3				
							NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0	0
										F	1	0	0	0	0	0	0	0	0	0	0	1
196-198	PNEUMONIA	790	28.5	W	566	M	229	1	1	0	0	1	1	7	5	11	202					
							337	2	0	0	0	0	3	5	4	7	316					
							NW	224	M	123	3	2	0	1	0	2	5	8	6	96		
										F	101	4	1	0	0	1	1	2	4	9	79	
204	EMPHYSEMA	179	6.5	W	152	M	98	0	0	0	0	0	0	4	14	80						
							54	0	0	0	0	0	0	1	10	43						
							NW	27	M	14	0	0	0	0	0	0	1	1	12			
										F	13	0	0	0	0	0	0	2	3	8		
<u>215-237</u>	<u>DI SEASES OF THE DIGESTIVE SYSTEM</u>	<u>915</u>	<u>33.0</u>	W	<u>658</u>	M	<u>307</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>23</u>	<u>64</u>	<u>48</u>	<u>164</u>					
							<u>351</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>17</u>	<u>20</u>	<u>36</u>	<u>273</u>					
							NW	<u>257</u>	M	<u>127</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>12</u>	<u>28</u>	<u>24</u>	<u>52</u>		
										F	<u>130</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>14</u>	<u>15</u>	<u>15</u>	<u>78</u>	
217-220	PEPTIC ULCER	39	1.4	W	27	M	15	0	0	0	0	0	0	1	2	1	11					
							12	0	0	0	0	0	0	0	0	0	0	12				
							NW	12	M	6	0	0	0	0	0	0	1	2	0	3		
										F	6	0	0	0	0	0	0	0	0	0	6	
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	248	9.0	W	174	M	102	0	0	0	0	0	1	11	44	16	30					
							72	0	0	0	0	0	1	10	14	10	37					
							NW	74	M	44	0	0	0	0	0	0	5	15	13	11		
										F	30	0	0	0	0	0	5	10	7	8		
<u>238-239</u>	<u>DI SEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>57</u>	<u>2.0</u>	W	<u>22</u>	M	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>6</u>					
							<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>12</u>					
							NW	<u>35</u>	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>10</u>		
										F	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>21</u>	

TABLE 11 - PAGE 6
DEATHS - MI SSI SSI PPI - 1999

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER			
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	85	3.1	W	46	M	15	0	0	0	0	0	1	0	2	4	8			
							31	0	0	0	1	0	1	1	6	22				
							NW	39	M	11	0	0	0	0	1	0	1	1	2	6
										F	28	0	0	0	0	1	8	4	3	12
247-260	DISEASES OF THE GENITOURINARY SYSTEM	870	31.4	W	475	M	205	0	0	0	0	1	1	2	11	20	170			
							270	0	0	0	0	1	3	5	13	248				
							NW	395	M	183	3	0	0	0	1	4	8	21	20	126
										F	212	0	0	0	2	3	8	6	24	169
247-249, 251, 253	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	620	22.4	W	314	M	145	0	0	0	0	0	1	1	8	15	120			
							169	0	0	0	0	0	3	3	6	157				
							NW	306	M	136	3	0	0	0	0	4	6	18	18	87
										F	170	0	0	0	2	1	7	6	21	133
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	6	14.0	W	2	M	0	0	0	0	0	0	0	0	0	0	0			
							2	0	0	0	0	2	0	0	0	0	0			
							NW	4	M	0	0	0	0	0	0	0	0	0	0	0
										F	4	0	0	0	0	1	2	1	0	0
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	215	5.0	W	68	M	43	41	2	0	0	0	0	0	0	0	0			
							25	25	0	0	0	0	0	0	0	0	0			
							NW	147	M	84	83	1	0	0	0	0	0	0	0	0
										F	63	63	0	0	0	0	0	0	0	0
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	107	3.9	W	53	M	26	19	1	0	0	0	0	2	1	0	3			
							27	11	1	4	0	2	0	1	2	1	5			
							NW	54	M	27	19	6	0	0	0	0	0	2	0	0
										F	27	19	1	2	0	0	1	1	2	0
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	290	10.5	W	158	M	69	17	0	1	0	0	5	7	6	7	26			
							89	12	2	0	1	0	1	2	2	1	68			
							NW	132	M	62	24	2	0	0	6	3	4	4	0	19
										F	70	15	1	0	0	1	1	2	3	4

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1999

GROUP NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER			
295-358	<u>ALL EXTERNAL CAUSES</u>	<u>2,345</u>	<u>84.7</u>	W	<u>1,429</u>	M	<u>998</u>	<u>6</u>	<u>14</u>	<u>14</u>	<u>20</u>	<u>160</u>	<u>137</u>	<u>178</u>	<u>117</u>	<u>115</u>	<u>237</u>			
							<u>431</u>	<u>3</u>	<u>10</u>	<u>8</u>	<u>11</u>	<u>52</u>	<u>48</u>	<u>46</u>	<u>43</u>	<u>38</u>	<u>172</u>			
							NW	<u>916</u>	M	<u>647</u>	<u>7</u>	<u>14</u>	<u>9</u>	<u>17</u>	<u>158</u>	<u>115</u>	<u>127</u>	<u>75</u>	<u>42</u>	<u>83</u>
								F	<u>269</u>	<u>6</u>	<u>11</u>	<u>6</u>	<u>4</u>	<u>49</u>	<u>44</u>	<u>43</u>	<u>22</u>	<u>18</u>	<u>66</u>	
296-306	MOTOR VEHICLE ACCIDENTS	954	34.4	W	591	M	416	1	3	10	13	90	73	68	47	40	71			
							F	175	0	5	5	5	43	23	18	21	16	39		
							NW	363	M	251	1	5	5	5	63	48	44	31	16	33
									F	112	3	4	2	1	29	20	24	11	8	10
295, 307-330	ALL OTHER ACCIDENTS	685	24.7	W	445	M	279	5	9	4	4	23	28	44	36	36	90			
							F	166	1	4	3	6	4	8	9	8	7	116		
							NW	240	M	158	3	6	4	9	17	16	31	23	12	37
									F	82	1	5	3	3	3	6	5	5	4	47
331-337	SUICIDE	305	11.0	W	246	M	200	0	0	0	0	29	24	43	25	30	49			
							F	46	0	0	0	0	2	8	10	8	8	10		
							NW	59	M	52	0	0	0	0	11	10	19	5	3	4
									F	7	0	0	0	0	1	1	3	0	2	0
338-346	HOMICIDE	312	11.3	W	89	M	63	0	1	0	2	14	11	19	5	5	6			
							F	26	1	1	0	0	2	7	7	4	2	2		
							NW	223	M	170	2	2	0	3	64	41	30	15	8	5
									F	53	2	1	1	0	14	16	8	5	3	3
353, 354	LEGAL INTERVENTION	5	0.2	W	2	M	2	0	0	0	0	0	1	1	0	0	0			
							F	0	0	0	0	0	0	0	0	0	0	0		
							NW	3	M	3	0	0	0	0	2	0	0	1	0	0
									F	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1999

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>435</u>	<u>152</u>	<u>283</u>	<u>267</u>	<u>91</u>	<u>176</u>	<u>168</u>	<u>61</u>	<u>107</u>
ADAMS	7	1	6	5	1	4	2	0	2
ALCORN	1	1	0	1	1	0	0	0	0
AMITE	2	0	2	1	0	1	1	0	1
ATTALA	3	1	2	2	1	1	1	0	1
BENTON	2	1	1	1	1	0	1	0	1
BOLIVAR	8	1	7	7	1	6	1	0	1
CALHOUN	1	1	0	1	1	0	0	0	0
CARROLL	1	0	1	0	0	0	1	0	1
CHICKASAW	5	2	3	3	1	2	2	1	1
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAYBORNE	1	0	1	1	0	1	0	0	0
CLARKE	2	0	2	1	0	1	1	0	1
CLAY	6	2	4	5	2	3	1	0	1
COAHOMA	8	0	8	4	0	4	4	0	4
COPIAH	16	4	12	10	2	8	6	2	4
COVINGTON	4	3	1	3	2	1	1	1	0
DESOTO	21	17	4	16	13	3	5	4	1
FORREST	6	4	2	2	1	1	4	3	1
FRANKLIN	2	1	1	1	0	1	1	1	0
GEORGE	6	6	0	6	6	0	0	0	0
GREENE	1	1	0	0	0	0	1	1	0
GRENADA	1	1	0	1	1	0	0	0	0
HANCOCK	6	6	0	1	1	0	5	5	0
HARRISON	23	12	11	15	8	7	8	4	4
HINDS	54	6	48	34	5	29	20	1	19
HOLMES	7	0	7	5	0	5	2	0	2
HUMPHREYS	2	0	2	1	0	1	1	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	1	1	2	1	1	0	0	0
JACKSON	12	6	6	9	4	5	3	2	1
JASPER	4	1	3	2	0	2	2	1	1
JEFFERSON	0	0	0	0	0	0	0	0	0
JEFF DAVIS	2	0	2	2	0	2	0	0	0
JONES	7	6	1	3	3	0	4	3	1
KEMPER	2	0	2	1	0	1	1	0	1
LAFAYETTE	5	3	2	4	3	1	1	0	1
LAMAR	7	5	2	5	3	2	2	2	0
LAUDERDALE	14	2	12	11	1	10	3	1	2
LAWRENCE	1	1	0	1	1	0	0	0	0
LEAKE	2	0	2	0	0	0	2	0	2
LEE	10	2	8	7	1	6	3	1	2
LEFLORE	7	1	6	4	0	4	3	1	2

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1999

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	1	0	1	1	0	1	0	0	0
LOWNDES	10	4	6	3	1	2	7	3	4
MADISON	12	4	8	8	2	6	4	2	2
MARION	1	0	1	0	0	0	1	0	1
MARSHALL	5	0	5	4	0	4	1	0	1
MONROE	11	6	5	6	3	3	5	3	2
MONTGOMERY	3	0	3	3	0	3	0	0	0
NESHOBA	5	2	3	3	0	3	2	2	0
NEWTON	2	1	1	0	0	0	2	1	1
NOXUBEE	3	0	3	0	0	0	3	0	3
OKTIBBEHA	5	0	5	3	0	3	2	0	2
PANOLA	3	0	3	3	0	3	0	0	0
PEARL RIVER	5	3	2	4	2	2	1	1	0
PERRY	1	0	1	1	0	1	0	0	0
PIKE	5	0	5	3	0	3	2	0	2
PONTOTOC	1	0	1	1	0	1	0	0	0
PRENTISS	2	2	0	2	2	0	0	0	0
QUITMAN	0	0	0	0	0	0	0	0	0
RANKIN	10	7	3	6	3	3	4	4	0
SCOTT	5	2	3	2	1	1	3	1	2
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	7	4	3	2	1	1	5	3	2
SMITH	1	1	0	1	1	0	0	0	0
STONE	2	1	1	2	1	1	0	0	0
SUNFLOWER	7	1	6	2	0	2	5	1	4
TALLAHATCHIE	0	0	0	0	0	0	0	0	0
TATE	5	3	2	2	1	1	3	2	1
TIPPAH	2	1	1	1	0	1	1	1	0
TISHOMINGO	0	0	0	0	0	0	0	0	0
TUNICA	5	0	5	2	0	2	3	0	3
UNION	4	4	0	2	2	0	2	2	0
WALTHALL	3	0	3	2	0	2	1	0	1
WARREN	13	3	10	8	3	5	5	0	5
WASHINGTON	12	1	11	4	0	4	8	1	7
WAYNE	3	0	3	2	0	2	1	0	1
WEBSTER	1	0	1	0	0	0	1	0	1
WILKINSON	0	0	0	0	0	0	0	0	0
WINSTON	3	2	1	2	2	0	1	0	1
YALOBUSHA	2	1	1	1	1	0	1	0	1
YAZOO	3	0	3	2	0	2	1	0	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1995-1999 (5-YEAR AVERAGE)

COUNTY	I N F A N T **			N E O N A T A L **			P O S T N E O N A T A L **		
	TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E
<u>STATE</u>	<u>10.5</u>	<u>7.0</u>	<u>14.4</u>	<u>5.2</u>	<u>3.4</u>	<u>7.3</u>	<u>5.2</u>	<u>3.6</u>	<u>7.1</u>
ADAMS	14.8	11.3	16.7	8.0	6.8	8.7	6.8	4.5	8.0
ALCORN	5.7	4.6	11.2	3.3	2.8	5.6	2.4	1.7	5.6
AMITE	6.2	2.4	10.2	2.5	-	5.1	3.8	2.4	5.1
ATTALA	13.3	10.7	16.0	7.8	6.1	9.6	5.5	4.6	6.4
BENTON	13.5	18.9	7.3	8.4	15.7	-	5.0	3.1	7.3
BOLIVAR	12.5	3.8	15.1	6.4	2.5	7.6	6.1	1.3	7.6
CALHOUN	7.1	6.5	8.0	3.0	4.9	-	4.0	1.6	8.0
CARROLL	6.1	3.9	8.4	4.0	3.9	4.2	2.0	-	4.2
CHICKASAW	8.2	6.2	10.4	4.4	4.9	3.9	3.8	1.2	6.5
CHOCTAW	8.4	5.4	13.1	3.4	2.7	4.4	5.0	2.7	8.7
CLAIBORNE	13.7	-	15.0	4.6	-	5.0	9.1	-	10.0
CLARKE	6.8	3.2	10.8	3.4	1.6	5.4	3.4	1.6	5.4
CLAY	10.9	5.3	13.7	6.9	5.3	7.7	4.0	-	6.0
COAHOMA	14.4	5.6	16.3	6.7	3.7	7.3	7.7	1.8	9.0
COPIAH	17.6	11.0	21.9	8.8	6.1	10.5	8.8	4.9	11.3
COVINGTON	9.4	8.9	10.0	6.7	6.4	7.1	2.7	2.5	2.8
DESOTO	10.8	8.8	22.4	5.5	4.3	12.2	5.4	4.5	10.3
FORREST	5.9	5.0	7.0	3.0	2.7	3.3	3.0	2.4	3.7
FRANKLIN	8.5	6.6	10.6	3.4	3.3	3.5	5.1	3.3	7.1
GEORGE	10.1	10.0	11.1	7.1	6.7	11.1	3.0	3.3	-
GREENE	6.3	6.6	5.4	2.5	3.3	-	3.8	3.3	5.4
GRENADA	9.6	3.8	15.2	4.4	-	8.9	5.1	3.8	6.3
HANCOCK	8.6	7.8	17.0	2.9	2.3	8.5	5.8	5.5	8.5
HARRISON	8.5	6.6	12.8	3.7	2.9	5.6	4.8	3.7	7.2
HINDS	12.0	6.9	13.9	6.2	3.8	7.1	5.8	3.1	6.8
HOLMES	15.3	4.1	16.8	8.1	-	9.3	7.1	4.1	7.6
HUMPHREYS	10.2	5.0	11.6	3.1	-	3.9	7.2	5.0	7.7
ISSAQUENA	18.3	35.7	12.3	-	-	-	18.3	35.7	12.3
ITAWAMBA	8.5	7.8	15.7	3.1	2.6	7.9	5.4	5.2	7.9
JACKSON	9.2	7.0	14.7	5.6	3.5	10.5	3.7	3.5	4.1
JASPER	10.5	11.8	9.7	4.9	2.0	6.5	5.6	9.9	3.2
JEFFERSON	19.0	23.2	18.7	11.7	-	12.5	7.3	23.2	6.2
JEFF DAVIS	9.6	6.5	11.0	4.8	-	6.8	4.8	6.5	4.1
JONES	10.7	8.8	13.9	5.5	4.2	7.5	5.2	4.6	6.4
KEMPER	8.8	-	11.8	5.9	-	7.9	3.0	-	3.9
LAFAYETTE	9.6	9.8	9.3	5.3	5.7	4.6	4.3	4.1	4.6
LAMAR	6.9	4.7	18.7	3.6	2.6	9.3	3.3	2.2	9.3
LAUDERDALE	13.3	5.8	21.1	6.0	0.7	11.6	7.2	5.1	9.5
LAWRENCE	6.7	5.7	8.1	4.5	5.7	2.7	2.2	-	5.4
LEAKE	6.9	4.0	9.6	3.8	4.0	3.6	3.2	-	6.0
LEE	12.4	6.6	24.3	7.2	3.6	14.5	5.3	3.0	9.8
LEFLORE	11.2	5.7	12.6	5.1	1.4	6.1	6.0	4.3	6.5

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1995-1999 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9.1	5.5	15.5	5.2	2.7	9.5	3.9	2.7	6.0
LOWNDES	14.3	10.1	18.3	7.9	4.4	11.3	6.4	5.7	7.0
MADISON	8.8	5.1	12.8	4.2	2.9	5.7	4.6	2.2	7.1
MARION	7.8	5.4	11.3	3.7	2.7	5.0	4.2	2.7	6.3
MARSHALL	9.1	5.4	11.9	5.3	2.7	7.2	3.8	2.7	4.6
MONROE	14.1	10.7	19.6	4.3	3.1	6.2	9.8	7.5	13.4
MONTGOMERY	21.4	10.7	29.2	13.5	8.0	17.5	7.9	2.7	11.7
NESHOBA	10.2	6.7	14.2	4.0	2.5	5.7	6.2	4.2	8.5
NEWTON	17.2	11.5	23.7	11.0	8.0	14.5	6.1	3.4	9.2
NOXUBEE	22.3	-	29.1	11.6	-	15.2	10.7	-	14.0
OKTIBBEHA	8.7	2.5	14.2	6.1	2.5	9.2	2.7	-	5.0
PANOLA	15.2	10.1	18.5	7.2	3.7	9.6	8.0	6.4	9.0
PEARL RIVER	6.7	5.3	13.6	2.5	2.3	3.9	4.1	3.0	9.7
PERRY	4.2	3.0	6.8	2.1	1.5	3.4	2.1	1.5	3.4
PIKE	7.0	4.2	8.8	4.3	2.6	5.5	2.7	1.7	3.3
PONTOTOC	7.3	4.0	24.0	3.4	2.0	10.3	3.9	2.0	13.7
PRENTISS	9.8	10.7	4.3	4.3	5.0	-	5.5	5.7	4.3
QUITMAN	5.5	5.5	5.5	3.3	5.5	2.8	2.2	-	2.8
RANKIN	7.9	6.7	12.8	4.2	3.6	6.7	3.7	3.1	6.0
SCOTT	11.0	11.2	10.8	4.6	4.3	4.9	6.4	6.9	5.9
SHARKEY	3.3	8.8	2.0	-	-	-	3.3	8.8	2.0
SIMPSON	12.2	8.6	16.7	4.3	1.0	8.4	8.0	7.7	8.4
SMITH	8.6	8.5	8.8	5.7	8.5	-	2.9	-	8.8
STONE	12.7	11.5	16.0	6.3	5.8	8.0	6.3	5.8	8.0
SUNFLOWER	11.5	5.4	13.1	3.3	1.8	3.7	8.1	3.6	9.3
TALLAHATCHIE	12.8	-	18.2	9.1	-	13.0	3.6	-	5.2
TATE	11.1	7.5	16.5	3.9	2.8	5.5	7.2	4.7	11.0
TIPPACH	12.5	8.4	27.9	5.9	2.5	18.6	6.6	5.9	9.3
TISHOMINGO	7.0	7.2	-	0.9	0.9	-	6.2	6.3	-
TUNICA	18.6	-	22.3	6.2	-	7.4	12.4	-	14.8
UNION	9.6	10.1	7.7	5.1	5.1	5.1	4.5	5.1	2.6
WALTHALL	12.5	6.5	16.8	6.3	4.3	7.6	6.3	2.2	9.2
WARREN	12.8	7.9	16.9	5.9	3.2	8.2	6.9	4.8	8.7
WASHINGTON	11.6	6.2	13.4	5.2	4.2	5.6	6.4	2.1	7.8
WAYNE	13.6	7.1	20.0	7.1	3.6	10.6	6.5	3.6	9.4
WEBSTER	1.4	-	5.0	-	-	-	1.4	-	5.0
WILKINSON	6.4	6.8	6.3	4.8	-	6.3	1.6	6.8	-
WINSTON	7.8	3.4	11.3	3.1	3.4	2.8	4.7	-	8.5
YALOBUSHA	4.6	2.2	7.0	2.3	2.2	2.3	2.3	-	4.7
YAZOO	7.6	6.8	8.0	3.6	4.1	3.3	4.0	2.7	4.7

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1999

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL			TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>435</u>	<u>10.2</u>	W	<u>152</u>	<u>91</u>	<u>43</u>	<u>26</u>	<u>13</u>	<u>4</u>	<u>5</u>	<u>61</u>
			NW	<u>283</u>	<u>176</u>	<u>108</u>	<u>34</u>	<u>18</u>	<u>7</u>	<u>9</u>	<u>107</u>
MENINGOCOCCAL INFECTION (007)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (008)	7	0.2	W	1	0	0	0	0	0	0	1
			NW	6	0	0	0	0	0	0	6
MALIGNANT NEOPLASMS (021-023)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
SHORT STATURE, NOT ELSEWHERE CLASSIFIED (028)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
MENINGITIS (033)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
INFANTILE CEREBRAL PALSY (035)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	11	0.2	W	2	0	0	0	0	0	0	2
			NW	9	4	0	4	0	0	0	5
INFLUENZA AND PNEUMONIA (046, 047)	10	0.2	W	3	0	0	0	0	0	0	3
			NW	7	0	0	0	0	0	0	7
ACUTE BRONCHITIS AND ACUTE BRONCHIOLITIS (048)	3	0.1	W	2	0	0	0	0	0	0	2
			NW	1	1	0	0	0	0	1	0
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	9	0.2	W	2	0	0	0	0	0	0	2
			NW	7	1	0	0	0	1	0	6
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	2	0	2	0	0	0	1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1999

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL NUMBER	RATE#	TOTAL BY RACE	UNDER 28 DAYS OF AGE							28 DAYS AND OVER
				TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27		
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	1	##	W NW	0 1	0 1	0 1	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W NW	0 1	0 1	0 1	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	15	0.4	W NW	6 9	6 9	5 9	1 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY COMPLI - CATIONS OF PLACENTS, CORD AND MEMBRANES (064-067)	10	0.2	W NW	4 6	4 6	2 5	1 0	1 1	0 0	0 0	0 0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	4	0.1	W NW	1 3	1 3	0 2	1 1	0 0	0 0	0 0	0 0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	1	##	W NW	0 1	0 1	0 1	0 0	0 0	0 0	0 0	0 0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071, 072)	81	1.9	W NW	21 60	21 60	19 55	1 3	1 1	0 0	0 1	0 0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075, 076)	5	0.1	W NW	2 3	1 2	0 1	0 0	1 0	0 1	0 0	1 1
RESPIRATORY DISTRESS OF NEWBORN (077)	17	0.4	W NW	5 12	5 12	0 8	4 3	0 1	0 0	1 0	0 0
CONGENITAL PNEUMONIA (078)	2	##	W NW	1 1	1 0	0 0	0 0	1 0	0 0	0 0	0 1
NEONATAL ASPIRATION SYNDROME (079)	1	##	W NW	0 1	0 1	0 0	0 1	0 0	0 0	0 0	0 0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	1	##	W NW	1 0	1 0	0 0	1 0	0 0	0 0	0 0	0 0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	9	0.2	W NW	4 5	4 5	0 0	3 5	1 0	0 0	0 0	0 0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 1999

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL NUMBER	RATE#	TOTAL BY RACE	UNDER 28 DAYS OF AGE							28 DAYS AND OVER
				TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27		
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ATELECTASIS (083)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	17	0.4	W	5	5	0	0	2	2	1	0
			NW	12	11	1	2	4	3	1	1
NEONATAL HEMORRHAGE (088)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	2	0	1	1	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	4	0	0	1	0	3	0
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	4	0.1	W	2	2	1	1	0	0	0	0
			NW	2	2	1	0	1	0	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	68	1.6	W	30	20	8	8	2	1	1	10
			NW	38	22	7	8	6	0	1	16
SUDDEN INFANT DEATH SYNDROME (111)	62	1.4	W	26	3	0	0	3	0	0	23
			NW	36	0	0	0	0	0	0	36
ACCIDENTS (114-124)	15	0.4	W	7	1	0	0	0	0	1	6
			NW	8	0	0	0	0	0	0	8
ASSAULT (HOMICIDE) (125-128)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	1	0	0	0	1	0	3
ALL OTHER CAUSES	54	1.3	W	23	15	8	4	1	1	1	8
			NW	31	23	14	4	2	1	2	8

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1999

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POI - SON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,603</u>	<u>943</u>	<u>63</u>	<u>59</u>	<u>156</u>	<u>75</u>	<u>54</u>	<u>34</u>	<u>219</u>
ADAMS	22	7	0	1	4	4	0	2	4
ALCORN	17	9	0	2	3	0	0	0	3
AMITE	3	3	0	0	0	0	0	0	0
ATTALA	11	7	0	0	0	0	1	0	3
BENTON	5	5	0	0	0	0	0	0	0
BOLIVAR	16	9	1	0	0	2	1	2	1
CALHOUN	11	10	0	0	0	0	0	0	1
CARROLL	5	3	0	0	0	0	0	0	2
CHICKASAW	9	4	0	1	1	0	0	0	3
CHOCTAW	7	4	1	0	1	0	0	0	1
CLAIBORNE	8	7	0	0	0	0	0	1	0
CLARKE	9	5	0	0	0	0	0	1	3
CLAY	4	3	0	0	0	0	0	0	1
COAHOMA	14	8	1	0	2	0	0	0	3
COPIAH	12	9	0	0	0	0	0	1	2
COVINGTON	9	5	0	0	0	2	2	0	0
DESOTO	41	29	2	4	1	0	1	0	4
FORREST	66	38	2	2	11	2	3	1	7
FRANKLIN	6	4	0	0	0	0	1	0	1
GEORGE	12	8	0	2	2	0	0	0	0
GREENE	1	1	0	0	0	0	0	0	0
GRENADA	19	12	0	0	0	2	1	0	4
HANCOCK	24	15	1	1	3	1	1	0	2
HARRISON	105	41	15	12	12	5	3	2	15
HINDS	202	122	4	7	30	9	2	4	24
HOLMES	14	8	1	0	0	2	3	0	0
HUMPHREYS	3	3	0	0	0	0	0	0	0
ISSAQUENA	2	1	0	1	0	0	0	0	0
I TAWAMBA	19	14	1	0	0	3	1	0	0
JACKSON	61	32	5	3	8	1	5	0	7
JASPER	7	4	0	0	0	1	0	0	2
JEFFERSON	4	3	0	0	1	0	0	0	0
JEFF DAVIS	4	2	0	0	0	1	1	0	0
JONES	30	13	1	2	2	0	2	2	8
KEMPER	6	6	0	0	0	0	0	0	0
LAFAYETTE	26	12	0	2	6	2	0	0	4
LAMAR	17	7	0	0	2	1	1	3	3
LAUDERDALE	74	41	1	3	13	1	3	0	12
LAWRENCE	4	3	1	0	0	0	0	0	0
LEAKE	11	8	1	0	0	1	0	0	1
LEE	104	45	2	4	30	1	2	1	19
LEFLORE	25	12	3	0	1	1	2	2	4

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1999

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POI - SON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	18	11	0	0	2	1	0	0	4
LOWNDES	20	15	0	0	1	3	0	0	1
MADISON	19	11	3	0	0	1	1	0	3
MARION	13	11	1	0	0	0	0	0	1
MARSHALL	20	19	0	0	0	0	1	0	0
MONROE	15	10	0	0	0	0	0	2	3
MONTGOMERY	13	11	0	0	0	0	1	0	1
NESHOBA	6	4	2	0	0	0	0	0	0
NEWTON	10	8	1	1	0	0	0	0	0
NOXUBEE	16	11	1	0	0	0	1	0	3
OKTIBBEHA	19	6	1	0	3	2	0	1	6
PANOLA	21	18	0	1	0	0	1	0	1
PEARL RIVER	15	10	2	2	0	0	1	0	0
PERRY	4	2	0	0	1	0	0	0	1
PIKE	18	14	0	1	0	0	1	0	2
PONTOTOC	4	2	0	1	0	0	1	0	0
PRENTISS	12	6	0	1	0	0	1	1	3
QUITMAN	9	7	0	0	1	0	0	0	1
RANKIN	39	24	1	1	6	0	1	0	6
SCOTT	15	14	0	0	0	0	0	1	0
SHARKEY	5	4	0	0	0	0	1	0	0
SIMPSON	21	12	1	0	0	2	2	1	3
SMITH	5	5	0	0	0	0	0	0	0
STONE	6	3	0	0	0	1	0	0	2
SUNFLOWER	11	8	0	0	1	0	0	1	1
TALLAHATCHIE	5	4	0	0	1	0	0	0	0
TATE	8	4	0	0	0	2	1	0	1
TIPPAH	3	2	0	0	0	0	0	0	1
TISHOMINGO	17	10	1	0	1	0	2	0	3
TUNICA	8	6	0	0	0	2	0	0	0
UNION	13	7	0	2	0	2	1	0	1
WALTHALL	3	2	0	0	0	0	0	1	0
WARREN	33	16	5	0	2	2	1	0	7
WASHINGTON	47	21	0	1	1	8	0	3	13
WAYNE	12	12	0	0	0	0	0	0	0
WEBSTER	4	3	0	0	1	0	0	0	0
WILKINSON	4	1	0	0	0	1	0	0	2
WINSTON	16	10	1	1	2	1	0	0	1
YALOBUSHA	5	4	0	0	0	0	0	0	1
YAZOO	22	13	0	0	0	5	0	1	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1999

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	21,828	14,436	7,392	21,828	14,436	7,392	20,611	13,526	7,085
ADAMS	335	194	141	359	213	146	258	129	129
ALCORN	176	158	18	190	174	16	146	130	16
AMITE	98	68	30	125	91	34	96	65	31
ATTALA	165	100	65	157	100	57	147	88	59
BENTON	40	21	19	54	32	22	46	27	19
BOLIVAR	21	6	15	49	23	26	47	19	28
CALHOUN	103	69	34	106	67	39	118	78	40
CARROLL	59	40	19	70	49	21	67	43	24
CHICKASAW	185	103	82	187	113	74	158	91	67
CHOCTAW	73	44	29	87	54	33	76	47	29
CLAIBORNE	94	14	80	100	22	78	91	12	79
CLARKE	111	84	27	130	101	29	135	102	33
CLAY	153	67	86	182	84	98	160	64	96
COAHOMA	145	55	90	145	54	91	132	44	88
COPIAH	250	110	140	281	136	145	249	104	145
COVINGTON	174	123	51	181	130	51	178	127	51
DESOTO	621	542	79	543	480	63	502	448	54
FORREST	706	479	227	615	415	200	587	402	185
FRANKLIN	63	46	17	65	42	23	66	45	21
GEORGE	187	178	9	172	163	9	172	165	7
GREENE	84	69	15	109	86	23	88	76	12
GRENADA	216	138	78	197	123	74	185	115	70
HANCOCK	352	314	38	357	321	36	315	280	35
HARRISON	1,743	1,357	386	1,746	1,364	382	1,486	1,154	332
HINDS	2,249	1,030	1,219	2,091	972	1,119	1,872	756	1,116
HOLMES	158	26	132	179	33	146	166	24	142
HUMPHREYS	48	17	31	61	28	33	51	19	32
ISSAQUENA	6	1	5	5	1	4	5	2	3
ITAWAMBA	154	144	10	172	162	10	155	146	9
JACKSON	993	777	216	1,019	809	210	1,023	805	218
JASPER	120	55	65	140	67	73	120	55	65
JEFFERSON	64	8	56	73	11	62	57	7	50
JEFF DAVIS	116	60	56	126	63	63	112	55	57
JONES	564	448	116	569	450	119	527	421	106
KEMPER	67	16	51	75	26	49	69	19	50
LAFAYETTE	243	174	69	232	166	66	217	151	66
LAMAR	267	237	30	298	269	29	359	301	58
LAUDERDALE	690	454	236	666	432	234	619	394	225
LAWRENCE	129	86	43	147	102	45	126	85	41
LEAKE	149	88	61	178	107	71	166	103	63
LEE	702	498	204	623	449	174	625	449	176
LEFLORE	243	91	152	233	81	152	200	73	127

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1999

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	318	218	100	302	205	97	313	217	96
LOWNDES	420	250	170	429	246	183	382	207	175
MADISON	417	232	185	488	281	207	573	367	206
MARION	277	200	77	286	197	89	260	182	78
MARSHALL	205	113	92	211	114	97	176	96	80
MONROE	241	172	69	265	183	82	258	173	85
MONTGOMERY	92	37	55	104	46	58	105	45	60
NESHOBA	251	175	76	251	179	72	232	162	70
NEWTON	163	122	41	169	126	43	169	131	38
NOXUBEE	86	29	57	94	32	62	84	26	58
OKTIBBEHA	342	198	144	288	149	139	306	170	136
PANOLA	227	122	105	231	124	107	226	120	106
PEARL RIVER	444	402	42	431	387	44	415	373	42
PERRY	108	91	17	113	95	18	104	85	19
PIKE	360	205	155	377	209	168	349	192	157
PONTOTOC	204	171	33	195	163	32	207	174	33
PRENTISS	145	129	16	142	124	18	156	133	23
QUITMAN	56	20	36	62	23	39	49	19	30
RANKIN	1,034	885	149	843	700	143	1,083	931	152
SCOTT	284	189	95	282	189	93	277	186	91
SHARKEY	29	16	13	27	14	13	27	13	14
SIMPSON	237	174	63	273	196	77	238	175	63
SMITH	113	91	22	137	108	29	133	106	27
STONE	137	116	21	126	107	19	128	108	20
SUNFLOWER	180	60	120	180	60	120	148	48	100
TALLAHATCHIE	79	39	40	98	54	44	87	44	43
TATE	169	117	52	148	106	42	153	109	44
TIPPAH	113	96	17	108	87	21	115	95	20
TISHOMINGO	117	112	5	122	115	7	112	105	7
TUNICA	64	20	44	66	22	44	58	17	41
UNION	174	135	39	180	144	36	173	136	37
WALTHALL	136	79	57	120	69	51	126	70	56
WARREN	461	269	192	482	300	182	423	242	181
WASHINGTON	298	146	152	314	153	161	267	128	139
WAYNE	151	98	53	148	104	44	153	99	54
WEBSTER	78	58	20	81	64	17	86	67	19
WILKINSON	64	27	37	66	29	37	53	19	34
WINSTON	146	80	66	158	90	68	140	78	62
YALOBUSHA	95	57	38	112	67	45	107	65	42
YAZOO	197	97	100	215	104	111	186	93	93
UNKNOWN				10	6	4			
OUT OF STATE	*	*	*	*	*	*	1,217	910	307

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1999

COUNTY	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	COUNTY	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>STATE</u>	<u>14, 056</u>	<u>10, 625</u>	<u>3, 221</u>	<u>210</u>					
ADAMS	137	86	51	0	LI NCOLN	56	41	15	0
ALCORN	273	257	16	0	LOWNDES	319	210	98	11
AMI TE	70	52	17	1	MADI SON	270	203	66	1
ATTALA	89	63	26	0	MARI ON	149	111	35	3
BENTON	25	23	2	0	MARSHALL	182	131	51	0
BOLI VAR	139	71	67	1	MONROE	216	169	45	2
CALHOUN	74	62	12	0	MONTGOMERY	47	31	16	0
CARROLL	35	25	10	0	NESHOBA	150	122	28	0
CHI CKASAW	77	58	17	2	NEWTON	79	66	13	0
CHOCTAW	44	34	10	0	NOXUBEE	29	9	19	1
CLAI BORNE	30	11	19	0	OKTI BBEHA	114	76	38	0
CLARKE	98	78	20	0	PANOLA	155	113	42	0
CLAY	96	56	36	4	PEARL RI VER	298	277	20	1
COAHOMA	110	52	58	0	PERRY	50	47	2	1
COPI AH	68	46	22	0	PI KE	204	137	65	2
COVI NGTON	108	80	27	1	PONTOTOC	174	157	17	0
DESOTO	712	620	46	46	PRENTI SS	186	168	9	9
FORREST	335	248	70	17	QUI TMAN	30	15	15	0
FRANKLI N	36	28	8	0	RANKI N	746	667	79	0
GEORGE	103	98	5	0	SCOTT	153	109	43	1
GREENE	36	34	2	0	SHARKEY	10	7	3	0
GRENADA	143	106	37	0	SI MPSON	113	81	32	0
HANCOCK	228	213	10	5	SMI TH	59	52	7	0
HARRI SON	1, 221	997	186	38	STONE	60	50	10	0
HI NDS	1, 131	530	599	2	SUNFLOWER	47	23	24	0
HOLMES	59	16	43	0	TALLAHATCHI E	36	21	15	0
HUMPHREYS	0	0	0	0	TATE	131	113	18	0
I SSAQUENA	6	4	2	0	TI PPAH	151	134	16	1
I TAWAMBA	179	170	5	4	TI SHOMI NGO	130	127	2	1
JACKSON	872	740	130	2	TUNI CA	32	14	18	0
JASPER	81	52	29	0	UNI ON	169	150	17	2
JEFFERSON	23	1	22	0	WALTHALL	50	33	17	0
JEFF DAVI S	25	10	15	0	WARREN	195	141	54	0
JONES	368	316	52	0	WASHI NGTON	203	103	99	1
KEMPER	27	15	12	0	WAYNE	116	94	20	2
LAFAYETTE	129	91	35	3	WEBSTER	31	27	4	0
LAMAR	212	169	22	21	WI LKI NSON	35	11	24	0
LAUDERDALE	413	289	121	3	WI NSTON	80	50	30	0
LAWRENCE	59	47	10	2	YALOBUSHA	58	45	13	0
LEAKE	103	81	22	0	YAZOO	59	40	18	1
LEE	572	454	100	18					
LEFLORE	138	67	71	0					

* DI VORCES OF MI XED-RACE COUPLES ARE I NCLUDED I N FI GURES FOR NONWHI TES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1999

COUNTY	TOTAL	WHI TE	NON- WHI TE	UNK. RACE	COUNTY	TOTAL	WHI TE	NON- WHI TE	UNK. RACE
<u>STATE</u>	<u>3,696</u>	<u>978</u>	<u>2,710</u>	<u>8</u>					
ADAMS	59	18	41	0	LI NCOLN	40	12	28	0
ALCORN	0	0	0	0	LOWNDES	8	4	4	0
AMI TE	11	2	9	0	MADI SON	250	84	165	1
ATTALA	37	10	27	0	MARI ON	24	9	15	0
BENTON	0	0	0	0	MARSHALL	1	0	1	0
BOLI VAR	31	12	19	0	MONROE	3	0	3	0
CALHOUN	5	3	2	0	MONTGOMERY	21	6	15	0
CARROLL	12	0	12	0	NESHOBA	34	15	19	0
CHI CKASAW	8	3	5	0	NEWTON	22	7	14	1
CHOCTAW	10	4	6	0	NOXUBEE	6	1	5	0
CLAI BORNE	39	2	37	0	OKTI BBEHA	23	13	10	0
CLARKE	18	5	13	0	PANOLA	5	3	2	0
CLAY	6	4	2	0	PEARL RI VER	9	6	3	0
COAHOMA	6	1	5	0	PERRY	5	3	2	0
COPI AH	59	15	44	0	PI KE	73	21	51	1
COVI NGTON	22	13	9	0	PONTOTOC	1	1	0	0
DESOTO	2	1	1	0	PRENTI SS	3	1	2	0
FORREST	140	66	74	0	QUI TMAN	1	1	0	0
FRANKLI N	5	4	1	0	RANKI N	252	158	94	0
GEORGE	1	0	1	0	SCOTT	75	18	57	0
GREENE	1	1	0	0	SHARKEY	10	0	10	0
GRENADA	25	13	12	0	SI MPSON	42	10	32	0
HANCOCK	1	1	0	0	SMI TH	8	3	5	0
HARRI SON	12	6	6	0	STONE	4	1	3	0
HI NDS	1,364	203	1,157	4	SUNFLOWER	58	12	46	0
HOLMES	70	3	67	0	TALLAHATCHI E	3	2	1	0
HUMPHREYS	17	2	15	0	TATE	1	0	1	0
I SSAQUENA	4	0	4	0	TI PPAH	3	1	2	0
I TAWAMBA	0	0	0	0	TI SHOMI NGO	0	0	0	0
JACKSON	5	4	1	0	TUNI CA	0	0	0	0
JASPER	15	6	9	0	UNI ON	0	0	0	0
JEFFERSON	35	2	33	0	WALTHALL	7	3	4	0
JEFF DAVIS	16	5	11	0	WARREN	167	47	120	0
JONES	66	22	44	0	WASHI NGTON	101	12	89	0
KEMPER	8	1	7	0	WAYNE	12	4	8	0
LAFAYETTE	7	5	2	0	WEBSTER	5	1	4	0
LAMAR	35	20	15	0	WI LKI NSON	3	1	2	0
LAUDERDALE	45	16	29	0	WI NSTON	14	3	11	0
LAWRENCE	18	3	15	0	YALOBUSHA	3	1	2	0
LEAKE	31	11	19	1	YAZOO	70	11	59	0
LEE	6	5	1	0					
LEFLORE	77	11	66	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 1999

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
STATE	9,675	275	9,400	3,646	53	3,593	6,027	222	5,805
ADAMS	97	3	94	13	0	13	84	3	81
ALCORN	86	1	85	68	1	67	17	0	17
AMITE	32	1	31	8	0	8	24	1	23
ATTALA	56	1	55	18	0	18	38	1	37
BENTON	30	1	29	12	1	11	18	0	18
BOLIVAR	203	5	198	26	1	25	177	4	173
CALHOUN	45	1	44	21	1	20	24	0	24
CARROLL	16	1	15	7	0	7	9	1	8
CHICKASAW	79	3	76	24	0	24	55	3	52
CHOCTAW	23	2	21	16	1	15	7	1	6
CLAIBORNE	46	1	45	1	0	1	45	1	44
CLARKE	55	2	53	28	0	28	27	2	25
CLAY	84	1	83	20	0	20	64	1	63
COAHOMA	177	6	171	15	0	15	162	6	156
COPIAH	99	4	95	30	1	29	69	3	66
COVINGTON	78	1	77	41	0	41	37	1	36
DESOTO	227	5	222	163	4	159	64	1	63
FORREST	266	6	260	124	2	122	142	4	138
FRANKLIN	32	1	31	14	0	14	18	1	17
GEORGE	76	0	76	63	0	63	13	0	13
GREENE	42	0	42	29	0	29	13	0	13
GRENADA	50	4	46	19	0	19	31	4	27
HANCOCK	89	3	86	80	3	77	9	0	9
HARRISON	583	12	571	349	4	345	234	8	226
HINDS	1,063	41	1,022	140	2	138	923	39	884
HOLMES	114	3	111	5	0	5	109	3	106
HUMPHREYS	70	3	67	7	0	7	63	3	60
ISSAQUENA	8	0	8	0	0	0	8	0	8
I TAWAMBA	53	1	52	45	0	45	8	1	7
JACKSON	393	6	387	235	4	231	158	2	156
JASPER	57	2	55	15	0	15	42	2	40
JEFFERSON	40	2	38	1	0	1	39	2	37
JEFF DAVIS	42	3	39	12	1	11	30	2	28
JONES	253	7	246	113	0	113	140	7	133
KEMPER	27	0	27	7	0	7	20	0	20
LAFAYETTE	84	1	83	26	0	26	58	1	57
LAMAR	87	3	84	62	0	62	25	3	22
LAUDERDALE	237	8	229	65	2	63	172	6	166
LAWRENCE	36	1	35	21	0	21	15	1	14
LEAKE	74	4	70	33	0	33	40	4	36
LEE	219	7	212	118	3	115	101	4	97
LEFLORE	192	6	186	26	1	25	166	5	161

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 1999

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	102	7	95	51	1	50	51	6	45
LOWNDES	236	9	227	61	1	60	175	8	167
MADISON	177	7	170	40	1	39	137	6	131
MARION	91	4	87	50	2	48	41	2	39
MARSHALL	131	1	130	41	0	41	90	1	89
MONROE	89	2	87	42	0	42	47	2	45
MONTGOMERY	43	1	42	14	0	14	29	1	28
NESHOBA	94	1	93	37	1	36	57	0	57
NEWTON	53	0	53	26	0	26	27	0	27
NOXUBEE	71	1	70	4	0	4	67	1	66
OKTIBBEHA	121	4	117	31	0	31	90	4	86
PANOLA	141	5	136	43	1	42	98	4	94
PEARL RIVER	140	3	137	102	1	101	38	2	36
PERRY	46	2	44	31	1	30	15	1	14
PIKE	177	5	172	41	1	40	136	4	132
PONTOTOC	65	3	62	51	2	49	14	1	13
PRENTISS	69	0	69	57	0	57	12	0	12
QUITMAN	56	2	54	6	0	6	50	2	48
RANKIN	270	6	264	195	3	192	75	3	72
SCOTT	116	2	114	58	2	56	58	0	58
SHARKEY	37	0	37	1	0	1	36	0	36
SIMPSON	120	3	117	56	0	56	64	3	61
SMITH	35	1	34	18	1	17	17	0	17
STONE	45	1	44	31	0	31	14	1	13
SUNFLOWER	179	2	177	13	0	13	166	2	164
TALLAHATCHIE	61	1	60	7	0	7	54	1	53
TATE	81	0	81	32	0	32	49	0	49
TIPPAH	76	1	75	50	1	49	26	0	26
TISHOMINGO	41	0	41	41	0	41	0	0	0
TUNICA	46	1	45	7	0	7	39	1	38
UNION	73	1	72	55	0	55	18	1	17
WALTHALL	48	0	48	12	0	12	36	0	36
WARREN	198	9	189	61	0	61	137	9	128
WASHINGTON	341	12	329	43	0	43	298	12	286
WAYNE	72	2	70	30	0	30	42	2	40
WEBSTER	34	2	32	20	2	18	14	0	14
WILKINSON	26	1	25	2	0	2	24	1	23
WINSTON	85	5	80	20	0	20	65	5	60
YALOBUSHA	39	1	38	21	0	21	18	1	17
YAZOO	130	4	126	25	0	25	105	4	101

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 1999

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
STATE	45.2	2.7	83.2	32.1	1.0	60.6	59.8	4.7	108.0
ADAMS	38.9	2.5	72.6	13.6	-	27.5	54.6	4.2	98.5
ALCORN	37.5	0.9	73.0	36.0	1.1	70.0	42.3	-	82.1
AMITE	30.1	1.8	61.0	19.0	-	39.2	37.4	3.0	75.6
ATTALA	41.3	1.6	76.6	28.1	-	55.6	53.1	3.1	93.9
BENTON	45.0	3.0	88.7	38.8	6.8	68.3	50.4	-	108.4
BOLIVAR	53.3	3.0	91.8	24.3	2.2	40.2	64.6	3.3	112.8
CALHOUN	44.2	2.0	82.9	34.2	3.2	65.8	59.2	-	105.7
CARROLL	20.5	2.5	39.3	18.6	-	39.8	22.2	5.0	38.8
CHICKASAW	58.0	4.4	110.5	36.1	-	71.6	79.0	8.7	147.3
CHOCTAW	29.6	5.0	55.8	33.2	4.1	63.3	23.6	6.4	43.2
CLAIBORNE	32.5	2.2	47.4	8.8	-	18.9	34.6	2.5	49.1
CLARKE	40.5	2.9	78.4	38.8	-	79.3	42.3	6.3	77.4
CLAY	45.9	1.2	85.6	33.6	-	67.3	51.9	1.8	93.8
COAHOMA	64.0	4.4	120.7	26.0	-	54.2	73.9	5.7	136.8
COPIAH	39.6	3.8	65.9	33.7	2.5	59.7	42.9	4.6	69.1
COVINGTON	54.2	1.4	106.2	56.6	-	112.6	51.7	2.8	99.7
DESOTO	30.4	1.4	59.0	26.7	1.3	51.2	47.3	1.4	95.2
FORREST	44.4	2.5	72.1	36.1	1.5	57.1	55.8	3.7	94.0
FRANKLIN	53.2	3.3	104.7	45.6	-	94.6	61.2	6.8	114.9
GEORGE	46.6	-	89.6	44.6	-	85.5	59.6	-	117.1
GREENE	45.9	-	93.1	45.2	-	93.5	47.6	-	92.2
GRENADA	29.5	4.8	53.8	23.8	-	48.7	34.5	9.2	58.1
HANCOCK	31.9	2.1	63.9	33.7	2.4	67.5	21.8	-	43.7
HARRISON	47.4	2.0	90.8	42.4	1.0	82.5	57.3	4.0	107.0
HINDS	57.4	4.9	100.2	21.8	0.7	39.2	76.4	7.2	132.2
HOLMES	56.8	3.3	101.8	14.6	-	24.0	65.5	3.8	120.2
HUMPHREYS	71.5	6.3	133.2	35.7	-	65.4	80.5	7.8	151.5
ISSAQUENA	58.0	-	127.0	-	-	-	88.9	-	216.2
IATAWAMBA	33.0	1.5	54.3	31.8	-	53.7	41.2	13.3	58.8
JACKSON	38.3	1.2	75.0	33.4	1.1	65.2	48.9	1.2	96.3
JASPER	38.3	2.6	75.3	29.9	-	57.5	42.5	3.8	85.3
JEFFERSON	54.3	5.5	102.4	16.9	-	31.2	57.6	5.9	109.1
JEFF DAVIS	36.3	5.2	66.9	33.4	6.1	56.4	37.6	4.9	72.2
JONES	53.2	3.1	98.4	37.1	-	70.4	81.7	8.6	148.6
KEMPER	28.9	-	48.7	28.6	-	53.0	29.1	-	47.4
LAFAYETTE	27.6	1.0	39.6	12.5	-	17.0	59.9	2.5	100.9
LAMAR	30.5	2.0	60.2	26.2	-	53.8	51.3	12.3	90.5
LAUDERDALE	42.3	3.1	75.9	22.2	1.4	41.3	64.1	5.0	111.3
LAWRENCE	34.7	2.0	66.2	37.3	-	73.4	31.6	4.3	57.6
LEAKE	50.5	5.7	91.4	50.8	-	100.0	49.1	10.6	82.6
LEE	42.0	2.7	80.7	32.3	1.7	62.4	64.4	5.1	123.9
LEFLORE	63.6	4.1	120.2	34.7	2.5	72.9	73.1	4.7	133.7

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 1999

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	40.2	5.8	71.8	35.0	1.4	66.9	47.4	12.0	78.1
LOWNDES	50.5	4.2	89.9	26.1	1.0	46.8	75.0	7.3	134.5
MADISON	32.9	2.6	61.9	20.8	1.0	44.6	39.6	3.8	70.0
MARION	43.9	3.9	83.4	42.9	3.3	84.8	45.1	4.6	81.8
MARSHALL	50.8	0.8	96.9	44.8	-	90.1	54.0	1.3	100.3
MONROE	30.7	1.5	56.4	24.8	-	47.5	38.8	3.6	68.3
MONTGOMERY	45.6	2.3	83.8	38.2	-	72.9	50.3	3.7	90.6
NESHOBA	41.5	0.9	80.0	29.1	1.6	55.9	57.3	-	110.0
NEWTON	29.7	-	54.3	25.4	-	45.1	35.5	-	67.5
NOXUBEE	64.8	1.8	126.6	20.0	-	45.4	74.9	2.3	141.9
OKTIBBEHA	35.2	3.8	49.0	16.5	-	21.6	57.5	6.6	89.9
PANOLA	50.0	3.6	94.3	42.6	1.9	85.2	54.2	4.6	99.0
PEARL RIVER	38.2	1.7	72.6	35.4	0.7	68.8	48.8	5.6	85.9
PERRY	46.7	4.2	86.8	46.4	3.0	88.5	47.5	6.8	83.3
PIKE	56.5	3.2	107.6	31.3	1.6	58.6	74.6	4.4	144.1
PONTOTOC	35.2	3.4	64.7	36.6	3.0	66.8	31.0	4.4	58.0
PRENTISS	35.6	-	61.8	35.9	-	62.4	34.2	-	58.8
QUITMAN	61.1	4.6	111.1	26.9	-	51.7	72.2	6.2	129.7
RANKIN	34.7	1.5	69.2	31.8	1.0	63.9	45.6	3.6	88.8
SCOTT	61.1	2.2	116.6	64.7	4.4	125.8	57.9	-	108.8
SHARKEY	56.7	-	115.3	7.6	-	17.2	69.1	-	136.9
SIMPSON	62.7	3.1	124.5	51.3	-	109.8	77.8	7.6	141.9
SMITH	31.0	1.8	58.0	23.4	2.6	43.8	47.1	-	85.8
STONE	38.7	2.1	65.0	38.7	-	68.0	38.8	7.1	58.8
SUNFLOWER	64.9	1.5	124.6	19.3	-	36.5	79.6	2.0	154.0
TALLAHATCHIE	48.1	1.6	92.3	20.8	-	40.0	58.1	2.2	111.6
TATE	38.7	-	68.1	27.5	-	48.2	52.8	-	93.2
TIPPAH	49.2	1.4	92.5	42.3	1.8	78.2	71.6	-	141.3
TISHOMINGO	34.6	-	68.3	36.6	-	72.6	-	-	-
TUNICA	58.5	2.6	111.4	63.1	-	127.3	57.8	3.1	108.9
UNION	41.2	1.1	80.4	39.0	-	77.7	49.3	5.6	90.4
WALTHALL	39.8	-	82.2	22.5	-	47.8	53.6	-	108.1
WARREN	51.1	4.5	99.6	33.1	-	68.8	67.4	8.8	126.6
WASHINGTON	61.1	4.4	116.2	26.7	-	56.1	75.1	6.3	138.6
WAYNE	43.2	2.5	81.4	34.5	-	69.1	52.8	5.4	93.9
WEBSTER	44.6	5.6	78.6	37.8	8.0	64.7	59.8	-	108.5
WILKINSON	39.9	3.0	79.6	13.0	-	29.0	48.2	4.0	93.9
WINSTON	56.4	7.0	101.3	30.0	-	59.7	77.2	12.9	131.9
YALOBUSHA	42.2	2.4	75.0	48.4	-	92.5	36.7	4.7	60.7
YAZOO	63.5	3.8	127.3	36.4	-	80.1	77.3	5.9	149.0

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>442</u>	<u>232</u>	<u>210</u>	<u>13.1</u>	<u>14.2</u>	<u>12.1</u>	<u>424</u>	<u>382</u>	<u>42</u>	<u>12.8</u>	<u>13.2</u>	<u>10.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	4	5	26.7	24.5	28.9	11	11	0	33.2	38.1	-
HIV DISEASE (039-043)	2	0	2	5.9	-	11.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	85	37	48	252.5	226.3	277.4	88	80	8	266.0	277.0	190.5
DIABETES MELLITUS (124)	7	2	5	20.8	12.2	28.9	5	3	2	15.1	10.4	47.6
ALZHEIMERS DISEASE (148)	7	7	0	20.8	42.8	-	7	7	0	21.2	24.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	183	100	83	543.7	611.6	479.6	180	164	16	544.1	567.8	381.0
HEART DISEASES (156-160, 162, 164-181)	160	93	67	475.4	568.8	387.1	134	124	10	405.1	429.3	238.2
HYPERTENSION (161, 163)	0	0	0	-	-	-	2	1	1	6.0	3.5	23.8
CEREBROVASCULAR DISEASES (182-186)	20	4	16	59.4	24.5	92.4	39	35	4	117.9	121.2	95.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	3	0	9.1	10.4	-
INFLUENZA AND PNEUMONIA (195-198)	15	10	5	44.6	61.2	28.9	15	13	2	45.3	45.0	47.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	27	19	8	80.2	116.2	46.2	22	21	1	66.5	72.7	23.8
PEPTIC ULCER (217-220)	1	0	1	3.0	-	5.8	1	1	0	3.0	3.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	14.8	24.5	5.8	4	3	1	12.1	10.4	23.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	19	6	13	56.4	36.7	75.1	9	6	3	27.2	20.8	71.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.4	-	9.4	1	1	0	2.4	2.8	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.0	6.1	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	24	13	11	71.3	79.5	63.6	21	20	1	63.5	69.2	23.8
MOTOR VEHICLE ACCIDENTS# (296-306)	12	6	6	35.6	36.7	34.7	12	12	0	36.3	41.6	-
SUICIDE (331-337)	8	6	2	23.8	36.7	11.6	1	1	0	3.0	3.5	-
HOMICIDE (338-346)	4	1	3	11.9	6.1	17.3	4	2	2	12.1	6.9	47.6

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>130</u>	<u>69</u>	<u>61</u>	<u>9.3</u>	<u>9.5</u>	<u>9.2</u>	<u>254</u>	<u>179</u>	<u>75</u>	<u>13.8</u>	<u>17.0</u>	<u>9.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	21.6	27.6	15.0	2	1	1	10.9	9.5	12.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	31	20	11	222.9	275.9	165.2	39	28	11	212.7	265.4	141.3
DIABETES MELLITUS (124)	5	2	3	36.0	27.6	45.1	6	6	0	32.7	56.9	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	7	7	0	38.2	66.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	28	26	388.3	386.3	390.6	109	77	32	594.4	729.7	411.0
HEART DISEASES (156-160, 162, 164-181)	45	24	21	323.6	331.1	315.4	82	55	27	447.2	521.2	346.8
HYPERTENSION (161, 163)	1	0	1	7.2	-	15.0	2	1	1	10.9	9.5	12.8
CEREBROVASCULAR DISEASES (182-186)	7	3	4	50.3	41.4	60.1	21	17	4	114.5	161.1	51.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.4	9.5	-
INFLUENZA AND PNEUMONIA (195-198)	4	1	3	28.8	13.8	45.1	5	4	1	27.3	37.9	12.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	3	2	1	21.6	27.6	15.0	24	17	7	130.9	161.1	89.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	10.9	9.5	12.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	1	4	36.0	13.8	60.1	8	4	4	43.6	37.9	51.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.8	-	11.8	2	1	1	7.6	7.5	7.7
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.2	-	15.0	1	0	1	5.4	-	12.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	2	2	28.8	27.6	30.0	16	12	4	87.2	113.7	51.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	21.6	13.8	30.0	9	8	1	49.1	75.8	12.8
SUICIDE (331-337)	5	3	2	36.0	41.4	30.0	3	1	2	16.4	9.5	25.7
HOMICIDE (338-346)	0	0	0	-	-	-	3	0	3	16.4	-	38.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>94</u>	<u>69</u>	<u>25</u>	<u>11.6</u>	<u>14.6</u>	<u>7.5</u>	<u>436</u>	<u>162</u>	<u>274</u>	<u>10.9</u>	<u>11.8</u>	<u>10.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	37.1	63.3	-	5	1	4	12.6	7.2	15.4
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	5.0	-	7.7
MALIGNANT NEOPLASMS (056-108)	21	15	6	259.5	316.4	179.0	95	41	54	238.5	297.4	207.4
DIABETES MELLITUS (124)	1	1	0	12.4	21.1	-	11	6	5	27.6	43.5	19.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	11	5	6	27.6	36.3	23.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	37	31	6	457.3	654.0	179.0	185	75	110	464.5	544.0	422.4
HEART DISEASES (156-160, 162, 164-181)	32	26	6	395.5	548.5	179.0	150	62	88	376.6	449.7	338.0
HYPERTENSION (161, 163)	0	0	0	-	-	-	5	0	5	12.6	-	19.2
CEREBROVASCULAR DISEASES (182-186)	5	5	0	61.8	105.5	-	28	13	15	70.3	94.3	57.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	0	2	5.0	-	7.7
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	49.4	42.2	59.7	18	7	11	45.2	50.8	42.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	5	4	1	61.8	84.4	29.8	11	3	8	27.6	21.8	30.7
PEPTIC ULCER (217-220)	1	1	0	12.4	21.1	-	1	0	1	2.5	-	3.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	12.4	-	29.8	1	1	0	2.5	7.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	37.1	21.1	59.7	19	2	17	47.7	14.5	65.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	0	4	6.0	-	8.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	12.4	21.1	-	4	0	4	10.0	-	15.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	7.8	-	15.9	2	1	1	3.0	6.3	2.0
ACCIDENTS (295-330)	6	4	2	74.2	84.4	59.7	25	6	19	62.8	43.5	73.0
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	37.1	42.2	29.8	15	2	13	37.7	14.5	49.9
SUICIDE (331-337)	1	1	0	12.4	21.1	-	4	4	0	10.0	29.0	-
HOMICIDE (338-346)	1	0	1	12.4	-	29.8	4	1	3	10.0	7.2	11.5

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>193</u>	<u>149</u>	<u>44</u>	<u>13.0</u>	<u>14.1</u>	<u>10.1</u>	<u>95</u>	<u>68</u>	<u>27</u>	<u>9.5</u>	<u>11.8</u>	<u>6.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	26.9	37.9	-	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	6.7	-	23.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	28	13	275.3	265.3	299.7	21	14	7	210.7	243.6	165.9
DIABETES MELLITUS (124)	3	2	1	20.1	19.0	23.0	5	2	3	50.2	34.8	71.1
ALZHEIMERS DISEASE (148)	4	3	1	26.9	28.4	23.0	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	84	66	18	564.1	625.4	414.9	37	27	10	371.2	469.7	237.0
HEART DISEASES (156-160, 162, 164-181)	62	46	16	416.4	435.9	368.8	32	23	9	321.0	400.1	213.3
HYPERTENSION (161, 163)	0	0	0	-	-	-	1	1	0	10.0	17.4	-
CEREBROVASCULAR DISEASES (182-186)	17	15	2	114.2	142.1	46.1	3	2	1	30.1	34.8	23.7
ATHEROSCLEROSIS (187)	2	2	0	13.4	19.0	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	47.0	47.4	46.1	6	4	2	60.2	69.6	47.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	8	0	53.7	75.8	-	6	6	0	60.2	104.4	-
PEPTIC ULCER (217-220)	2	2	0	13.4	19.0	-	1	1	0	10.0	17.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	6	5	1	40.3	47.4	23.0	5	3	2	50.2	52.2	47.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.7	9.5	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	9.8	-	22.2
ACCIDENTS (295-330)	11	6	5	73.9	56.8	115.3	5	4	1	50.2	69.6	23.7
MOTOR VEHICLE ACCIDENTS# (296-306)	9	6	3	60.4	56.8	69.2	4	3	1	40.1	52.2	23.7
SUICIDE (331-337)	3	2	1	20.1	19.0	23.0	2	2	0	20.1	34.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	CHI CKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>228</u>	<u>156</u>	<u>72</u>	<u>12.6</u>	<u>14.7</u>	<u>9.6</u>	<u>105</u>	<u>74</u>	<u>31</u>	<u>11.2</u>	<u>11.7</u>	<u>10.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	5.5	-	13.3	0	0	0	-	-	-
HIV DISEASE (039-043)	2	1	1	11.0	9.4	13.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	39	15	298.0	367.2	200.0	19	14	5	202.9	221.0	164.9
DIABETES MELLITUS (124)	6	2	4	33.1	18.8	53.3	4	3	1	42.7	47.4	33.0
ALZHEIMERS DISEASE (148)	1	0	1	5.5	-	13.3	1	1	0	10.7	15.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	92	63	29	507.7	593.1	386.7	38	28	10	405.7	442.0	329.8
HEART DISEASES (156-160, 162, 164-181)	76	54	22	419.4	508.4	293.4	31	22	9	331.0	347.3	296.8
HYPERTENSION (161,163)	1	0	1	5.5	-	13.3	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	7	6	71.7	65.9	80.0	6	5	1	64.1	78.9	33.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	11	1	66.2	103.6	13.3	4	2	2	42.7	31.6	66.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	4	4	44.1	37.6	53.3	7	5	2	74.7	78.9	66.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.5	-	13.3	1	1	0	10.7	15.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	6	2	4	33.1	18.8	53.3	3	2	1	32.0	31.6	33.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	8.8	6.2	11.1	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	10.7	-	33.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	15	5	110.4	141.2	66.7	9	5	4	96.1	78.9	131.9
MOTOR VEHICLE ACCIDENTS# (296-306)	12	7	5	66.2	65.9	66.7	5	3	2	53.4	47.4	66.0
SUICIDE (331-337)	2	1	1	11.0	9.4	13.3	1	1	0	10.7	15.8	-
HOMICIDE (338-346)	1	1	0	5.5	9.4	-	2	0	2	21.4	-	66.0

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>115</u>	<u>34</u>	<u>81</u>	<u>9.9</u>	<u>17.0</u>	<u>8.4</u>	<u>199</u>	<u>137</u>	<u>62</u>	<u>10.8</u>	<u>11.8</u>	<u>9.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	2	2	0	10.8	17.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.4	-	14.6
MALIGNANT NEOPLASMS (056-108)	19	4	15	163.8	199.6	156.4	34	24	10	184.3	206.6	146.4
DIABETES MELLITUS (124)	3	2	1	25.9	99.8	10.4	2	0	2	10.8	-	29.3
ALZHEIMERS DISEASE (148)	3	1	2	25.9	49.9	20.8	2	2	0	10.8	17.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	65	23	42	560.5	1148	437.9	109	74	35	590.9	637.0	512.5
HEART DISEASES (156-160, 162, 164-181)	55	21	34	474.3	1047.9	354.5	86	61	25	466.2	525.1	366.1
HYPERTENSION (161,163)	0	0	0	-	-	-	4	2	2	21.7	17.2	29.3
CEREBROVASCULAR DISEASES (182-186)	10	2	8	86.2	99.8	83.4	16	11	5	86.7	94.7	73.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	0	2	10.8	-	29.3
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	8.6	-	10.4	4	3	1	21.7	25.8	14.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	4	1	3	34.5	49.9	31.3	6	4	2	32.5	34.4	29.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	8.6	-	10.4	1	1	0	5.4	8.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	0	3	25.9	-	31.3	3	1	2	16.3	8.6	29.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.2	-	6.9	1	0	1	4.1	-	8.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	2	4	51.7	99.8	41.7	10	6	4	54.2	51.6	58.6
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	25.9	99.8	10.4	7	3	4	38.0	25.8	58.6
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	10.8	17.2	-
HOMICIDE (338-346)	1	0	1	8.6	-	10.4	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>221</u>	<u>120</u>	<u>101</u>	<u>10.2</u>	<u>12.6</u>	<u>8.3</u>	<u>358</u>	<u>146</u>	<u>212</u>	<u>11.5</u>	<u>14.2</u>	<u>10.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	4.6	-	8.2	6	2	4	19.3	19.4	19.2
HIV DISEASE (039-043)	2	0	2	9.2	-	16.5	3	0	3	9.6	-	14.4
MALIGNANT NEOPLASMS (056-108)	34	23	11	157.0	240.9	90.8	72	33	39	231.6	320.5	187.5
DIABETES MELLITUS (124)	8	2	6	36.9	20.9	49.5	18	5	13	57.9	48.6	62.5
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	3	2	1	9.6	19.4	4.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	113	59	54	521.8	618.0	445.9	138	66	72	443.8	641.1	346.2
HEART DISEASES (156-160, 162, 164-181)	99	54	45	457.1	565.6	371.6	104	52	52	334.5	505.1	250.0
HYPERTENSION (161, 163)	0	0	0	-	-	-	6	0	6	19.3	-	28.8
CEREBROVASCULAR DISEASES (182-186)	12	5	7	55.4	52.4	57.8	25	13	12	80.4	126.3	57.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.2	9.7	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	18.5	20.9	16.5	9	5	4	28.9	48.6	19.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	5	3	36.9	52.4	24.8	20	8	12	64.3	77.7	57.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.2	10.5	8.2	3	1	2	9.6	9.7	9.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	13.8	10.5	16.5	14	5	9	45.0	48.6	43.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	2	3	14.4	17.5	12.8	3	0	3	5.3	-	6.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.8	-	2.1
ACCIDENTS (295-330)	9	5	4	41.6	52.4	33.0	21	7	14	67.5	68.0	67.3
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	32.3	52.4	16.5	12	5	7	38.6	48.6	33.6
SUICIDE (331-337)	2	1	1	9.2	10.5	8.2	5	2	3	16.1	19.4	14.4
HOMICIDE (338-346)	1	0	1	4.6	-	8.2	11	1	10	35.4	9.7	48.1

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>312</u>	<u>150</u>	<u>162</u>	<u>10.8</u>	<u>11.1</u>	<u>10.6</u>	<u>183</u>	<u>135</u>	<u>48</u>	<u>10.2</u>	<u>12.1</u>	<u>7.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	4	4	27.7	29.5	26.1	1	1	0	5.6	9.0	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	57	31	26	197.3	228.6	169.6	42	32	10	234.8	287.1	148.3
DIABETES MELLITUS (124)	6	2	4	20.8	14.7	26.1	2	2	0	11.2	17.9	-
ALZHEIMERS DISEASE (148)	4	3	1	13.8	22.1	6.5	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	141	73	68	488.0	538.3	443.6	80	58	22	447.2	520.3	326.3
HEART DISEASES (156-160, 162, 164-181)	118	64	54	408.4	471.9	352.2	71	53	18	396.9	475.5	267.0
HYPERTENSION (161, 163)	4	0	4	13.8	-	26.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	17	8	9	58.8	59.0	58.7	8	4	4	44.7	35.9	59.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.6	9.0	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	13.8	22.1	6.5	2	2	0	11.2	17.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	11	7	4	38.1	51.6	26.1	11	7	4	61.5	62.8	59.3
PEPTIC ULCER (217-220)	1	0	1	3.5	-	6.5	1	1	0	5.6	9.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	1	5	20.8	7.4	32.6	2	0	2	11.2	-	29.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	1	3	13.8	7.4	19.6	2	1	1	11.2	9.0	14.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	1	7	19.4	6.3	27.4	1	1	0	3.5	6.7	-
CONGENITAL MALFORMATIONS (282-290)	3	1	2	10.4	7.4	13.0	3	3	0	16.8	26.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	4.8	6.3	3.9	0	0	0	-	-	-
ACCIDENTS (295-330)	14	7	7	48.4	51.6	45.7	11	10	1	61.5	89.7	14.8
MOTOR VEHICLE ACCIDENTS# (296-306)	7	2	5	24.2	14.7	32.6	7	7	0	39.1	62.8	-
SUICIDE (331-337)	1	1	0	3.5	7.4	-	0	0	0	-	-	-
HOMICIDE (338-346)	6	0	6	20.8	-	39.1	1	0	1	5.6	-	14.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>755</u>	<u>663</u>	<u>92</u>	<u>7.4</u>	<u>7.6</u>	<u>6.1</u>	<u>769</u>	<u>547</u>	<u>222</u>	<u>10.3</u>	<u>11.1</u>	<u>8.6</u>
TUBERCULOSIS (009,010)	1	0	1	1.0	-	6.6	1	1	0	1.3	2.0	-
SEPTICEMIA (018)	19	15	4	18.6	17.2	26.6	12	6	6	16.0	12.2	23.3
HIV DISEASE (039-043)	3	1	2	2.9	1.1	13.3	5	3	2	6.7	6.1	7.8
MALIGNANT NEOPLASMS (056-108)	164	148	16	160.6	170.0	106.2	177	129	48	236.2	262.1	186.6
DIABETES MELLITUS (124)	19	13	6	18.6	14.9	39.8	9	5	4	12.0	10.2	15.6
ALZHEIMERS DISEASE (148)	8	8	0	7.8	9.2	-	17	15	2	22.7	30.5	7.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	303	262	41	296.7	300.9	272.2	301	214	87	401.7	434.9	338.3
HEART DISEASES (156-160, 162, 164-181)	215	186	29	210.5	213.6	192.5	227	167	60	303.0	339.4	233.3
HYPERTENSION (161, 163)	40	33	7	39.2	37.9	46.5	8	6	2	10.7	12.2	7.8
CEREBROVASCULAR DISEASES (182-186)	41	36	5	40.1	41.3	33.2	54	33	21	72.1	67.1	81.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	2	1	4.0	4.1	3.9
INFLUENZA AND PNEUMONIA (195-198)	18	15	3	17.6	17.2	19.9	14	12	2	18.7	24.4	7.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	33	32	1	32.3	36.8	6.6	53	38	15	70.7	77.2	58.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	3	3	0	4.0	6.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	4	2	5.9	4.6	13.3	4	4	0	5.3	8.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	17	16	1	16.6	18.4	6.6	22	15	7	29.4	30.5	27.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	11	8	3	6.7	5.8	12.0	1	1	0	0.9	1.7	-
CONGENITAL MALFORMATIONS (282-290)	5	5	0	4.9	5.7	-	5	4	1	6.7	8.1	3.9
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	1.2	1.4	-	0	0	0	-	-	-
ACCIDENTS (295-330)	56	51	5	54.8	58.6	33.2	50	30	20	66.7	61.0	77.8
MOTOR VEHICLE ACCIDENTS# (296-306)	43	40	3	42.1	45.9	19.9	22	13	9	29.4	26.4	35.0
SUICIDE (331-337)	14	13	1	13.7	14.9	6.6	8	5	3	10.7	10.2	11.7
HOMICIDE (338-346)	2	2	0	2.0	2.3	-	3	2	1	4.0	4.1	3.9

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>93</u>	<u>66</u>	<u>27</u>	<u>11.4</u>	<u>13.3</u>	<u>8.4</u>	<u>188</u>	<u>169</u>	<u>19</u>	<u>9.3</u>	<u>9.4</u>	<u>8.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	12.2	-	31.3	3	2	1	14.9	11.1	44.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	14	7	257.4	282.0	219.0	48	46	2	237.8	256.2	89.7
DIABETES MELLITUS (124)	5	4	1	61.3	80.6	31.3	11	10	1	54.5	55.7	44.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	2	2	0	9.9	11.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	33	7	490.2	664.8	219.0	60	50	10	297.2	278.4	448.6
HEART DISEASES (156-160, 162, 164-181)	36	30	6	441.2	604.4	187.7	49	42	7	242.8	233.9	314.0
HYPERTENSION (161, 163)	0	0	0	-	-	-	2	0	2	9.9	-	89.7
CEREBROVASCULAR DISEASES (182-186)	3	2	1	36.8	40.3	31.3	7	6	1	34.7	33.4	44.9
ATHEROSCLEROSIS (187)	1	1	0	12.2	20.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	12.2	20.1	-	1	1	0	5.0	5.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	3	2	1	36.8	40.3	31.3	12	12	0	59.4	66.8	-
PEPTIC ULCER (217-220)	1	1	0	12.2	20.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	36.8	20.1	62.6	4	4	0	19.8	22.3	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	14.9	13.9	16.1	5	5	0	13.8	15.2	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	12.2	-	31.3	1	1	0	5.0	5.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	2	1	1	24.5	20.1	31.3	17	16	1	84.2	89.1	44.9
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	12.2	-	31.3	12	11	1	59.4	61.3	44.9
SUICIDE (331-337)	3	2	1	36.8	40.3	31.3	4	4	0	19.8	22.3	-
HOMICIDE (338-346)	3	1	2	36.8	20.1	62.6	2	2	0	9.9	11.1	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<u>ALL CAUSES</u>	<u>88</u>	<u>74</u>	<u>14</u>	<u>7.0</u>	<u>8.2</u>	<u>3.9</u>	<u>286</u>	<u>187</u>	<u>99</u>	<u>12.7</u>	<u>14.9</u>	<u>10.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	7.9	11.0	-	2	1	1	8.9	8.0	10.1
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	13.4	-	30.2
MALIGNANT NEOPLASMS (056-108)	25	20	5	197.9	220.5	140.5	55	31	24	245.0	247.8	241.4
DIABETES MELLITUS (124)	4	4	0	31.7	44.1	-	1	1	0	4.4	8.0	-
ALZHEIMERS DISEASE (148)	1	1	0	7.9	11.0	-	1	1	0	4.4	8.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	26	22	4	205.8	242.5	112.4	133	86	47	592.4	687.4	472.8
HEART DISEASES (156-160, 162, 164-181)	12	11	1	95.0	121.3	28.1	93	60	33	414.2	479.6	332.0
HYPERTENSION (161,163)	5	5	0	39.6	55.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	4	2	47.5	44.1	56.2	37	23	14	164.8	183.8	140.8
ATHEROSCLEROSIS (187)	1	0	1	7.9	-	28.1	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.8	22.0	-	15	12	3	66.8	95.9	30.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	5	5	0	39.6	55.1	-	18	15	3	80.2	119.9	30.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	7.9	-	28.1	1	1	0	4.4	8.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	2	1	23.8	22.0	28.1	5	3	2	22.3	24.0	20.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	3.6	6.8	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	5	0	39.6	55.1	-	15	11	4	66.8	87.9	40.2
MOTOR VEHICLE ACCIDENTS# (296-306)	3	3	0	23.8	33.1	-	9	5	4	40.1	40.0	40.2
SUICIDE (331-337)	0	0	0	-	-	-	4	3	1	17.8	24.0	10.1
HOMICIDE (338-346)	2	1	1	15.8	11.0	28.1	4	2	2	17.8	16.0	20.1

CAUSE AND GROUP NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<u>ALL CAUSES</u>	<u>445</u>	<u>404</u>	<u>41</u>	<u>10.7</u>	<u>10.9</u>	<u>9.1</u>	<u>1,758</u>	<u>1,448</u>	<u>310</u>	<u>9.8</u>	<u>10.8</u>	<u>6.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	12.0	13.5	-	26	23	3	14.6	17.2	6.7
HIV DISEASE (039-043)	0	0	0	-	-	-	10	9	1	5.6	6.7	2.2
MALIGNANT NEOPLASMS (056-108)	99	90	9	238.4	243.2	199.2	440	371	69	246.4	277.2	154.3
DIABETES MELLITUS (124)	8	7	1	19.3	18.9	22.1	25	19	6	14.0	14.2	13.4
ALZHEIMERS DISEASE (148)	2	2	0	4.8	5.4	-	20	17	3	11.2	12.7	6.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	200	185	15	481.7	500.0	332.1	714	573	141	399.8	428.1	315.2
HEART DISEASES (156-160, 162, 164-181)	173	159	14	416.7	429.7	309.9	599	485	114	335.4	362.4	254.9
HYPERTENSION (161,163)	2	2	0	4.8	5.4	-	2	2	0	1.1	1.5	-
CEREBROVASCULAR DISEASES (182-186)	16	16	0	38.5	43.2	-	87	64	23	48.7	47.8	51.4
ATHEROSCLEROSIS (187)	3	3	0	7.2	8.1	-	12	10	2	6.7	7.5	4.5
INFLUENZA AND PNEUMONIA (195-198)	12	11	1	28.9	29.7	22.1	41	38	3	23.0	28.4	6.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	22	19	3	53.0	51.4	66.4	80	76	4	44.8	56.8	8.9
PEPTIC ULCER (217-220)	1	1	0	2.4	2.7	-	1	1	0	0.6	0.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	7	1	19.3	18.9	22.1	23	18	5	12.9	13.4	11.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	6	1	16.9	16.2	22.1	29	25	4	16.2	18.7	8.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	33.0	46.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	10	5	5	3.3	2.3	5.6
CONGENITAL MALFORMATIONS (282-290)	2	2	0	4.8	5.4	-	9	6	3	5.0	4.5	6.7
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.8	2.0	-	1	0	1	0.3	-	1.1
ACCIDENTS (295-330)	30	27	3	72.2	73.0	66.4	94	77	17	52.6	57.5	38.0
MOTOR VEHICLE ACCIDENTS# (296-306)	20	18	2	48.2	48.6	44.3	38	30	8	21.3	22.4	17.9
SUICIDE (331-337)	5	5	0	12.0	13.5	-	20	18	2	11.2	13.4	4.5
HOMICIDE (338-346)	5	4	1	12.0	10.8	22.1	11	6	5	6.2	4.5	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>2,340</u>	<u>1,149</u>	<u>1,191</u>	<u>9.5</u>	<u>10.2</u>	<u>8.9</u>	<u>255</u>	<u>78</u>	<u>177</u>	<u>11.8</u>	<u>15.9</u>	<u>10.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	49	18	31	19.9	16.0	23.2	2	0	2	9.3	-	12.0
HIV DISEASE (039-043)	40	2	38	16.3	1.8	28.5	5	0	5	23.2	-	30.0
MALIGNANT NEOPLASMS (056-108)	486	244	242	197.8	217.0	181.5	45	18	27	208.7	367.7	162.0
DIABETES MELLITUS (124)	44	10	34	17.9	8.9	25.5	6	2	4	27.8	40.8	24.0
ALZHEIMERS DISEASE (148)	25	21	4	10.2	18.7	3.0	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	963	508	455	391.9	451.9	341.3	112	36	76	519.4	735.4	456.0
HEART DISEASES (156-160, 162, 164-181)	768	407	361	312.5	362.0	270.8	88	25	63	408.1	510.7	378.0
HYPERTENSION (161, 163)	14	4	10	5.7	3.6	7.5	2	0	2	9.3	-	12.0
CEREBROVASCULAR DISEASES (182-186)	159	86	73	64.7	76.5	54.8	21	11	10	97.4	224.7	60.0
ATHEROSCLEROSIS (187)	1	1	0	0.4	0.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	70	44	26	28.5	39.1	19.5	12	5	7	55.6	102.1	42.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	102	66	36	41.5	58.7	27.0	6	4	2	27.8	81.7	12.0
PEPTIC ULCER (217-220)	2	1	1	0.8	0.9	0.8	1	0	1	4.6	-	6.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	14	8	6	5.7	7.1	4.5	2	0	2	9.3	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	43	12	31	17.5	10.7	23.2	5	0	5	23.2	-	30.0
MATERNAL CAUSES (261-273)	1	0	1	25.9	-	34.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	28	3	25	7.2	3.0	8.7	4	0	4	9.7	-	11.0
CONGENITAL MALFORMATIONS (282-290)	12	4	8	4.9	3.6	6.0	2	0	2	9.3	-	12.0
SUDDEN INFANT DEATH SYNDROME# (292)	7	2	5	1.8	2.0	1.7	1	0	1	2.4	-	2.7
ACCIDENTS (295-330)	111	42	69	45.2	37.4	51.8	18	4	14	83.5	81.7	84.0
MOTOR VEHICLE ACCIDENTS# (296-306)	59	20	39	24.0	17.8	29.2	9	3	6	41.7	61.3	36.0
SUICIDE (331-337)	26	20	6	10.6	17.8	4.5	2	1	1	9.3	20.4	6.0
HOMICIDE (338-346)	52	8	44	21.2	7.1	33.0	3	1	2	13.9	20.4	12.0

CAUSE AND GROUP NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>134</u>	<u>51</u>	<u>83</u>	<u>11.9</u>	<u>15.1</u>	<u>10.6</u>	<u>13</u>	<u>9</u>	<u>4</u>	<u>8.0</u>	<u>13.4</u>	<u>4.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	17.8	29.7	12.7	1	0	1	61.2	-	103.5
HIV DISEASE (039-043)	1	0	1	8.9	-	12.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	11	18	258.6	326.7	229.4	2	1	1	122.3	149.5	103.5
DIABETES MELLITUS (124)	3	2	1	26.8	59.4	12.7	1	0	1	61.2	-	103.5
ALZHEIMERS DISEASE (148)	2	0	2	17.8	-	25.5	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	21	34	490.4	623.7	433.3	4	3	1	244.6	448.4	103.5
HEART DISEASES (156-160, 162, 164-181)	47	19	28	419.1	564.3	356.8	3	2	1	183.5	299.0	103.5
HYPERTENSION (161, 163)	2	0	2	17.8	-	25.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	2	4	53.5	59.4	51.0	1	1	0	61.2	149.5	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	35.7	59.4	25.5	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	5	3	71.3	148.5	38.2	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	61.2	149.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	1	0	1	8.9	-	12.7	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.9	-	5.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	4.9	-	5.8	0	0	0	-	-	-
ACCIDENTS (295-330)	7	3	4	62.4	89.1	51.0	3	3	0	183.5	448.4	-
MOTOR VEHICLE ACCIDENTS# (296-306)	5	2	3	44.6	59.4	38.2	1	1	0	61.2	149.5	-
SUICIDE (331-337)	1	0	1	8.9	-	12.7	0	0	0	-	-	-
HOMICIDE (338-346)	5	1	4	44.6	29.7	51.0	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>256</u>	<u>246</u>	<u>10</u>	<u>12.1</u>	<u>12.7</u>	<u>5.8</u>	<u>1,103</u>	<u>897</u>	<u>206</u>	<u>8.3</u>	<u>8.8</u>	<u>6.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	14.2	15.5	-	17	13	4	12.8	12.8	12.6
HIV DISEASE (039-043)	0	0	0	-	-	-	6	3	3	4.5	3.0	9.5
MALIGNANT NEOPLASMS (056-108)	46	45	1	218.2	232.5	57.8	282	236	46	211.8	232.6	145.2
DIABETES MELLITUS (124)	8	7	1	37.9	36.2	57.8	25	20	5	18.8	19.7	15.8
ALZHEIMERS DISEASE (148)	8	8	0	37.9	41.3	-	21	17	4	15.8	16.8	12.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	114	108	6	540.7	558.0	346.8	419	338	81	314.8	333.2	255.6
HEART DISEASES (156-160, 162, 164-181)	99	93	6	469.5	480.5	346.8	342	277	65	256.9	273.1	205.2
HYPERTENSION (161,163)	1	1	0	4.7	5.2	-	1	0	1	0.8	-	3.2
CEREBROVASCULAR DISEASES (182-186)	11	11	0	52.2	56.8	-	62	52	10	46.6	51.3	31.6
ATHEROSCLEROSIS (187)	1	1	0	4.7	5.2	-	7	5	2	5.2	4.9	6.3
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	19.0	20.7	-	21	20	1	15.8	19.7	3.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	13	0	61.6	67.2	-	60	53	7	45.1	52.2	22.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.5	10.3	-	10	9	1	7.5	8.9	3.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	2	0	9.5	10.3	-	13	11	2	9.8	10.8	6.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	7.7	4.2	40.0	8	4	4	4.3	3.0	7.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	2.2	1.0	6.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	0.5	-	1.8
ACCIDENTS (295-330)	23	22	1	109.1	113.7	57.8	66	56	10	49.6	55.2	31.6
MOTOR VEHICLE ACCIDENTS# (296-306)	11	10	1	52.2	51.7	57.8	34	26	8	25.5	25.6	25.2
SUICIDE (331-337)	1	1	0	4.7	5.2	-	20	16	4	15.0	15.8	12.6
HOMICIDE (338-346)	0	0	0	-	-	-	11	1	10	8.3	1.0	31.6

CAUSE AND GROUP NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>175</u>	<u>97</u>	<u>78</u>	<u>9.7</u>	<u>11.5</u>	<u>8.0</u>	<u>92</u>	<u>20</u>	<u>72</u>	<u>11.0</u>	<u>18.1</u>	<u>9.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	5.5	11.9	-	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	5.5	-	10.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	21	13	187.7	249.7	134.0	19	4	15	226.6	361.3	206.1
DIABETES MELLITUS (124)	1	0	1	5.5	-	10.3	5	0	5	59.6	-	68.7
ALZHEIMERS DISEASE (148)	2	2	0	11.0	23.8	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	81	43	38	447.3	511.3	391.8	45	10	35	536.7	903.3	480.9
HEART DISEASES (156-160, 162, 164-181)	66	34	32	364.4	404.3	329.9	39	7	32	465.1	632.3	439.7
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	8	5	71.8	95.1	51.5	5	3	2	59.6	271.0	27.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	11.9	-	13.7
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	22.1	23.8	20.6	2	1	1	23.8	90.3	13.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	9	6	3	49.7	71.3	30.9	4	1	3	47.7	90.3	41.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	11.0	11.9	10.3	1	0	1	11.9	-	13.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	4	3	38.6	47.6	30.9	2	1	1	23.8	90.3	13.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	714.3	-	757.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	7.5	-	12.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.5	11.9	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.8	9.6	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	5	4	49.7	59.4	41.2	5	2	3	59.6	180.7	41.2
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	16.6	11.9	20.6	4	1	3	47.7	90.3	41.2
SUICIDE (331-337)	1	1	0	5.5	11.9	-	2	0	2	23.8	-	27.5
HOMICIDE (338-346)	1	0	1	5.5	-	10.3	1	0	1	11.9	-	13.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>145</u>	<u>72</u>	<u>73</u>	<u>10.5</u>	<u>12.3</u>	<u>9.2</u>	<u>657</u>	<u>512</u>	<u>145</u>	<u>10.4</u>	<u>11.2</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	1.6	-	5.8
SEPTICEMIA (018)	2	1	1	14.5	17.1	12.6	9	4	5	14.3	8.7	28.8
HIV DISEASE (039-043)	2	0	2	14.5	-	25.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	15	14	210.6	256.3	176.8	144	120	24	228.4	262.4	138.5
DIABETES MELLITUS (124)	1	0	1	7.3	-	12.6	8	5	3	12.7	10.9	17.3
ALZHEIMERS DISEASE (148)	3	1	2	21.8	17.1	25.2	4	4	0	6.3	8.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	61	35	26	443.0	598.1	328.4	270	216	54	428.2	472.4	311.6
HEART DISEASES (156-160, 162, 164-181)	53	30	23	384.9	512.6	290.5	222	181	41	352.1	395.9	236.6
HYPERTENSION (161,163)	0	0	0	-	-	-	3	2	1	4.8	4.4	5.8
CEREBROVASCULAR DISEASES (182-186)	7	4	3	50.8	68.4	37.9	34	24	10	53.9	52.5	57.7
ATHEROSCLEROSIS (187)	1	1	0	7.3	17.1	-	1	1	0	1.6	2.2	-
INFLUENZA AND PNEUMONIA (195-198)	4	1	3	29.0	17.1	37.9	27	23	4	42.8	50.3	23.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	1	1	0	7.3	17.1	-	32	26	6	50.8	56.9	34.6
PEPTIC ULCER (217-220)	1	1	0	7.3	17.1	-	1	0	1	1.6	-	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.3	17.1	-	7	7	0	11.1	15.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	0	2	14.5	-	25.2	16	11	5	25.4	24.0	28.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	10.2	-	14.4	2	2	0	2.0	3.2	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.3	-	12.6	3	3	0	4.8	6.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	3.0	3.2	2.6
ACCIDENTS (295-330)	10	5	5	72.6	85.4	63.1	46	30	16	73.0	65.6	92.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	29.0	17.1	37.9	24	14	10	38.1	30.6	57.7
SUICIDE (331-337)	2	2	0	14.5	34.2	-	7	6	1	11.1	13.1	5.8
HOMICIDE (338-346)	1	0	1	7.3	-	12.6	6	2	4	9.5	4.4	23.1

CAUSE AND GROUP NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>93</u>	<u>51</u>	<u>42</u>	<u>8.9</u>	<u>12.0</u>	<u>6.7</u>	<u>278</u>	<u>214</u>	<u>64</u>	<u>8.0</u>	<u>8.8</u>	<u>6.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.9	-	9.4
SEPTICEMIA (018)	0	0	0	-	-	-	5	3	2	14.3	12.4	18.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	18	12	6	171.6	283.7	95.9	62	46	16	177.6	189.5	150.4
DIABETES MELLITUS (124)	1	0	1	9.5	-	16.0	4	3	1	11.4	12.4	9.4
ALZHEIMERS DISEASE (148)	2	1	1	19.1	23.6	16.0	6	6	0	17.2	24.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	45	20	25	429.1	472.8	399.6	117	97	20	335.1	399.6	188.0
HEART DISEASES (156-160, 162, 164-181)	37	15	22	352.8	354.6	351.6	97	82	15	277.8	337.8	141.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	76.3	118.2	47.9	17	14	3	48.7	57.7	28.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	66.7	118.2	32.0	8	7	1	22.9	28.8	9.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	4	3	1	38.1	70.9	16.0	10	8	2	28.6	33.0	18.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.5	23.6	-	3	2	1	8.6	8.2	9.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	28.6	23.6	32.0	9	5	4	25.8	20.6	37.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.2	-	9.8	2	2	0	4.5	7.9	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	8.6	8.2	9.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	4	1	47.7	94.6	16.0	17	10	7	48.7	41.2	65.8
MOTOR VEHICLE ACCIDENTS# (296-306)	3	3	0	28.6	70.9	-	10	5	5	28.6	20.6	47.0
SUICIDE (331-337)	1	1	0	9.5	23.6	-	5	4	1	14.3	16.5	9.4
HOMICIDE (338-346)	1	0	1	9.5	-	16.0	1	1	0	2.9	4.1	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>283</u>	<u>251</u>	<u>32</u>	<u>7.4</u>	<u>7.6</u>	<u>6.0</u>	<u>939</u>	<u>653</u>	<u>286</u>	<u>12.4</u>	<u>13.8</u>	<u>9.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	10.5	12.2	-	11	10	1	14.5	21.2	3.5
HIV DISEASE (039-043)	0	0	0	-	-	-	9	0	9	11.8	-	31.2
MALIGNANT NEOPLASMS (056-108)	61	51	10	160.0	155.5	187.3	238	152	86	313.2	322.5	298.1
DIABETES MELLITUS (124)	0	0	0	-	-	-	7	4	3	9.2	8.5	10.4
ALZHEIMERS DISEASE (148)	3	3	0	7.9	9.2	-	21	18	3	27.6	38.2	10.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	126	115	11	330.5	350.7	206.0	354	270	84	465.9	572.9	291.2
HEART DISEASES (156-160, 162, 164-181)	97	89	8	254.4	271.4	149.8	299	224	75	393.5	475.3	260.0
HYPERTENSION (161,163)	1	1	0	2.6	3.0	-	4	3	1	5.3	6.4	3.5
CEREBROVASCULAR DISEASES (182-186)	26	23	3	68.2	70.2	56.2	44	38	6	57.9	80.6	20.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	1	1	2.6	2.1	3.5
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	13.1	12.2	18.7	32	22	10	42.1	46.7	34.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	13	0	34.1	39.6	-	48	37	11	63.2	78.5	38.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.3	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.6	3.0	-	10	9	1	13.2	19.1	3.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	6	1	18.4	18.3	18.7	19	10	9	25.0	21.2	31.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	5.0	4.0	11.4	11	1	10	9.4	1.8	16.6
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.2	3.0	18.7	2	1	1	2.6	2.1	3.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.7	2.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	11	1	31.5	33.6	18.7	58	37	21	76.3	78.5	72.8
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	21.0	24.4	-	30	21	9	39.5	44.6	31.2
SUICIDE (331-337)	4	4	0	10.5	12.2	-	4	3	1	5.3	6.4	3.5
HOMICIDE (338-346)	2	1	1	5.2	3.0	18.7	8	4	4	10.5	8.5	13.9

CAUSE AND GROUP NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>137</u>	<u>93</u>	<u>44</u>	<u>10.5</u>	<u>11.1</u>	<u>9.4</u>	<u>239</u>	<u>142</u>	<u>97</u>	<u>12.2</u>	<u>12.6</u>	<u>11.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	5.1	-	12.0
SEPTICEMIA (018)	2	2	0	15.3	23.8	-	5	3	2	25.5	26.6	24.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	24	10	260.2	285.5	214.6	45	28	17	229.6	248.6	203.8
DIABETES MELLITUS (124)	1	0	1	7.6	-	21.5	8	1	7	40.8	8.9	83.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	2	1	1	10.2	8.9	12.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	58	35	23	443.9	416.3	493.7	110	71	39	561.2	630.4	467.6
HEART DISEASES (156-160, 162, 164-181)	49	32	17	375.0	380.6	364.9	83	62	21	423.4	550.5	251.8
HYPERTENSION (161,163)	0	0	0	-	-	-	8	2	6	40.8	17.8	71.9
CEREBROVASCULAR DISEASES (182-186)	7	3	4	53.6	35.7	85.8	14	5	9	71.4	44.4	107.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	0	2	10.2	-	24.0
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	5	5	0	25.5	44.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	7	6	1	53.6	71.4	21.5	6	3	3	30.6	26.6	36.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	5.1	-	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.6	11.9	-	6	3	3	30.6	26.6	36.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	1	3	30.6	11.9	64.4	9	5	4	45.9	44.4	48.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	308.6	-	602.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.8	8.9	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	10	2	91.8	118.9	42.9	10	6	4	51.0	53.3	48.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	68.9	83.3	42.9	8	5	3	40.8	44.4	36.0
SUICIDE (331-337)	1	1	0	7.6	11.9	-	2	2	0	10.2	17.8	-
HOMICIDE (338-346)	1	0	1	7.6	-	21.5	4	1	3	20.4	8.9	36.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>720</u>	<u>572</u>	<u>148</u>	<u>9.6</u>	<u>10.0</u>	<u>8.2</u>	<u>419</u>	<u>178</u>	<u>241</u>	<u>11.4</u>	<u>13.4</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.7	-	4.2
SEPTICEMIA (018)	15	9	6	19.9	15.7	33.5	1	0	1	2.7	-	4.2
HIV DISEASE (039-043)	1	0	1	1.3	-	5.6	3	0	3	8.1	-	12.8
MALIGNANT NEOPLASMS (056-108)	169	132	37	224.7	230.4	206.5	89	43	46	241.7	322.6	195.9
DIABETES MELLITUS (124)	6	4	2	8.0	7.0	11.2	6	3	3	16.3	22.5	12.8
ALZHEIMERS DISEASE (148)	12	11	1	16.0	19.2	5.6	3	2	1	8.1	15.0	4.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	307	259	48	408.2	452.1	267.8	201	82	119	546.0	615.2	506.7
HEART DISEASES (156-160, 162, 164-181)	238	198	40	316.4	345.6	223.2	160	69	91	434.6	517.6	387.5
HYPERTENSION (161,163)	3	2	1	4.0	3.5	5.6	2	0	2	5.4	-	8.5
CEREBROVASCULAR DISEASES (182-186)	57	50	7	75.8	87.3	39.1	35	11	24	95.1	82.5	102.2
ATHEROSCLEROSIS (187)	3	3	0	4.0	5.2	-	1	1	0	2.7	7.5	-
INFLUENZA AND PNEUMONIA (195-198)	18	13	5	23.9	22.7	27.9	8	4	4	21.7	30.0	17.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	32	28	4	42.5	48.9	22.3	22	15	7	59.8	112.5	29.8
PEPTIC ULCER (217-220)	2	2	0	2.6	3.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	8.0	8.7	5.6	5	5	0	13.6	37.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	8	4	4	10.6	7.0	22.3	6	1	5	16.3	7.5	21.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	4.1	1.2	9.7	4	0	4	6.6	-	8.0
CONGENITAL MALFORMATIONS (282-290)	4	2	2	5.3	3.5	11.2	1	1	0	2.7	7.5	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.8	-	2.4	1	0	1	1.6	-	2.0
ACCIDENTS (295-330)	47	38	9	62.5	66.3	50.2	22	4	18	59.8	30.0	76.6
MOTOR VEHICLE ACCIDENTS# (296-306)	22	20	2	29.2	34.9	11.2	8	2	6	21.7	15.0	25.5
SUICIDE (331-337)	7	7	0	9.3	12.2	-	3	2	1	8.1	15.0	4.2
HOMICIDE (338-346)	4	2	2	5.3	3.5	11.2	9	0	9	24.4	-	38.3

CAUSE AND GROUP NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>452</u>	<u>327</u>	<u>125</u>	<u>14.1</u>	<u>15.1</u>	<u>11.9</u>	<u>499</u>	<u>289</u>	<u>210</u>	<u>8.2</u>	<u>8.0</u>	<u>8.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	15.6	13.9	19.1	9	5	4	14.9	13.9	16.3
HIV DISEASE (039-043)	2	0	2	6.2	-	19.1	7	0	7	11.6	-	28.6
MALIGNANT NEOPLASMS (056-108)	107	79	28	333.3	365.5	266.9	99	56	43	163.6	155.4	175.6
DIABETES MELLITUS (124)	32	22	10	99.7	101.8	95.3	8	4	4	13.2	11.1	16.3
ALZHEIMERS DISEASE (148)	11	10	1	34.3	46.3	9.5	11	10	1	18.2	27.7	4.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	172	122	50	535.7	564.4	476.6	197	114	83	325.5	316.3	338.9
HEART DISEASES (156-160, 162, 164-181)	118	78	40	367.5	360.9	381.3	149	86	63	246.2	238.6	257.2
HYPERTENSION (161,163)	6	5	1	18.7	23.1	9.5	6	5	1	9.9	13.9	4.1
CEREBROVASCULAR DISEASES (182-186)	44	37	7	137.0	171.2	66.7	37	20	17	61.1	55.5	69.4
ATHEROSCLEROSIS (187)	1	0	1	3.1	-	9.5	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	19	16	3	59.2	74.0	28.6	11	9	2	18.2	25.0	8.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	27	20	7	84.1	92.5	66.7	22	18	4	36.3	49.9	16.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.6	2.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.1	4.6	-	3	1	2	5.0	2.8	8.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	4	5	28.0	18.5	47.7	8	2	6	13.2	5.6	24.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.1	-	6.3	3	1	2	3.1	2.0	4.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	1.6	-	4.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	5	3	2	5.1	6.1	4.1
ACCIDENTS (295-330)	15	12	3	46.7	55.5	28.6	22	12	10	36.3	33.3	40.8
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	28.0	32.4	19.1	16	8	8	26.4	22.2	32.7
SUICIDE (331-337)	7	6	1	21.8	27.8	9.5	7	6	1	11.6	16.6	4.1
HOMICIDE (338-346)	4	0	4	12.4	-	38.1	3	0	3	5.0	-	12.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>627</u>	<u>388</u>	<u>239</u>	<u>8.4</u>	<u>9.9</u>	<u>6.7</u>	<u>329</u>	<u>230</u>	<u>99</u>	<u>12.4</u>	<u>12.9</u>	<u>11.3</u>
TUBERCULOSIS (009,010)	1	1	0	1.3	2.6	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	3	7	13.4	7.7	19.8	7	3	4	26.4	16.9	45.6
HIV DISEASE (039-043)	9	1	8	12.1	2.6	22.6	1	0	1	3.8	-	11.4
MALIGNANT NEOPLASMS (056-108)	185	130	55	248.1	332.2	155.2	69	46	23	260.0	258.9	262.3
DIABETES MELLITUS (124)	4	3	1	5.4	7.7	2.8	5	3	2	18.8	16.9	22.8
ALZHEIMERS DISEASE (148)	12	9	3	16.1	23.0	8.5	3	3	0	11.3	16.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	222	139	83	297.7	355.2	234.3	134	94	40	504.9	529.0	456.2
HEART DISEASES (156-160, 162, 164-181)	160	98	62	214.6	250.4	175.0	101	72	29	380.6	405.2	330.7
HYPERTENSION (161,163)	8	4	4	10.7	10.2	11.3	3	1	2	11.3	5.6	22.8
CEREBROVASCULAR DISEASES (182-186)	49	32	17	65.7	81.8	48.0	26	17	9	98.0	95.7	102.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	22	14	8	29.5	35.8	22.6	6	5	1	22.6	28.1	11.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	27	19	8	36.2	48.5	22.6	20	14	6	75.4	78.8	68.4
PEPTIC ULCER (217-220)	2	2	0	2.7	5.1	-	1	0	1	3.8	-	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	6	2	10.7	15.3	5.6	2	2	0	7.5	11.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	13	4	9	17.4	10.2	25.4	11	9	2	41.4	50.6	22.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	2	6	6.8	3.3	10.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	1.3	2.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	1	2	2.6	1.7	3.5	0	0	0	-	-	-
ACCIDENTS (295-330)	24	16	8	32.2	40.9	22.6	14	10	4	52.8	56.3	45.6
MOTOR VEHICLE ACCIDENTS# (296-306)	16	9	7	21.4	23.0	19.8	10	7	3	37.7	39.4	34.2
SUICIDE (331-337)	3	3	0	4.0	7.7	-	1	1	0	3.8	5.6	-
HOMICIDE (338-346)	13	1	12	17.4	2.6	33.9	9	3	6	33.9	16.9	68.4

CAUSE AND GROUP NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>358</u>	<u>178</u>	<u>180</u>	<u>11.1</u>	<u>11.8</u>	<u>10.5</u>	<u>400</u>	<u>270</u>	<u>130</u>	<u>10.5</u>	<u>10.5</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.6	-	8.0
SEPTICEMIA (018)	6	2	4	18.6	13.2	23.3	7	3	4	18.3	11.7	31.8
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.6	-	8.0
MALIGNANT NEOPLASMS (056-108)	77	38	39	238.2	251.1	226.9	88	61	27	230.2	237.7	214.8
DIABETES MELLITUS (124)	2	1	1	6.2	6.6	5.8	8	5	3	20.9	19.5	23.9
ALZHEIMERS DISEASE (148)	3	3	0	9.3	19.8	-	5	5	0	13.1	19.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	164	78	86	507.4	515.4	500.3	151	106	45	395.0	413.1	357.9
HEART DISEASES (156-160, 162, 164-181)	117	56	61	362.0	370.0	354.9	109	81	28	285.1	315.7	222.7
HYPERTENSION (161,163)	8	4	4	24.8	26.4	23.3	8	2	6	20.9	7.8	47.7
CEREBROVASCULAR DISEASES (182-186)	32	14	18	99.0	92.5	104.7	34	23	11	88.9	89.6	87.5
ATHEROSCLEROSIS (187)	2	1	1	6.2	6.6	5.8	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	6	4	30.9	39.6	23.3	16	13	3	41.8	50.7	23.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	7	6	1	21.6	39.6	5.8	24	20	4	62.8	77.9	31.8
PEPTIC ULCER (217-220)	1	1	0	3.1	6.6	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	12.4	13.2	11.6	3	3	0	7.8	11.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	2	3	15.5	13.2	17.4	14	3	11	36.6	11.7	87.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	5.6	-	9.5	6	3	3	11.9	9.8	15.2
CONGENITAL MALFORMATIONS (282-290)	2	0	2	6.2	-	11.6	1	0	1	2.6	-	8.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	4.0	6.6	-
ACCIDENTS (295-330)	32	18	14	99.0	118.9	81.4	21	10	11	54.9	39.0	87.5
MOTOR VEHICLE ACCIDENTS# (296-306)	25	15	10	77.3	99.1	58.2	13	4	9	34.0	15.6	71.6
SUICIDE (331-337)	3	2	1	9.3	13.2	5.8	4	3	1	10.5	11.7	8.0
HOMICIDE (338-346)	3	0	3	9.3	-	17.4	4	1	3	10.5	3.9	23.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>152</u>	<u>90</u>	<u>62</u>	<u>12.3</u>	<u>13.6</u>	<u>10.8</u>	<u>290</u>	<u>211</u>	<u>79</u>	<u>10.5</u>	<u>11.6</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	16.1	-	34.8	7	5	2	25.3	27.5	21.1
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	21	8	234.0	316.2	139.1	56	42	14	202.6	231.3	147.6
DIABETES MELLITUS (124)	3	0	3	24.2	-	52.2	11	2	9	39.8	11.0	94.9
ALZHEIMERS DISEASE (148)	5	5	0	40.3	75.3	-	6	5	1	21.7	27.5	10.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	71	37	34	572.8	557.1	591.1	128	96	32	463.1	528.8	337.4
HEART DISEASES (156-160, 162, 164-181)	59	31	28	476.0	466.7	486.8	101	77	24	365.4	424.1	253.1
HYPERTENSION (161, 163)	0	0	0	-	-	-	2	0	2	7.2	-	21.1
CEREBROVASCULAR DISEASES (182-186)	12	6	6	96.8	90.3	104.3	21	16	5	76.0	88.1	52.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	16.1	15.0	17.4	11	10	1	39.8	55.1	10.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	7	1	64.5	105.4	17.4	10	10	0	36.2	55.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	2	0	7.2	11.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	8.1	15.0	-	4	1	3	14.5	5.5	31.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	2	1	24.2	30.1	17.4	11	7	4	39.8	38.6	42.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	19.1	-	34.1	2	0	2	4.0	-	8.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	10.8	5.5	21.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.0	3.8	-
ACCIDENTS (295-330)	10	5	5	80.7	75.3	86.9	12	9	3	43.4	49.6	31.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	64.5	60.2	69.5	10	7	3	36.2	38.6	31.6
SUICIDE (331-337)	1	1	0	8.1	15.0	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	8.1	-	17.4	1	1	0	3.6	5.5	-

CAUSE AND GROUP NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>235</u>	<u>158</u>	<u>77</u>	<u>10.8</u>	<u>11.2</u>	<u>10.1</u>	<u>146</u>	<u>45</u>	<u>101</u>	<u>11.7</u>	<u>12.1</u>	<u>11.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	4.6	7.1	-	2	0	2	16.0	-	22.8
HIV DISEASE (039-043)	1	0	1	4.6	-	13.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	38	16	248.4	269.0	210.1	22	8	14	176.0	215.4	159.4
DIABETES MELLITUS (124)	7	2	5	32.2	14.2	65.7	5	3	2	40.0	80.8	22.8
ALZHEIMERS DISEASE (148)	3	3	0	13.8	21.2	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	101	72	29	464.6	509.7	380.9	70	22	48	560.1	592.5	546.4
HEART DISEASES (156-160, 162, 164-181)	78	55	23	358.8	389.3	302.1	59	20	39	472.1	538.6	444.0
HYPERTENSION (161, 163)	3	2	1	13.8	14.2	13.1	1	0	1	8.0	-	11.4
CEREBROVASCULAR DISEASES (182-186)	19	14	5	87.4	99.1	65.7	9	2	7	72.0	53.9	79.7
ATHEROSCLEROSIS (187)	1	1	0	4.6	7.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	18.4	21.2	13.1	3	2	1	24.0	53.9	11.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	10	3	59.8	70.8	39.4	2	1	1	16.0	26.9	11.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	4	2	27.6	28.3	26.3	2	1	1	16.0	26.9	11.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	3	2	23.0	21.2	26.3	6	1	5	48.0	26.9	56.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	8.0	-	11.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	8.0	-	10.4
ACCIDENTS (295-330)	15	6	9	69.0	42.5	118.2	16	3	13	128.0	80.8	148.0
MOTOR VEHICLE ACCIDENTS# (296-306)	13	6	7	59.8	42.5	91.9	11	1	10	88.0	26.9	113.8
SUICIDE (331-337)	6	4	2	27.6	28.3	26.3	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	4.6	-	13.1	4	0	4	32.0	-	45.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>286</u>	<u>168</u>	<u>118</u>	<u>7.2</u>	<u>7.1</u>	<u>7.3</u>	<u>348</u>	<u>200</u>	<u>148</u>	<u>10.3</u>	<u>12.1</u>	<u>8.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	12.6	16.9	6.2	5	2	3	14.7	12.1	17.3
HIV DISEASE (039-043)	1	0	1	2.5	-	6.2	1	0	1	2.9	-	5.8
MALIGNANT NEOPLASMS (056-108)	53	33	20	133.3	139.7	123.8	74	42	32	218.2	253.8	184.3
DIABETES MELLITUS (124)	5	2	3	12.6	8.5	18.6	3	1	2	8.8	6.0	11.5
ALZHEIMERS DISEASE (148)	5	3	2	12.6	12.7	12.4	1	1	0	2.9	6.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	136	80	56	342.0	338.7	346.8	151	84	67	445.2	507.6	385.8
HEART DISEASES (156-160, 162, 164-181)	106	61	45	266.6	258.3	278.7	112	61	51	330.2	368.6	293.7
HYPERTENSION (161, 163)	2	1	1	5.0	4.2	6.2	3	1	2	8.8	6.0	11.5
CEREBROVASCULAR DISEASES (182-186)	24	15	9	60.4	63.5	55.7	31	21	10	91.4	126.9	57.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	2.9	-	5.8
INFLUENZA AND PNEUMONIA (195-198)	11	8	3	27.7	33.9	18.6	19	13	6	56.0	78.6	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	6	5	1	15.1	21.2	6.2	15	12	3	44.2	72.5	17.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.5	4.2	-	4	3	1	11.8	18.1	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	7.5	4.2	12.4	7	1	6	20.6	6.0	34.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	5.6	-	10.9	2	0	2	3.4	-	5.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	8.8	6.0	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.9	-	3.6	0	0	0	-	-	-
ACCIDENTS (295-330)	22	11	11	55.3	46.6	68.1	27	16	11	79.6	96.7	63.3
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	20.1	16.9	24.8	21	12	9	61.9	72.5	51.8
SUICIDE (331-337)	3	2	1	7.5	8.5	6.2	3	2	1	8.8	12.1	5.8
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	2.9	-	5.8

CAUSE AND GROUP NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>409</u>	<u>357</u>	<u>52</u>	<u>8.5</u>	<u>8.9</u>	<u>6.6</u>	<u>128</u>	<u>94</u>	<u>34</u>	<u>10.6</u>	<u>10.5</u>	<u>11.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	5	3	16.7	12.5	38.0	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	8.3	-	32.7
MALIGNANT NEOPLASMS (056-108)	105	96	9	218.9	239.6	113.8	24	19	5	199.4	211.5	163.7
DIABETES MELLITUS (124)	15	12	3	31.3	30.0	38.0	4	1	3	33.2	11.1	98.2
ALZHEIMERS DISEASE (148)	1	1	0	2.1	2.5	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	132	112	20	275.2	279.6	253.0	60	44	16	498.4	489.7	523.9
HEART DISEASES (156-160, 162, 164-181)	110	94	16	229.3	234.6	202.4	49	36	13	407.0	400.7	425.7
HYPERTENSION (161, 163)	1	1	0	2.1	2.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	19	15	4	39.6	37.4	50.6	6	5	1	49.8	55.6	32.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	1	1	16.6	11.1	32.7
INFLUENZA AND PNEUMONIA (195-198)	15	14	1	31.3	34.9	12.6	3	2	1	24.9	22.2	32.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	16	14	2	33.4	34.9	25.3	11	10	1	91.4	111.3	32.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	12.5	12.5	12.6	2	0	2	16.6	-	65.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	16	16	0	33.4	39.9	-	5	3	2	41.5	33.4	65.5
MATERNAL CAUSES (261-273)	1	1	0	143.5	172.4	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	4.3	3.4	8.5	1	0	1	5.0	-	15.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	8.3	11.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	24	19	5	50.0	47.4	63.2	2	2	0	16.6	22.2	-
MOTOR VEHICLE ACCIDENTS# (296-306)	15	10	5	31.3	25.0	63.2	1	1	0	8.3	11.1	-
SUICIDE (331-337)	5	5	0	10.4	12.5	-	2	2	0	16.6	22.2	-
HOMICIDE (338-346)	5	4	1	10.4	10.0	12.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>429</u>	<u>241</u>	<u>188</u>	<u>11.3</u>	<u>12.3</u>	<u>10.2</u>	<u>241</u>	<u>209</u>	<u>32</u>	<u>9.4</u>	<u>9.8</u>	<u>7.4</u>
TUBERCULOSIS (009,010)	1	0	1	2.6	-	5.4	0	0	0	-	-	-
SEPTICEMIA (018)	9	4	5	23.7	20.5	27.2	3	3	0	11.7	14.0	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.9	-	23.2
MALIGNANT NEOPLASMS (056-108)	79	42	37	208.4	215.1	201.2	38	32	6	147.9	149.7	139.1
DIABETES MELLITUS (124)	25	13	12	65.9	66.6	65.3	3	1	2	11.7	4.7	46.4
ALZHEIMERS DISEASE (148)	2	1	1	5.3	5.1	5.4	1	1	0	3.9	4.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	180	116	64	474.8	594.2	348.0	111	98	13	432.2	458.5	301.4
HEART DISEASES (156-160, 162, 164-181)	145	96	49	382.5	491.8	266.5	89	80	9	346.5	374.3	208.7
HYPERTENSION (161, 163)	2	0	2	5.3	-	10.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	31	20	11	81.8	102.4	59.8	19	15	4	74.0	70.2	92.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	7	4	29.0	35.8	21.8	8	8	0	31.1	37.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	25	16	9	65.9	82.0	48.9	17	16	1	66.2	74.9	23.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	3	5	21.1	15.4	27.2	1	1	0	3.9	4.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	10	4	6	26.4	20.5	32.6	3	3	0	11.7	14.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	6.0	-	9.4	1	0	1	2.7	-	16.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	23	7	16	60.7	35.8	87.0	16	14	2	62.3	65.5	46.4
MOTOR VEHICLE ACCIDENTS# (296-306)	15	5	10	39.6	25.6	54.4	6	6	0	23.4	28.1	-
SUICIDE (331-337)	3	2	1	7.9	10.2	5.4	2	2	0	7.8	9.4	-
HOMICIDE (338-346)	9	1	8	23.7	5.1	43.5	1	0	1	3.9	-	23.2

CAUSE AND GROUP NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>245</u>	<u>223</u>	<u>22</u>	<u>10.0</u>	<u>10.5</u>	<u>6.6</u>	<u>130</u>	<u>65</u>	<u>65</u>	<u>13.3</u>	<u>17.4</u>	<u>10.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	8.2	9.4	-	1	1	0	10.2	26.7	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	50	4	220.4	236.0	120.9	34	17	17	347.6	454.3	281.6
DIABETES MELLITUS (124)	2	2	0	8.2	9.4	-	3	0	3	30.7	-	49.7
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	0	1	10.2	-	16.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	108	95	13	440.9	448.4	392.9	51	30	21	521.5	801.7	347.8
HEART DISEASES (156-160, 162, 164-181)	79	68	11	322.5	320.9	332.4	38	21	17	388.5	561.2	281.6
HYPERTENSION (161, 163)	3	3	0	12.2	14.2	-	3	2	1	30.7	53.4	16.6
CEREBROVASCULAR DISEASES (182-186)	22	21	1	89.8	99.1	30.2	9	6	3	92.0	160.3	49.7
ATHEROSCLEROSIS (187)	1	0	1	4.1	-	30.2	1	1	0	10.2	26.7	-
INFLUENZA AND PNEUMONIA (195-198)	7	6	1	28.6	28.3	30.2	5	2	3	51.1	53.4	49.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	14	14	0	57.2	66.1	-	8	5	3	81.8	133.6	49.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	10.2	-	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	20.4	53.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	2	0	8.2	9.4	-	3	0	3	30.7	-	49.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	549.4	-	719.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	6.2	7.4	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	10.2	-	16.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.1	3.7	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	18	0	73.5	85.0	-	10	5	5	102.2	133.6	82.8
MOTOR VEHICLE ACCIDENTS# (296-306)	10	10	0	40.8	47.2	-	8	5	3	81.8	133.6	49.7
SUICIDE (331-337)	4	4	0	16.3	18.9	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	2	0	8.2	9.4	-	1	0	1	10.2	-	16.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>790</u>	<u>635</u>	<u>155</u>	<u>7.0</u>	<u>7.0</u>	<u>7.1</u>	<u>306</u>	<u>206</u>	<u>100</u>	<u>12.3</u>	<u>13.9</u>	<u>9.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	4.0	-	9.9
SEPTICEMIA (018)	7	5	2	6.2	5.5	9.2	1	0	1	4.0	-	9.9
HIV DISEASE (039-043)	2	0	2	1.8	-	9.2	1	1	0	4.0	6.8	-
MALIGNANT NEOPLASMS (056-108)	180	146	34	160.2	161.3	155.6	58	41	17	232.8	277.4	167.8
DIABETES MELLITUS (124)	15	11	4	13.4	12.2	18.3	7	4	3	28.1	27.1	29.6
ALZHEIMERS DISEASE (148)	7	5	2	6.2	5.5	9.2	3	3	0	12.0	20.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	371	303	68	330.2	334.8	311.2	142	106	36	570.0	717.1	355.4
HEART DISEASES (156-160, 162, 164-181)	311	255	56	276.8	281.8	256.2	111	81	30	445.6	548.0	296.2
HYPERTENSION (161, 163)	6	3	3	5.3	3.3	13.7	3	2	1	12.0	13.5	9.9
CEREBROVASCULAR DISEASES (182-186)	48	40	8	42.7	44.2	36.6	18	13	5	72.2	88.0	49.4
ATHEROSCLEROSIS (187)	3	2	1	2.7	2.2	4.6	9	9	0	36.1	60.9	-
INFLUENZA AND PNEUMONIA (195-198)	19	14	5	16.9	15.5	22.9	10	7	3	40.1	47.4	29.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	24	20	4	21.4	22.1	18.3	13	10	3	52.2	67.6	29.6
PEPTIC ULCER (217-220)	1	1	0	0.9	1.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	5.3	5.5	4.6	3	2	1	12.0	13.5	9.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	13	8	5	11.6	8.8	22.9	5	1	4	20.1	6.8	39.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	1.9	0.8	6.8	2	1	1	4.6	4.3	5.0
CONGENITAL MALFORMATIONS (282-290)	3	2	1	2.7	2.2	4.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	1.3	1.6	-	2	0	2	4.6	-	9.9
ACCIDENTS (295-330)	40	33	7	35.6	36.5	32.0	24	13	11	96.3	88.0	108.6
MOTOR VEHICLE ACCIDENTS# (296-306)	28	22	6	24.9	24.3	27.4	16	9	7	64.2	60.9	69.1
SUICIDE (331-337)	8	7	1	7.1	7.7	4.6	3	3	0	12.0	20.3	-
HOMICIDE (338-346)	1	1	0	0.9	1.1	-	8	5	3	32.1	33.8	29.6

CAUSE AND GROUP NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>65</u>	<u>29</u>	<u>36</u>	<u>9.9</u>	<u>14.2</u>	<u>8.0</u>	<u>286</u>	<u>206</u>	<u>80</u>	<u>11.3</u>	<u>12.5</u>	<u>9.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	3.9	6.1	-
SEPTICEMIA (018)	2	2	0	30.6	98.3	-	3	0	3	11.8	-	33.8
HIV DISEASE (039-043)	1	0	1	15.3	-	22.2	1	0	1	3.9	-	11.2
MALIGNANT NEOPLASMS (056-108)	20	9	11	305.7	442.5	244.0	51	41	10	201.0	248.6	112.5
DIABETES MELLITUS (124)	0	0	0	-	-	-	9	6	3	35.5	36.4	33.8
ALZHEIMERS DISEASE (148)	2	0	2	30.6	-	44.4	2	2	0	7.9	12.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	20	13	7	305.7	639.1	155.2	112	82	30	441.4	497.3	337.6
HEART DISEASES (156-160, 162, 164-181)	14	9	5	214.0	442.5	110.9	74	57	17	291.6	345.7	191.3
HYPERTENSION (161, 163)	0	0	0	-	-	-	7	4	3	27.6	24.2	33.8
CEREBROVASCULAR DISEASES (182-186)	6	4	2	91.7	196.6	44.4	15	10	5	59.1	60.6	56.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	13	8	5	51.2	48.5	56.3
INFLUENZA AND PNEUMONIA (195-198)	3	0	3	45.8	-	66.5	8	4	4	31.5	24.2	45.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	3	0	3	45.8	-	66.5	23	21	2	90.6	127.4	22.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	1	1	30.6	49.2	22.2	12	6	6	47.3	36.4	67.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.5	4.6	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	15.3	49.2	-	1	0	1	3.9	-	11.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	7.5	9.2	5.5
ACCIDENTS (295-330)	2	0	2	30.6	-	44.4	26	15	11	102.5	91.0	123.8
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	30.6	-	44.4	13	6	7	51.2	36.4	78.8
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	7.9	12.1	-
HOMICIDE (338-346)	2	0	2	30.6	-	44.4	4	3	1	15.8	18.2	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>187</u>	<u>147</u>	<u>40</u>	<u>12.1</u>	<u>12.6</u>	<u>10.7</u>	<u>150</u>	<u>125</u>	<u>25</u>	<u>11.1</u>	<u>12.3</u>	<u>7.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	13.0	8.6	26.7	3	2	1	22.2	19.6	30.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	36	28	8	233.3	239.5	213.9	29	27	2	215.0	264.9	60.7
DIABETES MELLITUS (124)	9	8	1	58.3	68.4	26.7	2	2	0	14.8	19.6	-
ALZHEIMERS DISEASE (148)	4	4	0	25.9	34.2	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	77	57	20	499.0	487.6	534.8	66	54	12	489.3	529.8	364.2
HEART DISEASES (156-160, 162, 164-181)	57	40	17	369.4	342.1	454.5	61	49	12	452.2	480.7	364.2
HYPERTENSION (161, 163)	4	4	0	25.9	34.2	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	10	3	84.2	85.5	80.2	4	4	0	29.6	39.2	-
ATHEROSCLEROSIS (187)	1	1	0	6.5	8.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	38.9	42.8	26.7	10	9	1	74.1	88.3	30.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	7	6	1	45.4	51.3	26.7	6	5	1	44.5	49.0	30.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	14.8	9.8	30.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	32.4	34.2	26.7	2	1	1	14.8	9.8	30.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	3	1	25.9	25.7	26.7	4	3	1	29.6	29.4	30.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.2	8.2	-	1	0	1	4.7	-	15.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	7.4	9.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	9	2	71.3	77.0	53.5	6	5	1	44.5	49.0	30.3
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	58.3	59.9	53.5	2	2	0	14.8	19.6	-
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	14.8	19.6	-
HOMICIDE (338-346)	2	2	0	13.0	17.1	-	2	0	2	14.8	-	60.7

CAUSE AND GROUP NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>323</u>	<u>123</u>	<u>200</u>	<u>9.7</u>	<u>11.4</u>	<u>8.9</u>	<u>158</u>	<u>83</u>	<u>75</u>	<u>10.8</u>	<u>14.7</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	9.0	9.2	8.9	3	2	1	20.6	35.4	11.2
HIV DISEASE (039-043)	2	0	2	6.0	-	8.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	72	26	46	216.5	240.2	205.0	41	21	20	281.1	371.6	223.8
DIABETES MELLITUS (124)	4	1	3	12.0	9.2	13.4	9	4	5	61.7	70.8	56.0
ALZHEIMERS DISEASE (148)	2	2	0	6.0	18.5	-	2	1	1	13.7	17.7	11.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	147	58	89	442.0	535.9	396.7	54	24	30	370.2	424.6	335.8
HEART DISEASES (156-160, 162, 164-181)	113	45	68	339.8	415.8	303.1	42	20	22	287.9	353.8	246.2
HYPERTENSION (161, 163)	2	0	2	6.0	-	8.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	28	12	16	84.2	110.9	71.3	11	3	8	75.4	53.1	89.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	2	6	24.0	18.5	26.7	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	14	5	9	42.1	46.2	40.1	7	6	1	48.0	106.2	11.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	6.0	9.2	4.4	1	1	0	6.8	17.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	1	8	27.1	9.2	35.7	6	3	3	41.1	53.1	33.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.4	-	4.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.0	-	4.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.4	8.1	2.2	0	0	0	-	-	-
ACCIDENTS (295-330)	14	6	8	42.1	55.4	35.7	12	5	7	82.3	88.5	78.3
MOTOR VEHICLE ACCIDENTS# (296-306)	11	5	6	33.1	46.2	26.7	6	1	5	41.1	17.7	56.0
SUICIDE (331-337)	1	1	0	3.0	9.2	-	5	4	1	34.3	70.8	11.2
HOMICIDE (338-346)	6	2	4	18.0	18.5	17.8	4	3	1	27.4	53.1	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>234</u>	<u>170</u>	<u>64</u>	<u>9.6</u>	<u>11.1</u>	<u>7.0</u>	<u>257</u>	<u>220</u>	<u>37</u>	<u>12.2</u>	<u>12.8</u>	<u>9.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	4.1	-	11.0	2	2	0	9.5	11.6	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	4.7	-	25.8
MALIGNANT NEOPLASMS (056-108)	60	49	11	245.7	320.5	120.5	44	39	5	208.8	226.8	129.0
DIABETES MELLITUS (124)	1	0	1	4.1	-	11.0	8	6	2	38.0	34.9	51.6
ALZHEIMERS DISEASE (148)	3	1	2	12.3	6.5	21.9	3	3	0	14.2	17.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	82	59	23	335.8	385.9	251.9	137	120	17	650.2	698.0	438.6
HEART DISEASES (156-160, 162, 164-181)	62	47	15	253.9	307.4	164.3	116	103	13	550.6	599.1	335.4
HYPERTENSION (161,163)	3	1	2	12.3	6.5	21.9	3	1	2	14.2	5.8	51.6
CEREBROVASCULAR DISEASES (182-186)	13	8	5	53.2	52.3	54.8	17	16	1	80.7	93.1	25.8
ATHEROSCLEROSIS (187)	1	1	0	4.1	6.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	32.8	26.2	43.8	4	3	1	19.0	17.4	25.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	15	13	2	61.4	85.0	21.9	15	15	0	71.2	87.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.1	6.5	-	1	1	0	4.7	5.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	12.3	6.5	21.9	3	2	1	14.2	11.6	25.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.7	4.3	-	1	0	1	3.2	-	15.2
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.1	-	11.0	1	1	0	4.7	5.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.7	4.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	14	8	90.1	91.6	87.6	10	7	3	47.5	40.7	77.4
MOTOR VEHICLE ACCIDENTS# (296-306)	14	9	5	57.3	58.9	54.8	5	4	1	23.7	23.3	25.8
SUICIDE (331-337)	5	4	1	20.5	26.2	11.0	2	2	0	9.5	11.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>258</u>	<u>248</u>	<u>10</u>	<u>13.8</u>	<u>13.8</u>	<u>12.1</u>	<u>103</u>	<u>39</u>	<u>64</u>	<u>13.0</u>	<u>21.4</u>	<u>10.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	10.7	11.2	-	2	0	2	25.2	-	32.7
HIV DISEASE (039-043)	1	1	0	5.3	5.6	-	1	0	1	12.6	-	16.4
MALIGNANT NEOPLASMS (056-108)	52	49	3	277.4	273.5	363.6	20	9	11	252.0	494.2	179.9
DIABETES MELLITUS (124)	6	6	0	32.0	33.5	-	3	0	3	37.8	-	49.1
ALZHEIMERS DISEASE (148)	4	4	0	21.3	22.3	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	107	103	4	570.9	574.9	484.8	48	23	25	604.9	1263.0	408.9
HEART DISEASES (156-160, 162, 164-181)	82	80	2	437.5	446.5	242.4	39	19	20	491.5	1043.4	327.1
HYPERTENSION (161,163)	1	0	1	5.3	-	121.2	3	1	2	37.8	54.9	32.7
CEREBROVASCULAR DISEASES (182-186)	19	19	0	101.4	106.0	-	4	3	1	50.4	164.7	16.4
ATHEROSCLEROSIS (187)	4	3	1	21.3	16.7	121.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	53.4	50.2	121.2	3	2	1	37.8	109.8	16.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	13	0	69.4	72.6	-	2	1	1	25.2	54.9	16.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	10.7	11.2	-	1	0	1	12.6	-	16.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	4	0	21.3	22.3	-	1	0	1	12.6	-	16.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	18.5	-	21.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	12.6	-	16.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	6.2	-	7.3
ACCIDENTS (295-330)	24	23	1	128.0	128.4	121.2	6	0	6	75.6	-	98.1
MOTOR VEHICLE ACCIDENTS# (296-306)	13	13	0	69.4	72.6	-	2	0	2	25.2	-	32.7
SUICIDE (331-337)	3	3	0	16.0	16.7	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	5.3	5.6	-	3	1	2	37.8	54.9	32.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1999

CAUSE AND GROUP NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>243</u>	<u>215</u>	<u>28</u>	<u>10.1</u>	<u>10.7</u>	<u>7.1</u>	<u>167</u>	<u>118</u>	<u>49</u>	<u>11.8</u>	<u>15.1</u>	<u>7.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	12.4	14.9	-	5	3	2	35.2	38.4	31.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	42	37	5	174.1	183.6	126.1	35	23	12	246.3	294.8	187.2
DIABETES MELLITUS (124)	10	10	0	41.4	49.6	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	3	3	0	12.4	14.9	-	1	1	0	7.0	12.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	110	98	12	456.0	486.2	302.7	74	59	15	520.7	756.3	234.0
HEART DISEASES (156-160, 162, 164-181)	73	69	4	302.6	342.3	100.9	65	53	12	457.4	679.4	187.2
HYPERTENSION (161,163)	6	5	1	24.9	24.8	25.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	26	20	6	107.8	99.2	151.4	9	6	3	63.3	76.9	46.8
ATHEROSCLEROSIS (187)	2	2	0	8.3	9.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	9	2	45.6	44.6	50.4	2	2	0	14.1	25.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	15	14	1	62.2	69.4	25.2	8	6	2	56.3	76.9	31.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	16.6	19.8	-	4	2	2	28.1	25.6	31.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	5	2	29.0	24.8	50.4	4	3	1	28.1	38.4	15.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.6	3.3	-	1	0	1	4.4	-	7.5
CONGENITAL MALFORMATIONS (282-290)	2	2	0	8.3	9.9	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.6	3.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	14	0	58.0	69.4	-	6	0	6	42.2	-	93.6
MOTOR VEHICLE ACCIDENTS# (296-306)	9	9	0	37.3	44.6	-	5	0	5	35.2	-	78.0
SUICIDE (331-337)	3	3	0	12.4	14.9	-	4	2	2	28.1	25.6	31.2
HOMICIDE (338-346)	2	0	2	8.3	-	50.4	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>527</u>	<u>298</u>	<u>229</u>	<u>10.7</u>	<u>10.5</u>	<u>11.0</u>	<u>685</u>	<u>262</u>	<u>423</u>	<u>10.6</u>	<u>10.4</u>	<u>10.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	1.6	-	2.6
SEPTICEMIA (018)	10	6	4	20.3	21.1	19.3	17	7	10	26.4	27.7	25.6
HIV DISEASE (039-043)	3	0	3	6.1	-	14.5	5	0	5	7.8	-	12.8
MALIGNANT NEOPLASMS (056-108)	107	59	48	217.7	207.7	231.4	160	59	101	249.0	233.6	258.9
DIABETES MELLITUS (124)	6	4	2	12.2	14.1	9.6	11	4	7	17.1	15.8	17.9
ALZHEIMERS DISEASE (148)	11	9	2	22.4	31.7	9.6	7	5	2	10.9	19.8	5.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	215	123	92	437.4	433.0	443.6	276	108	168	429.5	427.7	430.6
HEART DISEASES (156-160, 162, 164-181)	166	100	66	337.8	352.0	318.2	219	89	130	340.8	352.5	333.2
HYPERTENSION (161,163)	0	0	0	-	-	-	11	2	9	17.1	7.9	23.1
CEREBROVASCULAR DISEASES (182-186)	38	17	21	77.3	59.8	101.2	37	14	23	57.6	55.4	59.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	3.1	7.9	-
INFLUENZA AND PNEUMONIA (195-198)	16	9	7	32.6	31.7	33.8	19	8	11	29.6	31.7	28.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	31	22	9	63.1	77.4	43.4	27	13	14	42.0	51.5	35.9
PEPTIC ULCER (217-220)	1	1	0	2.0	3.5	-	1	0	1	1.6	-	2.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	10.2	14.1	4.8	5	5	0	7.8	19.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	10	3	7	20.3	10.6	33.8	14	1	13	21.8	4.0	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	3	3	7.1	7.9	6.4	4	1	3	3.6	4.0	3.5
CONGENITAL MALFORMATIONS (282-290)	2	0	2	4.1	-	9.6	3	1	2	4.7	4.0	5.1
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	2.4	-	4.3	3	0	3	2.7	-	3.5
ACCIDENTS (295-330)	25	9	16	50.9	31.7	77.1	34	10	24	52.9	39.6	61.5
MOTOR VEHICLE ACCIDENTS# (296-306)	14	6	8	28.5	21.1	38.6	14	3	11	21.8	11.9	28.2
SUICIDE (331-337)	11	9	2	22.4	31.7	9.6	4	2	2	6.2	7.9	5.1
HOMICIDE (338-346)	4	2	2	8.1	7.0	9.6	11	3	8	17.1	11.9	20.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>207</u>	<u>141</u>	<u>66</u>	<u>10.0</u>	<u>11.1</u>	<u>8.3</u>	<u>133</u>	<u>111</u>	<u>22</u>	<u>12.5</u>	<u>13.7</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	24.2	31.6	12.5	2	1	1	18.8	12.3	39.6
HIV DISEASE (039-043)	1	0	1	4.8	-	12.5	1	0	1	9.4	-	39.6
MALIGNANT NEOPLASMS (056-108)	47	35	12	227.7	276.6	150.3	21	18	3	197.5	221.9	119.0
DIABETES MELLITUS (124)	9	5	4	43.6	39.5	50.1	2	2	0	18.8	24.6	-
ALZHEIMERS DISEASE (148)	2	2	0	9.7	15.8	-	3	2	1	28.2	24.6	39.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	85	61	24	411.9	482.1	300.6	56	46	10	526.7	567.1	396.5
HEART DISEASES (156-160, 162, 164-181)	73	52	21	353.7	410.9	263.0	43	34	9	404.4	419.2	356.9
HYPERTENSION (161, 163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	38.8	39.5	37.6	9	8	1	84.6	98.6	39.6
ATHEROSCLEROSIS (187)	1	1	0	4.8	7.9	-	1	1	0	9.4	12.3	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	14.5	15.8	12.5	8	5	3	75.2	61.6	119.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	6	4	2	29.1	31.6	25.0	8	8	0	75.2	98.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.7	7.9	12.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	3	2	24.2	23.7	25.0	4	4	0	37.6	49.3	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	6.3	-	11.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	7	2	43.6	55.3	25.0	6	6	0	56.4	74.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	33.9	39.5	25.0	3	3	0	28.2	37.0	-
SUICIDE (331-337)	1	0	1	4.8	-	12.5	1	1	0	9.4	12.3	-
HOMICIDE (338-346)	4	1	3	19.4	7.9	37.6	1	1	0	9.4	12.3	-

CAUSE AND GROUP NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>122</u>	<u>43</u>	<u>79</u>	<u>13.5</u>	<u>15.6</u>	<u>12.6</u>	<u>248</u>	<u>169</u>	<u>79</u>	<u>12.9</u>	<u>15.9</u>	<u>9.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	5	2	3	26.0	18.8	34.8
HIV DISEASE (039-043)	1	0	1	11.1	-	15.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	26	9	17	287.5	326.8	270.4	73	52	21	379.2	488.7	243.8
DIABETES MELLITUS (124)	3	0	3	33.2	-	47.7	2	1	1	10.4	9.4	11.6
ALZHEIMERS DISEASE (148)	3	1	2	33.2	36.3	31.8	3	2	1	15.6	18.8	11.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	21	34	608.3	762.5	540.7	102	69	33	529.8	648.4	383.2
HEART DISEASES (156-160, 162, 164-181)	43	16	27	475.6	581.0	429.4	85	58	27	441.5	545.1	313.5
HYPERTENSION (161, 163)	2	0	2	22.1	-	31.8	2	0	2	10.4	-	23.2
CEREBROVASCULAR DISEASES (182-186)	8	4	4	88.5	145.2	63.6	15	11	4	77.9	103.4	46.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	22.1	-	31.8	4	4	0	20.8	37.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	10	6	4	110.6	217.9	63.6	6	5	1	31.2	47.0	11.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	0	3	33.2	-	47.7	5	3	2	26.0	28.2	23.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	6.8	16.1	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	11.1	-	15.9	1	0	1	5.2	-	11.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	2	4	66.4	72.6	63.6	16	11	5	83.1	103.4	58.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	22.1	36.3	15.9	10	7	3	51.9	65.8	34.8
SUICIDE (331-337)	1	0	1	11.1	-	15.9	4	4	0	20.8	37.6	-
HOMICIDE (338-346)	3	2	1	33.2	72.6	15.9	7	1	6	36.4	9.4	69.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 1999**

CAUSE AND GROUP NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>160</u>	<u>106</u>	<u>54</u>	<u>12.7</u>	<u>14.1</u>	<u>10.6</u>	<u>328</u>	<u>151</u>	<u>177</u>	<u>13.0</u>	<u>13.4</u>	<u>12.7</u>
TUBERCULOSIS (009,010)	1	0	1	7.9	-	19.6	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	23.8	26.5	19.6	2	2	0	7.9	17.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	19.8	-	35.8
MALIGNANT NEOPLASMS (056-108)	31	22	9	245.5	292.0	176.7	66	33	33	261.8	293.0	236.6
DIABETES MELLITUS (124)	2	1	1	15.8	13.3	19.6	17	7	10	67.4	62.2	71.7
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	1	0	4.0	8.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	70	42	28	554.4	557.4	549.9	133	61	72	527.6	541.6	516.3
HEART DISEASES (156-160, 162, 164-181)	56	34	22	443.5	451.2	432.0	97	45	52	384.8	399.6	372.9
HYPERTENSION (161, 163)	2	0	2	15.8	-	39.3	9	4	5	35.7	35.5	35.8
CEREBROVASCULAR DISEASES (182-186)	9	7	2	71.3	92.9	39.3	25	12	13	99.2	106.6	93.2
ATHEROSCLEROSIS (187)	1	0	1	7.9	-	19.6	1	0	1	4.0	-	7.2
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	23.8	26.5	19.6	7	4	3	27.8	35.5	21.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	5	5	0	39.6	66.4	-	15	10	5	59.5	88.8	35.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	4.0	-	7.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	1	1	15.8	13.3	19.6	8	4	4	31.7	35.5	28.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.4	10.8	-	2	0	2	4.6	-	6.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	5.4	-	11.0	1	0	1	2.3	-	3.5
ACCIDENTS (295-330)	15	11	4	118.8	146.0	78.6	26	9	17	103.1	79.9	121.9
MOTOR VEHICLE ACCIDENTS# (296-306)	11	7	4	87.1	92.9	78.6	16	7	9	63.5	62.2	64.5
SUICIDE (331-337)	1	1	0	7.9	13.3	-	3	2	1	11.9	17.8	7.2
HOMICIDE (338-346)	0	0	0	-	-	-	4	0	4	15.9	-	28.7

CAUSE AND GROUP NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>28,090</u>	<u>18,693</u>	<u>9,397</u>	<u>10.1</u>	<u>10.8</u>	<u>9.0</u>
TUBERCULOSIS (009,010)	13	3	10	0.5	0.2	1.0
SEPTICEMIA (018)	426	253	173	15.4	14.6	16.6
HIV DISEASE (039-043)	153	22	131	5.5	1.3	12.6
MALIGNANT NEOPLASMS (056-108)	6,131	4,197	1,934	221.4	242.8	185.9
DIABETES MELLITUS (124)	589	325	264	21.3	18.8	25.4
ALZHEIMERS DISEASE (148)	351	290	61	12.7	16.8	5.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	11,742	7,933	3,809	424.1	458.9	366.2
HEART DISEASES (156-160, 162, 164-181)	9,309	6,346	2,963	336.2	367.1	284.9
HYPERTENSION (161, 163)	249	126	123	9.0	7.3	11.8
CEREBROVASCULAR DISEASES (182-186)	1,849	1,229	620	66.8	71.1	59.6
ATHEROSCLEROSIS (187)	100	72	28	3.6	4.2	2.7
INFLUENZA AND PNEUMONIA (195-198)	796	571	225	28.8	33.0	21.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	1,329	1,033	296	48.0	59.8	28.4
PEPTIC ULCER (217-220)	39	27	12	1.4	1.6	1.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	248	174	74	9.0	10.1	7.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	620	314	306	22.4	18.2	29.4
MATERNAL CAUSES (261-273)	6	2	4	14.0	8.8	20.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	215	68	147	5.0	3.0	7.3
CONGENITAL MALFORMATIONS (282-290)	107	53	54	3.9	3.1	5.2
SUDDEN INFANT DEATH SYNDROME# (292)	62	26	36	1.4	1.1	1.8
ACCIDENTS (295-330)	1,639	1,036	603	59.2	59.9	58.0
MOTOR VEHICLE ACCIDENTS# (296-306)	954	591	363	34.4	34.2	34.9
SUICIDE (331-337)	305	246	59	11.0	14.2	5.7
HOMICIDE (338-346)	312	89	223	11.3	5.1	21.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1999,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1999)

YEAR	NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1036	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1999

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1999,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1999)

YEAR	NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1999

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1999,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1999)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1999

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1999,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1999)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1999

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1999,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1999)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-1999

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1999,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1999)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1999

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1999

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1999

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** I INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1999

YEAR	NUMBER				RATIO*		
	TOTAL	WHI TE	NON- WHI TE	UNK. RACE	TOTAL	WHI TE	NON- WHI TE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3

* I N D U C E D T E R M I N A T I O N S O F P R E G N A N C Y P E R 1, 0 0 0 L I V E B I R T H S.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-1999

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON- WHITE	TOTAL**	WHITE	NON- WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (i.e., NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiasis	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequelae	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88

Group	Cause of Death	ICD-10 Codes Included
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64

Group	Cause of Death	ICD-10 Codes Included
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06

Group	Cause of Death	ICD-10 Codes Included
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70

Group	Cause of Death	ICD-10 Codes Included
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22

Group	Cause of Death	ICD-10 Codes Included
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81

Group	Cause of Death	ICD-10 Codes Included
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099

Group	Cause of Death	ICD-10 Codes Included
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bi fi da	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80. 6, V81. 2-V81. 9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19. 0-V19. 2, V19. 4-V19. 6

Group	Cause of Death	ICD-10 Codes Included
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80

Group	Cause of Death	ICD-10 Codes Included
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95

Group	Cause of Death	ICD-10 Codes Included
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93

Group	Cause of Death	ICD-10 Codes Included
	<u># Diseases of the circulatory system</u>	<u>I00-I99</u>
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	<u># Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	<u># Acute bronchitis and acute bronchiolitis</u>	<u>J20-J21</u>
049	<u># Bronchitis, chronic and unspecified</u>	<u>J40-J42</u>
050	<u># Asthma</u>	<u>J45-J46</u>
051	<u># Pneumonitis due to solids and liquids</u>	<u>J69</u>
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	<u># Gastritis, duodenitis, and noninfective enteritis and colitis</u>	<u>K29, K50-K55</u>
054	<u># Hernia of abdominal cavity and intestinal obstruction without hernia</u>	<u>K40-K46, K56</u>
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	<u># Renal failure and other disorders of kidney</u>	<u>N17-N19, N25, N27</u>
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	<u># Newborn affected by maternal hypertensive disorders</u>	<u>P00.0</u>

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22

Group	Cause of Death	ICD-10 Codes Included
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03

Group	Cause of Death	ICD-10 Codes Included
098	Spina bi fi da	Q05
099	Other congeni tal mal formations of nervous system	Q01-002, Q04, Q06-Q07
100	Congeni tal mal formations of heart	Q20-Q24
101	Other congeni tal mal formations of ci rcul atory system	Q25-Q28
102	Congeni tal mal formations of respi ratory system	Q30-Q34
103	Congeni tal mal formations of di gesti ve system	Q35-Q45
104	Congeni tal mal formations of geni touri nary system	Q50-Q64
105	Congeni tal mal formations and de formations of muscul oskel etal system, limbs and i ntegument	Q65-Q85
106	Down' s syndrome	Q90
107	Edward' s syndrome	Q91. 0-Q91. 3
108	Patau' s syndrome	Q91. 4-Q91. 7
109	Other congeni tal mal formations and de formations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormal i ties, not el sewhere cl assi fi ed	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory fi ndings, not el sewhere cl assi fi ed</u>	<u>R00-R99</u>
111	# Sudden i nfant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory fi ndings, not el sewhere cl assi fi ed	R00-R53, R55-R94, R96-R99
113	All other di seases (Resi dual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Acci dents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport acci dents</u>	<u>V01-V99, Y85</u>
114	Motor vehi cle acci dents	V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

Group	Cause of Death	ICD-10 Codes Included
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	# Assault (homicide)	X85-Y09, Y87.1
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	# Complications of medical and surgical care	Y40-Y84, Y88
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.