

Vital Statistics Mississippi 1997



MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Vital Statistics Mississippi 1997



Office of Community Health Services
Bureau of Public Health Statistics
Post Office Box 1700
Jackson, Mississippi 392151700

Telephone: 601/576-7960

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 1997	
POPULATION	
Table P1. Projected Population, by Age, Race, and Sex, Mississippi, 1995 ...	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1997	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 1997

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1995-1997	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1972, 1977, 1982, 1987, 1992, 1997	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1997	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	29
Table C13A.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death	30
Table C13B.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, White Males and Females	31
Table C13C.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, Nonwhite Males and Females	32

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	33
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ...	34
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	35
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	36
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	37
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	38

SUMMARY TABLES, 1997

Page

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	39
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	39
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	40

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	41
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	42
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	43

MAJOR TABLES, 1997

POPULATION

Table i.	1995 Projected Population and Percent Change From 1990 Census Population, Mississippi	47
----------	---	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1997	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1997	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1997	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1997	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1997	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1997	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1997 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1997	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1997	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1997	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1997	70

MAJOR TABLES, 1997

LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1997	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1997	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1997	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1997	78
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1997	81
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1997	95
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1997	102
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1993-1997 (5-Year Average)	104
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1997	106
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1997	108

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1997	110
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1997	112
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1997	113
-----------	---	-----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents	
	The Counties (in alphabetical order)	115
	The State	135

TIME SERIES TABLES

Page

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1997, (Occurrence Data 1913-1943, Residence Data 1944-1997)	139
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1997, (Occurrence Data 1913-1943, Residence Data 1944-1997)	141
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1997, (Occurrence Data 1913-1943, Residence Data 1944-1997)	143
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1997, (Occurrence Data 1917-1943, Residence Data 1944-1997)	145
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1997, (Occurrence Data 1924-1944, Residence Data 1945-1997)	147
Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1997, (Occurrence Data 1924-1943, Residence Data 1944-1997)	149
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1997	151
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1997	153

VITAL STATISTICS MISSISSIPPI, 1997

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1997; the second part contains major statistical tables for 1997. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this bulletin are 1995 population projections which were prepared by the Center for Policy Research and Planning located at the Mississippi Institutions of Higher Learning, 3825 Ridgewood Road, Jackson, Mississippi. The projections for the whole state are more reliable than those for the counties due to the fact that small numbers often behave erratically. For this reason, the state population was projected independently, making the state figures slightly different from the sum of the county figures. Projections for small counties and small categories, such as age/race/sex groups, should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1997

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. PROJECTED POPULATION BY AGE, RACE, AND SEX,
MISSISSIPPI, 1995**

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2, 693, 053	1, 292, 075	1, 400, 978	1, 692, 681	825, 774	866, 907	1, 000, 372	466, 301	534, 071
0- 4	210, 408	107, 578	102, 829	106, 771	54, 556	52, 214	103, 637	53, 022	50, 615
(UNDER 1*)	(43, 836)	(22, 242)	(21, 592)	(21, 963)	(11, 166)	(10, 797)	(21, 912)	(11, 094)	(10, 815)
(1- 4*)	(166, 572)	(85, 336)	(81, 237)	(84, 808)	(43, 390)	(41, 417)	(81, 725)	(41, 928)	(39, 800)
5- 9	204, 333	104, 047	100, 286	111, 726	57, 334	54, 392	92, 607	46, 713	45, 894
10- 14	215, 047	109, 656	105, 390	116, 562	60, 123	56, 438	98, 485	49, 533	48, 952
15- 19	226, 741	115, 987	110, 755	122, 658	63, 577	59, 082	104, 083	52, 410	51, 673
20- 24	235, 409	121, 060	114, 349	134, 901	71, 027	63, 874	100, 508	50, 033	50, 475
25- 29	187, 348	90, 651	96, 698	113, 107	56, 893	56, 215	74, 241	33, 758	40, 483
30- 34	197, 425	93, 984	103, 441	126, 290	62, 729	63, 561	71, 135	31, 255	39, 880
35- 39	203, 879	97, 335	106, 544	131, 233	65, 551	65, 682	72, 646	31, 784	40, 862
40- 44	184, 813	88, 285	96, 527	121, 858	60, 176	61, 682	62, 955	28, 109	34, 845
45- 49	162, 946	78, 468	84, 477	115, 696	57, 312	58, 384	47, 250	21, 156	26, 093
50- 54	128, 553	61, 200	67, 352	94, 831	46, 387	48, 444	33, 722	14, 813	18, 908
55- 59	111, 779	52, 164	59, 615	82, 930	40, 094	42, 837	28, 849	12, 070	16, 778
60- 64	101, 003	45, 753	55, 250	75, 966	35, 717	40, 249	25, 037	10, 036	15, 001
65- 69	97, 731	42, 491	55, 240	73, 463	33, 061	40, 402	24, 268	9, 430	14, 838
70- 74	85, 899	35, 261	50, 637	64, 059	27, 002	37, 056	21, 840	8, 259	13, 581
75- 79	64, 646	24, 526	40, 119	47, 287	18, 093	29, 193	17, 359	6, 433	10, 926
80 & OVER	75, 093	23, 626	51, 466	53, 343	16, 141	37, 202	21, 750	7, 485	14, 264
UNDER 15	629, 788	321, 281	308, 505	335, 059	172, 013	163, 044	294, 729	149, 268	145, 461
15- 64	1, 739, 896	844, 887	895, 008	1, 119, 470	559, 463	560, 010	620, 426	285, 424	334, 998
65 & OVER	323, 369	125, 904	197, 462	238, 152	94, 297	143, 853	85, 217	31, 607	53, 609
MEDIAN AGE	31. 7	29. 8	33. 4	35. 5	33. 9	37. 1	25. 0	23. 1	27. 4

* THE FIGURES FOR THESE AGE GROUPS WERE CALCULATED FROM THE FIGURES IN AGE GROUP 0-4 BY APPLYING THE DISTRIBUTION OF AGE GROUPS < 1 AND 1-4 FROM THE 1990 CENSUS FIGURES.

LIVE BIRTHS

**TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1997**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	41, 527	114			
JANUARY	3, 498	113	JULY	3, 856	124
FEBRUARY	3, 028	108	AUGUST	3, 636	117
MARCH	3, 302	106	SEPTEMBER	3, 699	123
APRIL	3, 111	104	OCTOBER	3, 517	113
MAY	3, 295	106	NOVEMBER	3, 399	113
JUNE	3, 378	113	DECEMBER	3, 808	123

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1997**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14. 1	27. 1	3. 9				
1950	46. 1	83. 3	18. 9				
1960	73. 2	99. 0	51. 3				
1970#	90. 0	99. 7	79. 7	1980#	99. 4	99. 7	99. 1
1971#	92. 2	99. 6	84. 2	1981#	99. 3	99. 6	99. 0
1972#	95. 2	99. 8	90. 4	1982#	99. 4	99. 6	99. 2
1973#	96. 4	99. 7	92. 8	1983#	99. 5	99. 6	99. 4
1974#	97. 4	99. 7	94. 8	1984#	99. 5	99. 6	99. 4
1975#	97. 9	99. 6	96. 0	1985#	99. 6	99. 7	99. 4
1976#	98. 5	99. 7	97. 3	1986#	99. 6	99. 7	99. 5
1977#	98. 9	99. 7	98. 1	1987#	99. 6	99. 8	99. 5
1978#	99. 1	99. 7	98. 4	1988#	99. 6	99. 7	99. 6
1979#	99. 3	99. 7	98. 9	1989#	99. 6	99. 8	99. 5
				1990#	99. 6	99. 6	99. 6
				1991#	99. 6	99. 6	99. 6
				1992#	99. 7	99. 7	99. 7
				1993#	99. 7	99. 7	99. 6
				1994#	99. 7	99. 7	99. 7
				1995#	99. 7	99. 7	99. 6
				1996#	99. 7	99. 7	99. 7
				1997#	99. 7	99. 8	99. 7

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1997**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
TOTAL	41,527	40,737	625	11	135	19	100.0	98.1	1.5	*	0.3	*
HOSPITAL CLINIC/DOCTOR'S OFFICE	41,417	40,730	622	1	52	12	99.7	98.1	1.5	*	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	101	6	3	10	77	5	0.2	*	*	*	0.2	*
	9	1	0	0	6	2	*	*	-	-	*	*
WHITE	22,021	21,763	182	10	61	5	100.0	98.8	0.8	*	0.3	*
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,966	21,762	179	1	20	4	99.8	98.8	0.8	*	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	55	1	3	9	41	1	0.2	*	*	*	0.2	*
	0	0	0	0	0	0	-	-	-	-	-	-
NONWHITE	19,506	18,974	443	1	74	14	100.0	97.3	2.3	*	0.4	0.1
HOSPITAL CLINIC/DOCTOR'S OFFICE	19,451	18,968	443	0	32	8	99.7	97.2	2.3	-	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	46	5	0	1	36	4	0.2	*	-	*	0.2	*
	9	1	0	0	6	2	*	*	-	-	*	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1997**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,527	22,021	19,506	100.0	100.0	100.0	66.1	59.5	75.5
UNDER 15	270	49	221	0.6	0.2	1.1	2.6	0.9	4.5
15-19	8,305	3,049	5,256	20.0	13.8	26.9	75.0	51.6	101.7
20-24	13,317	6,433	6,884	32.1	29.2	35.3	116.4	100.7	136.4
25-29	10,480	6,701	3,779	25.2	30.4	19.4	108.4	119.2	93.3
30-34	6,142	4,011	2,131	14.8	18.2	10.9	59.4	63.1	53.4
35-39	2,530	1,535	995	6.1	7.0	5.1	23.7	23.4	24.4
40-44	473	240	233	1.1	1.1	1.2	4.9	3.9	6.7
45-49	9	3	6	**	**	**	0.1	**	0.2
UNKNOWN	1	0	1	**	-	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 1997**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	41,527	22,021	19,506	100.0	100.0	100.0			
0-6 YEARS	266	144	122	0.6	0.6	0.6	0.6	0.6	0.6
7-9 YEARS	3,749	1,812	1,937	9.0	8.2	9.9	9.7	8.9	10.6
10, 11 YEARS	6,821	2,535	4,286	16.4	11.5	22.0	26.1	20.4	32.6
12 YEARS	13,947	6,679	7,268	33.6	30.4	37.3	59.8	50.8	69.9
1-3 YEARS COLLEGE	10,194	5,852	4,342	24.6	26.6	22.3	84.4	77.4	92.2
4 OR MORE YEARS									
COLLEGE	6,479	4,962	1,517	15.6	22.6	7.8	100.0	100.0	100.0
UNKNOWN	71	37	34						
MEDIAN YEARS COMPLETED*	12.7	13.0	12.5						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1997**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	18,853	4,317	14,536	45.4	19.6	74.5
UNDER 15	265	44	221	98.1	89.8	100.0
15-19	6,667	1,584	5,083	80.3	52.0	96.7
20-24	7,111	1,534	5,577	53.4	23.8	81.0
25-29	2,831	700	2,131	27.0	10.4	56.4
30-34	1,248	291	957	20.3	7.2	44.9
35-39	596	146	450	23.6	9.5	45.2
40-44	133	18	115	28.1	7.5	49.4
45-49	2	0	2	22.2	-	33.3

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1997**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,527	22,021	19,506	100.0	100.0	100.0	66.1	59.5	75.5	24.5	26.0	22.9
FIRST	14,885	8,198	6,687	35.8	37.2	34.3	23.7	22.2	25.9	21.1	22.9	19.6
SECOND	12,595	7,064	5,531	30.3	32.1	28.4	20.0	19.1	21.4	24.8	26.4	22.8
THIRD	7,520	3,880	3,640	18.1	17.6	18.7	12.0	10.5	14.1	26.6	28.2	24.8
FOURTH	3,611	1,688	1,923	8.7	7.7	9.8	5.7	4.6	7.4	27.7	29.4	26.2
FIFTH	1,593	694	899	3.8	3.2	4.6	2.5	1.9	3.5	29.3	31.1	27.6
SIXTH	676	256	420	1.6	1.2	2.2	1.1	0.7	1.6	30.4	31.9	29.8
SEVENTH	328	118	210	0.8	0.5	1.1	0.5	0.3	0.8	30.8	32.4	30.2
EIGHTH	139	49	90	0.3	0.2	0.5	0.2	0.1	0.3	32.6	33.0	32.6
NINTH	69	34	35	0.2	0.2	0.2	0.1	0.1	0.1	35.1	35.9	33.0
TENTH												
& OVER	77	25	52	0.2	0.1	0.3	0.1	0.1	0.2	35.5	35.7	35.2
UNKNOWN	34	15	19	0.1	0.1	0.1	#	#	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1997**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>41,527</u>	<u>22,021</u>	<u>19,506</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	548	105	443	1.3	0.5	2.3
<u>SOME PRENATAL CARE</u>	<u>40,856</u>	<u>21,867</u>	<u>18,989</u>	<u>98.4</u>	<u>99.3</u>	<u>97.4</u>
FIRST TRIMESTER	33,098	19,579	13,519	79.7	88.9	69.3
SECOND TRIMESTER	6,505	1,969	4,536	15.7	8.9	23.2
THIRD TRIMESTER	1,150	295	855	2.8	1.3	4.4
UNKNOWN MONTH	103	24	79	0.2	0.1	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	123	49	74	0.3	0.2	0.4

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1997**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>41,527</u>	<u>22,021</u>	<u>19,506</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,552	616	936	3.7	2.8	4.8
PREMATURE ONLY**	3,697	1,544	2,153	8.9	7.0	11.0
BOTH IMMATURE AND PREMATURE	2,641	1,005	1,636	6.4	4.6	8.4
TOTAL IMMATURE	4,193	1,621	2,572	10.1	7.4	13.2
TOTAL PREMATURE	6,338	2,549	3,789	15.3	11.6	19.4
TOTAL IMMATURE AND/OR PREMATURE	7,890	3,165	4,725	19.0	14.4	24.2
NEITHER IMMATURE NOR PREMATURE**	33,637	18,856	14,781	81.0	85.6	75.8

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1997**

<u>CONGENITAL ANOMALY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ANOMALIES REPORTED</u>	<u>612</u>	<u>274</u>	<u>338</u>
ANENCEPHALUS	9	5	4
SPINA BIFIDA/MENINGOCELE	21	13	8
HYDROCEPHALUS	12	6	6
MICROCEPHALUS	3	0	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	5	4	1
HEART MALFORMATIONS	77	41	36
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	23	14	9
RECTAL ATRESIA/STENOSIS	10	6	4
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	3	2	1
OMPHALOCELE/GASTROSCHISIS	49	13	36
OTHER GASTROINTESTINAL ANOMALIES	14	5	9
MALFORMED GENITALIA	51	24	27
RENAL AGENESIS	7	4	3
OTHER UROGENITAL ANOMALIES	17	13	4
CLEFT LIP/PALATE	31	19	12
POLYDACTYLY/SYNDACTYLY/ADACTYLY	87	9	78
CLUB FOOT	31	18	13
DIAPHRAGMATIC HERNIA	9	5	4
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	85	45	40
DOWNS SYNDROME	25	9	16
OTHER CHROMOSOMAL ANOMALIES	6	3	3
<u>OTHER</u>	<u>37</u>	<u>16</u>	<u>21</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1997**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>11, 645</u>	<u>5, 119</u>	<u>6, 526</u>
ANEMIA (HCT. < 30/HGB. < 10)	1, 007	317	690
CARDIAC DISEASE	198	147	51
ACUTE OR CHRONIC LUNG DISEASE	349	154	195
DIABETES	1, 120	598	522
GENITAL HERPES	230	132	98
HYDRAMNIOS/OLIGOHYDRAMNIOS	502	217	285
HEMOGLOBINOPATHY	225	6	219
HYPERTENSION, CHRONIC	531	198	333
HYPERTENSION, PREGNANCY- ASSOCIATED	2, 420	1, 174	1, 246
ECLAMPSIA	235	104	131
INCOMPETENT CERVIX	84	30	54
PREVIOUS INFANT 4000+ GRAMS	246	150	96
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	602	217	385
RENAL DISEASE	120	77	43
RH SENSITIZATION	310	224	86
UTERINE BLEEDING	217	126	91
<u>OTHER</u>	<u>3, 249</u>	<u>1, 248</u>	<u>2, 001</u>

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 1997

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL LIVE BIRTHS	41,527	22,021	19,506	100.0	100.0	100.0
TOBACCO USE DURING PREGNANCY						
NONE	36,210	17,861	18,349	87.2	81.1	94.1
<u>SOME</u>	<u>5,221</u>	<u>4,128</u>	<u>1,093</u>	<u>12.6</u>	<u>18.7</u>	<u>5.6</u>
1-9 CIGARETTES PER DAY	1,654	1,135	519	4.0	5.2	2.7
10-19 CIGARETTES PER DAY	2,061	1,690	371	5.0	7.7	1.9
20-29 CIGARETTES PER DAY	1,206	1,064	142	2.9	4.8	0.7
30-39 CIGARETTES PER DAY	127	122	5	0.3	0.6	*
40-49 CIGARETTES PER DAY	47	41	6	0.1	0.2	*
50-59 CIGARETTES PER DAY	1	1	0	*	*	-
60 OR MORE PER DAY	6	3	3	*	*	*
UNKNOWN AMOUNT	119	72	47	0.3	0.3	0.2
NOT STATED	96	32	64	0.2	0.1	0.3
ALCOHOL USE DURING PREGNANCY						
NONE	41,106	21,876	19,230	99.0	99.3	98.6
<u>SOME</u>	<u>320</u>	<u>109</u>	<u>211</u>	<u>0.8</u>	<u>0.5</u>	<u>1.1</u>
1 DRINK PER WEEK	101	52	49	0.2	0.2	0.2
2 DRINKS PER WEEK	61	15	46	0.1	0.1	0.2
3 DRINKS PER WEEK	24	8	16	*	*	0.1
4 DRINKS PER WEEK	8	0	8	*	-	*
5 DRINKS PER WEEK	7	0	7	*	-	*
6 OR MORE PER WEEK	41	5	36	0.1	*	0.2
UNKNOWN AMOUNT	78	29	49	0.2	0.1	0.2
NOT STATED	101	36	65	0.2	0.2	0.3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	820	334	486	2.0	1.5	2.5
1-4 POUNDS	385	167	218	0.9	0.8	1.1
5-9 POUNDS	1,119	453	666	2.7	2.0	3.4
10-14 POUNDS	2,562	1,004	1,558	6.2	4.6	8.0
15-19 POUNDS	3,151	1,501	1,650	7.6	6.8	8.4
20-24 POUNDS	6,068	2,909	3,159	14.6	13.2	16.2
25-29 POUNDS	5,406	2,957	2,449	13.0	13.4	12.6
30-34 POUNDS	6,468	3,706	2,762	15.6	16.8	14.2
35-39 POUNDS	4,023	2,477	1,546	9.7	11.2	7.9
40-44 POUNDS	3,928	2,358	1,570	9.4	10.7	8.0
45 OR MORE POUNDS	5,392	3,304	2,088	13.0	15.0	10.7
UNKNOWN AMOUNT	2,205	851	1,354	5.3	3.9	6.9
MEDIAN WEIGHT GAIN (LBS)**	30.1	31.7	27.7			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1997**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATONS REPORTED</u>	<u>14, 707</u>	<u>7, 730</u>	<u>6, 977</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	418	225	193
MECONIUM, MODERATE/HEAVY	2, 268	1, 010	1, 258
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 795	698	1, 097
ABRUPTIO PLACENTA	278	154	124
PLACENTA PREVIA	100	61	39
OTHER EXCESSIVE BLEEDING	80	39	41
SEIZURES DURING LABOR	24	8	16
PRECIPITOUS LABOR (< 3 HOURS)	529	264	265
PROLONGED LABOR (> 20 HOURS)	244	136	108
DYSFUNCTIONAL LABOR	1, 108	642	466
BREECH/MALPRESENTATION	1, 662	1, 030	632
CEPHALOPELVIC DISPROPORTION	1, 532	888	644
CORD PROLAPSE	69	39	30
ANESTHETIC COMPLICATIONS	17	15	2
FETAL DISTRESS	2, 677	1, 345	1, 332
<u>OTHER</u>	<u>1, 906</u>	<u>1, 176</u>	<u>730</u>

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1997**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45, 646</u>	<u>24, 514</u>	<u>21, 132</u>
VAGINAL	29, 526	15, 449	14, 077
VAGINAL BIRTH AFTER PREVIOUS C- SECTION	846	400	446
PRIMARY C- SECTION	6, 521	3, 634	2, 887
REPEAT C- SECTION	4, 590	2, 507	2, 083
FORCEPS	2, 061	1, 327	734
VACUUM	2, 102	1, 197	905

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1997**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>74, 043</u>	<u>41, 533</u>	<u>32, 510</u>
AMNIOCENTESIS	431	297	134
ELECTRONIC FETAL MONITORING	36, 253	19, 375	16, 878
INDUCTION OF LABOR	5, 566	3, 698	1, 868
STIMULATION OF LABOR	5, 971	3, 298	2, 673
TOCOLYSIS	557	312	245
ULTRASOUND	24, 815	14, 265	10, 550
OTHER	450	288	162

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1997**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>3, 886</u>	<u>1, 536</u>	<u>2, 350</u>
ANEMIA (HCT. < 39/HGB. < 13)	88	23	65
BIRTH INJURY	103	56	47
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE/RDS	677	311	366
MECONIUM ASPIRATION SYNDROME	141	53	88
ASSISTED VENTILATION < 30 MINUTES	581	247	334
ASSISTED VENTILATION 30 MINUTES OR MORE	622	236	386
SEIZURES	24	9	15
OTHER	1, 650	601	1, 049

FETAL DEATHS

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1997**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
TOTAL	526	501	4	0	16	5	100.0	95.2	0.8	-	3.0	1.0
HOSPITAL CLINIC/DOCTOR'S OFFICE	509	500	4	0	5	0	96.8	95.0	0.8	-	1.0	-
HOME	16	0	0	0	11	5	3.0	-	-	-	2.1	1.0
WHITE	163	158	0	0	3	2	100.0	96.9	-	-	1.8	1.2
HOSPITAL CLINIC/DOCTOR'S OFFICE	158	158	0	0	0	0	96.9	96.9	-	-	-	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
	5	0	0	0	3	2	3.1	-	-	-	1.8	1.2
NONWHITE	363	343	4	0	13	3	100.0	94.5	1.1	-	3.6	0.8
HOSPITAL CLINIC/DOCTOR'S OFFICE	351	342	4	0	5	0	96.7	94.2	1.1	-	1.4	-
HOME	11	0	0	0	8	3	3.0	-	-	-	2.2	0.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1997**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>526</u>	<u>163</u>	<u>363</u>	<u>12.7</u>	<u>7.4</u>	<u>18.6</u>
UNDER 15	11	3	8	40.7	#	36.2
15-19	139	30	109	16.7	9.8	20.7
20-24	149	46	103	11.2	7.2	15.0
25-29	110	42	68	10.5	6.3	18.0
30-34	69	24	45	11.2	6.0	21.1
35-39	31	11	20	12.2	7.2	20.1
40-44	13	6	7	27.5	25.0	30.0
45-49	1	0	1	#	-	#
UNKNOWN	3	1	2	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1997**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.3	0.5	2.3	12.4	8.0	14.3
SOME CARE	98.1	99.2	96.9	80.6	85.3	78.5
UNKNOWN WHETHER ANY CARE	0.5	0.3	0.8	7.0	6.7	7.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1995-1997**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1995	1996	1997	1995	1996	1997	1995	1996	1997
REPORTABLE* FETAL DEATHS									
TOTAL	470	453	526	141	148	163	329	305	363
UNDER 20	20	19	38	6	0	11	14	19	27
20 AND OVER	371	359	404	116	129	132	255	230	272
20-22	84	84	97	25	22	30	59	62	67
23-27	100	99	109	29	36	29	71	63	80
28-36	108	115	123	32	41	45	76	74	78
37 AND OVER	79	61	75	30	30	28	49	31	47
UNKNOWN	79	75	84	19	19	20	60	56	64
FETAL DEATH RATIOS#									
TOTAL	11.4	11.0	12.7	6.5	6.9	7.4	16.6	15.6	18.6
UNDER 20	0.5	0.5	0.9	0.3	0.0	0.5	0.7	1.0	1.4
20 AND OVER	9.0	8.8	9.7	5.4	6.0	6.0	12.9	11.8	13.9
20-22	2.0	2.0	2.3	1.2	1.0	1.4	3.0	3.2	3.4
23-27	2.4	2.4	2.6	1.3	1.7	1.3	3.6	3.2	4.1
28-36	2.6	2.8	3.0	1.5	1.9	2.0	3.8	3.8	4.0
37 AND OVER	1.9	1.5	1.8	1.4	1.4	1.3	2.5	1.6	2.4
UNKNOWN	1.9	1.8	2.0	0.9	0.9	0.9	3.0	2.9	3.3

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1997**

<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>
TOTAL	27,380	75			
JANUARY	2,648	85	JULY	2,123	68
FEBRUARY	2,213	79	AUGUST	2,119	68
MARCH	2,330	75	SEPTEMBER	2,102	70
APRIL	2,271	76	OCTOBER	2,259	73
MAY	2,326	75	NOVEMBER	2,252	75
JUNE	2,119	71	DECEMBER	2,618	84

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1997**

<u>AGE</u>	<u>NUMBER</u>			<u>PERCENT</u>			<u>RATE*</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
TOTAL	27,380	18,034	9,346	100.0	100.0	100.0	10.2	10.6	9.3
UNDER 1	440	156	284	1.6	0.9	3.0	10.0	7.1	13.0
1-4	88	32	56	0.3	0.2	0.6	0.5	0.4	0.7
5-9	46	19	27	0.2	0.1	0.3	0.2	0.2	0.3
10-14	74	38	36	0.3	0.2	0.4	0.3	0.3	0.4
15-24	573	262	311	2.1	1.4	3.3	1.2	1.0	1.5
25-34	674	307	367	2.5	1.7	3.9	1.8	1.3	2.5
35-44	1,249	603	646	4.6	3.3	6.9	3.2	2.4	4.8
45-54	1,964	1,046	918	7.2	5.8	9.8	6.7	5.0	11.3
55-64	3,179	1,988	1,191	11.6	11.0	12.7	14.9	12.5	22.1
65-74	5,490	3,830	1,660	20.0	21.2	17.8	29.9	27.8	36.0
75 AND OVER	13,597	9,750	3,847	49.7	54.1	41.2	97.3	96.9	98.4
UNKNOWN	6	3	3	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1997**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,980	13,400	1.04	9,115	8,919	1.02	4,865	4,481	1.08
UNDER 1	249	191	1.30	75	81	0.92	174	110	1.58
1-4	44	44	1.00	20	12	1.67	24	32	0.75
5-9	24	22	1.09	11	8	1.38	13	14	0.93
10-14	49	25	1.96	25	13	1.92	24	12	2.00
15-24	423	150	2.82	193	69	2.80	230	81	2.84
25-34	440	234	1.88	205	102	2.01	235	132	1.78
35-44	802	447	1.79	395	208	1.90	407	239	1.70
45-54	1,245	719	1.73	680	366	1.86	565	353	1.60
55-64	1,903	1,276	1.49	1,231	757	1.63	672	519	1.29
65-74	3,131	2,359	1.33	2,270	1,560	1.46	861	799	1.08
75-84	3,543	3,724	0.95	2,581	2,667	0.97	962	1,057	0.91
85 AND OVER	2,121	4,209	0.50	1,426	3,076	0.46	695	1,133	0.61
UNKNOWN	6	0		3	0		3	0	
MEDIAN AGE	70.8	78.3		72.6	79.8		66.0	74.4	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1997**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.8	9.6	11.0	10.3	10.4	8.4
UNDER 1	11.2	8.8	6.7	7.5	15.7	10.2
1-4	0.5	0.5	0.5	0.3	0.6	0.8
5-9	0.2	0.2	0.2	0.1	0.3	0.3
10-14	0.4	0.2	0.4	0.2	0.5	0.2
15-24	1.8	0.7	1.4	0.6	2.2	0.8
25-34	2.4	1.2	1.7	0.8	3.6	1.6
35-44	4.3	2.2	3.1	1.6	6.8	3.2
45-54	8.9	4.7	6.6	3.4	15.7	7.8
55-64	19.4	11.1	16.2	9.1	30.4	16.3
65-74	40.3	22.3	37.8	20.1	48.7	28.1
75 AND OVER	117.6	86.6	117.0	86.5	119.0	86.9

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22, 753</u>	<u>15, 139</u>	<u>7, 614</u>	<u>83. 1</u>	<u>83. 9</u>	<u>81. 5</u>
1. HEART DISEASES (390- 398, 402, 404- 429)	9, 674	6, 468	3, 206	35. 3	35. 9	34. 3
2. MALIGNANT NEOPLASMS (140- 208)	5, 815	3, 920	1, 895	21. 2	21. 7	20. 3
3. CEREBROVASCULAR DISEASES (430- 438)	1, 848	1, 194	654	6. 7	6. 6	7. 0
4. ACCIDENTS (800- 949)	1, 580	957	623	5. 8	5. 3	6. 7
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490- 496)	1, 099	916	183	4. 0	5. 1	2. 0
6. PNEUMONIA AND INFLUENZA (480- 487)	1, 030	746	284	3. 8	4. 1	3. 0
7. DIABETES MELLITUS (250)	564	294	270	2. 1	1. 6	2. 9
8. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580- 589)	417	243	174	1. 5	1. 3	1. 9
9. HOMICIDE AND LEGAL INTERVENTION (960- 978)	388	123	265	1. 4	0. 7	2. 8
10. SUICIDE (950- 959)	338	278	60	1. 2	1. 5	0. 6

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1997**

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1- 4	<u>ALL CAUSES</u>	<u>88</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (800-949)	47	53.4	28.2
	2T. HEART DISEASES (390-398, 402, 404-429)	6	6.8	3.6
	2T. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	6.8	3.6
	4T. MALIGNANT NEOPLASMS (140-208)	5	5.7	3.0
	4T. CONGENITAL ANOMALIES (740-759)	5	5.7	3.0
5- 14	<u>ALL CAUSES</u>	<u>120</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	59	49.2	14.1
	2. MALIGNANT NEOPLASMS (140-208)	11	9.2	2.6
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	7	5.8	1.7
	4T. HEART DISEASES (390-398, 402, 404-429)	5	4.2	1.2
	4T. SUICIDE (950-959)	5	4.2	1.2
15- 24	<u>ALL CAUSES</u>	<u>573</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (800-949)	269	46.9	58.2
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	117	20.4	25.3
	3. SUICIDE (950-959)	51	8.9	11.0
	4. MALIGNANT NEOPLASMS (140-208)	24	4.2	5.2
	5. HEART DISEASES (390-398, 402, 404-429)	14	2.4	3.0
25- 44	<u>ALL CAUSES</u>	<u>1,923</u>	<u>100.0</u>	<u>2.5</u>
	1. ACCIDENTS (800-949)	461	24.0	59.6
	2. HEART DISEASES (390-398, 402, 404-429)	305	15.9	39.4
	3. MALIGNANT NEOPLASMS (140-208)	270	14.0	34.9
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	173	9.0	22.4
	5. SUICIDE (950-959)	138	7.2	17.8
45- 64	<u>ALL CAUSES</u>	<u>5,143</u>	<u>100.0</u>	<u>10.2</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,672	32.5	331.6
	2. MALIGNANT NEOPLASMS (140-208)	1,577	30.7	312.7
	3. CEREBROVASCULAR DISEASES (430-438)	277	5.4	54.9
	4. ACCIDENTS (800-949)	259	5.0	51.4
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	151	2.9	29.9
65 & OVER	<u>ALL CAUSES</u>	<u>19,087</u>	<u>100.0</u>	<u>59.0</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,657	40.1	2,367.9
	2. MALIGNANT NEOPLASMS (140-208)	3,924	20.6	1,213.5
	3. CEREBROVASCULAR DISEASES (430-438)	1,482	7.8	458.3
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	922	4.8	285.1
	5. PNEUMONIA AND INFLUENZA (480-487)	874	4.6	270.3

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1997**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	2,150	1,060	1,770	835	260.4	227.3	204.2	156.3
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	854	385	492	148	103.4	82.6	56.8	27.7
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	446	242	354	223	54.0	51.9	40.8	41.8
3. GENITAL ORGANS (179-187)	188	188	156	93	22.8	40.3	18.0	17.4
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	219	74	182	75	26.5	15.9	21.0	14.0
5. BREAST (174, 175)	1	1	264	160	0.1	0.2	30.5	30.0
6. URINARY ORGANS (188, 189)	101	25	49	19	12.2	5.4	5.7	3.6
7. BRAIN (191)	55	13	56	17	6.7	2.8	6.5	3.2
8. SKIN (172, 173)	50	9	33	6	6.1	1.9	3.8	1.1
9. LIP, ORAL CAVITY, AND PHARYNX (140-149)	39	29	18	6	4.7	6.2	2.1	1.1
10. BONE AND CONNECTIVE TISSUE (170, 171)	15	16	21	10	1.8	3.4	2.4	1.9
- OTHER AND UNSPECIFIED SITES (190, 192-199)	182	78	145	78	22.0	16.7	16.7	14.6

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1972, 1977, 1982, 1987, 1992, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1972	1977	1982	1987	1992	1997
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	41	41	19	17	27	9
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	764	1,069	1,333	1,601	1,660	1,879
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	736	1,019	1,268	1,555	1,615	1,834
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	54	39	18	43	44	51
EMPHYSEMA (492)	170	146	82	104	134	133
ASTHMA (493)	22	15	29	34	53	61

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1997**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF FIVE LEADING CAUSES	<u>1,281</u>	<u>775</u>	<u>506</u>	<u>81.1</u>	<u>81.0</u>	<u>81.2</u>
1. MOTOR VEHICLE (810-825)	868	520	348	54.9	54.3	55.8
2. FALLS (880-888)	183	156	27	11.6	16.3	4.3
3. FIRES AND FLAMES (890-899)	110	34	76	7.0	3.6	12.2
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	65	36	29	4.1	3.8	4.6
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	55	29	26	3.5	3.0	4.2

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1997**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER	UN- KNOWN
<u>ALL ACCIDENTS</u>	<u>1,580</u>	<u>1,027</u>	<u>553</u>	<u>15</u>	<u>47</u>	<u>59</u>	<u>269</u>	<u>226</u>	<u>235</u>	<u>259</u>	<u>468</u>	<u>2</u>
MOTOR VEHICLE (810-825)	868	572	296	5	16	35	208	168	146	148	142	0
<u>WATER TRANSPORT (830-838)</u>	<u>20</u>	<u>17</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>6</u>	<u>3</u>	<u>5</u>	<u>1</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	14	11	3	0	1	1	2	5	2	3	0	0
OTHER (831, 833-838)	6	6	0	0	0	0	1	1	1	2	1	0
AIR AND SPACE TRANSPORT (840-845)	5	5	0	0	0	0	0	1	1	3	0	0
<u>POISONING (850-869)</u>	<u>41</u>	<u>28</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>9</u>	<u>13</u>	<u>12</u>	<u>4</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	28	19	9	0	0	0	2	6	9	7	4	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	13	9	4	0	0	0	1	3	4	5	0	0
FALLS (880-888)	183	96	87	1	0	0	2	2	10	19	148	1
FIRES AND FLAMES (890-899)	110	60	50	3	19	4	7	8	10	19	39	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	55	47	8	0	5	7	16	6	13	5	3	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	65	32	33	1	1	1	2	3	5	10	42	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	13	11	2	4	1	2	3	1	1	0	1	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	25	24	1	0	0	2	1	4	1	12	5	0
CAUSED BY MACHINERY (919)	24	22	2	0	0	0	2	2	5	7	8	0
CAUSED BY FIREARM MISSILE (922)	39	32	7	0	0	6	13	8	8	3	1	0
CAUSED BY ELECTRIC CURRENT (925)	12	12	0	1	0	0	6	3	2	0	0	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1997

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE MISSISSIPPI, 1997

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL UNDER 1 YEAR	440	156	284	100.0	100.0	100.0	10.6	7.1	14.6
NEONATAL (UNDER 28 DAYS)	269	96	173	61.1	61.5	60.9	6.5	4.4	8.9
HEBDOMADAL (UNDER 7 DAYS)	198	65	133	45.0	41.7	46.8	4.8	3.0	6.8
UNDER 1 DAY	139	44	95	31.6	28.2	33.4	3.3	2.0	4.9
1-6 DAYS	59	21	38	13.4	13.5	13.4	1.4	1.0	1.9
7-27 DAYS	71	31	40	16.1	19.9	14.1	1.7	1.4	2.0
POSTNEONATAL (28 DAYS TO 1 YEAR)	171	60	111	38.9	38.5	39.1	4.1	2.7	5.7

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS, BY CAUSE AND RACE MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	440	156	284	10.6	7.1	14.6
1. CONGENITAL ANOMALIES (740-759)	92	42	50	2.2	1.9	2.6
2. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	56	12	44	1.3	0.5	2.2
3. SUDDEN INFANT DEATH SYNDROME (798.0)	53	15	38	1.3	0.7	1.9
4. RESPIRATORY DISTRESS SYNDROME (769)	24	11	13	0.6	0.5	0.7
5. ACCIDENTS (800-949)	15	9	6	0.4	0.4	0.3
6. PNEUMONIA AND INFLUENZA (480-487)	14	4	10	0.3	0.2	0.5
7. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	11	3	8	0.3	0.1	0.4
8. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	6	3	0.2	0.3	0.2
9. MATERNAL COMPLICATIONS OF PREGNANCY (761)	8	5	3	0.2	0.2	0.2
10. NEONATAL HEMORRHAGE (772)	6	3	3	0.1	0.1	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
FOR SELECTED CAUSES OF DEATH,
MISSISSIPPI, 1997**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<u>ALL RACES - ALL CAUSES</u>	<u>167, 188</u>	<u>7, 055. 3</u>
HEART DISEASES (390-398, 402, 404-429)	24, 855	1, 048. 9
ISCHEMIC HEART DISEASE (410-414)	12, 721	536. 8
CEREBROVASCULAR DISEASES (430-438)	5, 022	211. 9
MALIGNANT NEOPLASMS (140-208)	22, 322	942. 0
RESPIRATORY SYSTEM (160-165)	5, 402	228. 0
COLORECTAL (153, 154)	1, 893	79. 9
PROSTATE (185)**	266	22. 8
BREAST (174)#	2, 558	212. 5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1, 955	82. 5
PNEMONIA AND INFLUENZA (480-487)	3, 226	136. 1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2, 130	89. 9
DIABETES MELLITUS (250)	2, 042	86. 2
HIV INFECTION (042-044)	4, 096	172. 8
UNINTENTIONAL INJURIES (800-949)	36, 331	1, 533. 2
MOTOR VEHICLE CRASHES (810-825)	24, 225	1, 022. 3
SUICIDE (950-959)	7, 671	323. 7
HOMICIDE AND LEGAL INTERVENTION (960-978)	12, 343	520. 9

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100,000 POPULATION UNDER AGE 65.

** MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
FOR SELECTED CAUSES OF DEATH,
WHITE MALES AND FEMALES
MISSISSIPPI, 1997**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<u>WHITE MALES - ALL CAUSES</u>	50, 209	6, 864. 1
HEART DISEASES (390-398, 402, 404-429)	8, 205	1, 121. 7
ISCHEMIC HEART DISEASE (410-414)	5, 238	716. 1
CEREBROVASCULAR DISEASES (430-438)	1, 042	142. 4
MALIGNANT NEOPLASMS (140-208)	6, 593	901. 3
RESPIRATORY SYSTEM (160-165)	2, 043	279. 3
COLORECTAL (153, 154)	520	71. 1
PROSTATE (185)	66	9. 0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	641	87. 6
PNEMONIA AND INFLUENZA (480-487)	772	105. 5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1, 061	145. 0
DIABETES MELLITUS (250)	348	47. 6
HIV INFECTION (042-044)	971	132. 7
UNINTENTIONAL INJURIES (800-949)	14, 096	1, 927. 1
MOTOR VEHICLE CRASHES (810-825)	9, 200	1, 257. 7
SUICIDE (950-959)	4, 623	632. 0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2, 427	331. 8
<u>WHITE FEMALES - ALL CAUSES</u>	28, 239	3, 905. 5
HEART DISEASES (390-398, 402, 404-429)	3, 610	499. 3
ISCHEMIC HEART DISEASE (410-414)	1, 735	240. 0
CEREBROVASCULAR DISEASES (430-438)	1, 005	139. 0
MALIGNANT NEOPLASMS (140-208)	6, 127	847. 4
RESPIRATORY SYSTEM (160-165)	1, 251	173. 0
COLORECTAL (153, 154)	547	75. 6
BREAST (174)	1, 308	180. 9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	512	70. 8
PNEMONIA AND INFLUENZA (480-487)	583	80. 6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	332	45. 9
DIABETES MELLITUS (250)	356	49. 2
HIV INFECTION (042-044)	194	26. 8
UNINTENTIONAL INJURIES (800-949)	5, 561	769. 1
MOTOR VEHICLE CRASHES (810-825)	4, 659	644. 4
SUICIDE (950-959)	1, 159	160. 3
HOMICIDE AND LEGAL INTERVENTION (960-978)	618	85. 5

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100, 000 POPULATION UNDER AGE 65.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65
FOR SELECTED CAUSES OF DEATH,
NONWHITE MALES AND FEMALES
MISSISSIPPI, 1997**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<u>NONWHITE MALES - ALL CAUSES</u>	<u>55, 792</u>	<u>12, 834. 8</u>
HEART DISEASES (390-398, 402, 404-429)	8, 109	1, 865. 4
ISCHEMIC HEART DISEASE (410-414)	3, 818	878. 3
CEREBROVASCULAR DISEASES (430-438)	1, 503	345. 8
MALIGNANT NEOPLASMS (140-208)	4, 882	1, 123. 1
RESPIRATORY SYSTEM (160-165)	1, 478	340. 0
COLORECTAL (153, 154)	354	81. 4
PROSTATE (185)	200	46. 0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	421	96. 8
PNEMONIA AND INFLUENZA (480-487)	901	207. 3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	470	108. 1
DIABETES MELLITUS (250)	839	193. 0
HIV INFECTION (042-044)	2, 245	516. 4
UNINTENTIONAL INJURIES (800-949)	11, 553	2, 657. 7
MOTOR VEHICLE CRASHES (810-825)	7, 244	1, 666. 5
SUICIDE (950-959)	1, 564	359. 8
HOMICIDE AND LEGAL INTERVENTION (960-978)	7, 245	1, 666. 7
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>32, 948</u>	<u>6, 857. 6</u>
HEART DISEASES (390-398, 402, 404-429)	4, 931	1, 026. 3
ISCHEMIC HEART DISEASE (410-414)	1, 930	401. 7
CEREBROVASCULAR DISEASES (430-438)	1, 472	306. 4
MALIGNANT NEOPLASMS (140-208)	4, 720	982. 4
RESPIRATORY SYSTEM (160-165)	630	131. 1
COLORECTAL (153, 154)	472	98. 2
BREAST (174)	1, 250	260. 2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	381	79. 3
PNEMONIA AND INFLUENZA (480-487)	970	201. 9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	267	55. 6
DIABETES MELLITUS (250)	499	103. 8
HIV INFECTION (042-044)	686	142. 8
UNINTENTIONAL INJURIES (800-949)	5, 121	1, 065. 8
MOTOR VEHICLE CRASHES (810-825)	3, 122	649. 8
SUICIDE (950-959)	325	67. 6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2, 053	427. 3

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100, 000 POPULATION UNDER AGE 65.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1997**

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>21, 338</u>	<u>58</u>			
JANUARY	1, 047	34	JULY	2, 063	66
FEBRUARY	1, 550	55	AUGUST	2, 176	70
MARCH	1, 852	60	SEPTEMBER	1, 489	50
APRIL	1, 582	53	OCTOBER	1, 545	50
MAY	2, 253	73	NOVEMBER	1, 553	52
JUNE	2, 506	84	DECEMBER	1, 722	56

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1997**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	21, 338	14, 630	6, 708	21, 338	14, 570	6, 768	100. 0	100. 0	100. 0	100. 0	100. 0	100. 0
UNDER 20	2, 697	2, 319	378	1, 065	924	141	12. 6	15. 8	5. 6	5. 0	6. 3	2. 1
13	1	1	0	0	0	0	*	*	-	-	-	-
14	10	10	0	0	0	0	*	0. 1	-	-	-	-
15	95	90	5	2	2	0	0. 4	0. 6	0. 1	*	*	-
16	253	239	14	16	15	1	1. 2	1. 6	0. 2	0. 1	0. 1	*
17	433	399	34	120	114	6	2. 0	2. 7	0. 5	0. 6	0. 8	0. 1
18	866	742	124	331	293	38	4. 0	5. 1	1. 8	1. 6	2. 0	0. 6
19	1, 039	838	201	596	500	96	4. 9	5. 7	3. 0	2. 8	3. 4	1. 4
20- 24	6, 057	4, 359	1, 698	5, 447	3, 999	1, 448	28. 4	29. 8	25. 3	25. 5	27. 4	21. 4
25- 34	6, 866	4, 186	2, 680	7, 941	5, 065	2, 876	32. 2	28. 6	40. 0	37. 2	34. 8	42. 5
35- 44	3, 576	2, 205	1, 371	3, 862	2, 430	1, 432	16. 8	15. 1	20. 4	18. 1	16. 7	21. 2
45- 54	1, 427	991	436	1, 842	1, 299	543	6. 7	6. 8	6. 5	8. 6	8. 9	8. 0
55- 64	443	344	99	677	484	193	2. 1	2. 4	1. 5	3. 2	3. 3	2. 8
65- 74	218	182	36	346	253	93	1. 0	1. 2	0. 5	1. 6	1. 7	1. 4
75 & OVER	54	44	10	158	116	42	0. 2	0. 3	0. 1	0. 7	0. 8	0. 6

* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1997**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27.8	26.5	29.8	30.2	29.7	31.3
FIRST MARRIAGES	23.4	22.3	26.6	25.3	24.2	28.2

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1997**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	21,338	14,630	6,708	21,338	14,570	6,768	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	12,540	7,871	4,669	12,648	8,068	4,580	58.8	53.8	69.6	59.3	55.4	67.7
REMARRIAGE	8,793	6,756	2,037	8,689	6,502	2,187	41.2	46.2	30.4	40.7	44.6	32.3
SECOND	5,908	4,272	1,636	6,017	4,276	1,741	27.7	29.2	24.4	28.2	29.3	25.7
OVER TWO	2,882	2,483	399	2,671	2,226	445	13.5	17.0	5.9	12.5	15.3	6.6
THIRD	2,042	1,715	327	1,953	1,585	368	9.6	11.7	4.9	9.2	10.9	5.4
FOURTH	604	538	66	543	480	63	2.8	3.7	1.0	2.5	3.3	0.9
FIFTH	175	170	5	127	115	12	0.8	1.2	0.1	0.6	0.8	0.2
SIXTH	44	43	1	35	34	1	0.2	0.3	#	0.2	0.2	#
SEVENTH	14	14	0	10	9	1	0.1	0.1	-	#	0.1	#
EIGHTH	2	2	0	1	1	0	#	#	-	#	#	-
NINTH	1	1	0	1	1	0	#	#	-	#	#	-
TENTH	0	0	0	1	1	0	-	-	-	#	#	-
UNKNOWN*	3	1	2	1	0	1	#	#	#	#	-	#
UNKNOWN**	5	3	2	1	0	1	#	#	#	#	-	#

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1997**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
TOTAL	<u>21,338</u>	<u>14,630</u>	<u>6,708</u>	<u>21,338</u>	<u>14,570</u>	<u>6,768</u>
NOT PREVIOUSLY MARRIED	12,540	7,871	4,669	12,648	8,068	4,580
REMARRIAGES	<u>8,793</u>	<u>6,756</u>	<u>2,037</u>	<u>8,689</u>	<u>6,502</u>	<u>2,187</u>
WIDOWED	819	625	194	751	542	209
DIVORCED*	7,967	6,125	1,842	7,933	5,960	1,973
UNKNOWN**	7	6	1	5	0	5
UNKNOWN#	5	3	2	1	0	1
PERCENT						
TOTAL	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	58.8	53.8	69.6	59.3	55.4	67.7
REMARRIAGES	<u>41.2</u>	<u>46.2</u>	<u>30.4</u>	<u>40.7</u>	<u>44.6</u>	<u>32.3</u>
WIDOWED	3.8	4.3	2.9	3.5	3.7	3.1
DIVORCED*	37.3	41.9	27.5	37.2	40.9	29.2
UNKNOWN**	##	##	##	##	-	0.1
UNKNOWN#	##	##	##	##	-	##

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1997**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>21,338</u>	<u>20,139</u>	<u>1,198</u>	<u>1</u>	<u>14,630</u>	<u>13,736</u>	<u>894</u>	<u>0</u>	<u>6,708</u>	<u>6,403</u>	<u>304</u>	<u>1</u>
MISSISSIPPI	19,729	19,447	281	1	13,420	13,227	193	0	6,309	6,220	88	1
OTHER	1,606	689	917	0	1,208	507	701	0	398	182	216	0
UNKNOWN	3	3	0	0	2	2	0	0	1	1	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>94.4</u>	<u>5.6</u>	<u>*</u>	<u>100.0</u>	<u>93.9</u>	<u>6.1</u>	<u>-</u>	<u>100.0</u>	<u>95.4</u>	<u>4.5</u>	<u>*</u>
MISSISSIPPI	92.4	91.1	1.3	*	91.7	90.4	1.3	-	94.0	92.7	1.3	*
OTHER	7.5	3.2	4.3	-	8.2	3.5	4.8	-	5.9	2.7	3.2	-
UNKNOWN	*	*	0.0	-	*	*	-	-	*	*	-	-

* LESS THAN 0.06 PERCENT.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1997**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL	13,860	10,376	3,101	383	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	11,866	9,207	2,351	308	85.6	88.7	75.8	80.4
CRUEL AND INHUMAN TREATMENT	1,121	702	380	39	8.1	6.8	12.2	10.2
DESERTION	406	183	207	16	2.9	1.8	6.7	4.2
ADULTERY	320	201	105	14	2.3	1.9	3.4	3.6
DRUNKENNESS	80	44	35	1	0.6	0.4	1.1	0.3
PENITENTIARY	31	13	17	1	0.2	0.1	0.5	0.3
ANNULMENT	29	23	2	4	0.2	0.2	0.1	1.0
BIGAMY	5	2	3	0	**	**	0.1	-
MISCELLANEOUS AND OTHER	1	1	0	0	**	**	-	-
UNKNOWN	1	0	1	0	**	-	**	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1997**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	13,860	10,376	3,101	383	100.0	100.0	100.0	100.0
NONE	7,094	5,476	1,429	189	51.2	52.8	46.1	49.3
ONE	3,458	2,558	795	105	24.9	24.6	25.6	27.4
TWO	2,393	1,768	562	63	17.3	17.0	18.1	16.4
THREE OR MORE	913	574	314	25	6.6	5.5	10.1	6.5
UNKNOWN	2	0	1	1	**	-	**	0.3

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1997**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	13, 860	10, 376	3, 101	383	100. 0	100. 0	100. 0	100. 0
UNDER FIVE	5, 624	4, 551	932	141	40. 6	43. 9	30. 0	36. 8
UNDER ONE	726	633	75	18	5. 2	6. 1	2. 4	4. 7
ONE	1, 300	1, 082	193	25	9. 4	10. 4	6. 2	6. 5
TWO	1, 290	1, 039	210	41	9. 3	10. 0	6. 8	10. 7
THREE	1, 274	1, 015	233	26	9. 2	9. 8	7. 5	6. 8
FOUR	1, 034	782	221	31	7. 5	7. 5	7. 1	8. 1
FIVE-NINE	3, 471	2, 533	841	97	25. 0	24. 4	27. 1	25. 3
TEN-NINETEEN	3, 160	2, 208	867	85	22. 8	21. 3	28. 0	22. 2
TWENTY AND OVER	1, 513	1, 041	433	39	10. 9	10. 0	14. 0	10. 2
UNKNOWN	92	43	28	21	0. 7	0. 4	0. 9	5. 5

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1997**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,325	1,418	2,906	1	100.0	100.0	100.0	104.1	64.4	149.0
UNDER 15	61	16	45	0	1.4	1.1	1.5	225.9	326.5	203.6
15-19	896	351	545	0	20.7	24.8	18.8	107.9	115.1	103.7
20-24	1,582	449	1,132	1	36.6	31.7	39.0	118.8	69.8	164.4
25-29	969	281	688	0	22.4	19.8	23.7	92.5	41.9	182.0
30-34	429	161	268	0	9.9	11.4	9.2	69.8	40.1	125.8
35-39	295	116	179	0	6.8	8.2	6.2	116.6	75.6	179.9
40-44	90	42	48	0	2.1	3.0	1.6	190.3	175.0	206.0
45-49	1	0	1	0	**	-	**	111.1	-	166.7
UNKNOWN	2	2	0	0	**	0.1	-			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1997**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>4,325</u>	<u>1,418</u>	<u>2,906</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	4,099	1,296	2,802	1	94.8	91.4	96.4
<u>NONRESIDENT</u>	<u>226</u>	<u>122</u>	<u>104</u>	<u>0</u>	<u>5.2</u>	<u>8.6</u>	<u>3.6</u>
BORDER STATE	215	114	101	0	5.0	8.0	3.5
OTHER STATE	11	8	3	0	0.2	0.6	0.1
<u>MARITAL STATUS</u>							
MARRIED	562	274	288	0	13.0	19.3	9.9
NOT MARRIED	3,760	1,142	2,617	1	86.9	80.5	90.0
UNKNOWN	3	2	1	0	0.1	0.1	*
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	18	4	14	0	0.4	0.3	0.5
7-9 YEARS	158	65	93	0	3.6	4.6	3.2
10, 11 YEARS	368	167	201	0	8.5	11.8	6.9
12 YEARS	1,468	494	974	0	33.9	34.8	33.5
1-3 YEARS COLLEGE	1,523	438	1,084	1	35.2	30.9	37.3
4 OR MORE YEARS COLLEGE	673	217	456	0	15.6	15.3	15.7
UNKNOWN	117	33	84	0	2.7	2.3	2.9
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,768	746	1,021	1	40.9	52.6	35.1
ONE	1,337	364	973	0	30.9	25.7	33.5
TWO	819	224	595	0	18.9	15.8	20.5
THREE	272	66	206	0	6.3	4.6	7.1
FOUR	94	15	79	0	2.2	1.0	2.7
FIVE OR MORE	35	3	32	0	0.8	0.2	1.1
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	3,314	1,111	2,202	1	76.6	78.4	75.8
ONE	753	236	517	0	17.4	16.6	17.8
TWO	211	60	151	0	4.9	4.2	5.2
THREE OR MORE	40	9	31	0	0.9	0.6	1.1
UNKNOWN	7	2	5	0	0.2	0.1	0.2

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1997**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>4, 325</u>	<u>1, 418</u>	<u>2, 906</u>	<u>1</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	2, 065	722	1, 343	0	47. 7	50. 9	46. 2
9, 10	1, 064	333	731	0	24. 6	23. 5	25. 2
11, 12	698	199	498	1	16. 1	14. 0	17. 1
13- 15	372	115	257	0	8. 6	8. 1	8. 8
16- 20	48	18	30	0	1. 1	1. 3	1. 0
21 OR MORE	15	8	7	0	0. 3	0. 6	0. 2
UNKNOWN	63	23	40	0	1. 4	1. 6	1. 4
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2, 494	877	1, 616	1	57. 7	61. 8	55. 6
SHARP CURRETTAGE	1	1	0	0	**	0. 1	-
DILATION & EVACUATION	1, 788	520	1, 268	0	41. 3	36. 7	43. 6
INTRA- UTERINE SALINE INSTILLATION	0	0	0	0	-	-	-
INTRA- UTERINE PROSTA- GLANDIN INSTILLATION	23	15	8	0	0. 5	1. 0	0. 3
HYSTEROTOMY	0	0	0	0	-	-	-
HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	19	5	14	0	0. 4	0. 4	0. 5
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	4, 317	1, 416	2, 900	1	99. 8	99. 8	99. 8
<u>SOME COMPLICATIONS</u>	<u>7</u>	<u>2</u>	<u>5</u>	<u>0</u>	<u>0. 2</u>	<u>0. 1</u>	<u>0. 2</u>
HEMORRHAGE	2#	0	2#	0	**	-	0. 1
INFECTION	2#	1	1#	0	**	0. 1	**
RETAINED PRODUCTS	1	0	1	0	**	-	**
OTHER	3	1	2	0	0. 1	0. 1	0. 1
UNKNOWN	1	0	1	0	**	-	**

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0. 06 PERCENT.

ONE PATIENT HAD BOTH HEMORRHAGE AND INFECTION.

MAJOR TABLES

1997

TABLE i
1995 PROJECTED POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION
MISSISSIPPI

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE TOTAL	2, 693, 053	1, 692, 681	1, 000, 372	4. 6	3. 6	6. 4
ADAMS	35, 979	17, 982	17, 997	1. 8	-0. 3	3. 9
ALCORN	31, 897	28, 096	3, 801	0. 6	*	4. 5
AMITE	13, 854	7, 469	6, 385	3. 9	2. 7	5. 4
ATTALA	18, 204	10, 599	7, 605	-1. 5	-4. 6	3. 2
BENTON	7, 841	4, 565	3, 276	-2. 5	-6. 2	3. 1
BOLIVAR	41, 469	13, 857	27, 612	-1. 0	-9. 2	3. 7
CALHOUN	14, 630	10, 424	4, 206	-1. 9	-3. 7	3. 1
CARROLL	9, 844	5, 901	3, 943	6. 6	6. 1	7. 2
CHICKASAW	17, 648	10, 443	7, 205	-2. 4	-5. 6	2. 6
CHOCTAW	8, 934	6, 115	2, 819	-1. 5	-3. 2	2. 4
CLAIBORNE	11, 324	1, 862	9, 462	-0. 4	-6. 6	0. 9
CLARKE	17, 241	11, 066	6, 175	-0. 4	-2. 2	2. 9
CLAY	21, 703	9, 669	12, 034	2. 8	-1. 2	6. 2
COAHOMA	32, 627	10, 891	21, 736	3. 0	-1. 0	5. 2
COPIAH	28, 027	13, 256	14, 771	1. 6	-2. 5	5. 6
COVINGTON	16, 010	10, 076	5, 934	-3. 1	-5. 8	1. 8
DESOTO	88, 563	75, 074	13, 489	30. 4	27. 5	49. 0
FORREST	72, 427	49, 061	23, 366	6. 0	5. 1	8. 0
FRANKLIN	7, 952	4, 846	3, 106	-5. 1	-8. 4	0. 6
GEORGE	17, 884	15, 969	1, 915	7. 3	6. 3	16. 2
GREENE	11, 201	8, 717	2, 484	9. 6	9. 0	11. 8
GRENADA	21, 942	12, 493	9, 449	1. 8	-0. 6	5. 1
HANCOCK	36, 182	32, 040	4, 142	13. 9	11. 9	32. 1
HARRISON	170, 862	131, 020	39, 842	3. 3	2. 6	5. 6
HINDS	253, 096	115, 854	137, 242	-0. 5	-5. 9	4. 6
HOLMES	20, 771	4, 654	16, 117	-3. 9	-10. 1	-1. 9
HUMPHREYS	11, 453	3, 475	7, 978	-5. 6	-9. 9	-3. 6
ISSAQUENA	1, 805	771	1, 034	-5. 4	-7. 4	-3. 9
ITAWAMBA	19, 797	18, 415	1, 382	-1. 1	-1. 0	-2. 7
JACKSON	133, 134	103, 144	29, 990	15. 5	14. 4	19. 3
JASPER	17, 235	8, 167	9, 068	0. 7	-2. 9	4. 2
JEFFERSON	8, 295	1, 049	7, 246	-4. 1	-11. 5	-3. 0
JEFF DAVIS	13, 527	5, 667	7, 860	-3. 7	-10. 5	1. 8
JONES	62, 251	45, 773	16, 478	0. 4	-0. 9	4. 0
KEMPER	10, 554	4, 284	6, 270	1. 9	-2. 8	5. 4
LAFAYETTE	34, 388	24, 927	9, 461	8. 0	7. 7	9. 1
LAMAR	31, 458	27, 373	4, 085	3. 4	2. 9	6. 8
LAUDERDALE	76, 475	48, 338	28, 137	1. 2	-0. 8	4. 8
LAWRENCE	12, 143	7, 936	4, 207	-2. 5	-4. 4	1. 2
LEAKE	18, 578	10, 907	7, 671	0. 8	-1. 6	4. 4
LEE	73, 739	57, 121	16, 618	12. 4	11. 4	16. 0
LEFLORE	36, 970	13, 470	23, 500	-1. 0	-7. 2	3. 0

TABLE i - PAGE 2
 1995 PROJECTED POPULATION - MISSISSIPPI

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	31,911	22,041	9,870	5.4	4.2	8.3
LOWNDES	61,480	37,591	23,889	3.7	2.3	5.8
MADISON	68,174	39,897	28,277	26.7	33.9	17.8
MARION	24,938	17,023	7,915	-2.4	-4.0	1.3
MARSHALL	32,413	15,813	16,600	6.8	6.5	7.0
MONROE	36,514	24,937	11,577	-0.2	-1.8	3.5
MONTGOMERY	11,882	6,316	5,566	-4.1	-8.7	1.7
NESHOBA	26,934	18,182	8,752	8.6	7.3	11.4
NEWTON	21,630	14,434	7,196	6.6	5.4	9.1
NOXUBEE	12,134	3,240	8,894	-3.7	-18.2	2.9
OKTIBBEHA	38,994	24,015	14,979	1.6	-0.2	4.7
PANOLA	33,738	17,547	16,191	12.5	14.1	10.7
PEARL RIVER	41,866	35,198	6,668	8.1	7.0	14.4
PERRY	11,321	8,615	2,706	4.2	3.4	6.9
PIKE	37,321	19,565	17,756	1.2	-1.8	4.7
PONTOTOC	25,020	20,971	4,049	12.5	10.8	22.0
PRENTISS	23,561	20,593	2,968	1.2	0.6	6.0
QUITMAN	9,470	3,265	6,205	-9.7	-23.2	-0.6
RANKIN	103,176	84,469	18,707	18.4	17.3	23.6
SCOTT	24,275	14,612	9,663	0.6	-1.5	3.8
SHARKEY	6,875	1,967	4,908	-2.7	-15.9	3.8
SIMPSON	23,936	15,824	8,112	-0.1	-1.9	3.6
SMITH	14,813	11,379	3,434	0.1	-1.2	4.6
STONE	12,318	9,479	2,839	14.6	13.4	18.9
SUNFLOWER	35,345	11,437	23,908	7.5	-1.4	12.4
TALLAHATCHIE	14,087	5,041	9,046	-7.4	-19.4	1.0
TATE	22,352	14,342	8,010	4.3	2.8	7.0
TIPPAH	19,615	16,202	3,413	0.5	-0.3	4.3
TISHOMINGO	17,666	16,964	702	-0.1	-0.3	4.3
TUNICA	9,063	2,373	6,690	11.0	19.1	8.4
UNION	23,429	19,750	3,679	6.1	5.0	12.1
WALTHALL	14,094	7,807	6,287	-1.8	-5.4	3.1
WARREN	48,988	29,116	19,872	2.3	0.8	4.6
WASHINGTON	70,411	28,501	41,910	3.6	0.6	5.8
WAYNE	19,368	12,109	7,259	-0.8	-3.2	3.5
WEBSTER	10,434	7,997	2,437	2.1	0.6	7.4
WILKINSON	9,041	2,480	6,561	-6.6	-20.6	0.1
WINSTON	19,595	10,877	8,718	0.8	-2.5	5.3
YALOBUSHA	12,049	7,275	4,774	0.1	-2.7	4.8
YAZOO	25,134	11,240	13,894	-1.5	-6.0	2.6

* LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>40,612</u>	<u>20,892</u>	<u>19,720</u>	<u>41,527</u>	<u>22,021</u>	<u>19,506</u>	<u>15.4</u>	<u>13.0</u>	<u>19.5</u>
ADAMS	977	372	605	479	185	294	13.3	10.3	16.3
ALCORN	397	324	73	446	379	67	14.0	13.5	17.6
AMITE	0	0	0	167	93	74	12.0	12.4	11.6
ATTALA	196	98	98	251	116	135	13.8	10.9	17.8
BENTON	0	0	0	111	63	48	14.2	13.8	14.6
BOLIVAR	667	116	551	682	159	523	16.4	11.5	18.9
CALHOUN	0	0	0	226	126	100	15.4	12.1	23.8
CARROLL	0	0	0	91	45	46	9.2	7.6	11.7
CHICKASAW	0	0	0	315	153	162	17.8	14.6	22.5
CHOCTAW	1	0	1	113	72	41	12.6	11.8	14.5
CLAIBORNE	22	0	22	205	19	186	18.1	10.2	19.6
CLARKE	0	0	0	229	127	102	13.3	11.5	16.5
CLAY	390	146	244	346	114	232	15.9	11.8	19.3
COAHOMA	1,164	243	921	609	112	497	18.7	10.3	22.9
COPIAH	228	55	173	386	142	244	13.8	10.7	16.5
COVINGTON	205	70	135	287	152	135	17.9	15.1	22.8
DESOTO	898	513	385	1,467	1,250	217	16.6	16.6	16.1
FORREST	2,817	1,927	890	1,122	630	492	15.5	12.8	21.0
FRANKLIN	0	0	0	110	54	56	13.8	11.1	18.0
GEORGE	148	115	33	346	301	45	19.3	18.8	23.5
GREENE	0	0	0	123	94	29	11.0	10.8	11.7
GRENADA	729	343	386	312	150	162	14.2	12.0	17.1
HANCOCK	293	256	37	449	403	46	12.4	12.6	11.1
HARRISON	3,220	2,353	867	2,763	1,963	800	16.2	15.0	20.1
HINDS	6,302	1,870	4,432	4,059	1,125	2,934	16.0	9.7	21.4
HOLMES	129	8	121	363	49	314	17.5	10.5	19.5
HUMPHREYS	2	0	2	180	37	143	15.7	10.6	17.9
ISSAQUENA	0	0	0	19	6	13	10.5	7.8	12.6
ITAWAMBA	0	0	0	263	229	34	13.3	12.4	24.6
JACKSON	1,309	860	449	1,768	1,235	533	13.3	12.0	17.8
JASPER	0	0	0	292	103	189	16.9	12.6	20.8
JEFFERSON	1	0	1	142	5	137	17.1	4.8	18.9
JEFF DAVIS	0	0	0	187	61	126	13.8	10.8	16.0
JONES	1,067	494	573	964	613	351	15.5	13.4	21.3
KEMPER	1	1	0	117	28	89	11.1	6.5	14.2
LAFAYETTE	810	472	338	430	260	170	12.5	10.4	18.0
LAMAR	631	429	202	579	477	102	18.4	17.4	25.0
LAUDERDALE	2,320	1,284	1,036	1,131	607	524	14.8	12.6	18.6
LAWRENCE	0	0	0	156	77	79	12.8	9.7	18.8
LEAKE	3	1	2	329	163	166	17.7	14.9	21.6
LEE	2,278	1,728	550	1,153	774	379	15.6	13.6	22.8
LEFLORE	775	136	639	670	142	528	18.1	10.5	22.5

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	580	374	206	453	294	159	14.2	13.3	16.1
LOWNDES	1,110	487	623	1,042	503	539	16.9	13.4	22.6
MADISON	341	9	332	1,144	608	536	16.8	15.2	19.0
MARION	1	1	0	397	235	162	15.9	13.8	20.5
MARSHALL	1	1	0	529	224	305	16.3	14.2	18.4
MONROE	779	533	246	456	292	164	12.5	11.7	14.2
MONTGOMERY	50	8	42	185	83	102	15.6	13.1	18.3
NESHOBA	4	0	4	423	233	190	15.7	12.8	21.7
NEWTON	3	1	2	317	177	140	14.6	12.3	19.4
NOXUBEE	6	0	6	235	52	183	19.4	16.0	20.6
OKTIBBEHA	1,113	500	613	536	240	296	13.7	10.0	19.8
PANOLA	3	0	3	548	206	342	16.2	11.7	21.1
PEARL RIVER	333	247	86	611	512	99	14.6	14.5	14.8
PERRY	0	0	0	200	139	61	17.7	16.1	22.5
PIKE	806	366	440	579	250	329	15.5	12.8	18.5
PONTOTOC	6	6	0	347	282	65	13.9	13.4	16.0
PRENTISS	112	99	13	321	274	47	13.6	13.3	15.8
QUITMAN	2	0	2	171	34	137	18.0	10.4	22.1
RANKIN	2,769	2,300	469	1,534	1,239	295	14.9	14.7	15.8
SCOTT	6	1	5	421	225	196	17.3	15.4	20.3
SHARKEY	3	0	3	122	25	97	17.7	12.7	19.8
SIMPSON	4	1	3	335	203	132	14.0	12.8	16.3
SMITH	1	1	0	190	133	57	12.8	11.7	16.6
STONE	5	3	2	209	163	46	17.0	17.2	16.2
SUNFLOWER	395	82	313	529	94	435	15.0	8.2	18.2
TALLAHATCHIE	1	1	0	222	64	158	15.8	12.7	17.5
TATE	145	23	122	340	199	141	15.2	13.9	17.6
TIPPAAH	2	2	0	306	240	66	15.6	14.8	19.3
TISHOMINGO	0	0	0	207	201	6	11.7	11.8	8.5
TUNICA	0	0	0	156	35	121	17.2	14.7	18.1
UNION	981	671	310	360	286	74	15.4	14.5	20.1
WALTHALL	3	2	1	221	86	135	15.7	11.0	21.5
WARREN	1,405	497	908	839	412	427	17.1	14.2	21.5
WASHINGTON	1,245	324	921	1,159	257	902	16.5	9.0	21.5
WAYNE	301	111	190	313	148	165	16.2	12.2	22.7
WEBSTER	0	0	0	160	110	50	15.3	13.8	20.5
WILKINSON	91	22	69	110	24	86	12.2	9.7	13.1
WINSTON	7	2	5	241	113	128	12.3	10.4	14.7
YALOBUSHA	0	0	0	171	89	82	14.2	12.2	17.2
YAZOO	18	3	15	451	144	307	17.9	12.8	22.1
OUT OF STATE	2,401	1,986	415	1,486	857	629			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1997

TOWN**	RESIDENCE DATA		
	NUMBER		
	TOTAL	WHITE	NON- WHITE
BILOXI	842	598	244
BRANDON	309	246	63
BROOKHAVEN	171	77	94
CANTON	317	22	295
CLARKSDALE	423	86	337
CLEVELAND	225	74	151
CLINTON	279	176	103
COLUMBUS	429	135	294
CORINTH	190	137	53
GAUTIER	229	160	69
GREENVILLE	800	143	657
GREENWOOD	424	82	342
GRENADA	226	86	140
GULFPORT	1, 013	593	420
HATTIESBURG	721	266	455
INDIANOLA	202	31	171
JACKSON	3, 255	697	2, 558
LAUREL	345	100	245
LONG BEACH	203	173	30
MCCOMB	216	63	153
MERIDIAN	634	216	418
MOSS POINT	242	50	192
NATCHEZ	280	100	180
OCEAN SPRINGS	231	200	31
PASCAGOULA	451	278	173
PEARL	337	266	71
PICAYUNE	186	118	68
RIDGELAND	285	237	48
SOUTHAVEN	327	303	24
STARKVILLE	316	154	162
TUPELO	498	277	221
VICKSBURG	470	138	332
YAZOO CITY	263	44	219

** TOWNS OF 10, 000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
STATE	66.1	59.5	75.5				
ADAMS	59.0	50.1	66.4	LINCOLN	63.6	63.7	63.4
ALCORN	64.6	64.0	68.7	LOWNDES	69.8	59.4	83.4
AMITE	55.6	64.0	47.7	MADISON	65.1	59.7	72.6
ATTALA	66.0	58.7	73.8	MARION	72.8	67.1	83.2
BENTON	64.0	70.5	57.2	MARSHALL	68.5	67.5	69.3
BOLIVAR	67.0	51.2	73.9	MONROE	56.8	57.4	55.6
CALHOUN	73.9	62.9	94.8	MONTGOMERY	73.7	74.6	73.1
CARROLL	42.0	37.2	48.0	NESHOBA	69.4	59.9	86.4
CHICKASAW	80.4	72.2	90.0	NEWTON	65.5	58.4	77.4
CHOCTAW	57.8	57.1	59.1	NOXUBEE	85.1	98.8	81.9
CLAIBORNE	61.7	60.1	61.9	OKTIBBEHA	49.7	36.4	70.6
CLARKE	60.2	56.3	65.9	PANOLA	69.9	55.6	82.7
CLAY	67.6	57.2	74.3	PEARL RIVER	64.7	66.4	57.0
COAHOMA	80.2	52.7	90.9	PERRY	76.8	72.5	88.9
COPIAH	60.2	53.6	65.0	PIKE	67.7	62.3	72.4
COVINGTON	81.7	74.7	91.4	PONTOTOC	61.1	61.4	59.8
DESOTO	68.6	70.0	61.6	PRENTISS	61.2	61.2	61.0
FORREST	60.6	52.4	75.9	QUITMAN	83.6	66.3	89.5
FRANKLIN	66.3	59.9	74.0	RANKIN	62.0	62.2	61.6
GEORGE	85.5	83.9	98.2	SCOTT	78.8	76.9	81.0
GREENE	49.8	49.4	51.1	SHARKEY	73.6	65.4	76.0
GRENADA	62.2	57.2	67.6	SIMPSON	63.6	61.7	66.9
HANCOCK	57.1	59.3	43.0	SMITH	60.1	57.0	68.5
HARRISON	70.6	67.8	78.4	STONE	71.6	75.2	61.2
HINDS	65.7	45.5	79.1	SUNFLOWER	72.4	47.0	82.1
HOLMES	76.9	58.8	80.8	TALLAHATCHIE	72.9	77.7	71.2
HUMPHREYS	69.5	56.4	73.9	TATE	63.9	61.9	66.9
ISSAQUENA	49.4	40.3	55.1	TIPPAH	71.5	70.0	77.6
ITAWAMBA	63.5	59.6	113.3	TISHOMINGO	56.2	57.4	32.8
JACKSON	56.5	53.0	66.4	TUNICA	70.6	71.7	70.3
JASPER	75.7	65.1	83.1	UNION	69.5	67.3	79.7
JEFFERSON	73.8	30.5	77.9	WALTHALL	72.7	57.4	87.6
JEFF DAVIS	62.5	57.8	65.1	WARREN	73.8	65.7	83.8
JONES	70.0	63.7	84.5	WASHINGTON	69.5	42.7	84.6
KEMPER	49.3	35.4	56.2	WAYNE	70.6	57.2	89.5
LAFAYETTE	44.8	37.3	64.2	WEBSTER	71.6	67.7	81.8
LAMAR	76.5	74.1	89.6	WILKINSON	56.8	59.2	56.2
LAUDERDALE	64.9	59.1	73.1	WINSTON	56.1	53.7	58.5
LAWRENCE	57.8	47.3	73.8	YALOBUSHA	67.3	66.4	68.3
LEAKE	82.8	76.8	89.7	YAZOO	81.2	66.2	90.9
LEE	66.8	59.9	87.2				
LEFLORE	78.4	54.7	88.6				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1997

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	MALE	FEMALE		
STATE	41, 527	22, 021	21, 966	1	54	19, 506	19, 451	6	49	21, 271	20, 256
ADAMS	479	185	184	0	1	294	292	0	2	253	226
ALCORN	446	379	379	0	0	67	67	0	0	239	207
AMITE	167	93	93	0	0	74	74	0	0	83	84
ATTALA	251	116	116	0	0	135	135	0	0	140	111
BENTON	111	63	63	0	0	48	48	0	0	60	51
BOLIVAR	682	159	159	0	0	523	523	0	0	369	313
CALHOUN	226	126	126	0	0	100	99	0	1	123	103
CARROLL	91	45	45	0	0	46	46	0	0	46	45
CHICKASAW	315	153	153	0	0	162	161	0	1	156	159
CHOCTAW	113	72	72	0	0	41	41	0	0	65	48
CLAIBORNE	205	19	19	0	0	186	184	2	0	91	114
CLARKE	229	127	127	0	0	102	102	0	0	118	111
CLAY	346	114	114	0	0	232	232	0	0	170	176
COAHOMA	609	112	112	0	0	497	494	0	3	320	289
COPIAH	386	142	142	0	0	244	243	0	1	188	198
COVINGTON	287	152	152	0	0	135	135	0	0	143	144
DESOTO	1, 467	1, 250	1, 243	0	7	217	215	0	2	772	695
FORREST	1, 122	630	628	0	2	492	492	0	0	551	571
FRANKLIN	110	54	54	0	0	56	56	0	0	53	57
GEORGE	346	301	301	0	0	45	45	0	0	168	178
GREENE	123	94	94	0	0	29	29	0	0	66	57
GRENADA	312	150	150	0	0	162	162	0	0	163	149
HANCOCK	449	403	400	0	3	46	46	0	0	247	202
HARRISON	2, 763	1, 963	1, 958	0	5	800	800	0	0	1, 423	1, 340

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1997

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,059	1,125	1,124	0	1	2,934	2,926	2	6	2,112	1,947
HOLMES	363	49	49	0	0	314	312	0	2	185	178
HUMPHREYS	180	37	37	0	0	143	143	0	0	95	85
ISSAQUENA	19	6	6	0	0	13	13	0	0	10	9
ITAWAMBA	263	229	229	0	0	34	34	0	0	124	139
JACKSON	1,768	1,235	1,231	0	4	533	532	0	1	939	829
JASPER	292	103	103	0	0	189	189	0	0	128	164
JEFFERSON	142	5	5	0	0	137	136	0	1	65	77
JEFF DAVIS	187	61	61	0	0	126	126	0	0	109	78
JONES	964	613	610	0	3	351	351	0	0	511	453
KEMPER	117	28	27	0	1	89	89	0	0	62	55
LAFAYETTE	430	260	259	0	1	170	169	0	1	217	213
LAMAR	579	477	477	0	0	102	102	0	0	299	280
LAUDERDALE	1,131	607	605	0	2	524	523	0	1	586	545
LAWRENCE	156	77	77	0	0	79	79	0	0	71	85
LEAKE	329	163	163	0	0	166	166	0	0	179	150
LEE	1,153	774	774	0	0	379	379	0	0	591	562
LEFLORE	670	142	142	0	0	528	527	1	0	359	311
LINCOLN	453	294	294	0	0	159	159	0	0	227	226
LOWNDES	1,042	503	502	0	1	539	535	0	4	535	507
MADISON	1,144	608	608	0	0	536	533	0	3	594	550
MARION	397	235	234	0	1	162	162	0	0	205	192
MARSHALL	529	224	223	0	1	305	305	0	0	258	271
MONROE	456	292	291	0	1	164	163	0	1	243	213
MONTGOMERY	185	83	83	0	0	102	102	0	0	98	87
NESHOBA	423	233	233	0	0	190	190	0	0	207	216
NEWTON	317	177	177	0	0	140	140	0	0	162	155
NOXUBEE	235	52	52	0	0	183	181	0	2	118	117
OKTIBBEHA	536	240	239	0	1	296	296	0	0	265	271
PANOLA	548	206	206	0	0	342	341	0	1	293	255

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1997

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	611	512	512	0	0	99	99	0	0	297	314
PERRY	200	139	139	0	0	61	61	0	0	93	107
PIKE	579	250	249	0	1	329	328	0	1	321	258
PONTOTOC	347	282	275	0	7	65	65	0	0	170	177
PRENTISS	321	274	273	0	1	47	47	0	0	173	148
QUITMAN	171	34	34	0	0	137	135	1	1	87	84
RANKIN	1, 534	1, 239	1, 236	0	3	295	295	0	0	749	785
SCOTT	421	225	224	0	1	196	195	0	1	203	218
SHARKEY	122	25	25	0	0	97	97	0	0	51	71
SIMPSON	335	203	203	0	0	132	131	0	1	171	164
SMITH	190	133	132	0	1	57	57	0	0	93	97
STONE	209	163	163	0	0	46	46	0	0	103	106
SUNFLOWER	529	94	94	0	0	435	435	0	0	270	259
TALLAHATCHIE	222	64	64	0	0	158	158	0	0	114	108
TATE	340	199	197	1	1	141	141	0	0	178	162
TIPPAH	306	240	238	0	2	66	66	0	0	153	153
TISHOMINGO	207	201	201	0	0	6	6	0	0	101	106
TUNICA	156	35	35	0	0	121	121	0	0	76	80
UNION	360	286	286	0	0	74	74	0	0	192	168
WALTHALL	221	86	84	0	2	135	135	0	0	107	114
WARREN	839	412	412	0	0	427	423	0	4	416	423
WASHINGTON	1, 159	257	257	0	0	902	897	0	5	572	587
WAYNE	313	148	148	0	0	165	164	0	1	159	154
WEBSTER	160	110	110	0	0	50	50	0	0	78	82
WILKINSON	110	24	24	0	0	86	86	0	0	61	49
WINSTON	241	113	113	0	0	128	127	0	1	118	123
YALOBUSHA	171	89	89	0	0	82	82	0	0	83	88
YAZOO	451	144	144	0	0	307	306	0	1	228	223

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	41,527	270	8,305	13,317	10,480	6,142	2,530	473	9	1
ADAMS	479	4	93	168	116	60	30	8	0	0
ALCORN	446	3	68	146	142	63	22	2	0	0
AMITE	167	2	40	60	38	21	6	0	0	0
ATTALA	251	0	50	74	77	39	10	1	0	0
BENTON	111	0	29	40	27	8	7	0	0	0
BOLIVAR	682	5	200	219	143	78	34	3	0	0
CALHOUN	226	1	48	84	63	22	7	1	0	0
CARROLL	91	0	19	23	30	12	6	1	0	0
CHICKASAW	315	1	73	106	65	44	24	2	0	0
CHOCTAW	113	3	29	41	18	14	6	2	0	0
CLAIBORNE	205	3	72	61	32	21	15	1	0	0
CLARKE	229	5	51	65	62	30	15	1	0	0
CLAY	346	3	65	117	86	53	21	1	0	0
COAHOMA	609	11	169	218	114	67	23	7	0	0
COPIAH	386	3	105	124	93	38	14	8	1	0
COVINGTON	287	3	61	109	58	41	13	2	0	0
DESOTO	1,467	5	164	415	477	295	95	16	0	0
FORREST	1,122	7	186	370	298	157	80	24	0	0
FRANKLIN	110	0	17	46	25	15	6	1	0	0
GEORGE	346	1	69	131	94	35	12	4	0	0
GREENE	123	0	34	48	23	10	8	0	0	0
GRENADA	312	2	58	115	77	46	11	3	0	0
HANCOCK	449	1	68	138	141	71	27	2	1	0
HARRISON	2,763	5	477	855	745	446	207	27	0	1
HINDS	4,059	39	823	1,202	993	640	295	67	0	0
HOLMES	363	4	89	131	71	42	21	5	0	0
HUMPHREYS	180	1	45	74	28	21	9	2	0	0
ISSAQUENA	19	0	6	7	3	2	1	0	0	0
ITAWAMBA	263	0	41	80	86	42	12	2	0	0
JACKSON	1,768	6	347	553	436	273	131	21	1	0
JASPER	292	3	55	99	68	43	19	5	0	0
JEFFERSON	142	1	40	53	18	20	10	0	0	0
JEFF DAVIS	187	1	43	71	41	16	12	3	0	0
JONES	964	7	178	341	241	124	61	12	0	0
KEMPER	117	1	25	42	23	16	8	2	0	0
LAFAYETTE	430	1	59	133	125	87	21	4	0	0
LAMAR	579	1	84	154	166	129	39	6	0	0
LAUDERDALE	1,131	2	192	338	339	184	65	11	0	0
LAWRENCE	156	0	37	63	24	19	12	1	0	0
LEAKE	329	4	58	123	85	39	13	7	0	0
LEE	1,153	7	233	330	307	192	72	11	1	0
LEFLORE	670	9	183	230	139	70	30	8	1	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	453	2	85	153	114	69	24	6	0	0
LOWNDES	1,042	9	152	321	278	215	57	10	0	0
MADISON	1,144	4	159	222	343	276	124	16	0	0
MARION	397	3	92	156	90	37	17	2	0	0
MARSHALL	529	5	126	172	117	67	35	7	0	0
MONROE	456	2	84	156	114	59	32	7	2	0
MONTGOMERY	185	0	52	63	39	23	7	1	0	0
NESHOBA	423	2	86	161	106	53	13	2	0	0
NEWTON	317	2	55	112	89	42	17	0	0	0
NOXUBEE	235	2	54	83	50	36	8	2	0	0
OKTIBBEHA	536	1	70	164	157	87	51	6	0	0
PANOLA	548	3	140	205	111	59	26	4	0	0
PEARL RIVER	611	4	135	205	145	75	39	8	0	0
PERRY	200	2	39	66	56	23	10	3	1	0
PIKE	579	4	125	193	127	82	40	8	0	0
PONTOTOC	347	4	60	105	103	50	19	6	0	0
PRETISS	321	0	65	108	84	41	18	5	0	0
QUITMAN	171	2	50	64	28	19	6	2	0	0
RANKIN	1,534	3	201	397	471	322	121	19	0	0
SCOTT	421	2	97	163	85	53	17	4	0	0
SHARKEY	122	1	31	46	27	10	6	1	0	0
SIMPSON	335	2	73	113	78	47	14	8	0	0
SMITH	190	1	39	58	51	29	11	1	0	0
STONE	209	0	37	70	57	32	11	2	0	0
SUNFLOWER	529	8	163	191	101	46	15	5	0	0
TALLAHATCHIE	222	2	64	76	46	19	12	2	1	0
TATE	340	3	77	103	84	45	20	8	0	0
TIPPAH	306	3	82	81	79	40	20	1	0	0
TISHOMINGO	207	0	37	66	63	28	9	4	0	0
TUNICA	156	4	47	57	29	13	6	0	0	0
UNION	360	1	61	126	100	46	23	3	0	0
WALTHALL	221	0	52	87	56	16	10	0	0	0
WARREN	839	8	164	284	182	147	47	7	0	0
WASHINGTON	1,159	15	333	410	240	109	43	9	0	0
WAYNE	313	2	69	109	72	43	15	3	0	0
WEBSTER	160	0	34	52	43	17	10	4	0	0
WILKINSON	110	0	17	38	30	18	5	2	0	0
WINSTON	241	4	49	83	65	25	12	3	0	0
YALOBUSHA	171	0	43	63	38	16	8	3	0	0
YAZOO	451	5	123	138	95	63	22	5	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	22, 021	49	3, 049	6, 433	6, 701	4, 011	1, 535	240	3	0
ADAMS	185	0	30	49	59	32	10	5	0	0
ALCORN	379	2	51	124	124	56	20	2	0	0
AMITE	93	1	19	31	27	12	3	0	0	0
ATTALA	116	0	16	32	46	19	3	0	0	0
BENTON	63	0	14	24	17	4	4	0	0	0
BOLIVAR	159	1	22	38	57	30	11	0	0	0
CALHOUN	126	0	21	46	40	14	4	1	0	0
CARROLL	45	0	5	13	17	7	2	1	0	0
CHICKASAW	153	0	23	52	36	28	14	0	0	0
CHOCTAW	72	1	14	26	15	10	4	2	0	0
CLAIBORNE	19	0	2	5	4	4	4	0	0	0
CLARKE	127	2	26	38	34	21	6	0	0	0
CLAY	114	0	10	42	38	17	7	0	0	0
COAHOMA	112	0	9	27	39	23	11	3	0	0
COPIAH	142	0	22	44	48	18	6	4	0	0
COVINGTON	152	1	27	57	36	21	9	1	0	0
DESOTO	1, 250	2	117	332	444	261	81	13	0	0
FORREST	630	2	75	177	196	106	57	17	0	0
FRANKLIN	54	0	7	20	15	9	3	0	0	0
GEORGE	301	1	50	118	86	34	10	2	0	0
GREENE	94	0	22	40	20	8	4	0	0	0
GRENADA	150	0	14	58	46	28	4	0	0	0
HANCOCK	403	1	62	115	131	65	26	2	1	0
HARRISON	1, 963	1	283	585	568	349	158	19	0	0
HINDS	1, 125	3	82	250	374	276	123	17	0	0
HOLMES	49	0	1	19	18	8	3	0	0	0
HUMPHREYS	37	0	4	14	11	6	2	0	0	0
ISSAQUENA	6	0	1	1	2	1	1	0	0	0
ITAWAMBA	229	0	31	65	82	39	10	2	0	0
JACKSON	1, 235	2	210	351	332	223	102	14	1	0
JASPER	103	1	7	38	33	17	6	1	0	0
JEFFERSON	5	0	0	4	0	1	0	0	0	0
JEFF DAVIS	61	0	15	22	11	6	6	1	0	0
JONES	613	1	98	199	179	92	37	7	0	0
KEMPER	28	0	5	9	9	3	2	0	0	0
LAFAYETTE	260	1	27	67	80	65	18	2	0	0
LAMAR	477	0	64	127	144	103	33	6	0	0
LAUDERDALE	607	0	68	156	198	132	46	7	0	0
LAWRENCE	77	0	10	32	15	13	6	1	0	0
LEAKE	163	1	27	55	52	20	5	3	0	0
LEE	774	3	119	200	240	150	55	7	0	0
LEFLORE	142	0	18	34	48	29	12	1	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	294	1	39	91	83	57	17	6	0	0
LOWNDES	503	0	53	134	161	125	26	4	0	0
MADISON	608	0	18	68	228	201	86	7	0	0
MARION	235	0	47	90	61	25	11	1	0	0
MARSHALL	224	2	41	69	66	31	14	1	0	0
MONROE	292	1	38	103	86	42	18	3	1	0
MONTGOMERY	83	0	15	25	23	15	4	1	0	0
NESHOBA	233	0	43	83	69	30	8	0	0	0
NEWTON	177	0	19	66	51	31	10	0	0	0
NOXUBEE	52	0	4	19	13	13	3	0	0	0
OKTIBBEHA	240	0	14	60	88	45	29	4	0	0
PANOLA	206	0	40	64	56	32	13	1	0	0
PEARL RIVER	512	2	104	173	127	64	35	7	0	0
PERRY	139	0	30	43	41	17	7	1	0	0
PIKE	250	1	33	79	65	47	22	3	0	0
PONTOTOC	282	2	52	74	92	40	17	5	0	0
PRENTISS	274	0	52	92	73	36	16	5	0	0
QUITMAN	34	0	7	13	8	6	0	0	0	0
RANKIN	1,239	2	146	301	398	272	103	17	0	0
SCOTT	225	0	45	86	44	39	8	3	0	0
SHARKEY	25	0	2	10	7	5	1	0	0	0
SIMPSON	203	1	45	59	52	30	9	7	0	0
SMITH	133	1	24	40	35	25	7	1	0	0
STONE	163	0	26	49	49	31	7	1	0	0
SUNFLOWER	94	0	15	31	29	13	4	2	0	0
TALLAHATCHIE	64	0	7	22	21	7	7	0	0	0
TATE	199	0	33	55	56	37	16	2	0	0
TIPPAH	240	2	56	64	70	32	15	1	0	0
TISHOMINGO	201	0	33	64	63	28	9	4	0	0
TUNICA	35	1	6	11	9	6	2	0	0	0
UNION	286	1	39	101	87	37	19	2	0	0
WALTHALL	86	0	16	30	31	8	1	0	0	0
WARREN	412	2	55	127	107	91	28	2	0	0
WASHINGTON	257	2	34	82	86	42	10	1	0	0
WAYNE	148	1	26	55	42	19	4	1	0	0
WEBSTER	110	0	17	36	36	13	5	3	0	0
WILKINSON	24	0	1	8	10	5	0	0	0	0
WINSTON	113	0	19	35	37	17	4	1	0	0
YALOBUSHA	89	0	12	40	21	12	4	0	0	0
YAZOO	144	0	15	45	49	25	8	2	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	19,506	221	5,256	6,884	3,779	2,131	995	233	6	1
ADAMS	294	4	63	119	57	28	20	3	0	0
ALCORN	67	1	17	22	18	7	2	0	0	0
AMITE	74	1	21	29	11	9	3	0	0	0
ATTALA	135	0	34	42	31	20	7	1	0	0
BENTON	48	0	15	16	10	4	3	0	0	0
BOLIVAR	523	4	178	181	86	48	23	3	0	0
CALHOUN	100	1	27	38	23	8	3	0	0	0
CARROLL	46	0	14	10	13	5	4	0	0	0
CHICKASAW	162	1	50	54	29	16	10	2	0	0
CHOCTAW	41	2	15	15	3	4	2	0	0	0
CLAIBORNE	186	3	70	56	28	17	11	1	0	0
CLARKE	102	3	25	27	28	9	9	1	0	0
CLAY	232	3	55	75	48	36	14	1	0	0
COAHOMA	497	11	160	191	75	44	12	4	0	0
COPIAH	244	3	83	80	45	20	8	4	1	0
COVINGTON	135	2	34	52	22	20	4	1	0	0
DESOTO	217	3	47	83	33	34	14	3	0	0
FORREST	492	5	111	193	102	51	23	7	0	0
FRANKLIN	56	0	10	26	10	6	3	1	0	0
GEORGE	45	0	19	13	8	1	2	2	0	0
GREENE	29	0	12	8	3	2	4	0	0	0
GRENADA	162	2	44	57	31	18	7	3	0	0
HANCOCK	46	0	6	23	10	6	1	0	0	0
HARRISON	800	4	194	270	177	97	49	8	0	1
HINDS	2,934	36	741	952	619	364	172	50	0	0
HOLMES	314	4	88	112	53	34	18	5	0	0
HUMPHREYS	143	1	41	60	17	15	7	2	0	0
ISSAQUENA	13	0	5	6	1	1	0	0	0	0
ITAWAMBA	34	0	10	15	4	3	2	0	0	0
JACKSON	533	4	137	202	104	50	29	7	0	0
JASPER	189	2	48	61	35	26	13	4	0	0
JEFFERSON	137	1	40	49	18	19	10	0	0	0
JEFF DAVIS	126	1	28	49	30	10	6	2	0	0
JONES	351	6	80	142	62	32	24	5	0	0
KEMPER	89	1	20	33	14	13	6	2	0	0
LAFAYETTE	170	0	32	66	45	22	3	2	0	0
LAMAR	102	1	20	27	22	26	6	0	0	0
LAUDERDALE	524	2	124	182	141	52	19	4	0	0
LAWRENCE	79	0	27	31	9	6	6	0	0	0
LEAKE	166	3	31	68	33	19	8	4	0	0
LEE	379	4	114	130	67	42	17	4	1	0
LEFLORE	528	9	165	196	91	41	18	7	1	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	159	1	46	62	31	12	7	0	0	0
LOWNDES	539	9	99	187	117	90	31	6	0	0
MADISON	536	4	141	154	115	75	38	9	0	0
MARION	162	3	45	66	29	12	6	1	0	0
MARSHALL	305	3	85	103	51	36	21	6	0	0
MONROE	164	1	46	53	28	17	14	4	1	0
MONTGOMERY	102	0	37	38	16	8	3	0	0	0
NESHOBA	190	2	43	78	37	23	5	2	0	0
NEWTON	140	2	36	46	38	11	7	0	0	0
NOXUBEE	183	2	50	64	37	23	5	2	0	0
OKTIBBEHA	296	1	56	104	69	42	22	2	0	0
PANOLA	342	3	100	141	55	27	13	3	0	0
PEARL RIVER	99	2	31	32	18	11	4	1	0	0
PERRY	61	2	9	23	15	6	3	2	1	0
PIKE	329	3	92	114	62	35	18	5	0	0
PONTOTOC	65	2	8	31	11	10	2	1	0	0
PRETISS	47	0	13	16	11	5	2	0	0	0
QUITMAN	137	2	43	51	20	13	6	2	0	0
RANKIN	295	1	55	96	73	50	18	2	0	0
SCOTT	196	2	52	77	41	14	9	1	0	0
SHARKEY	97	1	29	36	20	5	5	1	0	0
SIMPSON	132	1	28	54	26	17	5	1	0	0
SMITH	57	0	15	18	16	4	4	0	0	0
STONE	46	0	11	21	8	1	4	1	0	0
SUNFLOWER	435	8	148	160	72	33	11	3	0	0
TALLAHATCHIE	158	2	57	54	25	12	5	2	1	0
TATE	141	3	44	48	28	8	4	6	0	0
TIPPAH	66	1	26	17	9	8	5	0	0	0
TISHOMINGO	6	0	4	2	0	0	0	0	0	0
TUNICA	121	3	41	46	20	7	4	0	0	0
UNION	74	0	22	25	13	9	4	1	0	0
WALTHALL	135	0	36	57	25	8	9	0	0	0
WARREN	427	6	109	157	75	56	19	5	0	0
WASHINGTON	902	13	299	328	154	67	33	8	0	0
WAYNE	165	1	43	54	30	24	11	2	0	0
WEBSTER	50	0	17	16	7	4	5	1	0	0
WILKINSON	86	0	16	30	20	13	5	2	0	0
WINSTON	128	4	30	48	28	8	8	2	0	0
YALOBUSHA	82	0	31	23	17	4	4	3	0	0
YAZOO	307	5	108	93	46	38	14	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18, 853</u>	<u>4, 317</u>	<u>14, 536</u>	<u>45. 4</u>	<u>19. 6</u>	<u>74. 5</u>
ADAMS	268	32	236	56. 0	17. 3	80. 3
ALCORN	125	75	50	28. 0	19. 8	74. 6
AMITE	75	19	56	44. 9	20. 4	75. 7
ATTALA	115	26	89	45. 8	22. 4	65. 9
BENTON	48	17	31	43. 2	27. 0	64. 6
BOLIVAR	468	32	436	68. 6	20. 1	83. 4
CALHOUN	102	32	70	45. 1	25. 4	70. 0
CARROLL	40	6	34	44. 0	13. 3	73. 9
CHICKASAW	154	34	120	48. 9	22. 2	74. 1
CHOCTAW	51	16	35	45. 1	22. 2	85. 4
CLAIBORNE	151	2	149	73. 6	10. 5	80. 1
CLARKE	93	25	68	40. 6	19. 7	66. 7
CLAY	186	11	175	53. 8	9. 6	75. 4
COAHOMA	451	20	431	74. 0	17. 8	86. 7
COPIAH	198	22	176	51. 3	15. 5	72. 1
COVINGTON	128	24	104	44. 6	15. 8	77. 0
DESOTO	389	242	147	26. 5	19. 4	67. 7
FORREST	478	113	365	42. 6	17. 9	74. 2
FRANKLIN	48	8	40	43. 6	14. 8	71. 4
GEORGE	96	61	35	27. 7	20. 3	77. 8
GREENE	41	19	22	33. 3	20. 2	75. 9
GRENADA	146	27	119	46. 8	18. 0	73. 4
HANCOCK	188	155	33	41. 9	38. 5	71. 7
HARRISON	1, 022	516	506	37. 0	26. 3	63. 2
HINDS	2, 305	201	2, 104	56. 8	17. 9	71. 7
HOLMES	256	8	248	70. 5	16. 3	79. 0
HUMPHREYS	115	2	113	63. 9	5. 4	79. 0
ISSAQUENA	12	0	12	63. 2	0. 0	92. 3
ITAWAMBA	56	32	24	21. 3	14. 0	70. 6
JACKSON	686	300	386	38. 8	24. 3	72. 4
JASPER	144	15	129	49. 3	14. 6	68. 2
JEFFERSON	106	1	105	74. 6	20. 0	76. 6
JEFF DAVIS	105	15	90	56. 2	24. 6	71. 4
JONES	370	95	275	38. 4	15. 5	78. 3
KEMPER	62	2	60	53. 0	7. 1	67. 4
LAFAYETTE	154	42	112	35. 8	16. 2	65. 9
LAMAR	140	79	61	24. 2	16. 6	59. 8
LAUDERDALE	473	88	385	41. 8	14. 5	73. 5
LAWRENCE	62	8	54	39. 7	10. 4	68. 4
LEAKE	136	26	110	41. 3	16. 0	66. 3
LEE	421	145	276	36. 5	18. 7	72. 8
LEFLORE	466	24	442	69. 6	16. 9	83. 7

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	164	46	118	36.2	15.6	74.2
LOWNDES	445	79	366	42.7	15.7	67.9
MADISON	428	35	393	37.4	5.8	73.3
MARION	170	57	113	42.8	24.2	69.8
MARSHALL	292	60	232	55.2	26.8	76.1
MONROE	164	51	113	36.0	17.5	68.9
MONTGOMERY	101	19	82	54.6	22.9	80.4
NESHOBA	177	45	132	41.8	19.3	69.5
NEWTON	116	26	90	36.6	14.7	64.3
NOXUBEE	145	4	141	61.7	7.7	77.0
OKTIBBEHA	218	23	195	40.7	9.6	65.9
PANOLA	319	42	277	58.2	20.4	81.0
PEARL RIVER	203	129	74	33.2	25.2	74.7
PERRY	73	25	48	36.5	18.0	78.7
PIKE	278	47	231	48.0	18.8	70.2
PONTOTOC	80	44	36	23.0	15.6	55.4
PRENTISS	73	39	34	22.7	14.2	72.3
QUITMAN	117	6	111	68.4	17.6	81.0
RANKIN	404	220	184	26.3	17.8	62.4
SCOTT	216	63	153	51.3	28.0	78.1
SHARKEY	86	4	82	70.5	16.0	84.5
SIMPSON	130	38	92	38.8	18.7	69.7
SMITH	67	25	42	35.3	18.8	73.7
STONE	84	47	37	40.2	28.8	80.4
SUNFLOWER	394	21	373	74.5	22.3	85.7
TALLAHATCHIE	143	9	134	64.4	14.1	84.8
TATE	147	36	111	43.2	18.1	78.7
TIPPAH	95	54	41	31.0	22.5	62.1
TISHOMINGO	52	46	6	25.1	22.9	100
TUNICA	113	10	103	72.4	28.6	85.1
UNION	104	52	52	28.9	18.2	70.3
WALTHALL	100	14	86	45.2	16.3	63.7
WARREN	424	90	334	50.5	21.8	78.2
WASHINGTON	833	70	763	71.9	27.2	84.6
WAYNE	141	26	115	45.0	17.6	69.7
WEBSTER	54	18	36	33.8	16.4	72.0
WILKINSON	71	4	67	64.5	16.7	77.9
WINSTON	119	21	98	49.4	18.6	76.6
YALOBUSHA	88	22	66	51.5	24.7	80.5
YAZOO	295	33	262	65.4	22.9	85.3

**TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997**

COUNTY	AGE OF MOTHER								
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
STATE	18, 853	265	6, 667	7, 111	2, 831	1, 248	596	133	2
ADAMS	268	4	73	113	46	20	9	3	0
ALCORN	125	2	44	43	23	9	3	1	0
AMITE	75	1	27	34	8	3	2	0	0
ATTALA	115	0	42	39	23	9	2	0	0
BENTON	48	0	25	13	8	0	2	0	0
BOLIVAR	468	5	189	172	58	32	11	1	0
CALHOUN	102	1	44	38	16	1	2	0	0
CARROLL	40	0	14	11	10	4	1	0	0
CHICKASAW	154	1	59	57	19	7	10	1	0
CHOCTAW	51	3	18	22	1	4	2	1	0
CLAIBORNE	151	3	68	47	19	9	5	0	0
CLARKE	93	5	38	25	17	3	5	0	0
CLAY	186	3	59	67	32	18	6	1	0
COAHOMA	451	11	164	169	65	31	8	3	0
COPIAH	198	3	89	65	22	13	4	2	0
COVINGTON	128	3	47	52	13	10	3	0	0
DESOTO	389	5	114	152	71	30	17	0	0
FORREST	478	7	147	197	71	34	18	4	0
FRANKLIN	48	0	14	24	5	3	2	0	0
GEORGE	96	1	37	38	12	4	2	2	0
GREENE	41	0	19	12	4	4	2	0	0
GRENADA	146	2	45	59	25	10	5	0	0
HANCOCK	188	1	52	74	40	17	4	0	0
HARRISON	1, 022	5	355	369	181	69	40	3	0
HINDS	2, 305	39	775	842	367	175	77	30	0
HOLMES	256	4	87	104	33	16	8	4	0
HUMPHREYS	115	1	42	54	9	4	4	1	0
ISSAQUENA	12	0	5	6	1	0	0	0	0
ITAWAMBA	56	0	19	19	9	6	3	0	0
JACKSON	686	6	265	250	104	35	21	5	0
JASPER	144	3	49	53	17	12	8	2	0
JEFFERSON	106	1	37	41	13	9	5	0	0
JEFF DAVIS	105	1	29	46	20	3	5	1	0
JONES	370	7	115	158	55	20	11	4	0
KEMPER	62	1	21	28	5	4	2	1	0
LAFAYETTE	154	1	47	64	32	9	0	1	0
LAMAR	140	1	53	51	21	8	5	1	0
LAUDERDALE	473	2	156	173	95	34	11	2	0
LAWRENCE	62	0	28	24	7	0	3	0	0
LEAKE	136	3	36	61	21	9	3	3	0
LEE	421	6	173	144	53	24	18	2	1
LEFLORE	466	9	174	183	64	23	8	4	1

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER							
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
LINCOLN	164	2	61	72	20	8	1	0	0
LOWNDES	445	9	118	168	82	48	18	2	0
MADISON	428	4	144	147	65	43	21	4	0
MARION	170	3	66	74	20	5	1	1	0
MARSHALL	292	5	107	101	39	24	12	4	0
MONROE	164	2	63	64	19	7	7	2	0
MONTGOMERY	101	0	46	32	15	5	3	0	0
NESHOBA	177	2	61	75	24	13	1	1	0
NEWTON	116	2	32	45	21	13	3	0	0
NOXUBEE	145	2	52	57	23	10	1	0	0
OKTIBBEHA	218	1	61	90	35	15	15	1	0
PANOLA	319	3	109	142	39	16	8	2	0
PEARL RIVER	203	4	85	61	28	13	10	2	0
PERRY	73	2	23	28	10	7	1	2	0
PIKE	278	4	109	102	38	16	8	1	0
PONTOTOC	80	4	28	32	10	4	2	0	0
PRENTISS	73	0	30	26	11	4	2	0	0
QUITMAN	117	2	45	48	9	8	3	2	0
RANKIN	404	3	132	143	64	35	24	3	0
SCOTT	216	2	76	85	32	11	8	2	0
SHARKEY	86	1	30	33	15	3	4	0	0
SIMPSON	130	2	46	49	19	10	3	1	0
SMITH	67	1	27	22	13	4	0	0	0
STONE	84	0	26	41	13	3	1	0	0
SUNFLOWER	394	8	156	152	48	21	8	1	0
TALLAHATCHIE	143	2	58	50	19	9	3	2	0
TATE	147	3	60	53	19	2	5	5	0
TIPPAH	95	3	52	20	9	8	2	1	0
TISHOMINGO	52	0	16	18	12	3	3	0	0
TUNICA	113	4	45	45	14	3	2	0	0
UNION	104	1	34	37	20	9	3	0	0
WALTHALL	100	0	38	48	9	4	1	0	0
WARREN	424	8	137	170	60	34	13	2	0
WASHINGTON	833	14	320	319	116	41	18	5	0
WAYNE	141	2	51	52	19	11	6	0	0
WEBSTER	54	0	25	20	6	1	2	0	0
WILKINSON	71	0	17	28	16	6	3	1	0
WINSTON	119	4	33	50	23	4	4	1	0
YALOBUSHA	88	0	36	26	19	5	1	1	0
YAZOO	295	5	118	93	43	27	8	1	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997**

COUNTY	TOTAL	AGE OF MOTHER							
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
STATE	4,317	44	1,584	1,534	700	291	146	18	0
ADAMS	32	0	12	11	5	2	2	0	0
ALCORN	75	1	27	28	13	4	1	1	0
AMITE	19	0	8	9	2	0	0	0	0
ATTALA	26	0	10	7	7	2	0	0	0
BENTON	17	0	10	5	1	0	1	0	0
BOLIVAR	32	1	15	9	6	1	0	0	0
CALHOUN	32	0	17	9	5	0	1	0	0
CARROLL	6	0	2	2	1	1	0	0	0
CHICKASAW	34	0	9	16	2	3	4	0	0
CHOCTAW	16	1	3	10	0	1	0	1	0
CLAIBORNE	2	0	0	0	1	0	1	0	0
CLARKE	25	2	15	5	3	0	0	0	0
CLAY	11	0	5	4	2	0	0	0	0
COAHOMA	20	0	6	4	8	1	1	0	0
COPIAH	22	0	8	9	4	1	0	0	0
COVINGTON	24	1	15	7	0	1	0	0	0
DESOTO	242	2	68	86	53	20	13	0	0
FORREST	113	2	37	41	16	11	4	2	0
FRANKLIN	8	0	4	2	1	1	0	0	0
GEORGE	61	1	20	26	8	4	1	1	0
GREENE	19	0	7	7	2	3	0	0	0
GRENADA	27	0	6	13	4	3	1	0	0
HANCOCK	155	1	46	56	37	12	3	0	0
HARRISON	516	1	179	188	90	38	20	0	0
HINDS	201	3	52	79	34	22	10	1	0
HOLMES	8	0	1	5	2	0	0	0	0
HUMPHREYS	2	0	1	1	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	32	0	10	8	9	3	2	0	0
JACKSON	300	2	132	97	42	16	11	0	0
JASPER	15	1	2	6	3	1	2	0	0
JEFFERSON	1	0	0	1	0	0	0	0	0
JEFF DAVIS	15	0	4	8	2	0	1	0	0
JONES	95	1	36	35	14	5	3	1	0
KEMPER	2	0	2	0	0	0	0	0	0
LAFAYETTE	42	1	15	14	8	4	0	0	0
LAMAR	79	0	33	29	12	1	3	1	0
LAUDERDALE	88	0	36	31	11	6	3	1	0
LAWRENCE	8	0	3	2	3	0	0	0	0
LEAKE	26	0	11	11	3	1	0	0	0
LEE	145	2	61	42	25	8	7	0	0
LEFLORE	24	0	10	8	5	0	1	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER							
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
LINCOLN	46	1	18	19	6	2	0	0	0
LOWNDES	79	0	28	30	9	9	3	0	0
MADISON	35	0	9	16	7	3	0	0	0
MARION	57	0	24	25	5	3	0	0	0
MARSHALL	60	2	24	19	13	1	0	1	0
MONROE	51	1	17	24	5	2	2	0	0
MONTGOMERY	19	0	10	3	4	1	1	0	0
NESHOBA	45	0	24	16	4	1	0	0	0
NEWTON	26	0	1	14	5	5	1	0	0
NOXUBEE	4	0	2	0	0	2	0	0	0
OKTIBBEHA	23	0	5	8	5	1	4	0	0
PANOLA	42	0	13	18	7	4	0	0	0
PEARL RIVER	129	2	54	39	18	7	8	1	0
PERRY	25	0	14	8	1	2	0	0	0
PIKE	47	1	19	16	7	4	0	0	0
PONTOTOC	44	2	21	12	6	3	0	0	0
PRETISS	39	0	17	13	6	2	1	0	0
QUITMAN	6	0	3	3	0	0	0	0	0
RANKIN	220	2	80	70	33	19	14	2	0
SCOTT	63	0	24	26	5	4	2	2	0
SHARKEY	4	0	1	2	1	0	0	0	0
SIMPSON	38	1	21	7	5	3	1	0	0
SMITH	25	1	13	6	3	2	0	0	0
STONE	47	0	15	22	8	2	0	0	0
SUNFLOWER	21	0	9	8	4	0	0	0	0
TALLAHATCHIE	9	0	3	3	2	1	0	0	0
TATE	36	0	16	13	3	2	1	1	0
TIPPAH	54	2	29	10	6	5	1	1	0
TISHOMINGO	46	0	12	16	12	3	3	0	0
TUNICA	10	1	4	4	0	1	0	0	0
UNION	52	1	13	19	12	5	2	0	0
WALTHALL	14	0	7	4	2	1	0	0	0
WARREN	90	2	30	39	14	3	2	0	0
WASHINGTON	70	1	25	24	13	4	2	1	0
WAYNE	26	1	11	8	5	1	0	0	0
WEBSTER	18	0	8	7	3	0	0	0	0
WILKINSON	4	0	1	1	1	1	0	0	0
WINSTON	21	0	5	12	4	0	0	0	0
YALOBUSHA	22	0	5	10	5	2	0	0	0
YAZOO	33	0	11	9	7	4	2	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1997**

COUNTY	TOTAL	AGE OF MOTHER							
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
STATE	14, 536	221	5, 083	5, 577	2, 131	957	450	115	2
ADAMS	236	4	61	102	41	18	7	3	0
ALCORN	50	1	17	15	10	5	2	0	0
AMITE	56	1	19	25	6	3	2	0	0
ATTALA	89	0	32	32	16	7	2	0	0
BENTON	31	0	15	8	7	0	1	0	0
BOLIVAR	436	4	174	163	52	31	11	1	0
CALHOUN	70	1	27	29	11	1	1	0	0
CARROLL	34	0	12	9	9	3	1	0	0
CHICKASAW	120	1	50	41	17	4	6	1	0
CHOCTAW	35	2	15	12	1	3	2	0	0
CLAIBORNE	149	3	68	47	18	9	4	0	0
CLARKE	68	3	23	20	14	3	5	0	0
CLAY	175	3	54	63	30	18	6	1	0
COAHOMA	431	11	158	165	57	30	7	3	0
COPIAH	176	3	81	56	18	12	4	2	0
COVINGTON	104	2	32	45	13	9	3	0	0
DESOTO	147	3	46	66	18	10	4	0	0
FORREST	365	5	110	156	55	23	14	2	0
FRANKLIN	40	0	10	22	4	2	2	0	0
GEORGE	35	0	17	12	4	0	1	1	0
GREENE	22	0	12	5	2	1	2	0	0
GRENADA	119	2	39	46	21	7	4	0	0
HANCOCK	33	0	6	18	3	5	1	0	0
HARRISON	506	4	176	181	91	31	20	3	0
HINDS	2, 104	36	723	763	333	153	67	29	0
HOLMES	248	4	86	99	31	16	8	4	0
HUMPHREYS	113	1	41	53	9	4	4	1	0
ISSAQUENA	12	0	5	6	1	0	0	0	0
ITAWAMBA	24	0	9	11	0	3	1	0	0
JACKSON	386	4	133	153	62	19	10	5	0
JASPER	129	2	47	47	14	11	6	2	0
JEFFERSON	105	1	37	40	13	9	5	0	0
JEFF DAVIS	90	1	25	38	18	3	4	1	0
JONES	275	6	79	123	41	15	8	3	0
KEMPER	60	1	19	28	5	4	2	1	0
LAFAYETTE	112	0	32	50	24	5	0	1	0
LAMAR	61	1	20	22	9	7	2	0	0
LAUDERDALE	385	2	120	142	84	28	8	1	0
LAWRENCE	54	0	25	22	4	0	3	0	0
LEAKE	110	3	25	50	18	8	3	3	0
LEE	276	4	112	102	28	16	11	2	1
LEFLORE	442	9	164	175	59	23	7	4	1

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1997

COUNTY	TOTAL	AGE OF MOTHER							
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49
LINCOLN	118	1	43	53	14	6	1	0	0
LOWNDES	366	9	90	138	73	39	15	2	0
MADISON	393	4	135	131	58	40	21	4	0
MARION	113	3	42	49	15	2	1	1	0
MARSHALL	232	3	83	82	26	23	12	3	0
MONROE	113	1	46	40	14	5	5	2	0
MONTGOMERY	82	0	36	29	11	4	2	0	0
NESHOBA	132	2	37	59	20	12	1	1	0
NEWTON	90	2	31	31	16	8	2	0	0
NOXUBEE	141	2	50	57	23	8	1	0	0
OKTI BBEHA	195	1	56	82	30	14	11	1	0
PANOLA	277	3	96	124	32	12	8	2	0
PEARL RIVER	74	2	31	22	10	6	2	1	0
PERRY	48	2	9	20	9	5	1	2	0
PIKE	231	3	90	86	31	12	8	1	0
PONTOTOC	36	2	7	20	4	1	2	0	0
PRETISS	34	0	13	13	5	2	1	0	0
QUITMAN	111	2	42	45	9	8	3	2	0
RANKIN	184	1	52	73	31	16	10	1	0
SCOTT	153	2	52	59	27	7	6	0	0
SHARKEY	82	1	29	31	14	3	4	0	0
SIMPSON	92	1	25	42	14	7	2	1	0
SMITH	42	0	14	16	10	2	0	0	0
STONE	37	0	11	19	5	1	1	0	0
SUNFLOWER	373	8	147	144	44	21	8	1	0
TALLAHATCHIE	134	2	55	47	17	8	3	2	0
TATE	111	3	44	40	16	0	4	4	0
TIPPAH	41	1	23	10	3	3	1	0	0
TISHOMINGO	6	0	4	2	0	0	0	0	0
TUNICA	103	3	41	41	14	2	2	0	0
UNION	52	0	21	18	8	4	1	0	0
WALTHALL	86	0	31	44	7	3	1	0	0
WARREN	334	6	107	131	46	31	11	2	0
WASHINGTON	763	13	295	295	103	37	16	4	0
WAYNE	115	1	40	44	14	10	6	0	0
WEBSTER	36	0	17	13	3	1	2	0	0
WILKINSON	67	0	16	27	15	5	3	1	0
WINSTON	98	4	28	38	19	4	4	1	0
YALOBUSHA	66	0	31	16	14	3	1	1	0
YAZOO	262	5	107	84	36	23	6	1	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 193</u>	<u>1, 621</u>	<u>2, 572</u>	<u>10. 1</u>	<u>7. 4</u>	<u>13. 2</u>
ADAMS	69	19	50	14. 4	10. 3	17. 0
ALCORN	38	27	11	8. 5	7. 1	16. 4
AMITE	14	5	9	8. 4	5. 4	12. 2
ATTALA	38	15	23	15. 1	12. 9	17. 0
BENTON	12	6	6	10. 8	9. 5	12. 5
BOLIVAR	62	13	49	9. 1	8. 2	9. 4
CALHOUN	27	9	18	11. 9	7. 1	18. 0
CARROLL	7	2	5	7. 7	4. 4	10. 9
CHICKASAW	28	7	21	8. 9	4. 6	13. 0
CHOCTAW	15	7	8	13. 3	9. 7	19. 5
CLAIBORNE	27	4	23	13. 2	21. 0	12. 4
CLARKE	22	6	16	9. 6	4. 7	15. 7
CLAY	39	10	29	11. 3	8. 8	12. 5
COAHOMA	66	7	59	10. 8	6. 2	11. 9
COPIAH	53	7	46	13. 7	4. 9	18. 8
COVINGTON	29	10	19	10. 1	6. 6	14. 1
DESOTO	115	80	35	7. 8	6. 4	16. 1
FORREST	112	57	55	10. 0	9. 0	11. 2
FRANKLIN	14	7	7	12. 7	13. 0	12. 5
GEORGE	23	20	3	6. 6	6. 6	6. 7
GREENE	5	4	1	4. 1	4. 2	3. 4
GRENADA	26	13	13	8. 3	8. 7	8. 0
HANCOCK	36	28	8	8. 0	6. 9	17. 4
HARRISON	248	154	94	9. 0	7. 8	11. 8
HINDS	501	80	421	12. 3	7. 1	14. 3
HOLMES	43	5	38	11. 8	10. 2	12. 1
HUMPHREYS	28	4	24	15. 6	10. 8	16. 8
ISSAQUENA	2	1	1	10. 5	16. 7	7. 7
ITAWAMBA	13	12	1	4. 9	5. 2	2. 9
JACKSON	164	92	72	9. 3	7. 4	13. 5
JASPER	33	4	29	11. 3	3. 9	15. 3
JEFFERSON	21	1	20	14. 8	20. 0	14. 6
JEFF DAVIS	22	5	17	11. 8	8. 2	13. 5
JONES	84	40	44	8. 7	6. 5	12. 5
KEMPER	8	0	8	6. 8	-	9. 0
LAFAYETTE	37	20	17	8. 6	7. 7	10. 0
LAMAR	40	27	13	6. 9	5. 7	12. 7
LAUDERDALE	104	41	63	9. 2	6. 8	12. 0
LAWRENCE	15	7	8	9. 6	9. 1	10. 1
LEAKE	39	15	24	11. 8	9. 2	14. 4
LEE	95	42	53	8. 2	5. 4	14. 0
LEFLORE	57	13	44	8. 5	9. 2	8. 3

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	37	21	16	8.2	7.1	10.1
LOWNDES	101	28	73	9.7	5.6	13.5
MADISON	103	40	63	9.0	6.6	11.8
MARION	51	16	35	12.8	6.8	21.6
MARSHALL	75	26	49	14.2	11.6	16.1
MONROE	50	27	23	11.0	9.2	14.0
MONTGOMERY	20	5	15	10.8	6.0	14.7
NESHOPA	32	18	14	7.6	7.7	7.4
NEWTON	24	12	12	7.6	6.8	8.6
NOXUBEE	35	4	31	14.9	7.7	16.9
OKTIBBEHA	46	13	33	8.6	5.4	11.1
PANOLA	70	17	53	12.8	8.2	15.5
PEARL RIVER	49	36	13	8.0	7.0	13.1
PERRY	18	10	8	9.0	7.2	13.1
PIKE	52	11	41	9.0	4.4	12.5
PONTOTOC	41	26	15	11.8	9.2	23.1
PRENTISS	33	27	6	10.3	9.8	12.8
QUITMAN	15	3	12	8.8	8.8	8.8
RANKIN	136	95	41	8.9	7.7	13.9
SCOTT	48	23	25	11.4	10.2	12.8
SHARKEY	16	4	12	13.1	16.0	12.4
SIMPSON	32	19	13	9.6	9.4	9.8
SMITH	22	9	13	11.6	6.8	22.8
STONE	14	11	3	6.7	6.7	6.5
SUNFLOWER	59	4	55	11.2	4.2	12.6
TALLAHATCHIE	24	3	21	10.8	4.7	13.3
TATE	41	15	26	12.0	7.5	18.4
TIPPAH	40	25	15	13.1	10.4	22.7
TISHOMINGO	21	20	1	10.1	10.0	16.7
TUNICA	9	3	6	5.8	8.6	5.0
UNION	42	29	13	11.7	10.1	17.6
WALTHALL	20	3	17	9.0	3.5	12.6
WARREN	81	33	48	9.6	8.0	11.2
WASHINGTON	161	20	141	13.9	7.8	15.6
WAYNE	22	9	13	7.0	6.1	7.9
WEBSTER	14	6	8	8.8	5.4	16.0
WILKINSON	12	1	11	10.9	4.2	12.8
WINSTON	20	6	14	8.3	5.3	10.9
YALOBUSHA	16	5	11	9.4	5.6	13.4
YAZOO	60	12	48	13.3	8.3	15.6

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>830</u>	<u>292</u>	<u>538</u>	<u>2.0</u>	<u>1.3</u>	<u>2.8</u>
ADAMS	22	5	17	4.6	2.7	5.8
ALCORN	4	3	1	0.9	0.8	1.5
AMITE	5	0	5	3.0	-	6.8
ATTALA	8	3	5	3.2	2.6	3.7
BENTON	2	1	1	1.8	1.6	2.1
BOLIVAR	9	3	6	1.3	1.9	1.1
CALHOUN	1	1	0	0.4	0.8	-
CARROLL	1	0	1	1.1	-	2.2
CHICKASAW	4	0	4	1.3	-	2.5
CHOCTAW	6	4	2	5.3	5.6	4.9
CLAI BORNE	7	2	5	3.4	10.5	2.7
CLARKE	5	1	4	2.2	0.8	3.9
CLAY	5	0	5	1.4	-	2.2
COAHOMA	10	1	9	1.6	0.9	1.8
COPIAH	8	0	8	2.1	-	3.3
COVINGTON	7	1	6	2.4	0.6	4.4
DESOTO	24	16	8	1.6	1.3	3.7
FORREST	25	14	11	2.2	2.2	2.2
FRANKLIN	3	0	3	2.7	-	5.4
GEORGE	3	3	0	0.9	1.0	-
GREENE	0	0	0	-	-	-
GRENADA	5	1	4	1.6	0.7	2.5
HANCOCK	4	3	1	0.9	0.7	2.2
HARRISON	42	24	18	1.5	1.2	2.2
HINDS	99	16	83	2.4	1.4	2.8
HOLMES	5	0	5	1.4	-	1.6
HUMPHREYS	6	0	6	3.3	-	4.2
ISSAQUENA	1	1	0	5.3	16.7	-
ITAWAMBA	1	1	0	0.4	0.4	-
JACKSON	38	19	19	2.1	1.5	3.6
JASPER	4	1	3	1.4	1.0	1.6
JEFFERSON	3	0	3	2.1	-	2.2
JEFF DAVIS	6	1	5	3.2	1.6	4.0
JONES	15	6	9	1.6	1.0	2.6
KEMPER	2	0	2	1.7	-	2.2
LAFAYETTE	5	3	2	1.2	1.2	1.2
LAMAR	8	5	3	1.4	1.0	2.9
LAUDERDALE	29	12	17	2.6	2.0	3.2
LAWRENCE	6	3	3	3.8	3.9	3.8
LEAKE	4	3	1	1.2	1.8	0.6
LEE	21	8	13	1.8	1.0	3.4
LEFLORE	10	2	8	1.5	1.4	1.5

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9	3	6	2.0	1.0	3.8
LOWNDES	22	6	16	2.1	1.2	3.0
MADISON	23	11	12	2.0	1.8	2.2
MARION	9	4	5	2.3	1.7	3.1
MARSHALL	15	4	11	2.8	1.8	3.6
MONROE	11	7	4	2.4	2.4	2.4
MONTGOMERY	9	1	8	4.9	1.2	7.8
NESHOPA	5	2	3	1.2	0.8	1.6
NEWTON	6	1	5	1.9	0.6	3.6
NOXUBEE	13	0	13	5.5	-	7.1
OKTIBBEHA	14	6	8	2.6	2.5	2.7
PANOLA	9	3	6	1.6	1.4	1.8
PEARL RIVER	6	3	3	1.0	0.6	3.0
PERRY	3	2	1	1.5	1.4	1.6
PIKE	13	2	11	2.2	0.8	3.3
PONTOTOC	14	7	7	4.0	2.5	10.8
PRENTISS	4	4	0	1.2	1.5	-
QUITMAN	3	1	2	1.8	2.9	1.5
RANKIN	18	12	6	1.2	1.0	2.0
SCOTT	12	7	5	2.8	3.1	2.6
SHARKEY	4	0	4	3.3	-	4.1
SIMPSON	4	2	2	1.2	1.0	1.5
SMITH	5	3	2	2.6	2.2	3.5
STONE	2	2	0	1.0	1.2	-
SUNFLOWER	11	1	10	2.1	1.1	2.3
TALLAHATCHIE	8	0	8	3.6	-	5.1
TATE	4	1	3	1.2	0.5	2.1
TIPPAH	5	3	2	1.6	1.2	3.0
TISHOMINGO	4	4	0	1.9	2.0	-
TUNICA	1	0	1	0.6	-	0.8
UNION	4	2	2	1.1	0.7	2.7
WALTHALL	3	1	2	1.4	1.2	1.5
WARREN	17	7	10	2.0	1.7	2.3
WASHINGTON	41	4	37	3.5	1.6	4.1
WAYNE	6	3	3	1.9	2.0	1.8
WEBSTER	5	4	1	3.1	3.6	2.0
WILKINSON	2	0	2	1.8	-	2.3
WINSTON	5	1	4	2.1	0.9	3.1
YALOBUSHA	0	0	0	-	-	-
YAZOO	8	1	7	1.8	0.7	2.3

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 338</u>	<u>2, 549</u>	<u>3, 789</u>	<u>15. 3</u>	<u>11. 6</u>	<u>19. 4</u>
ADAMS	91	25	66	19. 0	13. 5	22. 4
ALCORN	64	53	11	14. 4	14. 0	16. 4
AMITE	21	7	14	12. 6	7. 5	18. 9
ATTALA	50	19	31	19. 9	16. 4	23. 0
BENTON	21	8	13	18. 9	12. 7	27. 1
BOLIVAR	113	15	98	16. 6	9. 4	18. 7
CALHOUN	30	11	19	13. 3	8. 7	19. 0
CARROLL	10	6	4	11. 0	13. 3	8. 7
CHICKASAW	59	25	34	18. 7	16. 3	21. 0
CHOCTAW	17	9	8	15. 0	12. 5	19. 5
CLAIBORNE	39	3	36	19. 0	15. 8	19. 4
CLARKE	43	16	27	18. 8	12. 6	26. 5
CLAY	64	15	49	18. 5	13. 2	21. 1
COAHOMA	106	10	96	17. 4	8. 9	19. 3
COPIAH	69	11	58	17. 9	7. 7	23. 8
COVINGTON	48	13	35	16. 7	8. 6	25. 9
DESOTO	150	110	40	10. 2	8. 8	18. 4
FORREST	168	85	83	15. 0	13. 5	16. 9
FRANKLIN	18	8	10	16. 4	14. 8	17. 8
GEORGE	42	35	7	12. 1	11. 6	15. 6
GREENE	13	9	4	10. 6	9. 6	13. 8
GRENADA	46	20	26	14. 7	13. 3	16. 0
HANCOCK	52	47	5	11. 6	11. 7	10. 9
HARRISON	398	241	157	14. 4	12. 3	19. 6
HINDS	769	131	638	18. 9	11. 6	21. 7
HOLMES	73	9	64	20. 1	18. 4	20. 4
HUMPHREYS	37	3	34	20. 6	8. 1	23. 8
ISSAQUENA	2	1	1	10. 5	16. 7	7. 7
ITAWAMBA	29	24	5	11. 0	10. 5	14. 7
JACKSON	234	142	92	13. 2	11. 5	17. 3
JASPER	41	13	28	14. 0	12. 6	14. 8
JEFFERSON	26	1	25	18. 3	20. 0	18. 2
JEFF DAVIS	31	9	22	16. 6	14. 8	17. 5
JONES	100	51	49	10. 4	8. 3	14. 0
KEMPER	17	1	16	14. 5	3. 6	18. 0
LAFAYETTE	68	36	32	15. 8	13. 8	18. 8
LAMAR	66	47	19	11. 4	9. 8	18. 6
LAUDERDALE	161	67	94	14. 2	11. 0	17. 9
LAWRENCE	19	10	9	12. 2	13. 0	11. 4
LEAKE	61	24	37	18. 5	14. 7	22. 3
LEE	164	82	82	14. 2	10. 6	21. 6
LEFLORE	91	19	72	13. 6	13. 4	13. 6

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1997

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	65	34	31	14.3	11.6	19.5
LOWNDES	166	47	119	15.9	9.3	22.1
MADISON	160	60	100	14.0	9.9	18.6
MARION	52	23	29	13.1	9.8	17.9
MARSHALL	84	27	57	15.9	12.0	18.7
MONROE	74	34	40	16.2	11.6	24.4
MONTGOMERY	27	9	18	14.6	10.8	17.6
NESHOBA	66	33	33	15.6	14.2	17.4
NEWTON	48	24	24	15.1	13.6	17.1
NOXUBEE	58	7	51	24.7	13.5	27.9
OKTIBBEHA	63	16	47	11.8	6.7	15.9
PANOLA	90	24	66	16.4	11.6	19.3
PEARL RIVER	75	53	22	12.3	10.4	22.2
PERRY	26	15	11	13.0	10.8	18.0
PIKE	80	16	64	13.8	6.4	19.4
PONTOTOC	62	38	24	17.9	13.5	36.9
PRETISS	47	41	6	14.6	15.0	12.8
QUITMAN	23	5	18	13.4	14.7	13.1
RANKIN	204	143	61	13.3	11.5	20.7
SCOTT	76	40	36	18.0	17.8	18.4
SHARKEY	16	4	12	13.1	16.0	12.4
SIMPSON	45	25	20	13.4	12.3	15.2
SMITH	31	23	8	16.3	17.3	14.0
STONE	15	12	3	7.2	7.4	6.5
SUNFLOWER	101	8	93	19.1	8.5	21.4
TALLAHATCHIE	38	5	33	17.1	7.8	20.9
TATE	56	23	33	16.5	11.6	23.4
TIPPAH	57	36	21	18.6	15.0	31.8
TISHOMINGO	36	35	1	17.4	17.4	16.7
TUNICA	20	7	13	12.8	20.0	10.7
UNION	65	52	13	18.0	18.2	17.6
WALTHALL	27	6	21	12.2	7.0	15.6
WARREN	115	45	70	13.7	10.9	16.4
WASHINGTON	229	31	198	19.8	12.1	22.0
WAYNE	40	19	21	12.8	12.8	12.7
WEBSTER	18	10	8	11.2	9.1	16.0
WILKINSON	11	1	10	10.0	4.2	11.6
WINSTON	33	13	20	13.7	11.5	15.6
YALOBUSHA	26	10	16	15.2	11.2	19.5
YAZOO	92	24	68	20.4	16.7	22.2

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	532	164	368	526	163	363	12.7	7.4	18.6
ADAMS	14	7	7	8	4	4	16.7	21.6	13.6
ALCORN	2	1	1	5	3	2	11.2	7.9	29.8
AMITE	0	0	0	1	0	1	6.0	-	13.5
ATTALA	0	0	0	5	2	3	19.9	17.2	22.2
BENTON	0	0	0	2	1	1	18.0	15.9	20.8
BOLIVAR	9	0	9	14	3	11	20.5	18.9	21.0
CALHOUN	0	0	0	1	0	1	4.4	-	10.0
CARROLL	0	0	0	1	0	1	11.0	-	21.7
CHICKASAW	0	0	0	1	0	1	3.2	-	6.2
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	2	0	2	5	1	4	24.4	52.6	21.5
CLARKE	1	0	1	5	2	3	21.8	15.7	29.4
CLAY	5	1	4	3	0	3	8.7	-	12.9
COAHOMA	10	0	10	5	0	5	8.2	-	10.1
COPIAH	2	0	2	7	2	5	18.1	14.1	20.5
COVINGTON	2	0	2	4	1	3	13.9	6.6	22.2
DESOTO	9	5	4	11	6	5	7.5	4.8	23.0
FORREST	38	22	16	17	5	12	15.2	7.9	24.4
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	0	0	0	4	3	1	11.6	10.0	22.2
GREENE	1	1	0	3	3	0	24.4	31.9	-
GRENADA	11	5	6	6	2	4	19.2	13.3	24.7
HANCOCK	1	1	0	2	2	0	4.4	5.0	-
HARRISON	23	13	10	19	9	10	6.9	4.6	12.5
HINDS	144	25	119	66	6	60	16.3	5.3	20.4
HOLMES	2	0	2	8	0	8	22.0	-	25.5
HUMPHREYS	2	0	2	5	1	4	27.8	27.0	28.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.8	4.4	-
JACKSON	14	5	9	18	9	9	10.2	7.3	16.9
JASPER	0	0	0	3	0	3	10.3	-	15.9
JEFFERSON	0	0	0	1	0	1	7.0	-	7.3
JEFF DAVIS	0	0	0	2	1	1	10.7	16.4	7.9
JONES	16	2	14	20	7	13	20.7	11.4	37.0
KEMPER	0	0	0	2	0	2	17.1	-	22.5
LAFAYETTE	9	2	7	4	1	3	9.3	3.8	17.6
LAMAR	9	5	4	6	6	0	10.4	12.6	-
LAUDERDALE	20	7	13	10	3	7	8.8	4.9	13.4
LAWRENCE	0	0	0	2	1	1	12.8	13.0	12.6
LEAKE	0	0	0	2	1	1	6.1	6.1	6.0
LEE	30	19	11	20	11	9	17.3	14.2	23.7
LEFLORE	15	2	13	9	1	8	13.4	7.0	15.2

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	8	3	5	7	2	5	15.4	6.8	31.4
LOWNDES	17	5	12	14	3	11	13.4	6.0	20.4
MADISON	1	0	1	9	1	8	7.9	1.6	14.9
MARION	0	0	0	3	0	3	7.6	-	18.5
MARSHALL	0	0	0	5	2	3	9.4	8.9	9.8
MONROE	8	6	2	9	7	2	19.7	24.0	12.2
MONTGOMERY	0	0	0	5	2	3	27.0	24.1	29.4
NESHOBA	1	0	1	6	0	6	14.2	-	31.6
NEWTON	0	0	0	3	1	2	9.5	5.6	14.3
NOXUBEE	1	0	1	5	0	5	21.3	-	27.3
OKTIBBEHA	10	3	7	7	3	4	13.1	12.5	13.5
PANOLA	2	0	2	7	1	6	12.8	4.8	17.5
PEARL RIVER	2	1	1	3	2	1	4.9	3.9	10.1
PERRY	0	0	0	3	3	0	15.0	21.6	-
PIKE	12	1	11	8	0	8	13.8	-	24.3
PONTOTOC	0	0	0	6	4	2	17.3	14.2	30.8
PRENTISS	0	0	0	2	2	0	6.2	7.3	-
QUITMAN	0	0	0	1	0	1	5.8	-	7.3
RANKIN	19	8	11	13	6	7	8.5	4.8	23.7
SCOTT	0	0	0	7	4	3	16.6	17.8	15.3
SHARKEY	0	0	0	2	0	2	16.4	-	20.6
SIMPSON	2	0	2	8	2	6	23.9	9.8	45.4
SMITH	0	0	0	0	0	0	-	-	-
STONE	0	0	0	3	1	2	14.4	6.1	43.5
SUNFLOWER	1	0	1	3	0	3	5.7	-	6.9
TALLAHATCHIE	0	0	0	3	1	2	13.5	15.6	12.6
TATE	1	0	1	1	0	1	2.9	-	7.1
TIPPAH	0	0	0	3	2	1	9.8	8.3	15.2
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	2	0	2	12.8	-	16.5
UNION	11	5	6	2	1	1	5.6	3.5	13.5
WALTHALL	0	0	0	6	2	4	27.1	23.2	29.6
WARREN	13	4	9	7	2	5	8.3	4.8	11.7
WASHINGTON	26	4	22	31	5	26	26.7	19.4	28.8
WAYNE	4	0	4	5	1	4	16.0	6.8	24.2
WEBSTER	0	0	0	2	1	1	12.5	9.1	20.0
WILKINSON	1	0	1	2	0	2	18.2	-	23.2
WINSTON	0	0	0	6	3	3	24.9	26.5	23.4
YALOBUSHA	0	0	0	1	0	1	5.8	-	12.2
YAZOO	1	1	0	8	1	7	17.7	6.9	22.8
OUT OF STATE	16	8	8	22	9	13			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	26, 741	17, 555	9, 186	27, 380	18, 034	9, 346	10. 2	10. 6	9. 3
ADAMS	555	246	309	433	198	235	12. 0	11. 0	13. 0
ALCORN	388	343	45	411	362	49	12. 9	12. 9	12. 9
AMITE	53	36	17	132	79	53	9. 5	10. 6	8. 3
ATTALA	205	142	63	260	178	82	14. 3	16. 8	10. 8
BENTON	30	24	6	80	60	20	10. 2	13. 1	6. 1
BOLIVAR	385	140	245	458	172	286	11. 0	12. 4	10. 4
CALHOUN	98	80	18	186	151	35	12. 7	14. 5	8. 3
CARROLL	32	22	10	82	50	32	8. 3	8. 5	8. 1
CHICKASAW	123	91	32	193	135	58	10. 9	12. 9	8. 0
CHOCTAW	60	44	16	98	70	28	11. 0	11. 4	9. 9
CLAIBORNE	80	18	62	118	29	89	10. 4	15. 6	9. 4
CLARKE	117	82	35	190	128	62	11. 0	11. 6	10. 0
CLAY	205	107	98	238	118	120	11. 0	12. 2	10. 0
COAHOMA	375	122	253	372	130	242	11. 4	11. 9	11. 1
COPIAH	186	98	88	308	161	147	11. 0	12. 1	10. 0
COVINGTON	146	93	53	220	136	84	13. 7	13. 5	14. 2
DESOTO	455	373	82	617	530	87	7. 0	7. 1	6. 4
FORREST	1, 138	810	328	743	548	195	10. 2	11. 2	8. 3
FRANKLIN	68	48	20	112	75	37	14. 1	15. 5	11. 9
GEORGE	142	129	13	176	156	20	9. 8	9. 8	10. 4
GREENE	48	39	9	116	90	26	10. 4	10. 3	10. 5
GRENADA	258	175	83	297	188	109	13. 5	15. 0	11. 5
HANCOCK	290	268	22	390	369	21	10. 8	11. 5	5. 1
HARRISON	1, 913	1, 574	339	1, 706	1, 388	318	10. 0	10. 6	8. 0
HINDS	4, 085	2, 298	1, 787	2, 410	1, 256	1, 154	9. 5	10. 8	8. 4
HOLMES	156	35	121	232	61	171	11. 2	13. 1	10. 6
HUMPHREYS	93	26	67	131	45	86	11. 4	13. 0	10. 8
ISSAQUENA	8	1	7	21	9	12	11. 6	11. 7	11. 6
ITAWAMBA	100	94	6	239	228	11	12. 1	12. 4	8. 0
JACKSON	958	774	184	1, 003	823	180	7. 5	8. 0	6. 0
JASPER	75	48	27	177	99	78	10. 3	12. 1	8. 6
JEFFERSON	44	10	34	99	18	81	11. 9	17. 2	11. 2
JEFF DAVIS	102	49	53	180	94	86	13. 3	16. 6	10. 9
JONES	611	456	155	710	561	149	11. 4	12. 2	9. 0
KEMPER	46	21	25	103	47	56	9. 8	11. 0	8. 9
LAFAYETTE	507	369	138	289	213	76	8. 4	8. 5	8. 0
LAMAR	393	341	52	251	222	29	8. 0	8. 1	7. 1
LAUDERDALE	1, 183	791	392	776	522	254	10. 1	10. 8	9. 0
LAWRENCE	80	56	24	120	82	38	9. 9	10. 3	9. 0
LEAKE	203	137	66	268	172	96	14. 4	15. 8	12. 5
LEE	1, 422	1, 098	324	705	537	168	9. 6	9. 4	10. 1
LEFLORE	507	207	300	437	186	251	11. 8	13. 8	10. 7

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1997

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	287	213	74	332	243	89	10.4	11.0	9.0
LOWNDES	587	356	231	609	363	246	9.9	9.6	10.3
MADISON	247	133	114	479	276	203	7.0	6.9	7.2
MARION	248	175	73	313	217	96	12.6	12.7	12.1
MARSHALL	182	95	87	322	169	153	9.9	10.7	9.2
MONROE	277	211	66	360	262	98	9.8	10.5	8.5
MONTGOMERY	172	101	71	203	121	82	17.1	19.2	14.7
NESHOBA	189	131	58	291	219	72	10.8	12.0	8.2
NEWTON	185	123	62	244	162	82	11.3	11.2	11.4
NOXUBEE	93	42	51	130	48	82	10.7	14.8	9.2
OKTIBBEHA	274	161	113	289	165	124	7.4	6.9	8.3
PANOLA	228	139	89	349	221	128	10.3	12.6	7.9
PEARL RIVER	305	263	42	435	376	59	10.4	10.7	8.8
PERRY	53	38	15	100	74	26	8.8	8.6	9.6
PIKE	468	279	189	510	299	211	13.7	15.3	11.9
PONTOTOC	126	114	12	236	212	24	9.4	10.1	5.9
PRENTISS	156	147	9	242	218	24	10.3	10.6	8.1
QUITMAN	82	45	37	108	56	52	11.4	17.2	8.4
RANKIN	597	460	137	748	605	143	7.2	7.2	7.6
SCOTT	191	121	70	249	158	91	10.2	10.8	9.4
SHARKEY	58	17	41	75	24	51	10.9	12.2	10.4
SIMPSON	242	183	59	284	212	72	11.9	13.4	8.9
SMITH	54	48	6	154	127	27	10.4	11.2	7.9
STONE	116	88	28	155	119	36	12.6	12.6	12.7
SUNFLOWER	278	106	172	362	135	227	10.2	11.8	9.5
TALLAHATCHIE	71	37	34	154	73	81	10.9	14.5	9.0
TATE	135	90	45	215	158	57	9.6	11.0	7.1
TIPPAAH	190	163	27	257	222	35	13.1	13.7	10.2
TISHOMINGO	165	157	8	238	224	14	13.5	13.2	19.9
TUNICA	50	21	29	99	38	61	10.9	16.0	9.1
UNION	189	167	22	207	182	25	8.8	9.2	6.8
WALTHALL	109	67	42	169	105	64	12.0	13.4	10.2
WARREN	548	309	239	512	297	215	10.4	10.2	10.8
WASHINGTON	740	270	470	723	270	453	10.3	9.5	10.8
WAYNE	219	141	78	204	136	68	10.5	11.2	9.4
WEBSTER	130	110	20	144	120	24	13.8	15.0	9.8
WILKINSON	117	51	66	117	47	70	12.9	19.0	10.7
WINSTON	147	105	42	212	152	60	10.8	14.0	6.9
YALOBUSHA	63	47	16	137	91	46	11.4	12.5	9.6
YAZOO	250	116	134	326	162	164	13.0	14.4	11.8
OUT OF STATE	1,619	1,186	433	980	707	273			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1997

TOWN**	NUMBER		
	TOTAL	WHITE	NON- WHITE
BILOXI	452	376	76
BRANDON	182	161	21
BROOKHAVEN	189	136	53
CANTON	135	47	88
CLARKSDALE	272	102	170
CLEVELAND	178	97	81
CLINTON	157	122	35
COLUMBUS	359	194	165
CORINTH	202	163	39
GAUTIER	70	63	7
GREENVILLE	518	195	323
GREENWOOD	268	102	166
GRENADA	218	138	80
GULFPORT	711	520	191
HATTIESBURG	503	323	180
INDIANOLA	134	53	81
JACKSON	1,974	1,004	970
LAUREL	279	176	103
LONG BEACH	109	102	7
MCCOMB	258	146	112
MERIDIAN	524	327	197
MOSS POINT	197	101	96
NATCHEZ	319	145	174
OCEAN SPRINGS	155	144	11
PASCAGOULA	286	231	55
PEARL	152	131	21
PI CAYUNE	153	108	45
RIDGELAND	63	59	4
SOUTHAVEN	179	174	5
STARKVILLE	156	91	65
TUPELO	346	263	83
VICKSBURG	418	231	187
YAZOO CITY	187	74	113

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1997

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>27,380</u>	<u>18,034</u>	<u>9,346</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>567</u>	<u>277</u>	<u>290</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>7</u>	<u>5</u>	<u>2</u>
<u>002,003</u>	<u>Typhoid and paratyphoid fevers, and other</u>			
	<u>salmonella infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
003	Other salmonella infections	1	1	0
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>6</u>	<u>4</u>	<u>2</u>
008	Intestinal infections due to other organisms	1	1	0
009	Ill-defined intestinal infections	5	3	2
<u>010-018</u>	<u>Tuberculosis</u>	<u>13</u>	<u>4</u>	<u>9</u>
<u>010-012</u>	<u>Respiratory</u>	<u>9</u>	<u>4</u>	<u>5</u>
011	Pulmonary	9	4	5
<u>013-018</u>	<u>Other forms</u>	<u>4</u>	<u>0</u>	<u>4</u>
013	Meninges and central nervous system	1	0	1
017	Other organs	1	0	1
018	Miliary	2	0	2
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	Other zoonotic bacterial diseases	1	1	0
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>287</u>	<u>154</u>	<u>133</u>
031	Other diseases due to mycobacteria	3	3	0
036	Meningococcal infection	2	2	0
038	Septicemia	269	140	129
040	Other bacterial diseases	4	2	2
041	Bacterial infection of unspecified site	9	7	2
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>155</u>	<u>46</u>	<u>109</u>
042	With specified conditions	143	43	100
043	Causing other specified conditions	1	0	1
044	Other human immunodeficiency virus infections	11	3	8
<u>045-049</u>	<u>Polio myelitis and other non-arthropod-borne</u>			
	<u>diseases of central nervous system</u>	<u>3</u>	<u>3</u>	<u>0</u>
046	Slow virus infection	2	2	0
049	Other non-arthropod-borne diseases	1	1	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>5</u>	<u>4</u>	<u>1</u>
052	Chickenpox	2	2	0
053	Herpes zoster	2	2	0
054	Herpes simplex	1	0	1
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>52</u>	<u>40</u>	<u>12</u>
070	Viral hepatitis	43	34	9
078	Other diseases due to viruses and Chlamydiae	3	3	0
079	Viral infection in conditions classified elsewhere and of unspecified site	6	3	3
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>5</u>	<u>1</u>	<u>4</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>4</u>	<u>0</u>	<u>4</u>
090	Congenital	1	0	1
094	Neurosyphilis	3	0	3
098	Gonococcal infections	1	1	0
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>24</u>	<u>14</u>	<u>10</u>
112	Candidiasis	9	4	5
115	Histoplasmosis	2	1	1

Table 10 - Page 2
 Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
116	Blastomycotic infection	4	2	2
117	Other mycoses	9	7	2
<u>120-129</u>	<u>Helminthiases</u>	<u>1</u>	<u>1</u>	<u>0</u>
127	Other intestinal helminthiases	1	1	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>14</u>	<u>4</u>	<u>10</u>
135	Sarcoidosis	10	0	10
136	Other and unspecified infectious and parasitic diseases	2	2	0
139	Late effects of other infectious and parasitic diseases	2	2	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,868</u>	<u>3,955</u>	<u>1,913</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,815</u>	<u>3,920</u>	<u>1,895</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>92</u>	<u>57</u>	<u>35</u>
141	Tongue	18	10	8
142	Major salivary glands	1	1	0
143	Gum	2	2	0
145	Other and unspecified parts of mouth	12	4	8
146	Oropharynx	11	8	3
147	Nasopharynx	5	5	0
148	Hypopharynx	8	5	3
149	Other and ill-defined sites	35	22	13
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,265</u>	<u>800</u>	<u>465</u>
150	Esophagus	106	62	44
151	Stomach	138	65	73
152	Small intestine, including duodenum	10	5	5
153	Colon	482	317	165
154	Rectum, rectosigmoid junction, and anus	50	36	14
155	Liver and intrahepatic bile ducts	132	93	39
156	Gallbladder and extrahepatic bile ducts	26	12	14
157	Pancreas	312	205	107
158	Retroperitoneum and peritoneum	3	1	2
159	Other and ill-defined sites	6	4	2
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,879</u>	<u>1,346</u>	<u>533</u>
161	Larynx	39	18	21
162	Trachea, bronchus, and lung	1,834	1,324	510
163	Pleura	3	3	0
164	Thymus, heart, and mediastinum	3	1	2
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>586</u>	<u>384</u>	<u>202</u>
170	Bone and articular cartilage	31	19	12
171	Connective and other soft tissue	31	17	14
172	Melanoma of skin	72	64	8
173	Skin, other	26	19	7
174	Female breast	424	264	160
175	Male breast	2	1	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>819</u>	<u>494</u>	<u>325</u>
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>625</u>	<u>344</u>	<u>281</u>
179	Uterus, part unspecified	22	10	12
180	Cervix uteri	62	28	34
182	Body of uterus	30	13	17
183	Ovary and other uterine adnexa	128	98	30
184	Other and unspecified female genital organs	7	7	0
185	Prostate	369	184	185
186	Testis	3	2	1

Table 10 - Page 3
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
187	Penis and other male genital organs	4	2	2
(188, 189)	(Urinary organs)	194	150	44
188	Bladder	88	65	23
189	Kidney and other and unspecified urinary organs	106	85	21
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>624</u>	<u>438</u>	<u>186</u>
190	Eye	1	1	0
191	Brain	141	111	30
192	Other and unspecified parts of nervous system	1	0	1
193	Thyroid gland	8	5	3
194	Other endocrine glands and related structures	9	6	3
195	Other and ill-defined sites	59	35	24
199	Site unspecified	405	280	125
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>550</u>	<u>401</u>	<u>149</u>
200	Lymphosarcoma and reticulosarcoma	12	9	3
201	Hodgkin's disease	24	17	7
202	Other lymphoid and histiocytic tissue	184	146	38
203	Multiple myeloma and immunoproliferative neoplasms	124	70	54
(204-208)	(Leukemia)	206	159	47
204	Lymphatic	55	40	15
205	Myeloid	78	64	14
206	Monocytic	1	1	0
207	Other specified	2	1	1
208	Unspecified cell type	70	53	17
<u>210-229</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>8</u>	<u>5</u>
211	Benign neoplasm of other parts of digestive system	3	3	0
212	Benign neoplasm of respiratory and intrathoracic organs	1	0	1
215	Other benign neoplasm of connective and other soft tissue	1	1	0
220	Benign neoplasm of ovary	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	6	4	2
227	Benign neoplasm of other endocrine glands and related structures	1	0	1
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>40</u>	<u>27</u>	<u>13</u>
<u>235-238</u>	<u>Uncertain behavior</u>			
235	Digestive and respiratory systems	1	1	0
237	Endocrine glands and nervous system	5	3	2
238	Other and unspecified sites and tissues	7	5	2
239	Unspecified nature	27	18	9
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>790</u>	<u>420</u>	<u>370</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>12</u>	<u>6</u>	<u>6</u>
242	Thyrotoxicosis with or without goiter	7	3	4
244	Acquired hypothyroidism	5	3	2
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>574</u>	<u>299</u>	<u>275</u>
250	Diabetes mellitus	564	294	270
251	Other disorders of pancreatic internal secretion	8	4	4
252	Disorders of parathyroid gland	1	0	1

Table 10 - Page 4
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
259	Other endocrine disorders	1	1	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>40</u>	<u>20</u>	<u>20</u>
260	Kwashiorkor	3	3	0
263	Other and unspecified protein-calorie malnutrition	37	17	20
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>164</u>	<u>95</u>	<u>69</u>
270	Disorders of amino-acid transport and metabolism	1	0	1
271	Disorders of carbohydrate transport and metabolism	1	0	1
272	Disorders of lipid metabolism	9	6	3
273	Disorders of plasma protein metabolism	9	8	1
275	Disorders of mineral metabolism	5	3	2
276	Disorders of fluid, electrolyte, and acid-base balance	90	48	42
277	Other and unspecified disorders of metabolism	14	11	3
278	Obesity and other hyperalimentation	23	12	11
279	Disorders involving the immune mechanism	12	7	5
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>124</u>	<u>75</u>	<u>49</u>
<u>280-285</u>	<u>Anemias</u>	<u>66</u>	<u>34</u>	<u>32</u>
281	Other deficiency anemias	5	5	0
282	Hereditary hemolytic	15	1	14
283	Acquired hemolytic	1	1	0
284	Aplastic	19	11	8
285	Other and unspecified	26	16	10
286	Coagulation defects	19	12	7
287	Purpura and other hemorrhagic conditions	12	8	4
288	Diseases of white blood cells	7	6	1
289	Other diseases of blood and blood-forming organs	20	15	5
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>307</u>	<u>201</u>	<u>106</u>
<u>290-299</u>	<u>Psychoses</u>	<u>193</u>	<u>133</u>	<u>60</u>
290	Senile and presenile organic psychotic conditions	113	82	31
291	Alcoholic psychoses	5	1	4
295	Schizophrenic psychoses	5	2	3
298	Other nonorganic psychoses	70	48	22
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>110</u>	<u>65</u>	<u>45</u>
303	Alcohol dependence syndrome	55	30	25
305	Nondependent abuse of drugs	21	10	11
307	Special symptoms or syndromes not elsewhere classified	2	2	0
308	Acute reaction to stress	2	1	1
310	Specific nonpsychotic mental disorders following organic brain damage	27	20	7
311	Depressive disorder, not elsewhere classified	3	2	1
<u>317-319</u>	<u>Mental retardation</u>	<u>4</u>	<u>3</u>	<u>1</u>
319	Unspecified	4	3	1
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>434</u>	<u>351</u>	<u>83</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>15</u>	<u>8</u>	<u>7</u>
320	Bacterial meningitis	5	2	3

Table 10 - Page 5
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
322	Meningitis of unspecified cause	2	0	2
323	Encephalitis, myelitis, and encephalomyelitis	2	2	0
324	Intracranial and intraspinal abscess	5	4	1
326	Late effects of intracranial abscess or pyogenic infection	1	0	1
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>295</u>	<u>261</u>	<u>34</u>
331	Other cerebral degenerations	189	170	19
332	Parkinson's disease	62	54	8
333	Other extrapyramidal disease and abnormal movement disorders	8	8	0
334	Spinocerebellar disease	5	4	1
335	Anterior horn cell disease	30	24	6
336	Other diseases of spinal cord	1	1	0
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>91</u>	<u>57</u>	<u>34</u>
340	Multiple sclerosis	10	7	3
341	Other demyelinating diseases of central nervous system	2	2	0
343	Infantile cerebral palsy	18	10	8
344	Other paralytic syndromes	6	3	3
345	Epilepsy	18	11	7
347	Cataplexy and narcolepsy	1	1	0
348	Other conditions of brain	36	23	13
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>32</u>	<u>24</u>	<u>8</u>
354	Mononeuritis of upper limb and mononeuritis multiplex	1	1	0
355	Mononeuritis of lower limb	2	1	1
356	Hereditary and idiopathic peripheral neuropathy	8	8	0
357	Inflammatory and toxic neuropathy	4	1	3
358	Myoneural disorders	3	3	0
359	Muscular dystrophies and other myopathies	14	10	4
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
364	Disorders of iris and ciliary body	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>12,086</u>	<u>8,030</u>	<u>4,056</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>28</u>	<u>17</u>	<u>11</u>
394	Diseases of mitral valve	16	8	8
396	Diseases of mitral and aortic valves	5	3	2
397	Diseases of other endocardial structures	2	2	0
398	Other rheumatic heart disease	5	4	1
<u>401-405</u>	<u>Hypertensive disease</u>	<u>691</u>	<u>330</u>	<u>361</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>180</u>	<u>93</u>	<u>87</u>
401	Essential hypertension	123	70	53
403	Hypertensive renal disease	57	23	34
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>511</u>	<u>237</u>	<u>274</u>
402	Hypertensive heart disease	464	215	249
404	Hypertensive heart and renal disease	47	22	25
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,752</u>	<u>3,320</u>	<u>1,432</u>
410	Acute myocardial infarction	2,757	1,874	883
411	Other acute and subacute forms of ischemic heart disease	14	11	3

Table 10 - Page 6
 Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
412	Old myocardial infarction	11	8	3
413	Angina pectoris	9	7	2
414	Other forms of chronic ischemic heart disease	1,961	1,420	541
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>215</u>	<u>132</u>	<u>83</u>
415	Acute pulmonary heart disease	171	105	66
416	Chronic pulmonary heart disease	42	25	17
417	Other diseases of pulmonary circulation	2	2	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,168</u>	<u>2,762</u>	<u>1,406</u>
420	Acute pericarditis	1	0	1
421	Acute and subacute endocarditis	11	9	2
422	Acute myocarditis	1	1	0
423	Other diseases of pericardium	6	3	3
424	Other diseases of endocardium	111	83	28
425	Cardiomyopathy	365	223	142
426	Conduction disorders	13	6	7
427	Cardiac dysrhythmias	955	582	373
428	Heart failure	1,172	837	335
429	Ill-defined heart diseases	1,533	1,018	515
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,848</u>	<u>1,194</u>	<u>654</u>
430	Subarachnoid hemorrhage	101	65	36
431	Intracerebral hemorrhage	246	157	89
432	Other and unspecified intracranial hemorrhage	45	26	19
433	Occlusion and stenosis of precerebral arteries	17	12	5
434	Occlusion of cerebral arteries	125	81	44
435	Transient cerebral ischemia	10	8	2
436	Acute but ill-defined cerebrovascular disease	1,135	723	412
437	Other and ill-defined cerebrovascular disease	92	70	22
438	Late effects of cerebrovascular disease	77	52	25
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>334</u>	<u>247</u>	<u>87</u>
440	Atherosclerosis	102	80	22
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>232</u>	<u>167</u>	<u>65</u>
441	Aortic aneurysm	143	108	35
442	Other aneurysm	9	9	0
443	Other peripheral vascular disease	47	25	22
444	Arterial embolism and thrombosis	13	12	1
446	Polyarteritis nodosa and allied conditions	9	7	2
447	Other disorders of arteries and arterioles	11	6	5
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>50</u>	<u>28</u>	<u>22</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>18</u>	<u>13</u>	<u>5</u>
451	Phlebitis and thrombophlebitis	10	5	5
452	Portal vein thrombosis	2	2	0
453	Other venous embolism and thrombosis	6	6	0
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>32</u>	<u>15</u>	<u>17</u>
454	Varicose veins of lower extremities	2	2	0
456	Varicose veins of other sites	2	2	0
458	Hypotension	18	4	14
459	Other disorders of circulatory system	10	7	3
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,536</u>	<u>1,971</u>	<u>565</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>9</u>	<u>7</u>	<u>2</u>
465	Acute upper respiratory infection of multiple or unspecified sites	4	3	1

Table 10 - Page 7
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
466	Acute bronchitis and bronchiolitis	5	4	1
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
473	Chronic sinusitis	2	1	1
478	Other diseases of upper respiratory tract	1	1	0
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>1,030</u>	<u>746</u>	<u>284</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>1,026</u>	<u>742</u>	<u>284</u>
480	Viral	11	4	7
481	Pneumococcal	16	9	7
482	Other bacterial	40	31	9
483	Due to other specified organism	2	2	0
485	Broncho, organism unspecified	31	19	12
486	Organism unspecified	926	677	249
487	Influenza	4	4	0
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>1,099</u>	<u>916</u>	<u>183</u>
<u>490, 491</u>	<u>Chronic and unqualified bronchitis</u>	<u>51</u>	<u>44</u>	<u>7</u>
490	Unqualified	5	3	2
491	Chronic	46	41	5
492	Emphysema	133	114	19
493	Asthma	61	31	30
494	Bronchiectasis	14	11	3
496	Chronic airways obstruction, not elsewhere classified	840	716	124
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>180</u>	<u>135</u>	<u>45</u>
501	Asbestosis	6	4	2
502	Pneumoconiosis due to other silica or silicates	2	1	1
505	Pneumoconiosis, unspecified	1	1	0
506	Respiratory conditions due to chemical fumes and vapors	1	0	1
507	Pneumonitis due to solids and liquids	170	129	41
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>215</u>	<u>165</u>	<u>50</u>
510	Empyema	2	2	0
511	Pleurisy	8	5	3
512	Pneumothorax	5	4	1
513	Abscess of lung and mediastinum	4	3	1
514	Pulmonary congestion and hypostasis	18	11	7
515	Postinflammatory pulmonary fibrosis	83	67	16
516	Other alveolar and parietoalveolar pneumopathy	8	7	1
518	Other diseases of lung	78	59	19
519	Other diseases of respiratory system	9	7	2
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>800</u>	<u>593</u>	<u>207</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>74</u>	<u>57</u>	<u>17</u>
530	Diseases of esophagus	24	22	2
<u>531-533</u>	<u>Peptic ulcer</u>	<u>40</u>	<u>25</u>	<u>15</u>
531	Gastric ulcer	17	8	9
532	Duodenal ulcer	12	12	0
533	Peptic ulcer, site unspecified	11	5	6
534	Gastrojejunal ulcer	1	1	0
535	Gastritis and duodenitis	4	4	0
537	Other disorders of stomach and duodenum	5	5	0

Table 10 - Page 8
 Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
<u>540-543</u>	<u>Appendicitis</u>	<u>5</u>	<u>3</u>	<u>2</u>
540	Acute appendicitis	4	2	2
541	Appendicitis, unqualified	1	1	0
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>14</u>	<u>12</u>	<u>2</u>
550	Inguinal	1	1	0
551	Other, of abdominal cavity, with gangrene	1	1	0
552	Other, of abdominal cavity with obstruction, without mention of gangrene	6	4	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	6	6	0
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>92</u>	<u>75</u>	<u>17</u>
555	Regional enteritis	6	5	1
556	Idiopathic proctocolitis	5	3	2
557	Vascular insufficiency of intestine	73	61	12
558	Other noninfective gastroenteritis and colitis	8	6	2
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>142</u>	<u>98</u>	<u>44</u>
560	Intestinal obstruction without mention of hernia	61	41	20
562	Diverticula of intestine	37	29	8
564	Functional digestive disorders, not elsewhere classified	1	1	0
566	Abscess of anal and rectal regions	1	1	0
567	Peritonitis	20	11	9
568	Other disorders of peritoneum	2	2	0
569	Other disorders of intestine	20	13	7
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>473</u>	<u>348</u>	<u>125</u>
570	Acute and subacute necrosis of liver	2	1	1
571	Chronic liver disease and cirrhosis	255	192	63
572	Liver abscess and sequelae of chronic liver disease	47	30	17
573	Other disorders of liver	27	22	5
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>30</u>	<u>23</u>	<u>7</u>
574	Cholelithiasis	15	13	2
575	Other disorders of gallbladder	15	10	5
576	Other disorders of biliary tract	6	5	1
577	Diseases of pancreas	33	24	9
578	Gastrointestinal hemorrhage	73	51	22
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>746</u>	<u>428</u>	<u>318</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>417</u>	<u>243</u>	<u>174</u>
581	Nephrotic syndrome	2	1	1
582	Chronic glomerulonephritis	16	5	11
583	Nephritis and nephropathy, unqualified	4	2	2
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>394</u>	<u>234</u>	<u>160</u>
584	Acute	70	41	29
585	Chronic	69	40	29
586	Unspecified	255	153	102
588	Disorders resulting from impaired renal function	1	1	0
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>327</u>	<u>183</u>	<u>144</u>
590	Infections of kidney	22	15	7
591	Hydronephrosis	1	1	0
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>5</u>	<u>3</u>	<u>2</u>
592	Of kidney and ureter	5	3	2
593	Other disorders of kidney and ureter	101	42	59

Table 10 - Page 9
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
595	Cystitis	1	1	0
596	Other disorders of bladder	1	1	0
599	Other disorders of urethra and urinary tract	196	120	76
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>610,611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>2</u>	<u>2</u>	<u>0</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	2	2	0
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>11</u>	<u>4</u>	<u>7</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>0</u>	<u>1</u>
633	Ectopic pregnancy	1	0	1
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>2</u>	<u>0</u>	<u>2</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	2	0	2
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>1</u>	<u>1</u>	<u>0</u>
669	Other complications of labor and delivery, not elsewhere classified	1	1	0
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>7</u>	<u>3</u>	<u>4</u>
673	Obstetrical pulmonary embolism	2	1	1
674	Other and unspecified complications of the puerperium, not elsewhere classified	5	2	3
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>63</u>	<u>19</u>	<u>44</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>12</u>	<u>6</u>	<u>6</u>
682	Other cellulitis and abscess	11	6	5
686	Other local infections of skin and subcutaneous tissue	1	0	1
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>8</u>	<u>2</u>	<u>6</u>
694	Bullous dermatoses	3	0	3
695	Erythematous conditions	4	1	3
696	Psoriasis and similar disorders	1	1	0
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>43</u>	<u>11</u>	<u>32</u>
705	Disorders of sweat glands	1	0	1
707	Chronic ulcer of skin	41	11	30
709	Other disorders of skin and subcutaneous tissue	1	0	1
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>92</u>	<u>45</u>	<u>47</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>58</u>	<u>28</u>	<u>30</u>
710	Diffuse diseases of connective tissue	35	12	23
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>22</u>	<u>15</u>	<u>7</u>
711	Arthropathy associated with infections	2	1	1
714	Rheumatoid arthritis and other inflammatory polyarthropathies	14	12	2

Table 10 - Page 10
 Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
715	Osteoarthritis and allied disorders	4	1	3
716	Other and unspecified arthropathies	2	1	1
719	Other and unspecified disorder of joint	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
724	Other and unspecified disorders of back	1	0	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>15</u>	<u>6</u>	<u>9</u>
725	Polymyalgia rheumatica	2	1	1
728	Disorders of muscle, ligament, and fascia	7	5	2
729	Other disorders of soft tissues	6	0	6
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>18</u>	<u>11</u>	<u>7</u>
730	Osteomyelitis, periostitis, and other infections involving bone	6	1	5
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	2	1	1
733	Other disorders of bone and cartilage	6	6	0
737	Curvature of spine	4	3	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>145</u>	<u>83</u>	<u>62</u>
<u>740-742</u>	<u>Nervous system</u>	<u>25</u>	<u>18</u>	<u>7</u>
740	Anencephalus and similar anomalies	4	2	2
741	Spina bifida	2	1	1
742	Other congenital anomalies of nervous system	19	15	4
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>65</u>	<u>38</u>	<u>27</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	17	12	5
746	Heart	30	16	14
747	Other congenital anomalies of circulatory system	18	10	8
748	Respiratory system	9	3	6
<u>749-751</u>	<u>Digestive system</u>	<u>3</u>	<u>3</u>	<u>0</u>
750	Other congenital anomalies of upper alimentary tract	2	2	0
751	Other congenital anomalies of digestive system	1	1	0
<u>752, 753</u>	<u>Genitourinary system</u>	<u>12</u>	<u>7</u>	<u>5</u>
753	Urinary system	12	7	5
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>7</u>	<u>3</u>	<u>4</u>
756	Other congenital musculoskeletal anomalies	7	3	4
757	Congenital anomalies of the integument	1	0	1
758	Chromosomal anomalies	14	7	7
759	Other and unspecified congenital anomalies	9	4	5
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>183</u>	<u>56</u>	<u>127</u>
760	Maternal conditions unrelated to present pregnancy	3	0	3
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>18</u>	<u>11</u>	<u>7</u>
761	Maternal complications of pregnancy	8	5	3
762	Complications of placenta, cord, and membranes	9	6	3
763	Other complications of labor and delivery	1	0	1
764	Slow fetal growth and fetal malnutrition	1	0	1
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>56</u>	<u>12</u>	<u>44</u>

Table 10 - Page 11
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
765	Short gestation and unspecified low birthweight	56	12	44
767	Birth trauma	4	1	3
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>58</u>	<u>20</u>	<u>38</u>
768	Intrauterine hypoxia and birth asphyxia	4	1	3
769	Respiratory distress syndrome	24	11	13
770	Other respiratory conditions of fetus and newborn	30	8	22
771	Infections specific to the perinatal period	11	3	8
772	Fetal and neonatal hemorrhage	6	3	3
777	Perinatal disorders of digestive system	10	2	8
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	1	1
779	Other and ill-defined conditions originating in the perinatal period	14	3	11
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>287</u>	<u>154</u>	<u>133</u>
<u>780-789</u>	<u>Symptoms</u>	<u>41</u>	<u>16</u>	<u>25</u>
780	General	24	8	16
783	Concerning nutrition, metabolism and development	1	0	1
785	Involving cardiovascular system	13	6	7
786	Involving respiratory system and other chest symptoms	2	1	1
789	Other involving abdomen and pelvis	1	1	0
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>3</u>	<u>1</u>	<u>2</u>
790	Nonspecific findings on examination of blood	3	1	2
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>243</u>	<u>137</u>	<u>106</u>
797	Senility without mention of psychosis	12	9	3
798	Sudden death, cause unknown	55	15	40
799	Other ill-defined and unknown causes	176	113	63
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,341</u>	<u>1,372</u>	<u>969</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,580</u>	<u>957</u>	<u>623</u>
<u>800-807</u>	<u>Railway</u>	<u>5</u>	<u>1</u>	<u>4</u>
805	Hit by rolling stock	5	1	4
<u>810-825</u>	<u>Motor vehicle</u>	<u>868</u>	<u>520</u>	<u>348</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>859</u>	<u>515</u>	<u>344</u>
810	Involving collision with train	17	11	6
812	Involving collision with another motor vehicle	344	209	135
813	Involving collision with other vehicle	7	2	5
814	Involving collision with pedestrian	60	26	34
815	Other involving collision on the highway	22	9	13
816	Due to loss of control, without collision on the highway	284	170	114
818	Other noncollision	11	6	5
819	Of unspecified nature	114	82	32
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>9</u>	<u>5</u>	<u>4</u>
821	Involving other off-road motor vehicle	3	3	0
822	Involving collision of other motor vehicle with moving object	3	1	2
825	Of other and unspecified nature	3	1	2
<u>826-829</u>	<u>Other road vehicle</u>	<u>1</u>	<u>1</u>	<u>0</u>

Table 10 - Page 12
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
826	Pedal cycle accident	1	1	0
<u>830-838</u>	<u>Water transport</u>	<u>20</u>	<u>12</u>	<u>8</u>
830	Accident to watercraft causing submersion	6	4	2
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	8	3	5
834	Other fall from one level to another in water transport	3	2	1
838	Other and unspecified	2	2	0
<u>840-845</u>	<u>Air and space transport</u>	<u>5</u>	<u>3</u>	<u>2</u>
841	Accident to powered aircraft, other and unspecified	5	3	2
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>1</u>	<u>1</u>	<u>0</u>
848	Accidents involving other vehicles not elsewhere classifiable	1	1	0
<u>850-869</u>	<u>Poisoning</u>	<u>41</u>	<u>27</u>	<u>14</u>
(850-858)	(<u>By drugs, medicaments, and biologicals</u>)	<u>28</u>	<u>20</u>	<u>8</u>
850	Analgesics, antipyretics, antirheumatics	1	1	0
854	Other psychotropic agents	3	3	0
855	Other drugs acting on central and autonomic nervous systems	5	1	4
858	Other drugs	19	15	4
(860-869)	(<u>By other solid and liquid substances, gases, and vapors</u>)	<u>13</u>	<u>7</u>	<u>6</u>
860	Alcohol, not elsewhere classified	5	4	1
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	0	1
865	Foodstuffs and poisonous plants	3	2	1
868	Other utility gas and other carbon monoxide	2	0	2
869	Other gases and vapors	2	1	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>7</u>	<u>4</u>	<u>3</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	6	4	2
876	Other and unspecified misadventures during medical care	1	0	1
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadven- tures at the time of procedure</u>	<u>42</u>	<u>27</u>	<u>15</u>
878	Surgical operation or other surgical procedure	32	19	13
879	Other procedures	10	8	2
<u>880-888</u>	<u>Falls</u>	<u>183</u>	<u>156</u>	<u>27</u>
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	4	3	1
882	From or out of building or other structure	6	4	2
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	14	9	5
885	On same level from slipping, tripping, or stumbling	6	6	0
887	Fracture, cause unspecified	26	23	3
888	Other and unspecified fall	123	107	16
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>110</u>	<u>34</u>	<u>76</u>
890	Conflagration in private dwelling	91	23	68
892	Conflagration not in building or structure	3	2	1

Table 10 - Page 13
Deaths - Mississippi - 1997

International Classification Number*	Cause*	Total	White	Non- white
893	Ignition of clothing	6	4	2
895	Controlled fire in private dwelling	1	0	1
898	Other specified fire and flames	2	0	2
899	Unspecified fire	7	5	2
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>21</u>	<u>9</u>	<u>12</u>
900	Excessive heat	6	1	5
901	Excessive cold	5	2	3
904	Hunger, thirst, exposure, and neglect	3	1	2
905	Venomous animals and plants as the cause of poisoning and toxic reactions	3	2	1
906	Other injury caused by animals	1	1	0
907	Lightning	1	1	0
908	Cataclysmic storms and floods resulting from storms	2	1	1
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>136</u>	<u>78</u>	<u>58</u>
910	Drowning and submersion	55	29	26
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	17	10	7
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	48	26	22
913	Mechanical suffocation	13	11	2
915	Foreign body accidentally entering other orifice	3	2	1
<u>916-929</u>	<u>Other accidents</u>	<u>139</u>	<u>83</u>	<u>56</u>
916	Struck by falling object	17	8	9
917	Striking against or struck by objects or persons	6	3	3
918	Caught accidentally in or between objects	2	0	2
919	Caused by machinery	24	19	5
920	Caused by cutting and piercing instruments or objects	1	1	0
922	Caused by firearm missile	39	18	21
923	Caused by explosive material	1	0	1
924	Caused by hot substance or object, caustic or corrosive material, and steam	2	1	1
925	Caused by electric current	12	9	3
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	24	14	10
929	Late effects of accidental injury	10	9	1
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>1</u>	<u>1</u>	<u>0</u>
947	Other and unspecified drugs and medicaments	1	1	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>338</u>	<u>278</u>	<u>60</u>
<u>950-952</u>	<u>By poisoning</u>	<u>26</u>	<u>24</u>	<u>2</u>
950	By solid or liquid substances	21	19	2
952	By other gases and vapors	5	5	0
953	By hanging, strangulation, and suffocation	25	17	8
954	By submersion (drowning)	2	2	0
955	By firearms and explosives	272	225	47
956	By cutting and piercing instruments	3	3	0
957	By jumping from high place	1	1	0

Table 10 - Page 14
 Deaths - Mississippi - 1997

International Classification		Total	White	Non-white
Number*	Cause*			
958	By other and unspecified means	9	6	3
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>388</u>	<u>123</u>	<u>265</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>383</u>	<u>122</u>	<u>261</u>
963	Assault by hanging and strangulation	7	3	4
964	Assault by submersion (drowning)	3	1	2
965	Assault by firearms and explosives	282	85	197
966	Assault by cutting and piercing instrument	45	10	35
967	Child battering and other maltreatment	1	0	1
968	Assault by other and unspecified means	40	20	20
969	Late effects of injury purposely inflicted by other person	5	3	2
<u>970-978</u>	<u>Legal intervention</u>	<u>5</u>	<u>1</u>	<u>4</u>
970	Injury by firearms	5	1	4
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>35</u>	<u>14</u>	<u>21</u>
980	Poisoning by solid or liquid substances	6	5	1
983	Hanging, strangulation or suffocation	2	0	2
984	Submersion (drowning)	6	1	5
985	Injury by firearms and explosives	8	5	3
986	Injury by cutting and piercing instruments	1	0	1
988	Injury by other and unspecified means	12	3	9
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1997**

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	AGE											65 A N D O V E R	U N K
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-999	ALL CAUSES	27,380	10.2	W	18,034	M	9,115	75	20	11	25	193	205	395	680	1,231	6,277	3	
						F	8,919	81	12	8	13	69	102	208	366	757	7,303	0	
						NW	M	4,865	174	24	13	24	230	235	407	565	672	2,518	3
							F	4,481	110	32	14	12	81	132	239	353	519	2,989	0
001-139	INFECTIOUS AND PARASITIC DISEASES	567	21.0	W	277	M	153	2	0	2	0	0	9	27	16	21	76	0	
						F	124	1	1	0	1	4	6	7	15	89	0		
						NW	M	181	8	1	1	0	6	26	39	31	17	52	0
							F	109	3	1	1	0	8	12	11	9	13	51	0
010-018	TUBERCULOSIS	13	0.5	W	4	M	2	0	0	0	0	0	0	0	0	0	2	0	
						F	2	0	0	0	0	0	0	0	0	0	2	0	
						NW	M	6	0	0	0	0	0	0	0	1	0	5	0
							F	3	0	0	0	0	0	0	1	0	0	2	0
042-044	HUMAN IMMUNODEFICIENCY VIRUS INFECTION	155	5.8	W	46	M	39	0	0	1	0	0	7	21	8	2	0	0	
						F	7	0	0	0	0	1	3	1	0	1	0		
						NW	M	86	0	0	1	0	5	23	33	18	3	3	0
							F	23	1	0	1	0	3	7	5	3	2	1	0
140-208	MALIGNANT NEOPLASMS	5,815	215.9	W	3,920	M	2,150	0	3	1	1	7	11	45	167	422	1,492	1	
						F	1,770	2	0	1	2	3	19	62	144	287	1,250	0	
						NW	M	1,060	0	1	3	0	6	9	55	118	200	668	0
							F	835	1	1	2	1	8	11	58	98	141	514	0
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	53	2.0	W	35	M	16	0	0	0	0	0	2	2	0	2	10	0	
						F	19	0	0	0	0	0	2	2	2	2	13	0	
						NW	M	5	0	0	0	0	0	0	0	0	1	4	0
							F	13	0	1	0	0	2	2	1	2	0	5	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
240-279	ENDOCRINE, NUTRI- TIONAL, AND META- BOLIC DISEASES AND IMMUNITY DISORDERS	790	29.3	W	420	M	170	1	0	0	1	2	4	7	6	25	124	0	
						F	250	0	0	0	0	1	4	9	13	26	197	0	
				NW	370	M	159	1	0	1	0	1	4	19	23	26	84	0	
						F	211	1	0	0	1	1	5	4	17	29	153	0	
250	DIABETES MELLITUS	564	20.9	W	294	M	125	0	0	0	0	0	3	3	5	18	96	0	
						F	169	0	0	0	0	0	2	4	8	19	136	0	
				NW	270	M	115	0	0	0	0	1	1	16	17	22	58	0	
						F	155	0	0	0	0	1	1	4	13	27	109	0	
260-269	NUTRITIONAL DEFICIENCIES	40	1.5	W	20	M	7	0	0	0	1	0	0	0	0	2	4	0	
						F	13	0	0	0	0	0	1	0	1	11	0		
				NW	20	M	9	0	0	0	0	0	0	1	0	1	7	0	
						F	11	0	0	0	0	0	0	1	0	10	0		
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	124	4.6	W	75	M	32	0	0	0	0	0	0	2	0	1	29	0	
						F	43	0	0	0	0	0	1	1	2	39	0		
				NW	49	M	25	0	0	0	2	2	1	1	4	4	11	0	
						F	24	0	1	0	1	1	4	0	2	2	13	0	
280-285	ANEMIAS	66	2.4	W	34	M	9	0	0	0	0	0	0	2	0	0	7	0	
						F	25	0	0	0	0	0	0	0	0	0	25	0	
				NW	32	M	15	0	0	0	2	2	1	1	3	1	5	0	
						F	17	0	0	0	1	1	2	0	2	0	11	0	
290-319	MENTAL DISORDERS	307	11.4	W	201	M	75	0	0	1	0	1	1	5	16	6	45	0	
						F	126	0	0	0	0	0	3	1	0	5	117	0	
				NW	106	M	60	0	0	0	0	0	1	8	15	7	29	0	
						F	46	0	0	0	0	0	2	2	2	2	38	0	
303	ALCOHOLISM	55	2.0	W	30	M	26	0	0	0	0	0	1	3	13	5	4	0	
						F	4	0	0	0	0	0	1	0	2	1	0		
				NW	25	M	20	0	0	0	0	0	0	3	10	5	2	0	
						F	5	0	0	0	0	0	1	2	2	0	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
320-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	434	16.1	W	351	M	147	2	2	0	3	7	4	4	7	12	106	0			
							F	204	1	0	2	0	3	3	3	9	15	168	0		
							NW	83	M	39	2	2	1	0	4	5	4	3	1	17	0
									F	44	3	2	1	0	2	1	3	3	6	23	0
320-322	MENINGITIS	7	0.3	W	2	M	1	0	0	0	0	0	0	0	0	0	1	0			
							F	1	0	0	0	0	0	0	0	0	0	1	0		
							NW	5	M	3	0	2	0	0	0	0	1	0	0	0	0
									F	2	1	0	0	0	1	0	0	0	0	0	0
345	EPILEPSY	18	0.7	W	11	M	6	0	0	0	2	2	1	0	0	1	0				
							F	5	0	0	0	0	0	1	0	0	4	0			
							NW	7	M	5	0	0	0	0	0	1	2	0	1	1	0
									F	2	0	0	0	0	0	1	0	0	0	1	0
390-459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	12,086	448.8	W	8,030	M	3,762	3	1	0	0	4	18	90	268	485	2,893	0			
							F	4,268	5	1	0	2	7	45	116	238	3,852	0			
							NW	4,056	M	1,874	5	2	0	3	7	33	116	238	295	1,173	2
									F	2,182	3	2	0	1	8	23	73	146	248	1,678	0
390-398, 402, 404-429	HEART DISEASES	9,674	359.2	W	6,468	M	3,129	3	1	0	0	4	11	77	233	421	2,379	0			
							F	3,339	4	1	0	2	1	2	27	94	195	3,013	0		
							NW	3,206	M	1,510	4	2	0	2	4	28	92	197	238	941	2
									F	1,696	2	2	0	1	5	14	54	109	185	1,324	0
401, 403	HYPERTENSION	180	6.7	W	93	M	27	0	0	0	0	0	0	5	4	18	0				
							F	66	0	0	0	0	0	2	1	2	61	0			
							NW	87	M	32	0	0	0	0	0	1	2	4	6	19	0
									F	55	0	0	0	0	0	2	2	8	6	37	0
430-438	CEREBROVASCULAR DISEASES	1,848	68.6	W	1,194	M	466	0	0	0	0	5	11	28	40	382	0				
							F	728	1	0	0	0	5	14	18	37	653	0			
							NW	654	M	285	0	0	0	1	3	3	19	32	46	181	0
									F	369	1	0	0	0	3	6	17	27	49	266	0

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
440	ATHEROSCLEROSIS	102	3.8	W	80	M	37	0	0	0	0	0	0	0	0	0	5	32	0		
							43	0	0	0	0	0	0	0	0	1	42	0			
							NW	22	M	6	0	0	0	0	0	0	0	1	2	3	0
										F	16	0	0	0	0	0	0	0	1	15	0
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,536</u>	<u>94.2</u>	W	<u>1,971</u>	M	<u>1,036</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>11</u>	<u>27</u>	<u>101</u>	<u>884</u>	<u>0</u>			
							<u>935</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>7</u>	<u>17</u>	<u>75</u>	<u>823</u>	<u>0</u>			
							NW	<u>565</u>	M	<u>312</u>	<u>8</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>27</u>	<u>32</u>	<u>228</u>	<u>0</u>
										F	<u>253</u>	<u>8</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>6</u>	<u>11</u>	<u>18</u>	<u>17</u>	<u>187</u>
480-486	PNEUMONIA	1,026	38.1	W	742	M	347	2	1	0	1	1	2	3	8	35	294	0			
							395	2	1	0	1	1	1	3	9	12	365	0			
							NW	284	M	138	4	1	0	0	2	2	3	18	8	100	0
										F	146	6	1	0	1	3	2	4	8	9	112
487	INFLUENZA	4	0.1	W	4	M	3	0	0	0	0	1	0	0	0	0	2	0			
							1	0	0	0	0	0	0	0	0	0	1	0			
							NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
										F	0	0	0	0	0	0	0	0	0	0	0
492	EMPHYSEMA	133	4.9	W	114	M	73	0	0	0	0	0	3	1	12	57	0				
							41	0	0	0	0	0	0	1	7	33	0				
							NW	19	M	14	0	0	0	0	0	3	1	10	0		
										F	5	0	0	0	0	0	1	0	4	0	
<u>490, 491</u>	<u>OTHER CHRONIC OBSTRUCTIVE PUL- MONARY DISEASES AND ALLIED CONDITIONS</u>	<u>966</u>	<u>35.9</u>	W	<u>802</u>	M	<u>460</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>10</u>	<u>38</u>	<u>408</u>	<u>0</u>			
							<u>342</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>45</u>	<u>288</u>	<u>0</u>			
							NW	<u>164</u>	M	<u>103</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>14</u>	<u>80</u>	<u>0</u>
										F	<u>61</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>7</u>	<u>5</u>	<u>42</u>
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>800</u>	<u>29.7</u>	W	<u>593</u>	M	<u>290</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>20</u>	<u>46</u>	<u>53</u>	<u>165</u>	<u>0</u>			
							<u>303</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>11</u>	<u>20</u>	<u>34</u>	<u>233</u>	<u>0</u>			
							NW	<u>207</u>	M	<u>113</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>12</u>	<u>18</u>	<u>23</u>	<u>48</u>	<u>0</u>
										F	<u>94</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>9</u>	<u>13</u>	<u>14</u>	<u>53</u>

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
531-533	ULCER OF STOMACH AND DUODENUM	40	1.5	W	25	M	12	0	0	0	0	0	0	2	1	0	9	0			
							F	13	0	0	0	0	0	0	0	1	12	0			
							NW	15	M	10	1	0	0	0	1	1	1	0	0	6	0
										F	5	0	0	0	0	0	0	1	0	4	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	255	9.5	W	192	M	126	0	0	0	0	0	1	12	36	35	42	0			
							F	66	0	0	0	0	0	0	3	14	7	42	0		
							NW	63	M	38	0	0	0	0	0	3	4	11	15	5	0
										F	25	0	0	0	0	0	0	6	6	3	10
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>746</u>	<u>27.7</u>	W	<u>428</u>	M	<u>195</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>7</u>	<u>9</u>	<u>173</u>	<u>0</u>			
							F	<u>233</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>8</u>	<u>14</u>	<u>209</u>	<u>0</u>			
							NW	<u>318</u>	M	<u>135</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>7</u>	<u>11</u>	<u>18</u>	<u>92</u>	<u>0</u>
										F	<u>183</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>10</u>	<u>21</u>	<u>147</u>	<u>0</u>
580-589	NEPHRITIS, NEPHROTIC SYN- DROME, AND NEPHROSIS	417	15.5	W	243	M	130	0	0	0	0	1	0	3	7	6	113	0			
							F	113	0	0	0	0	0	1	5	8	99	0			
							NW	174	M	79	1	0	0	1	0	2	4	6	12	53	0
										F	95	1	0	0	0	0	1	1	4	13	75
590	INFECTIONS OF KIDNEY	22	0.8	W	15	M	5	0	0	0	0	0	0	0	0	0	5	0			
							F	10	0	0	0	0	0	0	0	0	10	0			
							NW	7	M	1	0	0	0	0	0	0	0	0	1	0	
										F	6	0	0	0	0	0	0	1	0	5	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILD- BIRTH, AND THE PUERPERIUM</u>	<u>11</u>	<u>26.5</u>	W	<u>4</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							NW	<u>7</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
										F	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES</u>	<u>63</u>	<u>2.3</u>	W	<u>19</u>	M	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>0</u>			
							F	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>11</u>	<u>0</u>		
							NW	<u>44</u>	M	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>14</u>	<u>0</u>
										F	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>5</u>	<u>20</u>

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
710- 739	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u>	<u>92</u>	<u>3.4</u>	W	<u>45</u>	M	<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>11</u>	<u>0</u>		
							<u>31</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>25</u>	<u>0</u>			
							NW	<u>47</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>4</u>	<u>7</u>	<u>3</u>	<u>3</u>	<u>10</u>	<u>0</u>
								<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>7</u>	<u>3</u>	<u>3</u>	<u>10</u>	<u>0</u>			
740- 759	<u>CONGENITAL ANOMALIES</u>	<u>145</u>	<u>5.4</u>	W	<u>83</u>	M	<u>40</u>	<u>21</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>6</u>	<u>0</u>			
							<u>43</u>	<u>21</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>3</u>	<u>2</u>	<u>9</u>	<u>0</u>			
							NW	<u>62</u>	<u>31</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>		
								<u>25</u>	<u>19</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	
760- 779	<u>CERTAIN CONDI- TIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>183</u>	<u>4.4</u>	W	<u>56</u>	M	<u>24</u>	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							<u>32</u>	<u>32</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							NW	<u>127</u>	<u>81</u>	<u>81</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
								<u>46</u>	<u>46</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
780- 799	<u>SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS</u>	<u>287</u>	<u>10.6</u>	W	<u>154</u>	M	<u>54</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>3</u>	<u>6</u>	<u>24</u>	<u>0</u>			
							<u>100</u>	<u>6</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>83</u>	<u>0</u>			
							NW	<u>133</u>	<u>73</u>	<u>25</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>4</u>	<u>6</u>	<u>6</u>	<u>7</u>	<u>20</u>	<u>0</u>	
								<u>60</u>	<u>22</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>4</u>	<u>2</u>	<u>1</u>	<u>25</u>	<u>0</u>		
800- 999	<u>ALL EXTERNAL CAUSES</u>	<u>2,341</u>	<u>86.9</u>	W	<u>1,372</u>	M	<u>950</u>	<u>4</u>	<u>12</u>	<u>7</u>	<u>16</u>	<u>165</u>	<u>144</u>	<u>171</u>	<u>112</u>	<u>83</u>	<u>234</u>	<u>2</u>			
							<u>422</u>	<u>5</u>	<u>7</u>	<u>4</u>	<u>8</u>	<u>50</u>	<u>51</u>	<u>53</u>	<u>24</u>	<u>35</u>	<u>185</u>	<u>0</u>			
							NW	<u>969</u>	<u>676</u>	<u>9</u>	<u>14</u>	<u>7</u>	<u>14</u>	<u>194</u>	<u>137</u>	<u>131</u>	<u>62</u>	<u>37</u>	<u>70</u>	<u>1</u>	
								<u>293</u>	<u>3</u>	<u>21</u>	<u>10</u>	<u>6</u>	<u>36</u>	<u>50</u>	<u>51</u>	<u>28</u>	<u>17</u>	<u>71</u>	<u>0</u>		
810- 825	<u>MOTOR VEHICLE ACCIDENTS</u>	<u>868</u>	<u>32.2</u>	W	<u>520</u>	M	<u>330</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>7</u>	<u>95</u>	<u>59</u>	<u>53</u>	<u>29</u>	<u>28</u>	<u>52</u>	<u>0</u>			
							<u>190</u>	<u>2</u>	<u>5</u>	<u>4</u>	<u>6</u>	<u>38</u>	<u>26</u>	<u>27</u>	<u>13</u>	<u>19</u>	<u>50</u>	<u>0</u>			
							NW	<u>348</u>	<u>242</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>62</u>	<u>60</u>	<u>46</u>	<u>26</u>	<u>13</u>	<u>25</u>	<u>0</u>	
								<u>106</u>	<u>1</u>	<u>5</u>	<u>7</u>	<u>2</u>	<u>13</u>	<u>23</u>	<u>20</u>	<u>16</u>	<u>4</u>	<u>15</u>	<u>0</u>		
800- 807, 826- 949	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>712</u>	<u>26.4</u>	W	<u>437</u>	M	<u>288</u>	<u>3</u>	<u>6</u>	<u>5</u>	<u>6</u>	<u>25</u>	<u>26</u>	<u>41</u>	<u>33</u>	<u>24</u>	<u>118</u>	<u>1</u>			
							<u>149</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>4</u>	<u>9</u>	<u>2</u>	<u>7</u>	<u>119</u>	<u>0</u>			
							NW	<u>275</u>	<u>167</u>	<u>4</u>	<u>9</u>	<u>4</u>	<u>6</u>	<u>27</u>	<u>19</u>	<u>30</u>	<u>16</u>	<u>15</u>	<u>36</u>	<u>1</u>	
								<u>108</u>	<u>0</u>	<u>14</u>	<u>0</u>	<u>3</u>	<u>6</u>	<u>9</u>	<u>9</u>	<u>6</u>	<u>8</u>	<u>53</u>	<u>0</u>		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1997

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
950-959	SUICIDE	338	12.6	W	278	M	228	0	0	0	2	29	34	52	34	21	55	1		
						F	50	0	0	0	1	4	12	13	7	6	7	0		
					60	M	50	0	0	0	1	16	10	12	5	1	5	0		
						F	10	0	0	0	1	2	4	1	1	0	1	0		
960-978	HOMICIDE AND LEGAL INTERVENTION	388	14.4	W	123	M	94	0	2	0	1	13	23	22	16	10	7	0		
						F	29	0	0	0	0	4	8	4	2	3	8	0		
					265	M	202	4	2	1	2	85	45	41	12	7	3	0		
						F	63	1	2	3	0	15	12	18	5	5	2	0		

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1997

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	440	156	284	269	96	173	171	60	111
ADAMS	8	2	6	6	1	5	2	1	1
ALCORN	4	2	2	2	2	0	2	0	2
AMITE	1	0	1	1	0	1	0	0	0
ATTALA	5	3	2	3	1	2	2	2	0
BENTON	2	1	1	0	0	0	2	1	1
BOLIVAR	8	0	8	3	0	3	5	0	5
CALHOUN	0	0	0	0	0	0	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	0	0	0	0	0	0	0	0	0
CHOCTAW	1	0	1	0	0	0	1	0	1
CLAIBORNE	3	0	3	1	0	1	2	0	2
CLARKE	1	0	1	0	0	0	1	0	1
CLAY	3	0	3	2	0	2	1	0	1
COAHOMA	8	1	7	6	1	5	2	0	2
COPIAH	6	1	5	5	1	4	1	0	1
COVINGTON	2	0	2	2	0	2	0	0	0
DESOTO	17	10	7	8	5	3	9	5	4
FORREST	9	4	5	7	4	3	2	0	2
FRANKLIN	0	0	0	0	0	0	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	4	1	3	2	0	2	2	1	1
HANCOCK	4	4	0	2	2	0	2	2	0
HARRISON	23	10	13	13	5	8	10	5	5
HINDS	41	7	34	23	4	19	18	3	15
HOLMES	3	0	3	3	0	3	0	0	0
HUMPHREYS	3	1	2	1	0	1	2	1	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	2	0	1	1	0	1	1	0
JACKSON	20	11	9	11	5	6	9	6	3
JASPER	2	0	2	1	0	1	1	0	1
JEFFERSON	1	0	1	1	0	1	0	0	0
JEFF DAVIS	4	1	3	3	0	3	1	1	0
JONES	13	8	5	8	5	3	5	3	2
KEMPER	2	0	2	2	0	2	0	0	0
LAFAYETTE	5	3	2	2	1	1	3	2	1
LAMAR	5	2	3	3	1	2	2	1	1
LAUDERDALE	12	4	8	9	2	7	3	2	1
LAWRENCE	1	1	0	1	1	0	0	0	0
LEAKE	1	1	0	1	1	0	0	0	0
LEE	18	5	13	12	4	8	6	1	5
LEFLORE	7	1	6	4	0	4	3	1	2

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1997

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	3	4	5	2	3	2	1	1
LOWNDES	13	4	9	11	4	7	2	0	2
MADISON	12	5	7	9	4	5	3	1	2
MARION	3	1	2	2	1	1	1	0	1
MARSHALL	5	2	3	3	1	2	2	1	1
MONROE	6	4	2	2	1	1	4	3	1
MONTGOMERY	3	1	2	3	1	2	0	0	0
NESHOBA	5	3	2	4	3	1	1	0	1
NEWTON	6	1	5	5	1	4	1	0	1
NOXUBEE	7	0	7	5	0	5	2	0	2
OKTIBBEHA	6	2	4	6	2	4	0	0	0
PANOLA	9	4	5	4	3	1	5	1	4
PEARL RIVER	4	1	3	2	1	1	2	0	2
PERRY	0	0	0	0	0	0	0	0	0
PIKE	6	2	4	4	1	3	2	1	1
PONTOTOC	3	2	1	1	1	0	2	1	1
PRETISS	4	4	0	3	3	0	1	1	0
QUITMAN	1	0	1	0	0	0	1	0	1
RANKIN	11	8	3	7	6	1	4	2	2
SCOTT	2	0	2	1	0	1	1	0	1
SHARKEY	1	0	1	0	0	0	1	0	1
SIMPSON	4	3	1	1	1	0	3	2	1
SMITH	5	3	2	3	3	0	2	0	2
STONE	3	2	1	1	1	0	2	1	1
SUNFLOWER	5	0	5	2	0	2	3	0	3
TALLAHATCHIE	7	0	7	4	0	4	3	0	3
TATE	5	1	4	4	1	3	1	0	1
TIPPAH	4	2	2	3	1	2	1	1	0
TISHOMINGO	1	1	0	0	0	0	1	1	0
TUNICA	1	0	1	0	0	0	1	0	1
UNION	1	0	1	1	0	1	0	0	0
WALTHALL	5	1	4	1	0	1	4	1	3
WARREN	12	3	9	7	1	6	5	2	3
WASHINGTON	14	5	9	10	5	5	4	0	4
WAYNE	5	1	4	2	0	2	3	1	2
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	0	0	0	0	0	0	0	0	0
WINSTON	0	0	0	0	0	0	0	0	0
YALOBUSHA	0	0	0	0	0	0	0	0	0
YAZOO	5	1	4	4	1	3	1	0	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1993-1997 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.9</u>	<u>7.5</u>	<u>14.6</u>	<u>6.7</u>	<u>4.6</u>	<u>9.0</u>	<u>4.2</u>	<u>3.0</u>	<u>5.6</u>
ADAMS	13.1	8.8	15.3	9.6	5.5	11.8	3.4	3.3	3.5
ALCORN	10.1	9.3	13.6	7.2	7.0	8.2	2.9	2.3	5.4
AMITE	2.5	-	5.0	1.2	-	2.5	1.2	-	2.5
ATTALA	11.4	10.2	12.5	5.7	5.1	6.3	5.7	5.1	6.3
BENTON	15.7	15.5	16.1	10.5	12.4	8.0	5.2	3.1	8.0
BOLI VAR	12.5	5.2	14.6	6.0	1.3	7.3	6.6	3.9	7.3
CALHOUN	15.5	13.0	19.1	9.7	11.4	7.2	5.8	1.6	12.0
CARROLL	6.1	4.1	8.0	4.1	4.1	4.0	2.0	-	4.0
CHICKASAW	9.6	6.3	12.9	8.9	6.3	11.6	0.6	-	1.3
CHOCTAW	8.8	5.9	13.0	5.3	5.9	4.3	3.5	-	8.7
CLAI BORNE	11.3	-	12.4	4.5	-	5.0	6.8	-	7.4
CLARKE	8.5	8.0	9.0	5.1	4.8	5.4	3.4	3.2	3.6
CLAY	11.6	7.0	13.8	7.5	3.5	9.5	4.0	3.5	4.3
COAHOMA	17.8	5.1	20.8	12.0	5.1	13.6	5.8	-	7.2
COPIAH	10.8	9.0	11.9	7.8	6.4	8.7	2.9	2.6	3.2
COVINGTON	11.4	6.5	16.5	8.7	2.6	15.1	2.7	3.9	1.4
DESOTO	9.2	7.1	21.2	5.8	4.2	15.1	3.4	2.9	6.0
FORREST	10.4	6.4	15.3	6.6	4.4	9.3	3.8	2.0	6.0
FRANKLIN	13.1	4.0	21.2	5.6	4.0	7.1	7.5	-	14.1
GEORGE	5.6	5.6	6.2	4.4	4.2	6.2	1.2	1.4	-
GREENE	4.1	3.6	5.8	2.8	1.8	5.8	1.4	1.8	-
GRENADA	9.9	3.9	15.3	5.6	1.3	9.4	4.3	2.6	5.9
HANCOCK	9.0	6.7	26.9	4.3	3.8	7.7	4.7	2.9	19.2
HARRISON	8.0	6.6	11.4	4.7	3.8	7.0	3.3	2.8	4.4
HINDS	11.4	6.3	13.4	7.2	3.6	8.7	4.1	2.7	4.7
HOLMES	12.1	-	13.8	8.6	-	9.8	3.5	-	4.0
HUMPHREYS	10.4	5.0	11.8	7.3	-	9.2	3.1	5.0	2.6
ISSAQUENA	17.7	32.2	12.2	-	-	-	17.7	32.2	12.2
ITAWAMBA	7.3	6.6	13.6	2.9	3.3	-	4.4	3.3	13.6
JACKSON	11.0	9.2	15.1	7.4	5.6	11.4	3.6	3.5	3.7
JASPER	6.6	6.2	6.8	3.6	2.0	4.5	2.9	4.1	2.3
JEFFERSON	20.1	-	21.2	14.8	-	15.6	5.4	-	5.7
JEFF DAVIS	11.2	6.6	13.1	7.5	-	10.5	3.7	6.6	2.6
JONES	10.4	7.7	14.8	5.9	3.7	9.5	4.5	4.0	5.3
KEMPER	7.4	5.1	8.3	5.9	-	8.3	1.5	5.1	-
LAFAYETTE	11.0	6.8	16.9	6.0	4.3	8.5	5.0	2.6	8.5
LAMAR	8.5	6.3	19.5	6.1	3.9	17.1	2.4	2.4	2.4
LAUDERDALE	11.4	6.8	16.0	6.7	3.7	9.7	4.6	3.1	6.3
LAWRENCE	9.8	12.1	7.2	8.8	12.1	4.8	1.1	-	2.4
LEAKE	10.9	4.0	17.1	3.8	2.7	4.9	7.0	1.3	12.2
LEE	14.9	10.2	24.3	10.0	6.6	16.7	4.9	3.6	7.6
LEFLORE	13.1	5.3	15.4	8.5	2.6	10.1	4.7	2.6	5.2

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1993-1997 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	8.0	7.1	9.4	6.2	5.7	7.0	1.8	1.4	2.3
LOWNDES	16.0	11.1	20.7	10.9	8.3	13.4	5.1	2.8	7.3
MADISON	7.4	4.0	11.0	3.8	2.0	5.7	3.6	2.0	5.3
MARION	6.7	6.3	7.2	5.1	4.5	6.0	1.5	1.8	1.2
MARSHALL	11.9	7.3	15.0	7.8	4.5	10.0	4.1	2.7	5.0
MONROE	11.6	10.4	13.5	6.0	4.3	8.7	5.6	6.1	4.8
MONTGOMERY	6.7	5.5	7.6	5.6	5.5	5.7	1.1	-	1.9
NESHOBA	13.3	9.9	17.2	9.5	9.0	10.1	3.8	0.9	7.1
NEWTON	18.6	11.5	27.1	13.7	11.5	16.2	5.0	-	10.8
NOXUBEE	20.9	8.2	24.6	12.8	8.2	14.0	8.2	-	10.5
OKTIBBEHA	7.3	4.2	10.0	6.1	3.3	8.5	1.2	0.8	1.4
PANOLA	19.2	12.0	23.5	10.7	5.0	14.1	8.5	7.0	9.4
PEARL RIVER	8.4	7.4	12.8	4.0	4.1	3.7	4.4	3.3	9.2
PERRY	5.4	4.8	6.8	3.3	4.8	-	2.2	-	6.8
PIKE	7.2	4.4	9.1	3.8	1.8	5.1	3.4	2.6	4.0
PONTOTOC	9.7	5.5	29.6	5.7	3.4	16.4	4.0	2.1	13.2
PRENTISS	10.7	11.2	8.0	5.0	6.0	-	5.6	5.2	8.0
QUITMAN	10.6	5.2	12.1	5.3	-	6.7	5.3	5.2	5.4
RANKIN	8.2	6.9	13.0	4.8	4.6	5.5	3.4	2.3	7.5
SCOTT	13.2	13.3	13.0	6.4	8.0	4.6	6.8	5.3	8.4
SHARKEY	6.3	8.5	5.8	1.6	-	1.9	4.7	8.5	3.8
SIMPSON	12.3	8.7	16.7	7.5	5.8	9.5	4.8	2.9	7.1
SMITH	10.8	10.3	11.7	5.9	7.4	2.9	4.9	3.0	8.8
STONE	12.7	13.0	11.8	7.4	7.2	7.9	5.3	5.8	3.9
SUNFLOWER	9.6	1.8	11.6	4.8	1.8	5.6	4.8	-	6.0
TALLAHATCHIE	17.5	3.2	22.4	9.2	-	12.3	8.3	3.2	10.1
TATE	10.9	8.3	14.5	6.0	4.1	8.7	4.8	4.1	5.8
TIPPAH	12.3	8.9	23.9	6.8	3.6	17.9	5.5	5.3	6.0
TISHOMINGO	10.0	9.4	26.3	6.4	5.7	26.3	3.6	3.8	-
TUNICA	17.0	-	20.1	7.8	-	9.2	9.2	-	10.8
UNION	12.4	12.1	13.7	7.1	6.8	8.2	5.3	5.3	5.5
WALTHALL	9.8	4.6	13.0	3.5	2.3	4.3	6.2	2.3	8.7
WARREN	11.8	7.8	15.4	6.4	3.1	9.3	5.4	4.7	6.0
WASHINGTON	12.2	7.9	13.6	7.4	5.9	7.9	4.8	2.0	5.8
WAYNE	14.7	13.2	16.1	7.6	4.8	10.3	7.0	8.4	5.7
WEBSTER	4.4	2.2	9.2	2.9	2.2	4.6	1.5	-	4.6
WILKINSON	12.7	13.6	12.4	11.1	6.8	12.4	1.6	6.8	-
WINSTON	9.7	3.5	15.3	5.7	1.7	9.2	4.1	1.7	6.1
YALOBUSHA	4.7	2.5	6.8	2.4	-	4.5	2.4	2.5	2.3
YAZOO	11.2	11.2	11.3	5.2	4.2	5.6	6.0	7.0	5.6

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1997

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
<u>ALL CAUSES</u>	<u>440</u>	<u>10.6</u>	W	<u>156</u>	<u>96</u>	<u>44</u>	<u>21</u>	<u>16</u>	<u>11</u>	<u>4</u>	<u>60</u>
			NW	<u>284</u>	<u>173</u>	<u>95</u>	<u>38</u>	<u>19</u>	<u>6</u>	<u>15</u>	<u>111</u>
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	0	0	0	0	0	0	4
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	10	0.2	W	3	1	0	0	1	0	0	2
			NW	7	1	0	1	0	0	0	6
MENINGITIS (320-322)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	2	##	W	2	0	0	0	0	0	0	2
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	14	0.3	W	4	2	0	0	1	0	1	2
			NW	10	3	0	0	1	0	2	7
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
CONGENITAL ANOMALIES (740-759)	92	2.2	W	42	29	11	8	7	2	1	13
			NW	50	36	19	10	3	1	3	14
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	3	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	8	0.2	W	5	5	5	0	0	0	0	0
			NW	3	3	2	1	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	0.2	W	6	6	4	1	0	0	1	0
			NW	3	3	3	0	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	56	1.3	W	12	12	11	1	0	0	0	0
			NW	44	43	41	2	0	0	0	1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1997

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
BIRTH TRAUMA (767)	4	0.1	W NW	1 3	1 3	0 0	0 2	1 0	0 0	0 1	0 0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	4	0.1	W NW	1 3	1 3	0 0	0 3	1 0	0 0	0 0	0 0
RESPIRATORY DISTRESS SYNDROME (769)	24	0.6	W NW	11 13	8 11	3 5	4 4	0 2	1 0	0 0	3 2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	11	0.3	W NW	3 8	3 8	1 0	0 3	1 4	1 0	0 1	0 0
NEONATAL HEMORRHAGE (772)	6	0.1	W NW	3 3	3 3	0 0	3 2	0 0	0 1	0 0	0 0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
SUDDEN INFANT DEATH SYNDROME (798.0)	53	1.3	W NW	15 38	0 1	0 0	0 0	0 0	0 0	0 1	15 37
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	13	0.3	W NW	4 9	3 2	0 1	2 0	0 1	1 0	0 0	1 7
ACCIDENTS (800-949)	15	0.4	W NW	9 6	1 0	0 0	0 0	0 0	0 0	1 0	8 6
ALL OTHER CAUSES	108	2.6	W NW	34 74	21 49	9 21	2 10	4 8	6 3	0 7	13 25

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1997

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POI- SON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
STATE	1, 577	896	18	40	187	106	54	31	245
ADAMS	26	6	0	0	8	4	0	2	6
ALCORN	28	15	0	0	7	2	0	0	4
AMITE	4	3	0	0	0	1	0	0	0
ATTALA	9	7	0	0	0	1	0	0	1
BENTON	4	4	0	0	0	0	0	0	0
BOLIVAR	21	13	1	0	0	3	0	0	4
CALHOUN	9	4	0	0	1	2	0	0	2
CARROLL	3	3	0	0	0	0	0	0	0
CHICKASAW	2	1	0	0	0	1	0	0	0
CHOCTAW	6	4	0	0	0	0	1	0	1
CLAI BORNE	8	6	0	0	0	1	0	1	0
CLARKE	12	6	0	2	0	0	1	0	3
CLAY	7	3	0	0	0	0	0	1	3
COAHOMA	20	9	0	2	2	4	0	0	3
COPIAH	13	8	0	0	1	1	0	0	3
COVINGTON	17	10	0	0	1	2	2	0	2
DESOTO	38	21	2	1	3	4	1	0	6
FORREST	59	35	0	0	9	0	1	2	12
FRANKLIN	4	2	0	0	1	0	1	0	0
GEORGE	9	8	0	0	0	0	0	0	1
GREENE	3	2	0	0	0	1	0	0	0
GRENADA	10	5	0	0	0	1	2	0	2
HANCOCK	20	9	0	0	3	2	3	0	3
HARRISON	69	37	3	3	11	1	2	0	12
HINDS	203	99	0	7	43	9	3	6	36
HOLMES	16	12	0	2	0	2	0	0	0
HUMPHREYS	13	8	0	0	0	2	2	0	1
ISSAQUENA	3	3	0	0	0	0	0	0	0
ITAWAMBA	4	3	0	0	0	0	0	1	0
JACKSON	68	38	2	4	7	1	4	0	12
JASPER	7	5	0	0	0	0	0	0	2
JEFFERSON	4	3	0	0	0	1	0	0	0
JEFF DAVIS	9	7	0	0	1	0	0	0	1
JONES	28	15	0	1	4	2	1	0	5
KEMPER	8	7	0	0	0	0	1	0	0
LAFAYETTE	22	8	0	1	6	1	1	0	5
LAMAR	21	14	0	0	2	0	1	0	4
LAUDERDALE	61	33	0	0	16	2	1	0	9
LAWRENCE	4	3	0	0	0	0	0	0	1
LEAKE	12	8	0	0	0	1	1	0	2
LEE	86	39	0	3	25	4	1	3	11
LEFLORE	24	12	1	0	4	0	2	1	4

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1997

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POI- SON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	12	6	0	0	1	3	0	0	2
LOWNDES	42	26	0	1	2	3	4	2	4
MADISON	24	10	0	1	3	2	4	0	4
MARION	6	3	0	0	0	1	0	0	2
MARSHALL	15	13	0	0	0	0	0	0	2
MONROE	16	12	1	0	2	1	0	0	0
MONTGOMERY	18	14	0	1	0	0	0	0	3
NESHOBA	15	10	3	0	0	0	0	1	1
NEWTON	13	12	0	0	0	0	0	1	0
NOXUBEE	7	7	0	0	0	0	0	0	0
OKTIBBEHA	19	10	0	0	2	2	1	0	4
PANOLA	14	10	0	0	0	1	2	0	1
PEARL RIVER	28	17	0	3	1	1	2	1	3
PERRY	2	0	1	0	0	0	0	0	1
PIKE	25	12	0	0	4	2	2	0	5
PONTOTOC	8	4	0	0	1	0	0	0	3
PRENTISS	8	6	0	0	0	1	0	0	1
QUITMAN	3	1	0	0	1	0	0	0	1
RANKIN	43	24	0	0	8	2	0	2	7
SCOTT	19	10	0	2	0	0	3	0	4
SHARKEY	5	4	0	0	0	0	0	0	1
SIMPSON	20	12	0	1	0	2	0	1	4
SMITH	2	1	0	0	0	0	0	1	0
STONE	11	7	0	0	0	1	1	0	2
SUNFLOWER	18	13	0	1	0	0	0	1	3
TALLAHATCHIE	14	7	1	0	0	4	0	1	1
TATE	8	6	0	0	0	0	1	0	1
TIPPAAH	8	6	0	0	1	0	0	0	1
TISHOMINGO	7	4	0	0	0	0	1	0	2
TUNICA	15	13	1	0	0	1	0	0	0
UNION	5	2	0	1	0	0	0	0	2
WALTHALL	6	5	0	0	1	0	0	0	0
WARREN	19	7	2	0	1	2	0	1	6
WASHINGTON	50	25	0	2	3	14	1	0	5
WAYNE	12	9	0	0	1	0	0	0	2
WEBSTER	1	1	0	0	0	0	0	0	0
WILKINSON	7	6	0	0	0	1	0	0	0
WINSTON	11	8	0	1	0	1	0	0	1
YALOBUSHA	4	2	0	0	0	0	0	1	1
YAZOO	23	13	0	0	0	5	0	1	4

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1997

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	21, 338	14, 630	6, 708	21, 338	14, 630	6, 708	20, 139	13, 736	6, 403
ADAMS	350	212	138	369	224	145	263	138	125
ALCORN	210	195	15	209	196	13	184	170	14
AMITE	74	54	20	98	69	29	72	51	21
ATTALA	179	111	68	161	101	60	165	103	62
BENTON	32	25	7	43	29	14	35	27	8
BOLIVAR	50	14	36	79	26	53	72	24	48
CALHOUN	111	93	18	111	94	17	117	96	21
CARROLL	67	40	27	86	58	28	73	42	31
CHICKASAW	133	87	46	145	99	46	129	86	43
CHOCTAW	82	58	24	95	67	28	81	57	24
CLAIBORNE	91	15	76	88	22	66	78	15	63
CLARKE	117	77	40	125	85	40	118	79	39
CLAY	166	69	97	169	73	96	168	69	99
COAHOMA	156	57	99	163	59	104	143	49	94
COPIAH	204	122	82	234	142	92	208	127	81
COVINGTON	191	131	60	172	126	46	175	125	50
DESOTO	583	521	62	532	479	53	472	434	38
FORREST	731	552	179	611	459	152	593	448	145
FRANKLIN	84	68	16	86	70	16	73	61	12
GEORGE	182	171	11	180	170	10	164	154	10
GREENE	88	73	15	109	91	18	90	78	12
GRENADA	205	141	64	195	124	71	181	122	59
HANCOCK	300	265	35	312	279	33	246	222	24
HARRISON	1, 737	1, 384	353	1, 728	1, 377	351	1, 499	1, 172	327
HINDS	2, 212	1, 159	1, 053	2, 074	1, 094	980	1, 896	907	989
HOLMES	115	20	95	126	23	103	121	21	100
HUMPHREYS	71	20	51	79	30	49	71	21	50
ISSAQUENA	.	.	.	10	7	3	4	3	1
ITAWAMBA	186	177	9	204	193	11	172	159	13
JACKSON	937	739	198	979	779	200	941	756	185
JASPER	122	61	61	127	58	69	123	62	61
JEFFERSON	58	12	46	58	9	49	51	8	43
JEFF DAVIS	88	41	47	109	49	60	101	44	57
JONES	528	413	115	549	434	115	536	415	121
KEMPER	44	23	21	55	27	28	48	27	21
LAFAYETTE	262	188	74	240	170	70	246	171	75
LAMAR	221	201	20	257	233	24	299	261	38
LAUDERDALE	679	453	226	647	437	210	620	413	207
LAWRENCE	121	81	40	121	85	36	112	76	36
LEAKE	167	111	56	188	121	67	174	118	56
LEE	666	506	160	625	479	146	602	463	139
LEFLORE	282	113	169	277	106	171	243	101	142

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1997

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	302	209	93	304	214	90	295	211	84
LOWNDES	481	281	200	479	278	201	423	246	177
MADISON	364	209	155	419	245	174	525	340	185
MARION	273	207	66	268	196	72	257	189	68
MARSHALL	225	119	106	231	123	108	190	108	82
MONROE	249	184	65	292	215	77	263	191	72
MONTGOMERY	94	54	40	101	65	36	98	59	39
NESHOBA	264	183	81	249	173	76	236	168	68
NEWTON	141	88	53	161	109	52	171	109	62
NOXUBEE	77	26	51	83	30	53	75	17	58
OKTIBBEHA	315	193	122	279	158	121	305	187	118
PANOLA	210	110	100	223	111	112	215	105	110
PEARL RIVER	406	362	44	396	355	41	375	335	40
PERRY	105	86	19	112	85	27	115	94	21
PIKE	388	219	169	386	222	164	377	199	178
PONTOTOC	240	215	25	225	200	25	253	231	22
PRETISS	197	177	20	184	169	15	202	180	22
QUITMAN	63	24	39	71	34	37	65	26	39
RANKIN	849	734	115	721	613	108	897	789	108
SCOTT	238	174	64	248	184	64	248	182	66
SHARKEY	32	10	22	31	10	21	31	10	21
SIMPSON	232	168	64	262	185	77	238	166	72
SMITH	103	88	15	122	98	24	108	85	23
STONE	117	97	20	125	102	23	112	96	16
SUNFLOWER	204	70	134	198	61	137	150	44	106
TALLAHATCHIE	75	37	38	83	44	39	67	34	33
TATE	178	118	60	166	115	51	153	105	48
TIPPAH	124	107	17	137	119	18	124	107	17
TISHOMINGO	107	100	7	99	93	6	101	95	6
TUNICA	56	24	32	56	26	30	44	13	31
UNION	185	166	19	187	165	22	187	163	24
WALTHALL	100	62	38	103	55	48	97	58	39
WARREN	449	293	156	449	297	152	415	265	150
WASHINGTON	296	127	169	301	134	167	267	111	156
WAYNE	167	100	67	165	97	68	154	89	65
WEBSTER	80	66	14	84	72	12	90	72	18
WILKINSON	57	23	34	55	23	32	44	18	26
WINSTON	145	93	52	161	111	50	140	86	54
YALOBUSHA	98	77	21	100	79	21	105	79	26
YAZOO	170	97	73	190	108	82	168	99	69
UNKNOWN COUNTY				7	4	3			
OUT OF STATE	*	*	*	*	*	*	1,198	894	304
UNKNOWN STATE							1	0	1

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1997

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
STATE	13, 860	10, 376	3, 101	383					
ADAMS	172	100	67	5	LINCOLN	163	131	31	1
ALCORN	255	229	25	1	LOWNDES	309	211	97	1
AMITE	47	40	6	1	MADISON	189	130	57	2
ATTALA	80	70	10	0	MARION	153	124	29	0
BENTON	44	34	8	2	MARSHALL	169	130	39	0
BOLIVAR	118	64	52	2	MONROE	202	162	36	4
CALHOUN	99	80	15	4	MONTGOMERY	66	42	24	0
CARROLL	42	35	7	0	NESHOPA	126	109	17	0
CHICKASAW	82	54	19	9	NEWTON	95	69	23	3
CHOCTAW	42	33	9	0	NOXUBEE	25	9	16	0
CLAYBORNE	19	4	15	0	OKTIBBEHA	115	70	43	2
CLARKE	101	81	20	0	PANOLA	173	122	51	0
CLAY	0	0	0	0	PEARL RIVER	278	255	18	5
COAHOMA	138	61	76	1	PERRY	51	43	7	1
COPIAH	87	56	30	1	PIKE	176	109	62	5
COVINGTON	79	56	15	8	PONTOTOC	158	145	13	0
DESOTO	674	620	36	18	PRENTISS	190	156	15	19
FORREST	308	214	58	36	QUITMAN	32	16	16	0
FRANKLIN	35	29	6	0	RANKIN	699	633	63	3
GEORGE	129	125	4	0	SCOTT	153	109	44	0
GREENE	61	57	4	0	SHARKEY	18	12	6	0
GRENADA	135	91	44	0	SIMPSON	116	97	19	0
HANCOCK	188	178	8	2	SMITH	102	90	11	1
HARRISON	1, 230	945	192	93	STONE	79	72	7	0
HINDS	1, 145	524	608	13	SUNFLOWER	30	12	18	0
HOLMES	57	20	37	0	TALLAHATCHIE	18	9	9	0
HUMPHREYS	2	1	1	0	TATE	143	110	33	0
ISSAQUENA	5	4	1	0	TIPPAH	149	137	9	3
ITAWAMBA	146	139	7	0	TISHOMINGO	169	166	2	1
JACKSON	804	692	112	0	TUNICA	35	17	18	0
JASPER	81	49	31	1	UNION	173	150	20	3
JEFFERSON	8	3	5	0	WALTHALL	72	45	27	0
JEFF DAVIS	45	28	17	0	WARREN	180	134	46	0
JONES	384	308	67	9	WASHINGTON	266	145	116	5
KEMPER	21	12	9	0	WAYNE	60	46	14	0
LAFAYETTE	132	100	27	5	WEBSTER	50	46	4	0
LAMAR	199	156	16	27	WILKINSON	23	9	14	0
LAUDERDALE	403	268	113	22	WINSTON	59	43	16	0
LAWRENCE	71	48	18	5	YALOBUSHA	51	34	17	0
LEAKE	95	76	18	1	YAZOO	95	64	31	0
LEE	587	432	100	55					
LEFLORE	100	47	50	3					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1997

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>4,099</u>	<u>1,296</u>	<u>2,802</u>	<u>1</u>					
ADAMS	83	24	59	0	LINCOLN	42	23	19	0
ALCORN	1	1	0	0	LOWNDES	7	3	4	0
AMITE	6	2	4	0	MADISON	252	90	162	0
ATTALA	24	9	15	0	MARION	20	10	10	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	43	14	29	0	MONROE	3	2	1	0
CALHOUN	5	5	0	0	MONTGOMERY	14	4	10	0
CARROLL	19	5	14	0	NESHOBA	33	17	16	0
CHICKASAW	5	2	3	0	NEWTON	33	15	18	0
CHOCTAW	5	3	2	0	NOXUBEE	3	0	3	0
CLAIBORNE	44	0	44	0	OKTIBBEHA	34	14	20	0
CLARKE	20	6	14	0	PANOLA	4	2	2	0
CLAY	5	2	3	0	PEARL RIVER	7	5	2	0
COAHOMA	7	0	7	0	PERRY	3	2	1	0
COPIAH	44	11	33	0	PIKE	69	15	54	0
COVINGTON	17	8	9	0	PONTOTOC	0	0	0	0
DESOTO	1	1	0	0	PRENTISS	0	0	0	0
FORREST	156	75	81	0	QUITMAN	4	0	4	0
FRANKLIN	9	2	7	0	RANKIN	260	166	94	0
GEORGE	5	5	0	0	SCOTT	48	22	26	0
GREENE	1	1	0	0	SHARKEY	11	4	7	0
GRENADA	29	12	17	0	SIMPSON	40	15	25	0
HANCOCK	6	6	0	0	SMITH	13	6	7	0
HARRISON	178	109	69	0	STONE	5	4	1	0
HINDS	1,464	261	1,202	1	SUNFLOWER	42	7	35	0
HOLMES	54	3	51	0	TALLAHATCHIE	3	0	3	0
HUMPHREYS	17	2	15	0	TATE	2	0	2	0
ISSAQUENA	3	0	3	0	TIPPAH	0	0	0	0
ITAWAMBA	1	0	1	0	TISHOMINGO	1	1	0	0
JACKSON	28	17	11	0	TUNICA	1	1	0	0
JASPER	22	5	17	0	UNION	1	1	0	0
JEFFERSON	35	3	32	0	WALTHALL	7	1	6	0
JEFF DAVIS	20	5	15	0	WARREN	173	45	128	0
JONES	69	29	40	0	WASHINGTON	107	34	73	0
KEMPER	6	2	4	0	WAYNE	18	6	12	0
LAFAYETTE	22	15	7	0	WEBSTER	3	2	1	0
LAMAR	42	23	19	0	WILKINSON	3	0	3	0
LAUDERDALE	69	37	32	0	WINSTON	24	12	12	0
LAWRENCE	17	8	9	0	YALOBUSHA	3	0	3	0
LEAKE	36	15	21	0	YAZOO	81	16	65	0
LEE	10	8	2	0					
LEFLORE	97	15	82	0					

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.8	5.6	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	2.8	-	5.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	98	49	49	272.4	272.5	272.3	86	71	15	269.6	252.7	394.6
DIABETES MELLITUS (250)	5	2	3	13.9	11.1	16.7	7	7	0	21.9	24.9	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	174	81	93	483.6	450.4	516.8	122	105	17	382.5	373.7	447.2
HYPERTENSION (401, 403)	2	0	2	5.6	-	11.1	10	9	1	31.4	32.0	26.3
CEREBROVASCULAR DISEASES (430-438)	28	9	19	77.8	50.0	105.6	28	24	4	87.8	85.4	105.2
ATHEROSCLEROSIS (440)	1	1	0	2.8	5.6	-	2	2	0	6.3	7.1	-
PNEUMONIA AND INFLUENZA (480-487)	17	5	12	47.2	27.8	66.7	23	22	1	72.1	78.3	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	8	3	30.6	44.5	16.7	15	15	0	47.0	53.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	6.3	7.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	16.7	11.1	22.2	9	9	0	28.2	32.0	-
INFECTIONS OF KIDNEY (590)	1	0	1	2.8	-	5.6	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	8.3	5.6	11.1	4	4	0	12.5	14.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	1	4	10.4	5.4	13.6	0	0	0	-	-	-
ACCIDENTS (800-949)	18	12	6	50.0	66.7	33.3	31	31	0	97.2	110.3	-
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	8.3	16.7	-	17	17	0	53.3	60.5	-
SUICIDE (950-959)	2	1	1	5.6	5.6	5.6	9	9	0	28.2	32.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	16.7	-	33.3	1	1	0	3.1	3.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	2.8	5.6	-	5	3	2	15.7	10.7	52.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	39	28	11	281.5	374.9	172.3	57	40	17	313.1	377.4	223.5
DIABETES MELLITUS (250)	7	4	3	50.5	53.6	47.0	2	1	1	11.0	9.4	13.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	36	20	16	259.8	267.8	250.6	90	59	31	494.4	556.6	407.6
HYPERTENSION (401, 403)	1	1	0	7.2	13.4	-	1	1	0	5.5	9.4	-
CEREBROVASCULAR DISEASES (430-438)	6	4	2	43.3	53.6	31.3	17	15	2	93.4	141.5	26.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.5	9.4	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	7.2	13.4	-	10	10	0	54.9	94.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	50.5	80.3	15.7	12	10	2	65.9	94.3	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	2	1	16.5	18.9	13.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	21.6	13.4	31.3	4	4	0	22.0	37.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	11.0	9.4	13.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.0	-	13.5	2	1	1	8.0	8.6	7.4
ACCIDENTS (800-949)	5	2	3	36.1	26.8	47.0	14	7	7	76.9	66.0	92.0
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	14.4	13.4	15.7	10	5	5	54.9	47.2	65.7
SUICIDE (950-959)	4	3	1	28.9	40.2	15.7	2	1	1	11.0	9.4	13.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	28.9	-	62.6	8	1	7	43.9	9.4	92.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	4.8	-	7.2
MALIGNANT NEOPLASMS (140-208)	15	12	3	191.3	262.9	91.6	97	34	63	233.9	245.4	228.2
DIABETES MELLITUS (250)	3	1	2	38.3	21.9	61.0	16	3	13	38.6	21.6	47.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	29	20	9	369.8	438.1	274.7	169	73	96	407.5	526.8	347.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	0	4	9.6	-	14.5
CEREBROVASCULAR DISEASES (430-438)	8	8	0	102.0	175.2	-	30	10	20	72.3	72.2	72.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	5	2	3	12.0	14.4	10.9
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	63.8	109.5	-	20	8	12	48.2	57.7	43.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	63.8	109.5	-	17	10	7	41.0	72.2	25.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	2	3	12.0	14.4	10.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	12.8	21.9	-	7	3	4	16.9	21.6	14.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	4.8	-	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	2.9	-	3.8
ACCIDENTS (800-949)	4	2	2	51.0	43.8	61.0	28	10	18	67.5	72.2	65.2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	38.3	43.8	30.5	17	7	10	41.0	50.5	36.2
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	7.2	14.4	3.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	6	1	5	14.5	7.2	18.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	12.8	21.9	-	4	0	4	9.6	-	14.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	6.8	-	23.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	33	13	314.4	316.6	309.1	23	14	9	233.6	237.2	228.2
DIABETES MELLITUS (250)	3	3	0	20.5	28.8	-	2	1	1	20.3	16.9	25.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	55	12	458.0	527.6	285.3	31	18	13	314.9	305.0	329.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	13	1	95.7	124.7	23.8	6	2	4	61.0	33.9	101.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	27.3	38.4	-	3	2	1	30.5	33.9	25.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	41.0	57.6	-	3	3	0	30.5	50.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.8	9.6	-	2	2	0	20.3	33.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	6.8	9.6	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	6.8	9.6	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	6.8	9.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	16	11	5	109.4	105.5	118.9	3	3	0	30.5	50.8	-
MOTOR VEHICLE ACCIDENTS# (810-825)	10	6	4	68.4	57.6	95.1	1	1	0	10.2	16.9	-
SUICIDE (950-959)	1	1	0	6.8	9.6	-	1	1	0	10.2	16.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	6.8	9.6	-	3	1	2	30.5	16.9	50.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	6.8	-	23.8	1	0	1	10.2	-	25.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	11.2	16.4	-
MALIGNANT NEOPLASMS (140-208)	42	27	15	238.0	258.5	208.2	17	12	5	190.3	196.2	177.4
DIABETES MELLITUS (250)	5	3	2	28.3	28.7	27.8	2	2	0	22.4	32.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	59	18	436.3	565.0	249.8	35	26	9	391.8	425.2	319.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	7	2	51.0	67.0	27.8	6	4	2	67.2	65.4	70.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	11.2	16.4	-
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	39.7	38.3	41.6	3	2	1	33.6	32.7	35.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	34.0	38.3	27.8	2	1	1	22.4	16.4	35.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	11.3	9.6	13.9	1	1	0	11.2	16.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	22.7	38.3	-	4	4	0	44.8	65.4	-
INFECTIONS OF KIDNEY (590)	1	1	0	5.7	9.6	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	317.5	-	617.3	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	11.2	-	35.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	10	7	3	56.7	67.0	41.6	10	6	4	111.9	98.1	141.9
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	11.3	19.2	-	7	3	4	78.4	49.1	141.9
SUICIDE (950-959)	2	2	0	11.3	19.2	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	22.7	-	55.5	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	17.0	19.2	13.9	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.8	-	10.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	10	10	176.6	537.0	105.7	27	18	9	156.6	162.7	145.7
DIABETES MELLITUS (250)	1	1	0	8.8	53.7	-	1	0	1	5.8	-	16.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	10	45	485.7	537.0	475.6	93	64	29	539.4	578.3	469.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	5	3	70.6	268.5	31.7	16	8	8	92.8	72.3	129.6
ATHEROSCLEROSIS (440)	1	0	1	8.8	-	10.6	1	1	0	5.8	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	5	1	4	44.2	53.7	42.3	4	1	3	23.2	9.0	48.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	9	6	3	52.2	54.2	48.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.8	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	17.7	-	21.1	3	1	2	17.4	9.0	32.4
INFECTIONS OF KIDNEY (590)	1	0	1	8.8	-	10.6	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.8	-	10.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.9	-	5.4	0	0	0	-	-	-
ACCIDENTS (800-949)	6	0	6	53.0	-	63.4	11	9	2	63.8	81.3	32.4
MOTOR VEHICLE ACCIDENTS# (810-825)	5	0	5	44.2	-	52.8	4	3	1	23.2	27.1	16.2
SUICIDE (950-959)	0	0	0	-	-	-	5	5	0	29.0	45.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	35.3	-	42.3	2	1	1	11.6	9.0	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	17.7	53.7	10.6	2	2	0	11.6	18.1	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	6	0	6	18.4	-	27.6
MALIGNANT NEOPLASMS (140-208)	35	20	15	161.3	206.8	124.6	66	24	42	202.3	220.4	193.2
DIABETES MELLITUS (250)	5	1	4	23.0	10.3	33.2	14	2	12	42.9	18.4	55.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	101	52	49	465.4	537.8	407.2	151	58	93	462.8	532.6	427.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	7	2	5	21.4	18.4	23.0
CEREBROVASCULAR DISEASES (430-438)	17	8	9	78.3	82.7	74.8	19	8	11	58.2	73.4	50.6
ATHEROSCLEROSIS (440)	1	0	1	4.6	-	8.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	32.2	62.0	8.3	12	4	8	36.8	36.7	36.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	36.9	82.7	-	11	8	3	33.7	73.4	13.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.6	10.3	-	2	1	1	6.1	9.2	4.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	4	7	50.7	41.4	58.2	3	1	2	9.2	9.2	9.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	164.2	892.8	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	6.1	9.2	4.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.8	-	8.6	4	0	4	6.6	-	8.0
ACCIDENTS (800-949)	5	1	4	23.0	10.3	33.2	25	6	19	76.6	55.1	87.4
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	9.2	-	16.6	10	3	7	30.6	27.5	32.2
SUICIDE (950-959)	1	1	0	4.6	10.3	-	3	2	1	9.2	18.4	4.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	9.2	-	16.6	6	2	4	18.4	18.4	18.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	4.6	-	8.3	6	2	4	18.4	18.4	18.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	75	38	37	267.6	286.7	250.5	35	16	19	218.6	158.8	320.2
DIABETES MELLITUS (250)	8	3	5	28.5	22.6	33.8	6	3	3	37.5	29.8	50.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	113	65	48	403.2	490.3	325.0	75	53	22	468.4	526.0	370.7
HYPERTENSION (401, 403)	4	1	3	14.3	7.5	20.3	1	1	0	6.2	9.9	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	25.0	15.1	33.8	21	13	8	131.2	129.0	134.8
ATHEROSCLEROSIS (440)	2	2	0	7.1	15.1	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	1	8	32.1	7.5	54.2	11	9	2	68.7	89.3	33.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	13	0	46.4	98.1	-	13	10	3	81.2	99.2	50.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	7.1	7.5	6.8	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	3	5	28.5	22.6	33.8	3	1	2	18.7	9.9	33.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	6.2	-	16.8
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	3.6	-	6.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	7.8	-	12.3	2	0	2	7.0	-	14.8
ACCIDENTS (800-949)	27	11	16	96.3	83.0	108.3	13	7	6	81.2	69.5	101.1
MOTOR VEHICLE ACCIDENTS# (810-825)	11	3	8	39.2	22.6	54.2	7	3	4	43.7	29.8	67.4
SUICIDE (950-959)	1	0	1	3.6	-	6.8	3	3	0	18.7	29.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.6	7.5	-	3	0	3	18.7	-	50.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	1	3	14.3	7.5	20.3	4	1	3	25.0	9.9	50.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.4	-	4.3
HIV INFECTION (042-044)	2	2	0	2.2	2.7	-	2	2	0	2.8	4.1	-
MALIGNANT NEOPLASMS (140-208)	166	142	24	187.4	189.1	177.9	146	105	41	201.6	214.0	175.5
DIABETES MELLITUS (250)	7	6	1	7.9	8.0	7.4	19	12	7	26.2	24.4	30.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	152	134	18	171.6	178.5	133.4	298	223	75	411.4	454.5	321.0
HYPERTENSION (401, 403)	30	26	4	33.9	34.6	29.6	3	3	0	4.1	6.1	-
CEREBROVASCULAR DISEASES (430-438)	35	33	2	39.5	44.0	14.8	46	36	10	63.5	73.4	42.8
ATHEROSCLEROSIS (440)	1	1	0	1.1	1.3	-	3	2	1	4.1	4.1	4.3
PNEUMONIA AND INFLUENZA (480-487)	24	19	5	27.1	25.3	37.1	36	30	6	49.7	61.1	25.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	25	24	1	28.2	32.0	7.4	31	29	2	42.8	59.1	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	7	0	7.9	9.3	-	5	4	1	6.9	8.2	4.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	6.8	6.7	7.4	8	5	3	11.0	10.2	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	3	2	1	4.1	4.1	4.3
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	11	9	2	12.4	12.0	14.8	1	0	1	1.4	-	4.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	1.4	0.8	4.6	4	3	1	3.6	4.8	2.0
ACCIDENTS (800-949)	38	30	8	42.9	40.0	59.3	28	20	8	38.7	40.8	34.2
MOTOR VEHICLE ACCIDENTS# (810-825)	18	17	1	20.3	22.6	7.4	20	15	5	27.6	30.6	21.4
SUICIDE (950-959)	7	7	0	7.9	9.3	-	5	4	1	6.9	8.2	4.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	11	8	3	12.4	10.6	22.2	9	3	6	12.4	6.1	25.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	5	3	9.0	6.7	22.2	5	2	3	6.9	4.1	12.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	25.2	41.3	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	20	8	352.1	412.7	257.6	46	42	4	257.2	263.0	208.9
DIABETES MELLITUS (250)	2	1	1	25.2	20.6	32.2	5	4	1	28.0	25.0	52.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	44	26	18	553.3	536.5	579.5	56	50	6	313.1	313.1	313.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	5	1	75.4	103.2	32.2	14	13	1	78.3	81.4	52.2
ATHEROSCLEROSIS (440)	1	1	0	12.6	20.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	25.2	20.6	32.2	7	7	0	39.1	43.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	25.2	41.3	-	7	6	1	39.1	37.6	52.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	2	1	16.8	12.5	52.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	37.7	61.9	-	1	1	0	5.6	6.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	7	6	1	88.0	123.8	32.2	15	13	2	83.9	81.4	104.4
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	37.7	41.3	32.2	11	9	2	61.5	56.4	104.4
SUICIDE (950-959)	3	3	0	37.7	61.9	-	1	1	0	5.6	6.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	25.2	-	64.4	4	1	3	22.4	6.3	156.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	5.6	6.3	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	3	0	3	13.7	-	31.7
MALIGNANT NEOPLASMS (140-208)	24	17	7	214.3	195.0	281.8	60	43	17	273.4	344.2	179.9
DIABETES MELLITUS (250)	7	5	2	62.5	57.4	80.5	4	2	2	18.2	16.0	21.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	32	9	366.0	367.1	362.3	95	59	36	433.0	472.3	381.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	7	0	62.5	80.3	-	38	18	20	173.2	144.1	211.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	17.8	22.9	-	14	12	2	63.8	96.0	21.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	26.8	34.4	-	10	8	2	45.6	64.0	21.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	8.9	11.5	-	2	2	0	9.1	16.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	26.8	22.9	40.2	9	6	3	41.0	48.0	31.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	9.1	16.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	6.4	-	12.3
ACCIDENTS (800-949)	4	4	0	35.7	45.9	-	14	10	4	63.8	80.0	42.3
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	26.8	34.4	-	10	7	3	45.6	56.0	31.7
SUICIDE (950-959)	3	3	0	26.8	34.4	-	3	2	1	13.7	16.0	10.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	8.9	-	40.2	4	0	4	18.2	-	42.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	8.9	11.5	-	3	1	2	13.7	8.0	21.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
HIV INFECTION (042-044)	2	2	0	5.5	6.2	-	7	3	4	4.1	2.3	10.0
MALIGNANT NEOPLASMS (140-208)	102	92	10	281.9	287.1	241.4	434	353	81	254.0	269.4	203.3
DIABETES MELLITUS (250)	8	7	1	22.1	21.8	24.1	15	10	5	8.8	7.6	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	113	110	3	312.3	343.3	72.4	634	530	104	371.1	404.5	261.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	2	2	2.3	1.5	5.0
CEREBROVASCULAR DISEASES (430-438)	21	21	0	58.0	65.5	-	88	69	19	51.5	52.7	47.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	12	11	1	7.0	8.4	2.5
PNEUMONIA AND INFLUENZA (480-487)	16	14	2	44.2	43.7	48.3	55	49	6	32.2	37.4	15.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	18	17	1	49.7	53.0	24.1	69	65	4	40.4	49.6	10.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	8.3	9.4	-	35	33	2	20.5	25.2	5.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	9	2	30.4	28.1	48.3	21	16	5	12.3	12.2	12.6
INFECTIONS OF KIDNEY (590)	1	1	0	2.8	3.1	-	2	1	1	1.2	0.8	2.5
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	4	0	11.0	12.5	-	5	4	1	2.9	3.0	2.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	12	4	8	4.3	2.0	10.0
ACCIDENTS (800-949)	24	24	0	66.3	74.9	-	60	45	15	35.1	34.3	37.6
MOTOR VEHICLE ACCIDENTS# (810-825)	12	12	0	33.2	37.4	-	30	22	8	17.6	16.8	20.1
SUICIDE (950-959)	16	16	0	44.2	49.9	-	35	31	4	20.5	23.7	10.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	5	1	16.6	15.6	24.1	15	5	10	8.8	3.8	25.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	2.8	3.1	-	8	4	4	4.7	3.0	10.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	0	2	0.8	-	1.4	0	0	0	-	-	-
HIV INFECTION (042-044)	48	7	41	19.0	6.0	29.9	1	0	1	4.8	-	6.2
MALIGNANT NEOPLASMS (140-208)	556	301	255	219.7	259.8	185.8	41	11	30	197.4	236.4	186.1
DIABETES MELLITUS (250)	46	13	33	18.2	11.2	24.0	5	4	1	24.1	85.9	6.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	773	413	360	305.4	356.5	262.3	88	20	68	423.7	429.7	421.9
HYPERTENSION (401, 403)	12	3	9	4.7	2.6	6.6	2	0	2	9.6	-	12.4
CEREBROVASCULAR DISEASES (430-438)	165	94	71	65.2	81.1	51.7	17	4	13	81.8	85.9	80.7
ATHEROSCLEROSIS (440)	7	5	2	2.8	4.3	1.4	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	75	45	30	29.6	38.8	21.8	10	4	6	48.1	85.9	37.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	113	84	29	44.6	72.5	21.1	5	2	3	24.1	43.0	18.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	17	15	2	6.7	12.9	1.4	3	0	3	14.4	-	18.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	23	11	12	9.1	9.5	8.7	6	2	4	28.9	43.0	24.8
INFECTIONS OF KIDNEY (590)	1	1	0	0.4	0.9	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	1	0	24.6	88.9	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	11	5	6	4.3	4.3	4.4	2	1	1	9.6	21.5	6.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	13	1	12	3.2	0.9	4.1	2	0	2	5.5	-	6.4
ACCIDENTS (800-949)	113	45	68	44.6	38.8	49.5	22	4	18	105.9	85.9	111.7
MOTOR VEHICLE ACCIDENTS# (810-825)	63	24	39	24.9	20.7	28.4	15	2	13	72.2	43.0	80.7
SUICIDE (950-959)	19	11	8	7.5	9.5	5.8	2	1	1	9.6	21.5	6.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	70	14	56	27.6	12.1	40.8	5	1	4	24.1	21.5	24.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	15	5	10	5.9	4.3	7.3	2	0	2	9.6	-	12.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	14	18	279.4	402.9	225.6	4	2	2	221.6	259.4	193.4
DIABETES MELLITUS (250)	3	0	3	26.2	-	37.6	1	0	1	55.4	-	96.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	51	18	33	445.3	518.0	413.6	5	1	4	277.0	129.7	386.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	6	6	104.8	172.7	75.2	5	3	2	277.0	389.1	193.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	3	5	69.8	86.3	62.7	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	8.7	-	12.5	1	1	0	55.4	129.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.7	-	12.5	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.7	28.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.6	-	7.0	0	0	0	-	-	-
ACCIDENTS (800-949)	8	0	8	69.8	-	100.3	1	0	1	55.4	-	96.7
MOTOR VEHICLE ACCIDENTS# (810-825)	5	0	5	43.6	-	62.7	0	0	0	-	-	-
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	43.6	28.8	50.1	1	0	1	55.4	-	96.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	17.5	-	25.1	1	1	0	55.4	129.7	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	10	6	4	7.5	5.8	13.3
MALIGNANT NEOPLASMS (140-208)	39	39	0	197.0	211.8	-	238	198	40	178.8	192.0	133.4
DIABETES MELLITUS (250)	3	2	1	15.2	10.9	72.4	23	17	6	17.3	16.5	20.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	100	93	7	505.1	505.0	506.5	298	241	57	223.8	233.6	190.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	0.8	-	3.3
CEREBROVASCULAR DISEASES (430-438)	20	19	1	101.0	103.2	72.4	52	41	11	39.0	39.8	36.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	8	7	1	6.0	6.8	3.3
PNEUMONIA AND INFLUENZA (480-487)	11	11	0	55.6	59.7	-	23	19	4	17.3	18.4	13.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	18	17	1	90.9	92.3	72.4	43	39	4	32.3	37.8	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	10.1	10.9	-	19	17	2	14.3	16.5	6.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	10.1	10.9	-	13	9	4	9.8	8.7	13.3
INFECTIONS OF KIDNEY (590)	1	1	0	5.0	5.4	-	2	2	0	1.5	1.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	13	10	3	9.8	9.7	10.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.8	4.4	-	9	4	5	5.1	3.2	9.4
ACCIDENTS (800-949)	12	12	0	60.6	65.2	-	61	55	6	45.8	53.3	20.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	7	0	35.4	38.0	-	31	29	2	23.3	28.1	6.7
SUICIDE (950-959)	2	2	0	10.1	10.9	-	16	15	1	12.0	14.5	3.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	10.1	10.9	-	12	6	6	9.0	5.8	20.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	10.1	10.9	-	9	9	0	6.8	8.7	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	11.6	12.2	11.0	2	1	1	24.1	95.3	13.8
MALIGNANT NEOPLASMS (140-208)	36	22	14	208.9	269.4	154.4	23	3	20	277.3	286.0	276.0
DIABETES MELLITUS (250)	2	0	2	11.6	-	22.0	5	0	5	60.3	-	69.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	75	41	34	435.2	502.0	374.9	33	7	26	397.8	667.3	358.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	12.0	-	13.8
CEREBROVASCULAR DISEASES (430-438)	10	3	7	58.0	36.7	77.2	3	1	2	36.2	95.3	27.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	5	5	58.0	61.2	55.1	4	3	1	48.2	286.0	13.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	29.0	49.0	11.0	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.8	12.2	-	2	0	2	24.1	-	27.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	11.6	24.5	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	5.8	-	11.0	1	0	1	12.0	-	13.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	14	10	4	81.2	122.4	44.1	8	1	7	96.4	95.3	96.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	34.8	49.0	22.0	5	0	5	60.3	-	69.0
SUICIDE (950-959)	2	1	1	11.6	12.2	11.0	1	0	1	12.0	-	13.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	17.4	12.2	22.0	2	0	2	24.1	-	27.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	24.1	95.3	13.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	3.2	-	12.1
MALIGNANT NEOPLASMS (140-208)	33	22	11	244.0	388.2	139.9	139	118	21	223.3	257.8	127.4
DIABETES MELLITUS (250)	1	0	1	7.4	-	12.7	12	4	8	19.3	8.7	48.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	41	36	569.2	723.5	458.0	247	193	54	396.8	421.6	327.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	3	1	6.4	6.6	6.1
CEREBROVASCULAR DISEASES (430-438)	10	3	7	73.9	52.9	89.0	42	34	8	67.5	74.3	48.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	3.2	2.2	6.1
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	73.9	141.2	25.4	54	46	8	86.7	100.5	48.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	44.4	70.6	25.4	27	25	2	43.4	54.6	12.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	7	5	2	11.2	10.9	12.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	14.8	-	25.4	17	13	4	27.3	28.4	24.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	7.4	17.6	-	5	3	2	8.0	6.6	12.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	16.0	-	23.8	4	2	2	4.1	3.3	5.7
ACCIDENTS (800-949)	12	2	10	88.7	35.3	127.2	34	28	6	54.6	61.2	36.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	1	6	51.7	17.6	76.3	17	13	4	27.3	28.4	24.3
SUICIDE (950-959)	2	2	0	14.8	35.3	-	14	11	3	22.5	24.0	18.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	29.6	35.3	25.4	10	5	5	16.1	10.9	30.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	7.4	17.6	-	4	3	1	6.4	6.6	6.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.9	-	10.6
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	18	9	9	170.6	210.1	143.5	69	43	26	200.6	172.5	274.8
DIABETES MELLITUS (250)	2	1	1	19.0	23.3	15.9	5	4	1	14.5	16.0	10.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	33	17	16	312.7	396.8	255.2	80	64	16	232.6	256.8	169.1
HYPERTENSION (401, 403)	2	0	2	19.0	-	31.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	6	5	104.2	140.0	79.7	19	16	3	55.2	64.2	31.7
ATHEROSCLEROSIS (440)	1	1	0	9.5	23.3	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	47.4	70.0	31.9	9	8	1	26.2	32.1	10.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	20	17	3	58.2	68.2	31.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	19.0	23.3	15.9	5	4	1	14.5	16.0	10.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	37.9	23.3	47.8	8	4	4	23.3	16.0	42.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	2	1	8.7	8.0	10.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	17.1	-	22.5	1	1	0	2.3	3.8	-
ACCIDENTS (800-949)	10	2	8	94.8	46.7	127.6	18	10	8	52.3	40.1	84.6
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	66.3	46.7	79.7	8	3	5	23.3	12.0	52.8
SUICIDE (950-959)	1	0	1	9.5	-	15.9	2	2	0	5.8	8.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	19.0	46.7	-	2	1	1	5.8	4.0	10.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	4	1	14.5	16.0	10.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	3.2	3.6	-	7	2	5	9.2	4.1	17.8
MALIGNANT NEOPLASMS (140-208)	51	46	5	162.1	168.0	122.4	155	103	52	202.7	213.1	184.8
DIABETES MELLITUS (250)	3	3	0	9.5	11.0	-	10	6	4	13.1	12.4	14.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	95	85	10	302.0	310.5	244.8	286	200	86	374.0	413.8	305.6
HYPERTENSION (401, 403)	3	2	1	9.5	7.3	24.5	1	1	0	1.3	2.1	-
CEREBROVASCULAR DISEASES (430-438)	16	14	2	50.9	51.1	49.0	46	33	13	60.2	68.3	46.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	4	0	5.2	8.3	-
PNEUMONIA AND INFLUENZA (480-487)	11	11	0	35.0	40.2	-	38	25	13	49.7	51.7	46.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	28.6	29.2	24.5	35	28	7	45.8	57.9	24.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.2	3.6	-	10	7	3	13.1	14.5	10.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	0	19.1	21.9	-	8	3	5	10.5	6.2	17.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	2.6	4.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.4	-	19.6	10	3	7	8.8	4.9	13.4
ACCIDENTS (800-949)	7	5	2	22.2	18.3	49.0	33	23	10	43.2	47.6	35.5
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	9.5	7.3	24.5	12	8	4	15.7	16.6	14.2
SUICIDE (950-959)	6	5	1	19.1	18.3	24.5	13	10	3	17.0	20.7	10.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.2	3.6	-	10	4	6	13.1	8.3	21.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	12.7	11.0	24.5	3	2	1	3.9	4.1	3.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	8.2	12.6	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	27	18	9	222.4	226.8	213.9	56	35	21	301.4	320.9	273.8
DIABETES MELLITUS (250)	4	2	2	32.9	25.2	47.5	5	3	2	26.9	27.5	26.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	39	28	11	321.2	352.8	261.5	108	78	30	581.3	715.1	391.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	1	3	21.5	9.2	39.1
CEREBROVASCULAR DISEASES (430-438)	7	4	3	57.6	50.4	71.3	20	14	6	107.6	128.4	78.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	24.7	25.2	23.8	10	5	5	53.8	45.8	65.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	41.2	63.0	-	8	6	2	43.1	55.0	26.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	8.2	12.6	-	3	2	1	16.1	18.3	13.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	32.9	25.2	47.5	4	2	2	21.5	18.3	26.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	3.0	6.1	-
ACCIDENTS (800-949)	9	4	5	74.1	50.4	118.8	16	9	7	86.1	82.5	91.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	4	49.4	25.2	95.1	10	6	4	53.8	55.0	52.1
SUICIDE (950-959)	0	0	0	-	-	-	2	1	1	10.8	9.2	13.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	16.5	25.2	-	3	2	1	16.1	18.3	13.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	10.8	9.2	13.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	2.7	3.5	-	1	0	1	2.7	-	4.2
MALIGNANT NEOPLASMS (140-208)	137	108	29	185.8	189.1	174.5	95	37	58	257.0	274.7	246.8
DIABETES MELLITUS (250)	8	6	2	10.8	10.5	12.0	5	1	4	13.5	7.4	17.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	279	208	71	378.4	364.1	427.2	176	84	92	476.1	623.6	391.5
HYPERTENSION (401, 403)	3	2	1	4.1	3.5	6.0	2	1	1	5.4	7.4	4.2
CEREBROVASCULAR DISEASES (430-438)	52	37	15	70.5	64.8	90.3	23	5	18	62.2	37.1	76.6
ATHEROSCLEROSIS (440)	2	2	0	2.7	3.5	-	1	1	0	2.7	7.4	-
PNEUMONIA AND INFLUENZA (480-487)	32	27	5	43.4	47.3	30.1	13	8	5	35.2	59.4	21.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	26	25	1	35.2	43.8	6.0	15	8	7	40.6	59.4	29.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	6	1	9.5	10.5	6.0	4	4	0	10.8	29.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	4	3	9.5	7.0	18.0	4	2	2	10.8	14.8	8.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	1	3	5.4	1.8	18.0	1	0	1	2.7	-	4.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	10	2	8	8.7	2.6	21.1	4	1	3	6.0	7.0	5.7
ACCIDENTS (800-949)	37	29	8	50.2	50.8	48.1	19	6	13	51.4	44.5	55.3
MOTOR VEHICLE ACCIDENTS# (810-825)	17	13	4	23.0	22.8	24.1	7	1	6	18.9	7.4	25.5
SUICIDE (950-959)	5	4	1	6.8	7.0	6.0	4	2	2	10.8	14.8	8.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4	3	9.5	7.0	18.0	10	1	9	27.0	7.4	38.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	5	3	10.8	8.8	18.0	3	1	2	8.1	7.4	8.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.6	-	4.2
HIV INFECTION (042-044)	0	0	0	-	-	-	2	1	1	3.2	2.7	4.2
MALIGNANT NEOPLASMS (140-208)	61	45	16	191.2	204.2	162.1	113	69	44	183.8	183.6	184.2
DIABETES MELLITUS (250)	23	15	8	72.1	68.0	81.0	7	3	4	11.4	8.0	16.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	113	85	28	354.1	385.6	283.7	212	126	86	344.8	335.2	360.0
HYPERTENSION (401, 403)	4	4	0	12.5	18.1	-	3	2	1	4.9	5.3	4.2
CEREBROVASCULAR DISEASES (430-438)	26	16	10	81.5	72.6	101.3	36	22	14	58.6	58.5	58.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	1.6	2.7	-
PNEUMONIA AND INFLUENZA (480-487)	22	18	4	68.9	81.7	40.5	12	9	3	19.5	23.9	12.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	16	1	53.3	72.6	10.1	13	12	1	21.1	31.9	4.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	9	4	5	14.6	10.6	20.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	12.5	13.6	10.1	7	4	3	11.4	10.6	12.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	2	2	12.5	9.1	20.3	1	0	1	1.6	-	4.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	6.6	3.4	12.6	9	4	5	8.6	8.0	9.3
ACCIDENTS (800-949)	13	7	6	40.7	31.8	60.8	40	21	19	65.1	55.9	79.5
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	18.8	22.7	10.1	23	11	12	37.4	29.3	50.2
SUICIDE (950-959)	4	3	1	12.5	13.6	10.1	5	4	1	8.1	10.6	4.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	3.1	-	10.1	5	2	3	8.1	5.3	12.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	65	45	20	105.7	119.7	83.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.5	-	3.5	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	2.9	-	7.1	1	1	0	4.0	5.9	8
MALIGNANT NEOPLASMS (140-208)	86	50	36	126.1	125.3	127.3	60	43	17	240.6	252.6	214.8
DIABETES MELLITUS (250)	15	6	9	22.0	15.0	31.8	6	4	2	24.1	23.5	25.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	151	87	64	221.5	218.1	226.3	114	76	38	457.1	446.4	480.1
HYPERTENSION (401, 403)	3	1	2	4.4	2.5	7.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	33	22	11	48.4	55.1	38.9	38	25	13	152.4	146.9	164.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	4.0	-	12.6
PNEUMONIA AND INFLUENZA (480-487)	20	13	7	29.3	32.6	24.8	13	9	4	52.1	52.9	50.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	11	3	20.5	27.6	10.6	15	13	2	60.1	76.4	25.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4.4	5.0	3.5	4	3	1	16.0	17.6	12.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	5	3	11.7	12.5	10.6	6	4	2	24.1	23.5	25.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	2	2	5.9	5.0	7.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	3	2	4.4	4.9	3.7	1	1	0	2.5	4.2	-
ACCIDENTS (800-949)	39	24	15	57.2	60.2	53.0	12	9	3	48.1	52.9	37.9
MOTOR VEHICLE ACCIDENTS# (810-825)	16	8	8	23.5	20.0	28.3	6	5	1	24.1	29.4	12.6
SUICIDE (950-959)	4	4	0	5.9	10.0	-	3	3	0	12.0	17.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	14	3	11	20.5	7.5	38.9	4	0	4	16.0	-	50.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	2	3	7.3	5.0	10.6	1	1	0	4.0	5.9	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.1	-	6.0	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	3.1	6.3	-	1	1	0	2.7	4.0	-
MALIGNANT NEOPLASMS (140-208)	71	37	34	219.0	234.0	204.8	71	48	23	194.4	192.5	198.7
DIABETES MELLITUS (250)	5	1	4	15.4	6.3	24.1	7	5	2	19.2	20.0	17.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	96	47	49	296.2	297.2	295.2	134	99	35	367.0	397.0	302.3
HYPERTENSION (401, 403)	16	4	12	49.4	25.3	72.3	3	3	0	8.2	12.0	-
CEREBROVASCULAR DISEASES (430-438)	24	11	13	74.0	69.6	78.3	24	17	7	65.7	68.2	60.5
ATHEROSCLEROSIS (440)	3	2	1	9.2	12.6	6.0	1	0	1	2.7	-	8.6
PNEUMONIA AND INFLUENZA (480-487)	5	2	3	15.4	12.6	18.1	21	17	4	57.5	68.2	34.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	15	1	49.4	94.8	6.0	19	15	4	52.0	60.2	34.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	6.2	-	12.0	4	4	0	11.0	16.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	2	6	24.7	12.6	36.1	9	3	6	24.6	12.0	51.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	2	0	5.5	8.0	-
MATERNAL CAUSES (630-676)	1	1	0	189.0	446.4	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	5.7	4.5	6.6	3	2	1	6.6	6.8	6.1
ACCIDENTS (800-949)	26	17	9	80.2	107.5	54.2	19	14	5	52.0	56.1	43.2
MOTOR VEHICLE ACCIDENTS# (810-825)	17	12	5	52.4	75.9	30.1	8	5	3	21.9	20.0	25.9
SUICIDE (950-959)	5	5	0	15.4	31.6	-	5	4	1	13.7	16.0	8.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.1	6.3	-	2	2	0	5.5	8.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	9.2	12.6	6.0	4	4	0	11.0	16.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	8.4	15.8	-	1	0	1	3.7	-	11.4
MALIGNANT NEOPLASMS (140-208)	34	21	13	286.1	332.5	233.6	55	41	14	204.2	225.5	160.0
DIABETES MELLITUS (250)	6	3	3	50.5	47.5	53.9	5	3	2	18.6	16.5	22.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	43	28	597.5	680.8	503.0	110	92	18	408.4	506.0	205.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	21	12	9	176.7	190.0	161.7	25	22	3	92.8	121.0	34.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	3	4	58.9	47.5	71.9	8	7	1	29.7	38.5	11.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	58.9	79.2	35.9	4	4	0	14.8	22.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	11	2	9	40.8	11.0	102.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	33.7	31.7	35.9	4	2	2	14.8	11.0	22.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	236.4	-	526.3
CONGENITAL ANOMALIES (740-759)	2	0	2	16.8	-	35.9	2	2	0	7.4	11.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.8	12.0	9.8	2	1	1	4.7	4.3	5.3
ACCIDENTS (800-949)	14	6	8	117.8	95.0	143.7	16	9	7	59.4	49.5	80.0
MOTOR VEHICLE ACCIDENTS# (810-825)	11	5	6	92.6	79.2	107.8	9	7	2	33.4	38.5	22.8
SUICIDE (950-959)	3	3	0	25.2	47.5	-	4	4	0	14.8	22.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	25.2	-	53.9	3	3	0	11.1	16.5	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	16.8	31.7	-	12	7	5	44.6	38.5	57.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	8.2	-	11.2
HIV INFECTION (042-044)	1	0	1	4.6	-	13.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	49	38	11	226.5	263.3	152.9	36	15	21	296.7	463.0	236.1
DIABETES MELLITUS (250)	7	2	5	32.4	13.8	69.5	5	1	4	41.2	30.9	45.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	61	27	406.8	422.6	375.2	44	19	25	362.6	586.4	281.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	8.2	30.9	-
CEREBROVASCULAR DISEASES (430-438)	14	13	1	64.7	90.1	13.9	11	1	10	90.6	30.9	112.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	8.2	-	11.2
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	23.1	34.6	-	3	2	1	24.7	61.7	11.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	6	4	46.2	41.6	55.6	3	2	1	24.7	61.7	11.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	9.2	6.9	13.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	23.1	13.8	41.7	3	1	2	24.7	30.9	22.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	9.2	-	27.8	1	0	1	8.2	-	11.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	9.5	5.6	14.3	4	0	4	17.0	-	21.8
ACCIDENTS (800-949)	24	14	10	111.0	97.0	139.0	4	2	2	33.0	61.7	22.5
MOTOR VEHICLE ACCIDENTS# (810-825)	16	8	8	74.0	55.4	111.2	3	2	1	24.7	61.7	11.2
SUICIDE (950-959)	5	2	3	23.1	13.8	41.7	1	1	0	8.2	30.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.6	-	13.9	1	0	1	8.2	-	11.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	9.2	6.9	13.9	2	0	2	16.5	-	22.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	3.0	5.7	-
MALIGNANT NEOPLASMS (140-208)	48	30	18	123.1	124.9	120.2	66	37	29	195.6	210.9	179.1
DIABETES MELLITUS (250)	6	3	3	15.4	12.5	20.0	5	3	2	14.8	17.1	12.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	105	62	43	269.3	258.2	287.1	115	77	38	340.9	438.8	234.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	8.9	5.7	12.4
CEREBROVASCULAR DISEASES (430-438)	14	8	6	35.9	33.3	40.0	31	21	10	91.9	119.7	61.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.0	5.7	-
PNEUMONIA AND INFLUENZA (480-487)	11	8	3	28.2	33.3	20.0	13	7	6	38.5	39.9	37.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	3	5	20.5	12.5	33.4	25	22	3	74.1	125.4	18.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	5.1	8.3	-	6	4	2	17.8	22.8	12.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	5.1	4.2	6.7	3	2	1	8.9	11.4	6.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	182.5	485.4	-
CONGENITAL ANOMALIES (740-759)	3	1	2	7.7	4.2	13.4	3	2	1	8.9	11.4	6.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.7	-	6.8	2	1	1	3.6	4.8	2.9
ACCIDENTS (800-949)	21	9	12	53.8	37.5	80.1	22	10	12	65.2	57.0	74.1
MOTOR VEHICLE ACCIDENTS# (810-825)	13	8	5	33.3	33.3	33.4	16	8	8	47.4	45.6	49.4
SUICIDE (950-959)	6	5	1	15.4	20.8	6.7	7	7	0	20.7	39.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	2.6	-	6.7	3	2	1	8.9	11.4	6.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	5.1	4.2	6.7	4	1	3	11.8	5.7	18.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	0	4	9.6	-	60.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	87	79	8	207.8	224.4	120.0	22	15	7	194.3	174.1	258.7
DIABETES MELLITUS (250)	19	15	4	45.4	42.6	60.0	3	3	0	26.5	34.8	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	139	122	17	332.0	346.6	254.9	36	26	10	318.0	301.8	369.5
HYPERTENSION (401, 403)	2	2	0	4.8	5.7	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	31	22	9	74.0	62.5	135.0	12	11	1	106.0	127.7	37.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	14	12	2	33.4	34.1	30.0	4	4	0	35.3	46.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	20	18	2	47.8	51.1	30.0	4	3	1	35.3	34.8	37.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	8	1	21.5	22.7	15.0	3	2	1	26.5	23.2	37.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	4.8	5.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.6	-	10.1	0	0	0	-	-	-
ACCIDENTS (800-949)	33	32	1	78.8	90.9	15.0	4	2	2	35.3	23.2	73.9
MOTOR VEHICLE ACCIDENTS# (810-825)	21	20	1	50.2	56.8	15.0	4	2	2	35.3	23.2	73.9
SUICIDE (950-959)	7	6	1	16.7	17.0	15.0	2	1	1	17.7	11.6	37.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	1	0	8.8	11.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	5	2	16.7	14.2	30.0	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	2.7	5.1	-	1	0	1	4.0	-	24.7
MALIGNANT NEOPLASMS (140-208)	102	55	47	273.3	281.1	264.7	59	54	5	235.8	257.5	123.5
DIABETES MELLITUS (250)	26	15	11	69.7	76.7	62.0	2	2	0	8.0	9.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	165	109	56	442.1	557.1	315.4	70	62	8	279.8	295.6	197.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	4.0	4.8	-
CEREBROVASCULAR DISEASES (430-438)	30	18	12	80.4	92.0	67.6	21	18	3	83.9	85.8	74.1
ATHEROSCLEROSIS (440)	1	1	0	2.7	5.1	-	2	2	0	8.0	9.5	-
PNEUMONIA AND INFLUENZA (480-487)	21	14	7	56.3	71.6	39.4	9	9	0	36.0	42.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	29	13	16	77.7	66.4	90.1	6	6	0	24.0	28.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	10.7	15.3	5.6	3	3	0	12.0	14.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	16.1	20.4	11.3	3	2	1	12.0	9.5	24.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.4	5.1	5.6	2	2	0	8.0	9.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.4	-	6.1	0	0	0	-	-	-
ACCIDENTS (800-949)	36	17	19	96.5	86.9	107.0	15	12	3	60.0	57.2	74.1
MOTOR VEHICLE ACCIDENTS# (810-825)	17	11	6	45.6	56.2	33.8	5	4	1	20.0	19.1	24.7
SUICIDE (950-959)	4	3	1	10.7	15.3	5.6	3	2	1	12.0	9.5	24.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	10.7	-	22.5	3	3	0	12.0	14.3	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	5.4	5.1	5.6	3	1	2	12.0	4.8	49.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	45	40	5	191.0	194.2	168.5	23	12	11	242.9	367.5	177.3
DIABETES MELLITUS (250)	4	4	0	17.0	19.4	-	3	1	2	31.7	30.6	32.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	71	9	339.5	344.8	303.2	40	21	19	422.4	643.2	306.2
HYPERTENSION (401, 403)	1	1	0	4.2	4.8	-	2	0	2	21.1	-	32.2
CEREBROVASCULAR DISEASES (430-438)	14	12	2	59.4	58.3	67.4	10	5	5	105.6	153.1	80.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	11	9	2	46.7	43.7	67.4	5	3	2	52.8	91.9	32.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	18	1	80.6	87.4	33.7	5	4	1	52.8	122.5	16.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.2	4.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	12.7	14.6	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.2	4.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	6.2	7.3	-	0	0	0	-	-	-
ACCIDENTS (800-949)	17	17	0	72.2	82.6	-	5	3	2	52.8	91.9	32.2
MOTOR VEHICLE ACCIDENTS# (810-825)	13	13	0	55.2	63.1	-	3	1	2	31.7	30.6	32.2
SUICIDE (950-959)	2	2	0	8.5	9.7	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	17.0	14.6	33.7	2	0	2	21.1	-	32.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	12.7	14.6	-	2	0	2	21.1	-	32.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.0	1.2	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	1.9	1.2	5.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	162	140	22	157.0	165.7	117.6	59	37	22	243.0	253.2	227.7
DIABETES MELLITUS (250)	11	6	5	10.7	7.1	26.7	4	3	1	16.5	20.5	10.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	297	236	61	287.8	279.4	326.1	97	64	33	399.6	438.0	341.5
HYPERTENSION (401, 403)	3	1	2	2.9	1.2	10.7	1	0	1	4.1	-	10.3
CEREBROVASCULAR DISEASES (430-438)	38	25	13	36.8	29.6	69.5	11	7	4	45.3	47.9	41.4
ATHEROSCLEROSIS (440)	3	3	0	2.9	3.6	-	2	2	0	8.2	13.7	-
PNEUMONIA AND INFLUENZA (480-487)	23	19	4	22.3	22.5	21.4	9	8	1	37.1	54.8	10.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	32	32	0	31.0	37.9	-	10	7	3	41.2	47.9	31.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	5	2	6.8	5.9	10.7	2	1	1	8.2	6.8	10.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	6	3	8.7	7.1	16.0	6	3	3	24.7	20.5	31.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	1	1	8.2	6.8	10.3
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	1.9	2.4	-	1	1	0	4.1	6.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	6	1	4.6	4.8	3.4	0	0	0	-	-	-
ACCIDENTS (800-949)	53	45	8	51.4	53.3	42.8	19	12	7	78.3	82.1	72.4
MOTOR VEHICLE ACCIDENTS# (810-825)	30	25	5	29.1	29.6	26.7	10	4	6	41.2	27.4	62.1
SUICIDE (950-959)	14	13	1	13.6	15.4	5.3	5	5	0	20.6	34.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	8	0	7.8	9.5	-	7	0	7	28.8	-	72.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	2.9	1.2	10.7	2	1	1	8.2	6.8	10.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	29.1	-	40.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	14	4	10	203.6	203.4	203.7	56	40	16	234.0	252.8	197.2
DIABETES MELLITUS (250)	4	4	0	58.2	-	81.5	2	2	0	8.4	12.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	21	7	14	305.4	355.9	285.2	92	77	15	384.4	486.6	184.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	5	2	3	20.9	12.6	37.0
CEREBROVASCULAR DISEASES (430-438)	9	4	5	130.9	203.4	101.9	19	15	4	79.4	94.8	49.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	14	11	3	58.5	69.5	37.0
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	29.1	50.8	20.4	12	11	1	50.1	69.5	12.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	58.2	101.7	40.8	17	14	3	71.0	88.5	37.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	3	1	16.7	19.0	12.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	14.5	-	20.4	4	2	2	16.7	12.6	24.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	3	0	12.5	19.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	5	2	3	72.7	101.7	61.1	26	14	12	108.6	88.5	147.9
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	58.2	101.7	40.8	17	8	9	71.0	50.6	110.9
SUICIDE (950-959)	2	2	0	29.1	101.7	-	1	1	0	4.2	6.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	29.1	-	40.8	4	1	3	16.7	6.3	37.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	4.2	-	12.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1997**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	6.8	-	29.1	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	8.1	-	35.2
MALIGNANT NEOPLASMS (140-208)	30	26	4	202.5	228.5	116.5	26	21	5	211.1	221.5	176.1
DIABETES MELLITUS (250)	2	1	1	13.5	8.8	29.1	2	2	0	16.2	21.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	47	7	364.5	413.0	203.8	48	36	12	389.7	379.8	422.7
HYPERTENSION (401, 403)	2	2	0	13.5	17.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	7	4	74.2	61.5	116.5	6	4	2	48.7	42.2	70.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	8.1	10.6	-
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	54.0	61.5	29.1	7	7	0	56.8	73.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	33.8	43.9	-	11	10	1	89.3	105.5	35.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.8	8.8	-	2	2	0	16.2	21.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	27.0	26.4	29.1	8	7	1	64.9	73.8	35.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	1	1	16.2	10.6	35.2
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	20.2	17.6	29.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	5.3	7.5	-	1	1	0	4.8	6.1	-
ACCIDENTS (800-949)	10	6	4	67.5	52.7	116.5	15	10	5	121.8	105.5	176.1
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	47.2	35.2	87.4	11	7	4	89.3	73.8	140.9
SUICIDE (950-959)	2	1	1	13.5	8.8	29.1	1	0	1	8.1	-	35.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	1	1	16.2	10.6	35.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	6.8	-	29.1	1	0	1	8.1	-	35.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	5	0	5	14.1	-	20.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	73	25	48	206.5	218.6	200.8	31	16	15	220.1	317.4	165.8
DIABETES MELLITUS (250)	6	2	4	17.0	17.5	16.7	7	4	3	49.7	79.3	33.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	138	60	78	390.4	524.6	326.2	48	27	21	340.7	535.6	232.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	29	7	22	82.0	61.2	92.0	9	4	5	63.9	79.3	55.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	11	6	5	31.1	52.5	20.9	7	2	5	49.7	39.7	55.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	14.1	26.2	8.4	5	4	1	35.5	79.3	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.8	8.7	-	1	0	1	7.1	-	11.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	0	9	25.5	-	37.6	1	1	0	7.1	19.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	189.0	-	229.9	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	7.1	19.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.8	-	4.6	4	0	4	18.0	-	25.3
ACCIDENTS (800-949)	27	10	17	76.4	87.4	71.1	19	5	14	134.9	99.2	154.8
MOTOR VEHICLE ACCIDENTS# (810-825)	15	7	8	42.4	61.2	33.5	9	3	6	63.9	59.5	66.3
SUICIDE (950-959)	4	3	1	11.3	26.2	4.2	2	1	1	14.2	19.8	11.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	1	8	25.5	8.7	33.5	2	0	2	14.2	-	22.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	3	2	14.1	26.2	8.4	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.5	7.0	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	48	37	11	214.7	258.0	137.3	48	45	3	244.7	277.7	87.9
DIABETES MELLITUS (250)	2	1	1	8.9	7.0	12.5	10	8	2	51.0	49.4	58.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	45	13	259.5	313.8	162.3	103	84	19	525.1	518.4	556.7
HYPERTENSION (401, 403)	4	3	1	17.9	20.9	12.5	1	1	0	5.1	6.2	-
CEREBROVASCULAR DISEASES (430-438)	22	15	7	98.4	104.6	87.4	14	13	1	71.4	80.2	29.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	8	1	40.3	55.8	12.5	15	12	3	76.5	74.1	87.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	11	3	62.6	76.7	37.4	15	14	1	76.5	86.4	29.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	13.4	20.9	-	2	2	0	10.2	12.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.9	13.9	-	1	1	0	5.1	6.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	4.5	-	12.5	3	2	1	15.3	12.3	29.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	11.8	5.0	21.3	2	1	1	6.5	4.2	15.2
ACCIDENTS (800-949)	13	6	7	58.2	41.8	87.4	15	13	2	76.5	80.2	58.6
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	49.2	41.8	62.4	8	7	1	40.8	43.2	29.3
SUICIDE (950-959)	1	1	0	4.5	7.0	-	3	3	0	15.3	18.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	13.4	7.0	25.0	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	54	3	322.6	318.3	427.4	21	9	12	231.7	379.3	179.4
DIABETES MELLITUS (250)	6	5	1	34.0	29.5	142.4	1	0	1	11.0	-	14.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	73	4	435.9	430.3	569.8	33	13	20	364.1	547.8	299.0
HYPERTENSION (401, 403)	1	1	0	5.7	5.9	-	1	0	1	11.0	-	14.9
CEREBROVASCULAR DISEASES (430-438)	16	14	2	90.6	82.5	284.9	11	6	5	121.4	252.8	74.7
ATHEROSCLEROSIS (440)	4	4	0	22.6	23.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	9	1	56.6	53.0	142.4	5	3	2	55.2	126.4	29.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	15	1	90.6	88.4	142.4	4	1	3	44.1	42.1	44.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.7	5.9	-	1	0	1	11.0	-	14.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	17.0	17.7	-	3	0	3	33.1	-	44.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	12	11	1	67.9	64.8	142.4	5	1	4	55.2	42.1	59.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	50.9	53.0	-	4	1	3	44.1	42.1	44.8
SUICIDE (950-959)	5	5	0	28.3	29.5	-	1	1	0	11.0	42.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.3	5.9	142.4	2	1	1	22.1	42.1	14.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.7	5.9	-	1	0	1	11.0	-	14.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	4.3	-	27.2	1	1	0	7.1	12.8	9.9
MALIGNANT NEOPLASMS (140-208)	45	41	4	192.1	207.6	108.7	34	22	12	241.2	281.8	190.9
DIABETES MELLITUS (250)	5	5	0	21.3	25.3	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	67	14	345.7	339.2	380.5	71	40	31	503.8	512.4	493.1
HYPERTENSION (401, 403)	1	1	0	4.3	5.1	-	1	0	1	7.1	-	15.9
CEREBROVASCULAR DISEASES (430-438)	23	21	2	98.2	106.3	54.4	7	3	4	49.7	38.4	63.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	21.3	25.3	-	9	5	4	63.8	64.0	63.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	7	1	34.1	35.4	27.2	8	8	0	56.8	102.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	12.8	15.2	-	1	0	1	7.1	-	15.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.3	5.1	-	3	2	1	21.3	25.6	15.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	8.5	-	54.4	2	0	2	14.2	-	31.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	8	8	0	34.1	40.5	-	11	8	3	78.0	102.5	47.7
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	12.8	15.2	-	6	4	2	42.6	51.2	31.8
SUICIDE (950-959)	3	3	0	12.8	15.2	-	2	2	0	14.2	25.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	7.1	-	15.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	6.1	-	15.1	10	2	8	14.2	7.0	19.1
MALIGNANT NEOPLASMS (140-208)	110	64	46	224.5	219.8	231.5	135	54	81	191.7	189.5	193.3
DIABETES MELLITUS (250)	5	1	4	10.2	3.4	20.1	18	4	14	25.6	14.0	33.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	198	126	72	404.2	432.8	362.3	267	113	154	379.2	396.5	367.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	8	1	7	11.4	3.5	16.7
CEREBROVASCULAR DISEASES (430-438)	41	23	18	83.7	79.0	90.6	59	18	41	83.8	63.2	97.8
ATHEROSCLEROSIS (440)	2	1	1	4.1	3.4	5.0	4	2	2	5.7	7.0	4.8
PNEUMONIA AND INFLUENZA (480-487)	17	13	4	34.7	44.6	20.1	19	3	16	27.0	10.5	38.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	26.5	34.3	15.1	18	12	6	25.6	42.1	14.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	2	2	8.2	6.9	10.1	3	0	3	4.3	-	7.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	3	3	12.2	10.3	15.1	10	4	6	14.2	14.0	14.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	119.2	-	234.2	1	0	1	86.3	-	110.9
CONGENITAL ANOMALIES (740-759)	5	1	4	10.2	3.4	20.1	7	3	4	9.9	10.5	9.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	6.0	-	11.7	5	2	3	4.3	7.8	3.3
ACCIDENTS (800-949)	15	8	7	30.6	27.5	35.2	40	13	27	56.8	45.6	64.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	14.3	13.7	15.1	26	8	18	36.9	28.1	42.9
SUICIDE (950-959)	8	7	1	16.3	24.0	5.0	6	2	4	8.5	7.0	9.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	10.2	3.4	20.1	21	3	18	29.8	10.5	42.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	8.2	6.9	10.1	18	2	16	25.6	7.0	38.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	39	31	8	201.4	256.0	110.2	25	22	3	239.6	275.1	123.1
DIABETES MELLITUS (250)	1	0	1	5.2	-	13.8	3	3	0	28.8	37.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	84	53	31	433.7	437.7	427.0	58	49	9	555.9	612.7	369.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	5	3	41.3	41.3	41.3	7	5	2	67.1	62.5	82.1
ATHEROSCLEROSIS (440)	2	2	0	10.3	16.5	-	2	1	1	19.2	12.5	41.0
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	31.0	41.3	13.8	4	3	1	38.3	37.5	41.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	51.6	74.3	13.8	8	7	1	76.7	87.5	41.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	9.6	12.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	3	1	2	28.8	12.5	82.1
INFECTIONS OF KIDNEY (590)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	319.5	-	606.1	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.2	-	6.1	0	0	0	-	-	-
ACCIDENTS (800-949)	13	7	6	67.1	57.8	82.6	7	6	1	67.1	75.0	41.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	36.1	33.0	41.3	3	2	1	28.8	25.0	41.0
SUICIDE (950-959)	0	0	0	-	-	-	1	1	0	9.6	12.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	15.5	8.2	27.6	1	0	1	9.6	-	41.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	10.3	8.2	13.8	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	11.1	-	15.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	15	10	276.5	604.8	152.4	44	29	15	224.5	266.6	172.0
DIABETES MELLITUS (250)	4	1	3	44.2	40.3	45.7	5	3	2	25.5	27.6	22.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	14	31	497.7	564.5	472.5	82	60	22	418.5	551.6	252.4
HYPERTENSION (401, 403)	2	0	2	22.1	-	30.5	1	0	1	5.1	-	11.5
CEREBROVASCULAR DISEASES (430-438)	10	4	6	110.6	161.3	91.4	19	13	6	97.0	119.5	68.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	2	3	55.3	80.6	45.7	9	8	1	45.9	73.6	11.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	44.2	80.6	30.5	6	5	1	30.6	46.0	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	22.1	80.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	11.1	-	15.2	3	2	1	15.3	18.4	11.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	909.1	-	1,162.8	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	4	1	3	44.2	40.3	45.7	12	7	5	61.2	64.4	57.4
MOTOR VEHICLE ACCIDENTS# (810-825)	3	1	2	33.2	40.3	30.5	7	4	3	35.7	36.8	34.4
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	11.1	40.3	-	3	3	0	15.3	27.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	5.1	-	11.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1997

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	4	1	3	15.9	8.9	21.6
MALIGNANT NEOPLASMS (140-208)	36	26	10	298.8	357.4	209.5	76	44	32	302.4	391.4	230.3
DIABETES MELLITUS (250)	2	0	2	16.6	-	41.9	13	4	9	51.7	35.6	64.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	37	26	11	307.1	357.4	230.4	108	52	56	429.7	462.6	403.0
HYPERTENSION (401, 403)	1	0	1	8.3	-	20.9	7	2	5	27.8	17.8	36.0
CEREBROVASCULAR DISEASES (430-438)	17	13	4	141.1	178.7	83.8	22	13	9	87.5	115.6	64.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	16.6	27.5	-	9	4	5	35.8	35.6	36.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	41.5	68.7	-	7	7	0	27.8	62.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	3	0	11.9	26.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	24.9	27.5	20.9	7	1	6	27.8	8.9	43.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	4.0	-	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	4.4	-	6.5
ACCIDENTS (800-949)	13	3	10	107.9	41.2	209.5	28	14	14	111.4	124.6	100.8
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	58.1	27.5	104.7	13	7	6	51.7	62.3	43.2
SUICIDE (950-959)	3	2	1	24.9	27.5	20.9	3	1	2	11.9	8.9	14.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	8.3	-	20.9	5	0	5	19.9	-	36.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	8.3	-	20.9	1	0	1	4.0	-	7.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	13	4	9	0.5	0.2	0.9
HIV INFECTION (042-044)	155	46	109	5.8	2.7	10.9
MALIGNANT NEOPLASMS (140-208)	5,815	3,920	1,895	215.9	231.6	189.4
DIABETES MELLITUS (250)	564	294	270	20.9	17.4	27.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,674	6,468	3,206	359.2	382.1	320.5
HYPERTENSION (401, 403)	180	93	87	6.7	5.5	8.7
CEREBROVASCULAR DISEASES (430-438)	1,848	1,194	654	68.6	70.5	65.4
ATHEROSCLEROSIS (440)	102	80	22	3.8	4.7	2.2
PNEUMONIA AND INFLUENZA (480-487)	1,030	746	284	38.2	44.1	28.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,099	916	183	40.8	54.1	18.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	255	192	63	9.5	11.3	6.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	417	243	174	15.5	14.4	17.4
INFECTIONS OF KIDNEY (590)	22	15	7	0.8	0.9	0.7
MATERNAL CAUSES (630-676)	11	4	7	26.5	18.2	35.9
CONGENITAL ANOMALIES (740-759)	145	83	62	5.4	4.9	6.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	183	56	127	4.4	2.5	6.5
ACCIDENTS (800-949)	1,580	957	623	58.7	56.5	62.3
MOTOR VEHICLE ACCIDENTS# (810-825)	868	520	348	32.2	30.7	34.8
SUICIDE (950-959)	338	278	60	12.6	16.4	6.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	388	123	265	14.4	7.3	26.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	287	154	133	10.6	9.1	13.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1997,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1997)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1997

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1997,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1997)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1997

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3

* DEATHS PER 1,000 POPULATION.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1997,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1997)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1997

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1997,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1997)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1997

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1997,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1997)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1997

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1997,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1997)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1997

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR
 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1997

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1997

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1997

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.