

(HSWWDTDS)

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,348	1,485	863	9.6	10.0	9.0
HEART DISEASES	729	460	269	298.9	310.2	281.4
MALIGNANT NEOPLASMS	517	346	171	212.0	233.3	178.9
CEREBROVASCULAR DISEASES	192	123	69	78.7	82.9	72.2
ACCIDENTS	154	74	80	63.1	49.9	83.7
EMPHYSEMA AND OTHER COPD	104	87	17	42.6	58.7	17.8
PNEUMONIA AND INFLUENZA	91	60	31	37.3	40.4	32.4
HYPERTENSION	48	32	16	19.7	21.6	16.7
DIABETES MELLITUS	45	19	26	18.4	12.8	27.2
HOMICIDE AND LEGAL INTERVENTION	34	14	20	13.9	9.4	20.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	30	19	11	12.3	12.8	11.5
SUICIDE	27	23	4	11.1	15.5	4.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	17	5	9.0	11.5	5.2
CONGENITAL ANOMALIES	20	15	5	8.2	10.1	5.2
CONDITIONS ORIG IN PERINATAL PERIOD	18	3	15	4.5	1.4	8.1
HIV INFECTION	12	3	9	4.9	2.0	9.4
ATHEROSCLEROSIS	2	2	0	0.8	1.3	0.0
MATERNAL CAUSES	2	2	0	50.0	93.5	0.0
TUBERCULOSIS	1	1	0	0.4	0.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	25	9	16	10.2	6.1	16.7
ALL OTHER	275	176	99	112.8	118.7	103.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,348	1,485	863	1,200	747	453	1,148	738	410
UNDER 1	52	17	35	34	10	24	18	7	11
(NEONATAL)	28	10	18	19	6	13	9	4	5
(POSTNEONATAL)	24	7	17	15	4	11	9	3	6
1-4	12	2	10	8	2	6	4	0	4
5-9	6	2	4	2	0	2	4	2	2
10-14	6	1	5	4	1	3	2	0	2
15-24	53	25	28	36	15	21	17	10	7
25-34	64	26	38	35	13	22	29	13	16
35-44	116	54	62	71	30	41	45	24	21
45-54	161	87	74	101	58	43	60	29	31
55-64	280	182	98	183	125	58	97	57	40
65-74	489	317	172	262	172	90	227	145	82
75-84	604	440	164	305	225	80	299	215	84
85 AND OVER	505	332	173	159	96	63	346	236	110
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	13.0	7.9	18.8
NEONATAL	7.0	4.7	9.7
POSTNEONATAL	6.0	3.3	9.2

1995 POPULATION

TOTAL	243,891
WHITE	148,301
NONWHITE	95,590

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,226	2,627	599	10.4	10.8	9.1
HEART DISEASES	1,117	894	223	361.1	367.3	338.1
MALIGNANT NEOPLASMS	671	544	127	216.9	223.5	192.6
CEREBROVASCULAR DISEASES	239	193	46	77.2	79.3	69.8
ACCIDENTS	195	162	33	63.0	66.6	50.0
EMPHYSEMA AND OTHER COPD	164	154	10	53.0	63.3	15.2
PNEUMONIA AND INFLUENZA	135	119	16	43.6	48.9	24.3
DIABETES MELLITUS	58	45	13	18.7	18.5	19.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	46	32	14	14.9	13.1	21.2
SUICIDE	39	37	2	12.6	15.2	3.0
HYPERTENSION	34	20	14	11.0	8.2	21.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	24	4	9.0	9.9	6.1
HOMICIDE AND LEGAL INTERVENTION	22	16	6	7.1	6.6	9.1
CONGENITAL ANOMALIES	19	12	7	6.1	4.9	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	19	8	11	4.2	2.5	8.7
ATHEROSCLEROSIS	13	12	1	4.2	4.9	1.5
HIV INFECTION	5	3	2	1.6	1.2	3.0
TUBERCULOSIS	2	0	2	0.6	0.0	3.0
INFECTIONS OF KIDNEY	1	1	0	0.3	0.4	0.0
MATERNAL CAUSES	1	1	0	22.4	31.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	31	22	9	10.0	9.0	13.6
ALL OTHER	387	328	59	125.1	134.7	89.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,226	2,627	599	1,677	1,374	303	1,549	1,253	296
UNDER 1	49	24	25	28	14	14	21	10	11
(NEONATAL)	28	14	14	17	9	8	11	5	6
(POSTNEONATAL)	21	10	11	11	5	6	10	5	5
1-4	7	5	2	5	3	2	2	2	0
5-9	1	1	0	0	0	0	1	1	0
10-14	8	5	3	6	4	2	2	1	1
15-24	47	37	10	35	26	9	12	11	1
25-34	76	59	17	45	37	8	31	22	9
35-44	140	88	52	88	59	29	52	29	23
45-54	205	148	57	141	103	38	64	45	19
55-64	363	276	87	220	169	51	143	107	36
65-74	658	550	108	413	358	55	245	192	53
75-84	850	725	125	420	358	62	430	367	63
85 AND OVER	822	709	113	276	243	33	546	466	80
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.0	7.5	19.8	309,366	
NEONATAL	6.3	4.4	11.1	243,417	
POSTNEONATAL	4.7	3.1	8.7	65,949	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,888	1,218	1,670	11.3	12.4	10.6
HEART DISEASES	1,081	488	593	421.7	496.9	375.0
MALIGNANT NEOPLASMS	587	250	337	229.0	254.6	213.1
CEREBROVASCULAR DISEASES	214	79	135	83.5	80.4	85.4
ACCIDENTS	175	59	116	68.3	60.1	73.4
PNEUMONIA AND INFLUENZA	101	47	54	39.4	47.8	34.1
EMPHYSEMA AND OTHER COPD	83	53	30	32.4	54.0	19.0
HOMICIDE AND LEGAL INTERVENTION	70	10	60	27.3	10.2	37.9
DIABETES MELLITUS	63	19	44	24.6	19.3	27.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	45	17	28	17.6	17.3	17.7
SUICIDE	25	15	10	9.8	15.3	6.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	11	10	8.2	11.2	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	20	5	15	4.9	5.1	4.8
HIV INFECTION	20	3	17	7.8	3.0	10.8
HYPERTENSION	17	3	14	6.6	3.0	8.8
CONGENITAL ANOMALIES	17	6	11	6.6	6.1	7.0
ATHEROSCLEROSIS	11	6	5	4.3	6.1	3.2
MATERNAL CAUSES	2	0	2	48.7	0.0	63.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	37	8	29	14.4	8.1	18.3
ALL OTHER	299	139	160	116.6	141.5	101.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,888	1,218	1,670	1,457	614	843	1,431	604	827
UNDER 1	48	11	37	24	4	20	24	7	17
(NEONATAL)	29	7	22	14	2	12	15	5	10
(POSTNEONATAL)	19	4	15	10	2	8	9	2	7
1-4	8	2	6	3	1	2	5	1	4
5-9	5	0	5	2	0	2	3	0	3
10-14	13	6	7	7	2	5	6	4	2
15-24	78	14	64	62	11	51	16	3	13
25-34	89	16	73	64	13	51	25	3	22
35-44	139	28	111	91	22	69	48	6	42
45-54	235	57	178	154	40	114	81	17	64
55-64	306	109	197	168	70	98	138	39	99
65-74	546	255	291	293	154	139	253	101	152
75-84	775	415	360	374	205	169	401	210	191
85 AND OVER	646	305	341	215	92	123	431	213	218
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.7	11.2	11.8	256,349	
NEONATAL	7.0	7.1	7.0	98,210	
POSTNEONATAL	4.6	4.1	4.8	158,139	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,459	1,584	875	10.2	10.9	9.0
HEART DISEASES	915	607	308	378.0	417.7	318.3
MALIGNANT NEOPLASMS	477	305	172	197.0	209.9	177.8
CEREBROVASCULAR DISEASES	157	98	59	64.8	67.4	61.0
ACCIDENTS	144	84	60	59.5	57.8	62.0
PNEUMONIA AND INFLUENZA	81	63	18	33.5	43.4	18.6
EMPHYSEMA AND OTHER COPD	79	63	16	32.6	43.4	16.5
DIABETES MELLITUS	48	27	21	19.8	18.6	21.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	47	25	22	19.4	17.2	22.7
SUICIDE	22	19	3	9.1	13.1	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	15	6	8.7	10.3	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	20	6	14	5.4	3.4	7.4
HOMICIDE AND LEGAL INTERVENTION	20	8	12	8.3	5.5	12.4
HYPERTENSION	8	6	2	3.3	4.1	2.1
ATHEROSCLEROSIS	7	3	4	2.9	2.1	4.1
CONGENITAL ANOMALIES	7	2	5	2.9	1.4	5.2
HIV INFECTION	5	3	2	2.1	2.1	2.1
INFECTIONS OF KIDNEY	4	4	0	1.6	2.8	0.0
TUBERCULOSIS	2	0	2	0.8	0.0	2.1
MATERNAL CAUSES	1	0	1	27.2	0.0	52.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	79	52	27	32.6	35.8	27.9
ALL OTHER	315	194	121	130.1	133.5	125.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,459	1,584	875	1,223	763	460	1,236	821	415
UNDER 1	36	10	26	25	6	19	11	4	7
(NEONATAL)	26	7	19	16	3	13	10	4	6
(POSTNEONATAL)	10	3	7	9	3	6	1	0	1
1-4	9	3	6	5	3	2	4	0	4
5-9	5	4	1	1	1	0	4	3	1
10-14	7	3	4	5	3	2	2	0	2
15-24	45	25	20	29	17	12	16	8	8
25-34	53	21	32	29	10	19	24	11	13
35-44	101	42	59	71	29	42	30	13	17
45-54	168	79	89	98	51	47	70	28	42
55-64	275	146	129	172	95	77	103	51	52
65-74	449	295	154	259	177	82	190	118	72
75-84	671	473	198	313	216	97	358	257	101
85 AND OVER	638	482	156	214	154	60	424	328	96
UNKNOWN	2	1	1	2	1	1	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.8	5.6	13.7	242,066	
NEONATAL	7.1	3.9	10.0	145,308	
POSTNEONATAL	2.7	1.7	3.7	96,758	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,281	3,031	2,250	9.2	9.6	8.8
HEART DISEASES	1,813	1,074	739	317.8	341.8	288.4
MALIGNANT NEOPLASMS	1,159	693	466	203.1	220.5	181.8
CEREBROVASCULAR DISEASES	347	206	141	60.8	65.6	55.0
ACCIDENTS	313	163	150	54.9	51.9	58.5
EMPHYSEMA AND OTHER COPD	214	174	40	37.5	55.4	15.6
PNEUMONIA AND INFLUENZA	172	108	64	30.1	34.4	25.0
HOMICIDE AND LEGAL INTERVENTION	114	28	86	20.0	8.9	33.6
DIABETES MELLITUS	106	36	70	18.6	11.4	27.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	68	31	37	11.9	9.9	14.4
HIV INFECTION	62	9	53	10.9	2.9	20.7
SUICIDE	52	39	13	9.1	12.4	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	40	31	9	7.0	9.9	3.5
CONDITIONS ORIG IN PERINATAL PERIOD	36	10	26	4.0	2.5	5.0
HYPERTENSION	34	10	24	6.0	3.2	9.4
ATHEROSCLEROSIS	29	22	7	5.1	7.0	2.7
CONGENITAL ANOMALIES	28	13	15	4.9	4.1	5.8
TUBERCULOSIS	4	1	3	0.7	0.3	1.2
INFECTIONS OF KIDNEY	2	1	1	0.4	0.3	0.4
MATERNAL CAUSES	2	1	1	22.0	25.5	19.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	36	13	23	6.3	4.1	9.0
ALL OTHER	650	368	282	113.9	117.1	110.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,281	3,031	2,250	2,651	1,484	1,167	2,630	1,547	1,083
UNDER 1	95	28	67	54	8	46	41	20	21
(NEONATAL)	57	18	39	33	4	29	24	14	10
(POSTNEONATAL)	38	10	28	21	4	17	17	6	11
1-4	15	3	12	7	2	5	8	1	7
5-9	12	3	9	8	3	5	4	0	4
10-14	15	5	10	10	3	7	5	2	3
15-24	147	49	98	106	37	69	41	12	29
25-34	155	48	107	106	35	71	49	13	36
35-44	263	104	159	164	68	96	99	36	63
45-54	387	169	218	254	113	141	133	56	77
55-64	604	354	250	349	220	129	255	134	121
65-74	1,030	636	394	575	378	197	455	258	197
75-84	1,337	870	467	627	411	216	710	459	251
85 AND OVER	1,219	762	457	389	206	183	830	556	274
UNKNOWN	2	0	2	2	0	2	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	10.4	7.1	13.0	570,535	
NEONATAL	6.3	4.6	7.5	314,256	
POSTNEONATAL	4.2	2.5	5.4	256,279	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,452	1,634	818	10.8	11.6	9.5
HEART DISEASES	944	664	280	414.5	469.7	324.2
MALIGNANT NEOPLASMS	485	329	156	213.0	232.7	180.6
CEREBROVASCULAR DISEASES	164	113	51	72.0	79.9	59.0
ACCIDENTS	153	94	59	67.2	66.5	68.3
PNEUMONIA AND INFLUENZA	97	66	31	42.6	46.7	35.9
EMPHYSEMA AND OTHER COPD	86	66	20	37.8	46.7	23.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	40	19	21	17.6	13.4	24.3
SUICIDE	39	29	10	17.1	20.5	11.6
DIABETES MELLITUS	38	19	19	16.7	13.4	22.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	33	17	16	14.5	12.0	18.5
HOMICIDE AND LEGAL INTERVENTION	31	13	18	13.6	9.2	20.8
CONDITIONS ORIG IN PERINATAL PERIOD	19	7	12	5.5	3.9	7.3
CONGENITAL ANOMALIES	11	7	4	4.8	5.0	4.6
HIV INFECTION	11	3	8	4.8	2.1	9.3
HYPERTENSION	10	4	6	4.4	2.8	6.9
ATHEROSCLEROSIS	8	8	0	3.5	5.6	0.0
INFECTIONS OF KIDNEY	2	1	1	0.9	0.7	1.2
TUBERCULOSIS	1	0	1	0.4	0.0	1.2
MATERNAL CAUSES	1	0	1	29.0	0.0	60.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	24	14	10	10.5	9.9	11.6
ALL OTHER	255	161	94	112.0	113.9	108.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,452	1,634	818	1,236	788	448	1,216	846	370
UNDER 1	36	12	24	18	5	13	18	7	11
(NEONATAL)	26	10	16	15	5	10	11	5	6
(POSTNEONATAL)	10	2	8	3	0	3	7	2	5
1-4	15	4	11	7	2	5	8	2	6
5-9	3	0	3	2	0	2	1	0	1
10-14	10	7	3	7	5	2	3	2	1
15-24	41	23	18	34	21	13	7	2	5
25-34	56	22	34	39	13	26	17	9	8
35-44	105	51	54	66	30	36	39	21	18
45-54	170	81	89	104	47	57	66	34	32
55-64	267	156	111	165	93	72	102	63	39
65-74	476	342	134	273	199	74	203	143	60
75-84	640	461	179	289	212	77	351	249	102
85 AND OVER	632	474	158	231	160	71	401	314	87
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	10.4	6.7	14.5	227,735	
NEONATAL	7.5	5.6	9.7	141,369	
POSTNEONATAL	2.9	1.1	4.8	86,366	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,024	1,146	878	11.9	12.6	11.0
HEART DISEASES	720	410	310	422.1	449.7	390.4
MALIGNANT NEOPLASMS	437	255	182	256.2	279.7	229.2
CEREBROVASCULAR DISEASES	123	64	59	72.1	70.2	74.3
ACCIDENTS	111	58	53	65.1	63.6	66.7
PNEUMONIA AND INFLUENZA	84	51	33	49.2	55.9	41.6
EMPHYSEMA AND OTHER COPD	83	60	23	48.6	65.8	29.0
DIABETES MELLITUS	76	40	36	44.6	43.9	45.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	30	17	13	17.6	18.6	16.4
HOMICIDE AND LEGAL INTERVENTION	22	3	19	12.9	3.3	23.9
SUICIDE	20	15	5	11.7	16.4	6.3
CONGENITAL ANOMALIES	12	4	8	7.0	4.4	10.1
HYPERTENSION	11	5	6	6.4	5.5	7.6
CONDITIONS ORIG IN PERINATAL PERIOD	11	2	9	4.6	1.9	6.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	6	4	5.9	6.6	5.0
HIV INFECTION	9	6	3	5.3	6.6	3.8
ATHEROSCLEROSIS	3	3	0	1.8	3.3	0.0
TUBERCULOSIS	1	1	0	0.6	1.1	0.0
INFECTIONS OF KIDNEY	1	0	1	0.6	0.0	1.2
MATERNAL CAUSES	1	0	1	41.4	0.0	74.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	3.5	3.3	3.8
ALL OTHER	253	143	110	148.3	156.8	138.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,024	1,146	878	1,016	563	453	1,008	583	425
UNDER 1	29	9	20	15	4	11	14	5	9
(Neonatal)	19	5	14	11	3	8	8	2	6
(Postneonatal)	10	4	6	4	1	3	6	3	3
1-4	4	1	3	1	1	0	3	0	3
5-9	2	0	2	1	0	1	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	39	17	22	30	13	17	9	4	5
25-34	39	18	21	28	15	13	11	3	8
35-44	84	31	53	52	19	33	32	12	20
45-54	141	55	86	88	36	52	53	19	34
55-64	267	136	131	148	68	80	119	68	51
65-74	400	245	155	231	149	82	169	96	73
75-84	536	337	199	245	151	94	291	186	105
85 AND OVER	481	295	186	175	105	70	306	190	116
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	12.0	8.4	14.8	170,590	
NEONATAL	7.9	4.7	10.4	91,175	
POSTNEONATAL	4.1	3.7	4.4	79,415	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,837	2,078	759	10.8	11.3	9.7
HEART DISEASES	1,067	782	285	406.5	424.0	365.0
MALIGNANT NEOPLASMS	549	413	136	209.1	224.0	174.2
CEREBROVASCULAR DISEASES	200	148	52	76.2	80.2	66.6
PNEUMONIA AND INFLUENZA	147	124	23	56.0	67.2	29.4
ACCIDENTS	127	84	43	48.4	45.6	55.1
EMPHYSEMA AND OTHER COPD	118	104	14	45.0	56.4	17.9
DIABETES MELLITUS	58	34	24	22.1	18.4	30.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	48	33	15	18.3	17.9	19.2
SUICIDE	38	32	6	14.5	17.4	7.7
HOMICIDE AND LEGAL INTERVENTION	36	13	23	13.7	7.0	29.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	14	4	6.8	7.6	5.1
CONDITIONS ORIG IN PERINATAL PERIOD	17	6	11	4.1	2.4	6.8
HYPERTENSION	11	9	2	4.2	4.9	2.6
ATHEROSCLEROSIS	8	5	3	3.0	2.7	3.8
CONGENITAL ANOMALIES	7	4	3	2.7	2.2	3.8
HIV INFECTION	7	5	2	2.7	2.7	2.6
INFECTIONS OF KIDNEY	5	3	2	1.9	1.6	2.6
TUBERCULOSIS	1	0	1	0.4	0.0	1.3
MATERNAL CAUSES	1	0	1	24.0	0.0	61.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	13	9	8.4	7.0	11.5
ALL OTHER	352	252	100	134.1	136.6	128.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,837	2,078	759	1,439	1,054	385	1,398	1,024	374
UNDER 1	41	17	24	22	8	14	19	9	10
(NEONATAL)	27	11	16	12	4	8	15	7	8
(POSTNEONATAL)	14	6	8	10	4	6	4	2	2
1-4	12	7	5	6	4	2	6	3	3
5-9	4	2	2	2	2	0	2	0	2
10-14	4	2	2	3	1	2	1	1	0
15-24	57	30	27	41	20	21	16	10	6
25-34	41	19	22	26	14	12	15	5	10
35-44	107	63	44	75	49	26	32	14	18
45-54	173	123	50	112	81	31	61	42	19
55-64	307	216	91	181	134	47	126	82	44
65-74	598	463	135	336	258	78	262	205	57
75-84	850	649	201	422	325	97	428	324	104
85 AND OVER	643	487	156	213	158	55	430	329	101
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.8	6.7	14.8	262,501	
NEONATAL	6.5	4.3	9.8	184,414	
POSTNEONATAL	3.4	2.4	4.9	78,087	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,865	3,231	634	9.4	9.9	7.4
HEART DISEASES	1,288	1,089	199	312.4	333.2	233.0
MALIGNANT NEOPLASMS	933	785	148	226.3	240.2	173.3
CEREBROVASCULAR DISEASES	212	170	42	51.4	52.0	49.2
ACCIDENTS	208	179	29	50.4	54.8	34.0
EMPHYSEMA AND OTHER COPD	168	155	13	40.8	47.4	15.2
PNEUMONIA AND INFLUENZA	122	108	14	29.6	33.0	16.4
SUICIDE	76	69	7	18.4	21.1	8.2
DIABETES MELLITUS	72	55	17	17.5	16.8	19.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	63	50	13	15.3	15.3	15.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	62	57	5	15.0	17.4	5.8
HOMICIDE AND LEGAL INTERVENTION	39	18	21	9.5	5.5	24.6
CONGENITAL ANOMALIES	24	20	4	5.8	6.1	4.7
HIV INFECTION	24	11	13	5.8	3.4	15.2
CONDITIONS ORIG IN PERINATAL PERIOD	23	9	14	3.7	2.0	8.9
ATHEROSCLEROSIS	21	19	2	5.1	5.8	2.3
HYPERTENSION	7	4	3	1.7	1.2	3.5
INFECTIONS OF KIDNEY	7	5	2	1.7	1.5	2.3
TUBERCULOSIS	1	1	0	0.2	0.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	20	7	6.5	6.1	8.2
ALL OTHER	488	407	81	118.4	124.5	94.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,865	3,231	634	2,081	1,728	353	1,784	1,503	281
UNDER 1	54	28	26	29	16	13	25	12	13
(NEONATAL)	29	14	15	19	9	10	10	5	5
(POSTNEONATAL)	25	14	11	10	7	3	15	7	8
1-4	6	5	1	2	2	0	4	3	1
5-9	8	7	1	6	5	1	2	2	0
10-14	10	8	2	6	5	1	4	3	1
15-24	66	42	24	50	33	17	16	9	7
25-34	101	78	23	68	55	13	33	23	10
35-44	194	142	52	124	89	35	70	53	17
45-54	324	247	77	193	151	42	131	96	35
55-64	510	413	97	317	257	60	193	156	37
65-74	844	727	117	489	425	64	355	302	53
75-84	1,004	878	126	548	478	70	456	400	56
85 AND OVER	744	656	88	249	212	37	495	444	51
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	8.8	6.1	16.6
NEONATAL	4.7	3.0	9.6
POSTNEONATAL	4.1	3.0	7.0

1995 POPULATION

TOTAL	412,246
WHITE	326,850
NONWHITE	85,396

** DEATHS PER 1,000 LIVE BIRTHS.