

(HSWWDTCO)

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	433	198	235	12.0	11.0	13.0
HEART DISEASES	174	81	93	483.6	450.4	516.8
MALIGNANT NEOPLASMS	98	49	49	272.4	272.5	272.3
CEREBROVASCULAR DISEASES	28	9	19	77.8	50.0	105.6
ACCIDENTS	18	12	6	50.0	66.7	33.3
PNEUMONIA AND INFLUENZA	17	5	12	47.2	27.8	66.7
EMPHYSEMA AND OTHER COPD	11	8	3	30.6	44.5	16.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	2	4	16.7	11.1	22.2
HOMICIDE AND LEGAL INTERVENTION	6	0	6	16.7	0.0	33.3
DIABETES MELLITUS	5	2	3	13.9	11.1	16.7
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	10.4	5.4	13.6
CONGENITAL ANOMALIES	3	1	2	8.3	5.6	11.1
HYPERTENSION	2	0	2	5.6	0.0	11.1
SUICIDE	2	1	1	5.6	5.6	5.6
TUBERCULOSIS	1	1	0	2.8	5.6	0.0
ATHEROSCLEROSIS	1	1	0	2.8	5.6	0.0
INFECTIONS OF KIDNEY	1	0	1	2.8	0.0	5.6
HIV INFECTION	1	0	1	2.8	0.0	5.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.8	5.6	0.0
ALL OTHER	53	24	29	147.3	133.5	161.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	433	198	235	216	105	111	217	93	124
UNDER 1	8	2	6	4	1	3	4	1	3
(NEONATAL)	6	1	5	3	0	3	3	1	2
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	6	2	4	3	0	3
25-34	6	2	4	4	1	3	2	1	1
35-44	20	6	14	10	3	7	10	3	7
45-54	31	11	20	21	9	12	10	2	8
55-64	54	22	32	25	9	16	29	13	16
65-74	87	46	41	52	28	24	35	18	17
75-84	126	69	57	60	35	25	66	34	32
85 AND OVER	90	37	53	33	16	17	57	21	36
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,979
WHITE	17,982
NONWHITE	17,997

(HSWWDTCO)

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	411	362	49	12.9	12.9	12.9
HEART DISEASES	122	105	17	382.5	373.7	447.2
MALIGNANT NEOPLASMS	86	71	15	269.6	252.7	394.6
ACCIDENTS	31	31	0	97.2	110.3	0.0
CEREBROVASCULAR DISEASES	28	24	4	87.8	85.4	105.2
PNEUMONIA AND INFLUENZA	23	22	1	72.1	78.3	26.3
EMPHYSEMA AND OTHER COPD	15	15	0	47.0	53.4	0.0
HYPERTENSION	10	9	1	31.4	32.0	26.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	9	0	28.2	32.0	0.0
SUICIDE	9	9	0	28.2	32.0	0.0
DIABETES MELLITUS	7	7	0	21.9	24.9	0.0
CONGENITAL ANOMALIES	4	4	0	12.5	14.2	0.0
ATHEROSCLEROSIS	2	2	0	6.3	7.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	6.3	7.1	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	3.1	3.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	15.7	10.7	52.6
ALL OTHER	57	48	9	178.7	170.8	236.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	411	362	49	199	177	22	212	185	27
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	9	0	5	5	0	4	4	0
25-34	7	7	0	5	5	0	2	2	0
35-44	10	8	2	7	5	2	3	3	0
45-54	25	19	6	17	13	4	8	6	2
55-64	51	41	10	32	26	6	19	15	4
65-74	80	67	13	45	40	5	35	27	8
75-84	109	101	8	44	43	1	65	58	7
85 AND OVER	116	108	8	42	39	3	74	69	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,897
WHITE	28,096
NONWHITE	3,801

(HSWWDTCO)

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	132	79	53	9.5	10.6	8.3
MALIGNANT NEOPLASMS	39	28	11	281.5	374.9	172.3
HEART DISEASES	36	20	16	259.8	267.8	250.6
DIABETES MELLITUS	7	4	3	50.5	53.6	47.0
EMPHYSEMA AND OTHER COPD	7	6	1	50.5	80.3	15.7
CEREBROVASCULAR DISEASES	6	4	2	43.3	53.6	31.3
ACCIDENTS	5	2	3	36.1	26.8	47.0
SUICIDE	4	3	1	28.9	40.2	15.7
HOMICIDE AND LEGAL INTERVENTION	4	0	4	28.9	0.0	62.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	21.6	13.4	31.3
HYPERTENSION	1	1	0	7.2	13.4	0.0
PNEUMONIA AND INFLUENZA	1	1	0	7.2	13.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.0	0.0	13.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	18	9	9	129.9	120.5	141.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	132	79	53	73	47	26	59	32	27
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	4	2	2	3	2	1	1	0	1
45-54	11	5	6	3	0	3	8	5	3
55-64	9	5	4	4	1	3	5	4	1
65-74	35	21	14	21	15	6	14	6	8
75-84	38	29	9	20	18	2	18	11	7
85 AND OVER	28	15	13	16	9	7	12	6	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	13,854
WHITE	7,469
NONWHITE	6,385

(HSWWDTCO)

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	260	178	82	14.3	16.8	10.8
HEART DISEASES	90	59	31	494.4	556.6	407.6
MALIGNANT NEOPLASMS	57	40	17	313.1	377.4	223.5
CEREBROVASCULAR DISEASES	17	15	2	93.4	141.5	26.3
ACCIDENTS	14	7	7	76.9	66.0	92.0
EMPHYSEMA AND OTHER COPD	12	10	2	65.9	94.3	26.3
PNEUMONIA AND INFLUENZA	10	10	0	54.9	94.3	0.0
HOMICIDE AND LEGAL INTERVENTION	8	1	7	43.9	9.4	92.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	22.0	37.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	16.5	18.9	13.1
DIABETES MELLITUS	2	1	1	11.0	9.4	13.1
CONGENITAL ANOMALIES	2	1	1	11.0	9.4	13.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	8.0	8.6	7.4
SUICIDE	2	1	1	11.0	9.4	13.1
HYPERTENSION	1	1	0	5.5	9.4	0.0
ATHEROSCLEROSIS	1	1	0	5.5	9.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	35	24	11	192.3	226.4	144.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	260	178	82	139	88	51	121	90	31
UNDER 1	5	3	2	2	1	1	3	2	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	4	6	9	3	6	1	1	0
25-34	6	1	5	5	1	4	1	0	1
35-44	4	1	3	3	1	2	1	0	1
45-54	20	13	7	13	9	4	7	4	3
55-64	20	11	9	15	8	7	5	3	2
65-74	49	33	16	30	20	10	19	13	6
75-84	82	63	19	39	28	11	43	35	8
85 AND OVER	62	49	13	22	17	5	40	32	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,204
WHITE	10,599
NONWHITE	7,605

(HSWWDTCO)

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	80	60	20	10.2	13.1	6.1
HEART DISEASES	29	20	9	369.8	438.1	274.7
MALIGNANT NEOPLASMS	15	12	3	191.3	262.9	91.6
CEREBROVASCULAR DISEASES	8	8	0	102.0	175.2	0.0
PNEUMONIA AND INFLUENZA	5	5	0	63.8	109.5	0.0
EMPHYSEMA AND OTHER COPD	5	5	0	63.8	109.5	0.0
ACCIDENTS	4	2	2	51.0	43.8	61.0
DIABETES MELLITUS	3	1	2	38.3	21.9	61.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	12.8	21.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.8	21.9	0.0
ALL OTHER	9	5	4	114.8	109.5	122.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	80	60	20	42	32	10	38	28	10
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	1	3	1	1	0	3	0	3
35-44	2	2	0	1	1	0	1	1	0
45-54	2	1	1	2	1	1	0	0	0
55-64	6	4	2	5	3	2	1	1	0
65-74	15	11	4	7	6	1	8	5	3
75-84	24	19	5	15	11	4	9	8	1
85 AND OVER	25	21	4	9	8	1	16	13	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	7,841
WHITE	4,565
NONWHITE	3,276

(HSWWDTCO)

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	458	172	286	11.0	12.4	10.4
HEART DISEASES	169	73	96	407.5	526.8	347.7
MALIGNANT NEOPLASMS	97	34	63	233.9	245.4	228.2
CEREBROVASCULAR DISEASES	30	10	20	72.3	72.2	72.4
ACCIDENTS	28	10	18	67.5	72.2	65.2
PNEUMONIA AND INFLUENZA	20	8	12	48.2	57.7	43.4
EMPHYSEMA AND OTHER COPD	17	10	7	41.0	72.2	25.4
DIABETES MELLITUS	16	3	13	38.6	21.6	47.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	3	4	16.9	21.6	14.5
HOMICIDE AND LEGAL INTERVENTION	6	1	5	14.5	7.2	18.1
ATHEROSCLEROSIS	5	2	3	12.0	14.4	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	2	3	12.0	14.4	10.9
HYPERTENSION	4	0	4	9.6	0.0	14.5
SUICIDE	3	2	1	7.2	14.4	3.6
CONGENITAL ANOMALIES	2	0	2	4.8	0.0	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	2.9	0.0	3.8
HIV INFECTION	2	0	2	4.8	0.0	7.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	9.6	0.0	14.5
ALL OTHER	41	14	27	98.9	101.0	97.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	458	172	286	224	84	140	234	88	146
UNDER 1	8	0	8	3	0	3	5	0	5
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	5	0	5	2	0	2	3	0	3
1-4	4	0	4	1	0	1	3	0	3
5-9	1	0	1	0	0	0	1	0	1
10-14	4	2	2	2	0	2	2	2	0
15-24	5	1	4	5	1	4	0	0	0
25-34	15	3	12	12	2	10	3	1	2
35-44	17	1	16	11	1	10	6	0	6
45-54	39	8	31	22	6	16	17	2	15
55-64	46	11	35	26	9	17	20	2	18
65-74	91	41	50	50	24	26	41	17	24
75-84	131	64	67	61	33	28	70	31	39
85 AND OVER	97	41	56	31	8	23	66	33	33
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,469
WHITE	13,857
NONWHITE	27,612

(HSWWDTCO)

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	186	151	35	12.7	14.5	8.3
HEART DISEASES	67	55	12	458.0	527.6	285.3
MALIGNANT NEOPLASMS	46	33	13	314.4	316.6	309.1
ACCIDENTS	16	11	5	109.4	105.5	118.9
CEREBROVASCULAR DISEASES	14	13	1	95.7	124.7	23.8
EMPHYSEMA AND OTHER COPD	6	6	0	41.0	57.6	0.0
PNEUMONIA AND INFLUENZA	4	4	0	27.3	38.4	0.0
DIABETES MELLITUS	3	3	0	20.5	28.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.8	9.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	6.8	9.6	0.0
INFECTIONS OF KIDNEY	1	1	0	6.8	9.6	0.0
CONGENITAL ANOMALIES	1	1	0	6.8	9.6	0.0
SUICIDE	1	1	0	6.8	9.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	6.8	9.6	0.0
HIV INFECTION	1	0	1	6.8	0.0	23.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.8	0.0	23.8
ALL OTHER	22	20	2	150.4	191.9	47.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	186	151	35	96	74	22	90	77	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	2	1	2	2	0
25-34	2	2	0	1	1	0	1	1	0
35-44	7	3	4	6	3	3	1	0	1
45-54	13	7	6	10	6	4	3	1	2
55-64	18	12	6	10	6	4	8	6	2
65-74	34	27	7	24	19	5	10	8	2
75-84	55	49	6	26	23	3	29	26	3
85 AND OVER	52	47	5	16	14	2	36	33	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 14,630
 WHITE 10,424
 NONWHITE 4,206

(HSWWDTCO)

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	82	50	32	8.3	8.5	8.1
HEART DISEASES	31	18	13	314.9	305.0	329.7
MALIGNANT NEOPLASMS	23	14	9	233.6	237.2	228.2
CEREBROVASCULAR DISEASES	6	2	4	61.0	33.9	101.4
PNEUMONIA AND INFLUENZA	3	2	1	30.5	33.9	25.4
EMPHYSEMA AND OTHER COPD	3	3	0	30.5	50.8	0.0
ACCIDENTS	3	3	0	30.5	50.8	0.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	30.5	16.9	50.7
DIABETES MELLITUS	2	1	1	20.3	16.9	25.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	20.3	33.9	0.0
SUICIDE	1	1	0	10.2	16.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.2	0.0	25.4
ALL OTHER	4	3	1	40.6	50.8	25.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	82	50	32	48	31	17	34	19	15
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	2	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	4	3	1	4	3	1	0	0	0
45-54	14	6	8	10	4	6	4	2	2
55-64	11	5	6	5	2	3	6	3	3
65-74	14	9	5	7	6	1	7	3	4
75-84	19	15	4	15	12	3	4	3	1
85 AND OVER	16	10	6	4	2	2	12	8	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,844
WHITE	5,901
NONWHITE	3,943

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	193	135	58	10.9	12.9	8.0
HEART DISEASES	77	59	18	436.3	565.0	249.8
MALIGNANT NEOPLASMS	42	27	15	238.0	258.5	208.2
ACCIDENTS	10	7	3	56.7	67.0	41.6
CEREBROVASCULAR DISEASES	9	7	2	51.0	67.0	27.8
PNEUMONIA AND INFLUENZA	7	4	3	39.7	38.3	41.6
EMPHYSEMA AND OTHER COPD	6	4	2	34.0	38.3	27.8
DIABETES MELLITUS	5	3	2	28.3	28.7	27.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	22.7	38.3	0.0
HOMICIDE AND LEGAL INTERVENTION	4	0	4	22.7	0.0	55.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	11.3	9.6	13.9
SUICIDE	2	2	0	11.3	19.2	0.0
INFECTIONS OF KIDNEY	1	1	0	5.7	9.6	0.0
MATERNAL CAUSES	1	0	1	317.5	0.0	617.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	17.0	19.2	13.9
ALL OTHER	20	14	6	113.3	134.1	83.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	193	135	58	101	69	32	92	66	26
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	3	2	4	3	1	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	3	2	1	3	2	1	0	0	0
45-54	6	5	1	6	5	1	0	0	0
55-64	36	21	15	22	14	8	14	7	7
65-74	34	23	11	19	14	5	15	9	6
75-84	58	44	14	28	19	9	30	25	5
85 AND OVER	45	37	8	16	12	4	29	25	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,648
WHITE	10,443
NONWHITE	7,205

(HSWWDTCO)

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	98	70	28	11.0	11.4	9.9
HEART DISEASES	35	26	9	391.8	425.2	319.3
MALIGNANT NEOPLASMS	17	12	5	190.3	196.2	177.4
ACCIDENTS	10	6	4	111.9	98.1	141.9
CEREBROVASCULAR DISEASES	6	4	2	67.2	65.4	70.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	44.8	65.4	0.0
PNEUMONIA AND INFLUENZA	3	2	1	33.6	32.7	35.5
DIABETES MELLITUS	2	2	0	22.4	32.7	0.0
EMPHYSEMA AND OTHER COPD	2	1	1	22.4	16.4	35.5
ATHEROSCLEROSIS	1	1	0	11.2	16.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.2	16.4	0.0
CONGENITAL ANOMALIES	1	0	1	11.2	0.0	35.5
HIV INFECTION	1	1	0	11.2	16.4	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	10	5	167.9	163.5	177.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	98	70	28	40	26	14	58	44	14
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	1	0	1	1	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	4	4	0	2	2	0	2	2	0
45-54	8	4	4	5	2	3	3	2	1
55-64	7	3	4	5	2	3	2	1	1
65-74	19	13	6	7	5	2	12	8	4
75-84	26	22	4	10	8	2	16	14	2
85 AND OVER	30	23	7	9	6	3	21	17	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,934
WHITE	6,115
NONWHITE	2,819

(HSWWDTCO)

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	118	29	89	10.4	15.6	9.4
HEART DISEASES	55	10	45	485.7	537.0	475.6
MALIGNANT NEOPLASMS	20	10	10	176.6	537.0	105.7
CEREBROVASCULAR DISEASES	8	5	3	70.6	268.5	31.7
ACCIDENTS	6	0	6	53.0	0.0	63.4
PNEUMONIA AND INFLUENZA	5	1	4	44.2	53.7	42.3
HOMICIDE AND LEGAL INTERVENTION	4	0	4	35.3	0.0	42.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	17.7	0.0	21.1
DIABETES MELLITUS	1	1	0	8.8	53.7	0.0
ATHEROSCLEROSIS	1	0	1	8.8	0.0	10.6
INFECTIONS OF KIDNEY	1	0	1	8.8	0.0	10.6
CONGENITAL ANOMALIES	1	0	1	8.8	0.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.9	0.0	5.4
HIV INFECTION	1	0	1	8.8	0.0	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	17.7	53.7	10.6
ALL OTHER	10	1	9	88.3	53.7	95.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	118	29	89	71	17	54	47	12	35
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	3	0	3	3	0	3	0	0	0
35-44	5	0	5	4	0	4	1	0	1
45-54	7	0	7	5	0	5	2	0	2
55-64	12	2	10	9	2	7	3	0	3
65-74	21	6	15	12	4	8	9	2	7
75-84	40	13	27	23	8	15	17	5	12
85 AND OVER	24	8	16	10	3	7	14	5	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,324
WHITE	1,862
NONWHITE	9,462

(HSWWDTCO)

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	190	128	62	11.0	11.6	10.0
HEART DISEASES	93	64	29	539.4	578.3	469.6
MALIGNANT NEOPLASMS	27	18	9	156.6	162.7	145.7
CEREBROVASCULAR DISEASES	16	8	8	92.8	72.3	129.6
ACCIDENTS	11	9	2	63.8	81.3	32.4
EMPHYSEMA AND OTHER COPD	9	6	3	52.2	54.2	48.6
SUICIDE	5	5	0	29.0	45.2	0.0
PNEUMONIA AND INFLUENZA	4	1	3	23.2	9.0	48.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	17.4	9.0	32.4
HOMICIDE AND LEGAL INTERVENTION	2	1	1	11.6	9.0	16.2
DIABETES MELLITUS	1	0	1	5.8	0.0	16.2
ATHEROSCLEROSIS	1	1	0	5.8	9.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.8	9.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	11.6	18.1	0.0
ALL OTHER	15	11	4	87.0	99.4	64.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	190	128	62	107	77	30	83	51	32
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	3	1	3	3	0	1	0	1
25-34	4	3	1	1	1	0	3	2	1
35-44	6	4	2	6	4	2	0	0	0
45-54	8	3	5	6	3	3	2	0	2
55-64	20	16	4	12	9	3	8	7	1
65-74	31	18	13	24	15	9	7	3	4
75-84	56	36	20	30	22	8	26	14	12
85 AND OVER	57	43	14	22	18	4	35	25	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 17,241
 WHITE 11,066
 NONWHITE 6,175

(HSWWDTCO)

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	238	118	120	11.0	12.2	10.0
HEART DISEASES	101	52	49	465.4	537.8	407.2
MALIGNANT NEOPLASMS	35	20	15	161.3	206.8	124.6
CEREBROVASCULAR DISEASES	17	8	9	78.3	82.7	74.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	4	7	50.7	41.4	58.2
EMPHYSEMA AND OTHER COPD	8	8	0	36.9	82.7	0.0
PNEUMONIA AND INFLUENZA	7	6	1	32.2	62.0	8.3
DIABETES MELLITUS	5	1	4	23.0	10.3	33.2
ACCIDENTS	5	1	4	23.0	10.3	33.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.8	0.0	8.6
HOMICIDE AND LEGAL INTERVENTION	2	0	2	9.2	0.0	16.6
ATHEROSCLEROSIS	1	0	1	4.6	0.0	8.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.6	10.3	0.0
SUICIDE	1	1	0	4.6	10.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	0.0	8.3
ALL OTHER	41	16	25	188.9	165.5	207.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	238	118	120	123	62	61	115	56	59
UNDER 1	3	0	3	3	0	3	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	0	0	0	1	0	1
25-34	4	1	3	0	0	0	4	1	3
35-44	8	3	5	6	2	4	2	1	1
45-54	15	2	13	8	2	6	7	0	7
55-64	27	8	19	18	6	12	9	2	7
65-74	50	23	27	23	11	12	27	12	15
75-84	73	45	28	41	25	16	32	20	12
85 AND OVER	55	35	20	24	16	8	31	19	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,703
WHITE	9,669
NONWHITE	12,034

(HSWWDTCO)

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	372	130	242	11.4	11.9	11.1
HEART DISEASES	151	58	93	462.8	532.6	427.9
MALIGNANT NEOPLASMS	66	24	42	202.3	220.4	193.2
ACCIDENTS	25	6	19	76.6	55.1	87.4
CEREBROVASCULAR DISEASES	19	8	11	58.2	73.4	50.6
DIABETES MELLITUS	14	2	12	42.9	18.4	55.2
PNEUMONIA AND INFLUENZA	12	4	8	36.8	36.7	36.8
EMPHYSEMA AND OTHER COPD	11	8	3	33.7	73.4	13.8
HYPERTENSION	7	2	5	21.4	18.4	23.0
HOMICIDE AND LEGAL INTERVENTION	6	2	4	18.4	18.4	18.4
HIV INFECTION	6	0	6	18.4	0.0	27.6
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	6.6	0.0	8.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	9.2	9.2	9.2
SUICIDE	3	2	1	9.2	18.4	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	6.1	9.2	4.6
CONGENITAL ANOMALIES	2	1	1	6.1	9.2	4.6
MATERNAL CAUSES	1	1	0	164.2	892.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	18.4	18.4	18.4
ALL OTHER	34	8	26	104.2	73.4	119.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	372	130	242	191	67	124	181	63	118
UNDER 1	8	1	7	3	1	2	5	0	5
(NEONATAL)	6	1	5	3	1	2	3	0	3
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	6	0	6	4	0	4	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	7	1	6	2	1	1
25-34	10	3	7	5	2	3	5	1	4
35-44	17	1	16	14	1	13	3	0	3
45-54	31	9	22	21	6	15	10	3	7
55-64	45	10	35	27	8	19	18	2	16
65-74	72	31	41	43	19	24	29	12	17
75-84	85	43	42	42	24	18	43	19	24
85 AND OVER	89	30	59	25	5	20	64	25	39
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,627
WHITE	10,891
NONWHITE	21,736

(HSWWDTCO)

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	308	161	147	11.0	12.1	10.0
HEART DISEASES	113	65	48	403.2	490.3	325.0
MALIGNANT NEOPLASMS	75	38	37	267.6	286.7	250.5
ACCIDENTS	27	11	16	96.3	83.0	108.3
EMPHYSEMA AND OTHER COPD	13	13	0	46.4	98.1	0.0
PNEUMONIA AND INFLUENZA	9	1	8	32.1	7.5	54.2
DIABETES MELLITUS	8	3	5	28.5	22.6	33.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	3	5	28.5	22.6	33.8
CEREBROVASCULAR DISEASES	7	2	5	25.0	15.1	33.8
HYPERTENSION	4	1	3	14.3	7.5	20.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.8	0.0	12.3
ATHEROSCLEROSIS	2	2	0	7.1	15.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.1	7.5	6.8
CONGENITAL ANOMALIES	1	0	1	3.6	0.0	6.8
SUICIDE	1	0	1	3.6	0.0	6.8
HOMICIDE AND LEGAL INTERVENTION	1	1	0	3.6	7.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	14.3	7.5	20.3
ALL OTHER	30	19	11	107.0	143.3	74.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	308	161	147	168	92	76	140	69	71
UNDER 1	6	1	5	2	0	2	4	1	3
(NEONATAL)	5	1	4	2	0	2	3	1	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	3	0	3	2	1	1
25-34	6	2	4	3	2	1	3	0	3
35-44	13	4	9	11	4	7	2	0	2
45-54	13	5	8	10	5	5	3	0	3
55-64	53	27	26	33	17	16	20	10	10
65-74	58	30	28	33	19	14	25	11	14
75-84	71	45	26	40	27	13	31	18	13
85 AND OVER	79	46	33	31	18	13	48	28	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	28,027
WHITE	13,256
NONWHITE	14,771

(HSWWDTCO)

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	220	136	84	13.7	13.5	14.2
HEART DISEASES	75	53	22	468.4	526.0	370.7
MALIGNANT NEOPLASMS	35	16	19	218.6	158.8	320.2
CEREBROVASCULAR DISEASES	21	13	8	131.2	129.0	134.8
EMPHYSEMA AND OTHER COPD	13	10	3	81.2	99.2	50.6
ACCIDENTS	13	7	6	81.2	69.5	101.1
PNEUMONIA AND INFLUENZA	11	9	2	68.7	89.3	33.7
DIABETES MELLITUS	6	3	3	37.5	29.8	50.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	18.7	9.9	33.7
SUICIDE	3	3	0	18.7	29.8	0.0
HOMICIDE AND LEGAL INTERVENTION	3	0	3	18.7	0.0	50.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.0	0.0	14.8
HYPERTENSION	1	1	0	6.2	9.9	0.0
INFECTIONS OF KIDNEY	1	0	1	6.2	0.0	16.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	25.0	9.9	50.6
ALL OTHER	29	19	10	181.1	188.6	168.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	220	136	84	131	83	48	89	53	36
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	5	0	5	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	12	4	8	12	4	8	0	0	0
45-54	21	11	10	16	10	6	5	1	4
55-64	29	14	15	16	7	9	13	7	6
65-74	38	31	7	23	20	3	15	11	4
75-84	65	46	19	41	30	11	24	16	8
85 AND OVER	44	30	14	17	12	5	27	18	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	16,010
WHITE	10,076
NONWHITE	5,934

(HSWWDTCO)

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	617	530	87	7.0	7.1	6.4
MALIGNANT NEOPLASMS	166	142	24	187.4	189.1	177.9
HEART DISEASES	152	134	18	171.6	178.5	133.4
ACCIDENTS	38	30	8	42.9	40.0	59.3
CEREBROVASCULAR DISEASES	35	33	2	39.5	44.0	14.8
HYPERTENSION	30	26	4	33.9	34.6	29.6
EMPHYSEMA AND OTHER COPD	25	24	1	28.2	32.0	7.4
PNEUMONIA AND INFLUENZA	24	19	5	27.1	25.3	37.1
CONGENITAL ANOMALIES	11	9	2	12.4	12.0	14.8
HOMICIDE AND LEGAL INTERVENTION	11	8	3	12.4	10.6	22.2
DIABETES MELLITUS	7	6	1	7.9	8.0	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	7.9	9.3	0.0
SUICIDE	7	7	0	7.9	9.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	5	1	6.8	6.7	7.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	1.4	0.8	4.6
HIV INFECTION	2	2	0	2.2	2.7	0.0
ATHEROSCLEROSIS	1	1	0	1.1	1.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	5	3	9.0	6.7	22.2
ALL OTHER	85	71	14	96.0	94.6	103.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	617	530	87	327	271	56	290	259	31
UNDER 1	17	10	7	13	6	7	4	4	0
(NEONATAL)	8	5	3	7	4	3	1	1	0
(POSTNEONATAL)	9	5	4	6	2	4	3	3	0
1-4	3	1	2	2	1	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	17	13	4	13	10	3	4	3	1
25-34	13	11	2	7	5	2	6	6	0
35-44	35	25	10	21	15	6	14	10	4
45-54	42	37	5	28	26	2	14	11	3
55-64	93	80	13	56	47	9	37	33	4
65-74	126	114	12	75	68	7	51	46	5
75-84	164	149	15	82	72	10	82	77	5
85 AND OVER	105	89	16	28	20	8	77	69	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	88,563
WHITE	75,074
NONWHITE	13,489

(HSWWDTCO)

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	743	548	195	10.2	11.2	8.3
HEART DISEASES	298	223	75	411.4	454.5	321.0
MALIGNANT NEOPLASMS	146	105	41	201.6	214.0	175.5
CEREBROVASCULAR DISEASES	46	36	10	63.5	73.4	42.8
PNEUMONIA AND INFLUENZA	36	30	6	49.7	61.1	25.7
EMPHYSEMA AND OTHER COPD	31	29	2	42.8	59.1	8.6
ACCIDENTS	28	20	8	38.7	40.8	34.2
DIABETES MELLITUS	19	12	7	26.2	24.4	30.0
HOMICIDE AND LEGAL INTERVENTION	9	3	6	12.4	6.1	25.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	5	3	11.0	10.2	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	6.9	8.2	4.3
SUICIDE	5	4	1	6.9	8.2	4.3
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	3.6	4.8	2.0
HYPERTENSION	3	3	0	4.1	6.1	0.0
ATHEROSCLEROSIS	3	2	1	4.1	4.1	4.3
INFECTIONS OF KIDNEY	3	2	1	4.1	4.1	4.3
HIV INFECTION	2	2	0	2.8	4.1	0.0
TUBERCULOSIS	1	0	1	1.4	0.0	4.3
CONGENITAL ANOMALIES	1	0	1	1.4	0.0	4.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	6.9	4.1	12.8
ALL OTHER	90	63	27	124.3	128.4	115.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	743	548	195	348	252	96	395	296	99
UNDER 1	9	4	5	4	1	3	5	3	2
(NEONATAL)	7	4	3	2	1	1	5	3	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	2	1	1	1	1	0	1	0	1
5-9	2	1	1	1	1	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	12	10	2	5	5	0	7	5	2
25-34	12	5	7	7	3	4	5	2	3
35-44	29	18	11	19	11	8	10	7	3
45-54	39	26	13	26	15	11	13	11	2
55-64	72	48	24	43	34	9	29	14	15
65-74	155	117	38	89	68	21	66	49	17
75-84	217	174	43	98	76	22	119	98	21
85 AND OVER	193	144	49	54	37	17	139	107	32
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	72,427
WHITE	49,061
NONWHITE	23,366

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	112	75	37	14.1	15.5	11.9
HEART DISEASES	44	26	18	553.3	536.5	579.5
MALIGNANT NEOPLASMS	28	20	8	352.1	412.7	257.6
ACCIDENTS	7	6	1	88.0	123.8	32.2
CEREBROVASCULAR DISEASES	6	5	1	75.4	103.2	32.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	37.7	61.9	0.0
SUICIDE	3	3	0	37.7	61.9	0.0
DIABETES MELLITUS	2	1	1	25.2	20.6	32.2
PNEUMONIA AND INFLUENZA	2	1	1	25.2	20.6	32.2
EMPHYSEMA AND OTHER COPD	2	2	0	25.2	41.3	0.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	25.2	0.0	64.4
HIV INFECTION	2	2	0	25.2	41.3	0.0
ATHEROSCLEROSIS	1	1	0	12.6	20.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	10	5	5	125.8	103.2	161.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	112	75	37	64	42	22	48	33	15
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	4	3	1	3	2	1	1	1	0
45-54	8	5	3	5	4	1	3	1	2
55-64	21	14	7	12	8	4	9	6	3
65-74	22	14	8	14	8	6	8	6	2
75-84	27	19	8	15	11	4	12	8	4
85 AND OVER	26	18	8	12	8	4	14	10	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	7,952
WHITE	4,846
NONWHITE	3,106

(HSWWDTCO)

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	176	156	20	9.8	9.8	10.4
HEART DISEASES	56	50	6	313.1	313.1	313.3
MALIGNANT NEOPLASMS	46	42	4	257.2	263.0	208.9
ACCIDENTS	15	13	2	83.9	81.4	104.4
CEREBROVASCULAR DISEASES	14	13	1	78.3	81.4	52.2
PNEUMONIA AND INFLUENZA	7	7	0	39.1	43.8	0.0
EMPHYSEMA AND OTHER COPD	7	6	1	39.1	37.6	52.2
DIABETES MELLITUS	5	4	1	28.0	25.0	52.2
HOMICIDE AND LEGAL INTERVENTION	4	1	3	22.4	6.3	156.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	16.8	12.5	52.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	5.6	6.3	0.0
SUICIDE	1	1	0	5.6	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.6	6.3	0.0
ALL OTHER	16	15	1	89.5	93.9	52.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	176	156	20	104	91	13	72	65	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	9	3	6	7	3	4	2	0	2
25-34	4	4	0	4	4	0	0	0	0
35-44	7	5	2	4	4	0	3	1	2
45-54	16	15	1	11	11	0	5	4	1
55-64	24	22	2	14	12	2	10	10	0
65-74	37	31	6	24	19	5	13	12	1
75-84	42	40	2	27	25	2	15	15	0
85 AND OVER	33	32	1	12	12	0	21	20	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,884
WHITE	15,969
NONWHITE	1,915

(HSWWDTCO)

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	116	90	26	10.4	10.3	10.5
HEART DISEASES	41	32	9	366.0	367.1	362.3
MALIGNANT NEOPLASMS	24	17	7	214.3	195.0	281.8
DIABETES MELLITUS	7	5	2	62.5	57.4	80.5
CEREBROVASCULAR DISEASES	7	7	0	62.5	80.3	0.0
ACCIDENTS	4	4	0	35.7	45.9	0.0
EMPHYSEMA AND OTHER COPD	3	3	0	26.8	34.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	26.8	22.9	40.2
SUICIDE	3	3	0	26.8	34.4	0.0
PNEUMONIA AND INFLUENZA	2	2	0	17.8	22.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.9	11.5	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.9	0.0	40.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.9	11.5	0.0
ALL OTHER	19	13	6	169.6	149.1	241.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	116	90	26	62	45	17	54	45	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	6	6	0	3	3	0	3	3	0
45-54	10	7	3	6	5	1	4	2	2
55-64	16	14	2	9	8	1	7	6	1
65-74	24	21	3	12	10	2	12	11	1
75-84	29	19	10	15	8	7	14	11	3
85 AND OVER	26	20	6	12	8	4	14	12	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,201
WHITE	8,717
NONWHITE	2,484

(HSWWDTCO)

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	297	188	109	13.5	15.0	11.5
HEART DISEASES	95	59	36	433.0	472.3	381.0
MALIGNANT NEOPLASMS	60	43	17	273.4	344.2	179.9
CEREBROVASCULAR DISEASES	38	18	20	173.2	144.1	211.7
PNEUMONIA AND INFLUENZA	14	12	2	63.8	96.0	21.2
ACCIDENTS	14	10	4	63.8	80.0	42.3
EMPHYSEMA AND OTHER COPD	10	8	2	45.6	64.0	21.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	6	3	41.0	48.0	31.7
DIABETES MELLITUS	4	2	2	18.2	16.0	21.2
HOMICIDE AND LEGAL INTERVENTION	4	0	4	18.2	0.0	42.3
SUICIDE	3	2	1	13.7	16.0	10.6
HIV INFECTION	3	0	3	13.7	0.0	31.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.1	16.0	0.0
CONGENITAL ANOMALIES	2	2	0	9.1	16.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.4	0.0	12.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	13.7	8.0	21.2
ALL OTHER	34	23	11	155.0	184.1	116.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	297	188	109	148	92	56	149	96	53
UNDER 1	4	1	3	4	1	3	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	0	2	2	0	2	0	0	0
15-24	6	4	2	3	1	2	3	3	0
25-34	5	0	5	2	0	2	3	0	3
35-44	9	4	5	5	1	4	4	3	1
45-54	21	12	9	13	9	4	8	3	5
55-64	31	13	18	21	11	10	10	2	8
65-74	57	36	21	31	19	12	26	17	9
75-84	80	61	19	40	30	10	40	31	9
85 AND OVER	80	55	25	26	19	7	54	36	18
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,942
WHITE	12,493
NONWHITE	9,449

(HSWWDTCO)

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	390	369	21	10.8	11.5	5.1
HEART DISEASES	113	110	3	312.3	343.3	72.4
MALIGNANT NEOPLASMS	102	92	10	281.9	287.1	241.4
ACCIDENTS	24	24	0	66.3	74.9	0.0
CEREBROVASCULAR DISEASES	21	21	0	58.0	65.5	0.0
EMPHYSEMA AND OTHER COPD	18	17	1	49.7	53.0	24.1
PNEUMONIA AND INFLUENZA	16	14	2	44.2	43.7	48.3
SUICIDE	16	16	0	44.2	49.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	9	2	30.4	28.1	48.3
DIABETES MELLITUS	8	7	1	22.1	21.8	24.1
HOMICIDE AND LEGAL INTERVENTION	6	5	1	16.6	15.6	24.1
CONGENITAL ANOMALIES	4	4	0	11.0	12.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	8.3	9.4	0.0
HIV INFECTION	2	2	0	5.5	6.2	0.0
INFECTIONS OF KIDNEY	1	1	0	2.8	3.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.8	3.1	0.0
ALL OTHER	44	43	1	121.6	134.2	24.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	390	369	21	217	205	12	173	164	9
UNDER 1	4	4	0	1	1	0	3	3	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	8	7	1	4	4	0	4	3	1
25-34	10	10	0	7	7	0	3	3	0
35-44	17	16	1	8	8	0	9	8	1
45-54	32	30	2	21	19	2	11	11	0
55-64	67	65	2	40	39	1	27	26	1
65-74	79	74	5	48	45	3	31	29	2
75-84	103	97	6	62	59	3	41	38	3
85 AND OVER	67	63	4	25	22	3	42	41	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,182
WHITE	32,040
NONWHITE	4,142

(HSWWDTCO)

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,706	1,388	318	10.0	10.6	8.0
HEART DISEASES	634	530	104	371.1	404.5	261.0
MALIGNANT NEOPLASMS	434	353	81	254.0	269.4	203.3
CEREBROVASCULAR DISEASES	88	69	19	51.5	52.7	47.7
EMPHYSEMA AND OTHER COPD	69	65	4	40.4	49.6	10.0
ACCIDENTS	60	45	15	35.1	34.3	37.6
PNEUMONIA AND INFLUENZA	55	49	6	32.2	37.4	15.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	35	33	2	20.5	25.2	5.0
SUICIDE	35	31	4	20.5	23.7	10.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	21	16	5	12.3	12.2	12.6
DIABETES MELLITUS	15	10	5	8.8	7.6	12.6
HOMICIDE AND LEGAL INTERVENTION	15	5	10	8.8	3.8	25.1
ATHEROSCLEROSIS	12	11	1	7.0	8.4	2.5
CONDITIONS ORIG IN PERINATAL PERIOD	12	4	8	4.3	2.0	10.0
HIV INFECTION	7	3	4	4.1	2.3	10.0
CONGENITAL ANOMALIES	5	4	1	2.9	3.0	2.5
HYPERTENSION	4	2	2	2.3	1.5	5.0
INFECTIONS OF KIDNEY	2	1	1	1.2	0.8	2.5
TUBERCULOSIS	1	1	0	0.6	0.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	4	4	4.7	3.0	10.0
ALL OTHER	194	152	42	113.5	116.0	105.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,706	1,388	318	904	733	171	802	655	147
UNDER 1	23	10	13	13	6	7	10	4	6
(NEONATAL)	13	5	8	9	4	5	4	1	3
(POSTNEONATAL)	10	5	5	4	2	2	6	3	3
1-4	1	1	0	1	1	0	0	0	0
5-9	3	3	0	3	3	0	0	0	0
10-14	5	3	2	3	2	1	2	1	1
15-24	19	8	11	14	6	8	5	2	3
25-34	45	30	15	25	17	8	20	13	7
35-44	85	59	26	52	34	18	33	25	8
45-54	135	100	35	79	62	17	56	38	18
55-64	214	160	54	136	102	34	78	58	20
65-74	386	335	51	221	194	27	165	141	24
75-84	454	385	69	255	219	36	199	166	33
85 AND OVER	336	294	42	102	87	15	234	207	27
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	170,862
WHITE	131,020
NONWHITE	39,842

(HSWWDTCO)

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,410	1,256	1,154	9.5	10.8	8.4
HEART DISEASES	773	413	360	305.4	356.5	262.3
MALIGNANT NEOPLASMS	556	301	255	219.7	259.8	185.8
CEREBROVASCULAR DISEASES	165	94	71	65.2	81.1	51.7
EMPHYSEMA AND OTHER COPD	113	84	29	44.6	72.5	21.1
ACCIDENTS	113	45	68	44.6	38.8	49.5
PNEUMONIA AND INFLUENZA	75	45	30	29.6	38.8	21.8
HOMICIDE AND LEGAL INTERVENTION	70	14	56	27.6	12.1	40.8
HIV INFECTION	48	7	41	19.0	6.0	29.9
DIABETES MELLITUS	46	13	33	18.2	11.2	24.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	23	11	12	9.1	9.5	8.7
SUICIDE	19	11	8	7.5	9.5	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	15	2	6.7	12.9	1.4
CONDITIONS ORIG IN PERINATAL PERIOD	13	1	12	3.2	0.9	4.1
HYPERTENSION	12	3	9	4.7	2.6	6.6
CONGENITAL ANOMALIES	11	5	6	4.3	4.3	4.4
ATHEROSCLEROSIS	7	5	2	2.8	4.3	1.4
TUBERCULOSIS	2	0	2	0.8	0.0	1.4
INFECTIONS OF KIDNEY	1	1	0	0.4	0.9	0.0
MATERNAL CAUSES	1	1	0	24.6	88.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	15	5	10	5.9	4.3	7.3
ALL OTHER	330	182	148	130.4	157.1	107.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,410	1,256	1,154	1,175	570	605	1,235	686	549
UNDER 1	41	7	34	25	3	22	16	4	12
(NEONATAL)	23	4	19	14	1	13	9	3	6
(POSTNEONATAL)	18	3	15	11	2	9	7	1	6
1-4	6	0	6	2	0	2	4	0	4
5-9	5	0	5	3	0	3	2	0	2
10-14	9	1	8	6	1	5	3	0	3
15-24	73	15	58	54	10	44	19	5	14
25-34	87	18	69	56	11	45	31	7	24
35-44	137	45	92	83	29	54	54	16	38
45-54	167	52	115	102	33	69	65	19	46
55-64	240	129	111	126	71	55	114	58	56
65-74	478	273	205	261	155	106	217	118	99
75-84	627	397	230	300	188	112	327	209	118
85 AND OVER	538	319	219	155	69	86	383	250	133
UNKNOWN	2	0	2	2	0	2	0	0	0

1995 POPULATION:

TOTAL	253,096
WHITE	115,854
NONWHITE	137,242

(HSWWDTCO)

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	232	61	171	11.2	13.1	10.6
HEART DISEASES	88	20	68	423.7	429.7	421.9
MALIGNANT NEOPLASMS	41	11	30	197.4	236.4	186.1
ACCIDENTS	22	4	18	105.9	85.9	111.7
CEREBROVASCULAR DISEASES	17	4	13	81.8	85.9	80.7
PNEUMONIA AND INFLUENZA	10	4	6	48.1	85.9	37.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	2	4	28.9	43.0	24.8
DIABETES MELLITUS	5	4	1	24.1	85.9	6.2
EMPHYSEMA AND OTHER COPD	5	2	3	24.1	43.0	18.6
HOMICIDE AND LEGAL INTERVENTION	5	1	4	24.1	21.5	24.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	14.4	0.0	18.6
HYPERTENSION	2	0	2	9.6	0.0	12.4
CONGENITAL ANOMALIES	2	1	1	9.6	21.5	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.5	0.0	6.4
SUICIDE	2	1	1	9.6	21.5	6.2
HIV INFECTION	1	0	1	4.8	0.0	6.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.6	0.0	12.4
ALL OTHER	19	7	12	91.5	150.4	74.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	232	61	171	128	30	98	104	31	73
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	2	8	8	2	6	2	0	2
25-34	12	1	11	7	1	6	5	0	5
35-44	16	2	14	12	1	11	4	1	3
45-54	21	2	19	17	2	15	4	0	4
55-64	18	2	16	12	1	11	6	1	5
65-74	53	18	35	27	11	16	26	7	19
75-84	45	15	30	26	7	19	19	8	11
85 AND OVER	54	19	35	17	5	12	37	14	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	20,771
WHITE	4,654
NONWHITE	16,117

(HSWWDTCO)

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	131	45	86	11.4	13.0	10.8
HEART DISEASES	51	18	33	445.3	518.0	413.6
MALIGNANT NEOPLASMS	32	14	18	279.4	402.9	225.6
CEREBROVASCULAR DISEASES	12	6	6	104.8	172.7	75.2
PNEUMONIA AND INFLUENZA	8	3	5	69.8	86.3	62.7
ACCIDENTS	8	0	8	69.8	0.0	100.3
HOMICIDE AND LEGAL INTERVENTION	5	1	4	43.6	28.8	50.1
DIABETES MELLITUS	3	0	3	26.2	0.0	37.6
EMPHYSEMA AND OTHER COPD	1	0	1	8.7	0.0	12.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	8.7	0.0	12.5
CONGENITAL ANOMALIES	1	1	0	8.7	28.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.6	0.0	7.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	17.5	0.0	25.1
ALL OTHER	6	2	4	52.4	57.6	50.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	131	45	86	66	23	43	65	22	43
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	3	0	3	2	0	2
25-34	4	0	4	2	0	2	2	0	2
35-44	2	0	2	1	0	1	1	0	1
45-54	13	4	9	8	2	6	5	2	3
55-64	16	6	10	4	2	2	12	4	8
65-74	20	7	13	9	5	4	11	2	9
75-84	35	19	16	21	10	11	14	9	5
85 AND OVER	32	8	24	15	3	12	17	5	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 11,453
 WHITE 3,475
 NONWHITE 7,978

(HSWWDTCO)

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	21	9	12	11.6	11.7	11.6
HEART DISEASES	5	1	4	277.0	129.7	386.8
CEREBROVASCULAR DISEASES	5	3	2	277.0	389.1	193.4
MALIGNANT NEOPLASMS	4	2	2	221.6	259.4	193.4
DIABETES MELLITUS	1	0	1	55.4	0.0	96.7
EMPHYSEMA AND OTHER COPD	1	1	0	55.4	129.7	0.0
ACCIDENTS	1	0	1	55.4	0.0	96.7
HOMICIDE AND LEGAL INTERVENTION	1	0	1	55.4	0.0	96.7

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	55.4	129.7	0.0
ALL OTHER	2	1	1	110.8	129.7	96.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	21	9	12	7	2	5	14	7	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	2	1	1	1	1	0
65-74	2	2	0	0	0	0	2	2	0
75-84	7	2	5	4	1	3	3	1	2
85 AND OVER	7	2	5	1	0	1	6	2	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	1,805
WHITE	771
NONWHITE	1,034

(HSWWDTCO)

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	239	228	11	12.1	12.4	8.0
HEART DISEASES	100	93	7	505.1	505.0	506.5
MALIGNANT NEOPLASMS	39	39	0	197.0	211.8	0.0
CEREBROVASCULAR DISEASES	20	19	1	101.0	103.2	72.4
EMPHYSEMA AND OTHER COPD	18	17	1	90.9	92.3	72.4
ACCIDENTS	12	12	0	60.6	65.2	0.0
PNEUMONIA AND INFLUENZA	11	11	0	55.6	59.7	0.0
DIABETES MELLITUS	3	2	1	15.2	10.9	72.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.1	10.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	10.1	10.9	0.0
SUICIDE	2	2	0	10.1	10.9	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	10.1	10.9	0.0
INFECTIONS OF KIDNEY	1	1	0	5.0	5.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.8	4.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.1	10.9	0.0
ALL OTHER	24	23	1	121.2	124.9	72.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	239	228	11	116	111	5	123	117	6
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	4	4	0	3	3	0	1	1	0
35-44	3	3	0	2	2	0	1	1	0
45-54	12	12	0	8	8	0	4	4	0
55-64	27	25	2	17	15	2	10	10	0
65-74	49	46	3	25	23	2	24	23	1
75-84	68	65	3	34	33	1	34	32	2
85 AND OVER	71	68	3	22	22	0	49	46	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,797
WHITE	18,415
NONWHITE	1,382

(HSWWDTCO)

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,003	823	180	7.5	8.0	6.0
HEART DISEASES	298	241	57	223.8	233.6	190.1
MALIGNANT NEOPLASMS	238	198	40	178.8	192.0	133.4
ACCIDENTS	61	55	6	45.8	53.3	20.0
CEREBROVASCULAR DISEASES	52	41	11	39.0	39.8	36.7
EMPHYSEMA AND OTHER COPD	43	39	4	32.3	37.8	13.3
DIABETES MELLITUS	23	17	6	17.3	16.5	20.0
PNEUMONIA AND INFLUENZA	23	19	4	17.3	18.4	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	17	2	14.3	16.5	6.7
SUICIDE	16	15	1	12.0	14.5	3.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	9	4	9.8	8.7	13.3
CONGENITAL ANOMALIES	13	10	3	9.8	9.7	10.0
HOMICIDE AND LEGAL INTERVENTION	12	6	6	9.0	5.8	20.0
HIV INFECTION	10	6	4	7.5	5.8	13.3
CONDITIONS ORIG IN PERINATAL PERIOD	9	4	5	5.1	3.2	9.4
ATHEROSCLEROSIS	8	7	1	6.0	6.8	3.3
INFECTIONS OF KIDNEY	2	2	0	1.5	1.9	0.0
HYPERTENSION	1	0	1	0.8	0.0	3.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	9	0	6.8	8.7	0.0
ALL OTHER	153	128	25	114.9	124.1	83.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,003	823	180	534	431	103	469	392	77
UNDER 1	20	11	9	14	8	6	6	3	3
(NEONATAL)	11	5	6	9	4	5	2	1	1
(POSTNEONATAL)	9	6	3	5	4	1	4	2	2
1-4	1	0	1	0	0	0	1	0	1
5-9	3	2	1	2	1	1	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	20	16	4	16	13	3	4	3	1
25-34	23	19	4	16	14	2	7	5	2
35-44	59	45	14	40	30	10	19	15	4
45-54	92	65	27	50	36	14	42	29	13
55-64	137	110	27	86	68	18	51	42	9
65-74	206	165	41	121	98	23	85	67	18
75-84	244	217	27	119	103	16	125	114	11
85 AND OVER	197	172	25	69	59	10	128	113	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	133,134
WHITE	103,144
NONWHITE	29,990

(HSWWDTCO)

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	177	99	78	10.3	12.1	8.6
HEART DISEASES	75	41	34	435.2	502.0	374.9
MALIGNANT NEOPLASMS	36	22	14	208.9	269.4	154.4
ACCIDENTS	14	10	4	81.2	122.4	44.1
CEREBROVASCULAR DISEASES	10	3	7	58.0	36.7	77.2
PNEUMONIA AND INFLUENZA	10	5	5	58.0	61.2	55.1
EMPHYSEMA AND OTHER COPD	5	4	1	29.0	49.0	11.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	17.4	12.2	22.0
DIABETES MELLITUS	2	0	2	11.6	0.0	22.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	11.6	24.5	0.0
SUICIDE	2	1	1	11.6	12.2	11.0
HIV INFECTION	2	1	1	11.6	12.2	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.8	12.2	0.0
CONGENITAL ANOMALIES	1	0	1	5.8	0.0	11.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	14	8	6	81.2	98.0	66.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	177	99	78	95	53	42	82	46	36
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	5	1	4	2	0	2	3	1	2
45-54	15	6	9	8	4	4	7	2	5
55-64	21	8	13	13	4	9	8	4	4
65-74	45	33	12	29	21	8	16	12	4
75-84	37	21	16	18	11	7	19	10	9
85 AND OVER	43	26	17	16	9	7	27	17	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,235
WHITE	8,167
NONWHITE	9,068

(HSWWDTCO)

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	99	18	81	11.9	17.2	11.2
HEART DISEASES	33	7	26	397.8	667.3	358.8
MALIGNANT NEOPLASMS	23	3	20	277.3	286.0	276.0
ACCIDENTS	8	1	7	96.4	95.3	96.6
DIABETES MELLITUS	5	0	5	60.3	0.0	69.0
PNEUMONIA AND INFLUENZA	4	3	1	48.2	286.0	13.8
CEREBROVASCULAR DISEASES	3	1	2	36.2	95.3	27.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	24.1	0.0	27.6
HOMICIDE AND LEGAL INTERVENTION	2	0	2	24.1	0.0	27.6
HIV INFECTION	2	1	1	24.1	95.3	13.8
HYPERTENSION	1	0	1	12.0	0.0	13.8
CONGENITAL ANOMALIES	1	0	1	12.0	0.0	13.8
SUICIDE	1	0	1	12.0	0.0	13.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	24.1	95.3	13.8
ALL OTHER	12	1	11	144.7	95.3	151.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	99	18	81	47	8	39	52	10	42
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	0	5	3	0	3	2	0	2
35-44	5	1	4	3	1	2	2	0	2
45-54	7	0	7	4	0	4	3	0	3
55-64	18	2	16	12	1	11	6	1	5
65-74	11	3	8	4	2	2	7	1	6
75-84	23	7	16	11	2	9	12	5	7
85 AND OVER	26	5	21	8	2	6	18	3	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,295
WHITE	1,049
NONWHITE	7,246

(HSWWDTCO)

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	180	94	86	13.3	16.6	10.9
HEART DISEASES	77	41	36	569.2	723.5	458.0
MALIGNANT NEOPLASMS	33	22	11	244.0	388.2	139.9
ACCIDENTS	12	2	10	88.7	35.3	127.2
CEREBROVASCULAR DISEASES	10	3	7	73.9	52.9	89.0
PNEUMONIA AND INFLUENZA	10	8	2	73.9	141.2	25.4
EMPHYSEMA AND OTHER COPD	6	4	2	44.4	70.6	25.4
HOMICIDE AND LEGAL INTERVENTION	4	2	2	29.6	35.3	25.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	16.0	0.0	23.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	14.8	0.0	25.4
SUICIDE	2	2	0	14.8	35.3	0.0
DIABETES MELLITUS	1	0	1	7.4	0.0	12.7
CONGENITAL ANOMALIES	1	1	0	7.4	17.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	17.6	0.0
ALL OTHER	18	8	10	133.1	141.2	127.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	180	94	86	91	50	41	89	44	45
UNDER 1	4	1	3	2	1	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	2	5	6	1	5	1	1	0
25-34	2	0	2	0	0	0	2	0	2
35-44	7	2	5	3	1	2	4	1	3
45-54	8	4	4	5	4	1	3	0	3
55-64	16	10	6	12	7	5	4	3	1
65-74	38	22	16	25	16	9	13	6	7
75-84	59	28	31	30	16	14	29	12	17
85 AND OVER	38	25	13	7	4	3	31	21	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	13,527
WHITE	5,667
NONWHITE	7,860

(HSWWDTCO)

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	710	561	149	11.4	12.2	9.0
HEART DISEASES	247	193	54	396.8	421.6	327.7
MALIGNANT NEOPLASMS	139	118	21	223.3	257.8	127.4
PNEUMONIA AND INFLUENZA	54	46	8	86.7	100.5	48.6
CEREBROVASCULAR DISEASES	42	34	8	67.5	74.3	48.6
ACCIDENTS	34	28	6	54.6	61.2	36.4
EMPHYSEMA AND OTHER COPD	27	25	2	43.4	54.6	12.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	17	13	4	27.3	28.4	24.3
SUICIDE	14	11	3	22.5	24.0	18.2
DIABETES MELLITUS	12	4	8	19.3	8.7	48.6
HOMICIDE AND LEGAL INTERVENTION	10	5	5	16.1	10.9	30.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	11.2	10.9	12.1
CONGENITAL ANOMALIES	5	3	2	8.0	6.6	12.1
HYPERTENSION	4	3	1	6.4	6.6	6.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	4.1	3.3	5.7
ATHEROSCLEROSIS	2	1	1	3.2	2.2	6.1
HIV INFECTION	2	0	2	3.2	0.0	12.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	6.4	6.6	6.1
ALL OTHER	86	67	19	138.2	146.4	115.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	710	561	149	350	278	72	360	283	77
UNDER 1	13	8	5	7	4	3	6	4	2
(NEONATAL)	8	5	3	4	2	2	4	3	1
(POSTNEONATAL)	5	3	2	3	2	1	2	1	1
1-4	4	3	1	2	1	1	2	2	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	18	11	7	13	8	5	5	3	2
25-34	15	8	7	9	5	4	6	3	3
35-44	21	13	8	15	11	4	6	2	4
45-54	42	33	9	27	22	5	15	11	4
55-64	78	61	17	41	35	6	37	26	11
65-74	144	122	22	73	62	11	71	60	11
75-84	217	174	43	109	87	22	108	87	21
85 AND OVER	157	128	29	54	43	11	103	85	18
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	62,251
WHITE	45,773
NONWHITE	16,478

(HSWWDTCO)

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	103	47	56	9.8	11.0	8.9
HEART DISEASES	33	17	16	312.7	396.8	255.2
MALIGNANT NEOPLASMS	18	9	9	170.6	210.1	143.5
CEREBROVASCULAR DISEASES	11	6	5	104.2	140.0	79.7
ACCIDENTS	10	2	8	94.8	46.7	127.6
PNEUMONIA AND INFLUENZA	5	3	2	47.4	70.0	31.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	37.9	23.3	47.8
DIABETES MELLITUS	2	1	1	19.0	23.3	15.9
HYPERTENSION	2	0	2	19.0	0.0	31.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	19.0	23.3	15.9
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	17.1	0.0	22.5
HOMICIDE AND LEGAL INTERVENTION	2	2	0	19.0	46.7	0.0
ATHEROSCLEROSIS	1	1	0	9.5	23.3	0.0
SUICIDE	1	0	1	9.5	0.0	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	10	4	6	94.8	93.4	95.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	103	47	56	58	26	32	45	21	24
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	2	1	3	2	1	0	0	0
35-44	5	3	2	2	2	0	3	1	2
45-54	9	2	7	9	2	7	0	0	0
55-64	14	5	9	9	4	5	5	1	4
65-74	22	10	12	11	7	4	11	3	8
75-84	22	13	9	9	5	4	13	8	5
85 AND OVER	24	11	13	11	3	8	13	8	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	10,554
WHITE	4,284
NONWHITE	6,270

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	289	213	76	8.4	8.5	8.0
HEART DISEASES	80	64	16	232.6	256.8	169.1
MALIGNANT NEOPLASMS	69	43	26	200.6	172.5	274.8
EMPHYSEMA AND OTHER COPD	20	17	3	58.2	68.2	31.7
CEREBROVASCULAR DISEASES	19	16	3	55.2	64.2	31.7
ACCIDENTS	18	10	8	52.3	40.1	84.6
PNEUMONIA AND INFLUENZA	9	8	1	26.2	32.1	10.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	4	4	23.3	16.0	42.3
DIABETES MELLITUS	5	4	1	14.5	16.0	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	14.5	16.0	10.6
CONGENITAL ANOMALIES	3	2	1	8.7	8.0	10.6
SUICIDE	2	2	0	5.8	8.0	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	5.8	4.0	10.6
TUBERCULOSIS	1	0	1	2.9	0.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.3	3.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	14.5	16.0	10.6
ALL OTHER	42	33	9	122.1	132.4	95.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	289	213	76	155	119	36	134	94	40
UNDER 1	5	3	2	2	1	1	3	2	1
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	3	2	1	1	1	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	9	6	3	5	3	2	4	3	1
35-44	7	5	2	2	2	0	5	3	2
45-54	18	10	8	10	6	4	8	4	4
55-64	25	15	10	18	13	5	7	2	5
65-74	55	41	14	37	32	5	18	9	9
75-84	82	66	16	48	39	9	34	27	7
85 AND OVER	82	65	17	28	21	7	54	44	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	34,388
WHITE	24,927
NONWHITE	9,461

(HSWWDTCO)

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	251	222	29	8.0	8.1	7.1
HEART DISEASES	95	85	10	302.0	310.5	244.8
MALIGNANT NEOPLASMS	51	46	5	162.1	168.0	122.4
CEREBROVASCULAR DISEASES	16	14	2	50.9	51.1	49.0
PNEUMONIA AND INFLUENZA	11	11	0	35.0	40.2	0.0
EMPHYSEMA AND OTHER COPD	9	8	1	28.6	29.2	24.5
ACCIDENTS	7	5	2	22.2	18.3	49.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	6	0	19.1	21.9	0.0
SUICIDE	6	5	1	19.1	18.3	24.5
DIABETES MELLITUS	3	3	0	9.5	11.0	0.0
HYPERTENSION	3	2	1	9.5	7.3	24.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.4	0.0	19.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.2	3.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	3.2	3.6	0.0
HIV INFECTION	1	1	0	3.2	3.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	12.7	11.0	24.5
ALL OTHER	35	31	4	111.2	113.2	97.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	251	222	29	124	107	17	127	115	12
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	8	7	1	8	7	1	0	0	0
45-54	17	17	0	10	10	0	7	7	0
55-64	22	18	4	12	9	3	10	9	1
65-74	63	54	9	32	27	5	31	27	4
75-84	75	68	7	35	31	4	40	37	3
85 AND OVER	52	48	4	16	15	1	36	33	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,458
WHITE	27,373
NONWHITE	4,085

(HSWWDTCO)

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	776	522	254	10.1	10.8	9.0
HEART DISEASES	286	200	86	374.0	413.8	305.6
MALIGNANT NEOPLASMS	155	103	52	202.7	213.1	184.8
CEREBROVASCULAR DISEASES	46	33	13	60.2	68.3	46.2
PNEUMONIA AND INFLUENZA	38	25	13	49.7	51.7	46.2
EMPHYSEMA AND OTHER COPD	35	28	7	45.8	57.9	24.9
ACCIDENTS	33	23	10	43.2	47.6	35.5
SUICIDE	13	10	3	17.0	20.7	10.7
DIABETES MELLITUS	10	6	4	13.1	12.4	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	7	3	13.1	14.5	10.7
CONDITIONS ORIG IN PERINATAL PERIOD	10	3	7	8.8	4.9	13.4
HOMICIDE AND LEGAL INTERVENTION	10	4	6	13.1	8.3	21.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	3	5	10.5	6.2	17.8
HIV INFECTION	7	2	5	9.2	4.1	17.8
ATHEROSCLEROSIS	4	4	0	5.2	8.3	0.0
CONGENITAL ANOMALIES	2	2	0	2.6	4.1	0.0
HYPERTENSION	1	1	0	1.3	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	3.9	4.1	3.6
ALL OTHER	105	66	39	137.3	136.5	138.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	776	522	254	359	223	136	417	299	118
UNDER 1	12	4	8	6	1	5	6	3	3
(NEONATAL)	9	2	7	6	1	5	3	1	2
(POSTNEONATAL)	3	2	1	0	0	0	3	2	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	1	0	1	2	1	1
15-24	8	4	4	6	4	2	2	0	2
25-34	20	7	13	14	4	10	6	3	3
35-44	31	17	14	23	11	12	8	6	2
45-54	54	26	28	32	12	20	22	14	8
55-64	75	36	39	50	26	24	25	10	15
65-74	145	106	39	71	55	16	74	51	23
75-84	223	167	56	97	70	27	126	97	29
85 AND OVER	203	153	50	58	39	19	145	114	31
UNKNOWN	1	1	0	1	1	0	0	0	0

1995 POPULATION:

TOTAL	76,475
WHITE	48,338
NONWHITE	28,137

(HSWWDTCO)

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	120	82	38	9.9	10.3	9.0
HEART DISEASES	39	28	11	321.2	352.8	261.5
MALIGNANT NEOPLASMS	27	18	9	222.4	226.8	213.9
ACCIDENTS	9	4	5	74.1	50.4	118.8
CEREBROVASCULAR DISEASES	7	4	3	57.6	50.4	71.3
EMPHYSEMA AND OTHER COPD	5	5	0	41.2	63.0	0.0
DIABETES MELLITUS	4	2	2	32.9	25.2	47.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	32.9	25.2	47.5
PNEUMONIA AND INFLUENZA	3	2	1	24.7	25.2	23.8
HOMICIDE AND LEGAL INTERVENTION	2	2	0	16.5	25.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.2	12.6	0.0
HIV INFECTION	1	1	0	8.2	12.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	18	13	5	148.2	163.8	118.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	120	82	38	62	44	18	58	38	20
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	5	2	3	1	0	1	4	2	2
45-54	6	3	3	4	2	2	2	1	1
55-64	17	14	3	9	7	2	8	7	1
65-74	29	24	5	19	16	3	10	8	2
75-84	32	19	13	13	9	4	19	10	9
85 AND OVER	22	14	8	7	4	3	15	10	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,143
WHITE	7,936
NONWHITE	4,207

(HSWWDTCO)

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	268	172	96	14.4	15.8	12.5
HEART DISEASES	108	78	30	581.3	715.1	391.1
MALIGNANT NEOPLASMS	56	35	21	301.4	320.9	273.8
CEREBROVASCULAR DISEASES	20	14	6	107.6	128.4	78.2
ACCIDENTS	16	9	7	86.1	82.5	91.2
PNEUMONIA AND INFLUENZA	10	5	5	53.8	45.8	65.2
EMPHYSEMA AND OTHER COPD	8	6	2	43.1	55.0	26.1
DIABETES MELLITUS	5	3	2	26.9	27.5	26.1
HYPERTENSION	4	1	3	21.5	9.2	39.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	21.5	18.3	26.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	16.1	18.3	13.0
HOMICIDE AND LEGAL INTERVENTION	3	2	1	16.1	18.3	13.0
SUICIDE	2	1	1	10.8	9.2	13.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.0	6.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	10.8	9.2	13.0
ALL OTHER	26	12	14	140.0	110.0	182.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	268	172	96	128	71	57	140	101	39
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	5	1	4	5	1	4	0	0	0
35-44	10	3	7	6	2	4	4	1	3
45-54	20	8	12	14	4	10	6	4	2
55-64	35	26	9	21	15	6	14	11	3
65-74	51	38	13	25	15	10	26	23	3
75-84	64	39	25	29	19	10	35	20	15
85 AND OVER	76	53	23	23	12	11	53	41	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,578
WHITE	10,907
NONWHITE	7,671

(HSWWDTCO)

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	705	537	168	9.6	9.4	10.1
HEART DISEASES	279	208	71	378.4	364.1	427.2
MALIGNANT NEOPLASMS	137	108	29	185.8	189.1	174.5
CEREBROVASCULAR DISEASES	52	37	15	70.5	64.8	90.3
ACCIDENTS	37	29	8	50.2	50.8	48.1
PNEUMONIA AND INFLUENZA	32	27	5	43.4	47.3	30.1
EMPHYSEMA AND OTHER COPD	26	25	1	35.2	43.8	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	10	2	8	8.7	2.6	21.1
DIABETES MELLITUS	8	6	2	10.8	10.5	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	9.5	10.5	6.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	4	3	9.5	7.0	18.0
HOMICIDE AND LEGAL INTERVENTION	7	4	3	9.5	7.0	18.0
SUICIDE	5	4	1	6.8	7.0	6.0
CONGENITAL ANOMALIES	4	1	3	5.4	1.8	18.0
HYPERTENSION	3	2	1	4.1	3.5	6.0
ATHEROSCLEROSIS	2	2	0	2.7	3.5	0.0
HIV INFECTION	2	2	0	2.7	3.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	5	3	10.8	8.8	18.0
ALL OTHER	79	65	14	107.1	113.8	84.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	705	537	168	345	264	81	360	273	87
UNDER 1	18	5	13	11	3	8	7	2	5
(NEONATAL)	12	4	8	9	3	6	3	1	2
(POSTNEONATAL)	6	1	5	2	0	2	4	1	3
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	6	4	2	1	1	0
25-34	14	10	4	4	4	0	10	6	4
35-44	31	21	10	21	15	6	10	6	4
45-54	49	28	21	36	20	16	13	8	5
55-64	91	65	26	50	36	14	41	29	12
65-74	140	109	31	92	76	16	48	33	15
75-84	177	146	31	82	68	14	95	78	17
85 AND OVER	177	147	30	42	37	5	135	110	25
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	73,739
WHITE	57,121
NONWHITE	16,618

(HSWWDTCO)

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	437	186	251	11.8	13.8	10.7
HEART DISEASES	176	84	92	476.1	623.6	391.5
MALIGNANT NEOPLASMS	95	37	58	257.0	274.7	246.8
CEREBROVASCULAR DISEASES	23	5	18	62.2	37.1	76.6
ACCIDENTS	19	6	13	51.4	44.5	55.3
EMPHYSEMA AND OTHER COPD	15	8	7	40.6	59.4	29.8
PNEUMONIA AND INFLUENZA	13	8	5	35.2	59.4	21.3
HOMICIDE AND LEGAL INTERVENTION	10	1	9	27.0	7.4	38.3
DIABETES MELLITUS	5	1	4	13.5	7.4	17.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	10.8	29.7	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	10.8	14.8	8.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	6.0	7.0	5.7
SUICIDE	4	2	2	10.8	14.8	8.5
HYPERTENSION	2	1	1	5.4	7.4	4.2
ATHEROSCLEROSIS	1	1	0	2.7	7.4	0.0
CONGENITAL ANOMALIES	1	0	1	2.7	0.0	4.2
HIV INFECTION	1	0	1	2.7	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.1	7.4	8.5
ALL OTHER	57	24	33	154.2	178.2	140.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	437	186	251	217	85	132	220	101	119
UNDER 1	7	1	6	4	0	4	3	1	2
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	3	1	2	1	0	1
15-24	6	0	6	5	0	5	1	0	1
25-34	9	0	9	6	0	6	3	0	3
35-44	26	9	17	15	6	9	11	3	8
45-54	28	6	22	21	4	17	7	2	5
55-64	36	11	25	18	7	11	18	4	14
65-74	92	46	46	47	26	21	45	20	25
75-84	122	64	58	57	26	31	65	38	27
85 AND OVER	107	48	59	41	15	26	66	33	33
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,970
WHITE	13,470
NONWHITE	23,500

(HSWWDTCO)

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	332	243	89	10.4	11.0	9.0
HEART DISEASES	113	85	28	354.1	385.6	283.7
MALIGNANT NEOPLASMS	61	45	16	191.2	204.2	162.1
CEREBROVASCULAR DISEASES	26	16	10	81.5	72.6	101.3
DIABETES MELLITUS	23	15	8	72.1	68.0	81.0
PNEUMONIA AND INFLUENZA	22	18	4	68.9	81.7	40.5
EMPHYSEMA AND OTHER COPD	17	16	1	53.3	72.6	10.1
ACCIDENTS	13	7	6	40.7	31.8	60.8
HYPERTENSION	4	4	0	12.5	18.1	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	12.5	13.6	10.1
CONGENITAL ANOMALIES	4	2	2	12.5	9.1	20.3
SUICIDE	4	3	1	12.5	13.6	10.1
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.6	3.4	12.6
HOMICIDE AND LEGAL INTERVENTION	1	0	1	3.1	0.0	10.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	37	28	9	115.9	127.0	91.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	332	243	89	157	104	53	175	139	36
UNDER 1	7	3	4	4	1	3	3	2	1
(NEONATAL)	5	2	3	3	1	2	2	1	1
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	1	3	2	0	2	2	1	1
25-34	5	3	2	2	1	1	3	2	1
35-44	13	7	6	11	5	6	2	2	0
45-54	15	4	11	12	3	9	3	1	2
55-64	36	25	11	18	11	7	18	14	4
65-74	71	50	21	40	30	10	31	20	11
75-84	80	68	12	37	29	8	43	39	4
85 AND OVER	100	81	19	30	23	7	70	58	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,911
WHITE	22,041
NONWHITE	9,870

(HSWWDTCO)

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	609	363	246	9.9	9.6	10.3
HEART DISEASES	212	126	86	344.8	335.2	360.0
MALIGNANT NEOPLASMS	113	69	44	183.8	183.6	184.2
ACCIDENTS	40	21	19	65.1	55.9	79.5
CEREBROVASCULAR DISEASES	36	22	14	58.6	58.5	58.6
EMPHYSEMA AND OTHER COPD	13	12	1	21.1	31.9	4.2
PNEUMONIA AND INFLUENZA	12	9	3	19.5	23.9	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	4	5	14.6	10.6	20.9
CONDITIONS ORIG IN PERINATAL PERIOD	9	4	5	8.6	8.0	9.3
DIABETES MELLITUS	7	3	4	11.4	8.0	16.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	4	3	11.4	10.6	12.6
SUICIDE	5	4	1	8.1	10.6	4.2
HOMICIDE AND LEGAL INTERVENTION	5	2	3	8.1	5.3	12.6
HYPERTENSION	3	2	1	4.9	5.3	4.2
HIV INFECTION	2	1	1	3.2	2.7	4.2
TUBERCULOSIS	1	0	1	1.6	0.0	4.2
ATHEROSCLEROSIS	1	1	0	1.6	2.7	0.0
CONGENITAL ANOMALIES	1	0	1	1.6	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	65	45	20	105.7	119.7	83.7
ALL OTHER	68	34	34	110.6	90.4	142.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	609	363	246	292	162	130	317	201	116
UNDER 1	13	4	9	10	3	7	3	1	2
(NEONATAL)	11	4	7	8	3	5	3	1	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	14	7	7	11	6	5	3	1	2
25-34	20	8	12	15	5	10	5	3	2
35-44	32	10	22	23	6	17	9	4	5
45-54	46	16	30	25	7	18	21	9	12
55-64	65	35	30	41	24	17	24	11	13
65-74	119	75	44	58	40	18	61	35	26
75-84	163	109	54	67	46	21	96	63	33
85 AND OVER	132	96	36	38	22	16	94	74	20
UNKNOWN	1	1	0	1	1	0	0	0	0

1995 POPULATION:

TOTAL	61,480
WHITE	37,591
NONWHITE	23,889

(HSWWDTCO)

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	479	276	203	7.0	6.9	7.2
HEART DISEASES	151	87	64	221.5	218.1	226.3
MALIGNANT NEOPLASMS	86	50	36	126.1	125.3	127.3
ACCIDENTS	39	24	15	57.2	60.2	53.0
CEREBROVASCULAR DISEASES	33	22	11	48.4	55.1	38.9
PNEUMONIA AND INFLUENZA	20	13	7	29.3	32.6	24.8
DIABETES MELLITUS	15	6	9	22.0	15.0	31.8
EMPHYSEMA AND OTHER COPD	14	11	3	20.5	27.6	10.6
HOMICIDE AND LEGAL INTERVENTION	14	3	11	20.5	7.5	38.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	5	3	11.7	12.5	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	4.4	4.9	3.7
CONGENITAL ANOMALIES	4	2	2	5.9	5.0	7.1
SUICIDE	4	4	0	5.9	10.0	0.0
HYPERTENSION	3	1	2	4.4	2.5	7.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	4.4	5.0	3.5
HIV INFECTION	2	0	2	2.9	0.0	7.1
TUBERCULOSIS	1	0	1	1.5	0.0	3.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	7.3	5.0	10.6
ALL OTHER	72	41	31	105.6	102.8	109.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	479	276	203	243	138	105	236	138	98
UNDER 1	12	5	7	6	0	6	6	5	1
(NEONATAL)	9	4	5	5	0	5	4	4	0
(POSTNEONATAL)	3	1	2	1	0	1	2	1	1
1-4	4	2	2	3	2	1	1	0	1
5-9	2	2	0	2	2	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	16	5	11	11	5	6	5	0	5
25-34	17	7	10	13	6	7	4	1	3
35-44	20	7	13	12	5	7	8	2	6
45-54	38	12	26	28	9	19	10	3	7
55-64	50	33	17	29	22	7	21	11	10
65-74	85	43	42	39	24	15	46	19	27
75-84	113	77	36	56	36	20	57	41	16
85 AND OVER	120	82	38	43	27	16	77	55	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	68,174
WHITE	39,897
NONWHITE	28,277

(HSWWDTCO)

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	313	217	96	12.6	12.7	12.1
HEART DISEASES	114	76	38	457.1	446.4	480.1
MALIGNANT NEOPLASMS	60	43	17	240.6	252.6	214.8
CEREBROVASCULAR DISEASES	38	25	13	152.4	146.9	164.2
EMPHYSEMA AND OTHER COPD	15	13	2	60.1	76.4	25.3
PNEUMONIA AND INFLUENZA	13	9	4	52.1	52.9	50.5
ACCIDENTS	12	9	3	48.1	52.9	37.9
DIABETES MELLITUS	6	4	2	24.1	23.5	25.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	24.1	23.5	25.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	16.0	17.6	12.6
HOMICIDE AND LEGAL INTERVENTION	4	0	4	16.0	0.0	50.5
SUICIDE	3	3	0	12.0	17.6	0.0
ATHEROSCLEROSIS	1	0	1	4.0	0.0	12.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.5	4.2	0.0
HIV INFECTION	1	1	0	4.0	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.0	5.9	0.0
ALL OTHER	34	25	9	136.3	146.9	113.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	313	217	96	179	126	53	134	91	43
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	14	9	5	10	8	2	4	1	3
45-54	17	13	4	15	11	4	2	2	0
55-64	33	20	13	22	14	8	11	6	5
65-74	77	50	27	45	27	18	32	23	9
75-84	100	74	26	53	43	10	47	31	16
85 AND OVER	65	49	16	27	21	6	38	28	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,938
WHITE	17,023
NONWHITE	7,915

(HSWWDTCO)

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	322	169	153	9.9	10.7	9.2
HEART DISEASES	96	47	49	296.2	297.2	295.2
MALIGNANT NEOPLASMS	71	37	34	219.0	234.0	204.8
ACCIDENTS	26	17	9	80.2	107.5	54.2
CEREBROVASCULAR DISEASES	24	11	13	74.0	69.6	78.3
HYPERTENSION	16	4	12	49.4	25.3	72.3
EMPHYSEMA AND OTHER COPD	16	15	1	49.4	94.8	6.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	2	6	24.7	12.6	36.1
DIABETES MELLITUS	5	1	4	15.4	6.3	24.1
PNEUMONIA AND INFLUENZA	5	2	3	15.4	12.6	18.1
SUICIDE	5	5	0	15.4	31.6	0.0
ATHEROSCLEROSIS	3	2	1	9.2	12.6	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	5.7	4.5	6.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	6.2	0.0	12.0
TUBERCULOSIS	1	0	1	3.1	0.0	6.0
MATERNAL CAUSES	1	1	0	189.0	446.4	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	3.1	6.3	0.0
HIV INFECTION	1	1	0	3.1	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	9.2	12.6	6.0
ALL OTHER	35	20	15	108.0	126.5	90.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	322	169	153	176	100	76	146	69	77
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	5	0	3	3	0	2	2	0
25-34	15	8	7	12	6	6	3	2	1
35-44	35	11	24	18	7	11	17	4	13
45-54	21	10	11	11	6	5	10	4	6
55-64	46	23	23	32	16	16	14	7	7
65-74	66	42	24	43	30	13	23	12	11
75-84	69	40	29	37	24	13	32	16	16
85 AND OVER	59	28	31	17	7	10	42	21	21
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,413
WHITE	15,813
NONWHITE	16,600

(HSWWDTCO)

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	360	262	98	9.8	10.5	8.5
HEART DISEASES	134	99	35	367.0	397.0	302.3
MALIGNANT NEOPLASMS	71	48	23	194.4	192.5	198.7
CEREBROVASCULAR DISEASES	24	17	7	65.7	68.2	60.5
PNEUMONIA AND INFLUENZA	21	17	4	57.5	68.2	34.6
EMPHYSEMA AND OTHER COPD	19	15	4	52.0	60.2	34.6
ACCIDENTS	19	14	5	52.0	56.1	43.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	3	6	24.6	12.0	51.8
DIABETES MELLITUS	7	5	2	19.2	20.0	17.3
SUICIDE	5	4	1	13.7	16.0	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	11.0	16.0	0.0
HYPERTENSION	3	3	0	8.2	12.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	6.6	6.8	6.1
INFECTIONS OF KIDNEY	2	2	0	5.5	8.0	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	5.5	8.0	0.0
ATHEROSCLEROSIS	1	0	1	2.7	0.0	8.6
HIV INFECTION	1	1	0	2.7	4.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	11.0	16.0	0.0
ALL OTHER	31	22	9	84.9	88.2	77.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	360	262	98	188	139	49	172	123	49
UNDER 1	6	4	2	5	3	2	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	4	3	1	4	3	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	3	3	0	1	1	0	2	2	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	5	2	3	2	1	4	3	1
25-34	4	3	1	3	2	1	1	1	0
35-44	16	9	7	10	7	3	6	2	4
45-54	33	19	14	20	14	6	13	5	8
55-64	44	30	14	32	22	10	12	8	4
65-74	66	50	16	42	33	9	24	17	7
75-84	90	67	23	40	29	11	50	38	12
85 AND OVER	89	70	19	30	24	6	59	46	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,514
WHITE	24,937
NONWHITE	11,577

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	203	121	82	17.1	19.2	14.7
HEART DISEASES	71	43	28	597.5	680.8	503.0
MALIGNANT NEOPLASMS	34	21	13	286.1	332.5	233.6
CEREBROVASCULAR DISEASES	21	12	9	176.7	190.0	161.7
ACCIDENTS	14	6	8	117.8	95.0	143.7
PNEUMONIA AND INFLUENZA	7	3	4	58.9	47.5	71.9
EMPHYSEMA AND OTHER COPD	7	5	2	58.9	79.2	35.9
DIABETES MELLITUS	6	3	3	50.5	47.5	53.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	33.7	31.7	35.9
SUICIDE	3	3	0	25.2	47.5	0.0
HOMICIDE AND LEGAL INTERVENTION	3	0	3	25.2	0.0	53.9
CONGENITAL ANOMALIES	2	0	2	16.8	0.0	35.9
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	10.8	12.0	9.8
HIV INFECTION	1	1	0	8.4	15.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.8	31.7	0.0
ALL OTHER	26	19	7	218.8	300.8	125.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	203	121	82	106	63	43	97	58	39
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	8	0	8	8	0	8	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	6	1	5	5	0	5	1	1	0
45-54	11	6	5	4	3	1	7	3	4
55-64	17	9	8	10	6	4	7	3	4
65-74	45	30	15	29	19	10	16	11	5
75-84	55	39	16	28	21	7	27	18	9
85 AND OVER	52	32	20	16	12	4	36	20	16
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,882
WHITE	6,316
NONWHITE	5,566

(HSWWDTCO)

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	291	219	72	10.8	12.0	8.2
HEART DISEASES	110	92	18	408.4	506.0	205.7
MALIGNANT NEOPLASMS	55	41	14	204.2	225.5	160.0
CEREBROVASCULAR DISEASES	25	22	3	92.8	121.0	34.3
ACCIDENTS	16	9	7	59.4	49.5	80.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	2	9	40.8	11.0	102.8
PNEUMONIA AND INFLUENZA	8	7	1	29.7	38.5	11.4
DIABETES MELLITUS	5	3	2	18.6	16.5	22.8
EMPHYSEMA AND OTHER COPD	4	4	0	14.8	22.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	14.8	11.0	22.8
SUICIDE	4	4	0	14.8	22.0	0.0
HOMICIDE AND LEGAL INTERVENTION	3	3	0	11.1	16.5	0.0
CONGENITAL ANOMALIES	2	2	0	7.4	11.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.7	4.3	5.3
MATERNAL CAUSES	1	0	1	236.4	0.0	526.3
HIV INFECTION	1	0	1	3.7	0.0	11.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	7	5	44.6	38.5	57.1
ALL OTHER	28	20	8	104.0	110.0	91.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	291	219	72	132	100	32	159	119	40
UNDER 1	5	3	2	4	2	2	1	1	0
(NEONATAL)	4	3	1	3	2	1	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	4	2	2	1	0	1	3	2	1
25-34	7	4	3	4	3	1	3	1	2
35-44	12	4	8	6	2	4	6	2	4
45-54	19	10	9	7	5	2	12	5	7
55-64	34	20	14	18	9	9	16	11	5
65-74	56	44	12	34	27	7	22	17	5
75-84	64	55	9	25	23	2	39	32	7
85 AND OVER	86	76	10	31	28	3	55	48	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	26,934
WHITE	18,182
NONWHITE	8,752

(HSWWDTCO)

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	244	162	82	11.3	11.2	11.4
HEART DISEASES	88	61	27	406.8	422.6	375.2
MALIGNANT NEOPLASMS	49	38	11	226.5	263.3	152.9
ACCIDENTS	24	14	10	111.0	97.0	139.0
CEREBROVASCULAR DISEASES	14	13	1	64.7	90.1	13.9
EMPHYSEMA AND OTHER COPD	10	6	4	46.2	41.6	55.6
DIABETES MELLITUS	7	2	5	32.4	13.8	69.5
PNEUMONIA AND INFLUENZA	5	5	0	23.1	34.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	23.1	13.8	41.7
SUICIDE	5	2	3	23.1	13.8	41.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	9.5	5.6	14.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.2	6.9	13.9
CONGENITAL ANOMALIES	2	0	2	9.2	0.0	27.8
HOMICIDE AND LEGAL INTERVENTION	1	0	1	4.6	0.0	13.9
HIV INFECTION	1	0	1	4.6	0.0	13.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.2	6.9	13.9
ALL OTHER	26	16	10	120.2	110.8	139.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	244	162	82	126	78	48	118	84	34
UNDER 1	6	1	5	2	0	2	4	1	3
(NEONATAL)	5	1	4	1	0	1	4	1	3
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	5	2	3	2	1	1	3	1	2
5-9	2	0	2	1	0	1	1	0	1
10-14	1	1	0	0	0	0	1	1	0
15-24	3	0	3	2	0	2	1	0	1
25-34	9	5	4	6	2	4	3	3	0
35-44	14	7	7	8	3	5	6	4	2
45-54	17	6	11	7	3	4	10	3	7
55-64	18	10	8	12	6	6	6	4	2
65-74	45	34	11	23	17	6	22	17	5
75-84	65	48	17	33	23	10	32	25	7
85 AND OVER	59	48	11	30	23	7	29	25	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,630
WHITE	14,434
NONWHITE	7,196

(HSWWDTCO)

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	130	48	82	10.7	14.8	9.2
HEART DISEASES	44	19	25	362.6	586.4	281.1
MALIGNANT NEOPLASMS	36	15	21	296.7	463.0	236.1
CEREBROVASCULAR DISEASES	11	1	10	90.6	30.9	112.4
DIABETES MELLITUS	5	1	4	41.2	30.9	45.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	17.0	0.0	21.8
ACCIDENTS	4	2	2	33.0	61.7	22.5
PNEUMONIA AND INFLUENZA	3	2	1	24.7	61.7	11.2
EMPHYSEMA AND OTHER COPD	3	2	1	24.7	61.7	11.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	24.7	30.9	22.5
TUBERCULOSIS	1	0	1	8.2	0.0	11.2
HYPERTENSION	1	1	0	8.2	30.9	0.0
ATHEROSCLEROSIS	1	0	1	8.2	0.0	11.2
CONGENITAL ANOMALIES	1	0	1	8.2	0.0	11.2
SUICIDE	1	1	0	8.2	30.9	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.2	0.0	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	16.5	0.0	22.5
ALL OTHER	9	3	6	74.2	92.6	67.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	130	48	82	63	26	37	67	22	45
UNDER 1	7	0	7	3	0	3	4	0	4
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	4	0	4	3	0	3	1	0	1
45-54	12	4	8	4	3	1	8	1	7
55-64	15	4	11	5	2	3	10	2	8
65-74	21	10	11	17	9	8	4	1	3
75-84	31	10	21	16	6	10	15	4	11
85 AND OVER	35	19	16	12	5	7	23	14	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,134
WHITE	3,240
NONWHITE	8,894

(HSWWDTCO)

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	289	165	124	7.4	6.9	8.3
HEART DISEASES	105	62	43	269.3	258.2	287.1
MALIGNANT NEOPLASMS	48	30	18	123.1	124.9	120.2
ACCIDENTS	21	9	12	53.8	37.5	80.1
CEREBROVASCULAR DISEASES	14	8	6	35.9	33.3	40.0
PNEUMONIA AND INFLUENZA	11	8	3	28.2	33.3	20.0
EMPHYSEMA AND OTHER COPD	8	3	5	20.5	12.5	33.4
DIABETES MELLITUS	6	3	3	15.4	12.5	20.0
SUICIDE	6	5	1	15.4	20.8	6.7
CONGENITAL ANOMALIES	3	1	2	7.7	4.2	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.1	8.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	5.1	4.2	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.7	0.0	6.8
HOMICIDE AND LEGAL INTERVENTION	1	0	1	2.6	0.0	6.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.1	4.2	6.7
ALL OTHER	58	32	26	148.7	133.2	173.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	289	165	124	146	73	73	143	92	51
UNDER 1	6	2	4	3	0	3	3	2	1
(NEONATAL)	6	2	4	3	0	3	3	2	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	4	1	3	3	2	1
25-34	10	3	7	4	1	3	6	2	4
35-44	16	5	11	11	3	8	5	2	3
45-54	14	7	7	9	3	6	5	4	1
55-64	26	9	17	18	6	12	8	3	5
65-74	44	28	16	29	15	14	15	13	2
75-84	73	47	26	35	23	12	38	24	14
85 AND OVER	91	61	30	31	21	10	60	40	20
UNKNOWN	1	0	1	1	0	1	0	0	0

1995 POPULATION:

TOTAL	38,994
WHITE	24,015
NONWHITE	14,979

(HSWWDTCO)

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	349	221	128	10.3	12.6	7.9
HEART DISEASES	115	77	38	340.9	438.8	234.7
MALIGNANT NEOPLASMS	66	37	29	195.6	210.9	179.1
CEREBROVASCULAR DISEASES	31	21	10	91.9	119.7	61.8
EMPHYSEMA AND OTHER COPD	25	22	3	74.1	125.4	18.5
ACCIDENTS	22	10	12	65.2	57.0	74.1
PNEUMONIA AND INFLUENZA	13	7	6	38.5	39.9	37.0
SUICIDE	7	7	0	20.7	39.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	17.8	22.8	12.4
DIABETES MELLITUS	5	3	2	14.8	17.1	12.4
HYPERTENSION	3	1	2	8.9	5.7	12.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	8.9	11.4	6.2
CONGENITAL ANOMALIES	3	2	1	8.9	11.4	6.2
HOMICIDE AND LEGAL INTERVENTION	3	2	1	8.9	11.4	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	3.6	4.8	2.9
ATHEROSCLEROSIS	1	1	0	3.0	5.7	0.0
MATERNAL CAUSES	1	1	0	182.5	485.4	0.0
HIV INFECTION	1	1	0	3.0	5.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.8	5.7	18.5
ALL OTHER	38	21	17	112.6	119.7	105.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	349	221	128	178	111	67	171	110	61
UNDER 1	9	4	5	5	2	3	4	2	2
(NEONATAL)	4	3	1	2	1	1	2	2	0
(POSTNEONATAL)	5	1	4	3	1	2	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	1	3	1	0	1	3	1	2
25-34	13	6	7	7	4	3	6	2	4
35-44	14	7	7	10	5	5	4	2	2
45-54	21	12	9	14	7	7	7	5	2
55-64	36	24	12	27	20	7	9	4	5
65-74	80	48	32	42	25	17	38	23	15
75-84	93	60	33	47	27	20	46	33	13
85 AND OVER	78	59	19	25	21	4	53	38	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	33,738
WHITE	17,547
NONWHITE	16,191

(HSWWDTCO)

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	435	376	59	10.4	10.7	8.8
HEART DISEASES	139	122	17	332.0	346.6	254.9
MALIGNANT NEOPLASMS	87	79	8	207.8	224.4	120.0
ACCIDENTS	33	32	1	78.8	90.9	15.0
CEREBROVASCULAR DISEASES	31	22	9	74.0	62.5	135.0
EMPHYSEMA AND OTHER COPD	20	18	2	47.8	51.1	30.0
DIABETES MELLITUS	19	15	4	45.4	42.6	60.0
PNEUMONIA AND INFLUENZA	14	12	2	33.4	34.1	30.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	8	1	21.5	22.7	15.0
SUICIDE	7	6	1	16.7	17.0	15.0
HIV INFECTION	4	0	4	9.6	0.0	60.0
HYPERTENSION	2	2	0	4.8	5.7	0.0
CONGENITAL ANOMALIES	2	2	0	4.8	5.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	0.0	10.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	16.7	14.2	30.0
ALL OTHER	60	53	7	143.3	150.6	105.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	435	376	59	231	200	31	204	176	28
UNDER 1	4	1	3	0	0	0	4	1	3
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	6	1	6	5	1	1	1	0
25-34	14	12	2	11	10	1	3	2	1
35-44	18	13	5	14	10	4	4	3	1
45-54	39	29	10	25	17	8	14	12	2
55-64	54	45	9	33	30	3	21	15	6
65-74	107	99	8	60	57	3	47	42	5
75-84	103	92	11	50	44	6	53	48	5
85 AND OVER	87	77	10	31	26	5	56	51	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,866
WHITE	35,198
NONWHITE	6,668

(HSWWDTCO)

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	100	74	26	8.8	8.6	9.6
HEART DISEASES	36	26	10	318.0	301.8	369.5
MALIGNANT NEOPLASMS	22	15	7	194.3	174.1	258.7
CEREBROVASCULAR DISEASES	12	11	1	106.0	127.7	37.0
PNEUMONIA AND INFLUENZA	4	4	0	35.3	46.4	0.0
EMPHYSEMA AND OTHER COPD	4	3	1	35.3	34.8	37.0
ACCIDENTS	4	2	2	35.3	23.2	73.9
DIABETES MELLITUS	3	3	0	26.5	34.8	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	26.5	23.2	37.0
SUICIDE	2	1	1	17.7	11.6	37.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	8.8	11.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	9	6	3	79.5	69.6	110.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100	74	26	58	43	15	42	31	11
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	2	1	3	2	1	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	7	4	3	3	1	2	4	3	1
55-64	13	11	2	8	7	1	5	4	1
65-74	21	17	4	15	12	3	6	5	1
75-84	33	26	7	17	13	4	16	13	3
85 AND OVER	21	13	8	10	7	3	11	6	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,321
WHITE	8,615
NONWHITE	2,706

(HSWWDTCO)

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	510	299	211	13.7	15.3	11.9
HEART DISEASES	165	109	56	442.1	557.1	315.4
MALIGNANT NEOPLASMS	102	55	47	273.3	281.1	264.7
ACCIDENTS	36	17	19	96.5	86.9	107.0
CEREBROVASCULAR DISEASES	30	18	12	80.4	92.0	67.6
EMPHYSEMA AND OTHER COPD	29	13	16	77.7	66.4	90.1
DIABETES MELLITUS	26	15	11	69.7	76.7	62.0
PNEUMONIA AND INFLUENZA	21	14	7	56.3	71.6	39.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	16.1	20.4	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.7	15.3	5.6
SUICIDE	4	3	1	10.7	15.3	5.6
HOMICIDE AND LEGAL INTERVENTION	4	0	4	10.7	0.0	22.5
CONGENITAL ANOMALIES	2	1	1	5.4	5.1	5.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.4	0.0	6.1
ATHEROSCLEROSIS	1	1	0	2.7	5.1	0.0
HIV INFECTION	1	1	0	2.7	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.4	5.1	5.6
ALL OTHER	75	44	31	201.0	224.9	174.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	510	299	211	259	141	118	251	158	93
UNDER 1	6	2	4	3	1	2	3	1	2
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	2	0	2	0	0	0	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	6	5	10	5	5	1	1	0
25-34	9	6	3	7	6	1	2	0	2
35-44	24	7	17	17	4	13	7	3	4
45-54	41	19	22	25	13	12	16	6	10
55-64	72	37	35	40	17	23	32	20	12
65-74	92	58	34	47	29	18	45	29	16
75-84	130	79	51	63	35	28	67	44	23
85 AND OVER	122	85	37	46	31	15	76	54	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	37,321
WHITE	19,565
NONWHITE	17,756

(HSWWDTCO)

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	236	212	24	9.4	10.1	5.9
HEART DISEASES	70	62	8	279.8	295.6	197.6
MALIGNANT NEOPLASMS	59	54	5	235.8	257.5	123.5
CEREBROVASCULAR DISEASES	21	18	3	83.9	85.8	74.1
ACCIDENTS	15	12	3	60.0	57.2	74.1
PNEUMONIA AND INFLUENZA	9	9	0	36.0	42.9	0.0
EMPHYSEMA AND OTHER COPD	6	6	0	24.0	28.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.0	14.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	12.0	9.5	24.7
SUICIDE	3	2	1	12.0	9.5	24.7
HOMICIDE AND LEGAL INTERVENTION	3	3	0	12.0	14.3	0.0
DIABETES MELLITUS	2	2	0	8.0	9.5	0.0
ATHEROSCLEROSIS	2	2	0	8.0	9.5	0.0
CONGENITAL ANOMALIES	2	2	0	8.0	9.5	0.0
HYPERTENSION	1	1	0	4.0	4.8	0.0
HIV INFECTION	1	0	1	4.0	0.0	24.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	12.0	4.8	49.4
ALL OTHER	33	33	0	131.9	157.4	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	236	212	24	137	122	15	99	90	9
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	5	5	0	4	4	0	1	1	0
35-44	15	12	3	11	9	2	4	3	1
45-54	18	17	1	14	13	1	4	4	0
55-64	21	19	2	12	12	0	9	7	2
65-74	63	56	7	46	42	4	17	14	3
75-84	54	50	4	28	26	2	26	24	2
85 AND OVER	51	49	2	14	13	1	37	36	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	25,020
WHITE	20,971
NONWHITE	4,049

(HSWWDTCO)

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	242	218	24	10.3	10.6	8.1
HEART DISEASES	80	71	9	339.5	344.8	303.2
MALIGNANT NEOPLASMS	45	40	5	191.0	194.2	168.5
EMPHYSEMA AND OTHER COPD	19	18	1	80.6	87.4	33.7
ACCIDENTS	17	17	0	72.2	82.6	0.0
CEREBROVASCULAR DISEASES	14	12	2	59.4	58.3	67.4
PNEUMONIA AND INFLUENZA	11	9	2	46.7	43.7	67.4
DIABETES MELLITUS	4	4	0	17.0	19.4	0.0
HOMICIDE AND LEGAL INTERVENTION	4	3	1	17.0	14.6	33.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	12.7	14.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	6.2	7.3	0.0
SUICIDE	2	2	0	8.5	9.7	0.0
HYPERTENSION	1	1	0	4.2	4.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.2	4.8	0.0
CONGENITAL ANOMALIES	1	1	0	4.2	4.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	12.7	14.6	0.0
ALL OTHER	35	31	4	148.6	150.5	134.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	242	218	24	132	118	14	110	100	10
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	5	0	3	3	0	2	2	0
25-34	5	5	0	3	3	0	2	2	0
35-44	10	7	3	6	4	2	4	3	1
45-54	14	12	2	12	10	2	2	2	0
55-64	32	27	5	16	14	2	16	13	3
65-74	54	51	3	32	30	2	22	21	1
75-84	61	56	5	28	25	3	33	31	2
85 AND OVER	55	49	6	28	25	3	27	24	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,561
WHITE	20,593
NONWHITE	2,968

(HSWWDTCO)

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	108	56	52	11.4	17.2	8.4
HEART DISEASES	40	21	19	422.4	643.2	306.2
MALIGNANT NEOPLASMS	23	12	11	242.9	367.5	177.3
CEREBROVASCULAR DISEASES	10	5	5	105.6	153.1	80.6
PNEUMONIA AND INFLUENZA	5	3	2	52.8	91.9	32.2
EMPHYSEMA AND OTHER COPD	5	4	1	52.8	122.5	16.1
ACCIDENTS	5	3	2	52.8	91.9	32.2
DIABETES MELLITUS	3	1	2	31.7	30.6	32.2
HYPERTENSION	2	0	2	21.1	0.0	32.2
HOMICIDE AND LEGAL INTERVENTION	2	0	2	21.1	0.0	32.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	21.1	0.0	32.2
ALL OTHER	11	7	4	116.2	214.4	64.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	108	56	52	46	23	23	62	33	29
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	0	0	0	2	0	2
35-44	6	1	5	3	1	2	3	0	3
45-54	4	0	4	2	0	2	2	0	2
55-64	12	9	3	5	3	2	7	6	1
65-74	23	12	11	8	4	4	15	8	7
75-84	29	18	11	17	11	6	12	7	5
85 AND OVER	28	15	13	9	4	5	19	11	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,470
WHITE	3,265
NONWHITE	6,205

(HSWWDTCO)

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	748	605	143	7.2	7.2	7.6
HEART DISEASES	297	236	61	287.8	279.4	326.1
MALIGNANT NEOPLASMS	162	140	22	157.0	165.7	117.6
ACCIDENTS	53	45	8	51.4	53.3	42.8
CEREBROVASCULAR DISEASES	38	25	13	36.8	29.6	69.5
EMPHYSEMA AND OTHER COPD	32	32	0	31.0	37.9	0.0
PNEUMONIA AND INFLUENZA	23	19	4	22.3	22.5	21.4
SUICIDE	14	13	1	13.6	15.4	5.3
DIABETES MELLITUS	11	6	5	10.7	7.1	26.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	6	3	8.7	7.1	16.0
HOMICIDE AND LEGAL INTERVENTION	8	8	0	7.8	9.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	6.8	5.9	10.7
CONDITIONS ORIG IN PERINATAL PERIOD	7	6	1	4.6	4.8	3.4
HYPERTENSION	3	1	2	2.9	1.2	10.7
ATHEROSCLEROSIS	3	3	0	2.9	3.6	0.0
CONGENITAL ANOMALIES	2	2	0	1.9	2.4	0.0
HIV INFECTION	2	1	1	1.9	1.2	5.3
TUBERCULOSIS	1	1	0	1.0	1.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	2.9	1.2	10.7
ALL OTHER	73	55	18	70.8	65.1	96.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	748	605	143	394	315	79	354	290	64
UNDER 1	11	8	3	5	3	2	6	5	1
(NEONATAL)	7	6	1	3	2	1	4	4	0
(POSTNEONATAL)	4	2	2	2	1	1	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	1	0	1	0	1
10-14	3	3	0	2	2	0	1	1	0
15-24	21	19	2	17	15	2	4	4	0
25-34	24	14	10	17	10	7	7	4	3
35-44	35	27	8	21	16	5	14	11	3
45-54	78	63	15	48	40	8	30	23	7
55-64	111	92	19	72	61	11	39	31	8
65-74	161	132	29	106	86	20	55	46	9
75-84	161	131	30	66	53	13	95	78	17
85 AND OVER	141	115	26	39	28	11	102	87	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	103,176
WHITE	84,469
NONWHITE	18,707

(HSWWDTCO)

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	249	158	91	10.2	10.8	9.4
HEART DISEASES	97	64	33	399.6	438.0	341.5
MALIGNANT NEOPLASMS	59	37	22	243.0	253.2	227.7
ACCIDENTS	19	12	7	78.3	82.1	72.4
CEREBROVASCULAR DISEASES	11	7	4	45.3	47.9	41.4
EMPHYSEMA AND OTHER COPD	10	7	3	41.2	47.9	31.0
PNEUMONIA AND INFLUENZA	9	8	1	37.1	54.8	10.3
HOMICIDE AND LEGAL INTERVENTION	7	0	7	28.8	0.0	72.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	24.7	20.5	31.0
SUICIDE	5	5	0	20.6	34.2	0.0
DIABETES MELLITUS	4	3	1	16.5	20.5	10.3
ATHEROSCLEROSIS	2	2	0	8.2	13.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	8.2	6.8	10.3
INFECTIONS OF KIDNEY	2	1	1	8.2	6.8	10.3
HYPERTENSION	1	0	1	4.1	0.0	10.3
CONGENITAL ANOMALIES	1	1	0	4.1	6.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.2	6.8	10.3
ALL OTHER	12	6	6	49.4	41.1	62.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	249	158	91	140	86	54	109	72	37
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	6	5	11	6	5	0	0	0
25-34	4	0	4	3	0	3	1	0	1
35-44	17	9	8	8	3	5	9	6	3
45-54	17	12	5	13	8	5	4	4	0
55-64	33	20	13	22	13	9	11	7	4
65-74	45	32	13	28	22	6	17	10	7
75-84	62	39	23	25	17	8	37	22	15
85 AND OVER	56	39	17	28	17	11	28	22	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,275
WHITE	14,612
NONWHITE	9,663

(HSWWDTCO)

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	75	24	51	10.9	12.2	10.4
HEART DISEASES	21	7	14	305.4	355.9	285.2
MALIGNANT NEOPLASMS	14	4	10	203.6	203.4	203.7
CEREBROVASCULAR DISEASES	9	4	5	130.9	203.4	101.9
ACCIDENTS	5	2	3	72.7	101.7	61.1
DIABETES MELLITUS	4	0	4	58.2	0.0	81.5
EMPHYSEMA AND OTHER COPD	4	2	2	58.2	101.7	40.8
PNEUMONIA AND INFLUENZA	2	1	1	29.1	50.8	20.4
SUICIDE	2	2	0	29.1	101.7	0.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	29.1	0.0	40.8
HIV INFECTION	2	0	2	29.1	0.0	40.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	14.5	0.0	20.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	9	2	7	130.9	101.7	142.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	75	24	51	38	12	26	37	12	25
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	2	1	1	2	0	2
25-34	2	2	0	2	2	0	0	0	0
35-44	4	0	4	2	0	2	2	0	2
45-54	5	0	5	5	0	5	0	0	0
55-64	7	1	6	1	0	1	6	1	5
65-74	20	6	14	12	4	8	8	2	6
75-84	15	6	9	7	3	4	8	3	5
85 AND OVER	15	7	8	5	2	3	10	5	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	6,875
WHITE	1,967
NONWHITE	4,908

(HSWWDTCO)

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	284	212	72	11.9	13.4	8.9
HEART DISEASES	92	77	15	384.4	486.6	184.9
MALIGNANT NEOPLASMS	56	40	16	234.0	252.8	197.2
ACCIDENTS	26	14	12	108.6	88.5	147.9
CEREBROVASCULAR DISEASES	19	15	4	79.4	94.8	49.3
EMPHYSEMA AND OTHER COPD	17	14	3	71.0	88.5	37.0
ATHEROSCLEROSIS	14	11	3	58.5	69.5	37.0
PNEUMONIA AND INFLUENZA	12	11	1	50.1	69.5	12.3
HYPERTENSION	5	2	3	20.9	12.6	37.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	16.7	19.0	12.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	16.7	12.6	24.6
HOMICIDE AND LEGAL INTERVENTION	4	1	3	16.7	6.3	37.0
CONGENITAL ANOMALIES	3	3	0	12.5	19.0	0.0
DIABETES MELLITUS	2	2	0	8.4	12.6	0.0
SUICIDE	1	1	0	4.2	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.2	0.0	12.3
ALL OTHER	24	16	8	100.3	101.1	98.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	284	212	72	143	103	40	141	109	32
UNDER 1	4	3	1	0	0	0	4	3	1
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	3	2	1	0	0	0	3	2	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	2	6	4	0	4	4	2	2
25-34	8	2	6	6	1	5	2	1	1
35-44	12	9	3	10	7	3	2	2	0
45-54	18	8	10	12	4	8	6	4	2
55-64	25	20	5	19	14	5	6	6	0
65-74	60	47	13	34	30	4	26	17	9
75-84	82	66	16	36	31	5	46	35	11
85 AND OVER	67	55	12	22	16	6	45	39	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,936
WHITE	15,824
NONWHITE	8,112

(HSWWDTCO)

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	154	127	27	10.4	11.2	7.9
HEART DISEASES	54	47	7	364.5	413.0	203.8
MALIGNANT NEOPLASMS	30	26	4	202.5	228.5	116.5
CEREBROVASCULAR DISEASES	11	7	4	74.2	61.5	116.5
ACCIDENTS	10	6	4	67.5	52.7	116.5
PNEUMONIA AND INFLUENZA	8	7	1	54.0	61.5	29.1
EMPHYSEMA AND OTHER COPD	5	5	0	33.8	43.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	27.0	26.4	29.1
CONGENITAL ANOMALIES	3	2	1	20.2	17.6	29.1
DIABETES MELLITUS	2	1	1	13.5	8.8	29.1
HYPERTENSION	2	2	0	13.5	17.6	0.0
SUICIDE	2	1	1	13.5	8.8	29.1
TUBERCULOSIS	1	0	1	6.8	0.0	29.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.8	8.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.3	7.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.8	0.0	29.1
ALL OTHER	19	18	1	128.3	158.2	29.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	154	127	27	91	74	17	63	53	10
UNDER 1	5	3	2	2	2	0	3	1	2
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	5	3	2	5	3	2	0	0	0
45-54	11	8	3	8	6	2	3	2	1
55-64	17	15	2	8	7	1	9	8	1
65-74	36	27	9	28	20	8	8	7	1
75-84	47	43	4	23	22	1	24	21	3
85 AND OVER	28	25	3	12	11	1	16	14	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,813
WHITE	11,379
NONWHITE	3,434

(HSWWDTCO)

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	155	119	36	12.6	12.6	12.7
HEART DISEASES	48	36	12	389.7	379.8	422.7
MALIGNANT NEOPLASMS	26	21	5	211.1	221.5	176.1
ACCIDENTS	15	10	5	121.8	105.5	176.1
EMPHYSEMA AND OTHER COPD	11	10	1	89.3	105.5	35.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	7	1	64.9	73.8	35.2
PNEUMONIA AND INFLUENZA	7	7	0	56.8	73.8	0.0
CEREBROVASCULAR DISEASES	6	4	2	48.7	42.2	70.4
DIABETES MELLITUS	2	2	0	16.2	21.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	16.2	21.1	0.0
INFECTIONS OF KIDNEY	2	1	1	16.2	10.6	35.2
HOMICIDE AND LEGAL INTERVENTION	2	1	1	16.2	10.6	35.2
ATHEROSCLEROSIS	1	1	0	8.1	10.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.8	6.1	0.0
SUICIDE	1	0	1	8.1	0.0	35.2
HIV INFECTION	1	0	1	8.1	0.0	35.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.1	0.0	35.2
ALL OTHER	21	16	5	170.5	168.8	176.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	155	119	36	91	68	23	64	51	13
UNDER 1	3	2	1	1	1	0	2	1	1
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	5	3	2	5	3	2	0	0	0
35-44	8	4	4	6	3	3	2	1	1
45-54	10	8	2	7	6	1	3	2	1
55-64	14	11	3	8	6	2	6	5	1
65-74	29	23	6	15	12	3	14	11	3
75-84	58	47	11	35	28	7	23	19	4
85 AND OVER	24	18	6	10	6	4	14	12	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,318
WHITE	9,479
NONWHITE	2,839

(HSWWDTCO)

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	362	135	227	10.2	11.8	9.5
HEART DISEASES	138	60	78	390.4	524.6	326.2
MALIGNANT NEOPLASMS	73	25	48	206.5	218.6	200.8
CEREBROVASCULAR DISEASES	29	7	22	82.0	61.2	92.0
ACCIDENTS	27	10	17	76.4	87.4	71.1
PNEUMONIA AND INFLUENZA	11	6	5	31.1	52.5	20.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	0	9	25.5	0.0	37.6
HOMICIDE AND LEGAL INTERVENTION	9	1	8	25.5	8.7	33.5
DIABETES MELLITUS	6	2	4	17.0	17.5	16.7
EMPHYSEMA AND OTHER COPD	5	3	2	14.1	26.2	8.4
HIV INFECTION	5	0	5	14.1	0.0	20.9
SUICIDE	4	3	1	11.3	26.2	4.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.8	0.0	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.8	8.7	0.0
MATERNAL CAUSES	1	0	1	189.0	0.0	229.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	14.1	26.2	8.4
ALL OTHER	37	14	23	104.7	122.4	96.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	362	135	227	190	77	113	172	58	114
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	8	1	7	6	1	5	2	0	2
25-34	12	1	11	11	1	10	1	0	1
35-44	22	4	18	18	4	14	4	0	4
45-54	35	5	30	21	5	16	14	0	14
55-64	53	23	30	31	17	14	22	6	16
65-74	56	23	33	28	14	14	28	9	19
75-84	97	46	51	44	24	20	53	22	31
85 AND OVER	70	30	40	24	10	14	46	20	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,345
WHITE	11,437
NONWHITE	23,908

(HSWWDTCO)

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	154	73	81	10.9	14.5	9.0
HEART DISEASES	48	27	21	340.7	535.6	232.1
MALIGNANT NEOPLASMS	31	16	15	220.1	317.4	165.8
ACCIDENTS	19	5	14	134.9	99.2	154.8
CEREBROVASCULAR DISEASES	9	4	5	63.9	79.3	55.3
DIABETES MELLITUS	7	4	3	49.7	79.3	33.2
PNEUMONIA AND INFLUENZA	7	2	5	49.7	39.7	55.3
EMPHYSEMA AND OTHER COPD	5	4	1	35.5	79.3	11.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	18.0	0.0	25.3
SUICIDE	2	1	1	14.2	19.8	11.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	14.2	0.0	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.1	0.0	11.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	7.1	19.8	0.0
CONGENITAL ANOMALIES	1	1	0	7.1	19.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	17	8	9	120.7	158.7	99.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	154	73	81	75	37	38	79	36	43
UNDER 1	7	0	7	5	0	5	2	0	2
(NEONATAL)	4	0	4	3	0	3	1	0	1
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	2	1	1	1	1	0	1	0	1
25-34	8	3	5	6	2	4	2	1	1
35-44	6	2	4	2	0	2	4	2	2
45-54	11	0	11	6	0	6	5	0	5
55-64	16	11	5	12	9	3	4	2	2
65-74	32	15	17	17	9	8	15	6	9
75-84	34	20	14	14	12	2	20	8	12
85 AND OVER	34	21	13	10	4	6	24	17	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,087
WHITE	5,041
NONWHITE	9,046

(HSWWDTCO)

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	215	158	57	9.6	11.0	7.1
HEART DISEASES	58	45	13	259.5	313.8	162.3
MALIGNANT NEOPLASMS	48	37	11	214.7	258.0	137.3
CEREBROVASCULAR DISEASES	22	15	7	98.4	104.6	87.4
EMPHYSEMA AND OTHER COPD	14	11	3	62.6	76.7	37.4
ACCIDENTS	13	6	7	58.2	41.8	87.4
PNEUMONIA AND INFLUENZA	9	8	1	40.3	55.8	12.5
HYPERTENSION	4	3	1	17.9	20.9	12.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	11.8	5.0	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.4	20.9	0.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	13.4	7.0	25.0
DIABETES MELLITUS	2	1	1	8.9	7.0	12.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	8.9	13.9	0.0
TUBERCULOSIS	1	1	0	4.5	7.0	0.0
CONGENITAL ANOMALIES	1	0	1	4.5	0.0	12.5
SUICIDE	1	1	0	4.5	7.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	30	23	7	134.2	160.4	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	215	158	57	116	86	30	99	72	27
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	3	1	2	3	1	2
25-34	5	1	4	4	0	4	1	1	0
35-44	16	11	5	6	5	1	10	6	4
45-54	17	14	3	11	9	2	6	5	1
55-64	24	22	2	18	17	1	6	5	1
65-74	43	30	13	22	13	9	21	17	4
75-84	56	44	12	29	25	4	27	19	8
85 AND OVER	41	33	8	20	16	4	21	17	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	22,352
WHITE	14,342
NONWHITE	8,010

(HSWWDTCO)

COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	257	222	35	13.1	13.7	10.2
HEART DISEASES	103	84	19	525.1	518.4	556.7
MALIGNANT NEOPLASMS	48	45	3	244.7	277.7	87.9
PNEUMONIA AND INFLUENZA	15	12	3	76.5	74.1	87.9
EMPHYSEMA AND OTHER COPD	15	14	1	76.5	86.4	29.3
ACCIDENTS	15	13	2	76.5	80.2	58.6
CEREBROVASCULAR DISEASES	14	13	1	71.4	80.2	29.3
DIABETES MELLITUS	10	8	2	51.0	49.4	58.6
CONGENITAL ANOMALIES	3	2	1	15.3	12.3	29.3
SUICIDE	3	3	0	15.3	18.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.2	12.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	6.5	4.2	15.2
HYPERTENSION	1	1	0	5.1	6.2	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	5.1	6.2	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	25	23	2	127.4	142.0	58.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	257	222	35	139	120	19	118	102	16
UNDER 1	4	2	2	2	2	0	2	0	2
(NEONATAL)	3	1	2	1	1	0	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	3	1	2	2	0	2	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	5	5	0	3	3	0	2	2	0
35-44	9	7	2	7	6	1	2	1	1
45-54	21	18	3	14	12	2	7	6	1
55-64	19	17	2	11	10	1	8	7	1
65-74	45	39	6	29	25	4	16	14	2
75-84	73	62	11	37	30	7	36	32	4
85 AND OVER	74	67	7	31	29	2	43	38	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,615
WHITE	16,202
NONWHITE	3,413

(HSWWDTCO)

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	238	224	14	13.5	13.2	19.9
HEART DISEASES	77	73	4	435.9	430.3	569.8
MALIGNANT NEOPLASMS	57	54	3	322.6	318.3	427.4
CEREBROVASCULAR DISEASES	16	14	2	90.6	82.5	284.9
EMPHYSEMA AND OTHER COPD	16	15	1	90.6	88.4	142.4
ACCIDENTS	12	11	1	67.9	64.8	142.4
PNEUMONIA AND INFLUENZA	10	9	1	56.6	53.0	142.4
DIABETES MELLITUS	6	5	1	34.0	29.5	142.4
SUICIDE	5	5	0	28.3	29.5	0.0
ATHEROSCLEROSIS	4	4	0	22.6	23.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	17.0	17.7	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	11.3	5.9	142.4
HYPERTENSION	1	1	0	5.7	5.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.7	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.7	5.9	0.0
ALL OTHER	27	27	0	152.8	159.2	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	238	224	14	126	119	7	112	105	7
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	4	3	1	2	1	1	2	2	0
25-34	3	3	0	2	2	0	1	1	0
35-44	7	5	2	6	4	2	1	1	0
45-54	7	6	1	5	5	0	2	1	1
55-64	24	22	2	17	16	1	7	6	1
65-74	57	57	0	35	35	0	22	22	0
75-84	73	68	5	33	31	2	40	37	3
85 AND OVER	58	55	3	24	23	1	34	32	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,666
WHITE	16,964
NONWHITE	702

(HSWWDTCO)

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	99	38	61	10.9	16.0	9.1
HEART DISEASES	33	13	20	364.1	547.8	299.0
MALIGNANT NEOPLASMS	21	9	12	231.7	379.3	179.4
CEREBROVASCULAR DISEASES	11	6	5	121.4	252.8	74.7
PNEUMONIA AND INFLUENZA	5	3	2	55.2	126.4	29.9
ACCIDENTS	5	1	4	55.2	42.1	59.8
EMPHYSEMA AND OTHER COPD	4	1	3	44.1	42.1	44.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	0	3	33.1	0.0	44.8
HOMICIDE AND LEGAL INTERVENTION	2	1	1	22.1	42.1	14.9
DIABETES MELLITUS	1	0	1	11.0	0.0	14.9
HYPERTENSION	1	0	1	11.0	0.0	14.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.0	0.0	14.9
SUICIDE	1	1	0	11.0	42.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	11.0	0.0	14.9
ALL OTHER	10	3	7	110.3	126.4	104.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	99	38	61	43	16	27	56	22	34
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	4	1	3	2	0	2	2	1	1
35-44	5	2	3	3	1	2	2	1	1
45-54	9	0	9	4	0	4	5	0	5
55-64	12	5	7	7	3	4	5	2	3
65-74	21	7	14	7	3	4	14	4	10
75-84	26	15	11	13	8	5	13	7	6
85 AND OVER	20	7	13	6	1	5	14	6	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 9,063
 WHITE 2,373
 NONWHITE 6,690

(HSWWDTCO)

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	207	182	25	8.8	9.2	6.8
HEART DISEASES	81	67	14	345.7	339.2	380.5
MALIGNANT NEOPLASMS	45	41	4	192.1	207.6	108.7
CEREBROVASCULAR DISEASES	23	21	2	98.2	106.3	54.4
EMPHYSEMA AND OTHER COPD	8	7	1	34.1	35.4	27.2
ACCIDENTS	8	8	0	34.1	40.5	0.0
DIABETES MELLITUS	5	5	0	21.3	25.3	0.0
PNEUMONIA AND INFLUENZA	5	5	0	21.3	25.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.8	15.2	0.0
SUICIDE	3	3	0	12.8	15.2	0.0
CONGENITAL ANOMALIES	2	0	2	8.5	0.0	54.4
HYPERTENSION	1	1	0	4.3	5.1	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	4.3	5.1	0.0
HIV INFECTION	1	0	1	4.3	0.0	27.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	21	20	1	89.6	101.3	27.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	207	182	25	110	92	18	97	90	7
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	5	0	3	3	0	2	2	0
35-44	11	7	4	7	4	3	4	3	1
45-54	18	15	3	12	9	3	6	6	0
55-64	21	18	3	10	8	2	11	10	1
65-74	34	31	3	22	19	3	12	12	0
75-84	60	52	8	34	28	6	26	24	2
85 AND OVER	54	52	2	19	19	0	35	33	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,429
WHITE	19,750
NONWHITE	3,679

(HSWWDTCO)

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	169	105	64	12.0	13.4	10.2
HEART DISEASES	71	40	31	503.8	512.4	493.1
MALIGNANT NEOPLASMS	34	22	12	241.2	281.8	190.9
ACCIDENTS	11	8	3	78.0	102.5	47.7
PNEUMONIA AND INFLUENZA	9	5	4	63.8	64.0	63.6
EMPHYSEMA AND OTHER COPD	8	8	0	56.8	102.5	0.0
CEREBROVASCULAR DISEASES	7	3	4	49.7	38.4	63.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	21.3	25.6	15.9
CONGENITAL ANOMALIES	2	0	2	14.2	0.0	31.8
SUICIDE	2	2	0	14.2	25.6	0.0
HYPERTENSION	1	0	1	7.1	0.0	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.1	0.0	15.9
HIV INFECTION	1	1	0	7.1	12.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.1	0.0	15.9
ALL OTHER	18	14	4	127.7	179.3	63.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	169	105	64	83	53	30	86	52	34
UNDER 1	5	1	4	2	0	2	3	1	2
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	4	1	3	1	0	1	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	3	3	0	3	3	0	0	0	0
35-44	5	2	3	4	2	2	1	0	1
45-54	14	6	8	7	3	4	7	3	4
55-64	19	11	8	14	9	5	5	2	3
65-74	29	22	7	20	17	3	9	5	4
75-84	46	26	20	15	8	7	31	18	13
85 AND OVER	44	31	13	15	9	6	29	22	7
UNKNOWN	1	1	0	1	1	0	0	0	0

1995 POPULATION:

TOTAL	14,094
WHITE	7,807
NONWHITE	6,287

(HSWWDTCO)

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	512	297	215	10.4	10.2	10.8
HEART DISEASES	198	126	72	404.2	432.8	362.3
MALIGNANT NEOPLASMS	110	64	46	224.5	219.8	231.5
CEREBROVASCULAR DISEASES	41	23	18	83.7	79.0	90.6
PNEUMONIA AND INFLUENZA	17	13	4	34.7	44.6	20.1
ACCIDENTS	15	8	7	30.6	27.5	35.2
EMPHYSEMA AND OTHER COPD	13	10	3	26.5	34.3	15.1
SUICIDE	8	7	1	16.3	24.0	5.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	12.2	10.3	15.1
DIABETES MELLITUS	5	1	4	10.2	3.4	20.1
CONGENITAL ANOMALIES	5	1	4	10.2	3.4	20.1
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	6.0	0.0	11.7
HOMICIDE AND LEGAL INTERVENTION	5	1	4	10.2	3.4	20.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	8.2	6.9	10.1
HIV INFECTION	3	0	3	6.1	0.0	15.1
ATHEROSCLEROSIS	2	1	1	4.1	3.4	5.0
MATERNAL CAUSES	1	0	1	119.2	0.0	234.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	8.2	6.9	10.1
ALL OTHER	70	35	35	142.9	120.2	176.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	512	297	215	258	159	99	254	138	116
UNDER 1	12	3	9	10	2	8	2	1	1
(NEONATAL)	7	1	6	6	1	5	1	0	1
(POSTNEONATAL)	5	2	3	4	1	3	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	6	3	3	2	0	2
25-34	2	1	1	1	1	0	1	0	1
35-44	21	5	16	11	2	9	10	3	7
45-54	41	20	21	31	17	14	10	3	7
55-64	62	29	33	37	21	16	25	8	17
65-74	98	65	33	54	38	16	44	27	17
75-84	136	92	44	62	46	16	74	46	28
85 AND OVER	132	79	53	46	29	17	86	50	36
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	48,988
WHITE	29,116
NONWHITE	19,872

(HSWWDTCO)

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	723	270	453	10.3	9.5	10.8
HEART DISEASES	267	113	154	379.2	396.5	367.4
MALIGNANT NEOPLASMS	135	54	81	191.7	189.5	193.3
CEREBROVASCULAR DISEASES	59	18	41	83.8	63.2	97.8
ACCIDENTS	40	13	27	56.8	45.6	64.4
HOMICIDE AND LEGAL INTERVENTION	21	3	18	29.8	10.5	42.9
PNEUMONIA AND INFLUENZA	19	3	16	27.0	10.5	38.2
DIABETES MELLITUS	18	4	14	25.6	14.0	33.4
EMPHYSEMA AND OTHER COPD	18	12	6	25.6	42.1	14.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	4	6	14.2	14.0	14.3
HIV INFECTION	10	2	8	14.2	7.0	19.1
HYPERTENSION	8	1	7	11.4	3.5	16.7
CONGENITAL ANOMALIES	7	3	4	9.9	10.5	9.5
SUICIDE	6	2	4	8.5	7.0	9.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	4.3	7.8	3.3
ATHEROSCLEROSIS	4	2	2	5.7	7.0	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	4.3	0.0	7.2
MATERNAL CAUSES	1	0	1	86.3	0.0	110.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	2	16	25.6	7.0	38.2
ALL OTHER	74	32	42	105.1	112.3	100.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	723	270	453	339	133	206	384	137	247
UNDER 1	14	5	9	3	1	2	11	4	7
(NEONATAL)	10	5	5	2	1	1	8	4	4
(POSTNEONATAL)	4	0	4	1	0	1	3	0	3
1-4	1	1	0	1	1	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	23	4	19	16	2	14	7	2	5
25-34	27	9	18	17	7	10	10	2	8
35-44	42	7	35	22	6	16	20	1	19
45-54	54	7	47	38	5	33	16	2	14
55-64	89	31	58	47	18	29	42	13	29
65-74	126	48	78	66	29	37	60	19	41
75-84	189	90	99	83	44	39	106	46	60
85 AND OVER	156	68	88	45	20	25	111	48	63
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	70,411
WHITE	28,501
NONWHITE	41,910

(HSWWDTCO)

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	204	136	68	10.5	11.2	9.4
HEART DISEASES	84	53	31	433.7	437.7	427.0
MALIGNANT NEOPLASMS	39	31	8	201.4	256.0	110.2
ACCIDENTS	13	7	6	67.1	57.8	82.6
EMPHYSEMA AND OTHER COPD	10	9	1	51.6	74.3	13.8
CEREBROVASCULAR DISEASES	8	5	3	41.3	41.3	41.3
PNEUMONIA AND INFLUENZA	6	5	1	31.0	41.3	13.8
HOMICIDE AND LEGAL INTERVENTION	3	1	2	15.5	8.2	27.6
ATHEROSCLEROSIS	2	2	0	10.3	16.5	0.0
DIABETES MELLITUS	1	0	1	5.2	0.0	13.8
INFECTIONS OF KIDNEY	1	1	0	5.2	8.2	0.0
MATERNAL CAUSES	1	0	1	319.5	0.0	606.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.2	0.0	6.1
HIV INFECTION	1	1	0	5.2	8.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	10.3	8.2	13.8
ALL OTHER	32	20	12	165.2	165.2	165.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	204	136	68	96	70	26	108	66	42
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	3	1	2	1	0	1	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	7	3	4	4	2	2	3	1	2
25-34	1	1	0	1	1	0	0	0	0
35-44	9	3	6	4	3	1	5	0	5
45-54	12	8	4	4	3	1	8	5	3
55-64	28	20	8	18	13	5	10	7	3
65-74	38	29	9	22	16	6	16	13	3
75-84	55	40	15	24	21	3	31	19	12
85 AND OVER	47	30	17	16	11	5	31	19	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,368
WHITE	12,109
NONWHITE	7,259

(HSWWDTCO)

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	144	120	24	13.8	15.0	9.8
HEART DISEASES	58	49	9	555.9	612.7	369.3
MALIGNANT NEOPLASMS	25	22	3	239.6	275.1	123.1
EMPHYSEMA AND OTHER COPD	8	7	1	76.7	87.5	41.0
CEREBROVASCULAR DISEASES	7	5	2	67.1	62.5	82.1
ACCIDENTS	7	6	1	67.1	75.0	41.0
PNEUMONIA AND INFLUENZA	4	3	1	38.3	37.5	41.0
DIABETES MELLITUS	3	3	0	28.8	37.5	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	28.8	12.5	82.1
ATHEROSCLEROSIS	2	1	1	19.2	12.5	41.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.6	12.5	0.0
SUICIDE	1	1	0	9.6	12.5	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	9.6	0.0	41.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	24	21	3	230.0	262.6	123.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	144	120	24	74	62	12	70	58	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	1	0	0	0	0	1	1	0
35-44	5	3	2	4	3	1	1	0	1
45-54	7	6	1	4	4	0	3	2	1
55-64	12	7	5	6	3	3	6	4	2
65-74	26	22	4	19	17	2	7	5	2
75-84	39	31	8	22	17	5	17	14	3
85 AND OVER	51	49	2	18	17	1	33	32	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 10,434
 WHITE 7,997
 NONWHITE 2,437

(HSWWDTCO)

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	117	47	70	12.9	19.0	10.7
HEART DISEASES	45	14	31	497.7	564.5	472.5
MALIGNANT NEOPLASMS	25	15	10	276.5	604.8	152.4
CEREBROVASCULAR DISEASES	10	4	6	110.6	161.3	91.4
PNEUMONIA AND INFLUENZA	5	2	3	55.3	80.6	45.7
DIABETES MELLITUS	4	1	3	44.2	40.3	45.7
EMPHYSEMA AND OTHER COPD	4	2	2	44.2	80.6	30.5
ACCIDENTS	4	1	3	44.2	40.3	45.7
HYPERTENSION	2	0	2	22.1	0.0	30.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	22.1	80.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	11.1	0.0	15.2
MATERNAL CAUSES	1	0	1	909.1	0.0	1162.8
HOMICIDE AND LEGAL INTERVENTION	1	1	0	11.1	40.3	0.0
HIV INFECTION	1	0	1	11.1	0.0	15.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	12	5	7	132.7	201.6	106.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	117	47	70	55	19	36	62	28	34
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	1	1	1	1	0	1	0	1
35-44	4	1	3	0	0	0	4	1	3
45-54	8	2	6	7	2	5	1	0	1
55-64	21	6	15	14	5	9	7	1	6
65-74	24	7	17	14	4	10	10	3	7
75-84	34	21	13	11	4	7	23	17	6
85 AND OVER	23	9	14	8	3	5	15	6	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,041
WHITE	2,480
NONWHITE	6,561

(HSWWDTCO)

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	212	152	60	10.8	14.0	6.9
HEART DISEASES	82	60	22	418.5	551.6	252.4
MALIGNANT NEOPLASMS	44	29	15	224.5	266.6	172.0
CEREBROVASCULAR DISEASES	19	13	6	97.0	119.5	68.8
ACCIDENTS	12	7	5	61.2	64.4	57.4
PNEUMONIA AND INFLUENZA	9	8	1	45.9	73.6	11.5
EMPHYSEMA AND OTHER COPD	6	5	1	30.6	46.0	11.5
DIABETES MELLITUS	5	3	2	25.5	27.6	22.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	15.3	18.4	11.5
HOMICIDE AND LEGAL INTERVENTION	3	3	0	15.3	27.6	0.0
HYPERTENSION	1	0	1	5.1	0.0	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.1	0.0	11.5
ALL OTHER	27	22	5	137.8	202.3	57.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	212	152	60	100	70	30	112	82	30
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	6	3	3	3	1	2	3	2	1
35-44	6	3	3	3	1	2	3	2	1
45-54	14	9	5	7	5	2	7	4	3
55-64	25	17	8	15	10	5	10	7	3
65-74	36	24	12	21	14	7	15	10	5
75-84	63	49	14	28	20	8	35	29	6
85 AND OVER	58	45	13	20	17	3	38	28	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,595
WHITE	10,877
NONWHITE	8,718

(HSWWDTCO)

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	137	91	46	11.4	12.5	9.6
HEART DISEASES	37	26	11	307.1	357.4	230.4
MALIGNANT NEOPLASMS	36	26	10	298.8	357.4	209.5
CEREBROVASCULAR DISEASES	17	13	4	141.1	178.7	83.8
ACCIDENTS	13	3	10	107.9	41.2	209.5
EMPHYSEMA AND OTHER COPD	5	5	0	41.5	68.7	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	24.9	27.5	20.9
SUICIDE	3	2	1	24.9	27.5	20.9
DIABETES MELLITUS	2	0	2	16.6	0.0	41.9
PNEUMONIA AND INFLUENZA	2	2	0	16.6	27.5	0.0
HYPERTENSION	1	0	1	8.3	0.0	20.9
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.3	0.0	20.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.3	0.0	20.9
ALL OTHER	16	12	4	132.8	164.9	83.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	137	91	46	76	44	32	61	47	14
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	1	5	6	1	5	0	0	0
25-34	4	1	3	2	0	2	2	1	1
35-44	8	1	7	7	1	6	1	0	1
45-54	5	3	2	2	1	1	3	2	1
55-64	11	8	3	10	7	3	1	1	0
65-74	35	24	11	17	12	5	18	12	6
75-84	37	30	7	21	16	5	16	14	2
85 AND OVER	30	23	7	10	6	4	20	17	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 12,049
 WHITE 7,275
 NONWHITE 4,774

(HSWWDTCO)

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	326	162	164	13.0	14.4	11.8
HEART DISEASES	108	52	56	429.7	462.6	403.0
MALIGNANT NEOPLASMS	76	44	32	302.4	391.4	230.3
ACCIDENTS	28	14	14	111.4	124.6	100.8
CEREBROVASCULAR DISEASES	22	13	9	87.5	115.6	64.8
DIABETES MELLITUS	13	4	9	51.7	35.6	64.8
PNEUMONIA AND INFLUENZA	9	4	5	35.8	35.6	36.0
HYPERTENSION	7	2	5	27.8	17.8	36.0
EMPHYSEMA AND OTHER COPD	7	7	0	27.8	62.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	1	6	27.8	8.9	43.2
HOMICIDE AND LEGAL INTERVENTION	5	0	5	19.9	0.0	36.0
HIV INFECTION	4	1	3	15.9	8.9	21.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	11.9	26.7	0.0
SUICIDE	3	1	2	11.9	8.9	14.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.4	0.0	6.5
CONGENITAL ANOMALIES	1	0	1	4.0	0.0	7.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.0	0.0	7.2
ALL OTHER	30	16	14	119.4	142.3	100.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	326	162	164	154	76	78	172	86	86
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	6	3	3	2	0	2
25-34	6	2	4	5	2	3	1	0	1
35-44	15	6	9	10	5	5	5	1	4
45-54	20	9	11	13	5	8	7	4	3
55-64	41	19	22	21	11	10	20	8	12
65-74	47	32	15	24	18	6	23	14	9
75-84	85	41	44	33	18	15	52	23	29
85 AND OVER	96	49	47	37	14	23	59	35	24
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	25,134
WHITE	11,240
NONWHITE	13,894