



















































































































## SELECTED DEATH STATISTICS, RESIDENTS OF COLUMBUS, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	359	194	165
HEART DISEASES	130	67	63
MALIGNANT NEOPLASMS	59	34	25
CEREBROVASCULAR DISEASES	22	15	7
ACCIDENTS	18	8	10
PNEUMONIA AND INFLUENZA	9	6	3
CONDITIONS ORIG IN PERINATAL PERIOD	7	4	3
EMPHYSEMA AND OTHER COPD	6	5	1
DIABETES MELLITUS	5	2	3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	0	5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1
HOMICIDE AND LEGAL INTERVENTION	3	1	2
HYPERTENSION	2	1	1
CONGENITAL ANOMALIES	1	0	1
SUICIDE	1	0	1
HIV INFECTION	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	44	30	14
ALL OTHER	43	19	24

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	359	194	165	154	75	79	205	119	86
UNDER 1	10	4	6	8	3	5	2	1	1
(NEONATAL)	8	4	4	6	3	3	2	1	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	9	1	8	6	0	6	3	1	2
35-44	19	2	17	13	1	12	6	1	5
45-54	26	7	19	12	3	9	14	4	10
55-64	36	14	22	23	12	11	13	2	11
65-74	66	36	30	30	18	12	36	18	18
75-84	100	65	35	35	21	14	65	44	21
85 AND OVER	87	62	25	22	14	8	65	48	17
UNKNOWN	1	1	0	1	1	0	0	0	0

















































































































































## SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,974	1,004	970
HEART DISEASES	621	327	294
MALIGNANT NEOPLASMS	464	242	222
CEREBROVASCULAR DISEASES	140	82	58
EMPHYSEMA AND OTHER COPD	88	68	20
ACCIDENTS	80	29	51
HOMICIDE AND LEGAL INTERVENTION	59	10	49
PNEUMONIA AND INFLUENZA	55	32	23
HIV INFECTION	46	7	39
DIABETES MELLITUS	34	8	26
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	22	10	12
SUICIDE	15	9	6
CHRONIC LIVER DISEASE AND CIRRHOSIS	12	10	2
HYPERTENSION	11	3	8
CONDITIONS ORIG IN PERINATAL PERIOD	10	0	10
CONGENITAL ANOMALIES	8	3	5
ATHEROSCLEROSIS	6	5	1
TUBERCULOSIS	2	0	2
INFECTIONS OF KIDNEY	1	1	0
MATERNAL CAUSES	1	1	0
---			
NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	13	5	8
ALL OTHER	286	152	134

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,974	1,004	970	945	431	514	1,029	573	456
UNDER 1	34	4	30	22	3	19	12	1	11
(NEONATAL)	20	2	18	13	1	12	7	1	6
(POSTNEONATAL)	14	2	12	9	2	7	5	0	5
1-4	6	0	6	2	0	2	4	0	4
5-9	5	0	5	3	0	3	2	0	2
10-14	8	1	7	6	1	5	2	0	2
15-24	58	9	49	41	5	36	17	4	13
25-34	74	12	62	48	8	40	26	4	22
35-44	116	39	77	70	24	46	46	15	31
45-54	141	42	99	86	26	60	55	16	39
55-64	185	95	90	90	47	43	95	48	47
65-74	386	212	174	208	114	94	178	98	80
75-84	514	326	188	239	149	90	275	177	98
85 AND OVER	445	264	181	128	54	74	317	210	107
UNKNOWN	2	0	2	2	0	2	0	0	0

















































































































































































































































































































74TY

SELECTED DEATH STATISTICS, RESIDENTS OF TYLERTOWN, 1997

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	54	38	16
HEART DISEASES	22	16	6
MALIGNANT NEOPLASMS	8	4	4
PNEUMONIA AND INFLUENZA	4	2	2
EMPHYSEMA AND OTHER COPD	4	4	0
CEREBROVASCULAR DISEASES	3	1	2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1
ACCIDENTS	3	2	1
HIV INFECTION	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER	6	6	0

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	54	38	16	18	11	7	36	27	9
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	2	1	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	0	3	2	0	2	1	0	1
65-74	5	5	0	3	3	0	2	2	0
75-84	19	12	7	5	4	1	14	8	6
85 AND OVER	23	19	4	4	2	2	19	17	2
UNKNOWN	1	1	0	1	1	0	0	0	0

















































