

(HSWWDTDS)

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,463	1,561	902	9.7	10.0	9.3
HEART DISEASES	781	497	284	308.8	318.7	292.8
MALIGNANT NEOPLASMS	559	365	194	221.0	234.0	200.0
ACCIDENTS	178	104	74	70.4	66.7	76.3
CEREBROVASCULAR DISEASES	162	96	66	64.0	61.6	68.0
PNEUMONIA AND INFLUENZA	96	64	32	38.0	41.0	33.0
EMPHYSEMA AND OTHER COPD	86	75	11	34.0	48.1	11.3
HYPERTENSION	61	44	17	24.1	28.2	17.5
DIABETES MELLITUS	48	25	23	19.0	16.0	23.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	40	25	15	15.8	16.0	15.5
HOMICIDE AND LEGAL INTERVENTION	33	8	25	13.0	5.1	25.8
SUICIDE	28	25	3	11.1	16.0	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	15	4	7.5	9.6	4.1
CONDITIONS ORIG IN PERINATAL PERIOD	18	7	11	4.2	3.0	5.8
CONGENITAL ANOMALIES	16	6	10	6.3	3.8	10.3
HIV INFECTION	10	3	7	4.0	1.9	7.2
ATHEROSCLEROSIS	4	3	1	1.6	1.9	1.0
TUBERCULOSIS	2	1	1	0.8	0.6	1.0
MATERNAL CAUSES	2	1	1	47.2	43.0	52.3
INFECTIONS OF KIDNEY	1	1	0	0.4	0.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	7	14	8.3	4.5	14.4
ALL OTHER	298	189	109	117.8	121.2	112.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,463	1,561	902	1,263	790	473	1,200	771	429
UNDER 1	43	12	31	28	9	19	15	3	12
(NEONATAL)	25	7	18	15	5	10	10	2	8
(POSTNEONATAL)	18	5	13	13	4	9	5	1	4
1-4	14	7	7	7	1	6	7	6	1
5-9	9	3	6	6	3	3	3	0	3
10-14	3	2	1	2	2	0	1	0	1
15-24	51	24	27	33	16	17	18	8	10
25-34	62	27	35	46	20	26	16	7	9
35-44	128	65	63	74	38	36	54	27	27
45-54	171	94	77	110	61	49	61	33	28
55-64	306	198	108	184	122	62	122	76	46
65-74	512	361	151	288	201	87	224	160	64
75-84	617	408	209	302	203	99	315	205	110
85 AND OVER	547	360	187	183	114	69	364	246	118
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**	TOTAL	WHITE	NON-WHITE
INFANT	10.1	5.2	16.2
NEONATAL	5.9	3.0	9.4
POSTNEONATAL	4.2	2.1	6.8

1998 POPULATION	
TOTAL	252,948
WHITE	155,951
NONWHITE	96,997

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,308	2,778	530	10.4	11.3	7.5
HEART DISEASES	1,119	955	164	353.4	387.8	233.1
MALIGNANT NEOPLASMS	703	585	118	222.0	237.6	167.7
CEREBROVASCULAR DISEASES	246	202	44	77.7	82.0	62.5
ACCIDENTS	211	177	34	66.6	71.9	48.3
EMPHYSEMA AND OTHER COPD	160	146	14	50.5	59.3	19.9
PNEUMONIA AND INFLUENZA	146	129	17	46.1	52.4	24.2
DIABETES MELLITUS	59	42	17	18.6	17.0	24.2
SUICIDE	46	44	2	14.5	17.9	2.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	44	29	15	13.9	11.8	21.3
HYPERTENSION	29	20	9	9.2	8.1	12.8
HOMICIDE AND LEGAL INTERVENTION	26	15	11	8.2	6.1	15.6
CONDITIONS ORIG IN PERINATAL PERIOD	22	7	15	4.8	2.1	12.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	17	3	6.3	6.9	4.3
CONGENITAL ANOMALIES	12	9	3	3.8	3.6	4.3
ATHEROSCLEROSIS	6	6	0	1.9	2.4	-
HIV INFECTION	3	1	2	0.9	0.4	2.8
TUBERCULOSIS	2	0	2	0.6	-	2.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	38	30	8	12.0	12.2	11.4
ALL OTHER	416	364	52	131.4	147.8	73.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,308	2,778	530	1,717	1,458	259	1,591	1,320	271
UNDER 1	37	20	17	18	9	9	19	11	8
(NEONATAL)	26	10	16	15	6	9	11	4	7
(POSTNEONATAL)	11	10	1	3	3	0	8	7	1
1-4	7	4	3	2	1	1	5	3	2
5-9	5	5	0	4	4	0	1	1	0
10-14	6	6	0	4	4	0	2	2	0
15-24	64	47	17	47	36	11	17	11	6
25-34	58	43	15	47	37	10	11	6	5
35-44	141	102	39	87	66	21	54	36	18
45-54	225	182	43	136	113	23	89	69	20
55-64	363	298	65	230	196	34	133	102	31
65-74	650	556	94	414	362	52	236	194	42
75-84	896	773	123	442	382	60	454	391	63
85 AND OVER	856	742	114	286	248	38	570	494	76
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**	1998 POPULATION				
INFANT	8.1	6.0	14.0	TOTAL	316,621
NEONATAL	5.7	3.0	13.2	WHITE	246,255
POSTNEONATAL	2.4	3.0	0.8	NONWHITE	70,366

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,771	1,218	1,553	11.0	12.7	10.0
HEART DISEASES	978	450	528	390.0	468.5	341.2
MALIGNANT NEOPLASMS	550	256	294	219.3	266.6	190.0
CEREBROVASCULAR DISEASES	207	78	129	82.5	81.2	83.4
ACCIDENTS	177	62	115	70.6	64.6	74.3
PNEUMONIA AND INFLUENZA	94	49	45	37.5	51.0	29.1
EMPHYSEMA AND OTHER COPD	92	64	28	36.7	66.6	18.1
DIABETES MELLITUS	57	17	40	22.7	17.7	25.8
HOMICIDE AND LEGAL INTERVENTION	56	8	48	22.3	8.3	31.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	42	15	27	16.7	15.6	17.4
CONDITIONS ORIG IN PERINATAL PERIOD	27	6	21	6.3	5.4	6.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	17	6	9.2	17.7	3.9
HIV INFECTION	20	3	17	8.0	3.1	11.0
HYPERTENSION	19	3	16	7.6	3.1	10.3
CONGENITAL ANOMALIES	18	4	14	7.2	4.2	9.0
SUICIDE	18	14	4	7.2	14.6	2.6
ATHEROSCLEROSIS	9	4	5	3.6	4.2	3.2
TUBERCULOSIS	2	0	2	0.8	-	1.3
INFECTIONS OF KIDNEY	2	1	1	0.8	1.0	0.6
MATERNAL CAUSES	1	0	1	23.5	-	31.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	33	8	25	13.2	8.3	16.2
ALL OTHER	346	159	187	138.0	165.6	120.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,771	1,218	1,553	1,416	619	797	1,355	599	756
UNDER 1	62	10	52	42	6	36	20	4	16
(NEONATAL)	36	6	30	24	4	20	12	2	10
(POSTNEONATAL)	26	4	22	18	2	16	8	2	6
1-4	13	2	11	9	1	8	4	1	3
5-9	7	1	6	2	0	2	5	1	4
10-14	12	2	10	9	1	8	3	1	2
15-24	62	17	45	46	9	37	16	8	8
25-34	80	20	60	60	13	47	20	7	13
35-44	120	39	81	69	26	43	51	13	38
45-54	209	69	140	137	48	89	72	21	51
55-64	313	117	196	188	82	106	125	35	90
65-74	527	238	289	295	150	145	232	88	144
75-84	714	383	331	321	177	144	393	206	187
85 AND OVER	652	320	332	238	106	132	414	214	200
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**	TOTAL	WHITE	NON-WHITE
INFANT	14.6	8.9	16.6
NEONATAL	8.4	5.4	9.6
POSTNEONATAL	6.1	3.6	7.0

1998 POPULATION	
TOTAL	250,800
WHITE	96,042
NONWHITE	154,758

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,380	1,526	854	9.7	10.5	8.6
HEART DISEASES	876	556	320	357.7	382.6	321.2
MALIGNANT NEOPLASMS	483	315	168	197.2	216.8	168.6
CEREBROVASCULAR DISEASES	174	110	64	71.0	75.7	64.2
ACCIDENTS	134	88	46	54.7	60.6	46.2
EMPHYSEMA AND OTHER COPD	89	73	16	36.3	50.2	16.1
PNEUMONIA AND INFLUENZA	73	56	17	29.8	38.5	17.1
DIABETES MELLITUS	48	23	25	19.6	15.8	25.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	46	29	17	18.8	20.0	17.1
SUICIDE	27	21	6	11.0	14.4	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	21	2	19	5.8	1.1	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	14	3	6.9	9.6	3.0
HOMICIDE AND LEGAL INTERVENTION	17	7	10	6.9	4.8	10.0
HYPERTENSION	11	5	6	4.5	3.4	6.0
HIV INFECTION	9	1	8	3.7	0.7	8.0
CONGENITAL ANOMALIES	3	1	2	1.2	0.7	2.0
INFECTIONS OF KIDNEY	2	2	0	0.8	1.4	-
ATHEROSCLEROSIS	1	1	0	0.4	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	59	33	26	24.1	22.7	26.1
ALL OTHER	290	189	101	118.4	130.1	101.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,380	1,526	854	1,217	758	459	1,163	768	395
UNDER 1	35	6	29	20	3	17	15	3	12
(NEONATAL)	23	3	20	11	1	10	12	2	10
(POSTNEONATAL)	12	3	9	9	2	7	3	1	2
1-4	5	0	5	2	0	2	3	0	3
5-9	6	1	5	2	0	2	4	1	3
10-14	7	2	5	2	0	2	5	2	3
15-24	44	25	19	35	19	16	9	6	3
25-34	35	15	20	22	11	11	13	4	9
35-44	102	42	60	64	29	35	38	13	25
45-54	161	89	72	102	62	40	59	27	32
55-64	265	151	114	175	99	76	90	52	38
65-74	474	307	167	276	187	89	198	120	78
75-84	621	432	189	300	210	90	321	222	99
85 AND OVER	625	456	169	217	138	79	408	318	90
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1998 POPULATION		
INFANT	9.7	3.3	16.1	TOTAL	244,919	
NEONATAL	6.4	1.6	11.1	WHITE	145,307	
POSTNEONATAL	3.3	1.6	5.0	NONWHITE	99,612	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,364	2,979	2,385	9.3	9.4	9.1
HEART DISEASES	1,782	1,065	717	307.9	337.3	272.6
MALIGNANT NEOPLASMS	1,140	645	495	197.0	204.3	188.2
CEREBROVASCULAR DISEASES	355	184	171	61.3	58.3	65.0
ACCIDENTS	331	169	162	57.2	53.5	61.6
PNEUMONIA AND INFLUENZA	219	133	86	37.8	42.1	32.7
EMPHYSEMA AND OTHER COPD	205	152	53	35.4	48.1	20.1
DIABETES MELLITUS	114	42	72	19.7	13.3	27.4
HOMICIDE AND LEGAL INTERVENTION	98	16	82	16.9	5.1	31.2
HIV INFECTION	64	6	58	11.0	1.9	22.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	60	32	28	10.4	10.1	10.6
SUICIDE	57	49	8	9.8	15.5	3.0
CONDITIONS ORIG IN PERINATAL PERIOD	54	12	42	5.8	3.0	8.0
HYPERTENSION	37	9	28	6.4	2.8	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	34	20	14	5.9	6.3	5.3
CONGENITAL ANOMALIES	25	16	9	4.3	5.1	3.4
ATHEROSCLEROSIS	20	12	8	3.4	3.8	3.0
TUBERCULOSIS	2	1	1	0.3	0.3	0.4
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
MATERNAL CAUSES	1	1	0	10.8	24.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	32	13	19	5.5	4.1	7.2
ALL OTHER	733	401	332	126.6	127.0	126.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,364	2,979	2,385	2,646	1,423	1,223	2,718	1,556	1,162
UNDER 1	102	28	74	50	14	36	52	14	38
(NEONATAL)	68	18	50	42	12	30	26	6	20
(POSTNEONATAL)	34	10	24	8	2	6	26	8	18
1-4	22	6	16	9	3	6	13	3	10
5-9	10	3	7	5	1	4	5	2	3
10-14	22	7	15	17	5	12	5	2	3
15-24	108	40	68	71	25	46	37	15	22
25-34	152	56	96	111	39	72	41	17	24
35-44	311	110	201	203	75	128	108	35	73
45-54	418	179	239	261	120	141	157	59	98
55-64	576	286	290	341	175	166	235	111	124
65-74	1,031	610	421	571	351	220	460	259	201
75-84	1,310	840	470	592	389	203	718	451	267
85 AND OVER	1,300	813	487	414	226	188	886	587	299
UNKNOWN	2	1	1	1	0	1	1	1	0

MORTALITY RATES**			
INFANT	11.0	6.9	14.1
NEONATAL	7.3	4.4	9.5
POSTNEONATAL	3.7	2.5	4.6

1998 POPULATION	
TOTAL	578,751
WHITE	315,700
NONWHITE	263,051

(HSWWDTDS)

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,655	1,771	884	11.5	12.5	9.8
HEART DISEASES	999	697	302	431.6	492.6	335.7
MALIGNANT NEOPLASMS	542	363	179	234.2	256.5	199.0
CEREBROVASCULAR DISEASES	157	104	53	67.8	73.5	58.9
ACCIDENTS	148	88	60	63.9	62.2	66.7
EMPHYSEMA AND OTHER COPD	109	87	22	47.1	61.5	24.4
PNEUMONIA AND INFLUENZA	99	73	26	42.8	51.6	28.9
DIABETES MELLITUS	60	30	30	25.9	21.2	33.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	43	22	21	18.6	15.5	23.3
SUICIDE	41	34	7	17.7	24.0	7.8
HOMICIDE AND LEGAL INTERVENTION	30	10	20	13.0	7.1	22.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	17	11	12.1	12.0	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	19	4	15	5.2	2.2	8.1
HYPERTENSION	13	8	5	5.6	5.6	5.6
CONGENITAL ANOMALIES	11	3	8	4.8	2.1	8.9
ATHEROSCLEROSIS	10	9	1	4.3	6.4	1.1
HIV INFECTION	7	2	5	3.0	1.4	5.6
INFECTIONS OF KIDNEY	2	2	0	0.9	1.4	-
TUBERCULOSIS	1	0	1	0.4	-	1.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	16	11	11.7	11.3	12.2
ALL OTHER	309	202	107	133.5	142.8	118.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,655	1,771	884	1,334	897	437	1,321	874	447
UNDER 1	41	12	29	27	8	19	14	4	10
(NEONATAL)	24	6	18	16	4	12	8	2	6
(POSTNEONATAL)	17	6	11	11	4	7	6	2	4
1-4	8	3	5	5	3	2	3	0	3
5-9	6	3	3	4	3	1	2	0	2
10-14	6	4	2	5	3	2	1	1	0
15-24	43	21	22	36	18	18	7	3	4
25-34	59	31	28	43	26	17	16	5	11
35-44	123	52	71	77	35	42	46	17	29
45-54	157	82	75	88	44	44	69	38	31
55-64	324	188	136	194	117	77	130	71	59
65-74	511	366	145	297	226	71	214	140	74
75-84	710	517	193	334	253	81	376	264	112
85 AND OVER	667	492	175	224	161	63	443	331	112
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1998 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.1	6.5	15.8	231,459	
NEONATAL	6.5	3.2	9.8	141,503	
POSTNEONATAL	4.6	3.2	6.0	89,956	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,075	1,176	899	12.1	13.0	11.1
HEART DISEASES	721	419	302	421.6	463.8	374.4
MALIGNANT NEOPLASMS	435	245	190	254.4	271.2	235.5
CEREBROVASCULAR DISEASES	128	65	63	74.8	71.9	78.1
ACCIDENTS	123	51	72	71.9	56.4	89.2
DIABETES MELLITUS	97	52	45	56.7	57.6	55.8
EMPHYSEMA AND OTHER COPD	90	68	22	52.6	75.3	27.3
PNEUMONIA AND INFLUENZA	76	48	28	44.4	53.1	34.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	36	18	18	21.0	19.9	22.3
SUICIDE	15	12	3	8.8	13.3	3.7
HYPERTENSION	13	6	7	7.6	6.6	8.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	9	4	7.6	10.0	5.0
HOMICIDE AND LEGAL INTERVENTION	12	4	8	7.0	4.4	9.9
CONGENITAL ANOMALIES	11	3	8	6.4	3.3	9.9
CONDITIONS ORIG IN PERINATAL PERIOD	8	2	6	3.0	1.7	4.1
HIV INFECTION	6	1	5	3.5	1.1	6.2
ATHEROSCLEROSIS	3	2	1	1.8	2.2	1.2
INFECTIONS OF KIDNEY	3	1	2	1.8	1.1	2.5
TUBERCULOSIS	2	0	2	1.2	-	2.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	9	5	8.2	10.0	6.2
ALL OTHER	269	161	108	157.3	178.2	133.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,075	1,176	899	1,022	557	465	1,053	619	434
UNDER 1	25	9	16	14	4	10	11	5	6
(NEONATAL)	17	6	11	9	2	7	8	4	4
(POSTNEONATAL)	8	3	5	5	2	3	3	1	2
1-4	4	1	3	2	1	1	2	0	2
5-9	8	2	6	5	0	5	3	2	1
10-14	4	2	2	3	2	1	1	0	1
15-24	29	11	18	20	8	12	9	3	6
25-34	30	12	18	25	10	15	5	2	3
35-44	89	30	59	51	20	31	38	10	28
45-54	145	64	81	90	44	46	55	20	35
55-64	254	134	120	154	82	72	100	52	48
65-74	404	221	183	215	127	88	189	94	95
75-84	554	348	206	273	157	116	281	191	90
85 AND OVER	529	342	187	170	102	68	359	240	119
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1998 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.5	7.7	10.9	171,010	
NEONATAL	6.4	5.1	7.5	90,342	
POSTNEONATAL	3.0	2.6	3.4	80,668	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,684	1,957	727	9.7	10.2	8.6
HEART DISEASES	922	676	246	333.2	352.0	290.6
MALIGNANT NEOPLASMS	591	446	145	213.6	232.2	171.3
ACCIDENTS	169	122	47	61.1	63.5	55.5
CEREBROVASCULAR DISEASES	168	119	49	60.7	62.0	57.9
PNEUMONIA AND INFLUENZA	116	96	20	41.9	50.0	23.6
EMPHYSEMA AND OTHER COPD	100	89	11	36.1	46.3	13.0
DIABETES MELLITUS	52	31	21	18.8	16.1	24.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	39	23	16	14.1	12.0	18.9
HOMICIDE AND LEGAL INTERVENTION	37	20	17	13.4	10.4	20.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	29	20	9	10.5	10.4	10.6
SUICIDE	26	22	4	9.4	11.4	4.7
CONDITIONS ORIG IN PERINATAL PERIOD	16	5	11	3.8	1.9	6.6
CONGENITAL ANOMALIES	14	12	2	5.1	6.2	2.4
ATHEROSCLEROSIS	11	6	5	4.0	3.1	5.9
HYPERTENSION	10	7	3	3.6	3.6	3.5
HIV INFECTION	6	1	5	2.2	0.5	5.9
INFECTIONS OF KIDNEY	2	2	0	0.7	1.0	-
TUBERCULOSIS	1	1	0	0.4	0.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	15	4	6.9	7.8	4.7
ALL OTHER	356	244	112	128.7	127.0	132.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,684	1,957	727	1,367	989	378	1,317	968	349
UNDER 1	38	17	21	22	9	13	16	8	8
(NEONATAL)	24	9	15	14	3	11	10	6	4
(POSTNEONATAL)	14	8	6	8	6	2	6	2	4
1-4	9	4	5	5	3	2	4	1	3
5-9	8	3	5	6	3	3	2	0	2
10-14	7	4	3	7	4	3	0	0	0
15-24	72	49	23	50	34	16	22	15	7
25-34	59	31	28	37	17	20	22	14	8
35-44	98	56	42	62	36	26	36	20	16
45-54	171	111	60	107	69	38	64	42	22
55-64	285	199	86	178	120	58	107	79	28
65-74	570	434	136	329	262	67	241	172	69
75-84	753	582	171	365	283	82	388	299	89
85 AND OVER	614	467	147	199	149	50	415	318	97
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1998 POPULATION	
				TOTAL	
INFANT	8.9	6.6	12.6	276,693	
NEONATAL	5.6	3.5	9.0	192,050	
POSTNEONATAL	3.3	3.1	3.6	84,643	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	4,037	3,377	660	9.4	10.0	7.1
HEART DISEASES	1,323	1,104	219	308.5	328.2	236.6
MALIGNANT NEOPLASMS	941	797	144	219.4	237.0	155.6
ACCIDENTS	241	199	42	56.2	59.2	45.4
CEREBROVASCULAR DISEASES	207	173	34	48.3	51.4	36.7
EMPHYSEMA AND OTHER COPD	197	185	12	45.9	55.0	13.0
PNEUMONIA AND INFLUENZA	146	127	19	34.0	37.8	20.5
DIABETES MELLITUS	93	71	22	21.7	21.1	23.8
SUICIDE	72	63	9	16.8	18.7	9.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	52	44	8	12.1	13.1	8.6
HOMICIDE AND LEGAL INTERVENTION	49	30	19	11.4	8.9	20.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	48	40	8	11.2	11.9	8.6
CONGENITAL ANOMALIES	29	19	10	6.8	5.6	10.8
ATHEROSCLEROSIS	23	17	6	5.4	5.0	6.5
HYPERTENSION	20	15	5	4.7	4.5	5.4
HIV INFECTION	14	10	4	3.3	3.0	4.3
CONDITIONS ORIG IN PERINATAL PERIOD	9	3	6	1.4	0.6	3.6
TUBERCULOSIS	3	3	0	0.7	0.9	-
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	28	26	2	6.5	7.7	2.2
ALL OTHER	541	450	91	126.1	133.8	98.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,037	3,377	660	2,141	1,807	334	1,896	1,570	326
UNDER 1	53	32	21	24	16	8	29	16	13
(Neonatal)	22	11	11	11	6	5	11	5	6
(Postneonatal)	31	21	10	13	10	3	18	11	7
1-4	10	7	3	3	2	1	7	5	2
5-9	11	9	2	8	7	1	3	2	1
10-14	14	12	2	9	8	1	5	4	1
15-24	72	48	24	55	38	17	17	10	7
25-34	87	67	20	58	42	16	29	25	4
35-44	171	124	47	117	87	30	54	37	17
45-54	337	248	89	217	167	50	120	81	39
55-64	547	458	89	340	287	53	207	171	36
65-74	888	769	119	511	450	61	377	319	58
75-84	1,126	984	142	553	491	62	573	493	80
85 AND OVER	720	618	102	246	212	34	474	406	68
UNKNOWN	1	1	0	0	0	0	1	1	0

MORTALITY RATES**				1998 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	8.3	6.8	12.5	428,891	
NEONATAL	3.4	2.3	6.5	336,333	
POSTNEONATAL	4.9	4.5	5.9	92,558	

** DEATHS PER 1,000 LIVE BIRTHS.