

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: ADAMS

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	33,657	2,493	1,199	1,294	465
WHITE	16,351	955	483	472	145
NONWHITE	17,306	1,538	716	822	320

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	2	24	56	8	0	0	8	74	2	24	48
TEENAGE IMMATURE BIRTHS	8	1	4	3	0	0	0	0	8	1	4	3
TEENAGE PREMATURE BIRTHS	17	1	6	10	1	0	0	1	16	1	6	9
TEENAGE ILLEGITIMATE BIRTHS	78	2	24	52	5	0	0	5	73	2	24	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	1	0	0	1	19	0	5	14
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	5	21	1	0	0	1	25	0	5	20
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE FERTILITY RATE	32.9	1.7	61.8	(15-19)	8.4	-	16.9	(15-19)	48.1	2.8	87.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	24.4	-	-	35.7	-	-	-	-	27.0	-	-	41.7
TEENAGE INDUCED TERMINATIONS#	13	1	4	8	5	0	1	4	8	1	3	4
TEENAGE INDUCED TERMINATION RATIO	158.5	500.0	166.7	142.8	625.0	-	##	500.0	108.1	500.0	125.0	83.3
TEENAGE PREGNANCIES#	97	3	28	66	13	0	1	12	84	3	27	54
TEENAGE PREGNANCY RATE	38.9	2.5	72.6	(15-19)	13.6	-	27.5	(15-19)	54.6	4.2	98.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	12.2	-	-	17.9	-	-	-	-	13.5	-	-	20.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,080	2,293	1,129	1,164	416
WHITE	28,881	1,891	934	957	353
NONWHITE	4,199	402	195	207	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	1	28	55	67	1	21	45	17	0	7	10
TEENAGE IMMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	14	0	3	11	12	0	2	10	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	49	1	17	31	32	1	10	21	17	0	7	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	13	0	0	13	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	17	0	1	16	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	36.6	0.9	71.3	(15-19)	35.4	1.1	69.0	(15-19)	42.3	-	82.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.9	-	-	18.2	14.9	-	-	22.2	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	11.9	-	35.7	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	86	1	29	56	68	1	21	46	17	0	7	10
TEENAGE PREGNANCY RATE	37.5	0.9	73.0	(15-19)	36.0	1.1	70.0	(15-19)	42.3	-	82.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,906	1,063	555	508	171
WHITE	7,249	422	218	204	86
NONWHITE	6,657	641	337	304	85

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	1	11	16	6	0	3	3	22	1	8	13
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	24	1	10	13	3	0	2	1	21	1	8	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	1	0	0	1	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	26.3	1.8	53.2 (15-19)	14.2	-	29.4 (15-19)	34.3	3.0	69.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	142.8	-	272.7	62.5	333.3	-	333.3	333.3	90.9	-	250.0	-
TEENAGE PREGNANCIES#	32	1	14	17	8	0	4	4	24	1	10	13
TEENAGE PREGNANCY RATE	30.1	1.8	61.0 (15-19)	19.0	-	39.2 (15-19)	37.4	3.0	75.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	71.4	-	90.9	62.5	-	-	-	-	90.9	-	125.0	76.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: ATTALA

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	18,338	1,356	638	718	263
WHITE	10,552	641	317	324	133
NONWHITE	7,786	715	321	394	130

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	1	16	25	15	0	3	12	27	1	13	13
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	8	0	4	4	2	0	0	2	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	35	1	15	19	8	0	2	6	27	1	13	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	2	0	0	2	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	0	0	0	0	5	1	4	0
TEENAGE FERTILITY RATE	31.0	1.6	57.1	(15-19)	23.4	-	46.3	(15-19)	37.8	3.1	66.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	14	0	7	7	3	0	2	1	11	0	5	6
TEENAGE INDUCED TERMINATION RATIO	333.3	-	437.5	280.0	200.0	-	666.7	83.3	407.4	-	384.6	461.5
TEENAGE PREGNANCIES#	56	1	23	32	18	0	5	13	38	1	18	19
TEENAGE PREGNANCY RATE	41.3	1.6	76.6	(15-19)	28.1	-	55.6	(15-19)	53.1	3.1	93.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,091	666	339	327	129
WHITE	4,740	309	148	161	66
NONWHITE	3,351	357	191	166	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	7	22	11	0	2	9	18	0	5	13
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	21	0	6	15	4	0	1	3	17	0	5	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	43.5	-	88.7 (15-19)		35.6	-	68.3 (15-19)		50.4	-	108.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	34.5	##	-	-	90.9	##	-	-	-	-	-	-
TEENAGE PREGNANCIES#	30	1	7	22	12	1	2	9	18	0	5	13
TEENAGE PREGNANCY RATE	45.0	3.0	88.7 (15-19)		38.8	6.8	68.3 (15-19)		50.4	-	108.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	69.0	-	142.9	45.5	90.9	-	-	111.1	55.6	-	200.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,826	3,810	1,654	2,156	661
WHITE	13,787	1,070	448	622	159
NONWHITE	26,039	2,740	1,206	1,534	502

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	194	4	82	108	23	0	5	18	171	4	77	90
TEENAGE IMMATURE BIRTHS	22	2	9	11	2	0	1	1	20	2	8	10
TEENAGE PREMATURE BIRTHS	44	0	19	25	4	0	1	3	40	0	18	22
TEENAGE ILLEGITIMATE BIRTHS	185	4	82	99	15	0	5	10	170	4	77	89
TEENS WHO HAD PREVIOUS LIVE BIRTHS	61	0	13	48	5	0	1	4	56	0	12	44
TEENS WHO HAD PREVIOUS PREGNANCIES	66	0	13	53	6	0	1	5	60	0	12	48
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	1	0	1	0	8	0	3	5
TEENAGE FERTILITY RATE	50.9	2.4	88.1	(15-19)	21.5	-	37.0	(15-19)	62.4	3.3	108.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	15.5	-	24.4	9.2	-	-	-	-	17.5	-	26.0	11.1
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	3	1	1	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	30.9	250.0	12.2	37.0	130.4	##	200.0	55.6	17.5	-	-	33.3
TEENAGE PREGNANCIES#	203	5	85	113	26	1	6	19	177	4	79	94
TEENAGE PREGNANCY RATE	53.3	3.0	91.8	(15-19)	24.3	2.2	40.2	(15-19)	64.6	3.3	112.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	1	3	0	0	0	0	0	4	1	3	0
INFANT MORTALITY RATE, TEEN MOMS	20.6	250.0	36.6	-	-	-	-	-	23.4	250.0	39.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,891	1,018	487	531	184
WHITE	10,553	613	309	304	120
NONWHITE	4,338	405	178	227	64

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	24	18	20	1	10	9	23	0	14	9
TEENAGE IMMATURE BIRTHS	8	0	7	1	3	0	2	1	5	0	5	0
TEENAGE PREMATURE BIRTHS	7	0	7	0	3	0	3	0	4	0	4	0
TEENAGE ILLEGITIMATE BIRTHS	33	1	22	10	11	1	8	2	22	0	14	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	3	0	2	1	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	5	0	2	3	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	42.2	2.0	79.1 (15-19)		32.6	3.2	62.5 (15-19)		56.8	-	101.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	46.5	-	41.7	55.6	50.0	-	100.0	-	43.5	-	-	111.1
TEENAGE PREGNANCIES#	45	1	25	19	21	1	11	9	24	0	14	10
TEENAGE PREGNANCY RATE	44.2	2.0	82.9 (15-19)		34.2	3.2	65.8 (15-19)		59.2	-	105.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,967	782	400	382	102
WHITE	5,748	376	200	176	57
NONWHITE	4,219	406	200	206	45

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	1	5	8	7	0	3	4	7	1	2	4
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	10	1	3	6	3	0	1	2	7	1	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	1	0	1	0	3	1	0	2
TEENAGE FERTILITY RATE	17.9	2.5	34.0	(15-19)	18.6	-	39.8	(15-19)	17.2	5.0	29.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	142.8	-	-	250.0	-	-	-	-	285.7	-	-	500.0
TEENAGE PREGNANCIES#	16	1	5	10	7	0	3	4	9	1	2	6
TEENAGE PREGNANCY RATE	20.5	2.5	39.3	(15-19)	18.6	-	39.8	(15-19)	22.2	5.0	38.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,121	1,361	673	688	342
WHITE	10,622	665	330	335	162
NONWHITE	7,499	696	343	353	180

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	2	28	40	22	0	6	16	48	2	22	24
TEENAGE IMMATURE BIRTHS	10	0	5	5	1	0	0	1	9	0	5	4
TEENAGE PREMATURE BIRTHS	12	0	6	6	1	0	0	1	11	0	6	5
TEENAGE ILLEGITIMATE BIRTHS	54	2	23	29	9	0	1	8	45	2	22	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	4	20	6	0	0	6	18	0	4	14
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	6	0	0	6	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	1	0	1	0	6	0	2	4
TEENAGE FERTILITY RATE	51.4	3.0	98.8	(15-19)	33.1	-	65.7	(15-19)	69.0	5.8	130.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	28.6	-	35.7	25.0	-	-	-	-	41.7	-	45.4	41.7
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	2	0	2	0	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	100.0	500.0	107.1	75.0	90.9	-	333.3	-	104.2	500.0	45.4	125.0
TEENAGE PREGNANCIES#	79	3	32	44	24	0	8	16	55	3	24	28
TEENAGE PREGNANCY RATE	58.0	4.4	110.5	(15-19)	36.1	-	71.6	(15-19)	79.0	8.7	147.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	28.6	-	35.7	25.0	45.5	-	-	62.5	20.8	-	45.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,366	778	402	376	118
WHITE	6,334	482	245	237	76
NONWHITE	3,032	296	157	139	42

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	2	4	14	14	1	2	11	6	1	2	3
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	9	2	4	3	4	1	2	1	5	1	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	3	0	0	3	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	5	0	0	5	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	25.7	5.0	47.9	(15-19)	29.0	4.1	54.8	(15-19)	20.3	6.4	36.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	150.0	-	500.0	71.4	142.8	-	1000.0	-	166.7	-	-	333.3
TEENAGE PREGNANCIES#	23	2	6	15	16	1	4	11	7	1	2	4
TEENAGE PREGNANCY RATE	29.6	5.0	55.8	(15-19)	33.2	4.1	63.3	(15-19)	23.6	6.4	43.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,596	1,414	465	949	161
WHITE	2,004	113	60	53	16
NONWHITE	9,592	1,301	405	896	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	17	19	1	0	1	0	36	1	16	19
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	34	1	17	16	1	0	1	0	33	1	16	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	0	0	0	0	13	0	1	12
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	0	0	0	0	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.2	2.2	37.9	(15-19)	8.8	-	18.9	(15-19)	27.7	2.5	39.1	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	54.0	-	58.8	52.6	-	-	-	-	55.6	-	62.5	52.6
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE INDUCED TERMINATION RATIO	189.2	-	235.3	157.9	-	-	-	-	194.4	-	250.0	157.9
TEENAGE PREGNANCIES#	46	1	22	23	1	0	1	0	45	1	21	23
TEENAGE PREGNANCY RATE	32.5	2.2	47.4	(15-19)	8.8	-	18.9	(15-19)	34.6	2.5	49.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,445	1,359	683	676	242
WHITE	11,616	721	368	353	120
NONWHITE	6,829	638	315	323	122

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	11	31	22	0	3	19	21	1	8	12
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	29	1	8	20	9	0	0	9	20	1	8	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	9	0	0	9	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	10	0	0	10	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	2	3	0	0	0	0	6	1	2	3
TEENAGE FERTILITY RATE	31.6	1.5	62.1	(15-19)	30.5	-	62.3	(15-19)	32.9	3.2	61.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	46.5	-	181.8	-	45.4	-	333.3	-	47.6	-	125.0	-
TEENAGE INDUCED TERMINATIONS#	10	1	3	6	5	0	2	3	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	232.6	1000.0	272.7	193.5	227.3	-	666.7	157.9	238.1	1000.0	125.0	250.0
TEENAGE PREGNANCIES#	55	2	16	37	28	0	6	22	27	2	10	15
TEENAGE PREGNANCY RATE	40.5	2.9	78.4	(15-19)	38.8	-	79.3	(15-19)	42.3	6.3	77.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	46.5	-	90.9	32.3	-	-	-	-	95.2	-	125.0	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,657	1,829	860	969	348
WHITE	9,547	596	299	297	114
NONWHITE	12,110	1,233	561	672	234

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	1	33	39	18	0	8	10	55	1	25	29
TEENAGE IMMATURE BIRTHS	9	0	5	4	0	0	0	0	9	0	5	4
TEENAGE PREMATURE BIRTHS	15	0	7	8	2	0	1	1	13	0	6	7
TEENAGE ILLEGITIMATE BIRTHS	65	1	30	34	11	0	5	6	54	1	25	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	4	0	1	3	16	0	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	5	18	4	0	1	3	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	10	6	1	0	1	0	15	0	9	6
TEENAGE FERTILITY RATE	39.9	1.2	74.3	(15-19)	30.2	-	60.6	(15-19)	44.6	1.8	80.4	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	27.4	-	30.3	25.6	-	-	-	-	36.4	-	40.0	34.5
TEENAGE INDUCED TERMINATIONS#	9	0	6	3	2	0	2	0	7	0	4	3
TEENAGE INDUCED TERMINATION RATIO	123.3	-	181.8	76.9	111.1	-	250.0	-	127.3	-	160.0	103.4
TEENAGE PREGNANCIES#	84	1	40	43	20	0	10	10	64	1	30	33
TEENAGE PREGNANCY RATE	45.9	1.2	85.6	(15-19)	33.6	-	67.3	(15-19)	51.9	1.8	93.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	41.1	-	30.3	51.3	-	-	-	-	54.5	-	40.0	69.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,094	2,767	1,350	1,417	563
WHITE	10,295	576	299	277	91
NONWHITE	20,799	2,191	1,051	1,140	472

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	175	6	67	102	14	0	6	8	161	6	61	94
TEENAGE IMMATURE BIRTHS	28	1	13	14	2	0	1	1	26	1	12	13
TEENAGE PREMATURE BIRTHS	42	2	19	21	4	0	2	2	38	2	17	19
TEENAGE ILLEGITIMATE BIRTHS	162	6	66	90	9	0	5	4	153	6	61	86
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	6	47	0	0	0	0	53	0	6	47
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	10	49	1	0	1	0	58	0	9	49
TEENS WITH INADEQUATE* PRENATAL CARE	23	0	10	13	2	0	1	1	21	0	9	12
TEENAGE FERTILITY RATE	63.2	4.4	119.3	(15-19)	24.3	-	50.5	(15-19)	73.5	5.7	136.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	11.4	-	14.9	9.8	71.4	-	166.7	-	6.2	-	-	10.6
TEENAGE PREGNANCIES#	177	6	68	103	15	0	7	8	162	6	61	95
TEENAGE PREGNANCY RATE	64.0	4.4	120.7	(15-19)	26.0	-	54.2	(15-19)	73.9	5.7	136.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	11.4	-	29.9	-	-	-	-	-	12.4	-	32.8	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,892	2,499	1,058	1,441	413
WHITE	13,562	891	405	486	158
NONWHITE	15,330	1,608	653	955	255

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	3	26	53	24	0	8	16	58	3	18	37
TEENAGE IMMATURE BIRTHS	16	0	3	13	4	0	0	4	12	0	3	9
TEENAGE PREMATURE BIRTHS	19	0	6	13	4	0	1	3	15	0	5	10
TEENAGE ILLEGITIMATE BIRTHS	70	3	24	43	14	0	6	8	56	3	18	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	1	21	5	0	0	5	17	0	1	16
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	4	26	10	0	2	8	20	0	2	18
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE FERTILITY RATE	32.8	2.8	54.8	(15-19)	26.9	-	49.4	(15-19)	36.1	4.6	57.6	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	36.6	-	76.9	18.9	-	-	-	-	51.7	-	111.1	27.0
TEENAGE INDUCED TERMINATIONS#	14	1	3	10	6	1	1	4	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	170.7	333.3	115.4	188.7	250.0	##	125.0	250.0	137.9	-	111.1	162.2
TEENAGE PREGNANCIES#	99	4	31	64	30	1	9	20	69	3	22	44
TEENAGE PREGNANCY RATE	39.6	3.8	65.9	(15-19)	33.7	2.5	59.7	(15-19)	42.9	4.6	69.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	1	5	2	0	1	1	4	0	0	4
INFANT MORTALITY RATE, TEEN MOMS	73.2	-	38.5	94.3	83.3	-	125.0	62.5	69.0	-	-	108.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,889	1,440	715	725	285
WHITE	11,147	725	361	364	150
NONWHITE	6,742	715	354	361	135

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	1	23	49	38	0	11	27	35	1	12	22
TEENAGE IMMATURE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	13	0	4	9	1	0	0	1	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	51	1	19	31	16	0	7	9	35	1	12	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	7	0	1	6	12	0	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	3	19	10	0	2	8	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	2	0	2	0	3	1	0	2
TEENAGE FERTILITY RATE	50.7	1.4	99.3	(15-19)	52.4	-	104.4	(15-19)	49.0	2.8	94.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.7	-	-	20.4	-	-	-	-	28.6	-	-	45.4
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	54.8	-	87.0	40.8	78.9	-	181.8	37.0	28.6	-	-	45.4
TEENAGE PREGNANCIES#	78	1	25	52	41	0	13	28	37	1	12	24
TEENAGE PREGNANCY RATE	54.2	1.4	106.2	(15-19)	56.6	-	112.6	(15-19)	51.7	2.8	99.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.7	-	-	20.4	26.3	-	-	37.0	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	102,131	7,459	3,694	3,765	1,632
WHITE	87,067	6,105	3,002	3,103	1,381
NONWHITE	15,064	1,354	692	662	251

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	223	5	78	140	160	4	60	96	63	1	18	44
TEENAGE IMMATURE BIRTHS	15	1	4	10	11	1	4	6	4	0	0	4
TEENAGE PREMATURE BIRTHS	28	2	11	15	20	2	8	10	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	163	4	66	93	102	3	48	51	61	1	18	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	9	37	22	0	5	17	24	0	4	20
TEENS WHO HAD PREVIOUS PREGNANCIES	67	0	15	52	39	0	10	29	28	0	5	23
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	7	6	6	0	3	3	8	1	4	3
TEENAGE FERTILITY RATE	29.9	1.4	57.9 (15-19)		26.2	1.3	50.3 (15-19)		46.5	1.4	93.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	3	0	3	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	17.9	-	38.5	7.1	18.8	-	50.0	-	15.9	-	-	22.7
TEENAGE PREGNANCIES#	227	5	81	141	163	4	63	96	64	1	18	45
TEENAGE PREGNANCY RATE	30.4	1.4	59.0 (15-19)		26.7	1.3	51.2 (15-19)		47.3	1.4	95.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	2	1	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.0	200.0	-	7.1	12.5	250.0	-	10.4	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	74,927	5,983	2,378	3,605	1,081
WHITE	49,209	3,436	1,299	2,137	598
NONWHITE	25,718	2,547	1,079	1,468	483

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	220	3	76	141	99	2	30	67	121	1	46	74
TEENAGE IMMATURE BIRTHS	17	0	6	11	5	0	1	4	12	0	5	7
TEENAGE PREMATURE BIRTHS	36	1	15	20	7	1	2	4	29	0	13	16
TEENAGE ILLEGITIMATE BIRTHS	183	3	69	111	65	2	23	40	118	1	46	71
TEENS WHO HAD PREVIOUS LIVE BIRTHS	57	0	15	42	20	0	5	15	37	0	10	27
TEENS WHO HAD PREVIOUS PREGNANCIES	62	0	16	46	23	0	5	18	39	0	11	28
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	8	4	3	0	3	0	9	0	5	4
TEENAGE FERTILITY RATE	36.8	1.3	60.2	(15-19)	28.8	1.5	45.4	(15-19)	47.5	0.9	81.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.5	-	-	7.1	10.1	-	-	14.9	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	45	3	9	33	24	0	6	18	21	3	3	15
TEENAGE INDUCED TERMINATION RATIO	204.5	1000.0	118.4	234.0	242.4	-	200.0	268.6	173.6	3000.0	65.2	202.7
TEENAGE PREGNANCIES#	266	6	85	175	124	2	36	86	142	4	49	89
TEENAGE PREGNANCY RATE	44.4	2.5	72.1	(15-19)	36.1	1.5	57.1	(15-19)	55.8	3.7	94.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,160	601	305	296	134
WHITE	4,964	307	159	148	72
NONWHITE	3,196	294	146	148	62

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	1	10	19	12	0	3	9	18	1	7	10
TEENAGE IMMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE ILLEGITIMATE BIRTHS	21	1	7	13	3	0	0	3	18	1	7	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	4	0	1	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	4	0	1	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	49.9	3.3	98.0	(15-19)	39.1	-	81.1	(15-19)	61.2	6.8	114.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	66.7	-	100.0	52.6	166.7	-	333.3	111.1	-	-	-	-
TEENAGE PREGNANCIES#	32	1	11	20	14	0	4	10	18	1	7	10
TEENAGE PREGNANCY RATE	53.2	3.3	104.7	(15-19)	45.6	-	94.6	(15-19)	61.2	6.8	114.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,185	1,630	782	848	363
WHITE	17,956	1,412	675	737	328
NONWHITE	2,229	218	107	111	35

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	0	26	49	63	0	20	43	12	0	6	6
TEENAGE IMMATURE BIRTHS	7	0	4	3	6	0	3	3	1	0	1	0
TEENAGE PREMATURE BIRTHS	16	0	6	10	12	0	4	8	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	43	0	18	25	31	0	12	19	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	11	0	1	10	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	14	0	2	12	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	3	7	7	0	1	6	3	0	2	1
TEENAGE FERTILITY RATE	46.0	-	88.4 (15-19)		44.6	-	85.5 (15-19)		55.0	-	108.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	13.3	-	38.5	-	-	-	-	-	83.3	-	166.7	-
TEENAGE PREGNANCIES#	76	0	27	49	63	0	20	43	13	0	7	6
TEENAGE PREGNANCY RATE	46.6	-	89.6 (15-19)		44.6	-	85.5 (15-19)		59.6	-	117.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	26.7	-	-	40.8	31.7	-	-	46.5	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,630	915	464	451	178
WHITE	9,071	642	332	310	136
NONWHITE	3,559	273	132	141	42

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	16	24	29	0	12	17	11	0	4	7
TEENAGE IMMATURE BIRTHS	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	9	10	9	0	5	4	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	6	0	1	5	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	7	0	1	6	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	43.7	-	88.7 (15-19)		45.2	-	93.5 (15-19)		40.3	-	78.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	50.0	-	125.0	-	-	-	-	-	181.8	-	500.0	-
TEENAGE PREGNANCIES#	42	0	18	24	29	0	12	17	13	0	6	7
TEENAGE PREGNANCY RATE	45.9	-	93.1 (15-19)		45.2	-	93.5 (15-19)		47.6	-	92.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,450	1,696	841	855	274
WHITE	12,510	798	408	390	146
NONWHITE	9,940	898	433	465	128

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	4	15	25	16	0	3	13	28	4	12	12
TEENAGE IMMATURE BIRTHS	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE PREMATURE BIRTHS	13	3	4	6	3	0	1	2	10	3	3	4
TEENAGE ILLEGITIMATE BIRTHS	37	4	12	21	9	0	0	9	28	4	12	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	5	0	1	4	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	7	0	1	6	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	25.9	4.8	46.8	(15-19)	20.0	-	41.0	(15-19)	31.2	9.2	51.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	136.4	-	200.0	120.0	187.5	-	333.3	153.8	107.1	-	166.7	83.3
TEENAGE PREGNANCIES#	50	4	18	28	19	0	4	15	31	4	14	13
TEENAGE PREGNANCY RATE	29.5	4.8	53.8	(15-19)	23.8	-	48.7	(15-19)	34.5	9.2	58.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,518	2,786	1,440	1,346	548
WHITE	37,001	2,374	1,234	1,140	490
NONWHITE	4,517	412	206	206	58

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	2	27	54	74	2	23	49	9	0	4	5
TEENAGE IMMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	1	0	5	5	1	0	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	70	2	24	44	61	2	20	39	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	14	0	2	12	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	2	18	18	0	2	16	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	5	0	4	1	0	0	0	0
TEENAGE FERTILITY RATE	29.8	1.4	60.2	(15-19)	31.2	1.6	63.2	(15-19)	21.8	-	43.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.0	-	-	18.5	13.5	-	-	20.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	5	1	0	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	60.2	500.0	-	74.1	67.6	500.0	-	81.6	-	-	-	-
TEENAGE PREGNANCIES#	89	3	27	59	80	3	23	54	9	0	4	5
TEENAGE PREGNANCY RATE	31.9	2.1	63.9	(15-19)	33.7	2.4	67.5	(15-19)	21.8	-	43.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	2	1	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	24.1	500.0	-	18.5	27.0	500.0	-	20.4	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	178,567	12,307	6,015	6,292	3,034
WHITE	133,838	8,222	4,041	4,181	2,138
NONWHITE	44,729	4,085	1,974	2,111	896

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	513	9	144	360	315	3	73	239	198	6	71	121
TEENAGE IMMATURE BIRTHS	60	3	22	35	34	0	12	22	26	3	10	13
TEENAGE PREMATURE BIRTHS	89	2	37	50	49	1	19	29	40	1	18	21
TEENAGE ILLEGITIMATE BIRTHS	402	9	126	267	222	3	57	162	180	6	69	105
TEENS WHO HAD PREVIOUS LIVE BIRTHS	129	0	24	105	68	0	8	60	61	0	16	45
TEENS WHO HAD PREVIOUS PREGNANCIES	169	1	35	133	93	1	16	76	76	0	19	57
TEENS WITH INADEQUATE* PRENATAL CARE	49	2	18	29	23	0	6	17	26	2	12	12
TEENAGE FERTILITY RATE	41.7	1.5	80.1	(15-19)	38.3	0.7	74.6	(15-19)	48.5	3.0	91.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	1.9	-	-	2.8	3.2	-	-	4.2	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	69	3	24	42	33	1	13	19	36	2	11	23
TEENAGE INDUCED TERMINATION RATIO	134.5	333.3	166.7	116.7	104.8	333.3	178.1	79.5	181.8	333.3	154.9	190.1
TEENAGE PREGNANCIES#	583	12	168	403	349	4	86	259	234	8	82	144
TEENAGE PREGNANCY RATE	47.4	2.0	90.8	(15-19)	42.4	1.0	82.5	(15-19)	57.3	4.0	107.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	3	0	0	0	0	0	3	0	3	0
INFANT MORTALITY RATE, TEEN MOMS	5.8	-	20.8	-	-	-	-	-	15.2	-	42.3	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	245,737	18,513	8,312	10,201	3,864
WHITE	112,415	6,430	2,913	3,517	991
NONWHITE	133,322	12,083	5,399	6,684	2,873

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	790	27	291	472	86	0	20	66	704	27	271	406
TEENAGE IMMATURE BIRTHS	145	5	56	84	8	0	4	4	137	5	52	80
TEENAGE PREMATURE BIRTHS	213	9	85	119	14	0	6	8	199	9	79	111
TEENAGE ILLEGITIMATE BIRTHS	743	27	283	433	51	0	16	35	692	27	267	398
TEENS WHO HAD PREVIOUS LIVE BIRTHS	218	0	53	165	18	0	1	17	200	0	52	148
TEENS WHO HAD PREVIOUS PREGNANCIES	283	1	72	210	30	0	2	28	253	1	70	182
TEENS WITH INADEQUATE* PRENATAL CARE	116	7	38	71	6	0	0	6	110	7	38	65
TEENAGE FERTILITY RATE	42.7	3.2	74.8 (15-19)	13.4	-	24.4 (15-19)	58.3	5.0	101.3 (15-19)			
TEENAGE FETAL DEATHS**	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE FETAL DEATH RATIO	11.4	-	13.7	10.6	-	-	-	-	12.8	-	14.8	12.3
TEENAGE INDUCED TERMINATIONS#	264	14	71	179	54	2	8	44	210	12	63	135
TEENAGE INDUCED TERMINATION RATIO	334.2	518.5	244.0	379.2	627.9	##	400.0	666.7	298.3	444.4	232.5	332.5
TEENAGE PREGNANCIES#	1,063	41	366	656	140	2	28	110	923	39	338	546
TEENAGE PREGNANCY RATE	57.4	4.9	100.2 (15-19)	21.8	0.7	39.2 (15-19)	76.4	7.2	132.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	15	0	8	7	0	0	0	0	15	0	8	7
INFANT MORTALITY RATE, TEEN MOMS	19.0	-	27.5	14.8	-	-	-	-	21.3	-	29.5	17.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: HOLMES

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	21,562	2,007	917	1,090	411
WHITE	4,895	342	134	208	47
NONWHITE	16,667	1,665	783	882	364

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	2	42	53	4	0	1	3	93	2	41	50
TEENAGE IMMATURE BIRTHS	16	2	6	8	0	0	0	0	16	2	6	8
TEENAGE PREMATURE BIRTHS	18	1	9	8	0	0	0	0	18	1	9	8
TEENAGE ILLEGITIMATE BIRTHS	94	2	41	51	1	0	0	1	93	2	41	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	7	16	1	0	1	0	22	0	6	16
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	8	21	1	0	1	0	28	0	7	21
TEENS WITH INADEQUATE* PRENATAL CARE	11	2	4	5	0	0	0	0	11	2	4	5
TEENAGE FERTILITY RATE	48.3	2.2	87.2	(15-19)	11.7	-	19.2	(15-19)	55.8	2.6	103.2	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	30.9	-	23.8	37.7	-	-	-	-	32.2	-	24.4	40.0
TEENAGE INDUCED TERMINATIONS#	14	1	5	8	1	0	0	1	13	1	5	7
TEENAGE INDUCED TERMINATION RATIO	144.3	500.0	119.0	150.9	250.0	-	-	333.3	139.8	500.0	122.0	140.0
TEENAGE PREGNANCIES#	114	3	48	63	5	0	1	4	109	3	47	59
TEENAGE PREGNANCY RATE	56.8	3.3	101.8	(15-19)	14.6	-	24.0	(15-19)	65.5	3.8	120.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	10.3	-	23.8	-	-	-	-	-	10.8	-	24.4	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,214	979	476	503	203
WHITE	3,367	196	89	107	31
NONWHITE	7,847	783	387	396	172

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	3	30	32	6	0	2	4	59	3	28	28
TEENAGE IMMATURE BIRTHS	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE PREMATURE BIRTHS	12	0	7	5	0	0	0	0	12	0	7	5
TEENAGE ILLEGITIMATE BIRTHS	63	3	29	31	4	0	1	3	59	3	28	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	1	0	0	1	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	5	2	1	0	0	1	6	0	5	1
TEENAGE FERTILITY RATE	66.4	6.3	123.3	(15-19)	30.6	-	56.1	(15-19)	75.4	7.8	141.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	1	0	1	0	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	76.9	-	33.3	125.0	166.7	-	500.0	-	67.8	-	-	142.8
TEENAGE PREGNANCIES#	70	3	31	36	7	0	3	4	63	3	28	32
TEENAGE PREGNANCY RATE	71.5	6.3	133.2	(15-19)	35.7	-	65.4	(15-19)	80.5	7.8	151.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.4	-	-	31.3	-	-	-	-	16.9	-	-	35.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,635	138	75	63	20
WHITE	669	48	22	26	6
NONWHITE	966	90	53	37	14

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	50.7	-	111.1 (15-19)		-	-	- (15-19)		77.8	-	189.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	142.8	-	333.3	-	-	-	-	-	142.8	-	333.3	-
TEENAGE PREGNANCIES#	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE PREGNANCY RATE	58.0	-	127.0 (15-19)		-	-	- (15-19)		88.9	-	216.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,085	1,607	650	957	261
WHITE	19,355	1,413	575	838	236
NONWHITE	1,730	194	75	119	25

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	1	20	29	44	0	19	25	6	1	1	4
TEENAGE IMMATURE BIRTHS	8	0	3	5	7	0	3	4	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	0	3	4	6	0	3	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	29	1	14	14	23	0	13	10	6	1	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	6	0	1	5	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	5	0	1	4	1	0	1	0
TEENAGE FERTILITY RATE	31.1	1.5	51.2	(15-19)	31.1	-	52.5	(15-19)	30.9	13.3	42.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.0	-	-	34.5	-	-	-	-	166.7	-	-	250.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	40.0	-	-	69.0	22.7	-	-	40.0	166.7	-	-	250.0
TEENAGE PREGNANCIES#	53	1	20	32	45	0	19	26	8	1	1	6
TEENAGE PREGNANCY RATE	33.0	1.5	54.3	(15-19)	31.8	-	53.7	(15-19)	41.2	13.3	58.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	40.0	-	100.0	-	22.7	-	52.6	-	166.7	-	1000.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	133,120	10,261	5,101	5,160	1,860
WHITE	101,436	7,028	3,488	3,540	1,317
NONWHITE	31,684	3,233	1,613	1,620	543

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	313	4	91	218	188	2	55	131	125	2	36	87
TEENAGE IMMATURE BIRTHS	29	0	10	19	17	0	8	9	12	0	2	10
TEENAGE PREMATURE BIRTHS	43	0	19	24	27	0	15	12	16	0	4	12
TEENAGE ILLEGITIMATE BIRTHS	248	4	75	169	129	2	40	87	119	2	35	82
TEENS WHO HAD PREVIOUS LIVE BIRTHS	75	0	15	60	41	0	8	33	34	0	7	27
TEENS WHO HAD PREVIOUS PREGNANCIES	93	0	16	77	54	0	9	45	39	0	7	32
TEENS WITH INADEQUATE* PRENATAL CARE	27	0	10	17	12	0	5	7	15	0	5	10
TEENAGE FERTILITY RATE	30.5	0.8	59.9	(15-19)	26.8	0.6	52.5	(15-19)	38.7	1.2	75.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	9.6	-	-	13.8	5.3	-	-	7.6	16.0	-	-	23.0
TEENAGE INDUCED TERMINATIONS#	77	2	28	47	46	2	17	27	31	0	11	20
TEENAGE INDUCED TERMINATION RATIO	246.0	500.0	307.7	215.6	244.7	1000.0	309.1	206.1	248.0	-	305.6	229.9
TEENAGE PREGNANCIES#	393	6	119	268	235	4	72	159	158	2	47	109
TEENAGE PREGNANCY RATE	38.3	1.2	75.0	(15-19)	33.4	1.1	65.2	(15-19)	48.9	1.2	96.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.4	-	11.0	4.6	5.3	-	18.2	-	8.0	-	-	11.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,110	1,489	759	730	265
WHITE	8,410	501	240	261	104
NONWHITE	9,700	988	519	469	161

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	2	19	30	12	0	3	9	39	2	16	21
TEENAGE IMMATURE BIRTHS	8	1	5	2	0	0	0	0	8	1	5	2
TEENAGE PREMATURE BIRTHS	8	0	1	7	2	0	0	2	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	40	2	19	19	4	0	3	1	36	2	16	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	1	0	0	1	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FERTILITY RATE	34.2	2.6	67.1	(15-19)	24.0	-	46.0	(15-19)	39.5	3.8	78.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	19.6	-	52.6	-	83.3	-	333.3	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	2	0	1	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	98.0	-	52.6	133.3	166.7	-	333.3	111.1	76.9	-	-	142.8
TEENAGE PREGNANCIES#	57	2	21	34	15	0	5	10	42	2	16	24
TEENAGE PREGNANCY RATE	38.3	2.6	75.3	(15-19)	29.9	-	57.5	(15-19)	42.5	3.8	85.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	19.6	-	52.6	-	-	-	-	-	25.6	-	62.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,385	736	365	371	140
WHITE	1,107	59	27	32	8
NONWHITE	7,278	677	338	339	132

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	2	12	16	1	0	0	1	29	2	12	15
TEENAGE IMMATURE BIRTHS	5	1	3	1	0	0	0	0	5	1	3	1
TEENAGE PREMATURE BIRTHS	6	1	1	4	0	0	0	0	6	1	1	4
TEENAGE ILLEGITIMATE BIRTHS	29	2	12	15	0	0	0	0	29	2	12	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	40.8	5.5	75.5 (15-19)	16.9	-	31.2 (15-19)	42.8	5.9	79.6 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	10	0	2	8	0	0	0	0	10	0	2	8
TEENAGE INDUCED TERMINATION RATIO	333.3	-	166.7	500.0	-	-	-	-	344.8	-	166.7	533.3
TEENAGE PREGNANCIES#	40	2	14	24	1	0	0	1	39	2	14	23
TEENAGE PREGNANCY RATE	54.3	5.5	102.4 (15-19)	16.9	-	31.2 (15-19)	57.6	5.9	109.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,770	1,157	574	583	196
WHITE	5,852	359	164	195	57
NONWHITE	7,918	798	410	388	139

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	12	24	10	0	2	8	27	1	10	16
TEENAGE IMMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	1	1	5	2	0	0	2	5	1	1	3
TEENAGE ILLEGITIMATE BIRTHS	29	1	11	17	4	0	1	3	25	1	10	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	1	0	0	1	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE FERTILITY RATE	32.0	1.7	61.8	(15-19)	27.8	-	51.3	(15-19)	33.8	2.4	67.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	2	1	2	2	1	0	1	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	135.1	2000.0	83.3	83.3	200.0	##	-	125.0	111.1	1000.0	100.0	62.5
TEENAGE PREGNANCIES#	42	3	13	26	12	1	2	9	30	2	11	17
TEENAGE PREGNANCY RATE	36.3	5.2	66.9	(15-19)	33.4	6.1	56.4	(15-19)	37.6	4.9	72.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	63,054	4,755	2,254	2,501	1,010
WHITE	45,722	3,042	1,436	1,606	620
NONWHITE	17,332	1,713	818	895	390

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	217	5	70	142	100	0	33	67	117	5	37	75
TEENAGE IMMATURE BIRTHS	16	0	8	8	4	0	2	2	12	0	6	6
TEENAGE PREMATURE BIRTHS	21	1	9	11	6	0	3	3	15	1	6	8
TEENAGE ILLEGITIMATE BIRTHS	159	5	54	100	44	0	17	27	115	5	37	73
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	0	8	52	17	0	2	15	43	0	6	37
TEENS WHO HAD PREVIOUS PREGNANCIES	71	0	10	61	26	0	4	22	45	0	6	39
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	4	11	8	0	1	7	7	0	3	4
TEENAGE FERTILITY RATE	45.6	2.2	84.8 (15-19)	32.9	-	62.3 (15-19)	68.3	6.1	125.1 (15-19)			
TEENAGE FETAL DEATHS**	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FETAL DEATH RATIO	9.2	200.0	14.3	-	-	-	-	-	17.1	200.0	27.0	-
TEENAGE INDUCED TERMINATIONS#	34	1	18	15	13	0	5	8	21	1	13	7
TEENAGE INDUCED TERMINATION RATIO	156.7	200.0	257.1	105.6	130.0	-	151.5	119.4	179.5	200.0	351.4	93.3
TEENAGE PREGNANCIES#	253	7	89	157	113	0	38	75	140	7	51	82
TEENAGE PREGNANCY RATE	53.2	3.1	98.4 (15-19)	37.1	-	70.4 (15-19)	81.7	8.6	148.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,487	933	379	554	139
WHITE	4,230	245	113	132	37
NONWHITE	6,257	688	266	422	102

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	0	8	16	5	0	1	4	19	0	7	12
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	17	0	7	10	0	0	0	0	17	0	7	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	1	0	0	1	5	0	3	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	1	0	0	1	5	0	3	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	25.7	-	43.3 (15-19)		20.4	-	37.9 (15-19)		27.6	-	45.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	125.0	-	250.0	62.5	400.0	-	2000.0	-	52.6	-	-	83.3
TEENAGE PREGNANCIES#	27	0	10	17	7	0	3	4	20	0	7	13
TEENAGE PREGNANCY RATE	28.9	-	48.7 (15-19)		28.6	-	53.0 (15-19)		29.1	-	47.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,914	3,045	948	2,097	447
WHITE	24,275	2,077	545	1,532	254
NONWHITE	10,639	968	403	565	193

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	78	1	30	47	23	0	7	16	55	1	23	31
TEENAGE IMMATURE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	12	0	5	7	3	0	1	2	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	67	1	28	38	14	0	6	8	53	1	22	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	5	0	0	5	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	6	0	0	6	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE FERTILITY RATE	25.6	1.0	36.7	(15-19)	11.1	-	15.0	(15-19)	56.8	2.5	95.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	12.8	-	33.3	-	-	-	-	-	18.2	-	43.5	-
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	3	0	0	3	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	64.1	-	66.7	63.8	130.4	-	-	187.5	36.4	-	87.0	-
TEENAGE PREGNANCIES#	84	1	33	50	26	0	7	19	58	1	26	31
TEENAGE PREGNANCY RATE	27.6	1.0	39.6	(15-19)	12.5	-	17.0	(15-19)	59.9	2.5	100.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.8	-	-	21.3	43.5	-	-	62.5	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,127	2,853	1,458	1,395	594
WHITE	32,787	2,366	1,214	1,152	506
NONWHITE	5,340	487	244	243	88

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	2	28	49	58	0	22	36	21	2	6	13
TEENAGE IMMATURE BIRTHS	10	0	4	6	8	0	4	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	14	0	2	12	6	0	1	5	8	0	1	7
TEENAGE ILLEGITIMATE BIRTHS	49	2	18	29	30	0	13	17	19	2	5	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	14	0	2	12	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	18	0	2	16	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE FERTILITY RATE	27.7	1.4	55.2	(15-19)	24.5	-	50.3	(15-19)	43.1	8.2	78.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	1	1	6	4	0	0	4	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	101.3	500.0	35.7	122.4	69.0	-	-	111.1	190.5	500.0	166.7	153.8
TEENAGE PREGNANCIES#	87	3	29	55	62	0	22	40	25	3	7	15
TEENAGE PREGNANCY RATE	30.5	2.0	60.2	(15-19)	26.2	-	53.8	(15-19)	51.3	12.3	90.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	12.7	-	35.7	-	-	-	-	-	47.6	-	166.7	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	75,978	5,605	2,589	3,016	1,173
WHITE	47,129	2,921	1,396	1,525	569
NONWHITE	28,849	2,684	1,193	1,491	604

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	190	4	66	120	48	1	14	33	142	3	52	87
TEENAGE IMMATURE BIRTHS	21	1	7	13	6	0	0	6	15	1	7	7
TEENAGE PREMATURE BIRTHS	27	1	14	12	6	0	3	3	21	1	11	9
TEENAGE ILLEGITIMATE BIRTHS	165	4	63	98	27	1	12	14	138	3	51	84
TEENS WHO HAD PREVIOUS LIVE BIRTHS	48	0	8	40	7	0	1	6	41	0	7	34
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	9	47	8	0	1	7	48	0	8	40
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	4	10	0	0	0	0	14	0	4	10
TEENAGE FERTILITY RATE	33.9	1.5	61.7	(15-19)	16.4	0.7	30.8	(15-19)	52.9	2.5	93.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	47	4	18	25	17	1	6	10	30	3	12	15
TEENAGE INDUCED TERMINATION RATIO	247.4	1000.0	272.7	208.3	354.2	1000.0	428.6	303.0	211.3	1000.0	230.8	172.4
TEENAGE PREGNANCIES#	237	8	84	145	65	2	20	43	172	6	64	102
TEENAGE PREGNANCY RATE	42.3	3.1	75.9	(15-19)	22.2	1.4	41.3	(15-19)	64.1	5.0	111.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	10.5	-	30.3	-	-	-	-	-	14.1	-	38.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,066	1,038	509	529	172
WHITE	8,407	563	277	286	112
NONWHITE	4,659	475	232	243	60

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	7	23	21	0	4	17	9	0	3	6
TEENAGE IMMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	0	2	4	4	0	1	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	17	0	5	12	8	0	2	6	9	0	3	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	4	0	1	3	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	28.9	-	56.7 (15-19)		37.3	-	73.4 (15-19)		18.9	-	37.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	200.0	##	428.6	87.0	-	-	-	-	666.7	##	1000.0	333.3
TEENAGE PREGNANCIES#	36	1	10	25	21	0	4	17	15	1	6	8
TEENAGE PREGNANCY RATE	34.7	2.0	66.2 (15-19)		37.3	-	73.4 (15-19)		31.6	4.3	57.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,602	1,464	698	766	324
WHITE	11,262	649	319	330	158
NONWHITE	8,340	815	379	436	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	3	23	37	28	0	9	19	35	3	14	18
TEENAGE IMMATURE BIRTHS	5	1	2	2	3	0	1	2	2	1	1	0
TEENAGE PREMATURE BIRTHS	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	47	3	19	25	13	0	6	7	34	3	13	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	4	0	1	3	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	4	14	8	0	3	5	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	1	0	0	1	5	0	4	1
TEENAGE FERTILITY RATE	43.0	4.3	78.3	(15-19)	43.1	-	84.8	(15-19)	42.9	7.9	73.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	15.9	-	43.5	-	-	-	-	-	28.6	-	71.4	-
TEENAGE INDUCED TERMINATIONS#	10	1	2	7	5	0	2	3	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	158.7	333.3	87.0	189.2	178.6	-	222.2	157.9	114.3	333.3	-	166.7
TEENAGE PREGNANCIES#	74	4	26	44	33	0	11	22	40	4	15	21
TEENAGE PREGNANCY RATE	50.5	5.7	91.4	(15-19)	50.8	-	100.0	(15-19)	49.1	10.6	82.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	75,211	5,216	2,589	2,627	1,222
WHITE	57,291	3,648	1,804	1,844	811
NONWHITE	17,920	1,568	785	783	411

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	207	7	93	107	113	3	46	64	94	4	47	43
TEENAGE IMMATURE BIRTHS	21	1	10	10	11	1	5	5	10	0	5	5
TEENAGE PREMATURE BIRTHS	40	2	21	17	16	1	9	6	24	1	12	11
TEENAGE ILLEGITIMATE BIRTHS	156	7	78	71	64	3	31	30	92	4	47	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	10	37	24	0	4	20	23	0	6	17
TEENS WHO HAD PREVIOUS PREGNANCIES	57	0	12	45	31	0	5	26	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	10	7	7	0	5	2	11	1	5	5
TEENAGE FERTILITY RATE	39.7	2.7	76.1	(15-19)	31.0	1.7	59.6	(15-19)	59.9	5.1	114.9	(15-19)
TEENAGE FETAL DEATHS**	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE FETAL DEATH RATIO	19.3	-	-	37.4	26.5	-	-	46.9	10.6	-	-	23.2
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	2	0	1	1	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	38.6	-	32.2	46.7	17.7	-	21.7	15.6	63.8	-	42.6	93.0
TEENAGE PREGNANCIES#	219	7	96	116	118	3	47	68	101	4	49	48
TEENAGE PREGNANCY RATE	42.0	2.7	80.7	(15-19)	32.3	1.7	62.4	(15-19)	64.4	5.1	123.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LEFLORE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	36,816	3,021	1,474	1,547	607
WHITE	13,330	749	406	343	107
NONWHITE	23,486	2,272	1,068	1,204	500

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	165	4	66	95	21	0	6	15	144	4	60	80
TEENAGE IMMATURE BIRTHS	22	1	9	12	3	0	0	3	19	1	9	9
TEENAGE PREMATURE BIRTHS	25	1	17	7	2	0	1	1	23	1	16	6
TEENAGE ILLEGITIMATE BIRTHS	156	4	66	86	13	0	6	7	143	4	60	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	0	17	46	2	0	0	2	61	0	17	44
TEENS WHO HAD PREVIOUS PREGNANCIES	69	0	18	51	3	0	1	2	66	0	17	49
TEENS WITH INADEQUATE* PRENATAL CARE	32	2	20	10	1	0	1	0	31	2	19	10
TEENAGE FERTILITY RATE	54.6	2.7	104.1	(15-19)	28.0	-	61.2	(15-19)	63.4	3.7	116.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	12.1	-	-	21.0	-	-	-	-	13.9	-	-	25.0
TEENAGE INDUCED TERMINATIONS#	25	2	7	16	5	1	1	3	20	1	6	13
TEENAGE INDUCED TERMINATION RATIO	151.5	500.0	106.1	168.4	238.1	##	166.7	200.0	138.9	250.0	100.0	162.5
TEENAGE PREGNANCIES#	192	6	73	113	26	1	7	18	166	5	66	95
TEENAGE PREGNANCY RATE	63.6	4.1	120.2	(15-19)	34.7	2.5	72.9	(15-19)	73.1	4.7	133.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	12.1	-	30.3	-	-	-	-	-	13.9	-	33.3	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,105	2,535	1,212	1,323	468
WHITE	21,614	1,459	712	747	309
NONWHITE	10,491	1,076	500	576	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	6	22	62	45	0	10	35	45	6	12	27
TEENAGE IMMATURE BIRTHS	8	1	1	6	0	0	0	0	8	1	1	6
TEENAGE PREMATURE BIRTHS	13	3	4	6	2	0	0	2	11	3	4	4
TEENAGE ILLEGITIMATE BIRTHS	56	5	19	32	17	0	7	10	39	5	12	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	6	0	0	6	12	0	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	3	22	10	0	0	10	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	2	1	3	0	0	0	0	6	2	1	3
TEENAGE FERTILITY RATE	35.5	5.0	63.5	(15-19)	30.8	-	60.2	(15-19)	41.8	12.0	67.7	(15-19)
TEENAGE FETAL DEATHS**	4	1	1	2	1	1	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	44.4	166.7	45.4	32.2	22.2	##	-	-	66.7	-	83.3	74.1
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	5	0	1	4	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	88.9	-	90.9	96.8	111.1	-	100.0	114.3	66.7	-	83.3	74.1
TEENAGE PREGNANCIES#	102	7	25	70	51	1	11	39	51	6	14	31
TEENAGE PREGNANCY RATE	40.2	5.8	71.8	(15-19)	35.0	1.4	66.9	(15-19)	47.4	12.0	78.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: LOWNDES

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	60,527	4,670	2,145	2,525	979
WHITE	36,037	2,336	1,053	1,283	490
NONWHITE	24,490	2,334	1,092	1,242	489

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	190	8	63	119	51	1	9	41	139	7	54	78
TEENAGE IMMATURE BIRTHS	32	3	13	16	7	1	1	5	25	2	12	11
TEENAGE PREMATURE BIRTHS	43	2	18	23	10	0	1	9	33	2	17	14
TEENAGE ILLEGITIMATE BIRTHS	167	7	62	98	32	0	9	23	135	7	53	75
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	5	29	13	0	1	12	21	0	4	17
TEENS WHO HAD PREVIOUS PREGNANCIES	51	0	8	43	17	0	1	16	34	0	7	27
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	6	4	1	0	0	1	10	1	6	3
TEENAGE FERTILITY RATE	40.7	3.7	72.1	(15-19)	21.8	1.0	39.0	(15-19)	59.6	6.4	106.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	5.3	-	15.9	-	-	-	-	-	7.2	-	18.5	-
TEENAGE INDUCED TERMINATIONS#	45	1	23	21	10	0	7	3	35	1	16	18
TEENAGE INDUCED TERMINATION RATIO	236.8	125.0	365.1	176.5	196.1	-	777.8	73.2	251.8	142.8	296.3	230.8
TEENAGE PREGNANCIES#	236	9	87	140	61	1	16	44	175	8	71	96
TEENAGE PREGNANCY RATE	50.5	4.2	89.9	(15-19)	26.1	1.0	46.8	(15-19)	75.0	7.3	134.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	5.3	-	15.9	-	-	-	-	-	7.2	-	18.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: MADISON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	74,562	5,383	2,638	2,745	1,167
WHITE	39,136	1,927	1,052	875	601
NONWHITE	35,426	3,456	1,586	1,870	566

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	135	6	47	82	20	0	5	15	115	6	42	67
TEENAGE IMMATURE BIRTHS	13	1	4	8	2	0	0	2	11	1	4	6
TEENAGE PREMATURE BIRTHS	21	2	9	10	1	0	0	1	20	2	9	9
TEENAGE ILLEGITIMATE BIRTHS	116	6	44	66	8	0	4	4	108	6	40	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	1	9	29	6	0	1	5	33	1	8	24
TEENS WHO HAD PREVIOUS PREGNANCIES	45	1	9	35	10	0	1	9	35	1	8	26
TEENS WITH INADEQUATE* PRENATAL CARE	19	3	5	11	0	0	0	0	19	3	5	11
TEENAGE FERTILITY RATE	25.1	2.3	47.0	(15-19)	10.4	-	22.8	(15-19)	33.3	3.8	58.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.4	-	-	12.2	-	-	-	-	8.7	-	-	14.9
TEENAGE INDUCED TERMINATIONS#	41	1	14	26	20	1	5	14	21	0	9	12
TEENAGE INDUCED TERMINATION RATIO	303.7	166.7	297.9	317.1	1000.0	##	1000.0	933.3	182.6	-	214.3	179.1
TEENAGE PREGNANCIES#	177	7	61	109	40	1	10	29	137	6	51	80
TEENAGE PREGNANCY RATE	32.9	2.6	61.9	(15-19)	20.8	1.0	44.6	(15-19)	39.6	3.8	70.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.8	166.7	-	12.2	-	-	-	-	17.4	166.7	-	14.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,538	2,074	1,031	1,043	382
WHITE	17,770	1,165	599	566	223
NONWHITE	8,768	909	432	477	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	4	26	55	47	2	12	33	38	2	14	22
TEENAGE IMMATURE BIRTHS	9	1	2	6	6	0	0	6	3	1	2	0
TEENAGE PREMATURE BIRTHS	9	0	2	7	3	0	0	3	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	52	3	18	31	16	1	4	11	36	2	14	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	2	18	12	0	1	11	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	2	19	13	0	1	12	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE FERTILITY RATE	41.0	3.9	77.7	(15-19)	40.3	3.3	79.5	(15-19)	41.8	4.6	75.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	3	0	2	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	70.6	-	115.4	54.5	63.8	-	166.7	30.3	78.9	-	71.4	90.9
TEENAGE PREGNANCIES#	91	4	29	58	50	2	14	34	41	2	15	24
TEENAGE PREGNANCY RATE	43.9	3.9	83.4	(15-19)	42.9	3.3	84.8	(15-19)	45.1	4.6	81.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: MARSHALL

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	32,323	2,581	1,239	1,342	534
WHITE	15,134	914	459	455	217
NONWHITE	17,189	1,667	780	887	317

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	1	40	88	39	0	10	29	90	1	30	59
TEENAGE IMMATURE BIRTHS	12	0	2	10	3	0	0	3	9	0	2	7
TEENAGE PREMATURE BIRTHS	20	0	8	12	6	0	3	3	14	0	5	9
TEENAGE ILLEGITIMATE BIRTHS	112	1	37	74	25	0	8	17	87	1	29	57
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	3	30	7	0	0	7	26	0	3	23
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	4	33	8	0	1	7	29	0	3	26
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	3	8	3	0	0	3	8	0	3	5
TEENAGE FERTILITY RATE	50.0	0.8	95.4	(15-19)	42.7	-	85.7	(15-19)	54.0	1.3	100.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	15.5	-	25.0	11.4	51.3	-	100.0	34.5	-	-	-	-
TEENAGE PREGNANCIES#	131	1	41	89	41	0	11	30	90	1	30	59
TEENAGE PREGNANCY RATE	50.8	0.8	96.9	(15-19)	44.8	-	90.1	(15-19)	54.0	1.3	100.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	7.8	-	-	11.4	-	-	-	-	11.1	-	-	16.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,230	2,902	1,359	1,543	503
WHITE	25,658	1,690	806	884	305
NONWHITE	12,572	1,212	553	659	198

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	2	27	45	40	0	14	26	34	2	13	19
TEENAGE IMMATURE BIRTHS	9	0	4	5	4	0	2	2	5	0	2	3
TEENAGE PREMATURE BIRTHS	7	0	3	4	4	0	2	2	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	51	2	22	27	18	0	9	9	33	2	13	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	8	0	1	7	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	3	17	11	0	1	10	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	3	1	1	0	0	1	4	1	3	0
TEENAGE FERTILITY RATE	25.5	1.5	46.7	(15-19)	23.7	-	45.2	(15-19)	28.0	3.6	48.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.5	-	37.0	-	-	-	-	-	29.4	-	76.9	-
TEENAGE INDUCED TERMINATIONS#	14	0	8	6	2	0	2	0	12	0	6	6
TEENAGE INDUCED TERMINATION RATIO	189.2	-	296.3	133.3	50.0	-	142.8	-	352.9	-	461.5	315.8
TEENAGE PREGNANCIES#	89	2	36	51	42	0	16	26	47	2	20	25
TEENAGE PREGNANCY RATE	30.7	1.5	56.4	(15-19)	24.8	-	47.5	(15-19)	38.8	3.6	68.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.5	-	-	22.2	25.0	-	-	38.5	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,394	943	442	501	157
WHITE	6,642	366	174	192	69
NONWHITE	5,752	577	268	309	88

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	1	13	22	12	0	4	8	24	1	9	14
TEENAGE IMMATURE BIRTHS	6	0	5	1	2	0	1	1	4	0	4	0
TEENAGE PREMATURE BIRTHS	11	1	7	3	3	0	2	1	8	1	5	2
TEENAGE ILLEGITIMATE BIRTHS	29	1	11	17	6	0	2	4	23	1	9	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	3	0	0	3	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	4	0	0	4	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	38.2	2.3	69.9 (15-19)		32.8	-	62.5 (15-19)		41.6	3.7	74.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	194.4	-	307.7	136.4	166.7	-	250.0	125.0	208.3	-	333.3	142.8
TEENAGE PREGNANCIES#	43	1	17	25	14	0	5	9	29	1	12	16
TEENAGE PREGNANCY RATE	45.6	2.3	83.8 (15-19)		38.2	-	72.9 (15-19)		50.3	3.7	90.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.8	-	76.9	-	-	-	-	-	41.7	-	111.1	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,639	2,266	1,104	1,162	496
WHITE	18,156	1,272	628	644	266
NONWHITE	9,483	994	476	518	230

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	1	28	54	32	1	8	23	51	0	20	31
TEENAGE IMMATURE BIRTHS	6	0	4	2	1	0	0	1	5	0	4	1
TEENAGE PREMATURE BIRTHS	10	0	5	5	3	0	2	1	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	68	1	26	41	20	1	7	12	48	0	19	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	4	19	7	0	2	5	16	0	2	14
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	6	21	9	0	2	7	18	0	4	14
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	36.6	0.9	70.6	(15-19)	25.2	1.6	48.1	(15-19)	51.3	-	98.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	11	0	7	4	5	0	4	1	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	132.5	-	250.0	74.1	156.2	-	500.0	43.5	117.6	-	150.0	96.8
TEENAGE PREGNANCIES#	94	1	35	58	37	1	12	24	57	0	23	34
TEENAGE PREGNANCY RATE	41.5	0.9	80.0	(15-19)	29.1	1.6	55.9	(15-19)	57.3	-	110.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,741	1,785	809	976	302
WHITE	14,127	1,025	449	576	162
NONWHITE	7,614	760	360	400	140

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	0	11	35	22	0	6	16	24	0	5	19
TEENAGE IMMATURE BIRTHS	8	0	2	6	5	0	2	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	11	0	4	7	5	0	1	4	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	34	0	7	27	11	0	2	9	23	0	5	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	25.8	-	47.1	(15-19)	21.5	-	38.2	(15-19)	31.6	-	60.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	21.7	-	90.9	-	-	-	-	-	41.7	-	200.0	-
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	4	0	1	3	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	130.4	-	90.9	142.8	181.8	-	166.7	187.5	83.3	-	-	105.3
TEENAGE PREGNANCIES#	53	0	13	40	26	0	7	19	27	0	6	21
TEENAGE PREGNANCY RATE	29.7	-	54.3	(15-19)	25.4	-	45.1	(15-19)	35.5	-	67.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,497	1,095	542	553	251
WHITE	3,713	200	112	88	58
NONWHITE	8,784	895	430	465	193

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	0	19	41	4	0	1	3	56	0	18	38
TEENAGE IMMATURE BIRTHS	15	0	6	9	0	0	0	0	15	0	6	9
TEENAGE PREMATURE BIRTHS	21	0	9	12	1	0	0	1	20	0	9	11
TEENAGE ILLEGITIMATE BIRTHS	55	0	19	36	1	0	1	0	54	0	18	36
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	6	16	0	0	0	0	22	0	6	16
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	0	0	0	0	24	0	6	18
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE FERTILITY RATE	54.8	-	108.5	(15-19)	20.0	-	45.4	(15-19)	62.6	-	120.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	16.7	-	52.6	-	-	-	-	-	17.8	-	55.6	-
TEENAGE INDUCED TERMINATIONS#	10	1	3	6	0	0	0	0	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	166.7	##	157.9	146.3	-	-	-	-	178.6	##	166.7	157.9
TEENAGE PREGNANCIES#	71	1	23	47	4	0	1	3	67	1	22	44
TEENAGE PREGNANCY RATE	64.8	1.8	126.6	(15-19)	20.0	-	45.4	(15-19)	74.9	2.3	141.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	16.7	-	52.6	-	-	-	-	-	17.9	-	55.6	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,765	3,442	1,053	2,389	536
WHITE	23,617	1,876	444	1,432	260
NONWHITE	16,148	1,566	609	957	276

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	3	32	53	17	0	1	16	71	3	31	37
TEENAGE IMMATURE BIRTHS	9	1	3	5	2	0	1	1	7	1	2	4
TEENAGE PREMATURE BIRTHS	14	2	6	6	1	0	0	1	13	2	6	5
TEENAGE ILLEGITIMATE BIRTHS	75	3	32	40	7	0	1	6	68	3	31	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	1	0	1	0	14	0	2	12
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	4	14	2	0	1	1	16	0	3	13
TEENS WITH INADEQUATE* PRENATAL CARE	15	1	6	8	2	0	0	2	13	1	6	6
TEENAGE FERTILITY RATE	25.6	2.8	35.6	(15-19)	9.1	-	11.9	(15-19)	45.3	4.9	71.0	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	22.7	-	62.5	-	-	-	-	-	28.2	-	64.5	-
TEENAGE INDUCED TERMINATIONS#	31	1	4	26	14	0	2	12	17	1	2	14
TEENAGE INDUCED TERMINATION RATIO	352.3	333.3	125.0	490.6	823.5	-	2000.0	750.0	239.4	333.3	64.5	378.4
TEENAGE PREGNANCIES#	121	4	38	79	31	0	3	28	90	4	35	51
TEENAGE PREGNANCY RATE	35.2	3.8	49.0	(15-19)	16.5	-	21.6	(15-19)	57.5	6.6	89.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	22.7	-	-	37.7	-	-	-	-	28.2	-	-	54.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,913	2,818	1,376	1,442	590
WHITE	16,549	1,010	517	493	237
NONWHITE	17,364	1,808	859	949	353

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	136	4	51	81	42	1	14	27	94	3	37	54
TEENAGE IMMATURE BIRTHS	13	1	7	5	2	1	0	1	11	0	7	4
TEENAGE PREMATURE BIRTHS	31	2	16	13	7	1	2	4	24	1	14	9
TEENAGE ILLEGITIMATE BIRTHS	117	4	45	68	26	1	8	17	91	3	37	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	1	11	31	6	0	2	4	37	1	9	27
TEENS WHO HAD PREVIOUS PREGNANCIES	51	1	14	36	9	0	3	6	42	1	11	30
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	5	8	1	0	0	1	12	0	5	7
TEENAGE FERTILITY RATE	48.3	2.9	91.5	(15-19)	41.6	1.9	83.2	(15-19)	52.0	3.5	95.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	22.0	-	-	37.0	-	-	-	-	31.9	-	-	55.6
TEENAGE INDUCED TERMINATIONS#	2	1	1	0	1	0	1	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	14.7	250.0	19.6	-	23.8	-	71.4	-	10.6	333.3	-	-
TEENAGE PREGNANCIES#	141	5	52	84	43	1	15	27	98	4	37	57
TEENAGE PREGNANCY RATE	50.0	3.6	94.3	(15-19)	42.6	1.9	85.2	(15-19)	54.2	4.6	99.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	47,969	3,660	1,774	1,886	697
WHITE	40,064	2,882	1,415	1,467	580
NONWHITE	7,905	778	359	419	117

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	137	3	54	80	102	1	40	61	35	2	14	19
TEENAGE IMMATURE BIRTHS	14	1	7	6	8	1	4	3	6	0	3	3
TEENAGE PREMATURE BIRTHS	17	0	10	7	13	0	9	4	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	95	3	44	48	62	1	31	30	33	2	13	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	10	15	18	0	7	11	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	12	22	27	0	9	18	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	37.4	1.7	71.0	(15-19)	35.4	0.7	68.8	(15-19)	45.0	5.6	78.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	21.9	-	18.5	25.0	-	-	-	-	85.7	-	71.4	105.3
TEENAGE PREGNANCIES#	140	3	55	82	102	1	40	61	38	2	15	21
TEENAGE PREGNANCY RATE	38.2	1.7	72.6	(15-19)	35.4	0.7	68.8	(15-19)	48.8	5.6	85.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	7.3	-	-	12.5	9.8	-	-	16.4	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,039	984	477	507	198
WHITE	8,985	668	329	339	135
NONWHITE	3,054	316	148	168	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	2	14	28	30	1	9	20	14	1	5	8
TEENAGE IMMATURE BIRTHS	8	0	0	8	6	0	0	6	2	0	0	2
TEENAGE PREMATURE BIRTHS	12	1	2	9	8	0	2	6	4	1	0	3
TEENAGE ILLEGITIMATE BIRTHS	32	2	12	18	19	1	7	11	13	1	5	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	6	0	2	4	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE FERTILITY RATE	44.7	4.2	82.8 (15-19)		44.9	3.0	85.5 (15-19)		44.3	6.8	77.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	45.4	-	142.8	-	33.3	-	111.1	-	71.4	-	200.0	-
TEENAGE PREGNANCIES#	46	2	16	28	31	1	10	20	15	1	6	8
TEENAGE PREGNANCY RATE	46.7	4.2	86.8 (15-19)		46.4	3.0	88.5 (15-19)		47.5	6.8	83.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,910	3,133	1,534	1,599	664
WHITE	19,522	1,311	628	683	239
NONWHITE	18,388	1,822	906	916	425

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	160	4	52	104	35	1	9	25	125	3	43	79
TEENAGE IMMATURE BIRTHS	22	2	6	14	4	0	2	2	18	2	4	12
TEENAGE PREMATURE BIRTHS	25	2	8	15	2	0	1	1	23	2	7	14
TEENAGE ILLEGITIMATE BIRTHS	137	4	49	84	19	1	7	11	118	3	42	73
TEENS WHO HAD PREVIOUS LIVE BIRTHS	41	0	8	33	3	0	0	3	38	0	8	30
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	8	37	4	0	0	4	41	0	8	33
TEENS WITH INADEQUATE* PRENATAL CARE	21	0	9	12	1	0	0	1	20	0	9	11
TEENAGE FERTILITY RATE	51.1	2.6	97.6	(15-19)	26.7	1.6	49.8	(15-19)	68.6	3.3	133.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.2	-	-	9.6	-	-	-	-	8.0	-	-	12.6
TEENAGE INDUCED TERMINATIONS#	16	1	4	11	6	0	1	5	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	100.0	250.0	76.9	105.8	171.4	-	111.1	200.0	80.0	333.3	69.8	75.9
TEENAGE PREGNANCIES#	177	5	56	116	41	1	10	30	136	4	46	86
TEENAGE PREGNANCY RATE	56.5	3.2	107.6	(15-19)	31.3	1.6	58.6	(15-19)	74.6	4.4	144.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,685	1,847	889	958	365
WHITE	21,372	1,395	661	734	304
NONWHITE	4,313	452	228	224	61

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	2	18	41	49	2	13	34	12	0	5	7
TEENAGE IMMATURE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	1	2	5	7	1	2	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	37	2	13	22	26	2	9	15	11	0	4	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	0	16	14	0	0	14	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	17	0	2	15	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE FERTILITY RATE	33.0	2.2	61.6	(15-19)	35.1	3.0	64.0	(15-19)	26.5	-	53.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	16.4	-	55.6	-	20.4	-	76.9	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	1	0	0	1	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	49.2	500.0	-	48.8	20.4	-	-	29.4	166.7	##	-	142.8
TEENAGE PREGNANCIES#	65	3	19	43	51	2	14	35	14	1	5	8
TEENAGE PREGNANCY RATE	35.2	3.4	64.7	(15-19)	36.6	3.0	66.8	(15-19)	31.0	4.4	58.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,497	1,939	822	1,117	325
WHITE	21,188	1,588	675	913	271
NONWHITE	3,309	351	147	204	54

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	0	17	47	54	0	14	40	10	0	3	7
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	35	0	10	25	26	0	7	19	9	0	3	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	11	0	1	10	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	13	0	1	12	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	33.0	-	57.3 (15-19)		34.0	-	59.1 (15-19)		28.5	-	49.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FETAL DEATH RATIO	46.9	-	-	63.8	37.0	-	-	50.0	100.0	-	-	142.8
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	31.2	-	117.6	-	18.5	-	71.4	-	100.0	-	333.3	-
TEENAGE PREGNANCIES#	69	0	19	50	57	0	15	42	12	0	4	8
TEENAGE PREGNANCY RATE	35.6	-	61.8 (15-19)		35.9	-	62.4 (15-19)		34.2	-	58.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.6	-	-	21.3	18.5	-	-	25.0	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,780	916	430	486	182
WHITE	3,742	223	107	116	43
NONWHITE	6,038	693	323	370	139

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	2	21	33	6	0	2	4	50	2	19	29
TEENAGE IMMATURE BIRTHS	8	1	3	4	1	0	1	0	7	1	2	4
TEENAGE PREMATURE BIRTHS	12	1	6	5	2	0	2	0	10	1	4	5
TEENAGE ILLEGITIMATE BIRTHS	54	2	21	31	4	0	2	2	50	2	19	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	6	9	1	0	1	0	14	0	5	9
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	6	11	2	0	1	1	15	0	5	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	61.1	4.6	111.1	(15-19)	26.9	-	51.7	(15-19)	72.2	6.2	129.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	56	2	21	33	6	0	2	4	50	2	19	29
TEENAGE PREGNANCY RATE	61.1	4.6	111.1	(15-19)	26.9	-	51.7	(15-19)	72.2	6.2	129.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: RANKIN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	112,348	7,776	3,960	3,816	1,579
WHITE	90,495	6,132	3,127	3,005	1,286
NONWHITE	21,853	1,644	833	811	293

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	208	5	71	132	141	2	44	95	67	3	27	37
TEENAGE IMMATURE BIRTHS	19	0	8	11	9	0	3	6	10	0	5	5
TEENAGE PREMATURE BIRTHS	36	2	9	25	17	1	3	13	19	1	6	12
TEENAGE ILLEGITIMATE BIRTHS	145	5	57	83	83	2	31	50	62	3	26	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	7	38	24	0	3	21	21	0	4	17
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	10	44	33	0	6	27	21	0	4	17
TEENS WITH INADEQUATE* PRENATAL CARE	21	2	10	9	10	0	6	4	11	2	4	5
TEENAGE FERTILITY RATE	26.7	1.3	53.2	(15-19)	23.0	0.6	46.2	(15-19)	40.8	3.6	78.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.8	-	14.1	-	7.1	-	22.7	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	61	1	23	37	53	1	21	31	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	293.3	200.0	323.9	280.3	375.9	500.0	477.3	326.3	119.4	-	74.1	162.2
TEENAGE PREGNANCIES#	270	6	95	169	195	3	66	126	75	3	29	43
TEENAGE PREGNANCY RATE	34.7	1.5	69.2	(15-19)	31.8	1.0	63.9	(15-19)	45.6	3.6	88.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	4	0	1	0	1	0	3	0	3	0
INFANT MORTALITY RATE, TEEN MOMS	19.2	-	56.3	-	7.1	-	22.7	-	44.8	-	111.1	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,911	1,898	920	978	433
WHITE	14,781	897	452	445	231
NONWHITE	10,130	1,001	468	533	202

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	1	33	66	51	1	15	35	49	0	18	31
TEENAGE IMMATURE BIRTHS	15	0	7	8	7	0	3	4	8	0	4	4
TEENAGE PREMATURE BIRTHS	16	0	7	9	5	0	2	3	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	78	1	28	49	30	1	11	18	48	0	17	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	8	0	1	7	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	4	23	12	0	1	11	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	2	0	4	0	1	3
TEENAGE FERTILITY RATE	52.7	1.1	101.2	(15-19)	56.8	2.2	112.4	(15-19)	49.0	-	91.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	10.0	-	-	15.2	19.6	-	-	28.6	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	15	1	6	8	6	1	2	3	9	0	4	5
TEENAGE INDUCED TERMINATION RATIO	150.0	1000.0	181.8	121.2	117.6	1000.0	133.3	85.7	183.7	-	222.2	161.3
TEENAGE PREGNANCIES#	116	2	39	75	58	2	17	39	58	0	22	36
TEENAGE PREGNANCY RATE	61.1	2.2	116.6	(15-19)	64.7	4.4	125.8	(15-19)	57.9	-	108.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.0	-	-	15.2	19.6	-	-	28.6	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,543	653	332	321	113
WHITE	2,034	132	74	58	15
NONWHITE	4,509	521	258	263	98

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	14	19	1	0	0	1	32	0	14	18
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	32	0	14	18	1	0	0	1	31	0	14	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	50.5	-	102.8 (15-19)		7.6	-	17.2 (15-19)		61.4	-	121.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	30.3	-	-	52.6	-	-	-	-	31.2	-	-	55.6
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	90.9	-	71.4	105.3	-	-	-	-	93.8	-	71.4	111.1
TEENAGE PREGNANCIES#	37	0	15	22	1	0	0	1	36	0	15	21
TEENAGE PREGNANCY RATE	56.7	-	115.3 (15-19)		7.6	-	17.2 (15-19)		69.1	-	136.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,375	1,914	974	940	400
WHITE	16,489	1,091	581	510	218
NONWHITE	8,886	823	393	430	182

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	111	1	38	72	54	0	16	38	57	1	22	34
TEENAGE IMMATURE BIRTHS	16	0	4	12	4	0	1	3	12	0	3	9
TEENAGE PREMATURE BIRTHS	14	0	7	7	5	0	2	3	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	77	1	29	47	21	0	7	14	56	1	22	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	6	23	7	0	1	6	22	0	5	17
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	6	23	7	0	1	6	22	0	5	17
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	4	6	6	0	3	3	5	1	1	3
TEENAGE FERTILITY RATE	58.0	1.0	117.0	(15-19)	49.5	-	105.9	(15-19)	69.2	2.5	130.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	18.0	-	26.3	13.9	18.5	-	-	26.3	17.5	-	45.4	-
TEENAGE INDUCED TERMINATIONS#	7	2	1	4	1	0	0	1	6	2	1	3
TEENAGE INDUCED TERMINATION RATIO	63.1	2000.0	26.3	55.6	18.5	-	-	26.3	105.3	2000.0	45.4	88.2
TEENAGE PREGNANCIES#	120	3	40	77	56	0	16	40	64	3	24	37
TEENAGE PREGNANCY RATE	62.7	3.1	124.5	(15-19)	51.3	-	109.8	(15-19)	77.8	7.6	141.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	2	0	1	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.0	-	52.6	13.9	37.0	-	62.5	26.3	17.5	-	45.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,431	1,129	543	586	191
WHITE	11,691	768	380	388	122
NONWHITE	3,740	361	163	198	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	14	20	17	0	4	13	17	0	10	7
TEENAGE IMMATURE BIRTHS	5	0	2	3	3	0	0	3	2	0	2	0
TEENAGE PREMATURE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	20	0	11	9	5	0	2	3	15	0	9	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	7	0	0	7	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	8	0	0	8	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	30.1	-	58.0 (15-19)		22.1	-	43.8 (15-19)		47.1	-	85.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	29.4	##	-	-	58.8	##	-	-	-	-	-	-
TEENAGE PREGNANCIES#	35	1	14	20	18	1	4	13	17	0	10	7
TEENAGE PREGNANCY RATE	31.0	1.8	58.0 (15-19)		23.4	2.6	43.8 (15-19)		47.1	-	85.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,488	1,162	485	677	214
WHITE	10,193	801	345	456	150
NONWHITE	3,295	361	140	221	64

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	1	13	28	28	0	10	18	14	1	3	10
TEENAGE IMMATURE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	5	0	2	3	3	0	2	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	33	1	13	19	19	0	10	9	14	1	3	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	5	0	0	5	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	8	0	1	7	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	36.1	2.1	60.6	(15-19)	35.0	-	61.4	(15-19)	38.8	7.1	58.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	71.4	-	-	107.1	107.1	-	-	166.7	-	-	-	-
TEENAGE PREGNANCIES#	45	1	13	31	31	0	10	21	14	1	3	10
TEENAGE PREGNANCY RATE	38.7	2.1	65.0	(15-19)	38.7	-	68.0	(15-19)	38.8	7.1	58.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,257	2,759	1,338	1,421	584
WHITE	10,823	673	317	356	124
NONWHITE	22,434	2,086	1,021	1,065	460

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	156	2	67	87	9	0	3	6	147	2	64	81
TEENAGE IMMATURE BIRTHS	20	1	7	12	0	0	0	0	20	1	7	12
TEENAGE PREMATURE BIRTHS	29	1	11	17	1	0	0	1	28	1	11	16
TEENAGE ILLEGITIMATE BIRTHS	149	2	65	82	4	0	1	3	145	2	64	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	11	27	2	0	0	2	36	0	11	25
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	15	33	3	0	0	3	45	0	15	30
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	7	3	0	0	0	0	10	0	7	3
TEENAGE FERTILITY RATE	56.5	1.5	108.4	(15-19)	13.4	-	25.3	(15-19)	70.5	2.0	136.2	(15-19)
TEENAGE FETAL DEATHS**	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FETAL DEATH RATIO	32.0	-	44.8	23.0	-	-	-	-	34.0	-	46.9	24.7
TEENAGE INDUCED TERMINATIONS#	18	0	5	13	4	0	1	3	14	0	4	10
TEENAGE INDUCED TERMINATION RATIO	115.4	-	74.6	149.4	444.4	-	333.3	500.0	95.2	-	62.5	123.4
TEENAGE PREGNANCIES#	179	2	75	102	13	0	4	9	166	2	71	93
TEENAGE PREGNANCY RATE	64.9	1.5	124.6	(15-19)	19.3	-	36.5	(15-19)	79.6	2.0	154.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.4	-	-	11.5	-	-	-	-	6.8	-	-	12.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,587	1,267	617	650	207
WHITE	5,652	337	162	175	57
NONWHITE	8,935	930	455	475	150

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	21	38	7	0	0	7	53	1	21	31
TEENAGE IMMATURE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE PREMATURE BIRTHS	9	0	3	6	0	0	0	0	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	53	1	21	31	2	0	0	2	51	1	21	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	3	0	0	3	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	4	0	0	4	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE FERTILITY RATE	47.4	1.6	90.8	(15-19)	20.8	-	40.0	(15-19)	57.0	2.2	109.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	16.7	-	-	26.3	-	-	-	-	18.9	-	-	32.2
TEENAGE PREGNANCIES#	61	1	21	39	7	0	0	7	54	1	21	32
TEENAGE PREGNANCY RATE	48.1	1.6	92.3	(15-19)	20.8	-	40.0	(15-19)	58.1	2.2	111.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,417	2,091	901	1,190	371
WHITE	15,287	1,163	499	664	230
NONWHITE	9,130	928	402	526	141

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	0	33	48	32	0	11	21	49	0	22	27
TEENAGE IMMATURE BIRTHS	9	0	5	4	2	0	1	1	7	0	4	3
TEENAGE PREMATURE BIRTHS	16	0	7	9	7	0	1	6	9	0	6	3
TEENAGE ILLEGITIMATE BIRTHS	65	0	28	37	16	0	6	10	49	0	22	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	3	0	0	3	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	3	15	5	0	0	5	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	5	4	3	0	2	1	6	0	3	3
TEENAGE FERTILITY RATE	38.7	-	68.1	(15-19)	27.5	-	48.2	(15-19)	52.8	-	93.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	81	0	33	48	32	0	11	21	49	0	22	27
TEENAGE PREGNANCY RATE	38.7	-	68.1	(15-19)	27.5	-	48.2	(15-19)	52.8	-	93.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.3	-	-	20.8	31.3	-	-	47.6	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,069	1,545	734	811	316
WHITE	17,193	1,182	555	627	250
NONWHITE	3,876	363	179	184	66

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	1	26	48	50	1	15	34	25	0	11	14
TEENAGE IMMATURE BIRTHS	12	0	6	6	5	0	3	2	7	0	3	4
TEENAGE PREMATURE BIRTHS	19	0	8	11	11	0	3	8	8	0	5	3
TEENAGE ILLEGITIMATE BIRTHS	52	0	18	34	28	0	7	21	24	0	11	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	6	15	15	0	6	9	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	6	16	15	0	6	9	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	4	3	5	1	3	1	3	0	1	2
TEENAGE FERTILITY RATE	48.5	1.4	91.2	(15-19)	42.3	1.8	78.2	(15-19)	68.9	-	135.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	13.3	-	-	20.8	-	-	-	-	40.0	-	-	71.4
TEENAGE PREGNANCIES#	76	1	26	49	50	1	15	34	26	0	11	15
TEENAGE PREGNANCY RATE	49.2	1.4	92.5	(15-19)	42.3	1.8	78.2	(15-19)	71.6	-	141.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	-	38.5	-	-	-	-	-	40.0	-	90.9	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,742	1,184	584	600	239
WHITE	17,917	1,121	556	565	235
NONWHITE	825	63	28	35	4

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	17	23	40	0	17	23	0	0	0	0
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	23	0	11	12	23	0	11	12	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	8	0	0	8	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	10	0	2	8	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	33.8	-	66.7 (15-19)		35.7	-	70.8 (15-19)		-	-	- (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	25.0	-	-	43.5	25.0	-	-	43.5	-	-	-	-
TEENAGE PREGNANCIES#	41	0	17	24	41	0	17	24	0	0	0	0
TEENAGE PREGNANCY RATE	34.6	-	68.3 (15-19)		36.6	-	72.6 (15-19)		-	-	- (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,935	786	382	404	162
WHITE	1,821	111	56	55	25
NONWHITE	6,114	675	326	349	137

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	18	27	7	0	1	6	39	1	17	21
TEENAGE IMMATURE BIRTHS	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE PREMATURE BIRTHS	9	0	5	4	2	0	1	1	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	43	1	18	24	4	0	1	3	39	1	17	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	5	7	2	0	0	2	10	0	5	5
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	5	9	3	0	0	3	11	0	5	6
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	6	3	1	0	1	0	9	1	5	3
TEENAGE FERTILITY RATE	58.5	2.6	111.4	(15-19)	63.1	-	127.3	(15-19)	57.8	3.1	108.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	46	1	18	27	7	0	1	6	39	1	17	21
TEENAGE PREGNANCY RATE	58.5	2.6	111.4	(15-19)	63.1	-	127.3	(15-19)	57.8	3.1	108.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	3	2	0	0	0	0	5	0	3	2
INFANT MORTALITY RATE, TEEN MOMS	108.7	-	166.7	74.1	-	-	-	-	128.2	-	176.5	95.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,121	1,774	878	896	386
WHITE	20,157	1,409	701	708	306
NONWHITE	3,964	365	177	188	80

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	1	24	48	55	0	14	41	18	1	10	7
TEENAGE IMMATURE BIRTHS	17	0	10	7	12	0	5	7	5	0	5	0
TEENAGE PREMATURE BIRTHS	12	0	6	6	9	0	3	6	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	42	1	20	21	26	0	10	16	16	1	10	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	6	12	11	0	2	9	7	0	4	3
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	6	20	17	0	2	15	9	0	4	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE FERTILITY RATE	41.2	1.1	80.4	(15-19)	39.0	-	77.7	(15-19)	49.3	5.6	90.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	73	1	24	48	55	0	14	41	18	1	10	7
TEENAGE PREGNANCY RATE	41.2	1.1	80.4	(15-19)	39.0	-	77.7	(15-19)	49.3	5.6	90.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	27.4	-	41.7	20.8	36.4	-	71.4	24.4	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,211	1,205	621	584	227
WHITE	7,801	533	282	251	94
NONWHITE	6,410	672	339	333	133

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	0	21	25	12	0	6	6	34	0	15	19
TEENAGE IMMATURE BIRTHS	5	0	4	1	1	0	1	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	39	0	19	20	6	0	5	1	33	0	14	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	38.2	-	78.8 (15-19)		22.5	-	47.8 (15-19)		50.6	-	102.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	43.5	-	95.2	-	-	-	-	-	58.8	-	133.3	-
TEENAGE PREGNANCIES#	48	0	23	25	12	0	6	6	36	0	17	19
TEENAGE PREGNANCY RATE	39.8	-	82.2 (15-19)		22.5	-	47.8 (15-19)		53.6	-	108.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,148	3,876	1,979	1,897	846
WHITE	28,409	1,845	959	886	378
NONWHITE	20,739	2,031	1,020	1,011	468

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	165	5	51	109	50	0	14	36	115	5	37	73
TEENAGE IMMATURE BIRTHS	19	0	5	14	6	0	1	5	13	0	4	9
TEENAGE PREMATURE BIRTHS	29	0	13	16	7	0	3	4	22	0	10	12
TEENAGE ILLEGITIMATE BIRTHS	151	5	49	97	38	0	12	26	113	5	37	71
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	7	32	11	0	2	9	28	0	5	23
TEENS WHO HAD PREVIOUS PREGNANCIES	53	0	11	42	15	0	2	13	38	0	9	29
TEENS WITH INADEQUATE* PRENATAL CARE	11	2	2	7	1	0	0	1	10	2	2	6
TEENAGE FERTILITY RATE	42.6	2.5	84.3	(15-19)	27.1	-	56.4	(15-19)	56.6	4.9	108.8	(15-19)
TEENAGE FETAL DEATHS**	5	1	2	2	1	0	0	1	4	1	2	1
TEENAGE FETAL DEATH RATIO	30.3	200.0	39.2	18.3	20.0	-	-	27.8	34.8	200.0	54.0	13.7
TEENAGE INDUCED TERMINATIONS#	28	3	7	18	10	0	5	5	18	3	2	13
TEENAGE INDUCED TERMINATION RATIO	169.7	600.0	137.2	165.1	200.0	-	357.1	138.9	156.5	600.0	54.0	178.1
TEENAGE PREGNANCIES#	198	9	60	129	61	0	19	42	137	9	41	87
TEENAGE PREGNANCY RATE	51.1	4.5	99.6	(15-19)	33.1	-	68.8	(15-19)	67.4	8.8	126.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.1	-	-	9.2	-	-	-	-	8.7	-	-	13.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	64,265	5,578	2,748	2,830	1,104
WHITE	25,251	1,608	842	766	247
NONWHITE	39,014	3,970	1,906	2,064	857

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	302	10	102	190	37	0	7	30	265	10	95	160
TEENAGE IMMATURE BIRTHS	36	2	11	23	2	0	0	2	34	2	11	21
TEENAGE PREMATURE BIRTHS	54	3	26	25	4	0	1	3	50	3	25	22
TEENAGE ILLEGITIMATE BIRTHS	279	10	98	171	21	0	4	17	258	10	94	154
TEENS WHO HAD PREVIOUS LIVE BIRTHS	108	0	24	84	9	0	1	8	99	0	23	76
TEENS WHO HAD PREVIOUS PREGNANCIES	118	0	27	91	12	0	1	11	106	0	26	80
TEENS WITH INADEQUATE* PRENATAL CARE	35	2	12	21	3	0	1	2	32	2	11	19
TEENAGE FERTILITY RATE	54.1	3.6	103.2	(15-19)	23.0	-	48.3	(15-19)	66.8	5.2	123.5	(15-19)
TEENAGE FETAL DEATHS**	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE FETAL DEATH RATIO	19.9	-	19.6	21.0	54.0	-	-	66.7	15.1	-	21.0	12.5
TEENAGE INDUCED TERMINATIONS#	33	2	7	24	4	0	1	3	29	2	6	21
TEENAGE INDUCED TERMINATION RATIO	109.3	200.0	68.6	126.3	108.1	-	142.8	100.0	109.4	200.0	63.2	131.2
TEENAGE PREGNANCIES#	341	12	111	218	43	0	8	35	298	12	103	183
TEENAGE PREGNANCY RATE	61.1	4.4	116.2	(15-19)	26.7	-	56.1	(15-19)	75.1	6.3	138.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	1	0	0	1	4	0	2	2
INFANT MORTALITY RATE, TEEN MOMS	16.6	-	19.6	15.8	27.0	-	-	33.3	15.1	-	21.1	12.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,637	1,666	806	860	317
WHITE	12,654	870	436	434	145
NONWHITE	7,983	796	370	426	172

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	2	26	39	28	0	10	18	39	2	16	21
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	6	1	2	3	2	0	0	2	4	1	2	1
TEENAGE ILLEGITIMATE BIRTHS	47	2	23	22	11	0	7	4	36	2	16	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	8	0	0	8	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	12	0	1	11	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	40.2	2.5	75.6	(15-19)	32.2	-	64.5	(15-19)	49.0	5.4	86.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	74.6	-	115.4	51.3	71.4	-	100.0	55.6	76.9	-	125.0	47.6
TEENAGE PREGNANCIES#	72	2	29	41	30	0	11	19	42	2	18	22
TEENAGE PREGNANCY RATE	43.2	2.5	81.4	(15-19)	34.5	-	69.1	(15-19)	52.8	5.4	93.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,633	763	356	407	137
WHITE	8,111	529	251	278	109
NONWHITE	2,522	234	105	129	28

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	2	11	15	18	2	7	9	10	0	4	6
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	2	2	4	6	2	1	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	18	1	8	9	8	1	4	3	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	5	0	1	4	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	5	0	1	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	36.7	5.6	63.9 (15-19)		34.0	8.0	57.6 (15-19)		42.7	-	77.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	35.7	-	-	66.7	-	-	-	-	100.0	-	-	166.7
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	178.6	-	181.8	200.0	111.1	-	142.8	111.1	300.0	-	250.0	333.3
TEENAGE PREGNANCIES#	34	2	13	19	20	2	8	10	14	0	5	9
TEENAGE PREGNANCY RATE	44.6	5.6	78.6 (15-19)		37.8	8.0	64.7 (15-19)		59.8	-	108.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,042	652	338	314	126
WHITE	2,754	154	85	69	30
NONWHITE	6,288	498	253	245	96

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	0	10	15	2	0	0	2	23	0	10	13
TEENAGE IMMATURE BIRTHS	8	0	5	3	1	0	0	1	7	0	5	2
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	23	0	10	13	1	0	0	1	22	0	10	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	2	2	0	0	0	0	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	38.3	-	79.6 (15-19)	13.0	-	29.0 (15-19)	46.2	-	93.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	40.0	##	-	-	-	-	-	-	43.5	##	-	-
TEENAGE PREGNANCIES#	26	1	10	15	2	0	0	2	24	1	10	13
TEENAGE PREGNANCY RATE	39.9	3.0	79.6 (15-19)	13.0	-	29.0 (15-19)	48.2	4.0	93.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,253	1,508	718	790	294
WHITE	10,641	666	331	335	124
NONWHITE	8,612	842	387	455	170

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	3	34	38	17	0	5	12	58	3	29	26
TEENAGE IMMATURE BIRTHS	13	0	6	7	1	0	0	1	12	0	6	6
TEENAGE PREMATURE BIRTHS	21	1	8	12	3	0	0	3	18	1	8	9
TEENAGE ILLEGITIMATE BIRTHS	66	3	32	31	9	0	3	6	57	3	29	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	8	10	0	0	0	0	18	0	8	10
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	10	14	4	0	2	2	20	0	8	12
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	1	0	1	0	6	0	3	3
TEENAGE FERTILITY RATE	49.7	4.2	91.1	(15-19)	25.5	-	50.7	(15-19)	68.9	7.8	120.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.3	-	-	26.3	-	-	-	-	17.2	-	-	38.5
TEENAGE INDUCED TERMINATIONS#	9	2	3	4	3	0	1	2	6	2	2	2
TEENAGE INDUCED TERMINATION RATIO	120.0	666.7	88.2	105.3	176.5	-	200.0	166.7	103.4	666.7	69.0	76.9
TEENAGE PREGNANCIES#	85	5	37	43	20	0	6	14	65	5	31	29
TEENAGE PREGNANCY RATE	56.4	7.0	101.3	(15-19)	30.0	-	59.7	(15-19)	77.2	12.9	131.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	-	-	26.3	58.8	-	-	83.3	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,627	925	418	507	184
WHITE	7,535	434	207	227	93
NONWHITE	5,092	491	211	280	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	15	23	21	0	7	14	18	1	8	9
TEENAGE IMMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	25	1	10	14	7	0	2	5	18	1	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	6	0	2	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	9	0	2	7	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	42.2	2.4	75.0 (15-19)	48.4	-	92.5 (15-19)	36.7	4.7	60.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	39	1	15	23	21	0	7	14	18	1	8	9
TEENAGE PREGNANCY RATE	42.2	2.4	75.0 (15-19)	48.4	-	92.5 (15-19)	36.7	4.7	60.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	1	1	0	1	0	1	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	51.3	1000.0	66.7	-	47.6	-	142.9	-	55.6	1000.0	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1999

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,208	2,046	1,056	990	437
WHITE	11,262	687	375	312	148
NONWHITE	13,946	1,359	681	678	289

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	115	3	41	71	23	0	9	14	92	3	32	57
TEENAGE IMMATURE BIRTHS	14	0	4	10	1	0	1	0	13	0	3	10
TEENAGE PREMATURE BIRTHS	23	1	6	16	2	0	1	1	21	1	5	15
TEENAGE ILLEGITIMATE BIRTHS	101	3	38	60	13	0	6	7	88	3	32	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	8	24	1	0	0	1	31	0	8	23
TEENS WHO HAD PREVIOUS PREGNANCIES	41	0	11	30	5	0	1	4	36	0	10	26
TEENS WITH INADEQUATE* PRENATAL CARE	19	2	7	10	1	0	0	1	18	2	7	9
TEENAGE FERTILITY RATE	56.2	2.8	113.1	(15-19)	33.5	-	73.7	(15-19)	67.7	4.4	131.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	15	1	5	9	2	0	1	1	13	1	4	8
TEENAGE INDUCED TERMINATION RATIO	130.4	333.3	122.0	126.8	87.0	-	111.1	71.4	141.3	333.3	125.0	140.4
TEENAGE PREGNANCIES#	130	4	46	80	25	0	10	15	105	4	36	65
TEENAGE PREGNANCY RATE	63.5	3.8	127.3	(15-19)	36.4	-	80.1	(15-19)	77.3	5.9	149.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.7	-	24.4	-	-	-	-	-	10.9	-	31.3	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP