

(HSWWDTDS)

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,360	1,444	916	9.7	9.7	9.6
HEART DISEASES	831	501	330	340.7	337.8	345.2
MALIGNANT NEOPLASMS	540	345	195	221.4	232.6	204.0
CEREBROVASCULAR DISEASES	168	105	63	68.9	70.8	65.9
ACCIDENTS	147	72	75	60.3	48.6	78.5
EMPHYSEMA AND OTHER COPD	84	59	25	34.4	39.8	26.2
PNEUMONIA AND INFLUENZA	78	50	28	32.0	33.7	29.3
DIABETES MELLITUS	42	21	21	17.2	14.2	22.0
HYPERTENSION	32	24	8	13.1	16.2	8.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	29	15	14	11.9	10.1	14.6
SUICIDE	27	23	4	11.1	15.5	4.2
CONDITIONS ORIG IN PERINATAL PERIOD	23	5	18	5.9	2.4	9.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	17	5	9.0	11.5	5.2
HOMICIDE AND LEGAL INTERVENTION	21	6	15	8.6	4.0	15.7
CONGENITAL ANOMALIES	14	5	9	5.7	3.4	9.4
ATHEROSCLEROSIS	10	7	3	4.1	4.7	3.1
HIV INFECTION	6	2	4	2.5	1.3	4.2
TUBERCULOSIS	3	1	2	1.2	0.7	2.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	9	12	8.6	6.1	12.6
ALL OTHER	262	177	85	107.4	119.4	88.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,360	1,444	916	1,223	754	469	1,137	690	447
UNDER 1	51	15	36	30	9	21	21	6	15
(NEONATAL)	31	9	22	17	5	12	14	4	10
(POSTNEONATAL)	20	6	14	13	4	9	7	2	5
1-4	9	3	6	5	2	3	4	1	3
5-9	6	2	4	4	1	3	2	1	1
10-14	7	3	4	5	3	2	2	0	2
15-24	53	18	35	35	10	25	18	8	10
25-34	57	26	31	40	18	22	17	8	9
35-44	103	46	57	65	32	33	38	14	24
45-54	182	99	83	102	56	46	80	43	37
55-64	263	154	109	166	100	66	97	54	43
65-74	492	331	161	290	209	81	202	122	80
75-84	646	418	228	321	215	106	325	203	122
85 AND OVER	489	329	160	159	99	60	330	230	100
UNKNOWN	2	0	2	1	0	1	1	0	1

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	13.1	7.3	19.6	243,891	
NEONATAL	8.0	4.4	12.0	148,301	
POSTNEONATAL	5.1	2.9	7.6	95,590	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,149	2,587	562	10.2	10.6	8.5
HEART DISEASES	1,127	953	174	364.3	391.5	263.8
MALIGNANT NEOPLASMS	660	533	127	213.3	219.0	192.6
CEREBROVASCULAR DISEASES	221	179	42	71.4	73.5	63.7
ACCIDENTS	192	145	47	62.1	59.6	71.3
EMPHYSEMA AND OTHER COPD	135	129	6	43.6	53.0	9.1
PNEUMONIA AND INFLUENZA	118	98	20	38.1	40.3	30.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	54	38	16	17.4	15.6	24.3
DIABETES MELLITUS	46	34	12	14.9	14.0	18.2
SUICIDE	31	27	4	10.0	11.1	6.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	27	25	2	8.7	10.3	3.0
CONDITIONS ORIG IN PERINATAL PERIOD	27	15	12	6.2	4.8	10.0
HOMICIDE AND LEGAL INTERVENTION	27	17	10	8.7	7.0	15.2
HYPERTENSION	22	16	6	7.1	6.6	9.1
ATHEROSCLEROSIS	17	13	4	5.5	5.3	6.1
CONGENITAL ANOMALIES	16	12	4	5.2	4.9	6.1
HIV INFECTION	13	11	2	4.2	4.5	3.0
INFECTIONS OF KIDNEY	4	3	1	1.3	1.2	1.5
TUBERCULOSIS	3	2	1	1.0	0.8	1.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	38	31	7	12.3	12.7	10.6
ALL OTHER	371	306	65	119.9	125.7	98.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,149	2,587	562	1,669	1,363	306	1,480	1,224	256
UNDER 1	51	33	18	28	17	11	23	16	7
(NEONATAL)	36	21	15	19	11	8	17	10	7
(POSTNEONATAL)	15	12	3	9	6	3	6	6	0
1-4	9	3	6	7	3	4	2	0	2
5-9	10	7	3	4	3	1	6	4	2
10-14	4	4	0	1	1	0	3	3	0
15-24	65	45	20	52	35	17	13	10	3
25-34	65	45	20	42	30	12	23	15	8
35-44	127	90	37	97	68	29	30	22	8
45-54	210	161	49	134	103	31	76	58	18
55-64	321	257	64	197	161	36	124	96	28
65-74	639	531	108	391	334	57	248	197	51
75-84	887	751	136	438	365	73	449	386	63
85 AND OVER	760	659	101	277	242	35	483	417	66
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.7	10.5	14.9	309,366	
NEONATAL	8.3	6.7	12.4	243,417	
POSTNEONATAL	3.4	3.8	2.5	65,949	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,731	1,197	1,534	10.6	12.2	9.7
HEART DISEASES	1,032	475	557	402.6	483.6	352.2
MALIGNANT NEOPLASMS	580	285	295	226.2	290.2	186.5
CEREBROVASCULAR DISEASES	193	90	103	75.3	91.6	65.1
ACCIDENTS	153	61	92	59.7	62.1	58.2
PNEUMONIA AND INFLUENZA	75	34	41	29.2	34.6	25.9
EMPHYSEMA AND OTHER COPD	70	46	24	27.3	46.8	15.2
DIABETES MELLITUS	56	16	40	21.8	16.3	25.3
HOMICIDE AND LEGAL INTERVENTION	50	10	40	19.5	10.2	25.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	43	8	35	16.8	8.1	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	9	19	10.9	9.2	12.0
SUICIDE	28	22	6	10.9	22.4	3.8
CONDITIONS ORIG IN PERINATAL PERIOD	25	1	24	5.8	0.9	7.5
HIV INFECTION	23	4	19	9.0	4.1	12.0
CONGENITAL ANOMALIES	20	6	14	7.8	6.1	8.8
ATHEROSCLEROSIS	13	7	6	5.1	7.1	3.8
HYPERTENSION	11	3	8	4.3	3.0	5.0
TUBERCULOSIS	2	0	2	0.8	0.0	1.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	24	8	16	9.4	8.1	10.1
ALL OTHER	305	112	193	119.0	114.0	122.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,731	1,197	1,534	1,371	579	792	1,360	618	742
UNDER 1	55	5	50	31	3	28	24	2	22
(NEONATAL)	36	4	32	23	3	20	13	1	12
(POSTNEONATAL)	19	1	18	8	0	8	11	1	10
1-4	6	0	6	2	0	2	4	0	4
5-9	7	1	6	4	1	3	3	0	3
10-14	7	0	7	3	0	3	4	0	4
15-24	71	13	58	54	11	43	17	2	15
25-34	77	26	51	48	15	33	29	11	18
35-44	131	37	94	82	28	54	49	9	40
45-54	194	53	141	125	32	93	69	21	48
55-64	294	109	185	187	75	112	107	34	73
65-74	513	224	289	288	137	151	225	87	138
75-84	712	389	323	337	188	149	375	201	174
85 AND OVER	664	340	324	210	89	121	454	251	203
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	12.9	4.7	15.6
NEONATAL	8.4	3.7	10.0
POSTNEONATAL	4.4	0.9	5.6

1995 POPULATION

TOTAL	256,349
WHITE	98,210
NONWHITE	158,139

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,320	1,496	824	9.6	10.3	8.5
HEART DISEASES	847	562	285	349.9	386.8	294.5
MALIGNANT NEOPLASMS	496	335	161	204.9	230.5	166.4
CEREBROVASCULAR DISEASES	165	104	61	68.2	71.6	63.0
ACCIDENTS	118	70	48	48.7	48.2	49.6
EMPHYSEMA AND OTHER COPD	77	59	18	31.8	40.6	18.6
PNEUMONIA AND INFLUENZA	75	59	16	31.0	40.6	16.5
DIABETES MELLITUS	46	21	25	19.0	14.4	25.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	36	17	19	14.9	11.7	19.6
SUICIDE	27	23	4	11.2	15.8	4.1
HOMICIDE AND LEGAL INTERVENTION	21	7	14	8.7	4.8	14.5
CONDITIONS ORIG IN PERINATAL PERIOD	19	2	17	5.2	1.1	9.0
CONGENITAL ANOMALIES	16	10	6	6.6	6.9	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	11	2	5.4	7.6	2.1
HIV INFECTION	10	3	7	4.1	2.1	7.2
HYPERTENSION	5	1	4	2.1	0.7	4.1
TUBERCULOSIS	4	3	1	1.6	2.1	1.0
ATHEROSCLEROSIS	3	2	1	1.2	1.4	1.0
INFECTIONS OF KIDNEY	3	3	0	1.2	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	68	39	29	28.1	26.8	30.0
ALL OTHER	271	165	106	112.0	113.6	109.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,320	1,496	824	1,137	727	410	1,183	769	414
UNDER 1	42	12	30	20	7	13	22	5	17
(NEONATAL)	27	6	21	15	5	10	12	1	11
(POSTNEONATAL)	15	6	9	5	2	3	10	4	6
1-4	7	3	4	7	3	4	0	0	0
5-9	5	2	3	1	0	1	4	2	2
10-14	4	2	2	3	1	2	1	1	0
15-24	39	18	21	28	13	15	11	5	6
25-34	56	25	31	37	14	23	19	11	8
35-44	92	46	46	55	28	27	37	18	19
45-54	155	82	73	92	56	36	63	26	37
55-64	278	171	107	175	113	62	103	58	45
65-74	489	314	175	268	180	88	221	134	87
75-84	592	406	186	278	194	84	314	212	102
85 AND OVER	560	415	145	172	118	54	388	297	91
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.5	6.8	16.0	242,066	
NEONATAL	7.4	3.4	11.2	145,308	
POSTNEONATAL	4.1	3.4	4.8	96,758	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,270	2,958	2,312	9.2	9.4	9.0
HEART DISEASES	1,791	1,069	722	313.9	340.2	281.7
MALIGNANT NEOPLASMS	1,125	640	485	197.2	203.6	189.2
ACCIDENTS	307	159	148	53.8	50.6	57.8
CEREBROVASCULAR DISEASES	290	161	129	50.8	51.2	50.3
EMPHYSEMA AND OTHER COPD	212	167	45	37.2	53.1	17.6
PNEUMONIA AND INFLUENZA	169	105	64	29.6	33.4	25.0
HOMICIDE AND LEGAL INTERVENTION	118	23	95	20.7	7.3	37.1
HIV INFECTION	106	24	82	18.6	7.6	32.0
DIABETES MELLITUS	102	34	68	17.9	10.8	26.5
SUICIDE	71	63	8	12.4	20.0	3.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	58	19	39	10.2	6.0	15.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	53	39	14	9.3	12.4	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	38	8	30	4.3	2.1	5.8
HYPERTENSION	33	6	27	5.8	1.9	10.5
CONGENITAL ANOMALIES	30	11	19	5.2	3.5	7.4
ATHEROSCLEROSIS	17	11	6	3.0	3.5	2.3
TUBERCULOSIS	2	0	2	0.4	0.0	0.8
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	38	20	18	6.7	6.4	7.0
ALL OTHER	709	398	311	124.3	126.6	121.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,270	2,958	2,312	2,700	1,443	1,257	2,570	1,515	1,055
UNDER 1	94	27	67	58	16	42	36	11	25
(NEONATAL)	58	16	42	39	9	30	19	7	12
(POSTNEONATAL)	36	11	25	19	7	12	17	4	13
1-4	17	5	12	11	2	9	6	3	3
5-9	17	4	13	13	4	9	4	0	4
10-14	9	3	6	6	2	4	3	1	2
15-24	157	60	97	118	41	77	39	19	20
25-34	176	60	116	128	45	83	48	15	33
35-44	293	112	181	190	76	114	103	36	67
45-54	400	178	222	265	118	147	135	60	75
55-64	576	291	285	349	179	170	227	112	115
65-74	1,038	645	393	577	380	197	461	265	196
75-84	1,330	834	496	618	366	252	712	468	244
85 AND OVER	1,163	739	424	367	214	153	796	525	271
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	10.6	7.2	13.0	570,535	
NEONATAL	6.5	4.3	8.2	314,256	
POSTNEONATAL	4.1	2.9	4.9	256,279	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,476	1,682	794	10.9	11.9	9.2
HEART DISEASES	916	659	257	402.2	466.2	297.6
MALIGNANT NEOPLASMS	523	350	173	229.6	247.6	200.3
ACCIDENTS	169	95	74	74.2	67.2	85.7
CEREBROVASCULAR DISEASES	155	106	49	68.1	75.0	56.7
EMPHYSEMA AND OTHER COPD	86	73	13	37.8	51.6	15.0
PNEUMONIA AND INFLUENZA	82	64	18	36.0	45.3	20.8
DIABETES MELLITUS	45	23	22	19.8	16.3	25.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	34	19	15	14.9	13.4	17.4
HOMICIDE AND LEGAL INTERVENTION	26	10	16	11.4	7.1	18.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	24	13	11	10.5	9.2	12.7
SUICIDE	22	18	4	9.7	12.7	4.6
HIV INFECTION	18	6	12	7.9	4.2	13.9
CONGENITAL ANOMALIES	16	10	6	7.0	7.1	6.9
CONDITIONS ORIG IN PERINATAL PERIOD	16	5	11	4.5	2.8	6.2
ATHEROSCLEROSIS	12	11	1	5.3	7.8	1.2
HYPERTENSION	10	5	5	4.4	3.5	5.8
TUBERCULOSIS	1	0	1	0.4	0.0	1.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	9	10	8.3	6.4	11.6
ALL OTHER	302	206	96	132.6	145.7	111.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,476	1,682	794	1,249	848	401	1,227	834	393
UNDER 1	40	16	24	23	12	11	17	4	13
(NEONATAL)	27	11	16	15	8	7	12	3	9
(POSTNEONATAL)	13	5	8	8	4	4	5	1	4
1-4	12	2	10	9	2	7	3	0	3
5-9	7	3	4	5	2	3	2	1	1
10-14	11	5	6	5	3	2	6	2	4
15-24	57	28	29	37	16	21	20	12	8
25-34	58	21	37	40	14	26	18	7	11
35-44	109	53	56	66	37	29	43	16	27
45-54	168	94	74	98	61	37	70	33	37
55-64	300	192	108	185	129	56	115	63	52
65-74	455	327	128	243	180	63	212	147	65
75-84	667	502	165	343	260	83	324	242	82
85 AND OVER	592	439	153	195	132	63	397	307	90
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	11.2	9.0	13.5
NEONATAL	7.6	6.2	9.0
POSTNEONATAL	3.6	2.8	4.5

1995 POPULATION

TOTAL	227,735
WHITE	141,369
NONWHITE	86,366

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,997	1,173	824	11.7	12.9	10.4
HEART DISEASES	719	436	283	421.5	478.2	356.4
MALIGNANT NEOPLASMS	422	247	175	247.4	270.9	220.4
CEREBROVASCULAR DISEASES	146	77	69	85.6	84.4	86.9
ACCIDENTS	94	51	43	55.1	55.9	54.1
EMPHYSEMA AND OTHER COPD	83	63	20	48.6	69.1	25.2
PNEUMONIA AND INFLUENZA	63	42	21	36.9	46.1	26.4
DIABETES MELLITUS	57	23	34	33.4	25.2	42.8
HOMICIDE AND LEGAL INTERVENTION	29	8	21	17.0	8.8	26.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	21	12	9	12.3	13.2	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	13	4	10.0	14.2	5.0
SUICIDE	15	10	5	8.8	11.0	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	13	3	10	5.4	2.9	7.4
CONGENITAL ANOMALIES	12	3	9	7.0	3.3	11.3
ATHEROSCLEROSIS	10	9	1	5.9	9.9	1.2
HYPERTENSION	9	5	4	5.3	5.5	5.0
HIV INFECTION	7	2	5	4.1	2.2	6.3
TUBERCULOSIS	4	2	2	2.3	2.2	2.5
INFECTIONS OF KIDNEY	1	0	1	0.6	0.0	1.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	11	7	10.6	12.1	8.8
ALL OTHER	257	156	101	150.6	171.1	127.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,997	1,173	824	995	600	395	1,002	573	429
UNDER 1	28	8	20	13	4	9	15	4	11
(NEONATAL)	19	5	14	8	2	6	11	3	8
(POSTNEONATAL)	9	3	6	5	2	3	4	1	3
1-4	7	3	4	3	2	1	4	1	3
5-9	1	1	0	1	1	0	0	0	0
10-14	10	2	8	7	1	6	3	1	2
15-24	35	17	18	24	12	12	11	5	6
25-34	55	23	32	40	16	24	15	7	8
35-44	86	34	52	49	22	27	37	12	25
45-54	126	54	72	83	41	42	43	13	30
55-64	241	129	112	136	76	60	105	53	52
65-74	447	269	178	257	170	87	190	99	91
75-84	505	331	174	229	157	72	276	174	102
85 AND OVER	456	302	154	153	98	55	303	204	99
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.7	7.7	14.8	170,590	
NEONATAL	8.0	4.8	10.4	91,175	
POSTNEONATAL	3.8	2.9	4.4	79,415	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,703	1,974	729	10.3	10.7	9.3
HEART DISEASES	959	715	244	365.3	387.7	312.5
MALIGNANT NEOPLASMS	566	423	143	215.6	229.4	183.1
CEREBROVASCULAR DISEASES	161	119	42	61.3	64.5	53.8
ACCIDENTS	154	111	43	58.7	60.2	55.1
PNEUMONIA AND INFLUENZA	108	83	25	41.1	45.0	32.0
EMPHYSEMA AND OTHER COPD	106	90	16	40.4	48.8	20.5
DIABETES MELLITUS	59	33	26	22.5	17.9	33.3
SUICIDE	41	34	7	15.6	18.4	9.0
HOMICIDE AND LEGAL INTERVENTION	41	19	22	15.6	10.3	28.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	35	18	17	13.3	9.8	21.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	21	7	10.7	11.4	9.0
ATHEROSCLEROSIS	13	13	0	5.0	7.0	0.0
HIV INFECTION	13	2	11	5.0	1.1	14.1
CONGENITAL ANOMALIES	12	6	6	4.6	3.2	7.7
HYPERTENSION	10	9	1	3.8	4.9	1.3
CONDITIONS ORIG IN PERINATAL PERIOD	8	3	5	2.0	1.2	3.1
TUBERCULOSIS	5	1	4	1.9	0.5	5.1
INFECTIONS OF KIDNEY	3	2	1	1.1	1.1	1.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	14	13	10.3	7.6	16.6
ALL OTHER	354	258	96	134.8	139.9	122.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,703	1,974	729	1,405	1,014	391	1,298	960	338
UNDER 1	29	16	13	15	7	8	14	9	5
(NEONATAL)	15	6	9	9	3	6	6	3	3
(POSTNEONATAL)	14	10	4	6	4	2	8	6	2
1-4	9	4	5	7	3	4	2	1	1
5-9	3	2	1	3	2	1	0	0	0
10-14	13	7	6	11	6	5	2	1	1
15-24	67	37	30	49	27	22	18	10	8
25-34	78	42	36	53	29	24	25	13	12
35-44	113	66	47	85	50	35	28	16	12
45-54	188	114	74	110	71	39	78	43	35
55-64	328	247	81	208	162	46	120	85	35
65-74	562	430	132	327	253	74	235	177	58
75-84	710	543	167	348	272	76	362	271	91
85 AND OVER	602	466	136	188	132	56	414	334	80
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**				1995 POPULATION	
INFANT	7.2	6.7	8.1	TOTAL	262,501
NEONATAL	3.7	2.5	5.6	WHITE	184,414
POSTNEONATAL	3.5	4.2	2.5	NONWHITE	78,087

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,560	2,977	583	8.6	9.1	6.8
HEART DISEASES	1,277	1,076	201	309.8	329.2	235.4
MALIGNANT NEOPLASMS	820	706	114	198.9	216.0	133.5
CEREBROVASCULAR DISEASES	192	148	44	46.6	45.3	51.5
ACCIDENTS	178	143	35	43.2	43.8	41.0
EMPHYSEMA AND OTHER COPD	150	137	13	36.4	41.9	15.2
PNEUMONIA AND INFLUENZA	116	102	14	28.1	31.2	16.4
DIABETES MELLITUS	80	63	17	19.4	19.3	19.9
SUICIDE	48	43	5	11.6	13.2	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	45	39	6	10.9	11.9	7.0
HOMICIDE AND LEGAL INTERVENTION	44	31	13	10.7	9.5	15.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	41	30	11	9.9	9.2	12.9
HIV INFECTION	33	19	14	8.0	5.8	16.4
CONDITIONS ORIG IN PERINATAL PERIOD	32	18	14	5.4	4.0	9.2
CONGENITAL ANOMALIES	24	15	9	5.8	4.6	10.5
ATHEROSCLEROSIS	12	11	1	2.9	3.4	1.2
HYPERTENSION	11	6	5	2.7	1.8	5.8
INFECTIONS OF KIDNEY	4	4	0	1.0	1.2	0.0
TUBERCULOSIS	1	1	0	0.2	0.3	0.0
MATERNAL CAUSES	1	0	1	16.7	0.0	65.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	28	20	8	6.8	6.1	9.4
ALL OTHER	423	365	58	102.6	111.7	67.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,560	2,977	583	1,918	1,608	310	1,642	1,369	273
UNDER 1	61	37	24	29	17	12	32	20	12
(NEONATAL)	45	25	20	23	11	12	22	14	8
(POSTNEONATAL)	16	12	4	6	6	0	10	6	4
1-4	11	9	2	6	4	2	5	5	0
5-9	11	5	6	6	3	3	5	2	3
10-14	17	14	3	9	8	1	8	6	2
15-24	55	39	16	40	27	13	15	12	3
25-34	102	74	28	65	49	16	37	25	12
35-44	147	110	37	97	76	21	50	34	16
45-54	269	208	61	169	127	42	100	81	19
55-64	481	390	91	311	253	58	170	137	33
65-74	844	732	112	510	450	60	334	282	52
75-84	957	835	122	491	434	57	466	401	65
85 AND OVER	604	523	81	184	159	25	420	364	56
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**			
INFANT	10.2	8.3	15.7
NEONATAL	7.5	5.6	13.1
POSTNEONATAL	2.7	2.7	2.6

1995 POPULATION	
TOTAL	412,246
WHITE	326,850
NONWHITE	85,396

** DEATHS PER 1,000 LIVE BIRTHS.