



# Vital Statistics Mississippi 1995



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

# Vital Statistics Mississippi

1995



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

Office of Community Health Services  
Bureau of Public Health Statistics  
Post Office Box 1700  
Jackson, Mississippi 392 15- 1700

Telephone: 601/960-7960

## TABLE OF CONTENTS

	Page
<b>INTRODUCTION</b>	
Description of Bulletin .....	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death .....	1
Occurrence and Residence Allocation .....	2
Population .....	2
Race .....	2
Rates .....	3
Classification of Cause of Death .....	3
 <b>SUMMARY TABLES, 1995</b>	
<b>POPULATION</b>	
Table P1. Projected Population, by Age, Race, and Sex, Mississippi, 1995 ...	7
 <b>LIVE BIRTHS</b>	
Table A1. Live Births and Average per Day, by Month .....	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1995 .....	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother .....	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother .....	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother .....	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother .....	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother .....	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother .....	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother .....	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother .....	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother .....	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother .....	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother .....	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother .....	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother .....	17
 <b>FETAL DEATHS</b>	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	18

## SUMMARY TABLES, 1995

## FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother .....	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother .....	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1993-1995 .....	20

## DEATHS

Table C1.	Deaths and Average per Day, by Month .....	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race .....	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race .....	22
Table C3B.	Death Rates, by Age, Race, and Sex .....	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race .....	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause .....	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race .....	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1970, 1975, 1980, 1985, 1990, 1995 .....	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race .....	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age .....	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1995 .....	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race .....	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race .....	29
Table C13A.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death .....	30
Table C13B.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, White Males and Females .....	31
Table C13C.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, Nonwhite Males and Females .....	32

## MARRIAGES

Table D1.	Marriages and Average per Day, by Month .....	33
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ...	34
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race .....	35
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race .....	36
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race .....	37
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride .....	38

## SUMMARY TABLES, 1995

Page

## DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race .....	39
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race .....	39
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race .....	40

## INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi .....	41
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi .....	42
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi .....	43

## MAJOR TABLES, 1995

## POPULATION

Table i.	1995 Projected Population and Percent Change From 1990 Census Population, Mississippi .....	47
----------	---	----

## LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1995 .....	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1995 .....	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1995 .....	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1995 .....	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1995 .....	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1995 .....	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1995 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1995 .....	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1995 .....	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1995 .....	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1995 .....	70

## MAJOR TABLES, 1995

## LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1995 .....	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1995 .....	74

## FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1995 .....	76
----------	--	----

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1995 .....	78
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1995 .....	81
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1995 .....	96
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1995 .....	103
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1991-1995 (5-Year Average) ....	105
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1995 .....	107
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1995 .....	109

## MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1995 .....	111
-----------	--	-----

## DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1995 ....	113
-----------	--	-----

## INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1995 .....	114
-----------	---	-----

## DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order) .....	116
	The State .....	136

## TIME SERIES TABLES

Page

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1995, (Occurrence Data 1913-1943, Residence Data 1944-1995) .....	139
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1995, (Occurrence Data 1913-1943, Residence Data 1944-1995) .....	141
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1995, (Occurrence Data 1913-1943, Residence Data 1944-1995) .....	143
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1995, (Occurrence Data 1917-1943, Residence Data 1944-1995) .....	145
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1995, (Occurrence Data 1924-1944, Residence Data 1945-1995) .....	147
Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1995, (Occurrence Data 1924-1943, Residence Data 1944-1995) .....	149
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1995 .....	151
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1995 .....	153

VITAL STATISTICS  
MISSISSIPPI, 1995

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1995; the second part contains major statistical tables for 1995. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.



### Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

### Population

The population figures used in this bulletin are 1995 population projections which were prepared by the Center for Policy Research and Planning located at the Mississippi Institutions of Higher Learning, 3825 Ridgewood Road, Jackson, Mississippi. The projections for the whole state are more reliable than those for the counties due to the fact that small numbers often behave erratically. For this reason, the state population was projected independently, making the state figures slightly different from the sum of the county figures. Projections for small counties and small categories, such as age/race/sex groups, should be used with caution. Any slight discrepancies in the figures are due to rounding.

### Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

### Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

### Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

## SUMMARY TABLES, 1995

**In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.**

**TABLE P1. PROJECTED POPULATION BY AGE, RACE, AND SEX,  
MISSISSIPPI, 1995**

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<b>TOTAL</b>	<b>2, 693, 053</b>	<b>1, 292, 075</b>	<b>1, 400, 978</b>	<b>1, 692, 681</b>	<b>825, 774</b>	<b>866, 907</b>	<b>1, 000, 372</b>	<b>466, 301</b>	<b>534, 071</b>
0-4	210, 408	107, 578	102, 829	106, 771	54, 556	52, 214	103, 637	53, 022	50, 615
(UNDER 1*)	(43, 836)	(22, 242)	(21, 592)	(21, 963)	(11, 166)	(10, 797)	(21, 912)	(11, 094)	(10, 815)
(1-4*)	(166, 572)	(85, 336)	(81, 237)	(84, 808)	(43, 390)	(41, 417)	(81, 725)	(41, 928)	(39, 800)
5-9	204, 333	104, 047	100, 286	111, 726	57, 334	54, 392	92, 607	46, 713	45, 894
10-14	215, 047	109, 656	105, 390	116, 562	60, 123	56, 438	98, 485	49, 533	48, 952
15-19	226, 741	115, 987	110, 755	122, 658	63, 577	59, 082	104, 083	52, 410	51, 673
20-24	235, 409	121, 060	114, 349	134, 901	71, 027	63, 874	100, 508	50, 033	50, 475
25-29	187, 348	90, 651	96, 698	113, 107	56, 893	56, 215	74, 241	33, 758	40, 483
30-34	197, 425	93, 984	103, 441	126, 290	62, 729	63, 561	71, 135	31, 255	39, 880
35-39	203, 879	97, 335	106, 544	131, 233	65, 551	65, 682	72, 646	31, 784	40, 862
40-44	184, 813	88, 285	96, 527	121, 858	60, 176	61, 682	62, 955	28, 109	34, 845
45-49	162, 946	78, 468	84, 477	115, 696	57, 312	58, 384	47, 250	21, 156	26, 093
50-54	128, 553	61, 200	67, 352	94, 831	46, 387	48, 444	33, 722	14, 813	18, 908
55-59	111, 779	52, 164	59, 615	82, 930	40, 094	42, 837	28, 849	12, 070	16, 778
60-64	101, 003	45, 753	55, 250	75, 966	35, 717	40, 249	25, 037	10, 036	15, 001
65-69	97, 731	42, 491	55, 240	73, 463	33, 061	40, 402	24, 268	9, 430	14, 838
70-74	85, 899	35, 261	50, 637	64, 059	27, 002	37, 056	21, 840	8, 259	13, 581
75-79	64, 646	24, 526	40, 119	47, 287	18, 093	29, 193	17, 359	6, 433	10, 926
80 & OVER	75, 093	23, 626	51, 466	53, 343	16, 141	37, 202	21, 750	7, 485	14, 264
UNDER 15	629, 788	321, 281	308, 505	335, 059	172, 013	163, 044	294, 729	149, 268	145, 461
15-64	1, 739, 896	844, 887	895, 008	1, 119, 470	559, 463	560, 010	620, 426	285, 424	334, 998
65 & OVER	323, 369	125, 904	197, 462	238, 152	94, 297	143, 853	85, 217	31, 607	53, 609
<b>MEDIAN AGE</b>	<b>31. 7</b>	<b>29. 8</b>	<b>33. 4</b>	<b>35. 5</b>	<b>33. 9</b>	<b>37. 1</b>	<b>25. 0</b>	<b>23. 1</b>	<b>27. 4</b>

\* THE FIGURES FOR THESE AGE GROUPS WERE CALCULATED FROM THE FIGURES IN AGE GROUP 0-4 BY APPLYING THE DISTRIBUTION OF AGE GROUPS < 1 AND 1-4 FROM THE 1990 CENSUS FIGURES.

**LIVE BIRTHS**

**TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1995**

<b>MONTH</b>	<b>BIRTHS</b>	<b>AVERAGE PER DAY</b>	<b>MONTH</b>	<b>BIRTHS</b>	<b>AVERAGE PER DAY</b>
<b>TOTAL</b>	<b>41, 332</b>	<b>113</b>			
<b>JANUARY</b>	<b>3, 542</b>	<b>114</b>	<b>JULY</b>	<b>3, 596</b>	<b>116</b>
<b>FEBRUARY</b>	<b>3, 046</b>	<b>109</b>	<b>AUGUST</b>	<b>3, 804</b>	<b>123</b>
<b>MARCH</b>	<b>3, 310</b>	<b>107</b>	<b>SEPTEMBER</b>	<b>3, 680</b>	<b>123</b>
<b>APRIL</b>	<b>3, 116</b>	<b>104</b>	<b>OCTOBER</b>	<b>3, 683</b>	<b>119</b>
<b>MAY</b>	<b>3, 314</b>	<b>107</b>	<b>NOVEMBER</b>	<b>3, 394</b>	<b>113</b>
<b>JUNE</b>	<b>3, 346</b>	<b>112</b>	<b>DECEMBER</b>	<b>3, 501</b>	<b>113</b>

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,  
BY YEAR AND RACE\*  
MISSISSIPPI, 1940, 1950, 1960, 1970-1995**

<b>YEAR</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>	<b>YEAR</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1980#	99.4	99.7	99.1
1971#	92.2	99.6	84.2	1981#	99.3	99.6	99.0
1972#	95.2	99.8	90.4	1982#	99.4	99.6	99.2
1973#	96.4	99.7	92.8	1983#	99.5	99.6	99.4
1974#	97.4	99.7	94.8	1984#	99.5	99.6	99.4
1975#	97.9	99.6	96.0	1985#	99.6	99.7	99.4
1976#	98.5	99.7	97.3	1986#	99.6	99.7	99.5
1977#	98.9	99.7	98.1	1987#	99.6	99.8	99.5
1978#	99.1	99.7	98.4	1988#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1989#	99.6	99.8	99.5
				1990#	99.6	99.6	99.6
				1991#	99.6	99.6	99.6
				1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
				1994#	99.7	99.7	99.7
				1995#	99.7	99.7	99.6

\* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;  
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL  
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING  
INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1995

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<b>TOTAL</b>	<b>41,332</b>	<b>40,687</b>	<b>457</b>	<b>16</b>	<b>150</b>	<b>22</b>	<b>100.0</b>	<b>98.4</b>	<b>1.1</b>	<b>*</b>	<b>0.4</b>	<b>*</b>
HOSPITAL	41,202	40,674	457	0	56	15	99.7	98.4	1.1	-	0.1	*
CLINIC/DOCTOR'S OFFICE	2	1	0	0	1	0	*	*	-	-	*	-
HOME	109	10	0	16	79	4	0.3	*	-	*	0.2	*
OTHER PLACE	17	2	0	0	14	1	*	*	-	-	*	*
UNKNOWN PLACE	2	0	0	0	0	2	*	-	-	-	-	*
<b>WHITE</b>	<b>21,571</b>	<b>21,339</b>	<b>142</b>	<b>16</b>	<b>62</b>	<b>12</b>	<b>100.0</b>	<b>98.9</b>	<b>0.6</b>	<b>0.1</b>	<b>0.3</b>	<b>*</b>
HOSPITAL	21,513	21,337	142	0	25	9	99.7	98.9	0.6	-	0.1	*
CLINIC/DOCTOR'S OFFICE	2	1	0	0	1	0	*	*	-	-	*	-
HOME	50	1	0	16	31	2	0.2	*	-	0.1	0.1	*
OTHER PLACE	6	0	0	0	5	1	*	-	-	-	*	*
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<b>NONWHITE</b>	<b>19,761</b>	<b>19,348</b>	<b>315</b>	<b>0</b>	<b>88</b>	<b>10</b>	<b>100.0</b>	<b>97.9</b>	<b>1.6</b>	<b>-</b>	<b>0.4</b>	<b>*</b>
HOSPITAL	19,689	19,337	315	0	31	6	99.6	97.8	1.6	-	0.2	*
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	59	9	0	0	48	2	0.3	*	-	-	0.2	*
OTHER PLACE	11	2	0	0	9	0	*	*	-	-	*	-
UNKNOWN PLACE	2	0	0	0	0	2	*	-	-	-	-	*

\* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1995**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>41,332</b>	<b>21,571</b>	<b>19,761</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>65.8</b>	<b>58.3</b>	<b>76.5</b>
UNDER 15	337	49	288	0.8	0.2	1.4	3.2	0.9	5.9
15-19	8,848	3,245	5,603	21.4	15.0	28.4	79.9	54.9	108.4
20-24	13,430	6,649	6,781	32.5	30.8	34.3	117.4	104.1	134.3
25-29	9,723	6,060	3,663	23.5	28.1	18.5	100.6	107.8	90.5
30-34	6,241	3,993	2,248	15.1	18.5	11.4	60.3	62.8	56.4
35-39	2,338	1,363	975	5.6	6.3	4.9	21.9	20.8	23.9
40-44	393	204	189	1.0	0.9	1.0	4.1	3.3	5.4
45-49	14	5	9	**	**	**	0.2	0.1	0.3
UNKNOWN	8	3	5	**	**	**			

\* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER  
MISSISSIPPI, 1995**

COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL BIRTHS</b>	<b>41,332</b>	<b>21,571</b>	<b>19,761</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>			
0-6 YEARS	291	132	159	0.7	0.6	0.8	0.7	0.6	0.8
7-9 YEARS	4,001	1,883	2,118	9.7	8.7	10.8	10.4	9.4	11.6
10, 11 YEARS	6,910	2,600	4,310	16.8	12.1	21.9	27.2	21.4	33.4
12 YEARS	14,043	6,695	7,348	34.0	31.1	37.3	61.2	52.5	70.7
1-3 YEARS COLLEGE	10,043	5,720	4,323	24.4	26.6	21.9	85.6	79.1	92.7
4 OR MORE YEARS COLLEGE	5,949	4,508	1,441	14.4	20.9	7.3	100.0	100.0	100.0
UNKNOWN	95	33	62						
<b>MEDIAN YEARS COMPLETED*</b>	<b>12.7</b>	<b>12.9</b>	<b>12.4</b>						

\* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS  
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1995**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>18,744</b>	<b>4,053</b>	<b>14,691</b>	<b>45.4</b>	<b>18.8</b>	<b>74.3</b>
UNDER 15	326	40	286	96.7	81.6	99.3
15-19	6,993	1,562	5,431	79.0	48.1	96.9
20-24	6,842	1,413	5,429	50.9	21.2	80.1
25-29	2,679	631	2,048	27.6	10.4	55.9
30-34	1,297	285	1,012	20.8	7.1	45.0
35-39	508	104	404	21.7	7.6	41.4
40-44	95	17	78	24.2	8.3	41.3
45-49	1	1	0	7.1	20.0	-
UNKNOWN	3	0	3			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND  
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER  
MISSISSIPPI, 1995**

BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>41,332</b>	<b>21,571</b>	<b>19,761</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>65.8</b>	<b>58.3</b>	<b>76.5</b>	<b>24.2</b>	<b>25.6</b>	<b>22.7</b>
FIRST	15,535	8,317	7,218	37.6	38.6	36.5	24.7	22.5	28.0	20.9	22.7	19.4
SECOND	12,423	6,948	5,475	30.0	32.2	27.7	19.8	18.8	21.2	24.5	26.0	22.6
THIRD	7,216	3,669	3,547	17.4	17.0	17.9	11.5	9.9	13.7	26.7	28.0	25.2
FOURTH	3,392	1,573	1,819	8.2	7.3	9.2	5.4	4.2	7.0	28.0	29.6	26.4
FIFTH	1,493	597	896	3.6	2.8	4.5	2.4	1.6	3.5	29.2	30.9	27.8
SIXTH	665	242	423	1.6	1.1	2.1	1.0	0.6	1.6	30.7	32.2	29.6
SEVENTH	290	122	168	0.7	0.6	0.8	0.5	0.3	0.6	30.7	32.4	29.6
EIGHTH	127	42	85	0.3	0.2	0.4	0.2	0.1	0.3	33.3	34.5	33.0
NINTH	69	18	51	0.2	0.1	0.2	0.1	#	0.2	33.8	37.5	33.1
TENTH & OVER	85	27	58	0.2	0.1	0.3	0.1	0.1	0.2	34.5	31.0	36.6
UNKNOWN	37	16	21	0.1	0.1	0.1	#	#	0.1			

\* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

\*\* LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

# LESS THAN 0.06.



**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE,  
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER  
MISSISSIPPI, 1995**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>41,332</u>	<u>21,571</u>	<u>19,761</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	579	120	459	1.4	0.6	2.3
<u>SOME PRENATAL CARE</u>	<u>40,595</u>	<u>21,403</u>	<u>19,192</u>	<u>98.2</u>	<u>99.2</u>	<u>97.1</u>
FIRST TRIMESTER	31,672	18,703	12,969	76.6	86.7	65.6
SECOND TRIMESTER	7,408	2,335	5,073	17.9	10.8	25.7
THIRD TRIMESTER	1,381	335	1,046	3.3	1.6	5.3
UNKNOWN MONTH	134	30	104	0.3	0.1	0.5
UNKNOWN WHETHER ANY PRENATAL CARE	158	48	110	0.4	0.2	0.6

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY MATURITY AND RACE OF MOTHER  
MISSISSIPPI, 1995**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>41,332</u>	<u>21,571</u>	<u>19,761</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,643	640	1,003	4.0	3.0	5.1
PREMATURE ONLY**	3,757	1,492	2,265	9.1	6.9	11.5
BOTH IMMATURE AND PREMATURE	2,417	865	1,552	5.8	4.0	7.8
TOTAL IMMATURE	4,060	1,505	2,555	9.8	7.0	12.9
TOTAL PREMATURE	6,174	2,357	3,817	14.9	10.9	19.3
TOTAL IMMATURE AND/OR PREMATURE	7,817	2,997	4,820	18.9	13.9	24.4
NEITHER IMMATURE NOR PREMATURE**	33,515	18,574	14,941	81.1	86.1	75.6

\* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

\*\* BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY ANOMALY AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>CONGENITAL ANOMALY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<b><u>TOTAL ANOMALIES REPORTED</u></b>	<b><u>512</u></b>	<b><u>267</u></b>	<b><u>245</u></b>
ANENCEPHALUS	1	0	1
SPI NA BI FIDA/MENINGOCELE	11	7	4
HYDROCEPHALUS	14	8	6
MICROCEPHALUS	3	0	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	5	3	2
HEART MALFORMATIONS	49	32	17
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	33	17	16
RECTAL ATRESIA/STENOSIS	5	3	2
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	4	4	0
OMPHALOCELE/GASTROSCHISIS	21	6	15
OTHER GASTROINTESTINAL ANOMALIES	14	8	6
MALFORMED GENITALIA	57	33	24
RENAL AGENESIS	7	4	3
OTHER UROGENITAL ANOMALIES	19	11	8
CLEFT LIP/PALATE	36	31	5
POLYDACTYLY/SYNDACTYLY/ADACTYLY	87	18	69
CLUB FOOT	22	14	8
DIAPHRAGMATIC HERNIA	7	7	0
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	64	33	31
DOWNS SYNDROME	14	10	4
OTHER CHROMOSOMAL ANOMALIES	6	4	2
<b><u>OTHER</u></b>	<b><u>33</u></b>	<b><u>14</u></b>	<b><u>19</u></b>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,  
BY RISK FACTOR AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>10, 345</u>	<u>4, 374</u>	<u>5, 971</u>
ANEMIA (HCT. < 30/HGB. < 10)	994	288	706
CARDIAC DISEASE	199	142	57
ACUTE OR CHRONIC LUNG DISEASE	272	129	143
DIABETES	980	510	470
GENITAL HERPES	178	105	73
HYDRAMNI OS/OLIGOHYDRAMNI OS	417	151	266
HEMOGLOBINOPATHY	171	3	168
HYPERTENSION, CHRONIC	505	152	353
HYPERTENSION, PREGNANCY- ASSOCIATED	1, 998	1, 003	995
ECLAMPSIA	385	140	245
INCOMPETENT CERVIX	76	31	45
PREVIOUS INFANT 4000+ GRAMS	258	180	78
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	512	209	303
RENAL DISEASE	63	43	20
RH SENSITIZATION	164	123	41
UTERINE BLEEDING	202	134	68
<u>OTHER</u>	<u>2, 971</u>	<u>1, 031</u>	<u>1, 940</u>

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES  
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,  
MISSISSIPPI, 1995**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>41,332</u>	<u>21,571</u>	<u>19,761</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<b>TOBACCO USE DURING PREGNANCY</b>						
NONE	35,802	17,379	18,423	86.6	80.6	93.2
<u>SOME</u>	<u>5,374</u>	<u>4,117</u>	<u>1,257</u>	<u>13.0</u>	<u>19.1</u>	<u>6.4</u>
1-9 CIGARETTES PER DAY	1,577	1,037	540	3.8	4.8	2.7
10-19 CIGARETTES PER DAY	2,129	1,666	463	5.2	7.7	2.3
20-29 CIGARETTES PER DAY	1,345	1,162	183	3.2	5.4	0.9
30-39 CIGARETTES PER DAY	145	131	14	0.4	0.6	0.1
40-49 CIGARETTES PER DAY	62	52	10	0.2	0.2	*
50-59 CIGARETTES PER DAY	2	2	0	*	*	-
60 OR MORE PER DAY	4	3	1	*	*	*
UNKNOWN AMOUNT	110	64	46	0.3	0.3	0.2
NOT STATED	156	75	81	0.4	0.3	0.4
<b>ALCOHOL USE DURING PREGNANCY</b>						
NONE	40,813	21,393	19,420	98.7	99.2	98.3
<u>SOME</u>	<u>356</u>	<u>99</u>	<u>257</u>	<u>0.9</u>	<u>0.4</u>	<u>1.3</u>
1 DRINK PER WEEK	132	42	90	0.3	0.2	0.4
2 DRINKS PER WEEK	65	20	45	0.2	0.1	0.2
3 DRINKS PER WEEK	32	7	25	0.1	*	0.1
4 DRINKS PER WEEK	17	4	13	*	*	0.1
5 DRINKS PER WEEK	7	0	7	*	-	*
6 OR MORE PER WEEK	47	10	37	0.1	*	0.2
UNKNOWN AMOUNT	56	16	40	0.1	0.1	0.2
NOT STATED	163	79	84	0.4	0.4	0.4
<b>WEIGHT GAINED DURING PREGNANCY</b>						
NONE OR LOST WEIGHT	586	245	341	1.4	1.1	1.7
1-4 POUNDS	298	134	164	0.7	0.6	0.8
5-9 POUNDS	982	388	594	2.4	1.8	3.0
10-14 POUNDS	2,272	875	1,397	5.5	4.0	7.1
15-19 POUNDS	3,178	1,420	1,758	7.7	6.6	8.9
20-24 POUNDS	6,738	3,226	3,512	16.3	15.0	17.8
25-29 POUNDS	5,380	3,010	2,370	13.0	14.0	12.0
30-34 POUNDS	6,759	3,830	2,929	16.4	17.8	14.8
35-39 POUNDS	3,900	2,385	1,515	9.4	11.0	7.7
40-44 POUNDS	3,730	2,228	1,502	9.0	10.3	7.6
45 OR MORE POUNDS	5,063	2,962	2,101	12.2	13.7	10.6
UNKNOWN AMOUNT	2,446	868	1,578	5.9	4.0	8.0
<b>MEDIAN WEIGHT GAIN (LBS)**</b>	<b>30.0</b>	<b>31.4</b>	<b>27.8</b>			

\* LESS THAN 0.06 PERCENT.

\*\* EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY COMPLICATION AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>COMPLICATION</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL COMPLICATONS REPORTED</u>	<u>13, 086</u>	<u>6, 944</u>	<u>6, 142</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	361	210	151
MECONIUM, MODERATE/HEAVY	2, 450	1, 084	1, 366
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 161	546	615
ABRUPTIO PLACENTA	282	133	149
PLACENTA PREVIA	76	56	20
OTHER EXCESSIVE BLEEDING	91	52	39
SEIZURES DURING LABOR	30	10	20
PRECIPITOUS LABOR (< 3 HOURS)	531	244	287
PROLONGED LABOR (> 20 HOURS)	191	117	74
DYSFUNCTIONAL LABOR	981	589	392
BREECH/MALPRESENTATION	1, 536	951	585
CEPHALOPELVIC DISPROPORTION	1, 903	1, 067	836
CORD PROLAPSE	75	48	27
ANESTHETIC COMPLICATIONS	25	13	12
FETAL DISTRESS	2, 270	1, 113	1, 157
OTHER	1, 123	711	412

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,  
BY METHOD AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>METHOD OF DELIVERY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>44, 992</u>	<u>24, 206</u>	<u>20, 786</u>
VAGINAL	28, 846	14, 929	13, 917
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	711	348	363
PRIMARY C-SECTION	6, 546	3, 596	2, 950
REPEAT C-SECTION	4, 170	2, 284	1, 886
FORCEPS	2, 796	1, 870	926
VACUUM	1, 923	1, 179	744

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY PROCEDURE AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>72, 626</u>	<u>41, 543</u>	<u>31, 083</u>
AMNIOCENTESIS	456	298	158
ELECTRONIC FETAL MONITORING	33, 925	18, 922	15, 003
INDUCTION OF LABOR	3, 828	2, 813	1, 015
STIMULATION OF LABOR	5, 233	3, 192	2, 041
TOCOLYSIS	477	296	181
ULTRASOUND	28, 144	15, 672	12, 472
OTHER	563	350	213

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY CONDITION AND RACE OF MOTHER  
MISSISSIPPI, 1995**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2, 105</u>	<u>1, 050</u>	<u>1, 055</u>
ANEMIA (HCT. < 39/HGB. < 13)	44	16	28
BIRTH INJURY	117	71	46
FETAL ALCOHOL SYNDROME	3	1	2
HYALINE MEMBRANE DISEASE/RDS	441	219	222
MECONIUM ASPIRATION SYNDROME	119	56	63
ASSISTED VENTILATION < 30 MINUTES	206	110	96
ASSISTED VENTILATION 30 MINUTES OR MORE	351	164	187
SEIZURES	22	12	10
OTHER	802	401	401

FETAL DEATHS

TABLE B1. REPORTABLE\* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,  
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1995

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI - CIAN	CERTI - FI ED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI - CIAN	CERTI - FI ED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>470</u>	<u>454</u>	<u>3</u>	<u>0</u>	<u>9</u>	<u>4</u>	<u>100.0</u>	<u>96.6</u>	<u>0.6</u>	-	<u>1.9</u>	<u>0.8</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	462	454	3	0	4	1	98.3	96.6	0.6	-	0.8	0.2
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	0	0	0	5	2	1.5	-	-	-	1.1	0.4
	1	0	0	0	0	1	0.2	-	-	-	-	0.2
<u>WHITE</u>	<u>141</u>	<u>137</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>100.0</u>	<u>97.2</u>	<u>0.7</u>	-	<u>1.4</u>	<u>0.7</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	141	137	1	0	2	1	100.0	97.2	0.7	-	1.4	0.7
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>329</u>	<u>317</u>	<u>2</u>	<u>0</u>	<u>7</u>	<u>3</u>	<u>100.0</u>	<u>96.4</u>	<u>0.6</u>	-	<u>2.1</u>	<u>0.9</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	321	317	2	0	2	0	97.6	96.4	0.6	-	0.6	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	0	0	0	5	2	2.1	-	-	-	1.5	0.6
	1	0	0	0	0	1	0.3	-	-	-	-	0.3

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1995**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>470</b>	<b>141</b>	<b>329</b>	<b>11.4</b>	<b>6.5</b>	<b>16.6</b>
UNDER 15	2	0	2	5.9	-	6.9
15- 19	124	27	97	14.0	8.3	17.3
20- 24	134	35	99	10.0	5.3	14.6
25- 29	90	33	57	9.2	5.4	15.6
30- 34	75	26	49	12.0	6.5	21.8
35- 39	40	18	22	17.1	13.2	22.6
40- 44	4	1	3	10.2	4.9	15.9
45- 49	1	1	0	#	#	-

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

# RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS  
AND REPORTABLE\* FETAL DEATHS,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER  
MISSISSIPPI, 1995**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
NO CARE	1.4	0.6	2.3	11.9	7.1	14.0
SOME CARE	97.9	99.1	96.6	81.1	87.9	78.1
UNKNOWN WHETHER ANY CARE	0.7	0.4	1.1	7.0	5.0	7.9

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.



**TABLE B4. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,  
MISSISSIPPI, 1993-1995**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1993	1994	1995	1993	1994	1995	1993	1994	1995
REPORTABLE* FETAL DEATHS									
<b>TOTAL</b>	<b><u>487</u></b>	<b><u>501</u></b>	<b><u>470</u></b>	<b><u>156</u></b>	<b><u>138</u></b>	<b><u>141</u></b>	<b><u>331</u></b>	<b><u>363</u></b>	<b><u>329</u></b>
<b>UNDER 20</b>	<b>26</b>	<b>27</b>	<b>20</b>	<b>3</b>	<b>4</b>	<b>6</b>	<b>23</b>	<b>23</b>	<b>14</b>
<b>20 AND OVER</b>	<b><u>407</u></b>	<b><u>394</u></b>	<b><u>371</u></b>	<b><u>137</u></b>	<b><u>116</u></b>	<b><u>116</u></b>	<b><u>270</u></b>	<b><u>278</u></b>	<b><u>255</u></b>
20-22	101	99	84	26	29	25	75	70	59
23-27	100	96	100	28	25	29	72	71	71
28-36	126	121	108	51	34	32	75	87	76
37 AND OVER	80	78	79	32	28	30	48	50	49
<b>UNKNOWN</b>	<b>54</b>	<b>80</b>	<b>79</b>	<b>16</b>	<b>18</b>	<b>19</b>	<b>38</b>	<b>62</b>	<b>60</b>
FETAL DEATH RATIOS#									
<b>TOTAL</b>	<b><u>11.6</u></b>	<b><u>11.9</u></b>	<b><u>11.4</u></b>	<b><u>7.3</u></b>	<b><u>6.4</u></b>	<b><u>6.5</u></b>	<b><u>15.8</u></b>	<b><u>17.8</u></b>	<b><u>16.6</u></b>
<b>UNDER 20</b>	<b>0.6</b>	<b>0.6</b>	<b>0.5</b>	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>1.1</b>	<b>1.1</b>	<b>0.7</b>
<b>20 AND OVER</b>	<b><u>9.7</u></b>	<b><u>9.4</u></b>	<b><u>9.0</u></b>	<b><u>6.4</u></b>	<b><u>5.4</u></b>	<b><u>5.4</u></b>	<b><u>12.9</u></b>	<b><u>13.6</u></b>	<b><u>12.9</u></b>
20-22	2.4	2.4	2.0	1.2	1.3	1.2	3.6	3.4	3.0
23-27	2.4	2.3	2.4	1.3	1.2	1.3	3.4	3.5	3.6
28-36	3.0	2.9	2.6	2.4	1.6	1.5	3.6	4.3	3.8
37 AND OVER	1.9	1.9	1.9	1.5	1.3	1.4	2.3	2.4	2.5
<b>UNKNOWN</b>	<b>1.3</b>	<b>1.9</b>	<b>1.9</b>	<b>0.8</b>	<b>0.8</b>	<b>0.9</b>	<b>1.8</b>	<b>3.0</b>	<b>3.0</b>

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

# REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

## DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1995**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<b>TOTAL</b>	<b>26,910</b>	<b>74</b>			
JANUARY	2,446	79	JULY	2,215	71
FEBRUARY	2,099	72	AUGUST	2,236	72
MARCH	2,365	76	SEPTEMBER	2,102	70
APRIL	2,226	74	OCTOBER	2,233	72
MAY	2,110	68	NOVEMBER	2,259	75
JUNE	2,123	71	DECEMBER	2,496	80

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE  
MISSISSIPPI, 1995**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>26,910</b>	<b>17,729</b>	<b>9,181</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>10.0</b>	<b>10.5</b>	<b>9.2</b>
UNDER 1	435	149	286	1.6	0.8	3.1	9.9	6.8	13.0
1-4	114	44	70	0.4	0.2	0.8	0.7	0.5	0.8
5-9	47	27	20	0.2	0.2	0.2	0.2	0.2	0.2
10-14	85	36	49	0.3	0.2	0.5	0.4	0.3	0.5
15-24	575	290	285	2.1	1.6	3.1	1.2	1.1	1.4
25-34	806	386	420	3.0	2.2	4.6	2.1	1.6	2.9
35-44	1,202	593	609	4.5	3.3	6.6	3.1	2.3	4.5
45-54	1,861	1,045	816	6.9	5.9	8.9	6.4	5.0	10.1
55-64	3,187	2,007	1,180	11.8	11.3	12.8	15.0	12.6	21.9
65-74	5,594	3,889	1,705	20.8	21.9	18.6	30.5	28.3	37.0
75 AND OVER	13,003	9,263	3,740	48.3	52.2	40.7	93.0	92.0	95.6
UNKNOWN	1	0	1	**	-	**			

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS  
BY AGE AND RACE  
MISSISSIPPI, 1995**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<b>TOTAL</b>	<b>14,076</b>	<b>12,834</b>	<b>1.10</b>	<b>9,180</b>	<b>8,549</b>	<b>1.07</b>	<b>4,896</b>	<b>4,285</b>	<b>1.14</b>
UNDER 1	249	186	1.34	89	60	1.48	160	126	1.27
1-4	65	49	1.33	27	17	1.59	38	32	1.19
5-9	28	19	1.47	14	13	1.08	14	6	2.33
10-14	57	28	2.04	23	13	1.77	34	15	2.27
15-24	418	157	2.66	205	85	2.41	213	72	2.96
25-34	553	253	2.18	267	119	2.24	286	134	2.13
35-44	821	381	2.15	410	183	2.24	411	198	2.08
45-54	1,176	685	1.72	659	386	1.71	517	299	1.73
55-64	1,929	1,258	1.53	1,277	730	1.75	652	528	1.23
65-74	3,256	2,338	1.39	2,352	1,537	1.53	904	801	1.13
75-84	3,515	3,625	0.97	2,504	2,571	0.97	1,011	1,054	0.96
85 AND OVER	2,008	3,855	0.52	1,353	2,835	0.48	655	1,020	0.64
UNKNOWN	1	0		0	0		1	0	
<b>MEDIAN AGE</b>	<b>70.4</b>	<b>77.9</b>		<b>71.9</b>	<b>79.4</b>		<b>66.4</b>	<b>74.2</b>	

**TABLE C3B. DEATH RATES\*, BY AGE, RACE, AND SEX  
MISSISSIPPI, 1995**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<b>TOTAL</b>	<b>10.9</b>	<b>9.2</b>	<b>11.1</b>	<b>9.9</b>	<b>10.5</b>	<b>8.0</b>
UNDER 1	11.2	8.6	8.0	5.6	14.4	11.6
1-4	0.8	0.6	0.6	0.4	0.9	0.8
5-9	0.3	0.2	0.2	0.2	0.3	0.1
10-14	0.5	0.3	0.4	0.2	0.7	0.3
15-24	1.8	0.7	1.5	0.7	2.1	0.7
25-34	3.0	1.3	2.2	1.0	4.4	1.7
35-44	4.4	1.9	3.3	1.4	6.9	2.6
45-54	8.4	4.5	6.4	3.6	14.4	6.6
55-64	19.7	11.0	16.8	8.8	29.5	16.6
65-74	41.9	22.1	39.2	19.8	51.1	28.2
75 AND OVER	114.7	81.7	112.7	81.4	119.7	82.3

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,  
BY CAUSE AND RACE  
MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF TEN LEADING CAUSES</b>	<b>22,338</b>	<b>14,944</b>	<b>7,394</b>	<b>83.0</b>	<b>84.3</b>	<b>80.5</b>
1. HEART DISEASES (390-398, 402, 404-429)	9,567	6,500	3,067	35.6	36.7	33.4
2. MALIGNANT NEOPLASMS (140-208)	5,725	3,894	1,831	21.3	22.0	19.9
3. CEREBROVASCULAR DISEASES (430-438)	1,856	1,174	682	6.9	6.6	7.4
4. ACCIDENTS (800-949)	1,605	997	608	6.0	5.6	6.6
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,019	820	199	3.8	4.6	2.2
6. PNEUMONIA AND INFLUENZA (480-487)	946	690	256	3.5	3.9	2.8
7. DIABETES MELLITUS (250)	485	273	212	1.8	1.5	2.3
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	429	128	301	1.6	0.7	3.3
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	388	210	178	1.4	1.2	1.9
10. SUICIDE (950-959)	318	258	60	1.2	1.4	0.6

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES  
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE  
MISSISSIPPI, 1995**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>114</u>	<u>100.0</u>	<u>0.7</u>
	1. ACCIDENTS (800-949)	53	46.5	31.8
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	15	13.2	9.0
	3. HEART DISEASES (390-398, 402, 404-429)	7	6.1	4.2
	4. CONGENITAL ANOMALIES (740-759)	6	5.3	3.6
	5. MALIGNANT NEOPLASMS (140-208)	4	3.5	2.4
5-14	<u>ALL CAUSES</u>	<u>132</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	72	54.5	17.2
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	14	10.6	3.3
	3. HEART DISEASES (390-398, 402, 404-429)	9	6.8	2.1
	4. SUICIDE (950-959)	6	4.5	1.4
	5. MALIGNANT NEOPLASMS (140-208)	5	3.8	1.2
15-24	<u>ALL CAUSES</u>	<u>575</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (800-949)	294	51.1	63.6
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	108	18.8	23.4
	3. SUICIDE (950-959)	61	10.6	13.2
	4. MALIGNANT NEOPLASMS (140-208)	24	4.2	5.2
	5. HEART DISEASES (390-398, 402, 404-429)	18	3.1	3.9
25-44	<u>ALL CAUSES</u>	<u>2,008</u>	<u>100.0</u>	<u>2.6</u>
	1. ACCIDENTS (800-949)	446	22.2	57.7
	2. HEART DISEASES (390-398, 402, 404-429)	297	14.8	38.4
	3. MALIGNANT NEOPLASMS (140-208)	273	13.6	35.3
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	201	10.0	26.0
	5. HUMAN IMMUNODEFICIENCY VIRUS INFECTION (042-044)	198	9.9	25.6
45-64	<u>ALL CAUSES</u>	<u>5,048</u>	<u>100.0</u>	<u>10.0</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,644	32.6	326.0
	2. MALIGNANT NEOPLASMS (140-208)	1,571	31.1	311.5
	3. ACCIDENTS (800-949)	282	5.6	55.9
	4. CEREBROVASCULAR DISEASES (430-438)	271	5.4	53.7
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	142	2.8	28.2
65 & OVER	<u>ALL CAUSES</u>	<u>18,597</u>	<u>100.0</u>	<u>57.5</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,574	40.7	2,342.2
	2. MALIGNANT NEOPLASMS (140-208)	3,848	20.7	1,190.0
	3. CEREBROVASCULAR DISEASES (430-438)	1,518	8.2	469.4
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	858	4.6	265.3
	5. PNEUMONIA AND INFLUENZA (480-487)	813	4.4	251.4

\* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,  
BY PRIMARY SITE, SEX, AND RACE  
MISSISSIPPI, 1995**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
<b>TOTAL</b>	<b>2, 167</b>	<b>1, 044</b>	<b>1, 727</b>	<b>787</b>	<b>262. 4</b>	<b>223. 9</b>	<b>199. 2</b>	<b>147. 4</b>
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160- 165)	875	318	448	125	106. 0	68. 2	51. 7	23. 4
2. DIGESTIVE ORGANS AND PERITONEUM (150- 159)	431	252	376	228	52. 2	54. 0	43. 4	42. 7
3. GENITAL ORGANS (179- 187)	239	213	125	86	28. 9	45. 7	14. 4	16. 1
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200- 208)	197	76	174	61	23. 9	16. 3	20. 1	11. 4
5. BREAST (174, 175)	1	1	260	138	0. 1	0. 2	30. 0	25. 8
6. URINARY ORGANS (188, 189)	100	34	58	26	12. 1	7. 3	6. 7	4. 9
7. BRAIN (191)	54	16	59	11	6. 5	3. 4	6. 8	2. 1
8. LIP, ORAL CAVITY, AND PHARYNX (140- 149)	33	30	24	13	4. 0	6. 4	2. 8	2. 4
9. SKIN (172, 173)	40	4	25	3	4. 8	0. 9	2. 9	0. 6
10. BONE AND CONNECTIVE TISSUE (170, 171)	12	10	22	8	1. 5	2. 1	2. 5	1. 5
- OTHER AND UNSPECIFIED SITES (190, 192- 199)	185	90	156	88	22. 4	19. 3	18. 0	16. 5

\* DEATHS PER 100, 000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,  
1970, 1975, 1980, 1985, 1990, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1970	1975	1980	1985	1990	1995
TUBERCULOSIS OF RESPIRATORY SYSTEM (010- 012)	35	26	26	20	27	14
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160- 165)	691	950	1, 202	1, 416	1, 639	1, 766
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	658	898	1, 151	1, 355	1, 602	1, 710
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	45	38	15	17	37	45
EMPHYSEMA (492)	200	181	130	90	126	143
ASTHMA (493)	22	15	45	51	49	50

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM  
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1995**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF FIVE LEADING CAUSES</b>	<b>1,299</b>	<b>813</b>	<b>486</b>	<b>80.9</b>	<b>81.5</b>	<b>79.9</b>
1. MOTOR VEHICLE (810-825)	898	583	315	56.0	58.5	51.8
2. FALLS (880-888)	147	117	30	9.2	11.7	4.9
3. FIRES AND FLAMES (890-899)	123	44	79	7.7	4.4	13.0
4. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	74	30	44	4.6	3.0	7.2
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	57	39	18	3.6	3.9	3.0

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE  
MISSISSIPPI RESIDENTS, 1995**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER	UN- KNOWN
<u>ALL ACCIDENTS</u>	<u>1,605</u>	<u>1,064</u>	<u>541</u>	<u>16</u>	<u>53</u>	<u>72</u>	<u>294</u>	<u>232</u>	<u>214</u>	<u>282</u>	<u>441</u>	<u>1</u>
MOTOR VEHICLE (810-825)	898	604	294	3	26	37	223	177	140	159	133	0
<u>WATER TRANSPORT (830-838)</u>	<u>15</u>	<u>14</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>7</u>	<u>0</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	12	12	0	0	0	0	2	1	2	7	0	0
OTHER (831, 833-838)	3	2	1	0	1	1	0	1	0	0	0	0
AIR AND SPACE TRANSPORT (840-845)	9	6	3	0	0	0	3	1	2	2	1	0
<u>POISONING (850-869)</u>	<u>45</u>	<u>32</u>	<u>13</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>8</u>	<u>10</u>	<u>8</u>	<u>10</u>	<u>8</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	32	22	10	0	1	0	4	10	7	7	3	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	13	10	3	0	0	0	4	0	1	3	5	0
FALLS (880-888)	147	73	74	0	0	1	4	4	7	13	118	0
FIRES AND FLAMES (890-899)	123	79	44	4	11	7	8	11	13	19	49	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	74	60	14	2	8	13	17	4	12	10	8	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	57	27	30	1	1	1	2	0	0	5	47	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	11	9	2	5	1	2	0	0	1	2	0	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	24	24	0	0	1	0	2	2	9	9	1	0
CAUSED BY MACHINERY (919)	20	20	0	0	0	0	1	3	3	8	5	0
CAUSED BY FIREARM MISSILE (922)	50	43	7	0	1	7	19	8	6	7	2	0
CAUSED BY ELECTRIC CURRENT (925)	11	10	1	0	0	0	3	3	4	1	0	0



**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1995**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3

\* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

\*\* NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES,  
BY AGE AND RACE  
MISSISSIPPI, 1995**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL UNDER 1 YEAR</b>	<b>435</b>	<b>149</b>	<b>286</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>10.5</b>	<b>6.9</b>	<b>14.5</b>
<b>NEONATAL (UNDER 28 DAYS)</b>	<b>254</b>	<b>88</b>	<b>166</b>	<b>58.4</b>	<b>59.1</b>	<b>58.0</b>	<b>6.1</b>	<b>4.1</b>	<b>8.4</b>
<b>HEBDOMADAL (UNDER 7 DAYS)</b>	<b>207</b>	<b>70</b>	<b>137</b>	<b>47.6</b>	<b>47.0</b>	<b>47.9</b>	<b>5.0</b>	<b>3.2</b>	<b>6.9</b>
<b>UNDER 1 DAY</b>	<b>140</b>	<b>44</b>	<b>96</b>	<b>32.2</b>	<b>29.5</b>	<b>33.6</b>	<b>3.4</b>	<b>2.0</b>	<b>4.8</b>
<b>1-6 DAYS</b>	<b>67</b>	<b>26</b>	<b>41</b>	<b>15.4</b>	<b>17.4</b>	<b>14.3</b>	<b>1.6</b>	<b>1.2</b>	<b>2.1</b>
<b>7-27 DAYS</b>	<b>47</b>	<b>18</b>	<b>29</b>	<b>10.8</b>	<b>12.1</b>	<b>10.1</b>	<b>1.1</b>	<b>0.8</b>	<b>1.5</b>
<b>POSTNEONATAL (28 DAYS TO 1 YEAR)</b>	<b>181</b>	<b>61</b>	<b>120</b>	<b>41.6</b>	<b>40.9</b>	<b>42.0</b>	<b>4.4</b>	<b>2.8</b>	<b>6.1</b>

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES  
OF INFANT DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>435</b>	<b>149</b>	<b>286</b>	<b>10.5</b>	<b>6.9</b>	<b>14.5</b>
1. CONGENITAL ANOMALIES (740-759)	96	46	50	2.3	2.1	2.5
2. SUDDEN INFANT DEATH SYNDROME (798.0)	64	22	42	1.5	1.0	2.1
3. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	43	7	36	1.0	0.3	1.8
4. ACCIDENTS (800-949)	16	7	9	0.4	0.3	0.4
5. RESPIRATORY DISTRESS SYNDROME (769)	14	7	7	0.3	0.3	0.4
6. PNEUMONIA AND INFLUENZA (480- 487)	13	4	9	0.3	0.2	0.4
7. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	10	3	7	0.2	0.1	0.4
8T. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	9	4	5	0.2	0.2	0.2
8T. NEONATAL HEMORRHAGE (772)	9	3	6	0.2	0.1	0.3
10. MATERNAL COMPLICATIONS OF PREGNANCY (761)	7	0	7	0.2	-	0.4

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
MISSISSIPPI, 1995**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<u>ALL RACES - ALL CAUSES</u>	<u>171, 159</u>	<u>7, 222. 9</u>
HEART DISEASES (390-398, 402, 404-429)	24, 834	1, 048. 0
ISCHEMIC HEART DISEASE (410-414)	10, 886	459. 4
CEREBROVASCULAR DISEASES (430-438)	4, 304	181. 6
MALIGNANT NEOPLASMS (140-208)	21, 595	911. 3
RESPIRATORY SYSTEM (160-165)	5, 214	220. 0
COLORECTAL (153, 154)	1, 982	83. 6
PROSTATE (185)**	212	18. 2
BREAST (174)#	2, 684	223. 0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1, 562	65. 9
PNEUMONIA AND INFLUENZA (480-487)	2, 860	120. 7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2, 144	90. 5
DIABETES MELLITUS (250)	1, 804	76. 1
HIV INFECTION (042-044)	7, 100	299. 6
UNINTENTIONAL INJURIES (800-949)	38, 658	1, 631. 4
MOTOR VEHICLE CRASHES (810-825)	25, 853	1, 091. 0
SUICIDE (950-959)	7, 344	309. 9
HOMICIDE AND LEGAL INTERVENTION (960-978)	13, 647	575. 9

\* DEATHS PER 100, 000 POPULATION.

\*\* MALES ONLY.

# FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
WHITE MALES AND FEMALES  
MISSISSIPPI, 1995**

<b>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</b>	<b>YEARS</b>	<b>RATE*</b>
<b><u>WHITE MALES - ALL CAUSES</u></b>	<b>54, 683</b>	<b>7, 475. 7</b>
HEART DISEASES (390-398, 402, 404-429)	8, 621	1, 178. 6
ISCHEMIC HEART DISEASE (410-414)	5, 071	693. 3
CEREBROVASCULAR DISEASES (430-438)	985	134. 7
MALIGNANT NEOPLASMS (140-208)	6, 633	906. 8
RESPIRATORY SYSTEM (160-165)	2, 165	296. 0
COLORECTAL (153, 154)	527	72. 0
PROSTATE (185)	84	11. 5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	340	46. 5
PNEUMONIA AND INFLUENZA (480-487)	649	88. 7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1, 115	152. 4
DIABETES MELLITUS (250)	435	59. 5
HIV INFECTION (042-044)	2, 573	351. 8
UNINTENTIONAL INJURIES (800-949)	15, 174	2, 074. 4
MOTOR VEHICLE CRASHES (810-825)	10, 511	1, 437. 0
SUICIDE (950-959)	4, 658	636. 8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2, 285	312. 4
 <b><u>WHITE FEMALES - ALL CAUSES</u></b>	 <b>28, 326</b>	 <b>3, 917. 5</b>
HEART DISEASES (390-398, 402, 404-429)	3, 697	511. 3
ISCHEMIC HEART DISEASE (410-414)	1, 575	217. 8
CEREBROVASCULAR DISEASES (430-438)	891	123. 2
MALIGNANT NEOPLASMS (140-208)	6, 260	865. 8
RESPIRATORY SYSTEM (160-165)	1, 181	163. 3
COLORECTAL (153, 154)	448	62. 0
BREAST (174)	1, 639	226. 7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	478	66. 1
PNEUMONIA AND INFLUENZA (480-487)	491	67. 9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	229	31. 7
DIABETES MELLITUS (250)	411	56. 8
HIV INFECTION (042-044)	92	12. 7
UNINTENTIONAL INJURIES (800-949)	6, 837	945. 6
MOTOR VEHICLE CRASHES (810-825)	5, 333	737. 6
SUICIDE (950-959)	983	136. 0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1, 069	147. 8

\* DEATHS PER 100, 000 POPULATION.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
NONWHITE MALES AND FEMALES  
MISSISSIPPI, 1995**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<b><u>NONWHITE MALES - ALL CAUSES</u></b>	<b><u>56,720</u></b>	<b><u>13,048.3</u></b>
HEART DISEASES (390-398, 402, 404-429)	8,047	1,851.2
ISCHEMIC HEART DISEASE (410-414)	3,051	701.9
CEREBROVASCULAR DISEASES (430-438)	1,493	343.5
MALIGNANT NEOPLASMS (140-208)	4,729	1,087.9
RESPIRATORY SYSTEM (160-165)	1,447	332.9
COLORECTAL (153, 154)	570	131.1
PROSTATE (185)	128	29.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	368	84.7
PNEUMONIA AND INFLUENZA (480-487)	946	217.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	568	130.7
DIABETES MELLITUS (250)	517	118.9
HIV INFECTION (042-044)	3,264	750.9
UNINTENTIONAL INJURIES (800-949)	11,890	2,735.3
MOTOR VEHICLE CRASHES (810-825)	6,763	1,555.8
SUICIDE (950-959)	1,608	369.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	8,101	1,863.6
<b><u>NONWHITE FEMALES - ALL CAUSES</u></b>	<b><u>31,430</u></b>	<b><u>6,541.7</u></b>
HEART DISEASES (390-398, 402, 404-429)	4,469	930.2
ISCHEMIC HEART DISEASE (410-414)	1,189	247.5
CEREBROVASCULAR DISEASES (430-438)	935	194.6
MALIGNANT NEOPLASMS (140-208)	3,973	826.9
RESPIRATORY SYSTEM (160-165)	421	87.6
COLORECTAL (153, 154)	437	91.0
BREAST (174)	1,045	217.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	376	78.3
PNEUMONIA AND INFLUENZA (480-487)	774	161.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	232	48.3
DIABETES MELLITUS (250)	441	91.8
HIV INFECTION (042-044)	1,171	243.7
UNINTENTIONAL INJURIES (800-949)	4,757	990.1
MOTOR VEHICLE CRASHES (810-825)	3,246	675.6
SUICIDE (950-959)	95	19.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2,192	456.2

\* DEATHS PER 100,000 POPULATION.

## MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1995

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>22, 150</u>	<u>61</u>			
JANUARY	1, 096	35	JULY	2, 456	79
FEBRUARY	1, 558	54	AUGUST	1, 878	60
MARCH	1, 791	58	SEPTEMBER	1, 902	63
APRIL	1, 774	59	OCTOBER	1, 481	48
MAY	1, 997	64	NOVEMBER	1, 612	54
JUNE	2, 490	83	DECEMBER	2, 115	68

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE  
MISSISSIPPI, 1995**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>22, 150</b>	<b>15, 714</b>	<b>6, 436</b>	<b>22, 150</b>	<b>15, 660</b>	<b>6, 490</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>UNDER 20</b>	<b>3, 064</b>	<b>2, 685</b>	<b>379</b>	<b>1, 187</b>	<b>1, 066</b>	<b>121</b>	<b>13. 8</b>	<b>17. 1</b>	<b>5. 9</b>	<b>5. 4</b>	<b>6. 8</b>	<b>1. 9</b>
14	11	10	1	0	0	0	*	0. 1	*	-	-	-
15	134	129	5	1	1	0	0. 6	0. 8	0. 1	*	*	-
16	265	249	16	22	20	2	1. 2	1. 6	0. 2	0. 1	0. 1	*
17	532	497	35	134	131	3	2. 4	3. 2	0. 5	0. 6	0. 8	*
18	1, 026	922	104	392	351	41	4. 6	5. 9	1. 6	1. 8	2. 2	0. 6
19	1, 096	878	218	638	563	75	4. 9	5. 6	3. 4	2. 9	3. 6	1. 2
20- 24	6, 548	4, 759	1, 789	6, 099	4, 591	1, 508	29. 6	30. 3	27. 8	27. 5	29. 3	23. 2
25- 34	7, 025	4, 494	2, 531	8, 095	5, 381	2, 714	31. 7	28. 6	39. 3	36. 5	34. 4	41. 8
35- 44	3, 442	2, 231	1, 211	3, 867	2, 534	1, 333	15. 5	14. 2	18. 8	17. 4	16. 2	20. 5
45- 54	1, 353	980	373	1, 724	1, 217	507	6. 1	6. 2	5. 8	7. 8	7. 8	7. 8
55- 64	458	354	104	681	498	183	2. 1	2. 2	1. 6	3. 1	3. 2	2. 8
65- 74	205	167	38	350	258	92	0. 9	1. 1	0. 6	1. 6	1. 6	1. 4
75 & OVER	55	44	11	147	115	32	0. 2	0. 3	0. 2	0. 7	0. 7	0. 5

\* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM  
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE  
MISSISSIPPI, 1995**

<b>ALL AND FIRST MARRIAGES</b>	<b>BRIDE</b>			<b>GROOM</b>		
	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>
<b>ALL MARRIAGES</b>	<b>27.1</b>	<b>25.9</b>	<b>29.2</b>	<b>29.7</b>	<b>29.0</b>	<b>31.0</b>
<b>FIRST MARRIAGES</b>	<b>23.1</b>	<b>22.1</b>	<b>25.8</b>	<b>24.7</b>	<b>23.9</b>	<b>27.7</b>



**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY MARRIAGE ORDER AND RACE  
MISSISSIPPI, 1995**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>22, 150</b>	<b>15, 714</b>	<b>6, 436</b>	<b>22, 150</b>	<b>15, 660</b>	<b>6, 490</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>FIRST</b>	<b>13, 121</b>	<b>8, 601</b>	<b>4, 520</b>	<b>13, 077</b>	<b>8, 747</b>	<b>4, 330</b>	<b>59. 2</b>	<b>54. 7</b>	<b>70. 2</b>	<b>59. 0</b>	<b>55. 8</b>	<b>66. 7</b>
<b>REMARRIAGE</b>	<b>9, 020</b>	<b>7, 104</b>	<b>1, 916</b>	<b>9, 068</b>	<b>6, 908</b>	<b>2, 160</b>	<b>40. 7</b>	<b>45. 2</b>	<b>29. 8</b>	<b>40. 9</b>	<b>44. 1</b>	<b>33. 3</b>
<b>SECOND</b>	5, 999	4, 451	1, 548	6, 223	4, 540	1, 683	27. 1	28. 3	24. 0	28. 1	29. 0	25. 9
<b>OVER TWO</b>	<b>3, 019</b>	<b>2, 651</b>	<b>368</b>	<b>2, 843</b>	<b>2, 368</b>	<b>475</b>	<b>13. 6</b>	<b>16. 9</b>	<b>5. 7</b>	<b>12. 8</b>	<b>15. 1</b>	<b>7. 3</b>
<b>THIRD</b>	2, 140	1, 830	310	2, 076	1, 686	390	9. 7	11. 6	4. 8	9. 4	10. 8	6. 0
<b>FOURTH</b>	656	608	48	573	499	74	3. 0	3. 9	0. 7	2. 6	3. 2	1. 1
<b>FIFTH</b>	173	163	10	141	135	6	0. 8	1. 0	0. 2	0. 6	0. 9	0. 1
<b>SIXTH</b>	37	37	0	37	34	3	0. 2	0. 2	-	0. 2	0. 2	#
<b>SEVENTH</b>	7	7	0	13	11	2	#	#	-	#	0. 1	#
<b>EIGHTH</b>	5	5	0	1	1	0	#	#	-	#	#	-
<b>NINTH</b>	0	0	0	2	2	0	-	-	-	#	#	-
<b>TENTH</b>	1	1	0	0	0	0	#	#	-	-	-	-
<b>UNKNOWN*</b>	2	2	0	2	0	2	#	#	-	#	-	#
<b>UNKNOWN**</b>	9	9	0	5	5	0	#	#	-	#	#	-

\* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

\*\* UNKNOWN WHETHER PREVIOUSLY MARRIED.

# LESS THAN 0. 06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY PREVIOUS MARITAL STATUS AND RACE  
MISSISSIPPI, 1995**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>22, 150</u>	<u>15, 714</u>	<u>6, 436</u>	<u>22, 150</u>	<u>15, 660</u>	<u>6, 490</u>
NOT PREVIOUSLY MARRIED	13, 121	8, 601	4, 520	13, 077	8, 747	4, 330
<u>REMARRIAGES</u>	<u>9, 020</u>	<u>7, 104</u>	<u>1, 916</u>	<u>9, 068</u>	<u>6, 908</u>	<u>2, 160</u>
WIDOWED	865	633	232	746	533	213
DIVORCED*	8, 147	6, 465	1, 682	8, 320	6, 374	1, 946
UNKNOWN**	8	6	2	2	1	1
UNKNOWN#	9	9	0	5	5	0
PERCENT						
<u>TOTAL</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NOT PREVIOUSLY MARRIED	59. 2	54. 7	70. 2	59. 0	55. 8	66. 7
<u>REMARRIAGES</u>	<u>40. 7</u>	<u>45. 2</u>	<u>29. 8</u>	<u>40. 9</u>	<u>44. 1</u>	<u>33. 3</u>
WIDOWED	3. 9	4. 0	3. 6	3. 4	3. 4	3. 3
DIVORCED*	36. 8	41. 1	26. 1	37. 6	40. 7	30. 0
UNKNOWN**	##	##	##	##	##	##
UNKNOWN#	##	##	-	##	##	-

\* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

\*\* UNKNOWN WHETHER WIDOWED OR DIVORCED.

# UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

## LESS THAN 0. 06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,  
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE  
MISSISSIPPI, 1995**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER
<b>NUMBER</b>									
<u>TOTAL</u>	<u>22,150</u>	<u>20,856</u>	<u>1,294</u>	<u>15,714</u>	<u>14,735</u>	<u>979</u>	<u>6,436</u>	<u>6,121</u>	<u>315</u>
MISSISSIPPI	20,279	19,989	290	14,289	14,070	219	5,990	5,919	71
OTHER	1,871	867	1,004	1,425	665	760	446	202	244
<b>PERCENT</b>									
<u>TOTAL</u>	<u>100.0</u>	<u>94.2</u>	<u>5.8</u>	<u>100.0</u>	<u>93.8</u>	<u>6.2</u>	<u>100.0</u>	<u>95.1</u>	<u>4.9</u>
MISSISSIPPI	91.6	90.2	1.3	90.9	89.5	1.4	93.1	92.0	1.1
OTHER	8.4	3.9	4.5	9.1	4.2	4.8	6.9	3.1	3.8

## DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE\*  
MISSISSIPPI, 1995**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL</b>	<b>13, 182</b>	<b>10, 073</b>	<b>2, 850</b>	<b>259</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
IRRECONCILABLE DIFFERENCES	10, 922	8, 705	2, 011	206	82. 8	86. 4	70. 6	79. 5
CRUEL AND INHUMAN TREATMENT	1, 346	864	461	21	10. 2	8. 6	16. 2	8. 1
DESERTION	452	214	232	6	3. 4	2. 1	8. 1	2. 3
ADULTERY	296	195	90	11	2. 2	1. 9	3. 2	4. 2
DRUNKENNESS	80	43	33	4	0. 6	0. 4	1. 2	1. 5
PENITENTIARY	44	21	20	3	0. 3	0. 2	0. 7	1. 2
ANNULMENT	28	22	1	5	0. 2	0. 2	**	1. 9
BI GAMY	3	3	0	0	**	**	-	-
MISCELLANEOUS AND OTHER	5	4	0	1	**	**	-	0. 4
UNKNOWN	6	2	2	2	**	**	0. 1	0. 8

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF MINOR CHILDREN AND RACE\*  
MISSISSIPPI, 1995**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>13, 182</b>	<b>10, 073</b>	<b>2, 850</b>	<b>259</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
NONE	6, 509	5, 160	1, 213	136	49. 4	51. 2	42. 6	52. 5
ONE	3, 411	2, 566	780	65	25. 9	25. 5	27. 4	25. 1
TWO	2, 384	1, 781	557	46	18. 1	17. 7	19. 5	17. 8
THREE OR MORE	869	565	295	9	6. 6	5. 6	10. 4	3. 5
UNKNOWN	9	1	5	3	0. 1	**	0. 2	1. 2

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF YEARS MARRIED AND RACE\*  
MISSISSIPPI, 1995**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>13, 182</b>	<b>10, 073</b>	<b>2, 850</b>	<b>259</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>UNDER FIVE</b>	<b>5, 347</b>	<b>4, 400</b>	<b>817</b>	<b>130</b>	<b>40. 6</b>	<b>43. 7</b>	<b>28. 7</b>	<b>50. 2</b>
<b>UNDER ONE</b>	<b>680</b>	<b>601</b>	<b>60</b>	<b>19</b>	<b>5. 2</b>	<b>6. 0</b>	<b>2. 1</b>	<b>7. 3</b>
<b>ONE</b>	<b>1, 275</b>	<b>1, 106</b>	<b>142</b>	<b>27</b>	<b>9. 7</b>	<b>11. 0</b>	<b>5. 0</b>	<b>10. 4</b>
<b>TWO</b>	<b>1, 197</b>	<b>974</b>	<b>188</b>	<b>35</b>	<b>9. 1</b>	<b>9. 7</b>	<b>6. 6</b>	<b>13. 5</b>
<b>THREE</b>	<b>1, 160</b>	<b>929</b>	<b>204</b>	<b>27</b>	<b>8. 8</b>	<b>9. 2</b>	<b>7. 2</b>	<b>10. 4</b>
<b>FOUR</b>	<b>1, 035</b>	<b>790</b>	<b>223</b>	<b>22</b>	<b>7. 8</b>	<b>7. 8</b>	<b>7. 8</b>	<b>8. 5</b>
<b>FIVE- NINE</b>	<b>3, 412</b>	<b>2, 515</b>	<b>845</b>	<b>52</b>	<b>25. 9</b>	<b>25. 0</b>	<b>29. 6</b>	<b>20. 1</b>
<b>TEN- NINETEEN</b>	<b>2, 919</b>	<b>2, 113</b>	<b>771</b>	<b>35</b>	<b>22. 1</b>	<b>21. 0</b>	<b>27. 0</b>	<b>13. 5</b>
<b>TWENTY AND OVER</b>	<b>1, 415</b>	<b>989</b>	<b>393</b>	<b>33</b>	<b>10. 7</b>	<b>9. 8</b>	<b>13. 8</b>	<b>12. 7</b>
<b>UNKNOWN</b>	<b>89</b>	<b>56</b>	<b>24</b>	<b>9</b>	<b>0. 7</b>	<b>0. 6</b>	<b>0. 8</b>	<b>3. 5</b>

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

## INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 1995**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>3, 563</b>	<b>1, 288</b>	<b>2, 274</b>	<b>1</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>86. 2</b>	<b>59. 7</b>	<b>115. 1</b>
<b>UNDER 15</b>	<b>62</b>	<b>17</b>	<b>45</b>	<b>0</b>	<b>1. 7</b>	<b>1. 3</b>	<b>2. 0</b>	<b>184. 0</b>	<b>346. 9</b>	<b>156. 2</b>
<b>15- 19</b>	<b>756</b>	<b>307</b>	<b>449</b>	<b>0</b>	<b>21. 2</b>	<b>23. 8</b>	<b>19. 7</b>	<b>85. 4</b>	<b>94. 6</b>	<b>80. 1</b>
<b>20- 24</b>	<b>1, 285</b>	<b>401</b>	<b>884</b>	<b>0</b>	<b>36. 1</b>	<b>31. 1</b>	<b>38. 9</b>	<b>95. 7</b>	<b>60. 3</b>	<b>130. 4</b>
<b>25- 29</b>	<b>757</b>	<b>266</b>	<b>491</b>	<b>0</b>	<b>21. 2</b>	<b>20. 6</b>	<b>21. 6</b>	<b>77. 8</b>	<b>43. 9</b>	<b>134. 0</b>
<b>30- 34</b>	<b>409</b>	<b>158</b>	<b>251</b>	<b>0</b>	<b>11. 5</b>	<b>12. 3</b>	<b>11. 0</b>	<b>65. 5</b>	<b>39. 6</b>	<b>111. 6</b>
<b>35- 39</b>	<b>225</b>	<b>104</b>	<b>120</b>	<b>1</b>	<b>6. 3</b>	<b>8. 1</b>	<b>5. 3</b>	<b>96. 2</b>	<b>76. 3</b>	<b>123. 1</b>
<b>40- 44</b>	<b>64</b>	<b>33</b>	<b>31</b>	<b>0</b>	<b>1. 8</b>	<b>2. 6</b>	<b>1. 4</b>	<b>162. 8</b>	<b>161. 8</b>	<b>164. 0</b>
<b>45- 49</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>**</b>	<b>0. 2</b>	<b>-</b>	<b>142. 8</b>	<b>400. 0</b>	<b>-</b>
<b>UNKNOWN</b>	<b>3</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0. 1</b>	<b>-</b>	<b>0. 1</b>			

\* INDUCED TERMINATIONS PER 1, 000 LIVE BIRTHS IN SPECIFIED GROUP.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1995**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>3, 563</b>	<b>1, 288</b>	<b>2, 274</b>	<b>1</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>MISSISSIPPI RESIDENT</b>	<b>3, 440</b>	<b>1, 220</b>	<b>2, 219</b>	<b>1</b>	<b>96. 5</b>	<b>94. 7</b>	<b>97. 6</b>
<b>NONRESIDENT</b>	<b>123</b>	<b>68</b>	<b>55</b>	<b>0</b>	<b>3. 4</b>	<b>5. 3</b>	<b>2. 4</b>
<b>BORDER STATE</b>	<b>118</b>	<b>67</b>	<b>51</b>	<b>0</b>	<b>3. 3</b>	<b>5. 2</b>	<b>2. 2</b>
<b>OTHER STATE</b>	<b>5</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>0. 1</b>	<b>0. 1</b>	<b>0. 2</b>
<b>MARITAL STATUS</b>							
<b>MARRIED</b>	<b>592</b>	<b>306</b>	<b>286</b>	<b>0</b>	<b>16. 6</b>	<b>23. 8</b>	<b>12. 6</b>
<b>NOT MARRIED</b>	<b>2, 967</b>	<b>982</b>	<b>1, 985</b>	<b>0</b>	<b>83. 3</b>	<b>76. 2</b>	<b>87. 3</b>
<b>UNKNOWN</b>	<b>4</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>0. 1</b>	<b>-</b>	<b>0. 1</b>
<b>EDUCATION (COMPLETED YEARS)</b>							
<b>0- 6 YEARS</b>	<b>14</b>	<b>1</b>	<b>13</b>	<b>0</b>	<b>0. 4</b>	<b>0. 1</b>	<b>0. 6</b>
<b>7- 9 YEARS</b>	<b>156</b>	<b>66</b>	<b>90</b>	<b>0</b>	<b>4. 4</b>	<b>5. 1</b>	<b>4. 0</b>
<b>10, 11 YEARS</b>	<b>340</b>	<b>149</b>	<b>191</b>	<b>0</b>	<b>9. 5</b>	<b>11. 6</b>	<b>8. 4</b>
<b>12 YEARS</b>	<b>1, 059</b>	<b>391</b>	<b>667</b>	<b>1</b>	<b>29. 7</b>	<b>30. 4</b>	<b>29. 3</b>
<b>1- 3 YEARS COLLEGE</b>	<b>1, 231</b>	<b>413</b>	<b>818</b>	<b>0</b>	<b>34. 6</b>	<b>32. 1</b>	<b>36. 0</b>
<b>4 OR MORE YEARS COLLEGE</b>	<b>659</b>	<b>233</b>	<b>426</b>	<b>0</b>	<b>18. 5</b>	<b>18. 1</b>	<b>18. 7</b>
<b>UNKNOWN</b>	<b>104</b>	<b>35</b>	<b>69</b>	<b>0</b>	<b>2. 9</b>	<b>2. 7</b>	<b>3. 0</b>
<b>NUMBER OF LIVING CHILDREN</b>							
<b>NONE</b>	<b>1, 579</b>	<b>694</b>	<b>885</b>	<b>0</b>	<b>44. 3</b>	<b>53. 9</b>	<b>38. 9</b>
<b>ONE</b>	<b>1, 052</b>	<b>323</b>	<b>728</b>	<b>1</b>	<b>29. 5</b>	<b>25. 1</b>	<b>32. 0</b>
<b>TWO</b>	<b>615</b>	<b>211</b>	<b>404</b>	<b>0</b>	<b>17. 3</b>	<b>16. 4</b>	<b>17. 8</b>
<b>THREE</b>	<b>222</b>	<b>49</b>	<b>173</b>	<b>0</b>	<b>6. 2</b>	<b>3. 8</b>	<b>7. 6</b>
<b>FOUR</b>	<b>60</b>	<b>9</b>	<b>51</b>	<b>0</b>	<b>1. 7</b>	<b>0. 7</b>	<b>2. 2</b>
<b>FIVE OR MORE</b>	<b>34</b>	<b>2</b>	<b>32</b>	<b>0</b>	<b>1. 0</b>	<b>0. 2</b>	<b>1. 4</b>
<b>UNKNOWN</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>*</b>	<b>-</b>	<b>*</b>
<b>NUMBER OF PREVIOUS INDUCED TERMINATIONS</b>							
<b>NONE</b>	<b>2, 545</b>	<b>946</b>	<b>1, 599</b>	<b>0</b>	<b>71. 4</b>	<b>73. 4</b>	<b>70. 3</b>
<b>ONE</b>	<b>787</b>	<b>252</b>	<b>534</b>	<b>1</b>	<b>22. 1</b>	<b>19. 6</b>	<b>23. 5</b>
<b>TWO</b>	<b>175</b>	<b>62</b>	<b>113</b>	<b>0</b>	<b>4. 9</b>	<b>4. 8</b>	<b>5. 0</b>
<b>THREE OR MORE</b>	<b>55</b>	<b>28</b>	<b>27</b>	<b>0</b>	<b>1. 5</b>	<b>2. 2</b>	<b>1. 2</b>
<b>UNKNOWN</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>*</b>	<b>-</b>	<b>*</b>

\* LESS THAN 0. 06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY MEDICAL CHARACTERISTICS AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1995**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>3, 563</u>	<u>1, 288</u>	<u>2, 274</u>	<u>1</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1, 344	512	832	0	37. 7	39. 8	36. 6
9, 10	1, 180	430	749	1	33. 1	33. 4	32. 9
11, 12	623	214	409	0	17. 5	16. 6	18. 0
13- 15	329	94	235	0	9. 2	7. 3	10. 3
16- 20	23	7	16	0	0. 6	0. 5	0. 7
21 OR MORE	16	10	6	0	0. 4	0. 8	0. 3
UNKNOWN	48	21	27	0	1. 3	1. 6	1. 2
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2, 661	968	1, 693	0	74. 7	75. 2	74. 4
SHARP CURRETTAGE	1	0	1	0	*	-	*
INTRA- UTERINE SALINE INSTILLATION	847	297	549	1	23. 8	23. 0	24. 1
HYSTEROTOMY	30	14	16	0	0. 8	1. 1	0. 7
OTHER	4	0	4	0	0. 1	-	0. 2
UNKNOWN	20	9	11	0	0. 6	0. 7	0. 5
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	3, 555	1, 285	2, 269	1	99. 8	99. 8	99. 8
SOME COMPLICATIONS	6	2	4	0	0. 2	0. 2	0. 2
HEMORRHAGE	2#	1#	1#	0	*	0. 1	*
UTERINE PERFORATION	1#	0	1#	0	*	-	*
CERVICAL LACERATION	2#	1#	1	0	*	0. 1	*
RETAINED PRODUCTS	1	1	0	0	*	0. 1	-
OTHER	2	0	2	0	*	-	0. 1
UNKNOWN	2	1	1	0	*	0. 1	*

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0. 06 PERCENT.

# ONE PATIENT HAD BOTH HEMORRHAGE AND UTERINE PERFORATION; ONE PATIENT HAD BOTH HEMORRHAGE AND CERVICAL LACERATION.



MAJOR TABLES

1995

**TABLE i**  
**1995 PROJECTED POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION**  
**MISSISSIPPI**

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>STATE TOTAL</b>	<b>2, 693, 053</b>	<b>1, 692, 681</b>	<b>1, 000, 372</b>	<b>4. 6</b>	<b>3. 6</b>	<b>6. 4</b>
ADAMS	35, 979	17, 982	17, 997	1. 8	-0. 3	3. 9
ALCORN	31, 897	28, 096	3, 801	0. 6	*	4. 5
AMITE	13, 854	7, 469	6, 385	3. 9	2. 7	5. 4
ATTALA	18, 204	10, 599	7, 605	-1. 5	-4. 6	3. 2
BENTON	7, 841	4, 565	3, 276	-2. 5	-6. 2	3. 1
BOLIVAR	41, 469	13, 857	27, 612	-1. 0	-9. 2	3. 7
CALHOUN	14, 630	10, 424	4, 206	-1. 9	-3. 7	3. 1
CARROLL	9, 844	5, 901	3, 943	6. 6	6. 1	7. 2
CHICKASAW	17, 648	10, 443	7, 205	-2. 4	-5. 6	2. 6
CHOCTAW	8, 934	6, 115	2, 819	-1. 5	-3. 2	2. 4
CLAIBORNE	11, 324	1, 862	9, 462	-0. 4	-6. 6	0. 9
CLARKE	17, 241	11, 066	6, 175	-0. 4	-2. 2	2. 9
CLAY	21, 703	9, 669	12, 034	2. 8	-1. 2	6. 2
COAHOMA	32, 627	10, 891	21, 736	3. 0	-1. 0	5. 2
COPIAH	28, 027	13, 256	14, 771	1. 6	-2. 5	5. 6
COVINGTON	16, 010	10, 076	5, 934	-3. 1	-5. 8	1. 8
DESOTO	88, 563	75, 074	13, 489	30. 4	27. 5	49. 0
FORREST	72, 427	49, 061	23, 366	6. 0	5. 1	8. 0
FRANKLIN	7, 952	4, 846	3, 106	-5. 1	-8. 4	0. 6
GEORGE	17, 884	15, 969	1, 915	7. 3	6. 3	16. 2
GREENE	11, 201	8, 717	2, 484	9. 6	9. 0	11. 8
GRENADA	21, 942	12, 493	9, 449	1. 8	-0. 6	5. 1
HANCOCK	36, 182	32, 040	4, 142	13. 9	11. 9	32. 1
HARRISON	170, 862	131, 020	39, 842	3. 3	2. 6	5. 6
HINDS	253, 096	115, 854	137, 242	-0. 5	-5. 9	4. 6
HOLMES	20, 771	4, 654	16, 117	-3. 9	-10. 1	-1. 9
HUMPHREYS	11, 453	3, 475	7, 978	-5. 6	-9. 9	-3. 6
ISSAQUENA	1, 805	771	1, 034	-5. 4	-7. 4	-3. 9
ITAWAMBA	19, 797	18, 415	1, 382	-1. 1	-1. 0	-2. 7
JACKSON	133, 134	103, 144	29, 990	15. 5	14. 4	19. 3
JASPER	17, 235	8, 167	9, 068	0. 7	-2. 9	4. 2
JEFFERSON	8, 295	1, 049	7, 246	-4. 1	-11. 5	-3. 0
JEFF DAVIS	13, 527	5, 667	7, 860	-3. 7	-10. 5	1. 8
JONES	62, 251	45, 773	16, 478	0. 4	-0. 9	4. 0
KEMPER	10, 554	4, 284	6, 270	1. 9	-2. 8	5. 4
LAFAYETTE	34, 388	24, 927	9, 461	8. 0	7. 7	9. 1
LAMAR	31, 458	27, 373	4, 085	3. 4	2. 9	6. 8
LAUDERDALE	76, 475	48, 338	28, 137	1. 2	-0. 8	4. 8
LAWRENCE	12, 143	7, 936	4, 207	-2. 5	-4. 4	1. 2
LEAKE	18, 578	10, 907	7, 671	0. 8	-1. 6	4. 4
LEE	73, 739	57, 121	16, 618	12. 4	11. 4	16. 0
LEFLORE	36, 970	13, 470	23, 500	-1. 0	-7. 2	3. 0

TABLE i - PAGE 2  
 1995 PROJECTED POPULATION - MISSISSIPPI

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	31,911	22,041	9,870	5.4	4.2	8.3
LOWNDES	61,480	37,591	23,889	3.7	2.3	5.8
MADISON	68,174	39,897	28,277	26.7	33.9	17.8
MARION	24,938	17,023	7,915	-2.4	-4.0	1.3
MARSHALL	32,413	15,813	16,600	6.8	6.5	7.0
MONROE	36,514	24,937	11,577	-0.2	-1.8	3.5
MONTGOMERY	11,882	6,316	5,566	-4.1	-8.7	1.7
NESHOBA	26,934	18,182	8,752	8.6	7.3	11.4
NEWTON	21,630	14,434	7,196	6.6	5.4	9.1
NOXUBEE	12,134	3,240	8,894	-3.7	-18.2	2.9
OKTIBBEHA	38,994	24,015	14,979	1.6	-0.2	4.7
PANOLA	33,738	17,547	16,191	12.5	14.1	10.7
PEARL RIVER	41,866	35,198	6,668	8.1	7.0	14.4
PERRY	11,321	8,615	2,706	4.2	3.4	6.9
PIKE	37,321	19,565	17,756	1.2	-1.8	4.7
PONTOTOC	25,020	20,971	4,049	12.5	10.8	22.0
PRENTISS	23,561	20,593	2,968	1.2	0.6	6.0
QUITMAN	9,470	3,265	6,205	-9.7	-23.2	-0.6
RANKIN	103,176	84,469	18,707	18.4	17.3	23.6
SCOTT	24,275	14,612	9,663	0.6	-1.5	3.8
SHARKEY	6,875	1,967	4,908	-2.7	-15.9	3.8
SIMPSON	23,936	15,824	8,112	-0.1	-1.9	3.6
SMITH	14,813	11,379	3,434	0.1	-1.2	4.6
STONE	12,318	9,479	2,839	14.6	13.4	18.9
SUNFLOWER	35,345	11,437	23,908	7.5	-1.4	12.4
TALLAHATCHIE	14,087	5,041	9,046	-7.4	-19.4	1.0
TATE	22,352	14,342	8,010	4.3	2.8	7.0
TIPPAH	19,615	16,202	3,413	0.5	-0.3	4.3
TISHOMINGO	17,666	16,964	702	-0.1	-0.3	4.3
TUNICA	9,063	2,373	6,690	11.0	19.1	8.4
UNION	23,429	19,750	3,679	6.1	5.0	12.1
WALTHALL	14,094	7,807	6,287	-1.8	-5.4	3.1
WARREN	48,988	29,116	19,872	2.3	0.8	4.6
WASHINGTON	70,411	28,501	41,910	3.6	0.6	5.8
WAYNE	19,368	12,109	7,259	-0.8	-3.2	3.5
WEBSTER	10,434	7,997	2,437	2.1	0.6	7.4
WILKINSON	9,041	2,480	6,561	-6.6	-20.6	0.1
WINSTON	19,595	10,877	8,718	0.8	-2.5	5.3
YALOBUSHA	12,049	7,275	4,774	0.1	-2.7	4.8
YAZOO	25,134	11,240	13,894	-1.5	-6.0	2.6

\* LESS THAN 0.06 PERCENT CHANGE.

**TABLE 1A**  
**LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1995**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>40,720</u>	<u>20,724</u>	<u>19,996</u>	<u>41,332</u>	<u>21,571</u>	<u>19,761</u>	<u>15.3</u>	<u>12.7</u>	<u>19.8</u>
ADAMS	1,016	385	631	510	183	327	14.2	10.2	18.2
ALCORN	444	361	83	379	301	78	11.9	10.7	20.5
AMITE	0	0	0	157	76	81	11.3	10.2	12.7
ATTALA	213	128	85	262	128	134	14.4	12.1	17.6
BENTON	0	0	0	117	52	65	14.9	11.4	19.8
BOLIVAR	664	99	565	681	150	531	16.4	10.8	19.2
CALHOUN	1	1	0	193	117	76	13.2	11.2	18.1
CARROLL	0	0	0	99	45	54	10.0	7.6	13.7
CHICKASAW	2	1	1	305	151	154	17.3	14.4	21.4
CHOCTAW	1	0	1	125	74	51	14.0	12.1	18.1
CLAIBORNE	37	1	36	170	15	155	15.0	8.0	16.4
CLARKE	0	0	0	232	122	110	13.4	11.0	17.8
CLAY	352	121	231	341	124	217	15.7	12.8	18.0
COAHOMA	1,246	268	978	599	111	488	18.4	10.2	22.4
COPIAH	269	88	181	423	180	243	15.1	13.6	16.4
COVINGTON	211	83	128	295	155	140	18.4	15.4	23.6
DESOTO	887	514	373	1,229	1,042	187	13.9	13.9	13.9
FORREST	3,079	2,062	1,017	1,044	568	476	14.4	11.6	20.4
FRANKLIN	0	0	0	96	50	46	12.1	10.3	14.8
GEORGE	7	7	0	295	265	30	16.5	16.6	15.7
GREENE	0	0	0	169	128	41	15.1	14.7	16.5
GRENADA	748	366	382	318	152	166	14.5	12.2	17.6
HANCOCK	231	199	32	498	447	51	13.8	14.0	12.3
HARRISON	3,441	2,461	980	2,896	2,020	876	16.9	15.4	22.0
HINDS	6,282	1,795	4,487	4,118	1,195	2,923	16.3	10.3	21.3
HOLMES	143	9	134	372	52	320	17.9	11.2	19.8
HUMPHREYS	9	2	7	189	43	146	16.5	12.4	18.3
ISSAQUENA	0	0	0	31	8	23	17.2	10.4	22.2
ITAWAMBA	0	0	0	273	243	30	13.8	13.2	21.7
JACKSON	1,335	895	440	1,764	1,232	532	13.2	11.9	17.7
JASPER	0	0	0	274	92	182	15.9	11.3	20.1
JEFFERSON	0	0	0	149	7	142	18.0	6.7	19.6
JEFF DAVIS	1	0	1	227	64	163	16.8	11.3	20.7
JONES	1,028	474	554	839	537	302	13.5	11.7	18.3
KEMPER	1	1	0	138	29	109	13.1	6.8	17.4
LAFAYETTE	664	390	274	407	236	171	11.8	9.5	18.1
LAMAR	97	73	24	447	384	63	14.2	14.0	15.4
LAUDERDALE	2,289	1,237	1,052	1,145	567	578	15.0	11.7	20.5
LAWRENCE	0	0	0	193	100	93	15.9	12.6	22.1
LEAKE	2	0	2	296	145	151	15.9	13.3	19.7
LEE	2,265	1,699	566	1,174	759	415	15.9	13.3	25.0
LEFLORE	767	143	624	694	159	535	18.8	11.8	22.8

TABLE 1A - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1995

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	612	389	223	437	274	163	13.7	12.4	16.5
LOWNDES	1,108	513	595	999	498	501	16.2	13.2	21.0
MADISON	346	8	338	1,193	630	563	17.5	15.8	19.9
MARION	8	4	4	386	215	171	15.5	12.6	21.6
MARSHALL	3	3	0	551	245	306	17.0	15.5	18.4
MONROE	881	572	309	563	340	223	15.4	13.6	19.3
MONTGOMERY	42	5	37	157	68	89	13.2	10.8	16.0
NESHOBA	13	8	5	440	231	209	16.3	12.7	23.9
NEWTON	8	3	5	320	164	156	14.8	11.4	21.7
NOXUBEE	0	0	0	213	49	164	17.6	15.1	18.4
OKTIBBEHA	1,071	517	554	488	235	253	12.5	9.8	16.9
PANOLA	2	0	2	551	226	325	16.3	12.9	20.1
PEARL RIVER	338	266	72	606	514	92	14.5	14.6	13.8
PERRY	0	0	0	175	125	50	15.4	14.5	18.5
PIKE	889	354	535	597	225	372	16.0	11.5	21.0
PONTOTOC	0	0	0	365	302	63	14.6	14.4	15.6
PRENTISS	0	0	0	298	260	38	12.6	12.6	12.8
QUITMAN	0	0	0	189	43	146	20.0	13.2	23.5
RANKIN	2,790	2,306	484	1,465	1,175	290	14.2	13.9	15.5
SCOTT	7	1	6	451	242	209	18.6	16.6	21.6
SHARKEY	1	0	1	128	17	111	18.6	8.6	22.6
SIMPSON	3	1	2	364	216	148	15.2	13.6	18.2
SMITH	2	2	0	215	146	69	14.5	12.8	20.1
STONE	1	0	1	178	132	46	14.4	13.9	16.2
SUNFLOWER	447	131	316	548	113	435	15.5	9.9	18.2
TALLAHATCHIE	1	0	1	241	75	166	17.1	14.9	18.4
TATE	151	29	122	357	208	149	16.0	14.5	18.6
TIPPAH	3	2	1	273	206	67	13.9	12.7	19.6
TISHOMINGO	0	0	0	216	209	7	12.2	12.3	10.0
TUNICA	1	0	1	163	22	141	18.0	9.3	21.1
UNION	1,060	708	352	325	242	83	13.9	12.2	22.6
WALTHALL	2	2	0	229	98	131	16.2	12.6	20.8
WARREN	1,490	552	938	836	382	454	17.1	13.1	22.8
WASHINGTON	1,245	311	934	1,226	312	914	17.4	10.9	21.8
WAYNE	328	151	177	346	175	171	17.9	14.4	23.6
WEBSTER	0	0	0	134	94	40	12.8	11.8	16.4
WILKINSON	113	20	93	120	30	90	13.3	12.1	13.7
WINSTON	2	0	2	248	119	129	12.6	10.9	14.8
YALOBUSHA	0	0	0	150	82	68	12.4	11.3	14.2
YAZOO	20	3	17	428	124	304	17.0	11.0	21.9
OUT OF STATE	2,279	1,857	422	1,667	1,010	657			

\* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 1995

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	938	639	299
BRANDON	251	187	64
BROOKHAVEN	151	60	91
CANTON	312	33	279
CLARKSDALE	393	76	317
CLEVELAND	226	76	150
CLINTON	265	174	91
COLUMBUS	472	142	330
CORINTH	160	97	63
GAUTIER	216	142	74
GREENVILLE	822	185	637
GREENWOOD	453	99	354
GRENADA	165	51	114
GULFPORT	1,086	632	454
HATTIESBURG	686	259	427
INDIANOLA	233	46	187
JACKSON	3,265	750	2,515
LAUREL	371	141	230
LONG BEACH	191	165	26
MCCOMB	205	53	152
MERIDIAN	660	225	435
MOSS POINT	244	42	202
NATCHEZ	295	91	204
OCEAN SPRINGS	220	194	26
PASCAGOULA	471	301	170
PEARL	350	281	69
PI CAYUNE	158	99	59
RIDGELAND	286	226	60
SOUTHAVEN	274	255	19
STARKVILLE	279	138	141
TUPELO	536	300	236
VICKSBURG	539	168	371
YAZOO CITY	243	41	202

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B**  
**FERTILITY RATES\*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>65.8</u>	<u>58.3</u>	<u>76.5</u>				
ADAMS	62.8	49.6	73.8	LINCOLN	61.3	59.3	65.0
ALCORN	54.9	50.8	80.0	LOWNDES	67.0	58.9	77.5
AMITE	52.3	52.3	52.2	MADISON	67.9	61.8	76.3
ATTALA	68.9	64.8	73.3	MARION	70.8	61.4	87.9
BENTON	67.5	58.2	77.5	MARSHALL	71.4	73.8	69.5
BOLIVAR	66.9	48.3	75.0	MONROE	70.1	66.8	75.7
CALHOUN	63.1	58.4	72.0	MONTGOMERY	62.6	61.1	63.8
CARROLL	45.7	37.2	56.3	NESHOBA	72.2	59.4	95.0
CHICKASAW	77.8	71.3	85.5	NEWTON	66.1	54.1	86.2
CHOCTAW	64.0	58.7	73.5	NOXUBEE	77.2	93.2	73.4
CLAIBORNE	51.2	47.5	51.6	OKTIBBEHA	45.3	35.7	60.4
CLARKE	61.0	54.1	71.0	PANOLA	70.3	61.0	78.6
CLAY	66.7	62.2	69.5	PEARL RIVER	64.2	66.7	53.0
COAHOMA	78.9	52.2	89.2	PERRY	67.2	65.2	72.9
COPIAH	66.0	67.9	64.7	PIKE	69.8	56.0	81.9
COVINGTON	84.0	76.2	94.8	PONTOTOC	64.3	65.8	58.0
DESOTO	57.5	58.4	53.1	PRENTISS	56.8	58.1	49.4
FORREST	56.4	47.2	73.4	QUITMAN	92.5	83.8	95.4
FRANKLIN	57.9	55.5	60.8	RANKIN	59.2	58.9	60.5
GEORGE	72.9	73.8	65.5	SCOTT	84.4	82.7	86.4
GREENE	68.5	67.3	72.3	SHARKEY	77.2	44.5	87.0
GRENADA	63.3	57.9	69.3	SIMPSON	69.2	65.6	75.0
HANCOCK	63.3	65.8	47.6	SMITH	68.0	62.6	82.9
HARRISON	73.9	69.7	85.9	STONE	61.0	60.9	61.2
HINDS	66.6	48.3	78.8	SUNFLOWER	75.0	56.4	82.1
HOLMES	78.8	62.4	82.3	TALLAHATCHIE	79.2	91.0	74.8
HUMPHREYS	72.9	65.5	75.4	TATE	67.1	64.7	70.7
ISSAQUENA	80.5	53.7	97.4	TIPPAH	63.8	60.1	78.7
ITAWAMBA	66.0	63.3	100.0	TISHOMINGO	58.6	59.7	38.2
JACKSON	56.3	52.9	66.3	TUNICA	73.8	45.1	82.0
JASPER	71.0	58.1	80.0	UNION	62.8	56.9	89.4
JEFFERSON	77.5	42.7	80.7	WALTHALL	75.4	65.5	85.0
JEFF DAVIS	75.9	60.7	84.2	WARREN	73.5	60.9	89.1
JONES	60.9	55.8	72.7	WASHINGTON	73.5	51.9	85.7
KEMPER	58.1	36.6	68.9	WAYNE	78.1	67.6	92.8
LAFAYETTE	42.4	33.9	64.6	WEBSTER	59.9	57.8	65.5
LAMAR	59.0	59.7	55.4	WILKINSON	62.0	74.1	58.8
LAUDERDALE	65.7	55.2	80.6	WINSTON	57.8	56.6	58.9
LAWRENCE	71.5	61.4	86.8	YALOBUSHA	59.0	61.2	56.6
LEAKE	74.5	68.3	81.6	YAZOO	77.1	57.0	90.0
LEE	68.0	58.7	95.5				
LEFLORE	81.2	61.3	89.8				

\* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

**TABLE 2**  
**LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,**  
**ALSO BY COUNTY OF RESIDENCE AND SEX,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<b>STATE</b>	<b>41,332</b>	<b>21,571</b>	<b>21,513</b>	<b>2</b>	<b>56</b>	<b>19,761</b>	<b>19,689</b>	<b>11</b>	<b>61</b>	<b>20,938</b>	<b>20,394</b>
ADAMS	510	183	183	0	0	327	327	0	0	262	248
ALCORN	379	301	300	0	1	78	78	0	0	204	175
AMITE	157	76	76	0	0	81	81	0	0	79	78
ATTALA	262	128	127	0	1	134	133	1	0	137	125
BENTON	117	52	52	0	0	65	65	0	0	52	65
BOLIVAR	681	150	150	0	0	531	531	0	0	363	318
CALHOUN	193	117	117	0	0	76	75	0	1	91	102
CARROLL	99	45	45	0	0	54	54	0	0	47	52
CHICKASAW	305	151	150	0	1	154	154	0	0	159	146
CHOCTAW	125	74	74	0	0	51	51	0	0	55	70
CLAIBORNE	170	15	15	0	0	155	153	1	1	90	80
CLARKE	232	122	122	0	0	110	110	0	0	117	115
CLAY	341	124	124	0	0	217	216	1	0	168	173
COAHOMA	599	111	111	0	0	488	487	0	1	301	298
COPIAH	423	180	180	0	0	243	242	0	1	206	217
COVINGTON	295	155	155	0	0	140	140	0	0	154	141
DESOTO	1,229	1,042	1,036	0	6	187	186	0	1	629	600
FORREST	1,044	568	566	0	2	476	475	0	1	521	523
FRANKLIN	96	50	50	0	0	46	46	0	0	50	46
GEORGE	295	265	263	0	2	30	30	0	0	147	148
GREENE	169	128	128	0	0	41	41	0	0	74	95
GRENADA	318	152	152	0	0	166	165	0	1	170	148
HANCOCK	498	447	445	0	2	51	50	0	1	260	238
HARRISON	2,896	2,020	2,017	0	3	876	872	0	4	1,457	1,439



TABLE 2 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1995

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,118	1,195	1,193	0	2	2,923	2,914	0	9	2,051	2,067
HOLMES	372	52	51	1	0	320	317	0	3	165	207
HUMPHREYS	189	43	43	0	0	146	145	0	1	88	101
ISSAQUENA	31	8	8	0	0	23	23	0	0	17	14
ITAWAMBA	273	243	243	0	0	30	30	0	0	132	141
JACKSON	1,764	1,232	1,228	0	4	532	532	0	0	899	865
JASPER	274	92	92	0	0	182	182	0	0	149	125
JEFFERSON	149	7	7	0	0	142	142	0	0	86	63
JEFF DAVIS	227	64	64	0	0	163	162	0	1	116	111
JONES	839	537	533	0	4	302	302	0	0	430	409
KEMPER	138	29	28	0	1	109	108	0	1	73	65
LAFAYETTE	407	236	236	0	0	171	171	0	0	218	189
LAMAR	447	384	383	0	1	63	62	0	1	203	244
LAUDERDALE	1,145	567	567	0	0	578	577	0	1	589	556
LAWRENCE	193	100	100	0	0	93	93	0	0	89	104
LEAKE	296	145	145	0	0	151	151	0	0	160	136
LEE	1,174	759	758	0	1	415	413	2	0	603	571
LEFLORE	694	159	159	0	0	535	532	3	0	353	341
LINCOLN	437	274	274	0	0	163	163	0	0	240	197
LOWNDES	999	498	497	0	1	501	499	0	2	533	466
MADISON	1,193	630	629	0	1	563	561	1	1	599	594
MARION	386	215	213	0	2	171	171	0	0	202	184
MARSHALL	551	245	243	0	2	306	306	0	0	257	294
MONROE	563	340	340	0	0	223	223	0	0	286	277
MONTGOMERY	157	68	68	0	0	89	88	0	1	88	69
NESHOBA	440	231	230	0	1	209	208	0	1	206	234
NEWTON	320	164	163	0	1	156	155	0	1	159	161
NOXUBEE	213	49	49	0	0	164	164	0	0	107	106
OKTIBBEHA	488	235	234	0	1	253	253	0	0	237	251
PANOLA	551	226	226	0	0	325	323	0	2	282	269

TABLE 2 - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 1995

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	606	514	514	0	0	92	91	0	1	337	269
PERRY	175	125	125	0	0	50	49	0	1	83	92
PIKE	597	225	224	0	1	372	369	0	3	306	291
PONTOTOC	365	302	302	0	0	63	63	0	0	180	185
PRENTISS	298	260	260	0	0	38	38	0	0	160	138
QUITMAN	189	43	43	0	0	146	146	0	0	93	96
RANKIN	1,465	1,175	1,171	0	4	290	289	0	1	733	732
SCOTT	451	242	242	0	0	209	207	0	2	242	209
SHARKEY	128	17	17	0	0	111	109	0	2	53	75
SIMPSON	364	216	215	0	1	148	148	0	0	176	188
SMITH	215	146	144	0	2	69	69	0	0	126	89
STONE	178	132	132	0	0	46	44	0	2	79	99
SUNFLOWER	548	113	113	0	0	435	434	1	0	278	270
TALLAHATCHIE	241	75	75	0	0	166	165	1	0	104	137
TATE	357	208	207	0	1	149	149	0	0	185	172
TIPPAH	273	206	204	1	1	67	67	0	0	135	138
TISHOMINGO	216	209	209	0	0	7	7	0	0	111	105
TUNICA	163	22	22	0	0	141	140	0	1	83	80
UNION	325	242	242	0	0	83	82	0	1	171	154
WALTHALL	229	98	95	0	3	131	131	0	0	115	114
WARREN	836	382	381	0	1	454	451	0	3	422	414
WASHINGTON	1,226	312	312	0	0	914	910	0	4	649	577
WAYNE	346	175	175	0	0	171	171	0	0	170	176
WEBSTER	134	94	94	0	0	40	40	0	0	64	70
WILKINSON	120	30	30	0	0	90	90	0	0	62	58
WINSTON	248	119	119	0	0	129	128	0	1	133	115
YALOBUSHA	150	82	82	0	0	68	68	0	0	74	76
YAZOO	428	124	122	0	2	304	302	0	2	204	224

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A**  
**TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>41, 332</b>	<b>337</b>	<b>8, 848</b>	<b>13, 430</b>	<b>9, 723</b>	<b>6, 241</b>	<b>2, 338</b>	<b>393</b>	<b>14</b>	<b>8</b>
ADAMS	510	3	112	174	110	73	36	2	0	0
ALCORN	379	3	79	126	104	43	17	7	0	0
AMITE	157	2	29	52	36	21	15	2	0	0
ATTALA	262	2	62	88	54	38	15	3	0	0
BENTON	117	0	33	36	24	17	4	2	1	0
BOLIVAR	681	17	202	219	144	66	29	4	0	0
CALHOUN	193	6	43	65	46	19	11	3	0	0
CARROLL	99	1	20	46	19	13	0	0	0	0
CHICKASAW	305	5	70	94	93	29	13	1	0	0
CHOCTAW	125	2	26	49	21	21	5	1	0	0
CLAIBORNE	170	3	48	56	29	16	16	2	0	0
CLARKE	232	1	45	80	58	33	11	3	1	0
CLAY	341	1	82	119	71	45	17	6	0	0
COAHOMA	599	10	191	216	113	51	16	2	0	0
COPIAH	423	2	103	151	95	42	26	4	0	0
COVINGTON	295	1	75	99	70	41	6	3	0	0
DESOTO	1, 229	1	179	343	350	270	74	10	0	2
FORREST	1, 044	6	224	338	252	164	53	6	1	0
FRANKLIN	96	0	17	37	24	14	4	0	0	0
GEORGE	295	2	76	96	68	34	14	5	0	0
GREENE	169	1	43	74	29	16	6	0	0	0
GRENADA	318	5	71	101	79	43	18	1	0	0
HANCOCK	498	0	94	163	129	71	36	5	0	0
HARRISON	2, 896	18	571	934	685	481	183	21	2	1
HINDS	4, 118	35	772	1, 222	1, 007	745	291	44	2	0
HOLMES	372	7	115	113	67	48	18	4	0	0
HUMPHREYS	189	4	39	64	49	25	6	2	0	0
ISSAQUENA	31	0	7	11	6	6	1	0	0	0
ITAWAMBA	273	1	57	104	64	34	12	1	0	0
JACKSON	1, 764	9	350	573	430	273	112	15	1	1
JASPER	274	1	58	88	74	31	18	4	0	0
JEFFERSON	149	1	33	39	37	24	13	2	0	0
JEFF DAVIS	227	1	59	91	41	24	11	0	0	0
JONES	839	9	183	307	170	114	46	10	0	0
KEMPER	138	2	29	57	25	18	7	0	0	0
LAFAYETTE	407	2	65	130	95	81	29	5	0	0
LAMAR	447	2	56	134	136	86	23	10	0	0
LAUDERDALE	1, 145	8	196	382	287	199	64	9	0	0
LAWRENCE	193	0	43	59	56	24	8	3	0	0
LEAKE	296	3	58	108	73	37	14	1	2	0
LEE	1, 174	3	241	363	287	207	58	14	0	1
LEFLORE	694	11	210	242	132	62	30	6	1	0

TABLE 3A - PAGE 2  
TOTAL LIVE BIRTHS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	437	2	82	157	105	67	22	2	0	0
LOWNDES	999	4	180	303	298	147	56	8	0	3
MADISON	1,193	4	173	261	329	287	118	21	0	0
MARION	386	0	109	138	77	50	8	4	0	0
MARSHALL	551	4	138	175	115	85	25	8	1	0
MONROE	563	6	122	191	132	84	24	4	0	0
MONTGOMERY	157	1	36	56	26	24	11	3	0	0
NESHOBA	440	5	92	157	95	60	26	5	0	0
NEWTON	320	2	66	110	81	45	15	1	0	0
NOXUBEE	213	1	42	90	39	27	12	2	0	0
OKTIBBEHA	488	3	93	145	103	92	42	10	0	0
PANOLA	551	8	141	199	117	67	17	2	0	0
PEARL RIVER	606	2	142	206	131	89	33	2	1	0
PERRY	175	1	44	72	28	22	5	3	0	0
PIKE	597	3	146	183	138	87	33	7	0	0
PONTOTOC	365	2	63	132	94	55	18	1	0	0
PRENTISS	298	2	57	116	75	31	16	1	0	0
QUITMAN	189	3	54	82	27	16	6	1	0	0
RANKIN	1,465	10	220	382	445	276	107	25	0	0
SCOTT	451	8	87	171	100	49	30	6	0	0
SHARKEY	128	4	45	36	27	8	8	0	0	0
SIMPSON	364	4	81	121	91	48	14	5	0	0
SMITH	215	0	48	75	57	25	9	1	0	0
STONE	178	1	35	67	32	35	8	0	0	0
SUNFLOWER	548	9	168	186	96	61	23	4	1	0
TALLAHATCHIE	241	3	66	91	42	28	8	3	0	0
TATE	357	2	77	131	76	49	18	4	0	0
TIPPAH	273	2	57	101	76	27	7	3	0	0
TISHOMINGO	216	0	44	72	58	31	8	3	0	0
TUNICA	163	5	47	54	30	17	9	1	0	0
UNION	325	2	79	113	76	38	13	4	0	0
WALTHALL	229	1	63	66	56	35	7	1	0	0
WARREN	836	5	178	262	184	142	62	3	0	0
WASHINGTON	1,226	21	346	428	225	139	55	12	0	0
WAYNE	346	3	80	122	76	47	17	1	0	0
WEBSTER	134	1	32	44	30	15	11	1	0	0
WILKINSON	120	1	30	32	26	19	10	2	0	0
WINSTON	248	3	56	78	59	40	11	1	0	0
YALOBUSHA	150	1	27	52	38	23	9	0	0	0
YAZOO	428	7	136	130	74	55	21	5	0	0

**TABLE 3B**  
**LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>21, 571</b>	<b>49</b>	<b>3, 245</b>	<b>6, 649</b>	<b>6, 060</b>	<b>3, 993</b>	<b>1, 363</b>	<b>204</b>	<b>5</b>	<b>3</b>
ADAMS	183	0	23	53	55	33	19	0	0	0
ALCORN	301	2	47	108	87	35	15	7	0	0
AMITE	76	1	10	20	21	16	8	0	0	0
ATTALA	128	1	20	42	31	24	10	0	0	0
BENTON	52	0	12	19	9	10	0	2	0	0
BOLIVAR	150	1	21	44	52	22	9	1	0	0
CALHOUN	117	0	20	39	33	16	8	1	0	0
CARROLL	45	0	3	19	15	8	0	0	0	0
CHICKASAW	151	2	30	49	51	16	3	0	0	0
CHOCTAW	74	0	15	30	10	15	3	1	0	0
CLAIBORNE	15	0	3	5	2	2	3	0	0	0
CLARKE	122	1	17	40	36	21	5	2	0	0
CLAY	124	0	18	41	32	20	11	2	0	0
COAHOMA	111	0	13	36	35	22	4	1	0	0
COPIAH	180	1	22	65	54	20	18	0	0	0
COVINGTON	155	0	21	50	51	28	5	0	0	0
DESOTO	1, 042	0	125	286	319	235	66	9	0	2
FORREST	568	2	87	173	166	101	33	5	1	0
FRANKLIN	50	0	7	17	18	7	1	0	0	0
GEORGE	265	0	71	88	60	28	13	5	0	0
GREENE	128	0	29	57	25	11	6	0	0	0
GRENADA	152	0	23	51	45	24	9	0	0	0
HANCOCK	447	0	82	144	119	68	31	3	0	0
HARRISON	2, 020	5	325	655	519	367	132	15	2	0
HINDS	1, 195	0	102	262	377	319	114	21	0	0
HOLMES	52	0	6	14	15	11	6	0	0	0
HUMPHREYS	43	0	4	16	16	7	0	0	0	0
ISSAQUENA	8	0	1	2	2	2	1	0	0	0
ITAWAMBA	243	0	48	93	58	32	11	1	0	0
JACKSON	1, 232	4	181	386	340	232	78	11	0	0
JASPER	92	0	10	29	30	14	7	2	0	0
JEFFERSON	7	0	0	1	5	1	0	0	0	0
JEFF DAVIS	64	1	14	26	13	7	3	0	0	0
JONES	537	1	98	180	132	83	36	7	0	0
KEMPER	29	0	2	12	8	6	1	0	0	0
LAFAYETTE	236	0	23	69	58	62	21	3	0	0
LAMAR	384	2	43	112	124	75	20	8	0	0
LAUDERDALE	567	1	61	174	169	118	41	3	0	0
LAWRENCE	100	0	15	30	37	15	3	0	0	0
LEAKE	145	0	20	59	40	19	5	1	1	0
LEE	759	0	115	233	219	152	33	6	0	1
LEFLORE	159	0	28	53	44	26	8	0	0	0

TABLE 3B - PAGE 2  
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	274	0	37	96	74	52	14	1	0	0
LOWNDES	498	0	52	134	197	83	26	6	0	0
MADISON	630	1	18	70	211	230	88	12	0	0
MARION	215	0	57	77	39	35	5	2	0	0
MARSHALL	245	0	51	75	64	37	15	3	0	0
MONROE	340	1	67	107	90	59	12	4	0	0
MONTGOMERY	68	0	9	31	8	14	6	0	0	0
NESHOBA	231	1	37	84	57	38	12	2	0	0
NEWTON	164	0	19	57	50	26	12	0	0	0
NOXUBEE	49	0	3	20	12	9	5	0	0	0
OKTIBBEHA	235	0	21	71	62	57	21	3	0	0
PANOLA	226	2	40	87	61	27	8	1	0	0
PEARL RIVER	514	1	118	171	117	80	24	2	1	0
PERRY	125	1	27	52	22	17	5	1	0	0
PIKE	225	0	29	67	66	44	16	3	0	0
PONTOTOC	302	1	49	109	78	49	15	1	0	0
PRENTISS	260	1	50	99	67	28	14	1	0	0
QUITMAN	43	0	9	17	11	4	2	0	0	0
RANKIN	1,175	4	149	301	364	244	96	17	0	0
SCOTT	242	4	44	83	66	29	14	2	0	0
SHARKEY	17	0	3	6	4	2	2	0	0	0
SIMPSON	216	2	42	71	59	31	8	3	0	0
SMITH	146	0	24	55	41	17	8	1	0	0
STONE	132	1	27	46	26	26	6	0	0	0
SUNFLOWER	113	0	18	30	37	24	3	1	0	0
TALLAHATCHIE	75	0	13	27	18	14	2	1	0	0
TATE	208	0	35	72	57	28	13	3	0	0
TIPPAH	206	1	36	73	67	21	6	2	0	0
TISHOMINGO	209	0	41	68	58	31	8	3	0	0
TUNICA	22	0	0	6	8	4	4	0	0	0
UNION	242	1	51	83	60	31	12	4	0	0
WALTHALL	98	0	19	29	31	16	3	0	0	0
WARREN	382	1	63	107	101	81	28	1	0	0
WASHINGTON	312	0	54	91	89	64	12	2	0	0
WAYNE	175	1	37	63	44	24	6	0	0	0
WEBSTER	94	0	17	33	24	10	10	0	0	0
WILKINSON	30	0	4	8	7	6	3	2	0	0
WINSTON	119	0	22	30	33	28	6	0	0	0
YALOBUSHA	82	0	16	24	19	17	6	0	0	0
YAZOO	124	0	22	37	29	26	7	3	0	0

**TABLE 3C**  
**LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	AGE OF MOTHER									UN- KNOWN
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>19,761</b>	<b>288</b>	<b>5,603</b>	<b>6,781</b>	<b>3,663</b>	<b>2,248</b>	<b>975</b>	<b>189</b>	<b>9</b>	<b>5</b>
ADAMS	327	3	89	121	55	40	17	2	0	0
ALCORN	78	1	32	18	17	8	2	0	0	0
AMITE	81	1	19	32	15	5	7	2	0	0
ATTALA	134	1	42	46	23	14	5	3	0	0
BENTON	65	0	21	17	15	7	4	0	1	0
BOLIVAR	531	16	181	175	92	44	20	3	0	0
CALHOUN	76	6	23	26	13	3	3	2	0	0
CARROLL	54	1	17	27	4	5	0	0	0	0
CHICKASAW	154	3	40	45	42	13	10	1	0	0
CHOCTAW	51	2	11	19	11	6	2	0	0	0
CLAIBORNE	155	3	45	51	27	14	13	2	0	0
CLARKE	110	0	28	40	22	12	6	1	1	0
CLAY	217	1	64	78	39	25	6	4	0	0
COAHOMA	488	10	178	180	78	29	12	1	0	0
COPIAH	243	1	81	86	41	22	8	4	0	0
COVINGTON	140	1	54	49	19	13	1	3	0	0
DESOTO	187	1	54	57	31	35	8	1	0	0
FORREST	476	4	137	165	86	63	20	1	0	0
FRANKLIN	46	0	10	20	6	7	3	0	0	0
GEORGE	30	2	5	8	8	6	1	0	0	0
GREENE	41	1	14	17	4	5	0	0	0	0
GRENADA	166	5	48	50	34	19	9	1	0	0
HANCOCK	51	0	12	19	10	3	5	2	0	0
HARRISON	876	13	246	279	166	114	51	6	0	1
HINDS	2,923	35	670	960	630	426	177	23	2	0
HOLMES	320	7	109	99	52	37	12	4	0	0
HUMPHREYS	146	4	35	48	33	18	6	2	0	0
ISSAQUENA	23	0	6	9	4	4	0	0	0	0
ITAWAMBA	30	1	9	11	6	2	1	0	0	0
JACKSON	532	5	169	187	90	41	34	4	1	1
JASPER	182	1	48	59	44	17	11	2	0	0
JEFFERSON	142	1	33	38	32	23	13	2	0	0
JEFF DAVIS	163	0	45	65	28	17	8	0	0	0
JONES	302	8	85	127	38	31	10	3	0	0
KEMPER	109	2	27	45	17	12	6	0	0	0
LAFAYETTE	171	2	42	61	37	19	8	2	0	0
LAMAR	63	0	13	22	12	11	3	2	0	0
LAUDERDALE	578	7	135	208	118	81	23	6	0	0
LAWRENCE	93	0	28	29	19	9	5	3	0	0
LEAKE	151	3	38	49	33	18	9	0	1	0
LEE	415	3	126	130	68	55	25	8	0	0
LEFLORE	535	11	182	189	88	36	22	6	1	0

TABLE 3C - PAGE 2  
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	163	2	45	61	31	15	8	1	0	0
LOWNDES	501	4	128	169	101	64	30	2	0	3
MADISON	563	3	155	191	118	57	30	9	0	0
MARION	171	0	52	61	38	15	3	2	0	0
MARSHALL	306	4	87	100	51	48	10	5	1	0
MONROE	223	5	55	84	42	25	12	0	0	0
MONTGOMERY	89	1	27	25	18	10	5	3	0	0
NESHOBA	209	4	55	73	38	22	14	3	0	0
NEWTON	156	2	47	53	31	19	3	1	0	0
NOXUBEE	164	1	39	70	27	18	7	2	0	0
OKTIBBEHA	253	3	72	74	41	35	21	7	0	0
PANOLA	325	6	101	112	56	40	9	1	0	0
PEARL RIVER	92	1	24	35	14	9	9	0	0	0
PERRY	50	0	17	20	6	5	0	2	0	0
PIKE	372	3	117	116	72	43	17	4	0	0
PONTOTOC	63	1	14	23	16	6	3	0	0	0
PRENTISS	38	1	7	17	8	3	2	0	0	0
QUITMAN	146	3	45	65	16	12	4	1	0	0
RANKIN	290	6	71	81	81	32	11	8	0	0
SCOTT	209	4	43	88	34	20	16	4	0	0
SHARKEY	111	4	42	30	23	6	6	0	0	0
SIMPSON	148	2	39	50	32	17	6	2	0	0
SMITH	69	0	24	20	16	8	1	0	0	0
STONE	46	0	8	21	6	9	2	0	0	0
SUNFLOWER	435	9	150	156	59	37	20	3	1	0
TALLAHATCHIE	166	3	53	64	24	14	6	2	0	0
TATE	149	2	42	59	19	21	5	1	0	0
TIPPAH	67	1	21	28	9	6	1	1	0	0
TISHOMINGO	7	0	3	4	0	0	0	0	0	0
TUNICA	141	5	47	48	22	13	5	1	0	0
UNION	83	1	28	30	16	7	1	0	0	0
WALTHALL	131	1	44	37	25	19	4	1	0	0
WARREN	454	4	115	155	83	61	34	2	0	0
WASHINGTON	914	21	292	337	136	75	43	10	0	0
WAYNE	171	2	43	59	32	23	11	1	0	0
WEBSTER	40	1	15	11	6	5	1	1	0	0
WILKINSON	90	1	26	24	19	13	7	0	0	0
WINSTON	129	3	34	48	26	12	5	1	0	0
YALOBUSHA	68	1	11	28	19	6	3	0	0	0
YAZOO	304	7	114	93	45	29	14	2	0	0



**TABLE 4**  
**LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18, 744</u>	<u>4, 053</u>	<u>14, 691</u>	<u>45. 4</u>	<u>18. 8</u>	<u>74. 3</u>
ADAMS	291	37	254	57. 0	20. 2	77. 7
ALCORN	114	56	58	30. 1	18. 6	74. 4
AMITE	71	12	59	45. 2	15. 8	72. 8
ATTALA	106	20	86	40. 4	15. 6	64. 2
BENTON	57	12	45	48. 7	23. 1	69. 2
BOLIVAR	474	20	454	69. 6	13. 3	85. 5
CALHOUN	82	24	58	42. 5	20. 5	76. 3
CARROLL	53	3	50	53. 5	6. 7	92. 6
CHICKASAW	133	20	113	43. 6	13. 2	73. 4
CHOCTAW	48	11	37	38. 4	14. 9	72. 5
CLAIBORNE	122	3	119	71. 8	20. 0	76. 8
CLARKE	89	12	77	38. 4	9. 8	70. 0
CLAY	181	19	162	53. 1	15. 3	74. 6
COAHOMA	435	20	415	72. 6	18. 0	85. 0
COPIAH	209	29	180	49. 4	16. 1	74. 1
COVINGTON	132	21	111	44. 7	13. 5	79. 3
DESOTO	319	193	126	26. 0	18. 5	67. 4
FORREST	458	119	339	43. 9	21. 0	71. 2
FRANKLIN	46	8	38	47. 9	16. 0	82. 6
GEORGE	68	50	18	23. 0	18. 9	60. 0
GREENE	51	23	28	30. 2	18. 0	68. 3
GRENADA	143	25	118	45. 0	16. 4	71. 1
HANCOCK	191	159	32	38. 4	35. 6	62. 7
HARRISON	1, 135	529	606	39. 2	26. 2	69. 2
HINDS	2, 226	189	2, 037	54. 0	15. 8	69. 7
HOLMES	272	4	268	73. 1	7. 7	83. 8
HUMPHREYS	126	6	120	66. 7	14. 0	82. 2
ISSAQUENA	21	2	19	67. 7	25. 0	82. 6
ITAWAMBA	54	37	17	19. 8	15. 2	56. 7
JACKSON	651	287	364	36. 9	23. 3	68. 4
JASPER	138	13	125	50. 4	14. 1	68. 7
JEFFERSON	114	2	112	76. 5	28. 6	78. 9
JEFF DAVIS	132	14	118	58. 2	21. 9	72. 4
JONES	342	97	245	40. 8	18. 1	81. 1
KEMPER	86	4	82	62. 3	13. 8	75. 2
LAFAYETTE	147	32	115	36. 1	13. 6	67. 2
LAMAR	90	53	37	20. 1	13. 8	58. 7
LAUDERDALE	528	95	433	46. 1	16. 8	74. 9
LAWRENCE	82	14	68	42. 5	14. 0	73. 1
LEAKE	128	19	109	43. 2	13. 1	72. 2
LEE	418	143	275	35. 6	18. 8	66. 3
LEFLORE	461	26	435	66. 4	16. 4	81. 3

TABLE 4 - PAGE 2  
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1995

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	157	42	115	35.9	15.3	70.6
LOWNDES	423	81	342	42.3	16.3	68.3
MADISON	441	28	413	37.0	4.4	73.4
MARION	170	49	121	44.0	22.8	70.8
MARSHALL	288	58	230	52.3	23.7	75.2
MONROE	239	78	161	42.4	22.9	72.2
MONTGOMERY	75	9	66	47.8	13.2	74.2
NESHOPA	197	46	151	44.8	19.9	72.2
NEWTON	144	23	121	45.0	14.0	77.6
NOXUBEE	124	4	120	58.2	8.2	73.2
OKTIBBEHA	190	21	169	38.9	8.9	66.8
PANOLA	295	43	252	53.5	19.0	77.5
PEARL RIVER	189	122	67	31.2	23.7	72.8
PERRY	75	33	42	42.8	26.4	84.0
PIKE	316	43	273	52.9	19.1	73.4
PONTOTOC	89	55	34	24.4	18.2	54.0
PRENTISS	84	54	30	28.2	20.8	78.9
QUITMAN	137	10	127	72.5	23.2	87.0
RANKIN	365	184	181	24.9	15.7	62.4
SCOTT	224	66	158	49.7	27.3	75.6
SHARKEY	97	3	94	75.8	17.6	84.7
SIMPSON	140	34	106	38.5	15.7	71.6
SMITH	76	25	51	35.3	17.1	73.9
STONE	69	35	34	38.8	26.5	73.9
SUNFLOWER	378	16	362	69.0	14.2	83.2
TALLAHATCHIE	145	9	136	60.2	12.0	81.9
TATE	143	32	111	40.0	15.4	74.5
TIPPAH	90	42	48	33.0	20.4	71.6
TISHOMINGO	33	29	4	15.3	13.9	57.1
TUNICA	126	6	120	77.3	27.3	85.1
UNION	104	45	59	32.0	18.6	71.1
WALTHALL	99	11	88	43.2	11.2	67.2
WARREN	436	89	347	52.2	23.3	76.4
WASHINGTON	836	65	771	68.2	20.8	84.4
WAYNE	157	29	128	45.4	16.6	74.8
WEBSTER	40	7	33	29.8	7.4	82.5
WILKINSON	69	3	66	57.5	10.0	73.3
WINSTON	112	16	96	45.2	13.4	74.4
YALOBUSHA	64	15	49	42.7	18.3	72.0
YAZOO	284	31	253	66.4	25.0	83.2

**TABLE 5A**  
**TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>18, 744</b>	<b>326</b>	<b>6, 993</b>	<b>6, 842</b>	<b>2, 679</b>	<b>1, 297</b>	<b>508</b>	<b>95</b>	<b>1</b>	<b>3</b>
ADAMS	291	3	101	119	36	21	11	0	0	0
ALCORN	114	3	47	36	19	8	1	0	0	0
AMITE	71	2	25	29	9	3	2	1	0	0
ATTALA	106	1	48	37	12	6	2	0	0	0
BENTON	57	0	22	17	11	4	3	0	0	0
BOLIVAR	474	16	188	164	69	23	12	2	0	0
CALHOUN	82	6	34	28	10	3	1	0	0	0
CARROLL	53	1	18	24	6	4	0	0	0	0
CHICKASAW	133	3	52	40	27	6	5	0	0	0
CHOCTAW	48	2	14	20	5	4	2	1	0	0
CLAIBORNE	122	3	43	44	17	8	5	2	0	0
CLARKE	89	1	32	30	17	6	3	0	0	0
CLAY	181	1	68	72	22	9	7	2	0	0
COAHOMA	435	10	185	159	60	17	3	1	0	0
COPIAH	209	1	82	79	25	13	7	2	0	0
COVINGTON	132	1	58	48	16	6	1	2	0	0
DESOTO	319	1	129	108	52	23	6	0	0	0
FORREST	458	6	177	165	66	33	11	0	0	0
FRANKLIN	46	0	14	21	5	3	3	0	0	0
GEORGE	68	2	29	21	8	4	3	1	0	0
GREENE	51	1	21	19	6	3	1	0	0	0
GRENADA	143	5	58	39	24	14	3	0	0	0
HANCOCK	191	0	66	70	31	12	11	1	0	0
HARRISON	1, 135	18	433	399	157	89	35	3	1	0
HINDS	2, 226	35	710	839	371	182	77	12	0	0
HOLMES	272	7	109	86	37	21	9	3	0	0
HUMPHREYS	126	4	36	50	26	8	1	1	0	0
ISSAQUENA	21	0	7	10	3	1	0	0	0	0
ITAWAMBA	54	1	22	18	8	3	2	0	0	0
JACKSON	651	9	264	234	89	36	17	2	0	0
JASPER	138	1	52	50	21	8	4	2	0	0
JEFFERSON	114	1	32	33	22	16	9	1	0	0
JEFF DAVIS	132	0	51	52	16	11	2	0	0	0
JONES	342	9	118	147	40	18	5	5	0	0
KEMPER	86	2	26	37	9	9	3	0	0	0
LAFAYETTE	147	2	53	62	21	5	3	1	0	0
LAMAR	90	2	24	39	16	6	2	1	0	0
LAUDERDALE	528	8	161	199	98	46	11	5	0	0
LAWRENCE	82	0	32	31	10	5	3	1	0	0
LEAKE	128	3	40	48	24	9	4	0	0	0
LEE	418	3	178	148	48	30	10	1	0	0
LEFLORE	461	10	193	170	55	23	9	1	0	0

TABLE 5A - PAGE 2  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	157	2	61	63	18	8	5	0	0	0
LOWNDES	423	4	147	157	70	31	11	0	0	3
MADISON	441	4	160	163	72	23	15	4	0	0
MARION	170	0	75	52	28	14	1	0	0	0
MARSHALL	288	4	111	94	41	29	7	2	0	0
MONROE	239	5	83	95	35	17	4	0	0	0
MONTGOMERY	75	1	28	23	11	9	3	0	0	0
NESHOBA	197	4	66	74	30	15	6	2	0	0
NEWTON	144	2	52	50	18	19	3	0	0	0
NOXUBEE	124	1	38	56	17	6	4	2	0	0
OKTIBBEHA	190	3	82	60	25	10	6	4	0	0
PANOLA	295	7	115	103	47	20	3	0	0	0
PEARL RIVER	189	2	82	68	19	11	7	0	0	0
PERRY	75	1	30	30	7	6	0	1	0	0
PIKE	316	3	129	101	49	23	9	2	0	0
PONTOTOC	89	2	37	29	13	4	4	0	0	0
PRENTISS	84	2	23	36	18	5	0	0	0	0
QUITMAN	137	3	48	61	12	9	3	1	0	0
RANKIN	365	10	146	117	58	22	6	6	0	0
SCOTT	224	8	64	88	30	19	11	4	0	0
SHARKEY	97	4	45	23	16	6	3	0	0	0
SIMPSON	140	3	57	50	22	6	1	1	0	0
SMITH	76	0	29	27	10	6	4	0	0	0
STONE	69	1	24	31	5	7	1	0	0	0
SUNFLOWER	378	9	158	135	35	26	13	2	0	0
TALLAHATCHIE	145	3	58	62	12	7	2	1	0	0
TATE	143	2	55	61	13	9	3	0	0	0
TIPPAH	90	2	38	32	13	3	1	1	0	0
TISHOMINGO	33	0	20	7	2	4	0	0	0	0
TUNICA	126	5	47	39	20	8	6	1	0	0
UNION	104	2	39	46	14	3	0	0	0	0
WALTHALL	99	1	46	34	9	8	0	1	0	0
WARREN	436	5	148	154	71	38	20	0	0	0
WASHINGTON	836	21	317	333	92	52	16	5	0	0
WAYNE	157	3	53	59	24	14	4	0	0	0
WEBSTER	40	1	17	13	3	4	2	0	0	0
WILKINSON	69	1	26	19	11	9	3	0	0	0
WINSTON	112	3	46	40	16	6	1	0	0	0
YALOBUSHA	64	1	16	27	16	3	1	0	0	0
YAZOO	284	7	125	89	33	19	10	1	0	0

**TABLE 5B**  
**LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>4, 053</b>	<b>40</b>	<b>1, 562</b>	<b>1, 413</b>	<b>631</b>	<b>285</b>	<b>104</b>	<b>17</b>	<b>1</b>	<b>0</b>
ADAMS	37	0	14	14	5	3	1	0	0	0
ALCORN	56	2	16	22	12	4	0	0	0	0
AMITE	12	1	6	1	3	1	0	0	0	0
ATTALA	20	0	11	5	3	0	1	0	0	0
BENTON	12	0	5	5	2	0	0	0	0	0
BOLIVAR	20	0	11	6	2	1	0	0	0	0
CALHOUN	24	0	12	9	1	2	0	0	0	0
CARROLL	3	0	1	0	2	0	0	0	0	0
CHICKASAW	20	0	12	3	5	0	0	0	0	0
CHOCTAW	11	0	4	4	1	1	0	1	0	0
CLAIBORNE	3	0	1	0	1	1	0	0	0	0
CLARKE	12	1	5	0	2	3	1	0	0	0
CLAY	19	0	4	10	3	1	1	0	0	0
COAHOMA	20	0	8	6	6	0	0	0	0	0
COPIAH	29	0	7	17	3	1	1	0	0	0
COVINGTON	21	0	7	9	3	2	0	0	0	0
DESOTO	193	0	75	65	38	11	4	0	0	0
FORREST	119	2	43	36	25	9	4	0	0	0
FRANKLIN	8	0	4	3	0	1	0	0	0	0
GEORGE	50	0	24	14	5	3	3	1	0	0
GREENE	23	0	8	10	2	2	1	0	0	0
GRENADA	25	0	12	7	3	3	0	0	0	0
HANCOCK	159	0	55	54	28	11	10	1	0	0
HARRISON	529	5	198	184	77	44	18	2	1	0
HINDS	189	0	62	72	34	17	4	0	0	0
HOLMES	4	0	2	1	0	1	0	0	0	0
HUMPHREYS	6	0	1	4	1	0	0	0	0	0
ISSAQUENA	2	0	1	1	0	0	0	0	0	0
ITAWAMBA	37	0	15	11	7	2	2	0	0	0
JACKSON	287	4	105	104	47	21	5	1	0	0
JASPER	13	0	4	4	3	1	0	1	0	0
JEFFERSON	2	0	0	1	1	0	0	0	0	0
JEFF DAVIS	14	0	7	3	4	0	0	0	0	0
JONES	97	1	36	39	13	5	1	2	0	0
KEMPER	4	0	2	1	0	1	0	0	0	0
LAFAYETTE	32	0	11	17	3	0	1	0	0	0
LAMAR	53	2	12	24	10	3	2	0	0	0
LAUDERDALE	95	1	28	32	20	9	4	1	0	0
LAWRENCE	14	0	4	6	3	1	0	0	0	0
LEAKE	19	0	6	8	4	1	0	0	0	0
LEE	143	0	62	53	17	8	3	0	0	0
LEFLORE	26	0	12	6	6	2	0	0	0	0

TABLE 5B - PAGE 2

## LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	42	0	19	12	7	4	0	0	0	0
LOWNDES	81	0	28	25	22	5	1	0	0	0
MADISON	28	1	10	13	2	1	1	0	0	0
MARION	49	0	23	15	7	4	0	0	0	0
MARSHALL	58	0	25	15	11	6	1	0	0	0
MONROE	78	0	30	33	8	6	1	0	0	0
MONTGOMERY	9	0	2	4	1	2	0	0	0	0
NESHOBA	46	1	15	20	6	3	1	0	0	0
NEWTON	23	0	8	8	2	4	1	0	0	0
NOXUBEE	4	0	0	2	1	0	1	0	0	0
OKTIBBEHA	21	0	10	4	5	0	1	1	0	0
PANOLA	43	1	15	16	7	4	0	0	0	0
PEARL RIVER	122	1	58	41	11	8	3	0	0	0
PERRY	33	1	13	13	5	1	0	0	0	0
PIKE	43	0	16	17	5	4	0	1	0	0
PONTOTOC	55	1	23	16	8	3	4	0	0	0
PRENTISS	54	1	16	20	12	5	0	0	0	0
QUITMAN	10	0	5	4	1	0	0	0	0	0
RANKIN	184	4	77	58	25	13	4	3	0	0
SCOTT	66	4	21	19	9	7	4	2	0	0
SHARKEY	3	0	3	0	0	0	0	0	0	0
SIMPSON	34	1	18	13	1	1	0	0	0	0
SMITH	25	0	7	11	3	1	3	0	0	0
STONE	35	1	16	13	2	3	0	0	0	0
SUNFLOWER	16	0	9	4	2	0	1	0	0	0
TALLAHATCHIE	9	0	6	3	0	0	0	0	0	0
TATE	32	0	15	14	3	0	0	0	0	0
TIPPAH	42	1	17	11	12	0	1	0	0	0
TISHOMINGO	29	0	18	5	2	4	0	0	0	0
TUNICA	6	0	0	1	3	0	2	0	0	0
UNION	45	1	12	23	8	1	0	0	0	0
WALTHALL	11	0	4	4	1	2	0	0	0	0
WARREN	89	1	34	27	16	8	3	0	0	0
WASHINGTON	65	0	31	26	3	4	1	0	0	0
WAYNE	29	1	11	10	3	4	0	0	0	0
WEBSTER	7	0	3	2	1	0	1	0	0	0
WILKINSON	3	0	0	2	1	0	0	0	0	0
WINSTON	16	0	12	1	3	0	0	0	0	0
YALOBUSHA	15	0	6	5	2	1	1	0	0	0
YAZOO	31	0	13	12	5	0	1	0	0	0

**TABLE 5C**  
**LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>14, 691</b>	<b>286</b>	<b>5, 431</b>	<b>5, 429</b>	<b>2, 048</b>	<b>1, 012</b>	<b>404</b>	<b>78</b>	<b>0</b>	<b>3</b>
ADAMS	254	3	87	105	31	18	10	0	0	0
ALCORN	58	1	31	14	7	4	1	0	0	0
AMITE	59	1	19	28	6	2	2	1	0	0
ATTALA	86	1	37	32	9	6	1	0	0	0
BENTON	45	0	17	12	9	4	3	0	0	0
BOLIVAR	454	16	177	158	67	22	12	2	0	0
CALHOUN	58	6	22	19	9	1	1	0	0	0
CARROLL	50	1	17	24	4	4	0	0	0	0
CHICKASAW	113	3	40	37	22	6	5	0	0	0
CHOCTAW	37	2	10	16	4	3	2	0	0	0
CLAIBORNE	119	3	42	44	16	7	5	2	0	0
CLARKE	77	0	27	30	15	3	2	0	0	0
CLAY	162	1	64	62	19	8	6	2	0	0
COAHOMA	415	10	177	153	54	17	3	1	0	0
COPIAH	180	1	75	62	22	12	6	2	0	0
COVINGTON	111	1	51	39	13	4	1	2	0	0
DESOTO	126	1	54	43	14	12	2	0	0	0
FORREST	339	4	134	129	41	24	7	0	0	0
FRANKLIN	38	0	10	18	5	2	3	0	0	0
GEORGE	18	2	5	7	3	1	0	0	0	0
GREENE	28	1	13	9	4	1	0	0	0	0
GRENADA	118	5	46	32	21	11	3	0	0	0
HANCOCK	32	0	11	16	3	1	1	0	0	0
HARRISON	606	13	235	215	80	45	17	1	0	0
HINDS	2, 037	35	648	767	337	165	73	12	0	0
HOLMES	268	7	107	85	37	20	9	3	0	0
HUMPHREYS	120	4	35	46	25	8	1	1	0	0
ISSAQUENA	19	0	6	9	3	1	0	0	0	0
ITAWAMBA	17	1	7	7	1	1	0	0	0	0
JACKSON	364	5	159	130	42	15	12	1	0	0
JASPER	125	1	48	46	18	7	4	1	0	0
JEFFERSON	112	1	32	32	21	16	9	1	0	0
JEFF DAVIS	118	0	44	49	12	11	2	0	0	0
JONES	245	8	82	108	27	13	4	3	0	0
KEMPER	82	2	24	36	9	8	3	0	0	0
LAFAYETTE	115	2	42	45	18	5	2	1	0	0
LAMAR	37	0	12	15	6	3	0	1	0	0
LAUDERDALE	433	7	133	167	78	37	7	4	0	0
LAWRENCE	68	0	28	25	7	4	3	1	0	0
LEAKE	109	3	34	40	20	8	4	0	0	0
LEE	275	3	116	95	31	22	7	1	0	0
LEFLORE	435	10	181	164	49	21	9	1	0	0

TABLE 5C - PAGE 2

## LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1995

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	115	2	42	51	11	4	5	0	0	0
LOWNDES	342	4	119	132	48	26	10	0	0	3
MADISON	413	3	150	150	70	22	14	4	0	0
MARION	121	0	52	37	21	10	1	0	0	0
MARSHALL	230	4	86	79	30	23	6	2	0	0
MONROE	161	5	53	62	27	11	3	0	0	0
MONTGOMERY	66	1	26	19	10	7	3	0	0	0
NESHOBA	151	3	51	54	24	12	5	2	0	0
NEWTON	121	2	44	42	16	15	2	0	0	0
NOXUBEE	120	1	38	54	16	6	3	2	0	0
OKTI BBEHA	169	3	72	56	20	10	5	3	0	0
PANOLA	252	6	100	87	40	16	3	0	0	0
PEARL RIVER	67	1	24	27	8	3	4	0	0	0
PERRY	42	0	17	17	2	5	0	1	0	0
PIKE	273	3	113	84	44	19	9	1	0	0
PONTOTOC	34	1	14	13	5	1	0	0	0	0
PRENTISS	30	1	7	16	6	0	0	0	0	0
QUITMAN	127	3	43	57	11	9	3	1	0	0
RANKIN	181	6	69	59	33	9	2	3	0	0
SCOTT	158	4	43	69	21	12	7	2	0	0
SHARKEY	94	4	42	23	16	6	3	0	0	0
SIMPSON	106	2	39	37	21	5	1	1	0	0
SMITH	51	0	22	16	7	5	1	0	0	0
STONE	34	0	8	18	3	4	1	0	0	0
SUNFLOWER	362	9	149	131	33	26	12	2	0	0
TALLAHATCHIE	136	3	52	59	12	7	2	1	0	0
TATE	111	2	40	47	10	9	3	0	0	0
TIPPAH	48	1	21	21	1	3	0	1	0	0
TISHOMINGO	4	0	2	2	0	0	0	0	0	0
TUNICA	120	5	47	38	17	8	4	1	0	0
UNION	59	1	27	23	6	2	0	0	0	0
WALTHALL	88	1	42	30	8	6	0	1	0	0
WARREN	347	4	114	127	55	30	17	0	0	0
WASHINGTON	771	21	286	307	89	48	15	5	0	0
WAYNE	128	2	42	49	21	10	4	0	0	0
WEBSTER	33	1	14	11	2	4	1	0	0	0
WILKINSON	66	1	26	17	10	9	3	0	0	0
WINSTON	96	3	34	39	13	6	1	0	0	0
YALOBUSHA	49	1	10	22	14	2	0	0	0	0
YAZOO	253	7	112	77	28	19	9	1	0	0



**TABLE 6A**  
**LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 060</u>	<u>1, 505</u>	<u>2, 555</u>	<u>9. 8</u>	<u>7. 0</u>	<u>12. 9</u>
ADAMS	66	17	49	12. 9	9. 3	15. 0
ALCORN	40	29	11	10. 6	9. 6	14. 1
AMITE	10	1	9	6. 4	1. 3	11. 1
ATTALA	35	18	17	13. 4	14. 1	12. 7
BENTON	10	6	4	8. 5	11. 5	6. 2
BOLIVAR	77	3	74	11. 3	2. 0	13. 9
CALHOUN	23	12	11	11. 9	10. 2	14. 5
CARROLL	10	3	7	10. 1	6. 7	13. 0
CHICKASAW	24	8	16	7. 9	5. 3	10. 4
CHOCTAW	11	8	3	8. 8	10. 8	5. 9
CLAI BORNE	30	1	29	17. 6	6. 7	18. 7
CLARKE	27	10	17	11. 6	8. 2	15. 4
CLAY	26	3	23	7. 6	2. 4	10. 6
COAHOMA	73	9	64	12. 2	8. 1	13. 1
COPIAH	47	14	33	11. 1	7. 8	13. 6
COVINGTON	35	11	24	11. 9	7. 1	17. 1
DESOTO	85	62	23	6. 9	6. 0	12. 3
FORREST	115	50	65	11. 0	8. 8	13. 6
FRANKLIN	10	1	9	10. 4	2. 0	19. 6
GEORGE	14	14	0	4. 7	5. 3	-
GREENE	9	4	5	5. 3	3. 1	12. 2
GRENADA	33	14	19	10. 4	9. 2	11. 4
HANCOCK	39	30	9	7. 8	6. 7	17. 6
HARRISON	221	125	96	7. 6	6. 2	11. 0
HINDS	511	79	432	12. 4	6. 6	14. 8
HOLMES	36	0	36	9. 7	-	11. 2
HUMPHREYS	37	8	29	19. 6	18. 6	19. 9
ISSAQUENA	5	0	5	16. 1	-	21. 7
ITAWAMBA	19	18	1	7. 0	7. 4	3. 3
JACKSON	142	73	69	8. 0	5. 9	13. 0
JASPER	40	10	30	14. 6	10. 9	16. 5
JEFFERSON	21	2	19	14. 1	28. 6	13. 4
JEFF DAVIS	21	5	16	9. 2	7. 8	9. 8
JONES	91	45	46	10. 8	8. 4	15. 2
KEMPER	11	1	10	8. 0	3. 4	9. 2
LAFAYETTE	28	13	15	6. 9	5. 5	8. 8
LAMAR	43	32	11	9. 6	8. 3	17. 5
LAUDERDALE	127	43	84	11. 1	7. 6	14. 5
LAWRENCE	15	3	12	7. 8	3. 0	12. 9
LEAKE	31	5	26	10. 5	3. 4	17. 2
LEE	104	48	56	8. 8	6. 3	13. 5
LEFLORE	74	10	64	10. 7	6. 3	12. 0

TABLE 6A - PAGE 2  
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1995

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	42	24	18	9.6	8.8	11.0
LOWNDES	89	33	56	8.9	6.6	11.2
MADISON	101	33	68	8.5	5.2	12.1
MARION	41	19	22	10.6	8.8	12.9
MARSHALL	59	20	39	10.7	8.2	12.7
MONROE	57	26	31	10.1	7.6	13.9
MONTGOMERY	14	6	8	8.9	8.8	9.0
NESHOBA	55	26	29	12.5	11.2	13.9
NEWTON	32	13	19	10.0	7.9	12.2
NOXUBEE	17	2	15	8.0	4.1	9.1
OKTIBBEHA	39	18	21	8.0	7.7	8.3
PANOLA	57	15	42	10.3	6.6	12.9
PEARL RIVER	44	33	11	7.3	6.4	12.0
PERRY	12	6	6	6.8	4.8	12.0
PIKE	67	20	47	11.2	8.9	12.6
PONTOTOC	29	19	10	7.9	6.3	15.9
PRENTISS	28	22	6	9.4	8.5	15.8
QUITMAN	27	5	22	14.3	11.6	15.1
RANKIN	116	80	36	7.9	6.8	12.4
SCOTT	45	18	27	10.0	7.4	12.9
SHARKEY	17	2	15	13.3	11.8	13.5
SIMPSON	39	19	20	10.7	8.8	13.5
SMITH	16	8	8	7.4	5.5	11.6
STONE	12	6	6	6.7	4.5	13.0
SUNFLOWER	52	10	42	9.5	8.8	9.6
TALLAHATCHIE	16	0	16	6.6	-	9.6
TATE	23	10	13	6.4	4.8	8.7
TIPPAH	25	14	11	9.2	6.8	16.4
TISHOMINGO	15	15	0	6.9	7.2	-
TUNICA	20	2	18	12.3	9.1	12.8
UNION	45	36	9	13.8	14.9	10.8
WALTHALL	14	4	10	6.1	4.1	7.6
WARREN	88	29	59	10.5	7.6	13.0
WASHINGTON	127	18	109	10.4	5.8	11.9
WAYNE	34	7	27	9.8	4.0	15.8
WEBSTER	20	11	9	14.9	11.7	22.5
WILKINSON	11	2	9	9.2	6.7	10.0
WINSTON	23	5	18	9.3	4.2	14.0
YALOBUSHA	21	13	8	14.0	15.8	11.8
YAZOO	45	8	37	10.5	6.4	12.2

**TABLE 6B**  
**LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>705</u>	<u>201</u>	<u>504</u>	<u>1.7</u>	<u>0.9</u>	<u>2.6</u>
ADAMS	14	3	11	2.7	1.6	3.4
ALCORN	2	2	0	0.5	0.7	-
AMITE	1	0	1	0.6	-	1.2
ATTALA	5	1	4	1.9	0.8	3.0
BENTON	2	1	1	1.7	1.9	1.5
BOLIVAR	8	1	7	1.2	0.7	1.3
CALHOUN	6	4	2	3.1	3.4	2.6
CARROLL	3	1	2	3.0	2.2	3.7
CHICKASAW	2	1	1	0.6	0.7	0.6
CHOCTAW	2	0	2	1.6	-	3.9
CLAIBORNE	2	0	2	1.2	-	1.3
CLARKE	5	1	4	2.2	0.8	3.6
CLAY	5	0	5	1.5	-	2.3
COAHOMA	15	0	15	2.5	-	3.1
COPIAH	12	4	8	2.8	2.2	3.3
COVINGTON	3	0	3	1.0	-	2.1
DESOTO	15	8	7	1.2	0.8	3.7
FORREST	15	5	10	1.4	0.9	2.1
FRANKLIN	2	0	2	2.1	-	4.3
GEORGE	1	1	0	0.3	0.4	-
GREENE	3	2	1	1.8	1.6	2.4
GRENADA	8	1	7	2.5	0.6	4.2
HANCOCK	10	7	3	2.0	1.6	5.9
HARRISON	30	12	18	1.0	0.6	2.0
HINDS	97	13	84	2.4	1.1	2.9
HOLMES	5	0	5	1.3	-	1.6
HUMPHREYS	5	1	4	2.6	2.3	2.7
ISSAQUENA	3	0	3	9.7	-	13.0
ITAWAMBA	0	0	0	-	-	-
JACKSON	34	13	21	1.9	1.0	3.9
JASPER	7	4	3	2.6	4.3	1.6
JEFFERSON	4	0	4	2.7	-	2.8
JEFF DAVIS	6	2	4	2.6	3.1	2.4
JONES	19	10	9	2.3	1.9	3.0
KEMPER	3	0	3	2.2	-	2.8
LAFAYETTE	6	3	3	1.5	1.3	1.8
LAMAR	2	2	0	0.4	0.5	-
LAUDERDALE	26	8	18	2.3	1.4	3.1
LAWRENCE	6	1	5	3.1	1.0	5.4
LEAKE	2	1	1	0.7	0.7	0.7
LEE	27	7	20	2.3	0.9	4.8
LEFLORE	7	0	7	1.0	-	1.3

TABLE 6B - PAGE 2  
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1995

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	6	4	2	1.4	1.5	1.2
LOWDES	11	3	8	1.1	0.6	1.6
MADISON	12	5	7	1.0	0.8	1.2
MARION	6	1	5	1.6	0.5	2.9
MARSHALL	5	1	4	0.9	0.4	1.3
MONROE	11	4	7	2.0	1.2	3.1
MONTGOMERY	1	0	1	0.6	-	1.1
NESHOPA	13	4	9	3.0	1.7	4.3
NEWTON	7	2	5	2.2	1.2	3.2
NOXUBEE	2	0	2	0.9	-	1.2
OKTI BBEHA	10	4	6	2.0	1.7	2.4
PANOLA	10	1	9	1.8	0.4	2.8
PEARL RIVER	9	6	3	1.5	1.2	3.3
PERRY	2	1	1	1.1	0.8	2.0
PIKE	5	0	5	0.8	-	1.3
PONTOTOC	6	3	3	1.6	1.0	4.8
PRENTISS	3	1	2	1.0	0.4	5.3
QUITMAN	3	1	2	1.6	2.3	1.4
RANKIN	18	12	6	1.2	1.0	2.1
SCOTT	8	4	4	1.8	1.6	1.9
SHARKEY	3	0	3	2.3	-	2.7
SIMPSON	7	2	5	1.9	0.9	3.4
SMITH	2	0	2	0.9	-	2.9
STONE	4	2	2	2.2	1.5	4.3
SUNFLOWER	12	3	9	2.2	2.6	2.1
TALLAHATCHIE	7	0	7	2.9	-	4.2
TATE	5	0	5	1.4	-	3.4
TIPPAH	3	1	2	1.1	0.5	3.0
TISHOMINGO	2	2	0	0.9	1.0	-
TUNICA	5	0	5	3.1	-	3.5
UNION	5	4	1	1.5	1.6	1.2
WALTHALL	3	0	3	1.3	-	2.3
WARREN	13	4	9	1.6	1.0	2.0
WASHINGTON	28	2	26	2.3	0.6	2.8
WAYNE	6	0	6	1.7	-	3.5
WEBSTER	6	2	4	4.5	2.1	10.0
WILKINSON	2	0	2	1.7	-	2.2
WINSTON	5	0	5	2.0	-	3.9
YALOBUSHA	2	1	1	1.3	1.2	1.5
YAZOO	7	1	6	1.6	0.8	2.0

**TABLE 7**  
**PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>6, 174</u>	<u>2, 357</u>	<u>3, 817</u>	<u>14. 9</u>	<u>10. 9</u>	<u>19. 3</u>
ADAMS	87	19	68	17. 0	10. 4	20. 8
ALCORN	58	43	15	15. 3	14. 3	19. 2
AMITE	16	5	11	10. 2	6. 6	13. 6
ATTALA	39	16	23	14. 9	12. 5	17. 2
BENTON	26	7	19	22. 2	13. 5	29. 2
BOLIVAR	123	16	107	18. 1	10. 7	20. 2
CALHOUN	35	17	18	18. 1	14. 5	23. 7
CARROLL	11	3	8	11. 1	6. 7	14. 8
CHICKASAW	45	13	32	14. 8	8. 6	20. 8
CHOCTAW	12	4	8	9. 6	5. 4	15. 7
CLAYBORNE	34	2	32	20. 0	13. 3	20. 6
CLARKE	32	16	16	13. 8	13. 1	14. 5
CLAY	55	14	41	16. 1	11. 3	18. 9
COAHOMA	131	13	118	21. 9	11. 7	24. 2
COPIAH	68	20	48	16. 1	11. 1	19. 8
COVINGTON	50	16	34	16. 9	10. 3	24. 3
DESOTO	145	109	36	11. 8	10. 5	19. 2
FORREST	171	69	102	16. 4	12. 1	21. 4
FRANKLIN	14	6	8	14. 6	12. 0	17. 4
GEORGE	35	31	4	11. 9	11. 7	13. 3
GREENE	16	8	8	9. 5	6. 2	19. 5
GRENADA	47	16	31	14. 8	10. 5	18. 7
HANCOCK	59	51	8	11. 8	11. 4	15. 7
HARRISON	395	228	167	13. 6	11. 3	19. 1
HINDS	743	144	599	18. 0	12. 0	20. 5
HOLMES	67	4	63	18. 0	7. 7	19. 7
HUMPHREYS	37	10	27	19. 6	23. 2	18. 5
ISSAQUENA	5	0	5	16. 1	-	21. 7
ITAWAMBA	27	25	2	9. 9	10. 3	6. 7
JACKSON	223	121	102	12. 6	9. 8	19. 2
JASPER	40	11	29	14. 6	12. 0	15. 9
JEFFERSON	26	2	24	17. 4	28. 6	16. 9
JEFF DAVIS	40	7	33	17. 6	10. 9	20. 2
JONES	106	58	48	12. 6	10. 8	15. 9
KEMPER	17	1	16	12. 3	3. 4	14. 7
LAFAYETTE	55	20	35	13. 5	8. 5	20. 5
LAMAR	67	53	14	15. 0	13. 8	22. 2
LAUDERDALE	159	53	106	13. 9	9. 3	18. 3
LAWRENCE	29	11	18	15. 0	11. 0	19. 4
LEAKE	38	12	26	12. 8	8. 3	17. 2
LEE	139	71	68	11. 8	9. 4	16. 4
LEFLORE	113	14	99	16. 3	8. 8	18. 5

TABLE 7 - PAGE 2  
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1995

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	50	26	24	11.4	9.5	14.7
LOWNDES	125	43	82	12.5	8.6	16.4
MADISON	158	63	95	13.2	10.0	16.9
MARION	45	21	24	11.6	9.8	14.0
MARSHALL	96	32	64	17.4	13.1	20.9
MONROE	83	40	43	14.7	11.8	19.3
MONTGOMERY	30	10	20	19.1	14.7	22.5
NESHOBA	69	33	36	15.7	14.3	17.2
NEWTON	41	18	23	12.8	11.0	14.7
NOXUBEE	25	3	22	11.7	6.1	13.4
OKTIBBEHA	74	24	50	15.2	10.2	19.8
PANOLA	92	21	71	16.7	9.3	21.8
PEARL RIVER	66	44	22	10.9	8.6	23.9
PERRY	17	8	9	9.7	6.4	18.0
PIKE	107	29	78	17.9	12.9	21.0
PONTOTOC	41	31	10	11.2	10.3	15.9
PRETISS	51	38	13	17.1	14.6	34.2
QUITMAN	48	6	42	25.4	14.0	28.8
RANKIN	180	136	44	12.3	11.6	15.2
SCOTT	72	34	38	16.0	14.0	18.2
SHARKEY	16	1	15	12.5	5.9	13.5
SIMPSON	67	28	39	18.4	13.0	26.4
SMITH	21	13	8	9.8	8.9	11.6
STONE	19	12	7	10.7	9.1	15.2
SUNFLOWER	92	18	74	16.8	15.9	17.0
TALLAHATCHIE	45	5	40	18.7	6.7	24.1
TATE	47	21	26	13.2	10.1	17.4
TIPPAH	43	24	19	15.8	11.6	28.4
TISHOMINGO	28	28	0	13.0	13.4	-
TUNICA	33	3	30	20.2	13.6	21.3
UNION	79	52	27	24.3	21.5	32.5
WALTHALL	22	4	18	9.6	4.1	13.7
WARREN	112	33	79	13.4	8.6	17.4
WASHINGTON	217	28	189	17.7	9.0	20.7
WAYNE	52	15	37	15.0	8.6	21.6
WEBSTER	29	16	13	21.6	17.0	32.5
WILKINSON	16	3	13	13.3	10.0	14.4
WINSTON	32	7	25	12.9	5.9	19.4
YALOBUSHA	34	15	19	22.7	18.3	27.9
YAZOO	65	12	53	15.2	9.7	17.4

\* GESTATION LESS THAN 37 WEEKS.

**TABLE 8**  
**REPORTABLE\* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1995**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>STATE</b>	<b>474</b>	<b>137</b>	<b>337</b>	<b>470</b>	<b>141</b>	<b>329</b>	<b>11.4</b>	<b>6.5</b>	<b>16.6</b>
ADAMS	12	0	12	10	0	10	19.6	-	30.6
ALCORN	3	2	1	4	4	0	10.6	13.3	-
AMITE	0	0	0	2	0	2	12.7	-	24.7
ATTALA	0	0	0	2	0	2	7.6	-	14.9
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	9	1	8	9	0	9	13.2	-	16.9
CALHOUN	0	0	0	3	3	0	15.5	25.6	-
CARROLL	0	0	0	1	0	1	10.1	-	18.5
CHICKASAW	0	0	0	2	1	1	6.6	6.6	6.5
CHOCTAW	0	0	0	1	0	1	8.0	-	19.6
CLAIBORNE	0	0	0	4	0	4	23.5	-	25.8
CLARKE	0	0	0	6	1	5	25.9	8.2	45.4
CLAY	3	0	3	6	1	5	17.6	8.1	23.0
COAHOMA	11	0	11	3	0	3	5.0	-	6.1
COPIAH	3	0	3	8	3	5	18.9	16.7	20.6
COVINGTON	2	1	1	4	3	1	13.6	19.4	7.1
DESOTO	9	4	5	12	8	4	9.8	7.7	21.4
FORREST	27	9	18	14	4	10	13.4	7.0	21.0
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	0	0	0	4	3	1	13.6	11.3	33.3
GREENE	0	0	0	3	2	1	17.8	15.6	24.4
GRENADA	14	4	10	8	0	8	25.2	-	48.2
HANCOCK	1	0	1	3	2	1	6.0	4.5	19.6
HARRISON	24	14	10	23	13	10	7.9	6.4	11.4
HINDS	143	27	116	76	12	64	18.4	10.0	21.9
HOLMES	0	0	0	2	0	2	5.4	-	6.2
HUMPHREYS	0	0	0	6	1	5	31.7	23.2	34.2
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.7	4.1	-
JACKSON	7	1	6	10	4	6	5.7	3.2	11.3
JASPER	0	0	0	6	1	5	21.9	10.9	27.5
JEFFERSON	1	0	1	1	0	1	6.7	-	7.0
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	17	3	14	10	3	7	11.9	5.6	23.2
KEMPER	0	0	0	0	0	0	-	-	-
LAFAYETTE	6	3	3	5	1	4	12.3	4.2	23.4
LAMAR	1	1	0	5	2	3	11.2	5.2	47.6
LAUDERDALE	27	13	14	17	8	9	14.8	14.1	15.6
LAWRENCE	0	0	0	3	1	2	15.5	10.0	21.5
LEAKE	0	0	0	3	0	3	10.1	-	19.9
LEE	15	11	4	5	3	2	4.2	4.0	4.8
LEFLORE	11	1	10	10	1	9	14.4	6.3	16.8

TABLE 8 - PAGE 2  
 FETAL DEATHS - MISSISSIPPI - 1995

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	0	7	6	0	6	13.7	-	36.8
LOWNDES	11	4	7	10	5	5	10.0	10.0	10.0
MADISON	2	0	2	17	5	12	14.2	7.9	21.3
MARION	0	0	0	1	0	1	2.6	-	5.8
MARSHALL	0	0	0	7	1	6	12.7	4.1	19.6
MONROE	8	4	4	5	1	4	8.9	2.9	17.9
MONTGOMERY	0	0	0	1	1	0	6.4	14.7	-
NESHOBA	0	0	0	6	3	3	13.6	13.0	14.4
NEWTON	0	0	0	1	0	1	3.1	-	6.4
NOXUBEE	0	0	0	4	0	4	18.8	-	24.4
OKTIBBEHA	11	1	10	6	0	6	12.3	-	23.7
PANOLA	0	0	0	3	1	2	5.4	4.4	6.2
PEARL RIVER	5	3	2	3	1	2	5.0	1.9	21.7
PERRY	0	0	0	2	1	1	11.4	8.0	20.0
PIKE	6	0	6	5	0	5	8.4	-	13.4
PONTOTOC	0	0	0	2	1	1	5.5	3.3	15.9
PRENTISS	0	0	0	1	1	0	3.4	3.8	-
QUITMAN	0	0	0	1	0	1	5.3	-	6.8
RANKIN	25	14	11	16	10	6	10.9	8.5	20.7
SCOTT	2	2	0	6	2	4	13.3	8.3	19.1
SHARKEY	0	0	0	1	1	0	7.8	58.8	-
SIMPSON	0	0	0	3	0	3	8.2	-	20.3
SMITH	0	0	0	2	1	1	9.3	6.8	14.5
STONE	0	0	0	2	1	1	11.2	7.6	21.7
SUNFLOWER	6	2	4	6	1	5	10.9	8.8	11.5
TALLAHATCHIE	0	0	0	2	0	2	8.3	-	12.0
TATE	3	0	3	2	0	2	5.6	-	13.4
TIPPAH	0	0	0	0	0	0	-	-	-
TISHOMINGO	0	0	0	5	5	0	23.1	23.9	-
TUNICA	0	0	0	2	0	2	12.3	-	14.2
UNION	4	3	1	0	0	0	-	-	-
WALTHALL	1	0	1	2	0	2	8.7	-	15.3
WARREN	11	3	8	9	2	7	10.8	5.2	15.4
WASHINGTON	20	6	14	21	6	15	17.1	19.2	16.4
WAYNE	5	0	5	5	2	3	14.4	11.4	17.5
WEBSTER	0	0	0	0	0	0	-	-	-
WILKINSON	1	0	1	2	0	2	16.7	-	22.2
WINSTON	0	0	0	2	0	2	8.1	-	15.5
YALOBUSHA	0	0	0	3	2	1	20.0	24.4	14.7
YAZOO	0	0	0	6	1	5	14.0	8.1	16.4
OUT OF STATE	17	12	5	21	8	13			

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.



**TABLE 9**  
**DEATHS, BY PLACE OF OCCURRENCE AND RACE,**  
**ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,**  
**PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1995**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>26, 223</u>	<u>17, 218</u>	<u>9, 005</u>	<u>26, 910</u>	<u>17, 729</u>	<u>9, 181</u>	<u>10. 0</u>	<u>10. 5</u>	<u>9. 2</u>
ADAMS	498	248	250	408	215	193	11. 3	12. 0	10. 7
ALCORN	377	338	39	393	345	48	12. 3	12. 3	12. 6
AMITE	62	32	30	151	79	72	10. 9	10. 6	11. 3
ATTALA	178	121	57	248	160	88	13. 6	15. 1	11. 6
BENTON	38	31	7	81	61	20	10. 3	13. 4	6. 1
BOLIVAR	367	134	233	423	161	262	10. 2	11. 6	9. 5
CALHOUN	126	101	25	203	157	46	13. 9	15. 1	10. 9
CARROLL	32	22	10	87	55	32	8. 8	9. 3	8. 1
CHICKASAW	119	92	27	195	134	61	11. 0	12. 8	8. 5
CHOCTAW	74	57	17	102	74	28	11. 4	12. 1	9. 9
CLAIBORNE	64	17	47	98	27	71	8. 6	14. 5	7. 5
CLARKE	134	83	51	200	130	70	11. 6	11. 7	11. 3
CLAY	191	107	84	226	129	97	10. 4	13. 3	8. 1
COAHOMA	330	104	226	347	109	238	10. 6	10. 0	11. 0
COPIAH	195	101	94	289	155	134	10. 3	11. 7	9. 1
COVINGTON	108	77	31	169	114	55	10. 6	11. 3	9. 3
DESOTO	415	305	110	549	455	94	6. 2	6. 1	7. 0
FORREST	1, 028	741	287	733	531	202	10. 1	10. 8	8. 6
FRANKLIN	43	28	15	76	50	26	9. 6	10. 3	8. 4
GEORGE	114	98	16	149	130	19	8. 3	8. 1	9. 9
GREENE	36	27	9	112	91	21	10. 0	10. 4	8. 4
GRENADA	233	135	98	250	147	103	11. 4	11. 8	10. 9
HANCOCK	312	284	28	409	381	28	11. 3	11. 9	6. 8
HARRISON	1, 905	1, 562	343	1, 632	1, 336	296	9. 6	10. 2	7. 4
HINDS	3, 976	2, 214	1, 762	2, 421	1, 261	1, 160	9. 6	10. 9	8. 4
HOLMES	203	67	136	251	81	170	12. 1	17. 4	10. 5
HUMPHREYS	74	26	48	118	49	69	10. 3	14. 1	8. 6
ISSAQUENA	6	2	4	16	7	9	8. 9	9. 1	8. 7
ITAWAMBA	108	102	6	266	250	16	13. 4	13. 6	11. 6
JACKSON	949	771	178	1, 038	849	189	7. 8	8. 2	6. 3
JASPER	104	69	35	203	112	91	11. 8	13. 7	10. 0
JEFFERSON	59	10	49	104	14	90	12. 5	13. 3	12. 4
JEFF DAVIS	120	64	56	184	90	94	13. 6	15. 9	12. 0
JONES	646	460	186	707	536	171	11. 4	11. 7	10. 4
KEMPER	48	27	21	93	49	44	8. 8	11. 4	7. 0
LAFAYETTE	408	278	130	234	147	87	6. 8	5. 9	9. 2
LAMAR	408	329	79	233	208	25	7. 4	7. 6	6. 1
LAUDERDALE	1, 196	779	417	818	527	291	10. 7	10. 9	10. 3
LAWRENCE	95	62	33	148	99	49	12. 2	12. 5	11. 6
LEAKE	170	111	59	219	141	78	11. 8	12. 9	10. 2
LEE	1, 302	1, 037	265	657	524	133	8. 9	9. 2	8. 0
LEFLORE	486	203	283	442	179	263	12. 0	13. 3	11. 2

TABLE 9 - PAGE 2  
DEATHS - MISSISSIPPI - 1995

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	305	230	75	356	275	81	11.2	12.5	8.2
LOWNDES	532	332	200	499	315	184	8.1	8.4	7.7
MADISON	264	126	138	514	264	250	7.5	6.6	8.8
MARION	207	142	65	293	208	85	11.8	12.2	10.7
MARSHALL	183	99	84	323	173	150	10.0	10.9	9.0
MONROE	292	215	77	379	278	101	10.4	11.1	8.7
MONTGOMERY	143	89	54	153	100	53	12.9	15.8	9.5
NESHOPA	199	142	57	288	211	77	10.7	11.6	8.8
NEWTON	179	129	50	285	196	89	13.2	13.6	12.4
NOXUBEE	104	47	57	152	66	86	12.5	20.4	9.7
OKTIBBEHA	260	151	109	290	164	126	7.4	6.8	8.4
PANOLA	233	147	86	350	214	136	10.4	12.2	8.4
PEARL RIVER	284	242	42	420	358	62	10.0	10.2	9.3
PERRY	94	82	12	119	95	24	10.5	11.0	8.9
PIKE	400	255	145	429	266	163	11.5	13.6	9.2
PONTOTOC	144	130	14	231	207	24	9.2	9.9	5.9
PRENTISS	162	147	15	226	205	21	9.6	10.0	7.1
QUITMAN	71	29	42	121	64	57	12.8	19.6	9.2
RANKIN	598	476	122	756	612	144	7.3	7.2	7.7
SCOTT	210	140	70	266	171	95	11.0	11.7	9.8
SHARKEY	60	24	36	81	28	53	11.8	14.2	10.8
SIMPSON	231	162	69	270	183	87	11.3	11.6	10.7
SMITH	69	55	14	182	149	33	12.3	13.1	9.6
STONE	103	84	19	129	103	26	10.5	10.9	9.2
SUNFLOWER	249	110	139	314	128	186	8.9	11.2	7.8
TALLAHATCHIE	99	52	47	172	78	94	12.2	15.5	10.4
TATE	152	94	58	195	133	62	8.7	9.3	7.7
TIPPAH	176	148	28	230	192	38	11.7	11.8	11.1
TISHOMINGO	164	161	3	246	242	4	13.9	14.3	5.7
TUNICA	61	24	37	101	34	67	11.1	14.3	10.0
UNION	234	202	32	245	220	25	10.4	11.1	6.8
WALTHALL	125	70	55	184	104	80	13.0	13.3	12.7
WARREN	590	323	267	554	311	243	11.3	10.7	12.2
WASHINGTON	727	283	444	699	290	409	9.9	10.2	9.8
WAYNE	229	151	78	223	152	71	11.5	12.6	9.8
WEBSTER	106	91	15	130	112	18	12.4	14.0	7.4
WILKINSON	133	60	73	130	49	81	14.4	19.8	12.3
WINSTON	188	134	54	243	172	71	12.4	15.8	8.1
YALOBUSHA	92	66	26	148	107	41	12.3	14.7	8.6
YAZOO	234	118	116	302	151	151	12.0	13.4	10.9
OUT OF STATE	1,625	1,174	451	938	663	275			

\* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3  
DEATHS - MISSISSIPPI - 1995

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	455	385	70
BRANDON	178	149	29
BROOKHAVEN	165	119	46
CANTON	154	50	104
CLARKSDALE	269	88	181
CLEVELAND	137	72	65
CLINTON	160	127	33
COLUMBUS	287	175	112
CORINTH	192	154	38
GAUTIER	66	57	9
GREENVILLE	505	201	304
GREENWOOD	278	110	168
GRENADA	185	102	83
GULFPORT	695	517	178
HATTIESBURG	521	333	188
INDIANOLA	113	47	66
JACKSON	2,002	1,009	993
LAUREL	287	170	117
LONG BEACH	117	116	1
MCCOMB	215	135	80
MERIDIAN	533	313	220
MOSS POINT	205	111	94
NATCHEZ	295	146	149
OCEAN SPRINGS	181	157	24
PASCAGOULA	278	228	50
PEARL	145	130	15
PI CAYUNE	139	91	48
RIDGELAND	60	51	9
SOUTHAVEN	154	148	6
STARKVILLE	180	98	82
TUPELO	345	284	61
VICKSBURG	409	199	210
YAZOO CITY	168	79	89

\*\* TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10  
DEATHS, BY CAUSE AND RACE,  
MISSISSIPPI RESIDENTS, 1995

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>26,910</u>	<u>17,729</u>	<u>9,181</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>604</u>	<u>300</u>	<u>304</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>8</u>	<u>3</u>	<u>5</u>
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>8</u>	<u>3</u>	<u>5</u>
008	Intestinal infections due to other organisms	6	2	4
009	Ill-defined intestinal infections	2	1	1
<u>010-018</u>	<u>Tuberculosis</u>	<u>17</u>	<u>7</u>	<u>10</u>
<u>010-012</u>	<u>Respiratory</u>	<u>14</u>	<u>7</u>	<u>7</u>
011	Pulmonary	14	7	7
<u>013-018</u>	<u>Other forms</u>	<u>3</u>	<u>0</u>	<u>3</u>
015	Bones and joints	1	0	1
018	Miliary	2	0	2
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>251</u>	<u>138</u>	<u>113</u>
031	Other diseases due to mycobacteria	3	3	0
036	Meningococcal infection	2	1	1
038	Septicemia	237	130	107
041	Bacterial infection of unspecified site	9	4	5
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>255</u>	<u>103</u>	<u>152</u>
042	With specified conditions	241	98	143
043	Causing other specified conditions	1	0	1
044	Other human immunodeficiency virus infections	13	5	8
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>2</u>	<u>2</u>	<u>0</u>
046	Slow virus infection	1	1	0
049	Other non-arthropod-borne diseases	1	1	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>5</u>	<u>4</u>	<u>1</u>
052	Chickenpox	2	2	0
053	Herpes zoster	2	2	0
054	Herpes simplex	1	0	1
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>29</u>	<u>24</u>	<u>5</u>
070	Viral hepatitis	26	22	4
078	Other diseases due to viruses and Chlamydiae	2	1	1
079	Viral infection in conditions classified elsewhere and of unspecified site	1	1	0
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>19</u>	<u>10</u>	<u>9</u>
112	Candidiasis	7	4	3
116	Blastomycotic infection	1	0	1
117	Other mycoses	11	6	5
<u>120-129</u>	<u>Helminthiasis</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>18</u>	<u>9</u>	<u>9</u>
135	Sarcoidosis	12	4	8
136	Other and unspecified infectious and parasitic diseases	4	3	1

Table 10 - Page 2  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
137	Late effects of tuberculosis	1	1	0
138	Late effects of acute poliomyelitis	1	1	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,796</u>	<u>3,942</u>	<u>1,854</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,725</u>	<u>3,894</u>	<u>1,831</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>100</u>	<u>57</u>	<u>43</u>
141	Tongue	17	13	4
142	Major salivary glands	6	3	3
145	Other and unspecified parts of mouth	11	7	4
146	Oropharynx	18	11	7
147	Nasopharynx	8	4	4
148	Hypopharynx	4	2	2
149	Other and ill-defined sites	36	17	19
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,287</u>	<u>807</u>	<u>480</u>
150	Esophagus	104	53	51
151	Stomach	134	57	77
152	Small intestine, including duodenum	4	4	0
153	Colon	495	316	179
154	Rectum, rectosigmoid junction, and anus	64	45	19
155	Liver and intrahepatic bile ducts	177	134	43
156	Gallbladder and extrahepatic bile ducts	27	15	12
157	Pancreas	267	173	94
158	Retroperitoneum and peritoneum	6	5	1
159	Other and ill-defined sites	9	5	4
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,766</u>	<u>1,323</u>	<u>443</u>
160	Nasal cavities, middle ear, and accessory sinuses	8	5	3
161	Larynx	41	29	12
162	Trachea, bronchus, and lung	1,710	1,283	427
163	Pleura	4	3	1
164	Thymus, heart, and mediastinum	3	3	0
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>524</u>	<u>360</u>	<u>164</u>
170	Bone and articular cartilage	33	23	10
171	Connective and other soft tissue	19	11	8
172	Melanoma of skin	58	53	5
173	Skin, other	14	12	2
174	Female breast	398	260	138
175	Male breast	2	1	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>881</u>	<u>522</u>	<u>359</u>
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>663</u>	<u>364</u>	<u>299</u>
179	Uterus, part unspecified	23	9	14
180	Cervix uteri	56	19	37
182	Body of uterus	22	11	11
183	Ovary and other uterine adnexa	99	78	21
184	Other and unspecified female genital organs	11	8	3
185	Prostate	443	233	210
186	Testis	5	4	1
187	Penis and other male genital organs	4	2	2
<u>(188, 189)</u>	<u>(Urinary organs)</u>	<u>218</u>	<u>158</u>	<u>60</u>
188	Bladder	96	70	26

Table 10 - Page 3  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
189	Kidney and other and unspecified urinary organs	122	88	34
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>659</u>	<u>454</u>	<u>205</u>
190	Eye	1	1	0
191	Brain	140	113	27
192	Other and unspecified parts of nervous system	3	2	1
193	Thyroid gland	10	6	4
194	Other endocrine glands and related structures	4	3	1
195	Other and ill-defined sites	48	32	16
199	Site unspecified	453	297	156
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>508</u>	<u>371</u>	<u>137</u>
200	Lymphosarcoma and reticulosarcoma	16	14	2
201	Hodgkin's disease	8	4	4
202	Other lymphoid and histiocytic tissue	192	159	33
203	Multiple myeloma and immunoproliferative neoplasms	100	57	43
<u>(204-208)</u>	<u>(Leukemia)</u>	<u>192</u>	<u>137</u>	<u>55</u>
204	Lymphatic	55	40	15
205	Myeloid	73	50	23
206	Monocytic	4	3	1
208	Unspecified cell type	60	44	16
<u>210-229</u>	<u>Benign neoplasms</u>	<u>15</u>	<u>8</u>	<u>7</u>
211	Benign neoplasm of other parts of digestive system	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	10	4	6
227	Benign neoplasm of other endocrine glands and related structures	2	2	0
228	Hemangioma and lymphangioma, any site	1	1	0
229	Benign neoplasm of other and unspecified sites	1	0	1
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>56</u>	<u>40</u>	<u>16</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>17</u>	<u>15</u>	<u>2</u>
237	Endocrine glands and nervous system	1	0	1
238	Other and unspecified sites and tissues	16	15	1
239	Unspecified nature	39	25	14
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>718</u>	<u>394</u>	<u>324</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>8</u>	<u>5</u>	<u>3</u>
242	Thyrotoxicosis with or without goiter	2	1	1
244	Acquired hypothyroidism	6	4	2
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>493</u>	<u>277</u>	<u>216</u>
250	Diabetes mellitus	485	273	212
251	Other disorders of pancreatic internal secretion	6	3	3
255	Disorders of adrenal glands	1	1	0
259	Other endocrine disorders	1	0	1
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>43</u>	<u>22</u>	<u>21</u>
261	Nutritional marasmus	3	0	3
262	Other severe protein-calorie malnutrition	1	1	0

Table 10 - Page 4  
 Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
263	Other and unspecified protein-calorie malnutrition	38	21	17
269	Other nutritional deficiencies	1	0	1
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>174</u>	<u>90</u>	<u>84</u>
270	Disorders of amino-acid transport and metabolism	3	2	1
272	Disorders of lipid metabolism	4	4	0
273	Disorders of plasma protein metabolism	6	5	1
275	Disorders of mineral metabolism	4	3	1
276	Disorders of fluid, electrolyte, and acid-base balance	93	49	44
277	Other and unspecified disorders of metabolism	16	11	5
278	Obesity and other hyperalimentation	29	8	21
279	Disorders involving the immune mechanism	19	8	11
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>116</u>	<u>70</u>	<u>46</u>
<u>280-285</u>	<u>Anemias</u>	<u>58</u>	<u>30</u>	<u>28</u>
281	Other deficiency anemias	3	0	3
282	Hereditary hemolytic	15	1	14
283	Acquired hemolytic	4	3	1
284	Aplastic	12	9	3
285	Other and unspecified	24	17	7
286	Coagulation defects	17	7	10
287	Purpura and other hemorrhagic conditions	4	4	0
288	Diseases of white blood cells	5	5	0
289	Other diseases of blood and blood-forming organs	32	24	8
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>243</u>	<u>160</u>	<u>83</u>
<u>290-299</u>	<u>Psychoses</u>	<u>133</u>	<u>98</u>	<u>35</u>
290	Senile and presenile organic psychotic conditions	82	62	20
291	Alcoholic psychoses	4	2	2
294	Other organic psychotic conditions (chronic)	1	0	1
295	Schizophrenic psychoses	4	3	1
298	Other nonorganic psychoses	42	31	11
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>102</u>	<u>58</u>	<u>44</u>
303	Alcohol dependence syndrome	48	22	26
305	Nondependent abuse of drugs	14	7	7
310	Specific nonpsychotic mental disorders following organic brain damage	39	28	11
311	Depressive disorder, not elsewhere classified	1	1	0
<u>317-319</u>	<u>Mental retardation</u>	<u>8</u>	<u>4</u>	<u>4</u>
318	Other specified	2	0	2
319	Unspecified	6	4	2
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>440</u>	<u>326</u>	<u>114</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>26</u>	<u>13</u>	<u>13</u>
320	Bacterial meningitis	8	5	3
322	Meningitis of unspecified cause	9	4	5

Table 10 - Page 5  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
323	Encephalitis, myelitis, and encephalomyelitis	6	4	2
324	Intracranial and intraspinal abscess	2	0	2
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	0	1
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>299</u>	<u>249</u>	<u>50</u>
331	Other cerebral degenerations	178	148	30
332	Parkinson's disease	77	68	9
333	Other extrapyramidal disease and abnormal movement disorders	11	7	4
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	31	24	7
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>94</u>	<u>47</u>	<u>47</u>
340	Multiple sclerosis	9	4	5
341	Other demyelinating diseases of central nervous system	3	3	0
343	Infantile cerebral palsy	14	6	8
344	Other paralytic syndromes	5	2	3
345	Epilepsy	24	11	13
348	Other conditions of brain	38	20	18
349	Other and unspecified disorders of the nervous system	1	1	0
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>20</u>	<u>16</u>	<u>4</u>
355	Mononeuritis of lower limb	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	6	4	2
358	Myoneural disorders	6	4	2
359	Muscular dystrophies and other myopathies	7	7	0
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
372	Disorders of conjunctiva	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>12,042</u>	<u>8,063</u>	<u>3,979</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>32</u>	<u>25</u>	<u>7</u>
394	Diseases of mitral valve	20	15	5
395	Diseases of aortic valve	2	1	1
396	Diseases of mitral and aortic valves	2	2	0
397	Diseases of other endocardial structures	2	1	1
398	Other rheumatic heart disease	6	6	0
<u>401-405</u>	<u>Hypertensive disease</u>	<u>713</u>	<u>339</u>	<u>374</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>238</u>	<u>118</u>	<u>120</u>
401	Essential hypertension	183	93	90
403	Hypertensive renal disease	55	25	30
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>475</u>	<u>221</u>	<u>254</u>
402	Hypertensive heart disease	432	200	232
404	Hypertensive heart and renal disease	43	21	22
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,478</u>	<u>3,256</u>	<u>1,222</u>
410	Acute myocardial infarction	2,542	1,799	743



Table 10 - Page 6  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
411	Other acute and subacute forms of ischemic heart disease	23	13	10
412	Old myocardial infarction	11	9	2
413	Angina pectoris	16	12	4
414	Other forms of chronic ischemic heart disease	1,886	1,423	463
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>231</u>	<u>125</u>	<u>106</u>
415	Acute pulmonary heart disease	188	106	82
416	Chronic pulmonary heart disease	41	18	23
417	Other diseases of pulmonary circulation	2	1	1
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,351</u>	<u>2,873</u>	<u>1,478</u>
421	Acute and subacute endocarditis	17	11	6
422	Acute myocarditis	5	3	2
423	Other diseases of pericardium	9	6	3
424	Other diseases of endocardium	90	72	18
425	Cardiomyopathy	316	191	125
426	Conduction disorders	10	8	2
427	Cardiac dysrhythmias	1,143	725	418
428	Heart failure	1,126	792	334
429	Ill-defined heart diseases	1,635	1,065	570
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,856</u>	<u>1,174</u>	<u>682</u>
430	Subarachnoid hemorrhage	77	52	25
431	Intracerebral hemorrhage	245	149	96
432	Other and unspecified intracranial hemorrhage	28	12	16
433	Occlusion and stenosis of precerebral arteries	15	14	1
434	Occlusion of cerebral arteries	143	91	52
435	Transient cerebral ischemia	8	8	0
436	Acute but ill-defined cerebrovascular disease	1,175	735	440
437	Other and ill-defined cerebrovascular disease	71	51	20
438	Late effects of cerebrovascular disease	94	62	32
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>328</u>	<u>238</u>	<u>90</u>
440	Atherosclerosis	110	87	23
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>218</u>	<u>151</u>	<u>67</u>
441	Aortic aneurysm	137	101	36
442	Other aneurysm	13	8	5
443	Other peripheral vascular disease	36	21	15
444	Arterial embolism and thrombosis	16	12	4
446	Polyarteritis nodosa and allied conditions	8	3	5
447	Other disorders of arteries and arterioles	8	6	2
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>53</u>	<u>33</u>	<u>20</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>16</u>	<u>9</u>	<u>7</u>
451	Phlebitis and thrombophlebitis	10	6	4
452	Portal vein thrombosis	1	0	1
453	Other venous embolism and thrombosis	5	3	2
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>37</u>	<u>24</u>	<u>13</u>
454	Varicose veins of lower extremities	2	1	1
456	Varicose veins of other sites	5	4	1
457	Noninfective disorders of lymphatic channels	1	0	1
458	Hypotension	17	11	6
459	Other disorders of circulatory system	12	8	4

Table 10 - Page 7  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
<u>460- 519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2, 318</u>	<u>1, 771</u>	<u>547</u>
<u>460- 466</u>	<u>Acute respiratory infections</u>	<u>14</u>	<u>10</u>	<u>4</u>
464	Acute laryngitis and tracheitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	2	2	0
466	Acute bronchitis and bronchiolitis	11	7	4
<u>470- 478</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>1</u>	<u>3</u>
475	Peritonsillar abscess	1	0	1
478	Other diseases of upper respiratory tract	3	1	2
<u>480- 487</u>	<u>Pneumonia and influenza</u>	<u>946</u>	<u>690</u>	<u>256</u>
<u>480- 486</u>	<u>Pneumonia</u>	<u>946</u>	<u>690</u>	<u>256</u>
480	Viral	11	3	8
481	Pneumococcal	14	13	1
482	Other bacterial	37	28	9
483	Due to other specified organism	3	1	2
485	Broncho, organism unspecified	37	22	15
486	Organism unspecified	844	623	221
<u>490- 496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>1, 019</u>	<u>820</u>	<u>199</u>
<u>490, 491</u>	<u>Chronic and unqualified bronchitis</u>	<u>45</u>	<u>40</u>	<u>5</u>
490	Unqualified	10	6	4
491	Chronic	35	34	1
492	Emphysema	143	108	35
493	Asthma	50	24	26
494	Bronchiectasis	7	6	1
496	Chronic airways obstruction, not elsewhere classified	774	642	132
<u>500- 508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>128</u>	<u>91</u>	<u>37</u>
501	Asbestosis	8	7	1
505	Pneumoconiosis, unspecified	1	1	0
507	Pneumonitis due to solids and liquids	118	82	36
508	Respiratory conditions due to other and unspecified external agents	1	1	0
<u>510- 519</u>	<u>Other diseases of respiratory system</u>	<u>207</u>	<u>159</u>	<u>48</u>
510	Empyema	7	5	2
511	Pleurisy	14	10	4
512	Pneumothorax	3	2	1
513	Abscess of lung and mediastinum	4	1	3
514	Pulmonary congestion and hypostasis	14	7	7
515	Postinflammatory pulmonary fibrosis	63	58	5
516	Other alveolar and parietoalveolar pneumopathy	4	3	1
518	Other diseases of lung	83	64	19
519	Other diseases of respiratory system	15	9	6
<u>520- 579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>802</u>	<u>563</u>	<u>239</u>
<u>520- 529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>2</u>	<u>1</u>	<u>1</u>
525	Other diseases and conditions of the teeth and supporting structures	1	1	0

Table 10 - Page 8  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
528	Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue	1	0	1
<u>530- 537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>90</u>	<u>65</u>	<u>25</u>
530	Diseases of esophagus	14	9	5
<u>531- 533</u>	<u>Peptic ulcer</u>	<u>61</u>	<u>45</u>	<u>16</u>
531	Gastric ulcer	17	12	5
532	Duodenal ulcer	17	13	4
533	Peptic ulcer, site unspecified	27	20	7
534	Gastrojejunal ulcer	2	2	0
535	Gastritis and duodenitis	4	3	1
536	Disorders of function of stomach	3	2	1
537	Other disorders of stomach and duodenum	6	4	2
<u>540- 543</u>	<u>Appendicitis</u>	<u>6</u>	<u>5</u>	<u>1</u>
540	Acute appendicitis	5	4	1
541	Appendicitis, unqualified	1	1	0
<u>550- 553</u>	<u>Hernia of abdominal cavity</u>	<u>10</u>	<u>5</u>	<u>5</u>
550	Inguinal	2	1	1
551	Other, of abdominal cavity, with gangrene	1	1	0
552	Other, of abdominal cavity with obstruction, without mention of gangrene	5	1	4
553	Other, of abdominal cavity without mention of obstruction or gangrene	2	2	0
<u>555- 558</u>	<u>Noninfective enteritis and colitis</u>	<u>79</u>	<u>62</u>	<u>17</u>
555	Regional enteritis	2	2	0
556	Idiopathic proctocolitis	3	2	1
557	Vascular insufficiency of intestine	65	50	15
558	Other noninfective gastroenteritis and colitis	9	8	1
<u>560- 569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>125</u>	<u>93</u>	<u>32</u>
560	Intestinal obstruction without mention of hernia	54	35	19
562	Diverticula of intestine	23	21	2
564	Functional digestive disorders, not elsewhere classified	5	5	0
566	Abscess of anal and rectal regions	1	1	0
567	Peritonitis	19	12	7
568	Other disorders of peritoneum	1	1	0
569	Other disorders of intestine	22	18	4
<u>570- 579</u>	<u>Other diseases of digestive system</u>	<u>490</u>	<u>332</u>	<u>158</u>
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	231	158	73
572	Liver abscess and sequelae of chronic liver disease	56	34	22
573	Other disorders of liver	24	14	10
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>30</u>	<u>22</u>	<u>8</u>
574	Cholelithiasis	15	10	5
575	Other disorders of gallbladder	15	12	3
576	Other disorders of biliary tract	7	5	2
577	Diseases of pancreas	39	25	14
578	Gastrointestinal hemorrhage	98	71	27
579	Intestinal malabsorption	1	1	0

Table 10 - Page 9  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
<u>580- 629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>720</u>	<u>407</u>	<u>313</u>
<u>580- 589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>388</u>	<u>210</u>	<u>178</u>
580	Acute glomerulonephritis	3	1	2
581	Nephrotic syndrome	4	2	2
582	Chronic glomerulonephritis	16	7	9
583	Nephritis and nephropathy, unqualified	4	1	3
<u>584- 587</u>	<u>Renal failure and renal sclerosis</u>	<u>360</u>	<u>198</u>	<u>162</u>
584	Acute	56	34	22
585	Chronic	66	31	35
586	Unspecified	238	133	105
588	Disorders resulting from impaired renal function	1	1	0
<u>590- 599</u>	<u>Other diseases of urinary system</u>	<u>326</u>	<u>194</u>	<u>132</u>
590	Infections of kidney	14	12	2
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>3</u>	<u>3</u>	<u>0</u>
592	Of kidney and ureter	3	3	0
593	Other disorders of kidney and ureter	77	34	43
598	Urethral stricture	1	1	0
599	Other disorders of urethra and urinary tract	231	144	87
<u>600- 608</u>	<u>Diseases of male genital organs</u>	<u>2</u>	<u>1</u>	<u>1</u>
601	Inflammatory diseases of prostate	1	1	0
602	Other disorders of prostate	1	0	1
<u>610, 611</u>	<u>Disorders of breast</u>	<u>1</u>	<u>0</u>	<u>1</u>
611	Other disorders of breast	1	0	1
<u>614- 616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
615	Inflammatory diseases of uterus, except cervix	1	0	1
<u>617- 629</u>	<u>Other disorders of female genital tract</u>	<u>2</u>	<u>2</u>	<u>0</u>
619	Fistula involving female genital tract	1	1	0
629	Other disorders of female genital organs	1	1	0
<u>630- 676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>5</u>	<u>0</u>	<u>5</u>
<u>630- 639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>640- 648</u>	<u>Complications mainly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
641	Antepartum hemorrhage, abruptio placenta, and placenta previa	1	0	1
<u>650- 659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660- 669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>670- 676</u>	<u>Complications of the puerperium</u>	<u>4</u>	<u>0</u>	<u>4</u>
671	Venous complications in pregnancy and the puerperium	1	0	1
673	Obstetrical pulmonary embolism	2	0	2
674	Other and unspecified complications of the puerperium, not elsewhere classified	1	0	1
<u>680- 709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>57</u>	<u>24</u>	<u>33</u>
<u>680- 686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>11</u>	<u>7</u>	<u>4</u>
682	Other cellulitis and abscess	9	6	3

Table 10 - Page 10  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
686	Other local infections of skin and subcutaneous tissue	2	1	1
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>8</u>	<u>4</u>	<u>4</u>
693	Dermatitis due to substances taken internally	1	1	0
694	Bullous dermatoses	2	2	0
695	Erythematous conditions	5	1	4
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>38</u>	<u>13</u>	<u>25</u>
707	Chronic ulcer of skin	38	13	25
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>78</u>	<u>50</u>	<u>28</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>57</u>	<u>38</u>	<u>19</u>
710	Diffuse diseases of connective tissue	28	17	11
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>29</u>	<u>21</u>	<u>8</u>
711	Arthropathy associated with infections	4	2	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	20	16	4
715	Osteoarthritis and allied disorders	5	3	2
<u>720-724</u>	<u>Dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
721	Spondylosis and allied disorders	1	0	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>9</u>	<u>5</u>	<u>4</u>
728	Disorders of muscle, ligament, and fascia	5	3	2
729	Other disorders of soft tissues	4	2	2
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>11</u>	<u>7</u>	<u>4</u>
730	Osteomyelitis, periostitis, and other infections involving bone	6	3	3
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	1	0	1
733	Other disorders of bone and cartilage	4	4	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>152</u>	<u>81</u>	<u>71</u>
<u>740-742</u>	<u>Nervous system</u>	<u>11</u>	<u>6</u>	<u>5</u>
740	Anencephalus and similar anomalies	2	1	1
741	Spina bifida	2	2	0
742	Other congenital anomalies of nervous system	7	3	4
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>1</u>	<u>1</u>	<u>0</u>
743	Eye	1	1	0
<u>745-747</u>	<u>Circulatory system</u>	<u>68</u>	<u>35</u>	<u>33</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	14	8	6
746	Heart	38	19	19
747	Other congenital anomalies of circulatory system	16	8	8
748	Respiratory system	25	10	15
<u>749-751</u>	<u>Digestive system</u>	<u>1</u>	<u>0</u>	<u>1</u>
751	Other congenital anomalies of digestive system	1	0	1

Table 10 - Page 11  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
<u>752, 753</u>	<u>Genitourinary system</u>	<u>4</u>	<u>4</u>	<u>0</u>
753	Urinary system	4	4	0
<u>754- 756</u>	<u>Musculoskeletal system</u>	<u>9</u>	<u>6</u>	<u>3</u>
756	Other congenital musculoskeletal anomalies	9	6	3
757	Congenital anomalies of the integument	1	1	0
758	Chromosomal anomalies	17	11	6
759	Other and unspecified congenital anomalies	15	7	8
<u>760- 779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>162</u>	<u>45</u>	<u>117</u>
760	Maternal conditions unrelated to present pregnancy	4	0	4
<u>761- 763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>20</u>	<u>5</u>	<u>15</u>
761	Maternal complications of pregnancy	7	0	7
762	Complications of placenta, cord, and membranes	10	3	7
763	Other complications of labor and delivery	3	2	1
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>43</u>	<u>7</u>	<u>36</u>
765	Short gestation and unspecified low birthweight	43	7	36
767	Birth trauma	2	0	2
<u>768- 770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>58</u>	<u>21</u>	<u>37</u>
768	Intrauterine hypoxia and birth asphyxia	9	4	5
769	Respiratory distress syndrome	14	7	7
770	Other respiratory conditions of fetus and newborn	35	10	25
771	Infections specific to the perinatal period	6	4	2
772	Fetal and neonatal hemorrhage	9	3	6
773	Hemolytic disease of fetus or newborn, due to isoimmunization	3	1	2
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	1	0
776	Hematological disorders of fetus and newborn	2	0	2
777	Perinatal disorders of digestive system	5	3	2
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	0	1
779	Other and ill-defined conditions originating in the perinatal period	8	0	8
<u>780- 799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>274</u>	<u>134</u>	<u>140</u>
<u>780- 789</u>	<u>Symptoms</u>	<u>40</u>	<u>17</u>	<u>23</u>
780	General	25	9	16
782	Involving skin and other integumentary tissue	1	0	1
783	Concerning nutrition, metabolism and development	2	1	1
785	Involving cardiovascular system	10	6	4
786	Involving respiratory system and other chest symptoms	2	1	1
<u>790- 796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797- 799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>234</u>	<u>117</u>	<u>117</u>
797	Senility without mention of psychosis	12	8	4

Table 10 - Page 12  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
798	Sudden death, cause unknown	64	22	42
799	Other ill-defined and unknown causes	158	87	71
<b>800-999</b>	<b>EXTERNAL CAUSES OF INJURY AND POISONING</b>	<b>2,383</b>	<b>1,399</b>	<b>984</b>
<b>800-949</b>	<b>Accidents and adverse effects</b>	<b>1,605</b>	<b>997</b>	<b>608</b>
<u>800-807</u>	<u>Railway</u>	<u>3</u>	<u>1</u>	<u>2</u>
805	Hit by rolling stock	3	1	2
<u>810-825</u>	<u>Motor vehicle</u>	<u>898</u>	<u>583</u>	<u>315</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>883</u>	<u>571</u>	<u>312</u>
810	Involving collision with train	30	20	10
812	Involving collision with another motor vehicle	367	240	127
813	Involving collision with other vehicle	4	2	2
814	Involving collision with pedestrian	56	21	35
815	Other involving collision on the highway	37	24	13
816	Due to loss of control, without collision on the highway	223	159	64
818	Other noncollision	13	5	8
819	Of unspecified nature	153	100	53
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>15</u>	<u>12</u>	<u>3</u>
821	Involving other off-road motor vehicle	6	6	0
822	Involving collision of other motor vehicle with moving object	5	4	1
825	Of other and unspecified nature	4	2	2
<u>830-838</u>	<u>Water transport</u>	<u>15</u>	<u>9</u>	<u>6</u>
830	Accident to watercraft causing submersion	3	2	1
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	9	4	5
838	Other and unspecified	2	2	0
<u>840-845</u>	<u>Air and space transport</u>	<u>9</u>	<u>9</u>	<u>0</u>
841	Accident to powered aircraft, other and unspecified	9	9	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>45</u>	<u>29</u>	<u>16</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>32</u>	<u>23</u>	<u>9</u>
850	Analgesics, antipyretics, antirheumatics	3	3	0
853	Tranquillizers	1	1	0
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	9	4	5
856	Antibiotics	1	1	0
858	Other drugs	16	12	4
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>13</u>	<u>6</u>	<u>7</u>
860	Alcohol, not elsewhere classified	3	1	2
862	Petroleum products, other solvents and their vapors, not elsewhere classified	2	2	0
866	Other and unspecified solid and liquid substances	3	2	1
868	Other utility gas and other carbon monoxide	2	1	1
869	Other gases and vapors	3	0	3

Table 10 - Page 13  
Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
<u>870- 876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>6</u>	<u>5</u>	<u>1</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	3	2	1
871	Foreign object left in body during procedure	1	1	0
876	Other and unspecified misadventures during medical care	2	2	0
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadven- tures at the time of procedure</u>	<u>36</u>	<u>19</u>	<u>17</u>
878	Surgical operation or other surgical procedure	25	12	13
879	Other procedures	11	7	4
<u>880- 888</u>	<u>Falls</u>	<u>147</u>	<u>117</u>	<u>30</u>
880	On or from stairs or steps	7	6	1
881	On or from ladders or scaffolding	4	3	1
882	From or out of building or other structure	2	0	2
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	11	10	1
885	On same level from slipping, tripping, or stumbling	5	4	1
886	On same level from collision, pushing or shoving, by or with other person	2	2	0
887	Fracture, cause unspecified	32	31	1
888	Other and unspecified fall	83	60	23
<u>890- 899</u>	<u>Caused by fires and flames</u>	<u>123</u>	<u>44</u>	<u>79</u>
890	Conflagration in private dwelling	106	33	73
891	Conflagration in other and unspecified building or structure	6	4	2
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	3	1	2
894	Ignition of highly inflammable material	1	0	1
895	Controlled fire in private dwelling	1	1	0
897	Controlled fire not in building or structure	1	1	0
899	Unspecified fire	3	2	1
<u>900- 909</u>	<u>Due to natural and environmental factors</u>	<u>30</u>	<u>12</u>	<u>18</u>
900	Excessive heat	15	6	9
901	Excessive cold	9	2	7
902	High and low air pressure and changes in air pressure	1	1	0
904	Hunger, thirst, exposure, and neglect	2	0	2
906	Other injury caused by animals	1	1	0
907	Lightning	1	1	0
908	Cataclysmic storms and floods resulting from storms	1	1	0
<u>910- 915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>144</u>	<u>78</u>	<u>66</u>
910	Drowning and submersion	74	30	44
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	16	7	9



Table 10 - Page 14  
 Deaths - Mississippi - 1995

International Classification Number*	Cause*	Total	White	Non- white
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	41	32	9
913	Mechanical suffocation	11	7	4
915	Foreign body accidentally entering other orifice	2	2	0
<u>916- 929</u>	<u>Other accidents</u>	<u>142</u>	<u>87</u>	<u>55</u>
916	Struck by falling object	19	11	8
917	Striking against or struck by objects or persons	5	2	3
919	Caused by machinery	20	14	6
920	Caused by cutting and piercing instruments or objects	1	1	0
922	Caused by firearm missile	50	26	24
923	Caused by explosive material	2	0	2
925	Caused by electric current	11	8	3
927	Overexertion and strenuous movements	2	2	0
928	Other and unspecified environmental and accidental causes	18	11	7
929	Late effects of accidental injury	14	12	2
<u>930- 949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>7</u>	<u>4</u>	<u>3</u>
932	Hormones and synthetic substitutes	1	0	1
933	Primarily systemic agents	1	1	0
934	Agents primarily affecting blood constituents	1	1	0
947	Other and unspecified drugs and medicaments	4	2	2
<u>950- 959</u>	<u>Suicide and self-inflicted injury</u>	<u>318</u>	<u>258</u>	<u>60</u>
<u>950- 952</u>	<u>By poisoning</u>	<u>26</u>	<u>23</u>	<u>3</u>
950	By solid or liquid substances	20	17	3
952	By other gases and vapors	6	6	0
953	By hanging, strangulation, and suffocation	27	19	8
954	By submersion (drowning)	2	1	1
955	By firearms and explosives	254	208	46
956	By cutting and piercing instruments	2	2	0
958	By other and unspecified means	7	5	2
<u>960- 978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>429</u>	<u>128</u>	<u>301</u>
<u>960- 969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>428</u>	<u>128</u>	<u>300</u>
962	Assault by poisoning	1	1	0
963	Assault by hanging and strangulation	12	4	8
964	Assault by submersion (drowning)	2	0	2
965	Assault by firearms and explosives	285	74	211
966	Assault by cutting and piercing instrument	57	18	39
967	Child battering and other maltreatment	3	1	2
968	Assault by other and unspecified means	66	30	36
969	Late effects of injury purposely inflicted by other person	2	0	2
<u>970- 978</u>	<u>Legal intervention</u>	<u>1</u>	<u>0</u>	<u>1</u>
970	Injury by firearms	1	0	1

Table 10 - Page 15  
 Deaths - Mississippi - 1995

International Classification		Total	White	Non-white
Number*	Cause*			
<u>980- 989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>31</u>	<u>16</u>	<u>15</u>
980	Poisoning by solid or liquid substances	4	4	0
984	Submersion (drowning)	5	3	2
985	Injury by firearms and explosives	13	8	5
986	Injury by cutting and piercing instruments	1	0	1
987	Falling from high place	1	0	1
988	Injury by other and unspecified means	7	1	6
<u>990- 999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

\* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

**TABLE 11**  
**DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,**  
**ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1995**

INTER- NATIONAL CLASSI- FICATION	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
<u>001-999</u>	<u>ALL CAUSES</u>	<u>26,910</u>	<u>10.0</u>	W	<u>17,729</u>	M	<u>9,180</u>	<u>89</u>	<u>27</u>	<u>14</u>	<u>23</u>	<u>205</u>	<u>267</u>	<u>410</u>	<u>659</u>	<u>1,277</u>	<u>6,209</u>	<u>0</u>	
						F	<u>8,549</u>	<u>60</u>	<u>17</u>	<u>13</u>	<u>13</u>	<u>85</u>	<u>119</u>	<u>183</u>	<u>386</u>	<u>730</u>	<u>6,943</u>	<u>0</u>	
				NW	<u>9,181</u>	M	<u>4,896</u>	<u>160</u>	<u>38</u>	<u>14</u>	<u>34</u>	<u>213</u>	<u>286</u>	<u>411</u>	<u>517</u>	<u>652</u>	<u>2,570</u>	<u>1</u>	
						F	<u>4,285</u>	<u>126</u>	<u>32</u>	<u>6</u>	<u>15</u>	<u>72</u>	<u>134</u>	<u>198</u>	<u>299</u>	<u>528</u>	<u>2,875</u>	<u>0</u>	
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>604</u>	<u>22.4</u>	W	<u>300</u>	M	<u>204</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>32</u>	<u>47</u>	<u>31</u>	<u>12</u>	<u>75</u>	<u>0</u>	
						F	<u>96</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>10</u>	<u>71</u>	<u>0</u>	
				NW	<u>304</u>	M	<u>186</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>53</u>	<u>52</u>	<u>16</u>	<u>14</u>	<u>41</u>	<u>0</u>	
						F	<u>118</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>29</u>	<u>15</u>	<u>12</u>	<u>12</u>	<u>44</u>	<u>0</u>	
<u>010-018</u>	<u>TUBERCULOSIS</u>	<u>17</u>	<u>0.6</u>	W	<u>7</u>	M	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>0</u>	
						F	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	
				NW	<u>10</u>	M	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>0</u>	
						F	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>0</u>	
<u>042-044</u>	<u>HUMAN IMMUNODEFICIENCY VIRUS INFECTION</u>	<u>255</u>	<u>9.5</u>	W	<u>103</u>	M	<u>99</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>30</u>	<u>39</u>	<u>23</u>	<u>3</u>	<u>1</u>	<u>0</u>	
						F	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	
				NW	<u>152</u>	M	<u>114</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>49</u>	<u>45</u>	<u>10</u>	<u>5</u>	<u>1</u>	<u>0</u>	
						F	<u>38</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>23</u>	<u>9</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>0</u>	
<u>140-208</u>	<u>MALIGNANT NEOPLASMS</u>	<u>5,725</u>	<u>212.6</u>	W	<u>3,894</u>	M	<u>2,167</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>17</u>	<u>59</u>	<u>148</u>	<u>438</u>	<u>1,499</u>	<u>0</u>	
						F	<u>1,727</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>0</u>	<u>7</u>	<u>14</u>	<u>58</u>	<u>153</u>	<u>306</u>	<u>1,184</u>	<u>0</u>	
				NW	<u>1,831</u>	M	<u>1,044</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>7</u>	<u>15</u>	<u>51</u>	<u>114</u>	<u>185</u>	<u>672</u>	<u>0</u>	
						F	<u>787</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>9</u>	<u>50</u>	<u>87</u>	<u>140</u>	<u>493</u>	<u>0</u>	
<u>210-239</u>	<u>BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>71</u>	<u>2.6</u>	W	<u>48</u>	M	<u>23</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>0</u>	<u>15</u>	<u>0</u>	
						F	<u>25</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>19</u>	<u>0</u>	
				NW	<u>23</u>	M	<u>10</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>0</u>	
						F	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>8</u>	<u>0</u>	

TABLE 11 - PAGE 2  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	<u>718</u>	<u>26.7</u>	W	<u>394</u>	M	<u>165</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>5</u>	<u>11</u>	<u>27</u>	<u>110</u>	<u>0</u>	
						F	<u>229</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>9</u>	<u>9</u>	<u>21</u>	<u>184</u>	<u>0</u>		
						NW	M	<u>119</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>11</u>	<u>18</u>	<u>18</u>	<u>60</u>	<u>0</u>	
							F	<u>205</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>6</u>	<u>4</u>	<u>18</u>	<u>31</u>	<u>143</u>	<u>0</u>	
250	DIABETES MELLITUS	485	18.0	W	273	M	112	0	0	0	0	4	3	8	21	76	0		
						F	161	0	0	0	0	4	4	6	17	130	0		
						NW	M	70	0	0	0	2	0	6	12	16	34	0	
							F	142	0	0	0	0	2	3	12	25	100	0	
260-269	NUTRITIONAL DEFICIENCIES	43	1.6	W	22	M	8	0	0	0	0	0	0	0	0	8	0		
						F	14	0	0	0	0	0	0	1	13	0			
						NW	M	10	0	0	0	0	0	1	0	9	0		
							F	11	0	0	0	0	0	0	0	11	0		
<u>280-289</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>116</u>	<u>4.3</u>	W	<u>70</u>	M	<u>35</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>28</u>	<u>0</u>		
						F	<u>35</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>31</u>	<u>0</u>			
						NW	M	<u>22</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>11</u>	<u>0</u>	
							F	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>4</u>	<u>4</u>	<u>11</u>	<u>0</u>	
280-285	ANEMIAS	58	2.2	W	30	M	13	0	0	0	0	0	0	0	13	0			
						F	17	0	1	0	0	0	0	1	15	0			
						NW	M	18	0	1	0	1	2	3	1	0	9	0	
							F	10	0	0	0	0	4	0	2	1	3	0	
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>243</u>	<u>9.0</u>	W	<u>160</u>	M	<u>61</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>5</u>	<u>7</u>	<u>5</u>	<u>41</u>	<u>0</u>		
						F	<u>99</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>10</u>	<u>85</u>	<u>0</u>		
						NW	M	<u>49</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>11</u>	<u>5</u>	<u>9</u>	<u>21</u>	<u>0</u>	
							F	<u>34</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>29</u>	<u>0</u>	
303	ALCOHOLISM	48	1.8	W	22	M	15	0	0	0	0	0	1	7	2	5	0		
						F	7	0	0	0	0	0	1	2	3	1	0		
						NW	M	22	0	0	0	0	1	7	5	5	4	0	
							F	4	0	0	0	0	0	0	1	1	2	0	

TABLE 11 - PAGE 3  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
320- 389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>440</u>	<u>16.3</u>	W	<u>326</u>	M	<u>153</u>	<u>0</u>	<u>5</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>3</u>	<u>5</u>	<u>5</u>	<u>14</u>	<u>114</u>	<u>0</u>		
							F	<u>173</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>8</u>	<u>13</u>	<u>144</u>	<u>0</u>	
							NW	M	<u>60</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>3</u>	<u>5</u>	<u>8</u>	<u>10</u>	<u>24</u>	<u>0</u>
								F	<u>54</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>4</u>	<u>6</u>	<u>1</u>	<u>8</u>	<u>25</u>	<u>0</u>
320- 322	MENINGITIS	17	0.6	W	9	M	3	0	1	0	0	0	0	0	1	0	1	0		
							F	6	2	0	0	0	0	0	0	0	2	2	0	
							NW	M	3	0	0	0	0	1	0	0	1	0	1	0
								F	5	2	0	0	0	0	1	0	0	2	0	0
345	EPILEPSY	24	0.9	W	11	M	5	0	0	0	0	2	1	0	1	1	0			
							F	6	0	0	0	0	1	0	1	1	3	0		
							NW	M	9	0	0	0	0	1	2	2	3	1	0	
								F	4	0	0	0	1	1	2	0	0	0	0	
390- 459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>12,042</u>	<u>447.2</u>	W	<u>8,063</u>	M	<u>3,895</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>24</u>	<u>93</u>	<u>265</u>	<u>536</u>	<u>2,968</u>	<u>0</u>		
							F	<u>4,168</u>	<u>1</u>	<u>3</u>	<u>0</u>	<u>6</u>	<u>23</u>	<u>39</u>	<u>101</u>	<u>227</u>	<u>3,768</u>	<u>0</u>		
							NW	M	<u>1,890</u>	<u>12</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>40</u>	<u>105</u>	<u>233</u>	<u>284</u>	<u>1,205</u>	<u>0</u>
								F	<u>2,089</u>	<u>7</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>7</u>	<u>18</u>	<u>54</u>	<u>120</u>	<u>249</u>	<u>1,629</u>	<u>0</u>
390- 398, 402, 404- 429	HEART DISEASES	9,567	355.2	W	6,500	M	3,246	2	1	0	2	3	21	80	219	467	2,451	0		
							F	3,254	1	3	0	0	4	15	26	80	187	2,938	0	
							NW	M	1,481	9	2	1	3	5	29	79	183	227	943	0
								F	1,586	6	1	1	2	6	13	34	94	187	1,242	0
401, 403	HYPERTENSION	238	8.8	W	118	M	47	0	0	0	0	1	3	5	7	31	0			
							F	71	0	0	0	0	0	1	0	5	65	0		
							NW	M	58	0	0	0	0	0	0	7	8	8	35	0
								F	62	0	0	0	0	0	0	4	5	7	46	0
430- 438	CEREBROVASCULAR DISEASES	1,856	68.9	W	1,174	M	465	0	0	0	0	2	8	30	52	373	0			
							F	709	0	0	0	1	7	9	18	29	645	0		
							NW	M	296	2	0	0	0	0	8	14	36	42	194	0
								F	386	1	0	0	0	0	1	14	18	46	306	0

TABLE 11 - PAGE 4  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
440	ATHEROSCLEROSIS	110	4.1	W	87	M	31	0	0	0	0	0	0	0	0	0	0	31	0
						F	56	0	0	0	0	0	0	1	0	3	52	0	
				NW	23	M	11	0	0	0	0	0	0	0	1	0	10	0	
						F	12	0	0	0	0	0	0	0	0	0	12	0	
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,318</u>	<u>86.1</u>	W	<u>1,771</u>	M	<u>909</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>14</u>	<u>24</u>	<u>76</u>	<u>787</u>	<u>0</u>	
						F	<u>862</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>21</u>	<u>63</u>	<u>768</u>	<u>0</u>	
				NW	<u>547</u>	M	<u>328</u>	<u>8</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>4</u>	<u>15</u>	<u>22</u>	<u>36</u>	<u>236</u>	<u>0</u>	
						F	<u>219</u>	<u>7</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>8</u>	<u>9</u>	<u>6</u>	<u>19</u>	<u>164</u>	<u>0</u>	
480-486	PNEUMONIA	946	35.1	W	690	M	316	1	0	0	0	1	1	9	12	13	279	0	
						F	374	3	0	0	0	1	2	2	4	17	345	0	
				NW	256	M	148	5	1	0	0	1	3	7	12	13	106	0	
						F	108	4	2	0	0	2	3	5	1	8	83	0	
492	EMPHYSEMA	143	5.3	W	108	M	72	0	0	0	0	0	0	0	1	12	59	0	
						F	36	0	0	0	0	0	0	0	2	4	30	0	
				NW	35	M	25	0	0	0	0	0	0	0	1	3	21	0	
						F	10	0	0	0	0	0	0	1	1	0	8	0	
<u>490,491,</u> <u>493-496</u>	<u>OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS</u>	<u>876</u>	<u>32.5</u>	W	<u>712</u>	M	<u>390</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>37</u>	<u>345</u>	<u>0</u>	
						F	<u>322</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>11</u>	<u>36</u>	<u>273</u>	<u>0</u>	
				NW	<u>164</u>	M	<u>106</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>5</u>	<u>13</u>	<u>81</u>	<u>0</u>	
						F	<u>58</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>7</u>	<u>41</u>	<u>0</u>	
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>802</u>	<u>29.8</u>	W	<u>563</u>	M	<u>278</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>28</u>	<u>41</u>	<u>47</u>	<u>150</u>	<u>0</u>	
						F	<u>285</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>10</u>	<u>16</u>	<u>27</u>	<u>230</u>	<u>0</u>	
				NW	<u>239</u>	M	<u>125</u>	<u>4</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>15</u>	<u>22</u>	<u>26</u>	<u>55</u>	<u>0</u>	
						F	<u>114</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>12</u>	<u>4</u>	<u>20</u>	<u>75</u>	<u>0</u>	

TABLE 11 - PAGE 5  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K				
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64							
531-533	ULCER OF STOMACH AND DUODENUM	61	2.3	W	45	M	17	0	0	0	0	1	0	1	1	2	12	0					
							NW	16	M	F	28	0	0	0	0	0	0	0	0	5	23	0	
										F	M	6	0	0	0	0	0	0	1	3	0		
											F	10	0	0	0	0	1	0	0	3	6	0	
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	231	8.6	W	158	M	108	0	0	0	0	0	3	17	32	21	35	0					
							NW	73	M	F	50	0	0	0	0	0	0	3	7	10	30	0	
										F	M	49	0	0	0	0	0	1	9	13	12	14	0
											F	24	0	0	0	0	1	5	3	8	7	0	
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>720</u>	<u>26.7</u>	W	<u>407</u>	M	<u>180</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>8</u>	<u>15</u>	<u>153</u>	<u>0</u>					
							NW	<u>313</u>	M	F	<u>227</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>6</u>	<u>9</u>	<u>205</u>	<u>0</u>	
										F	M	<u>142</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>7</u>	<u>17</u>	<u>112</u>	<u>0</u>
											F	<u>171</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>8</u>	<u>22</u>	<u>132</u>	<u>0</u>
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	388	14.4	W	210	M	102	0	0	0	0	2	1	6	13	80	0						
							NW	178	M	F	108	1	0	0	0	0	0	4	3	4	96	0	
										F	M	89	1	0	0	0	0	1	3	5	11	68	0
											F	89	2	0	0	0	0	0	4	2	18	63	0
590	INFECTIONS OF KIDNEY	14	0.5	W	12	M	3	0	0	0	0	0	0	0	0	3	0						
							NW	2	M	F	9	0	0	0	0	0	0	1	1	7	0		
										F	M	2	0	0	0	0	0	0	0	0	2	0	
											F	0	0	0	0	0	0	0	0	0	0	0	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>5</u>	<u>12.1</u>	W	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>					
							NW	<u>5</u>	M	F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
										F	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
											F	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES</u>	<u>57</u>	<u>2.1</u>	W	<u>24</u>	M	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>0</u>					
							NW	<u>33</u>	M	F	<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>14</u>	<u>0</u>	
										F	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>10</u>	<u>0</u>
											F	<u>21</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>17</u>	<u>0</u>

TABLE 11 - PAGE 6  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u>	<u>78</u>	<u>2.9</u>	W	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>8</u>	<u>0</u>	
					F	<u>38</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>6</u>	<u>27</u>	<u>0</u>		
				NW	M	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>0</u>		
					F	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>5</u>	<u>3</u>	<u>7</u>	<u>0</u>		
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>152</u>	<u>5.6</u>	W	M	<u>42</u>	<u>25</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>1</u>	<u>1</u>	<u>0</u>		
					F	<u>39</u>	<u>21</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>0</u>		
				NW	M	<u>41</u>	<u>27</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>0</u>		
					F	<u>30</u>	<u>23</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>		
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>162</u>	<u>3.9</u>	W	M	<u>28</u>	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
					F	<u>17</u>	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
				NW	M	<u>66</u>	<u>66</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
					F	<u>51</u>	<u>51</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>274</u>	<u>10.2</u>	W	M	<u>68</u>	<u>12</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>9</u>	<u>34</u>	<u>0</u>		
					F	<u>66</u>	<u>12</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>43</u>	<u>0</u>		
				NW	M	<u>71</u>	<u>25</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>3</u>	<u>3</u>	<u>5</u>	<u>5</u>	<u>24</u>	<u>0</u>		
					F	<u>69</u>	<u>24</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>3</u>	<u>2</u>	<u>32</u>	<u>0</u>		
<u>800-999</u>	<u>ALL EXTERNAL CAUSES</u>	<u>2,383</u>	<u>88.5</u>	W	M	<u>950</u>	<u>7</u>	<u>14</u>	<u>11</u>	<u>17</u>	<u>178</u>	<u>165</u>	<u>147</u>	<u>100</u>	<u>92</u>	<u>219</u>	<u>0</u>		
					F	<u>449</u>	<u>0</u>	<u>9</u>	<u>9</u>	<u>10</u>	<u>68</u>	<u>59</u>	<u>43</u>	<u>54</u>	<u>33</u>	<u>164</u>	<u>0</u>		
				NW	M	<u>723</u>	<u>6</u>	<u>26</u>	<u>10</u>	<u>25</u>	<u>179</u>	<u>150</u>	<u>133</u>	<u>62</u>	<u>43</u>	<u>88</u>	<u>1</u>		
					F	<u>261</u>	<u>4</u>	<u>20</u>	<u>4</u>	<u>6</u>	<u>49</u>	<u>44</u>	<u>29</u>	<u>28</u>	<u>14</u>	<u>63</u>	<u>0</u>		
<u>810-825</u>	<u>MOTOR VEHICLE ACCIDENTS</u>	<u>898</u>	<u>33.3</u>	W	M	<u>381</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>7</u>	<u>96</u>	<u>75</u>	<u>69</u>	<u>31</u>	<u>38</u>	<u>55</u>	<u>0</u>		
					F	<u>202</u>	<u>0</u>	<u>5</u>	<u>4</u>	<u>7</u>	<u>50</u>	<u>31</u>	<u>19</u>	<u>30</u>	<u>10</u>	<u>46</u>	<u>0</u>		
				NW	M	<u>223</u>	<u>2</u>	<u>8</u>	<u>4</u>	<u>4</u>	<u>53</u>	<u>51</u>	<u>42</u>	<u>22</u>	<u>12</u>	<u>25</u>	<u>0</u>		
					F	<u>92</u>	<u>0</u>	<u>9</u>	<u>4</u>	<u>2</u>	<u>24</u>	<u>20</u>	<u>10</u>	<u>13</u>	<u>3</u>	<u>7</u>	<u>0</u>		
<u>800-807, 826-949</u>	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>707</u>	<u>26.2</u>	W	M	<u>258</u>	<u>6</u>	<u>7</u>	<u>4</u>	<u>5</u>	<u>25</u>	<u>26</u>	<u>31</u>	<u>30</u>	<u>20</u>	<u>104</u>	<u>0</u>		
					F	<u>156</u>	<u>0</u>	<u>3</u>	<u>5</u>	<u>1</u>	<u>7</u>	<u>8</u>	<u>8</u>	<u>6</u>	<u>13</u>	<u>105</u>	<u>0</u>		
				NW	M	<u>202</u>	<u>4</u>	<u>10</u>	<u>6</u>	<u>12</u>	<u>32</u>	<u>15</u>	<u>31</u>	<u>22</u>	<u>18</u>	<u>51</u>	<u>1</u>		
					F	<u>91</u>	<u>3</u>	<u>7</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>6</u>	<u>4</u>	<u>8</u>	<u>6</u>	<u>48</u>	<u>0</u>		



TABLE 11 - PAGE 7  
DEATHS - MISSISSIPPI - 1995

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	TOTAL BY RACE SEX	AGE														
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER					
950-959	SUICIDE	318	11.8	W	258	M	210	0	0	1	4	38	35	34	26	23	49	0			
							F	48	0	0	0	0	5	13	5	10	7	8	0		
							NW	60	M	52	0	0	0	1	17	14	9	3	3	5	0
									F	8	0	0	0	0	1	1	0	1	1	4	0
960-978	HOMICIDE AND LEGAL INTERVENTION	429	15.9	W	128	M	86	0	3	1	1	14	24	12	11	10	10	0			
							F	42	0	1	0	2	6	7	10	8	3	5	0		
							NW	301	M	235	0	8	0	8	72	67	50	14	10	6	0
									F	66	1	3	0	2	16	16	15	6	4	3	0

\* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

**TABLE 12A**  
**INFANT, NEONATAL, AND POSTNEONATAL DEATHS\***  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1995**

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>435</u>	<u>149</u>	<u>286</u>	<u>254</u>	<u>88</u>	<u>166</u>	<u>181</u>	<u>61</u>	<u>120</u>
ADAMS	8	2	6	7	2	5	1	0	1
ALCORN	3	2	1	3	2	1	0	0	0
AMITE	1	0	1	0	0	0	1	0	1
ATTALA	4	1	3	2	1	1	2	0	2
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	7	0	7	4	0	4	3	0	3
CALHOUN	4	1	3	2	1	1	2	0	2
CARROLL	2	1	1	2	1	1	0	0	0
CHICKASAW	2	0	2	2	0	2	0	0	0
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAIBORNE	4	0	4	2	0	2	2	0	2
CLARKE	4	2	2	2	1	1	2	1	1
CLAY	4	1	3	4	1	3	0	0	0
COAHOMA	7	0	7	3	0	3	4	0	4
COPIAH	5	2	3	4	2	2	1	0	1
COVINGTON	4	1	3	3	1	2	1	0	1
DESOTO	15	11	4	10	7	3	5	4	1
FORREST	6	2	4	4	2	2	2	0	2
FRANKLIN	2	0	2	0	0	0	2	0	2
GEORGE	4	4	0	3	3	0	1	1	0
GREENE	1	0	1	1	0	1	0	0	0
GRENADA	6	1	5	4	0	4	2	1	1
HANCOCK	3	0	3	2	0	2	1	0	1
HARRISON	22	14	8	11	7	4	11	7	4
HINDS	43	7	36	25	4	21	18	3	15
HOLMES	3	0	3	2	0	2	1	0	1
HUMPHREYS	2	0	2	2	0	2	0	0	0
ISSAQUENA	1	1	0	0	0	0	1	1	0
ITAWAMBA	2	1	1	0	0	0	2	1	1
JACKSON	18	11	7	13	8	5	5	3	2
JASPER	4	1	3	3	0	3	1	1	0
JEFFERSON	4	0	4	2	0	2	2	0	2
JEFF DAVIS	3	0	3	2	0	2	1	0	1
JONES	4	2	2	1	1	0	3	1	2
KEMPER	0	0	0	0	0	0	0	0	0
LAFAYETTE	3	2	1	1	1	0	2	1	1
LAMAR	2	1	1	2	1	1	0	0	0
LAUDERDALE	16	2	14	8	0	8	8	2	6
LAWRENCE	0	0	0	0	0	0	0	0	0
LEAKE	3	0	3	1	0	1	2	0	2
LEE	19	9	10	10	4	6	9	5	4
LEFLORE	9	0	9	5	0	5	4	0	4

TABLE 12A - PAGE 2

## INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1995

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	3	2	1	3	2	1	0	0	0
LOWNDES	20	8	12	11	5	6	9	3	6
MADISON	5	1	4	1	1	0	4	0	4
MARION	5	2	3	5	2	3	0	0	0
MARSHALL	6	2	4	5	2	3	1	0	1
MONROE	7	5	2	4	2	2	3	3	0
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	5	2	3	3	2	1	2	0	2
NEWTON	6	4	2	5	4	1	1	0	1
NOXUBEE	4	0	4	2	0	2	2	0	2
OKTIBBEHA	6	1	5	4	1	3	2	0	2
PANOLA	9	4	5	7	2	5	2	2	0
PEARL RIVER	4	3	1	3	2	1	1	1	0
PERRY	0	0	0	0	0	0	0	0	0
PIKE	3	1	2	1	0	1	2	1	1
PONTOTOC	3	0	3	1	0	1	2	0	2
PRENTISS	3	3	0	1	1	0	2	2	0
QUITMAN	1	0	1	0	0	0	1	0	1
RANKIN	15	8	7	8	4	4	7	4	3
SCOTT	8	5	3	4	2	2	4	3	1
SHARKEY	1	1	0	0	0	0	1	1	0
SIMPSON	2	0	2	2	0	2	0	0	0
SMITH	1	0	1	0	0	0	1	0	1
STONE	2	1	1	2	1	1	0	0	0
SUNFLOWER	3	0	3	1	0	1	2	0	2
TALLAHATCHIE	5	0	5	5	0	5	0	0	0
TATE	1	0	1	0	0	0	1	0	1
TIPPAH	3	2	1	1	1	0	2	1	1
TISHOMINGO	3	3	0	1	1	0	2	2	0
TUNICA	2	0	2	2	0	2	0	0	0
UNION	5	4	1	2	2	0	3	2	1
WALTHALL	1	0	1	0	0	0	1	0	1
WARREN	10	3	7	3	0	3	7	3	4
WASHINGTON	14	0	14	7	0	7	7	0	7
WAYNE	6	1	5	3	1	2	3	0	3
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	1	0	1	1	0	1	0	0	0
WINSTON	4	0	4	3	0	3	1	0	1
YALOBUSHA	0	0	0	0	0	0	0	0	0
YAZOO	3	1	2	0	0	0	3	1	2

\* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B**  
**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1991-1995 (5-YEAR AVERAGE)**

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>STATE</b>	<b>11.2</b>	<b>7.6</b>	<b>15.1</b>	<b>6.8</b>	<b>4.5</b>	<b>9.3</b>	<b>4.4</b>	<b>3.1</b>	<b>5.8</b>
ADAMS	15.8	10.0	19.1	12.6	8.0	15.2	3.2	2.0	3.9
ALCORN	10.1	9.4	13.2	7.2	7.1	7.9	2.9	2.4	5.3
AMITE	4.8	2.5	6.8	2.4	-	4.5	2.4	2.5	2.3
ATTALA	10.0	5.2	13.9	6.2	3.5	8.4	3.9	1.7	5.6
BENTON	10.5	3.3	18.9	5.3	-	11.3	5.3	3.3	7.5
BOLIVAR	12.6	7.6	14.0	5.8	3.8	6.3	6.9	3.8	7.7
CALHOUN	21.0	12.1	33.1	16.0	12.1	21.3	5.0	-	11.8
CARROLL	13.6	8.4	18.2	9.7	8.4	10.9	3.9	-	7.3
CHICKASAW	10.3	9.0	11.6	9.6	7.7	11.6	0.6	1.3	-
CHOCTAW	8.6	6.1	12.0	5.2	6.1	4.0	3.5	-	8.0
CLAIBORNE	14.0	-	15.7	5.8	-	6.5	8.2	-	9.2
CLARKE	9.9	13.7	5.4	5.0	6.1	3.6	5.0	7.6	1.8
CLAY	13.3	11.7	14.1	8.8	6.7	9.9	4.4	5.0	4.1
COAHOMA	19.6	6.6	22.7	13.8	3.3	16.3	5.8	3.3	6.4
COPIAH	10.1	8.5	11.1	6.9	6.1	7.4	3.2	2.4	3.7
COVINGTON	15.9	10.4	21.8	10.0	3.9	16.3	6.0	6.5	5.4
DESOTO	8.2	6.6	16.6	5.6	4.4	11.4	2.7	2.2	5.2
FORREST	12.6	5.8	20.5	8.3	3.8	13.6	4.3	2.1	6.8
FRANKLIN	12.9	-	25.0	5.5	-	10.7	7.4	-	14.3
GEORGE	5.0	5.6	-	3.8	4.2	-	1.3	1.4	-
GREENE	8.2	5.5	16.8	4.1	1.8	11.2	4.1	3.6	5.6
GRENADA	11.6	5.2	16.6	7.5	3.9	10.4	4.0	1.3	6.2
HANCOCK	8.1	6.3	20.3	4.2	3.9	6.8	3.8	2.4	13.5
HARRISON	8.6	7.4	11.3	4.6	4.0	6.1	4.0	3.4	5.2
HINDS	11.2	5.9	13.5	7.3	3.9	8.8	3.9	2.0	4.7
HOLMES	13.4	-	15.1	7.6	-	8.6	5.7	-	6.5
HUMPHREYS	13.2	13.8	13.0	7.5	9.2	7.1	5.6	4.6	5.9
ISSAQUENA	14.2	25.0	9.9	7.1	-	9.9	7.1	25.0	-
ITAWAMBA	6.5	4.8	24.0	2.2	2.4	-	4.3	2.4	24.0
JACKSON	10.9	8.8	15.6	6.8	6.0	8.8	4.0	2.8	6.7
JASPER	8.7	8.3	9.0	5.1	4.2	5.6	3.6	4.2	3.4
JEFFERSON	15.6	-	16.6	9.1	-	9.7	6.5	-	6.9
JEFF DAVIS	11.4	2.9	15.1	7.0	-	10.1	4.4	2.9	5.0
JONES	7.5	4.9	11.6	3.9	1.9	7.0	3.6	3.0	4.6
KEMPER	8.7	9.9	8.2	5.8	5.0	6.1	2.9	5.0	2.0
LAFAYETTE	10.2	4.6	17.3	6.1	2.8	10.4	4.1	1.8	6.9
LAMAR	9.2	8.1	14.4	5.4	3.5	14.4	3.8	4.6	-
LAUDERDALE	11.9	6.0	17.7	6.4	2.3	10.5	5.4	3.7	7.2
LAWRENCE	10.4	11.3	9.2	8.3	9.4	6.9	2.1	1.9	2.3
LEAKE	13.6	5.8	20.2	4.6	2.9	5.9	9.1	2.9	14.2
LEE	13.4	10.7	18.9	8.8	6.2	13.9	4.6	4.5	5.0
LEFLORE	16.5	8.4	19.0	11.7	6.0	13.4	4.8	2.4	5.6

TABLE 12B - PAGE 2

## INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1991-1995 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6.9	8.6	4.3	5.6	7.8	2.2	1.3	0.7	2.2
LOWNDES	15.2	9.0	21.6	9.2	7.1	11.4	6.0	1.9	10.2
MADISON	7.6	3.6	11.3	4.2	1.8	6.5	3.4	1.8	4.8
MARION	9.8	6.3	14.6	6.2	4.5	8.5	3.6	1.8	6.1
MARSHALL	15.1	9.8	18.8	9.9	7.1	11.9	5.2	2.7	6.9
MONROE	12.2	11.6	13.1	7.3	5.8	9.6	4.9	5.8	3.5
MONTGOMERY	12.9	10.9	14.2	10.8	10.9	10.7	2.2	-	3.6
NESHOBA	15.5	10.0	20.9	11.5	8.0	14.9	4.0	2.0	6.0
NEWTON	12.0	10.4	13.8	7.2	8.1	6.3	4.8	2.3	7.5
NOXUBEE	18.6	17.2	19.0	9.7	8.6	10.0	8.8	8.6	8.9
OKTIBBEHA	7.8	5.9	9.3	5.4	3.4	7.2	2.3	2.5	2.2
PANOLA	16.0	8.1	20.4	10.2	3.0	14.2	5.8	5.1	6.2
PEARL RIVER	8.1	7.5	10.2	4.0	4.6	1.7	4.0	2.9	8.5
PERRY	13.2	9.9	19.8	11.0	9.9	13.2	2.2	-	6.6
PIKE	6.2	2.6	8.5	3.6	-	5.8	2.6	2.6	2.6
PONTOTOC	8.6	4.8	27.7	6.3	4.2	17.3	2.3	0.7	10.4
PRENTISS	9.4	10.3	4.2	3.8	4.4	-	5.6	5.9	4.2
QUITMAN	12.8	4.3	15.3	7.9	-	10.2	4.9	4.3	5.1
RANKIN	7.6	6.5	11.7	3.9	3.6	4.8	3.7	2.9	6.9
SCOTT	14.7	12.8	16.6	7.1	9.1	5.2	7.6	3.6	11.3
SHARKEY	7.2	17.2	5.2	2.9	-	3.5	4.3	17.2	1.7
SIMPSON	12.6	8.5	17.5	9.1	5.6	13.1	3.5	2.8	4.4
SMITH	10.3	9.0	12.5	6.5	4.5	10.0	3.7	4.5	2.5
STONE	9.6	7.6	14.3	6.4	3.0	14.3	3.2	4.6	-
SUNFLOWER	11.9	1.7	14.5	6.5	1.7	7.7	5.4	-	6.8
TALLAHATCHIE	12.7	3.1	15.6	7.4	-	9.8	5.2	3.1	5.9
TATE	9.9	6.5	14.6	4.3	3.2	5.8	5.6	3.2	8.8
TIPPAH	8.5	9.1	6.4	5.0	5.5	3.2	3.6	3.6	3.2
TISHOMINGO	13.2	12.8	23.2	8.8	8.2	23.2	4.4	4.6	-
TUNICA	19.7	-	22.7	12.3	-	14.2	7.4	-	8.5
UNION	16.6	16.8	16.2	7.1	6.9	8.1	9.5	9.9	8.1
WALTHALL	6.8	2.2	9.8	1.7	-	2.8	5.1	2.2	7.0
WARREN	13.5	8.5	18.1	7.7	3.0	12.1	5.8	5.5	6.0
WASHINGTON	11.7	4.2	14.2	7.0	1.8	8.8	4.7	2.4	5.4
WAYNE	13.6	8.7	17.9	8.3	2.5	13.4	5.3	6.2	4.5
WEBSTER	11.6	8.7	17.5	7.3	4.4	13.1	4.4	4.4	4.4
WILKINSON	8.6	6.1	9.4	8.6	6.1	9.4	-	-	-
WINSTON	15.8	8.8	21.3	11.0	7.1	14.2	4.7	1.8	7.1
YALOBUSHA	8.8	7.2	10.2	3.3	-	6.1	5.5	7.2	4.1
YAZOO	12.2	10.0	13.1	4.2	1.4	5.3	8.0	8.6	7.7

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;  
POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13**  
**INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,**  
**ALSO MORTALITY RATES FOR SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1995**

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20		21- 27
<u>ALL CAUSES</u>	<u>435</u>	<u>10.5</u>	W	<u>149</u>	<u>88</u>	<u>44</u>	<u>26</u>	<u>10</u>	<u>4</u>	<u>4</u>	<u>61</u>
			NW	<u>286</u>	<u>166</u>	<u>96</u>	<u>41</u>	<u>12</u>	<u>9</u>	<u>8</u>	<u>120</u>
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
MENINGITIS (320-322)	4	0.1	W	2	1	0	0	0	0	1	1
			NW	2	0	0	0	0	0	0	2
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
PNEUMONIA AND INFLUENZA (480-487)	13	0.3	W	4	1	0	0	0	1	0	3
			NW	9	2	0	0	0	1	1	7
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	96	2.3	W	46	33	18	11	2	2	0	13
			NW	50	33	16	8	6	2	1	17
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	2	2	0	0	0	0	2
MATERNAL COMPLICATIONS OF PREGNANCY (761)	7	0.2	W	0	0	0	0	0	0	0	0
			NW	7	7	7	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	10	0.2	W	3	2	1	0	0	0	1	1
			NW	7	7	5	1	0	1	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	3	0.1	W	2	2	1	1	0	0	0	0
			NW	1	1	1	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	43	1.0	W	7	7	7	0	0	0	0	0
			NW	36	34	32	1	0	0	1	2

TABLE 13 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1995

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
BIRTH TRAUMA (767)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	2	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	9	0.2	W	4	4	2	2	0	0	0	0
			NW	5	4	1	1	1	1	0	1
RESPIRATORY DISTRESS SYNDROME (769)	14	0.3	W	7	6	1	3	2	0	0	1
			NW	7	7	4	2	0	1	0	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	6	0.1	W	4	4	2	2	0	0	0	0
			NW	2	2	0	2	0	0	0	0
NEONATAL HEMORRHAGE (772)	9	0.2	W	3	3	1	1	1	0	0	0
			NW	6	6	2	3	1	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	64	1.5	W	22	2	0	0	1	0	1	20
			NW	42	4	0	0	0	1	3	38
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	9	0.2	W	2	0	0	0	0	0	0	2
			NW	7	2	0	2	0	0	0	5
ACCIDENTS (800-949)	16	0.4	W	7	0	0	0	0	0	0	7
			NW	9	1	1	0	0	0	0	8
ALL OTHER CAUSES	113	2.7	W	31	22	10	6	4	1	1	9
			NW	82	52	25	19	4	2	2	30

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

**TABLE 14**  
**ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	MDTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<b>STATE</b>	<b>1,576</b>	<b>904</b>	<b>15</b>	<b>45</b>	<b>148</b>	<b>120</b>	<b>69</b>	<b>40</b>	<b>235</b>
ADAMS	14	1	0	0	5	1	1	0	6
ALCORN	27	16	0	0	2	1	0	3	5
AMITE	12	5	0	2	0	0	1	0	4
ATTALA	6	3	0	0	0	0	1	0	2
BENTON	9	8	0	0	0	0	1	0	0
BOLIVAR	24	13	1	3	0	0	2	0	5
CALHOUN	10	6	0	0	0	3	0	0	1
CARROLL	7	6	0	0	1	0	0	0	0
CHICKASAW	11	9	0	0	0	0	1	0	1
CHOCTAW	6	5	0	0	0	0	0	0	1
CLAIBORNE	2	0	0	2	0	0	0	0	0
CLARKE	6	5	0	0	0	0	1	0	0
CLAY	9	3	0	0	0	0	1	2	3
COAHOMA	25	18	0	1	1	0	0	0	5
COPIAH	11	6	0	0	0	2	1	0	2
COVINGTON	8	7	0	0	0	1	0	0	0
DESOTO	33	23	1	0	0	0	2	3	4
FORREST	51	21	1	0	12	0	2	4	11
FRANKLIN	3	1	0	0	0	1	0	0	1
GEORGE	8	5	0	0	0	0	1	0	2
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	17	15	0	0	0	0	1	0	1
HANCOCK	22	14	0	1	0	2	3	0	2
HARRISON	76	33	1	5	15	1	8	0	13
HINDS	164	88	0	4	33	7	3	8	21
HOLMES	20	9	0	1	1	4	0	0	5
HUMPHREYS	12	6	0	0	1	1	2	0	2
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	6	5	0	0	0	0	0	1	0
JACKSON	67	38	3	5	4	5	1	0	11
JASPER	8	5	0	0	1	0	0	1	1
JEFFERSON	6	5	0	0	0	0	0	1	0
JEFF DAVIS	14	10	0	0	1	1	2	0	0
JONES	31	15	0	2	4	5	1	1	3
KEMPER	4	1	0	0	0	2	1	0	0
LAFAYETTE	14	7	0	0	0	1	1	0	5
LAMAR	19	8	0	0	3	1	3	0	4
LAUDERDALE	59	25	0	0	15	8	2	0	9
LAWRENCE	8	5	0	0	0	0	2	0	1
LEAKE	11	5	0	0	0	1	1	0	4
LEE	81	41	0	1	21	4	3	0	11
LEFLORE	22	12	0	0	3	3	2	1	1



TABLE 14 - PAGE 2  
 ACCIDENTAL DEATHS - MISSISSIPPI - 1995

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	21	15	1	1	1	0	0	0	3
LOWNDES	30	12	0	0	1	3	2	2	10
MADISON	21	15	0	0	2	2	0	0	2
MARION	14	7	1	1	1	0	0	0	4
MARSHALL	15	11	0	0	0	2	0	1	1
MONROE	22	18	1	0	0	0	1	1	1
MONTGOMERY	11	8	0	0	0	0	0	0	3
NESHOBA	26	24	0	0	0	1	0	0	1
NEWTON	10	4	0	2	0	1	0	0	3
NOXUBEE	5	4	0	0	0	0	0	0	1
OKTIBBEHA	11	3	0	2	2	1	1	0	2
PANOLA	19	14	2	0	1	0	0	1	1
PEARL RIVER	20	16	0	0	0	0	1	1	2
PERRY	2	2	0	0	0	0	0	0	0
PIKE	16	12	0	1	0	1	0	0	2
PONTOTOC	14	9	0	0	0	3	0	0	2
PRENTISS	17	12	0	1	0	0	1	0	3
QUITMAN	6	4	0	0	0	0	1	1	0
RANKIN	41	24	1	2	5	1	1	0	7
SCOTT	28	18	0	1	0	3	3	1	2
SHARKEY	2	1	0	0	0	0	0	0	1
SIMPSON	10	9	0	0	0	1	0	0	0
SMITH	4	4	0	0	0	0	0	0	0
STONE	11	7	0	0	0	0	2	0	2
SUNFLOWER	10	5	0	1	0	1	0	2	1
TALLAHATCHIE	9	6	0	0	0	2	1	0	0
TATE	13	7	0	0	1	0	0	0	5
TIPPAH	13	7	1	1	1	0	1	0	2
TISHOMINGO	13	6	0	0	0	1	1	0	5
TUNICA	21	14	0	0	1	5	0	1	0
UNION	11	6	0	0	0	0	0	1	4
WALTHALL	7	5	0	0	0	1	0	0	1
WARREN	28	16	0	2	3	2	0	1	4
WASHINGTON	50	14	0	2	4	23	1	2	4
WAYNE	21	14	0	1	1	2	0	0	3
WEBSTER	3	3	0	0	0	0	0	0	0
WILKINSON	10	6	0	0	0	3	0	0	1
WINSTON	16	13	0	0	1	1	0	0	1
YALOBUSHA	17	12	1	0	0	2	1	0	1
YAZOO	15	9	0	0	0	3	0	0	3

**TABLE 15**  
**MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,**  
**MISSISSIPPI, 1995**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>STATE</b>	<b>22,150</b>	<b>15,714</b>	<b>6,436</b>	<b>22,150</b>	<b>15,714</b>	<b>6,436</b>	<b>20,856</b>	<b>14,735</b>	<b>6,121</b>
ADAMS	376	241	135	396	258	138	301	176	125
ALCORN	198	176	22	210	188	22	177	159	18
AMITE	94	65	29	104	74	30	87	57	30
ATTALA	189	128	61	184	129	55	174	119	55
BENTON	35	26	9	48	33	15	45	32	13
BOLIVAR	240	107	133	238	103	135	233	104	129
CALHOUN	117	91	26	113	91	22	115	89	26
CARROLL	49	28	21	59	44	15	48	30	18
CHICKASAW	169	108	61	153	98	55	145	98	47
CHOCTAW	76	53	23	93	68	25	74	50	24
CLAIBORNE	74	21	53	79	28	51	65	15	50
CLARKE	122	88	34	148	107	41	143	95	48
CLAY	159	87	72	176	92	84	161	85	76
COAHOMA	157	52	105	162	58	104	153	50	103
COPIAH	207	108	99	235	130	105	214	109	105
COVINGTON	164	121	43	160	117	43	162	118	44
DESOTO	529	460	69	470	408	62	420	382	38
FORREST	822	618	204	691	501	190	689	500	189
FRANKLIN	78	55	23	83	60	23	73	49	24
GEORGE	238	220	18	227	210	17	195	180	15
GREENE	84	61	23	106	83	23	87	67	20
GRENADA	183	130	53	182	123	59	170	121	49
HANCOCK	334	308	26	358	334	24	293	276	17
HARRISON	1,823	1,546	277	1,785	1,507	278	1,571	1,327	244
HINDS	2,220	1,155	1,065	2,092	1,105	987	1,923	951	972
HOLMES	107	29	78	118	36	82	109	25	84
HUMPHREYS	59	21	38	63	24	39	54	20	34
ISSAQUENA	9	2	7	11	3	8	10	2	8
ITAWAMBA	183	173	10	203	194	9	178	171	7
JACKSON	988	823	165	1,059	882	177	1,014	864	150
JASPER	129	74	55	149	92	57	117	68	49
JEFFERSON	23	1	22	32	7	25	24	3	21
JEFF DAVIS	115	57	58	116	56	60	122	56	66
JONES	589	475	114	582	469	113	564	463	101
KEMPER	59	32	27	68	36	32	65	35	30
LAFAYETTE	250	180	70	235	170	65	235	172	63
LAMAR	248	221	27	284	253	31	331	298	33
LAUDERDALE	725	502	223	702	489	213	652	446	206
LAWRENCE	132	82	50	132	89	43	120	75	45
LEAKE	147	96	51	168	111	57	145	95	50
LEE	741	595	146	678	543	135	708	569	139
LEFLORE	250	121	129	250	114	136	234	110	124

TABLE 15 - PAGE 2  
MARRIAGES - MISSISSIPPI - 1995

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	319	249	70	323	248	75	307	238	69
LOWNDES	516	336	180	501	312	189	447	284	163
MADISON	310	176	134	391	231	160	507	328	179
MARION	286	212	74	291	217	74	273	203	70
MARSHALL	185	112	73	183	109	74	154	90	64
MONROE	312	228	84	333	244	89	303	215	88
MONTGOMERY	107	74	33	112	76	36	106	72	34
NESHOBA	251	175	76	247	171	76	234	163	71
NEWTON	163	118	45	166	121	45	171	124	47
NOXUBEE	83	26	57	83	28	55	80	23	57
OKTIBBEHA	347	233	114	282	185	97	299	193	106
PANOLA	230	128	102	241	133	108	217	116	101
PEARL RIVER	417	376	41	420	376	44	390	352	38
PERRY	125	93	32	122	89	33	133	100	33
PIKE	346	200	146	342	198	144	317	180	137
PONTOTOC	210	194	16	212	194	18	218	197	21
PRENTISS	171	158	13	158	142	16	165	153	12
QUITMAN	66	28	38	72	32	40	62	24	38
RANKIN	937	845	92	822	731	91	955	859	96
SCOTT	260	194	66	255	189	66	250	186	64
SHARKEY	42	20	22	38	16	22	36	15	21
SIMPSON	212	150	62	230	163	67	218	157	61
SMITH	97	76	21	146	117	29	124	93	31
STONE	130	116	14	122	110	12	121	109	12
SUNFLOWER	199	71	128	219	86	133	148	51	97
TALLAHATCHIE	81	45	36	88	53	35	77	45	32
TATE	165	121	44	159	118	41	149	109	40
TIPPAH	152	133	19	171	152	19	144	124	20
TISHOMINGO	107	105	2	116	115	1	93	91	2
TUNICA	52	20	32	54	22	32	38	9	29
UNION	194	173	21	188	171	17	195	173	22
WALTHALL	98	65	33	108	66	42	99	60	39
WARREN	445	303	142	443	308	135	395	270	125
WASHINGTON	280	138	142	291	138	153	259	122	137
WAYNE	179	122	57	187	131	56	166	115	51
WEBSTER	81	65	16	85	67	18	98	80	18
WILKINSON	54	22	32	57	25	32	52	21	31
WINSTON	171	110	61	193	133	60	173	112	61
YALOBUSHA	101	71	30	112	81	31	111	77	34
YAZOO	178	96	82	185	99	86	172	91	81
OUT OF STATE	*	*	*	*	*	*	1,294	979	315

\* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

**TABLE 16**  
**DIVORCES, BY COUNTY OF OCCURRENCE AND RACE\*,**  
**MISSISSIPPI, 1995**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>13, 182</u>	<u>10, 073</u>	<u>2, 850</u>	<u>259</u>					
ADAMS	193	127	65	1	LINCOLN	156	135	21	0
ALCORN	266	243	22	1	LOWNDES	360	251	100	9
AMITE	50	40	10	0	MADISON	208	167	41	0
ATTALA	66	47	19	0	MARION	100	75	24	1
BENTON	23	22	1	0	MARSHALL	133	99	34	0
BOLIVAR	125	72	53	0	MONROE	224	177	38	9
CALHOUN	81	66	15	0	MONTGOMERY	52	36	16	0
CARROLL	28	22	6	0	NESHOBA	145	131	14	0
CHICKASAW	77	61	15	1	NEWTON	88	69	9	10
CHOCTAW	42	38	4	0	NOXUBEE	18	4	13	1
CLAIBORNE	19	4	15	0	OKTIBBEHA	140	81	45	14
CLARKE	74	56	17	1	PANOLA	185	120	65	0
CLAY	71	44	22	5	PEARL RIVER	247	225	18	4
COAHOMA	156	83	73	0	PERRY	64	59	4	1
COPIAH	61	42	19	0	PIKE	193	121	66	6
COVINGTON	79	53	15	11	PONTOTOC	184	175	9	0
DESOTO	539	509	29	1	PRENTISS	154	125	11	18
FORREST	90	66	22	2	QUITMAN	41	22	19	0
FRANKLIN	36	28	8	0	RANKIN	649	595	54	0
GEORGE	0	0	0	0	SCOTT	151	115	36	0
GREENE	56	51	5	0	SHARKEY	14	11	3	0
GRENADA	96	79	17	0	SIMPSON	174	130	41	3
HANCOCK	221	198	13	10	SMITH	69	57	11	1
HARRISON	740	592	124	24	STONE	79	74	5	0
HINDS	1, 275	684	579	12	SUNFLOWER	91	48	36	7
HOLMES	59	20	39	0	TALLAHATCHIE	56	33	23	0
HUMPHREYS	18	7	11	0	TATE	102	74	28	0
ISSAQUENA	9	3	6	0	TIPPAH	156	135	13	8
ITAWAMBA	142	135	7	0	TISHOMINGO	136	133	3	0
JACKSON	768	679	88	1	TUNICA	29	13	16	0
JASPER	76	47	29	0	UNION	178	156	17	5
JEFFERSON	0	0	0	0	WALTHALL	62	43	19	0
JEFF DAVIS	48	27	21	0	WARREN	256	197	59	0
JONES	353	307	42	4	WASHINGTON	252	147	94	11
KEMPER	22	17	5	0	WAYNE	94	77	17	0
LAFAYETTE	117	86	31	0	WEBSTER	59	55	4	0
LAMAR	203	161	19	23	WILKINSON	18	12	6	0
LAUDERDALE	446	330	96	20	WINSTON	77	53	23	1
LAWRENCE	85	71	14	0	YALOBUSHA	63	50	13	0
LEAKE	119	86	33	0	YAZOO	89	63	25	1
LEE	544	435	79	30					
LEFLORE	163	92	69	2					

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE 17**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI**  
**ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1995**

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>3, 440</u>	<u>1, 220</u>	<u>2, 219</u>	<u>1</u>					
ADAMS	30	16	14	0	LINCOLN	34	19	15	0
ALCORN	0	0	0	0	LOWNDES	13	8	5	0
AMITE	3	2	1	0	MADISON	219	94	125	0
ATTALA	25	8	17	0	MARION	9	1	8	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	23	4	19	0	MONROE	5	2	3	0
CALHOUN	1	0	1	0	MONTGOMERY	30	9	21	0
CARROLL	8	1	7	0	NESHOBA	25	13	12	0
CHICKASAW	8	5	3	0	NEWTON	28	11	17	0
CHOCTAW	9	2	7	0	NOXUBEE	3	1	2	0
CLAIBORNE	29	1	28	0	OKTIBBEHA	21	6	15	0
CLARKE	14	6	8	0	PANOLA	9	4	5	0
CLAY	8	1	7	0	PEARL RIVER	3	2	1	0
COAHOMA	3	2	1	0	PERRY	5	1	4	0
COPIAH	45	14	31	0	PIKE	58	13	45	0
COVINGTON	16	6	10	0	PONTOTOC	2	2	0	0
DESOTO	0	0	0	0	PRENTISS	1	1	0	0
FORREST	105	66	39	0	QUITMAN	3	1	2	0
FRANKLIN	9	6	3	0	RANKIN	214	159	55	0
GEORGE	1	1	0	0	SCOTT	53	28	25	0
GREENE	5	2	3	0	SHARKEY	11	1	10	0
GRENADA	33	20	13	0	SIMPSON	33	16	17	0
HANCOCK	7	6	1	0	SMITH	14	10	4	0
HARRISON	131	88	43	0	STONE	4	3	1	0
HINDS	1, 221	262	959	0	SUNFLOWER	44	7	37	0
HOLMES	54	8	46	0	TALLAHATCHIE	3	0	3	0
HUMPHREYS	11	3	8	0	TATE	2	2	0	0
ISSAQUENA	0	0	0	0	TIPPAH	1	1	0	0
ITAWAMBA	1	1	0	0	TISHOMINGO	2	2	0	0
JACKSON	24	18	6	0	TUNICA	0	0	0	0
JASPER	25	8	17	0	UNION	0	0	0	0
JEFFERSON	20	1	19	0	WALTHALL	7	1	6	0
JEFF DAVIS	22	4	18	0	WARREN	176	51	125	0
JONES	56	31	25	0	WASHINGTON	91	29	61	1
KEMPER	13	2	11	0	WAYNE	11	4	7	0
LAFAYETTE	8	6	2	0	WEBSTER	11	7	4	0
LAMAR	16	15	1	0	WILKINSON	1	0	1	0
LAUDERDALE	72	29	43	0	WINSTON	17	5	12	0
LAWRENCE	15	6	9	0	YALOBUSHA	4	2	2	0
LEAKE	27	12	15	0	YAZOO	76	18	58	0
LEE	6	6	0	0					
LEFLORE	93	17	76	0					

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	8.3	-	16.7	1	1	0	3.1	3.6	-
MALIGNANT NEOPLASMS (140-208)	91	47	44	252.9	261.4	244.5	89	80	9	279.0	284.7	236.8
DIABETES MELLITUS (250)	5	2	3	13.9	11.1	16.7	3	1	2	9.4	3.6	52.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	147	73	74	408.6	406.0	411.2	126	110	16	395.0	391.5	420.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	6.3	7.1	-
CEREBROVASCULAR DISEASES (430-438)	38	16	22	105.6	89.0	122.2	36	31	5	112.9	110.3	131.5
ATHEROSCLEROSIS (440)	1	1	0	2.8	5.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	12	9	3	33.4	50.0	16.7	13	13	0	40.8	46.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	36.1	55.6	16.7	13	12	1	40.8	42.7	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	11.1	16.7	5.6	5	5	0	15.7	17.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	11.1	5.6	16.7	4	4	0	12.5	14.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	3.1	3.6	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	2	1	9.4	7.1	26.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	2	5	13.7	10.9	15.3	0	0	0	-	-	-
ACCIDENTS (800-949)	17	10	7	47.2	55.6	38.9	29	26	3	90.9	92.5	78.9
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	19.4	22.2	16.7	16	15	1	50.2	53.4	26.3
SUICIDE (950-959)	2	2	0	5.6	11.1	-	1	0	1	3.1	-	26.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	8.3	5.6	11.1	4	1	3	12.5	3.6	78.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	6	5	1	18.8	17.8	26.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	11.0	-	26.3
MALIGNANT NEOPLASMS (140-208)	30	13	17	216.5	174.0	266.2	48	30	18	263.7	283.0	236.7
DIABETES MELLITUS (250)	5	2	3	36.1	26.8	47.0	3	2	1	16.5	18.9	13.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	61	32	29	440.3	428.4	454.2	96	56	40	527.4	528.4	526.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	10	7	3	54.9	66.0	39.4
CEREBROVASCULAR DISEASES (430-438)	12	6	6	86.6	80.3	94.0	11	10	1	60.4	94.3	13.1
ATHEROSCLEROSIS (440)	1	1	0	7.2	13.4	-	2	1	1	11.0	9.4	13.1
PNEUMONIA AND INFLUENZA (480-487)	6	4	2	43.3	53.6	31.3	13	11	2	71.4	103.8	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	28.9	53.6	-	12	12	0	65.9	113.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	21.6	-	47.0	2	2	0	11.0	18.9	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.5	9.4	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	11.0	9.4	13.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	11	8	3	79.4	107.1	47.0	9	5	4	49.4	47.2	52.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	43.3	66.9	15.7	5	4	1	27.5	37.7	13.1
SUICIDE (950-959)	1	1	0	7.2	13.4	-	2	2	0	11.0	18.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	21.6	-	47.0	4	2	2	22.0	18.9	26.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	14.4	-	31.3	1	0	1	5.5	-	13.1

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	2.4	-	3.6
MALIGNANT NEOPLASMS (140-208)	12	9	3	153.0	197.2	91.6	76	24	52	183.3	173.2	188.3
DIABETES MELLITUS (250)	2	2	0	25.5	43.8	-	17	4	13	41.0	28.9	47.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	32	8	510.1	701.0	244.2	151	63	88	364.1	454.6	318.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	2	0	2	25.5	-	61.0	34	13	21	82.0	93.8	76.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	1	3	9.6	7.2	10.9
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	63.8	65.7	61.0	20	12	8	48.2	86.6	29.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	12.8	21.9	-	14	9	5	33.8	64.9	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	2	1	7.2	14.4	3.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	12.8	21.9	-	12	4	8	28.9	28.9	29.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	2.4	7.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	12.8	21.9	-	2	0	2	4.8	-	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	4.4	-	5.6
ACCIDENTS (800-949)	7	5	2	89.3	109.5	61.0	29	8	21	69.9	57.7	76.0
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	38.3	43.8	30.5	14	2	12	33.8	14.4	43.4
SUICIDE (950-959)	0	0	0	-	-	-	4	2	2	9.6	14.4	7.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	25.5	-	61.0	8	2	6	19.3	14.4	21.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	12.8	21.9	-	3	2	1	7.2	14.4	3.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	20.3	-	50.7
MALIGNANT NEOPLASMS (140-208)	40	34	6	273.4	326.2	142.6	18	13	5	182.8	220.3	126.8
DIABETES MELLITUS (250)	4	3	1	27.3	28.8	23.8	1	0	1	10.2	-	25.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	75	59	16	512.6	566.0	380.4	34	26	8	345.4	440.6	202.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	27	22	5	184.6	211.0	118.9	9	4	5	91.4	67.8	126.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	20.5	19.2	23.8	1	1	0	10.2	16.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	41.0	57.6	-	3	3	0	30.5	50.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	10.2	-	25.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	27.3	28.8	23.8	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	20.3	16.9	25.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.4	8.5	13.2	1	0	1	10.1	-	18.5
ACCIDENTS (800-949)	16	7	9	109.4	67.2	214.0	4	2	2	40.6	33.9	50.7
MOTOR VEHICLE ACCIDENTS# (810-825)	8	4	4	54.7	38.4	95.1	2	0	2	20.3	-	50.7
SUICIDE (950-959)	2	1	1	13.7	9.6	23.8	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	13.7	-	47.6	1	0	1	10.2	-	25.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	20.5	9.6	47.6	1	0	1	10.2	-	25.4

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	11.3	-	27.8	1	1	0	11.2	16.4	-
MALIGNANT NEOPLASMS (140-208)	38	27	11	215.3	258.5	152.7	19	14	5	212.7	228.9	177.4
DIABETES MELLITUS (250)	2	0	2	11.3	-	27.8	1	1	0	11.2	16.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	57	24	459.0	545.8	333.1	36	28	8	403.0	457.9	283.8
HYPERTENSION (401, 403)	1	1	0	5.7	9.6	-	1	1	0	11.2	16.4	-
CEREBROVASCULAR DISEASES (430-438)	13	9	4	73.7	86.2	55.5	5	2	3	56.0	32.7	106.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	5	2	39.7	47.9	27.8	3	1	2	33.6	16.4	70.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	28.3	47.9	-	7	7	0	78.4	114.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	11.2	-	35.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	11.3	9.6	13.9	3	2	1	33.6	32.7	35.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	11.2	16.4	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.3	-	6.5	1	0	1	8.0	-	19.6
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	18	11	7	102.0	105.3	97.2	10	8	2	111.9	130.8	70.9
SUICIDE (950-959)	4	4	0	22.7	38.3	-	2	2	0	22.4	32.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	5.7	9.6	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	17.0	19.2	13.9	2	1	1	22.4	16.4	35.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	26.5	-	31.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	4	16	176.6	214.8	169.1	34	18	16	197.2	162.7	259.1
DIABETES MELLITUS (250)	1	0	1	8.8	-	10.6	4	2	2	23.2	18.1	32.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	36	14	22	317.9	751.9	232.5	99	70	29	574.2	632.6	469.6
HYPERTENSION (401, 403)	1	0	1	8.8	-	10.6	1	1	0	5.8	9.0	-
CEREBROVASCULAR DISEASES (430-438)	8	4	4	70.6	214.8	42.3	12	8	4	69.6	72.3	64.8
ATHEROSCLEROSIS (440)	1	0	1	8.8	-	10.6	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	0	2	17.7	-	21.1	8	5	3	46.4	45.2	48.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	17.7	53.7	10.6	7	6	1	40.6	54.2	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.8	-	10.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.8	-	10.6	2	1	1	11.6	9.0	16.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.8	-	10.6	1	1	0	5.8	9.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.9	-	6.4	1	0	1	4.3	-	9.1
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	44.2	107.4	31.7	11	6	5	63.8	54.2	81.0
SUICIDE (950-959)	3	2	1	26.5	107.4	10.6	10	6	4	58.0	54.2	64.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	8.8	53.7	-	2	2	0	11.6	18.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	17.7	-	21.1	1	1	0	5.8	9.0	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.6	10.3	-	1	0	1	3.1	-	4.6
HIV INFECTION (042-044)	0	0	0	-	-	-	6	0	6	18.4	-	27.6
MALIGNANT NEOPLASMS (140-208)	40	26	14	184.3	268.9	116.3	69	26	43	211.5	238.7	197.8
DIABETES MELLITUS (250)	4	2	2	18.4	20.7	16.6	3	1	2	9.2	9.2	9.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	96	53	43	442.3	548.1	357.3	111	34	77	340.2	312.2	354.2
HYPERTENSION (401, 403)	1	1	0	4.6	10.3	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	6	11	78.3	62.0	91.4	32	9	23	98.1	82.6	105.8
ATHEROSCLEROSIS (440)	1	1	0	4.6	10.3	-	1	0	1	3.1	-	4.6
PNEUMONIA AND INFLUENZA (480-487)	8	5	3	36.9	51.7	24.9	14	9	5	42.9	82.6	23.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	27.6	62.0	-	11	8	3	33.7	73.4	13.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	13.8	20.7	8.3	1	1	0	3.1	9.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	23.0	31.0	16.6	5	0	5	15.3	-	23.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	2	2	18.4	20.7	16.6	3	0	3	9.2	-	13.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.9	-	4.6	3	0	3	5.0	-	6.1
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	16	9	7	73.7	93.1	58.2	26	8	18	79.7	73.4	82.8
SUICIDE (950-959)	0	0	0	-	-	-	2	1	1	6.1	9.2	4.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	18.4	20.7	16.6	10	0	10	30.6	-	46.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	0	5	15.3	-	23.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	3.6	-	6.8	2	0	2	12.5	-	33.7
MALIGNANT NEOPLASMS (140-208)	57	23	34	203.4	173.5	230.2	37	24	13	231.1	238.2	219.1
DIABETES MELLITUS (250)	5	2	3	17.8	15.1	20.3	6	6	0	37.5	59.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	117	69	48	417.4	520.5	325.0	53	42	11	331.0	416.8	185.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	12.5	9.9	16.8
CEREBROVASCULAR DISEASES (430-438)	13	6	7	46.4	45.3	47.4	14	8	6	87.4	79.4	101.1
ATHEROSCLEROSIS (440)	4	4	0	14.3	30.2	-	1	1	0	6.2	9.9	-
PNEUMONIA AND INFLUENZA (480-487)	11	8	3	39.2	60.4	20.3	4	3	1	25.0	29.8	16.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	8	7	53.5	60.4	47.4	3	1	2	18.7	9.9	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	10.7	15.1	6.8	2	1	1	12.5	9.9	16.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	17.8	22.6	13.5	4	2	2	25.0	19.8	33.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	6.2	9.9	-
MATERNAL CAUSES (630-676)	1	0	1	236.4	-	411.5	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	6.2	-	16.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	4.7	5.6	4.1	0	0	0	-	-	-
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	13	9	4	46.4	67.9	27.1	14	8	6	87.4	79.4	101.1
SUICIDE (950-959)	3	2	1	10.7	15.1	6.8	1	1	0	6.2	9.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	17.8	7.5	27.1	1	1	0	6.2	9.9	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	14.3	22.6	6.8	2	1	1	12.5	9.9	16.8

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.1	-	7.4	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	2.2	2.7	-	7	4	3	9.7	8.2	12.8
MALIGNANT NEOPLASMS (140-208)	149	119	30	168.2	158.5	222.4	124	95	29	171.2	193.6	124.1
DIABETES MELLITUS (250)	3	3	0	3.4	4.0	-	19	11	8	26.2	22.4	34.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	137	122	15	154.7	162.5	111.2	285	207	78	393.5	421.9	333.8
HYPERTENSION (401, 403)	49	30	19	55.3	40.0	140.8	7	4	3	9.7	8.2	12.8
CEREBROVASCULAR DISEASES (430-438)	38	31	7	42.9	41.3	51.9	62	43	19	85.6	87.6	81.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	5	4	1	6.9	8.2	4.3
PNEUMONIA AND INFLUENZA (480-487)	16	13	3	18.1	17.3	22.2	28	25	3	38.7	51.0	12.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	15	2	19.2	20.0	14.8	24	14	10	33.1	28.5	42.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	4.5	5.3	-	6	6	0	8.3	12.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	3.4	4.0	-	12	8	4	16.6	16.3	17.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	81.4	-	534.8	1	0	1	95.8	-	210.1
CONGENITAL ANOMALIES (740-759)	3	3	0	3.4	4.0	-	4	3	1	5.5	6.1	4.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	5	2	5.7	4.8	10.7	2	1	1	1.9	1.8	2.1
ACCIDENTS (800-949)	40	37	3	45.2	49.3	22.2	33	25	8	45.6	51.0	34.2
MOTOR VEHICLE ACCIDENTS# (810-825)	29	28	1	32.7	37.3	7.4	19	16	3	26.2	32.6	12.8
SUICIDE (950-959)	9	8	1	10.2	10.6	7.4	6	6	0	8.3	12.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	4.5	5.3	-	9	6	3	12.4	12.2	12.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	2.2	1.3	7.4	5	3	2	6.9	6.1	8.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	15	9	6	188.6	185.7	193.2	33	30	3	184.5	187.9	156.6
DIABETES MELLITUS (250)	1	1	0	12.6	20.6	-	3	3	0	16.8	18.8	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	29	23	6	364.7	474.6	193.2	56	47	9	313.1	294.3	470.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	4	2	75.4	82.5	64.4	8	7	1	44.7	43.8	52.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	37.7	20.6	64.4	5	5	0	28.0	31.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	25.2	20.6	32.2	3	3	0	16.8	18.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	11.2	6.3	52.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	37.7	41.3	32.2	1	1	0	5.6	6.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	25.2	-	64.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	3	0	10.2	11.3	-
ACCIDENTS (800-949)	5	3	2	62.9	61.9	64.4	15	13	2	83.9	81.4	104.4
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	25.2	20.6	32.2	10	8	2	55.9	50.1	104.4
SUICIDE (950-959)	2	1	1	25.2	20.6	32.2	1	1	0	5.6	6.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	12.6	20.6	-	1	1	0	5.6	6.3	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	9.1	-	21.2
MALIGNANT NEOPLASMS (140-208)	24	21	3	214.3	240.9	120.8	39	27	12	177.7	216.1	127.0
DIABETES MELLITUS (250)	3	1	2	26.8	11.5	80.5	1	0	1	4.6	-	10.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	32	27	5	285.7	309.7	201.3	91	54	37	414.7	432.2	391.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	7	2	80.4	80.3	80.5	39	22	17	177.7	176.1	179.9
ATHEROSCLEROSIS (440)	2	2	0	17.8	22.9	-	1	1	0	4.6	8.0	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	62.5	68.8	40.2	12	9	3	54.7	72.0	31.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	62.5	57.4	80.5	5	4	1	22.8	32.0	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	4.6	8.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	17.8	22.9	-	6	4	2	27.3	32.0	21.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	4.6	8.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.9	11.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.9	-	24.4	4	0	4	12.6	-	24.1
ACCIDENTS (800-949)	5	5	0	44.6	57.4	-	14	4	10	63.8	32.0	105.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	44.6	57.4	-	12	4	8	54.7	32.0	84.7
SUICIDE (950-959)	1	1	0	8.9	11.5	-	4	3	1	18.2	24.0	10.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	26.8	22.9	40.2	4	1	3	18.2	8.0	31.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	3	1	2	13.7	8.0	21.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.8	3.1	-	0	0	0	-	-	-
HIV INFECTION (042-044)	5	5	0	13.8	15.6	-	21	16	5	12.3	12.2	12.6
MALIGNANT NEOPLASMS (140-208)	96	92	4	265.3	287.1	96.6	378	329	49	221.2	251.1	123.0
DIABETES MELLITUS (250)	1	1	0	2.8	3.1	-	21	18	3	12.3	13.7	7.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	165	156	9	456.0	486.9	217.3	631	512	119	369.3	390.8	298.7
HYPERTENSION (401, 403)	1	1	0	2.8	3.1	-	3	3	0	1.8	2.3	-
CEREBROVASCULAR DISEASES (430-438)	19	17	2	52.5	53.0	48.3	69	56	13	40.4	42.7	32.6
ATHEROSCLEROSIS (440)	3	3	0	8.3	9.4	-	5	5	0	2.9	3.8	-
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	35.9	37.4	24.1	45	37	8	26.3	28.2	20.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	24	22	2	66.3	68.7	48.3	67	62	5	39.2	47.3	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	10	10	0	27.6	31.2	-	17	13	4	10.0	9.9	10.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	19.3	18.7	24.1	12	8	4	7.0	6.1	10.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	11.0	9.4	24.1	11	8	3	6.4	6.1	7.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.0	-	19.6	7	3	4	2.4	1.5	4.6
ACCIDENTS (800-949)	18	15	3	49.7	46.8	72.4	80	55	25	46.8	42.0	62.7
MOTOR VEHICLE ACCIDENTS# (810-825)	11	9	2	30.4	28.1	48.3	37	29	8	21.6	22.1	20.1
SUICIDE (950-959)	9	9	0	24.9	28.1	-	47	41	6	27.5	31.3	15.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	2.8	-	24.1	20	11	9	11.7	8.4	22.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	8	6	2	4.7	4.6	5.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	3	0	3	1.2	-	2.2	2	0	2	9.6	-	12.4
HIV INFECTION (042-044)	93	31	62	36.7	26.8	45.2	3	0	3	14.4	-	18.6
MALIGNANT NEOPLASMS (140-208)	535	298	237	211.4	257.2	172.7	48	15	33	231.1	322.3	204.8
DIABETES MELLITUS (250)	43	14	29	17.0	12.1	21.1	4	2	2	19.2	43.0	12.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	810	450	360	320.0	388.4	262.3	73	29	44	351.4	623.1	273.0
HYPERTENSION (401, 403)	7	3	4	2.8	2.6	2.9	1	0	1	4.8	-	6.2
CEREBROVASCULAR DISEASES (430-438)	151	89	62	59.7	76.8	45.2	35	7	28	168.5	150.4	173.7
ATHEROSCLEROSIS (440)	5	3	2	2.0	2.6	1.4	1	0	1	4.8	-	6.2
PNEUMONIA AND INFLUENZA (480-487)	81	51	30	32.0	44.0	21.8	8	5	3	38.5	107.4	18.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	71	53	18	28.0	45.7	13.1	1	0	1	4.8	-	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	19	13	6	7.5	11.2	4.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	22	10	12	8.7	8.6	8.7	4	1	3	19.2	21.5	18.6
INFECTIONS OF KIDNEY (590)	1	1	0	0.4	0.9	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	15	6	9	5.9	5.2	6.6	2	1	1	9.6	21.5	6.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	21	2	19	5.1	1.7	6.5	1	0	1	2.7	-	3.1
ACCIDENTS (800-949)	117	57	60	46.2	49.2	43.7	18	4	14	86.6	85.9	86.9
MOTOR VEHICLE ACCIDENTS# (810-825)	63	31	32	24.9	26.8	23.3	6	1	5	28.9	21.5	31.0
SUICIDE (950-959)	27	14	13	10.7	12.1	9.5	1	1	0	4.8	21.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	88	4	84	34.8	3.4	61.2	6	2	4	28.9	43.0	24.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	19	6	13	7.5	5.2	9.5	15	4	11	72.2	85.9	68.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	11	14	218.3	316.5	175.5	4	3	1	221.6	389.1	96.7
DIABETES MELLITUS (250)	0	0	0	-	-	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	15	27	366.7	431.6	338.4	5	0	5	277.0	-	483.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	1	9	87.3	28.8	112.8	1	0	1	55.4	-	96.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	34.9	57.6	25.1	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	1	2	26.2	28.8	25.1	3	2	1	166.2	259.4	96.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.7	-	12.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	26.2	57.6	12.5	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.7	28.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.3	-	6.8	0	0	0	-	-	-
ACCIDENTS (800-949)	9	6	3	78.6	172.7	37.6	1	1	0	55.4	129.7	-
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	17.5	28.8	12.5	1	1	0	55.4	129.7	-
SUICIDE (950-959)	1	1	0	8.7	28.8	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	17.5	-	25.1	2	1	1	110.8	129.7	96.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	9	8	1	6.8	7.8	3.3
MALIGNANT NEOPLASMS (140-208)	61	58	3	308.1	315.0	217.1	256	215	41	192.3	208.4	136.7
DIABETES MELLITUS (250)	7	7	0	35.4	38.0	-	17	11	6	12.8	10.7	20.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	87	80	7	439.5	434.4	506.5	331	274	57	248.6	265.6	190.1
HYPERTENSION (401, 403)	2	2	0	10.1	10.9	-	5	4	1	3.8	3.9	3.3
CEREBROVASCULAR DISEASES (430-438)	31	28	3	156.6	152.0	217.1	57	43	14	42.8	41.7	46.7
ATHEROSCLEROSIS (440)	1	1	0	5.0	5.4	-	6	6	0	4.5	5.8	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	40.4	43.4	-	35	30	5	26.3	29.1	16.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	16	0	80.8	86.9	-	42	38	4	31.5	36.8	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	10.1	10.9	-	13	10	3	9.8	9.7	10.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.0	5.4	-	11	9	2	8.3	8.7	6.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	56.7	-	188.0
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	8	7	1	6.0	6.8	3.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	1	3	2.3	0.8	5.6
ACCIDENTS (800-949)	14	13	1	70.7	70.6	72.4	67	53	14	50.3	51.4	46.7
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	50.5	48.9	72.4	33	24	9	24.8	23.3	30.0
SUICIDE (950-959)	0	0	0	-	-	-	16	16	0	12.0	15.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	5.0	5.4	-	15	8	7	11.3	7.8	23.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	4	0	20.2	21.7	-	4	3	1	3.0	2.9	3.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	29	17	266.9	355.1	187.5	24	6	18	289.3	572.0	248.4
DIABETES MELLITUS (250)	2	1	1	11.6	12.2	11.0	2	0	2	24.1	-	27.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	41	30	412.0	502.0	330.8	33	5	28	397.8	476.6	386.4
HYPERTENSION (401, 403)	1	0	1	5.8	-	11.0	1	0	1	12.0	-	13.8
CEREBROVASCULAR DISEASES (430-438)	13	7	6	75.4	85.7	66.2	2	1	1	24.1	95.3	13.8
ATHEROSCLEROSIS (440)	1	1	0	5.8	12.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	2	5	40.6	24.5	55.1	2	0	2	24.1	-	27.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	2	3	29.0	24.5	33.1	3	1	2	36.2	95.3	27.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	17.4	24.5	11.0	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	17.4	12.2	22.0	1	0	1	12.0	-	13.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	17.4	12.2	22.0	1	0	1	12.0	-	13.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.6	-	5.5	2	0	2	13.4	-	14.1
ACCIDENTS (800-949)	7	5	2	40.6	61.2	22.0	5	0	5	60.3	-	69.0
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	11.6	12.2	11.0	2	0	2	24.1	-	27.6
SUICIDE (950-959)	3	3	0	17.4	36.7	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	2	6	46.4	24.5	66.2	3	0	3	36.2	-	41.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.8	-	11.0	7	0	7	84.4	-	96.6

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	3	2	1	4.8	4.4	6.1
MALIGNANT NEOPLASMS (140-208)	44	22	22	325.3	388.2	279.9	168	130	38	269.9	284.0	230.6
DIABETES MELLITUS (250)	3	1	2	22.2	17.6	25.4	5	4	1	8.0	8.7	6.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	63	37	26	465.7	652.9	330.8	248	201	47	398.4	439.1	285.2
HYPERTENSION (401, 403)	1	0	1	7.4	-	12.7	4	1	3	6.4	2.2	18.2
CEREBROVASCULAR DISEASES (430-438)	10	7	3	73.9	123.5	38.2	48	37	11	77.1	80.8	66.8
ATHEROSCLEROSIS (440)	2	1	1	14.8	17.6	12.7	1	1	0	1.6	2.2	-
PNEUMONIA AND INFLUENZA (480-487)	6	2	4	44.4	35.3	50.9	43	31	12	69.1	67.7	72.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	7	3	73.9	123.5	38.2	25	19	6	40.2	41.5	36.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	3	1	6.4	6.6	6.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	37.0	35.3	38.2	13	6	7	20.9	13.1	42.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	1	1	3.2	2.2	6.1
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	1.6	2.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	13.2	-	18.4	1	1	0	1.2	1.9	-
ACCIDENTS (800-949)	10	2	8	73.9	35.3	101.8	36	28	8	57.8	61.2	48.6
MOTOR VEHICLE ACCIDENTS# (810-825)	5	0	5	37.0	-	63.6	13	11	2	20.9	24.0	12.1
SUICIDE (950-959)	1	1	0	7.4	17.6	-	7	6	1	11.2	13.1	6.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	14.8	-	25.4	13	7	6	20.9	15.3	36.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	14.8	-	25.4	2	1	1	3.2	2.2	6.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	2.9	-	10.6
MALIGNANT NEOPLASMS (140-208)	20	12	8	189.5	280.1	127.6	62	38	24	180.3	152.4	253.7
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	2	0	5.8	8.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	22	18	379.0	513.5	287.1	68	43	25	197.7	172.5	264.2
HYPERTENSION (401, 403)	1	0	1	9.5	-	15.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	2	3	47.4	46.7	47.8	21	12	9	61.1	48.1	95.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	28.4	46.7	15.9	8	8	0	23.3	32.1	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	3	4	66.3	70.0	63.8	11	9	2	32.0	36.1	21.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	19.0	23.3	15.9	3	2	1	8.7	8.0	10.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	3	2	1	8.7	8.0	10.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	2.4	4.2	-
ACCIDENTS (800-949)	5	2	3	47.4	46.7	47.8	14	3	11	40.7	12.0	116.3
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	19.0	23.3	15.9	8	2	6	23.3	8.0	63.4
SUICIDE (950-959)	3	2	1	28.4	46.7	15.9	4	3	1	11.6	12.0	10.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	19.0	-	31.9	4	1	3	11.6	4.0	31.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	5.8	4.0	10.6

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	6.4	7.3	-	5	0	5	6.5	-	17.8
MALIGNANT NEOPLASMS (140-208)	52	45	7	165.3	164.4	171.4	177	118	59	231.4	244.1	209.7
DIABETES MELLITUS (250)	4	3	1	12.7	11.0	24.5	11	6	5	14.4	12.4	17.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	70	3	232.0	255.7	73.4	281	185	96	367.4	382.7	341.2
HYPERTENSION (401, 403)	4	2	2	12.7	7.3	49.0	2	1	1	2.6	2.1	3.6
CEREBROVASCULAR DISEASES (430-438)	17	16	1	54.0	58.4	24.5	48	30	18	62.8	62.1	64.0
ATHEROSCLEROSIS (440)	1	1	0	3.2	3.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	25.4	29.2	-	43	35	8	56.2	72.4	28.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	12	1	41.3	43.8	24.5	47	34	13	61.4	70.3	46.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	3.2	-	24.5	9	8	1	11.8	16.6	3.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	9.5	7.3	24.5	13	2	11	17.0	4.1	39.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.4	7.3	-	3	0	3	3.9	-	10.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.2	-	15.9	5	1	4	4.4	1.8	6.9
ACCIDENTS (800-949)	19	19	0	60.4	69.4	-	48	32	16	62.8	66.2	56.9
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	25.4	29.2	-	20	13	7	26.2	26.9	24.9
SUICIDE (950-959)	1	0	1	3.2	-	24.5	9	8	1	11.8	16.6	3.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	9.5	11.0	-	9	4	5	11.8	8.3	17.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	1	4	6.5	2.1	14.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	8.2	12.6	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	23	14	9	189.4	176.4	213.9	46	27	19	247.6	247.5	247.7
DIABETES MELLITUS (250)	2	0	2	16.5	-	47.5	6	3	3	32.3	27.5	39.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	61	46	15	502.3	579.6	356.5	81	61	20	436.0	559.3	260.7
HYPERTENSION (401, 403)	1	0	1	8.2	-	23.8	3	2	1	16.1	18.3	13.0
CEREBROVASCULAR DISEASES (430-438)	12	9	3	98.8	113.4	71.3	12	7	5	64.6	64.2	65.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.4	9.2	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	57.6	75.6	23.8	10	6	4	53.8	55.0	52.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	8.2	12.6	-	7	7	0	37.7	64.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	10.8	9.2	13.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.2	-	23.8	5	0	5	26.9	-	65.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.2	12.6	-	1	0	1	5.4	-	13.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	14	7	7	115.3	88.2	166.4	12	8	4	64.6	73.3	52.1
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	74.1	63.0	95.1	6	4	2	32.3	36.7	26.1
SUICIDE (950-959)	1	1	0	8.2	12.6	-	6	4	2	32.3	36.7	26.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	8.2	-	23.8	1	0	1	5.4	-	13.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	0	2	10.8	-	26.1

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.7	-	4.2
HIV INFECTION (042-044)	8	7	1	10.8	12.2	6.0	5	0	5	13.5	-	21.3
MALIGNANT NEOPLASMS (140-208)	145	120	25	196.6	210.1	150.4	75	33	42	202.9	245.0	178.7
DIABETES MELLITUS (250)	8	5	3	10.8	8.8	18.0	12	1	11	32.4	7.4	46.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	214	177	37	290.2	309.9	222.6	172	73	99	465.2	541.9	421.3
HYPERTENSION (401, 403)	5	5	0	6.8	8.8	-	3	1	2	8.1	7.4	8.5
CEREBROVASCULAR DISEASES (430-438)	44	36	8	59.7	63.0	48.1	37	13	24	100.1	96.5	102.1
ATHEROSCLEROSIS (440)	5	5	0	6.8	8.8	-	1	0	1	2.7	-	4.2
PNEUMONIA AND INFLUENZA (480-487)	28	22	6	38.0	38.5	36.1	8	5	3	21.6	37.1	12.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	30	29	1	40.7	50.8	6.0	14	7	7	37.9	52.0	29.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	3	3	8.1	5.2	18.0	4	2	2	10.8	14.8	8.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	7	4	14.9	12.2	24.1	2	0	2	5.4	-	8.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	8	4	4	10.8	7.0	24.1	2	0	2	5.4	-	8.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	4.2	2.6	7.2	4	0	4	5.8	-	7.5
ACCIDENTS (800-949)	46	32	14	62.4	56.0	84.2	34	16	18	92.0	118.8	76.6
MOTOR VEHICLE ACCIDENTS# (810-825)	21	14	7	28.5	24.5	42.1	22	13	9	59.5	96.5	38.3
SUICIDE (950-959)	7	5	2	9.5	8.8	12.0	4	3	1	10.8	22.3	4.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	8.1	1.8	30.1	15	4	11	40.6	29.7	46.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	11	9	2	14.9	15.8	12.0	4	2	2	10.8	14.8	8.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	1.6	2.7	-
HIV INFECTION (042-044)	1	1	0	3.1	4.5	-	8	1	7	13.0	2.7	29.3
MALIGNANT NEOPLASMS (140-208)	77	57	20	241.3	258.6	202.6	110	79	31	178.9	210.2	129.8
DIABETES MELLITUS (250)	20	12	8	62.7	54.4	81.0	9	7	2	14.6	18.6	8.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	131	109	22	410.5	494.5	222.9	160	102	58	260.2	271.3	242.8
HYPERTENSION (401, 403)	3	1	2	9.4	4.5	20.3	10	2	8	16.3	5.3	33.5
CEREBROVASCULAR DISEASES (430-438)	17	12	5	53.3	54.4	50.6	39	29	10	63.4	77.1	41.9
ATHEROSCLEROSIS (440)	6	6	0	18.8	27.2	-	2	1	1	3.2	2.7	4.2
PNEUMONIA AND INFLUENZA (480-487)	13	13	0	40.7	59.0	-	12	11	1	19.5	29.3	4.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	40.7	45.4	30.4	14	10	4	22.8	26.6	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	2	3	15.7	9.1	30.4	4	2	2	6.5	5.3	8.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	9.4	13.6	-	6	3	3	9.8	8.0	12.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.1	4.5	-	5	2	3	8.1	5.3	12.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	4.6	3.6	6.1	8	3	5	8.0	6.0	10.0
ACCIDENTS (800-949)	21	18	3	65.8	81.7	30.4	23	9	14	37.4	23.9	58.6
MOTOR VEHICLE ACCIDENTS# (810-825)	12	10	2	37.6	45.4	20.3	9	5	4	14.6	13.3	16.7
SUICIDE (950-959)	4	4	0	12.5	18.1	-	7	6	1	11.4	16.0	4.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	9.4	4.5	20.3	5	2	3	8.1	5.3	12.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	21	12	9	34.2	31.9	37.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.5	-	3.5	0	0	0	-	-	-
HIV INFECTION (042-044)	6	2	4	8.8	5.0	14.1	3	2	1	12.0	11.7	12.6
MALIGNANT NEOPLASMS (140-208)	109	63	46	159.9	157.9	162.7	62	45	17	248.6	264.3	214.8
DIABETES MELLITUS (250)	12	3	9	17.6	7.5	31.8	3	2	1	12.0	11.7	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	187	95	92	274.3	238.1	325.4	98	73	25	393.0	428.8	315.8
HYPERTENSION (401, 403)	5	1	4	7.3	2.5	14.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	28	15	13	41.1	37.6	46.0	28	23	5	112.3	135.1	63.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	5	4	1	20.0	23.5	12.6
PNEUMONIA AND INFLUENZA (480-487)	19	11	8	27.9	27.6	28.3	9	5	4	36.1	29.4	50.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	5	6	16.1	12.5	21.2	9	8	1	36.1	47.0	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	2.9	2.5	3.5	1	1	0	4.0	5.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	4	6	14.7	10.0	21.2	4	2	2	16.0	11.7	25.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	1.5	2.5	-	2	1	1	8.0	5.9	12.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	0.8	1.6	-	5	2	3	13.0	9.3	17.5
ACCIDENTS (800-949)	34	14	20	49.9	35.1	70.7	13	7	6	52.1	41.1	75.8
MOTOR VEHICLE ACCIDENTS# (810-825)	22	9	13	32.3	22.6	46.0	5	2	3	20.0	11.7	37.9
SUICIDE (950-959)	3	1	2	4.4	2.5	7.1	4	4	0	16.0	23.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	0	7	10.3	-	24.8	4	0	4	16.0	-	50.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	9	1	8	13.2	2.5	28.3	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	6.2	6.3	6.0	1	0	1	2.7	-	8.6
MALIGNANT NEOPLASMS (140-208)	71	35	36	219.0	221.3	216.9	70	50	20	191.7	200.5	172.8
DIABETES MELLITUS (250)	3	1	2	9.2	6.3	12.0	7	4	3	19.2	16.0	25.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	52	36	271.5	328.8	216.9	141	101	40	386.2	405.0	345.5
HYPERTENSION (401, 403)	11	6	5	33.9	37.9	30.1	1	0	1	2.7	-	8.6
CEREBROVASCULAR DISEASES (430-438)	22	10	12	67.9	63.2	72.3	27	23	4	73.9	92.2	34.6
ATHEROSCLEROSIS (440)	2	2	0	6.2	12.6	-	1	0	1	2.7	-	8.6
PNEUMONIA AND INFLUENZA (480-487)	18	13	5	55.5	82.2	30.1	11	8	3	30.1	32.1	25.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	21	15	6	64.8	94.8	36.1	21	19	2	57.5	76.2	17.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	1	3	12.3	6.3	18.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	1	4	15.4	6.3	24.1	15	9	6	41.1	36.1	51.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	7.3	4.1	9.8	4	2	2	7.1	5.9	9.0
ACCIDENTS (800-949)	25	13	12	77.1	82.2	72.3	24	18	6	65.7	72.2	51.8
MOTOR VEHICLE ACCIDENTS# (810-825)	17	10	7	52.4	63.2	42.2	20	15	5	54.8	60.2	43.2
SUICIDE (950-959)	2	2	0	6.2	12.6	-	3	3	0	8.2	12.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	3	5	24.7	19.0	30.1	2	2	0	5.5	8.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	9.2	6.3	12.0	6	4	2	16.4	16.0	17.3

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.4	-	18.0	2	1	1	7.4	5.5	11.4
MALIGNANT NEOPLASMS (140-208)	33	25	8	277.7	395.8	143.7	50	37	13	185.6	203.5	148.5
DIABETES MELLITUS (250)	4	3	1	33.7	47.5	18.0	10	5	5	37.1	27.5	57.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	50	38	12	420.8	601.6	215.6	83	64	19	308.2	352.0	217.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	8	8	134.6	126.7	143.7	30	25	5	111.4	137.5	57.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.7	5.5	-
PNEUMONIA AND INFLUENZA (480-487)	11	5	6	92.6	79.2	107.8	12	8	4	44.6	44.0	45.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	33.7	31.7	35.9	6	6	0	22.3	33.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.4	-	18.0	10	3	7	37.1	16.5	80.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	16.8	15.8	18.0	3	3	0	11.1	16.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	7.4	5.5	11.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	2.3	-	4.8
ACCIDENTS (800-949)	6	4	2	50.5	63.3	35.9	26	16	10	96.5	88.0	114.3
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	25.2	31.7	18.0	20	13	7	74.2	71.5	80.0
SUICIDE (950-959)	3	0	3	25.2	-	53.9	3	3	0	11.1	16.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	4	2	2	14.8	11.0	22.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	2	2	14.8	11.0	22.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	59	40	19	272.8	277.1	264.0	33	15	18	272.0	463.0	202.4
DIABETES MELLITUS (250)	7	6	1	32.4	41.6	13.9	4	1	3	33.0	30.9	33.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	115	90	25	531.7	623.5	347.4	56	28	28	461.5	864.2	314.8
HYPERTENSION (401, 403)	2	0	2	9.2	-	27.8	1	0	1	8.2	-	11.2
CEREBROVASCULAR DISEASES (430-438)	11	8	3	50.8	55.4	41.7	10	3	7	82.4	92.6	78.7
ATHEROSCLEROSIS (440)	2	2	0	9.2	13.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	32.4	41.6	13.9	2	1	1	16.5	30.9	11.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	32.4	41.6	13.9	4	1	3	33.0	30.9	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	3	4	32.4	20.8	55.6	3	1	2	24.7	30.9	22.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	9.2	-	27.8	2	1	1	16.5	30.9	11.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	18.5	20.8	13.9	2	0	2	16.5	-	22.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	6.2	12.2	-	1	0	1	4.7	-	6.1
ACCIDENTS (800-949)	24	11	13	111.0	76.2	180.6	8	4	4	65.9	123.4	45.0
MOTOR VEHICLE ACCIDENTS# (810-825)	13	4	9	60.1	27.7	125.1	5	2	3	41.2	61.7	33.7
SUICIDE (950-959)	2	1	1	9.2	6.9	13.9	1	1	0	8.2	30.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	18.5	20.8	13.9	1	0	1	8.2	-	11.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	13.9	6.9	27.8	2	0	2	16.5	-	22.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	26	20	118.0	108.3	133.5	81	52	29	240.1	296.3	179.1
DIABETES MELLITUS (250)	15	8	7	38.5	33.3	46.7	4	2	2	11.8	11.4	12.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	36	32	174.4	149.9	213.6	111	69	42	329.0	393.2	259.4
HYPERTENSION (401, 403)	34	15	19	87.2	62.5	126.8	2	0	2	5.9	-	12.4
CEREBROVASCULAR DISEASES (430-438)	26	13	13	66.7	54.1	86.8	32	24	8	94.8	136.8	49.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.0	5.7	-
PNEUMONIA AND INFLUENZA (480-487)	9	5	4	23.1	20.8	26.7	16	11	5	47.4	62.7	30.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	16	1	43.6	66.6	6.7	13	10	3	38.5	57.0	18.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	7.7	4.2	13.4	3	3	0	8.9	17.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	7.7	4.2	13.4	9	4	5	26.7	22.8	30.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	0	3	7.7	-	20.0	3	0	3	8.9	-	18.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	4.1	4.2	4.0	5	2	3	9.1	8.8	9.2
ACCIDENTS (800-949)	13	9	4	33.3	37.5	26.7	20	7	13	59.3	39.9	80.3
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	7.7	8.3	6.7	8	3	5	23.7	17.1	30.9
SUICIDE (950-959)	3	2	1	7.7	8.3	6.7	4	3	1	11.8	17.1	6.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	7.7	-	20.0	9	3	6	26.7	17.1	37.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	5.1	8.3	-	3	3	0	8.9	17.1	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	1	2	7.2	2.8	30.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	99	85	14	236.5	241.5	210.0	23	17	6	203.2	197.3	221.7
DIABETES MELLITUS (250)	16	13	3	38.2	36.9	45.0	2	2	0	17.7	23.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	149	128	21	355.9	363.6	314.9	50	37	13	441.6	429.5	480.4
HYPERTENSION (401, 403)	1	1	0	2.4	2.8	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	18	16	2	43.0	45.4	30.0	8	8	0	70.7	92.9	-
ATHEROSCLEROSIS (440)	1	1	0	2.4	2.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	9.6	11.4	-	8	8	0	70.7	92.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	21	20	1	50.2	56.8	15.0	6	5	1	53.0	58.0	37.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	9.6	11.4	-	1	1	0	8.8	11.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	9	1	23.9	25.6	15.0	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	2.4	2.8	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	4	0	9.6	11.4	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	1.6	1.9	-	0	0	0	-	-	-
ACCIDENTS (800-949)	26	22	4	62.1	62.5	60.0	7	6	1	61.8	69.6	37.0
MOTOR VEHICLE ACCIDENTS# (810-825)	20	16	4	47.8	45.4	60.0	3	2	1	26.5	23.2	37.0
SUICIDE (950-959)	5	5	0	11.9	14.2	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	7.2	8.5	-	2	2	0	17.7	23.2	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	4.8	-	30.0	5	4	1	44.2	46.4	37.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.7	5.1	-	1	1	0	4.0	4.8	-
HIV INFECTION (042-044)	3	0	3	8.0	-	16.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	92	60	32	246.5	306.7	180.2	59	57	2	235.8	271.8	49.4
DIABETES MELLITUS (250)	6	5	1	16.1	25.6	5.6	5	5	0	20.0	23.8	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	177	107	70	474.3	546.9	394.2	68	60	8	271.8	286.1	197.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	4.0	4.8	-
CEREBROVASCULAR DISEASES (430-438)	31	19	12	83.1	97.1	67.6	9	7	2	36.0	33.4	49.4
ATHEROSCLEROSIS (440)	1	0	1	2.7	-	5.6	3	3	0	12.0	14.3	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	8.0	15.3	-	16	14	2	63.9	66.8	49.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	14	1	40.2	71.6	5.6	11	11	0	44.0	52.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.7	-	5.6	2	2	0	8.0	9.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	5	6	29.5	25.6	33.8	3	2	1	12.0	9.5	24.7
INFECTIONS OF KIDNEY (590)	2	2	0	5.4	10.2	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	167.5	-	268.8	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.7	-	2.7	1	0	1	2.7	-	15.9
ACCIDENTS (800-949)	18	11	7	48.2	56.2	39.4	18	15	3	71.9	71.5	74.1
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	18.8	30.7	5.6	10	10	0	40.0	47.7	-
SUICIDE (950-959)	5	4	1	13.4	20.4	5.6	6	6	0	24.0	28.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	10.7	5.1	16.9	3	2	1	12.0	9.5	24.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	2.7	-	5.6	2	1	1	8.0	4.8	24.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	4.2	4.8	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	44	41	3	186.7	199.1	101.1	26	15	11	274.6	459.4	177.3
DIABETES MELLITUS (250)	4	3	1	17.0	14.6	33.7	3	2	1	31.7	61.2	16.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	61	9	297.1	296.2	303.2	37	22	15	390.7	673.8	241.7
HYPERTENSION (401, 403)	1	1	0	4.2	4.8	-	2	0	2	21.1	-	32.2
CEREBROVASCULAR DISEASES (430-438)	11	10	1	46.7	48.6	33.7	9	1	8	95.0	30.6	128.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	34.0	34.0	33.7	7	3	4	73.9	91.9	64.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	16	0	67.9	77.7	-	5	3	2	52.8	91.9	32.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	12.7	14.6	-	1	1	0	10.6	30.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	0	25.5	29.1	-	2	1	1	21.1	30.6	16.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	10.6	-	16.1
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	12.7	14.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	5.3	-	6.8
ACCIDENTS (800-949)	20	17	3	84.9	82.6	101.1	11	5	6	116.2	153.1	96.7
MOTOR VEHICLE ACCIDENTS# (810-825)	13	13	0	55.2	63.1	-	7	3	4	73.9	91.9	64.5
SUICIDE (950-959)	2	2	0	8.5	9.7	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	17.0	14.6	33.7	2	1	1	21.1	30.6	16.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	10	9	1	42.4	43.7	33.7	2	1	1	21.1	30.6	16.1

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	1	3	3.9	1.2	16.0	1	0	1	4.1	-	10.3
MALIGNANT NEOPLASMS (140-208)	157	134	23	152.2	158.6	122.9	53	37	16	218.3	253.2	165.6
DIABETES MELLITUS (250)	8	6	2	7.8	7.1	10.7	3	2	1	12.4	13.7	10.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	282	230	52	273.3	272.3	278.0	96	65	31	395.5	444.8	320.8
HYPERTENSION (401, 403)	8	6	2	7.8	7.1	10.7	1	1	0	4.1	6.8	-
CEREBROVASCULAR DISEASES (430-438)	31	21	10	30.0	24.9	53.4	16	11	5	65.9	75.3	51.7
ATHEROSCLEROSIS (440)	2	2	0	1.9	2.4	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	36	30	6	34.9	35.5	32.1	13	6	7	53.6	41.1	72.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	21	19	2	20.4	22.5	10.7	12	7	5	49.4	47.9	51.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	5	2	6.8	5.9	10.7	2	1	1	8.2	6.8	10.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	12	8	4	11.6	9.5	21.4	2	2	0	8.2	13.7	-
INFECTIONS OF KIDNEY (590)	1	1	0	1.0	1.2	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	3	2	4.8	3.6	10.7	4	2	2	16.5	13.7	20.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	3	3	4.1	2.6	10.3	1	0	1	2.2	-	4.8
ACCIDENTS (800-949)	47	42	5	45.6	49.7	26.7	26	15	11	107.1	102.6	113.8
MOTOR VEHICLE ACCIDENTS# (810-825)	30	27	3	29.1	32.0	16.0	18	14	4	74.2	95.8	41.4
SUICIDE (950-959)	16	15	1	15.5	17.8	5.3	2	2	0	8.2	13.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	14	9	5	13.6	10.6	26.7	6	2	4	24.7	13.7	41.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	4	2	5.8	4.7	10.7	2	1	1	8.2	6.8	10.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	4.2	6.3	-
MALIGNANT NEOPLASMS (140-208)	25	8	17	363.6	406.7	346.4	49	26	23	204.7	164.3	283.5
DIABETES MELLITUS (250)	0	0	0	-	-	-	8	5	3	33.4	31.6	37.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	25	5	20	363.6	254.2	407.5	85	65	20	355.1	410.8	246.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	2	2	16.7	12.6	24.6
CEREBROVASCULAR DISEASES (430-438)	5	2	3	72.7	101.7	61.1	29	16	13	121.2	101.1	160.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	8	5	3	33.4	31.6	37.0
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	43.6	50.8	40.8	9	6	3	37.6	37.9	37.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	29.1	101.7	-	15	15	0	62.7	94.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	14.5	50.8	-	2	2	0	8.4	12.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	43.6	-	61.1	3	1	2	12.5	6.3	24.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	29.1	101.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	5.5	-	13.5
ACCIDENTS (800-949)	3	2	1	43.6	101.7	20.4	8	1	7	33.4	6.3	86.3
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	29.1	50.8	20.4	7	0	7	29.2	-	86.3
SUICIDE (950-959)	0	0	0	-	-	-	4	4	0	16.7	25.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	14.5	-	20.4	5	5	0	20.9	31.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	14.5	-	20.4	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	6.8	8.8	-	1	1	0	8.1	10.6	-
MALIGNANT NEOPLASMS (140-208)	44	33	11	297.0	290.0	320.3	27	18	9	219.2	189.9	317.0
DIABETES MELLITUS (250)	7	2	5	47.2	17.6	145.6	1	1	0	8.1	10.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	46	11	384.8	404.2	320.3	49	46	3	397.8	485.3	105.7
HYPERTENSION (401, 403)	2	2	0	13.5	17.6	-	1	0	1	8.1	-	35.2
CEREBROVASCULAR DISEASES (430-438)	9	9	0	60.8	79.1	-	3	3	0	24.4	31.6	-
ATHEROSCLEROSIS (440)	2	2	0	13.5	17.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	13.5	17.6	-	6	5	1	48.7	52.7	35.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	9	0	60.8	79.1	-	7	5	2	56.8	52.7	70.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.8	8.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	13.5	8.8	29.1	4	3	1	32.5	31.6	35.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	8.1	10.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	1	1	11.2	7.6	21.7
ACCIDENTS (800-949)	9	8	1	60.8	70.3	29.1	11	7	4	89.3	73.8	140.9
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	47.2	52.7	29.1	6	4	2	48.7	42.2	70.4
SUICIDE (950-959)	2	2	0	13.5	17.6	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	6.8	-	29.1	1	0	1	8.1	-	35.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	13.5	17.6	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	1	2	8.5	8.7	8.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	64	29	35	181.1	253.6	146.4	37	16	21	262.6	317.4	232.1
DIABETES MELLITUS (250)	8	5	3	22.6	43.7	12.5	7	1	6	49.7	19.8	66.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	147	58	89	415.9	507.1	372.3	55	34	21	390.4	674.5	232.1
HYPERTENSION (401, 403)	1	0	1	2.8	-	4.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	24	7	17	67.9	61.2	71.1	13	5	8	92.3	99.2	88.4
ATHEROSCLEROSIS (440)	1	0	1	2.8	-	4.2	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	8.5	8.7	8.4	3	1	2	21.3	19.8	22.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	4	3	19.8	35.0	12.5	6	4	2	42.6	79.3	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	5.6	8.7	4.2	1	1	0	7.1	19.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	11.3	8.7	12.5	6	2	4	42.6	39.7	44.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.8	-	4.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	12.4	-	18.1
ACCIDENTS (800-949)	14	5	9	39.6	43.7	37.6	13	2	11	92.3	39.7	121.6
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	11.3	26.2	4.2	8	2	6	56.8	39.7	66.3
SUICIDE (950-959)	2	1	1	5.6	8.7	4.2	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	11.3	-	16.7	5	1	4	35.5	19.8	44.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	2.8	-	4.2	1	0	1	7.1	-	11.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	8.9	7.0	12.5	1	1	0	5.1	6.2	-
MALIGNANT NEOPLASMS (140-208)	39	27	12	174.5	188.2	149.8	53	44	9	270.2	271.6	263.7
DIABETES MELLITUS (250)	1	1	0	4.5	7.0	-	7	5	2	35.7	30.9	58.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	69	48	21	308.7	334.7	262.2	83	76	7	423.1	469.1	205.1
HYPERTENSION (401, 403)	2	0	2	8.9	-	25.0	1	0	1	5.1	-	29.3
CEREBROVASCULAR DISEASES (430-438)	14	11	3	62.6	76.7	37.4	15	10	5	76.5	61.7	146.5
ATHEROSCLEROSIS (440)	1	1	0	4.5	7.0	-	1	0	1	5.1	-	29.3
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	31.3	27.9	37.4	5	4	1	25.5	24.7	29.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	10	2	53.7	69.7	25.0	14	11	3	71.4	67.9	87.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	8.9	13.9	-	1	1	0	5.1	6.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.9	13.9	-	3	2	1	15.3	12.3	29.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.8	-	6.7	0	0	0	-	-	-
ACCIDENTS (800-949)	12	8	4	53.7	55.8	49.9	11	10	1	56.1	61.7	29.3
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	31.3	34.9	25.0	7	6	1	35.7	37.0	29.3
SUICIDE (950-959)	2	1	1	8.9	7.0	12.5	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.5	7.0	-	3	1	2	15.3	6.2	58.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.5	7.0	-	6	4	2	30.6	24.7	58.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	61	60	1	345.3	353.7	142.4	18	8	10	198.6	337.1	149.5
DIABETES MELLITUS (250)	2	2	0	11.3	11.8	-	1	1	0	11.0	42.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	89	88	1	503.8	518.7	142.4	45	14	31	496.5	590.0	463.4
HYPERTENSION (401, 403)	1	1	0	5.7	5.9	-	4	0	4	44.1	-	59.8
CEREBROVASCULAR DISEASES (430-438)	16	14	2	90.6	82.5	284.9	6	1	5	66.2	42.1	74.7
ATHEROSCLEROSIS (440)	1	1	0	5.7	5.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	45.3	47.2	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	56.6	58.9	-	4	1	3	44.1	42.1	44.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	17.0	17.7	-	1	1	0	11.0	42.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	7	0	39.6	41.3	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	5.7	5.9	-	1	0	1	11.0	-	14.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	22	22	0	124.5	129.7	-	10	6	4	110.3	252.8	59.8
MOTOR VEHICLE ACCIDENTS# (810-825)	13	13	0	73.6	76.6	-	5	4	1	55.2	168.6	14.9
SUICIDE (950-959)	2	2	0	11.3	11.8	-	1	1	0	11.0	42.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	5.7	5.9	-	3	0	3	33.1	-	44.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.7	5.9	-	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	1	1	14.2	12.8	15.9
MALIGNANT NEOPLASMS (140-208)	43	41	2	183.5	207.6	54.4	35	18	17	248.3	230.6	270.4
DIABETES MELLITUS (250)	5	4	1	21.3	20.2	27.2	5	3	2	35.5	38.4	31.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	95	83	12	405.5	420.2	326.2	72	43	29	510.8	550.8	461.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	16	3	81.1	81.0	81.5	12	4	8	85.1	51.2	127.2
ATHEROSCLEROSIS (440)	2	2	0	8.5	10.1	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	18	16	2	76.8	81.0	54.4	3	3	0	21.3	38.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	14	0	59.8	70.9	-	7	3	4	49.7	38.4	63.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	8.5	10.1	-	2	1	1	14.2	12.8	15.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	17.1	20.2	-	3	2	1	21.3	25.6	15.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	8.5	10.1	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.1	4.1	-	0	0	0	-	-	-
ACCIDENTS (800-949)	20	19	1	85.4	96.2	27.2	15	8	7	106.4	102.5	111.3
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	38.4	40.5	27.2	11	8	3	78.0	102.5	47.7
SUICIDE (950-959)	1	1	0	4.3	5.1	-	5	5	0	35.5	64.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	8.5	10.1	-	2	0	2	14.2	-	31.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	12.8	10.1	27.2	1	0	1	7.1	-	15.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	6	1	5	12.2	3.4	25.2	4	3	1	5.7	10.5	2.4
MALIGNANT NEOPLASMS (140-208)	122	67	55	249.0	230.1	276.8	138	55	83	196.0	193.0	198.0
DIABETES MELLITUS (250)	4	2	2	8.2	6.9	10.1	4	2	2	5.7	7.0	4.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	189	113	76	385.8	388.1	382.4	300	136	164	426.1	477.2	391.3
HYPERTENSION (401, 403)	6	3	3	12.2	10.3	15.1	2	0	2	2.8	-	4.8
CEREBROVASCULAR DISEASES (430-438)	57	29	28	116.4	99.6	140.9	48	19	29	68.2	66.7	69.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	2	0	2.8	7.0	-
PNEUMONIA AND INFLUENZA (480-487)	20	10	10	40.8	34.3	50.3	21	11	10	29.8	38.6	23.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	23	16	7	47.0	55.0	35.2	24	16	8	34.1	56.1	19.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	10.2	10.3	10.1	4	1	3	5.7	3.5	7.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	0	4	8.2	-	20.1	10	5	5	14.2	17.5	11.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	4.3	-	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.2	-	2.2	3	0	3	2.4	-	3.3
ACCIDENTS (800-949)	25	11	14	51.0	37.8	70.4	36	12	24	51.1	42.1	57.3
MOTOR VEHICLE ACCIDENTS# (810-825)	14	6	8	28.6	20.6	40.2	15	6	9	21.3	21.0	21.5
SUICIDE (950-959)	2	1	1	4.1	3.4	5.0	8	5	3	11.4	17.5	7.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	13	2	11	26.5	6.9	55.4	19	0	19	27.0	-	45.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	5	2	14.3	17.2	10.1	10	3	7	14.2	10.5	16.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	32	14	237.5	264.3	192.9	29	26	3	277.9	325.1	123.1
DIABETES MELLITUS (250)	5	3	2	25.8	24.8	27.6	5	5	0	47.9	62.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	52	18	361.4	429.4	248.0	43	33	10	412.1	412.6	410.3
HYPERTENSION (401, 403)	1	1	0	5.2	8.2	-	1	1	0	9.6	12.5	-
CEREBROVASCULAR DISEASES (430-438)	19	11	8	98.1	90.8	110.2	16	15	1	153.3	187.6	41.0
ATHEROSCLEROSIS (440)	3	1	2	15.5	8.2	27.6	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	20.6	33.0	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	31.0	49.6	-	4	4	0	38.3	50.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	15.5	16.5	13.8	1	1	0	9.6	12.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	31.0	33.0	27.6	3	2	1	28.8	25.0	41.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.8	-	11.7	0	0	0	-	-	-
ACCIDENTS (800-949)	17	10	7	87.8	82.6	96.4	4	3	1	38.3	37.5	41.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	51.6	57.8	41.3	4	3	1	38.3	37.5	41.0
SUICIDE (950-959)	2	2	0	10.3	16.5	-	3	2	1	28.8	25.0	41.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	5.2	-	13.8	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	15.5	8.2	27.6	1	1	0	9.6	12.5	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	22.1	-	30.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	9	17	287.6	362.9	259.1	41	29	12	209.2	266.6	137.6
DIABETES MELLITUS (250)	6	1	5	66.4	40.3	76.2	6	4	2	30.6	36.8	22.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	21	26	519.8	846.8	396.3	109	79	30	556.3	726.3	344.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	5	1	66.4	201.6	15.2	20	12	8	102.1	110.3	91.8
ATHEROSCLEROSIS (440)	2	2	0	22.1	80.6	-	1	1	0	5.1	9.2	-
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	44.2	80.6	30.5	9	9	0	45.9	82.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	1	4	55.3	40.3	61.0	3	3	0	15.3	27.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	10.2	18.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	22.1	-	30.5	3	1	2	15.3	9.2	22.9
INFECTIONS OF KIDNEY (590)	1	1	0	11.1	40.3	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	11.1	-	15.2	3	0	3	15.3	-	34.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	8.3	-	11.1	2	0	2	8.1	-	15.5
ACCIDENTS (800-949)	9	2	7	99.5	80.6	106.7	12	10	2	61.2	91.9	22.9
MOTOR VEHICLE ACCIDENTS# (810-825)	6	1	5	66.4	40.3	76.2	7	7	0	35.7	64.4	-
SUICIDE (950-959)	4	1	3	44.2	40.3	45.7	5	5	0	25.5	46.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	11.1	-	15.2	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	22.1	40.3	15.2	7	3	4	35.7	27.6	45.9

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1995**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	8.3	-	20.9	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	8.3	13.7	-	4	0	4	15.9	-	28.8
MALIGNANT NEOPLASMS (140-208)	34	21	13	282.2	288.7	272.3	53	29	24	210.9	258.0	172.7
DIABETES MELLITUS (250)	1	1	0	8.3	13.7	-	11	5	6	43.8	44.5	43.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	53	18	589.3	728.5	377.0	112	65	47	445.6	578.3	338.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	9	0	9	35.8	-	64.8
CEREBROVASCULAR DISEASES (430-438)	4	3	1	33.2	41.2	20.9	15	10	5	59.7	89.0	36.0
ATHEROSCLEROSIS (440)	2	2	0	16.6	27.5	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	33.2	41.2	20.9	15	6	9	59.7	53.4	64.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	66.4	110.0	-	12	9	3	47.7	80.1	21.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	4.0	-	7.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	5	2	3	19.9	17.8	21.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	8.0	8.9	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	11	6	5	91.3	82.5	104.7	12	5	7	47.7	44.5	50.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	58.1	55.0	62.8	7	3	4	27.8	26.7	28.8
SUICIDE (950-959)	1	1	0	8.3	13.7	-	2	1	1	8.0	8.9	7.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	24.9	27.5	20.9	5	1	4	19.9	8.9	28.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	8.3	13.7	-	5	1	4	19.9	8.9	28.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	17	7	10	0.6	0.4	1.0
HIV INFECTION (042-044)	255	103	152	9.5	6.1	15.2
MALIGNANT NEOPLASMS (140-208)	5,725	3,894	1,831	212.6	230.0	183.0
DIABETES MELLITUS (250)	485	273	212	18.0	16.1	21.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,567	6,500	3,067	355.2	384.0	306.6
HYPERTENSION (401, 403)	238	118	120	8.8	7.0	12.0
CEREBROVASCULAR DISEASES (430-438)	1,856	1,174	682	68.9	69.4	68.2
ATHEROSCLEROSIS (440)	110	87	23	4.1	5.1	2.3
PNEUMONIA AND INFLUENZA (480-487)	946	690	256	35.1	40.8	25.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,019	820	199	37.8	48.4	19.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	231	158	73	8.6	9.3	7.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	388	210	178	14.4	12.4	17.8
INFECTIONS OF KIDNEY (590)	14	12	2	0.5	0.7	0.2
MATERNAL CAUSES (630-676)	5	0	5	12.1	-	25.3
CONGENITAL ANOMALIES (740-759)	152	81	71	5.6	4.8	7.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	162	45	117	3.9	2.1	5.9
ACCIDENTS (800-949)	1,605	997	608	59.6	58.9	60.8
MOTOR VEHICLE ACCIDENTS# (810-825)	898	583	315	33.3	34.4	31.5
SUICIDE (950-959)	318	258	60	11.8	15.2	6.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	429	128	301	15.9	7.6	30.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	274	134	140	10.2	7.9	14.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

## TIME SERIES TABLES

**TABLE 19**  
**LIVE BIRTHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1995,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1995)**

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1913-1995

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8

\* BIRTHS PER 1,000 POPULATION.

\*\* FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

**TABLE 20**  
**DEATHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1995,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1995)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2  
DEATHS - MISSISSIPPI - 1913-1995

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2

\* DEATHS PER 1,000 POPULATION.

**TABLE 21**  
**MATERNAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1995,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1995)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2



TABLE 21 - PAGE 2  
 MATERNAL DEATHS - MISSISSIPPI - 1913-1995

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3

\* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

\*\* DEATHS PER 100,000 LIVE BIRTHS.

**TABLE 22**  
**INFANT DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1917-1995,**  
**(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1995)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 22 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1917-1995

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# NOT AVAILABLE.

**TABLE 23**  
**NEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1995,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1995)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2  
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1995

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4

\* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 24**  
**POSTNEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1995,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1995)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2  
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1995

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1

\* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 25**  
**MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,**  
**MISSISSIPPI, 1926-1995**

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890



TABLE 25 - PAGE 2  
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1995

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850

\* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

\*\* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

**TABLE 26**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1995**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.