

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,979	2,939	1,502	1,437	510
WHITE	17,982	1,248	653	595	181
NONWHITE	17,997	1,691	849	842	327

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	115	3	50	62	23	0	13	10	92	3	37	52
TEENAGE IMMATURE BIRTHS	24	2	9	13	6	0	4	2	18	2	5	11
TEENAGE PREMATURE BIRTHS	22	2	8	12	3	0	2	1	19	2	6	11
TEENAGE ILLEGITIMATE BIRTHS	104	3	45	56	14	0	8	6	90	3	37	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	6	14	1	0	0	1	19	0	6	13
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	10	17	4	0	1	3	23	0	9	14
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	5	4	1	0	0	1	9	1	5	3
TEENAGE FERTILITY RATE	39.1	2.0	77.9	(15-19)	18.4	0.0	38.6	(15-19)	54.4	3.5	105.7	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	26.1	0.0	20.0	32.2	0.0	0.0	0.0	0.0	32.6	0.0	27.0	38.5
TEENAGE INDUCED TERMINATIONS#	7	3	3	1	4	2	2	0	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	60.9	1000	60.0	16.1	173.9	.	153.8	0.0	32.6	333.3	27.0	19.2
TEENAGE PREGNANCIES#	125	6	54	65	27	2	15	10	98	4	39	55
TEENAGE PREGNANCY RATE	42.5	4.0	82.8	(15-19)	21.6	3.1	42.0	(15-19)	58.0	4.7	111.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	1	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,897	2,206	1,030	1,176	379
WHITE	28,096	1,845	868	977	301
NONWHITE	3,801	361	162	199	78

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	3	41	38	49	2	23	24	33	1	18	14
TEENAGE IMMATURE BIRTHS	15	1	10	4	9	1	6	2	6	0	4	2
TEENAGE PREMATURE BIRTHS	13	1	7	5	9	1	5	3	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	50	3	26	21	18	2	8	8	32	1	18	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	8	0	2	6	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	14	0	3	11	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	2	0	3	0	0	3
TEENAGE FERTILITY RATE	37.2	2.9	67.2	(15-19)	26.6	2.3	48.1	(15-19)	91.4	6.2	160.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	1	6	10	12	0	5	7	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	207.3	333.3	146.3	263.2	244.9	0.0	217.4	291.7	151.5	1000	55.6	214.3
TEENAGE PREGNANCIES#	99	4	47	48	61	2	28	31	38	2	19	17
TEENAGE PREGNANCY RATE	44.9	3.9	80.8	(15-19)	33.1	2.3	60.4	(15-19)	105.3	12.3	180.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,854	1,163	559	604	157
WHITE	7,469	503	255	248	76
NONWHITE	6,385	660	304	356	81

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	2	9	20	11	1	2	8	20	1	7	12
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	27	2	9	16	7	1	2	4	20	1	7	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	1	1	0	0	3	0	2	1
TEENAGE FERTILITY RATE	26.6	3.6	48.0	(15-19)	21.9	3.9	40.3	(15-19)	30.3	3.3	53.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	32.2	0.0	111.1	0.0	0.0	0.0	0.0	0.0	50.0	0.0	142.8	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	64.5	500.0	0.0	50.0	90.9	0.0	0.0	125.0	50.0	1000	0.0	0.0
TEENAGE PREGNANCIES#	34	3	10	21	12	1	2	9	22	2	8	12
TEENAGE PREGNANCY RATE	29.2	5.4	51.3	(15-19)	23.8	3.9	44.4	(15-19)	33.3	6.6	56.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,204	1,399	693	706	262
WHITE	10,599	705	346	359	128
NONWHITE	7,605	694	347	347	134

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	2	26	36	21	1	8	12	43	1	18	24
TEENAGE IMMATURE BIRTHS	8	1	2	5	5	1	1	3	3	0	1	2
TEENAGE PREMATURE BIRTHS	9	1	5	3	3	1	1	1	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	49	1	25	23	11	0	7	4	38	1	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	4	0	1	3	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	4	0	1	3	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE FERTILITY RATE	45.7	2.9	87.8	(15-19)	29.8	2.9	55.7	(15-19)	62.0	2.9	121.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	5	3	4	0	3	1	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	140.6	500.0	192.3	83.3	190.5	0.0	375.0	83.3	116.3	1000	111.1	83.3
TEENAGE PREGNANCIES#	73	3	31	39	25	1	11	13	48	2	20	26
TEENAGE PREGNANCY RATE	52.2	4.3	99.2	(15-19)	35.5	2.9	66.8	(15-19)	69.2	5.8	132.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,841	679	314	365	117
WHITE	4,565	289	133	156	51
NONWHITE	3,276	390	181	209	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	15	18	12	0	6	6	21	0	9	12
TEENAGE IMMATURE BIRTHS	3	0	3	0	2	0	2	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	10	0	6	4	2	0	2	0	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	22	0	12	10	5	0	4	1	17	0	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	2	0	2	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	4	4	2	0	2	0	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	48.6	0.0	90.4	(15-19)	41.5	0.0	76.9	(15-19)	53.8	0.0	100.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	60.6	.	0.0	111.1	166.7	.	0.0	333.3	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	35	0	15	20	14	0	6	8	21	0	9	12
TEENAGE PREGNANCY RATE	51.5	0.0	95.9	(15-19)	48.4	0.0	89.7	(15-19)	53.8	0.0	100.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1995

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,469	4,035	1,900	2,135	681
WHITE	13,857	1,049	363	686	150
NONWHITE	27,612	2,986	1,537	1,449	531

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	219	17	102	100	22	1	4	17	197	16	98	83
TEENAGE IMMATURE BIRTHS	28	7	14	7	1	0	0	1	27	7	14	6
TEENAGE PREMATURE BIRTHS	54	8	27	19	3	0	0	3	51	8	27	16
TEENAGE ILLEGITIMATE BIRTHS	204	16	101	87	11	0	3	8	193	16	98	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	57	0	20	37	4	0	0	4	53	0	20	33
TEENS WHO HAD PREVIOUS PREGNANCIES	69	1	24	44	7	0	1	6	62	1	23	38
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	5	1	1	0	1	0	6	1	4	1
TEENAGE FERTILITY RATE	54.3	8.9	94.6	(15-19)	21.0	2.8	30.6	(15-19)	66.0	10.4	124.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	9.1	0.0	9.8	10.0	0.0	0.0	0.0	0.0	10.2	0.0	10.2	12.0
TEENAGE INDUCED TERMINATIONS#	38	4	16	18	14	0	3	11	24	4	13	7
TEENAGE INDUCED TERMINATION RATIO	173.5	235.3	156.9	180.0	636.4	0.0	750.0	647.0	121.8	250.0	132.6	84.3
TEENAGE PREGNANCIES#	259	21	119	119	36	1	7	28	223	20	112	91
TEENAGE PREGNANCY RATE	64.2	11.0	111.5	(15-19)	34.3	2.8	51.0	(15-19)	74.7	13.0	140.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	0	0	0	0	3	1	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,630	1,054	535	519	193
WHITE	10,424	655	323	332	117
NONWHITE	4,206	399	212	187	76

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	6	22	21	20	0	10	10	29	6	12	11
TEENAGE IMMATURE BIRTHS	10	1	7	2	4	0	4	0	6	1	3	2
TEENAGE PREMATURE BIRTHS	13	1	5	7	3	0	2	1	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	40	6	19	15	12	0	7	5	28	6	12	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	1	4	5	2	0	1	1	8	1	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	1	5	6	3	0	2	1	9	1	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	5	1	1	0	1	0	5	0	4	1
TEENAGE FERTILITY RATE	46.5	11.2	82.8	(15-19)	30.5	0.0	60.2	(15-19)	72.7	28.3	123.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.4	0.0	0.0	47.6	50.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	61.2	0.0	0.0	142.8	100.0	.	0.0	200.0	34.5	0.0	0.0	90.9
TEENAGE PREGNANCIES#	53	6	22	25	23	0	10	13	30	6	12	12
TEENAGE PREGNANCY RATE	50.3	11.2	90.6	(15-19)	35.1	0.0	69.3	(15-19)	75.2	28.3	128.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,844	819	383	436	99
WHITE	5,901	421	197	224	45
NONWHITE	3,943	398	186	212	54

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	1	9	11	3	0	1	2	18	1	8	9
TEENAGE IMMATURE BIRTHS	6	1	1	4	1	0	0	1	5	1	1	3
TEENAGE PREMATURE BIRTHS	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE ILLEGITIMATE BIRTHS	19	1	8	10	1	0	0	1	18	1	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	0	0	0	0	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	0	0	0	0	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	25.6	2.6	45.9	(15-19)	7.1	0.0	13.4	(15-19)	45.2	5.4	80.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	95.2	0.0	222.2	0.0	0.0	0.0	0.0	0.0	111.1	0.0	250.0	0.0
TEENAGE PREGNANCIES#	23	1	11	11	3	0	1	2	20	1	10	9
TEENAGE PREGNANCY RATE	28.1	2.6	50.4	(15-19)	7.1	0.0	13.4	(15-19)	50.2	5.4	89.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,648	1,372	662	710	305
WHITE	10,443	659	310	349	151
NONWHITE	7,205	713	352	361	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	5	34	36	32	2	13	17	43	3	21	19
TEENAGE IMMATURE BIRTHS	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE PREMATURE BIRTHS	13	1	7	5	0	0	0	0	13	1	7	5
TEENAGE ILLEGITIMATE BIRTHS	55	3	29	23	12	0	8	4	43	3	21	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	4	7	3	0	0	3	8	0	4	4
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	5	13	8	0	1	7	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE FERTILITY RATE	54.7	7.6	98.6	(15-19)	48.6	6.4	86.0	(15-19)	60.3	8.5	110.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	2	0	0	2	3	0	3	0
TEENAGE INDUCED TERMINATION RATIO	66.7	0.0	88.2	55.6	62.5	0.0	0.0	117.6	69.8	0.0	142.8	0.0
TEENAGE PREGNANCIES#	80	5	37	38	34	2	13	19	46	3	24	19
TEENAGE PREGNANCY RATE	58.3	7.6	105.6	(15-19)	51.6	6.4	91.7	(15-19)	64.5	8.5	119.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,934	778	369	409	125
WHITE	6,115	455	204	251	74
NONWHITE	2,819	323	165	158	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	2	11	15	15	0	6	9	13	2	5	6
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	16	2	7	7	4	0	2	2	12	2	5	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	5	0	1	4	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	5	0	1	4	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	1	0	1	0	2	1	0	1
TEENAGE FERTILITY RATE	36.0	5.4	63.6	(15-19)	33.0	0.0	59.8	(15-19)	40.2	12.1	69.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	35.7	0.0	90.9	0.0	0.0	0.0	0.0	0.0	76.9	0.0	200.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	0.0	133.3	66.7	.	0.0	111.1	76.9	0.0	0.0	166.7
TEENAGE PREGNANCIES#	31	2	12	17	16	0	6	10	15	2	6	7
TEENAGE PREGNANCY RATE	39.8	5.4	70.9	(15-19)	35.2	0.0	63.7	(15-19)	46.4	12.1	82.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,324	1,533	404	1,129	170
WHITE	1,862	106	51	55	15
NONWHITE	9,462	1,427	353	1,074	155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	3	25	23	3	0	1	2	48	3	24	21
TEENAGE IMMATURE BIRTHS	11	1	5	5	0	0	0	0	11	1	5	5
TEENAGE PREMATURE BIRTHS	14	2	9	3	0	0	0	0	14	2	9	3
TEENAGE ILLEGITIMATE BIRTHS	46	3	24	19	1	0	0	1	45	3	24	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	4	4	1	0	0	1	7	0	4	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	1	0	0	1	8	0	4	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	33.3	7.4	42.5	(15-19)	28.3	0.0	54.5	(15-19)	33.6	8.5	41.9	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	19.6	333.3	0.0	0.0	0.0	0.0	0.0	0.0	20.8	333.3	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	2	4	2	0	0	0	0	8	2	4	2
TEENAGE INDUCED TERMINATION RATIO	156.9	666.7	160.0	87.0	0.0	0.0	0.0	0.0	166.7	666.7	166.7	95.2
TEENAGE PREGNANCIES#	60	6	29	25	3	0	1	2	57	6	28	23
TEENAGE PREGNANCY RATE	39.1	14.8	47.8	(15-19)	28.3	0.0	54.5	(15-19)	39.9	17.0	47.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,241	1,402	699	703	232
WHITE	11,066	752	370	382	127
NONWHITE	6,175	650	329	321	110

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	20	25	18	1	6	11	28	0	14	14
TEENAGE IMMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	9	0	5	4	2	0	1	1	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	33	1	16	16	6	1	2	3	27	0	14	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	5	6	2	0	1	1	9	0	4	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	6	7	2	0	1	1	11	0	5	6
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE FERTILITY RATE	32.8	1.4	64.0	(15-19)	23.9	2.7	44.5	(15-19)	43.1	0.0	87.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	50.0	200.0	111.1	0.0	0.0	181.8	142.8	.	71.4	214.3
TEENAGE PREGNANCIES#	52	1	21	30	20	1	6	13	32	0	15	17
TEENAGE PREGNANCY RATE	37.1	1.4	72.5	(15-19)	26.6	2.7	49.7	(15-19)	49.2	0.0	99.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,703	1,816	881	935	341
WHITE	9,669	638	305	333	124
NONWHITE	12,034	1,178	576	602	217

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	1	32	50	18	0	7	11	65	1	25	39
TEENAGE IMMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE PREMATURE BIRTHS	15	0	7	8	3	0	3	0	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	69	1	28	40	4	0	3	1	65	1	25	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	3	0	1	2	16	0	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	7	16	4	0	1	3	19	0	6	13
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	4	10	1	0	0	1	13	0	4	9
TEENAGE FERTILITY RATE	45.7	1.1	87.7	(15-19)	28.2	0.0	54.0	(15-19)	55.2	1.7	106.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	24.1	0.0	0.0	40.0	0.0	0.0	0.0	0.0	30.8	0.0	0.0	51.3
TEENAGE INDUCED TERMINATIONS#	15	2	4	9	4	0	1	3	11	2	3	6
TEENAGE INDUCED TERMINATION RATIO	180.7	2000	125.0	180.0	222.2	.	142.8	272.7	169.2	2000	120.0	153.8
TEENAGE PREGNANCIES#	100	3	36	61	22	0	8	14	78	3	28	47
TEENAGE PREGNANCY RATE	55.1	3.4	103.7	(15-19)	34.5	0.0	66.1	(15-19)	66.2	5.2	124.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,627	3,019	1,506	1,513	599
WHITE	10,891	677	334	343	111
NONWHITE	21,736	2,342	1,172	1,170	488

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	201	10	104	87	13	0	6	7	188	10	98	80
TEENAGE IMMATURE BIRTHS	32	1	20	11	0	0	0	0	32	1	20	11
TEENAGE PREMATURE BIRTHS	57	3	32	22	2	0	0	2	55	3	32	20
TEENAGE ILLEGITIMATE BIRTHS	195	10	103	82	8	0	5	3	187	10	98	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	0	16	44	3	0	0	3	57	0	16	41
TEENS WHO HAD PREVIOUS PREGNANCIES	62	0	16	46	3	0	0	3	59	0	16	43
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	2	0	0	2	9	0	5	4
TEENAGE FERTILITY RATE	66.6	6.6	126.2	(15-19)	19.2	0.0	37.9	(15-19)	80.3	8.5	152.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	5.0	0.0	9.6	0.0	0.0	0.0	0.0	0.0	5.3	0.0	10.2	0.0
TEENAGE INDUCED TERMINATIONS#	15	1	7	7	3	0	2	1	12	1	5	6
TEENAGE INDUCED TERMINATION RATIO	74.6	100.0	67.3	80.5	230.8	.	333.3	142.8	63.8	100.0	51.0	75.0
TEENAGE PREGNANCIES#	217	11	112	94	16	0	8	8	201	11	104	86
TEENAGE PREGNANCY RATE	71.9	7.3	136.2	(15-19)	23.6	0.0	46.6	(15-19)	85.8	9.4	162.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,027	2,237	1,121	1,116	423
WHITE	13,256	867	435	432	180
NONWHITE	14,771	1,370	686	684	243

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	105	2	47	56	23	1	10	12	82	1	37	44
TEENAGE IMMATURE BIRTHS	21	0	13	8	3	0	2	1	18	0	11	7
TEENAGE PREMATURE BIRTHS	15	0	10	5	2	0	2	0	13	0	8	5
TEENAGE ILLEGITIMATE BIRTHS	83	1	40	42	7	0	5	2	76	1	35	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	9	13	5	0	1	4	17	0	8	9
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	10	19	6	0	1	5	23	0	9	14
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	1	0	0	1	6	0	4	2
TEENAGE FERTILITY RATE	46.9	1.8	92.3	(15-19)	26.5	2.3	50.9	(15-19)	59.8	1.4	118.4	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	28.6	0.0	42.6	17.8	0.0	0.0	0.0	0.0	36.6	0.0	54.0	22.7
TEENAGE INDUCED TERMINATIONS#	11	1	5	5	5	0	4	1	6	1	1	4
TEENAGE INDUCED TERMINATION RATIO	104.8	500.0	106.4	89.3	217.4	0.0	400.0	83.3	73.2	1000	27.0	90.9
TEENAGE PREGNANCIES#	119	3	54	62	28	1	14	13	91	2	40	49
TEENAGE PREGNANCY RATE	53.2	2.7	103.9	(15-19)	32.3	2.3	62.5	(15-19)	66.4	2.9	130.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,010	1,354	664	690	295
WHITE	10,076	684	336	348	151
NONWHITE	5,934	670	328	342	140

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	1	30	45	21	0	7	14	55	1	23	31
TEENAGE IMMATURE BIRTHS	13	0	5	8	1	0	1	0	12	0	4	8
TEENAGE PREMATURE BIRTHS	14	0	8	6	4	0	3	1	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	59	1	27	31	7	0	4	3	52	1	23	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	1	4	14	2	0	1	1	17	1	3	13
TEENS WHO HAD PREVIOUS PREGNANCIES	20	1	5	14	2	0	1	1	18	1	4	13
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	7	4	1	0	0	1	10	0	7	3
TEENAGE FERTILITY RATE	56.1	1.5	108.7	(15-19)	30.7	0.0	60.3	(15-19)	82.1	3.0	157.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	26.3	0.0	33.3	22.2	95.2	0.0	142.8	71.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	65.8	0.0	33.3	88.9	95.2	0.0	0.0	142.8	54.5	0.0	43.5	64.5
TEENAGE PREGNANCIES#	83	1	32	50	25	0	8	17	58	1	24	33
TEENAGE PREGNANCY RATE	61.3	1.5	118.8	(15-19)	36.6	0.0	71.8	(15-19)	86.6	3.0	166.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	88,563	6,813	3,391	3,422	1,229
WHITE	75,074	5,492	2,772	2,720	1,041
NONWHITE	13,489	1,321	619	702	187

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	180	1	69	110	125	0	45	80	55	1	24	30
TEENAGE IMMATURE BIRTHS	11	0	8	3	5	0	3	2	6	0	5	1
TEENAGE PREMATURE BIRTHS	27	0	12	15	13	0	6	7	14	0	6	8
TEENAGE ILLEGITIMATE BIRTHS	130	1	57	72	75	0	33	42	55	1	24	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	8	30	19	0	4	15	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	46	0	10	36	27	0	6	21	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	18	0	10	8	3	0	2	1	15	0	8	7
TEENAGE FERTILITY RATE	26.4	0.3	52.3	(15-19)	22.8	0.0	46.0	(15-19)	41.6	1.6	76.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.6	0.0	0.0	9.1	0.0	0.0	0.0	0.0	18.2	0.0	0.0	33.3
TEENAGE INDUCED TERMINATIONS#	58	6	26	26	47	4	22	21	11	2	4	5
TEENAGE INDUCED TERMINATION RATIO	322.2	6000	376.8	236.4	376.0	.	488.9	262.5	200.0	2000	166.7	166.7
TEENAGE PREGNANCIES#	239	7	95	137	172	4	67	101	67	3	28	36
TEENAGE PREGNANCY RATE	35.1	2.1	67.8	(15-19)	31.3	1.4	61.8	(15-19)	50.7	4.8	91.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	72,427	5,613	2,574	3,039	1,044
WHITE	49,061	3,165	1,453	1,712	568
NONWHITE	23,366	2,448	1,121	1,327	476

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	230	6	103	121	89	2	39	48	141	4	64	73
TEENAGE IMMATURE BIRTHS	26	0	10	16	9	0	4	5	17	0	6	11
TEENAGE PREMATURE BIRTHS	41	1	18	22	10	0	3	7	31	1	15	15
TEENAGE ILLEGITIMATE BIRTHS	183	6	88	89	45	2	24	19	138	4	64	70
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	16	37	16	0	4	12	37	0	12	25
TEENS WHO HAD PREVIOUS PREGNANCIES	66	0	17	49	20	0	4	16	46	0	13	33
TEENS WITH INADEQUATE* PRENATAL CARE	23	1	8	14	5	1	0	4	18	0	8	10
TEENAGE FERTILITY RATE	41.0	2.3	73.7	(15-19)	28.1	1.4	50.8	(15-19)	57.6	3.6	103.2	(15-19)
TEENAGE FETAL DEATHS**	5	0	4	1	1	0	0	1	4	0	4	0
TEENAGE FETAL DEATH RATIO	21.7	0.0	38.8	8.3	11.2	0.0	0.0	20.8	28.4	0.0	62.5	0.0
TEENAGE INDUCED TERMINATIONS#	27	0	8	19	19	0	5	14	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	117.4	0.0	77.7	157.0	213.5	0.0	128.2	291.7	56.7	0.0	46.9	68.5
TEENAGE PREGNANCIES#	262	6	115	141	109	2	44	63	153	4	71	78
TEENAGE PREGNANCY RATE	46.7	2.3	84.2	(15-19)	34.4	1.4	62.5	(15-19)	62.5	3.6	112.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,952	699	377	322	96
WHITE	4,846	347	179	168	50
NONWHITE	3,106	352	198	154	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	6	11	7	0	2	5	10	0	4	6
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	14	0	5	9	4	0	1	3	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	0	0	0	0	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	24.3	0.0	52.8	(15-19)	20.2	0.0	41.7	(15-19)	28.4	0.0	64.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	58.8	.	0.0	0.0	0.0	.	0.0	0.0	100.0	.	0.0	0.0
TEENAGE PREGNANCIES#	18	1	6	11	7	0	2	5	11	1	4	6
TEENAGE PREGNANCY RATE	25.8	2.6	52.8	(15-19)	20.2	0.0	41.7	(15-19)	31.2	5.0	64.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

## DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,884	1,458	734	724	295
WHITE	15,969	1,248	626	622	261
NONWHITE	1,915	210	108	102	30

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	78	2	31	45	71	0	29	42	7	2	2	3
TEENAGE IMMATURE BIRTHS	5	0	4	1	5	0	4	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	1	2	6	8	0	2	6	1	1	0	0
TEENAGE ILLEGITIMATE BIRTHS	31	2	14	15	24	0	12	12	7	2	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	6	14	19	0	6	13	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	8	18	24	0	8	16	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	5	0	3	2	1	0	1	0
TEENAGE FERTILITY RATE	53.5	2.7	105.0	(15-19)	56.9	0.0	114.1	(15-19)	33.3	18.5	49.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	5	0	1	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	64.1	0.0	32.2	88.9	70.4	.	34.5	95.2	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	83	2	32	49	76	0	30	46	7	2	2	3
TEENAGE PREGNANCY RATE	56.9	2.7	111.9	(15-19)	60.9	0.0	122.2	(15-19)	33.3	18.5	49.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,201	918	431	487	169
WHITE	8,717	664	314	350	128
NONWHITE	2,484	254	117	137	41

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	16	27	29	0	9	20	15	1	7	7
TEENAGE IMMATURE BIRTHS	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE PREMATURE BIRTHS	5	1	1	3	2	0	0	2	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	22	1	8	13	8	0	1	7	14	1	7	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	0	12	8	0	0	8	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	8	0	0	8	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	47.9	2.3	88.3	(15-19)	43.7	0.0	82.8	(15-19)	59.0	8.5	102.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	136.4	0.0	125.0	148.1	69.0	.	111.1	50.0	266.7	0.0	142.8	428.6
TEENAGE PREGNANCIES#	50	1	18	31	31	0	10	21	19	1	8	10
TEENAGE PREGNANCY RATE	54.5	2.3	100.6	(15-19)	46.7	0.0	88.6	(15-19)	74.8	8.5	131.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,942	1,747	853	894	318
WHITE	12,493	875	434	441	151
NONWHITE	9,449	872	419	453	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	5	33	38	23	0	10	13	53	5	23	25
TEENAGE IMMATURE BIRTHS	7	0	3	4	1	0	1	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	12	2	6	4	1	0	0	1	11	2	6	3
TEENAGE ILLEGITIMATE BIRTHS	63	5	28	30	12	0	5	7	51	5	23	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	1	0	0	1	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	6	15	4	0	1	3	17	0	5	12
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	3	4	0	0	0	0	8	1	3	4
TEENAGE FERTILITY RATE	43.5	5.9	79.4	(15-19)	26.3	0.0	52.2	(15-19)	60.8	11.9	106.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.2	0.0	30.3	0.0	0.0	0.0	0.0	0.0	18.9	0.0	43.5	0.0
TEENAGE INDUCED TERMINATIONS#	23	3	9	11	12	0	5	7	11	3	4	4
TEENAGE INDUCED TERMINATION RATIO	302.6	600.0	272.7	289.5	521.7	.	500.0	538.5	207.5	600.0	173.9	160.0
TEENAGE PREGNANCIES#	100	8	43	49	35	0	15	20	65	8	28	29
TEENAGE PREGNANCY RATE	57.2	9.4	102.9	(15-19)	40.0	0.0	79.4	(15-19)	74.5	19.1	125.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,182	2,692	1,332	1,360	498
WHITE	32,040	2,290	1,142	1,148	447
NONWHITE	4,142	402	190	212	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	0	33	61	82	0	31	51	12	0	2	10
TEENAGE IMMATURE BIRTHS	10	0	5	5	6	0	4	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	6	0	5	1	4	0	4	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	66	0	31	35	55	0	29	26	11	0	2	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	1	21	19	0	1	18	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	2	23	22	0	2	20	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	6	7	11	0	6	5	2	0	0	2
TEENAGE FERTILITY RATE	34.9	0.0	69.1	(15-19)	35.8	0.0	71.4	(15-19)	29.8	0.0	56.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	21.3	0.0	0.0	32.8	24.4	0.0	0.0	39.2	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	21.3	.	30.3	16.4	24.4	.	32.2	19.6	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	98	0	34	64	86	0	32	54	12	0	2	10
TEENAGE PREGNANCY RATE	36.4	0.0	72.0	(15-19)	37.6	0.0	74.9	(15-19)	29.8	0.0	56.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	170,862	12,488	6,395	6,093	2,896
WHITE	131,020	8,679	4,482	4,197	2,020
NONWHITE	39,842	3,809	1,913	1,896	876

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	589	18	223	348	330	5	110	215	259	13	113	133
TEENAGE IMMATURE BIRTHS	56	0	18	38	20	0	6	14	36	0	12	24
TEENAGE PREMATURE BIRTHS	114	3	42	69	40	1	14	25	74	2	28	44
TEENAGE ILLEGITIMATE BIRTHS	451	18	191	242	203	5	80	118	248	13	111	124
TEENS WHO HAD PREVIOUS LIVE BIRTHS	138	0	29	109	66	0	5	61	72	0	24	48
TEENS WHO HAD PREVIOUS PREGNANCIES	173	0	45	128	85	0	12	73	88	0	33	55
TEENS WITH INADEQUATE* PRENATAL CARE	125	6	53	66	42	1	12	29	83	5	41	37
TEENAGE FERTILITY RATE	47.2	2.8	93.7	(15-19)	38.0	1.1	77.4	(15-19)	68.0	6.8	129.7	(15-19)
TEENAGE FETAL DEATHS**	7	0	4	3	4	0	1	3	3	0	3	0
TEENAGE FETAL DEATH RATIO	11.9	0.0	17.9	8.6	12.1	0.0	9.1	14.0	11.6	0.0	26.5	0.0
TEENAGE INDUCED TERMINATIONS#	57	3	21	33	37	1	13	23	20	2	8	10
TEENAGE INDUCED TERMINATION RATIO	96.8	166.7	94.2	94.8	112.1	200.0	118.2	107.0	77.2	153.8	70.8	75.2
TEENAGE PREGNANCIES#	653	21	248	384	371	6	124	241	282	15	124	143
TEENAGE PREGNANCY RATE	52.3	3.3	103.7	(15-19)	42.7	1.3	87.0	(15-19)	74.0	7.8	140.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	9	0	3	6	6	0	1	5	3	0	2	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	253,096	19,628	9,551	10,077	4,118
WHITE	115,854	6,945	3,380	3,565	1,191
NONWHITE	137,242	12,683	6,171	6,512	2,923

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	807	35	318	454	102	0	32	70	705	35	286	384
TEENAGE IMMATURE BIRTHS	95	3	45	47	12	0	4	8	83	3	41	39
TEENAGE PREMATURE BIRTHS	132	4	59	69	14	0	4	10	118	4	55	59
TEENAGE ILLEGITIMATE BIRTHS	745	35	310	400	62	0	24	38	683	35	286	362
TEENS WHO HAD PREVIOUS LIVE BIRTHS	201	4	51	146	17	0	1	16	184	4	50	130
TEENS WHO HAD PREVIOUS PREGNANCIES	248	5	63	180	25	0	3	22	223	5	60	158
TEENS WITH INADEQUATE* PRENATAL CARE	72	7	21	44	5	0	1	4	67	7	20	40
TEENAGE FERTILITY RATE	41.1	3.7	76.6	(15-19)	14.7	0.0	28.6	(15-19)	55.6	5.7	102.9	(15-19)
TEENAGE FETAL DEATHS**	19	1	8	10	0	0	0	0	19	1	8	10
TEENAGE FETAL DEATH RATIO	23.5	28.6	25.2	22.0	0.0	0.0	0.0	0.0	27.0	28.6	28.0	26.0
TEENAGE INDUCED TERMINATIONS#	239	10	72	157	63	1	18	44	176	9	54	113
TEENAGE INDUCED TERMINATION RATIO	296.2	285.7	226.4	345.8	617.6	.	562.5	628.6	249.6	257.1	188.8	294.3
TEENAGE PREGNANCIES#	1,065	46	398	621	165	1	50	114	900	45	348	507
TEENAGE PREGNANCY RATE	54.2	4.8	101.1	(15-19)	23.8	0.3	46.0	(15-19)	71.0	7.3	131.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	10	0	7	3	2	0	1	1	8	0	6	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,771	2,018	1,039	979	372
WHITE	4,654	298	155	143	51
NONWHITE	16,117	1,720	884	836	320

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	7	48	67	6	0	1	5	116	7	47	62
TEENAGE IMMATURE BIRTHS	13	2	6	5	0	0	0	0	13	2	6	5
TEENAGE PREMATURE BIRTHS	26	2	11	13	1	0	0	1	25	2	11	12
TEENAGE ILLEGITIMATE BIRTHS	116	7	48	61	2	0	1	1	114	7	47	60
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	7	23	1	0	0	1	29	0	7	22
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	10	25	1	0	0	1	34	0	10	24
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	8	5	0	0	0	0	14	1	8	5
TEENAGE FERTILITY RATE	60.4	6.7	117.5	(15-19)	20.1	0.0	42.0	(15-19)	67.4	7.9	130.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	8.2	0.0	0.0	14.9	0.0	0.0	0.0	0.0	8.6	0.0	0.0	16.1
TEENAGE INDUCED TERMINATIONS#	19	5	6	8	3	1	0	2	16	4	6	6
TEENAGE INDUCED TERMINATION RATIO	155.7	714.3	125.0	119.4	500.0	.	0.0	400.0	137.9	571.4	127.7	96.8
TEENAGE PREGNANCIES#	142	12	54	76	9	1	1	7	133	11	53	69
TEENAGE PREGNANCY RATE	70.4	11.6	132.8	(15-19)	30.2	6.4	55.9	(15-19)	77.3	12.4	145.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,453	1,151	614	537	189
WHITE	3,475	221	122	99	41
NONWHITE	7,978	930	492	438	146

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	4	20	19	4	0	1	3	39	4	19	16
TEENAGE IMMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE PREMATURE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	40	4	19	17	1	0	0	1	39	4	19	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	1	0	0	1	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	5	10	1	0	0	1	14	0	5	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE FERTILITY RATE	37.4	6.5	72.6	(15-19)	18.1	0.0	40.4	(15-19)	41.9	8.1	79.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.2	0.0	0.0	52.6	250.0	0.0	0.0	333.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	44	4	20	20	5	0	1	4	39	4	19	16
TEENAGE PREGNANCY RATE	38.2	6.5	74.5	(15-19)	22.6	0.0	50.5	(15-19)	41.9	8.1	79.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,805	166	74	92	31
WHITE	771	53	26	27	{
NONWHITE	1,034	113	48	65	23

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	7	0	5	2	1	0	0	1	6	0	5	1
TEENAGE IMMATURE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE PREMATURE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	7	0	5	2	1	0	0	1	6	0	5	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	1	0	0	1	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	42.2	0.0	76.1 (15-19)		18.9	0.0	37.0 (15-19)		53.1	0.0	92.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	.	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	7	0	5	2	1	0	0	1	6	0	5	1
TEENAGE PREGNANCY RATE	42.2	0.0	76.1 (15-19)		18.9	0.0	37.0 (15-19)		53.1	0.0	92.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1995

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,797	1,266	630	636	273
WHITE	18,415	1,145	576	569	241
NONWHITE	1,382	121	54	67	30

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	1	16	41	48	0	14	34	10	1	2	7
TEENAGE IMMATURE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	23	1	10	12	15	0	8	7	8	1	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	11	0	1	10	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	14	0	2	12	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	45.8	1.6	89.6	(15-19)	41.9	0.0	84.4	(15-19)	82.6	18.5	134.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	6	0	2	4	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	120.7	1000	125.0	97.6	125.0	.	142.8	117.6	100.0	1000	0.0	0.0
TEENAGE PREGNANCIES#	65	2	18	45	54	0	16	38	11	2	2	7
TEENAGE PREGNANCY RATE	51.3	3.2	99.0	(15-19)	47.2	0.0	94.9	(15-19)	90.9	37.0	134.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	133,134	10,630	5,147	5,483	1,764
WHITE	103,144	7,506	3,690	3,816	1,231
NONWHITE	29,990	3,124	1,457	1,667	532

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	359	9	152	198	185	4	69	112	174	5	83	86
TEENAGE IMMATURE BIRTHS	35	0	19	16	14	0	7	7	21	0	12	9
TEENAGE PREMATURE BIRTHS	50	0	28	22	18	0	10	8	32	0	18	14
TEENAGE ILLEGITIMATE BIRTHS	273	9	130	134	109	4	50	55	164	5	80	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	81	0	25	56	30	0	7	23	51	0	18	33
TEENS WHO HAD PREVIOUS PREGNANCIES	97	0	29	68	41	0	10	31	56	0	19	37
TEENS WITH INADEQUATE* PRENATAL CARE	51	3	26	22	12	1	5	6	39	2	21	16
TEENAGE FERTILITY RATE	33.8	1.7	63.8	(15-19)	24.6	1.1	47.4	(15-19)	55.7	3.4	101.4	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	8.4	0.0	13.2	5.0	5.4	0.0	14.5	0.0	11.5	0.0	12.0	11.6
TEENAGE INDUCED TERMINATIONS#	50	3	24	23	28	2	16	10	22	1	8	13
TEENAGE INDUCED TERMINATION RATIO	139.3	333.3	157.9	116.2	151.4	500.0	231.9	89.3	126.4	200.0	96.4	151.2
TEENAGE PREGNANCIES#	412	12	178	222	214	6	86	122	198	6	92	100
TEENAGE PREGNANCY RATE	38.8	2.3	73.0	(15-19)	28.5	1.6	54.5	(15-19)	63.4	4.1	115.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	2	0	1	1	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,235	1,492	708	784	274
WHITE	8,167	515	265	250	91
NONWHITE	9,068	977	443	534	182

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	1	24	34	10	0	2	8	49	1	22	26
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	53	1	22	30	4	0	0	4	49	1	22	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	4	6	1	0	1	0	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	4	6	1	0	1	0	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE FERTILITY RATE	39.5	1.4	74.0	(15-19)	19.4	0.0	40.0	(15-19)	50.2	2.2	89.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	50.8	0.0	0.0	88.2	0.0	0.0	0.0	0.0	61.2	0.0	0.0	115.4
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	2	0	2	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	84.7	0.0	166.7	29.4	200.0	.	1000	0.0	61.2	0.0	90.9	38.5
TEENAGE PREGNANCIES#	67	1	28	38	12	0	4	8	55	1	24	30
TEENAGE PREGNANCY RATE	44.9	1.4	84.2	(15-19)	23.3	0.0	48.0	(15-19)	56.3	2.2	101.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,295	815	403	412	149
WHITE	1,049	54	28	26	7
NONWHITE	7,246	761	375	386	142

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	1	15	18	0	0	0	0	34	1	15	18
TEENAGE IMMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	33	1	15	17	0	0	0	0	33	1	15	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	0	0	0	0	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	5	11	0	0	0	0	16	0	5	11
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	41.7	2.5	80.1	(15-19)	0.0	0.0	0.0	(15-19)	44.7	2.7	85.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	29.4	0.0	66.7	0.0	0.0	0.0	0.0	0.0	29.4	0.0	66.7	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	117.6	0.0	0.0	222.2	0.0	.	.	0.0	117.6	0.0	0.0	222.2
TEENAGE PREGNANCIES#	39	1	16	22	0	0	0	0	39	1	16	22
TEENAGE PREGNANCY RATE	47.8	2.5	92.2	(15-19)	0.0	0.0	0.0	(15-19)	51.2	2.7	98.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,527	1,203	583	620	227
WHITE	5,667	372	203	169	64
NONWHITE	7,860	831	380	451	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	31	28	15	1	8	6	45	0	23	22
TEENAGE IMMATURE BIRTHS	6	0	5	1	2	0	2	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	10	0	7	3	3	0	3	0	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	51	0	26	25	7	0	4	3	44	0	22	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	5	6	3	0	1	2	8	0	4	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	6	8	4	0	1	3	10	0	5	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	49.9	1.7	95.2	(15-19)	40.3	4.9	82.8	(15-19)	54.2	0.0	99.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	1	0	0	1	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	133.3	1000	96.8	142.8	66.7	0.0	0.0	166.7	155.6	.	130.4	136.4
TEENAGE PREGNANCIES#	68	2	34	32	16	1	8	7	52	1	26	25
TEENAGE PREGNANCY RATE	56.5	3.4	106.4	(15-19)	43.0	4.9	88.8	(15-19)	62.6	2.6	113.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	62,251	4,761	2,367	2,394	839
WHITE	45,773	3,087	1,537	1,550	537
NONWHITE	16,478	1,674	830	844	302

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	192	9	75	108	99	1	37	61	93	8	38	47
TEENAGE IMMATURE BIRTHS	29	1	14	14	15	0	8	7	14	1	6	7
TEENAGE PREMATURE BIRTHS	33	3	15	15	16	1	8	7	17	2	7	8
TEENAGE ILLEGITIMATE BIRTHS	127	9	58	60	37	1	20	16	90	8	38	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	13	38	22	0	4	18	29	0	9	20
TEENS WHO HAD PREVIOUS PREGNANCIES	63	0	19	44	32	0	10	22	31	0	9	22
TEENS WITH INADEQUATE* PRENATAL CARE	15	1	5	9	5	0	1	4	10	1	4	5
TEENAGE FERTILITY RATE	40.3	3.8	76.4	(15-19)	32.1	0.6	63.2	(15-19)	55.6	9.6	100.7	(15-19)
TEENAGE FETAL DEATHS**	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FETAL DEATH RATIO	26.0	0.0	26.7	27.8	10.1	0.0	0.0	16.4	43.0	0.0	52.6	42.6
TEENAGE INDUCED TERMINATIONS#	26	1	12	13	14	0	8	6	12	1	4	7
TEENAGE INDUCED TERMINATION RATIO	135.4	111.1	160.0	120.4	141.4	0.0	216.2	98.4	129.0	125.0	105.3	148.9
TEENAGE PREGNANCIES#	223	10	89	124	114	1	45	68	109	9	44	56
TEENAGE PREGNANCY RATE	46.8	4.2	89.0	(15-19)	36.9	0.6	72.9	(15-19)	65.1	10.8	118.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,554	850	421	429	138
WHITE	4,284	273	144	129	29
NONWHITE	6,270	577	277	300	109

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	2	10	19	2	0	1	1	29	2	9	18
TEENAGE IMMATURE BIRTHS	7	1	0	6	0	0	0	0	7	1	0	6
TEENAGE PREMATURE BIRTHS	6	1	0	5	0	0	0	0	6	1	0	5
TEENAGE ILLEGITIMATE BIRTHS	28	2	9	17	2	0	1	1	26	2	8	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	0	0	0	0	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FERTILITY RATE	36.5	4.8	67.6	(15-19)	7.3	0.0	15.5	(15-19)	50.3	7.2	90.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	96.8	0.0	0.0	157.9	0.0	0.0	0.0	0.0	103.4	0.0	0.0	166.7
TEENAGE PREGNANCIES#	34	2	10	22	2	0	1	1	32	2	9	21
TEENAGE PREGNANCY RATE	40.0	4.8	74.6	(15-19)	7.3	0.0	15.5	(15-19)	55.4	7.2	100.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,388	2,686	976	1,710	407
WHITE	24,927	1,805	567	1,238	236
NONWHITE	9,461	881	409	472	171

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	2	30	35	23	0	9	14	44	2	21	21
TEENAGE IMMATURE BIRTHS	12	0	7	5	4	0	3	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	16	1	10	5	4	0	4	0	12	1	6	5
TEENAGE ILLEGITIMATE BIRTHS	55	2	27	26	11	0	6	5	44	2	21	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	0	0	0	0	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	1	0	1	0	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	3	3	2	0	1	1	5	1	2	2
TEENAGE FERTILITY RATE	24.9	2.0	38.0	(15-19)	12.7	0.0	18.6	(15-19)	49.9	4.9	89.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.9	0.0	33.3	0.0	43.5	0.0	111.1	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	42	0	6	36	32	0	5	27	10	0	1	9
TEENAGE INDUCED TERMINATION RATIO	626.9	0.0	200.0	1029	1391	.	555.6	1929	227.3	0.0	47.6	428.6
TEENAGE PREGNANCIES#	110	2	37	71	56	0	15	41	54	2	22	30
TEENAGE PREGNANCY RATE	41.0	2.0	63.2	(15-19)	31.0	0.0	45.2	(15-19)	61.3	4.9	110.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,458	2,562	1,331	1,231	447
WHITE	27,373	2,153	1,120	1,033	384
NONWHITE	4,085	409	211	198	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	2	21	35	45	2	16	27	13	0	5	8
TEENAGE IMMATURE BIRTHS	8	1	1	6	5	1	1	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	13	2	3	8	9	2	2	5	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	26	2	8	16	14	2	3	9	12	0	5	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	7	13	15	0	5	10	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	8	16	18	0	6	12	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE FERTILITY RATE	22.6	1.5	45.5	(15-19)	20.9	1.8	41.6	(15-19)	31.8	0.0	65.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	2	1	6	8	1	1	6	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	155.2	1000	47.6	171.4	177.8	500.0	62.5	222.2	76.9	.	0.0	0.0
TEENAGE PREGNANCIES#	67	4	22	41	53	3	17	33	14	1	5	8
TEENAGE PREGNANCY RATE	26.2	3.0	51.2	(15-19)	24.6	2.7	48.4	(15-19)	34.2	4.7	65.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,475	5,694	2,861	2,833	1,145
WHITE	48,338	3,031	1,484	1,547	567
NONWHITE	28,137	2,663	1,377	1,286	578

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	204	8	83	113	62	1	17	44	142	7	66	69
TEENAGE IMMATURE BIRTHS	21	2	8	11	2	0	1	1	19	2	7	10
TEENAGE PREMATURE BIRTHS	26	4	14	8	5	0	4	1	21	4	10	7
TEENAGE ILLEGITIMATE BIRTHS	169	8	77	84	29	1	11	17	140	7	66	67
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	13	40	10	0	2	8	43	0	11	32
TEENS WHO HAD PREVIOUS PREGNANCIES	61	0	16	45	14	0	3	11	47	0	13	34
TEENS WITH INADEQUATE* PRENATAL CARE	43	2	20	21	3	0	1	2	40	2	19	19
TEENAGE FERTILITY RATE	35.8	2.8	69.2	(15-19)	20.4	0.7	39.4	(15-19)	53.3	5.1	105.0	(15-19)
TEENAGE FETAL DEATHS**	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	14.7	0.0	36.1	0.0	16.1	0.0	58.8	0.0	14.1	0.0	30.3	0.0
TEENAGE INDUCED TERMINATIONS#	59	1	32	26	23	1	13	9	35	0	19	16
TEENAGE INDUCED TERMINATION RATIO	289.2	125.0	385.5	230.1	371.0	1000	764.7	204.5	246.5	0.0	287.9	231.9
TEENAGE PREGNANCIES#	266	9	118	139	86	2	31	53	179	7	87	85
TEENAGE PREGNANCY RATE	46.7	3.1	90.7	(15-19)	28.4	1.3	54.3	(15-19)	67.2	5.1	133.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	0	0	0	0	4	0	3	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,143	1,023	504	519	193
WHITE	7,936	587	302	285	100
NONWHITE	4,207	436	202	234	93

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	0	19	24	15	0	5	10	28	0	14	14
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	9	0	4	5	2	0	1	1	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	32	0	16	16	4	0	2	2	28	0	14	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	4	5	1	0	0	1	8	0	4	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	4	8	1	0	0	1	11	0	4	7
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	42.0	0.0	82.8	(15-19)	25.6	0.0	52.6	(15-19)	64.2	0.0	119.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	23.2	.	0.0	41.7	66.7	.	0.0	100.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	44	0	19	25	16	0	5	11	28	0	14	14
TEENAGE PREGNANCY RATE	43.0	0.0	84.8	(15-19)	27.2	0.0	56.1	(15-19)	64.2	0.0	119.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,578	1,441	726	715	296
WHITE	10,907	695	361	334	141
NONWHITE	7,671	746	365	381	151

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	3	18	40	20	0	10	10	41	3	8	30
TEENAGE IMMATURE BIRTHS	8	1	0	7	0	0	0	0	8	1	0	7
TEENAGE PREMATURE BIRTHS	7	1	2	4	2	0	1	1	5	1	1	3
TEENAGE ILLEGITIMATE BIRTHS	43	3	11	29	6	0	4	2	37	3	7	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	6	8	6	0	3	3	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	6	11	7	0	3	4	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	1	0	4	0	1	3
TEENAGE FERTILITY RATE	42.3	4.1	81.1	(15-19)	28.8	0.0	59.9	(15-19)	55.0	8.2	99.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	5	3	3	0	3	0	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	131.1	0.0	277.8	75.0	150.0	.	300.0	0.0	122.0	0.0	250.0	100.0
TEENAGE PREGNANCIES#	69	3	23	43	23	0	13	10	46	3	10	33
TEENAGE PREGNANCY RATE	47.9	4.1	92.3	(15-19)	33.1	0.0	68.9	(15-19)	61.7	8.2	112.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	73,739	5,507	2,807	2,700	1,174
WHITE	57,121	3,911	2,010	1,901	759
NONWHITE	16,618	1,596	797	799	415

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	244	3	111	130	115	0	46	69	129	3	65	61
TEENAGE IMMATURE BIRTHS	31	0	11	20	9	0	4	5	22	0	7	15
TEENAGE PREMATURE BIRTHS	32	2	14	16	8	0	5	3	24	2	9	13
TEENAGE ILLEGITIMATE BIRTHS	181	3	93	85	62	0	30	32	119	3	63	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	0	17	46	26	0	8	18	37	0	9	28
TEENS WHO HAD PREVIOUS PREGNANCIES	74	0	22	52	32	0	11	21	42	0	11	31
TEENS WITH INADEQUATE* PRENATAL CARE	21	0	9	12	5	0	2	3	16	0	7	9
TEENAGE FERTILITY RATE	44.3	1.1	89.2	(15-19)	29.4	0.0	60.5	(15-19)	80.8	3.8	157.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.1	0.0	9.0	0.0	8.7	0.0	21.7	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	31	4	10	17	21	2	8	11	10	2	2	6
TEENAGE INDUCED TERMINATION RATIO	127.0	1333	90.1	130.8	182.6	.	173.9	159.4	77.5	666.7	30.8	98.4
TEENAGE PREGNANCIES#	276	7	122	147	137	2	55	80	139	5	67	67
TEENAGE PREGNANCY RATE	50.1	2.5	99.6	(15-19)	35.0	1.0	71.0	(15-19)	87.1	6.3	167.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	3	2	4	0	3	1	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,970	3,572	1,698	1,874	694
WHITE	13,470	905	454	451	159
NONWHITE	23,500	2,667	1,244	1,423	535

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	221	11	104	106	28	0	11	17	193	11	93	89
TEENAGE IMMATURE BIRTHS	36	0	15	21	1	0	0	1	35	0	15	20
TEENAGE PREMATURE BIRTHS	50	5	21	24	2	0	1	1	48	5	20	23
TEENAGE ILLEGITIMATE BIRTHS	203	10	99	94	12	0	6	6	191	10	93	88
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	1	20	39	8	0	2	6	52	1	18	33
TEENS WHO HAD PREVIOUS PREGNANCIES	75	1	25	49	10	0	2	8	65	1	23	41
TEENS WITH INADEQUATE* PRENATAL CARE	75	4	29	42	4	0	0	4	71	4	29	38
TEENAGE FERTILITY RATE	61.9	6.5	112.1	(15-19)	30.9	0.0	62.1	(15-19)	72.4	8.8	127.9	(15-19)
TEENAGE FETAL DEATHS**	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FETAL DEATH RATIO	18.1	0.0	0.0	37.7	0.0	0.0	0.0	0.0	20.7	0.0	0.0	44.9
TEENAGE INDUCED TERMINATIONS#	40	1	16	23	12	0	6	6	28	1	10	17
TEENAGE INDUCED TERMINATION RATIO	181.0	90.9	153.8	217.0	428.6	.	545.4	352.9	145.1	90.9	107.5	191.0
TEENAGE PREGNANCIES#	265	12	120	133	40	0	17	23	225	12	103	110
TEENAGE PREGNANCY RATE	74.2	7.1	135.0	(15-19)	44.2	0.0	88.7	(15-19)	84.4	9.6	149.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,911	2,555	1,246	1,309	437
WHITE	22,041	1,575	786	789	274
NONWHITE	9,870	980	460	520	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	2	33	49	37	0	13	24	47	2	20	25
TEENAGE IMMATURE BIRTHS	8	1	4	3	5	0	2	3	3	1	2	0
TEENAGE PREMATURE BIRTHS	11	2	6	3	2	0	2	0	9	2	4	3
TEENAGE ILLEGITIMATE BIRTHS	63	2	29	32	19	0	10	9	44	2	19	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	6	9	6	0	1	5	9	0	5	4
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	8	12	9	0	3	6	11	0	5	6
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	4	5	2	0	1	1	8	1	3	4
TEENAGE FERTILITY RATE	32.9	1.6	62.6	(15-19)	23.5	0.0	46.9	(15-19)	48.0	4.3	86.5	(15-19)
TEENAGE FETAL DEATHS**	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FETAL DEATH RATIO	47.6	0.0	90.9	20.4	0.0	0.0	0.0	0.0	85.1	0.0	150.0	40.0
TEENAGE INDUCED TERMINATIONS#	8	0	5	3	5	0	3	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	95.2	0.0	151.5	61.2	135.1	.	230.8	83.3	63.8	0.0	100.0	40.0
TEENAGE PREGNANCIES#	96	2	41	53	42	0	16	26	54	2	25	27
TEENAGE PREGNANCY RATE	37.6	1.6	71.8	(15-19)	26.7	0.0	53.2	(15-19)	55.1	4.3	100.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	61,480	4,774	2,343	2,431	999
WHITE	37,591	2,487	1,242	1,245	496
NONWHITE	23,889	2,287	1,101	1,186	501

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	184	4	71	109	52	0	20	32	132	4	51	77
TEENAGE IMMATURE BIRTHS	23	0	8	15	5	0	2	3	18	0	6	12
TEENAGE PREMATURE BIRTHS	30	2	12	16	6	0	4	2	24	2	8	14
TEENAGE ILLEGITIMATE BIRTHS	151	4	67	80	28	0	16	12	123	4	51	68
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	2	9	43	9	0	1	8	45	2	8	35
TEENS WHO HAD PREVIOUS PREGNANCIES	63	2	15	46	11	0	1	10	52	2	14	36
TEENS WITH INADEQUATE* PRENATAL CARE	22	0	7	15	5	0	2	3	17	0	5	12
TEENAGE FERTILITY RATE	38.5	1.7	74.0	(15-19)	20.9	0.0	41.8	(15-19)	57.7	3.6	107.9	(15-19)
TEENAGE FETAL DEATHS**	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE FETAL DEATH RATIO	27.2	0.0	42.2	18.3	38.5	0.0	50.0	31.2	22.7	0.0	39.2	13.0
TEENAGE INDUCED TERMINATIONS#	58	4	19	35	24	0	7	17	34	4	12	18
TEENAGE INDUCED TERMINATION RATIO	315.2	1000	267.6	321.1	461.5	.	350.0	531.2	257.6	1000	235.3	233.8
TEENAGE PREGNANCIES#	247	8	93	146	78	0	28	50	169	8	65	96
TEENAGE PREGNANCY RATE	51.7	3.4	98.3	(15-19)	31.4	0.0	62.6	(15-19)	73.9	7.3	135.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	7	0	5	2	3	0	2	1	4	0	3	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	68,174	5,278	2,720	2,558	1,193
WHITE	39,897	2,554	1,371	1,183	630
NONWHITE	28,277	2,724	1,349	1,375	563

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	177	4	79	94	19	1	8	10	158	3	71	84
TEENAGE IMMATURE BIRTHS	20	0	12	8	0	0	0	0	20	0	12	8
TEENAGE PREMATURE BIRTHS	31	0	15	16	2	0	0	2	29	0	15	14
TEENAGE ILLEGITIMATE BIRTHS	164	4	78	82	11	1	7	3	153	3	71	79
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	15	36	3	0	0	3	48	0	15	33
TEENS WHO HAD PREVIOUS PREGNANCIES	57	0	18	39	5	0	1	4	52	0	17	35
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	9	7	1	0	1	0	15	0	8	7
TEENAGE FERTILITY RATE	33.5	1.5	67.6	(15-19)	7.4	0.7	15.2	(15-19)	58.0	2.2	112.7	(15-19)
TEENAGE FETAL DEATHS**	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE FETAL DEATH RATIO	22.6	0.0	12.6	31.9	52.6	0.0	0.0	100.0	19.0	0.0	14.1	23.8
TEENAGE INDUCED TERMINATIONS#	40	2	20	18	18	1	9	8	22	1	11	10
TEENAGE INDUCED TERMINATION RATIO	226.0	500.0	253.2	191.5	947.4	1000	1125	800.0	139.2	333.3	154.9	119.0
TEENAGE PREGNANCIES#	221	6	100	115	38	2	17	19	183	4	83	96
TEENAGE PREGNANCY RATE	41.9	2.2	84.0	(15-19)	14.9	1.4	30.4	(15-19)	67.2	3.0	130.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,938	2,083	1,034	1,049	386
WHITE	17,023	1,254	639	615	215
NONWHITE	7,915	829	395	434	171

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	109	0	48	61	57	0	23	34	52	0	25	27
TEENAGE IMMATURE BIRTHS	14	0	8	6	8	0	4	4	6	0	4	2
TEENAGE PREMATURE BIRTHS	12	0	7	5	6	0	4	2	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	75	0	32	43	23	0	7	16	52	0	25	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	11	16	15	0	8	7	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	12	19	19	0	9	10	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	5	2	2	0	1	1	5	0	4	1
TEENAGE FERTILITY RATE	52.3	0.0	103.9	(15-19)	45.4	0.0	92.7	(15-19)	62.7	0.0	119.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	3	0	1	0	1	0	3	1	2	0
TEENAGE INDUCED TERMINATION RATIO	36.7	.	62.5	0.0	17.5	.	43.5	0.0	57.7	.	80.0	0.0
TEENAGE PREGNANCIES#	113	1	51	61	58	0	24	34	55	1	27	27
TEENAGE PREGNANCY RATE	54.2	1.0	106.8	(15-19)	46.2	0.0	94.3	(15-19)	66.3	2.5	124.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,413	2,759	1,318	1,441	551
WHITE	15,813	1,048	531	517	241
NONWHITE	16,600	1,711	787	924	306

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	142	4	47	91	51	0	17	34	91	4	30	57
TEENAGE IMMATURE BIRTHS	17	1	4	12	3	0	0	3	14	1	4	9
TEENAGE PREMATURE BIRTHS	27	2	9	16	7	0	2	5	20	2	7	11
TEENAGE ILLEGITIMATE BIRTHS	115	4	39	72	25	0	9	16	90	4	30	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	4	25	5	0	1	4	24	0	3	21
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	8	32	11	0	3	8	29	0	5	24
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	3	9	1	0	0	1	12	1	3	8
TEENAGE FERTILITY RATE	51.5	3.0	95.8	(15-19)	48.7	0.0	98.6	(15-19)	53.2	5.1	94.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	14.1	0.0	21.3	11.0	0.0	0.0	0.0	0.0	22.0	0.0	33.3	17.5
TEENAGE INDUCED TERMINATIONS#	16	3	4	9	2	0	1	1	14	3	3	8
TEENAGE INDUCED TERMINATION RATIO	112.7	750.0	85.1	98.9	39.2	.	58.8	29.4	153.8	750.0	100.0	140.4
TEENAGE PREGNANCIES#	160	7	52	101	53	0	18	35	107	7	34	66
TEENAGE PREGNANCY RATE	58.0	5.3	106.2	(15-19)	50.6	0.0	102.5	(15-19)	62.5	8.9	108.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,514	2,792	1,407	1,385	563
WHITE	24,937	1,717	890	827	340
NONWHITE	11,577	1,075	517	558	223

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	128	6	55	67	68	1	27	40	60	5	28	27
TEENAGE IMMATURE BIRTHS	19	2	12	5	6	0	5	1	13	2	7	4
TEENAGE PREMATURE BIRTHS	27	2	16	9	8	0	5	3	19	2	11	6
TEENAGE ILLEGITIMATE BIRTHS	88	5	44	39	30	0	16	14	58	5	28	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	1	7	22	14	0	2	12	16	1	5	10
TEENS WHO HAD PREVIOUS PREGNANCIES	36	1	7	28	18	0	2	16	18	1	5	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	4	1	2	0	2	0	4	1	2	1
TEENAGE FERTILITY RATE	45.8	4.3	88.1	(15-19)	39.6	1.1	81.0	(15-19)	55.8	9.7	98.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	21	2	9	10	8	1	2	5	13	1	7	5
TEENAGE INDUCED TERMINATION RATIO	164.1	333.3	163.6	149.2	117.6	1000	74.1	125.0	216.7	200.0	250.0	185.2
TEENAGE PREGNANCIES#	149	8	64	77	76	2	29	45	73	6	35	32
TEENAGE PREGNANCY RATE	53.4	5.7	101.8	(15-19)	44.3	2.2	89.5	(15-19)	67.9	11.6	120.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,882	952	485	467	157
WHITE	6,316	376	196	180	68
NONWHITE	5,566	576	289	287	89

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	21	15	9	0	4	5	28	1	17	10
TEENAGE IMMATURE BIRTHS	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE PREMATURE BIRTHS	10	1	4	5	1	0	0	1	9	1	4	4
TEENAGE ILLEGITIMATE BIRTHS	29	1	18	10	2	0	1	1	27	1	17	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	1	0	0	1	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	38.9	2.1	77.1	(15-19)	23.9	0.0	50.0	(15-19)	48.6	3.5	94.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	27.0	0.0	0.0	66.7	111.1	0.0	0.0	200.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	16	1	4	11	6	0	2	4	10	1	2	7
TEENAGE INDUCED TERMINATION RATIO	432.4	1000	190.5	733.3	666.7	.	500.0	800.0	357.1	1000	117.6	700.0
TEENAGE PREGNANCIES#	54	2	25	27	16	0	6	10	38	2	19	17
TEENAGE PREGNANCY RATE	56.7	4.1	111.3	(15-19)	42.6	0.0	88.9	(15-19)	66.0	6.9	125.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,934	2,156	1,030	1,126	440
WHITE	18,182	1,270	603	667	231
NONWHITE	8,752	886	427	459	209

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	5	38	54	38	1	11	26	59	4	27	28
TEENAGE IMMATURE BIRTHS	15	0	5	10	5	0	2	3	10	0	3	7
TEENAGE PREMATURE BIRTHS	20	1	6	13	5	0	1	4	15	1	5	9
TEENAGE ILLEGITIMATE BIRTHS	70	4	30	36	16	1	6	9	54	3	24	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	5	11	5	0	0	5	11	0	5	6
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	10	0	0	10	14	0	6	8
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	2	5	4	1	1	2	4	0	1	3
TEENAGE FERTILITY RATE	45.0	4.8	81.7	(15-19)	29.9	1.6	55.5	(15-19)	66.6	9.4	119.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	20.6	0.0	26.3	18.5	26.3	0.0	0.0	38.5	16.9	0.0	37.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	1	6	4	4	0	3	1	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	113.4	200.0	157.9	74.1	105.3	0.0	272.7	38.5	118.6	250.0	111.1	107.1
TEENAGE PREGNANCIES#	110	6	45	59	43	1	14	28	67	5	31	31
TEENAGE PREGNANCY RATE	51.0	5.8	92.4	(15-19)	33.8	1.6	63.0	(15-19)	75.6	11.7	135.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,630	1,654	785	869	320
WHITE	14,434	960	464	496	164
NONWHITE	7,196	694	321	373	156

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	25	41	19	0	6	13	49	2	19	28
TEENAGE IMMATURE BIRTHS	8	0	2	6	1	0	0	1	7	0	2	5
TEENAGE PREMATURE BIRTHS	9	0	1	8	2	0	0	2	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	54	2	20	32	8	0	2	6	46	2	18	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	5	0	2	3	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	3	17	5	0	2	3	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE FERTILITY RATE	41.1	2.5	75.9	(15-19)	19.8	0.0	38.3	(15-19)	70.6	6.2	126.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.7	0.0	0.0	24.4	0.0	0.0	0.0	0.0	20.4	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	15	2	4	9	7	0	1	6	8	2	3	3
TEENAGE INDUCED TERMINATION RATIO	220.6	1000	160.0	219.5	368.4	.	166.7	461.5	163.3	1000	157.9	107.1
TEENAGE PREGNANCIES#	84	4	29	51	26	0	7	19	58	4	22	32
TEENAGE PREGNANCY RATE	50.8	5.1	92.1	(15-19)	27.1	0.0	52.4	(15-19)	83.6	12.5	144.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,134	1,142	559	583	213
WHITE	3,240	213	107	106	45
NONWHITE	8,894	929	452	477	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	18	24	3	0	3	0	40	1	15	24
TEENAGE IMMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	39	1	15	23	0	0	0	0	39	1	15	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	0	0	0	0	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	0	0	0	0	16	0	4	12
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	37.6	1.8	72.0	(15-19)	14.1	0.0	28.3	(15-19)	43.0	2.2	81.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	23.2	0.0	55.6	0.0	0.0	0.0	0.0	0.0	25.0	0.0	66.7	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	5	1	1	0	0	1	5	0	5	0
TEENAGE INDUCED TERMINATION RATIO	139.5	0.0	277.8	41.7	333.3	.	0.0	0.0	125.0	0.0	333.3	0.0
TEENAGE PREGNANCIES#	50	1	24	25	4	0	3	1	46	1	21	24
TEENAGE PREGNANCY RATE	43.8	1.8	84.0	(15-19)	18.8	0.0	37.7	(15-19)	49.5	2.2	94.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,994	3,468	1,204	2,264	488
WHITE	24,015	1,911	490	1,421	231
NONWHITE	14,979	1,557	714	843	253

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	96	3	33	60	21	0	4	17	75	3	29	43
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	21	1	8	12	4	0	3	1	17	1	5	11
TEENAGE ILLEGITIMATE BIRTHS	85	3	33	49	10	0	4	6	75	3	29	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	5	19	3	0	1	2	21	0	4	17
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	7	22	5	0	1	4	24	0	6	18
TEENS WITH INADEQUATE* PRENATAL CARE	14	2	3	9	2	0	0	2	12	2	3	7
TEENAGE FERTILITY RATE	27.7	2.5	41.1	(15-19)	11.0	0.0	14.8	(15-19)	48.2	4.2	85.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.4	0.0	0.0	16.7	0.0	0.0	0.0	0.0	13.3	0.0	0.0	23.2
TEENAGE INDUCED TERMINATIONS#	39	4	4	31	24	1	2	21	14	3	2	9
TEENAGE INDUCED TERMINATION RATIO	406.2	1333	121.2	516.7	1143	.	500.0	1235	186.7	1000	69.0	209.3
TEENAGE PREGNANCIES#	136	7	37	92	45	1	6	38	90	6	31	53
TEENAGE PREGNANCY RATE	39.2	5.8	57.0	(15-19)	23.5	2.0	31.0	(15-19)	57.8	8.4	99.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,738	2,911	1,467	1,444	551
WHITE	17,547	1,175	582	593	226
NONWHITE	16,191	1,736	885	851	325

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	149	8	65	76	42	2	16	24	107	6	49	52
TEENAGE IMMATURE BIRTHS	17	0	11	6	2	0	0	2	15	0	11	4
TEENAGE PREMATURE BIRTHS	32	1	18	13	5	0	4	1	27	1	14	12
TEENAGE ILLEGITIMATE BIRTHS	122	7	56	59	16	1	7	8	106	6	49	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	10	26	9	0	3	6	27	0	7	20
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	10	34	11	0	3	8	33	0	7	26
TEENS WITH INADEQUATE* PRENATAL CARE	15	2	6	7	2	0	1	1	13	2	5	6
TEENAGE FERTILITY RATE	51.2	5.4	97.6	(15-19)	35.7	3.4	67.4	(15-19)	61.6	6.8	118.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	23	4	8	11	9	2	4	3	14	2	4	8
TEENAGE INDUCED TERMINATION RATIO	154.4	500.0	123.1	144.7	214.3	1000	250.0	125.0	130.8	333.3	81.6	153.8
TEENAGE PREGNANCIES#	172	12	73	87	51	4	20	27	121	8	53	60
TEENAGE PREGNANCY RATE	59.1	8.2	110.8	(15-19)	43.4	6.9	79.2	(15-19)	69.7	9.0	132.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	1	0	0	0	0	0	2	1	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,866	3,273	1,628	1,645	606
WHITE	35,198	2,608	1,297	1,311	514
NONWHITE	6,668	665	331	334	92

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	144	2	54	88	119	1	42	76	25	1	12	12
TEENAGE IMMATURE BIRTHS	8	0	3	5	7	0	3	4	1	0	0	1
TEENAGE PREMATURE BIRTHS	11	0	5	6	7	0	3	4	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	84	2	40	42	59	1	28	30	25	1	12	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	7	18	18	0	4	14	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	11	22	24	0	7	17	9	0	4	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	3	1	0	2	0	0	0	0
TEENAGE FERTILITY RATE	44.0	1.2	86.3 (15-19)		45.6	0.8	90.0 (15-19)		37.6	3.0	71.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	144	2	54	88	119	1	42	76	25	1	12	12
TEENAGE PREGNANCY RATE	44.0	1.2	86.3 (15-19)		45.6	0.8	90.0 (15-19)		37.6	3.0	71.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,321	957	479	478	175
WHITE	8,615	681	349	332	121
NONWHITE	2,706	276	130	146	50

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	1	18	26	28	1	10	17	17	0	8	9
TEENAGE IMMATURE BIRTHS	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	31	1	14	16	14	1	6	7	17	0	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	3	0	0	3	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	47.0	2.1	92.0	(15-19)	41.1	2.9	81.3	(15-19)	61.6	0.0	116.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	66.7	0.0	0.0	115.4	35.7	0.0	0.0	58.8	117.6	.	0.0	222.2
TEENAGE PREGNANCIES#	48	1	18	29	29	1	10	18	19	0	8	11
TEENAGE PREGNANCY RATE	50.2	2.1	98.3	(15-19)	42.6	2.9	84.3	(15-19)	68.8	0.0	130.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,321	3,170	1,537	1,633	597
WHITE	19,565	1,303	624	679	221
NONWHITE	17,756	1,867	913	954	372

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	149	3	74	72	29	0	13	16	120	3	61	56
TEENAGE IMMATURE BIRTHS	13	1	9	3	3	0	3	0	10	1	6	3
TEENAGE PREMATURE BIRTHS	30	1	13	16	5	0	2	3	25	1	11	13
TEENAGE ILLEGITIMATE BIRTHS	132	3	68	61	16	0	9	7	116	3	59	54
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	6	21	6	0	0	6	21	0	6	15
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	8	30	9	0	0	9	29	0	8	21
TEENS WITH INADEQUATE* PRENATAL CARE	22	1	7	14	3	0	0	3	19	1	7	11
TEENAGE FERTILITY RATE	47.0	2.0	89.4	(15-19)	22.2	0.0	42.7	(15-19)	64.3	3.3	122.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	13.4	0.0	13.5	13.9	0.0	0.0	0.0	0.0	16.7	0.0	16.4	17.8
TEENAGE INDUCED TERMINATIONS#	23	2	11	10	4	1	1	2	19	1	10	8
TEENAGE INDUCED TERMINATION RATIO	154.4	666.7	148.6	138.9	137.9	.	76.9	125.0	158.3	333.3	163.9	142.8
TEENAGE PREGNANCIES#	174	5	86	83	33	1	14	18	141	4	72	65
TEENAGE PREGNANCY RATE	54.9	3.2	103.5	(15-19)	25.3	1.6	47.1	(15-19)	75.5	4.4	143.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,020	1,817	904	913	365
WHITE	20,971	1,416	735	681	301
NONWHITE	4,049	401	169	232	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	2	26	37	50	1	19	30	15	1	7	7
TEENAGE IMMATURE BIRTHS	9	0	4	5	5	0	2	3	4	0	2	2
TEENAGE PREMATURE BIRTHS	8	0	3	5	6	0	1	5	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	39	2	18	19	24	1	11	12	15	1	7	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	6	0	0	6	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	8	0	0	8	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FERTILITY RATE	35.8	2.2	69.0	(15-19)	35.3	1.4	72.0	(15-19)	37.4	5.9	60.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	1	6	4	0	0	4	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	107.7	0.0	38.5	162.2	80.0	0.0	0.0	133.3	200.0	0.0	142.8	285.7
TEENAGE PREGNANCIES#	72	2	27	43	54	1	19	34	18	1	8	9
TEENAGE PREGNANCY RATE	39.6	2.2	76.7	(15-19)	38.1	1.4	77.8	(15-19)	44.9	5.9	73.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,561	1,576	723	853	298
WHITE	20,593	1,315	609	706	260
NONWHITE	2,968	261	114	147	38

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	25	32	51	1	20	30	8	1	5	2
TEENAGE IMMATURE BIRTHS	7	0	5	2	6	0	4	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	10	1	5	4	5	0	3	2	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	25	2	14	9	17	1	9	7	8	1	5	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	5	0	2	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	6	0	2	4	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	4	0	1	3	2	0	2	0
TEENAGE FERTILITY RATE	37.4	2.8	66.8	(15-19)	38.8	1.6	70.8	(15-19)	30.6	8.8	47.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	7	0	2	5	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	118.6	0.0	80.0	156.2	137.2	0.0	100.0	166.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	66	2	27	37	58	1	22	35	8	1	5	2
TEENAGE PREGNANCY RATE	41.9	2.8	75.0	(15-19)	44.1	1.6	80.7	(15-19)	30.6	8.8	47.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,470	843	387	456	189
WHITE	3,265	180	81	99	41
NONWHITE	6,205	663	306	357	146

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	3	24	30	9	0	4	5	48	3	20	25
TEENAGE IMMATURE BIRTHS	13	1	4	8	2	0	0	2	11	1	4	6
TEENAGE PREMATURE BIRTHS	23	2	10	11	4	0	1	3	19	2	9	8
TEENAGE ILLEGITIMATE BIRTHS	51	3	21	27	5	0	2	3	46	3	19	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	7	15	3	0	2	1	19	0	5	14
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	7	16	3	0	2	1	20	0	5	15
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE FERTILITY RATE	67.6	7.8	118.4	(15-19)	50.0	0.0	90.9	(15-19)	72.4	9.8	126.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	0.0	100.0	111.1	.	0.0	200.0	41.7	0.0	0.0	80.0
TEENAGE PREGNANCIES#	60	3	24	33	10	0	4	6	50	3	20	27
TEENAGE PREGNANCY RATE	71.2	7.8	125.0	(15-19)	55.6	0.0	101.0	(15-19)	75.4	9.8	131.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	103,176	7,921	3,966	3,955	1,465
WHITE	84,469	6,187	3,084	3,103	1,171
NONWHITE	18,707	1,734	882	852	290

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	230	10	83	137	153	4	53	96	77	6	30	41
TEENAGE IMMATURE BIRTHS	20	2	4	14	13	0	3	10	7	2	1	4
TEENAGE PREMATURE BIRTHS	28	0	9	19	13	0	2	11	15	0	7	8
TEENAGE ILLEGITIMATE BIRTHS	156	10	67	79	81	4	37	40	75	6	30	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	50	1	8	41	28	0	4	24	22	1	4	17
TEENS WHO HAD PREVIOUS PREGNANCIES	61	1	10	50	37	0	6	31	24	1	4	19
TEENS WITH INADEQUATE* PRENATAL CARE	11	2	4	5	6	1	2	3	5	1	2	2
TEENAGE FERTILITY RATE	29.0	2.5	55.6	(15-19)	24.7	1.3	48.0	(15-19)	44.4	6.8	83.3	(15-19)
TEENAGE FETAL DEATHS**	4	0	1	3	2	0	1	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	17.4	0.0	12.0	21.9	13.1	0.0	18.9	10.4	26.0	0.0	0.0	48.8
TEENAGE INDUCED TERMINATIONS#	51	2	20	29	40	1	16	23	11	1	4	6
TEENAGE INDUCED TERMINATION RATIO	221.7	200.0	241.0	211.7	261.4	250.0	301.9	239.6	142.8	166.7	133.3	146.3
TEENAGE PREGNANCIES#	285	12	104	169	195	5	70	120	90	7	34	49
TEENAGE PREGNANCY RATE	36.0	3.0	69.0	(15-19)	31.5	1.6	61.2	(15-19)	51.9	7.9	97.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,275	1,926	952	974	451
WHITE	14,612	974	489	485	241
NONWHITE	9,663	952	463	489	209

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	8	41	46	48	4	17	27	47	4	24	19
TEENAGE IMMATURE BIRTHS	9	1	5	3	3	1	2	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	15	1	8	6	9	1	4	4	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	72	8	34	30	25	4	10	11	47	4	24	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	9	0	1	8	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	6	20	13	0	3	10	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	2	5	0	3	1	2	0	4	1	3	0
TEENAGE FERTILITY RATE	49.3	8.4	89.3	(15-19)	49.3	8.2	90.7	(15-19)	49.4	8.6	87.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	21.0	0.0	0.0	43.5	0.0	0.0	0.0	0.0	42.6	0.0	0.0	105.3
TEENAGE INDUCED TERMINATIONS#	17	1	7	9	10	0	6	4	7	1	1	5
TEENAGE INDUCED TERMINATION RATIO	178.9	125.0	170.7	195.6	208.3	0.0	352.9	148.1	148.9	250.0	41.7	263.2
TEENAGE PREGNANCIES#	114	9	48	57	58	4	23	31	56	5	25	26
TEENAGE PREGNANCY RATE	59.2	9.4	107.8	(15-19)	59.5	8.2	111.3	(15-19)	58.8	10.8	104.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,875	701	319	382	128
WHITE	1,967	154	75	79	17
NONWHITE	4,908	547	244	303	111

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	4	25	20	3	0	1	2	46	4	24	18
TEENAGE IMMATURE BIRTHS	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE PREMATURE BIRTHS	7	0	5	2	1	0	0	1	6	0	5	1
TEENAGE ILLEGITIMATE BIRTHS	49	4	25	20	3	0	1	2	46	4	24	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	2	0	0	2	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	2	0	0	2	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	12	2	4	6	0	0	0	0	12	2	4	6
TEENAGE FERTILITY RATE	69.9	12.5	117.8	(15-19)	19.5	0.0	38.0	(15-19)	84.1	16.4	138.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE INDUCED TERMINATION RATIO	81.6	250.0	80.0	50.0	0.0	.	0.0	0.0	87.0	250.0	83.3	55.6
TEENAGE PREGNANCIES#	53	5	27	21	3	0	1	2	50	5	26	19
TEENAGE PREGNANCY RATE	75.6	15.7	125.6	(15-19)	19.5	0.0	38.0	(15-19)	91.4	20.5	148.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,936	1,928	938	990	364
WHITE	15,824	1,134	538	596	216
NONWHITE	8,112	794	400	394	148

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	4	32	49	44	2	13	29	41	2	19	20
TEENAGE IMMATURE BIRTHS	14	2	4	8	8	2	2	4	6	0	2	4
TEENAGE PREMATURE BIRTHS	20	1	5	14	6	1	2	3	14	0	3	11
TEENAGE ILLEGITIMATE BIRTHS	60	3	28	29	19	1	9	9	41	2	19	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	10	0	2	8	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	14	0	3	11	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FERTILITY RATE	44.1	4.3	81.8	(15-19)	38.8	3.7	70.5	(15-19)	51.6	5.0	99.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.8	0.0	0.0	20.4	0.0	0.0	0.0	0.0	24.4	0.0	0.0	50.0
TEENAGE INDUCED TERMINATIONS#	5	1	1	3	2	1	1	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	58.8	250.0	31.2	61.2	45.4	500.0	76.9	0.0	73.2	0.0	0.0	150.0
TEENAGE PREGNANCIES#	91	5	33	53	46	3	14	29	45	2	19	24
TEENAGE PREGNANCY RATE	47.2	5.3	86.9	(15-19)	40.6	5.6	72.1	(15-19)	56.7	5.0	109.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,813	1,119	565	554	215
WHITE	11,379	773	382	391	146
NONWHITE	3,434	346	183	163	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	0	14	34	24	0	7	17	24	0	7	17
TEENAGE IMMATURE BIRTHS	7	0	2	5	4	0	2	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	29	0	10	19	7	0	3	4	22	0	7	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	1	0	0	1	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	4	0	0	4	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	42.9	0.0	86.6	(15-19)	31.0	0.0	61.4	(15-19)	69.4	0.0	147.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	2	0	2	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	104.2	.	285.7	29.4	83.3	.	285.7	0.0	83.3	.	142.8	58.8
TEENAGE PREGNANCIES#	53	0	18	35	26	0	9	17	26	0	8	18
TEENAGE PREGNANCY RATE	47.4	0.0	95.7	(15-19)	33.6	0.0	66.5	(15-19)	75.1	0.0	159.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,318	970	436	534	178
WHITE	9,479	681	298	383	131
NONWHITE	2,839	289	138	151	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	1	17	18	28	1	14	13	8	0	3	5
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	25	1	10	14	17	1	7	9	8	0	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	5	0	1	4	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	5	0	1	4	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	4	0	2	2	2	0	0	2
TEENAGE FERTILITY RATE	37.1	2.3	65.5	(15-19)	41.1	3.4	70.5	(15-19)	27.7	0.0	53.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	27.8	0.0	0.0	55.6	35.7	0.0	0.0	76.9	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	55.6	0.0	117.6	0.0	71.4	0.0	142.8	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	39	1	19	19	31	1	16	14	8	0	3	5
TEENAGE PREGNANCY RATE	40.2	2.3	71.2	(15-19)	45.5	3.4	78.3	(15-19)	27.7	0.0	53.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,345	3,049	1,509	1,540	548
WHITE	11,437	682	324	358	111
NONWHITE	23,908	2,367	1,185	1,182	435

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	177	9	83	85	18	0	4	14	159	9	79	71
TEENAGE IMMATURE BIRTHS	22	3	10	9	1	0	0	1	21	3	10	8
TEENAGE PREMATURE BIRTHS	35	3	17	15	4	0	1	3	31	3	16	12
TEENAGE ILLEGITIMATE BIRTHS	167	9	80	78	9	0	2	7	158	9	78	71
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	13	29	3	0	0	3	39	0	13	26
TEENS WHO HAD PREVIOUS PREGNANCIES	51	0	17	34	4	0	0	4	47	0	17	30
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	2	8	2	0	0	2	9	1	2	6
TEENAGE FERTILITY RATE	58.0	6.0	109.1	(15-19)	26.4	0.0	50.3	(15-19)	67.2	7.6	126.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	11.3	0.0	12.0	11.8	0.0	0.0	0.0	0.0	12.6	0.0	12.6	14.1
TEENAGE INDUCED TERMINATIONS#	24	4	10	10	7	0	3	4	17	4	7	6
TEENAGE INDUCED TERMINATION RATIO	135.6	444.4	120.5	117.6	388.9	.	750.0	285.7	106.9	444.4	88.6	84.5
TEENAGE PREGNANCIES#	203	13	94	96	25	0	7	18	178	13	87	78
TEENAGE PREGNANCY RATE	66.6	8.6	123.4	(15-19)	36.6	0.0	69.8	(15-19)	75.2	11.0	139.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,087	1,320	661	659	241
WHITE	5,041	322	167	155	71
NONWHITE	9,046	998	494	504	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	3	35	31	13	0	6	7	56	3	29	24
TEENAGE IMMATURE BIRTHS	8	1	4	3	0	0	0	0	8	1	4	3
TEENAGE PREMATURE BIRTHS	17	1	10	6	2	0	1	1	15	1	9	5
TEENAGE ILLEGITIMATE BIRTHS	61	3	32	26	6	0	3	3	55	3	29	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	2	0	1	1	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	5	10	2	0	1	1	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	4	2	0	0	0	0	7	1	4	2
TEENAGE FERTILITY RATE	52.3	4.5	100.2	(15-19)	40.4	0.0	83.9	(15-19)	56.1	6.1	105.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.5	0.0	0.0	32.2	0.0	0.0	0.0	0.0	17.8	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	5	0	4	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	72.5	0.0	114.3	32.2	384.6	.	666.7	142.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	3	39	33	18	0	10	8	57	3	29	25
TEENAGE PREGNANCY RATE	56.8	4.5	109.2	(15-19)	55.9	0.0	116.1	(15-19)	57.1	6.1	107.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,352	1,815	834	981	357
WHITE	14,342	1,017	453	564	208
NONWHITE	8,010	798	381	417	149

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	2	38	39	35	0	17	18	44	2	21	21
TEENAGE IMMATURE BIRTHS	6	0	4	2	3	0	2	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	13	0	6	7	1	0	0	1	12	0	6	6
TEENAGE ILLEGITIMATE BIRTHS	57	2	30	25	15	0	10	5	42	2	20	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	4	8	3	0	1	2	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	6	9	5	0	2	3	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	3	3	1	0	0	1	6	1	3	2
TEENAGE FERTILITY RATE	43.5	2.4	78.5	(15-19)	34.4	0.0	62.0	(15-19)	55.1	5.2	100.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	1	5	9	8	1	1	6	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	189.9	500.0	131.6	230.8	228.6	.	58.8	333.3	113.6	0.0	95.2	142.8
TEENAGE PREGNANCIES#	94	3	43	48	43	1	18	24	49	2	23	24
TEENAGE PREGNANCY RATE	51.8	3.6	92.8	(15-19)	42.3	2.2	74.5	(15-19)	61.4	5.2	112.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: TIPPAAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,615	1,449	723	726	273
WHITE	16,202	1,099	545	554	206
NONWHITE	3,413	350	178	172	67

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	25	32	37	1	14	22	22	1	11	10
TEENAGE IMMATURE BIRTHS	4	0	2	2	2	0	0	2	2	0	2	0
TEENAGE PREMATURE BIRTHS	7	0	4	3	4	0	2	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	40	2	21	17	18	1	10	7	22	1	11	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	9	0	0	9	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	10	0	0	10	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE FERTILITY RATE	40.7	2.8	78.5	(15-19)	33.7	1.8	65.0	(15-19)	62.8	5.6	122.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	6	0	3	3	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	118.6	500.0	120.0	93.8	162.2	0.0	214.3	136.4	45.4	1000	0.0	0.0
TEENAGE PREGNANCIES#	66	3	28	35	43	1	17	25	23	2	11	10
TEENAGE PREGNANCY RATE	45.5	4.1	86.8	(15-19)	39.1	1.8	75.8	(15-19)	65.7	11.2	122.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,666	1,144	550	594	216
WHITE	16,964	1,085	520	565	209
NONWHITE	702	59	30	29	7

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	0	15	29	41	0	14	27	3	0	1	2
TEENAGE IMMATURE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	0	7	7	0	0	7	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	20	0	11	9	18	0	10	8	2	0	1	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	7	0	1	6	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	38.5	0.0	74.1 (15-19)		37.8	0.0	72.6 (15-19)		50.8	0.0	103.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	0	2	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	90.9	.	66.7	69.0	48.8	.	0.0	74.1	666.7	.	1000	0.0
TEENAGE PREGNANCIES#	48	1	16	31	43	0	14	29	5	1	2	2
TEENAGE PREGNANCY RATE	42.0	1.8	79.1 (15-19)		39.6	0.0	76.1 (15-19)		84.7	33.3	137.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,063	884	419	465	163
WHITE	2,373	165	83	82	21
NONWHITE	6,690	719	336	383	141

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	5	24	23	0	0	0	0	52	5	24	23
TEENAGE IMMATURE BIRTHS	8	1	2	5	0	0	0	0	8	1	2	5
TEENAGE PREMATURE BIRTHS	15	2	5	8	0	0	0	0	15	2	5	8
TEENAGE ILLEGITIMATE BIRTHS	52	5	24	23	0	0	0	0	52	5	24	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	1	8	6	0	0	0	0	15	1	8	6
TEENS WHO HAD PREVIOUS PREGNANCIES	15	1	8	6	0	0	0	0	15	1	8	6
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	6	1	0	0	0	0	8	1	6	1
TEENAGE FERTILITY RATE	58.8	11.9	101.1	(15-19)	0.0	0.0	0.0	(15-19)	72.3	14.9	122.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	19.2	0.0	41.7	0.0	0.0	0.0	0.0	0.0	19.2	0.0	41.7	0.0
TEENAGE INDUCED TERMINATIONS#	10	2	2	6	2	0	0	2	8	2	2	4
TEENAGE INDUCED TERMINATION RATIO	192.3	400.0	83.3	260.9	0.0	.	.	0.0	153.8	400.0	83.3	173.9
TEENAGE PREGNANCIES#	63	7	27	29	2	0	0	2	61	7	27	27
TEENAGE PREGNANCY RATE	71.3	16.7	120.4	(15-19)	12.1	0.0	24.4	(15-19)	84.8	20.8	141.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,429	1,697	791	906	325
WHITE	19,750	1,374	651	723	241
NONWHITE	3,679	323	140	183	83

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	2	28	51	52	1	20	31	29	1	8	20
TEENAGE IMMATURE BIRTHS	7	0	4	3	5	0	3	2	2	0	1	1
TEENAGE PREMATURE BIRTHS	19	0	7	12	11	0	5	6	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	41	2	16	23	13	1	8	4	28	1	8	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	6	0	1	5	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	11	0	2	9	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	47.7	2.5	87.2	(15-19)	37.8	1.5	70.5	(15-19)	89.8	7.1	153.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	3	0	0	3	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	61.7	0.0	35.7	78.4	57.7	0.0	0.0	96.8	69.0	0.0	125.0	50.0
TEENAGE PREGNANCIES#	86	2	29	55	55	1	20	34	31	1	9	21
TEENAGE PREGNANCY RATE	50.7	2.5	92.7	(15-19)	40.0	1.5	74.7	(15-19)	96.0	7.1	163.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,094	1,267	594	673	229
WHITE	7,807	562	255	307	98
NONWHITE	6,287	705	339	366	131

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	1	24	39	19	0	4	15	45	1	20	24
TEENAGE IMMATURE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE PREMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	47	1	22	24	4	0	2	2	43	1	20	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	3	0	0	3	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	6	15	6	0	2	4	15	0	4	11
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	3	6	2	0	1	1	7	0	2	5
TEENAGE FERTILITY RATE	50.5	1.7	93.6	(15-19)	33.8	0.0	61.9	(15-19)	63.8	3.0	120.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	31.2	0.0	41.7	25.6	0.0	0.0	0.0	0.0	44.4	0.0	50.0	41.7
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	31.2	0.0	41.7	25.6	52.6	.	0.0	66.7	22.2	0.0	50.0	0.0
TEENAGE PREGNANCIES#	68	1	26	41	20	0	4	16	48	1	22	25
TEENAGE PREGNANCY RATE	53.7	1.7	99.6	(15-19)	35.6	0.0	65.1	(15-19)	68.1	3.0	128.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,988	4,152	2,043	2,109	836
WHITE	29,116	2,084	1,043	1,041	387
NONWHITE	19,872	2,068	1,000	1,068	454

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	183	5	72	106	64	1	20	43	119	4	52	63
TEENAGE IMMATURE BIRTHS	25	0	11	14	8	0	3	5	17	0	8	9
TEENAGE PREMATURE BIRTHS	31	1	10	20	7	0	2	5	24	1	8	15
TEENAGE ILLEGITIMATE BIRTHS	153	5	63	85	35	1	11	23	118	4	52	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	0	15	39	15	0	4	11	39	0	11	28
TEENS WHO HAD PREVIOUS PREGNANCIES	63	0	18	45	20	0	5	15	43	0	13	30
TEENS WITH INADEQUATE* PRENATAL CARE	19	1	9	9	6	1	2	3	13	0	7	6
TEENAGE FERTILITY RATE	44.1	2.4	84.4	(15-19)	30.7	1.0	60.5	(15-19)	57.5	4.0	107.7	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	10.9	0.0	13.9	9.4	0.0	0.0	0.0	0.0	16.8	0.0	19.2	15.9
TEENAGE INDUCED TERMINATIONS#	44	4	14	26	16	1	7	8	28	3	7	18
TEENAGE INDUCED TERMINATION RATIO	240.4	800.0	194.4	245.3	250.0	1000	350.0	186.0	235.3	750.0	134.6	285.7
TEENAGE PREGNANCIES#	229	9	87	133	80	2	27	51	149	7	60	82
TEENAGE PREGNANCY RATE	55.2	4.4	104.3	(15-19)	38.4	1.9	74.9	(15-19)	72.0	7.0	133.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	1	0	0	1	4	0	2	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	70,411	6,466	3,245	3,221	1,226
WHITE	28,501	1,996	989	1,007	311
NONWHITE	41,910	4,470	2,256	2,214	914

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	367	21	142	204	54	0	15	39	313	21	127	165
TEENAGE IMMATURE BIRTHS	32	0	13	19	4	0	1	3	28	0	12	16
TEENAGE PREMATURE BIRTHS	72	5	26	41	3	0	1	2	69	5	25	39
TEENAGE ILLEGITIMATE BIRTHS	338	21	135	182	31	0	10	21	307	21	125	161
TEENS WHO HAD PREVIOUS LIVE BIRTHS	114	0	31	83	11	0	2	9	103	0	29	74
TEENS WHO HAD PREVIOUS PREGNANCIES	142	0	39	103	14	0	3	11	128	0	36	92
TEENS WITH INADEQUATE* PRENATAL CARE	56	3	24	29	4	0	1	3	52	3	23	26
TEENAGE FERTILITY RATE	56.8	6.5	107.4	(15-19)	27.0	0.0	53.6	(15-19)	70.0	9.3	131.9	(15-19)
TEENAGE FETAL DEATHS**	6	0	2	4	1	0	1	0	5	0	1	4
TEENAGE FETAL DEATH RATIO	16.3	0.0	14.1	19.6	18.5	0.0	66.7	0.0	16.0	0.0	7.9	24.2
TEENAGE INDUCED TERMINATIONS#	43	5	16	22	14	2	5	7	29	3	11	15
TEENAGE INDUCED TERMINATION RATIO	117.2	238.1	112.7	107.8	259.2	.	333.3	179.5	92.6	142.8	86.6	90.9
TEENAGE PREGNANCIES#	416	26	160	230	69	2	21	46	347	24	139	184
TEENAGE PREGNANCY RATE	64.3	8.0	121.1	(15-19)	34.6	2.0	66.5	(15-19)	77.6	10.6	145.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,368	1,677	876	801	346
WHITE	12,109	920	484	436	171
NONWHITE	7,259	757	392	365	171

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	3	35	45	38	1	16	21	45	2	19	24
TEENAGE IMMATURE BIRTHS	13	0	7	6	2	0	2	0	11	0	5	6
TEENAGE PREMATURE BIRTHS	15	0	6	9	2	0	1	1	13	0	5	8
TEENAGE ILLEGITIMATE BIRTHS	56	3	26	27	12	1	7	4	44	2	19	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	6	11	7	0	2	5	10	0	4	6
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	6	13	9	0	2	7	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE FERTILITY RATE	49.5	3.4	99.9	(15-19)	41.3	2.1	84.9	(15-19)	59.4	5.1	117.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.0	0.0	0.0	22.2	26.3	0.0	0.0	47.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	1	0	0	1	4	1	2	1
TEENAGE INDUCED TERMINATION RATIO	60.2	333.3	57.1	44.4	26.3	0.0	0.0	47.6	88.9	500.0	105.3	41.7
TEENAGE PREGNANCIES#	89	4	37	48	40	1	16	23	49	3	21	25
TEENAGE PREGNANCY RATE	53.1	4.6	106.1	(15-19)	43.5	2.1	89.4	(15-19)	64.7	7.6	126.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,434	758	380	378	134
WHITE	7,997	525	257	268	94
NONWHITE	2,437	233	123	110	40

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	12	20	17	0	6	11	16	1	6	9
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	8	0	4	4	3	0	2	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	18	1	6	11	3	0	0	3	15	1	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	4	6	2	0	0	2	8	0	4	4
TEENAGE FERTILITY RATE	43.5	2.6	84.6	(15-19)	32.4	0.0	63.4	(15-19)	68.7	8.1	136.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	2	1	0	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	151.5	1000	166.7	100.0	117.6	.	0.0	90.9	187.5	0.0	333.3	111.1
TEENAGE PREGNANCIES#	38	2	14	22	19	1	6	12	19	1	8	10
TEENAGE PREGNANCY RATE	50.1	5.3	95.2	(15-19)	36.2	3.9	67.2	(15-19)	81.5	8.1	163.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,041	802	418	384	120
WHITE	2,480	160	73	87	30
NONWHITE	6,561	642	345	297	90

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	1	13	17	4	0	1	3	27	1	12	14
TEENAGE IMMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	27	1	12	14	0	0	0	0	27	1	12	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	2	0	0	2	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	4	2	0	0	0	0	7	1	4	2
TEENAGE FERTILITY RATE	38.6	2.4	78.1 (15-19)		25.0	0.0	46.0 (15-19)		42.0	2.9	87.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	32.2	0.0	0.0	58.8	0.0	0.0	0.0	0.0	37.0	0.0	0.0	71.4
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	32	1	13	18	4	0	1	3	28	1	12	15
TEENAGE PREGNANCY RATE	39.9	2.4	80.7 (15-19)		25.0	0.0	46.0 (15-19)		43.6	2.9	90.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,595	1,585	782	803	248
WHITE	10,877	695	321	374	119
NONWHITE	8,718	890	461	429	129

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	3	29	27	22	0	11	11	37	3	18	16
TEENAGE IMMATURE BIRTHS	10	0	6	4	1	0	1	0	9	0	5	4
TEENAGE PREMATURE BIRTHS	11	2	5	4	2	0	2	0	9	2	3	4
TEENAGE ILLEGITIMATE BIRTHS	49	3	25	21	12	0	7	5	37	3	18	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	4	7	2	0	0	2	9	0	4	5
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	6	13	2	0	0	2	17	0	6	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	2	0	4	0	1	3
TEENAGE FERTILITY RATE	37.2	3.8	69.7	(15-19)	31.6	0.0	58.8	(15-19)	41.6	6.5	79.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	16.9	0.0	34.5	0.0	0.0	0.0	0.0	0.0	27.0	0.0	55.6	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	6	1	4	1	2	1	4	0	4	0
TEENAGE INDUCED TERMINATION RATIO	135.6	333.3	206.9	37.0	181.8	181.8	90.9	108.1	108.1	0.0	222.2	0.0
TEENAGE PREGNANCIES#	68	4	36	28	26	1	13	12	42	3	23	16
TEENAGE PREGNANCY RATE	42.9	5.1	79.7	(15-19)	37.4	3.1	66.8	(15-19)	47.2	6.5	90.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,049	876	441	435	150
WHITE	7,275	437	218	219	81
NONWHITE	4,774	439	223	216	68

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	1	12	15	16	0	5	11	12	1	7	4
TEENAGE IMMATURE BIRTHS	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	5	1	1	3	2	0	0	2	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	17	1	10	6	6	0	3	3	11	1	7	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	6	0	0	6	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	6	0	0	6	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	32.0	2.3	62.1	(15-19)	36.6	0.0	73.0	(15-19)	27.3	4.5	50.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	35.7	0.0	0.0	66.7	62.5	0.0	0.0	90.9	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	1	0	0	1	3	0	3	0
TEENAGE INDUCED TERMINATION RATIO	142.8	0.0	250.0	66.7	62.5	.	0.0	90.9	250.0	0.0	428.6	0.0
TEENAGE PREGNANCIES#	33	1	15	17	18	0	5	13	15	1	10	4
TEENAGE PREGNANCY RATE	37.7	2.3	73.6	(15-19)	41.2	0.0	82.2	(15-19)	34.2	4.5	64.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,134	2,294	1,146	1,148	428
WHITE	11,240	796	392	404	124
NONWHITE	13,894	1,498	754	744	304

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	143	7	71	65	22	0	8	14	121	7	63	51
TEENAGE IMMATURE BIRTHS	19	3	8	8	0	0	0	0	19	3	8	8
TEENAGE PREMATURE BIRTHS	24	3	11	10	0	0	0	0	24	3	11	10
TEENAGE ILLEGITIMATE BIRTHS	132	7	69	56	13	0	6	7	119	7	63	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	1	14	25	4	0	0	4	36	1	14	21
TEENS WHO HAD PREVIOUS PREGNANCIES	42	1	15	26	4	0	0	4	38	1	15	22
TEENS WITH INADEQUATE* PRENATAL CARE	11	2	7	2	1	0	1	0	10	2	6	2
TEENAGE FERTILITY RATE	62.3	6.1	118.5	(15-19)	27.6	0.0	54.4	(15-19)	80.8	9.3	153.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	14.0	0.0	28.2	0.0	0.0	0.0	0.0	0.0	16.5	0.0	31.7	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	9	15	10	0	4	6	15	1	5	9
TEENAGE INDUCED TERMINATION RATIO	174.8	142.8	126.8	230.8	454.5	.	500.0	428.6	124.0	142.8	79.4	176.5
TEENAGE PREGNANCIES#	170	8	82	80	32	0	12	20	138	8	70	60
TEENAGE PREGNANCY RATE	74.1	7.0	141.1	(15-19)	40.2	0.0	79.2	(15-19)	92.1	10.6	174.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE