

# Vital Statistics Mississippi 2001



MISSISSIPPI  
STATE DEPARTMENT OF HEALTH

TABLE OF CONTENTS

	Page
<b>INTRODUCTION</b>	
Description of Bulletin .....	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death .....	1
Occurrence and Residence Allocation .....	2
Population .....	2
Race .....	2
Rates .....	3
Classification of Cause of Death .....	3
 <b>SUMMARY TABLES, 2001</b>	
<b>POPULATION</b>	
Table P1. 2000 Census Population, by Age, Race, and Sex, Residents of Mississippi .....	7
 <b>LIVE BIRTHS</b>	
Table A1. Live Births and Average per Day, by Month .....	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2001 .....	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother .....	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother .....	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother .....	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother .....	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother .....	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother .....	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother .....	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother .....	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother .....	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother .....	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother .....	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother .....	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother .....	17
 <b>FETAL DEATHS</b>	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	18

**SUMMARY TABLES, 2001**

## FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother .....	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother .....	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1999-2001 .....	20

## DEATHS

Table C1.	Deaths and Average per Day, by Month .....	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race .....	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race .....	22
Table C3B.	Death Rates, by Age, Race, and Sex .....	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race .....	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause .....	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race .....	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1976, 1981, 1986, 1991, 1996, 2001 .....	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race .....	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age .....	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2001 .....	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race .....	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race .....	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death .....	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females .....	32
Table C13C.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females .....	33

## MARRIAGES

Table D1.	Marriages and Average per Day, by Month .....	34
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ...	35
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race .....	36
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race .....	37
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race .....	38
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride .....	39

**SUMMARY TABLES, 2001**

Page

**DIVORCES**

Table E1.	Divorces and Percentage Distribution, by Cause and Race .....	40
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race .....	40
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race .....	41

**INDUCED TERMINATIONS OF PREGNANCY**

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi .....	42
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi .....	43
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi .....	44

**MAJOR TABLES, 2001****POPULATION**

Table i.	2000 Census Population and Percent Change From 1990 Census Population, Mississippi .....	47
----------	--	----

**LIVE BIRTHS**

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2001 .....	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2001 .....	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2001 .....	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2001 .....	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2001 .....	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2001 .....	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2001 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2001 .....	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2001 .....	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2001 .....	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2001 .....	70

**MAJOR TABLES, 2001**

## LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2001 .....	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2001 .....	74

## FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2001 .....	76
----------	--	----

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2001 .....	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2001 .....	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2001 .....	91
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2001 .....	114
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2001 .....	121
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1996-2001 (5-Year Average) ....	123
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2001 .....	125
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2001 .....	128

## MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2001 .....	130
-----------	--	-----

## DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 2001 ....	132
-----------	--	-----

## INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2001 .....	133
-----------	---	-----

## TEENAGE PREGNANCY

Table 18A.	Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2001 .....	134
Table 18B.	Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2001 .....	136

**MAJOR TABLES, 2001**

Page

**DEATHS (COUNTY AND STATE SUMMARIES)**

Table 19.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order) .....	139
	The State .....	159

**TIME SERIES TABLES**

Page

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2001, (Occurrence Data 1913-1943, Residence Data 1944-2001) .....	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2001, (Occurrence Data 1913-1943, Residence Data 1944-2001) .....	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2001, (Occurrence Data 1913-1943, Residence Data 1944-2001) .....	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2001, (Occurrence Data 1917-1943, Residence Data 1944-2001) .....	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2001, (Occurrence Data 1924-1944, Residence Data 1945-2001) .....	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2001, (Occurrence Data 1924-1943, Residence Data 1944-2001) .....	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2001 .....	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2001 .....	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2001 .....	178

**APPENDICES**

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included .....	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category .....	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included .....	197

# VITAL STATISTICS MISSISSIPPI, 2001

## INTRODUCTION

### Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2001; the second part contains major statistical tables for 2001. Time series tables numbered 20 through 28 are presented in the third part.

### Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

**Live Birth** - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

**Fetal Death** - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

**Induced Termination of Pregnancy** - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

**Death** - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

### Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

### Population

Figures from the U.S. Census of April 1, 2000, were used in this bulletin, with the exception of the figures for ages under 1 and 1-4, by race and race/sex groups, in Table P1 on page 7. Because population counts by single years of age were not available at the time of publication of this book, those figures were calculated as explained in the footnote at the bottom of that table.

### Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.



## Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

## Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

## Internet site

The tables contained in this book can also be found on the Internet at:

[www.msdh.state.ms.us/phs](http://www.msdh.state.ms.us/phs)

## **SUMMARY TABLES, 2001**

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. 2000 CENSUS POPULATION, BY AGE, RACE, AND SEX  
RESIDENTS OF MISSISSIPPI**

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<b>TOTAL</b>	<b>2,844,658</b>	<b>1,373,554</b>	<b>1,471,104</b>	<b>1,746,099</b>	<b>855,944</b>	<b>890,155</b>	<b>1,098,559</b>	<b>517,610</b>	<b>580,949</b>
0-4	204,364	104,520	99,844	106,859	55,060	51,799	97,505	49,460	48,045
(UNDER 1)	41,217	21,144	20,073	21,552*	11,138*	10,414*	19,665*	10,006*	9,659*
(1-4)	163,147	83,376	79,771	85,307*	43,922*	41,385*	77,840*	39,454*	38,386*
5-9	216,920	110,509	106,411	111,256	57,260	53,996	105,664	53,249	52,415
10-14	218,742	111,599	107,143	115,789	59,571	56,218	102,953	52,028	50,925
15-19	233,188	118,728	114,460	123,895	63,837	60,058	109,293	54,891	54,402
20-24	212,947	106,793	106,154	117,345	60,424	56,921	95,602	46,369	49,233
25-29	192,526	94,043	98,483	113,466	57,415	56,051	79,060	36,628	42,432
30-34	189,272	92,364	96,908	115,466	58,718	56,748	73,806	33,646	40,160
35-39	212,309	103,065	109,244	132,781	66,907	65,874	79,528	36,158	43,370
40-44	213,063	103,430	109,633	133,272	67,022	66,250	79,791	36,408	43,383
45-49	192,111	93,039	99,072	123,840	61,384	62,456	68,271	31,655	36,616
50-54	169,870	82,974	86,896	118,206	58,876	59,330	51,664	24,098	27,566
55-59	132,202	63,298	68,904	96,395	46,969	49,426	35,807	16,329	19,478
60-64	113,621	53,302	60,319	83,145	40,066	43,079	30,476	13,236	17,240
65-69	98,179	44,174	54,005	73,040	33,833	39,207	25,139	10,341	14,798
70-74	87,531	37,356	50,175	65,589	28,802	36,787	21,942	8,554	13,388
75-79	68,558	26,611	41,947	51,512	20,363	31,149	17,046	6,248	10,798
80-84	46,364	15,970	30,394	34,397	11,802	22,595	11,967	4,168	7,799
85 AND OVER	42,891	11,779	31,112	29,846	7,635	22,211	13,045	4,144	8,901
UNDER 15	640,026	326,628	313,398	333,904	171,891	162,013	306,122	154,737	151,385
15-64	1,861,109	911,036	950,073	1,157,811	581,618	576,193	703,298	329,418	373,880
65 AND OVER	343,523	135,890	207,633	254,384	102,435	151,949	89,139	33,455	55,684
<b>MEDIAN AGE</b>	<b>33.8</b>	<b>32.2</b>	<b>35.3</b>	<b>37.6</b>	<b>36.2</b>	<b>39.0</b>	<b>27.4</b>	<b>25.4</b>	<b>29.2</b>

\* THESE FIGURES WERE CALCULATED BY APPLYING THE DISTRIBUTION OF AGE GROUPS UNDER 1 AND 1-4 FROM THE TOTAL MALE AND TOTAL FEMALE GROUPS.

## LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2001**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,277</u>	<u>116</u>			
JANUARY	3,668	118	JULY	3,698	119
FEBRUARY	3,262	116	AUGUST	3,704	119
MARCH	3,459	112	SEPTEMBER	3,620	121
APRIL	3,297	110	OCTOBER	3,670	118
MAY	3,407	110	NOVEMBER	3,432	114
JUNE	3,402	113	DECEMBER	3,658	118

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,  
BY YEAR AND RACE\*  
MISSISSIPPI, 1940, 1950, 1960, 1970-2001**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2				
1983#	99.5	99.6	99.4				
1984#	99.5	99.6	99.4				
1985#	99.6	99.7	99.4				
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

\* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;  
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL  
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING  
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 2001**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>42,277</u>	<u>41,201</u>	<u>884</u>	<u>33</u>	<u>136</u>	<u>23</u>	<u>100.0</u>	<u>97.4</u>	<u>2.1</u>	<u>0.1</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S	42,151	41,191	879	1	65	15	99.7	97.4	2.1	*	0.2	*
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	106	6	5	31	59	5	0.2	*	*	0.1	0.1	*
OTHER PLACE	20	4	0	1	12	3	*	*	-	*	*	*
<u>WHITE</u>	<u>22,798</u>	<u>22,301</u>	<u>400</u>	<u>31</u>	<u>57</u>	<u>9</u>	<u>100.0</u>	<u>97.8</u>	<u>1.8</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S	22,723	22,297	396	1	23	6	99.7	97.8	1.7	*	0.1	*
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	68	2	4	29	31	2	0.3	*	*	0.1	0.1	*
OTHER PLACE	7	2	0	1	3	1	*	*	-	*	*	*
<u>NONWHITE</u>	<u>19,479</u>	<u>18,900</u>	<u>484</u>	<u>2</u>	<u>79</u>	<u>14</u>	<u>100.0</u>	<u>97.0</u>	<u>2.5</u>	<u>*</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S	19,428	18,894	483	0	42	9	99.7	97.0	2.5	-	0.2	*
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	38	4	1	2	28	3	0.2	*	*	*	0.1	*
OTHER PLACE	13	2	0	0	9	2	0.1	*	-	-	*	*

\* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2001**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.6</u>	<u>63.0</u>	<u>71.4</u>
UNDER 15	196	26	170	0.5	0.1	0.9	1.8	0.5	3.3
15-19	7,340	2,900	4,440	17.4	12.7	22.8	64.1	48.3	81.6
20-24	14,399	6,844	7,555	34.0	30.0	38.8	135.6	120.2	153.4
25-29	10,607	6,556	4,051	25.1	28.8	20.8	107.7	117.0	95.5
30-34	6,545	4,448	2,097	15.5	19.5	10.8	67.5	78.4	52.2
35-39	2,678	1,709	969	6.3	7.5	5.0	24.5	25.9	22.3
40-44	486	297	189	1.2	1.3	1.0	4.4	4.5	4.4
45-49	21	14	7	**	0.1	**	0.2	0.2	0.2
UNKNOWN	5	4	1	**	**	**			

\* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER  
MISSISSIPPI, 2001**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	375	251	124	0.9	1.1	0.6	0.9	1.1	0.6
7-9 YEARS	3,264	1,681	1,583	7.7	7.4	8.1	8.6	8.5	8.8
10, 11 YEARS	6,870	2,685	4,185	16.3	11.8	21.5	24.9	20.4	30.3
12 YEARS	13,780	6,569	7,211	32.7	29.0	37.1	57.6	49.3	67.4
1-3 YEARS									
COLLEGE	10,545	5,933	4,612	25.0	26.2	23.7	82.7	75.4	91.1
4 OR MORE YEARS OF COLLEGE	7,301	5,569	1,732	17.3	24.5	8.9	100.0	100.0	100.0
UNKNOWN	142	110	32						
 MEDIAN YEARS COMPLETED*	 12.8	 13.1	 12.5						

\* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS  
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2001**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>19,590</u>	<u>5,115</u>	<u>14,475</u>	<u>46.3</u>	<u>22.4</u>	<u>74.3</u>
UNDER 15	193	23	170	98.5	88.5	100.0
15 - 19	6,038	1,736	4,302	82.3	59.9	96.9
20 - 24	8,237	1,997	6,240	57.2	29.2	82.6
25 - 29	3,089	770	2,319	29.1	11.7	57.2
30 - 34	1,317	362	955	20.1	8.1	45.5
35 - 39	578	182	396	21.6	10.6	40.9
40 - 44	133	43	90	27.4	14.5	47.6
45 - 49	3	1	2	14.3	7.1	28.6
UNKNOWN	2	1	1			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND  
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER  
MISSISSIPPI, 2001**

TOTAL - BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.6</u>	<u>63.0</u>	<u>71.4</u>	<u>24.7</u>	<u>26.2</u>	<u>23.1</u>
FIRST	14,172	7,824	6,348	33.5	34.3	32.6	22.3	21.6	23.2	21.3	23.0	20.0
SECOND	12,955	7,456	5,499	30.6	32.7	28.2	20.4	20.6	20.1	24.9	26.4	23.1
THIRD	8,186	4,279	3,907	19.4	18.8	20.0	12.9	11.8	14.3	26.4	28.2	24.7
FOURTH	3,849	1,849	2,000	9.1	8.1	10.3	6.1	5.1	7.3	27.8	29.7	26.2
FIFTH	1,712	776	936	4.0	3.4	4.8	2.7	2.1	3.4	28.6	30.4	27.4
SIXTH	735	310	425	1.7	1.4	2.2	1.2	0.8	1.6	30.3	31.8	29.2
SEVENTH	321	135	186	0.8	0.6	1.0	0.5	0.4	0.7	31.8	33.0	31.2
EIGHTH	142	72	70	0.3	0.3	0.4	0.2	0.2	0.2	32.9	34.1	32.4
NINTH	78	27	51	0.2	0.1	0.3	0.1	0.1	0.2	33.8	36.1	32.5
TENTH & OVER	76	38	38	0.2	0.2	0.2	0.1	0.1	0.1	35.5	36.8	33.9
UNKNOWN	51	32	19	0.1	0.1	0.1	0.1	0.1	0.1			

\* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

\*\* LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE,  
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER  
MISSISSIPPI, 2001**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>TOTAL</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	435	104	331	1.0	0.4	1.7
<u>SOME PRENATAL CARE</u>	<u>41,675</u>	<u>22,615</u>	<u>19,060</u>	<u>98.6</u>	<u>99.2</u>	<u>97.8</u>
FIRST TRIMESTER	34,760	20,255	14,505	82.2	88.8	74.5
SECOND TRIMESTER	5,834	2,019	3,815	13.8	8.8	19.6
THIRD TRIMESTER	917	294	623	2.2	1.3	3.2
UNKNOWN MONTH	164	47	117	0.4	0.2	0.6
UNKNOWN WHETHER ANY PRENATAL CARE	167	79	88	0.4	0.3	0.4

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY MATURITY AND RACE OF MOTHER  
MISSISSIPPI, 2001**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>TOTAL</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,845	730	1,115	4.4	3.2	5.7
PREMATURE ONLY**	4,483	2,189	2,294	10.6	9.6	11.8
BOTH IMMATURE AND PREMATURE	2,668	1,040	1,628	6.3	4.6	8.4
TOTAL IMMATURE	4,513	1,770	2,743	10.7	7.8	14.1
TOTAL PREMATURE	7,151	3,229	3,922	16.9	14.2	20.1
TOTAL IMMATURE AND/OR PREMATURE	8,996	3,959	5,037	21.3	17.4	25.8
NEITHER IMMATURE NOR PREMATURE**	33,281	18,839	14,442	78.7	82.6	74.1

\* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

\*\* BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.



**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY ANOMALY AND RACE OF MOTHER  
MISSISSIPPI, 2001**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>607</u>	<u>258</u>	<u>349</u>
ANENCEPHALUS	6	4	2
SPINA BIFIDA/MENINGOCELE	14	5	9
HYDROCEPHALUS	10	4	6
MICROCEPHALUS	6	4	2
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	12	5	7
HEART MALFORMATIONS	49	28	21
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	32	21	11
RECTAL ATRESIA/STENOSIS	7	5	2
TRACHEO-ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	6	3	3
OMPHALOCELE/GASTROSCHISIS	36	8	28
OTHER GASTROINTESTINAL ANOMALIES	23	9	14
MALFORMED GENITALIA	46	21	25
RENAL AGENESIS	9	7	2
OTHER UROGENITAL ANOMALIES	33	18	15
CLEFT LIP/PALATE	32	22	10
POLYDACTYLY/SYNDACTYLY/ADACTYLY	72	17	55
CLUB FOOT	29	14	15
DIAPHRAGMATIC HERNIA	4	3	1
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	113	27	86
DOWNS SYNDROME	19	11	8
OTHER CHROMOSOMAL ANOMALIES	8	3	5
OTHER	41	19	22

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,  
BY RISK FACTOR AND RACE OF MOTHER  
MISSISSIPPI, 2001**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>11,483</u>	<u>5,449</u>	<u>6,034</u>
ANEMIA (HCT. < 30/HGB. < 10)	1,027	405	622
CARDIAC DISEASE	222	177	45
ACUTE OR CHRONIC LUNG DISEASE	325	182	143
DIABETES	1,117	608	509
GENITAL HERPES	242	146	96
HYDRAMNIOS/OLIGOHYDRAMNIOS	393	184	209
HEMOGLOBINOPATHY	165	3	162
HYPERTENSION, CHRONIC	568	198	370
HYPERTENSION, PREGNANCY-ASSOCIATED	2,225	1,116	1,109
ECLAMPSIA	246	136	110
INCOMPETENT CERVIX	90	37	53
PREVIOUS INFANT 4000+ GRAMS	181	130	51
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	428	209	219
RENAL DISEASE	80	52	28
RH SENSITIZATION	303	209	94
UTERINE BLEEDING	148	96	52
OTHER	3,723	1,561	2,162

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 2001**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	36,842	18,596	18,246	87.1	81.6	93.7
<u>SOME</u>	<u>5,326</u>	<u>4,157</u>	<u>1,169</u>	<u>12.6</u>	<u>18.2</u>	<u>6.0</u>
1-9 CIGARETTES PER DAY	1,901	1,261	640	4.5	5.5	3.3
10-19 CIGARETTES PER DAY	1,973	1,658	315	4.7	7.3	1.6
20-29 CIGARETTES PER DAY	1,177	1,041	136	2.8	4.6	0.7
30-39 CIGARETTES PER DAY	68	63	5	0.2	0.3	*
40-49 CIGARETTES PER DAY	35	32	3	0.1	0.1	*
50-59 CIGARETTES PER DAY	1	0	1	*	-	*
60 OR MORE PER DAY	3	1	2	*	*	*
UNKNOWN AMOUNT	168	101	67	0.4	0.4	0.3
NOT STATED	109	45	64	0.2	0.2	0.3
ALCOHOL USE DURING PREGNANCY						
NONE	41,921	22,665	19,256	99.2	99.4	98.8
<u>SOME</u>	<u>243</u>	<u>87</u>	<u>156</u>	<u>0.6</u>	<u>0.4</u>	<u>0.8</u>
1 DRINK PER WEEK	76	34	42	0.2	0.1	0.2
2 DRINKS PER WEEK	30	12	18	0.1	*	0.1
3 DRINKS PER WEEK	15	6	9	*	*	*
4 DRINKS PER WEEK	6	3	3	*	*	*
5 DRINKS PER WEEK	5	2	3	*	*	*
6 OR MORE PER WEEK	27	6	21	0.1	*	0.1
UNKNOWN AMOUNT	84	24	60	0.2	0.1	0.3
NOT STATED	113	46	67	0.3	0.2	0.3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,164	430	734	2.8	1.9	3.8
1-4 POUNDS	431	180	251	1.0	0.8	1.3
5-9 POUNDS	1,215	493	722	2.9	2.2	3.7
10-14 POUNDS	2,459	1,051	1,408	5.8	4.6	7.2
15-19 POUNDS	3,157	1,478	1,679	7.5	6.5	8.6
20-24 POUNDS	5,356	2,617	2,739	12.7	11.5	14.1
25-29 POUNDS	4,911	2,776	2,135	11.6	12.2	11.0
30-34 POUNDS	6,514	3,749	2,765	15.4	16.4	14.2
35-39 POUNDS	4,061	2,514	1,547	9.6	11.0	7.9
40-44 POUNDS	4,162	2,470	1,692	9.8	10.8	8.7
45 OR MORE POUNDS	6,466	3,902	2,564	15.3	17.1	13.2
UNKNOWN AMOUNT	2,381	1,138	1,243	5.6	5.0	6.4
<u>MEDIAN WEIGHT GAIN (LBS)**</u>	<u>31.0</u>	<u>32.4</u>	<u>28.7</u>			

\* LESS THAN 0.06 PERCENT.

\*\* EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY COMPLICATION AND RACE OF MOTHER  
MISSISSIPPI, 2001**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATONS REPORTED</u>	<u>11,852</u>	<u>6,209</u>	<u>5,643</u>
FEBRILE (> 100° F. OR 38° C.)	337	188	149
MECONIUM, MODERATE/HEAVY	1,716	734	982
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1,380	469	911
ABRUPTIO PLACENTA	233	113	120
PLACENTA PREVIA	82	49	33
OTHER EXCESSIVE BLEEDING	105	60	45
SEIZURES DURING LABOR	10	2	8
PRECIPITOUS LABOR (< 3 HOURS)	473	226	247
PROLONGED LABOR (> 20 HOURS)	189	106	83
DYSFUNCTIONAL LABOR	1,056	605	451
BREECH/MALPRESENTATION	1,474	932	542
CEPHALOPELVIC DISPROPORTION	1,096	701	395
CORD PROLAPSE	69	31	38
ANESTHETIC COMPLICATIONS	16	12	4
FETAL DISTRESS	1,856	928	928
OTHER	1,760	1,053	707

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,  
BY METHOD AND RACE OF MOTHER  
MISSISSIPPI, 2001**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45,281</u>	<u>24,563</u>	<u>20,718</u>
VAGINAL	29,119	15,530	13,589
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	492	237	255
PRIMARY C-SECTION	7,350	4,030	3,320
REPEAT C-SECTION	5,306	2,993	2,313
FORCEPS	1,113	676	437
VACUUM	1,901	1,097	804

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY PROCEDURE AND RACE OF MOTHER  
MISSISSIPPI, 2001**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON - WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>74,689</u>	<u>42,705</u>	<u>31,984</u>
AMNIOCENTESIS	319	211	108
ELECTRONIC FETAL MONITORING	35,081	19,641	15,440
INDUCTION OF LABOR	6,929	4,492	2,437
STIMULATION OF LABOR	6,500	3,752	2,748
TOCOLYSIS	618	272	346
ULTRASOUND	25,041	14,233	10,808
OTHER	201	104	97

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY CONDITION AND RACE OF MOTHER  
MISSISSIPPI, 2001**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON - WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,800</u>	<u>1,412</u>	<u>1,388</u>
ANEMIA (HCT. < 39/HGB. < 13)	40	11	29
BIRTH INJURY	137	95	42
FETAL ALCOHOL SYNDROME	1	0	1
HYALINE MEMBRANE DISEASE/RDS	475	260	215
MECONIUM ASPIRATION SYNDROME	52	21	31
ASSISTED VENTILATION < 30 MINUTES	735	388	347
ASSISTED VENTILATION 30 MINUTES OR MORE	540	232	308
SEIZURES	16	9	7
OTHER	804	396	408

## FETAL DEATHS

**TABLE B1. REPORTABLE\* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,  
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 2001**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>376</u>	<u>356</u>	<u>1</u>	<u>0</u>	<u>14</u>	<u>5</u>	<u>100.0</u>	<u>94.7</u>	<u>0.3</u>	-	<u>3.7</u>	<u>1.3</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	367	355	1	0	8	3	97.6	94.4	0.3	-	2.1	0.8
HOME	2	0	0	0	2	0	0.5	-	-	-	0.5	-
OTHER PLACE	5	0	0	0	3	2	1.3	-	-	-	0.8	0.5
	2	1	0	0	1	0	0.5	0.3	-	-	0.3	-
<u>WHITE</u>	<u>109</u>	<u>104</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>100.0</u>	<u>95.4</u>	-	-	<u>3.7</u>	<u>0.9</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	107	104	0	0	2	1	98.2	95.4	-	-	1.8	0.9
HOME	1	0	0	0	1	0	0.9	-	-	-	0.9	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
	1	0	0	0	1	0	0.9	-	-	-	0.9	-
<u>NONWHITE</u>	<u>267</u>	<u>252</u>	<u>1</u>	<u>0</u>	<u>10</u>	<u>4</u>	<u>100.0</u>	<u>94.4</u>	<u>0.4</u>	-	<u>3.7</u>	<u>1.5</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	260	251	1	0	6	2	97.4	94.0	0.4	-	2.2	0.7
HOME	1	0	0	0	1	0	0.4	-	-	-	0.4	-
OTHER PLACE	5	0	0	0	3	2	1.9	-	-	-	1.1	0.7
	1	1	0	0	0	0	0.4	0.4	-	-	-	-

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2001**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>376</u>	<u>109</u>	<u>267</u>	<u>8.9</u>	<u>4.8</u>	<u>13.7</u>
UNDER 15	7	1	6	35.7	#	35.3
15-19	73	17	56	9.9	5.9	12.6
20-24	118	31	87	8.2	4.5	11.5
25-29	75	26	49	7.1	4.0	12.1
30-34	54	19	35	8.2	4.3	16.7
35-39	34	8	26	12.7	4.7	26.8
40-44	12	4	8	24.7	13.5	42.3
45-49	2	2	0	#	#	#
UNKNOWN	1	1	0	#	#	#

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

# RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS  
AND REPORTABLE\* FETAL DEATHS,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER  
MISSISSIPPI, 2001**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.4	1.7	9.6	5.5	11.2
SOME CARE	98.2	99.0	97.2	83.8	87.2	82.4
UNKNOWN WHETHER ANY CARE	0.8	0.6	1.0	6.6	7.3	6.4

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,  
MISSISSIPPI, 1999-2001**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1999	2000	2001	1999	2000	2001	1999	2000	2001
<b>REPORTABLE* FETAL DEATHS</b>									
<u>TOTAL</u>	<u>440</u>	<u>465</u>	<u>376</u>	<u>149</u>	<u>141</u>	<u>109</u>	<u>291</u>	<u>324</u>	<u>267</u>
UNDER 20	22	23	15	7	5	2	15	18	13
<u>20 AND OVER</u>	<u>353</u>	<u>347</u>	<u>286</u>	<u>124</u>	<u>110</u>	<u>83</u>	<u>229</u>	<u>237</u>	<u>203</u>
20-22	100	94	76	23	26	23	77	68	53
23-27	81	79	63	27	27	11	54	52	52
28-36	124	109	98	52	31	37	72	78	61
37 AND OVER	48	65	49	22	26	12	26	39	37
UNKNOWN	65	95	75	18	26	24	47	69	51
<b>FETAL DEATH RATIOS#</b>									
<u>TOTAL</u>	<u>10.3</u>	<u>10.6</u>	<u>8.9</u>	<u>6.6</u>	<u>6.0</u>	<u>4.8</u>	<u>14.5</u>	<u>15.8</u>	<u>13.7</u>
UNDER 20	0.5	0.5	0.4	0.3	0.2	0.1	0.7	0.9	0.7
<u>20 AND OVER</u>	<u>8.3</u>	<u>7.9</u>	<u>6.8</u>	<u>5.5</u>	<u>4.7</u>	<u>3.6</u>	<u>11.4</u>	<u>11.5</u>	<u>10.4</u>
20-22	2.3	2.1	1.8	1.0	1.1	1.0	3.8	3.3	2.7
23-27	1.9	1.8	1.5	1.2	1.1	0.5	2.7	2.5	2.7
28-36	2.9	2.5	2.3	2.3	1.3	1.6	3.6	3.8	3.1
37 AND OVER	1.1	1.5	1.2	1.0	1.1	0.5	1.3	1.9	1.9
UNKNOWN	1.5	2.2	1.8	0.8	1.1	1.0	2.3	3.4	2.6

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

# REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.



## DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2001**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,134</u>	<u>77</u>			
JANUARY	2,762	89	JULY	2,243	72
FEBRUARY	2,318	83	AUGUST	2,188	70
MARCH	2,513	81	SEPTEMBER	2,129	71
APRIL	2,463	82	OCTOBER	2,314	75
MAY	2,324	75	NOVEMBER	2,242	75
JUNE	2,201	73	DECEMBER	2,437	79

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE  
MISSISSIPPI, 2001**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>TOTAL</u>	<u>28,134</u>	<u>18,774</u>	<u>9,360</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.9</u>	<u>10.8</u>	<u>8.5</u>
UNDER 1	443	157	286	1.6	0.8	3.0	10.7	7.3	14.5
1-4	96	45	51	0.3	0.2	0.5	0.6	0.5	0.6
5-9	50	20	30	0.2	0.1	0.3	0.2	0.2	0.3
10-14	60	27	33	0.2	0.1	0.4	0.3	0.2	0.3
15-24	514	247	267	1.8	1.3	2.8	1.2	1.0	1.3
25-34	631	321	310	2.2	1.7	3.3	1.6	1.4	2.0
35-44	1,323	688	635	4.7	3.7	6.8	3.1	2.6	4.0
45-54	2,225	1,205	1,020	7.9	6.4	10.9	6.1	5.0	8.5
55-64	3,237	2,014	1,223	11.5	10.7	13.1	13.2	11.2	18.4
65-74	5,392	3,705	1,687	19.2	19.7	18.0	29.0	26.7	35.8
75 & OVER	14,159	10,344	3,815	50.3	55.1	40.8	89.7	89.4	90.7
UNKNOWN	4	1	3	**	**	**			

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,  
AND MALE/FEMALE RATIOS BY AGE AND RACE  
MISSISSIPPI, 2001**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES	MALE	FEMALE	MALES	MALE	FEMALE	MALES
			PER			PER			PER
			FEMALE			FEMALE			FEMALE
<b>TOTAL</b>	<b>13,893</b>	<b>14,241</b>	<b>0.98</b>	<b>9,226</b>	<b>9,548</b>	<b>0.97</b>	<b>4,667</b>	<b>4,693</b>	<b>0.99</b>
UNDER 1	248	195	1.27	79	78	1.01	169	117	1.44
1-4	57	39	1.46	26	19	1.37	31	20	1.55
5-9	31	19	1.63	11	9	1.22	20	10	2.00
10-14	38	22	1.73	15	12	1.25	23	10	2.30
15-24	380	134	2.84	188	59	3.19	192	75	2.56
25-34	423	208	2.03	223	98	2.28	200	110	1.82
35-44	834	489	1.70	461	227	2.03	373	262	1.42
45-54	1,358	867	1.57	753	452	1.66	605	415	1.46
55-64	1,926	1,311	1.47	1,225	789	1.55	701	522	1.34
65-74	3,038	2,354	1.29	2,184	1,521	1.44	854	833	1.02
75-84	3,452	3,841	0.90	2,594	2,776	0.93	858	1,065	0.80
85 & OVER	2,105	4,761	0.44	1,466	3,508	0.42	639	1,253	0.51
UNKNOWN	3	1		1	0		2	1	
MEDIAN AGE	70.4	78.8		72.5	80.4		65.2	74.7	

**TABLE C3B. DEATH RATES\*, BY AGE, RACE, AND SEX  
MISSISSIPPI, 2001**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<b>TOTAL</b>	<b>10.1</b>	<b>9.7</b>	<b>10.8</b>	<b>10.7</b>	<b>9.0</b>	<b>8.1</b>
UNDER 1	11.7	9.7	7.1	7.5	16.9	12.1
1-4	0.7	0.5	0.6	0.4	0.4	0.5
5-9	0.3	0.2	0.2	0.2	0.4	0.2
10-14	0.3	0.2	0.2	0.2	0.4	0.2
15-24	1.7	0.6	1.5	0.5	1.9	0.7
25-34	2.3	1.1	1.9	0.9	2.8	1.3
35-44	4.0	2.2	3.4	1.7	5.1	3.0
45-54	7.7	4.7	6.3	3.7	10.8	6.5
55-64	16.5	10.1	14.1	8.5	23.7	14.2
65-74	37.3	22.6	34.9	20.0	45.2	29.6
75 AND OVER	102.2	83.1	102.0	82.7	102.8	84.3

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE MISSISSIPPI, 2001**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL OF TEN LEADING CAUSES</b>	<b>22,684</b>	<b>15,409</b>	<b>7,275</b>	<b>8.0</b>	<b>8.8</b>	<b>6.6</b>	<b>80.6</b>	<b>82.1</b>	<b>77.7</b>
1. HEART DISEASES (156-160,162, 164-181)	9,010	6,134	2,876	316.7	351.3	261.8	32.0	32.7	30.7
2. MALIGNANT NEOPLASMS (056-108)	5,933	4,031	1,902	208.6	230.8	173.1	21.1	21.5	20.3
3. CEREBROVASCULAR DISEASE (182-186)	1,927	1,261	666	67.7	72.2	60.6	6.8	6.7	7.1
4. ACCIDENTS (295-330)	1,559	1,005	554	54.8	57.6	50.4	5.5	5.4	5.9
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,325	1,096	229	46.6	62.8	20.8	4.7	5.8	2.4
6. INFLUENZA AND PNEUMONIA (195-198)	750	547	203	26.4	31.3	18.5	2.7	2.9	2.2
7. DIABETES MELLITUS (124)	654	354	300	23.0	20.3	27.3	2.3	1.9	3.2
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	598	331	267	21.0	19.0	24.3	2.1	1.8	2.8
9. SEPTICEMIA (018)	489	293	196	17.2	16.8	17.8	1.7	1.6	2.1
10. ALZHEIMER'S DISEASE (148)	439	357	82	15.4	20.4	7.5	1.6	1.9	0.9

\* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

\*\* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES  
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE  
MISSISSIPPI, 2001**

AGE	CAUSE AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>96</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (295-330)	45	46.9	27.6
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	9	9.4	5.5
	3. HEART DISEASES (156-160,162,164-181)	6	6.2	3.7
	4. HOMICIDE (338-346)	5	5.2	3.1
	5. MALIGNANT NEOPLASMS (056-108)	4	4.2	2.4
5-14	<u>ALL CAUSES</u>	<u>110</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	65	59.1	14.9
	2T. MALIGNANT NEOPLASMS (056-108)	6	5.4	1.4
	2T. HOMICIDE (338-346)	6	5.4	1.4
	4T. INFLUENZA AND PNEUMONIA (195-198)	3	2.7	0.7
	4T. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	3	2.7	0.7
	4T. SUICIDE (331-337)	3	2.7	0.7
15-24	<u>ALL CAUSES</u>	<u>514</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	242	47.1	54.2
	2. HOMICIDE (338-346)	82	16.0	18.4
	3. SUICIDE (331-337)	50	9.7	11.2
	4. HEART DISEASES (156-160,162,164-181)	23	4.5	5.2
	5. MALIGNANT NEOPLASMS (056-108)	16	3.1	3.6
25-44	<u>ALL CAUSES</u>	<u>1,954</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	457	23.4	56.6
	2. HEART DISEASES (156-160,162,164-181)	299	15.3	37.0
	3. MALIGNANT NEOPLASMS (056-108)	260	13.3	32.2
	4. HOMICIDE (338-346)	158	8.1	19.6
	5. HIV DISEASE (039-043)	137	7.0	17.0
45-64	<u>ALL CAUSES</u>	<u>5,462</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,700	31.1	279.7
	2. HEART DISEASES (156-160,162,164-181)	1,531	28.0	251.9
	3. ACCIDENTS (295-330)	322	5.9	53.0
	4. CEREBROVASCULAR DISEASE (182-186)	290	5.3	47.7
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	206	3.8	33.9
65 & OVER	<u>ALL CAUSES</u>	<u>19,551</u>	<u>100.0</u>	<u>56.9</u>
	1. HEART DISEASES (156-160,162,164-181)	7,140	36.5	2,078.5
	2. MALIGNANT NEOPLASMS (056-108)	3,945	20.2	1,148.4
	3. CEREBROVASCULAR DISEASE (182-186)	1,568	8.0	456.4
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,095	5.6	318.8
	5. INFLUENZA AND PNEUMONIA (195-198)	643	3.3	187.2

\* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

\*\* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,  
BY PRIMARY SITE, SEX, AND RACE  
MISSISSIPPI, 2001**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
<b>TOTAL</b>	<b>2,272</b>	<b>1,052</b>	<b>1,759</b>	<b>850</b>	<b>265.4</b>	<b>203.2</b>	<b>197.6</b>	<b>146.3</b>
1. RESPIRATORY AND INTRA- THORACIC ORGANS (071-075)	929	351	515	156	108.5	67.8	57.9	26.9
2. DIGESTIVE ORGANS (060-070)	477	288	373	235	55.7	55.6	41.9	40.5
3. GENITAL ORGANS (083-091)	221	195	149	94	25.8	37.7	16.7	16.2
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	188	71	159	74	22.0	13.7	17.9	12.7
5. BREAST (082)	3	2	271	169	0.4	0.4	30.4	29.1
6. URINARY TRACT (092-094)	104	36	68	16	12.2	7.0	7.6	2.8
7. BRAIN (096)	67	15	44	12	7.8	2.9	4.9	2.1
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	48	24	20	13	5.6	4.6	2.2	2.2
9. SKIN (077,078)	51	11	29	4	6.0	2.1	3.3	0.7
10. BONE AND ARTICULAR CARTILAGE (076)	10	4	7	5	1.2	0.8	0.8	0.9
- OTHER AND UNSPECIFIED SITES (079-081,095, 097-99)	174	55	124	72	20.3	10.6	13.9	12.4

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,  
1976, 1981, 1986, 1991, 1996, 2001**

DISEASE*	1976	1981	1986	1991	1996	2001
TUBERCULOSIS OF RESPIRATORY SYSTEM	39	21	24	8	19	9
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	949	1,307	1,458	1,635	1,790	1,951
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	914	1,263	1,404	1,586	1,736	1,901
CHRONIC AND UNQUALIFIED BRONCHITIS	35	28	29	50	40	13
EMPHYSEMA	181	102	92	125	135	132
ASTHMA	19	34	45	45	60	50

\* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES, AND CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM  
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 2001**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,271</u>	<u>823</u>	<u>448</u>	<u>81.5</u>	<u>81.9</u>	<u>80.9</u>
1. MOTOR VEHICLE (296-306)	816	504	312	52.3	50.1	56.3
2. FALLS (312-314)	170	143	27	10.9	14.2	4.9
3. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	114	98	16	7.3	9.8	2.9
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	89	47	42	5.7	4.7	7.6
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	82	31	51	5.3	3.1	9.2

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE  
MISSISSIPPI RESIDENTS, 2001**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE							
		MALE	FEMALE	UNDER			15-	25-	35-	45-	65 &
				1	1-4	5-14	24	34	44	64	OVER
<u>ALL ACCIDENTS</u>	<u>1,559</u>	<u>1,024</u>	<u>535</u>	<u>19</u>	<u>45</u>	<u>65</u>	<u>242</u>	<u>203</u>	<u>254</u>	<u>322</u>	<u>409</u>
MOTOR VEHICLE (296-306)	816	549	267	8	15	36	186	142	144	167	118
OTHER LAND TRANSPORT (295,307-308)	17	14	3	0	0	1	5	6	1	3	1
WATER TRANSPORT (309)	22	21	1	0	0	2	2	3	6	3	6
AIR AND SPACE TRANSPORT (310)	5	4	1	0	0	0	0	1	1	3	0
FALLS (312-314)	170	85	85	0	0	0	2	1	6	20	141
DISCHARGE OF FIREARMS (315)	22	18	4	0	0	2	7	5	1	4	3
EXPLOSION (316)	2	1	1	0	0	0	0	1	0	0	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	69	57	12	1	13	12	13	9	6	11	4
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	89	44	45	4	4	1	1	1	5	17	56
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	17	14	3	5	1	0	2	2	3	2	2
EXPOSURE TO ELECTRIC CURRENT (320)	13	12	1	0	0	0	0	2	5	6	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	82	53	29	0	11	8	3	5	20	19	16
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	1	1	0	0	0	0	0	0	0	0	1
<u>POISONING (327-329)</u>	<u>114</u>	<u>77</u>	<u>37</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>15</u>	<u>20</u>	<u>42</u>	<u>29</u>	<u>8</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	107	70	37	0	0	0	14	19	40	26	8
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	7	7	0	0	0	0	1	1	2	3	0
ALL OTHER ACCIDENTS (311,321,324- 326,330)	120	74	46	1	1	3	6	5	14	38	52

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-2001**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7

\* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

\*\* NOT AVAILABLE.



**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES  
BY AGE AND RACE  
MISSISSIPPI, 2001**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>443</u>	<u>157</u>	<u>286</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.5</u>	<u>6.9</u>	<u>14.7</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>277</u>	<u>96</u>	<u>181</u>	<u>62.5</u>	<u>61.1</u>	<u>63.3</u>	<u>6.6</u>	<u>4.2</u>	<u>9.3</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>228</u>	<u>76</u>	<u>152</u>	<u>51.5</u>	<u>48.4</u>	<u>53.1</u>	<u>5.4</u>	<u>3.3</u>	<u>7.8</u>
UNDER 1 DAY	157	46	111	35.4	29.3	38.8	3.7	2.0	5.7
1-6 DAYS	71	30	41	16.0	19.1	14.3	1.7	1.3	2.1
7-27 DAYS	49	20	29	11.1	12.7	10.1	1.2	0.9	1.5
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>166</u>	<u>61</u>	<u>105</u>	<u>37.5</u>	<u>38.8</u>	<u>36.7</u>	<u>3.9</u>	<u>2.7</u>	<u>5.4</u>

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES  
OF INFANT DEATHS, BY CAUSE AND RACE  
MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>443</u>	<u>157</u>	<u>286</u>	<u>10.5</u>	<u>6.9</u>	<u>14.7</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	91	11	80	2.2	0.5	4.1
2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	78	46	32	1.8	2.0	1.6
3. SUDDEN INFANT DEATH SYNDROME (111)	54	28	26	1.3	1.2	1.3
4. ACCIDENTS (114-124)	19	8	11	0.4	0.4	0.6
5. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	14	5	9	0.3	0.2	0.5
6. RESPIRATORY DISTRESS OF NEWBORN (077)	12	6	6	0.3	0.3	0.3
7T. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	11	4	7	0.3	0.2	0.4
7T. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	11	1	10	0.3	#	0.5
7T. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	4	7	0.3	0.2	0.4
10T. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	10	5	5	0.2	0.2	0.2
10T. CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	10	2	8	0.2	0.1	0.4

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

# LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH,  
MISSISSIPPI, 2001**

<u>CAUSE AND GROUP NUMBER*</u>	<u>YEARS</u>	<u>RATE**</u>
<u>ALL RACES - ALL CAUSES</u>	<u>282,335</u>	<u>10,508.0</u>
HEART DISEASES (156-160,162,164-181)	50,474	1,878.6
ISCHEMIC HEART DISEASE (165-168)	31,193	1,161.0
CEREBROVASCULAR DISEASES (182-186)	9,745	362.7
MALIGNANT NEOPLASMS (056-108)	51,709	1,924.5
RESPIRATORY SYSTEM (071-075)	16,068	598.0
COLORECTAL (063,064)	5,083	189.2
PROSTATE (089)#	973	73.8
BREAST (082)##	5,632	411.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	6,238	232.2
PNEUMONIA AND INFLUENZA (195-198)	3,507	130.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,418	164.4
DIABETES MELLITUS (124)	4,863	181.0
HIV INFECTION (039-043)	7,159	266.4
UNINTENTIONAL INJURIES (295-330)	48,135	1,791.5
MOTOR VEHICLE CRASHES (296-306)	29,805	1,109.3
SUICIDE (331-337)	10,337	384.7
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	13,473	501.4

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.

# MALES ONLY.

## FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH,  
WHITE MALES AND FEMALES  
MISSISSIPPI, 2001**

<u>CAUSE AND GROUP NUMBER*</u>	<u>YEARS</u>	<u>RATE**</u>
<u>WHITE MALES - ALL CAUSES</u>	<u>94,208</u>	<u>11,543.1</u>
HEART DISEASES (156-160,162,164-181)	17,495	2,143.6
ISCHEMIC HEART DISEASE (165-168)	12,804	1,568.8
CEREBROVASCULAR DISEASES (182-186)	2,240	274.5
MALIGNANT NEOPLASMS (056-108)	18,143	2,223.0
RESPIRATORY SYSTEM (071-075)	7,081	867.6
COLORECTAL (063,064)	1,745	213.8
PROSTATE (089)	503	61.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,616	320.5
PNEMONIA AND INFLUENZA (195-198)	1,129	138.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,046	250.7
DIABETES MELLITUS (124)	1,187	145.4
HIV INFECTION (039-043)	1,115	136.6
UNINTENTIONAL INJURIES (295-330)	19,908	2,439.3
MOTOR VEHICLE CRASHES (296-306)	12,116	1,484.5
SUICIDE (331-337)	7,437	911.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	3,209	393.2
<u>WHITE FEMALES - ALL CAUSES</u>	<u>54,557</u>	<u>6,700.7</u>
HEART DISEASES (156-160,162,164-181)	8,995	1,104.8
ISCHEMIC HEART DISEASE (165-168)	5,357	657.9
CEREBROVASCULAR DISEASES (182-186)	2,016	247.6
MALIGNANT NEOPLASMS (056-108)	13,553	1,664.6
RESPIRATORY SYSTEM (071-075)	3,595	441.5
COLORECTAL (063,064)	1,143	140.4
BREAST (082)	2,892	355.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,083	255.8
PNEMONIA AND INFLUENZA (195-198)	758	93.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	802	98.5
DIABETES MELLITUS (124)	1,119	137.4
HIV INFECTION (039-043)	177	21.7
UNINTENTIONAL INJURIES (295-330)	8,479	1,041.4
MOTOR VEHICLE CRASHES (296-306)	5,365	658.9
SUICIDE (331-337)	1,516	186.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	947	116.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH,  
NONWHITE MALES AND FEMALES  
MISSISSIPPI, 2001**

<u>CAUSE AND GROUP NUMBER*</u>	<u>YEARS</u>	<u>RATE**</u>
<u>NONWHITE MALES - ALL CAUSES</u>	<u>81,043</u>	<u>16,110.3</u>
HEART DISEASES (156-160,162,164-181)	13,902	2,763.5
ISCHEMIC HEART DISEASE (165-168)	7,807	1,551.9
CEREBROVASCULAR DISEASES (182-186)	2,782	553.0
MALIGNANT NEOPLASMS (056-108)	10,728	2,132.6
RESPIRATORY SYSTEM (071-075)	3,690	733.5
COLORECTAL (063,064)	1,257	249.9
PROSTATE (089)	470	93.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	869	172.7
PNEMONIA AND INFLUENZA (195-198)	1,002	199.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,073	213.3
DIABETES MELLITUS (124)	1,177	234.0
HIV INFECTION (039-043)	4,081	811.2
UNINTENTIONAL INJURIES (295-330)	14,343	2,851.2
MOTOR VEHICLE CRASHES (296-306)	8,521	1,693.9
SUICIDE (331-337)	1,301	258.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	7,813	1,553.1
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>52,527</u>	<u>9,490.8</u>
HEART DISEASES (156-160,162,164-181)	10,082	1,821.7
ISCHEMIC HEART DISEASE (165-168)	5,225	944.1
CEREBROVASCULAR DISEASES (182-186)	2,707	489.1
MALIGNANT NEOPLASMS (056-108)	9,285	1,677.6
RESPIRATORY SYSTEM (071-075)	1,702	307.5
COLORECTAL (063,064)	938	169.5
BREAST (082)	2,687	485.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	670	121.0
PNEMONIA AND INFLUENZA (195-198)	618	111.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	497	89.8
DIABETES MELLITUS (124)	1,380	249.3
HIV INFECTION (039-043)	1,786	322.7
UNINTENTIONAL INJURIES (295-330)	5,405	976.6
MOTOR VEHICLE CRASHES (296-306)	3,803	687.1
SUICIDE (331-337)	83	15.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,504	271.7

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.

## MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2001**

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>18,605</u>	<u>51</u>			
JANUARY	831	27	JULY	1,706	55
FEBRUARY	1,341	48	AUGUST	1,455	47
MARCH	1,671	54	SEPTEMBER	1,582	53
APRIL	1,517	50	OCTOBER	1,337	43
MAY	1,778	57	NOVEMBER	1,332	44
JUNE	2,444	81	DECEMBER	1,611	52

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE  
MISSISSIPPI, 2001**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<b>TOTAL</b>	<b>18,605</b>	<b>12,483</b>	<b>6,122</b>	<b>18,605</b>	<b>12,435</b>	<b>6,170</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>UNDER 20</b>	<b>1,836</b>	<b>1,606</b>	<b>230</b>	<b>710</b>	<b>624</b>	<b>86</b>	<b>9.9</b>	<b>12.9</b>	<b>3.8</b>	<b>3.8</b>	<b>5.0</b>	<b>1.4</b>
13	1	1	0	0	0	0	*	*	-	-	-	-
14	3	3	0	0	0	0	*	*	-	-	-	-
15	56	54	2	2	2	0	0.3	0.4	*	*	*	-
16	148	142	6	11	11	0	0.8	1.1	0.1	*	0.1	-
17	280	260	20	56	52	4	1.5	2.1	0.3	0.3	0.4	0.1
18	614	537	77	227	200	27	3.3	4.3	1.2	1.2	1.6	0.4
19	734	609	125	414	359	55	3.9	4.9	2.0	2.2	2.9	0.9
20-24	5,254	3,804	1,450	4,435	3,290	1,145	28.2	30.5	23.7	23.8	26.4	18.6
25-34	5,956	3,491	2,465	6,839	4,286	2,553	32.0	28.0	40.3	36.8	34.5	41.4
35-44	3,270	1,970	1,300	3,520	2,144	1,376	17.6	15.8	21.2	18.9	17.2	22.3
45-54	1,534	1,010	524	1,871	1,175	696	8.2	8.1	8.6	10.0	9.4	11.3
55-64	475	362	113	717	517	200	2.6	2.9	1.8	3.8	4.2	3.2
65-74	217	184	33	367	283	84	1.2	1.5	0.5	2.0	2.3	1.4
75 & OVER	63	56	7	146	116	30	0.3	0.4	0.1	0.8	0.9	0.5

\* LESS THAN 0.06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM  
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE  
MISSISSIPPI, 2001**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	28.7	27.4	30.6	31.1	30.4	32.3
FIRST MARRIAGES	23.9	22.7	27.4	26.2	24.6	29.0



**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY MARRIAGE ORDER AND RACE  
MISSISSIPPI, 2001**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>18,605</b>	<b>12,483</b>	<b>6,122</b>	<b>18,605</b>	<b>12,435</b>	<b>6,170</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
FIRST	11,053	6,809	4,244	10,976	6,940	4,036	59.4	54.5	69.3	59.0	55.8	65.4
<b>REMARRIAGE</b>	<b>7,549</b>	<b>5,672</b>	<b>1,877</b>	<b>7,626</b>	<b>5,494</b>	<b>2,132</b>	<b>40.6</b>	<b>45.4</b>	<b>30.7</b>	<b>41.0</b>	<b>44.2</b>	<b>34.6</b>
SECOND	4,939	3,450	1,489	5,137	3,469	1,668	26.5	27.6	24.3	27.6	27.9	27.0
<b>OVER TWO</b>	<b>2,610</b>	<b>2,222</b>	<b>388</b>	<b>2,489</b>	<b>2,025</b>	<b>464</b>	<b>14.0</b>	<b>17.8</b>	<b>6.3</b>	<b>13.4</b>	<b>16.3</b>	<b>7.5</b>
THIRD	1,849	1,525	324	1,822	1,436	386	9.9	12.2	5.3	9.8	11.5	6.2
FOURTH	567	515	52	498	436	62	3.0	4.1	0.8	2.7	3.5	1.0
FIFTH	122	113	9	125	115	10	0.6	0.9	0.1	0.7	0.9	0.2
SIXTH	52	49	3	32	28	4	0.3	0.4	**	0.2	0.2	0.1
SEVENTH	14	14	0	7	6	1	0.1	0.1	-	**	**	**
EIGHTH	6	6	0	4	3	1	**	**	-	**	**	**
NINTH	0	0	0	1	1	0	-	-	-	**	**	-
UNKNOWN*	3	2	1	3	1	2	**	**	**	**	**	**

\* UNKNOWN WHETHER PREVIOUSLY MARRIED.

\*\* LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY PREVIOUS MARITAL STATUS AND RACE  
MISSISSIPPI, 2001**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>18,605</u>	<u>12,483</u>	<u>6,122</u>	<u>18,605</u>	<u>12,435</u>	<u>6,170</u>
NOT PREVIOUSLY MARRIED	11,053	6,809	4,244	10,976	6,940	4,036
<u>REMARRIAGES</u>	<u>7,549</u>	<u>5,672</u>	<u>1,877</u>	<u>7,626</u>	<u>5,494</u>	<u>2,132</u>
WIDOWED	785	586	199	713	530	183
DIVORCED*	6,756	5,083	1,673	6,908	4,964	1,944
UNKNOWN**	8	3	5	5	0	5
UNKNOWN#	3	2	1	3	1	2
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	59.4	54.5	69.3	59.0	55.8	65.4
<u>REMARRIAGES</u>	<u>40.6</u>	<u>45.4</u>	<u>30.7</u>	<u>41.0</u>	<u>44.2</u>	<u>34.6</u>
WIDOWED	4.2	4.7	3.2	3.8	4.3	3.0
DIVORCED*	36.3	40.7	27.3	37.1	39.9	31.5
UNKNOWN**	##	##	0.1	##	-	0.1
UNKNOWN#	##	##	##	##	##	##

\* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

\*\* UNKNOWN WHETHER WIDOWED OR DIVORCED.

# UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

## LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,  
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE  
MISSISSIPPI, 2001**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
TOTAL	<u>18,605</u>	<u>17,378</u>	<u>1,226</u>	<u>1</u>	<u>12,483</u>	<u>11,569</u>	<u>913</u>	<u>1</u>	<u>6,122</u>	<u>5,809</u>	<u>313</u>	<u>0</u>
MISSISSIPPI	17,008	16,747	261	0	11,298	11,106	192	0	5,710	5,641	69	0
OTHER	1,593	628	965	0	1,182	461	721	0	411	167	244	0
UNKNOWN	4	3	0	1	3	2	0	1	1	1	0	0
PERCENT												
TOTAL	<u>100.0</u>	<u>93.4</u>	<u>6.6</u>	<u>*</u>	<u>100.0</u>	<u>92.7</u>	<u>7.3</u>	<u>*</u>	<u>100.0</u>	<u>94.9</u>	<u>5.1</u>	<u>-</u>
MISSISSIPPI	91.4	90.0	1.4	-	90.5	89.0	1.5	-	93.3	92.1	1.1	-
OTHER	8.6	3.4	5.2	-	9.5	3.7	5.8	-	6.7	2.7	4.0	-
UNKNOWN	*	*	-	*	*	*	-	*	*	*	-	-

\* LESS THAN 0.06 PERCENT.

## DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE\*  
MISSISSIPPI, 2001**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON - WHITE	UN - KNOWN	TOTAL	WHITE	NON - WHITE	UN - KNOWN
<u>TOTAL</u>	<u>14,198</u>	<u>10,683</u>	<u>3,370</u>	<u>145</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	12,538	9,698	2,718	122	88.3	90.8	80.6	84.1
CRUEL AND INHUMAN TREATMENT	835	526	295	14	5.9	4.9	8.8	9.6
DESERTION	377	164	206	7	2.6	1.5	6.1	4.8
ADULTERY	269	183	85	1	1.9	1.7	2.5	0.7
DRUNKENNESS	80	42	38	0	0.6	0.4	1.1	-
PENITENTIARY	57	35	22	0	0.4	0.3	0.6	-
ANNULMENT	29	25	3	1	0.2	0.2	0.1	0.7
BIGAMY	2	1	1	0	**	**	**	-
MISCELLANEOUS & OTHER	1	1	0	0	**	**	-	-
UNKNOWN	10	8	2	0	0.1	0.1	**	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF MINOR CHILDREN AND RACE\*  
MISSISSIPPI, 2001**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON - WHITE	UN - KNOWN	TOTAL	WHITE	NON - WHITE	UN - KNOWN
<u>TOTAL DIVORCES</u>	<u>14,198</u>	<u>10,683</u>	<u>3,370</u>	<u>145</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	7,253	5,533	1,630	90	51.1	51.8	48.4	62.1
ONE	3,587	2,694	863	30	25.3	25.2	25.6	20.7
TWO	2,512	1,882	612	18	17.7	17.6	18.2	12.4
THREE OR MORE	841	569	265	7	5.9	5.3	7.9	4.8
UNKNOWN	5	5	0	0	**	**	-	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF YEARS MARRIED AND RACE\*  
MISSISSIPPI, 2001**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>14,198</u>	<u>10,683</u>	<u>3,370</u>	<u>145</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,592</u>	<u>4,484</u>	<u>1,049</u>	<u>59</u>	<u>39.4</u>	<u>42.0</u>	<u>31.1</u>	<u>40.7</u>
<u>UNDER ONE</u>	632	532	93	7	4.4	5.0	2.8	4.8
<u>ONE</u>	1,269	1,048	202	19	8.9	9.8	6.0	13.1
<u>TWO</u>	1,403	1,163	229	11	9.9	10.9	6.8	7.6
<u>THREE</u>	1,236	956	266	14	8.7	8.9	7.9	9.6
<u>FOUR</u>	1,052	785	259	8	7.4	7.3	7.7	5.5
<u>FIVE-NINE</u>	<u>3,781</u>	<u>2,763</u>	<u>984</u>	<u>34</u>	<u>26.6</u>	<u>25.9</u>	<u>29.2</u>	<u>23.4</u>
<u>TEN-NINETEEN</u>	<u>3,222</u>	<u>2,321</u>	<u>871</u>	<u>30</u>	<u>22.7</u>	<u>21.7</u>	<u>25.8</u>	<u>20.7</u>
<u>TWENTY AND OVER</u>	<u>1,547</u>	<u>1,084</u>	<u>449</u>	<u>14</u>	<u>10.9</u>	<u>10.1</u>	<u>13.3</u>	<u>9.6</u>
<u>UNKNOWN</u>	<u>56</u>	<u>31</u>	<u>17</u>	<u>8</u>	<u>0.4</u>	<u>0.3</u>	<u>0.5</u>	<u>5.5</u>

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

## INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 2001**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>3,566</b>	<b>960</b>	<b>2,598</b>	<b>8</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>84.3</b>	<b>42.1</b>	<b>133.4</b>
UNDER 15	38	4	34	0	1.1	0.4	1.3	193.9	153.8	200.0
15-19	633	203	429	1	17.8	21.1	16.5	86.2	70.0	96.6
20-24	1,326	314	1,009	3	37.2	32.7	38.8	92.1	45.9	133.6
25-29	839	205	634	0	23.5	21.4	24.4	79.1	31.3	156.5
30-34	426	125	298	3	11.9	13.0	11.5	65.1	28.1	142.1
35-39	224	82	142	0	6.3	8.5	5.5	83.6	48.0	146.5
40-44	69	24	45	0	1.9	2.5	1.7	142.0	80.8	238.1
45-49	7	2	5	0	0.2	0.2	0.2	333.3	142.8	714.3
UNKNOWN	4	1	2	1	0.1	0.1	0.1			

\* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 2001**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON - WHITE	UNK. RACE	TOTAL	WHITE	NON - WHITE
<u>TOTAL</u>	<u>3,566</u>	<u>960</u>	<u>2,598</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	3,411	882	2,522	7	95.6	91.9	97.1
<u>NONRESIDENT</u>	<u>155</u>	<u>78</u>	<u>76</u>	<u>1</u>	<u>4.3</u>	<u>8.1</u>	<u>2.9</u>
BORDER STATE	146	73	73	0	4.1	7.6	2.8
OTHER STATE	9	5	3	1	0.2	0.5	0.1
<u>MARITAL STATUS</u>							
MARRIED	507	210	294	3	14.2	21.9	11.3
NOT MARRIED	3,047	746	2,296	5	85.4	77.7	88.4
UNKNOWN	10	3	7	0	0.3	0.3	0.3
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	20	5	15	0	0.6	0.5	0.6
7-9 YEARS	125	52	73	0	3.5	5.4	2.8
10, 11 YEARS	337	117	220	0	9.4	12.2	8.5
12 YEARS	1,112	301	809	2	31.2	31.4	31.1
1-3 YEARS COLLEGE	1,402	320	1,079	3	39.3	33.3	41.5
4 OR MORE YEARS COLLEGE	514	140	371	3	14.4	14.6	14.3
UNKNOWN	56	25	31	0	1.6	2.6	1.2
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,213	414	794	5	34.0	43.1	30.6
ONE	1,155	292	863	0	32.4	30.4	33.2
TWO	779	174	602	3	21.8	18.1	23.2
THREE	297	60	237	0	8.3	6.2	9.1
FOUR	92	17	75	0	2.6	1.8	2.9
FIVE OR MORE	29	3	26	0	0.8	0.3	1.0
UNKNOWN	1	0	1	0	*	-	*
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	2,301	660	1,636	5	64.5	68.8	63.0
ONE	961	237	721	3	26.9	24.7	27.8
TWO	233	48	185	0	6.5	5.0	7.1
THREE OR MORE	69	15	54	0	1.9	1.6	2.1
UNKNOWN	2	0	2	0	*	-	0.1

\* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY MEDICAL CHARACTERISTICS AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 2001**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON - WHITE	UNK. RACE	TOTAL	WHITE	NON - WHITE
<u>TOTAL</u>	<u>3,566</u>	<u>960</u>	<u>2,598</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,805	524	1,278	3	50.6	54.6	49.2
9, 10	792	181	608	3	22.2	18.8	23.4
11, 12	501	119	381	1	14.0	12.4	14.7
13-15	321	80	241	0	9.0	8.3	9.3
16-20	48	15	33	0	1.3	1.6	1.3
21 OR MORE	8	3	4	1	0.2	0.3	0.2
UNKNOWN	91	38	53	0	2.6	4.0	2.0
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	3,492	926	2,558	8	97.9	96.4	98.5
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	32	10	22	0	0.9	1.0	0.8
INTRA-UTERINE INSTILLATION	18	9	9	0	0.5	0.9	0.3
SHARP CURRETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	1	1	0	0	**	0.1	-
OTHER	21	13	8	0	0.6	1.4	0.3
UNKNOWN	2	1	1	0	**	0.1	**

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.



**MAJOR TABLES**

**2001**

**TABLE i**  
**2000 CENSUS POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION**  
**MISSISSIPPI**

COUNTY	POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE TOTAL</b>	<b>2,844,658</b>	<b>1,746,099</b>	<b>1,098,559</b>	<b>10.5</b>	<b>6.9</b>	<b>16.9</b>
ADAMS	34,340	15,809	18,531	-2.9	-12.3	6.9
ALCORN	34,558	30,193	4,365	8.9	7.5	20.0
AMITE	13,599	7,673	5,926	2.0	5.5	-2.1
ATTALA	19,661	11,470	8,191	6.4	3.2	11.2
BENTON	8,026	4,954	3,072	-0.2	1.7	-3.3
BOLIVAR	40,633	13,507	27,126	-3.0	-11.5	1.9
CALHOUN	15,069	10,460	4,609	1.1	-3.4	13.0
CARROLL	10,769	6,749	4,020	16.6	21.4	9.3
CHICKASAW	19,440	11,060	8,380	7.5	0.0	19.3
CHOCTAW	9,758	6,638	3,120	7.6	5.0	13.4
CLAIBORNE	11,831	1,796	10,035	4.0	-9.9	7.0
CLARKE	17,955	11,580	6,375	3.7	2.4	6.2
CLAY	21,979	9,411	12,568	4.1	-3.9	10.9
COAHOMA	30,622	8,965	21,657	-3.3	-18.5	4.8
COPIAH	28,757	13,747	15,010	4.2	1.1	7.3
COVINGTON	19,407	12,307	7,100	17.4	15.0	21.8
DESOTO	107,199	91,950	15,249	57.8	56.2	68.5
FORREST	72,604	46,717	25,887	6.3	0.1	19.6
FRANKLIN	8,448	5,305	3,143	0.8	0.3	1.8
GEORGE	19,144	17,110	2,034	14.8	13.9	23.4
GREENE	13,299	9,681	3,618	30.1	21.0	62.9
GRENADA	23,263	13,474	9,789	7.9	7.2	8.9
HANCOCK	42,967	38,752	4,215	35.3	35.4	34.4
HARRISON	189,601	138,692	50,909	14.6	8.7	34.9
HINDS	250,800	93,584	157,216	-1.4	-24.0	19.8
HOLMES	21,609	4,424	17,185	*	-14.5	4.6
HUMPHREYS	11,206	3,045	8,161	-7.6	-21.0	-1.4
ISSAQUENA	2,274	826	1,448	19.1	-0.8	34.6
ITAWAMBA	22,770	21,055	1,715	13.8	13.2	20.7
JACKSON	131,420	99,026	32,394	14.0	9.9	28.9
JASPER	18,149	8,433	9,716	6.0	0.3	11.6
JEFFERSON	9,740	1,272	8,468	12.6	7.3	13.4
JEFF DAVIS	13,962	5,816	8,146	-0.6	-8.1	5.5
JONES	64,958	46,192	18,766	4.7	*	18.5
KEMPER	10,453	4,080	6,373	0.9	-7.4	7.1
LAFAYETTE	38,744	27,838	10,906	21.7	20.2	25.7
LAMAR	39,070	33,342	5,728	28.4	25.4	49.8
LAUDERDALE	78,161	47,013	31,148	3.4	-3.5	16.0
LAWRENCE	13,258	8,875	4,383	6.4	6.9	5.4
LEAKE	20,940	11,755	9,185	13.6	6.0	25.0
LEE	75,755	55,800	19,955	15.5	8.8	39.3
LEFLORE	37,947	11,384	26,563	1.6	-21.6	16.4

TABLE i - PAGE 2  
2000 CENSUS POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	33,166	23,010	10,156	9.5	8.7	11.4
LOWNDES	61,586	34,775	26,811	3.8	-5.3	18.8
MADISON	74,674	45,021	29,653	38.8	51.1	23.5
MARION	25,595	17,138	8,457	0.2	-3.4	8.3
MARSHALL	34,993	16,925	18,068	15.2	14.0	16.4
MONROE	38,014	25,991	12,023	3.9	2.4	7.5
MONTGOMERY	12,189	6,613	5,576	-1.6	-4.4	1.9
NESHOBA	28,684	18,788	9,896	15.7	10.9	26.0
NEWTON	21,838	14,197	7,641	7.6	3.6	15.9
NOXUBEE	12,548	3,700	8,848	-0.4	-6.5	2.3
OKTIBBEHA	42,902	25,167	17,735	11.8	4.6	23.9
PANOLA	34,274	17,302	16,972	14.3	12.5	16.1
PEARL RIVER	48,621	41,596	7,025	25.6	26.5	20.6
PERRY	12,138	9,245	2,893	11.7	10.9	14.2
PIKE	38,940	19,955	18,985	5.6	0.1	12.0
PONTOTOC	26,726	22,557	4,169	20.2	19.2	25.6
PRENTISS	25,556	21,940	3,616	9.8	7.1	29.1
QUITMAN	10,117	3,083	7,034	-3.6	-27.5	12.7
RANKIN	115,327	93,450	21,877	32.3	29.7	44.6
SCOTT	28,423	16,258	12,165	17.8	9.6	30.7
SHARKEY	6,580	1,932	4,648	-6.9	-17.4	-1.7
SIMPSON	27,639	17,796	9,843	15.4	10.4	25.7
SMITH	16,182	12,316	3,866	9.4	6.9	17.8
STONE	13,622	10,818	2,804	26.7	29.4	17.4
SUNFLOWER	34,369	9,927	24,442	4.6	-14.5	15.0
TALLAHATCHIE	14,903	5,904	8,999	-2.0	-5.6	0.5
TATE	25,370	17,211	8,159	18.4	23.4	9.0
TIPPAH	20,826	17,046	3,780	6.7	4.9	15.5
TISHOMINGO	19,163	18,192	971	8.4	6.9	44.3
TUNICA	9,227	2,541	6,686	13.0	27.6	8.3
UNION	25,362	21,156	4,206	14.8	12.5	28.2
WALTHALL	15,156	8,277	6,879	5.6	0.3	12.8
WARREN	49,644	27,288	22,356	3.7	-5.5	17.6
WASHINGTON	62,977	21,393	41,584	-7.3	-24.5	5.0
WAYNE	21,216	13,004	8,212	8.7	4.0	17.1
WEBSTER	10,294	7,983	2,311	0.7	0.4	1.8
WILKINSON	10,312	3,219	7,093	6.6	3.1	8.2
WINSTON	20,160	11,141	9,019	3.7	-0.1	8.9
YALOBUSHA	13,051	7,891	5,160	8.5	5.5	13.3
YAZOO	28,149	12,593	15,556	10.4	5.3	14.8

\* LESS THAN 0.06 PERCENT CHANGE.

**TABLE 1A**  
**LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 2001**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>41,145</u>	<u>21,509</u>	<u>19,636</u>	<u>42,277</u>	<u>22,798</u>	<u>19,479</u>	<u>14.9</u>	<u>13.0</u>	<u>17.7</u>
ADAMS	935	345	590	449	152	297	13.1	9.6	16.0
ALCORN	581	487	94	488	407	81	14.1	13.5	18.6
AMITE	1	1	0	177	90	87	13.0	11.7	14.7
ATTALA	204	76	128	284	139	145	14.4	12.1	17.7
BENTON	0	0	0	111	65	46	13.8	13.1	15.0
BOLIVAR	668	154	514	643	160	483	15.8	11.8	17.8
CALHOUN	0	0	0	218	144	74	14.5	13.8	16.0
CARROLL	0	0	0	107	60	47	9.9	8.9	11.7
CHICKASAW	2	0	2	316	148	168	16.2	13.4	20.0
CHOCTAW	1	1	0	94	58	36	9.6	8.7	11.5
CLAIBORNE	2	0	2	170	19	151	14.4	10.6	15.0
CLARKE	0	0	0	246	139	107	13.7	12.0	16.8
CLAY	439	147	292	327	99	228	14.9	10.5	18.1
COAHOMA	986	159	827	570	88	482	18.6	9.8	22.2
COPIAH	112	36	76	424	169	255	14.7	12.3	17.0
COVINGTON	105	34	71	317	185	132	16.3	15.0	18.6
DESOTO	1,355	760	595	1,759	1,491	268	16.4	16.2	17.6
FORREST	2,767	1,903	864	1,052	578	474	14.5	12.4	18.3
FRANKLIN	0	0	0	117	68	49	13.8	12.8	15.6
GEORGE	196	163	33	328	292	36	17.1	17.1	17.7
GREENE	0	0	0	145	112	33	10.9	11.6	9.1
GRENADA	668	332	336	285	149	136	12.2	11.0	13.9
HANCOCK	369	329	40	532	488	44	12.4	12.6	10.4
HARRISON	3,505	2,476	1,029	2,841	1,927	914	15.0	13.9	18.0
HINDS	6,319	2,040	4,279	3,841	1,002	2,839	15.3	10.7	18.0
HOLMES	49	2	47	386	45	341	17.9	10.2	19.8
HUMPHREYS	1	0	1	225	35	190	20.1	11.5	23.3
ISSAQUENA	0	0	0	18	2	16	7.9	2.4	11.0
ITAWAMBA	0	0	0	270	250	20	11.8	11.9	11.7
JACKSON	1,262	846	416	1,874	1,321	553	14.3	13.3	17.1
JASPER	1	0	1	279	115	164	15.4	13.6	16.9
JEFFERSON	0	0	0	134	8	126	13.8	6.3	14.9
JEFF DAVIS	1	0	1	171	71	100	12.2	12.2	12.3
JONES	1,033	488	545	1,004	641	363	15.4	13.9	19.3
KEMPER	0	0	0	136	43	93	13.0	10.5	14.6
LAFAYETTE	804	457	347	448	261	187	11.6	9.4	17.1
LAMAR	756	549	207	624	515	109	16.0	15.4	19.0
LAUDERDALE	2,532	1,353	1,179	1,218	602	616	15.6	12.8	19.8
LAWRENCE	2	1	1	199	114	85	15.0	12.8	19.4
LEAKE	3	2	1	356	189	167	17.0	16.1	18.2
LEE	2,515	1,888	627	1,225	834	391	16.2	14.9	19.6
LEFLORE	733	132	601	579	133	446	15.2	11.7	16.8

TABLE 1A - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 2001

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	568	353	215	460	298	162	13.9	13.0	16.0
LOWNDES	970	437	533	926	468	458	15.0	13.4	17.1
MADISON	311	3	308	1,269	676	593	17.0	15.0	20.0
MARION	3	2	1	338	204	134	13.2	11.9	15.8
MARSHALL	2	2	0	515	235	280	14.7	13.9	15.5
MONROE	688	476	212	508	326	182	13.4	12.5	15.1
MONTGOMERY	0	0	0	151	65	86	12.4	9.8	15.4
NESHOBA	5	2	3	482	247	235	16.8	13.1	23.7
NEWTON	0	0	0	316	183	133	14.5	12.9	17.4
NOXUBEE	1	0	1	220	48	172	17.5	13.0	19.4
OKTIBBEHA	1,075	508	567	550	240	310	12.8	9.5	17.5
PANOLA	277	84	193	614	234	380	17.9	13.5	22.4
PEARL RIVER	317	232	85	645	531	114	13.3	12.8	16.2
PERRY	0	0	0	168	128	40	13.8	13.8	13.8
PIKE	912	416	496	632	258	374	16.2	12.9	19.7
PONTOTOC	6	6	0	353	294	59	13.2	13.0	14.2
PRENTISS	0	0	0	301	240	61	11.8	10.9	16.9
QUITMAN	0	0	0	174	24	150	17.2	7.8	21.3
RANKIN	3,113	2,295	818	1,687	1,344	343	14.6	14.4	15.7
SCOTT	6	3	3	437	256	181	15.4	15.7	14.9
SHARKEY	0	0	0	115	33	82	17.5	17.1	17.6
SIMPSON	135	67	68	387	227	160	14.0	12.8	16.2
SMITH	1	1	0	213	153	60	13.2	12.4	15.5
STONE	0	0	0	190	145	45	13.9	13.4	16.0
SUNFLOWER	366	56	310	490	87	403	14.2	8.8	16.5
TALLAHATCHIE	2	0	2	208	57	151	14.0	9.6	16.8
TATE	6	2	4	375	254	121	14.8	14.8	14.8
TIPPAH	1	1	0	318	265	53	15.3	15.5	14.0
TISHOMINGO	0	0	0	211	204	7	11.0	11.2	7.2
TUNICA	0	0	0	185	21	164	20.0	8.3	24.5
UNION	821	585	236	367	289	78	14.5	13.7	18.5
WALTHALL	2	2	0	211	100	111	13.9	12.1	16.1
WARREN	1,115	348	767	740	324	416	14.9	11.9	18.6
WASHINGTON	1,160	313	847	1,070	253	817	17.0	11.8	19.6
WAYNE	287	131	156	314	170	144	14.8	13.1	17.5
WEBSTER	0	0	0	150	114	36	14.6	14.3	15.6
WILKINSON	73	19	54	138	35	103	13.4	10.9	14.5
WINSTON	2	0	2	271	126	145	13.4	11.3	16.1
YALOBUSHA	1	0	1	177	92	85	13.6	11.6	16.5
YAZOO	12	4	8	414	142	272	14.7	11.3	17.5
OUT OF STATE	2,467	2,076	391	1,335	787	548			

\* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 2001

TOWN**	NUMBER		
	TOTAL	WHITE	NON - WHITE
BILOXI	876	593	283
BRANDON	361	281	80
BROOKHAVEN	150	60	90
CANTON	251	29	222
CLARKSDALE	357	52	305
CLEVELAND	242	78	164
CLINTON	285	188	97
COLUMBUS	423	142	281
CORINTH	204	136	68
GAUTIER	247	163	84
GREENVILLE	759	144	615
GREENWOOD	378	77	301
GRENADA	188	78	110
GULFPORT	1,090	622	468
HATTIESBURG	694	262	432
INDIANOLA	213	28	185
JACKSON	2,988	491	2,497
LAUREL	357	129	228
LONG BEACH	194	153	41
MCCOMB	272	71	201
MERIDIAN	702	220	482
MOSS POINT	320	136	184
NATCHEZ	255	69	186
OCEAN SPRINGS	283	245	38
PASCAGOULA	385	215	170
PEARL	356	273	83
PICAYUNE	209	135	74
RIDGELAND	360	252	108
SOUTHAVEN	463	424	39
STARKVILLE	351	137	214
TUPELO	547	306	241
VICKSBURG	450	113	337
YAZOO CITY	227	40	187

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B**  
**FERTILITY RATES\*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
STATE	66.6	63.0	71.4				
ADAMS	62.2	52.6	68.6	LINCOLN	65.6	65.7	65.4
ALCORN	69.3	67.9	77.4	LOWNDES	63.9	62.7	65.2
AMITE	64.5	64.7	64.3	MADISON	70.6	66.0	76.7
ATTALA	72.1	67.7	76.9	MARION	62.8	58.8	70.2
BENTON	67.7	70.3	64.2	MARSHALL	67.6	71.2	64.9
BOLIVAR	65.8	53.3	71.4	MONROE	63.1	63.9	61.8
CALHOUN	71.9	75.0	66.6	MONTGOMERY	59.7	54.3	64.6
CARROLL	50.0	45.4	57.2	NESHOBA	79.9	67.6	98.6
CHICKASAW	77.7	70.6	85.2	NEWTON	68.3	65.6	72.4
CHOCTAW	48.2	47.5	49.5	NOXUBEE	80.0	75.0	81.5
CLAIBORNE	53.1	70.9	51.5	OKTIBBEHA	45.7	35.4	59.0
CLARKE	66.4	63.9	70.0	PANOLA	80.8	69.7	89.6
CLAY	67.5	56.1	74.1	PEARL RIVER	63.2	62.3	67.5
COAHOMA	83.0	56.1	91.0	PERRY	62.1	64.0	56.6
COPIAH	65.5	62.4	67.7	PIKE	75.2	67.5	81.5
COVINGTON	77.1	76.4	78.3	PONTOTOC	61.4	62.6	56.1
DESOTO	73.0	73.3	71.6	PRENTISS	54.9	53.3	62.4
FORREST	55.7	50.1	64.6	QUITMAN	79.1	49.4	87.5
FRANKLIN	65.0	66.2	63.4	RANKIN	62.9	63.3	61.3
GEORGE	82.0	81.7	84.9	SCOTT	72.7	80.1	64.3
GREENE	60.4	58.8	66.7	SHARKEY	79.1	95.1	74.1
GRENADA	57.3	57.6	57.0	SIMPSON	66.6	64.3	70.0
HANCOCK	62.2	64.0	47.8	SMITH	64.7	64.1	66.3
HARRISON	66.8	64.4	72.4	STONE	63.8	65.0	60.2
HINDS	63.8	53.4	68.6	SUNFLOWER	69.3	52.1	74.6
HOLMES	77.0	56.2	81.0	TALLAHATCHIE	64.4	55.1	68.8
HUMPHREYS	87.5	61.5	94.8	TATE	66.7	72.0	57.8
ISSAQUENA	40.9	13.8	54.2	TIPPAH	71.4	75.2	57.0
ITAWAMBA	56.6	57.8	45.0	TISHOMINGO	56.4	57.6	34.3
JACKSON	65.3	63.6	69.9	TUNICA	87.2	46.0	98.5
JASPER	72.1	72.1	72.2	UNION	68.3	66.0	78.3
JEFFERSON	63.8	42.6	65.9	WALTHALL	67.3	64.6	69.9
JEFF DAVIS	57.6	68.9	51.6	WARREN	66.4	58.7	73.9
JONES	72.6	68.6	80.8	WASHINGTON	75.1	63.0	79.9
KEMPER	59.9	59.1	60.3	WAYNE	66.9	64.7	69.6
LAFAYETTE	41.0	33.7	58.6	WEBSTER	70.9	73.8	63.2
LAMAR	67.0	66.5	69.6	WILKINSON	69.8	69.7	69.9
LAUDERDALE	71.9	65.1	80.1	WINSTON	67.4	64.4	70.3
LAWRENCE	70.3	64.7	79.5	YALOBUSHA	66.3	66.0	66.7
LEAKE	84.5	86.6	82.2	YAZOO	72.9	66.7	76.6
LEE	72.2	70.4	76.4				
LEFLORE	67.5	65.3	68.2				

\* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (2000 CENSUS POPULATION).

**TABLE 2**  
**LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,**  
**ALSO BY COUNTY OF RESIDENCE AND SEX,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	<u>42,277</u>	<u>75</u>	<u>0</u>	<u>4</u>	<u>71</u>	<u>51</u>	<u>0</u>	<u>6</u>	<u>45</u>	<u>21,516</u>	<u>20,761</u>
ADAMS	449	152	151	0	1	297	295	0	2	213	236
ALCORN	488	407	407	0	0	81	81	0	0	230	258
AMITE	177	90	89	0	1	87	87	0	0	81	96
ATTALA	284	139	139	0	0	145	144	0	1	143	141
BENTON	111	65	65	0	0	46	46	0	0	54	57
BOLIVAR	643	160	160	0	0	483	483	0	0	330	313
CALHOUN	218	144	144	0	0	74	74	0	0	119	99
CARROLL	107	60	60	0	0	47	47	0	0	52	55
CHICKASAW	316	148	147	1	0	168	167	0	1	160	156
CHOCTAW	94	58	57	0	1	36	36	0	0	50	44
CLAIBORNE	170	19	19	0	0	151	149	0	2	85	85
CLARKE	246	139	139	0	0	107	107	0	0	112	134
CLAY	327	99	98	0	1	228	227	0	1	163	164
COAHOMA	570	88	88	0	0	482	481	1	0	325	245
COPIAH	424	169	169	0	0	255	255	0	0	206	218
COVINGTON	317	185	185	0	0	132	132	0	0	150	167
DESOTO	1,759	1,491	1,487	0	4	268	267	0	1	899	860
FORREST	1,052	578	575	0	3	474	473	0	1	535	517
FRANKLIN	117	68	68	0	0	49	49	0	0	58	59
GEORGE	328	292	292	0	0	36	36	0	0	173	155
GREENE	145	112	112	0	0	33	33	0	0	94	51
GRENADA	285	149	149	0	0	136	136	0	0	147	138
HANCOCK	532	488	486	0	2	44	44	0	0	281	251
HARRISON	2,841	1,927	1,920	0	7	914	913	0	1	1,478	1,363



TABLE 2 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 2001

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,841	1,002	998	0	4	2,839	2,834	0	5	1,953	1,888
HOLMES	386	45	45	0	0	341	339	1	1	194	192
HUMPHREYS	225	35	35	0	0	190	190	0	0	101	124
ISSAQUENA	18	2	2	0	0	16	16	0	0	11	7
ITAWAMBA	270	250	250	0	0	20	20	0	0	143	127
JACKSON	1,874	1,321	1,317	0	4	553	552	0	1	988	886
JASPER	279	115	115	0	0	164	163	0	1	131	148
JEFFERSON	134	8	8	0	0	126	126	0	0	68	66
JEFF DAVIS	171	71	71	0	0	100	100	0	0	84	87
JONES	1,004	641	637	0	4	363	363	0	0	491	513
KEMPER	136	43	42	1	0	93	93	0	0	67	69
LAFAYETTE	448	261	260	0	1	187	186	0	1	228	220
LAMAR	624	515	514	0	1	109	109	0	0	314	310
LAUDERDALE	1,218	602	601	0	1	616	615	0	1	640	578
LAWRENCE	199	114	113	0	1	85	84	1	0	96	103
LEAKE	356	189	188	0	1	167	165	0	2	179	177
LEE	1,225	834	833	0	1	391	390	1	0	653	572
LEFLORE	579	133	133	0	0	446	445	0	1	283	296
LINCOLN	460	298	298	0	0	162	162	0	0	236	224
LOWNDES	926	468	466	1	1	458	457	0	1	479	447
MADISON	1,269	676	675	0	1	593	592	0	1	638	631
MARION	338	204	203	0	1	134	133	0	1	176	162
MARSHALL	515	235	233	0	2	280	280	0	0	250	265
MONROE	508	326	325	0	1	182	182	0	0	260	248
MONTGOMERY	151	65	65	0	0	86	86	0	0	92	59
NESHOBA	482	247	246	0	1	235	235	0	0	255	227
NEWTON	316	183	183	0	0	133	133	0	0	158	158
NOXUBEE	220	48	48	0	0	172	171	0	1	104	116
OKTIBBEHA	550	240	240	0	0	310	309	0	1	280	270
PANOLA	614	234	231	0	3	380	377	1	2	323	291

TABLE 2 - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 2001

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	645	531	530	0	1	114	112	0	2	315	330
PERRY	168	128	128	0	0	40	40	0	0	89	79
PIKE	632	258	258	0	0	374	374	0	0	306	326
PONTOTOC	353	294	287	1	6	59	59	0	0	174	179
PRENTISS	301	240	240	0	0	61	61	0	0	151	150
QUITMAN	174	24	24	0	0	150	149	1	0	103	71
RANKIN	1,687	1,344	1,340	0	4	343	343	0	0	843	844
SCOTT	437	256	255	0	1	181	181	0	0	240	197
SHARKEY	115	33	33	0	0	82	82	0	0	63	52
SIMPSON	387	227	226	0	1	160	160	0	0	189	198
SMITH	213	153	152	0	1	60	60	0	0	98	115
STONE	190	145	145	0	0	45	45	0	0	93	97
SUNFLOWER	490	87	87	0	0	403	402	0	1	239	251
TALLAHATCHIE	208	57	57	0	0	151	149	0	2	111	97
TATE	375	254	252	0	2	121	120	0	1	197	178
TIPPAH	318	265	264	0	1	53	53	0	0	162	156
TISHOMINGO	211	204	204	0	0	7	7	0	0	104	107
TUNICA	185	21	21	0	0	164	164	0	0	75	110
UNION	367	289	289	0	0	78	78	0	0	196	171
WALTHALL	211	100	97	0	3	111	111	0	0	121	90
WARREN	740	324	323	0	1	416	411	0	5	394	346
WASHINGTON	1,070	253	253	0	0	817	816	0	1	532	538
WAYNE	314	170	169	0	1	144	144	0	0	149	165
WEBSTER	150	114	114	0	0	36	36	0	0	68	82
WILKINSON	138	35	35	0	0	103	102	0	1	67	71
WINSTON	271	126	126	0	0	145	144	0	1	128	143
YALOBUSHA	177	92	92	0	0	85	84	0	1	82	95
YAZOO	414	142	141	0	1	272	272	0	0	214	200

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A**  
**TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>42,277</b>	<b>196</b>	<b>7,340</b>	<b>14,399</b>	<b>10,607</b>	<b>6,545</b>	<b>2,678</b>	<b>486</b>	<b>21</b>	<b>5</b>
ADAMS	449	3	73	181	108	58	23	2	1	0
ALCORN	488	2	65	174	139	77	26	5	0	0
AMITE	177	0	21	59	49	34	13	0	1	0
ATTALA	284	3	35	119	54	48	22	3	0	0
BENTON	111	0	28	37	31	10	5	0	0	0
BOLIVAR	643	7	146	255	124	74	33	4	0	0
CALHOUN	218	0	47	75	59	26	9	2	0	0
CARROLL	107	0	20	43	20	11	11	2	0	0
CHICKASAW	316	2	64	111	62	50	24	3	0	0
CHOCTAW	94	0	19	30	25	15	4	1	0	0
CLAIBORNE	170	0	35	64	38	21	9	3	0	0
CLARKE	246	1	45	85	63	39	8	5	0	0
CLAY	327	5	67	120	66	46	18	5	0	0
COAHOMA	570	6	166	235	96	44	16	6	1	0
COPIAH	424	1	76	156	107	57	21	6	0	0
COVINGTON	317	0	62	115	81	42	16	1	0	0
DESOTO	1,759	0	202	462	541	404	134	14	2	0
FORREST	1,052	4	187	374	264	146	64	13	0	0
FRANKLIN	117	0	28	42	24	13	8	2	0	0
GEORGE	328	1	65	120	95	34	12	1	0	0
GREENE	145	1	27	48	39	18	10	1	1	0
GRENADA	285	0	58	86	68	55	16	2	0	0
HANCOCK	532	2	88	147	131	104	43	16	1	0
HARRISON	2,841	9	440	978	701	469	195	47	2	0
HINDS	3,841	25	649	1,211	986	604	322	43	0	1
HOLMES	386	6	91	141	89	45	11	3	0	0
HUMPHREYS	225	5	71	77	45	19	7	1	0	0
ISSAQUENA	18	0	4	6	5	3	0	0	0	0
ITAWAMBA	270	0	42	91	75	41	18	3	0	0
JACKSON	1,874	4	312	599	523	277	132	24	1	2
JASPER	279	3	45	100	80	35	13	3	0	0
JEFFERSON	134	0	34	47	23	21	7	2	0	0
JEFF DAVIS	171	1	32	65	44	18	10	1	0	0
JONES	1,004	2	184	376	238	137	52	15	0	0
KEMPER	136	0	25	48	33	19	8	3	0	0
LAFAYETTE	448	2	52	129	123	98	35	7	2	0
LAMAR	624	1	83	161	182	126	60	11	0	0
LAUDERDALE	1,218	3	204	364	331	228	74	14	0	0
LAWRENCE	199	1	33	81	43	28	12	1	0	0
LEAKE	356	1	57	138	93	50	13	3	0	1
LEE	1,225	5	184	406	292	225	99	10	4	0
LEFLORE	579	6	125	228	130	60	26	3	0	1

TABLE 3A - PAGE 2  
TOTAL LIVE BIRTHS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	460	0	73	146	156	56	24	5	0	0
LOWNDES	926	5	161	317	233	147	54	8	1	0
MADISON	1,269	4	122	304	332	347	136	23	1	0
MARION	338	1	63	138	85	38	10	3	0	0
MARSHALL	515	1	111	202	102	66	25	8	0	0
MONROE	508	1	77	184	137	81	23	5	0	0
MONTGOMERY	151	1	23	58	36	21	9	3	0	0
NESHOBA	482	1	90	179	125	49	32	6	0	0
NEWTON	316	1	46	114	90	43	19	3	0	0
NOXUBEE	220	1	43	75	55	30	14	2	0	0
OKTIBBEHA	550	1	82	174	156	98	34	5	0	0
PANOLA	614	5	130	221	139	76	38	5	0	0
PEARL RIVER	645	1	94	233	176	88	40	13	0	0
PERRY	168	0	28	67	34	23	15	1	0	0
PIKE	632	2	113	235	164	80	31	7	0	0
PONTOTOC	353	2	57	126	85	52	26	5	0	0
PRENTISS	301	4	53	103	68	48	24	1	0	0
QUITMAN	174	4	51	61	40	12	6	0	0	0
RANKIN	1,687	1	198	456	499	389	130	13	1	0
SCOTT	437	7	86	165	97	58	23	1	0	0
SHARKEY	115	0	21	46	20	18	9	1	0	0
SIMPSON	387	1	69	151	93	51	18	4	0	0
SMITH	213	0	36	58	73	34	10	2	0	0
STONE	190	0	26	67	49	31	15	1	1	0
SUNFLOWER	490	3	135	205	79	45	20	3	0	0
TALLAHATCHIE	208	3	60	84	36	15	8	2	0	0
TATE	375	1	65	127	102	64	12	4	0	0
TIPPAH	318	0	46	137	68	46	18	3	0	0
TISHOMINGO	211	1	31	66	63	33	16	1	0	0
TUNICA	185	1	56	81	29	12	6	0	0	0
UNION	367	1	67	127	86	57	22	7	0	0
WALTHALL	211	0	30	98	46	26	10	1	0	0
WARREN	740	2	131	257	195	95	42	17	1	0
WASHINGTON	1,070	12	251	417	221	113	45	11	0	0
WAYNE	314	3	70	115	72	40	10	4	0	0
WEBSTER	150	0	32	60	34	21	3	0	0	0
WILKINSON	138	1	35	54	17	15	13	3	0	0
WINSTON	271	3	51	91	68	33	20	5	0	0
YALOBUSHA	177	1	43	60	37	22	11	3	0	0
YAZOO	414	8	93	156	90	43	18	6	0	0

**TABLE 3B**  
**LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>22,798</b>	<b>26</b>	<b>2,900</b>	<b>6,844</b>	<b>6,556</b>	<b>4,448</b>	<b>1,709</b>	<b>297</b>	<b>14</b>	<b>4</b>
ADAMS	152	0	11	47	50	34	9	1	0	0
ALCORN	407	0	48	137	125	70	24	3	0	0
AMITE	90	0	7	25	31	22	5	0	0	0
ATTALA	139	0	15	58	26	28	10	2	0	0
BENTON	65	0	14	23	17	7	4	0	0	0
BOLIVAR	160	1	10	53	50	31	14	1	0	0
CALHOUN	144	0	28	52	42	18	4	0	0	0
CARROLL	60	0	9	25	14	4	7	1	0	0
CHICKASAW	148	1	28	48	35	23	12	1	0	0
CHOCTAW	58	0	10	18	20	9	1	0	0	0
CLAIBORNE	19	0	1	7	6	3	1	1	0	0
CLARKE	139	0	23	52	38	20	4	2	0	0
CLAY	99	0	9	36	22	23	7	2	0	0
COAHOMA	88	0	16	20	23	18	8	2	1	0
COPIAH	169	0	23	55	49	30	11	1	0	0
COVINGTON	185	0	31	53	53	35	12	1	0	0
DESOTO	1,491	0	164	376	478	345	113	14	1	0
FORREST	578	0	83	186	156	100	43	10	0	0
FRANKLIN	68	0	12	22	19	10	4	1	0	0
GEORGE	292	1	54	108	87	30	11	1	0	0
GREENE	112	0	18	34	36	15	7	1	1	0
GRENADA	149	0	18	39	46	34	11	1	0	0
HANCOCK	488	2	79	129	124	98	40	15	1	0
HARRISON	1,927	2	256	630	501	353	151	33	1	0
HINDS	1,002	0	69	197	343	250	126	16	0	1
HOLMES	45	0	1	9	16	17	1	1	0	0
HUMPHREYS	35	0	5	7	20	1	2	0	0	0
ISSAQUENA	2	0	0	1	0	1	0	0	0	0
ITAWAMBA	250	0	39	84	68	40	17	2	0	0
JACKSON	1,321	1	195	402	388	214	100	18	1	2
JASPER	115	0	15	31	42	21	6	0	0	0
JEFFERSON	8	0	1	3	0	4	0	0	0	0
JEFF DAVIS	71	0	11	24	22	9	5	0	0	0
JONES	641	0	98	221	163	108	39	12	0	0
KEMPER	43	0	5	16	11	4	5	2	0	0
LAFAYETTE	261	0	16	59	82	66	30	6	2	0
LAMAR	515	0	68	129	144	113	51	10	0	0
LAUDERDALE	602	0	62	143	184	158	47	8	0	0
LAWRENCE	114	1	18	45	26	17	6	1	0	0
LEAKE	189	0	28	69	49	34	7	1	0	1
LEE	834	2	105	242	216	186	73	6	4	0
LEFLORE	133	0	18	42	41	24	8	0	0	0

TABLE 3B - PAGE 2  
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	298	0	30	79	120	45	22	2	0	0
LOWNDES	468	0	51	144	141	100	27	5	0	0
MADISON	676	0	24	101	189	246	101	14	1	0
MARION	204	1	39	70	58	27	7	2	0	0
MARSHALL	235	0	32	86	65	37	11	4	0	0
MONROE	326	0	48	104	93	66	11	4	0	0
MONTGOMERY	65	0	6	21	19	12	4	3	0	0
NESHOBA	247	1	35	89	75	29	15	3	0	0
NEWTON	183	0	24	56	62	30	10	1	0	0
NOXUBEE	48	0	1	11	19	13	4	0	0	0
OKTIBBEHA	240	0	16	58	88	59	17	2	0	0
PANOLA	234	1	32	79	63	39	17	3	0	0
PEARL RIVER	531	0	71	187	154	73	35	11	0	0
PERRY	128	0	22	44	30	18	13	1	0	0
PIKE	258	1	38	77	75	47	17	3	0	0
PONTOTOC	294	2	40	103	72	50	23	4	0	0
PRENTISS	240	3	42	80	54	42	18	1	0	0
QUITMAN	24	0	3	8	7	3	3	0	0	0
RANKIN	1,344	0	149	334	416	327	107	11	0	0
SCOTT	256	4	45	96	56	42	12	1	0	0
SHARKEY	33	0	1	10	8	8	6	0	0	0
SIMPSON	227	1	31	87	57	37	12	2	0	0
SMITH	153	0	24	42	47	30	8	2	0	0
STONE	145	0	19	51	38	21	14	1	1	0
SUNFLOWER	87	0	8	34	23	14	7	1	0	0
TALLAHATCHIE	57	0	9	20	16	8	2	2	0	0
TATE	254	0	26	83	83	50	9	3	0	0
TIPPAH	265	0	35	115	54	43	15	3	0	0
TISHOMINGO	204	0	31	64	61	32	15	1	0	0
TUNICA	21	0	6	5	3	6	1	0	0	0
UNION	289	0	47	95	75	45	20	7	0	0
WALTHALL	100	0	10	38	26	18	7	1	0	0
WARREN	324	0	47	95	97	56	23	6	0	0
WASHINGTON	253	0	37	84	69	44	16	3	0	0
WAYNE	170	1	28	55	46	32	4	4	0	0
WEBSTER	114	0	19	47	29	17	2	0	0	0
WILKINSON	35	0	6	10	10	4	5	0	0	0
WINSTON	126	0	13	41	35	17	16	4	0	0
YALOBUSHA	92	0	14	36	17	15	8	2	0	0
YAZOO	142	0	20	48	43	19	9	3	0	0

**TABLE 3C**  
**LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>19,479</b>	<b>170</b>	<b>4,440</b>	<b>7,555</b>	<b>4,051</b>	<b>2,097</b>	<b>969</b>	<b>189</b>	<b>7</b>	<b>1</b>
ADAMS	297	3	62	134	58	24	14	1	1	0
ALCORN	81	2	17	37	14	7	2	2	0	0
AMITE	87	0	14	34	18	12	8	0	1	0
ATTALA	145	3	20	61	28	20	12	1	0	0
BENTON	46	0	14	14	14	3	1	0	0	0
BOLIVAR	483	6	136	202	74	43	19	3	0	0
CALHOUN	74	0	19	23	17	8	5	2	0	0
CARROLL	47	0	11	18	6	7	4	1	0	0
CHICKASAW	168	1	36	63	27	27	12	2	0	0
CHOCTAW	36	0	9	12	5	6	3	1	0	0
CLAIBORNE	151	0	34	57	32	18	8	2	0	0
CLARKE	107	1	22	33	25	19	4	3	0	0
CLAY	228	5	58	84	44	23	11	3	0	0
COAHOMA	482	6	150	215	73	26	8	4	0	0
COPIAH	255	1	53	101	58	27	10	5	0	0
COVINGTON	132	0	31	62	28	7	4	0	0	0
DESOTO	268	0	38	86	63	59	21	0	1	0
FORREST	474	4	104	188	108	46	21	3	0	0
FRANKLIN	49	0	16	20	5	3	4	1	0	0
GEORGE	36	0	11	12	8	4	1	0	0	0
GREENE	33	1	9	14	3	3	3	0	0	0
GRENADA	136	0	40	47	22	21	5	1	0	0
HANCOCK	44	0	9	18	7	6	3	1	0	0
HARRISON	914	7	184	348	200	116	44	14	1	0
HINDS	2,839	25	580	1,014	643	354	196	27	0	0
HOLMES	341	6	90	132	73	28	10	2	0	0
HUMPHREYS	190	5	66	70	25	18	5	1	0	0
ISSAQUENA	16	0	4	5	5	2	0	0	0	0
ITAWAMBA	20	0	3	7	7	1	1	1	0	0
JACKSON	553	3	117	197	135	63	32	6	0	0
JASPER	164	3	30	69	38	14	7	3	0	0
JEFFERSON	126	0	33	44	23	17	7	2	0	0
JEFF DAVIS	100	1	21	41	22	9	5	1	0	0
JONES	363	2	86	155	75	29	13	3	0	0
KEMPER	93	0	20	32	22	15	3	1	0	0
LAFAYETTE	187	2	36	70	41	32	5	1	0	0
LAMAR	109	1	15	32	38	13	9	1	0	0
LAUDERDALE	616	3	142	221	147	70	27	6	0	0
LAWRENCE	85	0	15	36	17	11	6	0	0	0
LEAKE	167	1	29	69	44	16	6	2	0	0
LEE	391	3	79	164	76	39	26	4	0	0
LEFLORE	446	6	107	186	89	36	18	3	0	1

TABLE 3C - PAGE 2  
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	162	0	43	67	36	11	2	3	0	0
LOWNDES	458	5	110	173	92	47	27	3	1	0
MADISON	593	4	98	203	143	101	35	9	0	0
MARION	134	0	24	68	27	11	3	1	0	0
MARSHALL	280	1	79	116	37	29	14	4	0	0
MONROE	182	1	29	80	44	15	12	1	0	0
MONTGOMERY	86	1	17	37	17	9	5	0	0	0
NESHOBA	235	0	55	90	50	20	17	3	0	0
NEWTON	133	1	22	58	28	13	9	2	0	0
NOXUBEE	172	1	42	64	36	17	10	2	0	0
OKTIBBEHA	310	1	66	116	68	39	17	3	0	0
PANOLA	380	4	98	142	76	37	21	2	0	0
PEARL RIVER	114	1	23	46	22	15	5	2	0	0
PERRY	40	0	6	23	4	5	2	0	0	0
PIKE	374	1	75	158	89	33	14	4	0	0
PONTOTOC	59	0	17	23	13	2	3	1	0	0
PRENTISS	61	1	11	23	14	6	6	0	0	0
QUITMAN	150	4	48	53	33	9	3	0	0	0
RANKIN	343	1	49	122	83	62	23	2	1	0
SCOTT	181	3	41	69	41	16	11	0	0	0
SHARKEY	82	0	20	36	12	10	3	1	0	0
SIMPSON	160	0	38	64	36	14	6	2	0	0
SMITH	60	0	12	16	26	4	2	0	0	0
STONE	45	0	7	16	11	10	1	0	0	0
SUNFLOWER	403	3	127	171	56	31	13	2	0	0
TALLAHATCHIE	151	3	51	64	20	7	6	0	0	0
TATE	121	1	39	44	19	14	3	1	0	0
TIPPAH	53	0	11	22	14	3	3	0	0	0
TISHOMINGO	7	1	0	2	2	1	1	0	0	0
TUNICA	164	1	50	76	26	6	5	0	0	0
UNION	78	1	20	32	11	12	2	0	0	0
WALTHALL	111	0	20	60	20	8	3	0	0	0
WARREN	416	2	84	162	98	39	19	11	1	0
WASHINGTON	817	12	214	333	152	69	29	8	0	0
WAYNE	144	2	42	60	26	8	6	0	0	0
WEBSTER	36	0	13	13	5	4	1	0	0	0
WILKINSON	103	1	29	44	7	11	8	3	0	0
WINSTON	145	3	38	50	33	16	4	1	0	0
YALOBUSHA	85	1	29	24	20	7	3	1	0	0
YAZOO	272	8	73	108	47	24	9	3	0	0



**TABLE 4**  
**LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>STATE</u>	<u>19,590</u>	<u>5,115</u>	<u>14,475</u>	<u>46.3</u>	<u>22.4</u>	<u>74.3</u>
ADAMS	271	32	239	60.4	21.0	80.5
ALCORN	142	83	59	29.1	20.4	72.8
AMITE	74	12	62	41.8	13.3	71.3
ATTALA	128	21	107	45.1	15.1	73.8
BENTON	43	16	27	38.7	24.6	58.7
BOLIVAR	443	36	407	68.9	22.5	84.3
CALHOUN	84	34	50	38.5	23.6	67.6
CARROLL	53	20	33	49.5	33.3	70.2
CHICKASAW	154	46	108	48.7	31.1	64.3
CHOCTAW	32	7	25	34.0	12.1	69.4
CLAIBORNE	124	3	121	72.9	15.8	80.1
CLARKE	119	39	80	48.4	28.0	74.8
CLAY	186	16	170	56.9	16.2	74.6
COAHOMA	442	27	415	77.5	30.7	86.1
COPIAH	210	31	179	49.5	18.3	70.2
COVINGTON	151	34	117	47.6	18.4	88.6
DESOTO	453	304	149	25.8	20.4	55.6
FORREST	497	143	354	47.2	24.7	74.7
FRANKLIN	49	11	38	41.9	16.2	77.6
GEORGE	88	66	22	26.8	22.6	61.1
GREENE	42	16	26	29.0	14.3	78.8
GRENADA	128	29	99	44.9	19.5	72.8
HANCOCK	202	169	33	38.0	34.6	75.0
HARRISON	1,169	581	588	41.1	30.2	64.3
HINDS	2,203	167	2,036	57.4	16.7	71.7
HOLMES	287	4	283	74.4	8.9	83.0
HUMPHREYS	175	7	168	77.8	20.0	88.4
ISSAQUENA	14	1	13	77.8	50.0	81.2
ITAWAMBA	66	53	13	24.4	21.2	65.0
JACKSON	785	402	383	41.9	30.4	69.2
JASPER	139	19	120	49.8	16.5	73.2
JEFFERSON	101	1	100	75.4	12.5	79.4
JEFF DAVIS	87	11	76	50.9	15.5	76.0
JONES	455	172	283	45.3	26.8	78.0
KEMPER	62	6	56	45.6	14.0	60.2
LAFAYETTE	173	39	134	38.6	14.9	71.6
LAMAR	145	82	63	23.2	15.9	57.8
LAUDERDALE	572	105	467	47.0	17.4	75.8
LAWRENCE	80	25	55	40.2	21.9	64.7
LEAKE	160	51	109	44.9	27.0	65.3
LEE	480	200	280	39.2	24.0	71.6
LEFLORE	413	32	381	71.3	24.1	85.4

TABLE 4 - PAGE 2  
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2001

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
LINCOLN	163	47	116	35.4	15.8	71.6
LOWNDES	421	99	322	45.5	21.2	70.3
MADISON	467	64	403	36.8	9.5	68.0
MARION	130	39	91	38.5	19.1	67.9
MARSHALL	279	57	222	54.2	24.2	79.3
MONROE	203	67	136	40.0	20.6	74.7
MONTGOMERY	78	13	65	51.6	20.0	75.6
NESHOBA	217	54	163	45.0	21.9	69.4
NEWTON	118	27	91	37.3	14.8	68.4
NOXUBEE	135	1	134	61.4	2.1	77.9
OKTIBBEHA	220	24	196	40.0	10.0	63.2
PANOLA	360	66	294	58.6	28.2	77.4
PEARL RIVER	205	122	83	31.8	23.0	72.8
PERRY	64	35	29	38.1	27.3	72.5
PIKE	340	65	275	53.8	25.2	73.5
PONTOTOC	112	76	36	31.7	25.8	61.0
PRENTISS	103	63	40	34.2	26.2	65.6
QUITMAN	126	5	121	72.4	20.8	80.7
RANKIN	457	256	201	27.1	19.0	58.6
SCOTT	239	90	149	54.7	35.2	82.3
SHARKEY	75	6	69	65.2	18.2	84.1
SIMPSON	155	46	109	40.0	20.3	68.1
SMITH	67	24	43	31.4	15.7	71.7
STONE	67	32	35	35.3	22.1	77.8
SUNFLOWER	358	16	342	73.1	18.4	84.9
TALLAHATCHIE	146	11	135	70.2	19.3	89.4
TATE	151	53	98	40.3	20.9	81.0
TIPPAH	93	56	37	29.2	21.1	69.8
TISHOMINGO	55	50	5	26.1	24.5	71.4
TUNICA	149	7	142	80.5	33.3	86.6
UNION	110	59	51	30.0	20.4	65.4
WALTHALL	95	19	76	45.0	19.0	68.5
WARREN	424	88	336	57.3	27.2	80.8
WASHINGTON	749	70	679	70.0	27.7	83.1
WAYNE	145	34	111	46.2	20.0	77.1
WEBSTER	50	24	26	33.3	21.0	72.2
WILKINSON	82	3	79	59.4	8.6	76.7
WINSTON	129	24	105	47.6	19.0	72.4
YALOBUSHA	100	30	70	56.5	32.6	82.4
YAZOO	272	40	232	65.7	28.2	85.3

**TABLE 5A  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,  
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>19,590</b>	<b>193</b>	<b>6,038</b>	<b>8,237</b>	<b>3,089</b>	<b>1,317</b>	<b>578</b>	<b>133</b>	<b>3</b>	<b>2</b>
ADAMS	271	3	67	133	44	17	6	1	0	0
ALCORN	142	2	34	68	22	12	3	1	0	0
AMITE	74	0	15	33	15	7	3	0	1	0
ATTALA	128	3	24	58	17	16	10	0	0	0
BENTON	43	0	20	15	4	2	2	0	0	0
BOLIVAR	443	7	143	199	55	29	8	2	0	0
CALHOUN	84	0	37	27	13	3	3	1	0	0
CARROLL	53	0	16	26	5	3	2	1	0	0
CHICKASAW	154	1	50	67	16	13	7	0	0	0
CHOCTAW	32	0	14	10	2	4	1	1	0	0
CLAIBORNE	124	0	34	49	22	12	6	1	0	0
CLARKE	119	1	34	49	22	9	3	1	0	0
CLAY	186	5	62	76	23	14	5	1	0	0
COAHOMA	442	6	162	200	50	17	5	2	0	0
COPIAH	210	1	66	89	30	14	5	5	0	0
COVINGTON	151	0	47	64	30	7	3	0	0	0
DESOTO	453	0	152	176	62	38	22	3	0	0
FORREST	497	4	151	215	74	33	14	6	0	0
FRANKLIN	49	0	20	16	6	3	3	1	0	0
GEORGE	88	1	39	33	12	3	0	0	0	0
GREENE	42	1	16	17	5	1	1	1	0	0
GRENADA	128	0	52	43	16	11	5	1	0	0
HANCOCK	202	2	67	75	29	20	7	1	1	0
HARRISON	1,169	9	336	499	200	77	35	12	1	0
HINDS	2,203	25	618	910	396	152	87	14	0	1
HOLMES	287	6	90	120	50	14	6	1	0	0
HUMPHREYS	175	5	67	64	22	13	3	1	0	0
ISSAQUENA	14	0	4	4	5	1	0	0	0	0
ITAWAMBA	66	0	27	22	10	2	4	1	0	0
JACKSON	785	4	248	305	145	58	24	1	0	0
JASPER	139	3	36	58	30	6	4	2	0	0
JEFFERSON	101	0	33	34	13	14	5	2	0	0
JEFF DAVIS	87	1	23	39	17	4	3	0	0	0
JONES	455	2	141	185	71	34	15	7	0	0
KEMPER	62	0	21	21	11	6	3	0	0	0
LAFAYETTE	173	2	46	73	29	21	2	0	0	0
LAMAR	145	1	45	53	23	15	5	3	0	0
LAUDERDALE	572	3	167	222	119	39	18	4	0	0
LAWRENCE	80	1	25	37	10	4	3	0	0	0
LEAKE	160	1	43	71	34	10	1	0	0	0
LEE	480	4	146	205	67	42	14	2	0	0
LEFLORE	413	6	120	189	65	22	9	1	0	1

TABLE 5A - PAGE 2  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	163	0	59	68	26	5	3	2	0	0
LOWNDES	421	5	134	176	68	21	16	1	0	0
MADISON	467	4	112	202	88	41	13	7	0	0
MARION	130	1	38	65	20	3	2	1	0	0
MARSHALL	279	1	93	120	36	20	8	1	0	0
MONROE	203	1	63	88	31	13	6	1	0	0
MONTGOMERY	78	1	20	36	12	5	2	2	0	0
NESHOBA	217	1	67	89	36	11	13	0	0	0
NEWTON	118	1	30	57	18	5	6	1	0	0
NOXUBEE	135	1	41	56	20	10	6	1	0	0
OKTIBBEHA	220	1	69	100	33	14	3	0	0	0
PANOLA	360	5	114	146	64	21	9	1	0	0
PEARL RIVER	205	1	64	95	29	12	3	1	0	0
PERRY	64	0	20	32	3	5	4	0	0	0
PIKE	340	2	98	154	61	17	7	1	0	0
PONTOTOC	112	2	43	45	13	3	4	2	0	0
PRENTISS	103	3	38	39	9	7	6	1	0	0
QUITMAN	126	4	47	50	18	5	2	0	0	0
RANKIN	457	1	138	190	77	32	15	4	0	0
SCOTT	239	7	68	98	41	18	7	0	0	0
SHARKEY	75	0	20	36	9	7	3	0	0	0
SIMPSON	155	1	53	66	23	9	2	1	0	0
SMITH	67	0	18	21	22	5	1	0	0	0
STONE	67	0	21	25	9	8	4	0	0	0
SUNFLOWER	358	3	132	162	35	19	6	1	0	0
TALLAHATCHIE	146	3	54	63	17	7	2	0	0	0
TATE	151	1	54	60	21	12	1	2	0	0
TIPPAH	93	0	23	45	10	8	5	2	0	0
TISHOMINGO	55	1	18	18	11	5	2	0	0	0
TUNICA	149	1	54	71	17	5	1	0	0	0
UNION	110	1	40	40	13	12	3	1	0	0
WALTHALL	95	0	23	52	15	4	1	0	0	0
WARREN	424	2	114	180	82	25	12	9	0	0
WASHINGTON	749	12	237	319	114	47	15	5	0	0
WAYNE	145	3	56	55	17	9	4	1	0	0
WEBSTER	50	0	15	28	5	1	1	0	0	0
WILKINSON	82	1	30	40	3	4	4	0	0	0
WINSTON	129	3	42	51	18	12	3	0	0	0
YALOBUSHA	100	1	38	35	15	8	2	1	0	0
YAZOO	272	8	82	115	39	20	6	2	0	0

**TABLE 5B  
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,  
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>5,115</b>	<b>23</b>	<b>1,736</b>	<b>1,997</b>	<b>770</b>	<b>362</b>	<b>182</b>	<b>43</b>	<b>1</b>	<b>1</b>
ADAMS	32	0	7	14	9	1	0	1	0	0
ALCORN	83	0	20	38	15	7	3	0	0	0
AMITE	12	0	1	6	4	1	0	0	0	0
ATTALA	21	0	4	10	1	4	2	0	0	0
BENTON	16	0	7	6	1	1	1	0	0	0
BOLIVAR	36	1	8	20	3	3	0	1	0	0
CALHOUN	34	0	18	10	6	0	0	0	0	0
CARROLL	20	0	5	11	1	2	1	0	0	0
CHICKASAW	46	0	17	19	4	3	3	0	0	0
CHOCTAW	7	0	5	2	0	0	0	0	0	0
CLAIBORNE	3	0	1	0	0	1	1	0	0	0
CLARKE	39	0	13	21	4	0	1	0	0	0
CLAY	16	0	4	7	2	3	0	0	0	0
COAHOMA	27	0	13	8	3	2	1	0	0	0
COPIAH	31	0	13	11	5	1	1	0	0	0
COVINGTON	34	0	16	8	7	2	1	0	0	0
DESOTO	304	0	115	113	38	21	14	3	0	0
FORREST	143	0	52	60	16	8	4	3	0	0
FRANKLIN	11	0	4	3	2	0	1	1	0	0
GEORGE	66	1	28	24	10	3	0	0	0	0
GREENE	16	0	7	4	3	1	0	1	0	0
GRENADA	29	0	12	10	3	2	2	0	0	0
HANCOCK	169	2	58	60	25	16	6	1	1	0
HARRISON	581	2	165	248	94	37	28	7	0	0
HINDS	167	0	49	62	30	15	7	3	0	1
HOLMES	4	0	1	3	0	0	0	0	0	0
HUMPHREYS	7	0	1	2	3	0	1	0	0	0
ISSAQUENA	1	0	0	0	0	1	0	0	0	0
ITAWAMBA	53	0	24	16	7	2	4	0	0	0
JACKSON	402	1	140	139	76	34	11	1	0	0
JASPER	19	0	6	7	5	0	1	0	0	0
JEFFERSON	1	0	0	0	0	1	0	0	0	0
JEFF DAVIS	11	0	5	4	0	1	1	0	0	0
JONES	172	0	60	65	22	15	6	4	0	0
KEMPER	6	0	3	1	1	0	1	0	0	0
LAFAYETTE	39	0	11	17	7	4	0	0	0	0
LAMAR	82	0	30	29	9	10	2	2	0	0
LAUDERDALE	105	0	28	39	22	11	5	0	0	0
LAWRENCE	25	1	10	12	1	0	1	0	0	0
LEAKE	51	0	19	20	8	4	0	0	0	0
LEE	200	1	68	79	27	20	5	0	0	0
LEFLORE	32	0	13	16	2	1	0	0	0	0

TABLE 5B - PAGE 2  
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	47	0	16	19	7	2	3	0	0	0
LOWNDES	99	0	34	38	18	4	5	0	0	0
MADISON	64	0	17	32	9	3	2	1	0	0
MARION	39	1	14	13	7	3	0	1	0	0
MARSHALL	57	0	16	23	12	4	2	0	0	0
MONROE	67	0	34	20	8	4	1	0	0	0
MONTGOMERY	13	0	3	6	2	0	0	2	0	0
NESHOBA	54	1	15	21	10	3	4	0	0	0
NEWTON	27	0	8	11	7	0	1	0	0	0
NOXUBEE	1	0	1	0	0	0	0	0	0	0
OKTIBBEHA	24	0	8	12	3	1	0	0	0	0
PANOLA	66	1	20	26	13	4	2	0	0	0
PEARL RIVER	122	0	43	55	19	2	2	1	0	0
PERRY	35	0	14	13	1	4	3	0	0	0
PIKE	65	1	25	25	10	3	1	0	0	0
PONTOTOC	76	2	28	29	10	2	4	1	0	0
PRENTISS	63	2	29	20	6	4	1	1	0	0
QUITMAN	5	0	2	1	1	0	1	0	0	0
RANKIN	256	0	90	98	43	13	10	2	0	0
SCOTT	90	4	27	33	14	11	1	0	0	0
SHARKEY	6	0	0	4	1	0	1	0	0	0
SIMPSON	46	1	15	17	9	4	0	0	0	0
SMITH	24	0	8	8	6	2	0	0	0	0
STONE	32	0	14	10	2	3	3	0	0	0
SUNFLOWER	16	0	6	7	1	1	1	0	0	0
TALLAHATCHIE	11	0	4	5	1	1	0	0	0	0
TATE	53	0	15	24	7	6	0	1	0	0
TIPPAH	56	0	13	28	3	5	5	2	0	0
TISHOMINGO	50	0	18	16	10	4	2	0	0	0
TUNICA	7	0	4	1	1	1	0	0	0	0
UNION	59	0	21	19	9	6	3	1	0	0
WALTHALL	19	0	6	10	2	1	0	0	0	0
WARREN	88	0	31	33	19	3	2	0	0	0
WASHINGTON	70	0	27	30	6	4	2	1	0	0
WAYNE	34	1	16	10	1	5	0	1	0	0
WEBSTER	24	0	5	15	3	1	0	0	0	0
WILKINSON	3	0	2	1	0	0	0	0	0	0
WINSTON	24	0	7	9	3	2	3	0	0	0
YALOBUSHA	30	0	9	14	3	3	1	0	0	0
YAZOO	40	0	10	17	7	5	1	0	0	0

**TABLE 5C  
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,  
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 2001**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>14,475</b>	<b>170</b>	<b>4,302</b>	<b>6,240</b>	<b>2,319</b>	<b>955</b>	<b>396</b>	<b>90</b>	<b>2</b>	<b>1</b>
ADAMS	239	3	60	119	35	16	6	0	0	0
ALCORN	59	2	14	30	7	5	0	1	0	0
AMITE	62	0	14	27	11	6	3	0	1	0
ATTALA	107	3	20	48	16	12	8	0	0	0
BENTON	27	0	13	9	3	1	1	0	0	0
BOLIVAR	407	6	135	179	52	26	8	1	0	0
CALHOUN	50	0	19	17	7	3	3	1	0	0
CARROLL	33	0	11	15	4	1	1	1	0	0
CHICKASAW	108	1	33	48	12	10	4	0	0	0
CHOCTAW	25	0	9	8	2	4	1	1	0	0
CLAIBORNE	121	0	33	49	22	11	5	1	0	0
CLARKE	80	1	21	28	18	9	2	1	0	0
CLAY	170	5	58	69	21	11	5	1	0	0
COAHOMA	415	6	149	192	47	15	4	2	0	0
COPIAH	179	1	53	78	25	13	4	5	0	0
COVINGTON	117	0	31	56	23	5	2	0	0	0
DESOTO	149	0	37	63	24	17	8	0	0	0
FORREST	354	4	99	155	58	25	10	3	0	0
FRANKLIN	38	0	16	13	4	3	2	0	0	0
GEORGE	22	0	11	9	2	0	0	0	0	0
GREENE	26	1	9	13	2	0	1	0	0	0
GRENADA	99	0	40	33	13	9	3	1	0	0
HANCOCK	33	0	9	15	4	4	1	0	0	0
HARRISON	588	7	171	251	106	40	7	5	1	0
HINDS	2,036	25	569	848	366	137	80	11	0	0
HOLMES	283	6	89	117	50	14	6	1	0	0
HUMPHREYS	168	5	66	62	19	13	2	1	0	0
ISSAQUENA	13	0	4	4	5	0	0	0	0	0
ITAWAMBA	13	0	3	6	3	0	0	1	0	0
JACKSON	383	3	108	166	69	24	13	0	0	0
JASPER	120	3	30	51	25	6	3	2	0	0
JEFFERSON	100	0	33	34	13	13	5	2	0	0
JEFF DAVIS	76	1	18	35	17	3	2	0	0	0
JONES	283	2	81	120	49	19	9	3	0	0
KEMPER	56	0	18	20	10	6	2	0	0	0
LAFAYETTE	134	2	35	56	22	17	2	0	0	0
LAMAR	63	1	15	24	14	5	3	1	0	0
LAUDERDALE	467	3	139	183	97	28	13	4	0	0
LAWRENCE	55	0	15	25	9	4	2	0	0	0
LEAKE	109	1	24	51	26	6	1	0	0	0
LEE	280	3	78	126	40	22	9	2	0	0
LEFLORE	381	6	107	173	63	21	9	1	0	1

TABLE 5C - PAGE 2  
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2001

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	116	0	43	49	19	3	0	2	0	0
LOWNDES	322	5	100	138	50	17	11	1	0	0
MADISON	403	4	95	170	79	38	11	6	0	0
MARION	91	0	24	52	13	0	2	0	0	0
MARSHALL	222	1	77	97	24	16	6	1	0	0
MONROE	136	1	29	68	23	9	5	1	0	0
MONTGOMERY	65	1	17	30	10	5	2	0	0	0
NESHOBA	163	0	52	68	26	8	9	0	0	0
NEWTON	91	1	22	46	11	5	5	1	0	0
NOXUBEE	134	1	40	56	20	10	6	1	0	0
OKTIBBEHA	196	1	61	88	30	13	3	0	0	0
PANOLA	294	4	94	120	51	17	7	1	0	0
PEARL RIVER	83	1	21	40	10	10	1	0	0	0
PERRY	29	0	6	19	2	1	1	0	0	0
PIKE	275	1	73	129	51	14	6	1	0	0
PONTOTOC	36	0	15	16	3	1	0	1	0	0
PRENTISS	40	1	9	19	3	3	5	0	0	0
QUITMAN	121	4	45	49	17	5	1	0	0	0
RANKIN	201	1	48	92	34	19	5	2	0	0
SCOTT	149	3	41	65	27	7	6	0	0	0
SHARKEY	69	0	20	32	8	7	2	0	0	0
SIMPSON	109	0	38	49	14	5	2	1	0	0
SMITH	43	0	10	13	16	3	1	0	0	0
STONE	35	0	7	15	7	5	1	0	0	0
SUNFLOWER	342	3	126	155	34	18	5	1	0	0
TALLAHATCHIE	135	3	50	58	16	6	2	0	0	0
TATE	98	1	39	36	14	6	1	1	0	0
TIPPAH	37	0	10	17	7	3	0	0	0	0
TISHOMINGO	5	1	0	2	1	1	0	0	0	0
TUNICA	142	1	50	70	16	4	1	0	0	0
UNION	51	1	19	21	4	6	0	0	0	0
WALTHALL	76	0	17	42	13	3	1	0	0	0
WARREN	336	2	83	147	63	22	10	9	0	0
WASHINGTON	679	12	210	289	108	43	13	4	0	0
WAYNE	111	2	40	45	16	4	4	0	0	0
WEBSTER	26	0	10	13	2	0	1	0	0	0
WILKINSON	79	1	28	39	3	4	4	0	0	0
WINSTON	105	3	35	42	15	10	0	0	0	0
YALOBUSHA	70	1	29	21	12	5	1	1	0	0
YAZOO	232	8	72	98	32	15	5	2	0	0



**TABLE 6A**  
**LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>STATE</u>	<u>4,513</u>	<u>1,770</u>	<u>2,743</u>	<u>10.7</u>	<u>7.8</u>	<u>14.1</u>
ADAMS	63	14	49	14.0	9.2	16.5
ALCORN	49	33	16	10.0	8.1	19.8
AMITE	23	12	11	13.0	13.3	12.6
ATTALA	18	4	14	6.3	2.9	9.6
BENTON	15	7	8	13.5	10.8	17.4
BOLIVAR	78	18	60	12.1	11.2	12.4
CALHOUN	19	9	10	8.7	6.2	13.5
CARROLL	6	1	5	5.6	1.7	10.6
CHICKASAW	26	7	19	8.2	4.7	11.3
CHOCTAW	10	5	5	10.6	8.6	13.9
CLAIBORNE	24	4	20	14.1	21.0	13.2
CLARKE	25	8	17	10.2	5.8	15.9
CLAY	44	6	38	13.4	6.1	16.7
COAHOMA	64	10	54	11.2	11.4	11.2
COPIAH	52	14	38	12.3	8.3	14.9
COVINGTON	34	18	16	10.7	9.7	12.1
DESOTO	136	112	24	7.7	7.5	9.0
FORREST	107	35	72	10.2	6.0	15.2
FRANKLIN	10	5	5	8.5	7.4	10.2
GEORGE	33	26	7	10.1	8.9	19.4
GREENE	11	9	2	7.6	8.0	6.1
GRENADA	29	11	18	10.2	7.4	13.2
HANCOCK	53	45	8	10.0	9.2	18.2
HARRISON	279	147	132	9.8	7.6	14.4
HINDS	502	78	424	13.1	7.8	14.9
HOLMES	46	3	43	11.9	6.7	12.6
HUMPHREYS	34	3	31	15.1	8.6	16.3
ISSAQUENA	1	0	1	5.6	0.0	6.2
ITAWAMBA	22	21	1	8.1	8.4	5.0
JACKSON	186	107	79	9.9	8.1	14.3
JASPER	27	6	21	9.7	5.2	12.8
JEFFERSON	20	0	20	14.9	0.0	15.9
JEFF DAVIS	25	11	14	14.6	15.5	14.0
JONES	119	59	60	11.8	9.2	16.5
KEMPER	19	3	16	14.0	7.0	17.2
LAFAYETTE	51	23	28	11.4	8.8	15.0
LAMAR	53	34	19	8.5	6.6	17.4
LAUDERDALE	134	48	86	11.0	8.0	14.0
LAWRENCE	18	6	12	9.0	5.3	14.1
LEAKE	58	35	23	16.3	18.5	13.8
LEE	128	64	64	10.4	7.7	16.4
LEFLORE	61	10	51	10.5	7.5	11.4

TABLE 6A - PAGE 2  
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2001

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
LINCOLN	44	24	20	9.6	8.0	12.3
LOWNDES	89	27	62	9.6	5.8	13.5
MADISON	141	51	90	11.1	7.5	15.2
MARION	26	11	15	7.7	5.4	11.2
MARSHALL	70	23	47	13.6	9.8	16.8
MONROE	43	27	16	8.5	8.3	8.8
MONTGOMERY	19	6	13	12.6	9.2	15.1
NESHOBA	47	21	26	9.8	8.5	11.1
NEWTON	33	13	20	10.4	7.1	15.0
NOXUBEE	27	1	26	12.3	2.1	15.1
OKTIBBEHA	52	11	41	9.4	4.6	13.2
PANOLA	61	18	43	9.9	7.7	11.3
PEARL RIVER	50	36	14	7.8	6.8	12.3
PERRY	19	11	8	11.3	8.6	20.0
PIKE	72	16	56	11.4	6.2	15.0
PONTOTOC	24	16	8	6.8	5.4	13.6
PRENTISS	33	23	10	11.0	9.6	16.4
QUITMAN	20	2	18	11.5	8.3	12.0
RANKIN	140	90	50	8.3	6.7	14.6
SCOTT	63	34	29	14.4	13.3	16.0
SHARKEY	7	2	5	6.1	6.1	6.1
SIMPSON	38	13	25	9.8	5.7	15.6
SMITH	21	13	8	9.8	8.5	13.3
STONE	19	12	7	10.0	8.3	15.6
SUNFLOWER	65	6	59	13.3	6.9	14.6
TALLAHATCHIE	29	5	24	13.9	8.8	15.9
TATE	26	16	10	6.9	6.3	8.3
TIPPAH	20	16	4	6.3	6.0	7.5
TISHOMINGO	14	14	0	6.6	6.9	0.0
TUNICA	30	3	27	16.2	14.3	16.5
UNION	44	25	19	12.0	8.6	24.4
WALTHALL	19	8	11	9.0	8.0	9.9
WARREN	97	32	65	13.1	9.9	15.6
WASHINGTON	121	14	107	11.3	5.5	13.1
WAYNE	38	15	23	12.1	8.8	16.0
WEBSTER	13	9	4	8.7	7.9	11.1
WILKINSON	20	2	18	14.5	5.7	17.5
WINSTON	30	11	19	11.1	8.7	13.1
YALOBUSHA	24	10	14	13.6	10.9	16.5
YAZOO	53	12	41	12.8	8.4	15.1

**TABLE 6B**  
**LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>STATE</u>	<u>882</u>	<u>300</u>	<u>582</u>	<u>2.1</u>	<u>1.3</u>	<u>3.0</u>
ADAMS	13	1	12	2.9	0.6	4.0
ALCORN	7	3	4	1.4	0.7	4.9
AMITE	3	3	0	1.7	3.3	-
ATTALA	7	1	6	2.5	0.7	4.1
BENTON	0	0	0	-	-	-
BOLIVAR	16	1	15	2.5	0.6	3.1
CALHOUN	7	4	3	3.2	2.8	4.0
CARROLL	1	0	1	0.9	-	2.1
CHICKASAW	7	2	5	2.2	1.4	3.0
CHOCTAW	3	2	1	3.2	3.4	2.8
CLAIBORNE	5	1	4	2.9	5.3	2.6
CLARKE	7	3	4	2.8	2.2	3.7
CLAY	10	2	8	3.0	2.0	3.5
COAHOMA	8	0	8	1.4	-	1.7
COPIAH	11	4	7	2.6	2.4	2.7
COVINGTON	7	2	5	2.2	1.1	3.8
DESOTO	24	17	7	1.4	1.1	2.6
FORREST	21	5	16	2.0	0.9	3.4
FRANKLIN	1	1	0	0.8	1.5	-
GEORGE	7	6	1	2.1	2.0	2.8
GREENE	0	0	0	-	-	-
GRENADA	3	1	2	1.0	0.7	1.5
HANCOCK	6	3	3	1.1	0.6	6.8
HARRISON	45	20	25	1.6	1.0	2.7
HINDS	105	16	89	2.7	1.6	3.1
HOLMES	6	0	6	1.6	-	1.8
HUMPHREYS	9	1	8	4.0	2.8	4.2
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	4	4	0	1.5	1.6	-
JACKSON	40	24	16	2.1	1.8	2.9
JASPER	5	0	5	1.8	-	3.0
JEFFERSON	2	0	2	1.5	-	1.6
JEFF DAVIS	9	4	5	5.3	5.6	5.0
JONES	23	13	10	2.3	2.0	2.8
KEMPER	2	0	2	1.5	-	2.2
LAFAYETTE	10	4	6	2.2	1.5	3.2
LAMAR	7	3	4	1.1	0.6	3.7
LAUDERDALE	32	9	23	2.6	1.5	3.7
LAWRENCE	4	0	4	2.0	-	4.7
LEAKE	12	3	9	3.4	1.6	5.4
LEE	23	14	9	1.9	1.7	2.3
LEFLORE	20	2	18	3.4	1.5	4.0

TABLE 6B - PAGE 2  
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2001

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9	5	4	2.0	1.7	2.5
LOWNDES	21	6	15	2.3	1.3	3.3
MADISON	24	6	18	1.9	0.9	3.0
MARION	9	5	4	2.7	2.4	3.0
MARSHALL	16	7	9	3.1	3.0	3.2
MONROE	5	3	2	1.0	0.9	1.1
MONTGOMERY	5	1	4	3.3	1.5	4.6
NESHOBA	9	4	5	1.9	1.6	2.1
NEWTON	8	4	4	2.5	2.2	3.0
NOXUBEE	9	1	8	4.1	2.1	4.6
OKTIBBEHA	13	3	10	2.4	1.2	3.2
PANOLA	6	0	6	1.0	-	1.6
PEARL RIVER	7	4	3	1.1	0.8	2.6
PERRY	8	6	2	4.8	4.7	5.0
PIKE	17	6	11	2.7	2.3	2.9
PONTOTOC	6	2	4	1.7	0.7	6.8
PRENTISS	8	7	1	2.6	2.9	1.6
QUITMAN	4	1	3	2.3	4.2	2.0
RANKIN	27	15	12	1.6	1.1	3.5
SCOTT	13	5	8	3.0	2.0	4.4
SHARKEY	1	1	0	0.9	3.0	-
SIMPSON	10	1	9	2.6	0.4	5.6
SMITH	6	1	5	2.8	0.6	8.3
STONE	3	1	2	1.6	0.7	4.4
SUNFLOWER	5	0	5	1.0	-	1.2
TALLAHATCHIE	4	1	3	1.9	1.8	2.0
TATE	0	0	0	-	-	-
TIPPAH	1	1	0	0.3	0.4	-
TISHOMINGO	2	2	0	0.9	1.0	-
TUNICA	7	0	7	3.8	-	4.3
UNION	6	4	2	1.6	1.4	2.6
WALTHALL	4	2	2	1.9	2.0	1.8
WARREN	16	3	13	2.2	0.9	3.1
WASHINGTON	21	2	19	2.0	0.8	2.3
WAYNE	12	5	7	3.8	2.9	4.9
WEBSTER	1	0	1	0.7	-	2.8
WILKINSON	3	0	3	2.2	-	2.9
WINSTON	9	3	6	3.3	2.4	4.1
YALOBUSHA	7	1	6	4.0	1.1	7.0
YAZOO	8	2	6	1.9	1.4	2.2

**TABLE 7**  
**PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>STATE</u>	<u>7,151</u>	<u>3,229</u>	<u>3,922</u>	<u>16.9</u>	<u>14.2</u>	<u>20.1</u>
ADAMS	66	15	51	14.7	9.9	17.2
ALCORN	102	87	15	20.9	21.4	18.5
AMITE	26	12	14	14.7	13.3	16.1
ATTALA	46	13	33	16.2	9.4	22.8
BENTON	16	8	8	14.4	12.3	17.4
BOLIVAR	116	23	93	18.0	14.4	19.2
CALHOUN	37	26	11	17.0	18.0	14.9
CARROLL	9	4	5	8.4	6.7	10.6
CHICKASAW	65	25	40	20.6	16.9	23.8
CHOCTAW	16	5	11	17.0	8.6	30.6
CLAIBORNE	31	6	25	18.2	31.6	16.6
CLARKE	39	18	21	15.8	13.0	19.6
CLAY	64	19	45	19.6	19.2	19.7
COAHOMA	101	12	89	17.7	13.6	18.5
COPIAH	89	29	60	21.0	17.2	23.5
COVINGTON	54	28	26	17.0	15.1	19.7
DESOTO	191	154	37	10.8	10.3	13.8
FORREST	156	65	91	14.8	11.2	19.2
FRANKLIN	17	8	9	14.5	11.8	18.4
GEORGE	56	45	11	17.1	15.4	30.6
GREENE	26	18	8	17.9	16.1	24.2
GRENADA	39	16	23	13.7	10.7	16.9
HANCOCK	92	82	10	17.3	16.8	22.7
HARRISON	439	258	181	15.4	13.4	19.8
HINDS	759	116	643	19.8	11.6	22.6
HOLMES	71	4	67	18.4	8.9	19.6
HUMPHREYS	45	6	39	20.0	17.1	20.5
ISSAQUENA	2	0	2	11.1	0.0	12.5
ITAWAMBA	74	65	9	27.4	26.0	45.0
JACKSON	275	172	103	14.7	13.0	18.6
JASPER	31	8	23	11.1	7.0	14.0
JEFFERSON	25	1	24	18.6	12.5	19.0
JEFF DAVIS	31	11	20	18.1	15.5	20.0
JONES	123	75	48	12.2	11.7	13.2
KEMPER	20	6	14	14.7	14.0	15.0
LAFAYETTE	59	26	33	13.2	10.0	17.6
LAMAR	85	63	22	13.6	12.2	20.2
LAUDERDALE	191	78	113	15.7	13.0	18.3
LAWRENCE	33	18	15	16.6	15.8	17.6
LEAKE	76	40	36	21.3	21.2	21.6
LEE	410	264	146	33.5	31.6	37.3
LEFLORE	95	19	76	16.4	14.3	17.0

TABLE 7 - PAGE 2  
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2001

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
LINCOLN	54	31	23	11.7	10.4	14.2
LOWNDES	168	63	105	18.1	13.5	22.9
MADISON	210	85	125	16.5	12.6	21.1
MARION	50	26	24	14.8	12.7	17.9
MARSHALL	67	27	40	13.0	11.5	14.3
MONROE	87	45	42	17.1	13.8	23.1
MONTGOMERY	27	7	20	17.9	10.8	23.2
NESHOBA	88	39	49	18.2	15.8	20.8
NEWTON	47	26	21	14.9	14.2	15.8
NOXUBEE	46	6	40	20.9	12.5	23.2
OKTIBBEHA	72	18	54	13.1	7.5	17.4
PANOLA	107	34	73	17.4	14.5	19.2
PEARL RIVER	87	59	28	13.5	11.1	24.6
PERRY	23	15	8	13.7	11.7	20.0
PIKE	108	31	77	17.1	12.0	20.6
PONTOTOC	84	65	19	23.8	22.1	32.2
PRENTISS	74	62	12	24.6	25.8	19.7
QUITMAN	41	3	38	23.6	12.5	25.3
RANKIN	239	167	72	14.2	12.4	21.0
SCOTT	75	40	35	17.2	15.6	19.3
SHARKEY	11	2	9	9.6	6.1	11.0
SIMPSON	69	34	35	17.8	15.0	21.9
SMITH	33	21	12	15.5	13.7	20.0
STONE	26	19	7	13.7	13.1	15.6
SUNFLOWER	96	10	86	19.6	11.5	21.3
TALLAHATCHIE	30	8	22	14.4	14.0	14.6
TATE	43	23	20	11.5	9.0	16.5
TIPPAH	45	41	4	14.2	15.5	7.5
TISHOMINGO	51	49	2	24.2	24.0	28.6
TUNICA	35	5	30	18.9	23.8	18.3
UNION	75	55	20	20.4	19.0	25.6
WALTHALL	28	12	16	13.3	12.0	14.4
WARREN	118	37	81	15.9	11.4	19.5
WASHINGTON	193	29	164	18.0	11.5	20.1
WAYNE	50	22	28	15.9	12.9	19.4
WEBSTER	21	16	5	14.0	14.0	13.9
WILKINSON	23	2	21	16.7	5.7	20.4
WINSTON	35	16	19	12.9	12.7	13.1
YALOBUSHA	27	7	20	15.2	7.6	23.5
YAZOO	90	24	66	21.7	16.9	24.3

\* GESTATION LESS THAN 37 WEEKS.

**TABLE 8**  
**REPORTABLE\* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>383</u>	<u>111</u>	<u>272</u>	<u>376</u>	<u>109</u>	<u>267</u>	<u>8.9</u>	<u>4.8</u>	<u>13.7</u>
ADAMS	19	4	15	11	3	8	24.5	19.7	26.9
ALCORN	0	0	0	0	0	0	-	-	-
AMITE	0	0	0	1	0	1	5.6	-	11.5
ATTALA	1	0	1	1	0	1	3.5	-	6.9
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	3	0	3	8	1	7	12.4	6.2	14.5
CALHOUN	0	0	0	0	0	0	-	-	-
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	6	1	5	19.0	6.8	29.8
CHOCTAW	0	0	0	1	1	0	10.6	17.2	-
CLAIBORNE	1	0	1	6	0	6	35.3	-	39.7
CLARKE	0	0	0	3	1	2	12.2	7.2	18.7
CLAY	0	0	0	2	0	2	6.1	-	8.8
COAHOMA	15	2	13	9	0	9	15.8	-	18.7
COPIAH	0	0	0	2	0	2	4.7	-	7.8
COVINGTON	2	0	2	5	2	3	15.8	10.8	22.7
DESOTO	6	1	5	6	2	4	3.4	1.3	14.9
FORREST	22	10	12	4	2	2	3.8	3.5	4.2
FRANKLIN	0	0	0	2	0	2	17.1	-	40.8
GEORGE	0	0	0	0	0	0	-	-	-
GREENE	0	0	0	2	1	1	13.8	8.9	30.3
GRENADA	6	0	6	2	0	2	7.0	-	14.7
HANCOCK	2	2	0	2	2	0	3.8	4.1	-
HARRISON	23	11	12	18	8	10	6.3	4.2	10.9
HINDS	113	21	92	52	9	43	13.5	9.0	15.1
HOLMES	0	0	0	2	0	2	5.2	-	5.9
HUMPHREYS	0	0	0	5	0	5	22.2	-	26.3
ISSAQUENA	1	0	1	1	0	1	55.6	-	62.5
ITAWAMBA	0	0	0	0	0	0	-	-	-
JACKSON	8	6	2	9	7	2	4.8	5.3	3.6
JASPER	0	0	0	4	0	4	14.3	-	24.4
JEFFERSON	0	0	0	3	0	3	22.4	-	23.8
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	5	2	3	4	2	2	4.0	3.1	5.5
KEMPER	0	0	0	2	1	1	14.7	23.2	10.8
LAFAYETTE	3	1	2	4	1	3	8.9	3.8	16.0
LAMAR	2	0	2	4	1	3	6.4	1.9	27.5
LAUDERDALE	22	7	15	13	5	8	10.7	8.3	13.0
LAWRENCE	0	0	0	3	2	1	15.1	17.5	11.8
LEAKE	1	0	1	7	2	5	19.7	10.6	29.9
LEE	16	9	7	9	2	7	7.3	2.4	17.9
LEFLORE	10	2	8	9	3	6	15.5	22.6	13.4

TABLE 8 - PAGE 2  
 FETAL DEATHS - MISSISSIPPI - 2001

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	4	2	2	1	0	1	2.2	-	6.2
LOWNDES	10	2	8	7	2	5	7.6	4.3	10.9
MADISON	1	0	1	10	4	6	7.9	5.9	10.1
MARION	0	0	0	4	2	2	11.8	9.8	14.9
MARSHALL	0	0	0	2	1	1	3.9	4.2	3.6
MONROE	9	3	6	3	1	2	5.9	3.1	11.0
MONTGOMERY	0	0	0	4	1	3	26.5	15.4	34.9
NESHOBA	0	0	0	2	0	2	4.1	-	8.5
NEWTON	0	0	0	1	0	1	3.2	-	7.5
NOXUBEE	0	0	0	7	1	6	31.8	20.8	34.9
OKTIBBEHA	12	2	10	3	0	3	5.4	-	9.7
PANOLA	1	0	1	2	1	1	3.2	4.3	2.6
PEARL RIVER	0	0	0	0	0	0	-	-	-
PERRY	0	0	0	2	0	2	11.9	-	50.0
PIKE	6	1	5	11	3	8	17.4	11.6	21.4
PONTOTOC	0	0	0	3	3	0	8.5	10.2	-
PRENTISS	0	0	0	3	3	0	10.0	12.5	-
QUITMAN	0	0	0	0	0	0	-	-	-
RANKIN	27	17	10	11	6	5	6.5	4.5	14.6
SCOTT	1	0	1	10	2	8	22.9	7.8	44.2
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	0	0	0	4	3	1	10.3	13.2	6.2
SMITH	0	0	0	1	0	1	4.7	-	16.7
STONE	0	0	0	4	2	2	21.0	13.8	44.4
SUNFLOWER	3	0	3	2	0	2	4.1	-	5.0
TALLAHATCHIE	0	0	0	5	1	4	24.0	17.5	26.5
TATE	1	1	0	2	0	2	5.3	-	16.5
TIPPAH	0	0	0	5	2	3	15.7	7.5	56.6
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	1	0	1	2	0	2	10.8	-	12.2
UNION	4	3	1	2	2	0	5.4	6.9	-
WALTHALL	0	0	0	1	0	1	4.7	-	9.0
WARREN	9	1	8	7	3	4	9.4	9.2	9.6
WASHINGTON	10	1	9	16	3	13	15.0	11.8	15.9
WAYNE	2	0	2	2	0	2	6.4	-	13.9
WEBSTER	0	0	0	1	1	0	6.7	8.8	-
WILKINSON	0	0	0	2	0	2	14.5	-	19.4
WINSTON	0	0	0	3	2	1	11.1	15.9	6.9
YALOBUSHA	0	0	0	0	0	0	-	-	-
YAZOO	1	0	1	9	1	8	21.7	7.0	29.4
OUT OF STATE	9	3	6	16	5	11			

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.



**TABLE 9**  
**DEATHS, BY PLACE OF OCCURRENCE AND RACE,**  
**ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 2001**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>27,502</u>	<u>18,333</u>	<u>9,169</u>	<u>28,134</u>	<u>18,774</u>	<u>9,360</u>	<u>9.9</u>	<u>10.8</u>	<u>8.5</u>
ADAMS	502	245	257	439	205	234	12.8	13.0	12.6
ALCORN	410	378	32	407	369	38	11.8	12.2	8.7
AMITE	72	34	38	146	80	66	10.7	10.4	11.1
ATTALA	232	161	71	275	180	95	14.0	15.7	11.6
BENTON	49	37	12	99	74	25	12.3	14.9	8.1
BOLIVAR	373	147	226	440	189	251	10.8	14.0	9.2
CALHOUN	121	98	23	197	159	38	13.1	15.2	8.2
CARROLL	36	23	13	94	56	38	8.7	8.3	9.4
CHICKASAW	152	109	43	228	155	73	11.7	14.0	8.7
CHOCTAW	66	51	15	103	79	24	10.6	11.9	7.7
CLAIBORNE	73	23	50	113	30	83	9.6	16.7	8.3
CLARKE	138	97	41	200	129	71	11.1	11.1	11.1
CLAY	183	93	90	236	116	120	10.7	12.3	9.5
COAHOMA	342	102	240	339	108	231	11.1	12.0	10.7
COPIAH	192	110	82	305	155	150	10.6	11.3	10.0
COVINGTON	151	111	40	214	153	61	11.0	12.4	8.6
DESOTO	729	590	139	796	693	103	7.4	7.5	6.8
FORREST	1,131	783	348	704	473	231	9.7	10.1	8.9
FRANKLIN	73	42	31	94	54	40	11.1	10.2	12.7
GEORGE	162	149	13	192	177	15	10.0	10.3	7.4
GREENE	55	42	13	123	101	22	9.2	10.4	6.1
GRENADA	306	194	112	297	181	116	12.8	13.4	11.8
HANCOCK	323	297	26	434	406	28	10.1	10.5	6.6
HARRISON	1,932	1,577	355	1,699	1,365	334	9.0	9.8	6.6
HINDS	3,689	1,932	1,757	2,025	955	1,070	8.1	10.2	6.8
HOLMES	177	55	122	251	74	177	11.6	16.7	10.3
HUMPHREYS	82	23	59	107	30	77	9.5	9.8	9.4
ISSAQUENA	6	3	3	12	4	8	5.3	4.8	5.5
ITAWAMBA	179	171	8	300	288	12	13.2	13.7	7.0
JACKSON	1,061	866	195	1,121	914	207	8.5	9.2	6.4
JASPER	91	62	29	178	95	83	9.8	11.3	8.5
JEFFERSON	40	7	33	95	16	79	9.8	12.6	9.3
JEFF DAVIS	92	52	40	143	77	66	10.2	13.2	8.1
JONES	641	483	158	715	554	161	11.0	12.0	8.6
KEMPER	50	21	29	117	49	68	11.2	12.0	10.7
LAFAYETTE	507	391	116	293	228	65	7.6	8.2	6.0
LAMAR	348	292	56	282	250	32	7.2	7.5	5.6
LAUDERDALE	1,370	867	503	948	639	309	12.1	13.6	9.9
LAWRENCE	93	64	29	143	100	43	10.8	11.3	9.8
LEAKE	177	121	56	231	151	80	11.0	12.8	8.7
LEE	1,362	1,062	300	724	577	147	9.6	10.3	7.4
LEFLORE	533	212	321	410	164	246	10.8	14.4	9.3

TABLE 9 - PAGE 2  
DEATHS - MISSISSIPPI - 2001

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	332	243	89	401	305	96	12.1	13.2	9.4
LOWNDES	590	382	208	534	339	195	8.7	9.7	7.3
MADISON	599	382	217	846	526	320	11.3	11.7	10.8
MARION	239	193	46	312	241	71	12.2	14.1	8.4
MARSHALL	185	97	88	343	188	155	9.8	11.1	8.6
MONROE	289	223	66	384	279	105	10.1	10.7	8.7
MONTGOMERY	82	48	34	115	66	49	9.4	10.0	8.8
NESHOBA	210	136	74	345	236	109	12.0	12.6	11.0
NEWTON	194	132	62	243	163	80	11.1	11.5	10.5
NOXUBEE	84	38	46	115	43	72	9.2	11.6	8.1
OKTIBBEHA	223	126	97	249	144	105	5.8	5.7	5.9
PANOLA	218	143	75	348	217	131	10.2	12.5	7.7
PEARL RIVER	337	303	34	465	421	44	9.6	10.1	6.3
PERRY	71	60	11	121	93	28	10.0	10.0	9.7
PIKE	412	238	174	437	244	193	11.2	12.2	10.2
PONTOTOC	157	145	12	244	224	20	9.1	9.9	4.8
PRENTISS	167	157	10	236	221	15	9.2	10.1	4.1
QUITMAN	79	28	51	111	46	65	11.0	14.9	9.2
RANKIN	619	486	133	827	669	158	7.2	7.2	7.2
SCOTT	223	151	72	321	204	117	11.3	12.5	9.6
SHARKEY	53	21	32	65	27	38	9.9	14.0	8.2
SIMPSON	276	209	67	320	230	90	11.6	12.9	9.1
SMITH	81	63	18	175	138	37	10.8	11.2	9.6
STONE	64	58	6	151	122	29	11.1	11.3	10.3
SUNFLOWER	220	83	137	317	116	201	9.2	11.7	8.2
TALLAHATCHIE	80	34	46	162	77	85	10.9	13.0	9.4
TATE	159	104	55	261	177	84	10.3	10.3	10.3
TIPPAH	210	185	25	279	246	33	13.4	14.4	8.7
TISHOMINGO	214	209	5	287	280	7	15.0	15.4	7.2
TUNICA	65	34	31	102	35	67	11.0	13.8	10.0
UNION	253	229	24	270	243	27	10.6	11.5	6.4
WALTHALL	130	88	42	167	111	56	11.0	13.4	8.1
WARREN	586	329	257	539	313	226	10.8	11.5	10.1
WASHINGTON	679	296	383	652	283	369	10.4	13.2	8.9
WAYNE	179	117	62	210	132	78	9.9	10.2	9.5
WEBSTER	124	103	21	140	112	28	13.6	14.0	12.1
WILKINSON	121	52	69	141	46	95	13.7	14.3	13.4
WINSTON	141	84	57	213	115	98	10.6	10.3	10.9
YALOBUSHA	71	52	19	133	99	34	10.2	12.5	6.6
YAZOO	185	95	90	284	151	133	10.1	12.0	8.6
OUT OF STATE	1,538	1,099	439	906	658	248			

\* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3  
 DEATHS - MISSISSIPPI - 2001

TOWN**	NUMBER		
	TOTAL	WHITE	NON- WHITE
BILOXI	445	362	83
BRANDON	199	175	24
BROOKHAVEN	216	160	56
CANTON	130	36	94
CLARKSDALE	245	78	167
CLEVELAND	182	104	78
CLINTON	184	132	52
COLUMBUS	313	179	134
CORINTH	234	207	27
GAUTIER	93	80	13
GREENVILLE	487	209	278
GREENWOOD	232	75	157
GRENADA	229	133	96
GULFPORT	716	526	190
HATTIESBURG	504	299	205
INDIANOLA	110	43	67
JACKSON	1,548	652	896
LAUREL	280	175	105
LONG BEACH	130	117	13
MCCOMB	209	121	88
MERIDIAN	579	348	231
MOSS POINT	207	113	94
NATCHEZ	307	148	159
OCEAN SPRINGS	219	203	16
PASCAGOULA	268	209	59
PEARL	156	132	24
PICAYUNE	145	114	31
RIDGELAND	443	342	101
SOUTHAVEN	273	258	15
STARKVILLE	141	83	58
TUPELO	343	262	81
VICKSBURG	404	201	203
YAZOO CITY	151	65	86

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 10A  
DEATHS, BY CAUSE AND RACE,  
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)  
MISSISSIPPI RESIDENTS, 2001**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,134</u>	<u>18,774</u>	<u>9,360</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>829</u>	<u>425</u>	<u>404</u>
<u>001-008</u>	Intestinal infectious diseases	<u>12</u>	<u>10</u>	<u>2</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>10</u>	<u>8</u>	<u>2</u>
007	Intestinal infections due to other specified organisms	10	8	2
008	Diarrhea and gastroenteritis of presumed infectious origin	2	2	0
<u>009-010</u>	<u>Tuberculosis</u>	<u>10</u>	<u>5</u>	<u>5</u>
009	Respiratory tuberculosis	9	4	5
010	Other tuberculosis	1	1	0
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>501</u>	<u>301</u>	<u>200</u>
017	Meningococcal infection	2	2	0
018	Septicemia	489	293	196
019	Other zoonotic and bacterial diseases	10	6	4
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>2</u>	<u>0</u>	<u>2</u>
021	Neurosyphilis	1	0	1
022	Other and unspecified syphilis	1	0	1
<u>025-027</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	All other infections caused by spirochetes, chlamydia or rickettsia	1	1	0
<u>028-044</u>	<u>Viral diseases</u>	<u>268</u>	<u>90</u>	<u>178</u>
033	Herpesviral (herpes simplex) infections	2	2	0
037	Rubella (German measles)	1	1	0
038	Viral hepatitis	56	41	15
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>200</u>	<u>39</u>	<u>161</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	78	15	63
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	10	4	6
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	8	1	7
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	56	6	50
043	Unspecified human immunodeficiency virus (HIV) disease	48	13	35
044	All other and unspecified viral diseases	9	7	2
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>35</u>	<u>18</u>	<u>17</u>
045	Mycoses	23	11	12
<u>046-050</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
049	Pneumocystosis	2	1	1
054	Sequelae of poliomyelitis	1	1	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	9	5	4
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,006</u>	<u>4,085</u>	<u>1,921</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>5,933</u>	<u>4,031</u>	<u>1,902</u>

## Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>105</u>	<u>68</u>	<u>37</u>
056	Of lip	1	1	0
057	Of tongue	9	7	2
058	Of pharynx	68	43	25
059	Of other and unspecified sites within the lip, oral cavity and pharynx	27	17	10
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,373</u>	<u>850</u>	<u>523</u>
060	Of esophagus	110	65	45
061	Of stomach	129	61	68
062	Of small intestine	9	5	4
063	Colon	516	305	211
064	Rectosigmoid junction and rectum	78	59	19
065	Anus and anal canal	6	5	1
066	Liver	163	112	51
067	Intrahepatic bile duct carcinoma	16	10	6
068	Of gallbladder and extrahepatic bile ducts	31	24	7
069	Of pancreas	299	194	105
070	Of other and ill-defined digestive organs	16	10	6
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,951</u>	<u>1,444</u>	<u>507</u>
071	Of nasal cavity, middle ear and accessory sinuses	10	5	5
072	Of larynx	34	21	13
073	Of trachea, bronchus and lung	1,901	1,414	487
074	Of thymus, heart, mediastinum and pleura	5	3	2
075	Of other and ill-defined sites in respiratory system and intrathoracic organs	1	1	0
076	Malignant neoplasms of bone and articular cartilage	26	17	9
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>95</u>	<u>80</u>	<u>15</u>
077	Malignant melanoma of skin	60	56	4
078	Other malignant neoplasms of skin	35	24	11
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>53</u>	<u>40</u>	<u>13</u>
079	Mesothelioma	18	17	1
080	Kaposi's sarcoma	1	0	1
081	Of other mesothelial and soft tissue	34	23	11
082	Malignant neoplasm of breast	445	274	171
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>243</u>	<u>149</u>	<u>94</u>
083	Of vulva and vagina	5	3	2
084	Of cervix uteri	41	20	21
085	Of corpus uteri and uterus, part unspecified	60	24	36
086	Of ovary	134	99	35
087	Of other and unspecified female genital organs	3	3	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>416</u>	<u>221</u>	<u>195</u>
089	Of prostate	411	217	194
090	Of testis	2	2	0
091	Of penis and other and unspecified male genital organs	3	2	1
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>224</u>	<u>172</u>	<u>52</u>
092	Of kidney and renal pelvis	138	103	35
093	Of bladder	82	68	14
094	Of other and unspecified sites within the urinary tract	4	1	3
095	Malignant neoplasm of eye and adnexa	1	1	0

Table 10A - Page 3  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>142</u>	<u>114</u>	<u>28</u>
096	Of brain	138	111	27
097	Of other parts of central nervous system	4	3	1
098	Malignant neoplasms of thyroid and other endocrine glands	17	11	6
099	Other malignant neoplasms of other and unspecified sites	350	243	107
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>492</u>	<u>347</u>	<u>145</u>
100	Hodgkin's disease	14	8	6
101	Non-Hodgkin's lymphoma	178	141	37
102	Of other and unspecified lymphoid, hematopoietic and related tissue	4	3	1
103	Malignant immunoproliferative diseases	1	0	1
104	Multiple myeloma and malignant plasma cell neoplasms	105	58	47
<u>(105-108)</u>	<u>(Leukemia)</u>	<u>190</u>	<u>137</u>	<u>53</u>
105	Lymphoid leukemia	55	40	15
106	Myeloid leukemia	72	57	15
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	61	38	23
<u>111-113</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>7</u>	<u>6</u>
111	Of female genital organs	1	0	1
112	Of eye, brain and other parts of central nervous system	4	2	2
113	Of other and unspecified sites	8	5	3
114	Neoplasms of uncertain or unknown behavior of specified sites	59	46	13
115	Neoplasm of uncertain or unknown behavior of unspecified sites	1	1	0
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>117</u>	<u>68</u>	<u>49</u>
<u>116-119</u>	<u>Anemias</u>	<u>50</u>	<u>28</u>	<u>22</u>
116	Nutritional anemias	3	2	1
117	Hemolytic anemias	9	1	8
118	Aplastic anemias	11	8	3
119	Acute posthemorrhagic and other anemias	27	17	10
120	Coagulation defects, purpura and other hemorrhagic conditions	33	23	10
121	Other diseases of blood and blood-forming organs	18	14	4
122	Certain disorders involving the immune mechanism	16	3	13
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>905</u>	<u>485</u>	<u>420</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>684</u>	<u>371</u>	<u>313</u>
123	Disorders of thyroid gland	19	12	7
124	Diabetes mellitus	654	354	300
125	Disorders of pituitary gland	1	0	1
126	Disorders of adrenal glands	1	0	1
128	Other endocrine diseases	9	5	4

Table 10A - Page 4  
 Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>45</u>	<u>20</u>	<u>25</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>39</u>	<u>15</u>	<u>24</u>
129	Nutritional marasmus	1	1	0
130	Other and unspecified malnutrition	38	14	24
131	Other nutritional deficiencies	6	5	1
132	Obesity and other hyperalimentation	29	11	18
<u>133-135</u>	<u>Metabolic disorders</u>	<u>147</u>	<u>83</u>	<u>64</u>
133	Cystic fibrosis	4	4	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	106	53	53
135	Other metabolic disorders	37	26	11
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>321</u>	<u>233</u>	<u>88</u>
136	Organic dementia	191	156	35
137	Other and unspecified organic mental disorders	31	21	10
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>83</u>	<u>44</u>	<u>39</u>
138	Mental and behavioral disorders due to use of alcohol	67	36	31
139	Mental and behavioral disorders due to other psychoactive substance abuse	16	8	8
140	Schizophrenia, schizotypal and delusional disorders	2	0	2
141	Mood (affective) disorders	5	5	0
142	Neurotic, stress-related and somatoform disorders	1	1	0
143	Mental retardation	6	5	1
144	Other and unspecified mental and behavioral disorders	2	1	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>849</u>	<u>642</u>	<u>207</u>
145	Meningitis	14	6	8
146	Other inflammatory diseases of central nervous system	6	4	2
147	Parkinson's disease	109	100	9
148	Alzheimer's disease	439	357	82
149	Multiple sclerosis	13	8	5
150	Epilepsy	23	8	15
151	Transient cerebral ischemic attacks and related syndromes	4	2	2
152	Infantile cerebral palsy	18	10	8
153	All other diseases of nervous system	223	147	76
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,607</u>	<u>7,806</u>	<u>3,801</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>11,557</u>	<u>7,768</u>	<u>3,789</u>
156	Acute rheumatic fever	1	0	1
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>21</u>	<u>16</u>	<u>5</u>
157	Rheumatic mitral valve diseases	15	12	3
159	Disorders of both mitral and aortic valves	1	1	0

Table 10A - Page 5  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
160	Other chronic rheumatic heart diseases	5	3	2
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>852</u>	<u>429</u>	<u>423</u>
161	Essential (primary) hypertension	184	89	95
162	Hypertensive heart disease	498	261	237
163	Hypertensive renal disease	100	49	51
164	Hypertensive heart and renal disease	70	30	40
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>5,410</u>	<u>3,818</u>	<u>1,592</u>
165	Acute myocardial infarction	2,556	1,713	843
166	Other acute ischemic heart diseases	21	8	13
167	Atherosclerotic cardiovascular disease, so described	772	569	203
168	All other forms of chronic ischemic heart disease	2,061	1,528	533
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>116</u>	<u>88</u>
169	Pulmonary embolism	155	90	65
170	Other pulmonary heart disease and diseases of pulmonary circulation	49	26	23
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,806</u>	<u>1,893</u>	<u>913</u>
171	Acute and subacute endocarditis	14	9	5
172	Diseases of pericardium and acute myocarditis	11	5	6
173	Nonrheumatic mitral valve disorders	16	13	3
174	Nonrheumatic aortic valve disorders	74	55	19
175	All other diseases of endocardium	27	16	11
176	Cardiomyopathy	320	198	122
177	Conduction disorders and cardiac dysrhythmias	772	478	294
178	Congestive heart failure	1,214	864	350
179	Other and unspecified heart failure	124	98	26
180	Myocarditis, unspecified and myocardial degeneration	5	3	2
181	All other and ill-defined forms of heart disease	229	154	75
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,927</u>	<u>1,261</u>	<u>666</u>
182	Subarachnoid hemorrhage	76	55	21
183	Intracerebral and other intracranial hemorrhage	316	204	112
184	Cerebral infarction	107	77	30
185	Stroke, not specified as hemorrhage or infarction	1,176	779	397
186	Other cerebrovascular diseases and their sequelae	252	146	106
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>336</u>	<u>235</u>	<u>101</u>
187	Atherosclerosis	97	73	24
188	Aortic aneurysm and dissection	155	119	36
189	Other diseases of arteries, arterioles and capillaries	84	43	41
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>50</u>	<u>38</u>	<u>12</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	35	27	8
191	All other and unspecified disorders of circulatory system	15	11	4
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,592</u>	<u>2,025</u>	<u>567</u>



Table 10A - Page 6  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>6</u>	<u>4</u>	<u>2</u>
192	Acute pharyngitis and tonsillitis	2	1	1
194	Other and unspecified acute upper respiratory infections	4	3	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,586</u>	<u>2,021</u>	<u>565</u>
195	Influenza	4	3	1
<u>196-198</u>	<u>Pneumonia</u>	<u>746</u>	<u>544</u>	<u>202</u>
196	Viral pneumonia, not elsewhere classified	6	4	2
197	Bacterial pneumonia	33	23	10
198	Pneumonia due to other or unspecified organisms	707	517	190
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
199	Acute bronchitis and bronchiolitis	1	1	0
201	Other diseases of upper respiratory tract	5	3	2
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,325</u>	<u>1,096</u>	<u>229</u>
202	Bronchitis, not specified as acute or chronic	11	8	3
203	Chronic bronchitis	2	2	0
204	Emphysema	132	114	18
205	Other chronic obstructive pulmonary disease	1,122	946	176
206	Asthma	50	20	30
207	Bronchiectasis	8	6	2
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>224</u>	<u>167</u>	<u>57</u>
208	Pneumoconioses and chemical effects	14	14	0
209	Pneumonitis due to food and vomit	210	153	57
212	Suppurative and necrotic conditions of lower respiratory tract	14	10	4
213	Pleural effusion and plaque	10	7	3
214	All other diseases of respiratory system	257	190	67
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>926</u>	<u>629</u>	<u>297</u>
215	Diseases of oral cavity, salivary glands and jaws	2	2	0
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>924</u>	<u>627</u>	<u>297</u>
216	Diseases of esophagus	17	10	7
<u>217-220</u>	<u>Peptic ulcer</u>	<u>34</u>	<u>26</u>	<u>8</u>
217	Gastric ulcer	12	8	4
218	Duodenal ulcer	14	12	2
219	Peptic ulcer, site unspecified	8	6	2
221	Gastritis and duodenitis	4	4	0
222	Dyspepsia and other diseases of stomach and duodenum	9	6	3
223	Diseases of appendix	3	2	1
224	Hernia	16	10	6
225	Crohn's disease and ulcerative colitis	8	6	2
226	Vascular disorders and obstruction of intestine	136	97	39
227	Diverticular disease of intestine	35	29	6
228	Other diseases of intestines and peritoneum	51	29	22
229	Diseases of peritoneum	18	12	6
<u>230-233</u>	<u>Diseases of liver</u>	<u>373</u>	<u>267</u>	<u>106</u>
230	Alcoholic liver disease	86	55	31
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	178	135	43
233	Other diseases of liver	108	76	32

Table 10A - Page 7  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
234	Cholelithiasis and other disorders of gallbladder	42	30	12
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>63</u>	<u>34</u>	<u>29</u>
235	Pancreatitis	54	29	25
236	Other disorders of biliary tract and pancreas	9	5	4
237	All other diseases of digestive system	115	65	50
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>59</u>	<u>22</u>	<u>37</u>
238	Infections of skin and subcutaneous tissue	14	6	8
239	Other and unspecified diseases of skin and subcutaneous tissue	45	16	29
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>120</u>	<u>81</u>	<u>39</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	25	20	5
241	Systemic lupus erythematosus	10	5	5
242	Other arthropathies and related disorders	44	29	15
243	Dorsopathies	6	4	2
244	Soft tissue disorders	12	4	8
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>23</u>	<u>19</u>	<u>4</u>
245	Osteoporosis	16	16	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system	7	3	4
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>835</u>	<u>487</u>	<u>348</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>826</u>	<u>483</u>	<u>343</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>4</u>	<u>2</u>	<u>2</u>
248	Nephrotic syndrome	1	0	1
249	Other and unspecified glomerular diseases	3	2	1
250	Renal tubulo-interstitial diseases	10	6	4
251	Renal failure	594	329	265
252	Urolithiasis	2	2	0
254	Urinary tract infection, site not specified	208	138	70
255	Other diseases of urinary system	8	6	2
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>4</u>	<u>3</u>
256	Hyperplasia of prostate	7	4	3
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>2</u>	<u>0</u>	<u>2</u>
259	Inflammatory diseases of female pelvic organs	1	0	1
260	Noninflammatory disorders of female genital tract	1	0	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>4</u>	<u>8</u>
<u>261-265</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>1</u>	<u>0</u>
261	Ectopic pregnancy	1	1	0
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>4</u>	<u>2</u>	<u>2</u>
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>4</u>	<u>2</u>	<u>2</u>
268	Obstetric embolism	4	2	2
270	All other direct obstetric causes	3	1	2

Table 10A - Page 8  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
272	Other deaths related to pregnancy, childbirth and the puerperium	3	0	3
273	Indirect obstetric deaths	1	0	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>212</u>	<u>54</u>	<u>158</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	26	10	16
275	Disorders related to short gestation and low birthweight, not elsewhere classified	91	11	80
276	Birth trauma	1	0	1
277	Intrauterine hypoxia and birth asphyxia	5	1	4
278	Respiratory distress of newborn	12	6	6
279	Other respiratory conditions originating in the perinatal period	31	7	24
280	Infections specific to the perinatal period	10	1	9
281	Other and unspecified conditions originating in the perinatal period	36	18	18
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>132</u>	<u>73</u>	<u>59</u>
282	Anencephaly and similar malformations	3	3	0
283	Spina bifida	2	0	2
284	All other congenital malformations of nervous system	5	1	4
285	Congenital malformations of heart	42	25	17
286	Other congenital malformations of circulatory system	6	4	2
287	Congenital malformations of respiratory system	15	8	7
288	Other congenital malformations and deformations	31	18	13
289	Down's syndrome	14	7	7
290	All other chromosomal abnormalities, not elsewhere classified	14	7	7
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>294</u>	<u>177</u>	<u>117</u>
291	Senility	18	15	3
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>104</u>	<u>55</u>	<u>49</u>
292	Sudden infant death syndrome	54	28	26
293	Other ill-defined and unknown causes of mortality	50	27	23
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	172	107	65
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,317</u>	<u>1,478</u>	<u>839</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,559</u>	<u>1,005</u>	<u>554</u>
295	Railway accidents	10	5	5
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>816</u>	<u>504</u>	<u>312</u>
296	Pedestrian involved in collision with motor vehicle	58	25	33

Table 10A - Page 9  
 Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
297	Pedal cyclist involved in collision with motor vehicle	7	4	3
298	Motorcyclist involved in any accident except collision with railway train	29	24	5
300	Other motor vehicle accident involving collision with railway train	21	14	7
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	171	105	66
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	292	183	109
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	2	1	1
304	Occupant of motor vehicle involved in noncollision accident	126	77	49
305	Occupant of special-use motor vehicle involved in any accident	33	24	9
306	Other and unspecified motor vehicle accidents	77	47	30
308	Other and unspecified land transport accidents	7	4	3
309	Water transport accidents	22	13	9
310	Air and space transport accidents	5	5	0
311	Other and unspecified transport accidents and their sequelae	8	5	3
<u>312-314</u>	<u>Falls</u>	<u>170</u>	<u>143</u>	<u>27</u>
312	Fall on same level	30	27	3
313	Fall from one level to another	20	13	7
314	Unspecified fall	120	103	17
315	Accidental discharge of firearms	22	14	8
316	Accidental explosion	2	2	0
317	Accidental drowning and submersion	69	38	31
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	89	47	42
319	Other accidental and unspecified threats to breathing	17	11	6
320	Accidental exposure to electric current	13	9	4
322	Accidental exposure to smoke, fire and flames	82	31	51
323	Accidental contact with heat and hot substances	1	0	1
324	Lightning	1	1	0
326	Cataclysmic storm and flood	9	7	2
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>114</u>	<u>98</u>	<u>16</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	107	93	14
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	4	3	1
329	Accidental poisoning by and exposure to other gases and vapors	3	2	1
330	All other and unspecified accidents and their sequelae	102	68	34

Table 10A - Page 10  
Deaths - Mississippi - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>327</u>	<u>290</u>	<u>37</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	30	28	2
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	1	0	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	42	35	7
335	Intentional self-harm (suicide) by discharge of firearms	239	215	24
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	10	7	3
<u>338-346</u>	<u>Assault (homicide)</u>	<u>325</u>	<u>111</u>	<u>214</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	1	0	1
339	Assault (homicide) by hanging, strangulation and suffocation	13	6	7
340	Assault (homicide) by discharge of firearms	225	78	147
341	Assault (homicide) by sharp object	39	10	29
342	Assault (homicide) by blunt object	12	4	8
343	Assault (homicide) by bodily force	3	2	1
345	Neglect, abandonment and other maltreatment syndromes	6	0	6
346	Assault (homicide) by all other and unspecified means and their sequelae	26	11	15
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>46</u>	<u>36</u>	<u>10</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	25	23	2
350	Discharge of firearms, undetermined intent	12	9	3
352	All other and unspecified events of undetermined intent and their sequelae	9	4	5
<u>353-354</u>	<u>Legal intervention</u>	<u>7</u>	<u>5</u>	<u>2</u>
353	Legal execution	1	1	0
354	Other legal intervention and their sequelae	6	4	2
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>53</u>	<u>31</u>	<u>22</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	5	1	4
357	Misadventures to patients during medical and surgical care and their sequelae	3	2	1
358	Other complications of medical and surgical care and their sequelae	45	28	17

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B  
DEATHS, BY CAUSE AND RACE,  
MISSISSIPPI RESIDENTS, 2001**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,134</u>	<u>18,774</u>	<u>9,360</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>829</u>	<u>425</u>	<u>404</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>12</u>	<u>10</u>	<u>2</u>
A04	Other bacterial intestinal infections	8	7	1
A08	Viral and other specified intestinal infections	2	1	1
A09	Diarrhea and gastroenteritis of presumed infectious origin	2	2	0
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>10</u>	<u>5</u>	<u>5</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	9	4	5
A18	Tuberculosis of other organs	1	1	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>501</u>	<u>301</u>	<u>200</u>
A31	Infection due to other mycobacteria	4	3	1
A39	Meningococcal infection	2	2	0
A40	Streptococcal septicemia	11	6	5
A41	Other septicemia	478	287	191
A48	Other bacterial diseases, not elsewhere classified	1	0	1
A49	Bacterial infection of unspecified site	5	3	2
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>2</u>	<u>0</u>	<u>2</u>
<u>A50-A53</u>	<u>Syphilis</u>	<u>2</u>	<u>0</u>	<u>2</u>
A50	Congenital syphilis	1	0	1
A52	Late syphilis	1	0	1
<u>A65-A79</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
A77	Spotted fever [tick-borne rickettsioses]	1	1	0
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>3</u>	<u>3</u>	<u>0</u>
A81	Atypical virus infections of central nervous system	2	2	0
A86	Unspecified viral encephalitis	1	1	0
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>4</u>	<u>4</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	2	2	0
B01	Varicella [chickenpox]	1	1	0
B06	Rubella [German measles]	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>56</u>	<u>41</u>	<u>15</u>
B15	Acute hepatitis A	4	4	0
B16	Acute hepatitis B	9	8	1
B17	Other acute viral hepatitis	35	25	10
B18	Chronic viral hepatitis	6	4	2
B19	Unspecified viral hepatitis	2	0	2
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>200</u>	<u>39</u>	<u>161</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	78	15	63
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	10	4	6
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	8	1	7
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	56	6	50

Table 10B - Page 2  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
B24	Unspecified human immunodeficiency virus [HIV] disease	48	13	35
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>5</u>	<u>3</u>	<u>2</u>
B25	Cytomegaloviral disease	1	1	0
B33	Other viral diseases, not elsewhere classified	2	1	1
B34	Viral infection of unspecified site	2	1	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>23</u>	<u>11</u>	<u>12</u>
B37	Candidiasis	7	3	4
B40	Blastomycosis	2	1	1
B42	Sporotrichosis	1	0	1
B44	Aspergillosis	4	3	1
B45	Cryptococcosis	1	0	1
B49	Unspecified mycosis	8	4	4
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
B59	Pneumocystosis	2	1	1
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>8</u>	<u>5</u>	<u>3</u>
B91	Sequelae of poliomyelitis	1	1	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	7	4	3
B99	Other and unspecified infectious diseases	2	1	1
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,006</u>	<u>4,085</u>	<u>1,921</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>5,933</u>	<u>4,031</u>	<u>1,902</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>105</u>	<u>68</u>	<u>37</u>
C00	Malignant neoplasm of lip	1	1	0
C01	Malignant neoplasm of base of tongue	1	0	1
C02	Malignant neoplasm of other and unspecified parts of tongue	8	7	1
C04	Malignant neoplasm of floor of mouth	2	2	0
C05	Malignant neoplasm of palate	5	4	1
C06	Malignant neoplasm of other and unspecified parts of mouth	13	6	7
C07	Malignant neoplasm of parotid gland	3	2	1
C09	Malignant neoplasm of tonsil	4	3	1
C10	Malignant neoplasm of oropharynx	6	4	2
C11	Malignant neoplasm of nasopharynx	6	4	2
C12	Malignant neoplasm of pyriform sinus	1	1	0
C13	Malignant neoplasm of hypopharynx	1	1	0
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	54	33	21
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,373</u>	<u>850</u>	<u>523</u>
C15	Malignant neoplasm of esophagus	110	65	45
C16	Malignant neoplasm of stomach	129	61	68
C17	Malignant neoplasm of small intestine	9	5	4
C18	Malignant neoplasm of colon	516	305	211
C19	Malignant neoplasm of rectosigmoid junction	18	15	3
C20	Malignant neoplasm of rectum	60	44	16
C21	Malignant neoplasm of anus and anal canal	6	5	1
C22	Malignant neoplasm of liver and intrahepatic bile ducts	179	122	57
C23	Malignant neoplasm of gallbladder	18	14	4
C24	Malignant neoplasm of other and unspecified parts of biliary tract	13	10	3

Table 10B - Page 3  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
C25	Malignant neoplasm of pancreas	299	194	105
C26	Malignant neoplasm of other and ill-defined digestive organs	16	10	6
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,951</u>	<u>1,444</u>	<u>507</u>
C31	Malignant neoplasm of accessory sinuses	10	5	5
C32	Malignant neoplasm of larynx	34	21	13
C33	Malignant neoplasm of trachea	1	0	1
C34	Malignant neoplasm of bronchus and lung	1,900	1,414	486
C37	Malignant neoplasm of thymus	1	0	1
C38	Malignant neoplasm of heart, mediastinum, and pleura	4	3	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>26</u>	<u>17</u>	<u>9</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	26	17	9
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>95</u>	<u>80</u>	<u>15</u>
C43	Malignant melanoma of skin	60	56	4
C44	Other malignant neoplasms of skin	35	24	11
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>53</u>	<u>40</u>	<u>13</u>
C45	Mesothelioma	18	17	1
C46	Kaposi sarcoma	1	0	1
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	1	1	0
C48	Malignant neoplasm of retroperitoneum and peritoneum	6	4	2
C49	Malignant neoplasm of other connective and soft tissue	27	18	9
C50	Malignant neoplasm of breast	445	274	171
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>243</u>	<u>149</u>	<u>94</u>
C51	Malignant neoplasm of vulva	3	2	1
C52	Malignant neoplasm of vagina	2	1	1
C53	Malignant neoplasm of cervix uteri	41	20	21
C54	Malignant neoplasm of corpus uteri	26	11	15
C55	Malignant neoplasm of uterus, part unspecified	34	13	21
C56	Malignant neoplasm of ovary	134	99	35
C57	Malignant neoplasm of other and unspecified female genital organs	3	3	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>416</u>	<u>221</u>	<u>195</u>
C60	Malignant neoplasm of penis	3	2	1
C61	Malignant neoplasm of prostate	411	217	194
C62	Malignant neoplasm of testis	2	2	0
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>224</u>	<u>172</u>	<u>52</u>
C64	Malignant neoplasm of kidney, except renal pelvis	138	103	35
C66	Malignant neoplasm of ureter	1	1	0
C67	Malignant neoplasm of bladder	82	68	14
C68	Malignant neoplasm of other and unspecified urinary organs	3	0	3



Table 10B - Page 4  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>143</u>	<u>115</u>	<u>28</u>
C69	Malignant neoplasm of eye and adnexa	1	1	0
C70	Malignant neoplasm of meninges	1	1	0
C71	Malignant neoplasm of brain	138	111	27
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	3	2	1
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>17</u>	<u>11</u>	<u>6</u>
C73	Malignant neoplasm of thyroid gland	11	7	4
C74	Malignant neoplasm of adrenal gland	4	3	1
C75	Malignant neoplasm of other endocrine glands and related structures	2	1	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>286</u>	<u>196</u>	<u>90</u>
C76	Malignant neoplasm of other and ill-defined sites	56	48	8
C77	Secondary and unspecified malignant neoplasm of lymph nodes	2	2	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	29	13	16
C79	Secondary malignant neoplasm of other sites	29	16	13
C80	Malignant neoplasm without specification of site	170	117	53
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>492</u>	<u>347</u>	<u>145</u>
C81	Hodgkin's disease	14	8	6
C82	Follicular [nodular] non-Hodgkin's lymphoma	2	2	0
C83	Diffuse non-Hodgkin's lymphoma	26	21	5
C84	Peripheral and cutaneous T-cell lymphomas	9	8	1
C85	Other and unspecified types of non-Hodgkin's lymphoma	141	110	31
C88	Malignant immunoproliferative diseases	1	0	1
C90	Multiple myeloma and malignant plasma cell neoplasms	105	58	47
C91	Lymphoid leukemia	55	40	15
C92	Myeloid leukemia	72	57	15
C93	Monocytic leukemia	2	2	0
C94	Other leukemias of specified cell type	2	1	1
C95	Leukemia of unspecified cell type	59	37	22
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	4	3	1
C97	Malignant neoplasms of independent (primary) multiple sites	64	47	17
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>7</u>	<u>6</u>
D12	Benign neoplasm of colon, rectum, anus, and anal canal	2	1	1
D18	Hemangioma and lymphangioma, any site	1	0	1
D23	Other benign neoplasms of skin	1	1	0
D25	Leiomyoma of uterus	1	0	1
D32	Benign neoplasm of meninges	1	0	1
D33	Benign neoplasm of brain and other parts of central nervous system	3	2	1

Table 10B - Page 5  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
D35	Benign neoplasm of other and unspecified endocrine glands	3	3	0
D36	Benign neoplasm of other and unspecified sites	1	0	1
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>60</u>	<u>47</u>	<u>13</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	4	3	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	1	0	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	18	11	7
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	0	2
D45	Polycythemia vera	3	3	0
D46	Myelodysplastic syndromes	21	20	1
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	10	9	1
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	1	1	0
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>117</u>	<u>68</u>	<u>49</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>3</u>	<u>2</u>	<u>1</u>
D50	Iron deficiency anemia	1	1	0
D51	Vitamin B-12 deficiency anemia	1	1	0
D53	Other nutritional anemias	1	0	1
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>9</u>	<u>1</u>	<u>8</u>
D57	Sickle-cell disorders	8	0	8
D59	Acquired hemolytic anemia	1	1	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>38</u>	<u>25</u>	<u>13</u>
D61	Other aplastic anemias	11	8	3
D64	Other anemias	27	17	10
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>33</u>	<u>23</u>	<u>10</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	5	2	3
D66	Hereditary factor VIII deficiency	1	1	0
D68	Other coagulation defects	13	9	4
D69	Purpura and other hemorrhagic conditions	14	11	3
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>18</u>	<u>14</u>	<u>4</u>
D70	Agranulocytosis	8	7	1
D72	Other disorders of white blood cells	3	3	0
D73	Diseases of spleen	3	2	1
D74	Methemoglobinemia	1	0	1
D75	Other diseases of blood and blood-forming organs	1	1	0
D76	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system	2	1	1
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>16</u>	<u>3</u>	<u>13</u>

Table 10B - Page 6  
 Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
D84	Other immunodeficiencies	3	1	2
D86	Sarcoidosis	12	1	11
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	1	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>905</u>	<u>485</u>	<u>420</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>19</u>	<u>12</u>	<u>7</u>
E03	Other hypothyroidism	13	9	4
E04	Other nontoxic goiter	2	2	0
E05	Thyrotoxicosis [hyperthyroidism]	3	1	2
E07	Other disorders of thyroid	1	0	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>654</u>	<u>354</u>	<u>300</u>
E10	Insulin-dependent diabetes mellitus	75	50	25
E11	Noninsulin-dependent diabetes mellitus	63	31	32
E13	Other specified diabetes mellitus	1	1	0
E14	Unspecified diabetes mellitus	515	272	243
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>7</u>	<u>4</u>	<u>3</u>
E15	Nondiabetic hypoglycemic coma	1	0	1
E16	Other disorders of pancreatic internal secretion	6	4	2
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>4</u>	<u>1</u>	<u>3</u>
E23	Hypofunction and other disorders of the pituitary gland	1	0	1
E27	Other disorders of adrenal gland	1	0	1
E34	Other endocrine disorders	2	1	1
<u>E40-E46</u>	<u>Malnutrition</u>	<u>39</u>	<u>15</u>	<u>24</u>
E41	Nutritional marasmus	1	1	0
E42	Marasmic kwashiorkor	1	1	0
E43	Unspecified severe protein-energy malnutrition	7	1	6
E46	Unspecified protein-energy malnutrition	30	12	18
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>6</u>	<u>5</u>	<u>1</u>
E63	Other nutritional deficiencies	5	4	1
E64	Sequelae of malnutrition and other nutritional deficiencies	1	1	0
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>29</u>	<u>11</u>	<u>18</u>
E66	Obesity	29	11	18
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>147</u>	<u>83</u>	<u>64</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	2	2	0
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	2	0	2
E76	Disorders of glycosaminoglycan metabolism	2	1	1
E77	Disorders of glycoprotein metabolism	1	0	1
E78	Disorders of lipoprotein metabolism and other lipidemias	10	8	2
E83	Disorders of mineral metabolism	4	2	2
E84	Cystic fibrosis	4	4	0
E85	Amyloidosis	8	8	0
E86	Volume depletion	65	38	27
E87	Other disorders of fluid, electrolyte, and acid-base balance	41	15	26
E88	Other metabolic disorders	8	5	3

Table 10B - Page 7  
 Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>321</u>	<u>233</u>	<u>88</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>222</u>	<u>177</u>	<u>45</u>
F03	Unspecified dementia	191	156	35
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	30	21	9
F09	Unspecified organic or symptomatic mental disorder	1	0	1
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>83</u>	<u>44</u>	<u>39</u>
F10	Mental and behavioral disorders due to use of alcohol	67	36	31
F12	Mental and behavioral disorders due to use of cannabinoids	1	0	1
F14	Mental and behavioral disorders due to use of cocaine	5	2	3
F17	Mental and behavioral disorders due to use of tobacco	2	2	0
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	8	4	4
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>2</u>	<u>0</u>	<u>2</u>
F20	Schizophrenia	2	0	2
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>5</u>	<u>5</u>	<u>0</u>
F32	Depressive episode	5	5	0
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
F43	Reaction to severe stress, and adjustment disorders	1	1	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>2</u>	<u>1</u>	<u>1</u>
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	2	1	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>6</u>	<u>5</u>	<u>1</u>
F72	Severe mental retardation	1	0	1
F79	Unspecified mental retardation	5	5	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>849</u>	<u>642</u>	<u>207</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>20</u>	<u>10</u>	<u>10</u>
G00	Bacterial meningitis, not elsewhere classified	5	3	2
G03	Meningitis due to other and unspecified causes	9	3	6
G04	Encephalitis, myelitis, and encephalomyelitis	3	2	1
G06	Intracranial and intraspinal abscess and granuloma	2	1	1
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	1	1	0
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>64</u>	<u>55</u>	<u>9</u>
G10	Huntington's disease	7	5	2

Table 10B - Page 8  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
G11	Hereditary ataxia	1	1	0
G12	Spinal muscular atrophy and related syndromes	56	49	7
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>112</u>	<u>102</u>	<u>10</u>
G20	Parkinson's disease	109	100	9
G23	Other degenerative diseases of basal ganglia	2	2	0
G24	Dystonia	1	0	1
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>447</u>	<u>364</u>	<u>83</u>
G30	Alzheimer's disease	439	357	82
G31	Other degenerative diseases of nervous system, not elsewhere classified	8	7	1
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>14</u>	<u>9</u>	<u>5</u>
G35	Multiple sclerosis	13	8	5
G37	Other demyelinating diseases of central nervous system	1	1	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>37</u>	<u>14</u>	<u>23</u>
G40	Epilepsy	15	5	10
G41	Status epilepticus	8	3	5
G45	Transient cerebral ischemic attacks and related syndromes	4	2	2
G47	Sleep disorders	10	4	6
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>7</u>	<u>6</u>	<u>1</u>
G60	Hereditary and idiopathic neuropathy	1	1	0
G61	Inflammatory polyneuropathy	5	4	1
G62	Other polyneuropathies	1	1	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>17</u>	<u>12</u>	<u>5</u>
G70	Myasthenia gravis and other myoneural disorders	6	5	1
G71	Primary disorders of muscles	9	6	3
G72	Other myopathies	2	1	1
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>35</u>	<u>22</u>	<u>13</u>
G80	Infantile cerebral palsy	18	10	8
G81	Hemiplegia	2	1	1
G82	Paraplegia and tetraplegia	14	10	4
G83	Other paralytic syndromes	1	1	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>96</u>	<u>48</u>	<u>48</u>
G91	Hydrocephalus	12	4	8
G92	Toxic encephalopathy	1	1	0
G93	Other disorders of brain	82	43	39
G95	Other diseases of spinal cord	1	0	1
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>H40-H42</u>	<u>Glaucoma</u>	<u>1</u>	<u>0</u>	<u>1</u>
H40	Glaucoma	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,607</u>	<u>7,806</u>	<u>3,801</u>
<u>I00-I02</u>	<u>Acute rheumatic fever</u>	<u>1</u>	<u>0</u>	<u>1</u>
I00	Rheumatic fever without mention of heart involvement	1	0	1
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>21</u>	<u>16</u>	<u>5</u>
I05	Rheumatic mitral valve diseases	15	12	3

Table 10B - Page 9  
 Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
I07	Rheumatic tricuspid valve diseases	1	0	1
I08	Multiple valve diseases	2	2	0
I09	Other rheumatic heart diseases	3	2	1
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>852</u>	<u>429</u>	<u>423</u>
I10	Essential (primary) hypertension	184	89	95
I11	Hypertensive heart disease	498	261	237
I12	Hypertensive renal disease	100	49	51
I13	Hypertensive heart and renal disease	70	30	40
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>5,410</u>	<u>3,818</u>	<u>1,592</u>
I20	Angina pectoris	11	6	5
I21	Acute myocardial infarction	2,556	1,713	843
I24	Other acute ischemic heart diseases	21	8	13
I25	Chronic ischemic heart disease	2,822	2,091	731
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>116</u>	<u>88</u>
I26	Pulmonary embolism	155	90	65
I27	Other pulmonary heart diseases	49	26	23
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,806</u>	<u>1,893</u>	<u>913</u>
I31	Other diseases of pericardium	9	4	5
I33	Acute and subacute endocarditis	14	9	5
I34	Nonrheumatic mitral valve disorders	16	13	3
I35	Nonrheumatic aortic valve disorders	74	55	19
I37	Pulmonary valve disorders	1	1	0
I38	Endocarditis, valve unspecified	26	15	11
I40	Acute myocarditis	2	1	1
I42	Cardiomyopathy	320	198	122
I44	Atrioventricular and left bundle-branch block	7	6	1
I45	Other conduction disorders	7	5	2
I46	Cardiac arrest	587	343	244
I47	Paroxysmal tachycardia	12	5	7
I48	Atrial fibrillation and flutter	75	63	12
I49	Other cardiac arrhythmias	84	56	28
I50	Heart failure	1,338	962	376
I51	Complications and ill-defined descriptions of heart disease	234	157	77
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,927</u>	<u>1,261</u>	<u>666</u>
I60	Subarachnoid hemorrhage	76	55	21
I61	Intracerebral hemorrhage	226	148	78
I62	Other nontraumatic intracranial hemorrhage	90	56	34
I63	Cerebral infarction	107	77	30
I64	Stroke, not specified as hemorrhage or infarction	1,176	779	397
I67	Other cerebrovascular diseases	107	61	46
I69	Sequelae of cerebrovascular disease	145	85	60
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>336</u>	<u>235</u>	<u>101</u>
I70	Atherosclerosis	97	73	24
I71	Aortic aneurysm and dissection	155	119	36
I72	Other aneurysm	6	2	4
I73	Other peripheral vascular diseases	54	23	31
I74	Arterial embolism and thrombosis	13	9	4
I77	Other disorders of arteries and arterioles	11	9	2
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>45</u>	<u>36</u>	<u>9</u>
I80	Phlebitis and thrombophlebitis	33	26	7

Table 10B - Page 10  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
I81	Portal vein thrombosis	1	1	0
I82	Other venous embolism and thrombosis	1	0	1
I83	Varicose veins of lower extremities	2	2	0
I85	Esophageal varices	2	2	0
I86	Varicose veins of other sites	1	1	0
I87	Other disorders of veins	4	3	1
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	1	1	0
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>5</u>	<u>2</u>	<u>3</u>
I95	Hypotension	4	2	2
I99	Other and unspecified disorders of circulatory system	1	0	1
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,592</u>	<u>2,025</u>	<u>567</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>6</u>	<u>4</u>	<u>2</u>
J02	Acute pharyngitis	2	1	1
J06	Acute upper respiratory infections of multiple and unspecified sites	4	3	1
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>750</u>	<u>547</u>	<u>203</u>
J11	Influenza, virus not identified	4	3	1
J12	Viral pneumonia, not elsewhere classified	6	4	2
J13	Pneumonia due to Streptococcus pneumoniae	6	4	2
J15	Bacterial pneumonia, not elsewhere classified	27	19	8
J18	Pneumonia, organism unspecified	707	517	190
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
J20	Acute bronchitis	1	1	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>5</u>	<u>3</u>	<u>2</u>
J32	Chronic sinusitis	1	1	0
J34	Other disorders of nose and nasal sinuses	1	0	1
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	1	0
J39	Other diseases of upper respiratory tract	2	1	1
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,325</u>	<u>1,096</u>	<u>229</u>
J40	Bronchitis, not specified as acute or chronic	11	8	3
J42	Unspecified chronic bronchitis	2	2	0
J43	Emphysema	132	114	18
J44	Other chronic obstructive pulmonary disease	1,122	946	176
J45	Asthma	48	20	28
J46	Status asthmaticus	2	0	2
J47	Bronchiectasis	8	6	2
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>224</u>	<u>167</u>	<u>57</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	13	13	0
J62	Pneumoconiosis due to dust containing silica	1	1	0
J69	Pneumonitis due to solids and liquids	210	153	57
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>152</u>	<u>120</u>	<u>32</u>
J80	Adult respiratory distress syndrome	20	15	5
J81	Pulmonary edema	15	11	4
J82	Pulmonary eosinophilia, not elsewhere classified	6	4	2
J84	Other interstitial pulmonary diseases	111	90	21

Table 10B - Page 11  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>14</u>	<u>10</u>	<u>4</u>
J85	Abscess of lung and mediastinum	7	4	3
J86	Pyothorax	7	6	1
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>14</u>	<u>9</u>	<u>5</u>
J90	Pleural effusion, not elsewhere classified	10	7	3
J93	Pneumothorax	3	1	2
J94	Other pleural conditions	1	1	0
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>101</u>	<u>68</u>	<u>33</u>
J96	Respiratory failure, not elsewhere classified	54	36	18
J98	Other respiratory disorders	47	32	15
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>926</u>	<u>629</u>	<u>297</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>2</u>	<u>0</u>
K11	Diseases of salivary glands	2	2	0
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>64</u>	<u>46</u>	<u>18</u>
K21	Gastroesophageal reflux disease	9	4	5
K22	Other diseases of esophagus	8	6	2
K25	Gastric ulcer	12	8	4
K26	Duodenal ulcer	14	12	2
K27	Peptic ulcer, site unspecified	8	6	2
K29	Gastritis and duodenitis	4	4	0
K31	Other diseases of stomach and duodenum	9	6	3
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>3</u>	<u>2</u>	<u>1</u>
K35	Acute appendicitis	2	1	1
K37	Unspecified appendicitis	1	1	0
<u>K40-K46</u>	<u>Hernia</u>	<u>16</u>	<u>10</u>	<u>6</u>
K40	Inguinal hernia	2	2	0
K42	Umbilical hernia	1	0	1
K43	Ventral hernia	2	0	2
K44	Diaphragmatic hernia	6	5	1
K45	Other abdominal hernia	1	0	1
K46	Unspecified abdominal hernia	4	3	1
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>19</u>	<u>13</u>	<u>6</u>
K50	Crohn's disease [regional enteritis]	5	5	0
K51	Ulcerative colitis	3	1	2
K52	Other noninfective gastroenteritis and colitis	11	7	4
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>211</u>	<u>148</u>	<u>63</u>
K55	Vascular disorders of intestine	77	51	26
K56	Paralytic ileus and intestinal obstruction without hernia	59	46	13
K57	Diverticular disease of intestine	35	29	6
K59	Other functional intestinal disorders	6	3	3
K61	Abscess of anal and rectal regions	1	1	0
K62	Other diseases of anus and rectum	5	4	1
K63	Other diseases of intestine	28	14	14
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>18</u>	<u>12</u>	<u>6</u>
K65	Peritonitis	16	10	6
K66	Other disorders of peritoneum	2	2	0
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>373</u>	<u>267</u>	<u>106</u>
K70	Alcoholic liver disease	86	55	31
K72	Hepatic failure, not elsewhere classified	59	39	20



Table 10B - Page 12  
 Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	178	135	43
K75	Other inflammatory liver diseases	7	4	3
K76	Other diseases of liver	42	33	9
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>105</u>	<u>64</u>	<u>41</u>
K80	Cholelithiasis	15	9	6
K81	Cholecystitis	24	20	4
K82	Other diseases of gallbladder	3	1	2
K83	Other diseases of biliary tract	5	2	3
K85	Acute pancreatitis	41	20	21
K86	Other diseases of pancreas	17	12	5
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>115</u>	<u>65</u>	<u>50</u>
K90	Intestinal malabsorption	2	1	1
K92	Other diseases of the digestive system	113	64	49
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>59</u>	<u>22</u>	<u>37</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>14</u>	<u>6</u>	<u>8</u>
L02	Cutaneous abscess, furuncle, and carbuncle	4	1	3
L03	Cellulitis	9	4	5
L08	Other local infections of skin and subcutaneous tissue	1	1	0
<u>L40-L45</u>	<u>Papulosquamous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L40	Psoriasis	1	1	0
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>4</u>	<u>1</u>	<u>3</u>
L51	Erythema multiforme	3	1	2
L53	Other erythematous conditions	1	0	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>40</u>	<u>14</u>	<u>26</u>
L89	Decubitus ulcer	33	10	23
L93	Lupus erythematosus	5	3	2
L97	Ulcer of lower limb, not elsewhere classified	1	0	1
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	1	1	0
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>120</u>	<u>81</u>	<u>39</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>36</u>	<u>27</u>	<u>9</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M00	Pyogenic arthritis	1	1	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>31</u>	<u>25</u>	<u>6</u>
M05	Seropositive rheumatoid arthritis	5	4	1
M06	Other rheumatoid arthritis	20	16	4
M13	Other arthritis	6	5	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>3</u>	<u>0</u>	<u>3</u>
M19	Other arthrosis	3	0	3
<u>M20-M25</u>	<u>Other joint disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
M25	Other joint disorders, not elsewhere classified	1	1	0
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>43</u>	<u>27</u>	<u>16</u>
M30	Polyarteritis nodosa and related conditions	3	2	1
M31	Other necrotizing vasculopathies	11	9	2
M32	Systemic lupus erythematosus	10	5	5

Table 10B - Page 13  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
M33	Dermatopolymyositis	5	2	3
M34	Systemic sclerosis	10	7	3
M35	Other systemic involvement of connective tissue	4	2	2
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>6</u>	<u>4</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>3</u>	<u>1</u>	<u>2</u>
M40	Kyphosis and lordosis	1	1	0
M41	Scoliosis	2	0	2
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>2</u>	<u>2</u>	<u>0</u>
M45	Ankylosing spondylitis	1	1	0
M48	Other spondylopathies	1	1	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M51	Other intervertebral disc disorders	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>12</u>	<u>4</u>	<u>8</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>7</u>	<u>2</u>	<u>5</u>
M60	Myositis	1	0	1
M62	Other disorders of muscle	6	2	4
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>5</u>	<u>2</u>	<u>3</u>
M72	Fibroblastic disorders	4	2	2
M79	Other soft tissue disorders, not elsewhere classified	1	0	1
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>23</u>	<u>19</u>	<u>4</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>16</u>	<u>16</u>	<u>0</u>
M80	Osteoporosis with pathological fracture	5	5	0
M81	Osteoporosis without pathological fracture	11	11	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>7</u>	<u>3</u>	<u>4</u>
M86	Osteomyelitis	7	3	4
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>835</u>	<u>487</u>	<u>348</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>4</u>	<u>2</u>	<u>2</u>
N03	Chronic nephritic syndrome	3	2	1
N04	Nephrotic syndrome	1	0	1
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>10</u>	<u>6</u>	<u>4</u>
N11	Chronic tubulo-interstitial nephritis	1	0	1
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	3	2	1
N13	Obstructive and reflux uropathy	3	2	1
N15	Other renal tubulo-interstitial diseases	3	2	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>594</u>	<u>329</u>	<u>265</u>
N17	Acute renal failure	83	62	21
N18	Chronic renal failure	230	106	124
N19	Unspecified renal failure	281	161	120
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>2</u>	<u>2</u>	<u>0</u>
N20	Calculus of kidney and ureter	2	2	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>4</u>	<u>2</u>	<u>2</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	4	2	2
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>212</u>	<u>142</u>	<u>70</u>
N30	Cystitis	1	1	0
N32	Other disorders of bladder	1	1	0
N39	Other disorders of urinary system	210	140	70
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>4</u>	<u>3</u>
N40	Hyperplasia of prostate	7	4	3
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>

Table 10B - Page 14  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
N71	Inflammatory disease of uterus, except cervix	1	0	1
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>1</u>	<u>0</u>	<u>1</u>
N82	Fistulae involving female genital tract	1	0	1
<u>000-099</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>4</u>	<u>8</u>
<u>000-007</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>1</u>	<u>0</u>
000	Ectopic pregnancy	1	1	0
<u>010-092</u>	<u>Other direct obstetric deaths</u>	<u>7</u>	<u>3</u>	<u>4</u>
<u>030-048</u>	<u>Maternal care related to fetus and amniotic cavity and possible delivery problems</u>	<u>1</u>	<u>0</u>	<u>1</u>
041	Other disorders of amniotic fluid and membranes	1	0	1
<u>060-075</u>	<u>Complications of labor and delivery</u>	<u>2</u>	<u>1</u>	<u>1</u>
075	Other complications of labor and delivery, not elsewhere classified	2	1	1
<u>085-092</u>	<u>Complications predominantly related to the puerperium</u>	<u>4</u>	<u>2</u>	<u>2</u>
088	Obstetric embolism	4	2	2
<u>095-099</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>4</u>	<u>0</u>	<u>4</u>
096	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	3	0	3
099	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>212</u>	<u>54</u>	<u>158</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>26</u>	<u>10</u>	<u>16</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	0	1
P01	Newborn affected by maternal complications of pregnancy	14	5	9
P02	Newborn affected by complications of placenta, cord, and membranes	11	5	6
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>94</u>	<u>13</u>	<u>81</u>
P05	Slow fetal growth and fetal malnutrition	3	2	1
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	91	11	80
<u>P10-P15</u>	<u>Birth trauma</u>	<u>1</u>	<u>0</u>	<u>1</u>
P10	Intracranial laceration and hemorrhage due to birth injury	1	0	1
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>59</u>	<u>21</u>	<u>38</u>
P20	Intrauterine hypoxia	2	0	2
P21	Birth asphyxia	3	1	2
P22	Respiratory distress of newborn	12	6	6
P23	Congenital pneumonia	1	1	0

Table 10B - Page 15  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
P24	Neonatal aspiration syndromes	1	1	0
P26	Pulmonary hemorrhage originating in the perinatal period	11	1	10
P27	Chronic respiratory disease originating in the perinatal period	11	2	9
P28	Other respiratory conditions originating in the perinatal period	7	2	5
P29	Cardiovascular disorders originating in the perinatal period	11	7	4
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>10</u>	<u>1</u>	<u>9</u>
P36	Bacterial sepsis of newborn	9	1	8
P37	Other congenital infectious and parasitic diseases	1	0	1
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>8</u>	<u>4</u>	<u>4</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	8	4	4
<u>P70-P74</u>	<u>Transitory endocrine and metabolic disorders specific to fetus and newborn</u>	<u>1</u>	<u>0</u>	<u>1</u>
P74	Other transitory neonatal electrolyte and metabolic disturbances	1	0	1
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>13</u>	<u>5</u>	<u>8</u>
P77	Necrotizing enterocolitis of newborn	11	4	7
P78	Other perinatal digestive system disorders	2	1	1
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>132</u>	<u>73</u>	<u>59</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>10</u>	<u>4</u>	<u>6</u>
Q00	Anencephaly and similar malformations	3	3	0
Q02	Microcephaly	2	0	2
Q03	Congenital hydrocephalus	1	0	1
Q04	Other congenital malformations of brain	2	1	1
Q05	Spina bifida	2	0	2
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>48</u>	<u>29</u>	<u>19</u>
Q20	Congenital malformations of cardiac chambers and connections	8	3	5
Q21	Congenital malformations of cardiac septa	7	7	0
Q22	Congenital malformations of pulmonary and tricuspid valves	1	0	1
Q23	Congenital malformations of aortic and mitral valves	9	5	4
Q24	Other congenital malformations of heart	17	10	7
Q25	Congenital malformations of great arteries	3	2	1
Q27	Other congenital malformations of peripheral vascular system	2	1	1
Q28	Other congenital malformations of circulatory system	1	1	0
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>15</u>	<u>8</u>	<u>7</u>
Q33	Congenital malformations of lung	14	8	6
Q34	Other congenital malformations of respiratory system	1	0	1

Table 10B - Page 16  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>2</u>	<u>1</u>
Q40	Other congenital malformations of upper alimentary tract	1	1	0
Q43	Other congenital malformations of intestine	1	0	1
Q44	Congenital malformations of gallbladder, bile ducts and liver	1	1	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>9</u>	<u>5</u>	<u>4</u>
Q60	Renal agenesis and other reduction defects of kidney	7	3	4
Q61	Cystic kidney disease	2	2	0
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>3</u>	<u>3</u>	<u>0</u>
Q75	Other congenital malformations of skull and face	1	1	0
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	1	0
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	1	1	0
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>16</u>	<u>8</u>	<u>8</u>
Q85	Phakomatoses, not elsewhere classified	2	1	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	4	3	1
Q89	Other congenital malformations, not elsewhere classified	10	4	6
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>28</u>	<u>14</u>	<u>14</u>
Q90	Down's syndrome	14	7	7
Q91	Edward's syndrome and Patau's syndrome	13	7	6
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	1	0	1
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>294</u>	<u>177</u>	<u>117</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>94</u>	<u>60</u>	<u>34</u>
R04	Hemorrhage from respiratory passages	1	0	1
R06	Abnormalities of breathing	3	3	0
R09	Other symptoms and signs involving the circulatory and respiratory systems	90	57	33
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>3</u>	<u>2</u>	<u>1</u>
R11	Nausea and vomiting	1	0	1
R19	Other symptoms and signs involving the digestive system and abdomen	2	2	0
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>85</u>	<u>56</u>	<u>29</u>
R50	Fever of unknown origin	1	0	1
R53	Malaise and fatigue	26	18	8
R54	Senility	18	15	3
R56	Convulsions, not elsewhere classified	19	8	11
R57	Shock, not elsewhere classified	7	2	5
R58	Hemorrhage, not elsewhere classified	5	5	0

Table 10B - Page 17  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
R62	Lack of expected normal physiological development	9	8	1
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>5</u>	<u>2</u>	<u>3</u>
R73	Elevated blood glucose level	3	1	2
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	0	1
R79	Other abnormal findings of blood chemistry	1	1	0
<u>R80-R82</u>	<u>Abnormal findings on examination of urine, without diagnosis</u>	<u>1</u>	<u>1</u>	<u>0</u>
R80	Isolated proteinuria	1	1	0
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>2</u>	<u>1</u>	<u>1</u>
R91	Abnormal findings on diagnostic imaging of lung	2	1	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>104</u>	<u>55</u>	<u>49</u>
R95	Sudden infant death syndrome	54	28	26
R99	Other ill-defined and unspecified causes of mortality	50	27	23
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,317</u>	<u>1,478</u>	<u>839</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>75</u>	<u>36</u>	<u>39</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	55	23	32
V04	Pedestrian injured in collision with heavy transport vehicle or bus	3	2	1
V05	Pedestrian injured in collision with railway train or railway vehicle	10	5	5
V09	Pedestrian injured in other and unspecified transport accidents	7	6	1
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>8</u>	<u>4</u>	<u>4</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	6	3	3
V14	Pedal cyclist injured in collision with heavy transport vehicle or bus	1	1	0
V19	Pedal cyclist injured in other and unspecified transport accidents	1	0	1
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>29</u>	<u>24</u>	<u>5</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	2	2	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	14	12	2
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	2	2	0
V27	Motorcycle rider injured in collision with fixed or stationary object	5	4	1
V28	Motorcycle rider injured in noncollision transport accident	3	1	2
V29	Motorcycle rider injured in other and unspecified transport accidents	3	3	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>445</u>	<u>261</u>	<u>184</u>
V40	Car occupant injured in collision with pedestrian or animal	3	3	0

Table 10B - Page 18  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V43	Car occupant injured in collision with car, pickup truck, or van	160	91	69
V44	Car occupant injured in collision with heavy transport vehicle or bus	60	37	23
V45	Car occupant injured in collision with railway train or railway vehicle	16	11	5
V47	Car occupant injured in collision with fixed or stationary object	114	65	49
V48	Car occupant injured in noncollision transport accident	84	50	34
V49	Car occupant injured in other and unspecified transport accidents	8	4	4
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>156</u>	<u>112</u>	<u>44</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	28	20	8
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	31	28	3
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	3	2	1
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	53	37	16
V58	Occupant of pickup truck or van injured in noncollision transport accident	36	22	14
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	5	3	2
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>11</u>	<u>7</u>	<u>4</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	2	1	1
V65	Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle	2	1	1
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	0	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	6	5	1
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>109</u>	<u>69</u>	<u>40</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	2	1	1
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	2	0	2
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	6	6	0
V85	Occupant of special construction vehicle injured in transport accident	2	2	0
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	23	16	7

Table 10B - Page 19  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V87	Traffic accident of specified type but victim's mode of transport unknown	15	11	4
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	59	33	26
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>22</u>	<u>13</u>	<u>9</u>
V90	Accident to watercraft causing drowning and submersion	11	5	6
V92	Water-transport-related drowning and submersion without accident to watercraft	10	7	3
V93	Accident onboard watercraft without accident to watercraft, not causing drowning and submersion	1	1	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>5</u>	<u>5</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	5	5	0
<u>W00-W19</u>	<u>Falls</u>	<u>170</u>	<u>143</u>	<u>27</u>
W01	Fall on same level from slipping, tripping, and stumbling	9	8	1
W03	Other fall on same level due to collision with, or pushing by, another person	1	1	0
W04	Fall while being carried or supported by other persons	1	0	1
W05	Fall involving wheelchair	5	5	0
W06	Fall involving bed	7	7	0
W07	Fall involving chair	2	2	0
W08	Fall involving other furniture	1	1	0
W10	Fall on and from stairs and steps	6	4	2
W11	Fall on and from ladder	1	1	0
W13	Fall from, out of, or through building or structure	9	5	4
W17	Other fall from one level to another	4	3	1
W18	Other fall on same level	4	3	1
W19	Unspecified fall	120	103	17
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>51</u>	<u>33</u>	<u>18</u>
W20	Struck by thrown, projected, or falling object	12	7	5
W22	Striking against or struck by other objects	4	2	2
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	2	2	0
W28	Contact with powered lawn mower	3	2	1
W30	Contact with agricultural machinery	2	1	1
W31	Contact with other and unspecified machinery	3	2	1
W32	Handgun discharge	4	1	3
W33	Rifle, shotgun, and larger firearm discharge	5	4	1
W34	Discharge from other and unspecified firearms	13	9	4
W40	Explosion of other materials	2	2	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>3</u>	<u>2</u>	<u>1</u>
W50	Hit, struck, kicked, twisted, bitten, or scratched by another person	1	0	1
W55	Bitten or struck by other mammals	2	2	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>69</u>	<u>38</u>	<u>31</u>
W65	Drowning and submersion while in bathtub	4	3	1



Table 10B - Page 20  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
W67	Drowning and submersion while in swimming pool	11	4	7
W68	Drowning and submersion following fall into swimming pool	5	4	1
W69	Drowning and submersion while in natural water	24	11	13
W70	Drowning and submersion following fall into natural water	9	7	2
W73	Other specified drowning and submersion	3	2	1
W74	Unspecified drowning and submersion	13	7	6
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>106</u>	<u>58</u>	<u>48</u>
W75	Accidental suffocation and strangulation in bed	4	2	2
W76	Other accidental hanging and strangulation	7	6	1
W78	Inhalation of gastric contents	15	8	7
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	16	7	9
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	58	32	26
W83	Other specified threats to breathing	5	3	2
W84	Unspecified threat to breathing	1	0	1
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>13</u>	<u>9</u>	<u>4</u>
W85	Exposure to electric transmission lines	2	1	1
W86	Exposure to other specified electric current	5	4	1
W87	Exposure to unspecified electric current	6	4	2
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>82</u>	<u>31</u>	<u>51</u>
X00	Exposure to uncontrolled fire in building or structure	69	25	44
X01	Exposure to uncontrolled fire, not in building or structure	2	1	1
X02	Exposure to controlled fire in building or structure	2	0	2
X03	Exposure to controlled fire, not in building or structure	2	1	1
X04	Exposure to ignition of highly flammable material	2	1	1
X05	Exposure to ignition or melting of nightwear	1	0	1
X06	Exposure to ignition or melting of other clothing and apparel	2	2	0
X09	Exposure to unspecified smoke, fire, and flames	2	1	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>0</u>	<u>1</u>
X16	Contact with hot heating appliances, radiators, and pipes	1	0	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>1</u>	<u>1</u>	<u>0</u>
X23	Contact with hornets, wasps, and bees	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>25</u>	<u>17</u>	<u>8</u>
X30	Exposure to excessive natural heat	4	3	1
X31	Exposure to excessive natural cold	11	6	5
X33	Victim of lightning	1	1	0
X37	Victim of cataclysmic storm	9	7	2
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>114</u>	<u>98</u>	<u>16</u>

Table 10B - Page 21  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	2	1	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	8	8	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	19	11	8
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	78	73	5
X45	Accidental poisoning by and exposure to alcohol	3	2	1
X47	Accidental poisoning by and exposure to other gases and vapors	3	2	1
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	1	1	0
<u>X50-X57</u>	<u>Overexertion, travel and privation</u>	<u>2</u>	<u>2</u>	<u>0</u>
X50	Overexertion and strenuous or repetitive movements	2	2	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>47</u>	<u>32</u>	<u>15</u>
X58	Exposure to other specified factors	1	1	0
X59	Exposure to unspecified factor	46	31	15
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>327</u>	<u>290</u>	<u>37</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	3	3	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	2	2	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	24	22	2
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	0	1
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	42	35	7
X71	Intentional self harm (suicide) by drowning and submersion	2	1	1
X72	Intentional self harm (suicide) by handgun discharge	81	72	9
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	52	48	4

Table 10B - Page 22  
Deaths - Mississippi - 2001

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	106	95	11
X78	Intentional self harm (suicide) by sharp object	5	3	2
X81	Intentional self harm (suicide) by jumping or lying before moving object	2	2	0
X83	Intentional self harm (suicide) by other specified means	1	1	0
<u>X85-Y09</u>	<u>Assault</u>	<u>324</u>	<u>110</u>	<u>214</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	0	1
X91	Assault (homicide) by hanging, strangulation, and suffocation	13	6	7
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	59	15	44
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	34	19	15
X95	Assault (homicide) by other and unspecified firearm discharge	132	44	88
X97	Assault (homicide) by smoke, fire, and flames	3	1	2
X98	Assault (homicide) by steam, hot vapors, and hot objects	1	0	1
X99	Assault (homicide) by sharp object	39	10	29
Y00	Assault (homicide) by blunt object	12	4	8
Y03	Assault (homicide) by crashing of motor vehicle	1	0	1
Y04	Assault (homicide) by bodily force	3	2	1
Y06	Neglect and abandonment	1	0	1
Y07	Other maltreatment syndromes	5	0	5
Y08	Assault (homicide) by other specified means	2	1	1
Y09	Assault (homicide) by unspecified means	17	8	9
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>46</u>	<u>36</u>	<u>10</u>
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics, undetermined intent	1	1	0
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	1	1
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	6	6	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	16	15	1
Y21	Drowning and submersion, undetermined intent	1	0	1
Y22	Handgun discharge, undetermined intent	4	3	1
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	3	3	0
Y24	Other and unspecified firearm discharge, undetermined intent	5	3	2
Y26	Exposure to smoke, fire, and flames, undetermined intent	2	1	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Y32	Crashing of motor vehicle, undetermined intent	1	1	0
Y33	Other specified events, undetermined intent	2	1	1
Y34	Unspecified event, undetermined intent	3	1	2
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>7</u>	<u>5</u>	<u>2</u>
Y35	Legal intervention	7	5	2
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>5</u>	<u>1</u>	<u>4</u>
Y40	Systemic antibiotics	1	0	1
Y44	Agents primarily affecting blood constituents	1	1	0
Y48	Anesthetics and therapeutic gases	1	0	1
Y57	Other and unspecified drugs and medicaments	1	0	1
Y59	Other and unspecified vaccines and biological substances	1	0	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>3</u>	<u>2</u>	<u>1</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	1	1	0
Y65	Other misadventures during surgical and medical care	2	1	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>44</u>	<u>27</u>	<u>17</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the itme of the procedure	30	16	14
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	14	11	3
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>17</u>	<u>12</u>	<u>5</u>
Y85	Sequelae of transport accidents	8	5	3
Y86	Sequelae of other accidents	7	5	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	1	1	0
Y88	Sequelae with surgical and medical care as external cause	1	1	0

\* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11  
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,  
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,  
MISSISSIPPI RESIDENTS, 2001**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-358	ALL CAUSES	28,134	9.9	W	18,774	M	9,226	79	26	11	15	188	223	461	753	1,225	6,244	1		
							F	9,548	78	19	9	12	59	98	227	452	789	7,805	0	
							NW	M	4,667	169	31	20	23	192	200	373	605	701	2,351	2
								F	4,693	117	20	10	10	75	110	262	415	522	3,151	1
001-055	INFECTIOUS AND PARASITIC DISEASES	829	29.1	W	425	M	218	3	3	0	0	1	7	34	27	24	119	0		
							F	207	0	2	0	1	1	4	7	13	19	160	0	
							NW	M	232	7	2	1	1	9	33	50	37	19	73	0
								F	172	2	0	0	1	4	22	21	22	15	85	0
009,010	TUBERCULOSIS	10	0.4	W	5	M	3	0	0	0	0	0	0	0	0	0	3	0		
							F	2	0	0	0	0	0	0	0	0	2	0		
							NW	M	3	0	0	0	0	0	0	0	0	3	0	
								F	2	0	0	0	0	0	0	0	0	2	0	
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	200	7.0	W	39	M	33	0	0	0	0	0	5	21	5	1	1	0		
							F	6	0	0	0	0	0	3	2	0	1	0		
							NW	M	113	0	1	1	0	6	31	43	24	5	2	0
								F	48	0	0	0	0	3	17	17	8	2	1	0
056-108	MALIGNANT NEOPLASMS	5,933	208.6	W	4,031	M	2,272	0	0	1	1	9	16	51	200	420	1,574	0		
							F	1,759	2	2	0	0	0	15	49	168	287	1,236	0	
							NW	M	1,052	0	2	0	3	3	9	46	138	221	630	0
								F	850	0	0	1	0	4	16	58	118	148	505	0
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	73	2.6	W	54	M	23	0	1	0	0	0	0	0	1	3	18	0		
							F	31	0	0	0	0	0	0	1	1	2	27	0	
							NW	M	10	0	0	0	0	0	0	1	0	1	8	0
								F	9	0	0	1	0	1	0	0	2	0	5	0

TABLE 11 - PAGE 2  
DEATHS - MISSISSIPPI - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>116-122</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>117</u>	<u>4.1</u>	W	68	M	<u>29</u>	0	0	0	0	0	0	1	1	5	<u>22</u>	0	
						F	<u>39</u>	0	1	0	0	0	0	1	4	2	<u>31</u>	0	
						NW	M	<u>16</u>	0	1	0	0	3	0	1	4	2	<u>5</u>	0
							F	<u>33</u>	1	0	0	0	2	2	5	9	4	<u>10</u>	0
116-119	ANEMIAS	50	1.8	W	28	M	13	0	0	0	0	0	0	0	0	1	12	0	
						F	15	0	0	0	0	0	0	1	0	14	0		
						NW	M	8	0	1	0	0	2	0	0	2	1	2	0
							F	14	0	0	0	0	1	0	3	1	1	8	0
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>905</u>	<u>31.8</u>	W	<u>485</u>	M	<u>197</u>	0	1	0	0	1	3	13	18	23	<u>138</u>	0	
						F	<u>288</u>	1	1	0	0	1	7	12	10	28	<u>228</u>	0	
						NW	M	<u>158</u>	2	0	0	1	1	3	7	23	28	<u>93</u>	0
							F	<u>262</u>	1	2	0	0	2	3	10	14	43	<u>187</u>	0
124	DIABETES MELLITUS	654	23.0	W	354	M	148	0	0	0	0	0	1	7	16	20	104	0	
						F	206	0	0	0	0	0	3	8	9	24	162	0	
						NW	M	113	0	0	0	0	0	1	5	19	22	66	0
							F	187	0	0	0	0	2	1	5	9	37	133	0
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	45	1.6	W	20	M	7	0	0	0	0	0	0	0	1	0	6	0	
						F	13	0	0	0	0	0	0	0	0	0	13	0	
						NW	M	7	0	0	0	0	0	0	0	0	1	6	0
							F	18	0	0	0	0	0	1	1	1	1	14	0
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>321</u>	<u>11.3</u>	W	<u>233</u>	M	<u>84</u>	0	0	0	0	0	4	14	10	6	<u>50</u>	0	
						F	<u>149</u>	0	0	0	0	0	0	3	3	0	<u>143</u>	0	
						NW	M	<u>52</u>	0	0	0	0	0	3	9	9	10	<u>21</u>	0
							F	<u>36</u>	0	0	0	0	0	0	1	3	3	<u>29</u>	0
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	67	2.4	W	36	M	30	0	0	0	0	0	4	9	8	5	4	0	
						F	6	0	0	0	0	0	0	2	2	0	2	0	
						NW	M	27	0	0	0	0	0	3	6	6	8	4	0
							F	4	0	0	0	0	0	0	1	1	2	0	0

TABLE 11 - PAGE 3  
DEATHS - MISSISSIPPI - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>849</u>	<u>29.8</u>	W	<u>642</u>	M	<u>254</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>2</u>	<u>6</u>	<u>13</u>	<u>20</u>	<u>202</u>	<u>0</u>		
							F	<u>388</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>4</u>	<u>9</u>	<u>12</u>	<u>356</u>	<u>0</u>	
							NW	M	<u>207</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>6</u>	<u>6</u>	<u>8</u>	<u>50</u>	<u>0</u>
								F	<u>122</u>	<u>4</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>6</u>	<u>8</u>	<u>11</u>	<u>83</u>	<u>0</u>
145	MENINGITIS	14	0.5	W	6	M	3	1	0	0	0	0	0	0	0	0	2	0		
						F	3	0	0	0	0	0	0	0	0	2	1	0		
						NW	M	8	5	1	1	0	0	0	0	1	0	1	1	0
							F	3	3	2	0	0	0	0	0	0	0	0	1	0
147	PARKINSON'S DISEASE	109	3.8	W	100	M	59	0	0	0	0	0	0	0	1	2	56	0		
						F	41	0	0	0	0	0	0	0	0	0	41	0		
						NW	M	9	6	0	0	0	0	0	0	0	1	5	0	
							F	3	3	0	0	0	0	0	0	0	0	3	0	
148	ALZHEIMER'S DISEASE	439	15.4	W	357	M	90	0	0	0	0	0	0	0	2	88	0			
						F	267	0	0	0	0	0	0	0	2	265	0			
						NW	M	82	28	0	0	0	0	0	0	0	0	28	0	
							F	54	54	0	0	0	0	0	0	0	0	54	0	
150	EPILEPSY	23	0.8	W	8	M	4	0	0	0	0	1	0	0	1	1	1	0		
						F	4	0	0	0	0	0	1	1	0	0	2	0		
						NW	M	15	8	0	0	1	0	2	2	1	0	1	1	0
							F	7	7	0	0	0	0	0	1	2	2	0	2	0
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>**</u>	W	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						NW	M	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							F	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,607</u>	<u>408.0</u>	W	<u>7,806</u>	M	<u>3,452</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>15</u>	<u>89</u>	<u>235</u>	<u>449</u>	<u>2,660</u>	<u>0</u>		
						F	<u>4,354</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>9</u>	<u>48</u>	<u>112</u>	<u>246</u>	<u>3,931</u>	<u>0</u>		
						NW	M	<u>3,801</u>	<u>1,665</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>0</u>	<u>14</u>	<u>19</u>	<u>99</u>	<u>225</u>	<u>293</u>	<u>1,008</u>	<u>0</u>
							F	<u>2,136</u>	<u>2,136</u>	<u>5</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>22</u>	<u>79</u>	<u>157</u>	<u>206</u>	<u>1,656</u>	<u>1</u>





TABLE 11 - PAGE 5  
DEATHS - MISSISSIPPI - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K			
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64						
196-198	PNEUMONIA	746	26.2	W	544	M	233	1	0	1	0	3	3	3	10	11	201	0			
							F	311	1	0	0	0	0	0	1	12	12	285	0		
							NW	M	202	3	0	0	1	3	3	2	6	9	65	0	
								F	110	1	0	0	1	0	1	6	3	8	90	0	
204	EMPHYSEMA	132	4.6	W	114	M	76	0	0	0	0	0	0	1	4	8	63	0			
							F	38	0	0	0	0	0	0	0	1	4	33	0		
							NW	M	18	0	0	0	0	0	0	0	1	2	10	0	
								F	5	0	0	0	0	0	0	0	0	1	4	0	
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>926</u>	<u>32.6</u>	W	<u>629</u>	M	<u>326</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>29</u>	<u>62</u>	<u>59</u>	<u>172</u>	<u>0</u>			
							F	<u>303</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>10</u>	<u>23</u>	<u>30</u>	<u>236</u>	<u>0</u>		
							NW	M	<u>297</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>19</u>	<u>39</u>	<u>26</u>	<u>63</u>	<u>1</u>
								F	<u>141</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>11</u>	<u>21</u>	<u>17</u>	<u>83</u>	<u>0</u>
217-220	PEPTIC ULCER	34	1.2	W	26	M	14	0	0	0	0	0	0	0	2	2	10	0			
							F	12	0	0	0	0	0	0	0	1	1	10	0		
							NW	M	8	0	0	0	0	0	0	0	2	0	1	0	
								F	5	0	0	0	0	1	0	0	0	1	3	0	
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	265	9.3	W	191	M	121	0	0	0	0	0	0	17	33	29	42	0			
							F	70	0	0	0	0	0	0	6	12	11	41	0		
							NW	M	74	0	0	0	0	0	0	10	21	12	5	0	
								F	26	0	0	0	0	0	0	7	8	2	9	0	
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>59</u>	<u>2.1</u>	W	<u>22</u>	M	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>0</u>			
							F	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>12</u>	<u>0</u>		
							NW	M	<u>37</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>12</u>	<u>0</u>	
								F	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>14</u>	<u>0</u>	
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>120</u>	<u>4.2</u>	W	<u>81</u>	M	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>16</u>	<u>0</u>			
							F	<u>58</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>8</u>	<u>45</u>	<u>0</u>		
							NW	M	<u>39</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>0</u>	
								F	<u>29</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>4</u>	<u>15</u>	<u>0</u>	

TABLE 11 - PAGE 6  
DEATHS - MISSISSIPPI - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>835</u>	<u>29.4</u>	W	M	<u>208</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>3</u>	<u>20</u>	<u>179</u>	<u>0</u>	
						<u>279</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>9</u>	<u>19</u>	<u>243</u>	<u>0</u>	
						NW	<u>348</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>8</u>	<u>15</u>	<u>96</u>	<u>0</u>
							<u>222</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>8</u>	<u>11</u>	<u>21</u>	<u>179</u>	<u>0</u>
247-249	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	598	21.0	W	M	160	1	0	0	0	0	0	4	2	16	137	0	
						171	1	0	0	0	1	0	3	8	17	141	0	
						NW	267	0	0	0	0	1	2	4	8	12	74	0
							166	2	0	0	0	0	1	7	11	20	125	0
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>28.4</u>	W	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
						<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
						NW	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
							<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
274-281	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>212</u>	<u>5.0</u>	W	M	<u>25</u>	<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
						<u>29</u>	<u>29</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
						NW	<u>158</u>	<u>96</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
							<u>62</u>	<u>60</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>132</u>	<u>4.6</u>	W	M	<u>36</u>	<u>23</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>0</u>	
						<u>37</u>	<u>23</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>6</u>	<u>0</u>	
						NW	<u>59</u>	<u>27</u>	<u>15</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>0</u>
							<u>32</u>	<u>17</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>0</u>
291-294	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>294</u>	<u>10.3</u>	W	M	<u>65</u>	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>6</u>	<u>2</u>	<u>9</u>	<u>26</u>	<u>0</u>	
						<u>112</u>	<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>8</u>	<u>5</u>	<u>1</u>	<u>81</u>	<u>0</u>	
						NW	<u>117</u>	<u>56</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>5</u>	<u>6</u>	<u>5</u>	<u>1</u>	<u>15</u>
							<u>61</u>	<u>12</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>4</u>	<u>2</u>	<u>4</u>	<u>35</u>	<u>0</u>
<u>295-358</u>	<u>ALL EXTERNAL CAUSES</u>	<u>2,317</u>	<u>81.4</u>	W	M	<u>993</u>	<u>7</u>	<u>18</u>	<u>7</u>	<u>12</u>	<u>163</u>	<u>158</u>	<u>201</u>	<u>139</u>	<u>88</u>	<u>199</u>	<u>1</u>	
						<u>485</u>	<u>2</u>	<u>11</u>	<u>8</u>	<u>7</u>	<u>43</u>	<u>53</u>	<u>71</u>	<u>52</u>	<u>47</u>	<u>191</u>	<u>0</u>	
						NW	<u>839</u>	<u>620</u>	<u>11</u>	<u>15</u>	<u>15</u>	<u>15</u>	<u>141</u>	<u>116</u>	<u>111</u>	<u>85</u>	<u>39</u>	<u>72</u>
							<u>219</u>	<u>6</u>	<u>6</u>	<u>5</u>	<u>8</u>	<u>37</u>	<u>28</u>	<u>38</u>	<u>25</u>	<u>21</u>	<u>45</u>	<u>0</u>

TABLE 11 - PAGE 7  
DEATHS - MISSISSIPPI - 2001

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K		
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64						
296-306	MOTOR VEHICLE ACCIDENTS	816	28.7	W	504	M	331	3	7	3	8	80	61	60	34	23	52	0			
							F	173	0	4	5	3	29	24	27	18	18	45	0		
							NW	312	M	218	3	4	4	7	52	41	38	34	17	18	0
										F	94	2	0	3	3	25	16	19	12	11	3
295, 307-330	ALL OTHER ACCIDENTS	743	26.1	W	501	M	299	4	11	1	3	24	30	53	55	25	93	0			
							F	202	1	6	3	2	8	12	17	13	15	125	0		
							NW	242	M	176	4	8	10	5	20	18	34	21	15	41	0
										F	66	2	5	2	3	4	1	6	6	5	32
331-337	SUICIDE	327	11.5	W	290	M	239	0	0	0	0	39	44	49	39	32	36	0			
							F	51	0	0	0	2	2	10	11	13	6	7	0		
							NW	37	M	35	0	0	0	1	9	7	10	2	1	5	0
										F	2	0	0	0	0	0	1	1	0	0	0
338-346	HOMICIDE	325	11.4	W	111	M	85	0	0	1	0	17	18	28	7	6	7	1			
							F	26	1	1	0	0	3	4	11	1	2	3	0		
							NW	214	M	175	3	3	1	2	57	50	27	24	4	4	0
										F	39	1	1	0	2	5	9	11	6	1	3
353,354	LEGAL INTERVENTION	7	0.2	W	5	M	5	0	0	0	0	0	0	1	3	1	0	0			
							F	0	0	0	0	0	0	0	0	0	0	0	0		
							NW	2	M	2	0	0	0	0	1	0	1	0	0	0	0
										F	0	0	0	0	0	0	0	0	0	0	0

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* LESS THAN 0.06.

# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

**TABLE 12A**  
**INFANT, NEONATAL, AND POSTNEONATAL DEATHS\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 2001**

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>443</u>	<u>157</u>	<u>286</u>	<u>277</u>	<u>96</u>	<u>181</u>	<u>166</u>	<u>61</u>	<u>105</u>
ADAMS	5	1	4	3	0	3	2	1	1
ALCORN	6	4	2	3	2	1	3	2	1
AMITE	1	0	1	0	0	0	1	0	1
ATTALA	2	0	2	2	0	2	0	0	0
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	8	1	7	2	0	2	6	1	5
CALHOUN	2	1	1	2	1	1	0	0	0
CARROLL	1	0	1	1	0	1	0	0	0
CHICKASAW	4	1	3	4	1	3	0	0	0
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	4	1	3	3	1	2	1	0	1
CLARKE	1	1	0	1	1	0	0	0	0
CLAY	7	1	6	5	1	4	2	0	2
COAHOMA	6	1	5	3	0	3	3	1	2
COPIAH	3	0	3	3	0	3	0	0	0
COVINGTON	4	1	3	2	0	2	2	1	1
DESOTO	12	9	3	6	4	2	6	5	1
FORREST	12	2	10	8	1	7	4	1	3
FRANKLIN	2	0	2	1	0	1	1	0	1
GEORGE	2	2	0	1	1	0	1	1	0
GREENE	1	1	0	1	1	0	0	0	0
GRENADA	1	0	1	1	0	1	0	0	0
HANCOCK	3	2	1	1	0	1	2	2	0
HARRISON	32	15	17	19	10	9	13	5	8
HINDS	52	11	41	31	8	23	21	3	18
HOLMES	2	0	2	0	0	0	2	0	2
HUMPHREYS	4	0	4	4	0	4	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	1	1	0	1	1	0	0	0	0
JACKSON	13	7	6	7	4	3	6	3	3
JASPER	1	0	1	0	0	0	1	0	1
JEFFERSON	2	0	2	1	0	1	1	0	1
JEFF DAVIS	4	2	2	2	2	0	2	0	2
JONES	10	6	4	6	4	2	4	2	2
KEMPER	4	0	4	3	0	3	1	0	1
LAFAYETTE	5	3	2	4	2	2	1	1	0
LAMAR	5	3	2	5	3	2	0	0	0
LAUDERDALE	17	4	13	11	2	9	6	2	4
LAWRENCE	3	1	2	2	0	2	1	1	0
LEAKE	6	4	2	3	2	1	3	2	1
LEE	7	4	3	5	3	2	2	1	1
LEFLORE	11	1	10	7	0	7	4	1	3

TABLE 12A - PAGE 2  
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2001

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	1	1	0	1	1	0	0	0	0
LOWNDES	13	3	10	12	2	10	1	1	0
MADISON	11	2	9	7	2	5	4	0	4
MARION	3	3	0	2	2	0	1	1	0
MARSHALL	15	7	8	10	5	5	5	2	3
MONROE	2	1	1	0	0	0	2	1	1
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	4	1	3	1	1	0	3	0	3
NEWTON	6	2	4	3	2	1	3	0	3
NOXUBEE	2	0	2	1	0	1	1	0	1
OKTIBBEHA	3	2	1	3	2	1	0	0	0
PANOLA	5	1	4	1	0	1	4	1	3
PEARL RIVER	2	1	1	1	0	1	1	1	0
PERRY	1	0	1	1	0	1	0	0	0
PIKE	7	1	6	6	1	5	1	0	1
PONTOTOC	2	2	0	0	0	0	2	2	0
PRENTISS	4	4	0	2	2	0	2	2	0
QUITMAN	3	1	2	2	1	1	1	0	1
RANKIN	17	9	8	11	4	7	6	5	1
SCOTT	11	5	6	6	3	3	5	2	3
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	5	0	5	5	0	5	0	0	0
SMITH	3	0	3	3	0	3	0	0	0
STONE	1	1	0	0	0	0	1	1	0
SUNFLOWER	4	1	3	3	1	2	1	0	1
TALLAHATCHIE	2	0	2	2	0	2	0	0	0
TATE	4	2	2	1	1	0	3	1	2
TIPPAH	1	1	0	0	0	0	1	1	0
TISHOMINGO	4	4	0	3	3	0	1	1	0
TUNICA	4	0	4	2	0	2	2	0	2
UNION	3	2	1	1	1	0	2	1	1
WALTHALL	3	1	2	2	1	1	1	0	1
WARREN	6	2	4	3	2	1	3	0	3
WASHINGTON	10	1	9	9	1	8	1	0	1
WAYNE	3	1	2	2	1	1	1	0	1
WEBSTER	1	0	1	0	0	0	1	0	1
WILKINSON	2	0	2	0	0	0	2	0	2
WINSTON	3	0	3	3	0	3	0	0	0
YALOBUSHA	2	2	0	1	1	0	1	1	0
YAZOO	4	2	2	3	1	2	1	1	0

\* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B**  
**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1997-2001 (5-YEAR AVERAGE)**

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
<u>STATE</u>	<u>10.4</u>	<u>6.7</u>	<u>14.6</u>	<u>5.2</u>	<u>3.3</u>	<u>7.4</u>	<u>5.2</u>	<u>3.4</u>	<u>7.2</u>
ADAMS	13.6	11.8	14.6	7.0	5.9	7.6	6.6	5.9	7.0
ALCORN	8.0	5.8	19.6	4.0	3.1	8.4	4.0	2.6	11.2
AMITE	7.0	4.6	9.7	3.5	2.3	4.8	3.5	2.3	4.8
ATTALA	11.2	9.0	13.3	7.4	4.5	10.4	3.7	4.5	3.0
BENTON	11.8	15.2	7.6	3.4	6.1	-	8.4	9.1	7.6
BOLIVAR	11.1	7.5	12.2	4.2	3.8	4.3	6.9	3.8	7.8
CALHOUN	4.8	6.1	2.6	3.8	4.5	2.6	1.0	1.5	-
CARROLL	7.6	3.3	13.4	3.8	3.3	4.5	3.8	-	9.0
CHICKASAW	8.1	6.2	10.1	4.4	3.7	5.1	3.8	2.5	5.1
CHOCTAW	10.4	5.6	18.3	5.2	-	13.8	5.2	5.6	4.6
CLAIBORNE	13.4	12.3	13.5	7.8	12.3	7.4	5.6	-	6.2
CLARKE	5.0	3.0	7.4	2.5	3.0	1.8	2.5	-	5.5
CLAY	11.8	7.6	13.6	6.5	5.7	6.8	5.3	1.9	6.8
COAHOMA	12.2	5.8	13.5	6.0	1.9	6.8	6.3	3.9	6.8
COPIAH	17.0	8.3	22.7	9.4	4.8	12.5	7.6	3.6	10.2
COVINGTON	11.2	10.8	11.7	6.6	4.8	8.8	4.6	6.0	2.9
DESOTO	9.0	6.9	21.1	4.4	3.2	11.0	4.6	3.7	10.1
FORREST	7.7	5.7	10.3	4.6	4.0	5.4	3.1	1.7	5.0
FRANKLIN	8.3	3.0	14.8	3.3	-	7.4	5.0	3.0	7.4
GEORGE	12.1	13.0	5.0	7.5	7.8	5.0	4.6	5.2	-
GREENE	7.9	8.5	6.0	4.0	5.1	-	4.0	3.4	6.0
GRENADA	10.4	2.5	18.4	7.1	-	14.5	3.2	2.5	3.9
HANCOCK	7.0	6.9	8.1	2.3	2.2	4.1	4.7	4.7	4.1
HARRISON	9.8	7.4	15.3	4.4	3.4	6.8	5.4	4.0	8.4
HINDS	12.9	8.5	14.5	6.6	5.1	7.1	6.4	3.4	7.4
HOLMES	13.6	4.2	14.9	7.5	-	8.6	6.0	4.2	6.3
HUMPHREYS	11.8	5.4	13.2	4.9	-	6.0	6.9	5.4	7.2
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	8.3	8.3	8.6	4.6	4.2	8.6	3.8	4.2	-
JACKSON	7.7	5.4	13.3	3.6	1.8	7.6	4.2	3.5	5.8
JASPER	9.1	7.6	10.0	2.8	-	4.4	6.3	7.6	5.5
JEFFERSON	11.8	23.8	11.0	4.4	-	4.7	7.4	23.8	6.3
JEFF DAVIS	14.3	9.0	17.0	7.1	6.0	7.7	7.1	3.0	9.3
JONES	11.4	10.2	13.3	5.7	4.9	6.9	5.7	5.2	6.4
KEMPER	13.4	-	18.1	8.9	-	12.0	4.4	-	6.0
LAFAYETTE	9.2	9.5	8.8	6.0	6.4	5.5	3.2	3.2	3.3
LAMAR	8.9	6.7	19.8	4.6	3.6	9.9	4.3	3.2	9.9
LAUDERDALE	12.8	5.3	20.7	6.1	1.0	11.6	6.6	4.3	9.1
LAWRENCE	6.6	5.6	8.1	4.4	3.8	5.4	2.2	1.9	2.7
LEAKE	9.8	7.0	12.6	4.6	4.7	4.6	5.2	2.3	8.0
LEE	9.7	4.6	20.1	4.9	2.2	10.6	4.8	2.4	9.6
LEFLORE	12.4	7.6	13.7	6.4	1.5	7.7	6.0	6.1	6.0

TABLE 12B - PAGE 2  
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1997-2001 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	8.9	6.0	14.0	6.0	4.7	8.1	3.0	1.3	5.8
LOWNDES	11.7	6.2	17.0	7.4	2.9	11.7	4.3	3.3	5.2
MADISON	10.3	5.6	15.5	5.9	3.4	8.6	4.4	2.2	6.9
MARION	6.9	5.4	9.2	3.7	3.6	3.9	3.2	1.8	5.2
MARSHALL	12.1	8.8	14.7	7.2	4.4	9.4	4.9	4.4	5.4
MONROE	11.5	7.6	18.0	3.6	2.5	5.3	7.9	5.1	12.7
MONTGOMERY	27.1	13.9	36.8	17.7	8.4	24.5	9.4	5.6	12.3
NESHOBA	9.9	7.4	12.6	3.4	2.5	4.5	6.4	4.9	8.1
NEWTON	12.8	6.6	20.4	7.3	5.5	9.5	5.5	1.1	10.9
NOXUBEE	24.8	-	32.1	11.5	-	14.9	13.3	-	17.2
OKTIBBEHA	7.8	4.0	11.0	6.3	4.0	8.2	1.5	-	2.7
PANOLA	13.8	9.9	16.3	5.5	2.7	7.3	8.3	7.2	9.0
PEARL RIVER	5.2	3.7	12.7	1.5	1.5	1.8	3.7	2.2	10.9
PERRY	6.4	2.9	15.3	4.2	1.5	11.4	2.1	1.5	3.8
PIKE	8.0	4.0	10.6	4.8	2.4	6.3	3.2	1.6	4.2
PONTOTOC	5.4	5.2	6.9	2.7	2.6	3.5	2.7	2.6	3.5
PRENTISS	9.7	11.6	-	6.1	7.2	-	3.6	4.3	-
QUITMAN	11.5	12.7	11.2	4.6	6.4	4.2	6.9	6.4	7.0
RANKIN	7.2	5.7	13.4	3.8	2.6	8.9	3.3	3.1	4.4
SCOTT	12.8	11.8	14.0	5.5	5.0	6.0	7.3	6.7	8.0
SHARKEY	3.4	-	4.2	-	-	-	3.4	-	4.2
SIMPSON	12.4	9.1	16.6	6.2	1.8	11.9	6.2	7.3	4.8
SMITH	9.9	7.2	15.8	4.9	7.2	-	4.9	-	15.8
STONE	6.9	5.4	11.2	2.0	1.3	3.7	4.9	4.0	7.5
SUNFLOWER	13.4	5.7	15.2	4.5	1.9	5.1	8.9	3.8	10.2
TALLAHATCHIE	11.2	-	15.9	4.7	-	6.6	6.5	-	9.2
TATE	11.7	6.0	21.0	4.8	1.7	9.8	6.9	4.3	11.2
TIPPAH	6.8	5.4	13.1	2.5	1.5	6.5	4.4	3.8	6.5
TISHOMINGO	7.9	8.1	-	0.9	0.9	-	7.0	7.2	-
TUNICA	18.7	-	22.2	5.8	-	6.9	12.8	-	15.2
UNION	6.8	6.0	10.1	3.7	3.3	5.0	3.2	2.7	5.0
WALTHALL	11.7	6.3	15.8	5.4	4.2	6.3	6.3	2.1	9.5
WARREN	12.2	6.6	16.8	6.2	3.8	8.1	6.0	2.8	8.6
WASHINGTON	11.9	6.6	13.6	5.3	4.4	5.5	6.7	2.2	8.1
WAYNE	11.7	5.0	18.1	6.8	2.5	10.9	4.9	2.5	7.2
WEBSTER	8.1	5.6	14.7	-	-	-	8.1	5.6	14.7
WILKINSON	6.1	-	7.9	1.5	-	2.0	4.6	-	5.9
WINSTON	8.1	3.4	11.6	6.6	3.4	9.1	1.5	-	2.6
YALOBUSHA	7.6	6.2	9.1	3.2	4.2	2.3	4.3	2.1	6.8
YAZOO	11.0	7.7	12.6	7.0	3.9	8.6	3.9	3.9	4.0

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13**  
**INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,**  
**ALSO MORTALITY RATES FOR SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 2001**

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>443</u>	<u>10.5</u>	W	<u>157</u>	<u>96</u>	<u>46</u>	<u>30</u>	<u>12</u>	<u>4</u>	<u>4</u>	<u>61</u>
			NW	<u>286</u>	<u>181</u>	<u>111</u>	<u>41</u>	<u>13</u>	<u>10</u>	<u>6</u>	<u>105</u>
SEPTICEMIA (008)	7	0.2	W	2	0	0	0	0	0	0	2
			NW	5	0	0	0	0	0	0	5
MALIGNANT NEOPLASMS (021-023)	2	##	W	2	1	1	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
MENINGITIS (033)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	11	0.3	W	4	2	1	0	1	0	0	2
			NW	7	1	0	0	1	0	0	6
INFLUENZA AND PNEUMONIA (046,047)	6	0.1	W	2	0	0	0	0	0	0	2
			NW	4	0	0	0	0	0	0	4
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	0	0	0	0	0	0	4
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	1	0	1	0	0	0	1
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	4	0.1	W	2	2	0	2	0	0	0	0
			NW	2	0	0	0	0	0	0	2
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	14	0.3	W	5	5	4	1	0	0	0	0
			NW	9	9	9	0	0	0	0	0



TABLE 13 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 2001

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	10	0.2	W NW	5 5	4 4	3 4	1 0	0 0	0 0	0 0	1 1
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	3	0.1	W NW	2 1	2 1	2 0	0 1	0 0	0 0	0 0	0 0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	91	2.2	W NW	11 80	11 80	7 68	2 10	1 2	1 0	0 0	0 0
BIRTH TRAUMA (074)	1	##	W NW	0 1	0 1	0 0	0 1	0 0	0 0	0 0	0 0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	5	0.1	W NW	1 4	1 4	0 1	1 1	0 2	0 0	0 0	0 0
RESPIRATORY DISTRESS OF NEWBORN (077)	12	0.3	W NW	6 6	6 6	1 1	3 4	2 0	0 1	0 0	0 0
CONGENITAL PNEUMONIA (078)	1	##	W NW	1 0	1 0	0 0	0 0	1 0	0 0	0 0	0 0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W NW	1 0	1 0	0 0	0 0	0 0	1 0	0 0	0 0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	11	0.3	W NW	1 10	1 10	0 0	1 9	0 1	0 0	0 0	0 0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	10	0.2	W NW	2 8	0 0	0 0	0 0	0 0	0 0	0 0	2 8
ATELECTASIS (083)	7	0.2	W NW	2 5	2 5	2 4	0 1	0 0	0 0	0 0	0 0
BACTERIAL SEPSIS OF NEWBORN (085)	9	0.2	W NW	1 8	1 8	0 0	0 2	0 3	0 2	1 1	0 0
NEONATAL HEMORRHAGE (088)	8	0.2	W NW	4 4	4 4	0 1	4 2	0 1	0 0	0 0	0 0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	0.3	W NW	4 7	3 7	0 1	1 0	2 1	0 2	0 3	1 0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	78	1.8	W NW	46 32	37 21	21 12	11 6	4 0	1 2	0 1	9 11

TABLE 13 - PAGE 3  
 INFANT DEATHS - MISSISSIPPI - 2001

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
SUDDEN INFANT DEATH SYNDROME (111)	54	1.3	W	28	2	0	0	1	1	0	26
			NW	26	2	0	0	0	2	0	24
ACCIDENTS (114-124)	19	0.4	W	8	0	0	0	0	0	0	8
			NW	11	1	1	0	0	0	0	10
ASSAULT (HOMICIDE) (125-128)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	2	2	0	0	0	0	2
ALL OTHER CAUSES	48	1.1	W	14	9	4	2	0	0	3	5
			NW	34	12	6	2	2	1	1	22

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

# DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

**TABLE 14**  
**ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POI- SON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,518</u>	<u>804</u>	<u>50</u>	<u>109</u>	<u>177</u>	<u>79</u>	<u>70</u>	<u>20</u>	<u>209</u>
ADAMS	20	10	0	0	5	2	1	1	1
ALCORN	25	8	4	0	6	1	0	1	5
AMITE	8	5	0	0	0	2	1	0	0
ATTALA	17	12	0	1	2	0	0	0	2
BENTON	4	3	0	0	0	0	1	0	0
BOLIVAR	7	2	1	1	0	1	1	1	0
CALHOUN	10	8	0	0	0	0	0	0	2
CARROLL	4	2	0	0	0	2	0	0	0
CHICKASAW	12	9	0	0	1	1	0	0	1
CHOCTAW	3	2	0	0	0	0	0	0	1
CLAIBORNE	2	1	0	0	0	0	0	0	1
CLARKE	9	8	0	0	1	0	0	0	0
CLAY	4	4	0	0	0	0	0	0	0
COAHOMA	18	10	0	1	2	2	0	0	3
COPIAH	14	9	2	1	0	0	1	0	1
COVINGTON	10	7	0	0	1	0	0	0	2
DESOTO	39	25	3	4	2	1	2	0	2
FORREST	63	38	3	3	9	2	0	1	7
FRANKLIN	4	2	0	0	0	0	2	0	0
GEORGE	10	8	0	0	1	1	0	0	0
GREENE	3	1	0	0	0	1	1	0	0
GRENADA	18	10	1	0	2	0	2	0	3
HANCOCK	26	11	0	8	1	0	2	0	4
HARRISON	100	30	6	24	8	7	11	1	13
HINDS	187	116	3	7	28	4	6	2	21
HOLMES	10	7	0	0	0	0	0	0	3
HUMPHREYS	7	3	0	1	0	1	0	1	1
ISSAQUENA	1	0	0	0	0	0	0	0	1
ITAWAMBA	14	12	0	0	0	0	1	1	0
JACKSON	58	20	6	3	8	0	5	0	16
JASPER	8	7	0	0	0	1	0	0	0
JEFFERSON	7	7	0	0	0	0	0	0	0
JEFF DAVIS	7	7	0	0	0	0	0	0	0
JONES	31	16	0	2	6	1	2	0	4
KEMPER	5	4	0	0	0	0	0	0	1
LAFAYETTE	30	6	1	4	9	0	1	0	9
LAMAR	13	7	0	1	5	0	0	0	0
LAUDERDALE	63	28	1	6	13	3	1	1	10
LAWRENCE	7	6	0	0	0	1	0	0	0
LEAKE	13	10	0	0	0	0	1	0	2
LEE	76	26	0	5	25	2	0	1	17
LEFLORE	14	10	0	1	2	0	0	0	1

TABLE 14 - PAGE 2  
 ACCIDENTAL DEATHS - MISSISSIPPI - 2001

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS-PORT	POI-SON-ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
LINCOLN	17	10	0	0	4	0	2	0	1
LOWNDES	27	11	3	2	2	0	3	0	6
MADISON	14	10	2	0	2	0	0	0	0
MARION	12	5	1	1	2	1	1	1	0
MARSHALL	23	16	3	0	0	0	0	0	4
MONROE	25	18	0	0	1	3	0	0	3
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	18	11	0	3	1	1	1	0	1
NEWTON	5	4	0	0	0	0	1	0	0
NOXUBEE	14	7	0	0	0	0	0	2	5
OKTIBBEHA	18	5	1	1	5	0	0	0	6
PANOLA	17	10	0	3	0	1	1	0	2
PEARL RIVER	18	5	2	11	0	0	0	0	0
PERRY	5	5	0	0	0	0	0	0	0
PIKE	23	13	0	1	1	1	2	1	4
PONTOTOC	16	5	1	0	1	0	1	1	7
PRENTISS	9	6	0	2	0	0	0	0	1
QUITMAN	4	1	0	0	0	0	0	0	3
RANKIN	20	8	1	1	2	2	2	0	4
SCOTT	17	13	0	0	0	1	1	0	2
SHARKEY	4	1	2	0	0	0	0	0	1
SIMPSON	15	8	0	1	2	0	3	0	1
SMITH	7	5	0	0	0	0	1	0	1
STONE	4	4	0	0	0	0	0	0	0
SUNFLOWER	11	7	0	0	1	1	0	0	2
TALLAHATCHIE	11	8	2	0	0	1	0	0	0
TATE	10	1	0	0	0	7	0	0	2
TIPPAH	11	10	0	0	0	0	0	1	0
TISHOMINGO	19	12	0	3	2	0	1	0	1
TUNICA	12	9	0	1	0	1	1	0	0
UNION	6	4	0	0	2	0	0	0	0
WALTHALL	6	4	0	0	0	0	0	0	2
WARREN	26	12	0	0	4	0	4	0	6
WASHINGTON	56	16	0	4	6	20	1	1	8
WAYNE	5	3	0	0	0	2	0	0	0
WEBSTER	4	2	0	0	0	1	0	0	1
WILKINSON	4	3	0	0	0	0	0	0	1
WINSTON	9	5	0	2	1	0	1	0	0
YALOBUSHA	9	6	0	0	1	0	0	2	0
YAZOO	6	4	1	0	0	0	1	0	0

**TABLE 15**  
**MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,**  
**MISSISSIPPI, 2001**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
STATE	18,605	12,483	6,122	18,605	12,483	6,122	17,378	11,569	5,809
ADAMS	252	147	105	285	175	110	189	91	98
ALCORN	151	145	6	147	141	6	138	131	7
AMITE	74	43	31	82	51	31	79	44	35
ATTALA	148	95	53	136	95	41	134	84	50
BENTON	28	20	8	37	27	10	28	20	8
BOLIVAR	12	2	10	45	21	24	30	10	20
CALHOUN	94	73	21	99	74	25	99	80	19
CARROLL	72	47	25	91	66	25	69	48	21
CHICKASAW	129	83	46	134	91	43	126	80	46
CHOCTAW	55	40	15	69	46	23	58	43	15
CLAIBORNE	59	12	47	57	11	46	55	10	45
CLARKE	102	70	32	125	87	38	112	80	32
CLAY	143	77	66	156	77	79	139	69	70
COAHOMA	121	50	71	125	52	73	112	44	68
COPIAH	210	111	99	224	128	96	208	114	94
COVINGTON	140	98	42	144	101	43	150	112	38
DESOTO	576	514	62	506	459	47	457	415	42
FORREST	640	444	196	574	397	177	534	366	168
FRANKLIN	49	33	16	49	36	13	50	35	15
GEORGE	163	148	15	154	139	15	136	124	12
GREENE	66	53	13	80	67	13	59	50	9
GRENADA	151	100	51	137	90	47	142	97	45
HANCOCK	283	266	17	268	249	19	250	235	15
HARRISON	1,518	1,211	307	1,595	1,274	321	1,242	962	280
HINDS	1,896	865	1,031	1,817	849	968	1,653	704	949
HOLMES	109	31	78	110	26	84	108	30	78
HUMPHREYS	68	21	47	70	20	50	60	15	45
ISSAQUENA	0	0	0	1	1	0	0	0	0
ITAWAMBA	121	114	7	130	122	8	124	115	9
JACKSON	798	625	173	812	643	169	812	655	157
JASPER	119	47	72	130	51	79	119	48	71
JEFFERSON	48	4	44	54	11	43	44	8	36
JEFF DAVIS	90	39	51	92	41	51	79	38	41
JONES	525	392	133	511	382	129	481	363	118
KEMPER	71	31	40	84	33	51	72	28	44
LAFAYETTE	242	167	75	206	139	67	211	140	71
LAMAR	266	238	28	279	252	27	354	301	53
LAUDERDALE	555	359	196	536	348	188	496	320	176
LAWRENCE	103	69	34	111	80	31	107	74	33
LEAKE	159	84	75	178	99	79	172	99	73
LEE	548	420	128	473	369	104	498	392	106
LEFLORE	187	73	114	183	59	124	168	61	107

TABLE 15 - PAGE 2  
MARRIAGES - MISSISSIPPI - 2001

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	283	203	80	292	210	82	272	189	83
LOWNDES	393	252	141	380	240	140	346	219	127
MADISON	380	229	151	449	267	182	505	315	190
MARION	235	168	67	236	165	71	213	152	61
MARSHALL	153	68	85	168	80	88	132	61	71
MONROE	199	139	60	231	164	67	201	137	64
MONTGOMERY	79	47	32	81	45	36	79	44	35
NESHOBA	226	152	74	221	151	70	205	133	72
NEWTON	154	95	59	163	108	55	136	88	48
NOXUBEE	67	16	51	79	19	60	72	14	58
OKTIBBEHA	306	204	102	248	153	95	284	187	97
PANOLA	229	121	108	243	127	116	228	116	112
PEARL RIVER	356	313	43	348	304	44	321	280	41
PERRY	87	75	12	91	77	14	88	72	16
PIKE	339	198	141	344	190	154	303	170	133
PONTOTOC	174	147	27	179	153	26	180	150	30
PRENTISS	110	103	7	114	106	8	99	92	7
QUITMAN	40	10	30	49	18	31	43	11	32
RANKIN	914	788	126	758	648	110	938	812	126
SCOTT	222	150	72	201	138	63	212	145	67
SHARKEY	28	10	18	25	7	18	28	8	20
SIMPSON	212	148	64	233	166	67	215	148	67
SMITH	88	75	13	118	96	22	108	82	26
STONE	109	86	23	94	70	24	93	72	21
SUNFLOWER	164	53	111	168	57	111	120	44	76
TALLAHATCHIE	77	35	42	90	45	45	85	37	48
TATE	158	112	46	143	113	30	137	108	29
TIPPAH	109	93	16	111	96	15	112	96	16
TISHOMINGO	81	81	0	91	91	0	67	67	0
TUNICA	49	13	36	53	18	35	41	7	34
UNION	143	124	19	144	123	21	141	124	17
WALTHALL	92	49	43	100	54	46	96	45	51
WARREN	357	209	148	378	227	151	338	191	147
WASHINGTON	213	94	119	219	105	114	190	85	105
WAYNE	121	81	40	113	77	36	119	75	44
WEBSTER	67	50	17	66	53	13	69	53	16
WILKINSON	64	21	43	66	20	46	44	11	33
WINSTON	147	84	63	154	86	68	125	73	52
YALOBUSHA	70	44	26	77	43	34	82	46	36
YAZOO	169	82	87	191	94	97	157	75	82
OUT OF STATE	*	*	*	*	*	*	1,226	913	313
UNKNOWN STATE							1	1	0

\* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

**TABLE 16**  
**DIVORCES, BY COUNTY OF OCCURRENCE AND RACE\*,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL	WHITE	NON - WHITE	UN - KNOWN	COUNTY	TOTAL	WHITE	NON - WHITE	UN - KNOWN
<u>STATE</u>	<u>14,198</u>	<u>10,683</u>	<u>3,370</u>	<u>145</u>					
ADAMS	192	110	79	3	LINCOLN	178	133	44	1
ALCORN	270	252	17	1	LOWNDES	310	199	101	10
AMITE	62	40	22	0	MADISON	224	154	69	1
ATTALA	85	59	26	0	MARION	156	120	35	1
BENTON	34	25	9	0	MARSHALL	178	114	64	0
BOLIVAR	141	66	75	0	MONROE	218	161	57	0
CALHOUN	79	61	18	0	MONTGOMERY	40	26	14	0
CARROLL	39	31	8	0	NESHOBA	122	100	22	0
CHICKASAW	61	50	10	1	NEWTON	84	72	12	0
CHOCTAW	51	38	13	0	NOXUBEE	32	11	21	0
CLAIBORNE	35	7	28	0	OKTIBBEHA	130	84	45	1
CLARKE	88	69	18	1	PANOLA	167	120	47	0
CLAY	101	57	42	2	PEARL RIVER	283	263	19	1
COAHOMA	118	51	64	3	PERRY	66	56	9	1
COPIAH	139	84	54	1	PIKE	231	153	74	4
COVINGTON	83	67	16	0	PONTOTOC	202	187	15	0
DESOTO	713	641	53	19	PRENTISS	159	149	6	4
FORREST	327	242	77	8	QUITMAN	30	13	17	0
FRANKLIN	36	27	9	0	RANKIN	739	670	69	0
GEORGE	147	134	6	7	SCOTT	154	116	38	0
GREENE	62	49	11	2	SHARKEY	8	4	4	0
GRENADA	109	81	28	0	SIMPSON	135	106	29	0
HANCOCK	238	222	13	3	SMITH	98	82	16	0
HARRISON	1,194	983	193	18	STONE	66	59	7	0
HINDS	923	417	505	1	SUNFLOWER	83	48	34	1
HOLMES	60	17	43	0	TALLAHATCHIE	46	32	14	0
HUMPHREYS	27	12	15	0	TATE	126	109	17	0
ISSAQUENA	5	2	3	0	TIPPAH	144	122	17	5
ITAWAMBA	141	129	8	4	TISHOMINGO	134	132	2	0
JACKSON	788	654	134	0	TUNICA	50	17	33	0
JASPER	82	51	31	0	UNION	183	158	22	3
JEFFERSON	19	2	17	0	WALTHALL	71	57	14	0
JEFF DAVIS	59	35	23	1	WARREN	222	164	58	0
JONES	361	299	56	6	WASHINGTON	262	132	130	0
KEMPER	21	12	9	0	WAYNE	82	59	23	0
LAFAYETTE	142	112	30	0	WEBSTER	46	42	4	0
LAMAR	240	205	24	11	WILKINSON	37	17	19	1
LAUDERDALE	349	257	91	1	WINSTON	71	46	25	0
LAWRENCE	64	52	11	1	YALOBUSHA	79	62	17	0
LEAKE	110	81	29	0	YAZOO	99	62	35	2
LEE	506	426	66	14					
LEFLORE	152	63	88	1					

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE 17**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI**  
**ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2001**

COUNTY	TOTAL	WHITE	NON - WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON - WHITE	UNK. RACE
<u>STATE</u>	<u>3,411</u>	<u>882</u>	<u>2,522</u>	<u>7</u>					
ADAMS	56	8	48	0	LINCOLN	49	21	28	0
ALCORN	0	0	0	0	LOWNDES	6	1	5	0
AMITE	12	4	8	0	MADISON	244	80	164	0
ATTALA	29	11	18	0	MARION	28	13	15	0
BENTON	0	0	0	0	MARSHALL	1	0	1	0
BOLIVAR	25	12	13	0	MONROE	2	1	1	0
CALHOUN	3	0	3	0	MONTGOMERY	12	3	9	0
CARROLL	12	3	9	0	NESHOBA	30	13	17	0
CHICKASAW	1	0	1	0	NEWTON	16	5	11	0
CHOCTAW	4	3	1	0	NOXUBEE	2	0	2	0
CLAIBORNE	30	1	28	1	OKTIBBEHA	24	12	11	1
CLARKE	8	2	6	0	PANOLA	1	0	1	0
CLAY	1	1	0	0	PEARL RIVER	8	5	3	0
COAHOMA	0	0	0	0	PERRY	8	5	3	0
COPIAH	51	6	45	0	PIKE	84	20	64	0
COVINGTON	33	9	24	0	PONTOTOC	0	0	0	0
DESOTO	2	2	0	0	PRENTISS	0	0	0	0
FORREST	108	50	57	1	QUITMAN	0	0	0	0
FRANKLIN	11	2	9	0	RANKIN	246	166	79	1
GEORGE	1	0	1	0	SCOTT	53	24	29	0
GREENE	0	0	0	0	SHARKEY	8	2	6	0
GRENADA	12	5	7	0	SIMPSON	50	11	39	0
HANCOCK	0	0	0	0	SMITH	9	4	5	0
HARRISON	20	15	5	0	STONE	0	0	0	0
HINDS	1,300	178	1,121	1	SUNFLOWER	45	2	43	0
HOLMES	58	1	57	0	TALLAHATCHIE	0	0	0	0
HUMPHREYS	13	2	11	0	TATE	1	1	0	0
ISSAQUENA	2	0	2	0	TIPPAH	1	0	1	0
ITAWAMBA	1	1	0	0	TISHOMINGO	1	1	0	0
JACKSON	7	3	4	0	TUNICA	1	0	1	0
JASPER	21	6	15	0	UNION	4	2	2	0
JEFFERSON	35	1	34	0	WALTHALL	14	4	10	0
JEFF DAVIS	12	2	10	0	WARREN	142	28	114	0
JONES	61	29	32	0	WASHINGTON	87	12	75	0
KEMPER	5	1	4	0	WAYNE	8	3	5	0
LAFAYETTE	6	6	0	0	WEBSTER	5	2	3	0
LAMAR	25	18	7	0	WILKINSON	3	0	3	0
LAUDERDALE	42	18	24	0	WINSTON	16	4	12	0
LAWRENCE	24	5	17	2	YALOBUSHA	0	0	0	0
LEAKE	35	12	23	0	YAZOO	65	8	57	0
LEE	9	4	5	0					
LEFLORE	62	8	54	0					



**TABLE 18A**  
**TEENAGE PREGNANCIES\*, BY COUNTY OF RESIDENCE,**  
**RACE, AND AGE GROUP OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
<u>STATE</u>	<u>8,624</u>	<u>261</u>	<u>8,363</u>	<u>3,309</u>	<u>35</u>	<u>3,274</u>	<u>5,314</u>	<u>226</u>	<u>5,088</u>
ADAMS	89	4	85	12	0	12	77	4	73
ALCORN	69	2	67	50	0	50	19	2	17
AMITE	23	0	23	8	0	8	15	0	15
ATTALA	45	3	42	18	0	18	27	3	24
BENTON	28	0	28	14	0	14	14	0	14
BOLIVAR	154	7	147	11	1	10	143	6	137
CALHOUN	49	0	49	28	0	28	21	0	21
CARROLL	22	0	22	10	0	10	12	0	12
CHICKASAW	71	3	68	30	2	28	41	1	40
CHOCTAW	24	0	24	14	0	14	10	0	10
CLAIBORNE	45	0	45	1	0	1	44	0	44
CLARKE	52	1	51	25	0	25	27	1	26
CLAY	87	5	82	13	0	13	74	5	69
COAHOMA	175	7	168	17	0	17	158	7	151
COPIAH	88	1	87	27	0	27	61	1	60
COVINGTON	71	1	70	34	1	33	37	0	37
DESOTO	204	0	204	165	0	165	39	0	39
FORREST	224	6	218	99	1	98	125	5	120
FRANKLIN	32	0	32	13	0	13	19	0	19
GEORGE	69	1	68	58	1	57	11	0	11
GREENE	30	1	29	20	0	20	10	1	9
GRENADA	60	0	60	18	0	18	42	0	42
HANCOCK	96	2	94	87	2	85	9	0	9
HARRISON	515	12	503	292	4	288	223	8	215
HINDS	917	44	873	111	1	110	805	43	762
HOLMES	110	6	104	1	0	1	109	6	103
HUMPHREYS	83	5	78	5	0	5	78	5	73
ISSAQUENA	5	1	4	0	0	0	5	1	4
ITAWAMBA	42	0	42	39	0	39	3	0	3
JACKSON	380	7	373	238	2	236	142	5	137
JASPER	53	3	50	17	0	17	36	3	33
JEFFERSON	43	1	42	1	0	1	42	1	41
JEFF DAVIS	35	1	34	11	0	11	24	1	23
JONES	207	4	203	107	1	106	100	3	97
KEMPER	26	0	26	5	0	5	21	0	21
LAFAYETTE	57	2	55	19	0	19	38	2	36
LAMAR	93	2	91	72	0	72	21	2	19
LAUDERDALE	248	7	241	74	0	74	174	7	167
LAWRENCE	37	1	36	20	1	19	17	0	17
LEAKE	66	2	64	30	0	30	36	2	34
LEE	198	5	193	111	2	109	87	3	84
LEFLORE	145	7	138	20	0	20	125	7	118

TABLE 18A - PAGE 2  
TEENAGE PREGNANCIES - MISSISSIPPI - 2001

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	84	0	84	35	0	35	49	0	49
LOWNDES	213	9	204	69	0	69	144	9	135
MADISON	174	7	167	43	0	43	131	7	124
MARION	73	2	71	44	1	43	29	1	28
MARSHALL	113	1	112	32	0	32	81	1	80
MONROE	91	1	90	52	0	52	39	1	38
MONTGOMERY	33	1	32	10	0	10	23	1	22
NESHOBA	103	2	101	41	1	40	62	1	61
NEWTON	51	2	49	26	1	25	25	1	24
NOXUBEE	54	4	50	1	0	1	53	4	49
OKTIBBEHA	112	2	110	26	0	26	86	2	84
PANOLA	136	5	131	33	1	32	103	4	99
PEARL RIVER	97	1	96	73	0	73	24	1	23
PERRY	31	0	31	24	0	24	7	0	7
PIKE	130	3	127	41	1	40	89	2	87
PONTOTOC	59	2	57	42	2	40	17	0	17
PRENTISS	59	5	54	46	3	43	13	2	11
QUITMAN	55	4	51	3	0	3	52	4	48
RANKIN	270	3	267	199	0	199	71	3	68
SCOTT	105	7	98	56	4	52	49	3	46
SHARKEY	23	0	23	2	0	2	21	0	21
SIMPSON	83	1	82	36	1	35	47	0	47
SMITH	41	0	41	27	0	27	14	0	14
STONE	33	0	33	25	0	25	8	0	8
SUNFLOWER	145	4	141	8	0	8	137	4	133
TALLAHATCHIE	63	3	60	9	0	9	54	3	51
TATE	66	1	65	26	0	26	40	1	39
TIPPAH	50	0	50	37	0	37	13	0	13
TISHOMINGO	33	1	32	32	0	32	1	1	0
TUNICA	58	1	57	6	0	6	52	1	51
UNION	70	1	69	48	0	48	22	1	21
WALTHALL	31	0	31	10	0	10	21	0	21
WARREN	161	2	159	52	0	52	109	2	107
WASHINGTON	287	14	273	40	0	40	247	14	233
WAYNE	83	3	80	31	1	30	52	2	50
WEBSTER	35	0	35	22	0	22	13	0	13
WILKINSON	37	2	35	6	0	6	31	2	29
WINSTON	56	3	53	14	0	14	42	3	39
YALOBUSHA	44	1	43	14	0	14	30	1	29
YAZOO	115	9	106	23	0	23	92	9	83

\* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

**TABLE 18B**  
**TEENAGE PREGNANCY RATES\*, BY COUNTY OF RESIDENCE,**  
**RACE, AND AGE GROUP OF MOTHER,**  
**MISSISSIPPI, 2001**

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
<u>STATE</u>	<u>38.9</u>	<u>2.4</u>	<u>73.1</u>	<u>28.4</u>	<u>0.6</u>	<u>54.5</u>	<u>50.4</u>	<u>4.4</u>	<u>93.5</u>
ADAMS	33.7	3.1	63.4	12.5	-	24.5	45.8	4.8	85.9
ALCORN	31.1	1.8	60.9	27.1	-	54.5	51.1	10.5	93.4
AMITE	21.8	-	41.7	16.8	-	32.2	25.8	-	49.5
ATTALA	30.5	4.0	57.2	25.9	-	49.3	34.6	7.3	65.0
BENTON	49.6	-	97.9	47.9	-	98.6	51.5	-	97.2
BOLIVAR	40.9	4.1	71.8	12.6	2.9	18.9	49.5	4.4	90.1
CALHOUN	45.4	-	89.7	44.6	-	85.6	46.6	-	95.9
CARROLL	28.1	-	56.1	23.5	-	43.7	33.7	-	73.6
CHICKASAW	47.8	3.8	97.1	46.8	6.0	91.5	48.6	2.2	101.5
CHOCTAW	29.2	-	58.0	29.1	-	58.1	29.3	-	57.8
CLAIBORNE	36.3	-	57.8	13.5	-	30.3	37.8	-	59.1
CLARKE	39.2	1.5	76.1	34.5	-	71.8	44.8	3.6	80.7
CLAY	47.8	5.5	89.5	23.6	-	48.0	58.4	8.0	107.0
COAHOMA	62.2	5.0	119.2	30.9	-	68.3	69.8	6.3	130.2
COPIAH	34.7	0.9	61.7	28.1	-	51.1	38.6	1.4	68.0
COVINGTON	44.7	1.2	90.9	40.1	2.2	83.1	49.9	-	99.2
DESOTO	26.8	-	60.1	26.0	-	58.4	30.8	-	68.2
FORREST	38.4	2.5	63.0	30.3	0.8	48.8	48.7	4.5	82.6
FRANKLIN	44.1	-	82.9	36.3	-	64.0	51.8	-	103.8
GEORGE	48.6	1.4	96.2	46.2	1.6	90.9	66.3	-	137.5
GREENE	35.2	2.3	69.9	31.8	-	66.0	44.6	8.9	80.4
GRENADA	33.3	-	72.6	20.4	-	45.0	45.8	-	98.6
HANCOCK	32.3	1.2	68.1	33.6	1.4	70.8	23.7	-	50.3
HARRISON	38.1	1.8	72.7	32.6	0.9	62.8	49.1	3.6	92.2
HINDS	45.1	4.6	80.6	19.4	0.4	33.2	55.1	6.0	101.4
HOLMES	52.6	6.5	88.8	3.2	-	4.7	61.2	7.3	107.6
HUMPHREYS	76.3	9.9	133.3	25.9	-	44.2	87.2	11.8	154.7
ISSAQUENA	25.0	9.1	44.4	-	-	-	34.5	12.2	63.5
ITAWAMBA	24.5	-	46.1	25.6	-	50.0	15.7	-	22.9
JACKSON	38.0	1.4	76.4	33.8	0.6	69.0	47.8	3.3	93.7
JASPER	37.1	4.3	68.4	34.5	-	62.3	38.4	6.3	72.0
JEFFERSON	50.2	2.4	97.0	14.9	-	31.2	53.2	2.6	102.2
JEFF DAVIS	30.0	1.8	56.8	29.9	-	55.3	30.0	2.5	57.6
JONES	42.2	1.8	76.0	34.3	0.7	61.6	55.7	3.6	102.2
KEMPER	31.4	-	54.0	19.4	-	30.5	36.9	-	66.2
LAFAYETTE	17.5	2.0	24.4	8.4	-	11.5	38.3	5.2	59.5
LAMAR	29.9	1.3	56.8	28.2	-	54.4	37.6	7.2	68.1
LAUDERDALE	43.1	2.5	81.8	25.9	-	51.6	59.9	5.0	110.3
LAWRENCE	36.8	2.0	70.9	32.9	3.3	61.7	42.8	-	85.0
LEAKE	43.7	2.7	82.8	42.4	-	82.6	44.9	5.1	82.9
LEE	35.8	1.8	71.5	30.7	1.1	61.6	45.5	3.0	90.4
LEFLORE	44.6	4.6	80.5	29.9	-	59.7	48.4	5.8	85.5

TABLE 18B - PAGE 2  
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2001

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	34.5	-	66.1	22.9	-	43.8	53.9	-	104.0
LOWNDES	43.6	3.7	82.6	29.6	-	56.4	56.6	6.9	108.5
MADISON	30.0	2.3	61.0	15.1	-	35.0	44.6	4.9	82.1
MARION	35.9	2.1	66.6	36.5	1.8	66.4	35.1	2.4	67.0
MARSHALL	41.6	0.7	81.3	30.9	-	63.2	48.2	1.2	91.8
MONROE	31.5	0.7	64.1	29.3	-	61.2	35.0	1.8	68.6
MONTGOMERY	34.4	2.1	66.4	25.2	-	48.5	40.9	3.5	79.7
NESHOBA	45.6	1.8	88.4	33.0	1.6	63.8	61.0	2.0	118.2
NEWTON	29.5	2.5	52.0	26.2	2.4	43.8	33.9	2.7	64.7
NOXUBEE	50.0	7.2	95.4	5.2	-	10.1	59.8	8.6	115.3
OKTIBBEHA	30.0	1.6	44.2	14.0	-	18.9	46.0	2.6	75.2
PANOLA	47.2	3.6	88.7	29.6	1.8	56.5	58.3	4.7	108.7
PEARL RIVER	25.4	0.5	50.0	23.2	-	46.5	35.8	3.1	66.1
PERRY	32.7	-	61.0	37.0	-	67.2	23.4	-	46.4
PIKE	42.4	2.1	77.5	32.0	1.7	57.5	49.9	2.4	92.2
PONTOTOC	29.2	1.9	58.3	26.0	2.4	51.9	42.3	-	82.1
PRENTISS	30.4	5.7	50.9	29.1	4.1	50.8	35.9	13.5	51.4
QUITMAN	62.6	8.6	123.2	18.3	-	42.2	72.7	10.8	139.9
RANKIN	32.6	0.7	64.8	31.2	-	63.2	37.6	3.2	70.4
SCOTT	46.9	6.2	89.2	49.7	7.0	93.5	44.1	5.3	84.7
SHARKEY	39.6	-	77.7	18.0	-	32.8	44.7	-	89.4
SIMPSON	40.2	0.9	82.7	31.4	1.7	62.8	51.1	-	108.3
SMITH	34.2	-	69.5	33.1	-	67.5	36.4	-	73.7
STONE	29.4	-	55.1	30.3	-	60.0	26.9	-	44.0
SUNFLOWER	50.7	3.1	88.9	13.9	-	23.1	59.9	3.8	107.2
TALLAHATCHIE	48.8	4.5	95.2	24.9	-	50.3	58.1	6.3	113.1
TATE	30.5	1.0	57.1	20.7	-	40.8	44.2	2.5	78.0
TIPPAH	31.5	-	62.4	30.5	-	61.4	35.0	-	65.6
TISHOMINGO	27.4	1.6	55.3	28.1	-	59.0	15.6	37.0	-
TUNICA	72.1	2.3	152.0	50.4	-	98.4	75.9	2.7	162.4
UNION	41.1	1.1	83.5	34.4	-	69.5	71.7	5.8	155.6
WALTHALL	25.8	-	51.4	19.1	-	36.6	31.0	-	63.6
WARREN	41.3	1.0	80.0	28.4	-	56.7	52.6	2.0	100.0
WASHINGTON	52.6	5.3	96.5	30.1	-	57.7	59.8	7.0	109.1
WAYNE	47.4	3.6	87.4	33.6	2.2	64.5	63.0	5.3	111.1
WEBSTER	46.0	-	85.0	42.5	-	78.3	53.7	-	99.2
WILKINSON	48.1	5.5	86.6	35.5	-	72.3	51.7	7.2	90.3
WINSTON	37.2	4.0	70.7	22.0	-	45.8	48.3	7.0	87.8
YALOBUSHA	46.5	2.2	85.6	30.8	-	58.1	61.0	4.3	111.1
YAZOO	52.4	8.2	96.8	31.3	-	62.2	63.0	12.2	114.5

\* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>439</b>	<b>205</b>	<b>234</b>	<b>12.8</b>	<b>13.0</b>	<b>12.6</b>	<b>407</b>	<b>369</b>	<b>38</b>	<b>11.8</b>	<b>12.2</b>	<b>8.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	12	6	52.4	75.9	32.4	9	8	1	26.0	26.5	22.9
HIV DISEASE (039-043)	1	0	1	2.9	-	5.4	1	1	0	2.9	3.3	-
MALIGNANT NEOPLASMS (056-108)	99	41	58	288.3	259.3	313.0	92	84	8	266.2	278.2	183.3
DIABETES MELLITUS (124)	7	0	7	20.4	-	37.8	2	2	0	5.8	6.6	-
ALZHEIMER'S DISEASE (148)	3	2	1	8.7	12.6	5.4	1	1	0	2.9	3.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	171	76	95	498.0	480.7	512.6	165	151	14	477.4	500.1	320.7
HEART DISEASES (156-160,162, 164-181)	126	58	68	366.9	366.9	367.0	111	103	8	321.2	341.1	183.3
HYPERTENSION (161,163)	2	0	2	5.8	-	10.8	4	3	1	11.6	9.9	22.9
CEREBROVASCULAR DISEASES (182-186)	38	16	22	110.6	101.2	118.7	46	41	5	133.1	135.8	114.5
ATHEROSCLEROSIS (187)	1	0	1	2.9	-	5.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	15	10	5	43.7	63.2	27.0	18	16	2	52.1	53.0	45.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	15	6	61.2	94.9	32.4	20	19	1	57.9	62.9	22.9
PEPTIC ULCER (217-220)	2	1	1	5.8	6.3	5.4	2	2	0	5.8	6.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	17.5	31.6	5.4	3	2	1	8.7	6.6	22.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	16	0	16	46.6	-	86.3	7	6	1	20.2	19.9	22.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.7	-	10.1	2	1	1	4.1	2.4	12.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.9	3.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.2	-	3.4	2	1	1	4.1	2.4	12.3
ACCIDENTS (295-330)	18	11	7	52.4	69.6	37.8	24	24	0	69.4	79.5	-
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	20.4	31.6	10.8	13	13	0	37.6	43.0	-
SUICIDE (331-337)	3	3	0	8.7	19.0	-	4	4	0	11.6	13.2	-
HOMICIDE (338-346)	1	0	1	2.9	-	5.4	1	1	0	2.9	3.3	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>146</b>	<b>80</b>	<b>66</b>	<b>10.7</b>	<b>10.4</b>	<b>11.1</b>	<b>275</b>	<b>180</b>	<b>95</b>	<b>14.0</b>	<b>15.7</b>	<b>11.6</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	29.4	26.1	33.8	3	2	1	15.2	17.4	12.2
HIV DISEASE (039-043)	1	0	1	7.4	-	16.9	1	0	1	5.1	-	12.2
MALIGNANT NEOPLASMS (056-108)	31	16	15	228.0	208.5	253.1	58	38	20	295.0	331.3	244.2
DIABETES MELLITUS (124)	2	1	1	14.7	13.0	16.9	4	3	1	20.3	26.2	12.2
ALZHEIMER'S DISEASE (148)	1	1	0	7.4	13.0	-	6	2	4	30.5	17.4	48.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	61	32	29	448.6	417.0	489.4	96	65	31	488.3	566.7	378.5
HEART DISEASES (156-160,162, 164-181)	51	28	23	375.0	364.9	388.1	59	40	19	300.1	348.7	232.0
HYPERTENSION (161,163)	0	0	0	-	-	-	5	2	3	25.4	17.4	36.6
CEREBROVASCULAR DISEASES (182-186)	9	3	6	66.2	39.1	101.2	23	15	8	117.0	130.8	97.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	7	7	0	35.6	61.0	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	22.1	26.1	16.9	20	14	6	101.7	122.0	73.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	2	3	36.8	26.1	50.6	13	12	1	66.1	104.6	12.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.4	13.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	22.1	39.1	-	7	4	3	35.6	34.9	36.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	7.0	-	13.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.1	-	12.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	3	9	88.2	39.1	151.9	11	8	3	55.9	69.7	36.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	2	6	58.8	26.1	101.2	6	4	2	30.5	34.9	24.4
SUICIDE (331-337)	0	0	0	-	-	-	3	2	1	15.2	17.4	12.2
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	10.2	-	24.4

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>99</u>	<u>74</u>	<u>25</u>	<u>12.3</u>	<u>14.9</u>	<u>8.1</u>	<u>440</u>	<u>189</u>	<u>251</u>	<u>10.8</u>	<u>14.0</u>	<u>9.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	12.5	-	32.6	11	4	7	27.1	29.6	25.8
HIV DISEASE (039-043)	1	1	0	12.5	20.2	-	3	0	3	7.4	-	11.1
MALIGNANT NEOPLASMS (056-108)	30	20	10	373.8	403.7	325.5	84	33	51	206.7	244.3	188.0
DIABETES MELLITUS (124)	0	0	0	-	-	-	8	4	4	19.7	29.6	14.7
ALZHEIMER'S DISEASE (148)	0	0	0	-	-	-	14	8	6	34.4	59.2	22.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	46	39	7	573.1	787.2	227.9	201	85	116	494.7	629.3	427.6
HEART DISEASES (156-160,162, 164-181)	40	34	6	498.4	686.3	195.3	170	71	99	418.4	525.6	365.0
HYPERTENSION (161,163)	0	0	0	-	-	-	6	1	5	14.8	7.4	18.4
CEREBROVASCULAR DISEASES (182-186)	5	5	0	62.3	100.9	-	19	9	10	46.8	66.6	36.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	2	1	7.4	14.8	3.7
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	49.8	60.6	32.6	11	5	6	27.1	37.0	22.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	62.3	60.6	65.1	12	8	4	29.5	59.2	14.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	0	4	9.8	-	14.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	24.9	20.2	32.6	15	6	9	36.9	44.4	33.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	2	2	9.8	14.8	7.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.6	-	2.1
ACCIDENTS (295-330)	1	1	0	12.5	20.2	-	17	7	10	41.8	51.8	36.9
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	12.5	20.2	-	8	4	4	19.7	29.6	14.7
SUICIDE (331-337)	2	2	0	24.9	40.4	-	3	2	1	7.4	14.8	3.7
HOMICIDE (338-346)	0	0	0	-	-	-	6	1	5	14.8	7.4	18.4

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>197</u>	<u>159</u>	<u>38</u>	<u>13.1</u>	<u>15.2</u>	<u>8.2</u>	<u>94</u>	<u>56</u>	<u>38</u>	<u>8.7</u>	<u>8.3</u>	<u>9.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	19.9	19.1	21.7	1	1	0	9.3	14.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	26	3	192.4	248.6	65.1	20	13	7	185.7	192.6	174.1
DIABETES MELLITUS (124)	5	4	1	33.2	38.2	21.7	1	1	0	9.3	14.8	-
ALZHEIMER'S DISEASE (148)	4	3	1	26.5	28.7	21.7	1	1	0	9.3	14.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	90	74	16	597.2	707.4	347.1	47	30	17	436.4	444.5	422.9
HEART DISEASES (156-160,162, 164-181)	66	55	11	438.0	525.8	238.7	38	24	14	352.9	355.6	348.2
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	9.3	14.8	-
CEREBROVASCULAR DISEASES (182-186)	24	19	5	159.3	181.6	108.5	6	4	2	55.7	59.3	49.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	19.9	19.1	21.7	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	11	2	86.3	105.2	43.4	5	2	3	46.4	29.6	74.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	13.3	9.6	21.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	4	2	39.8	38.2	43.4	1	1	0	9.3	14.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	9.2	6.9	13.5	1	0	1	9.3	-	21.3
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.6	-	21.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	12	2	92.9	114.7	43.4	5	3	2	46.4	44.4	49.8
MOTOR VEHICLE ACCIDENTS# (296-306)	9	9	0	59.7	86.0	-	1	1	0	9.3	14.8	-
SUICIDE (331-337)	2	2	0	13.3	19.1	-	1	0	1	9.3	-	24.9
HOMICIDE (338-346)	2	1	1	13.3	9.6	21.7	1	0	1	9.3	-	24.9

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>228</u>	<u>155</u>	<u>73</u>	<u>11.7</u>	<u>14.0</u>	<u>8.7</u>	<u>103</u>	<u>79</u>	<u>24</u>	<u>10.6</u>	<u>11.9</u>	<u>7.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	10.2	-	32.0
SEPTICEMIA (018)	2	2	0	10.3	18.1	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	42	31	11	216.0	280.3	131.3	21	13	8	215.2	195.8	256.4
DIABETES MELLITUS (124)	6	4	2	30.9	36.2	23.9	5	3	2	51.2	45.2	64.1
ALZHEIMER'S DISEASE (148)	4	4	0	20.6	36.2	-	2	2	0	20.5	30.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	103	65	38	529.8	587.7	453.5	44	37	7	450.9	557.4	224.4
HEART DISEASES (156-160,162, 164-181)	82	55	27	421.8	497.3	322.2	35	30	5	358.7	451.9	160.2
HYPERTENSION (161,163)	1	0	1	5.1	-	11.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	18	9	9	92.6	81.4	107.4	7	5	2	71.7	75.3	64.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	20.6	27.1	11.9	3	3	0	30.7	45.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	46.3	72.3	11.9	8	6	2	82.0	90.4	64.1
PEPTIC ULCER (217-220)	1	0	1	5.1	-	11.9	1	1	0	10.2	15.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	20.6	36.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	6	0	30.9	54.2	-	2	2	0	20.5	30.1	-
MATERNAL CAUSES (261-273)	1	0	1	316.4	-	595.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	6.3	6.8	6.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	0	2	10.3	-	23.9	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	10	9	97.7	90.4	107.4	4	2	2	41.0	30.1	64.1
MOTOR VEHICLE ACCIDENTS# (296-306)	10	3	7	51.4	27.1	83.5	3	2	1	30.7	30.1	32.0
SUICIDE (331-337)	0	0	0	-	-	-	1	1	0	10.2	15.1	-
HOMICIDE (338-346)	1	0	1	5.1	-	11.9	1	1	0	10.2	15.1	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>113</u>	<u>30</u>	<u>83</u>	<u>9.6</u>	<u>16.7</u>	<u>8.3</u>	<u>200</u>	<u>129</u>	<u>71</u>	<u>11.1</u>	<u>11.1</u>	<u>11.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	8.4	-	10.0	2	2	0	11.1	17.3	-
HIV DISEASE (039-043)	1	0	1	8.4	-	10.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	16	3	13	135.2	167.0	129.5	39	25	14	217.2	215.9	219.6
DIABETES MELLITUS (124)	2	0	2	16.9	-	19.9	6	5	1	33.4	43.2	15.7
ALZHEIMER'S DISEASE (148)	0	0	0	-	-	-	8	5	3	44.6	43.2	47.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	58	18	40	490.2	1002.2	398.6	97	56	41	540.2	483.6	643.1
HEART DISEASES (156-160,162, 164-181)	47	16	31	397.3	890.9	308.9	77	49	28	428.8	423.1	439.2
HYPERTENSION (161,163)	1	0	1	8.4	-	10.0	2	0	2	11.1	-	31.4
CEREBROVASCULAR DISEASES (182-186)	10	2	8	84.5	111.4	79.7	16	6	10	89.1	51.8	156.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	8.4	-	10.0	12	10	2	66.8	86.4	31.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	4	2	50.7	222.7	19.9	9	9	0	50.1	77.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.6	8.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	25.4	55.7	19.9	1	1	0	5.6	8.6	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	17.6	52.6	13.2	1	1	0	4.1	7.2	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	0	5	42.3	-	49.8	5	4	1	27.8	34.5	15.7
MOTOR VEHICLE ACCIDENTS# (296-306)	4	0	4	33.8	-	39.9	3	3	0	16.7	25.9	-
SUICIDE (331-337)	1	1	0	8.4	55.7	-	3	2	1	16.7	17.3	15.7
HOMICIDE (338-346)	1	0	1	8.4	-	10.0	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>236</b>	<b>116</b>	<b>120</b>	<b>10.7</b>	<b>12.3</b>	<b>9.5</b>	<b>339</b>	<b>108</b>	<b>231</b>	<b>11.1</b>	<b>12.0</b>	<b>10.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	31.8	31.9	31.8	5	1	4	16.3	11.2	18.5
HIV DISEASE (039-043)	3	1	2	13.6	10.6	15.9	3	0	3	9.8	-	13.8
MALIGNANT NEOPLASMS (056-108)	55	24	31	250.2	255.0	246.6	60	20	40	195.9	223.1	184.7
DIABETES MELLITUS (124)	5	2	3	22.7	21.2	23.9	16	4	12	52.2	44.6	55.4
ALZHEIMER'S DISEASE (148)	1	0	1	4.6	-	8.0	1	1	0	3.3	11.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	112	57	55	509.6	605.7	437.6	146	49	97	476.8	546.6	447.9
HEART DISEASES (156-160,162, 164-181)	88	41	47	400.4	435.7	374.0	112	41	71	365.8	457.3	327.8
HYPERTENSION (161,163)	0	0	0	-	-	-	9	0	9	29.4	-	41.6
CEREBROVASCULAR DISEASES (182-186)	20	14	6	91.0	148.8	47.7	22	7	15	71.8	78.1	69.3
ATHEROSCLEROSIS (187)	1	1	0	4.6	10.6	-	1	0	1	3.3	-	4.6
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	22.7	42.5	8.0	10	7	3	32.6	78.1	13.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	8	0	36.4	85.0	-	17	7	10	55.5	78.1	46.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	6.5	11.2	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	13.6	10.6	15.9	2	0	2	6.5	-	9.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	3	5	36.4	31.9	39.8	2	1	1	6.5	11.2	4.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	175.4	-	207.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	9.2	-	13.2	4	0	4	7.0	-	8.3
CONGENITAL MALFORMATIONS (282-290)	3	1	2	13.6	10.6	15.9	1	0	1	3.3	-	4.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	5	2	31.8	53.1	15.9	19	5	14	62.0	55.8	64.6
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	31.8	53.1	15.9	8	1	7	26.1	11.2	32.3
SUICIDE (331-337)	0	0	0	-	-	-	5	1	4	16.3	11.2	18.5
HOMICIDE (338-346)	1	0	1	4.6	-	8.0	12	0	12	39.2	-	55.4

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>305</b>	<b>155</b>	<b>150</b>	<b>10.6</b>	<b>11.3</b>	<b>10.0</b>	<b>214</b>	<b>153</b>	<b>61</b>	<b>11.0</b>	<b>12.4</b>	<b>8.6</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	2	5	24.3	14.5	33.3	3	3	0	15.4	24.4	-
HIV DISEASE (039-043)	1	0	1	3.5	-	6.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	62	38	24	215.6	276.4	159.9	32	23	9	164.9	186.9	126.8
DIABETES MELLITUS (124)	10	5	5	34.8	36.4	33.3	5	4	1	25.8	32.5	14.1
ALZHEIMER'S DISEASE (148)	3	2	1	10.4	14.5	6.7	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	60	65	434.7	436.4	433.0	102	76	26	525.6	617.5	366.2
HEART DISEASES (156-160,162, 164-181)	93	48	45	323.4	349.2	299.8	81	62	19	417.4	503.8	267.6
HYPERTENSION (161,163)	6	2	4	20.9	14.5	26.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	22	8	14	76.5	58.2	93.3	20	14	6	103.0	113.8	84.5
ATHEROSCLEROSIS (187)	2	2	0	7.0	14.5	-	1	0	1	5.2	-	14.1
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	27.8	43.6	13.3	2	2	0	10.3	16.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	38.2	65.5	13.3	20	15	5	103.0	121.9	70.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	7.0	7.3	6.7	3	3	0	15.4	24.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	1	6	24.3	7.3	40.0	5	2	3	25.8	16.2	42.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	315.4	-	757.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	7.1	-	11.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.5	-	6.7	2	0	2	10.3	-	28.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	6.3	5.4	7.6
ACCIDENTS (295-330)	22	9	13	76.5	65.5	86.6	14	9	5	72.1	73.1	70.4
MOTOR VEHICLE ACCIDENTS# (296-306)	13	6	7	45.2	43.6	46.6	9	6	3	46.4	48.8	42.2
SUICIDE (331-337)	1	1	0	3.5	7.3	-	2	2	0	10.3	16.2	-
HOMICIDE (338-346)	5	1	4	17.4	7.3	26.6	4	2	2	20.6	16.2	28.2

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>796</b>	<b>693</b>	<b>103</b>	<b>7.4</b>	<b>7.5</b>	<b>6.8</b>	<b>704</b>	<b>473</b>	<b>231</b>	<b>9.7</b>	<b>10.1</b>	<b>8.9</b>
TUBERCULOSIS (009,010)	1	1	0	0.9	1.1	-	1	0	1	1.4	-	3.9
SEPTICEMIA (018)	13	11	2	12.1	12.0	13.1	21	7	14	28.9	15.0	54.1
HIV DISEASE (039-043)	5	2	3	4.7	2.2	19.7	8	0	8	11.0	-	30.9
MALIGNANT NEOPLASMS (056-108)	195	171	24	181.9	186.0	157.4	148	113	35	203.8	241.9	135.2
DIABETES MELLITUS (124)	45	38	7	42.0	41.3	45.9	27	17	10	37.2	36.4	38.6
ALZHEIMER'S DISEASE (148)	7	7	0	6.5	7.6	-	16	11	5	22.0	23.5	19.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	287	251	36	267.7	273.0	236.1	277	191	86	381.5	408.8	332.2
HEART DISEASES (156-160,162, 164-181)	209	183	26	195.0	199.0	170.5	206	142	64	283.7	304.0	247.2
HYPERTENSION (161,163)	28	23	5	26.1	25.0	32.8	16	11	5	22.0	23.5	19.3
CEREBROVASCULAR DISEASES (182-186)	45	40	5	42.0	43.5	32.8	51	35	16	70.2	74.9	61.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	19	16	3	17.7	17.4	19.7	11	7	4	15.2	15.0	15.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	41	39	2	38.2	42.4	13.1	41	31	10	56.5	66.4	38.6
PEPTIC ULCER (217-220)	3	3	0	2.8	3.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	9.3	9.8	6.6	11	8	3	15.2	17.1	11.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	6.5	6.5	6.6	13	10	3	17.9	21.4	11.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	2.3	0.7	11.2	7	1	6	6.6	1.7	12.6
CONGENITAL MALFORMATIONS (282-290)	3	3	0	2.8	3.3	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	4	3	1	2.3	2.0	3.7	2	0	2	1.9	-	4.2
ACCIDENTS (295-330)	43	36	7	40.1	39.2	45.9	23	19	4	31.7	40.7	15.4
MOTOR VEHICLE ACCIDENTS# (296-306)	25	21	4	23.3	22.8	26.2	10	8	2	13.8	17.1	7.7
SUICIDE (331-337)	14	14	0	13.1	15.2	-	4	3	1	5.5	6.4	3.9
HOMICIDE (338-346)	6	4	2	5.6	4.4	13.1	7	1	6	9.6	2.1	23.2

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>94</b>	<b>54</b>	<b>40</b>	<b>11.1</b>	<b>10.2</b>	<b>12.7</b>	<b>192</b>	<b>177</b>	<b>15</b>	<b>10.0</b>	<b>10.3</b>	<b>7.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	11.8	-	31.8	1	0	1	5.2	-	49.2
HIV DISEASE (039-043)	2	0	2	23.7	-	63.6	1	1	0	5.2	5.8	-
MALIGNANT NEOPLASMS (056-108)	18	7	11	213.1	132.0	350.0	43	39	4	224.6	227.9	196.6
DIABETES MELLITUS (124)	3	3	0	35.5	56.6	-	8	8	0	41.8	46.8	-
ALZHEIMER'S DISEASE (148)	0	0	0	-	-	-	5	5	0	26.1	29.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	26	14	473.5	490.1	445.4	73	67	6	381.3	391.6	295.0
HEART DISEASES (156-160,162, 164-181)	37	25	12	438.0	471.2	381.8	54	50	4	282.1	292.2	196.6
HYPERTENSION (161,163)	0	0	0	-	-	-	2	2	0	10.4	11.7	-
CEREBROVASCULAR DISEASES (182-186)	3	1	2	35.5	18.8	63.6	14	13	1	73.1	76.0	49.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.2	5.8	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	11.8	-	31.8	3	3	0	15.7	17.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	11.8	18.8	-	16	16	0	83.6	93.5	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	11.8	-	31.8	1	1	0	5.2	5.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	4	3	1	20.9	17.5	49.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	11.8	-	31.8	2	2	0	10.4	11.7	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	3	2	59.2	56.6	63.6	9	9	0	47.0	52.6	-
MOTOR VEHICLE ACCIDENTS# (296-306)	3	3	0	35.5	56.6	-	7	7	0	36.6	40.9	-
SUICIDE (331-337)	1	1	0	11.8	18.8	-	5	5	0	26.1	29.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	5.2	5.8	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>123</b>	<b>101</b>	<b>22</b>	<b>9.2</b>	<b>10.4</b>	<b>6.1</b>	<b>297</b>	<b>181</b>	<b>116</b>	<b>12.8</b>	<b>13.4</b>	<b>11.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	7.5	10.3	-	6	5	1	25.8	37.1	10.2
HIV DISEASE (039-043)	1	1	0	7.5	10.3	-	1	1	0	4.3	7.4	-
MALIGNANT NEOPLASMS (056-108)	29	25	4	218.1	258.2	110.6	63	35	28	270.8	259.8	286.0
DIABETES MELLITUS (124)	4	2	2	30.1	20.6	55.3	3	1	2	12.9	7.4	20.4
ALZHEIMER'S DISEASE (148)	1	1	0	7.5	10.3	-	3	2	1	12.9	14.8	10.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	45	36	9	338.4	371.9	248.8	136	87	49	584.6	645.7	500.6
HEART DISEASES (156-160,162, 164-181)	34	26	8	255.6	268.6	221.1	94	63	31	404.1	467.6	316.7
HYPERTENSION (161,163)	2	2	0	15.0	20.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	6	1	52.6	62.0	27.6	41	24	17	176.2	178.1	173.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	22.6	31.0	-	11	8	3	47.3	59.4	30.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	45.1	51.6	27.6	9	7	2	38.7	52.0	20.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	5	3	2	21.5	22.3	20.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	7.5	10.3	-	4	1	3	17.2	7.4	30.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	350.9	671.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.5	-	7.4
CONGENITAL MALFORMATIONS (282-290)	4	4	0	30.1	41.3	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	5	2	52.6	51.6	55.3	8	4	4	34.4	29.7	40.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	30.1	31.0	27.6	4	2	2	17.2	14.8	20.4
SUICIDE (331-337)	4	4	0	30.1	41.3	-	2	1	1	8.6	7.4	10.2
HOMICIDE (338-346)	0	0	0	-	-	-	6	1	5	25.8	7.4	51.1

CAUSE AND GROUP NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>434</b>	<b>406</b>	<b>28</b>	<b>10.1</b>	<b>10.5</b>	<b>6.6</b>	<b>1,699</b>	<b>1,365</b>	<b>334</b>	<b>9.0</b>	<b>9.8</b>	<b>6.6</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	7	1	18.6	18.1	23.7	29	24	5	15.3	17.3	9.8
HIV DISEASE (039-043)	0	0	0	-	-	-	7	5	2	3.7	3.6	3.9
MALIGNANT NEOPLASMS (056-108)	84	82	2	195.5	211.6	47.4	365	295	70	192.5	212.7	137.5
DIABETES MELLITUS (124)	8	6	2	18.6	15.5	47.4	15	10	5	7.9	7.2	9.8
ALZHEIMER'S DISEASE (148)	3	3	0	7.0	7.7	-	28	26	2	14.8	18.7	3.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	190	176	14	442.2	454.2	332.1	722	578	144	380.8	416.8	282.8
HEART DISEASES (156-160,162, 164-181)	150	143	7	349.1	369.0	166.1	600	482	118	316.4	347.5	231.8
HYPERTENSION (161,163)	3	3	0	7.0	7.7	-	7	5	2	3.7	3.6	3.9
CEREBROVASCULAR DISEASES (182-186)	27	20	7	62.8	51.6	166.1	92	74	18	48.5	53.4	35.4
ATHEROSCLEROSIS (187)	5	5	0	11.6	12.9	-	11	7	4	5.8	5.0	7.8
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	11.6	10.3	23.7	40	31	9	21.1	22.4	17.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	26	0	60.5	67.1	-	79	71	8	41.7	51.2	15.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	0.5	0.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	14.0	15.5	-	26	22	4	13.7	15.9	7.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	9.3	7.7	23.7	36	31	5	19.0	22.4	9.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.9	-	22.7	12	3	9	4.2	1.6	9.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	14	10	4	7.4	7.2	7.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.9	2.0	-	5	4	1	1.8	2.1	1.1
ACCIDENTS (295-330)	35	34	1	81.4	87.7	23.7	89	68	21	46.9	49.0	41.2
MOTOR VEHICLE ACCIDENTS# (296-306)	13	13	0	30.2	33.5	-	27	18	9	14.2	13.0	17.7
SUICIDE (331-337)	16	15	1	37.2	38.7	23.7	29	29	0	15.3	20.9	-
HOMICIDE (338-346)	8	5	3	18.6	12.9	71.2	19	9	10	10.0	6.5	19.6

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>2,025</b>	<b>955</b>	<b>1,070</b>	<b>8.1</b>	<b>10.2</b>	<b>6.8</b>	<b>251</b>	<b>74</b>	<b>177</b>	<b>11.6</b>	<b>16.7</b>	<b>10.3</b>
TUBERCULOSIS (009,010)	1	1	0	0.4	1.1	-	0	0	0	-	-	-
SEPTICEMIA (018)	54	25	29	21.5	26.7	18.4	2	1	1	9.2	22.6	5.8
HIV DISEASE (039-043)	52	1	51	20.7	1.1	32.4	1	0	1	4.6	-	5.8
MALIGNANT NEOPLASMS (056-108)	369	173	196	147.1	184.9	124.7	54	15	39	249.9	339.1	226.9
DIABETES MELLITUS (124)	37	12	25	14.8	12.8	15.9	7	1	6	32.4	22.6	34.9
ALZHEIMER'S DISEASE (148)	25	14	11	10.0	15.0	7.0	1	1	0	4.6	22.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	821	419	402	327.4	447.7	255.7	117	37	80	541.4	836.3	465.5
HEART DISEASES (156-160,162, 164-181)	647	341	306	258.0	364.4	194.6	102	30	72	472.0	678.1	419.0
HYPERTENSION (161,163)	15	1	14	6.0	1.1	8.9	1	0	1	4.6	-	5.8
CEREBROVASCULAR DISEASES (182-186)	137	63	74	54.6	67.3	47.1	13	7	6	60.2	158.2	34.9
ATHEROSCLEROSIS (187)	2	2	0	0.8	2.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	60	32	28	23.9	34.2	17.8	6	3	3	27.8	67.8	17.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	85	60	25	33.9	64.1	15.9	9	3	6	41.6	67.8	34.9
PEPTIC ULCER (217-220)	2	1	1	0.8	1.1	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	12	10	2	4.8	10.7	1.3	1	0	1	4.6	-	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	38	12	26	15.2	12.8	16.5	11	1	10	50.9	22.6	58.2
MATERNAL CAUSES (261-273)	1	0	1	26.0	-	35.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	27	7	20	7.0	7.0	7.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	10	2	8	4.0	2.1	5.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	1	2	0.8	1.0	0.7	1	0	1	2.6	-	2.9
ACCIDENTS (295-330)	83	31	52	33.1	33.1	33.1	13	7	6	60.2	158.2	34.9
MOTOR VEHICLE ACCIDENTS# (296-306)	51	19	32	20.3	20.3	20.4	9	4	5	41.6	90.4	29.1
SUICIDE (331-337)	28	21	7	11.2	22.4	4.4	3	1	2	13.9	22.6	11.6
HOMICIDE (338-346)	47	4	43	18.7	4.3	27.4	5	2	3	23.1	45.2	17.4

CAUSE AND GROUP NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>107</b>	<b>30</b>	<b>77</b>	<b>9.5</b>	<b>9.8</b>	<b>9.4</b>	<b>12</b>	<b>4</b>	<b>8</b>	<b>5.3</b>	<b>4.8</b>	<b>5.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	8.9	-	12.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	32	12	20	285.6	394.1	245.1	3	1	2	131.9	121.1	138.1
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMER'S DISEASE (148)	0	0	0	-	-	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	9	33	374.8	295.6	404.4	4	2	2	175.9	242.1	138.1
HEART DISEASES (156-160,162, 164-181)	37	9	28	330.2	295.6	343.1	3	1	2	131.9	121.1	138.1
HYPERTENSION (161,163)	1	0	1	8.9	-	12.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	4	0	4	35.7	-	49.0	1	1	0	44.0	121.1	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	0	3	26.8	-	36.8	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	44.6	98.5	24.5	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	26.8	-	36.8	1	0	1	44.0	-	69.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	17.8	-	21.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	3	4	62.5	98.5	49.0	2	1	1	88.0	121.1	69.1
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	8.9	32.8	-	1	0	1	44.0	-	69.1
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	8.9	-	12.2	1	0	1	44.0	-	69.1

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>300</b>	<b>288</b>	<b>12</b>	<b>13.2</b>	<b>13.7</b>	<b>7.0</b>	<b>1,121</b>	<b>914</b>	<b>207</b>	<b>8.5</b>	<b>9.2</b>	<b>6.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	22.0	23.7	-	19	18	1	14.4	18.2	3.1
HIV DISEASE (039-043)	0	0	0	-	-	-	5	2	3	3.8	2.0	9.3
MALIGNANT NEOPLASMS (056-108)	57	52	5	250.3	247.0	291.5	244	202	42	185.7	204.0	129.6
DIABETES MELLITUS (124)	8	7	1	35.1	33.2	58.3	14	12	2	10.6	12.1	6.2
ALZHEIMER'S DISEASE (148)	7	7	0	30.7	33.2	-	40	35	5	30.4	35.3	15.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	134	129	5	588.5	612.7	291.5	414	324	90	315.0	327.2	277.8
HEART DISEASES (156-160,162, 164-181)	113	109	4	496.3	517.7	233.2	310	240	70	235.9	242.4	216.1
HYPERTENSION (161,163)	0	0	0	-	-	-	4	3	1	3.0	3.0	3.1
CEREBROVASCULAR DISEASES (182-186)	18	17	1	79.0	80.7	58.3	85	68	17	64.7	68.7	52.5
ATHEROSCLEROSIS (187)	1	1	0	4.4	4.7	-	4	3	1	3.0	3.0	3.1
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	35.1	38.0	-	20	17	3	15.2	17.2	9.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	26	0	114.2	123.5	-	56	53	3	42.6	53.5	9.3
PEPTIC ULCER (217-220)	1	1	0	4.4	4.7	-	1	1	0	0.8	1.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	13.2	14.2	-	14	11	3	10.6	11.1	9.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	8.8	9.5	-	10	10	0	7.6	10.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	53.4	-	180.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	1	3	2.1	0.8	5.4
CONGENITAL MALFORMATIONS (282-290)	2	2	0	8.8	9.5	-	3	3	0	2.3	3.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	16	0	70.3	76.0	-	66	49	17	50.2	49.5	52.5
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	35.1	38.0	-	31	25	6	23.6	25.2	18.5
SUICIDE (331-337)	3	3	0	13.2	14.2	-	16	15	1	12.2	15.1	3.1
HOMICIDE (338-346)	1	1	0	4.4	4.7	-	19	10	9	14.4	10.1	27.8

CAUSE AND GROUP NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>178</b>	<b>95</b>	<b>83</b>	<b>9.8</b>	<b>11.3</b>	<b>8.5</b>	<b>95</b>	<b>16</b>	<b>79</b>	<b>9.8</b>	<b>12.6</b>	<b>9.3</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	16.5	11.8	20.6	1	0	1	10.3	-	11.8
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	20.5	-	23.6
MALIGNANT NEOPLASMS (056-108)	33	23	10	181.8	272.7	102.9	27	5	22	277.2	393.1	259.8
DIABETES MELLITUS (124)	2	0	2	11.0	-	20.6	5	1	4	51.3	78.6	47.2
ALZHEIMER'S DISEASE (148)	2	2	0	11.0	23.7	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	86	48	38	473.8	569.2	391.1	35	6	29	359.3	471.7	342.5
HEART DISEASES (156-160,162, 164-181)	68	39	29	374.7	462.5	298.5	29	5	24	297.7	393.1	283.4
HYPERTENSION (161,163)	1	0	1	5.5	-	10.3	1	0	1	10.3	-	11.8
CEREBROVASCULAR DISEASES (182-186)	15	7	8	82.6	83.0	82.3	4	1	3	41.1	78.6	35.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	11.0	23.7	-	1	0	1	10.3	-	11.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	6	8	77.1	71.1	82.3	3	0	3	30.8	-	35.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.5	-	10.3	1	0	1	10.3	-	11.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	22.0	11.8	30.9	3	0	3	30.8	-	35.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	7.5	-	7.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	4	6	55.1	47.4	61.8	8	3	5	82.1	235.8	59.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	4	5	49.6	47.4	51.5	8	3	5	82.1	235.8	59.0
SUICIDE (331-337)	2	2	0	11.0	23.7	-	2	0	2	20.5	-	23.6
HOMICIDE (338-346)	3	1	2	16.5	11.8	20.6	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>143</b>	<b>77</b>	<b>66</b>	<b>10.2</b>	<b>13.2</b>	<b>8.1</b>	<b>715</b>	<b>554</b>	<b>161</b>	<b>11.0</b>	<b>12.0</b>	<b>8.6</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	1	4	35.8	17.2	49.1	16	6	10	24.6	13.0	53.3
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	4.6	-	16.0
MALIGNANT NEOPLASMS (056-108)	38	19	19	272.2	326.7	233.2	137	108	29	210.9	233.8	154.5
DIABETES MELLITUS (124)	2	1	1	14.3	17.2	12.3	13	9	4	20.0	19.5	21.3
ALZHEIMER'S DISEASE (148)	1	1	0	7.2	17.2	-	13	12	1	20.0	26.0	5.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	31	21	372.4	533.0	257.8	275	219	56	423.4	474.1	298.4
HEART DISEASES (156-160,162, 164-181)	42	25	17	300.8	429.8	208.7	224	181	43	344.8	391.8	229.1
HYPERTENSION (161,163)	3	1	2	21.5	17.2	24.6	4	3	1	6.2	6.5	5.3
CEREBROVASCULAR DISEASES (182-186)	6	4	2	43.0	68.8	24.6	38	29	9	58.5	62.8	48.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	14.3	34.4	-	41	35	6	63.1	75.8	32.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	6	2	57.3	103.2	24.6	40	34	6	61.6	73.6	32.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	9	6	3	13.8	13.0	16.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	28.6	34.4	24.6	18	12	6	27.7	26.0	32.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	11.7	28.2	-	3	2	1	3.0	3.1	2.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	5	3	2	7.7	6.5	10.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	1	2	3.0	1.6	5.5
ACCIDENTS (295-330)	9	0	9	64.5	-	110.5	35	29	6	53.9	62.8	32.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	0	9	64.5	-	110.5	17	15	2	26.2	32.5	10.6
SUICIDE (331-337)	1	0	1	7.2	-	12.3	4	4	0	6.2	8.7	-
HOMICIDE (338-346)	7	5	2	50.1	86.0	24.6	8	4	4	12.3	8.7	21.3

CAUSE AND GROUP NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>117</b>	<b>49</b>	<b>68</b>	<b>11.2</b>	<b>12.0</b>	<b>10.7</b>	<b>293</b>	<b>228</b>	<b>65</b>	<b>7.6</b>	<b>8.2</b>	<b>6.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.6	-	15.7	7	7	0	18.1	25.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	2.6	3.6	-
MALIGNANT NEOPLASMS (056-108)	28	8	20	267.9	196.1	313.8	62	45	17	160.0	161.6	155.9
DIABETES MELLITUS (124)	8	3	5	76.5	73.5	78.4	14	12	2	36.1	43.1	18.3
ALZHEIMER'S DISEASE (148)	3	1	2	28.7	24.5	31.4	12	12	0	31.0	43.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	25	22	449.6	612.7	345.2	85	67	18	219.4	240.7	165.0
HEART DISEASES (156-160,162, 164-181)	38	21	17	363.5	514.7	266.8	67	53	14	172.9	190.4	128.4
HYPERTENSION (161,163)	1	1	0	9.6	24.5	-	2	1	1	5.2	3.6	9.2
CEREBROVASCULAR DISEASES (182-186)	7	3	4	67.0	73.5	62.8	14	12	2	36.1	43.1	18.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	19.1	49.0	-	15	13	2	38.7	46.7	18.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	9.6	24.5	-	14	13	1	36.1	46.7	9.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	5.2	3.6	9.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	28.7	24.5	31.4	10	7	3	25.8	25.1	27.5
MATERNAL CAUSES (261-273)	1	1	0	735.3	2325.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	22.0	-	32.2	3	1	2	6.7	3.8	10.7
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.6	-	15.7	2	1	1	5.2	3.6	9.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	4	8	114.8	98.0	125.5	21	14	7	54.2	50.3	64.2
MOTOR VEHICLE ACCIDENTS# (296-306)	5	1	4	47.8	24.5	62.8	10	8	2	25.8	28.7	18.3
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	5.2	7.2	-
HOMICIDE (338-346)	1	0	1	9.6	-	15.7	3	1	2	7.7	3.6	18.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>282</b>	<b>250</b>	<b>32</b>	<b>7.2</b>	<b>7.5</b>	<b>5.6</b>	<b>948</b>	<b>639</b>	<b>309</b>	<b>12.1</b>	<b>13.6</b>	<b>9.9</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	10.2	6.0	34.9	11	6	5	14.1	12.8	16.0
HIV DISEASE (039-043)	1	1	0	2.6	3.0	-	12	1	11	15.4	2.1	35.3
MALIGNANT NEOPLASMS (056-108)	72	65	7	184.3	194.9	122.2	213	147	66	272.5	312.7	211.9
DIABETES MELLITUS (124)	6	4	2	15.4	12.0	34.9	13	7	6	16.6	14.9	19.3
ALZHEIMER'S DISEASE (148)	5	5	0	12.8	15.0	-	38	30	8	48.6	63.8	25.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	119	107	12	304.6	320.9	209.5	377	257	120	482.3	546.6	385.2
HEART DISEASES (156-160,162, 164-181)	97	88	9	248.3	263.9	157.1	306	211	95	391.5	448.8	305.0
HYPERTENSION (161,163)	1	1	0	2.6	3.0	-	5	2	3	6.4	4.2	9.6
CEREBROVASCULAR DISEASES (182-186)	19	16	3	48.6	48.0	52.4	59	39	20	75.5	83.0	64.2
ATHEROSCLEROSIS (187)	1	1	0	2.6	3.0	-	1	1	0	1.3	2.1	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	5.1	6.0	-	20	11	9	25.6	23.4	28.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	17	0	43.5	51.0	-	39	32	7	49.9	68.1	22.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.3	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	7.7	6.0	17.4	6	5	1	7.7	10.6	3.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	7.7	9.0	-	20	6	14	25.6	12.8	44.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	6.4	3.9	18.3	9	1	8	7.4	1.7	13.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.6	3.0	-	5	4	1	6.4	8.5	3.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	1.6	1.7	1.6
ACCIDENTS (295-330)	17	16	1	43.5	48.0	17.4	48	32	16	61.4	68.1	51.4
MOTOR VEHICLE ACCIDENTS# (296-306)	12	11	1	30.7	33.0	17.4	25	15	10	32.0	31.9	32.1
SUICIDE (331-337)	5	5	0	12.8	15.0	-	6	4	2	7.7	8.5	6.4
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	2.6	2.1	3.2

CAUSE AND GROUP NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>143</b>	<b>100</b>	<b>43</b>	<b>10.8</b>	<b>11.3</b>	<b>9.8</b>	<b>231</b>	<b>151</b>	<b>80</b>	<b>11.0</b>	<b>12.8</b>	<b>8.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	4.8	8.5	-
SEPTICEMIA (018)	0	0	0	-	-	-	6	5	1	28.6	42.5	10.9
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	4.8	8.5	-
MALIGNANT NEOPLASMS (056-108)	23	17	6	173.5	191.5	136.9	39	29	10	186.2	246.7	108.9
DIABETES MELLITUS (124)	1	0	1	7.5	-	22.8	4	1	3	19.1	8.5	32.7
ALZHEIMER'S DISEASE (148)	2	1	1	15.1	11.3	22.8	5	4	1	23.9	34.0	10.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	79	58	21	595.9	653.5	479.1	102	66	36	487.1	561.5	391.9
HEART DISEASES (156-160,162, 164-181)	60	47	13	452.6	529.6	296.6	80	57	23	382.0	484.9	250.4
HYPERTENSION (161,163)	2	0	2	15.1	-	45.6	6	1	5	28.6	8.5	54.4
CEREBROVASCULAR DISEASES (182-186)	14	9	5	105.6	101.4	114.1	15	7	8	71.6	59.5	87.1
ATHEROSCLEROSIS (187)	1	1	0	7.5	11.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.1	22.5	-	4	3	1	19.1	25.5	10.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	4	0	30.2	45.1	-	4	3	1	19.1	25.5	10.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	7.5	-	22.8	1	1	0	4.8	8.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	22.6	22.5	22.8	8	5	3	38.2	42.5	32.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.0	-	11.8	2	1	1	5.6	5.3	6.0
CONGENITAL MALFORMATIONS (282-290)	2	0	2	15.1	-	45.6	2	2	0	9.6	17.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	5.6	10.6	-
ACCIDENTS (295-330)	13	7	6	98.0	78.9	136.9	22	12	10	105.1	102.1	108.9
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	67.9	56.3	91.3	12	6	6	57.3	51.0	65.3
SUICIDE (331-337)	2	2	0	15.1	22.5	-	4	4	0	19.1	34.0	-
HOMICIDE (338-346)	0	0	0	-	-	-	4	2	2	19.1	17.0	21.8

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>724</u>	<u>577</u>	<u>147</u>	<u>9.6</u>	<u>10.3</u>	<u>7.4</u>	<u>410</u>	<u>164</u>	<u>246</u>	<u>10.8</u>	<u>14.4</u>	<u>9.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	10.6	10.8	10.0	6	1	5	15.8	8.8	18.8
HIV DISEASE (039-043)	3	2	1	4.0	3.6	5.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	157	124	33	207.2	222.2	165.4	75	41	34	197.6	360.2	128.0
DIABETES MELLITUS (124)	18	14	4	23.8	25.1	20.0	10	3	7	26.4	26.4	26.4
ALZHEIMER'S DISEASE (148)	13	11	2	17.2	19.7	10.0	2	2	0	5.3	17.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	299	241	58	394.7	431.9	290.6	205	79	126	540.2	694.0	474.3
HEART DISEASES (156-160,162, 164-181)	220	181	39	290.4	324.4	195.4	163	64	99	429.5	562.2	372.7
HYPERTENSION (161,163)	5	4	1	6.6	7.2	5.0	1	0	1	2.6	-	3.8
CEREBROVASCULAR DISEASES (182-186)	67	51	16	88.4	91.4	80.2	38	14	24	100.1	123.0	90.4
ATHEROSCLEROSIS (187)	1	0	1	1.3	-	5.0	1	0	1	2.6	-	3.8
INFLUENZA AND PNEUMONIA (195-198)	14	13	1	18.5	23.3	5.0	4	3	1	10.5	26.4	3.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	32	28	4	42.2	50.2	20.0	25	10	15	65.9	87.8	56.5
PEPTIC ULCER (217-220)	2	2	0	2.6	3.6	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	9	7	2	11.9	12.5	10.0	5	3	2	13.2	26.4	7.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	8	5	17.2	14.3	25.0	11	3	8	29.0	26.4	30.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	2.4	2.4	2.6	5	0	5	8.6	-	11.2
CONGENITAL MALFORMATIONS (282-290)	2	1	1	2.6	1.8	5.0	2	1	1	5.3	8.8	3.8
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.6	1.2	2.6	0	0	0	-	-	-
ACCIDENTS (295-330)	47	39	8	62.0	69.9	40.1	11	4	7	29.0	35.1	26.4
MOTOR VEHICLE ACCIDENTS# (296-306)	17	13	4	22.4	23.3	20.0	10	4	6	26.4	35.1	22.6
SUICIDE (331-337)	12	10	2	15.8	17.9	10.0	1	1	0	2.6	8.8	-
HOMICIDE (338-346)	9	7	2	11.9	12.5	10.0	8	0	8	21.1	-	30.1

CAUSE AND GROUP NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>401</u>	<u>305</u>	<u>96</u>	<u>12.1</u>	<u>13.2</u>	<u>9.4</u>	<u>534</u>	<u>339</u>	<u>195</u>	<u>8.7</u>	<u>9.7</u>	<u>7.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	6.0	8.7	-	14	12	2	22.7	34.5	7.5
HIV DISEASE (039-043)	0	0	0	-	-	-	4	0	4	6.5	-	14.9
MALIGNANT NEOPLASMS (056-108)	82	57	25	247.2	247.7	246.2	115	79	36	186.7	227.2	134.3
DIABETES MELLITUS (124)	14	10	4	42.2	43.4	39.4	9	5	4	14.6	14.4	14.9
ALZHEIMER'S DISEASE (148)	9	7	2	27.1	30.4	19.7	5	5	0	8.1	14.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	160	118	42	482.4	512.8	413.5	217	130	87	352.4	373.8	324.5
HEART DISEASES (156-160,162, 164-181)	100	77	23	301.5	334.6	226.5	172	108	64	279.3	310.6	238.7
HYPERTENSION (161,163)	21	11	10	63.3	47.8	98.5	15	4	11	24.4	11.5	41.0
CEREBROVASCULAR DISEASES (182-186)	35	27	8	105.5	117.3	78.8	27	18	9	43.8	51.8	33.6
ATHEROSCLEROSIS (187)	1	1	0	3.0	4.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	25	19	6	75.4	82.6	59.1	12	8	4	19.5	23.0	14.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	24	3	81.4	104.3	29.5	18	16	2	29.2	46.0	7.5
PEPTIC ULCER (217-220)	1	1	0	3.0	4.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	6.0	8.7	-	3	1	2	4.9	2.9	7.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	7	0	21.1	30.4	-	12	5	7	19.5	14.4	26.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	8	0	8	8.6	-	17.5
CONGENITAL MALFORMATIONS (282-290)	3	3	0	9.0	13.0	-	5	3	2	8.1	8.6	7.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.1	-	2.2
ACCIDENTS (295-330)	27	22	5	81.4	95.6	49.2	29	17	12	47.1	48.9	44.8
MOTOR VEHICLE ACCIDENTS# (296-306)	19	14	5	57.3	60.8	49.2	10	6	4	16.2	17.2	14.9
SUICIDE (331-337)	3	3	0	9.0	13.0	-	7	7	0	11.4	20.1	-
HOMICIDE (338-346)	2	0	2	6.0	-	19.7	4	2	2	6.5	5.8	7.5

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>846</b>	<b>526</b>	<b>320</b>	<b>11.3</b>	<b>11.7</b>	<b>10.8</b>	<b>312</b>	<b>241</b>	<b>71</b>	<b>12.2</b>	<b>14.1</b>	<b>8.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	5	7	16.1	11.1	23.6	7	4	3	27.3	23.3	35.5
HIV DISEASE (039-043)	22	6	16	29.5	13.3	54.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	267	180	87	357.6	399.8	293.4	59	47	12	230.5	274.2	141.9
DIABETES MELLITUS (124)	19	6	13	25.4	13.3	43.8	6	5	1	23.4	29.2	11.8
ALZHEIMER'S DISEASE (148)	26	21	5	34.8	46.6	16.9	3	3	0	11.7	17.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	282	166	116	377.6	368.7	391.2	135	103	32	527.4	601.0	378.4
HEART DISEASES (156-160,162, 164-181)	214	129	85	286.6	286.5	286.6	96	78	18	375.1	455.1	212.8
HYPERTENSION (161,163)	4	2	2	5.4	4.4	6.7	3	2	1	11.7	11.7	11.8
CEREBROVASCULAR DISEASES (182-186)	59	32	27	79.0	71.1	91.0	32	19	13	125.0	110.9	153.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.9	5.8	-
INFLUENZA AND PNEUMONIA (195-198)	20	17	3	26.8	37.8	10.1	12	11	1	46.9	64.2	11.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	28	22	6	37.5	48.9	20.2	15	13	2	58.6	75.8	23.6
PEPTIC ULCER (217-220)	1	0	1	1.3	-	3.4	1	0	1	3.9	-	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	7	3	13.4	15.5	10.1	3	3	0	11.7	17.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	15	11	4	20.1	24.4	13.5	6	4	2	23.4	23.3	23.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	3.2	-	6.7	2	2	0	5.9	9.8	-
CONGENITAL MALFORMATIONS (282-290)	5	3	2	6.7	6.7	6.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.0	4.9	-
ACCIDENTS (295-330)	25	11	14	33.5	24.4	47.2	18	14	4	70.3	81.7	47.3
MOTOR VEHICLE ACCIDENTS# (296-306)	18	7	11	24.1	15.5	37.1	6	5	1	23.4	29.2	11.8
SUICIDE (331-337)	6	6	0	8.0	13.3	-	1	1	0	3.9	5.8	-
HOMICIDE (338-346)	7	2	5	9.4	4.4	16.9	3	2	1	11.7	11.7	11.8

CAUSE AND GROUP NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>343</b>	<b>188</b>	<b>155</b>	<b>9.8</b>	<b>11.1</b>	<b>8.6</b>	<b>384</b>	<b>279</b>	<b>105</b>	<b>10.1</b>	<b>10.7</b>	<b>8.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	5	3	22.9	29.5	16.6	4	3	1	10.5	11.5	8.3
HIV DISEASE (039-043)	1	0	1	2.8	-	5.5	1	1	0	2.6	3.8	-
MALIGNANT NEOPLASMS (056-108)	76	39	37	217.2	230.4	204.8	87	61	26	228.9	234.7	216.2
DIABETES MELLITUS (124)	6	4	2	17.1	23.6	11.1	10	7	3	26.3	26.9	25.0
ALZHEIMER'S DISEASE (148)	4	3	1	11.4	17.7	5.5	3	3	0	7.9	11.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	117	59	58	334.4	348.6	321.0	151	113	38	397.2	434.8	316.1
HEART DISEASES (156-160,162, 164-181)	79	39	40	225.8	230.4	221.4	123	93	30	323.6	357.8	249.5
HYPERTENSION (161,163)	7	4	3	20.0	23.6	16.6	6	3	3	15.8	11.5	25.0
CEREBROVASCULAR DISEASES (182-186)	22	10	12	62.9	59.1	66.4	19	14	5	50.0	53.9	41.6
ATHEROSCLEROSIS (187)	2	2	0	5.7	11.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	20.0	29.5	11.1	7	6	1	18.4	23.1	8.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	15	0	42.9	88.6	-	25	20	5	65.8	77.0	41.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	5.7	11.8	-	3	3	0	7.9	11.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	3	6	25.7	17.7	33.2	17	9	8	44.7	34.6	66.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	5	3	15.5	21.3	10.7	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	4	2	2	11.4	11.8	11.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.9	-	3.6	0	0	0	-	-	-
ACCIDENTS (295-330)	32	19	13	91.4	112.3	72.0	30	19	11	78.9	73.1	91.5
MOTOR VEHICLE ACCIDENTS# (296-306)	17	8	9	48.6	47.3	49.8	21	13	8	55.2	50.0	66.5
SUICIDE (331-337)	2	2	0	5.7	11.8	-	1	1	0	2.6	3.8	-
HOMICIDE (338-346)	6	1	5	17.1	5.9	27.7	3	2	1	7.9	7.7	8.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<b>ALL CAUSES</b>	<b>115</b>	<b>66</b>	<b>49</b>	<b>9.4</b>	<b>10.0</b>	<b>8.8</b>	<b>345</b>	<b>236</b>	<b>109</b>	<b>12.0</b>	<b>12.6</b>	<b>11.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	16.4	30.2	-	6	4	2	20.9	21.3	20.2
HIV DISEASE (039-043)	2	1	1	16.4	15.1	17.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	31	15	16	254.3	226.8	286.9	61	40	21	212.7	212.9	212.2
DIABETES MELLITUS (124)	2	2	0	16.4	30.2	-	9	2	7	31.4	10.6	70.7
ALZHEIMER'S DISEASE (148)	1	1	0	8.2	15.1	-	7	2	5	24.4	10.6	50.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	30	18	393.8	453.6	322.8	150	109	41	522.9	580.2	414.3
HEART DISEASES (156-160,162, 164-181)	32	21	11	262.5	317.6	197.3	123	88	35	428.8	468.4	353.7
HYPERTENSION (161,163)	6	3	3	49.2	45.4	53.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	65.6	75.6	53.8	25	19	6	87.2	101.1	60.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	24.6	30.2	17.9	9	7	2	31.4	37.2	20.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	16.4	15.1	17.9	15	14	1	52.3	74.5	10.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	7	4	3	24.4	21.3	30.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	32.8	15.1	53.8	17	11	6	59.3	58.5	60.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.2	-	17.9	1	1	0	3.5	5.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.1	-	4.2
ACCIDENTS (295-330)	3	0	3	24.6	-	53.8	22	15	7	76.7	79.8	70.7
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	8.2	-	17.9	9	3	6	31.4	16.0	60.6
SUICIDE (331-337)	2	2	0	16.4	30.2	-	2	2	0	7.0	10.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	2	1	10.4	10.6	10.1

CAUSE AND GROUP NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<b>ALL CAUSES</b>	<b>243</b>	<b>163</b>	<b>80</b>	<b>11.1</b>	<b>11.5</b>	<b>10.5</b>	<b>115</b>	<b>43</b>	<b>72</b>	<b>9.2</b>	<b>11.6</b>	<b>8.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	9.2	7.0	13.1	1	0	1	8.0	-	11.3
HIV DISEASE (039-043)	1	0	1	4.6	-	13.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	36	12	219.8	253.6	157.0	18	6	12	143.4	162.2	135.6
DIABETES MELLITUS (124)	5	1	4	22.9	7.0	52.3	4	0	4	31.9	-	45.2
ALZHEIMER'S DISEASE (148)	2	2	0	9.2	14.1	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	109	76	33	499.1	535.3	431.9	50	22	28	398.5	594.6	316.4
HEART DISEASES (156-160,162, 164-181)	82	55	27	375.5	387.4	353.4	43	19	24	342.7	513.5	271.2
HYPERTENSION (161,163)	3	1	2	13.7	7.0	26.2	2	1	1	15.9	27.0	11.3
CEREBROVASCULAR DISEASES (182-186)	20	16	4	91.6	112.7	52.3	5	2	3	39.8	54.0	33.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	32.0	35.2	26.2	6	3	3	47.8	81.1	33.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	15	5	91.6	105.6	65.4	3	3	0	23.9	81.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	13.7	7.0	26.2	1	0	1	8.0	-	11.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	22.9	21.1	26.2	2	0	2	15.9	-	22.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	9.5	10.9	7.5	2	0	2	9.1	-	11.6
CONGENITAL MALFORMATIONS (282-290)	2	0	2	9.2	-	26.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	4	4	36.6	28.2	52.3	14	2	12	111.6	54.0	135.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	18.3	21.1	13.1	9	1	8	71.7	27.0	90.4
SUICIDE (331-337)	2	2	0	9.2	14.1	-	1	1	0	8.0	27.0	-
HOMICIDE (338-346)	4	2	2	18.3	14.1	26.2	1	0	1	8.0	-	11.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>249</b>	<b>144</b>	<b>105</b>	<b>5.8</b>	<b>5.7</b>	<b>5.9</b>	<b>348</b>	<b>217</b>	<b>131</b>	<b>10.2</b>	<b>12.5</b>	<b>7.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	4.7	4.0	5.6	6	1	5	17.5	5.8	29.5
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	5.8	5.8	5.9
MALIGNANT NEOPLASMS (056-108)	48	29	19	111.9	115.2	107.1	78	54	24	227.6	312.1	141.4
DIABETES MELLITUS (124)	3	2	1	7.0	7.9	5.6	8	6	2	23.3	34.7	11.8
ALZHEIMER'S DISEASE (148)	5	3	2	11.6	11.9	11.3	3	2	1	8.8	11.6	5.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	98	51	47	228.4	202.6	265.0	135	84	51	393.9	485.5	300.5
HEART DISEASES (156-160,162, 164-181)	80	38	42	186.5	151.0	236.8	105	67	38	306.4	387.2	223.9
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	2.9	5.8	-
CEREBROVASCULAR DISEASES (182-186)	15	11	4	35.0	43.7	22.6	27	14	13	78.8	80.9	76.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	5.8	11.6	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	18.6	23.8	11.3	12	5	7	35.0	28.9	41.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	5	2	16.3	19.9	11.3	16	15	1	46.7	86.7	5.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.9	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	3	1	11.7	17.3	5.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	6	5	25.6	23.8	28.2	5	3	2	14.6	17.3	11.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.8	4.2	-	2	0	2	3.2	-	5.3
CONGENITAL MALFORMATIONS (282-290)	3	1	2	7.0	4.0	11.3	1	0	1	2.9	-	5.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	3.2	4.3	2.6
ACCIDENTS (295-330)	20	14	6	46.6	55.6	33.8	26	16	10	75.8	92.5	58.9
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	14.0	11.9	16.9	12	9	3	35.0	52.0	17.7
SUICIDE (331-337)	3	2	1	7.0	7.9	5.6	2	2	0	5.8	11.6	-
HOMICIDE (338-346)	4	1	3	9.3	4.0	16.9	2	2	0	5.8	11.6	-

CAUSE AND GROUP NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>465</b>	<b>421</b>	<b>44</b>	<b>9.6</b>	<b>10.1</b>	<b>6.3</b>	<b>121</b>	<b>93</b>	<b>28</b>	<b>10.0</b>	<b>10.0</b>	<b>9.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	4.1	4.8	-	2	2	0	16.5	21.6	-
HIV DISEASE (039-043)	1	0	1	2.0	-	14.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	111	98	13	228.3	235.6	185.0	27	19	8	222.4	205.5	276.5
DIABETES MELLITUS (124)	17	14	3	35.0	33.6	42.7	5	4	1	41.2	43.3	34.6
ALZHEIMER'S DISEASE (148)	9	9	0	18.5	21.6	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	178	162	16	366.1	389.5	227.8	43	34	9	354.2	367.8	311.1
HEART DISEASES (156-160,162, 164-181)	143	132	11	294.1	317.3	156.6	37	32	5	304.8	346.1	172.8
HYPERTENSION (161,163)	1	1	0	2.0	2.4	-	1	0	1	8.2	-	34.6
CEREBROVASCULAR DISEASES (182-186)	28	23	5	57.6	55.3	71.2	4	1	3	33.0	10.8	103.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	15	15	0	30.8	36.1	-	4	4	0	33.0	43.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	30	28	2	61.7	67.3	28.5	8	6	2	65.9	64.9	69.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	8.2	10.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	8.2	9.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	14.4	14.4	14.2	4	2	2	33.0	21.6	69.1
MATERNAL CAUSES (261-273)	1	1	0	155.0	188.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	6.0	-	25.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.0	2.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	24	23	1	49.4	55.3	14.2	6	5	1	49.4	54.1	34.6
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	10.3	9.6	14.2	5	4	1	41.2	43.3	34.6
SUICIDE (331-337)	2	2	0	4.1	4.8	-	1	1	0	8.2	10.8	-
HOMICIDE (338-346)	2	1	1	4.1	2.4	14.2	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>437</b>	<b>244</b>	<b>193</b>	<b>11.2</b>	<b>12.2</b>	<b>10.2</b>	<b>244</b>	<b>224</b>	<b>20</b>	<b>9.1</b>	<b>9.9</b>	<b>4.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	5	8	33.4	25.0	42.1	0	0	0	-	-	-
HIV DISEASE (039-043)	4	0	4	10.3	-	21.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	93	50	43	238.8	250.6	226.5	46	41	5	172.1	181.8	119.9
DIABETES MELLITUS (124)	17	6	11	43.6	30.1	57.9	7	5	2	26.2	22.2	48.0
ALZHEIMER'S DISEASE (148)	3	3	0	7.7	15.0	-	3	3	0	11.2	13.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	187	113	74	480.2	566.3	389.8	89	81	8	333.0	359.1	191.9
HEART DISEASES (156-160,162, 164-181)	152	95	57	390.3	476.1	300.2	76	68	8	284.4	301.4	191.9
HYPERTENSION (161,163)	2	2	0	5.1	10.0	-	1	1	0	3.7	4.4	-
CEREBROVASCULAR DISEASES (182-186)	22	10	12	56.5	50.1	63.2	10	10	0	37.4	44.3	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.7	4.4	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	12.8	10.0	15.8	17	17	0	63.6	75.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	22	16	6	56.5	80.2	31.6	20	19	1	74.8	84.2	24.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	2.6	-	5.3	2	2	0	7.5	8.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	7	4	28.2	35.1	21.1	3	3	0	11.2	13.3	-
MATERNAL CAUSES (261-273)	1	0	1	158.2	-	267.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	0	6	9.5	-	16.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.7	4.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.8	3.4	-
ACCIDENTS (295-330)	22	12	10	56.5	60.1	52.7	21	20	1	78.6	88.7	24.0
MOTOR VEHICLE ACCIDENTS# (296-306)	13	6	7	33.4	30.1	36.9	5	5	0	18.7	22.2	-
SUICIDE (331-337)	2	2	0	5.1	10.0	-	4	4	0	15.0	17.7	-
HOMICIDE (338-346)	3	0	3	7.7	-	15.8	1	1	0	3.7	4.4	-

CAUSE AND GROUP NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>236</b>	<b>221</b>	<b>15</b>	<b>9.2</b>	<b>10.1</b>	<b>4.1</b>	<b>111</b>	<b>46</b>	<b>65</b>	<b>11.0</b>	<b>14.9</b>	<b>9.2</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	3.9	4.6	-	2	1	1	19.8	32.4	14.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	44	41	3	172.2	186.9	83.0	31	15	16	306.4	486.5	227.5
DIABETES MELLITUS (124)	5	4	1	19.6	18.2	27.6	6	1	5	59.3	32.4	71.1
ALZHEIMER'S DISEASE (148)	7	7	0	27.4	31.9	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	79	73	6	309.1	332.7	165.9	32	10	22	316.3	324.4	312.8
HEART DISEASES (156-160,162, 164-181)	56	52	4	219.1	237.0	110.6	26	8	18	257.0	259.5	255.9
HYPERTENSION (161,163)	3	3	0	11.7	13.7	-	1	0	1	9.9	-	14.2
CEREBROVASCULAR DISEASES (182-186)	17	15	2	66.5	68.4	55.3	4	2	2	39.5	64.9	28.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	9	0	35.2	41.0	-	4	3	1	39.5	97.3	14.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	20	1	82.2	91.2	27.6	7	5	2	69.2	162.2	28.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	19.6	22.8	-	2	2	0	19.8	64.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	23.5	22.8	27.6	3	1	2	29.6	32.4	28.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	6.6	8.3	-	2	1	1	11.5	41.7	6.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	6.6	8.3	-	1	0	1	5.7	-	6.7
ACCIDENTS (295-330)	19	17	2	74.3	77.5	55.3	6	2	4	59.3	64.9	56.9
MOTOR VEHICLE ACCIDENTS# (296-306)	9	9	0	35.2	41.0	-	1	0	1	9.9	-	14.2
SUICIDE (331-337)	6	6	0	23.5	27.3	-	1	0	1	9.9	-	14.2
HOMICIDE (338-346)	1	1	0	3.9	4.6	-	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>827</b>	<b>669</b>	<b>158</b>	<b>7.2</b>	<b>7.2</b>	<b>7.2</b>	<b>321</b>	<b>204</b>	<b>117</b>	<b>11.3</b>	<b>12.5</b>	<b>9.6</b>
TUBERCULOSIS (009,010)	1	1	0	0.9	1.1	-	0	0	0	-	-	-
SEPTICEMIA (018)	16	8	8	13.9	8.6	36.6	6	1	5	21.1	6.2	41.1
HIV DISEASE (039-043)	11	3	8	9.5	3.2	36.6	3	1	2	10.6	6.2	16.4
MALIGNANT NEOPLASMS (056-108)	172	141	31	149.1	150.9	141.7	67	43	24	235.7	264.5	197.3
DIABETES MELLITUS (124)	17	13	4	14.7	13.9	18.3	5	1	4	17.6	6.2	32.9
ALZHEIMER'S DISEASE (148)	3	3	0	2.6	3.2	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	328	271	57	284.4	290.0	260.5	147	106	41	517.2	652.0	337.0
HEART DISEASES (156-160,162, 164-181)	287	240	47	248.8	256.8	214.8	123	85	38	432.7	522.8	312.4
HYPERTENSION (161,163)	5	2	3	4.3	2.1	13.7	6	5	1	21.1	30.8	8.2
CEREBROVASCULAR DISEASES (182-186)	33	26	7	28.6	27.8	32.0	11	10	1	38.7	61.5	8.2
ATHEROSCLEROSIS (187)	1	1	0	0.9	1.1	-	6	5	1	21.1	30.8	8.2
INFLUENZA AND PNEUMONIA (195-198)	19	12	7	16.5	12.8	32.0	7	6	1	24.6	36.9	8.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	32	32	0	27.7	34.2	-	9	7	2	31.7	43.0	16.4
PEPTIC ULCER (217-220)	2	1	1	1.7	1.1	4.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	7	0	6.1	7.5	-	2	1	1	7.0	6.2	8.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	12	9	3	10.4	9.6	13.7	11	7	4	38.7	43.0	32.9
MATERNAL CAUSES (261-273)	1	0	1	59.3	-	291.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	10	3	7	5.9	2.2	20.4	5	3	2	11.4	11.7	11.0
CONGENITAL MALFORMATIONS (282-290)	4	3	1	3.5	3.2	4.6	2	1	1	7.0	6.2	8.2
SUDDEN INFANT DEATH SYNDROME# (292)	4	4	0	2.4	3.0	-	1	1	0	2.3	3.9	-
ACCIDENTS (295-330)	47	40	7	40.8	42.8	32.0	28	14	14	98.5	86.1	115.1
MOTOR VEHICLE ACCIDENTS# (296-306)	25	22	3	21.7	23.5	13.7	17	8	9	59.8	49.2	74.0
SUICIDE (331-337)	17	14	3	14.7	15.0	13.7	4	4	0	14.1	24.6	-
HOMICIDE (338-346)	8	6	2	6.9	6.4	9.1	6	0	6	21.1	-	49.3

CAUSE AND GROUP NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>65</b>	<b>27</b>	<b>38</b>	<b>9.9</b>	<b>14.0</b>	<b>8.2</b>	<b>320</b>	<b>230</b>	<b>90</b>	<b>11.6</b>	<b>12.9</b>	<b>9.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	60.8	51.8	64.5	3	2	1	10.8	11.2	10.2
HIV DISEASE (039-043)	1	0	1	15.2	-	21.5	5	1	4	18.1	5.6	40.6
MALIGNANT NEOPLASMS (056-108)	9	5	4	136.8	258.8	86.0	52	41	11	188.1	230.4	111.8
DIABETES MELLITUS (124)	5	2	3	76.0	103.5	64.5	3	2	1	10.8	11.2	10.2
ALZHEIMER'S DISEASE (148)	3	1	2	45.6	51.8	43.0	1	1	0	3.6	5.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	20	5	15	304.0	258.8	322.7	162	114	48	586.1	640.6	487.6
HEART DISEASES (156-160,162, 164-181)	16	4	12	243.2	207.0	258.2	99	69	30	358.2	387.7	304.8
HYPERTENSION (161,163)	1	1	0	15.2	51.8	-	9	5	4	32.6	28.1	40.6
CEREBROVASCULAR DISEASES (182-186)	2	0	2	30.4	-	43.0	29	24	5	104.9	134.9	50.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	21	14	7	76.0	78.7	71.1
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	60.8	207.0	-	7	7	0	25.3	39.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	30.4	103.5	-	13	10	3	47.0	56.2	30.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	3.6	-	10.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	30.4	51.8	21.5	4	4	0	14.5	22.5	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	258.4	-	625.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	0	5	12.9	-	31.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	3.6	-	10.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	3	1	60.8	155.3	21.5	18	13	5	65.1	73.0	50.8
MOTOR VEHICLE ACCIDENTS# (296-306)	0	0	0	-	-	-	10	6	4	36.2	33.7	40.6
SUICIDE (331-337)	0	0	0	-	-	-	9	9	0	32.6	50.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	7.2	5.6	10.2

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>175</u>	<u>138</u>	<u>37</u>	<u>10.8</u>	<u>11.2</u>	<u>9.6</u>	<u>151</u>	<u>122</u>	<u>29</u>	<u>11.1</u>	<u>11.3</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	18.5	24.4	-	8	7	1	58.7	64.7	35.7
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	7.3	9.2	-
MALIGNANT NEOPLASMS (056-108)	45	33	12	278.1	267.9	310.4	31	28	3	227.6	258.8	107.0
DIABETES MELLITUS (124)	5	2	3	30.9	16.2	77.6	3	1	2	22.0	9.2	71.3
ALZHEIMER'S DISEASE (148)	5	4	1	30.9	32.5	25.9	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	72	61	11	444.9	495.3	284.5	59	49	10	433.1	452.9	356.6
HEART DISEASES (156-160,162, 164-181)	53	44	9	327.5	357.2	232.8	50	43	7	367.0	397.5	249.6
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	7.3	9.2	-
CEREBROVASCULAR DISEASES (182-186)	12	10	2	74.2	81.2	51.7	8	5	3	58.7	46.2	107.0
ATHEROSCLEROSIS (187)	4	4	0	24.7	32.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	12.4	8.1	25.9	2	1	1	14.7	9.2	35.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	43.2	56.8	-	8	7	1	58.7	64.7	35.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	12.4	16.2	-	2	2	0	14.7	18.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	24.7	24.4	25.9	2	2	0	14.7	18.5	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	14.1	-	50.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	5.3	6.9	-
ACCIDENTS (295-330)	11	8	3	68.0	65.0	77.6	7	4	3	51.4	37.0	107.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	6	3	55.6	48.7	77.6	6	3	3	44.0	27.7	107.0
SUICIDE (331-337)	2	2	0	12.4	16.2	-	5	5	0	36.7	46.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	14.7	-	71.3

CAUSE AND GROUP NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>317</u>	<u>116</u>	<u>201</u>	<u>9.2</u>	<u>11.7</u>	<u>8.2</u>	<u>162</u>	<u>77</u>	<u>85</u>	<u>10.9</u>	<u>13.0</u>	<u>9.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	8.7	10.1	8.2	2	1	1	13.4	16.9	11.1
HIV DISEASE (039-043)	3	1	2	8.7	10.1	8.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	72	24	48	209.5	241.8	196.4	38	21	17	255.0	355.7	188.9
DIABETES MELLITUS (124)	7	0	7	20.4	-	28.6	7	1	6	47.0	16.9	66.7
ALZHEIMER'S DISEASE (148)	3	2	1	8.7	20.1	4.1	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	141	52	89	410.2	523.8	364.1	62	34	28	416.0	575.9	311.1
HEART DISEASES (156-160,162, 164-181)	106	39	67	308.4	392.9	274.1	48	27	21	322.1	457.3	233.4
HYPERTENSION (161,163)	5	2	3	14.5	20.1	12.3	2	0	2	13.4	-	22.2
CEREBROVASCULAR DISEASES (182-186)	29	11	18	84.4	110.8	73.6	8	6	2	53.7	101.6	22.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	6.7	-	11.1
INFLUENZA AND PNEUMONIA (195-198)	11	6	5	32.0	60.4	20.4	2	1	1	13.4	16.9	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	6	4	29.1	60.4	16.4	8	5	3	53.7	84.7	33.3
PEPTIC ULCER (217-220)	2	2	0	5.8	20.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	1	3	11.6	10.1	12.3	1	0	1	6.7	-	11.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	17.4	30.2	12.3	4	3	1	26.8	50.8	11.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	6.1	11.5	5.0	2	0	2	9.6	-	13.2
CONGENITAL MALFORMATIONS (282-290)	3	0	3	8.7	-	12.3	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.0	-	2.5	0	0	0	-	-	-
ACCIDENTS (295-330)	12	4	8	34.9	40.3	32.7	15	4	11	100.6	67.8	122.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	0	6	17.4	-	24.5	11	4	7	73.8	67.8	77.8
SUICIDE (331-337)	4	3	1	11.6	30.2	4.1	0	0	0	-	-	-
HOMICIDE (338-346)	3	0	3	8.7	-	12.3	3	0	3	20.1	-	33.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>261</b>	<b>177</b>	<b>84</b>	<b>10.3</b>	<b>10.3</b>	<b>10.3</b>	<b>279</b>	<b>246</b>	<b>33</b>	<b>13.4</b>	<b>14.4</b>	<b>8.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	7.9	11.6	-	4	4	0	19.2	23.5	-
HIV DISEASE (039-043)	1	0	1	3.9	-	12.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	60	45	15	236.5	261.5	183.8	48	43	5	230.5	252.2	132.3
DIABETES MELLITUS (124)	8	2	6	31.5	11.6	73.5	4	2	2	19.2	11.7	52.9
ALZHEIMER'S DISEASE (148)	5	5	0	19.7	29.0	-	3	3	0	14.4	17.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	67	27	370.5	389.3	330.9	143	123	20	686.6	721.6	529.1
HEART DISEASES (156-160,162, 164-181)	78	57	21	307.4	331.2	257.4	109	92	17	523.4	539.7	449.7
HYPERTENSION (161,163)	1	0	1	3.9	-	12.2	2	2	0	9.6	11.7	-
CEREBROVASCULAR DISEASES (182-186)	14	9	5	55.2	52.3	61.3	24	21	3	115.2	123.2	79.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	23.6	17.4	36.8	3	2	1	14.4	11.7	26.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	14	4	71.0	81.3	49.0	16	16	0	76.8	93.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	2	0	9.6	11.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.9	11.6	-	3	3	0	14.4	17.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	15.8	5.8	36.8	6	4	2	28.8	23.5	52.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.7	3.9	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	0	2	7.9	-	24.5	1	1	0	4.8	5.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.7	-	8.3	0	0	0	-	-	-
ACCIDENTS (295-330)	22	9	13	86.7	52.3	159.3	15	14	1	72.0	82.1	26.4
MOTOR VEHICLE ACCIDENTS# (296-306)	11	5	6	43.4	29.0	73.5	11	10	1	52.8	58.7	26.4
SUICIDE (331-337)	5	5	0	19.7	29.0	-	1	1	0	4.8	5.9	-
HOMICIDE (338-346)	7	4	3	27.6	23.2	36.8	2	2	0	9.6	11.7	-

CAUSE AND GROUP NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>287</b>	<b>280</b>	<b>7</b>	<b>15.0</b>	<b>15.4</b>	<b>7.2</b>	<b>102</b>	<b>35</b>	<b>67</b>	<b>11.0</b>	<b>13.8</b>	<b>10.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.6	16.5	-	0	0	0	-	-	-
HIV DISEASE (039-043)	1	1	0	5.2	5.5	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	59	56	3	307.9	307.8	309.0	16	5	11	173.4	196.8	164.5
DIABETES MELLITUS (124)	4	4	0	20.9	22.0	-	3	0	3	32.5	-	44.9
ALZHEIMER'S DISEASE (148)	5	5	0	26.1	27.5	-	1	1	0	10.8	39.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	129	128	1	673.2	703.6	103.0	45	17	28	487.7	669.0	418.8
HEART DISEASES (156-160,162, 164-181)	101	100	1	527.0	549.7	103.0	35	14	21	379.3	551.0	314.1
HYPERTENSION (161,163)	1	1	0	5.2	5.5	-	1	0	1	10.8	-	15.0
CEREBROVASCULAR DISEASES (182-186)	20	20	0	104.4	109.9	-	9	3	6	97.5	118.1	89.7
ATHEROSCLEROSIS (187)	5	5	0	26.1	27.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	5.2	5.5	-	1	0	1	10.8	-	15.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	11	1	62.6	60.5	103.0	2	1	1	21.7	39.4	15.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	15.6	16.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	7	0	36.5	38.5	-	3	0	3	32.5	-	44.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.7	4.9	-	1	0	1	5.4	-	6.1
CONGENITAL MALFORMATIONS (282-290)	2	2	0	10.4	11.0	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	5.4	-	6.1
ACCIDENTS (295-330)	25	25	0	130.5	137.4	-	5	1	4	54.2	39.4	59.8
MOTOR VEHICLE ACCIDENTS# (296-306)	17	17	0	88.7	93.4	-	3	1	2	32.5	39.4	29.9
SUICIDE (331-337)	4	4	0	20.9	22.0	-	2	2	0	21.7	78.7	-
HOMICIDE (338-346)	3	3	0	15.6	16.5	-	5	2	3	54.2	78.7	44.9

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>270</b>	<b>243</b>	<b>27</b>	<b>10.6</b>	<b>11.5</b>	<b>6.4</b>	<b>167</b>	<b>111</b>	<b>56</b>	<b>11.0</b>	<b>13.4</b>	<b>8.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	6.6	12.1	-
SEPTICEMIA (018)	4	3	1	15.8	14.2	23.8	7	3	4	46.2	36.2	58.1
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	6.6	-	14.5
MALIGNANT NEOPLASMS (056-108)	45	41	4	177.4	193.8	95.1	33	23	10	217.7	277.9	145.4
DIABETES MELLITUS (124)	4	3	1	15.8	14.2	23.8	9	5	4	59.4	60.4	58.1
ALZHEIMER'S DISEASE (148)	6	6	0	23.6	28.4	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	128	119	9	504.7	562.5	214.0	65	51	14	428.9	616.2	203.5
HEART DISEASES (156-160,162, 164-181)	103	96	7	406.1	453.8	166.4	50	41	9	329.9	495.3	130.8
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	23	21	2	90.7	99.3	47.6	13	9	4	85.8	108.7	58.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	11	2	51.2	52.0	47.6	6	1	5	39.6	12.1	72.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	20	1	82.8	94.5	23.8	2	2	0	13.2	24.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	11.8	14.2	-	1	1	0	6.6	12.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	23.6	23.6	23.8	3	0	3	19.8	-	43.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.7	-	9.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.9	4.7	-	1	1	0	6.6	12.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	5.4	3.5	12.8	0	0	0	-	-	-
ACCIDENTS (295-330)	6	5	1	23.6	23.6	23.8	10	7	3	66.0	84.6	43.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	15.8	14.2	23.8	6	5	1	39.6	60.4	14.5
SUICIDE (331-337)	3	3	0	11.8	14.2	-	3	2	1	19.8	24.2	14.5
HOMICIDE (338-346)	0	0	0	-	-	-	3	2	1	19.8	24.2	14.5

CAUSE AND GROUP NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>539</b>	<b>313</b>	<b>226</b>	<b>10.8</b>	<b>11.5</b>	<b>10.1</b>	<b>652</b>	<b>283</b>	<b>369</b>	<b>10.4</b>	<b>13.2</b>	<b>8.9</b>
TUBERCULOSIS (009,010)	1	0	1	2.0	-	4.5	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	12.1	7.3	17.9	6	2	4	9.5	9.3	9.6
HIV DISEASE (039-043)	2	0	2	4.0	-	8.9	6	0	6	9.5	-	14.4
MALIGNANT NEOPLASMS (056-108)	120	62	58	241.7	227.2	259.4	132	69	63	209.6	322.5	151.5
DIABETES MELLITUS (124)	11	5	6	22.2	18.3	26.8	20	3	17	31.8	14.0	40.9
ALZHEIMER'S DISEASE (148)	4	4	0	8.0	14.6	-	10	7	3	15.9	32.7	7.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	230	141	89	463.3	516.7	398.1	277	116	161	439.8	542.2	387.2
HEART DISEASES (156-160,162, 164-181)	180	115	65	362.6	421.4	290.8	211	94	117	335.0	439.4	281.4
HYPERTENSION (161,163)	3	0	3	6.0	-	13.4	9	2	7	14.3	9.3	16.8
CEREBROVASCULAR DISEASES (182-186)	37	22	15	74.5	80.6	67.1	50	19	31	79.4	88.8	74.5
ATHEROSCLEROSIS (187)	4	2	2	8.0	7.3	8.9	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	8	4	24.2	29.3	17.9	23	12	11	36.5	56.1	26.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	17	4	42.3	62.3	17.9	15	12	3	23.8	56.1	7.2
PEPTIC ULCER (217-220)	1	1	0	2.0	3.7	-	2	2	0	3.2	9.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	3	5	16.1	11.0	22.4	8	3	5	12.7	14.0	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	7	7	28.2	25.6	31.3	18	6	12	28.6	28.0	28.8
MATERNAL CAUSES (261-273)	1	1	0	135.1	308.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.4	-	2.4	8	0	8	7.5	-	9.8
CONGENITAL MALFORMATIONS (282-290)	4	3	1	8.0	11.0	4.5	3	2	1	4.8	9.3	2.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.4	-	2.4	1	0	1	0.9	-	1.2
ACCIDENTS (295-330)	26	12	14	52.4	44.0	62.6	44	18	26	69.9	84.1	62.5
MOTOR VEHICLE ACCIDENTS# (296-306)	10	4	6	20.1	14.6	26.8	22	11	11	34.9	51.4	26.4
SUICIDE (331-337)	6	5	1	12.1	18.3	4.5	3	3	0	4.8	14.0	-
HOMICIDE (338-346)	9	2	7	18.1	7.3	31.3	10	1	9	15.9	4.7	21.6

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>210</u>	<u>132</u>	<u>78</u>	<u>9.9</u>	<u>10.2</u>	<u>9.5</u>	<u>140</u>	<u>112</u>	<u>28</u>	<u>13.6</u>	<u>14.0</u>	<u>12.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	14.1	23.1	-	4	4	0	38.8	50.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	26	13	183.8	199.9	158.3	33	25	8	320.6	313.2	346.2
DIABETES MELLITUS (124)	4	2	2	18.8	15.4	24.4	4	3	1	38.8	37.6	43.3
ALZHEIMER'S DISEASE (148)	4	3	1	18.8	23.1	12.2	4	4	0	38.8	50.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	89	56	33	419.5	430.6	401.8	61	51	10	592.6	638.8	432.7
HEART DISEASES (156-160,162, 164-181)	67	42	25	315.8	323.0	304.4	51	41	10	495.4	513.6	432.7
HYPERTENSION (161,163)	5	2	3	23.6	15.4	36.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	14	10	4	66.0	76.9	48.7	10	10	0	97.1	125.3	-
ATHEROSCLEROSIS (187)	2	1	1	9.4	7.7	12.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	18.8	30.8	-	2	2	0	19.4	25.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	7	1	37.7	53.8	12.2	3	3	0	29.1	37.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	9.7	-	43.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.4	15.4	-	1	0	1	9.7	-	43.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	4	1	23.6	30.8	12.2	2	2	0	19.4	25.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	6.4	5.9	6.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.7	-	12.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	2	6	37.7	15.4	73.1	4	2	2	38.8	25.0	86.5
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	14.1	15.4	12.2	1	1	0	9.7	12.5	-
SUICIDE (331-337)	2	2	0	9.4	15.4	-	4	4	0	38.8	50.1	-
HOMICIDE (338-346)	1	0	1	4.7	-	12.2	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>141</u>	<u>46</u>	<u>95</u>	<u>13.7</u>	<u>14.3</u>	<u>13.4</u>	<u>213</u>	<u>115</u>	<u>98</u>	<u>10.6</u>	<u>10.3</u>	<u>10.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	2	1	1	9.9	9.0	11.1
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
MALIGNANT NEOPLASMS (056-108)	25	8	17	242.4	248.5	239.7	48	32	16	238.1	287.2	177.4
DIABETES MELLITUS (124)	5	1	4	48.5	31.1	56.4	4	1	3	19.8	9.0	33.3
ALZHEIMER'S DISEASE (148)	2	2	0	19.4	62.1	-	6	4	2	29.8	35.9	22.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	62	18	44	601.2	559.2	620.3	89	47	42	441.5	421.9	465.7
HEART DISEASES (156-160,162, 164-181)	47	11	36	455.8	341.7	507.5	69	36	33	342.3	323.1	365.9
HYPERTENSION (161,163)	3	1	2	29.1	31.1	28.2	1	0	1	5.0	-	11.1
CEREBROVASCULAR DISEASES (182-186)	11	6	5	106.7	186.4	70.5	16	10	6	79.4	89.8	66.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
INFLUENZA AND PNEUMONIA (195-198)	7	3	4	67.9	93.2	56.4	3	2	1	14.9	18.0	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	48.5	93.2	28.2	11	7	4	54.6	62.8	44.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	9.7	-	14.1	1	1	0	5.0	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	29.1	62.1	14.1	7	0	7	34.7	-	77.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	7.4	-	13.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	2	6	77.6	62.1	84.6	12	6	6	59.5	53.8	66.5
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	58.2	31.1	70.5	7	2	5	34.7	18.0	55.4
SUICIDE (331-337)	0	0	0	-	-	-	5	4	1	24.8	35.9	11.1
HOMICIDE (338-346)	3	1	2	29.1	31.1	28.2	3	1	2	14.9	9.0	22.2

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2001**

CAUSE AND GROUP NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>133</b>	<b>99</b>	<b>34</b>	<b>10.2</b>	<b>12.5</b>	<b>6.6</b>	<b>284</b>	<b>151</b>	<b>133</b>	<b>10.1</b>	<b>12.0</b>	<b>8.6</b>
TUBERCULOSIS (009,010)	1	0	1	7.7	-	19.4	1	0	1	3.6	-	6.4
SEPTICEMIA (018)	5	4	1	38.3	50.7	19.4	7	4	3	24.9	31.8	19.3
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	10.6	-	19.3
MALIGNANT NEOPLASMS (056-108)	27	21	6	206.9	266.1	116.3	62	31	31	220.2	246.2	199.3
DIABETES MELLITUS (124)	3	2	1	23.0	25.3	19.4	8	1	7	28.4	7.9	45.0
ALZHEIMER'S DISEASE (148)	1	1	0	7.7	12.7	-	2	2	0	7.1	15.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	41	16	436.7	519.6	310.1	110	61	49	390.8	484.4	315.0
HEART DISEASES (156-160,162, 164-181)	44	31	13	337.1	392.8	251.9	78	43	35	277.1	341.5	225.0
HYPERTENSION (161,163)	2	2	0	15.3	25.3	-	2	0	2	7.1	-	12.8
CEREBROVASCULAR DISEASES (182-186)	7	6	1	53.6	76.0	19.4	29	17	12	103.0	135.0	77.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	30.6	25.3	38.8	11	7	4	39.1	55.6	25.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	5	0	38.3	63.4	-	15	12	3	53.3	95.3	19.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.7	12.7	-	1	0	1	3.6	-	6.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	6	2	4	21.3	15.9	25.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	2	2	9.7	14.1	7.4
CONGENITAL MALFORMATIONS (282-290)	2	1	1	15.3	12.7	19.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	8	2	76.6	101.4	38.8	14	10	4	49.7	79.4	25.7
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	15.3	25.3	-	12	9	3	42.6	71.5	19.3
SUICIDE (331-337)	1	1	0	7.7	12.7	-	2	2	0	7.1	15.9	-
HOMICIDE (338-346)	3	1	2	23.0	12.7	38.8	2	0	2	7.1	-	12.8

CAUSE AND GROUP NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>28,134</b>	<b>18,774</b>	<b>9,360</b>	<b>9.9</b>	<b>10.8</b>	<b>8.5</b>
TUBERCULOSIS (009,010)	10	5	5	0.4	0.3	0.4
SEPTICEMIA (018)	489	293	196	17.2	16.8	17.8
HIV DISEASE (039-043)	200	39	161	7.0	2.2	14.6
MALIGNANT NEOPLASMS (056-108)	5,933	4,031	1,902	208.6	230.8	173.1
DIABETES MELLITUS (124)	654	354	300	23.0	20.3	27.3
ALZHEIMER'S DISEASE (148)	439	357	82	15.4	20.4	7.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	11,557	7,768	3,789	406.3	444.9	344.9
HEART DISEASES (156-160,162, 164-181)	9,010	6,134	2,876	316.7	351.3	261.8
HYPERTENSION (161,163)	284	138	146	10.0	7.9	13.3
CEREBROVASCULAR DISEASES (182-186)	1,927	1,261	666	67.7	72.2	60.6
ATHEROSCLEROSIS (187)	97	73	24	3.4	4.2	2.2
INFLUENZA AND PNEUMONIA (195-198)	750	547	203	26.4	31.3	18.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,325	1,096	229	46.6	62.8	20.8
PEPTIC ULCER (217-220)	34	26	8	1.2	1.5	0.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	265	191	74	9.3	10.9	6.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	598	331	267	21.0	19.0	24.3
MATERNAL CAUSES (261-273)	12	4	8	28.4	17.5	41.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	212	54	158	5.0	2.4	8.1
CONGENITAL MALFORMATIONS (282-290)	132	73	59	4.6	4.2	5.4
SUDDEN INFANT DEATH SYNDROME# (292)	54	28	26	1.3	1.2	1.3
ACCIDENTS (295-330)	1,559	1,005	554	54.8	57.6	50.4
MOTOR VEHICLE ACCIDENTS# (296-306)	816	504	312	28.7	28.9	28.4
SUICIDE (331-337)	327	290	37	11.5	16.6	3.4
HOMICIDE (338-346)	325	111	214	11.4	6.4	19.5

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

## **TIME SERIES TABLES**

**TABLE 20**  
**LIVE BIRTHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-2001,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2001)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1913-2001

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7

\* BIRTHS PER 1,000 POPULATION.

\*\* FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

**TABLE 21**  
**DEATHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-2001,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2001)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2  
DEATHS - MISSISSIPPI - 1913-2001

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5

\* DEATHS PER 1,000 POPULATION.

**TABLE 22**  
**MATERNAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-2001,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2001)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2



TABLE 22 - PAGE 2  
 MATERNAL DEATHS - MISSISSIPPI - 1913-2001

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1

\* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM.

\*\* DEATHS PER 100,000 LIVE BIRTHS.

**TABLE 23**  
**INFANT DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1917-2001,**  
**(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2001)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5

TABLE 23 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1917-2001

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# NOT AVAILABLE.

**TABLE 24**  
**NEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-2001,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2001)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2  
 NEONATAL DEATHS - MISSISSIPPI - 1924-2001

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3

\* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 25**  
**POSTNEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-2001,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2001)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2  
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-2001

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4

\* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 26**  
**MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,**  
**MISSISSIPPI, 1926-2001**

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890



TABLE 26 - PAGE 2  
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2001

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON - WHITE	TOTAL	WHITE	NON - WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370

\* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

\*\* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

**TABLE 27**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2001**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

**TABLE 28**  
**TEENAGE PREGNANCIES AND PREGNANCY RATES,**  
**BY YEAR AND RACE, RESIDENCE DATA,**  
**MISSISSIPPI, 1979-2001**

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON- WHITE	TOTAL**	WHITE	NON- WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4

\* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

# FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

## **APPENDICES**

**APPENDIX A.**  
**LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,**  
**SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53
023	Gonococcal infection	A54

Group	Cause of Death	ICD-10 Codes Included
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65

Group	Cause of Death	ICD-10 Codes Included
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45

Group	Cause of Death	ICD-10 Codes Included
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93



Group	Cause of Death	ICD-10 Codes Included
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88

Group	Cause of Death	ICD-10 Codes Included
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13

Group	Cause of Death	ICD-10 Codes Included
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03

Group	Cause of Death	ICD-10 Codes Included
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38

Group	Cause of Death	ICD-10 Codes Included
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27

Group	Cause of Death	ICD-10 Codes Included
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96

Group	Cause of Death	ICD-10 Codes Included
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78

Group	Cause of Death	ICD-10 Codes Included
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3-V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49



Group	Cause of Death	ICD-10 Codes Included
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24

Group	Cause of Death	ICD-10 Codes Included
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.  
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH  
USED FOR RANKING LEADING CAUSES,  
SHOWING GROUP NUMBERS, CAUSES OF DEATH,  
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

\* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

\*\* The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.  
LIST OF 130 SELECTED CAUSES OF INFANT DEATH  
USED FOR TABULATING INFANT MORTALITY STATISTICS,  
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>



Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

# Category is used for ranking leading causes of infant death.