

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	378	189	189	11.6	13.2	10.3
HEART DISEASES	93	38	55	285.4	265.6	300.8
MALIGNANT NEOPLASMS	69	43	26	211.7	300.5	142.2
CEREBROVASCULAR DISEASE	25	13	12	76.7	90.8	65.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	10	7	52.2	69.9	38.3
ACCIDENTS	17	8	9	52.2	55.9	49.2
SEPTICEMIA	14	8	6	43.0	55.9	32.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	6	8	43.0	41.9	43.8
INFLUENZA AND PNEUMONIA	11	4	7	33.8	28.0	38.3
ALZHEIMERS DISEASE	6	4	2	18.4	28.0	10.9
AORTIC ANEURYSM AND DISSECTION	6	4	2	18.4	28.0	10.9
SUICIDE	5	5	0	15.3	34.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	4	0	4	12.3	0.0	21.9
NEOPLASMS	3	2	1	9.2	14.0	5.5
DIABETES MELLITUS	3	1	2	9.2	7.0	10.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.2	0.0	11.5
MATERNAL CAUSES	2	2	0	483.1	1298.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	6.1	14.0	0.0
HIV DISEASE	1	0	1	3.1	0.0	5.5
PARKINSONS DISEASE	1	1	0	3.1	7.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.1	0.0	5.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.1	7.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.1	0.0	5.5
HOMICIDE	1	0	1	3.1	0.0	5.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.1	0.0	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	43	22	21	131.9	153.8	114.9
ALL OTHER CAUSES	34	15	19	104.3	104.8	103.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	378	189	189	189	94	95	189	95	94
UNDER 1 (NEONATAL)	6	1	5	5	1	4	1	0	1
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	5	3	2	2	2	0	3	1	2
35-44	17	5	12	16	5	11	1	0	1
45-54	30	12	18	20	11	9	10	1	9
55-64	52	17	35	23	9	14	29	8	21
65-74	67	29	38	41	20	21	26	9	17
75-84	103	62	41	45	29	16	58	33	25
85 AND OVER	94	58	36	35	16	19	59	42	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	32,591
WHITE	14,308
NONWHITE	18,283

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	397	364	33	11.3	11.8	7.5
HEART DISEASES	100	96	4	283.8	311.2	91.2
MALIGNANT NEOPLASMS	95	84	11	269.6	272.3	250.7
CEREBROVASCULAR DISEASE	31	24	7	88.0	77.8	159.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	29	1	85.2	94.0	22.8
ALZHEIMERS DISEASE	24	24	0	68.1	77.8	0.0
ACCIDENTS	22	22	0	62.4	71.3	0.0
SUICIDE	10	10	0	28.4	32.4	0.0
INFLUENZA AND PNEUMONIA	8	7	1	22.7	22.7	22.8
SEPTICEMIA	6	6	0	17.0	19.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	5	5	0	14.2	16.2	0.0
NEOPLASMS	4	4	0	11.4	13.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	11.4	9.7	22.8
HOMICIDE	4	3	1	11.4	9.7	22.8
ANEMIAS	3	3	0	8.5	9.7	0.0
DIABETES MELLITUS	3	3	0	8.5	9.7	0.0
AORTIC ANEURYSM AND DISSECTION	3	1	2	8.5	3.2	45.6
HIV DISEASE	2	2	0	5.7	6.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	5.7	3.2	22.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.7	6.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	5.7	6.5	0.0
VIRAL HEPATITIS	1	0	1	2.8	0.0	22.8
PARKINSONS DISEASE	1	1	0	2.8	3.2	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.8	3.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	6	1	19.9	19.4	22.8
ALL OTHER CAUSES	27	25	2	76.6	81.0	45.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	397	364	33	193	176	17	204	188	16
UNDER 1	3	2	1	3	2	1	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	9	1	8	8	0	2	1	1
25-34	6	5	1	5	4	1	1	1	0
35-44	12	10	2	9	7	2	3	3	0
45-54	24	23	1	14	14	0	10	9	1
55-64	56	46	10	34	28	6	22	18	4
65-74	84	76	8	48	44	4	36	32	4
75-84	110	105	5	46	44	2	64	61	3
85 AND OVER	92	88	4	26	25	1	66	63	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	35,230
WHITE	30,843
NONWHITE	4,387

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	138	84	54	10.3	10.9	9.4
HEART DISEASES	49	30	19	365.2	390.0	331.9
MALIGNANT NEOPLASMS	23	17	6	171.4	221.0	104.8
CEREBROVASCULAR DISEASE	11	9	2	82.0	117.0	34.9
ACCIDENTS	8	2	6	59.6	26.0	104.8
DIABETES MELLITUS	6	3	3	44.7	39.0	52.4
ALZHEIMERS DISEASE	4	1	3	29.8	13.0	52.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	29.8	52.0	0.0
INFLUENZA AND PNEUMONIA	3	1	2	22.4	13.0	34.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	22.4	13.0	34.9
SEPTICEMIA	2	1	1	14.9	13.0	17.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	14.9	13.0	17.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	14.9	26.0	0.0
PARKINSONS DISEASE	1	1	0	7.4	13.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.4	0.0	17.5
AORTIC ANEURYSM AND DISSECTION	1	0	1	7.4	0.0	17.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.4	0.0	17.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.8	0.0	11.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.4	0.0	17.5
SUICIDE	1	1	0	7.4	13.0	0.0
HOMICIDE	1	0	1	7.4	0.0	17.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	13.0	0.0
ALL OTHER CAUSES	12	9	3	89.4	117.0	52.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	138	84	54	77	45	32	61	39	22
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	5	0	5	5	0	5	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	11	7	4	8	5	3	3	2	1
55-64	10	4	6	7	4	3	3	0	3
65-74	26	18	8	18	12	6	8	6	2
75-84	40	25	15	24	15	9	16	10	6
85 AND OVER	41	29	12	12	8	4	29	21	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	13,418
WHITE	7,693
NONWHITE	5,725

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	278	184	94	14.1	15.9	11.6
HEART DISEASES	71	51	20	361.3	441.5	246.8
MALIGNANT NEOPLASMS	60	40	20	305.3	346.3	246.8
CEREBROVASCULAR DISEASE	23	16	7	117.0	138.5	86.4
ACCIDENTS	17	11	6	86.5	95.2	74.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	81.4	129.8	12.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	8	6	71.2	69.2	74.0
INFLUENZA AND PNEUMONIA	9	7	2	45.8	60.6	24.7
ALZHEIMERS DISEASE	8	8	0	40.7	69.2	0.0
DIABETES MELLITUS	6	3	3	30.5	26.0	37.0
SUICIDE	4	2	2	20.4	17.3	24.7
HOMICIDE	4	1	3	20.4	8.6	37.0
SEPTICEMIA	3	2	1	15.3	17.3	12.3
PARKINSONS DISEASE	3	2	1	15.3	17.3	12.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	15.3	8.6	24.7
HIV DISEASE	2	0	2	10.2	0.0	24.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	10.2	0.0	24.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2	10.2	0.0	24.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.1	0.0	12.3
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.1	8.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.1	0.0	12.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	25.4	26.0	24.7
ALL OTHER CAUSES	23	13	10	117.0	112.5	123.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	278	184	94	168	110	58	110	74	36
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	8	5	3	0	0	0
25-34	13	4	9	9	1	8	4	3	1
35-44	6	2	4	6	2	4	0	0	0
45-54	19	4	15	12	2	10	7	2	5
55-64	31	21	10	23	15	8	8	6	2
65-74	37	27	10	25	19	6	12	8	4
75-84	78	58	20	54	41	13	24	17	7
85 AND OVER	82	62	20	28	24	4	54	38	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	19,653
WHITE	11,551
NONWHITE	8,102

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	86	60	26	11.0	12.0	9.2
HEART DISEASES	37	25	12	471.7	498.7	423.9
MALIGNANT NEOPLASMS	17	14	3	216.7	279.3	106.0
ACCIDENTS	6	1	5	76.5	19.9	176.6
DIABETES MELLITUS	4	4	0	51.0	79.8	0.0
CEREBROVASCULAR DISEASE	3	2	1	38.2	39.9	35.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	38.2	59.8	0.0
SEPTICEMIA	2	2	0	25.5	39.9	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	25.5	39.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	25.5	39.9	0.0
HIV DISEASE	1	0	1	12.7	0.0	35.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	12.7	0.0	35.3
INFLUENZA AND PNEUMONIA	1	1	0	12.7	19.9	0.0
PEPTIC ULCER	1	1	0	12.7	19.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	12.7	19.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	12.7	0.0	35.3
ALL OTHER CAUSES	4	2	2	51.0	39.9	70.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	86	60	26	45	33	12	41	27	14
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	7	4	3	5	3	2	2	1	1
45-54	10	5	5	9	5	4	1	0	1
55-64	9	8	1	4	3	1	5	5	0
65-74	15	13	2	9	9	0	6	4	2
75-84	19	15	4	9	8	1	10	7	3
85 AND OVER	19	12	7	3	2	1	16	10	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	7,844
WHITE	5,013
NONWHITE	2,831

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	406	152	254	10.4	11.7	9.8
HEART DISEASES	109	43	66	280.0	331.8	254.2
MALIGNANT NEOPLASMS	99	37	62	254.3	285.5	238.8
CEREBROVASCULAR DISEASE	35	11	24	89.9	84.9	92.4
DIABETES MELLITUS	26	7	19	66.8	54.0	73.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	8	5	33.4	61.7	19.2
ACCIDENTS	13	5	8	33.4	38.6	30.8
SEPTICEMIA	12	7	5	30.8	54.0	19.2
INFLUENZA AND PNEUMONIA	12	6	6	30.8	46.3	23.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	3	9	30.8	23.1	34.6
ALZHEIMERS DISEASE	11	6	5	28.2	46.3	19.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	2	7	23.1	15.4	27.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	4	1	3	10.3	7.7	11.6
NEOPLASMS	3	1	2	7.7	7.7	7.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	7.7	0.0	11.6
HIV DISEASE	2	0	2	5.1	0.0	7.7
AORTIC ANEURYSM AND DISSECTION	2	0	2	5.1	0.0	7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.1	7.7	3.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.3	0.0	4.5
ANEMIAS	1	1	0	2.6	7.7	0.0
PARKINSONS DISEASE	1	0	1	2.6	0.0	3.8
SUICIDE	1	1	0	2.6	7.7	0.0
HOMICIDE	1	0	1	2.6	0.0	3.8

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	7.7	7.7	7.7
ALL OTHER CAUSES	30	11	19	77.1	84.9	73.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	406	152	254	198	75	123	208	77	131
UNDER 1	6	0	6	2	0	2	4	0	4
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	4	0	4	2	0	2	2	0	2
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	8	1	7	6	1	5	2	0	2
35-44	16	3	13	10	2	8	6	1	5
45-54	43	10	33	22	6	16	21	4	17
55-64	70	26	44	43	16	27	27	10	17
65-74	74	25	49	41	17	24	33	8	25
75-84	89	36	53	45	22	23	44	14	30
85 AND OVER	95	51	44	25	11	14	70	40	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	38,928
WHITE	12,960
NONWHITE	25,968

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	174	131	43	11.7	12.6	9.6
HEART DISEASES	42	34	8	282.6	326.8	179.3
MALIGNANT NEOPLASMS	38	26	12	255.6	249.9	269.0
CEREBROVASCULAR DISEASE	20	16	4	134.6	153.8	89.7
ALZHEIMERS DISEASE	10	10	0	67.3	96.1	0.0
ACCIDENTS	10	6	4	67.3	57.7	89.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	60.5	76.9	22.4
SEPTICEMIA	5	4	1	33.6	38.4	22.4
INFLUENZA AND PNEUMONIA	5	3	2	33.6	28.8	44.8
DIABETES MELLITUS	4	4	0	26.9	38.4	0.0
SUICIDE	3	3	0	20.2	28.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	13.4	19.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	13.4	9.6	22.4
ANEMIAS	1	0	1	6.7	0.0	22.4
ATHEROSCLEROSIS	1	0	1	6.7	0.0	22.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.7	9.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	6.7	9.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.1	0.0	14.5
HOMICIDE	1	1	0	6.7	9.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	18	11	7	121.1	105.7	156.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	174	131	43	87	70	17	87	61	26
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	2	1	1	1	1	0	1	0	1
35-44	10	6	4	7	5	2	3	1	2
45-54	9	6	3	5	5	0	4	1	3
55-64	18	14	4	13	10	3	5	4	1
65-74	34	28	6	17	16	1	17	12	5
75-84	49	40	9	23	18	5	26	22	4
85 AND OVER	45	33	12	16	13	3	29	20	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	14,864
WHITE	10,403
NONWHITE	4,461

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	103	68	35	9.8	9.9	9.5
HEART DISEASES	26	15	11	247.2	219.3	299.2
MALIGNANT NEOPLASMS	25	18	7	237.7	263.1	190.4
CEREBROVASCULAR DISEASE	11	6	5	104.6	87.7	136.0
ACCIDENTS	9	8	1	85.6	116.9	27.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	38.0	43.8	27.2
ALZHEIMERS DISEASE	2	1	1	19.0	14.6	27.2
INFLUENZA AND PNEUMONIA	2	2	0	19.0	29.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	19.0	14.6	27.2
SEPTICEMIA	1	1	0	9.5	14.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	9.5	14.6	0.0
DIABETES MELLITUS	1	1	0	9.5	14.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	9.5	0.0	27.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	9.5	14.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.5	14.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.5	14.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	9.2	16.9	0.0
HOMICIDE	1	1	0	9.5	14.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	9.5	14.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	28.5	0.0	81.6
ALL OTHER CAUSES	9	5	4	85.6	73.1	108.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	103	68	35	56	40	16	47	28	19
UNDER 1 (NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	3	2	1	3	2	1	0	0	0
45-54	7	4	3	4	3	1	3	1	2
55-64	10	5	5	7	4	3	3	1	2
65-74	20	11	9	12	7	5	8	4	4
75-84	17	15	2	10	10	0	7	5	2
85 AND OVER	40	26	14	15	10	5	25	16	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	10,517
WHITE	6,841
NONWHITE	3,676

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	182	114	68	9.4	10.2	8.3
HEART DISEASES	53	36	17	274.4	323.2	207.9
MALIGNANT NEOPLASMS	41	26	15	212.2	233.4	183.4
ACCIDENTS	15	5	10	77.6	44.9	122.3
CEREBROVASCULAR DISEASE	13	7	6	67.3	62.8	73.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	56.9	89.8	12.2
INFLUENZA AND PNEUMONIA	8	6	2	41.4	53.9	24.4
ALZHEIMERS DISEASE	3	3	0	15.5	26.9	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	15.5	18.0	12.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	15.5	18.0	12.2
DIABETES MELLITUS	2	1	1	10.4	9.0	12.2
AORTIC ANEURYSM AND DISSECTION	2	2	0	10.4	18.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.4	18.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	1	1	7.1	7.4	6.9
NEOPLASMS	1	1	0	5.2	9.0	0.0
ANEMIAS	1	1	0	5.2	9.0	0.0
MENINGITIS	1	0	1	5.2	0.0	12.2
ATHEROSCLEROSIS	1	0	1	5.2	0.0	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	9.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.2	0.0	12.2
SUICIDE	1	1	0	5.2	9.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	15.5	9.0	24.4
ALL OTHER CAUSES	14	6	8	72.5	53.9	97.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	182	114	68	88	51	37	94	63	31
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	2	1	1	1	1	0	1	0	1
35-44	10	4	6	5	2	3	5	2	3
45-54	14	7	7	8	3	5	6	4	2
55-64	21	14	7	12	10	2	9	4	5
65-74	25	14	11	13	7	6	12	7	5
75-84	45	32	13	25	16	9	20	16	4
85 AND OVER	56	41	15	18	12	6	38	29	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	19,318
WHITE	11,140
NONWHITE	8,178

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	78	57	21	8.1	8.6	7.0
HEART DISEASES	25	18	7	260.4	272.9	232.9
MALIGNANT NEOPLASMS	16	11	5	166.6	166.8	166.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	10	3	135.4	151.6	99.8
CEREBROVASCULAR DISEASE	3	2	1	31.2	30.3	33.3
DIABETES MELLITUS	2	1	1	20.8	15.2	33.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	20.8	15.2	33.3
SEPTICEMIA	1	1	0	10.4	15.2	0.0
VIRAL HEPATITIS	1	0	1	10.4	0.0	33.3
MENINGITIS	1	1	0	10.4	15.2	0.0
ATHEROSCLEROSIS	1	1	0	10.4	15.2	0.0
INFLUENZA AND PNEUMONIA	1	1	0	10.4	15.2	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	0	1	10.4	0.0	33.3
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	12.2	0.0	35.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	10.4	15.2	0.0
ACCIDENTS	1	1	0	10.4	15.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	8	8	0	83.3	121.3	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	78	57	21	37	27	10	41	30	11
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	2	4	4	2	2	2	0	2
55-64	10	9	1	3	3	0	7	6	1
65-74	18	13	5	11	7	4	7	6	1
75-84	14	10	4	9	7	2	5	3	2
85 AND OVER	26	21	5	6	6	0	20	15	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	9,601
WHITE	6,596
NONWHITE	3,005

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	99	22	77	8.6	12.5	7.9
HEART DISEASES	37	13	24	320.4	739.0	245.2
MALIGNANT NEOPLASMS	17	5	12	147.2	284.2	122.6
ACCIDENTS	9	1	8	77.9	56.8	81.7
DIABETES MELLITUS	4	1	3	34.6	56.8	30.6
HIV DISEASE	3	0	3	26.0	0.0	30.6
CEREBROVASCULAR DISEASE	3	0	3	26.0	0.0	30.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	26.0	56.8	20.4
SEPTICEMIA	2	1	1	17.3	56.8	10.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	17.3	0.0	20.4
AORTIC ANEURYSM AND DISSECTION	2	0	2	17.3	0.0	20.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	17.3	0.0	20.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	13.0	0.0	14.4
MENINGITIS	1	0	1	8.7	0.0	10.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.7	0.0	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.7	0.0	10.2
ALL OTHER CAUSES	10	0	10	86.6	0.0	102.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	99	22	77	54	12	42	45	10	35
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	0	0	0	2	0	2
35-44	6	1	5	5	1	4	1	0	1
45-54	17	3	14	12	2	10	5	1	4
55-64	11	2	9	10	2	8	1	0	1
65-74	16	7	9	7	2	5	9	5	4
75-84	23	7	16	10	5	5	13	2	11
85 AND OVER	21	2	19	8	0	8	13	2	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	11,546
WHITE	1,759
NONWHITE	9,787

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	186	127	59	10.5	11.0	9.7
HEART DISEASES	56	42	14	317.6	362.9	231.0
MALIGNANT NEOPLASMS	42	31	11	238.2	267.9	181.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	7	5	68.0	60.5	82.5
ACCIDENTS	12	7	5	68.0	60.5	82.5
CEREBROVASCULAR DISEASE	11	6	5	62.4	51.8	82.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	2	5	39.7	17.3	82.5
ALZHEIMERS DISEASE	5	5	0	28.4	43.2	0.0
INFLUENZA AND PNEUMONIA	5	4	1	28.4	34.6	16.5
SUICIDE	3	3	0	17.0	25.9	0.0
SEPTICEMIA	2	2	0	11.3	17.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.7	8.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.7	8.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	5.7	8.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.7	0.0	16.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	11.3	8.6	16.5
ALL OTHER CAUSES	25	14	11	141.8	121.0	181.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	186	127	59	102	69	33	84	58	26
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	3	1	1	1	0	3	2	1
35-44	8	5	3	5	3	2	3	2	1
45-54	9	3	6	7	2	5	2	1	1
55-64	22	18	4	15	12	3	7	6	1
65-74	32	22	10	22	17	5	10	5	5
75-84	58	44	14	32	23	9	26	21	5
85 AND OVER	49	29	20	17	9	8	32	20	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	17,634
WHITE	11,573
NONWHITE	6,061

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	208	104	104	9.6	11.3	8.3
HEART DISEASES	51	27	24	235.6	294.0	192.5
MALIGNANT NEOPLASMS	35	18	17	161.7	196.0	136.4
ACCIDENTS	21	9	12	97.0	98.0	96.2
CEREBROVASCULAR DISEASE	17	8	9	78.5	87.1	72.2
DIABETES MELLITUS	10	3	7	46.2	32.7	56.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	37.0	54.4	24.1
SEPTICEMIA	7	5	2	32.3	54.4	16.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	32.3	43.6	24.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	23.1	10.9	32.1
ALZHEIMERS DISEASE	4	1	3	18.5	10.9	24.1
INFLUENZA AND PNEUMONIA	3	1	2	13.8	10.9	16.0
HIV DISEASE	2	0	2	9.2	0.0	16.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.2	21.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.2	10.9	8.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.8	0.0	10.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.2	0.0	16.0
VIRAL HEPATITIS	1	1	0	4.6	10.9	0.0
ANEMIAS	1	0	1	4.6	0.0	8.0
PARKINSONS DISEASE	1	1	0	4.6	10.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.6	10.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.6	0.0	8.0
HOMICIDE	1	0	1	4.6	0.0	8.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.6	10.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	18.5	21.8	16.0
ALL OTHER CAUSES	19	13	6	87.8	141.6	48.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	208	104	104	104	55	49	104	49	55
UNDER 1	6	0	6	3	0	3	3	0	3
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	4	0	4	1	0	1	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	8	1	7	3	1	2	5	0	5
35-44	11	4	7	7	3	4	4	1	3
45-54	16	4	12	9	3	6	7	1	6
55-64	19	12	7	13	8	5	6	4	2
65-74	31	17	14	18	11	7	13	6	7
75-84	53	33	20	26	16	10	27	17	10
85 AND OVER	61	32	29	23	12	11	38	20	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	21,650
WHITE	9,183
NONWHITE	12,467

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	322	101	221	11.0	13.0	10.3
HEART DISEASES	83	37	46	284.2	477.8	214.4
MALIGNANT NEOPLASMS	65	18	47	222.6	232.5	219.0
ACCIDENTS	29	8	21	99.3	103.3	97.9
DIABETES MELLITUS	18	6	12	61.6	77.5	55.9
CEREBROVASCULAR DISEASE	15	2	13	51.4	25.8	60.6
HOMICIDE	13	1	12	44.5	12.9	55.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	7	5	41.1	90.4	23.3
INFLUENZA AND PNEUMONIA	11	2	9	37.7	25.8	41.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	1	8	30.8	12.9	37.3
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	11.8	0.0	13.9
SEPTICEMIA	5	1	4	17.1	12.9	18.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	13.7	25.8	9.3
ALZHEIMERS DISEASE	3	1	2	10.3	12.9	9.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	10.3	12.9	9.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	10.3	12.9	9.3
SUICIDE	2	1	1	6.8	12.9	4.7
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	6.8	12.9	4.7
TUBERCULOSIS	1	1	0	3.4	12.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.4	0.0	4.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.4	0.0	4.7
ATHEROSCLEROSIS	1	1	0	3.4	12.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.4	0.0	4.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	0	5	17.1	0.0	23.3
ALL OTHER CAUSES	29	9	20	99.3	116.2	93.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	322	101	221	155	50	105	167	51	116
UNDER 1	9	0	9	5	0	5	4	0	4
(NEONATAL)	8	0	8	4	0	4	4	0	4
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	9	1	8	7	1	6	2	0	2
25-34	6	1	5	4	1	3	2	0	2
35-44	23	1	22	13	1	12	10	0	10
45-54	36	11	25	24	9	15	12	2	10
55-64	38	10	28	21	6	15	17	4	13
65-74	54	18	36	28	7	21	26	11	15
75-84	70	30	40	27	15	12	43	15	28
85 AND OVER	73	29	44	24	10	14	49	19	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	29,202
WHITE	7,743
NONWHITE	21,459

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	282	155	127	9.7	10.9	8.5
HEART DISEASES	93	52	41	319.0	364.9	275.2
MALIGNANT NEOPLASMS	60	35	25	205.8	245.6	167.8
CEREBROVASCULAR DISEASE	20	10	10	68.6	70.2	67.1
ACCIDENTS	15	8	7	51.4	56.1	47.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	6	6	41.2	42.1	40.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	3	5	27.4	21.0	33.6
INFLUENZA AND PNEUMONIA	8	5	3	27.4	35.1	20.1
DIABETES MELLITUS	5	1	4	17.2	7.0	26.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3	17.2	14.0	20.1
SUICIDE	5	4	1	17.2	28.1	6.7
ALZHEIMERS DISEASE	4	4	0	13.7	28.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	9.0	6.4	10.4
SEPTICEMIA	3	1	2	10.3	7.0	13.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	6.9	7.0	6.7
AORTIC ANEURYSM AND DISSECTION	2	1	1	6.9	7.0	6.7
HOMICIDE	2	1	1	6.9	7.0	6.7
ANEMIAS	1	0	1	3.4	0.0	6.7
PARKINSONS DISEASE	1	0	1	3.4	0.0	6.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.4	7.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.4	0.0	6.7
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.4	7.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	17.2	14.0	20.1
ALL OTHER CAUSES	24	16	8	82.3	112.3	53.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	282	155	127	137	79	58	145	76	69
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	4	1	3	3	0	3	1	1	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	7	2	5	2	0	2	5	2	3
35-44	10	5	5	6	4	2	4	1	3
45-54	26	10	16	15	8	7	11	2	9
55-64	29	11	18	22	9	13	7	2	5
65-74	71	38	33	41	25	16	30	13	17
75-84	74	55	19	30	23	7	44	32	12
85 AND OVER	56	31	25	15	8	7	41	23	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	29,151
WHITE	14,251
NONWHITE	14,900

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	204	160	44	10.1	12.5	5.9
HEART DISEASES	53	41	12	262.0	320.8	161.2
MALIGNANT NEOPLASMS	38	28	10	187.9	219.1	134.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1	89.0	133.0	13.4
ACCIDENTS	15	10	5	74.2	78.2	67.2
CEREBROVASCULAR DISEASE	12	9	3	59.3	70.4	40.3
ALZHEIMERS DISEASE	6	6	0	29.7	46.9	0.0
INFLUENZA AND PNEUMONIA	5	4	1	24.7	31.3	13.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	24.7	31.3	13.4
PARKINSONS DISEASE	4	4	0	19.8	31.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	19.8	31.3	0.0
SEPTICEMIA	3	3	0	14.8	23.5	0.0
DIABETES MELLITUS	3	2	1	14.8	15.6	13.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	14.8	23.5	0.0
SUICIDE	3	2	1	14.8	15.6	13.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.9	0.0	13.4
ANEMIAS	1	1	0	4.9	7.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.9	7.8	0.0
ATHEROSCLEROSIS	1	1	0	4.9	7.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.5	0.0	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.9	15.6	0.0
ALL OTHER CAUSES	25	18	7	123.6	140.8	94.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	204	160	44	132	107	25	72	53	19
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	6	3	3	5	2	3	1	1	0
25-34	2	0	2	2	0	2	0	0	0
35-44	9	7	2	4	3	1	5	4	1
45-54	15	8	7	7	5	2	8	3	5
55-64	20	11	9	11	6	5	9	5	4
65-74	30	25	5	21	18	3	9	7	2
75-84	66	62	4	47	45	2	19	17	2
85 AND OVER	51	42	9	33	27	6	18	15	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	20,225
WHITE	12,780
NONWHITE	7,445

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	872	745	127	6.7	6.9	5.5
HEART DISEASES	254	219	35	194.5	203.9	150.9
MALIGNANT NEOPLASMS	225	192	33	172.3	178.8	142.3
ACCIDENTS	60	54	6	45.9	50.3	25.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	43	42	1	32.9	39.1	4.3
DIABETES MELLITUS	40	29	11	30.6	27.0	47.4
CEREBROVASCULAR DISEASE	37	29	8	28.3	27.0	34.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	15	4	14.6	14.0	17.2
INFLUENZA AND PNEUMONIA	18	16	2	13.8	14.9	8.6
ALZHEIMERS DISEASE	14	13	1	10.7	12.1	4.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	12	1	10.0	11.2	4.3
SUICIDE	12	11	1	9.2	10.2	4.3
SEPTICEMIA	7	6	1	5.4	5.6	4.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	4.6	3.7	8.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	4.6	5.6	0.0
HIV DISEASE	5	3	2	3.8	2.8	8.6
AORTIC ANEURYSM AND DISSECTION	5	3	2	3.8	2.8	8.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	3.8	2.8	8.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	3.1	2.8	4.3
HOMICIDE	4	3	1	3.1	2.8	4.3
PARKINSONS DISEASE	3	3	0	2.3	2.8	0.0
TUBERCULOSIS	1	1	0	0.8	0.9	0.0
MENINGOCOCCAL INFECTION	1	0	1	0.8	0.0	4.3
ANEMIAS	1	0	1	0.8	0.0	4.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.8	0.9	0.0
ATHEROSCLEROSIS	1	0	1	0.8	0.0	4.3
PEPTIC ULCER	1	1	0	0.8	0.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.8	0.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.8	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	13	1	10.7	12.1	4.3
ALL OTHER CAUSES	70	61	9	53.6	56.8	38.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	872	745	127	476	417	59	396	328	68
UNDER 1	9	6	3	5	4	1	4	2	2
(NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	4	4	0	3	3	0	1	1	0
1-4	6	5	1	3	2	1	3	3	0
5-9	1	1	0	1	1	0	0	0	0
10-14	3	3	0	3	3	0	0	0	0
15-24	21	16	5	17	13	4	4	3	1
25-34	26	21	5	21	19	2	5	2	3
35-44	41	34	7	29	24	5	12	10	2
45-54	103	81	22	65	55	10	38	26	12
55-64	129	110	19	82	72	10	47	38	9
65-74	169	152	17	92	85	7	77	67	10
75-84	215	197	18	109	101	8	106	96	10
85 AND OVER	149	119	30	49	38	11	100	81	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	130,587
WHITE	107,391
NONWHITE	23,196

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	668	461	207	9.0	9.8	7.6
HEART DISEASES	198	148	50	265.9	314.2	182.7
MALIGNANT NEOPLASMS	135	92	43	181.3	195.3	157.2
CEREBROVASCULAR DISEASE	36	23	13	48.3	48.8	47.5
ACCIDENTS	31	16	15	41.6	34.0	54.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	24	4	37.6	50.9	14.6
ALZHEIMERS DISEASE	21	17	4	28.2	36.1	14.6
DIABETES MELLITUS	17	10	7	22.8	21.2	25.6
SEPTICEMIA	13	7	6	17.4	14.8	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	6	6	16.1	12.7	21.9
INFLUENZA AND PNEUMONIA	11	8	3	14.8	17.0	11.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	5	4	12.1	10.6	14.6
HOMICIDE	9	5	4	12.1	10.6	14.6
CONDITIONS ORIG IN PERINATAL PERIOD	8	4	4	7.0	6.2	8.0
AORTIC ANEURYSM AND DISSECTION	7	6	1	9.4	12.7	3.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	3	4	9.4	6.4	14.6
PARKINSONS DISEASE	6	6	0	8.0	12.7	0.0
SUICIDE	6	5	1	8.0	10.6	3.6
HIV DISEASE	5	1	4	6.7	2.1	14.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	2	3	6.7	4.2	11.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	2	0	2	2.7	0.0	7.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.7	2.1	3.6
VIRAL HEPATITIS	1	1	0	1.3	2.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.3	2.1	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.3	2.1	0.0
DISEASES OF APPENDIX	1	1	0	1.3	2.1	0.0
HERNIA	1	1	0	1.3	2.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	1.3	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	15	9	6	20.1	19.1	21.9
ALL OTHER CAUSES	79	57	22	106.1	121.0	80.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	668	461	207	312	213	99	356	248	108
UNDER 1	20	8	12	10	5	5	10	3	7
(NEONATAL)	10	4	6	6	3	3	4	1	3
(POSTNEONATAL)	10	4	6	4	2	2	6	2	4
1-4	5	0	5	5	0	5	0	0	0
5-9	2	0	2	0	0	0	2	0	2
10-14	0	0	0	0	0	0	0	0	0
15-24	12	6	6	7	3	4	5	3	2
25-34	19	8	11	13	6	7	6	2	4
35-44	29	14	15	17	9	8	12	5	7
45-54	42	24	18	23	13	10	19	11	8
55-64	73	47	26	45	29	16	28	18	10
65-74	115	92	23	68	55	13	47	37	10
75-84	172	132	40	72	55	17	100	77	23
85 AND OVER	179	130	49	52	38	14	127	92	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	74,469
WHITE	47,109
NONWHITE	27,360

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	98	61	37	11.6	11.6	11.8
HEART DISEASES	38	26	12	451.8	492.6	383.0
MALIGNANT NEOPLASMS	16	10	6	190.2	189.5	191.5
ACCIDENTS	10	6	4	118.9	113.7	127.7
CEREBROVASCULAR DISEASE	6	3	3	71.3	56.8	95.8
DIABETES MELLITUS	5	2	3	59.4	37.9	95.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	35.7	37.9	31.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	23.8	18.9	31.9
SUICIDE	2	2	0	23.8	37.9	0.0
SEPTICEMIA	1	0	1	11.9	0.0	31.9
VIRAL HEPATITIS	1	1	0	11.9	18.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	11.9	0.0	31.9
INFLUENZA AND PNEUMONIA	1	0	1	11.9	0.0	31.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	23.8	18.9	31.9
ALL OTHER CAUSES	10	7	3	118.9	132.6	95.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	98	61	37	48	33	15	50	28	22
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	2	2	0	0	0	0	2	2	0
35-44	5	2	3	3	2	1	2	0	2
45-54	8	4	4	6	4	2	2	0	2
55-64	10	7	3	7	5	2	3	2	1
65-74	17	9	8	10	5	5	7	4	3
75-84	28	19	9	9	7	2	19	12	7
85 AND OVER	24	15	9	9	7	2	15	8	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	8,411
WHITE	5,278
NONWHITE	3,133

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	237	222	15	11.4	11.9	6.9
HEART DISEASES	63	58	5	302.3	310.6	230.6
MALIGNANT NEOPLASMS	52	50	2	249.5	267.8	92.2
ACCIDENTS	18	17	1	86.4	91.0	46.1
DIABETES MELLITUS	17	16	1	81.6	85.7	46.1
CEREBROVASCULAR DISEASE	14	12	2	67.2	64.3	92.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	52.8	58.9	0.0
ALZHEIMERS DISEASE	9	8	1	43.2	42.8	46.1
SEPTICEMIA	6	6	0	28.8	32.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	28.8	32.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	28.8	32.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	19.2	21.4	0.0
INFLUENZA AND PNEUMONIA	4	4	0	19.2	21.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.6	10.7	0.0
PARKINSONS DISEASE	2	2	0	9.6	10.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	1	1	9.6	5.4	46.1
SUICIDE	2	1	1	9.6	5.4	46.1
HOMICIDE	2	2	0	9.6	10.7	0.0
HIV DISEASE	1	1	0	4.8	5.4	0.0
ANEMIAS	1	1	0	4.8	5.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.8	5.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.8	5.4	0.0
PEPTIC ULCER	1	1	0	4.8	5.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.8	5.4	0.0
ALL OTHER CAUSES	11	10	1	52.8	53.6	46.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	237	222	15	122	112	10	115	110	5
UNDER 1	2	2	0	0	0	0	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	6	0	3	3	0	3	3	0
25-34	5	5	0	2	2	0	3	3	0
35-44	7	7	0	3	3	0	4	4	0
45-54	24	20	4	17	15	2	7	5	2
55-64	30	28	2	21	20	1	9	8	1
65-74	50	45	5	32	28	4	18	17	1
75-84	62	61	1	29	28	1	33	33	0
85 AND OVER	50	47	3	15	13	2	35	34	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	20,838
WHITE	18,670
NONWHITE	2,168

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	115	95	20	8.7	9.8	5.7
HEART DISEASES	34	28	6	258.2	290.2	170.6
MALIGNANT NEOPLASMS	25	22	3	189.9	228.0	85.3
ACCIDENTS	10	9	1	76.0	93.3	28.4
DIABETES MELLITUS	9	4	5	68.4	41.4	142.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	38.0	51.8	0.0
CEREBROVASCULAR DISEASE	4	3	1	30.4	31.1	28.4
SEPTICEMIA	3	2	1	22.8	20.7	28.4
ALZHEIMERS DISEASE	3	3	0	22.8	31.1	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0	22.8	31.1	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	15.2	20.7	0.0
INFLUENZA AND PNEUMONIA	2	1	1	15.2	10.4	28.4
SUICIDE	2	2	0	15.2	20.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.6	10.4	0.0
HERNIA	1	1	0	7.6	10.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	6.6	8.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.6	10.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.6	10.4	0.0
ALL OTHER CAUSES	8	6	2	60.8	62.2	56.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	115	95	20	51	45	6	64	50	14
UNDER 1	3	2	1	1	1	0	2	1	1
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	3	1	2	3	1	2	0	0	0
45-54	11	5	6	6	4	2	5	1	4
55-64	25	23	2	17	17	0	8	6	2
65-74	18	16	2	5	5	0	13	11	2
75-84	34	29	5	11	10	1	23	19	4
85 AND OVER	18	16	2	6	5	1	12	11	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 13,166
 WHITE 9,650
 NONWHITE 3,516

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	308	184	124	13.5	14.0	12.9
HEART DISEASES	90	44	46	395.8	335.8	477.5
MALIGNANT NEOPLASMS	68	40	28	299.1	305.3	290.6
CEREBROVASCULAR DISEASE	24	19	5	105.6	145.0	51.9
ACCIDENTS	18	11	7	79.2	84.0	72.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	12	2	61.6	91.6	20.8
INFLUENZA AND PNEUMONIA	11	5	6	48.4	38.2	62.3
SEPTICEMIA	9	6	3	39.6	45.8	31.1
DIABETES MELLITUS	9	5	4	39.6	38.2	41.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	5	3	35.2	38.2	31.1
ALZHEIMERS DISEASE	7	7	0	30.8	53.4	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	5	2	30.8	38.2	20.8
SUICIDE	6	6	0	26.4	45.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	13.2	7.6	20.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	10.8	0.0	21.0
HOMICIDE	3	3	0	13.2	22.9	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	8.8	15.3	0.0
TUBERCULOSIS	1	1	0	4.4	7.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.4	7.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.4	7.6	0.0
MATERNAL CAUSES	1	1	0	359.7	740.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.4	7.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.8	7.6	10.4
ALL OTHER CAUSES	19	7	12	83.6	53.4	124.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	308	184	124	145	87	58	163	97	66
UNDER 1	4	1	3	1	0	1	3	1	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	12	11	1	9	9	0	3	2	1
25-34	5	1	4	2	1	1	3	0	3
35-44	17	9	8	9	5	4	8	4	4
45-54	24	9	15	13	7	6	11	2	9
55-64	33	15	18	19	8	11	14	7	7
65-74	54	35	19	34	22	12	20	13	7
75-84	72	52	20	36	26	10	36	26	10
85 AND OVER	86	51	35	21	9	12	65	42	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	22,736
WHITE	13,102
NONWHITE	9,634

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	454	427	27	9.9	10.3	6.2
HEART DISEASES	125	118	7	272.1	283.6	161.8
MALIGNANT NEOPLASMS	101	95	6	219.9	228.3	138.7
ACCIDENTS	39	37	2	84.9	88.9	46.2
CEREBROVASCULAR DISEASE	29	23	6	63.1	55.3	138.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	26	2	61.0	62.5	46.2
SEPTICEMIA	14	14	0	30.5	33.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	11	0	23.9	26.4	0.0
ALZHEIMERS DISEASE	8	8	0	17.4	19.2	0.0
SUICIDE	8	8	0	17.4	19.2	0.0
DIABETES MELLITUS	6	5	1	13.1	12.0	23.1
INFLUENZA AND PNEUMONIA	5	4	1	10.9	9.6	23.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	10.9	12.0	0.0
VIRAL HEPATITIS	4	4	0	8.7	9.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	4	0	8.7	9.6	0.0
HOMICIDE	4	4	0	8.7	9.6	0.0
PARKINSONS DISEASE	3	3	0	6.5	7.2	0.0
TUBERCULOSIS	1	1	0	2.2	2.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.2	2.4	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.2	2.4	0.0
PNEUMOCOCCI & CHEMICAL EFFECTS	1	1	0	2.2	2.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.2	2.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.2	2.4	0.0
INFECTIONS OF KIDNEY	1	1	0	2.2	2.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.8	2.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.2	2.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	13.1	12.0	23.1
ALL OTHER CAUSES	45	44	1	98.0	105.7	23.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	454	427	27	257	242	15	197	185	12
UNDER 1	7	6	1	2	2	0	5	4	1
(NEONATAL)	4	4	0	0	0	0	4	4	0
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	9	8	1	4	4	0	5	4	1
35-44	22	19	3	16	13	3	6	6	0
45-54	38	36	2	27	26	1	11	10	1
55-64	72	67	5	52	48	4	20	19	1
65-74	88	85	3	54	53	1	34	32	2
75-84	118	111	7	63	59	4	55	52	3
85 AND OVER	94	90	4	34	33	1	60	57	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 45,933
 WHITE 41,608
 NONWHITE 4,325

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,799	1,463	336	9.4	10.5	6.4
HEART DISEASES	575	469	106	298.9	335.8	201.0
MALIGNANT NEOPLASMS	420	350	70	218.3	250.6	132.7
ACCIDENTS	114	85	29	59.2	60.9	55.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	84	77	7	43.7	55.1	13.3
CEREBROVASCULAR DISEASE	81	66	15	42.1	47.3	28.4
SEPTICEMIA	40	34	6	20.8	24.3	11.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	38	29	9	19.8	20.8	17.1
SUICIDE	36	31	5	18.7	22.2	9.5
INFLUENZA AND PNEUMONIA	33	29	4	17.2	20.8	7.6
ALZHEIMERS DISEASE	32	28	4	16.6	20.0	7.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	32	31	1	16.6	22.2	1.9
DIABETES MELLITUS	20	17	3	10.4	12.2	5.7
CONDITIONS ORIG IN PERINATAL PERIOD	11	4	7	3.6	2.0	7.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	5	6	5.7	3.6	11.4
HOMICIDE	10	5	5	5.2	3.6	9.5
PARKINSONS DISEASE	9	9	0	4.7	6.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	6	2	4.2	4.3	3.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	3	4	3.6	2.1	7.6
AORTIC ANEURYSM AND DISSECTION	7	5	2	3.6	3.6	3.8
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	7	7	0	3.6	5.0	0.0
NEOPLASMS	6	6	0	3.1	4.3	0.0
VIRAL HEPATITIS	5	4	1	2.6	2.9	1.9
HIV DISEASE	5	4	1	2.6	2.9	1.9
PEPTIC ULCER	5	5	0	2.6	3.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.6	1.4	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.6	2.1	0.0
INFECTIONS OF KIDNEY	3	2	1	1.6	1.4	1.9
MENINGOCOCCAL INFECTION	2	1	1	1.0	0.7	1.9
ANEMIAS	2	2	0	1.0	1.4	0.0
TUBERCULOSIS	1	1	0	0.5	0.7	0.0
MENINGITIS	1	1	0	0.5	0.7	0.0
ATHEROSCLEROSIS	1	1	0	0.5	0.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.5	0.7	0.0
HERNIA	1	1	0	0.5	0.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	10	6	8.3	7.2	11.4
ALL OTHER CAUSES	169	129	40	87.8	92.4	75.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,799	1,463	336	989	821	168	810	642	168
UNDER 1	32	16	16	15	9	6	17	7	10
(NEONATAL)	19	10	9	8	6	2	11	4	7
(POSTNEONATAL)	13	6	7	7	3	4	6	3	3
1-4	5	3	2	2	2	0	3	1	2
5-9	2	1	1	0	0	0	2	1	1
10-14	1	0	1	1	0	1	0	0	0
15-24	27	21	6	23	17	6	4	4	0
25-34	41	25	16	32	19	13	9	6	3
35-44	72	50	22	51	36	15	21	14	7
45-54	182	134	48	125	92	33	57	42	15
55-64	284	230	54	174	142	32	110	88	22
65-74	349	297	52	197	173	24	152	124	28
75-84	498	427	71	260	234	26	238	193	45
85 AND OVER	306	259	47	109	97	12	197	162	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	192,393
WHITE	139,650
NONWHITE	52,743

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,994	889	1,105	8.0	10.4	6.7
HEART DISEASES	635	300	335	254.0	349.8	204.0
MALIGNANT NEOPLASMS	354	145	209	141.6	169.0	127.3
CEREBROVASCULAR DISEASE	124	63	61	49.6	73.4	37.1
ACCIDENTS	107	47	60	42.8	54.8	36.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	60	46	14	24.0	53.6	8.5
HOMICIDE	51	6	45	20.4	7.0	27.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	47	17	30	18.8	19.8	18.3
HIV DISEASE	42	3	39	16.8	3.5	23.7
INFLUENZA AND PNEUMONIA	42	23	19	16.8	26.8	11.6
ALZHEIMERS DISEASE	41	23	18	16.4	26.8	11.0
SEPTICEMIA	39	13	26	15.6	15.2	15.8
DIABETES MELLITUS	34	11	23	13.6	12.8	14.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	7	18	10.0	8.2	11.0
SUICIDE	24	13	11	9.6	15.2	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	22	0	22	5.6	0.0	7.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	12	4	6.4	14.0	2.4
PARKINSONS DISEASE	15	12	3	6.0	14.0	1.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	8	7	6.0	9.3	4.3
AORTIC ANEURYSM AND DISSECTION	14	6	8	5.6	7.0	4.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	1	4	2.0	1.2	2.4
PEPTIC ULCER	4	4	0	1.6	4.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	1.6	3.5	0.6
VIRAL HEPATITIS	3	1	2	1.2	1.2	1.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	1.2	2.3	0.6
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	1.2	1.2	1.2
TUBERCULOSIS	2	0	2	0.8	0.0	1.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	1.2	0.6
LEGAL INTERVENTION	2	1	1	0.8	1.2	0.6
ANEMIAS	1	1	0	0.4	1.2	0.0
MENINGITIS	1	0	1	0.4	0.0	0.6
HERNIA	1	0	1	0.4	0.0	0.6
INFECTIONS OF KIDNEY	1	1	0	0.4	1.2	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.4	0.0	0.6
MATERNAL CAUSES	1	0	1	25.5	0.0	34.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	21	6	15	8.4	7.0	9.1
ALL OTHER CAUSES	232	112	120	92.8	130.6	73.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,994	889	1,105	1,014	448	566	980	441	539
UNDER 1	49	4	45	35	3	32	14	1	13
(NEONATAL)	28	2	26	22	2	20	6	0	6
(POSTNEONATAL)	21	2	19	13	1	12	8	1	7
1-4	5	2	3	3	1	2	2	1	1
5-9	8	0	8	4	0	4	4	0	4
10-14	1	0	1	1	0	1	0	0	0
15-24	46	13	33	29	7	22	17	6	11
25-34	63	15	48	43	12	31	20	3	17
35-44	121	34	87	73	23	50	48	11	37
45-54	189	43	146	108	22	86	81	21	60
55-64	245	87	158	148	54	94	97	33	64
65-74	319	140	179	174	83	91	145	57	88
75-84	525	312	213	245	156	89	280	156	124
85 AND OVER	423	239	184	151	87	64	272	152	120
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	249,987
WHITE	85,769
NONWHITE	164,218

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	293	93	200	13.8	23.0	11.7
MALIGNANT NEOPLASMS	65	21	44	307.4	519.5	257.2
HEART DISEASES	64	20	44	302.6	494.8	257.2
ACCIDENTS	26	2	24	122.9	49.5	140.3
CEREBROVASCULAR DISEASE	21	6	15	99.3	148.4	87.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	12	8	94.6	296.9	46.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	3	11	66.2	74.2	64.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	12	5	7	56.7	123.7	40.9
INFLUENZA AND PNEUMONIA	11	4	7	52.0	99.0	40.9
ALZHEIMERS DISEASE	10	6	4	47.3	148.4	23.4
SEPTICEMIA	6	0	6	28.4	0.0	35.1
HOMICIDE	4	0	4	18.9	0.0	23.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	0	3	14.2	0.0	17.5
HIV DISEASE	2	0	2	9.4	0.0	11.7
DIABETES MELLITUS	2	1	1	9.4	24.7	5.8
PARKINSONS DISEASE	2	2	0	9.4	49.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.4	0.0	11.7
SUICIDE	2	1	1	9.4	24.7	5.8
VIRAL HEPATITIS IN SITU, BENIGN & UNSPECIFIED	1	1	0	4.7	24.7	0.0
NEOPLASMS	1	0	1	4.7	0.0	5.8
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.7	0.0	5.8
INFECTIONS OF KIDNEY	1	0	1	4.7	0.0	5.8
MATERNAL CAUSES	1	0	1	256.4	0.0	292.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.6	0.0	2.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	14.2	49.5	5.8
ALL OTHER CAUSES	18	7	11	85.1	173.2	64.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	293	93	200	150	43	107	143	50	93
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	0	3	2	0	2	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	4	0	4	2	0	2	2	0	2
25-34	11	2	9	8	0	8	3	2	1
35-44	11	0	11	7	0	7	4	0	4
45-54	33	4	29	25	3	22	8	1	7
55-64	37	14	23	23	9	14	14	5	9
65-74	52	16	36	29	11	18	23	5	18
75-84	72	28	44	30	11	19	42	17	25
85 AND OVER	64	29	35	22	9	13	42	20	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	21,148
WHITE	4,042
NONWHITE	17,106

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	105	31	74	9.9	11.2	9.4
HEART DISEASES	38	7	31	357.5	252.0	394.9
MALIGNANT NEOPLASMS	21	6	15	197.6	216.0	191.1
CEREBROVASCULAR DISEASE	8	4	4	75.3	144.0	51.0
ACCIDENTS	6	3	3	56.4	108.0	38.2
INFLUENZA AND PNEUMONIA	4	2	2	37.6	72.0	25.5
HOMICIDE	3	0	3	28.2	0.0	38.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	18.8	36.0	12.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	18.8	0.0	25.5
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	0	2	10.8	0.0	12.5
NEOPLASMS	1	0	1	9.4	0.0	12.7
DIABETES MELLITUS	1	0	1	9.4	0.0	12.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	9.4	0.0	12.7
ALZHEIMERS DISEASE	1	0	1	9.4	0.0	12.7
ATHEROSCLEROSIS	1	0	1	9.4	0.0	12.7
PEPTIC ULCER	1	0	1	9.4	0.0	12.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.4	0.0	12.7
SUICIDE	1	0	1	9.4	0.0	12.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	18.8	72.0	0.0
ALL OTHER CAUSES	9	6	3	84.7	216.0	38.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	105	31	74	51	13	38	54	18	36
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	4	4	0	3	3	0	1	1	0
35-44	7	1	6	4	0	4	3	1	2
45-54	14	2	12	7	1	6	7	1	6
55-64	18	4	14	9	1	8	9	3	6
65-74	14	5	9	6	3	3	8	2	6
75-84	20	8	12	11	4	7	9	4	5
85 AND OVER	21	6	15	6	1	5	15	5	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	10,628
WHITE	2,778
NONWHITE	7,850

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	8	4	4	4.0	5.5	3.2
MALIGNANT NEOPLASMS	1	1	0	50.6	138.1	0.0
HEART DISEASES	1	0	1	50.6	0.0	79.7
CEREBROVASCULAR DISEASE	1	0	1	50.6	0.0	79.7
INFLUENZA AND PNEUMONIA	1	0	1	50.6	0.0	79.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	50.6	138.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	50.6	138.1	0.0
HOMICIDE	1	0	1	50.6	0.0	79.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	1	1	0	50.6	138.1	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	8	4	4	3	2	1	5	2	3
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	1	1	1	1	0	1	0	1
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	2	1	1	0	0	0
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	1,978
WHITE	724
NONWHITE	1,254

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	279	266	13	12.0	12.3	7.7
HEART DISEASES	80	78	2	343.2	360.9	118.0
MALIGNANT NEOPLASMS	58	53	5	248.8	245.2	295.0
CEREBROVASCULAR DISEASE	18	16	2	77.2	74.0	118.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	17	0	72.9	78.6	0.0
ACCIDENTS	16	16	0	68.6	74.0	0.0
ALZHEIMERS DISEASE	12	11	1	51.5	50.9	59.0
DIABETES MELLITUS	10	10	0	42.9	46.3	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	6	6	0	25.7	27.8	0.0
NEOPLASMS	5	5	0	21.4	23.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	21.4	18.5	59.0
SEPTICEMIA	4	4	0	17.2	18.5	0.0
INFLUENZA AND PNEUMONIA	4	3	1	17.2	13.9	59.0
SUICIDE	4	4	0	17.2	18.5	0.0
PARKINSONS DISEASE	3	3	0	12.9	13.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	10.4	7.8	32.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	8.6	9.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	8.6	9.2	0.0
HOMICIDE	2	2	0	8.6	9.2	0.0
VIRAL HEPATITIS	1	1	0	4.3	4.6	0.0
HIV DISEASE	1	1	0	4.3	4.6	0.0
ATHEROSCLEROSIS	1	1	0	4.3	4.6	0.0
PEPTIC ULCER	1	1	0	4.3	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	24	24	0	103.0	111.0	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	279	266	13	124	119	5	155	147	8
UNDER 1	3	2	1	0	0	0	3	2	1
(NEONATAL)	3	2	1	0	0	0	3	2	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	5	0	4	4	0	1	1	0
25-34	6	6	0	6	6	0	0	0	0
35-44	5	5	0	4	4	0	1	1	0
45-54	21	20	1	12	12	0	9	8	1
55-64	48	47	1	24	24	0	24	23	1
65-74	41	38	3	22	20	2	19	18	1
75-84	71	66	5	27	25	2	44	41	3
85 AND OVER	78	76	2	25	24	1	53	52	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	23,310
WHITE	21,615
NONWHITE	1,695

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,164	953	211	8.6	9.4	6.2
HEART DISEASES	309	254	55	228.2	250.7	161.2
MALIGNANT NEOPLASMS	258	211	47	190.5	208.2	137.8
ACCIDENTS	76	65	11	56.1	64.1	32.2
CEREBROVASCULAR DISEASE	64	48	16	47.2	47.4	46.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	57	55	2	42.1	54.3	5.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	28	18	10	20.7	17.8	29.3
ALZHEIMERS DISEASE	26	22	4	19.2	21.7	11.7
SUICIDE	25	22	3	18.4	21.7	8.8
SEPTICEMIA	19	13	6	14.0	12.8	17.6
DIABETES MELLITUS	19	17	2	14.0	16.8	5.9
HOMICIDE	18	7	11	13.3	6.9	32.2
INFLUENZA AND PNEUMONIA	17	16	1	12.6	15.8	2.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	10	4	10.3	9.9	11.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	7	2	6.6	6.9	5.9
HIV DISEASE	7	1	6	5.2	1.0	17.6
AORTIC ANEURYSM AND DISSECTION	7	5	2	5.2	4.9	5.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	5	1	4.4	4.9	2.9
CONDITIONS ORIG IN PERINATAL PERIOD	6	3	3	3.2	2.2	5.6
PARKINSONS DISEASE	5	5	0	3.7	4.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	3.7	3.9	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	4	0	3.0	3.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	4	4	0	3.0	3.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	2.2	2.0	2.9
VIRAL HEPATITIS	2	2	0	1.5	2.0	0.0
ANEMIAS	2	2	0	1.5	2.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	1.5	2.0	0.0
HERNIA	2	2	0	1.5	2.0	0.0
ATHEROSCLEROSIS	1	1	0	0.7	1.0	0.0
PEPTIC ULCER	1	1	0	0.7	1.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	17	1	13.3	16.8	2.9
ALL OTHER CAUSES	150	128	22	110.8	126.3	64.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,164	953	211	609	496	113	555	457	98
UNDER 1	11	8	3	6	5	1	5	3	2
(NEONATAL)	9	6	3	5	4	1	4	2	2
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	2	2	0	2	2	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	3	2	1	3	2	1	0	0	0
15-24	20	12	8	12	7	5	8	5	3
25-34	29	20	9	22	15	7	7	5	2
35-44	52	41	11	35	28	7	17	13	4
45-54	115	87	28	77	53	24	38	34	4
55-64	159	121	38	95	75	20	64	46	18
65-74	259	218	41	148	130	18	111	88	23
75-84	286	236	50	139	114	25	147	122	25
85 AND OVER	227	206	21	69	65	4	158	141	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	135,436
WHITE	101,326
NONWHITE	34,110

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	152	86	66	8.4	10.2	6.9
HEART DISEASES	64	40	24	355.4	475.0	250.4
MALIGNANT NEOPLASMS	38	23	15	211.0	273.2	156.5
ACCIDENTS	9	6	3	50.0	71.2	31.3
CEREBROVASCULAR DISEASE	6	2	4	33.3	23.8	41.7
HOMICIDE	4	0	4	22.2	0.0	41.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	16.7	11.9	20.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	12.2	0.0	19.5
DIABETES MELLITUS	2	1	1	11.1	11.9	10.4
INFLUENZA AND PNEUMONIA	2	2	0	11.1	23.8	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	11.1	23.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	11.1	0.0	20.9
SUICIDE	2	2	0	11.1	23.8	0.0
SEPTICEMIA	1	1	0	5.6	11.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.6	11.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.6	11.9	0.0
HYPERPLASIA OF PROSTATE	1	0	1	5.6	0.0	10.4
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.6	0.0	10.4
ALL OTHER CAUSES	10	4	6	55.5	47.5	62.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	152	86	66	79	43	36	73	43	30
UNDER 1	5	1	4	4	1	3	1	0	1
(Neonatal)	4	0	4	3	0	3	1	0	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	4	1	3	3	1	2	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	12	4	8	8	3	5	4	1	3
55-64	17	7	10	11	6	5	6	1	5
65-74	32	19	13	22	14	8	10	5	5
75-84	32	21	11	13	8	5	19	13	6
85 AND OVER	45	31	14	14	9	5	31	22	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 18,005
 WHITE 8,420
 NONWHITE 9,585

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	101	14	87	10.7	10.9	10.6
HEART DISEASES	40	6	34	423.0	468.8	415.8
MALIGNANT NEOPLASMS	18	1	17	190.4	78.1	207.9
DIABETES MELLITUS	4	0	4	42.3	0.0	48.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	42.3	78.1	36.7
INFLUENZA AND PNEUMONIA	4	0	4	42.3	0.0	48.9
ACCIDENTS	4	0	4	42.3	0.0	48.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	31.7	156.2	12.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	31.7	0.0	36.7
SUICIDE	3	0	3	31.7	0.0	36.7
SEPTICEMIA	2	1	1	21.2	78.1	12.2
CEREBROVASCULAR DISEASE	2	0	2	21.2	0.0	24.5
HOMICIDE	2	0	2	21.2	0.0	24.5
ANEMIAS	1	0	1	10.6	0.0	12.2
ALZHEIMERS DISEASE	1	0	1	10.6	0.0	12.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	10.6	0.0	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	10.6	78.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.3	0.0	7.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.6	0.0	12.2
ALL OTHER CAUSES	6	2	4	63.4	156.2	48.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	101	14	87	55	6	49	46	8	38
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	6	0	6	4	0	4	2	0	2
45-54	13	1	12	7	0	7	6	1	5
55-64	18	5	13	14	3	11	4	2	2
65-74	22	2	20	12	1	11	10	1	9
75-84	16	5	11	4	2	2	12	3	9
85 AND OVER	21	1	20	10	0	10	11	1	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	9,456
WHITE	1,280
NONWHITE	8,176

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	139	69	70	10.6	12.7	9.1
MALIGNANT NEOPLASMS	41	26	15	313.3	478.7	195.9
HEART DISEASES	35	20	15	267.4	368.2	195.9
CEREBROVASCULAR DISEASE	15	4	11	114.6	73.6	143.7
ACCIDENTS	6	2	4	45.8	36.8	52.2
DIABETES MELLITUS	4	1	3	30.6	18.4	39.2
AORTIC ANEURYSM AND DISSECTION	4	3	1	30.6	55.2	13.1
INFLUENZA AND PNEUMONIA	4	2	2	30.6	36.8	26.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3	30.6	18.4	39.2
SEPTICEMIA	3	2	1	22.9	36.8	13.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	15.3	18.4	13.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	15.3	18.4	13.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	15.3	18.4	13.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	15.3	18.4	13.1
VIRAL HEPATITIS	1	1	0	7.6	18.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	7.6	0.0	13.1
ALZHEIMERS DISEASE	1	0	1	7.6	0.0	13.1
PEPTIC ULCER	1	0	1	7.6	0.0	13.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.7	0.0	10.1
HOMICIDE	1	0	1	7.6	0.0	13.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.6	0.0	13.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.6	0.0	13.1
ALL OTHER CAUSES	7	3	4	53.5	55.2	52.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	139	69	70	81	37	44	58	32	26
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	11	4	7	4	2	2	7	2	5
55-64	24	11	13	15	6	9	9	5	4
65-74	34	20	14	24	14	10	10	6	4
75-84	34	17	17	21	8	13	13	9	4
85 AND OVER	28	15	13	12	6	6	16	9	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	13,087
WHITE	5,431
NONWHITE	7,656

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	744	557	187	11.3	11.8	10.0
HEART DISEASES	209	164	45	318.3	349.0	241.0
MALIGNANT NEOPLASMS	147	114	33	223.9	242.6	176.7
ACCIDENTS	44	34	10	67.0	72.4	53.5
INFLUENZA AND PNEUMONIA	40	30	10	60.9	63.8	53.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	30	8	57.9	63.8	42.8
CEREBROVASCULAR DISEASE	34	26	8	51.8	55.3	42.8
SEPTICEMIA	23	17	6	35.0	36.2	32.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	20	11	9	30.4	23.4	48.2
ALZHEIMERS DISEASE	16	14	2	24.4	29.8	10.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	7	3	15.2	14.9	16.1
DIABETES MELLITUS	9	4	5	13.7	8.5	26.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	7	0	10.7	14.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	10.7	12.8	5.4
HOMICIDE	7	3	4	10.7	6.4	21.4
PARKINSONS DISEASE	5	5	0	7.6	10.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	4	1	7.6	8.5	5.4
HIV DISEASE	4	2	2	6.1	4.2	10.7
SUICIDE	4	4	0	6.1	8.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	4.6	4.2	5.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	4.6	4.2	5.4
ANEMIAS	2	1	1	3.0	2.1	5.4
AORTIC ANEURYSM AND DISSECTION	2	1	1	3.0	2.1	5.4
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	3.0	2.1	5.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	1.9	0.0	5.6
VIRAL HEPATITIS	1	1	0	1.5	2.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.5	2.1	0.0
ATHEROSCLEROSIS	1	1	0	1.5	2.1	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.5	2.1	0.0
PEPTIC ULCER	1	1	0	1.5	2.1	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	11	6	5	16.8	12.8	26.8
ALL OTHER CAUSES	85	57	28	129.4	121.3	149.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	744	557	187	357	267	90	387	290	97
UNDER 1	8	1	7	5	0	5	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	8	5	3	4	2	2	4	3	1
5-9	1	1	0	1	1	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	11	7	4	9	5	4	2	2	0
25-34	16	9	7	14	9	5	2	0	2
35-44	34	22	12	19	15	4	15	7	8
45-54	59	38	21	33	22	11	26	16	10
55-64	88	63	25	58	42	16	30	21	9
65-74	116	85	31	67	53	14	49	32	17
75-84	207	163	44	92	72	20	115	91	24
85 AND OVER	194	162	32	53	45	8	141	117	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	65,662
WHITE	46,987
NONWHITE	18,675

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	97	49	48	9.4	12.3	7.5
HEART DISEASES	28	19	9	270.8	478.7	141.3
MALIGNANT NEOPLASMS	17	9	8	164.4	226.8	125.6
CEREBROVASCULAR DISEASE	12	5	7	116.1	126.0	109.9
ACCIDENTS	6	3	3	58.0	75.6	47.1
DIABETES MELLITUS	3	1	2	29.0	25.2	31.4
ALZHEIMERS DISEASE	3	2	1	29.0	50.4	15.7
INFLUENZA AND PNEUMONIA	3	3	0	29.0	75.6	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	29.0	25.2	31.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	23.6	24.4	23.2
SEPTICEMIA	1	0	1	9.7	0.0	15.7
AORTIC ANEURYSM AND DISSECTION	1	0	1	9.7	0.0	15.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	9.7	0.0	15.7
SUICIDE	1	1	0	9.7	25.2	0.0
HOMICIDE	1	0	1	9.7	0.0	15.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.7	0.0	15.7
ALL OTHER CAUSES	13	4	9	125.8	100.8	141.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	97	49	48	56	27	29	41	22	19
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	4	2	2	4	2	2	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	4	1	3	3	1	2	1	0	1
55-64	8	3	5	7	3	4	1	0	1
65-74	22	13	9	14	8	6	8	5	3
75-84	20	10	10	13	6	7	7	4	3
85 AND OVER	33	19	14	10	6	4	23	13	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 10,338
 WHITE 3,969
 NONWHITE 6,369

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	293	208	85	7.2	7.0	7.6
HEART DISEASES	75	59	16	184.1	199.6	143.0
MALIGNANT NEOPLASMS	68	44	24	166.9	148.9	214.5
ALZHEIMERS DISEASE	23	19	4	56.4	64.3	35.8
ACCIDENTS	21	14	7	51.5	47.4	62.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	15	5	49.1	50.7	44.7
CEREBROVASCULAR DISEASE	17	13	4	41.7	44.0	35.8
DIABETES MELLITUS	7	4	3	17.2	13.5	26.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	7	0	17.2	23.7	0.0
PARKINSONS DISEASE	5	5	0	12.3	16.9	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	9.8	6.8	17.9
INFLUENZA AND PNEUMONIA	4	3	1	9.8	10.2	8.9
SEPTICEMIA	3	0	3	7.4	0.0	26.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	7.4	6.8	8.9
SUICIDE	2	1	1	4.9	3.4	8.9
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	2	0	2	4.9	0.0	17.9
NEOPLASMS	1	1	0	2.4	3.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.4	3.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.4	3.4	0.0
MATERNAL CAUSES	1	0	1	205.3	0.0	591.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.0	0.0	5.9
HOMICIDE	1	0	1	2.4	0.0	8.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	26	17	9	63.8	57.5	80.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	293	208	85	168	122	46	125	86	39
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	8	3	5	4	1	3	4	2	2
25-34	7	4	3	5	3	2	2	1	1
35-44	5	4	1	2	2	0	3	2	1
45-54	28	11	17	19	8	11	9	3	6
55-64	31	18	13	22	12	10	9	6	3
65-74	42	28	14	23	18	5	19	10	9
75-84	99	85	14	66	57	9	33	28	5
85 AND OVER	69	53	16	25	20	5	44	33	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	40,745
WHITE	29,557
NONWHITE	11,188

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	323	284	39	7.5	7.8	5.9
HEART DISEASES	89	76	13	205.7	207.4	196.4
MALIGNANT NEOPLASMS	74	68	6	171.0	185.6	90.6
ACCIDENTS	23	21	2	53.2	57.3	30.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1	41.6	46.4	15.1
CEREBROVASCULAR DISEASE	16	12	4	37.0	32.7	60.4
INFLUENZA AND PNEUMONIA	10	9	1	23.1	24.6	15.1
ALZHEIMERS DISEASE	9	9	0	20.8	24.6	0.0
SUICIDE	7	6	1	16.2	16.4	15.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	13.9	16.4	0.0
SEPTICEMIA	5	2	3	11.6	5.4	45.3
DIABETES MELLITUS	5	4	1	11.6	10.9	15.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	5	0	11.6	13.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	4.6	5.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	4.6	5.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	2	0	3.0	3.7	0.0
NEOPLASMS	1	1	0	2.3	2.7	0.0
PARKINSONS DISEASE	1	1	0	2.3	2.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.3	2.7	0.0
INFECTIONS OF KIDNEY	1	1	0	2.3	2.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.3	2.7	0.0
HOMICIDE	1	0	1	2.3	0.0	15.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	9.2	8.2	15.1
ALL OTHER CAUSES	40	35	5	92.5	95.5	75.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	323	284	39	148	125	23	175	159	16
UNDER 1	3	3	0	0	0	0	3	3	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	9	0	7	7	0	2	2	0
25-34	9	7	2	6	4	2	3	3	0
35-44	15	11	4	8	5	3	7	6	1
45-54	28	22	6	13	11	2	15	11	4
55-64	36	31	5	19	15	4	17	16	1
65-74	66	56	10	37	30	7	29	26	3
75-84	89	85	4	44	42	2	45	43	2
85 AND OVER	68	60	8	14	11	3	54	49	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	43,262
WHITE	36,643
NONWHITE	6,619

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	931	614	317	12.0	13.6	9.8
HEART DISEASES	251	166	85	324.1	366.9	263.9
MALIGNANT NEOPLASMS	205	134	71	264.7	296.2	220.4
CEREBROVASCULAR DISEASE	62	44	18	80.0	97.3	55.9
ACCIDENTS	47	25	22	60.7	55.3	68.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	45	38	7	58.1	84.0	21.7
ALZHEIMERS DISEASE	43	34	9	55.5	75.2	27.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	10	9	24.5	22.1	27.9
INFLUENZA AND PNEUMONIA	18	12	6	23.2	26.5	18.6
DIABETES MELLITUS	15	9	6	19.4	19.9	18.6
SUICIDE	14	12	2	18.1	26.5	6.2
SEPTICEMIA	13	9	4	16.8	19.9	12.4
CONDITIONS ORIG IN PERINATAL PERIOD	13	3	10	10.9	4.8	17.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	4	5	11.6	8.8	15.5
HIV DISEASE	8	1	7	10.3	2.2	21.7
HOMICIDE	8	5	3	10.3	11.0	9.3
PARKINSONS DISEASE	4	3	1	5.2	6.6	3.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	5.2	4.4	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	5.2	6.6	3.1
AORTIC ANEURYSM AND DISSECTION	3	1	2	3.9	2.2	6.2
VIRAL HEPATITIS	1	0	1	1.3	0.0	3.1
ATHEROSCLEROSIS	1	1	0	1.3	2.2	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.3	2.2	0.0
PEPTIC ULCER	1	0	1	1.3	0.0	3.1
HERNIA	1	0	1	1.3	0.0	3.1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	2.2	0.0
MATERNAL CAUSES	1	0	1	84.0	0.0	176.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	1.3	2.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	18	9	34.9	39.8	27.9
ALL OTHER CAUSES	110	76	34	142.0	168.0	105.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	931	614	317	466	301	165	465	313	152
UNDER 1	21	8	13	16	6	10	5	2	3
(NEONATAL)	15	6	9	12	5	7	3	1	2
(POSTNEONATAL)	6	2	4	4	1	3	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	5	7	11	5	6	1	0	1
25-34	18	11	7	14	10	4	4	1	3
35-44	39	23	16	28	16	12	11	7	4
45-54	76	41	35	48	26	22	28	15	13
55-64	107	57	50	68	39	29	39	18	21
65-74	167	114	53	97	70	27	70	44	26
75-84	259	192	67	111	83	28	148	109	39
85 AND OVER	231	163	68	73	46	27	158	117	41
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	77,449
WHITE	45,238
NONWHITE	32,211

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	137	97	40	10.2	10.8	9.0
HEART DISEASES	43	29	14	319.8	321.5	316.3
MALIGNANT NEOPLASMS	28	21	7	208.2	232.8	158.2
CEREBROVASCULAR DISEASE	10	8	2	74.4	88.7	45.2
ACCIDENTS	10	9	1	74.4	99.8	22.6
SUICIDE	4	3	1	29.8	33.3	22.6
DIABETES MELLITUS	3	1	2	22.3	11.1	45.2
ALZHEIMERS DISEASE	3	3	0	22.3	33.3	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	22.3	33.3	0.0
HOMICIDE	3	0	3	22.3	0.0	67.8
SEPTICEMIA	2	1	1	14.9	11.1	22.6
INFLUENZA AND PNEUMONIA	2	2	0	14.9	22.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	14.9	22.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	14.9	0.0	45.2
VIRAL HEPATITIS	1	1	0	7.4	11.1	0.0
MENINGITIS	1	1	0	7.4	11.1	0.0
PARKINSONS DISEASE	1	1	0	7.4	11.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.4	11.1	0.0
ATHEROSCLEROSIS	1	1	0	7.4	11.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.4	0.0	22.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.4	0.0	22.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	14.9	11.1	22.6
ALL OTHER CAUSES	13	9	4	96.7	99.8	90.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	137	97	40	71	53	18	66	44	22
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	7	6	1	6	5	1	1	1	0
35-44	4	1	3	4	1	3	0	0	0
45-54	10	6	4	5	3	2	5	3	2
55-64	19	15	4	10	9	1	9	6	3
65-74	36	28	8	21	19	2	15	9	6
75-84	30	19	11	13	8	5	17	11	6
85 AND OVER	27	20	7	9	6	3	18	14	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	13,445
WHITE	9,019
NONWHITE	4,426

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	235	162	73	10.5	13.0	7.4
HEART DISEASES	67	51	16	300.4	408.8	162.7
MALIGNANT NEOPLASMS	53	38	15	237.6	304.6	152.6
ACCIDENTS	21	14	7	94.1	112.2	71.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3	62.8	88.2	30.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	8	5	58.3	64.1	50.8
CEREBROVASCULAR DISEASE	11	8	3	49.3	64.1	30.5
DIABETES MELLITUS	6	3	3	26.9	24.0	30.5
INFLUENZA AND PNEUMONIA	6	3	3	26.9	24.0	30.5
SEPTICEMIA	5	2	3	22.4	16.0	30.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	22.4	32.1	10.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	22.4	24.0	20.3
HOMICIDE	3	1	2	13.4	8.0	20.3
HIV DISEASE	2	0	2	9.0	0.0	20.3
PARKINSONS DISEASE	2	2	0	9.0	16.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	9.0	16.0	0.0
VIRAL HEPATITIS	1	1	0	4.5	8.0	0.0
ALZHEIMERS DISEASE	1	0	1	4.5	0.0	10.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.5	8.0	0.0
SUICIDE	1	1	0	4.5	8.0	0.0
LEGAL INTERVENTION	1	0	1	4.5	0.0	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.5	8.0	0.0
ALL OTHER CAUSES	14	8	6	62.8	64.1	61.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	235	162	73	109	78	31	126	84	42
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	1	2	2	1	1	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	3	2	1	2	2	0	1	0	1
15-24	4	2	2	3	2	1	1	0	1
25-34	4	4	0	3	3	0	1	1	0
35-44	12	5	7	7	4	3	5	1	4
45-54	22	13	9	13	10	3	9	3	6
55-64	26	17	9	13	6	7	13	11	2
65-74	50	31	19	24	17	7	26	14	12
75-84	55	41	14	27	22	5	28	19	9
85 AND OVER	55	45	10	14	10	4	41	35	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	22,306
WHITE	12,474
NONWHITE	9,832

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	721	591	130	9.2	10.4	6.1
HEART DISEASES	216	181	35	276.6	317.8	165.4
MALIGNANT NEOPLASMS	156	128	28	199.7	224.8	132.4
CEREBROVASCULAR DISEASE	44	31	13	56.3	54.4	61.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	38	1	49.9	66.7	4.7
ACCIDENTS	31	23	8	39.7	40.4	37.8
INFLUENZA AND PNEUMONIA	20	19	1	25.6	33.4	4.7
SEPTICEMIA	17	12	5	21.8	21.1	23.6
ALZHEIMERS DISEASE	15	15	0	19.2	26.3	0.0
DIABETES MELLITUS	14	10	4	17.9	17.6	18.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	11	3	17.9	19.3	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	11	0	14.1	19.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	7	1	10.2	12.3	4.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	2	5	9.0	3.5	23.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	4.0	1.2	10.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	6.4	5.3	9.4
SUICIDE	5	5	0	6.4	8.8	0.0
HOMICIDE	4	3	1	5.1	5.3	4.7
VIRAL HEPATITIS	2	1	1	2.6	1.8	4.7
MENINGITIS	2	1	1	2.6	1.8	4.7
ANEMIAS	1	1	0	1.3	1.8	0.0
PARKINSONS DISEASE	1	1	0	1.3	1.8	0.0
ATHEROSCLEROSIS	1	1	0	1.3	1.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	1.3	0.0	4.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	1.8	0.0
MATERNAL CAUSES	1	1	0	80.8	118.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	1.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	7	2	11.5	12.3	9.4
ALL OTHER CAUSES	90	76	14	115.2	133.4	66.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	721	591	130	364	294	70	357	297	60
UNDER 1	12	5	7	6	3	3	6	2	4
(NEONATAL)	5	1	4	3	1	2	2	0	2
(POSTNEONATAL)	7	4	3	3	2	1	4	2	2
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	8	5	3	8	5	3	0	0	0
25-34	21	14	7	12	8	4	9	6	3
35-44	27	21	6	17	15	2	10	6	4
45-54	66	49	17	44	32	12	22	17	5
55-64	80	60	20	51	37	14	29	23	6
65-74	133	100	33	70	54	16	63	46	17
75-84	193	172	21	90	78	12	103	94	9
85 AND OVER	177	162	15	64	60	4	113	102	11
UNKNOWN	1	1	0	0	0	0	1	1	0

2004 POPULATION:

TOTAL 78,102
 WHITE 56,947
 NONWHITE 21,155

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	372	152	220	10.3	14.2	8.6
HEART DISEASES	131	56	75	362.4	524.0	294.6
MALIGNANT NEOPLASMS	63	23	40	174.3	215.2	157.1
CEREBROVASCULAR DISEASE	39	16	23	107.9	149.7	90.3
ACCIDENTS	26	16	10	71.9	149.7	39.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	18	4	60.9	168.4	15.7
HOMICIDE	10	0	10	27.7	0.0	39.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	0	9	24.9	0.0	35.4
INFLUENZA AND PNEUMONIA	8	2	6	22.1	18.7	23.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	1	6	19.4	9.4	23.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	9.2	0.0	11.7
SEPTICEMIA	4	2	2	11.1	18.7	7.8
DIABETES MELLITUS	4	3	1	11.1	28.1	3.9
PARKINSONS DISEASE	3	3	0	8.3	28.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	1	2	8.3	9.4	7.8
NEOPLASMS	2	1	1	5.5	9.4	3.9
ATHEROSCLEROSIS	2	0	2	5.5	0.0	7.8
HIV DISEASE	1	0	1	2.8	0.0	3.9
ANEMIAS	1	1	0	2.8	9.4	0.0
ALZHEIMERS DISEASE	1	0	1	2.8	0.0	3.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.8	0.0	3.9
INFECTIONS OF KIDNEY	1	0	1	2.8	0.0	3.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.8	0.0	3.9
SUICIDE	1	0	1	2.8	0.0	3.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.8	0.0	3.9
ALL OTHER CAUSES	26	9	17	71.9	84.2	66.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	372	152	220	165	58	107	207	94	113
UNDER 1	8	0	8	7	0	7	1	0	1
(NEONATAL)	7	0	7	6	0	6	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	0	7	4	0	4	3	0	3
25-34	10	1	9	9	1	8	1	0	1
35-44	18	5	13	10	3	7	8	2	6
45-54	38	9	29	24	5	19	14	4	10
55-64	39	16	23	17	9	8	22	7	15
65-74	58	21	37	32	13	19	26	8	18
75-84	83	39	44	37	20	17	46	19	27
85 AND OVER	109	61	48	23	7	16	86	54	32
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	36,146
WHITE	10,687
NONWHITE	25,459

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	329	230	99	9.8	9.8	9.6
HEART DISEASES	97	67	30	287.8	285.8	292.4
MALIGNANT NEOPLASMS	64	46	18	189.9	196.2	175.4
ACCIDENTS	21	13	8	62.3	55.5	78.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	14	5	56.4	59.7	48.7
CEREBROVASCULAR DISEASE	16	11	5	47.5	46.9	48.7
DIABETES MELLITUS	15	9	6	44.5	38.4	58.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	9	2	32.6	38.4	19.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	7	2	26.7	29.9	19.5
INFLUENZA AND PNEUMONIA	7	5	2	20.8	21.3	19.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	20.8	25.6	9.7
SEPTICEMIA	5	3	2	14.8	12.8	19.5
ALZHEIMERS DISEASE	4	4	0	11.9	17.1	0.0
PARKINSONS DISEASE	3	3	0	8.9	12.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	8.9	12.8	0.0
HOMICIDE	3	1	2	8.9	4.3	19.5
VIRAL HEPATITIS	2	0	2	5.9	0.0	19.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	5.9	4.3	9.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	5.9	8.5	0.0
HIV DISEASE	1	1	0	3.0	4.3	0.0
MENINGITIS	1	0	1	3.0	0.0	9.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.0	4.3	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.0	4.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.0	4.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.0	4.3	0.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.9	8.5	0.0
ALL OTHER CAUSES	31	19	12	92.0	81.0	116.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	329	230	99	155	116	39	174	114	60
UNDER 1 (NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	4	2	2	3	1	2	1	1	0
25-34	6	1	5	4	1	3	2	0	2
35-44	13	5	8	8	5	3	5	0	5
45-54	29	12	17	14	6	8	15	6	9
55-64	48	33	15	25	20	5	23	13	10
65-74	55	41	14	32	25	7	23	16	7
75-84	84	67	17	40	34	6	44	33	11
85 AND OVER	87	67	20	27	22	5	60	45	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	33,701
WHITE	23,440
NONWHITE	10,261

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	531	329	202	8.8	9.8	7.5
HEART DISEASES	149	91	58	246.3	270.6	215.9
MALIGNANT NEOPLASMS	123	70	53	203.3	208.2	197.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	31	6	61.2	92.2	22.3
CEREBROVASCULAR DISEASE	28	15	13	46.3	44.6	48.4
ALZHEIMERS DISEASE	22	16	6	36.4	47.6	22.3
ACCIDENTS	20	11	9	33.1	32.7	33.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	13	7	6	21.5	20.8	22.3
SUICIDE	13	12	1	21.5	35.7	3.7
SEPTICEMIA	8	3	5	13.2	8.9	18.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	13.2	11.9	14.9
INFLUENZA AND PNEUMONIA	8	6	2	13.2	17.8	7.4
PARKINSONS DISEASE	6	5	1	9.9	14.9	3.7
CONDITIONS ORIG IN PERINATAL PERIOD	6	1	5	6.6	2.2	10.9
HIV DISEASE	4	0	4	6.6	0.0	14.9
DIABETES MELLITUS	4	1	3	6.6	3.0	11.2
AORTIC ANEURYSM AND DISSECTION	4	3	1	6.6	8.9	3.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	3.3	3.0	3.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	3.3	3.0	3.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	3.3	0.0	7.4
HOMICIDE	2	1	1	3.3	3.0	3.7
VIRAL HEPATITIS	1	1	0	1.6	3.0	0.0
ANEMIAS	1	0	1	1.6	0.0	3.7
PEPTIC ULCER	1	1	0	1.6	3.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.6	3.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.6	3.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	9.9	11.9	7.4
ALL OTHER CAUSES	59	42	17	97.5	124.9	63.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	531	329	202	249	159	90	282	170	112
UNDER 1 (NEONATAL)	11	2	9	6	1	5	5	1	4
(POSTNEONATAL)	7	1	6	5	1	4	2	0	2
	4	1	3	1	0	1	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	2	2	3	2	1	1	0	1
15-24	14	7	7	11	6	5	3	1	2
25-34	3	1	2	3	1	2	0	0	0
35-44	22	13	9	9	7	2	13	6	7
45-54	46	18	28	27	10	17	19	8	11
55-64	61	34	27	37	21	16	24	13	11
65-74	82	50	32	48	32	16	34	18	16
75-84	140	99	41	65	47	18	75	52	23
85 AND OVER	148	103	45	40	32	8	108	71	37
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	60,487
WHITE	33,624
NONWHITE	26,863

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	984	635	349	12.0	12.9	10.7
MALIGNANT NEOPLASMS	313	196	117	381.8	397.8	357.7
HEART DISEASES	222	149	73	270.8	302.4	223.2
CEREBROVASCULAR DISEASE	48	30	18	58.6	60.9	55.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	35	28	7	42.7	56.8	21.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	29	11	18	35.4	22.3	55.0
ALZHEIMERS DISEASE	28	26	2	34.2	52.8	6.1
ACCIDENTS	28	11	17	34.2	22.3	52.0
INFLUENZA AND PNEUMONIA	19	17	2	23.2	34.5	6.1
DIABETES MELLITUS	16	5	11	19.5	10.1	33.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	12	4	19.5	24.4	12.2
HIV DISEASE	13	1	12	15.8	2.0	36.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	6	7	15.8	12.2	21.4
HOMICIDE	13	5	8	15.8	10.1	24.4
PARKINSONS DISEASE	12	11	1	14.6	22.3	3.0
SUICIDE	10	9	1	12.2	18.3	3.0
SEPTICEMIA	7	6	1	8.5	12.2	3.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	5	3	2	6.1	6.1	6.1
NEOPLASMS	4	4	0	4.9	8.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	3.7	6.1	0.0
PEPTIC ULCER	3	0	3	3.7	0.0	9.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	2.4	1.5	3.5
ATHEROSCLEROSIS	2	1	1	2.4	2.0	3.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	2.4	4.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	2.4	2.0	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.4	2.0	3.0
DISEASES OF APPENDIX	1	0	1	1.2	0.0	3.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	7	5	14.6	14.2	15.3
ALL OTHER CAUSES	123	89	34	150.0	180.6	104.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	984	635	349	482	294	188	502	341	161
UNDER 1	8	3	5	5	1	4	3	2	1
(NEONATAL)	4	0	4	4	0	4	0	0	0
(POSTNEONATAL)	4	3	1	1	1	0	3	2	1
1-4	4	1	3	3	1	2	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	16	6	10	13	6	7	3	0	3
25-34	14	5	9	9	4	5	5	1	4
35-44	29	7	22	19	4	15	10	3	7
45-54	85	42	43	53	26	27	32	16	16
55-64	114	57	57	83	42	41	31	15	16
65-74	159	94	65	88	52	36	71	42	29
75-84	269	194	75	116	87	29	153	107	46
85 AND OVER	285	226	59	93	71	22	192	155	37
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	81,973
WHITE	49,265
NONWHITE	32,708

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	324	233	91	12.7	13.7	10.7
HEART DISEASES	80	60	20	314.5	353.8	235.8
MALIGNANT NEOPLASMS	57	37	20	224.0	218.2	235.8
CEREBROVASCULAR DISEASE	31	24	7	121.8	141.5	82.5
ACCIDENTS	16	11	5	62.9	64.9	59.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	55.0	82.6	0.0
ALZHEIMERS DISEASE	11	10	1	43.2	59.0	11.8
SEPTICEMIA	10	5	5	39.3	29.5	59.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	6	4	39.3	35.4	47.2
DIABETES MELLITUS	9	4	5	35.4	23.6	59.0
INFLUENZA AND PNEUMONIA	8	7	1	31.4	41.3	11.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	5	0	19.6	29.5	0.0
HOMICIDE	4	2	2	15.7	11.8	23.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	7.9	5.9	11.8
ATHEROSCLEROSIS	2	2	0	7.9	11.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.9	11.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.7	4.0	5.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	7.9	11.8	0.0
SUICIDE	2	2	0	7.9	11.8	0.0
VIRAL HEPATITIS	1	1	0	3.9	5.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	5	4	35.4	29.5	47.2
ALL OTHER CAUSES	46	31	15	180.8	182.8	176.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	324	233	91	156	114	42	168	119	49
UNDER 1	4	2	2	1	0	1	3	2	1
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	5	6	9	5	4	2	0	2
25-34	8	6	2	4	3	1	4	3	1
35-44	13	10	3	5	4	1	8	6	2
45-54	26	13	13	15	6	9	11	7	4
55-64	38	27	11	23	19	4	15	8	7
65-74	49	37	12	25	21	4	24	16	8
75-84	101	78	23	52	41	11	49	37	12
85 AND OVER	72	55	17	21	15	6	51	40	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	25,440
WHITE	16,959
NONWHITE	8,481

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	357	210	147	10.0	12.0	8.1
HEART DISEASES	96	58	38	270.4	332.8	210.3
MALIGNANT NEOPLASMS	92	54	38	259.2	309.8	210.3
ACCIDENTS	33	23	10	93.0	132.0	55.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	19	4	64.8	109.0	22.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	7	6	36.6	40.2	33.2
DIABETES MELLITUS	10	6	4	28.2	34.4	22.1
CEREBROVASCULAR DISEASE	10	5	5	28.2	28.7	27.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	2	7	25.4	11.5	38.7
SEPTICEMIA	4	3	1	11.3	17.2	5.5
ALZHEIMERS DISEASE	4	3	1	11.3	17.2	5.5
HIV DISEASE	3	1	2	8.4	5.7	11.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	8.4	5.7	11.1
INFLUENZA AND PNEUMONIA	3	2	1	8.4	11.5	5.5
SUICIDE	3	1	2	8.4	5.7	11.1
PARKINSONS DISEASE	2	2	0	5.6	11.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.6	5.7	5.5
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	5.6	5.7	5.5
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	5.6	0.0	11.1
ANEMIAS	1	0	1	2.8	0.0	5.5
MENINGITIS	1	1	0	2.8	5.7	0.0
PEPTIC ULCER	1	0	1	2.8	0.0	5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.8	0.0	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.0	4.0	0.0
HOMICIDE	1	0	1	2.8	0.0	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.6	5.7	5.5
ALL OTHER CAUSES	35	18	17	98.6	103.3	94.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	357	210	147	192	117	75	165	93	72
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	0	0	0	2	2	0
15-24	7	2	5	5	2	3	2	0	2
25-34	8	4	4	5	3	2	3	1	2
35-44	17	6	11	9	5	4	8	1	7
45-54	46	23	23	30	16	14	16	7	9
55-64	57	28	29	35	18	17	22	10	12
65-74	72	51	21	43	32	11	29	19	10
75-84	89	60	29	42	29	13	47	31	16
85 AND OVER	56	33	23	21	11	10	35	22	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	35,498
WHITE	17,430
NONWHITE	18,068

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	420	321	99	11.1	12.4	8.3
HEART DISEASES	137	109	28	361.0	419.6	233.9
MALIGNANT NEOPLASMS	91	71	20	239.8	273.3	167.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	29	27	2	76.4	103.9	16.7
ACCIDENTS	26	18	8	68.5	69.3	66.8
CEREBROVASCULAR DISEASE	21	14	7	55.3	53.9	58.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	11	4	39.5	42.3	33.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	6	7	34.2	23.1	58.5
SEPTICEMIA	8	4	4	21.1	15.4	33.4
INFLUENZA AND PNEUMONIA	8	7	1	21.1	26.9	8.4
ALZHEIMERS DISEASE	7	7	0	18.4	26.9	0.0
DIABETES MELLITUS	4	1	3	10.5	3.8	25.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	10.5	15.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.5	11.6	8.4
SUICIDE	3	2	1	7.9	7.7	8.4
ANEMIAS	2	1	1	5.3	3.8	8.4
PARKINSONS DISEASE	2	2	0	5.3	7.7	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.3	7.7	0.0
TUBERCULOSIS	1	1	0	2.6	3.8	0.0
VIRAL HEPATITIS	1	0	1	2.6	0.0	8.4
HIV DISEASE	1	0	1	2.6	0.0	8.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.6	3.8	0.0
INFECTIONS OF KIDNEY	1	0	1	2.6	0.0	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.9	3.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.6	3.8	0.0
HOMICIDE	1	0	1	2.6	0.0	8.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.6	3.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	10.5	11.6	8.4
ALL OTHER CAUSES	31	24	7	81.7	92.4	58.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	420	321	99	206	151	55	214	170	44
UNDER 1	3	3	0	1	1	0	2	2	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	8	5	3	3	2	1	5	3	2
25-34	6	4	2	4	3	1	2	1	1
35-44	13	7	6	8	5	3	5	2	3
45-54	34	23	11	19	11	8	15	12	3
55-64	50	30	20	34	16	18	16	14	2
65-74	77	59	18	42	33	9	35	26	9
75-84	112	94	18	61	53	8	51	41	10
85 AND OVER	115	95	20	33	26	7	82	69	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	37,947
WHITE	25,975
NONWHITE	11,972

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	129	71	58	11.0	11.3	10.7
HEART DISEASES	42	20	22	358.3	318.5	404.3
MALIGNANT NEOPLASMS	22	10	12	187.7	159.2	220.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	8	3	93.8	127.4	55.1
ACCIDENTS	10	6	4	85.3	95.5	73.5
CEREBROVASCULAR DISEASE	7	3	4	59.7	47.8	73.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	34.1	47.8	18.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	25.6	15.9	36.8
INFLUENZA AND PNEUMONIA	3	2	1	25.6	31.8	18.4
SEPTICEMIA	2	1	1	17.1	15.9	18.4
DIABETES MELLITUS	2	0	2	17.1	0.0	36.8
ALZHEIMERS DISEASE	2	1	1	17.1	15.9	18.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	2	2	0	17.1	31.8	0.0
NEOPLASMS	1	1	0	8.5	15.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	8.5	0.0	18.4
PARKINSONS DISEASE	1	0	1	8.5	0.0	18.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.5	15.9	0.0
SUICIDE	1	1	0	8.5	15.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	25.6	47.8	0.0
ALL OTHER CAUSES	11	8	3	93.8	127.4	55.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	129	71	58	52	28	24	77	43	34
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	5	2	3	4	2	2	1	0	1
45-54	9	1	8	6	1	5	3	0	3
55-64	23	7	16	13	4	9	10	3	7
65-74	21	12	9	9	6	3	12	6	6
75-84	22	14	8	8	5	3	14	9	5
85 AND OVER	45	32	13	9	7	2	36	25	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	11,721
WHITE	6,280
NONWHITE	5,441

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	300	221	79	10.2	11.7	7.4
HEART DISEASES	97	79	18	328.7	418.5	169.3
MALIGNANT NEOPLASMS	56	42	14	189.8	222.5	131.7
CEREBROVASCULAR DISEASE	20	11	9	67.8	58.3	84.6
INFLUENZA AND PNEUMONIA	17	14	3	57.6	74.2	28.2
ACCIDENTS	17	14	3	57.6	74.2	28.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	8	3	37.3	42.4	28.2
DIABETES MELLITUS	10	5	5	33.9	26.5	47.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	9	1	33.9	47.7	9.4
ALZHEIMERS DISEASE	7	7	0	23.7	37.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	3	4	23.7	15.9	37.6
SEPTICEMIA	6	5	1	20.3	26.5	9.4
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	9.6	4.2	14.1
ANEMIAS	2	1	1	6.8	5.3	9.4
HIV DISEASE	1	0	1	3.4	0.0	9.4
PARKINSONS DISEASE	1	1	0	3.4	5.3	0.0
ATHEROSCLEROSIS	1	0	1	3.4	0.0	9.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.4	5.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.4	5.3	0.0
PEPTIC ULCER	1	1	0	3.4	5.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	16.9	26.5	0.0
ALL OTHER CAUSES	24	13	11	81.3	68.9	103.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	300	221	79	160	112	48	140	109	31
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	5	1	4	3	0	3	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	5	4	1	4	3	1	1	1	0
35-44	14	7	7	9	4	5	5	3	2
45-54	31	16	15	17	9	8	14	7	7
55-64	42	25	17	24	14	10	18	11	7
65-74	41	30	11	28	21	7	13	9	4
75-84	94	79	15	53	44	9	41	35	6
85 AND OVER	63	56	7	20	15	5	43	41	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	29,511
WHITE	18,878
NONWHITE	10,633

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	224	152	72	10.1	10.5	9.3
HEART DISEASES	75	59	16	338.4	409.0	206.7
MALIGNANT NEOPLASMS	46	32	14	207.5	221.8	180.8
CEREBROVASCULAR DISEASE	16	10	6	72.2	69.3	77.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4	54.1	55.5	51.7
ACCIDENTS	10	3	7	45.1	20.8	90.4
INFLUENZA AND PNEUMONIA	9	7	2	40.6	48.5	25.8
DIABETES MELLITUS	5	4	1	22.6	27.7	12.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	3	2	22.6	20.8	25.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	22.6	20.8	25.8
HOMICIDE	4	2	2	18.0	13.9	25.8
SEPTICEMIA	3	1	2	13.5	6.9	25.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.0	13.9	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	9.0	0.0	25.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.0	6.9	12.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	9.0	6.9	12.9
SUICIDE	2	2	0	9.0	13.9	0.0
ANEMIAS	1	0	1	4.5	0.0	12.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.5	0.0	12.9
ALZHEIMERS DISEASE	1	1	0	4.5	6.9	0.0
ATHEROSCLEROSIS	1	0	1	4.5	0.0	12.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.5	6.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.9	0.0	6.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	18.0	13.9	25.8
ALL OTHER CAUSES	14	10	4	63.2	69.3	51.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	224	152	72	105	75	30	119	77	42
UNDER 1	5	2	3	4	2	2	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	5	4	1	5	4	1	0	0	0
45-54	18	8	10	7	3	4	11	5	6
55-64	24	15	9	12	7	5	12	8	4
65-74	51	32	19	25	19	6	26	13	13
75-84	62	45	17	31	25	6	31	20	11
85 AND OVER	52	43	9	14	12	2	38	31	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 22,165
 WHITE 14,424
 NONWHITE 7,741

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	112	36	76	9.1	9.9	8.8
HEART DISEASES	44	13	31	358.2	358.5	358.1
MALIGNANT NEOPLASMS	18	8	10	146.5	220.6	115.5
CEREBROVASCULAR DISEASE	6	0	6	48.8	0.0	69.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	48.8	82.7	34.6
ACCIDENTS	6	2	4	48.8	55.2	46.2
SEPTICEMIA	4	3	1	32.6	82.7	11.6
HOMICIDE	4	1	3	32.6	27.6	34.6
INFLUENZA AND PNEUMONIA	3	2	1	24.4	55.2	11.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	24.4	0.0	34.6
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	15.2	0.0	18.9
DIABETES MELLITUS	2	0	2	16.3	0.0	23.1
SUICIDE	2	1	1	16.3	27.6	11.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.1	0.0	11.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.1	27.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.1	0.0	11.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.1	0.0	11.6
ALL OTHER CAUSES	7	2	5	57.0	55.2	57.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	112	36	76	51	18	33	61	18	43
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	3	1	2	1	1	0	2	0	2
45-54	12	4	8	7	4	3	5	0	5
55-64	12	0	12	8	0	8	4	0	4
65-74	23	6	17	11	4	7	12	2	10
75-84	29	12	17	13	6	7	16	6	10
85 AND OVER	24	12	12	6	2	4	18	10	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	12,283
WHITE	3,626
NONWHITE	8,657

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	276	165	111	6.7	6.7	6.6
HEART DISEASES	87	52	35	210.6	212.5	207.8
MALIGNANT NEOPLASMS	57	31	26	138.0	126.7	154.4
ACCIDENTS	14	7	7	33.9	28.6	41.6
CEREBROVASCULAR DISEASE	12	11	1	29.0	45.0	5.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	7	5	29.0	28.6	29.7
ALZHEIMERS DISEASE	10	4	6	24.2	16.3	35.6
DIABETES MELLITUS	8	3	5	19.4	12.3	29.7
INFLUENZA AND PNEUMONIA	8	7	1	19.4	28.6	5.9
SEPTICEMIA	6	5	1	14.5	20.4	5.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	14.5	16.3	11.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	9.7	4.1	17.8
PARKINSONS DISEASE	3	3	0	7.3	12.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	7.3	8.2	5.9
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.8	8.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.8	4.1	5.9
SUICIDE	2	1	1	4.8	4.1	5.9
HOMICIDE	2	0	2	4.8	0.0	11.9
HIV DISEASE	1	0	1	2.4	0.0	5.9
MALNUTRITION/NUTRITIONAL DEFICIENCY CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.4	0.0	5.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.4	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.4	0.0	5.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.3	8.2	5.9
ALL OTHER CAUSES	30	21	9	72.6	85.8	53.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	276	165	111	128	72	56	148	93	55
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	5	2	3	2	1	1	3	1	2
25-34	6	1	5	3	1	2	3	0	3
35-44	8	3	5	4	2	2	4	1	3
45-54	29	15	14	16	8	8	13	7	6
55-64	33	13	20	22	10	12	11	3	8
65-74	52	34	18	32	21	11	20	13	7
75-84	68	46	22	30	20	10	38	26	12
85 AND OVER	69	49	20	17	9	8	52	40	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	41,309
WHITE	24,467
NONWHITE	16,842

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	325	199	126	9.2	11.0	7.3
HEART DISEASES	100	64	36	282.7	352.5	209.1
MALIGNANT NEOPLASMS	65	41	24	183.8	225.8	139.4
ACCIDENTS	27	16	11	76.3	88.1	63.9
CEREBROVASCULAR DISEASE	20	8	12	56.5	44.1	69.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	36.8	60.6	11.6
DIABETES MELLITUS	10	6	4	28.3	33.0	23.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	22.6	38.6	5.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	19.8	16.5	23.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	14.1	16.5	11.6
INFLUENZA AND PNEUMONIA	5	3	2	14.1	16.5	11.6
ALZHEIMERS DISEASE	4	1	3	11.3	5.5	17.4
HOMICIDE	4	1	3	11.3	5.5	17.4
HIV DISEASE	3	2	1	8.5	11.0	5.8
SUICIDE	3	3	0	8.5	16.5	0.0
SEPTICEMIA	2	0	2	5.6	0.0	11.6
PEPTIC ULCER	2	1	1	5.6	5.5	5.8
CHOLELITHIASIS/GALLBLADDER DISORDER IN SITU, BENIGN & UNSPECIFIED	2	1	1	5.6	5.5	5.8
NEOPLASMS	1	1	0	2.8	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.8	5.5	0.0
MATERNAL CAUSES	1	0	1	173.0	0.0	285.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.7	0.0	2.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.8	0.0	5.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.8	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	19.8	22.0	17.4
ALL OTHER CAUSES	32	21	11	90.5	115.7	63.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	325	199	126	166	100	66	159	99	60
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	3	2	1	3	2	1	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	2	3	2	2	0	3	0	3
25-34	15	8	7	10	3	7	5	5	0
35-44	16	9	7	11	8	3	5	1	4
45-54	34	19	15	22	13	9	12	6	6
55-64	47	24	23	28	13	15	19	11	8
65-74	46	28	18	27	16	11	19	12	7
75-84	80	57	23	38	26	12	42	31	11
85 AND OVER	72	49	23	22	17	5	50	32	18
UNKNOWN	1	0	1	0	0	0	1	0	1

2004 POPULATION:

TOTAL	35,373
WHITE	18,156
NONWHITE	17,217

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	493	433	60	9.5	9.7	8.1
MALIGNANT NEOPLASMS	127	111	16	245.0	249.7	216.6
HEART DISEASES	121	111	10	233.4	249.7	135.4
ACCIDENTS	34	31	3	65.6	69.7	40.6
CEREBROVASCULAR DISEASE	31	25	6	59.8	56.2	81.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	38.6	42.7	13.5
DIABETES MELLITUS	16	12	4	30.9	27.0	54.2
ALZHEIMERS DISEASE	15	15	0	28.9	33.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	10	4	27.0	22.5	54.2
SEPTICEMIA	8	5	3	15.4	11.2	40.6
INFLUENZA AND PNEUMONIA	8	8	0	15.4	18.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	13.5	13.5	13.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1	9.6	9.0	13.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	9.6	9.0	13.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	7.7	6.7	13.5
VIRAL HEPATITIS	3	2	1	5.8	4.5	13.5
HIV DISEASE	3	1	2	5.8	2.2	27.1
PARKINSONS DISEASE	3	3	0	5.8	6.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	4.5	5.3	0.0
SUICIDE	3	3	0	5.8	6.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	3.8	4.5	0.0
PEPTIC ULCER	2	2	0	3.8	4.5	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	3.8	2.2	13.5
ANEMIAS	1	1	0	1.9	2.2	0.0
ATHEROSCLEROSIS	1	1	0	1.9	2.2	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.9	2.2	0.0
HERNIA	1	1	0	1.9	2.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.9	2.2	0.0
HOMICIDE	1	1	0	1.9	2.2	0.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	9	8	1	17.4	18.0	13.5
ALL OTHER CAUSES	42	38	4	81.0	85.5	54.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	493	433	60	256	230	26	237	203	34
UNDER 1 (NEONATAL)	3	3	0	1	1	0	2	2	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	2	2	0	2	0	2
25-34	12	11	1	6	6	0	6	5	1
35-44	25	20	5	14	12	2	11	8	3
45-54	50	39	11	35	30	5	15	9	6
55-64	72	63	9	46	39	7	26	24	2
65-74	97	87	10	56	52	4	41	35	6
75-84	133	118	15	64	56	8	69	62	7
85 AND OVER	94	87	7	29	29	0	65	58	7
UNKNOWN	1	1	0	1	1	0	0	0	0

2004 POPULATION:

TOTAL	51,835
WHITE	44,450
NONWHITE	7,385

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	110	87	23	9.0	9.3	7.9
HEART DISEASES	26	22	4	212.5	236.0	137.3
MALIGNANT NEOPLASMS	25	19	6	204.3	203.8	205.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	73.6	75.1	68.6
ACCIDENTS	9	8	1	73.6	85.8	34.3
CEREBROVASCULAR DISEASE	5	4	1	40.9	42.9	34.3
DIABETES MELLITUS	4	1	3	32.7	10.7	103.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	32.7	21.4	68.6
INFLUENZA AND PNEUMONIA	2	2	0	16.3	21.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	16.3	21.4	0.0
SUICIDE	2	2	0	16.3	21.4	0.0
HOMICIDE	2	2	0	16.3	21.4	0.0
SEPTICEMIA	1	1	0	8.2	10.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	8.2	10.7	0.0
PARKINSONS DISEASE	1	1	0	8.2	10.7	0.0
ALZHEIMERS DISEASE	1	1	0	8.2	10.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.9	0.0	31.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.3	21.4	0.0
ALL OTHER CAUSES	13	10	3	106.2	107.3	103.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	110	87	23	65	49	16	45	38	7
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	3	3	0	2	2	0
25-34	4	4	0	4	4	0	0	0	0
35-44	5	3	2	2	1	1	3	2	1
45-54	10	7	3	5	4	1	5	3	2
55-64	18	14	4	12	9	3	6	5	1
65-74	23	19	4	14	11	3	9	8	1
75-84	26	19	7	17	12	5	9	7	2
85 AND OVER	17	15	2	6	4	2	11	11	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 12,236
 WHITE 9,322
 NONWHITE 2,914

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	445	251	194	11.3	12.8	9.9
HEART DISEASES	140	89	51	356.6	453.1	260.0
MALIGNANT NEOPLASMS	82	51	31	208.9	259.6	158.0
DIABETES MELLITUS	37	10	27	94.2	50.9	137.6
ACCIDENTS	28	13	15	71.3	66.2	76.5
CEREBROVASCULAR DISEASE	25	19	6	63.7	96.7	30.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	14	2	40.8	71.3	10.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	16	4	12	40.8	20.4	61.2
SEPTICEMIA	8	2	6	20.4	10.2	30.6
INFLUENZA AND PNEUMONIA	8	5	3	20.4	25.4	15.3
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	7	3	4	17.8	15.3	20.4
NEOPLASMS	5	3	2	12.7	15.3	10.2
SUICIDE	5	5	0	12.7	25.4	0.0
HOMICIDE	5	0	5	12.7	0.0	25.5
ALZHEIMERS DISEASE	4	4	0	10.2	20.4	0.0
PARKINSONS DISEASE	3	3	0	7.6	15.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	7.6	5.1	10.2
HIV DISEASE	2	0	2	5.1	0.0	10.2
ANEMIAS	2	1	1	5.1	5.1	5.1
AORTIC ANEURYSM AND DISSECTION	2	0	2	5.1	0.0	10.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.1	5.1	5.1
MENINGOCOCCAL INFECTION	1	1	0	2.5	5.1	0.0
VIRAL HEPATITIS	1	1	0	2.5	5.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.5	5.1	0.0
MENINGITIS	1	0	1	2.5	0.0	5.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.5	0.0	5.1
PEPTIC ULCER	1	0	1	2.5	0.0	5.1
DISEASES OF APPENDIX	1	1	0	2.5	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.6	10.2	5.1
ALL OTHER CAUSES	35	17	18	89.1	86.5	91.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	445	251	194	207	116	91	238	135	103
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	14	6	8	11	5	6	3	1	2
25-34	8	3	5	4	1	3	4	2	2
35-44	18	5	13	8	2	6	10	3	7
45-54	31	14	17	19	11	8	12	3	9
55-64	65	30	35	37	18	19	28	12	16
65-74	85	47	38	40	24	16	45	23	22
75-84	114	70	44	58	38	20	56	32	24
85 AND OVER	106	74	32	28	16	12	78	58	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	39,260
WHITE	19,642
NONWHITE	19,618

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	228	207	21	8.1	8.7	4.8
HEART DISEASES	67	62	5	238.4	260.8	115.6
MALIGNANT NEOPLASMS	52	45	7	185.1	189.3	161.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1	64.0	71.5	23.1
CEREBROVASCULAR DISEASE	17	13	4	60.5	54.7	92.4
ACCIDENTS	13	12	1	46.3	50.5	23.1
DIABETES MELLITUS	6	4	2	21.4	16.8	46.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	21.4	25.2	0.0
INFLUENZA AND PNEUMONIA	5	5	0	17.8	21.0	0.0
ALZHEIMERS DISEASE	4	4	0	14.2	16.8	0.0
SEPTICEMIA	3	3	0	10.7	12.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.7	12.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	10.7	8.4	23.1
SUICIDE	3	3	0	10.7	12.6	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.1	8.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.1	8.4	0.0
VIRAL HEPATITIS	1	1	0	3.6	4.2	0.0
PARKINSONS DISEASE	1	1	0	3.6	4.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.6	4.2	0.0
ALL OTHER CAUSES	21	21	0	74.7	88.3	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	228	207	21	107	101	6	121	106	15
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	5	5	0	2	2	0	3	3	0
35-44	14	10	4	8	7	1	6	3	3
45-54	15	14	1	12	12	0	3	2	1
55-64	34	29	5	22	19	3	12	10	2
65-74	45	43	2	22	22	0	23	21	2
75-84	57	51	6	25	23	2	32	28	4
85 AND OVER	53	51	2	14	14	0	39	37	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	28,099
WHITE	23,772
NONWHITE	4,327

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	260	233	27	10.1	10.6	7.2
HEART DISEASES	76	69	7	295.2	313.4	187.8
MALIGNANT NEOPLASMS	52	48	4	202.0	218.0	107.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	21	0	81.6	95.4	0.0
CEREBROVASCULAR DISEASE	19	16	3	73.8	72.7	80.5
ACCIDENTS	18	16	2	69.9	72.7	53.7
ALZHEIMERS DISEASE	8	7	1	31.1	31.8	26.8
INFLUENZA AND PNEUMONIA	6	4	2	23.3	18.2	53.7
DIABETES MELLITUS	5	5	0	19.4	22.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	15.5	18.2	0.0
SEPTICEMIA	3	2	1	11.6	9.1	26.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	11.6	4.5	53.7
SUICIDE	3	3	0	11.6	13.6	0.0
HIV DISEASE	2	2	0	7.8	9.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	7.8	9.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.9	4.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.0	0.0	17.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.5	13.6	26.8
ALL OTHER CAUSES	32	29	3	124.3	131.7	80.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	260	233	27	137	122	15	123	111	12
UNDER 1	4	2	2	1	0	1	3	2	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	3	2	1	0	0	0	3	2	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	6	5	1	6	5	1	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	14	10	4	9	8	1	5	2	3
55-64	43	39	4	28	25	3	15	14	1
65-74	50	45	5	31	27	4	19	18	1
75-84	72	67	5	39	36	3	33	31	2
85 AND OVER	64	59	5	19	18	1	45	41	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	25,745
WHITE	22,018
NONWHITE	3,727

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	120	50	70	12.4	17.1	10.3
HEART DISEASES	42	15	27	432.3	514.0	397.2
MALIGNANT NEOPLASMS	17	6	11	175.0	205.6	161.8
ACCIDENTS	12	7	5	123.5	239.9	73.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	2	5	72.0	68.5	73.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	51.5	137.1	14.7
CEREBROVASCULAR DISEASE	4	1	3	41.2	34.3	44.1
INFLUENZA AND PNEUMONIA	3	2	1	30.9	68.5	14.7
AORTIC ANEURYSM AND DISSECTION	2	2	0	20.6	68.5	0.0
HOMICIDE	2	0	2	20.6	0.0	29.4
SEPTICEMIA	1	0	1	10.3	0.0	14.7
HIV DISEASE	1	0	1	10.3	0.0	14.7
DIABETES MELLITUS	1	1	0	10.3	34.3	0.0
ALZHEIMERS DISEASE	1	0	1	10.3	0.0	14.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	10.3	34.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	10.3	0.0	14.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.3	0.0	14.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.4	0.0	8.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.3	0.0	14.7
SUICIDE	1	1	0	10.3	34.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.3	0.0	14.7
ALL OTHER CAUSES	15	8	7	154.4	274.2	103.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	120	50	70	63	26	37	57	24	33
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	7	1	6	4	1	3	3	0	3
35-44	7	1	6	3	0	3	4	1	3
45-54	16	3	13	11	2	9	5	1	4
55-64	15	5	10	11	5	6	4	0	4
65-74	21	14	7	12	8	4	9	6	3
75-84	23	14	9	12	6	6	11	8	3
85 AND OVER	26	11	15	9	4	5	17	7	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	9,715
WHITE	2,918
NONWHITE	6,797

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	829	710	119	6.4	6.9	4.6
HEART DISEASES	311	275	36	242.2	267.6	140.6
MALIGNANT NEOPLASMS	146	127	19	113.7	123.6	74.2
ACCIDENTS	63	54	9	49.1	52.5	35.2
CEREBROVASCULAR DISEASE	41	34	7	31.9	33.1	27.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	41	40	1	31.9	38.9	3.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	21	16	5	16.4	15.6	19.5
SUICIDE	18	16	2	14.0	15.6	7.8
INFLUENZA AND PNEUMONIA	17	13	4	13.2	12.6	15.6
SEPTICEMIA	12	6	6	9.3	5.8	23.4
DIABETES MELLITUS	11	11	0	8.6	10.7	0.0
ALZHEIMERS DISEASE	7	7	0	5.4	6.8	0.0
AORTIC ANEURYSM AND DISSECTION	7	7	0	5.4	6.8	0.0
HOMICIDE	7	5	2	5.4	4.9	7.8
HIV DISEASE	6	0	6	4.7	0.0	23.4
CONDITIONS ORIG IN PERINATAL PERIOD	6	6	0	3.2	3.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	1	4	3.9	1.0	15.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	3.9	2.9	7.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	3.1	2.9	3.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	1.6	1.9	0.0
PEPTIC ULCER	2	2	0	1.6	1.9	0.0
VIRAL HEPATITIS	1	1	0	0.8	1.0	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	0.8	1.0	0.0
ANEMIAS	1	1	0	0.8	1.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.8	1.0	0.0
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	1	1	0	0.8	1.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.8	1.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.8	1.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	13	1	10.9	12.6	3.9
ALL OTHER CAUSES	76	62	14	59.2	60.3	54.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	829	710	119	435	363	72	394	347	47
UNDER 1	17	14	3	13	10	3	4	4	0
(NEONATAL)	8	7	1	7	6	1	1	1	0
(POSTNEONATAL)	9	7	2	6	4	2	3	3	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	2	0	1	1	0	1	1	0
15-24	16	14	2	8	7	1	8	7	1
25-34	30	23	7	25	19	6	5	4	1
35-44	45	32	13	28	19	9	17	13	4
45-54	80	65	15	56	46	10	24	19	5
55-64	106	91	15	64	55	9	42	36	6
65-74	175	151	24	99	85	14	76	66	10
75-84	192	173	19	97	86	11	95	87	8
85 AND OVER	164	143	21	44	35	9	120	108	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	128,380
WHITE	102,784
NONWHITE	25,596

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	264	177	87	9.2	10.3	7.6
HEART DISEASES	88	62	26	307.1	360.9	226.5
MALIGNANT NEOPLASMS	56	38	18	195.4	221.2	156.8
ACCIDENTS	20	16	4	69.8	93.1	34.8
CEREBROVASCULAR DISEASE	12	8	4	41.9	46.6	34.8
DIABETES MELLITUS	8	3	5	27.9	17.5	43.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	27.9	40.8	8.7
INFLUENZA AND PNEUMONIA	7	4	3	24.4	23.3	26.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	24.4	23.3	26.1
SEPTICEMIA	5	3	2	17.4	17.5	17.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	14.0	0.0	34.8
SUICIDE	3	3	0	10.5	17.5	0.0
HOMICIDE	3	1	2	10.5	5.8	17.4
ALZHEIMERS DISEASE	2	2	0	7.0	11.6	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.0	11.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	0	2	4.1	0.0	10.8
NEOPLASMS	1	1	0	3.5	5.8	0.0
ANEMIAS	1	0	1	3.5	0.0	8.7
PARKINSONS DISEASE	1	1	0	3.5	5.8	0.0
ATHEROSCLEROSIS	1	1	0	3.5	5.8	0.0
PEPTIC ULCER	1	1	0	3.5	5.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	17.4	17.5	17.4
ALL OTHER CAUSES	27	17	10	94.2	99.0	87.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	264	177	87	141	95	46	123	82	41
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	7	5	2	1	1	0
25-34	6	2	4	5	1	4	1	1	0
35-44	16	8	8	9	5	4	7	3	4
45-54	19	13	6	16	12	4	3	1	2
55-64	36	25	11	24	15	9	12	10	2
65-74	52	29	23	30	19	11	22	10	12
75-84	67	52	15	28	24	4	39	28	11
85 AND OVER	55	40	15	19	12	7	36	28	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	28,656
WHITE	17,178
NONWHITE	11,478

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	58	22	36	9.5	12.2	8.4
HEART DISEASES	21	6	15	345.2	332.8	350.5
MALIGNANT NEOPLASMS	9	4	5	148.0	221.8	116.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	82.2	221.8	23.4
ACCIDENTS	5	1	4	82.2	55.5	93.4
ALZHEIMERS DISEASE	4	4	0	65.8	221.8	0.0
SEPTICEMIA	2	0	2	32.9	0.0	46.7
DIABETES MELLITUS	2	0	2	32.9	0.0	46.7
CEREBROVASCULAR DISEASE IN SITU, BENIGN & UNSPECIFIED	2	1	1	32.9	55.5	23.4
NEOPLASMS	1	0	1	16.4	0.0	23.4
INFLUENZA AND PNEUMONIA	1	1	0	16.4	55.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	16.4	55.5	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	16.4	0.0	23.4
SUICIDE	1	0	1	16.4	0.0	23.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	16.4	0.0	23.4
ALL OTHER CAUSES	2	0	2	32.9	0.0	46.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	58	22	36	28	8	20	30	14	16
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	3	0	3	2	0	2	1	0	1
45-54	4	1	3	3	1	2	1	0	1
55-64	10	3	7	8	3	5	2	0	2
65-74	15	5	10	5	0	5	10	5	5
75-84	14	7	7	8	3	5	6	4	2
85 AND OVER	10	6	4	1	1	0	9	5	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	6,083
WHITE	1,803
NONWHITE	4,280

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	280	192	88	10.1	10.7	8.9
HEART DISEASES	91	62	29	327.5	346.2	293.7
MALIGNANT NEOPLASMS	46	29	17	165.6	161.9	172.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	20	3	82.8	111.7	30.4
CEREBROVASCULAR DISEASE	19	14	5	68.4	78.2	50.6
ACCIDENTS	18	11	7	64.8	61.4	70.9
INFLUENZA AND PNEUMONIA	9	8	1	32.4	44.7	10.1
SEPTICEMIA	8	4	4	28.8	22.3	40.5
SUICIDE	8	8	0	28.8	44.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	25.2	16.8	40.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	18.0	16.8	20.2
ATHEROSCLEROSIS	5	4	1	18.0	22.3	10.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	9.4	3.9	17.8
DIABETES MELLITUS	3	2	1	10.8	11.2	10.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	7.2	5.6	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.2	5.6	10.1
HIV DISEASE	1	0	1	3.6	0.0	10.1
ANEMIAS	1	1	0	3.6	5.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.6	0.0	10.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.6	5.6	0.0
HOMICIDE	1	1	0	3.6	5.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.6	0.0	10.1
ALL OTHER CAUSES	24	18	6	86.4	100.5	60.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	280	192	88	139	94	45	141	98	43
UNDER 1	6	2	4	2	1	1	4	1	3
(NEONATAL)	5	1	4	2	1	1	3	0	3
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	1	2	2	2	0
25-34	8	4	4	8	4	4	0	0	0
35-44	10	7	3	7	6	1	3	1	2
45-54	24	17	7	15	11	4	9	6	3
55-64	37	22	15	24	13	11	13	9	4
65-74	56	42	14	32	26	6	24	16	8
75-84	75	57	18	32	24	8	43	33	10
85 AND OVER	58	38	20	16	8	8	42	30	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	27,784
WHITE	17,909
NONWHITE	9,875

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	172	143	29	10.8	11.8	7.7
MALIGNANT NEOPLASMS	51	43	8	321.6	355.0	213.7
HEART DISEASES	40	31	9	252.2	255.9	240.4
ALZHEIMERS DISEASE	9	9	0	56.8	74.3	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	50.4	57.8	26.7
ACCIDENTS	8	5	3	50.4	41.3	80.2
CEREBROVASCULAR DISEASE	6	4	2	37.8	33.0	53.4
DIABETES MELLITUS	4	4	0	25.2	33.0	0.0
SUICIDE	4	4	0	25.2	33.0	0.0
ATHEROSCLEROSIS	3	2	1	18.9	16.5	26.7
SEPTICEMIA	2	2	0	12.6	16.5	0.0
PARKINSONS DISEASE	2	2	0	12.6	16.5	0.0
INFLUENZA AND PNEUMONIA	2	2	0	12.6	16.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	12.6	16.5	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	12.6	16.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	10.2	14.5	0.0
HIV DISEASE	1	1	0	6.3	8.2	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	6.3	0.0	26.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	6.3	0.0	26.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.3	8.2	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	6.3	8.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.3	8.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	18.9	24.8	0.0
ALL OTHER CAUSES	18	15	3	113.5	123.8	80.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	172	143	29	99	82	17	73	61	12
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	6	4	2	5	3	2	1	1	0
45-54	20	15	5	12	11	1	8	4	4
55-64	20	16	4	13	10	3	7	6	1
65-74	42	37	5	27	25	2	15	12	3
75-84	40	36	4	23	19	4	17	17	0
85 AND OVER	37	29	8	14	9	5	23	20	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	15,857
WHITE	12,114
NONWHITE	3,743

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	141	116	25	9.8	10.2	8.1
HEART DISEASES	45	38	7	311.5	334.1	228.0
MALIGNANT NEOPLASMS	20	17	3	138.4	149.4	97.7
CEREBROVASCULAR DISEASE	8	6	2	55.4	52.7	65.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	48.5	61.5	0.0
ACCIDENTS	7	5	2	48.5	44.0	65.1
ALZHEIMERS DISEASE	5	4	1	34.6	35.2	32.6
SEPTICEMIA	4	3	1	27.7	26.4	32.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	20.8	26.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	14.6	6.4	39.2
DIABETES MELLITUS	2	1	1	13.8	8.8	32.6
INFLUENZA AND PNEUMONIA	2	2	0	13.8	17.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	13.8	17.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	13.8	17.6	0.0
SUICIDE	2	2	0	13.8	17.6	0.0
HIV DISEASE	1	1	0	6.9	8.8	0.0
PARKINSONS DISEASE	1	1	0	6.9	8.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	6.9	8.8	0.0
HOMICIDE	1	1	0	6.9	8.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	13.8	17.6	0.0
ALL OTHER CAUSES	23	17	6	159.2	149.4	195.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	141	116	25	75	61	14	66	55	11
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	9	6	3	6	4	2	3	2	1
45-54	12	11	1	10	9	1	2	2	0
55-64	22	17	5	16	13	3	6	4	2
65-74	26	22	4	11	10	1	15	12	3
75-84	37	31	6	17	13	4	20	18	2
85 AND OVER	29	26	3	11	10	1	18	16	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 14,445
 WHITE 11,375
 NONWHITE 3,070

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	300	117	183	9.0	12.8	7.6
HEART DISEASES	97	47	50	290.5	512.6	206.4
MALIGNANT NEOPLASMS	70	26	44	209.6	283.6	181.6
ACCIDENTS	19	8	11	56.9	87.2	45.4
CEREBROVASCULAR DISEASE	16	4	12	47.9	43.6	49.5
DIABETES MELLITUS	11	3	8	32.9	32.7	33.0
HIV DISEASE	10	1	9	29.9	10.9	37.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	4	5	27.0	43.6	20.6
ALZHEIMERS DISEASE	8	3	5	24.0	32.7	20.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	2	5	21.0	21.8	20.6
INFLUENZA AND PNEUMONIA	5	2	3	15.0	21.8	12.4
SEPTICEMIA	4	0	4	12.0	0.0	16.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	8.7	14.1	7.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	9.0	21.8	4.1
PARKINSONS DISEASE	2	1	1	6.0	10.9	4.1
HOMICIDE	2	1	1	6.0	10.9	4.1
VIRAL HEPATITIS	1	1	0	3.0	10.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.0	10.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.0	0.0	4.1
PEPTIC ULCER	1	0	1	3.0	0.0	4.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.0	10.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	9.0	10.9	8.2
ALL OTHER CAUSES	25	8	17	74.9	87.2	70.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	300	117	183	161	63	98	139	54	85
UNDER 1	5	1	4	3	1	2	2	0	2
(NEONATAL)	5	1	4	3	1	2	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	1	5	4	0	4	2	1	1
25-34	7	3	4	5	2	3	2	1	1
35-44	19	6	13	13	4	9	6	2	4
45-54	34	10	24	21	8	13	13	2	11
55-64	36	12	24	21	9	12	15	3	12
65-74	56	19	37	36	13	23	20	6	14
75-84	67	31	36	32	16	16	35	15	20
85 AND OVER	69	34	35	25	10	15	44	24	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	33,392
WHITE	9,169
NONWHITE	24,223

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	139	77	62	9.8	13.8	7.1
MALIGNANT NEOPLASMS	34	22	12	238.5	394.9	138.2
HEART DISEASES	31	17	14	217.5	305.2	161.2
ACCIDENTS	14	5	9	98.2	89.8	103.6
INFLUENZA AND PNEUMONIA	7	4	3	49.1	71.8	34.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	49.1	71.8	34.5
CEREBROVASCULAR DISEASE	6	1	5	42.1	18.0	57.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	42.1	53.8	34.5
ALZHEIMERS DISEASE	5	5	0	35.1	89.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	28.1	18.0	34.5
SEPTICEMIA	3	2	1	21.0	35.9	11.5
SUICIDE	3	2	1	21.0	35.9	11.5
DIABETES MELLITUS	2	1	1	14.0	18.0	11.5
AORTIC ANEURYSM AND DISSECTION	2	2	0	14.0	35.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.0	18.0	0.0
PEPTIC ULCER	1	0	1	7.0	0.0	11.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.6	0.0	7.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.0	0.0	11.5
HOMICIDE	1	0	1	7.0	0.0	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	28.1	53.8	11.5
ALL OTHER CAUSES	6	4	2	42.1	71.8	23.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	139	77	62	80	42	38	59	35	24
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	4	0	4	3	0	3	1	0	1
35-44	8	5	3	5	2	3	3	3	0
45-54	16	5	11	11	4	7	5	1	4
55-64	18	7	11	12	6	6	6	1	5
65-74	28	16	12	15	8	7	13	8	5
75-84	39	29	10	20	13	7	19	16	3
85 AND OVER	19	13	6	10	8	2	9	5	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	14,255
WHITE	5,571
NONWHITE	8,684

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	181	49	8.8	10.1	5.9
HEART DISEASES	75	53	22	287.0	296.8	265.9
MALIGNANT NEOPLASMS	48	40	8	183.7	224.0	96.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	17	0	65.0	95.2	0.0
ACCIDENTS	15	12	3	57.4	67.2	36.3
CEREBROVASCULAR DISEASE	8	6	2	30.6	33.6	24.2
DIABETES MELLITUS	7	3	4	26.8	16.8	48.4
ALZHEIMERS DISEASE	5	5	0	19.1	28.0	0.0
SEPTICEMIA	4	2	2	15.3	11.2	24.2
INFLUENZA AND PNEUMONIA	4	4	0	15.3	22.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	15.3	16.8	12.1
PARKINSONS DISEASE	3	3	0	11.5	16.8	0.0
SUICIDE	3	3	0	11.5	16.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.8	0.0	12.1
ATHEROSCLEROSIS	1	1	0	3.8	5.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.8	5.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.8	0.0	12.1
PEPTIC ULCER	1	1	0	3.8	5.6	0.0
HERNIA	1	1	0	3.8	5.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.8	5.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.8	5.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.8	5.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	11.5	5.6	24.2
ALL OTHER CAUSES	25	22	3	95.7	123.2	36.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	181	49	110	86	24	120	95	25
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	3	1	2	2	0	2	1	1	0
35-44	13	9	4	9	6	3	4	3	1
45-54	23	14	9	10	5	5	13	9	4
55-64	44	32	12	26	18	8	18	14	4
65-74	42	39	3	27	27	0	15	12	3
75-84	50	43	7	18	16	2	32	27	5
85 AND OVER	49	39	10	15	12	3	34	27	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	26,133
WHITE	17,860
NONWHITE	8,273

COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	225	194	31	10.7	11.3	8.2
HEART DISEASES	92	80	12	438.5	465.4	316.7
MALIGNANT NEOPLASMS	38	32	6	181.1	186.2	158.4
CEREBROVASCULAR DISEASE	14	13	1	66.7	75.6	26.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	66.7	81.4	0.0
ACCIDENTS	8	8	0	38.1	46.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	28.6	29.1	26.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1	23.8	23.3	26.4
ALZHEIMERS DISEASE	4	4	0	19.1	23.3	0.0
SUICIDE	4	4	0	19.1	23.3	0.0
SEPTICEMIA	3	2	1	14.3	11.6	26.4
DIABETES MELLITUS	3	2	1	14.3	11.6	26.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	14.3	17.4	0.0
PARKINSONS DISEASE	2	2	0	9.5	11.6	0.0
INFLUENZA AND PNEUMONIA	2	2	0	9.5	11.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.5	11.6	0.0
HIV DISEASE	1	1	0	4.8	5.8	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.8	5.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.8	5.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.0	0.0	14.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.8	5.8	0.0
HOMICIDE	1	1	0	4.8	5.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	14.3	17.4	0.0
ALL OTHER CAUSES	16	9	7	76.3	52.4	184.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	225	194	31	104	92	12	121	102	19
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	2	2	0	3	3	0
25-34	5	4	1	4	4	0	1	0	1
35-44	8	6	2	4	4	0	4	2	2
45-54	9	8	1	4	3	1	5	5	0
55-64	24	18	6	15	10	5	9	8	1
65-74	42	32	10	20	16	4	22	16	6
75-84	60	56	4	30	30	0	30	26	4
85 AND OVER	69	63	6	24	23	1	45	40	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	20,979
WHITE	17,190
NONWHITE	3,789

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	252	244	8	13.2	13.4	10.2
HEART DISEASES	84	82	2	440.9	449.0	253.8
MALIGNANT NEOPLASMS	53	52	1	278.2	284.7	126.9
CEREBROVASCULAR DISEASE	16	14	2	84.0	76.6	253.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	78.7	82.1	0.0
ACCIDENTS	14	14	0	73.5	76.6	0.0
ALZHEIMERS DISEASE	6	6	0	31.5	32.8	0.0
INFLUENZA AND PNEUMONIA	6	6	0	31.5	32.8	0.0
DIABETES MELLITUS	5	5	0	26.2	27.4	0.0
SEPTICEMIA	4	4	0	21.0	21.9	0.0
SUICIDE	4	4	0	21.0	21.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	15.7	16.4	0.0
PARKINSONS DISEASE	3	3	0	15.7	16.4	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	15.7	16.4	0.0
ATHEROSCLEROSIS	2	2	0	10.5	11.0	0.0
TUBERCULOSIS	1	0	1	5.2	0.0	126.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.2	5.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.2	5.5	0.0
PEPTIC ULCER	1	1	0	5.2	5.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	5.2	5.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.4	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	26.2	21.9	126.9
ALL OTHER CAUSES	22	21	1	115.5	115.0	126.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	252	244	8	128	122	6	124	122	2
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	7	7	0	5	5	0	2	2	0
35-44	11	11	0	2	2	0	9	9	0
45-54	16	16	0	10	10	0	6	6	0
55-64	27	26	1	16	15	1	11	11	0
65-74	56	53	3	34	32	2	22	21	1
75-84	63	60	3	39	36	3	24	24	0
85 AND OVER	65	64	1	17	17	0	48	47	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	19,051
WHITE	18,263
NONWHITE	788

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	101	36	65	10.0	13.4	8.8
HEART DISEASES	28	10	18	278.2	371.7	244.0
MALIGNANT NEOPLASMS	20	8	12	198.7	297.4	162.7
ACCIDENTS	7	2	5	69.5	74.3	67.8
DIABETES MELLITUS	6	3	3	59.6	111.5	40.7
INFLUENZA AND PNEUMONIA	4	1	3	39.7	37.2	40.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	39.7	111.5	13.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	2	2	39.7	74.3	27.1
HIV DISEASE	3	0	3	29.8	0.0	40.7
CEREBROVASCULAR DISEASE	3	0	3	29.8	0.0	40.7
HOMICIDE	2	0	2	19.9	0.0	27.1
SEPTICEMIA	1	0	1	9.9	0.0	13.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	9.9	37.2	0.0
ANEMIAS	1	0	1	9.9	0.0	13.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.9	0.0	13.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.9	37.2	0.0
PEPTIC ULCER	1	1	0	9.9	37.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.9	0.0	13.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	9.9	0.0	13.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.3	0.0	6.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.9	0.0	13.6
SUICIDE	1	1	0	9.9	37.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	19.9	37.2	13.6
ALL OTHER CAUSES	7	2	5	69.5	74.3	67.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	101	36	65	56	21	35	45	15	30
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	0	4	0	0	0	4	0	4
35-44	8	0	8	3	0	3	5	0	5
45-54	10	2	8	7	2	5	3	0	3
55-64	24	13	11	17	10	7	7	3	4
65-74	14	5	9	8	2	6	6	3	3
75-84	23	10	13	12	5	7	11	5	6
85 AND OVER	14	6	8	5	2	3	9	4	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	10,066
WHITE	2,690
NONWHITE	7,376

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	243	215	28	9.2	9.7	6.6
HEART DISEASES	81	69	12	306.2	310.4	284.2
MALIGNANT NEOPLASMS	61	56	5	230.6	251.9	118.4
ACCIDENTS	16	13	3	60.5	58.5	71.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	52.9	63.0	0.0
CEREBROVASCULAR DISEASE	8	8	0	30.2	36.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	26.5	27.0	23.7
SEPTICEMIA	6	6	0	22.7	27.0	0.0
DIABETES MELLITUS	5	3	2	18.9	13.5	47.4
INFLUENZA AND PNEUMONIA	4	3	1	15.1	13.5	23.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	11.3	13.5	0.0
PARKINSONS DISEASE	2	2	0	7.6	9.0	0.0
ALZHEIMERS DISEASE	2	2	0	7.6	9.0	0.0
SUICIDE	2	2	0	7.6	9.0	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.8	4.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.8	4.5	0.0
PEPTIC ULCER	1	1	0	3.8	4.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.8	4.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.9	3.5	0.0
HOMICIDE	1	1	0	3.8	4.5	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.8	0.0	23.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.8	4.5	0.0
ALL OTHER CAUSES	24	21	3	90.7	94.5	71.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	243	215	28	116	103	13	127	112	15
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	3	0	3	3	0	3	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	5	5	0	2	2	0	3	3	0
35-44	3	3	0	1	1	0	2	2	0
45-54	19	15	4	14	12	2	5	3	2
55-64	34	31	3	18	17	1	16	14	2
65-74	44	36	8	25	21	4	19	15	4
75-84	64	62	2	33	33	0	31	29	2
85 AND OVER	64	58	6	17	14	3	47	44	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	26,449
WHITE	22,227
NONWHITE	4,222

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	157	99	58	10.3	11.9	8.4
HEART DISEASES	42	26	16	276.4	312.9	232.4
MALIGNANT NEOPLASMS	34	24	10	223.8	288.8	145.3
ACCIDENTS	13	8	5	85.6	96.3	72.6
CEREBROVASCULAR DISEASE	9	7	2	59.2	84.2	29.0
SEPTICEMIA	7	3	4	46.1	36.1	58.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	2	4	39.5	24.1	58.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	32.9	24.1	43.6
INFLUENZA AND PNEUMONIA	5	2	3	32.9	24.1	43.6
DIABETES MELLITUS	4	2	2	26.3	24.1	29.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	19.7	36.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	19.7	24.1	14.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	13.2	24.1	0.0
SUICIDE	2	1	1	13.2	12.0	14.5
HIV DISEASE	1	0	1	6.6	0.0	14.5
ANEMIAS	1	1	0	6.6	12.0	0.0
ALZHEIMERS DISEASE	1	1	0	6.6	12.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.6	12.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.6	12.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.6	0.0	8.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.6	12.0	0.0
HOMICIDE	1	1	0	6.6	12.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	13.2	12.0	14.5
ALL OTHER CAUSES	12	8	4	79.0	96.3	58.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	157	99	58	84	55	29	73	44	29
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	7	3	4	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	3	1	2	1	1	0	2	0	2
45-54	12	5	7	5	3	2	7	2	5
55-64	29	15	14	21	11	10	8	4	4
65-74	22	17	5	15	13	2	7	4	3
75-84	39	27	12	14	11	3	25	16	9
85 AND OVER	40	29	11	17	12	5	23	17	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	15,193
WHITE	8,309
NONWHITE	6,884

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	508	305	203	10.3	11.7	8.8
HEART DISEASES	173	108	65	352.2	413.0	283.0
MALIGNANT NEOPLASMS	108	62	46	219.9	237.1	200.3
CEREBROVASCULAR DISEASE	31	18	13	63.1	68.8	56.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	21	4	50.9	80.3	17.4
ACCIDENTS	22	20	2	44.8	76.5	8.7
DIABETES MELLITUS	11	4	7	22.4	15.3	30.5
ALZHEIMERS DISEASE	9	7	2	18.3	26.8	8.7
INFLUENZA AND PNEUMONIA	8	4	4	16.3	15.3	17.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	4	4	16.3	15.3	17.4
SEPTICEMIA	6	3	3	12.2	11.5	13.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	10.2	15.3	4.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	8.1	0.0	17.4
ATHEROSCLEROSIS	4	3	1	8.1	11.5	4.4
AORTIC ANEURYSM AND DISSECTION	4	1	3	8.1	3.8	13.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	6.1	0.0	13.1
SUICIDE	3	3	0	6.1	11.5	0.0
HOMICIDE	3	1	2	6.1	3.8	8.7
HIV DISEASE	2	0	2	4.1	0.0	8.7
ANEMIAS	2	0	2	4.1	0.0	8.7
PARKINSONS DISEASE	2	1	1	4.1	3.8	4.4
MATERNAL CAUSES	2	0	2	264.9	0.0	466.2
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	1	1	2.6	3.1	2.3
NEOPLASMS	1	1	0	2.0	3.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.0	3.8	0.0
PEPTIC ULCER	1	1	0	2.0	3.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	8.1	7.6	8.7
ALL OTHER CAUSES	64	35	29	130.3	133.8	126.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	508	305	203	239	140	99	269	165	104
UNDER 1	6	1	5	4	1	3	2	0	2
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	2	1	2	1	1	1	1	0
15-24	6	3	3	4	3	1	2	0	2
25-34	8	4	4	3	1	2	5	3	2
35-44	23	16	7	11	9	2	12	7	5
45-54	49	29	20	30	17	13	19	12	7
55-64	66	39	27	36	22	14	30	17	13
65-74	94	53	41	50	28	22	44	25	19
75-84	136	93	43	65	41	24	71	52	19
85 AND OVER	117	65	52	34	17	17	83	48	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	49,113
WHITE	26,149
NONWHITE	22,964

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	606	256	350	10.2	13.3	8.7
HEART DISEASES	196	88	108	329.0	458.7	267.4
MALIGNANT NEOPLASMS	138	49	89	231.7	255.4	220.4
CEREBROVASCULAR DISEASE	39	12	27	65.5	62.6	66.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	34	22	12	57.1	114.7	29.7
ACCIDENTS	29	14	15	48.7	73.0	37.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	3	8	18.5	15.6	19.8
INFLUENZA AND PNEUMONIA	10	4	6	16.8	20.8	14.8
SEPTICEMIA	9	5	4	15.1	26.1	9.9
ALZHEIMERS DISEASE	8	7	1	13.4	36.5	2.5
HOMICIDE	8	1	7	13.4	5.2	17.3
DIABETES MELLITUS	7	3	4	11.8	15.6	9.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS CONDITIONS ORIG IN PERINATAL PERIOD	7	4	3	11.8	20.8	7.4
HIV DISEASE	6	1	5	6.6	4.3	7.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	0	5	8.4	0.0	12.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	2	3	8.4	10.4	7.4
SUICIDE	5	1	4	8.4	5.2	9.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	1	3	6.7	5.2	7.4
AORTIC ANEURYSM AND DISSECTION	3	1	2	5.0	5.2	5.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	3.4	5.2	2.5
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	3.4	0.0	5.0
VIRAL HEPATITIS	2	1	1	3.4	5.2	2.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	1.7	0.0	2.5
ANEMIAS	1	1	0	1.7	5.2	0.0
PEPTIC ULCER	1	0	1	1.7	0.0	2.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.7	5.2	0.0
INFECTIONS OF KIDNEY	1	0	1	1.7	0.0	2.5
LEGAL INTERVENTION	1	0	1	1.7	0.0	2.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	5.0	10.4	2.5
ALL OTHER CAUSES	66	32	34	110.8	166.8	84.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	606	256	350	284	119	165	322	137	185
UNDER 1	14	1	13	8	1	7	6	0	6
(NEONATAL)	7	1	6	4	1	3	3	0	3
(POSTNEONATAL)	7	0	7	4	0	4	3	0	3
1-4	1	0	1	1	0	1	0	0	0
5-9	3	2	1	1	1	0	2	1	1
10-14	1	1	0	1	1	0	0	0	0
15-24	13	4	9	10	3	7	3	1	2
25-34	10	0	10	5	0	5	5	0	5
35-44	25	5	20	13	3	10	12	2	10
45-54	63	20	43	34	9	25	29	11	18
55-64	81	26	55	47	14	33	34	12	22
65-74	100	49	51	51	30	21	49	19	30
75-84	160	71	89	74	37	37	86	34	52
85 AND OVER	135	77	58	39	20	19	96	57	39
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	59,567
WHITE	19,184
NONWHITE	40,383

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	200	137	63	9.4	10.4	7.8
MALIGNANT NEOPLASMS	45	29	16	212.0	220.6	197.9
HEART DISEASES	39	28	11	183.7	213.0	136.1
CEREBROVASCULAR DISEASE	18	12	6	84.8	91.3	74.2
ACCIDENTS	16	14	2	75.4	106.5	24.7
INFLUENZA AND PNEUMONIA	14	9	5	66.0	68.5	61.8
DIABETES MELLITUS	6	2	4	28.3	15.2	49.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	28.3	38.0	12.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	28.3	38.0	12.4
SEPTICEMIA	4	3	1	18.8	22.8	12.4
ALZHEIMERS DISEASE	3	3	0	14.1	22.8	0.0
SUICIDE	3	3	0	14.1	22.8	0.0
ATHEROSCLEROSIS	2	2	0	9.4	15.2	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.4	15.2	0.0
PEPTIC ULCER	2	1	1	9.4	7.6	12.4
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	9.4	15.2	0.0
HOMICIDE	2	0	2	9.4	0.0	24.7
HIV DISEASE	1	0	1	4.7	0.0	12.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.7	7.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.7	0.0	12.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.7	7.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.7	0.0	12.4
ALL OTHER CAUSES	25	15	10	117.8	114.1	123.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	200	137	63	108	72	36	92	65	27
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	5	2	3	1	0	1
25-34	8	6	2	7	5	2	1	1	0
35-44	6	2	4	3	1	2	3	1	2
45-54	15	6	9	9	5	4	6	1	5
55-64	27	18	9	20	13	7	7	5	2
65-74	36	25	11	22	16	6	14	9	5
75-84	63	52	11	29	23	6	34	29	5
85 AND OVER	38	26	12	13	7	6	25	19	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL 21,227
 WHITE 13,144
 NONWHITE 8,083

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	136	107	29	13.4	13.3	14.0
HEART DISEASES	41	35	6	405.3	434.9	290.1
MALIGNANT NEOPLASMS	23	17	6	227.4	211.2	290.1
ACCIDENTS	8	7	1	79.1	87.0	48.4
SEPTICEMIA	6	5	1	59.3	62.1	48.4
ALZHEIMERS DISEASE	6	5	1	59.3	62.1	48.4
CEREBROVASCULAR DISEASE	6	3	3	59.3	37.3	145.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	5	1	59.3	62.1	48.4
INFLUENZA AND PNEUMONIA	5	4	1	49.4	49.7	48.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	39.5	37.3	48.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	39.5	37.3	48.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	19.8	24.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	19.8	24.8	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	19.8	12.4	48.4
DIABETES MELLITUS	1	0	1	9.9	0.0	48.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.9	0.0	48.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.9	0.0	20.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	9.9	12.4	0.0
SUICIDE	1	1	0	9.9	12.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.9	12.4	0.0
ALL OTHER CAUSES	15	12	3	148.3	149.1	145.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	136	107	29	65	48	17	71	59	12
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	1	1	0	3	3	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	10	4	6	9	4	5	1	0	1
55-64	16	14	2	12	10	2	4	4	0
65-74	27	19	8	16	11	5	11	8	3
75-84	34	28	6	12	10	2	22	18	4
85 AND OVER	42	36	6	12	10	2	30	26	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	10,116
WHITE	8,048
NONWHITE	2,068

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	133	53	80	13.1	16.9	11.3
HEART DISEASES	41	16	25	402.7	511.3	354.4
MALIGNANT NEOPLASMS	34	14	20	333.9	447.4	283.6
CEREBROVASCULAR DISEASE	8	2	6	78.6	63.9	85.1
INFLUENZA AND PNEUMONIA	8	3	5	78.6	95.9	70.9
DIABETES MELLITUS	5	1	4	49.1	32.0	56.7
PARKINSONS DISEASE	3	2	1	29.5	63.9	14.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	29.5	63.9	14.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	29.5	32.0	28.4
ACCIDENTS	3	2	1	29.5	63.9	14.2
HOMICIDE	3	1	2	29.5	32.0	28.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	19.6	32.0	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.6	0.0	28.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	19.6	0.0	28.4
SEPTICEMIA	1	0	1	9.8	0.0	14.2
ALZHEIMERS DISEASE	1	1	0	9.8	32.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.8	32.0	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	9.8	32.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.6	0.0	9.7
SUICIDE	1	1	0	9.8	32.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.8	0.0	14.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	19.6	32.0	14.2
ALL OTHER CAUSES	7	3	4	68.7	95.9	56.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	133	53	80	63	22	41	70	31	39
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	6	1	5	3	1	2	3	0	3
25-34	0	0	0	0	0	0	0	0	0
35-44	8	1	7	5	1	4	3	0	3
45-54	10	3	7	4	2	2	6	1	5
55-64	18	6	12	9	4	5	9	2	7
65-74	17	8	9	11	3	8	6	5	1
75-84	31	11	20	12	4	8	19	7	12
85 AND OVER	39	22	17	16	6	10	23	16	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	10,182
WHITE	3,129
NONWHITE	7,053

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	221	137	84	11.2	12.6	9.4
HEART DISEASES	85	55	30	429.4	506.2	335.9
MALIGNANT NEOPLASMS	33	22	11	166.7	202.5	123.2
ACCIDENTS	13	6	7	65.7	55.2	78.4
CEREBROVASCULAR DISEASE	12	9	3	60.6	82.8	33.6
DIABETES MELLITUS	9	5	4	45.5	46.0	44.8
ALZHEIMERS DISEASE	9	8	1	45.5	73.6	11.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	4	3	35.4	36.8	33.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	30.3	9.2	56.0
SEPTICEMIA	4	3	1	20.2	27.6	11.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	20.2	9.2	33.6
SUICIDE	4	3	1	20.2	27.6	11.2
INFLUENZA AND PNEUMONIA	3	2	1	15.2	18.4	11.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.1	18.4	0.0
VIRAL HEPATITIS	1	0	1	5.0	0.0	11.2
MENINGITIS	1	1	0	5.0	9.2	0.0
ATHEROSCLEROSIS	1	1	0	5.0	9.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.6	0.0	6.1
HOMICIDE	1	0	1	5.0	0.0	11.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	5.0	0.0	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	35.4	36.8	33.6
ALL OTHER CAUSES	17	10	7	85.9	92.0	78.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	221	137	84	107	65	42	114	72	42
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	2	0	2	3	1	2
25-34	6	3	3	5	2	3	1	1	0
35-44	9	2	7	4	1	3	5	1	4
45-54	15	8	7	11	6	5	4	2	2
55-64	30	17	13	22	11	11	8	6	2
65-74	39	23	16	20	12	8	19	11	8
75-84	52	38	14	24	22	2	28	16	12
85 AND OVER	61	44	17	17	10	7	44	34	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	19,797
WHITE	10,866
NONWHITE	8,931

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	164	133	31	12.3	16.4	5.9
HEART DISEASES	42	34	8	314.9	420.6	152.3
MALIGNANT NEOPLASMS	40	33	7	299.9	408.3	133.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	112.5	148.5	57.1
ACCIDENTS	12	11	1	90.0	136.1	19.0
CEREBROVASCULAR DISEASE	11	10	1	82.5	123.7	19.0
DIABETES MELLITUS	4	2	2	30.0	24.7	38.1
SUICIDE	4	4	0	30.0	49.5	0.0
ALZHEIMERS DISEASE	3	3	0	22.5	37.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	22.5	24.7	19.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	22.5	12.4	38.1
SEPTICEMIA	2	1	1	15.0	12.4	19.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	15.0	24.7	0.0
INFLUENZA AND PNEUMONIA	2	2	0	15.0	24.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	15.0	12.4	19.0
VIRAL HEPATITIS	1	1	0	7.5	12.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.5	12.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.0	0.0	12.3
HOMICIDE	1	1	0	7.5	12.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.5	0.0	19.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.5	0.0	19.0
ALL OTHER CAUSES	13	12	1	97.5	148.5	19.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	164	133	31	84	66	18	80	67	13
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	5	1	5	4	1	1	1	0
25-34	6	5	1	4	3	1	2	2	0
35-44	7	5	2	3	2	1	4	3	1
45-54	6	4	2	5	3	2	1	1	0
55-64	23	18	5	16	14	2	7	4	3
65-74	32	26	6	16	13	3	16	13	3
75-84	50	42	8	22	19	3	28	23	5
85 AND OVER	32	27	5	11	7	4	21	20	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	13,337
WHITE	8,083
NONWHITE	5,254

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2004

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	262	126	136	9.3	10.0	8.7
HEART DISEASES	75	40	35	265.8	316.9	224.5
MALIGNANT NEOPLASMS	51	24	27	180.8	190.2	173.2
ACCIDENTS	19	5	14	67.4	39.6	89.8
DIABETES MELLITUS	16	6	10	56.7	47.5	64.1
CEREBROVASCULAR DISEASE	15	6	9	53.2	47.5	57.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	9	4	46.1	71.3	25.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	12	1	11	42.5	7.9	70.6
HOMICIDE	8	4	4	28.4	31.7	25.6
SEPTICEMIA	6	2	4	21.3	15.8	25.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	14.2	15.8	12.8
SUICIDE	4	4	0	14.2	31.7	0.0
INFLUENZA AND PNEUMONIA	3	3	0	10.6	23.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	10.6	23.8	0.0
ALZHEIMERS DISEASE	2	1	1	7.1	7.9	6.4
HIV DISEASE	1	0	1	3.5	0.0	6.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.5	7.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.5	7.9	0.0
MENINGITIS	1	1	0	3.5	7.9	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	3.5	7.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.5	0.0	6.4
PEPTIC ULCER	1	1	0	3.5	7.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.5	0.0	6.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	14.2	7.9	19.2
ALL OTHER CAUSES	19	10	9	67.4	79.2	57.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2004 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	262	126	136	126	61	65	136	65	71
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	4	1	3	2	1	1	2	0	2
25-34	11	4	7	6	3	3	5	1	4
35-44	15	8	7	10	6	4	5	2	3
45-54	24	11	13	20	11	9	4	0	4
55-64	39	16	23	19	6	13	20	10	10
65-74	46	19	27	24	11	13	22	8	14
75-84	56	35	21	22	14	8	34	21	13
85 AND OVER	61	31	30	18	8	10	43	23	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2004 POPULATION:

TOTAL	28,211
WHITE	12,621
NONWHITE	15,590