


# Vital Statistics Mississippi 1996



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

# Vital Statistics Mississippi 1996



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

Office of Community Health Services  
Bureau of Public Health Statistics  
Post Office Box 1700  
Jackson, Mississippi 392151700

Telephone: 601/960-7960

## TABLE OF CONTENTS

	Page
<b>INTRODUCTION</b>	
Description of Bulletin .....	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death .....	1
Occurrence and Residence Allocation .....	2
Population .....	2
Race .....	2
Rates .....	3
Classification of Cause of Death .....	3
 <b>SUMMARY TABLES, 1996</b>	
<b>POPULATION</b>	
Table P1. Projected Population, by Age, Race, and Sex, Mississippi, 1995 ...	7
 <b>LIVE BIRTHS</b>	
Table A1. Live Births and Average per Day, by Month .....	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1996 .....	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother .....	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother .....	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother .....	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother .....	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother .....	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother .....	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother .....	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother .....	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother .....	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother .....	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother .....	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother .....	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother .....	17
 <b>FETAL DEATHS</b>	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	18

## SUMMARY TABLES, 1996

## FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother .....	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother .....	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1994-1996 .....	20

## DEATHS

Table C1.	Deaths and Average per Day, by Month .....	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race .....	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race .....	22
Table C3B.	Death Rates, by Age, Race, and Sex .....	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race .....	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause .....	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race .....	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1971, 1976, 1981, 1986, 1991, 1996 .....	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race .....	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age .....	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1996 .....	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race .....	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race .....	29
Table C13A.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death .....	30
Table C13B.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, White Males and Females .....	31
Table C13C.	Years of Potential Life Lost Before Age 65, for Selected Causes of Death, Nonwhite Males and Females .....	32

## MARRIAGES

Table D1.	Marriages and Average per Day, by Month .....	33
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ...	34
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race .....	35
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race .....	36
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race .....	37
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride .....	38

## SUMMARY TABLES, 1996

Page

## DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race .....	39
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race .....	39
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race .....	40

## INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi .....	41
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi .....	42
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi .....	43

## MAJOR TABLES, 1996

## POPULATION

Table i.	1995 Projected Population and Percent Change From 1990 Census Population, Mississippi .....	47
----------	--	----

## LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1996 .....	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1996 .....	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1996 .....	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1996 .....	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1996 .....	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1996 .....	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1996 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1996 .....	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1996 .....	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1996 .....	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1996 .....	70

## MAJOR TABLES, 1996

## LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1996 .....	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1996 .....	74

## FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1996 .....	76
----------	--	----

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1996 .....	78
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1996 .....	81
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1996 .....	95
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1996 .....	102
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1992-1996 (5-Year Average) ....	104
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1996 .....	106
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1996 .....	108

## MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1996 .....	110
-----------	--	-----

## DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1996 ....	112
-----------	--	-----

## INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1996 .....	113
-----------	---	-----

## DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents	
	The Counties (in alphabetical order) .....	115
	The State .....	135

## TIME SERIES TABLES

Page

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1996, (Occurrence Data 1913-1943, Residence Data 1944-1996) .....	139
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1996, (Occurrence Data 1913-1943, Residence Data 1944-1996) .....	141
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1996, (Occurrence Data 1913-1943, Residence Data 1944-1996) .....	143
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1996, (Occurrence Data 1917-1943, Residence Data 1944-1996) .....	145
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1996, (Occurrence Data 1924-1944, Residence Data 1945-1996) .....	147
Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1996, (Occurrence Data 1924-1943, Residence Data 1944-1996) .....	149
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1996 .....	151
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1996 .....	153

# VITAL STATISTICS MISSISSIPPI, 1996

## INTRODUCTION

### Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1996; the second part contains major statistical tables for 1996. Time series tables numbered 19 through 26 are presented in the third part.

### Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

**Live Birth** - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

**Fetal Death** - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

**Induced Termination of Pregnancy** - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

**Death** - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.



### Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

### Population

The population figures used in this bulletin are 1995 population projections which were prepared by the Center for Policy Research and Planning located at the Mississippi Institutions of Higher Learning, 3825 Ridgewood Road, Jackson, Mississippi. The projections for the whole state are more reliable than those for the counties due to the fact that small numbers often behave erratically. For this reason, the state population was projected independently, making the state figures slightly different from the sum of the county figures. Projections for small counties and small categories, such as age/race/sex groups, should be used with caution. Any slight discrepancies in the figures are due to rounding.

### Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

### Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

### Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

## **SUMMARY TABLES, 1996**

**In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.**

**TABLE P1. PROJECTED POPULATION BY AGE, RACE, AND SEX,  
MISSISSIPPI, 1995**

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<b>TOTAL</b>	<b>2, 693, 053</b>	<b>1, 292, 075</b>	<b>1, 400, 978</b>	<b>1, 692, 681</b>	<b>825, 774</b>	<b>866, 907</b>	<b>1, 000, 372</b>	<b>466, 301</b>	<b>534, 071</b>
0- 4	210, 408	107, 578	102, 829	106, 771	54, 556	52, 214	103, 637	53, 022	50, 615
(UNDER 1*)	(43, 836)	(22, 242)	(21, 592)	(21, 963)	(11, 166)	(10, 797)	(21, 912)	(11, 094)	(10, 815)
(1- 4*)	(166, 572)	(85, 336)	(81, 237)	(84, 808)	(43, 390)	(41, 417)	(81, 725)	(41, 928)	(39, 800)
5- 9	204, 333	104, 047	100, 286	111, 726	57, 334	54, 392	92, 607	46, 713	45, 894
10- 14	215, 047	109, 656	105, 390	116, 562	60, 123	56, 438	98, 485	49, 533	48, 952
15- 19	226, 741	115, 987	110, 755	122, 658	63, 577	59, 082	104, 083	52, 410	51, 673
20- 24	235, 409	121, 060	114, 349	134, 901	71, 027	63, 874	100, 508	50, 033	50, 475
25- 29	187, 348	90, 651	96, 698	113, 107	56, 893	56, 215	74, 241	33, 758	40, 483
30- 34	197, 425	93, 984	103, 441	126, 290	62, 729	63, 561	71, 135	31, 255	39, 880
35- 39	203, 879	97, 335	106, 544	131, 233	65, 551	65, 682	72, 646	31, 784	40, 862
40- 44	184, 813	88, 285	96, 527	121, 858	60, 176	61, 682	62, 955	28, 109	34, 845
45- 49	162, 946	78, 468	84, 477	115, 696	57, 312	58, 384	47, 250	21, 156	26, 093
50- 54	128, 553	61, 200	67, 352	94, 831	46, 387	48, 444	33, 722	14, 813	18, 908
55- 59	111, 779	52, 164	59, 615	82, 930	40, 094	42, 837	28, 849	12, 070	16, 778
60- 64	101, 003	45, 753	55, 250	75, 966	35, 717	40, 249	25, 037	10, 036	15, 001
65- 69	97, 731	42, 491	55, 240	73, 463	33, 061	40, 402	24, 268	9, 430	14, 838
70- 74	85, 899	35, 261	50, 637	64, 059	27, 002	37, 056	21, 840	8, 259	13, 581
75- 79	64, 646	24, 526	40, 119	47, 287	18, 093	29, 193	17, 359	6, 433	10, 926
80 & OVER	75, 093	23, 626	51, 466	53, 343	16, 141	37, 202	21, 750	7, 485	14, 264
UNDER 15	629, 788	321, 281	308, 505	335, 059	172, 013	163, 044	294, 729	149, 268	145, 461
15- 64	1, 739, 896	844, 887	895, 008	1, 119, 470	559, 463	560, 010	620, 426	285, 424	334, 998
65 & OVER	323, 369	125, 904	197, 462	238, 152	94, 297	143, 853	85, 217	31, 607	53, 609
<b>MEDIAN AGE</b>	<b>31. 7</b>	<b>29. 8</b>	<b>33. 4</b>	<b>35. 5</b>	<b>33. 9</b>	<b>37. 1</b>	<b>25. 0</b>	<b>23. 1</b>	<b>27. 4</b>

\* THE FIGURES FOR THESE AGE GROUPS WERE CALCULATED FROM THE FIGURES IN AGE GROUP 0-4 BY APPLYING THE DISTRIBUTION OF AGE GROUPS < 1 AND 1-4 FROM THE 1990 CENSUS FIGURES.

## LIVE BIRTHS

**TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1996**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<b>TOTAL</b>	<b>40,978</b>	<b>112</b>			
JANUARY	3,521	114	JULY	3,753	121
FEBRUARY	3,071	110	AUGUST	3,857	124
MARCH	3,241	104	SEPTEMBER	3,624	121
APRIL	3,051	102	OCTOBER	3,505	113
MAY	3,147	102	NOVEMBER	3,389	113
JUNE	3,160	105	DECEMBER	3,659	118

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,  
BY YEAR AND RACE\*  
MISSISSIPPI, 1940, 1950, 1960, 1970-1996**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1980#	99.4	99.7	99.1
1971#	92.2	99.6	84.2	1981#	99.3	99.6	99.0
1972#	95.2	99.8	90.4	1982#	99.4	99.6	99.2
1973#	96.4	99.7	92.8	1983#	99.5	99.6	99.4
1974#	97.4	99.7	94.8	1984#	99.5	99.6	99.4
1975#	97.9	99.6	96.0	1985#	99.6	99.7	99.4
1976#	98.5	99.7	97.3	1986#	99.6	99.7	99.5
1977#	98.9	99.7	98.1	1987#	99.6	99.8	99.5
1978#	99.1	99.7	98.4	1988#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1989#	99.6	99.8	99.5
				1990#	99.6	99.6	99.6
				1991#	99.6	99.6	99.6
				1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
				1994#	99.7	99.7	99.7
				1995#	99.7	99.7	99.6
				1996#	99.7	99.7	99.7

\* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;  
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL  
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING  
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1996**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<b>TOTAL</b>	<b>40,978</b>	<b>40,134</b>	<b>682</b>	<b>15</b>	<b>116</b>	<b>30</b>	<b>100.0</b>	<b>97.9</b>	<b>1.7</b>	<b>*</b>	<b>0.3</b>	<b>0.1</b>
HOSPITAL CLINIC/DOCTOR'S OFFICE	40,857	40,113	681	0	42	21	99.7	97.9	1.7	-	0.1	*
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	103	15	1	14	67	6	0.2	*	*	*	0.2	*
UNKNOWN PLACE	11	2	0	1	6	2	*	*	-	*	*	*
	4	2	0	0	1	1	*	*	-	-	*	*
<b>WHITE</b>	<b>21,447</b>	<b>21,195</b>	<b>169</b>	<b>15</b>	<b>50</b>	<b>17</b>	<b>100.0</b>	<b>98.8</b>	<b>0.8</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,388	21,188	168	0	18	14	99.7	98.8	0.8	-	0.1	0.1
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	50	3	1	14	29	3	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	4	1	0	1	2	0	*	*	-	*	*	-
	2	1	0	0	1	0	*	*	-	-	*	-
<b>NONWHITE</b>	<b>19,531</b>	<b>18,939</b>	<b>513</b>	<b>0</b>	<b>66</b>	<b>13</b>	<b>100.0</b>	<b>97.0</b>	<b>2.6</b>	<b>-</b>	<b>0.3</b>	<b>0.1</b>
HOSPITAL CLINIC/DOCTOR'S OFFICE	19,469	18,925	513	0	24	7	99.7	96.9	2.6	-	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	53	12	0	0	38	3	0.3	0.1	-	-	0.2	*
UNKNOWN PLACE	7	1	0	0	4	2	*	*	-	-	*	*
	2	1	0	0	0	1	*	*	-	-	-	*

\* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1996**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>40,978</b>	<b>21,447</b>	<b>19,531</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>65.2</b>	<b>58.0</b>	<b>75.6</b>
UNDER 15	298	31	267	0.7	0.1	1.4	2.8	0.5	5.4
15-19	8,447	3,059	5,388	20.6	14.3	27.6	76.3	51.8	104.3
20-24	13,112	6,322	6,790	32.0	29.5	34.8	114.7	99.0	134.5
25-29	10,207	6,402	3,805	24.9	29.8	19.5	105.6	113.9	94.0
30-34	6,032	3,911	2,121	14.7	18.2	10.9	58.3	61.5	53.2
35-39	2,468	1,494	974	6.0	7.0	5.0	23.2	22.7	23.8
40-44	392	217	175	1.0	1.0	0.9	4.1	3.5	5.0
45-49	15	6	9	**	**	**	0.2	0.1	0.3
UNKNOWN	7	5	2	**	**	**			

\* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER  
MISSISSIPPI, 1996**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL BIRTHS</b>	<b>40,978</b>	<b>21,447</b>	<b>19,531</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>			
0-6 YEARS	251	126	125	0.6	0.6	0.6	0.6	0.6	0.6
7-9 YEARS	3,853	1,784	2,069	9.4	8.3	10.6	10.0	8.9	11.3
10, 11 YEARS	6,782	2,547	4,235	16.6	11.9	21.7	26.6	20.8	33.0
12 YEARS	13,581	6,431	7,150	33.2	30.0	36.7	59.8	50.8	69.7
1-3 YEARS COLLEGE	10,288	5,896	4,392	25.2	27.5	22.5	85.0	78.4	92.2
4 OR MORE YEARS COLLEGE	6,134	4,625	1,509	15.0	21.6	7.7	100.0	100.0	100.0
UNKNOWN	89	38	51						
<b>MEDIAN YEARS COMPLETED*</b>	<b>12.7</b>	<b>13.0</b>	<b>12.5</b>						

\* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS  
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1996**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>18,458</b>	<b>3,995</b>	<b>14,463</b>	<b>45.0</b>	<b>18.6</b>	<b>74.0</b>
UNDER 15	296	29	267	99.3	93.5	100.0
15-19	6,772	1,542	5,230	80.2	50.4	97.1
20-24	6,814	1,384	5,430	52.0	21.9	80.0
25-29	2,764	638	2,126	27.1	10.0	55.9
30-34	1,203	275	928	19.9	7.0	43.8
35-39	513	106	407	20.8	7.1	41.8
40-44	89	18	71	22.7	8.3	40.6
45-49	3	1	2	20.0	16.7	22.2
UNKNOWN	4	2	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND  
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER  
MISSISSIPPI, 1996**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>40,978</b>	<b>21,447</b>	<b>19,531</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>65.2</b>	<b>58.0</b>	<b>75.6</b>	<b>24.4</b>	<b>25.9</b>	<b>22.7</b>
FIRST	14,762	7,895	6,867	36.0	36.8	35.2	23.5	21.3	26.6	21.0	22.9	19.5
SECOND	12,356	6,823	5,533	30.2	31.8	28.3	19.7	18.4	21.4	24.7	26.2	22.7
THIRD	7,577	3,892	3,685	18.5	18.1	18.9	12.0	10.5	14.3	26.6	28.1	24.8
FOURTH	3,564	1,735	1,829	8.7	8.1	9.4	5.7	4.7	7.1	27.8	29.5	26.2
FIFTH	1,456	612	844	3.6	2.8	4.3	2.3	1.6	3.3	29.0	30.8	27.6
SIXTH	669	254	415	1.6	1.2	2.1	1.1	0.7	1.6	30.6	32.1	29.8
SEVENTH	276	109	167	0.7	0.5	0.8	0.4	0.3	0.6	30.4	30.6	30.4
EIGHTH	119	53	66	0.3	0.2	0.3	0.2	0.1	0.2	33.6	35.0	32.2
NINTH	66	25	41	0.2	0.1	0.2	0.1	0.1	0.2	33.6	35.7	32.8
TENTH												
& OVER	90	25	65	0.2	0.1	0.3	0.1	0.1	0.2	35.1	34.0	36.0
UNKNOWN	43	24	19	0.1	0.1	0.1	0.1	0.1	0.1			

\* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

\*\* LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.



**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE,  
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER  
MISSISSIPPI, 1996**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>40,978</u>	<u>21,447</u>	<u>19,531</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	554	112	442	1.4	0.5	2.3
<u>SOME PRENATAL CARE</u>	<u>40,297</u>	<u>21,298</u>	<u>18,999</u>	<u>98.3</u>	<u>99.3</u>	<u>97.3</u>
FIRST TRIMESTER	32,026	18,824	13,202	78.2	87.8	67.6
SECOND TRIMESTER	6,994	2,118	4,876	17.1	9.9	25.0
THIRD TRIMESTER	1,172	336	836	2.9	1.6	4.3
UNKNOWN MONTH	105	20	85	0.2	0.1	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	127	37	90	0.3	0.2	0.5

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY MATURITY AND RACE OF MOTHER  
MISSISSIPPI, 1996**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>40,978</u>	<u>21,447</u>	<u>19,531</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,612	668	944	3.9	3.1	4.8
PREMATURE ONLY**	3,698	1,469	2,229	9.0	6.8	11.4
BOTH IMMATURE AND PREMATURE	2,435	902	1,533	5.9	4.2	7.8
TOTAL IMMATURE	4,047	1,570	2,477	9.9	7.3	12.7
TOTAL PREMATURE	6,133	2,371	3,762	15.0	11.0	19.3
TOTAL IMMATURE AND/OR PREMATURE	7,745	3,039	4,706	18.9	14.2	24.1
NEITHER IMMATURE NOR PREMATURE**	33,233	18,408	14,825	81.1	85.8	75.9

\* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

\*\* BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY ANOMALY AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>CONGENITAL ANOMALY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ANOMALIES REPORTED</u>	<u>619</u>	<u>298</u>	<u>321</u>
ANENCEPHALUS	5	1	4
SPINA BIFIDA/MENINGOCELE	17	7	10
HYDROCEPHALUS	21	7	14
MICROCEPHALUS	4	2	2
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	7	6	1
HEART MALFORMATIONS	57	31	26
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	34	18	16
RECTAL ATRESIA/STENOSIS	11	7	4
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	6	4	2
OMPHALOCELE/GASTROSCHISIS	41	8	33
OTHER GASTROINTESTINAL ANOMALIES	14	7	7
MALFORMED GENITALIA	72	38	34
RENAL AGENESIS	13	8	5
OTHER UROGENITAL ANOMALIES	21	14	7
CLEFT LIP/PALATE	37	24	13
POLYDACTYLY/SYNDACTYLY/ADACTYLY	79	19	60
CLUB FOOT	22	16	6
DIAPHRAGMATIC HERNIA	9	7	2
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	82	43	39
DOWNS SYNDROME	14	11	3
OTHER CHROMOSOMAL ANOMALIES	11	7	4
<u>OTHER</u>	<u>42</u>	<u>13</u>	<u>29</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,  
BY RISK FACTOR AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>11, 275</u>	<u>4, 903</u>	<u>6, 372</u>
ANEMIA (HCT. < 30/HGB. < 10)	1, 101	325	776
CARDIAC DISEASE	195	127	68
ACUTE OR CHRONIC LUNG DISEASE	362	158	204
DIABETES	1, 084	578	506
GENITAL HERPES	209	118	91
HYDRAMNIOS/OLIGOHYDRAMNIOS	488	226	262
HEMOGLOBINOPATHY	206	5	201
HYPERTENSION, CHRONIC	504	188	316
HYPERTENSION, PREGNANCY- ASSOCIATED	2, 272	1, 142	1, 130
ECLAMPSIA	163	82	81
INCOMPETENT CERVIX	68	25	43
PREVIOUS INFANT 4000+ GRAMS	265	192	73
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	548	206	342
RENAL DISEASE	98	59	39
RH SENSITIZATION	285	205	80
UTERINE BLEEDING	231	140	91
OTHER	3, 196	1, 127	2, 069

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES  
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,  
MISSISSIPPI, 1996**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL LIVE BIRTHS</b>	<b>40, 978</b>	<b>21, 447</b>	<b>19, 531</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>TOBACCO USE DURING PREGNANCY</b>						
NONE	35, 610	17, 329	18, 281	86. 9	80. 8	93. 6
<u>SOME</u>	<u>5, 239</u>	<u>4, 060</u>	<u>1, 179</u>	<u>12. 8</u>	<u>18. 9</u>	<u>6. 0</u>
1- 9 CIGARETTES PER DAY	1, 618	1, 080	538	3. 9	5. 0	2. 8
10- 19 CIGARETTES PER DAY	1, 992	1, 625	367	4. 9	7. 6	1. 9
20- 29 CIGARETTES PER DAY	1, 328	1, 126	202	3. 2	5. 2	1. 0
30- 39 CIGARETTES PER DAY	129	115	14	0. 3	0. 5	0. 1
40- 49 CIGARETTES PER DAY	69	53	16	0. 2	0. 2	0. 1
50- 59 CIGARETTES PER DAY	3	2	1	*	*	*
60 OR MORE PER DAY	5	2	3	*	*	*
UNKNOWN AMOUNT	95	57	38	0. 2	0. 3	0. 2
NOT STATED	129	58	71	0. 3	0. 3	0. 4
<b>ALCOHOL USE DURING PREGNANCY</b>						
NONE	40, 516	21, 289	19, 227	98. 9	99. 3	98. 4
<u>SOME</u>	<u>333</u>	<u>100</u>	<u>233</u>	<u>0. 8</u>	<u>0. 5</u>	<u>1. 2</u>
1 DRINK PER WEEK	80	39	41	0. 2	0. 2	0. 2
2 DRINKS PER WEEK	65	13	52	0. 2	0. 1	0. 3
3 DRINKS PER WEEK	32	7	25	0. 1	*	0. 1
4 DRINKS PER WEEK	11	6	5	*	*	*
5 DRINKS PER WEEK	6	2	4	*	*	*
6 OR MORE PER WEEK	45	14	31	0. 1	0. 1	0. 2
UNKNOWN AMOUNT	94	19	75	0. 2	0. 1	0. 4
NOT STATED	129	58	71	0. 3	0. 3	0. 4
<b>WEIGHT GAINED DURING PREGNANCY</b>						
NONE OR LOST WEIGHT	853	337	516	2. 1	1. 6	2. 6
1- 4 POUNDS	400	165	235	1. 0	0. 8	1. 2
5- 9 POUNDS	1, 111	436	675	2. 7	2. 0	3. 4
10- 14 POUNDS	2, 660	970	1, 690	6. 5	4. 5	8. 6
15- 19 POUNDS	3, 247	1, 478	1, 769	7. 9	6. 9	9. 0
20- 24 POUNDS	6, 230	3, 121	3, 109	15. 2	14. 6	15. 9
25- 29 POUNDS	5, 406	2, 977	2, 429	13. 2	13. 9	12. 4
30- 34 POUNDS	6, 464	3, 640	2, 824	15. 8	17. 0	14. 4
35- 39 POUNDS	3, 931	2, 431	1, 500	9. 6	11. 3	7. 7
40- 44 POUNDS	3, 733	2, 183	1, 550	9. 1	10. 2	7. 9
45 OR MORE POUNDS	5, 299	3, 121	2, 178	12. 9	14. 6	11. 2
UNKNOWN AMOUNT	1, 644	588	1, 056	4. 0	2. 7	5. 4
<b>MEDIAN WEIGHT GAIN (LBS)**</b>	<b>29. 8</b>	<b>31. 3</b>	<b>27. 6</b>			

\* LESS THAN 0. 06 PERCENT.

\*\* EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY COMPLICATION AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>COMPLICATION</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL COMPLICATONS REPORTED</u>	<u>13, 558</u>	<u>7, 189</u>	<u>6, 369</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	362	204	158
MECONIUM MODERATE/HEAVY	2, 296	1, 043	1, 253
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 316	587	729
ABRUPTIO PLACENTA	280	137	143
PLACENTA PREVIA	103	67	36
OTHER EXCESSIVE BLEEDING	87	50	37
SEIZURES DURING LABOR	26	11	15
PRECIPITOUS LABOR (< 3 HOURS)	481	240	241
PROLONGED LABOR (> 20 HOURS)	216	122	94
DYSFUNCTIONAL LABOR	1, 162	676	486
BREECH/MALPRESENTATION	1, 543	948	595
CEPHALOPELVIC DISPROPORTION	1, 840	1, 064	776
CORD PROLAPSE	73	41	32
ANESTHETIC COMPLICATIONS	10	7	3
FETAL DISTRESS	2, 391	1, 164	1, 227
OTHER	1, 372	828	544

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,  
BY METHOD AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>METHOD OF DELIVERY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45, 132</u>	<u>24, 077</u>	<u>21, 055</u>
VAGINAL	28, 736	14, 793	13, 943
VAGINAL BIRTH AFTER PREVIOUS C- SECTION	935	452	483
PRIMARY C- SECTION	6, 584	3, 618	2, 966
REPEAT C- SECTION	4, 344	2, 403	1, 941
FORCEPS	2, 486	1, 605	881
VACUUM	2, 047	1, 206	841

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY PROCEDURE AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>74, 171</u>	<u>41, 747</u>	<u>32, 424</u>
AMNIOCENTESIS	437	308	129
ELECTRONIC FETAL MONITORING	33, 844	18, 658	15, 186
INDUCTION OF LABOR	4, 690	3, 323	1, 367
STIMULATION OF LABOR	5, 470	3, 289	2, 181
TOCOLYSIS	555	328	227
ULTRASOUND	28, 505	15, 437	13, 068
OTHER	670	404	266

D

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY CONDITION AND RACE OF MOTHER  
MISSISSIPPI, 1996**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2, 321</u>	<u>1, 076</u>	<u>1, 245</u>
ANEMIA (HCT. < 39/HGB. < 13)	54	17	37
BIRTH INJURY	127	70	57
FETAL ALCOHOL SYNDROME	6	0	6
HYALINE MEMBRANE DISEASE/RDS	493	242	251
MECONIUM ASPIRATION SYNDROME	100	49	51
ASSISTED VENTILATION < 30 MINUTES	213	99	114
ASSISTED VENTILATION 30 MINUTES OR MORE	351	138	213
SEIZURES	25	13	12
OTHER	952	448	504

## FETAL DEATHS

**TABLE B1. REPORTABLE\* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,  
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1996**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN
<b>TOTAL</b>	<b>453</b>	<b>419</b>	<b>17</b>	<b>0</b>	<b>13</b>	<b>4</b>	<b>100.0</b>	<b>92.5</b>	<b>3.8</b>	<b>-</b>	<b>2.9</b>	<b>0.9</b>
HOSPITAL CLINIC/DOCTOR' S	440	417	17	0	5	1	97.1	92.0	3.8	-	1.1	0.2
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	8	0	0	0	5	3	1.8	-	-	-	1.1	0.7
OTHER PLACE	5	2	0	0	3	0	1.1	0.4	-	-	0.7	-
<b>WHITE</b>	<b>148</b>	<b>143</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>100.0</b>	<b>96.6</b>	<b>0.7</b>	<b>-</b>	<b>1.4</b>	<b>1.4</b>
HOSPITAL CLINIC/DOCTOR' S	145	143	1	0	1	0	98.0	96.6	0.7	-	0.7	-
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	2	0	0	0	0	2	1.4	-	-	-	-	1.4
OTHER PLACE	1	0	0	0	1	0	0.7	-	-	-	0.7	-
<b>NONWHITE</b>	<b>305</b>	<b>276</b>	<b>16</b>	<b>0</b>	<b>11</b>	<b>2</b>	<b>100.0</b>	<b>90.5</b>	<b>5.2</b>	<b>-</b>	<b>3.6</b>	<b>0.6</b>
HOSPITAL CLINIC/DOCTOR' S	295	274	16	0	4	1	96.7	89.8	5.2	-	1.3	0.3
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	6	0	0	0	5	1	2.0	-	-	-	1.6	0.3
OTHER PLACE	4	2	0	0	2	0	1.3	0.6	-	-	0.6	-

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1996**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>453</u>	<u>148</u>	<u>305</u>	<u>11.0</u>	<u>6.9</u>	<u>15.6</u>
UNDER 15	4	0	4	13.4	-	15.0
15- 19	95	25	70	11.2	8.2	13.0
20- 24	144	39	105	11.0	6.2	15.5
25- 29	90	36	54	8.8	5.6	14.2
30- 34	68	28	40	11.3	7.2	18.8
35- 39	33	10	23	13.4	6.7	23.6
40- 44	16	8	8	40.8	36.9	45.7
45- 49	2	2	0	#	#	-
UNKNOWN	1	0	1	#	-	#

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

# RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS  
AND REPORTABLE\* FETAL DEATHS,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER  
MISSISSIPPI, 1996**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.4	0.5	2.3	10.4	4.0	13.4
SOME CARE	98.1	99.2	96.8	82.8	91.9	78.4
UNKNOWN WHETHER ANY CARE	0.6	0.3	0.9	6.8	4.0	8.2

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.



**TABLE B4. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,  
MISSISSIPPI, 1994-1996**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1994	1995	1996	1994	1995	1996	1994	1995	1996
<b>REPORTABLE* FETAL DEATHS</b>									
<u>TOTAL</u>	<u>501</u>	<u>470</u>	<u>453</u>	<u>138</u>	<u>141</u>	<u>148</u>	<u>363</u>	<u>329</u>	<u>305</u>
UNDER 20	27	20	19	4	6	0	23	14	19
<u>20 AND OVER</u>	<u>394</u>	<u>371</u>	<u>359</u>	<u>116</u>	<u>116</u>	<u>129</u>	<u>278</u>	<u>255</u>	<u>230</u>
20-22	99	84	84	29	25	22	70	59	62
23-27	96	100	99	25	29	36	71	71	63
28-36	121	108	115	34	32	41	87	76	74
37 AND OVER	78	79	61	28	30	30	50	49	31
UNKNOWN	80	79	75	18	19	19	62	60	56
<b>FETAL DEATH RATIOS#</b>									
<u>TOTAL</u>	<u>11.9</u>	<u>11.4</u>	<u>11.0</u>	<u>6.4</u>	<u>6.5</u>	<u>6.9</u>	<u>17.8</u>	<u>16.6</u>	<u>15.6</u>
UNDER 20	0.6	0.5	0.5	0.2	0.3	0.0	1.1	0.7	1.0
<u>20 AND OVER</u>	<u>9.4</u>	<u>9.0</u>	<u>8.8</u>	<u>5.4</u>	<u>5.4</u>	<u>6.0</u>	<u>13.6</u>	<u>12.9</u>	<u>11.8</u>
20-22	2.4	2.0	2.0	1.3	1.2	1.0	3.4	3.0	3.2
23-27	2.3	2.4	2.4	1.2	1.3	1.7	3.5	3.6	3.2
28-36	2.9	2.6	2.8	1.6	1.5	1.9	4.3	3.8	3.8
37 AND OVER	1.9	1.9	1.5	1.3	1.4	1.4	2.4	2.5	1.6
UNKNOWN	1.9	1.9	1.8	0.8	0.9	0.9	3.0	3.0	2.9

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

# REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

## DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1996**

<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>
<b>TOTAL</b>	<b>26,566</b>	<b>73</b>			
JANUARY	2,670	86	JULY	2,136	69
FEBRUARY	2,308	80	AUGUST	2,087	67
MARCH	2,316	75	SEPTEMBER	1,990	66
APRIL	2,125	71	OCTOBER	2,128	69
MAY	2,152	69	NOVEMBER	2,185	73
JUNE	2,083	69	DECEMBER	2,386	77

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE  
MISSISSIPPI, 1996**

<u>AGE</u>	<u>NUMBER</u>			<u>PERCENT</u>			<u>RATE*</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<b>TOTAL</b>	<b>26,566</b>	<b>17,488</b>	<b>9,078</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>9.9</b>	<b>10.3</b>	<b>9.1</b>
UNDER 1	451	169	282	1.7	1.0	3.1	10.3	7.7	12.9
1-4	87	32	55	0.3	0.2	0.6	0.5	0.4	0.7
5-9	67	27	40	0.2	0.2	0.4	0.3	0.2	0.4
10-14	82	40	42	0.3	0.2	0.5	0.4	0.3	0.4
15-24	599	275	324	2.2	1.6	3.6	1.3	1.1	1.6
25-34	724	342	382	2.7	2.0	4.2	1.9	1.4	2.6
35-44	1,201	594	607	4.5	3.4	6.7	3.1	2.3	4.5
45-54	1,892	1,043	849	7.1	6.0	9.4	6.5	5.0	10.5
55-64	3,082	1,940	1,142	11.6	11.1	12.6	14.5	12.2	21.2
65-74	5,479	3,803	1,676	20.6	21.7	18.5	29.8	27.6	36.3
75 AND OVER	12,896	9,221	3,675	48.5	52.7	40.5	92.3	91.6	94.0
UNKNOWN	6	2	4	**	**	**			

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS  
BY AGE AND RACE  
MISSISSIPPI, 1996**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<b>TOTAL</b>	<b>13,667</b>	<b>12,899</b>	<b>1.06</b>	<b>8,936</b>	<b>8,552</b>	<b>1.04</b>	<b>4,731</b>	<b>4,347</b>	<b>1.09</b>
UNDER 1	247	204	1.21	92	77	1.19	155	127	1.22
1-4	57	30	1.90	21	11	1.91	36	19	1.89
5-9	41	26	1.58	17	10	1.70	24	16	1.50
10-14	50	32	1.56	25	15	1.67	25	17	1.47
15-24	437	162	2.70	192	83	2.31	245	79	3.10
25-34	493	231	2.13	230	112	2.05	263	119	2.21
35-44	786	415	1.89	417	177	2.36	369	238	1.55
45-54	1,178	714	1.65	665	378	1.76	513	336	1.53
55-64	1,914	1,168	1.64	1,248	692	1.80	666	476	1.40
65-74	3,151	2,328	1.35	2,293	1,510	1.52	858	818	1.05
75-84	3,403	3,603	0.94	2,451	2,558	0.96	952	1,045	0.91
85 AND OVER	1,905	3,985	0.48	1,283	2,929	0.44	622	1,056	0.59
UNKNOWN	5	1		2	0		3	1	
<b>MEDIAN AGE</b>	<b>70.2</b>	<b>78.2</b>		<b>71.8</b>	<b>79.7</b>		<b>65.8</b>	<b>74.1</b>	

**TABLE C3B. DEATH RATES\*, BY AGE, RACE, AND SEX  
MISSISSIPPI, 1996**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<b>TOTAL</b>	<b>10.6</b>	<b>9.2</b>	<b>10.8</b>	<b>9.9</b>	<b>10.1</b>	<b>8.1</b>
UNDER 1	11.1	9.4	8.2	7.1	14.0	11.7
1-4	0.7	0.4	0.5	0.3	0.8	0.5
5-9	0.4	0.2	0.3	0.2	0.5	0.3
10-14	0.4	0.3	0.4	0.3	0.5	0.3
15-24	1.8	0.7	1.4	0.7	2.4	0.8
25-34	2.7	1.2	1.9	0.9	4.0	1.5
35-44	4.2	2.0	3.3	1.4	6.2	3.1
45-54	8.4	4.7	6.4	3.5	14.3	7.5
55-64	19.5	10.2	16.5	8.3	30.1	15.0
65-74	40.5	22.0	38.2	19.5	48.5	28.8
75 AND OVER	110.2	82.8	109.1	82.6	113.1	83.4

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,  
BY CAUSE AND RACE  
MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF TEN LEADING CAUSES</b>	<b>21, 892</b>	<b>14, 604</b>	<b>7, 288</b>	<b>82. 4</b>	<b>83. 5</b>	<b>80. 3</b>
1. HEART DISEASES (390-398, 402, 404-429)	9, 499	6, 446	3, 053	35. 8	36. 9	33. 6
2. MALIGNANT NEOPLASMS (140-208)	5, 732	3, 864	1, 868	21. 6	22. 1	20. 6
3. CEREBROVASCULAR DISEASES (430-438)	1, 691	1, 089	602	6. 4	6. 2	6. 6
4. ACCIDENTS (800-949)	1, 512	907	605	5. 7	5. 2	6. 7
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1, 003	823	180	3. 8	4. 7	2. 0
6. PNEUMONIA AND INFLUENZA (480-487)	884	637	247	3. 3	3. 6	2. 7
7. DIABETES MELLITUS (250)	533	268	265	2. 0	1. 5	2. 9
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	377	131	246	1. 4	0. 7	2. 7
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	351	176	175	1. 3	1. 0	1. 9
10. SUICIDE (950-959)	310	263	47	1. 2	1. 5	0. 5

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES  
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE  
MISSISSIPPI, 1996**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>87</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (800-949)	40	46.0	24.0
	2. CONGENITAL ANOMALIES (740-759)	8	9.2	4.8
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	7	8.0	4.2
	4. BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE (210-239)	4	4.6	2.4
	5T. MALIGNANT NEOPLASMS (140-208)	2	2.3	1.2
	5T. PNEUMONIA AND INFLUENZA (480-487)	2	2.3	1.2
	5T. SEPTICEMIA (038)	2	2.3	1.2
5-14	<u>ALL CAUSES</u>	<u>149</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (800-949)	70	47.0	16.7
	2. MALIGNANT NEOPLASMS (140-208)	13	8.7	3.1
	3T. HEART DISEASES (390-398, 402, 404-429)	10	6.7	2.4
	3T. CONGENITAL ANOMALIES (740-759)	10	6.7	2.4
	5. HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4.7	1.7
15-24	<u>ALL CAUSES</u>	<u>599</u>	<u>100.0</u>	<u>1.3</u>
	1. ACCIDENTS (800-949)	318	53.1	68.8
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	117	19.5	25.3
	3. SUICIDE (950-959)	48	8.0	10.4
	4. MALIGNANT NEOPLASMS (140-208)	24	4.0	5.2
	5. HEART DISEASES (390-398, 402, 404-429)	20	3.3	4.3
25-44	<u>ALL CAUSES</u>	<u>1,925</u>	<u>100.0</u>	<u>2.5</u>
	1. ACCIDENTS (800-949)	414	21.5	53.5
	2. HEART DISEASES (390-398, 402, 404-429)	306	15.9	39.6
	3. MALIGNANT NEOPLASMS (140-208)	279	14.5	36.1
	4. HUMAN IMMUNODEFICIENCY VIRUS INFECTION (042-044)	181	9.4	23.4
	5. HOMICIDE AND LEGAL INTERVENTION (960-978)	156	8.1	20.2
45-64	<u>ALL CAUSES</u>	<u>4,974</u>	<u>100.0</u>	<u>9.9</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,632	32.8	323.6
	2. MALIGNANT NEOPLASMS (140-208)	1,540	31.0	305.4
	3. ACCIDENTS (800-949)	254	5.1	50.4
	4. CEREBROVASCULAR DISEASES (430-438)	236	4.7	46.8
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	174	3.5	34.5
65 & OVER	<u>ALL CAUSES</u>	<u>18,375</u>	<u>100.0</u>	<u>56.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,522	40.9	2,326.1
	2. MALIGNANT NEOPLASMS (140-208)	3,873	21.1	1,197.7
	3. CEREBROVASCULAR DISEASES (430-438)	1,397	7.6	432.0
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	809	4.4	250.2
	5. PNEUMONIA AND INFLUENZA (480-487)	755	4.1	233.5

\* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,  
BY PRIMARY SITE, SEX, AND RACE  
MISSISSIPPI, 1996**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
<b>TOTAL</b>	<b>2,136</b>	<b>1,060</b>	<b>1,728</b>	<b>808</b>	<b>258.7</b>	<b>227.3</b>	<b>199.3</b>	<b>151.3</b>
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	853	353	458	126	103.3	75.7	52.8	23.6
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	455	238	381	220	55.1	51.0	43.9	41.2
3. GENITAL ORGANS (179-187)	220	217	127	90	26.6	46.5	14.7	16.9
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	188	90	177	69	22.8	19.3	20.4	12.9
5. BREAST (174, 175)	1	1	267	167	0.1	0.2	30.8	31.3
6. URINARY ORGANS (188, 189)	81	29	40	25	9.8	6.2	4.6	4.7
7. BRAIN (191)	48	10	60	11	5.8	2.1	6.9	2.1
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	50	23	14	5	6.1	4.9	1.6	0.9
9. SKIN (172, 173)	50	5	32	3	6.1	1.1	3.7	0.6
10. BONE AND CONNECTIVE TISSUE (170, 171)	18	16	13	15	2.2	3.4	1.5	2.8
- OTHER AND UNSPECIFIED SITES (190, 192-199)	172	78	159	77	20.8	16.7	18.3	14.4

\* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,  
1971, 1976, 1981, 1986, 1991, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1971	1976	1981	1986	1991	1996
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	34	39	21	24	8	19
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	741	949	1,307	1,458	1,635	1,790
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	700	914	1,263	1,404	1,586	1,736
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	54	35	28	29	50	40
EMPHYSEMA (492)	210	181	102	92	125	135
ASTHMA (493)	22	19	34	45	45	60

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM  
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1996**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF FIVE LEADING CAUSES</b>	<b>1,228</b>	<b>732</b>	<b>496</b>	<b>81.2</b>	<b>80.7</b>	<b>82.0</b>
1. MOTOR VEHICLE (810-825)	868	519	349	57.4	57.2	57.7
2. FALLS (880-888)	142	114	28	9.4	12.6	4.6
3. FIRES AND FLAMES (890-899)	100	36	64	6.6	4.0	10.6
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	67	41	26	4.4	4.5	4.3
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	51	22	29	3.4	2.4	4.8

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE  
MISSISSIPPI RESIDENTS, 1996**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER	UN- KNOWN
<u>ALL ACCIDENTS</u>	<u>1,512</u>	<u>995</u>	<u>517</u>	<u>21</u>	<u>40</u>	<u>70</u>	<u>318</u>	<u>204</u>	<u>210</u>	<u>254</u>	<u>395</u>	<u>0</u>
MOTOR VEHICLE (810-825)	868	581	287	7	13	35	252	158	129	146	128	0
<u>WATER TRANSPORT (830-838)</u>	<u>17</u>	<u>16</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>4</u>	<u>3</u>	<u>1</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	14	14	0	0	0	0	3	3	4	3	1	0
OTHER (831, 833-838)	3	2	1	0	0	1	0	2	0	0	0	0
AIR AND SPACE TRANSPORT (840-845)	6	5	1	0	0	0	1	1	3	1	0	0
<u>POISONING (850-869)</u>	<u>37</u>	<u>23</u>	<u>14</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>14</u>	<u>6</u>	<u>7</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	28	17	11	0	0	1	4	0	12	5	6	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	9	6	3	0	3	0	0	2	2	1	1	0
FALLS (880-888)	142	73	69	0	0	0	2	3	8	19	110	0
FIRES AND FLAMES (890-899)	100	62	38	1	17	5	13	5	12	20	27	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	51	43	8	0	5	10	17	4	7	8	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	67	28	39	4	1	2	2	3	1	8	46	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	18	12	6	8	0	1	2	0	4	2	1	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	20	17	3	0	0	1	1	4	4	5	5	0
CAUSED BY MACHINERY (919)	20	18	2	0	0	0	3	1	1	5	10	0
CAUSED BY FIREARM MISSILE (922)	41	39	2	0	0	9	14	3	7	5	3	0
CAUSED BY ELECTRIC CURRENT (925)	8	8	0	0	0	0	1	4	1	2	0	0



**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1996**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2

\* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

\*\* NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES  
BY AGE AND RACE  
MISSISSIPPI, 1996**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>451</u>	<u>169</u>	<u>282</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>11.0</u>	<u>7.9</u>	<u>14.4</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>294</u>	<u>103</u>	<u>191</u>	<u>65.2</u>	<u>60.9</u>	<u>67.7</u>	<u>7.2</u>	<u>4.8</u>	<u>9.8</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>241</u>	<u>88</u>	<u>153</u>	<u>53.4</u>	<u>52.1</u>	<u>54.2</u>	<u>5.9</u>	<u>4.1</u>	<u>7.8</u>
UNDER 1 DAY	164	57	107	36.4	33.7	37.9	4.0	2.6	5.5
1-6 DAYS	77	31	46	17.1	18.3	16.3	1.9	1.4	2.4
7-27 DAYS	53	15	38	11.8	8.9	13.5	1.3	0.7	1.9
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>157</u>	<u>66</u>	<u>91</u>	<u>34.8</u>	<u>39.0</u>	<u>32.3</u>	<u>3.8</u>	<u>3.1</u>	<u>4.6</u>

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES  
OF INFANT DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>451</u>	<u>169</u>	<u>282</u>	<u>11.0</u>	<u>7.9</u>	<u>14.4</u>
1. CONGENITAL ANOMALIES (740-759)	102	49	53	2.5	2.3	2.7
2. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	57	17	40	1.4	0.8	2.0
3. SUDDEN INFANT DEATH SYNDROME (798.0)	48	19	29	1.2	0.9	1.5
4. ACCIDENTS (800-949)	21	9	12	0.5	0.4	0.6
5. RESPIRATORY DISTRESS SYNDROME (769)	20	3	17	0.5	0.1	0.9
6T. MATERNAL COMPLICATIONS OF PREGNANCY (761)	11	6	5	0.3	0.3	0.2
6T. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	11	5	6	0.3	0.2	0.3
6T. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	11	2	9	0.3	0.1	0.5
9. NEONATAL HEMORRHAGE (772)	7	4	3	0.2	0.2	0.2
10. PNEUMONIA AND INFLUENZA (480- 487)	6	1	5	0.1	**	0.2

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
MISSISSIPPI, 1996**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<u>ALL RACES - ALL CAUSES</u>	<u>169, 182</u>	<u>7, 139. 4</u>
HEART DISEASES (390-398, 402, 404-429)	23, 579	995. 0
ISCHEMIC HEART DISEASE (410-414)	11, 735	495. 2
CEREBROVASCULAR DISEASES (430-438)	4, 108	173. 4
MALIGNANT NEOPLASMS (140-208)	22, 063	931. 0
RESPIRATORY SYSTEM (160-165)	5, 123	216. 2
COLORECTAL (153, 154)	1, 527	64. 4
PROSTATE (185)**	226	19. 4
BREAST (174)#	2, 864	238. 0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1, 965	82. 9
PNEMONIA AND INFLUENZA (480-487)	2, 290	96. 6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2, 515	106. 1
DIABETES MELLITUS (250)	2, 032	85. 8
HIV INFECTION (042-044)	6, 375	269. 0
UNINTENTIONAL INJURIES (800-949)	37, 809	1, 595. 5
MOTOR VEHICLE CRASHES (810-825)	25, 386	1, 071. 3
SUICIDE (950-959)	7, 223	304. 8
HOMICIDE AND LEGAL INTERVENTION (960-978)	11, 822	498. 9

\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100, 000 POPULATION UNDER AGE 65.

\*\* MALES ONLY.

# FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
WHITE MALES AND FEMALES  
MISSISSIPPI, 1996**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<b><u>WHITE MALES - ALL CAUSES</u></b>	<b><u>52, 711</u></b>	<b><u>7, 206. 1</u></b>
HEART DISEASES (390-398, 402, 404-429)	8, 338	1, 139. 9
ISCHEMIC HEART DISEASE (410-414)	5, 134	701. 9
CEREBROVASCULAR DISEASES (430-438)	901	123. 2
MALIGNANT NEOPLASMS (140-208)	6, 389	873. 4
RESPIRATORY SYSTEM (160-165)	1, 907	260. 7
COLORECTAL (153, 154)	460	62. 9
PROSTATE (185)	91	12. 4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	464	63. 4
PNEMONIA AND INFLUENZA (480-487)	791	108. 1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1, 332	182. 1
DIABETES MELLITUS (250)	583	79. 7
HIV INFECTION (042-044)	1, 839	251. 4
UNINTENTIONAL INJURIES (800-949)	14, 186	1, 939. 4
MOTOR VEHICLE CRASHES (810-825)	9, 428	1, 288. 9
SUICIDE (950-959)	4, 441	607. 1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2, 589	353. 9
<b><u>WHITE FEMALES - ALL CAUSES</u></b>	<b><u>28, 275</u></b>	<b><u>3, 910. 5</u></b>
HEART DISEASES (390-398, 402, 404-429)	3, 308	457. 5
ISCHEMIC HEART DISEASE (410-414)	1, 425	197. 1
CEREBROVASCULAR DISEASES (430-438)	767	106. 1
MALIGNANT NEOPLASMS (140-208)	6, 310	872. 7
RESPIRATORY SYSTEM (160-165)	1, 205	166. 6
COLORECTAL (153, 154)	214	29. 6
BREAST (174)	1, 454	201. 1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	584	80. 8
PNEMONIA AND INFLUENZA (480-487)	341	47. 2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	301	41. 6
DIABETES MELLITUS (250)	332	45. 9
HIV INFECTION (042-044)	106	14. 7
UNINTENTIONAL INJURIES (800-949)	6, 034	834. 5
MOTOR VEHICLE CRASHES (810-825)	4, 797	663. 4
SUICIDE (950-959)	1, 206	166. 8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1, 114	154. 1

\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100,000 POPULATION UNDER AGE 65.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65  
FOR SELECTED CAUSES OF DEATH,  
NONWHITE MALES AND FEMALES  
MISSISSIPPI, 1996**

<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>YEARS</u>	<u>RATE*</u>
<b><u>NONWHITE MALES - ALL CAUSES</u></b>	<b><u>55, 735</u></b>	<b><u>12, 821. 7</u></b>
HEART DISEASES (390-398, 402, 404-429)	7, 264	1, 671. 1
ISCHEMIC HEART DISEASE (410-414)	3, 344	769. 3
CEREBROVASCULAR DISEASES (430-438)	1, 454	334. 5
MALIGNANT NEOPLASMS (140-208)	4, 744	1, 091. 3
RESPIRATORY SYSTEM (160-165)	1, 463	336. 6
COLORECTAL (153, 154)	464	106. 7
PROSTATE (185)	135	31. 0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	417	95. 9
PNEMONIA AND INFLUENZA (480-487)	741	170. 5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	532	122. 4
DIABETES MELLITUS (250)	549	126. 3
HIV INFECTION (042-044)	3, 241	745. 6
UNINTENTIONAL INJURIES (800-949)	12, 723	2, 926. 9
MOTOR VEHICLE CRASHES (810-825)	8, 156	1, 876. 3
SUICIDE (950-959)	1, 370	315. 2
HOMICIDE AND LEGAL INTERVENTION (960-978)	6, 536	1, 503. 6
<b><u>NONWHITE FEMALES - ALL CAUSES</u></b>	<b><u>32, 461</u></b>	<b><u>6, 756. 2</u></b>
HEART DISEASES (390-398, 402, 404-429)	4, 669	971. 8
ISCHEMIC HEART DISEASE (410-414)	1, 832	381. 3
CEREBROVASCULAR DISEASES (430-438)	986	205. 2
MALIGNANT NEOPLASMS (140-208)	4, 620	961. 6
RESPIRATORY SYSTEM (160-165)	548	114. 0
COLORECTAL (153, 154)	389	81. 0
BREAST (174)	1, 410	293. 5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	500	104. 1
PNEMONIA AND INFLUENZA (480-487)	417	86. 8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	350	72. 8
DIABETES MELLITUS (250)	568	118. 2
HIV INFECTION (042-044)	1, 189	247. 5
UNINTENTIONAL INJURIES (800-949)	4, 866	1, 012. 8
MOTOR VEHICLE CRASHES (810-825)	3, 005	625. 4
SUICIDE (950-959)	206	42. 9
HOMICIDE AND LEGAL INTERVENTION (960-978)	1, 583	329. 5

\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 65 PER 100,000 POPULATION UNDER AGE 65.

## MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1996**

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>21, 550</u>	<u>59</u>			
JANUARY	1, 064	34	JULY	2, 037	66
FEBRUARY	1, 345	46	AUGUST	2, 084	67
MARCH	1, 873	60	SEPTEMBER	1, 600	53
APRIL	1, 635	54	OCTOBER	1, 480	48
MAY	1, 982	64	NOVEMBER	1, 772	59
JUNE	2, 811	94	DECEMBER	1, 867	60

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE  
MISSISSIPPI, 1996**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>21, 550</b>	<b>15, 219</b>	<b>6, 331</b>	<b>21, 550</b>	<b>15, 194</b>	<b>6, 356</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>UNDER 20</b>	<b>2, 817</b>	<b>2, 446</b>	<b>371</b>	<b>1, 086</b>	<b>949</b>	<b>137</b>	<b>13. 1</b>	<b>16. 1</b>	<b>5. 9</b>	<b>5. 0</b>	<b>6. 2</b>	<b>2. 2</b>
13	2	2	0	0	0	0	*	*	-	-	-	-
14	6	6	0	0	0	0	*	*	-	-	-	-
15	104	99	5	4	4	0	0. 5	0. 6	0. 1	*	*	-
16	256	242	14	19	19	0	1. 2	1. 6	0. 2	0. 1	0. 1	-
17	485	443	42	118	108	10	2. 2	2. 9	0. 7	0. 5	0. 7	0. 2
18	867	753	114	319	288	31	4. 0	4. 9	1. 8	1. 5	1. 9	0. 5
19	1, 097	901	196	626	530	96	5. 1	5. 9	3. 1	2. 9	3. 5	1. 5
20- 24	6, 192	4, 494	1, 698	5, 653	4, 194	1, 459	28. 7	29. 5	26. 8	26. 2	27. 6	23. 0
25- 34	7, 051	4, 453	2, 598	8, 056	5, 337	2, 719	32. 7	29. 2	41. 0	37. 4	35. 1	42. 8
35- 44	3, 413	2, 249	1, 164	3, 772	2, 530	1, 242	15. 8	14. 8	18. 4	17. 5	16. 6	19. 5
45- 54	1, 330	963	367	1, 767	1, 251	516	6. 2	6. 3	5. 8	8. 2	8. 2	8. 1
55- 64	500	406	94	708	533	175	2. 3	2. 7	1. 5	3. 3	3. 5	2. 8
65- 74	197	164	33	383	301	82	0. 9	1. 1	0. 5	1. 8	2. 0	1. 3
75 & OVER	50	44	6	125	99	26	0. 2	0. 3	0. 1	0. 6	0. 6	0. 4

\* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM  
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE  
MISSISSIPPI, 1996**

<b>ALL AND FIRST MARRIAGES</b>	<b>BRIDE</b>			<b>GROOM</b>		
	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>
<b>ALL MARRIAGES</b>	27.5	26.5	29.2	30.0	29.6	30.8
<b>FIRST MARRIAGES</b>	23.3	22.3	26.2	25.0	24.2	27.8



**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY MARRIAGE ORDER AND RACE  
MISSISSIPPI, 1996**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>21, 550</b>	<b>15, 219</b>	<b>6, 331</b>	<b>21, 550</b>	<b>15, 194</b>	<b>6, 356</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>FIRST</b>	<b>12, 594</b>	<b>8, 108</b>	<b>4, 486</b>	<b>12, 739</b>	<b>8, 368</b>	<b>4, 371</b>	<b>58. 4</b>	<b>53. 3</b>	<b>70. 8</b>	<b>59. 1</b>	<b>55. 1</b>	<b>68. 8</b>
<b>REMARRIAGE</b>	<b>8, 955</b>	<b>7, 110</b>	<b>1, 845</b>	<b>8, 810</b>	<b>6, 825</b>	<b>1, 985</b>	<b>41. 6</b>	<b>46. 7</b>	<b>29. 1</b>	<b>40. 9</b>	<b>44. 9</b>	<b>31. 2</b>
<b>SECOND</b>	<b>6, 036</b>	<b>4, 542</b>	<b>1, 494</b>	<b>5, 963</b>	<b>4, 427</b>	<b>1, 536</b>	<b>28. 0</b>	<b>29. 8</b>	<b>23. 6</b>	<b>27. 7</b>	<b>29. 1</b>	<b>24. 2</b>
<b>OVER TWO</b>	<b>2, 919</b>	<b>2, 568</b>	<b>351</b>	<b>2, 847</b>	<b>2, 398</b>	<b>449</b>	<b>13. 5</b>	<b>16. 9</b>	<b>5. 5</b>	<b>13. 2</b>	<b>15. 8</b>	<b>7. 1</b>
<b>THIRD</b>	<b>2, 066</b>	<b>1, 765</b>	<b>301</b>	<b>2, 092</b>	<b>1, 718</b>	<b>374</b>	<b>9. 6</b>	<b>11. 6</b>	<b>4. 8</b>	<b>9. 7</b>	<b>11. 3</b>	<b>5. 9</b>
<b>FOURTH</b>	<b>643</b>	<b>599</b>	<b>44</b>	<b>577</b>	<b>518</b>	<b>59</b>	<b>3. 0</b>	<b>3. 9</b>	<b>0. 7</b>	<b>2. 7</b>	<b>3. 4</b>	<b>0. 9</b>
<b>FIFTH</b>	<b>143</b>	<b>139</b>	<b>4</b>	<b>138</b>	<b>127</b>	<b>11</b>	<b>0. 7</b>	<b>0. 9</b>	<b>0. 1</b>	<b>0. 6</b>	<b>0. 8</b>	<b>0. 2</b>
<b>SIXTH</b>	<b>48</b>	<b>47</b>	<b>1</b>	<b>33</b>	<b>29</b>	<b>4</b>	<b>0. 2</b>	<b>0. 3</b>	<b>**</b>	<b>0. 2</b>	<b>0. 2</b>	<b>0. 1</b>
<b>SEVENTH</b>	<b>14</b>	<b>14</b>	<b>0</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0. 1</b>	<b>0. 1</b>	<b>-</b>	<b>**</b>	<b>**</b>	<b>**</b>
<b>EIGHTH</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>**</b>	<b>**</b>	<b>**</b>	<b>**</b>	<b>**</b>	<b>-</b>
<b>NINTH</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>**</b>	<b>**</b>	<b>-</b>	<b>**</b>	<b>**</b>	<b>-</b>
<b>UNKNOWN*</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>**</b>	<b>**</b>	<b>-</b>	<b>**</b>	<b>**</b>	<b>-</b>

\* UNKNOWN WHETHER PREVIOUSLY MARRIED.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY PREVIOUS MARITAL STATUS AND RACE  
MISSISSIPPI, 1996**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>NUMBER</b>						
<u>TOTAL</u>	<u>21, 550</u>	<u>15, 219</u>	<u>6, 331</u>	<u>21, 550</u>	<u>15, 194</u>	<u>6, 356</u>
NOT PREVIOUSLY MARRIED	12, 594	8, 108	4, 486	12, 739	8, 368	4, 371
<u>REMARRIAGES</u>	<u>8, 955</u>	<u>7, 110</u>	<u>1, 845</u>	<u>8, 810</u>	<u>6, 825</u>	<u>1, 985</u>
WIDOWED	810	644	166	733	549	184
DIVORCED*	8, 140	6, 463	1, 677	8, 074	6, 273	1, 801
UNKNOWN**	5	3	2	3	3	0
UNKNOWN#	1	1	0	1	1	0
<b>PERCENT</b>						
<u>TOTAL</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NOT PREVIOUSLY MARRIED	58. 4	53. 3	70. 8	59. 1	55. 1	68. 8
<u>REMARRIAGES</u>	<u>41. 6</u>	<u>46. 7</u>	<u>29. 1</u>	<u>40. 9</u>	<u>44. 9</u>	<u>31. 2</u>
WIDOWED	3. 8	4. 2	2. 6	3. 4	3. 6	2. 9
DIVORCED*	37. 8	42. 5	26. 5	37. 5	41. 3	28. 3
UNKNOWN**	##	##	##	##	##	-
UNKNOWN#	##	##	-	##	##	-

\* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

\*\* UNKNOWN WHETHER WIDOWED OR DIVORCED.

# UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

## LESS THAN 0. 06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,  
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE  
MISSISSIPPI, 1996**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
<b>NUMBER</b>												
<u>TOTAL</u>	<u>21,550</u>	<u>20,314</u>	<u>1,235</u>	<u>1</u>	<u>15,219</u>	<u>14,270</u>	<u>948</u>	<u>1</u>	<u>6,331</u>	<u>6,044</u>	<u>287</u>	<u>0</u>
MISSISSIPPI	19,826	19,532	293	1	13,917	13,692	224	1	5,909	5,840	69	0
OTHER	1,724	782	942	0	1,302	578	724	0	422	204	218	0
<b>PERCENT</b>												
<u>TOTAL</u>	<u>100.0</u>	<u>94.3</u>	<u>5.7</u>	<u>*</u>	<u>100.0</u>	<u>93.8</u>	<u>6.2</u>	<u>*</u>	<u>100.0</u>	<u>95.5</u>	<u>4.5</u>	<u>-</u>
MISSISSIPPI	92.0	90.6	1.4	*	91.4	90.0	1.5	*	93.3	92.2	1.1	-
OTHER	8.0	3.6	4.4	-	8.6	3.8	4.8	-	6.7	3.2	3.4	-

\* LESS THAN 0.06 PERCENT.

## DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE\*  
MISSISSIPPI, 1996**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL</b>	<b>14, 263</b>	<b>10, 658</b>	<b>3, 180</b>	<b>425</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
IRRECONCILABLE DIFFERENCES	12, 036	9, 320	2, 363	353	84. 4	87. 4	74. 3	83. 0
CRUEL AND INHUMAN TREATMENT	1, 313	845	424	44	9. 2	7. 9	13. 3	10. 4
DESERTION	452	195	243	14	3. 2	1. 8	7. 6	3. 3
ADULTERY	301	200	95	6	2. 1	1. 9	3. 0	1. 4
DRUNKENNESS	82	51	30	1	0. 6	0. 5	0. 9	0. 2
PENITENTIARY	44	25	18	1	0. 3	0. 2	0. 6	0. 2
ANNULMENT	23	16	3	4	0. 2	0. 2	0. 1	0. 9
BIGAMY	4	3	1	0	**	**	**	-
MISCELLANEOUS AND OTHER	2	2	0	0	**	**	-	-
UNKNOWN	6	1	3	2	**	**	0. 1	0. 5

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF MINOR CHILDREN AND RACE\*  
MISSISSIPPI, 1996**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>14, 263</b>	<b>10, 658</b>	<b>3, 180</b>	<b>425</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
NONE	7, 030	5, 381	1, 430	219	49. 3	50. 5	45. 0	51. 5
ONE	3, 731	2, 754	872	105	26. 2	25. 8	27. 4	24. 7
TWO	2, 587	1, 923	590	74	18. 1	18. 0	18. 6	17. 4
THREE OR MORE	908	597	287	24	6. 4	5. 6	9. 0	5. 6
UNKNOWN	7	3	1	3	**	**	**	0. 7

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF YEARS MARRIED AND RACE\*  
MISSISSIPPI, 1996**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>14,263</b>	<b>10,658</b>	<b>3,180</b>	<b>425</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>UNDER FIVE</b>	<b>5,795</b>	<b>4,651</b>	<b>968</b>	<b>176</b>	<b>40.6</b>	<b>43.6</b>	<b>30.4</b>	<b>41.4</b>
<b>UNDER ONE</b>	739	627	87	25	5.2	5.9	2.7	5.9
<b>ONE</b>	1,306	1,073	203	30	9.2	10.1	6.4	7.0
<b>TWO</b>	1,378	1,087	239	52	9.7	10.2	7.5	12.2
<b>THREE</b>	1,265	1,003	223	39	8.9	9.4	7.0	9.2
<b>FOUR</b>	1,107	861	216	30	7.8	8.1	6.8	7.0
<b>FIVE-NINE</b>	<b>3,713</b>	<b>2,698</b>	<b>916</b>	<b>99</b>	<b>26.0</b>	<b>25.3</b>	<b>28.8</b>	<b>23.3</b>
<b>TEN-NINETEEN</b>	<b>3,155</b>	<b>2,216</b>	<b>855</b>	<b>84</b>	<b>22.1</b>	<b>20.8</b>	<b>26.9</b>	<b>19.8</b>
<b>TWENTY AND OVER</b>	<b>1,473</b>	<b>1,034</b>	<b>406</b>	<b>33</b>	<b>10.3</b>	<b>9.7</b>	<b>12.8</b>	<b>7.8</b>
<b>UNKNOWN</b>	<b>127</b>	<b>59</b>	<b>35</b>	<b>33</b>	<b>0.9</b>	<b>0.6</b>	<b>1.1</b>	<b>7.8</b>

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

## INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 1996**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>4,206</b>	<b>1,340</b>	<b>2,859</b>	<b>7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>102.6</b>	<b>62.5</b>	<b>146.4</b>
UNDER 15	60	15	45	0	1.4	1.1	1.6	201.3	483.9	168.5
15-19	806	311	495	0	19.2	23.2	17.3	95.4	101.7	91.9
20-24	1,596	430	1,160	6	37.9	32.1	40.6	121.7	68.0	170.8
25-29	879	243	636	0	20.9	18.1	22.2	86.1	38.0	167.1
30-34	519	198	320	1	12.3	14.8	11.2	86.0	50.6	150.9
35-39	258	114	144	0	6.1	8.5	5.0	104.5	76.3	147.8
40-44	78	25	53	0	1.8	1.9	1.8	199.0	115.2	302.8
45-49	7	3	4	0	0.2	0.2	0.1	466.7	500.0	444.4
UNKNOWN	3	1	2	0	0.1	0.1	0.1			

\* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1996**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>4,206</b>	<b>1,340</b>	<b>2,859</b>	<b>7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>MISSISSIPPI RESIDENT</b>	<b>3,981</b>	<b>1,208</b>	<b>2,766</b>	<b>7</b>	<b>94.6</b>	<b>90.1</b>	<b>96.7</b>
<b>NONRESIDENT</b>	<b>225</b>	<b>132</b>	<b>93</b>	<b>0</b>	<b>5.4</b>	<b>9.8</b>	<b>3.2</b>
<b>BORDER STATE</b>	<b>210</b>	<b>125</b>	<b>85</b>	<b>0</b>	<b>5.0</b>	<b>9.3</b>	<b>3.0</b>
<b>OTHER STATE</b>	<b>15</b>	<b>7</b>	<b>8</b>	<b>0</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>
<b>MARITAL STATUS</b>							
<b>MARRIED</b>	<b>609</b>	<b>284</b>	<b>323</b>	<b>2</b>	<b>14.5</b>	<b>21.2</b>	<b>11.3</b>
<b>NOT MARRIED</b>	<b>3,580</b>	<b>1,056</b>	<b>2,519</b>	<b>5</b>	<b>85.1</b>	<b>78.8</b>	<b>88.1</b>
<b>UNKNOWN</b>	<b>17</b>	<b>0</b>	<b>17</b>	<b>0</b>	<b>0.4</b>	<b>-</b>	<b>0.6</b>
<b>EDUCATION (COMPLETED YEARS)</b>							
<b>0-6 YEARS</b>	<b>14</b>	<b>4</b>	<b>10</b>	<b>0</b>	<b>0.3</b>	<b>0.3</b>	<b>0.4</b>
<b>7-9 YEARS</b>	<b>158</b>	<b>65</b>	<b>93</b>	<b>0</b>	<b>3.8</b>	<b>4.8</b>	<b>3.2</b>
<b>10, 11 YEARS</b>	<b>348</b>	<b>144</b>	<b>204</b>	<b>0</b>	<b>8.3</b>	<b>10.7</b>	<b>7.1</b>
<b>12 YEARS</b>	<b>1,198</b>	<b>396</b>	<b>801</b>	<b>1</b>	<b>28.5</b>	<b>29.6</b>	<b>28.0</b>
<b>1-3 YEARS COLLEGE</b>	<b>1,534</b>	<b>425</b>	<b>1,107</b>	<b>2</b>	<b>36.5</b>	<b>31.7</b>	<b>38.7</b>
<b>4 OR MORE YEARS COLLEGE</b>	<b>744</b>	<b>243</b>	<b>501</b>	<b>0</b>	<b>17.7</b>	<b>18.1</b>	<b>17.5</b>
<b>UNKNOWN</b>	<b>210</b>	<b>63</b>	<b>143</b>	<b>4</b>	<b>5.0</b>	<b>4.7</b>	<b>5.0</b>
<b>NUMBER OF LIVING CHILDREN</b>							
<b>NONE</b>	<b>1,771</b>	<b>699</b>	<b>1,069</b>	<b>3</b>	<b>42.1</b>	<b>52.2</b>	<b>37.4</b>
<b>ONE</b>	<b>1,284</b>	<b>356</b>	<b>926</b>	<b>2</b>	<b>30.5</b>	<b>26.6</b>	<b>32.4</b>
<b>TWO</b>	<b>760</b>	<b>209</b>	<b>549</b>	<b>2</b>	<b>18.1</b>	<b>15.6</b>	<b>19.2</b>
<b>THREE</b>	<b>272</b>	<b>61</b>	<b>211</b>	<b>0</b>	<b>6.5</b>	<b>4.6</b>	<b>7.4</b>
<b>FOUR</b>	<b>84</b>	<b>12</b>	<b>72</b>	<b>0</b>	<b>2.0</b>	<b>0.9</b>	<b>2.5</b>
<b>FIVE OR MORE</b>	<b>33</b>	<b>3</b>	<b>30</b>	<b>0</b>	<b>0.8</b>	<b>0.2</b>	<b>1.0</b>
<b>UNKNOWN</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>*</b>	<b>-</b>	<b>0.1</b>
<b>NUMBER OF PREVIOUS INDUCED TERMINATIONS</b>							
<b>NONE</b>	<b>3,082</b>	<b>1,023</b>	<b>2,055</b>	<b>4</b>	<b>73.3</b>	<b>76.3</b>	<b>71.9</b>
<b>ONE</b>	<b>847</b>	<b>236</b>	<b>609</b>	<b>2</b>	<b>20.1</b>	<b>17.6</b>	<b>21.3</b>
<b>TWO</b>	<b>204</b>	<b>59</b>	<b>145</b>	<b>0</b>	<b>4.8</b>	<b>4.4</b>	<b>5.1</b>
<b>THREE OR MORE</b>	<b>71</b>	<b>22</b>	<b>48</b>	<b>1</b>	<b>1.7</b>	<b>1.6</b>	<b>1.7</b>
<b>UNKNOWN</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>*</b>	<b>-</b>	<b>0.1</b>

\* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY MEDICAL CHARACTERISTICS AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1996**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>4, 206</b>	<b>1, 340</b>	<b>2, 859</b>	<b>7</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>COMPLETED WEEKS OF GESTATION*</b>							
UNDER 9	1, 918	633	1, 282	3	45. 6	47. 2	44. 8
9, 10	1, 208	377	828	3	28. 7	28. 1	29. 0
11, 12	633	192	440	1	15. 0	14. 3	15. 4
13- 15	337	94	243	0	8. 0	7. 0	8. 5
16- 20	41	14	27	0	1. 0	1. 0	0. 9
21 OR MORE	13	5	8	0	0. 3	0. 4	0. 3
UNKNOWN	56	25	31	0	1. 3	1. 9	1. 1
<b>PRIMARY PROCEDURE</b>							
SUCTION CURRETTAGE	2, 602	915	1, 683	4	61. 9	68. 3	58. 9
SHARP CURRETTAGE	1	1	0	0	**	0. 1	-
DILATION & EVACUATION	1, 553	402	1, 148	3	36. 9	30. 0	40. 2
INTRA- UTERINE SALINE INSTILLATION	0	0	0	0	-	-	-
INTRA- UTERINE PROSTA- GLANDIN INSTILLATION	21	11	10	0	0. 5	0. 8	0. 4
HYSTEROTOMY	1	0	1	0	**	-	**
HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	28	11	17	0	0. 7	0. 8	0. 6
<b>COMPLICATIONS</b>							
NO KNOWN COMPLICATIONS	4, 200	1, 340	2, 853	7	99. 8	100. 0	99. 8
<b>SOME COMPLICATIONS</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>0. 1</b>	<b>-</b>	<b>0. 1</b>
HEMORRHAGE	1#	0	1#	0	**	-	**
UTERINE PERFORATION	1	0	1	0	**	-	**
OTHER	3#	0	3#	0	0. 1	-	0. 1
UNKNOWN	2	0	2	0	**	-	0. 1

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0. 06 PERCENT.

# ONE PATIENT HAD BOTH HEMORRHAGE AND AN "OTHER" COMPLICATION.



**MAJOR TABLES**

**1996**

**TABLE i**  
**1995 PROJECTED POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION**  
**MISSISSIPPI**

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE TOTAL</u>	<u>2, 693, 053</u>	<u>1, 692, 681</u>	<u>1, 000, 372</u>	<u>4. 6</u>	<u>3. 6</u>	<u>6. 4</u>
ADAMS	35, 979	17, 982	17, 997	1. 8	-0. 3	3. 9
ALCORN	31, 897	28, 096	3, 801	0. 6	*	4. 5
AMITE	13, 854	7, 469	6, 385	3. 9	2. 7	5. 4
ATTALA	18, 204	10, 599	7, 605	-1. 5	-4. 6	3. 2
BENTON	7, 841	4, 565	3, 276	-2. 5	-6. 2	3. 1
BOLIVAR	41, 469	13, 857	27, 612	-1. 0	-9. 2	3. 7
CALHOUN	14, 630	10, 424	4, 206	-1. 9	-3. 7	3. 1
CARROLL	9, 844	5, 901	3, 943	6. 6	6. 1	7. 2
CHICKASAW	17, 648	10, 443	7, 205	-2. 4	-5. 6	2. 6
CHOCTAW	8, 934	6, 115	2, 819	-1. 5	-3. 2	2. 4
CLAIBORNE	11, 324	1, 862	9, 462	-0. 4	-6. 6	0. 9
CLARKE	17, 241	11, 066	6, 175	-0. 4	-2. 2	2. 9
CLAY	21, 703	9, 669	12, 034	2. 8	-1. 2	6. 2
COAHOMA	32, 627	10, 891	21, 736	3. 0	-1. 0	5. 2
COPIAH	28, 027	13, 256	14, 771	1. 6	-2. 5	5. 6
COVINGTON	16, 010	10, 076	5, 934	-3. 1	-5. 8	1. 8
DESOTO	88, 563	75, 074	13, 489	30. 4	27. 5	49. 0
FORREST	72, 427	49, 061	23, 366	6. 0	5. 1	8. 0
FRANKLIN	7, 952	4, 846	3, 106	-5. 1	-8. 4	0. 6
GEORGE	17, 884	15, 969	1, 915	7. 3	6. 3	16. 2
GREENE	11, 201	8, 717	2, 484	9. 6	9. 0	11. 8
GRENADA	21, 942	12, 493	9, 449	1. 8	-0. 6	5. 1
HANCOCK	36, 182	32, 040	4, 142	13. 9	11. 9	32. 1
HARRISON	170, 862	131, 020	39, 842	3. 3	2. 6	5. 6
HINDS	253, 096	115, 854	137, 242	-0. 5	-5. 9	4. 6
HOLMES	20, 771	4, 654	16, 117	-3. 9	-10. 1	-1. 9
HUMPHREYS	11, 453	3, 475	7, 978	-5. 6	-9. 9	-3. 6
ISSAQUENA	1, 805	771	1, 034	-5. 4	-7. 4	-3. 9
ITAWAMBA	19, 797	18, 415	1, 382	-1. 1	-1. 0	-2. 7
JACKSON	133, 134	103, 144	29, 990	15. 5	14. 4	19. 3
JASPER	17, 235	8, 167	9, 068	0. 7	-2. 9	4. 2
JEFFERSON	8, 295	1, 049	7, 246	-4. 1	-11. 5	-3. 0
JEFF DAVIS	13, 527	5, 667	7, 860	-3. 7	-10. 5	1. 8
JONES	62, 251	45, 773	16, 478	0. 4	-0. 9	4. 0
KEMPER	10, 554	4, 284	6, 270	1. 9	-2. 8	5. 4
LAFAYETTE	34, 388	24, 927	9, 461	8. 0	7. 7	9. 1
LAMAR	31, 458	27, 373	4, 085	3. 4	2. 9	6. 8
LAUDERDALE	76, 475	48, 338	28, 137	1. 2	-0. 8	4. 8
LAWRENCE	12, 143	7, 936	4, 207	-2. 5	-4. 4	1. 2
LEAKE	18, 578	10, 907	7, 671	0. 8	-1. 6	4. 4
LEE	73, 739	57, 121	16, 618	12. 4	11. 4	16. 0
LEFLORE	36, 970	13, 470	23, 500	-1. 0	-7. 2	3. 0

TABLE i - PAGE 2  
 1995 PROJECTED POPULATION - MISSISSIPPI

COUNTY	1995 POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	31,911	22,041	9,870	5.4	4.2	8.3
LOWNDES	61,480	37,591	23,889	3.7	2.3	5.8
MADISON	68,174	39,897	28,277	26.7	33.9	17.8
MARION	24,938	17,023	7,915	-2.4	-4.0	1.3
MARSHALL	32,413	15,813	16,600	6.8	6.5	7.0
MONROE	36,514	24,937	11,577	-0.2	-1.8	3.5
MONTGOMERY	11,882	6,316	5,566	-4.1	-8.7	1.7
NESHOBA	26,934	18,182	8,752	8.6	7.3	11.4
NEWTON	21,630	14,434	7,196	6.6	5.4	9.1
NOXUBEE	12,134	3,240	8,894	-3.7	-18.2	2.9
OKTIBBEHA	38,994	24,015	14,979	1.6	-0.2	4.7
PANOLA	33,738	17,547	16,191	12.5	14.1	10.7
PEARL RIVER	41,866	35,198	6,668	8.1	7.0	14.4
PERRY	11,321	8,615	2,706	4.2	3.4	6.9
PIKE	37,321	19,565	17,756	1.2	-1.8	4.7
PONTOTOC	25,020	20,971	4,049	12.5	10.8	22.0
PRENTISS	23,561	20,593	2,968	1.2	0.6	6.0
QUITMAN	9,470	3,265	6,205	-9.7	-23.2	-0.6
RANKIN	103,176	84,469	18,707	18.4	17.3	23.6
SCOTT	24,275	14,612	9,663	0.6	-1.5	3.8
SHARKEY	6,875	1,967	4,908	-2.7	-15.9	3.8
SIMPSON	23,936	15,824	8,112	-0.1	-1.9	3.6
SMITH	14,813	11,379	3,434	0.1	-1.2	4.6
STONE	12,318	9,479	2,839	14.6	13.4	18.9
SUNFLOWER	35,345	11,437	23,908	7.5	-1.4	12.4
TALLAHATCHIE	14,087	5,041	9,046	-7.4	-19.4	1.0
TATE	22,352	14,342	8,010	4.3	2.8	7.0
TIPPAH	19,615	16,202	3,413	0.5	-0.3	4.3
TISHOMINGO	17,666	16,964	702	-0.1	-0.3	4.3
TUNICA	9,063	2,373	6,690	11.0	19.1	8.4
UNION	23,429	19,750	3,679	6.1	5.0	12.1
WALTHALL	14,094	7,807	6,287	-1.8	-5.4	3.1
WARREN	48,988	29,116	19,872	2.3	0.8	4.6
WASHINGTON	70,411	28,501	41,910	3.6	0.6	5.8
WAYNE	19,368	12,109	7,259	-0.8	-3.2	3.5
WEBSTER	10,434	7,997	2,437	2.1	0.6	7.4
WILKINSON	9,041	2,480	6,561	-6.6	-20.6	0.1
WINSTON	19,595	10,877	8,718	0.8	-2.5	5.3
YALOBUSHA	12,049	7,275	4,774	0.1	-2.7	4.8
YAZOO	25,134	11,240	13,894	-1.5	-6.0	2.6

\* LESS THAN 0.06 PERCENT CHANGE.

**TABLE 1A**  
**LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1996**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>40, 197</b>	<b>20, 449</b>	<b>19, 748</b>	<b>40, 978</b>	<b>21, 447</b>	<b>19, 531</b>	<b>15. 2</b>	<b>12. 7</b>	<b>19. 5</b>
ADAMS	982	362	620	511	174	337	14. 2	9. 7	18. 7
ALCORN	485	386	99	409	331	78	12. 8	11. 8	20. 5
AMITE	0	0	0	139	74	65	10. 0	9. 9	10. 2
ATTALA	211	102	109	242	133	109	13. 3	12. 5	14. 3
BENTON	0	0	0	128	77	51	16. 3	16. 9	15. 6
BOLIVAR	698	126	572	721	159	562	17. 4	11. 5	20. 4
CALHOUN	1	1	0	185	120	65	12. 6	11. 5	15. 4
CARROLL	0	0	0	95	48	47	9. 6	8. 1	11. 9
CHICKASAW	5	2	3	310	158	152	17. 6	15. 1	21. 1
CHOCTAW	0	0	0	112	63	49	12. 5	10. 3	17. 4
CLAIBORNE	52	0	52	176	11	165	15. 5	5. 9	17. 4
CLARKE	1	0	1	245	123	122	14. 2	11. 1	19. 8
CLAY	378	136	242	348	111	237	16. 0	11. 5	19. 7
COAHOMA	1, 202	244	958	594	111	483	18. 2	10. 2	22. 2
COPIAH	209	53	156	393	159	234	14. 0	12. 0	15. 8
COVINGTON	258	77	181	299	151	148	18. 7	15. 0	24. 9
DESOTO	859	502	357	1, 391	1, 191	200	15. 7	15. 9	14. 8
FORREST	2, 789	1, 862	927	1, 100	604	496	15. 2	12. 3	21. 2
FRANKLIN	1	1	0	115	52	63	14. 5	10. 7	20. 3
GEORGE	67	61	6	310	286	24	17. 3	17. 9	12. 5
GREENE	0	0	0	162	124	38	14. 5	14. 2	15. 3
GRENADA	735	371	364	323	159	164	14. 7	12. 7	17. 4
HANCOCK	297	270	27	474	433	41	13. 1	13. 5	9. 9
HARRISON	3, 249	2, 336	913	2, 719	1, 884	835	15. 9	14. 4	21. 0
HINDS	6, 190	1, 783	4, 407	3, 966	1, 077	2, 889	15. 7	9. 3	21. 0
HOLMES	124	7	117	409	46	363	19. 7	9. 9	22. 5
HUMPHREYS	3	0	3	194	40	154	16. 9	11. 5	19. 3
ISSAQUENA	0	0	0	15	4	11	8. 3	5. 2	10. 6
ITAWAMBA	1	1	0	248	227	21	12. 5	12. 3	15. 2
JACKSON	1, 214	815	399	1, 724	1, 227	497	12. 9	11. 9	16. 6
JASPER	1	0	1	293	101	192	17. 0	12. 4	21. 2
JEFFERSON	0	0	0	140	11	129	16. 9	10. 5	17. 8
JEFF DAVIS	0	0	0	205	58	147	15. 2	10. 2	18. 7
JONES	1, 030	477	553	850	530	320	13. 6	11. 6	19. 4
KEMPER	0	0	0	135	44	91	12. 8	10. 3	14. 5
LAFAYETTE	710	425	285	378	230	148	11. 0	9. 2	15. 6
LAMAR	512	348	164	493	413	80	15. 7	15. 1	19. 6
LAUDERDALE	2, 372	1, 271	1, 101	1, 151	578	573	15. 0	12. 0	20. 4
LAWRENCE	1	1	0	190	120	70	15. 6	15. 1	16. 6
LEAKE	2	0	2	291	132	159	15. 7	12. 1	20. 7
LEE	2, 294	1, 787	507	1, 123	779	344	15. 2	13. 6	20. 7
LEFLORE	773	112	661	691	137	554	18. 7	10. 2	23. 6

TABLE 1A - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1996

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	582	387	195	434	277	157	13.6	12.6	15.9
LOWNDES	1,153	504	649	1,030	481	549	16.8	12.8	23.0
MADISON	330	7	323	1,187	626	561	17.4	15.7	19.8
MARION	4	2	2	370	213	157	14.8	12.5	19.8
MARSHALL	4	1	3	520	204	316	16.0	12.9	19.0
MONROE	787	547	240	493	315	178	13.5	12.6	15.4
MONTGOMERY	44	1	43	198	83	115	16.7	13.1	20.7
NESHOBA	8	3	5	453	250	203	16.8	13.8	23.2
NEWTON	5	2	3	345	179	166	16.0	12.4	23.1
NOXUBEE	2	0	2	214	51	163	17.6	15.7	18.3
OKTIBBEHA	1,117	509	608	569	252	317	14.6	10.5	21.2
PANOLA	1	0	1	519	198	321	15.4	11.3	19.8
PEARL RIVER	310	235	75	595	501	94	14.2	14.2	14.1
PERRY	1	0	1	185	121	64	16.3	14.0	23.6
PIKE	779	317	462	523	216	307	14.0	11.0	17.3
PONTOTOC	2	2	0	341	288	53	13.6	13.7	13.1
PRETISS	0	0	0	336	285	51	14.3	13.8	17.2
QUITMAN	1	0	1	185	32	153	19.5	9.8	24.6
RANKIN	2,740	2,240	500	1,454	1,158	296	14.1	13.7	15.8
SCOTT	5	0	5	437	230	207	18.0	15.7	21.4
SHARKEY	1	0	1	121	33	88	17.6	16.8	17.9
SIMPSON	4	1	3	355	177	178	14.8	11.2	21.9
SMITH	2	2	0	210	144	66	14.2	12.6	19.2
STONE	0	0	0	159	122	37	12.9	12.9	13.0
SUNFLOWER	424	109	315	515	116	399	14.6	10.1	16.7
TALLAHATCHIE	1	0	1	208	57	151	14.8	11.3	16.7
TATE	209	30	179	343	200	143	15.3	13.9	17.8
TIPPAAH	0	0	0	304	232	72	15.5	14.3	21.1
TISHOMINGO	0	0	0	227	220	7	12.8	13.0	10.0
TUNICA	0	0	0	152	23	129	16.8	9.7	19.3
UNION	983	675	308	342	277	65	14.6	14.0	17.7
WALTHALL	3	3	0	212	85	127	15.0	10.9	20.2
WARREN	1,299	468	831	769	344	425	15.7	11.8	21.4
WASHINGTON	1,259	331	928	1,210	307	903	17.2	10.8	21.5
WAYNE	325	130	195	344	187	157	17.8	15.4	21.6
WEBSTER	2	1	1	129	89	40	12.4	11.1	16.4
WILKINSON	86	21	65	125	28	97	13.8	11.3	14.8
WINSTON	2	0	2	257	127	130	13.1	11.7	14.9
YALOBUSHA	0	0	0	179	85	94	14.8	11.7	19.7
YAZOO	16	2	14	432	144	288	17.2	12.8	20.7
OUT OF STATE	2,306	1,930	376	1,525	932	593			

\* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3  
 LIVE BIRTHS - MISSISSIPPI - 1996

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BI LOXI	841	560	281
BRANDON	257	197	60
BROOKHAVEN	138	61	77
CANTON	289	34	255
CLARKSDALE	403	81	322
CLEVELAND	278	87	191
CLINTON	286	178	108
COLUMBUS	514	160	354
CORINTH	176	111	65
GAUTIER	207	122	85
GREENVILLE	830	159	671
GREENWOOD	410	77	333
GRENADA	207	76	131
GULFPORT	1, 037	599	438
HATTIESBURG	721	268	453
INDIANOLA	224	42	182
JACKSON	3, 126	658	2, 468
LAUREL	324	104	220
LONG BEACH	189	157	32
MCCOMB	166	46	120
MERIDIAN	683	225	458
MOSS POINT	238	59	179
NATCHEZ	300	91	209
OCEAN SPRINGS	228	200	28
PASCAGOULA	447	288	159
PEARL	323	260	63
PI CAYUNE	160	110	50
RIDGELAND	277	213	64
SOUTHAVEN	309	293	16
STARKVILLE	322	145	177
TUPELO	528	331	197
VICKSBURG	455	115	340
YAZOO CITY	244	51	193

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B**  
**FERTILITY RATES\*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>65.2</u>	<u>58.0</u>	<u>75.6</u>				
ADAMS	62.9	47.1	76.1	LINCOLN	60.9	60.0	62.6
ALCORN	59.3	55.9	80.0	LOWNDES	69.0	56.8	85.0
AMITE	46.3	51.0	41.9	MADISON	67.6	61.4	76.0
ATTALA	63.6	67.3	59.6	MARION	67.9	60.8	80.7
BENTON	73.9	86.1	60.8	MARSHALL	67.4	61.5	71.8
BOLIVAR	70.8	51.2	79.4	MONROE	61.4	61.9	60.4
CALHOUN	60.5	59.9	61.6	MONTGOMERY	78.9	74.6	82.4
CARROLL	43.8	39.7	49.0	NESHOBA	74.4	64.2	92.3
CHICKASAW	79.1	74.6	84.4	NEWTON	71.3	59.0	91.8
CHOCTAW	57.3	50.0	70.6	NOXUBEE	77.5	97.0	73.0
CLAIBORNE	53.0	34.8	54.9	OKTIBBEHA	52.8	38.3	75.6
CLARKE	64.4	54.6	78.8	PANOLA	66.2	53.5	77.6
CLAY	68.0	55.7	75.9	PEARL RIVER	63.0	65.0	54.1
COAHOMA	78.2	52.2	88.3	PERRY	71.0	63.1	93.3
COPIAH	61.3	60.0	62.3	PIKE	61.1	53.8	67.6
COVINGTON	85.2	74.2	100.2	PONTOTOC	60.1	62.7	48.8
DESOTO	65.1	66.7	56.8	PRENTISS	64.0	63.6	66.2
FORREST	59.4	50.2	76.5	QUITMAN	90.5	62.4	99.9
FRANKLIN	69.4	57.7	83.2	RANKIN	58.8	58.1	61.8
GEORGE	76.6	79.7	52.4	SCOTT	81.8	78.6	85.6
GREENE	65.6	65.2	67.0	SHARKEY	73.0	86.4	69.0
GRENADA	64.3	60.6	68.4	SIMPSON	67.4	53.8	90.3
HANCOCK	60.3	63.8	38.3	SMITH	66.4	61.8	79.3
HARRISON	69.4	65.0	81.9	STONE	54.5	56.3	49.3
HINDS	64.2	43.6	77.9	SUNFLOWER	70.5	57.9	75.3
HOLMES	86.6	55.2	93.4	TALLAHATCHIE	68.3	69.2	68.0
HUMPHREYS	74.9	61.0	79.6	TATE	64.4	62.2	67.9
ISSAQUENA	39.0	26.8	46.6	TIPPAH	71.1	67.7	84.6
ITAWAMBA	59.9	59.1	70.0	TISHOMINGO	61.6	62.8	38.2
JACKSON	55.0	52.7	62.0	TUNICA	68.8	47.1	75.0
JASPER	76.0	63.8	84.4	UNION	66.0	65.2	70.0
JEFFERSON	72.8	67.1	73.3	WALTHALL	69.8	56.8	82.4
JEFF DAVIS	68.6	55.0	76.0	WARREN	67.6	54.8	83.4
JONES	61.7	55.1	77.0	WASHINGTON	72.5	51.1	84.6
KEMPER	56.9	55.6	57.5	WAYNE	77.6	72.2	85.2
LAFAYETTE	39.3	33.0	55.9	WEBSTER	57.7	54.8	65.5
LAMAR	65.1	64.2	70.3	WILKINSON	64.6	69.1	63.4
LAUDERDALE	66.0	56.3	80.0	WINSTON	59.9	60.4	59.4
LAWRENCE	70.4	73.7	65.4	YALOBUSHA	70.4	63.4	78.3
LEAKE	73.2	62.2	85.9	YAZOO	77.8	66.2	85.2
LEE	65.0	60.3	79.2				
LEFLORE	80.8	52.8	93.0				

\* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

**TABLE 2**  
**LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,**  
**ALSO BY COUNTY OF RESIDENCE AND SEX,**  
**MISSISSIPPI, 1996**

COUNTY	WHITE					NONWHITE				SEX	
	TOTAL	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<b>STATE</b>	<b>40,978</b>	<b>21,447</b>	<b>21,388</b>	<b>8</b>	<b>51</b>	<b>19,531</b>	<b>19,469</b>	<b>14</b>	<b>48</b>	<b>21,057</b>	<b>19,921</b>
ADAMS	511	174	174	0	0	337	337	0	0	259	252
ALCORN	409	331	331	0	0	78	77	0	1	222	187
AMITE	139	74	74	0	0	65	65	0	0	77	62
ATTALA	242	133	133	0	0	109	108	0	1	123	119
BENTON	128	77	77	0	0	51	51	0	0	61	67
BOLIVAR	721	159	159	0	0	562	562	0	0	350	371
CALHOUN	185	120	119	0	1	65	65	0	0	103	82
CARROLL	95	48	48	0	0	47	47	0	0	45	50
CHICKASAW	310	158	158	0	0	152	151	0	1	135	175
CHOCTAW	112	63	63	0	0	49	49	0	0	61	51
CLAIBORNE	176	11	11	0	0	165	164	1	0	91	85
CLARKE	245	123	123	0	0	122	122	0	0	123	122
CLAY	348	111	110	0	1	237	237	0	0	183	165
COAHOMA	594	111	111	0	0	483	482	0	1	294	300
COPIAH	393	159	159	0	0	234	233	0	1	190	203
COVINGTON	299	151	150	0	1	148	148	0	0	148	151
DESOTO	1,391	1,191	1,189	0	2	200	199	0	1	732	659
FORREST	1,100	604	602	0	2	496	495	0	1	548	552
FRANKLIN	115	52	51	0	1	63	63	0	0	61	54
GEORGE	310	286	286	0	0	24	24	0	0	171	139
GREENE	162	124	124	0	0	38	38	0	0	92	70
GRENADA	323	159	158	0	1	164	164	0	0	165	158
HANCOCK	474	433	430	0	3	41	41	0	0	257	217
HARRISON	2,719	1,884	1,879	1	4	835	832	0	3	1,436	1,283



TABLE 2 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1996

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,966	1,077	1,070	2	5	2,889	2,887	1	1	2,064	1,902
HOLMES	409	46	46	0	0	363	362	0	1	200	209
HUMPHREYS	194	40	40	0	0	154	154	0	0	100	94
ISSAQUENA	15	4	4	0	0	11	11	0	0	11	4
ITAWAMBA	248	227	226	0	1	21	21	0	0	136	112
JACKSON	1,724	1,227	1,224	0	3	497	494	1	2	850	874
JASPER	293	101	101	0	0	192	191	0	1	148	145
JEFFERSON	140	11	11	0	0	129	129	0	0	71	69
JEFF DAVIS	205	58	58	0	0	147	147	0	0	115	90
JONES	850	530	526	0	4	320	318	0	2	459	391
KEMPER	135	44	44	0	0	91	91	0	0	65	70
LAFAYETTE	378	230	229	0	1	148	147	0	1	199	179
LAMAR	493	413	411	0	2	80	79	0	1	258	235
LAUDERDALE	1,151	578	578	0	0	573	572	0	1	598	553
LAWRENCE	190	120	120	0	0	70	70	0	0	105	85
LEAKE	291	132	132	0	0	159	158	0	1	148	143
LEE	1,123	779	777	1	1	344	341	3	0	572	551
LEFLORE	691	137	136	1	0	554	550	1	3	353	338
LINCOLN	434	277	277	0	0	157	157	0	0	223	211
LOWNDES	1,030	481	480	0	1	549	547	0	2	526	504
MADISON	1,187	626	626	0	0	561	560	1	0	587	600
MARION	370	213	212	0	1	157	157	0	0	195	175
MARSHALL	520	204	203	0	1	316	315	0	1	265	255
MONROE	493	315	314	0	1	178	175	1	2	254	239
MONTGOMERY	198	83	83	0	0	115	115	0	0	96	102
NESHOBA	453	250	248	1	1	203	202	1	0	222	231
NEWTON	345	179	178	0	1	166	166	0	0	190	155
NOXUBEE	214	51	51	0	0	163	161	1	1	114	100
OKTIBBEHA	569	252	252	0	0	317	317	0	0	280	289
PANOLA	519	198	198	0	0	321	321	0	0	266	253

TABLE 2 - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 1996

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	595	501	499	1	1	94	94	0	0	309	286
PERRY	185	121	121	0	0	64	63	0	1	101	84
PIKE	523	216	216	0	0	307	305	0	2	259	264
PONTOTOC	341	288	286	0	2	53	53	0	0	167	174
PRETISS	336	285	284	1	0	51	51	0	0	178	158
QUITMAN	185	32	32	0	0	153	153	0	0	92	93
RANKIN	1,454	1,158	1,157	0	1	296	295	0	1	798	656
SCOTT	437	230	230	0	0	207	207	0	0	222	215
SHARKEY	121	33	33	0	0	88	88	0	0	65	56
SIMPSON	355	177	177	0	0	178	176	2	0	188	167
SMITH	210	144	142	0	2	66	66	0	0	111	99
STONE	159	122	122	0	0	37	37	0	0	73	86
SUNFLOWER	515	116	116	0	0	399	398	0	1	260	255
TALLAHATCHIE	208	57	57	0	0	151	149	1	1	115	93
TATE	343	200	199	0	1	143	143	0	0	165	178
TIPPAH	304	232	232	0	0	72	72	0	0	153	151
TISHOMINGO	227	220	220	0	0	7	7	0	0	113	114
TUNICA	152	23	23	0	0	129	129	0	0	72	80
UNION	342	277	277	0	0	65	65	0	0	178	164
WALTHALL	212	85	82	0	3	127	126	0	1	118	94
WARREN	769	344	344	0	0	425	424	0	1	385	384
WASHINGTON	1,210	307	307	0	0	903	899	0	4	602	608
WAYNE	344	187	186	0	1	157	157	0	0	173	171
WEBSTER	129	89	88	0	1	40	40	0	0	65	64
WILKINSON	125	28	28	0	0	97	97	0	0	57	68
WINSTON	257	127	127	0	0	130	128	0	2	137	120
YALOBUSHA	179	85	85	0	0	94	93	0	1	96	83
YAZOO	432	144	144	0	0	288	285	0	3	208	224

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A**  
**TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>40, 978</b>	<b>298</b>	<b>8, 447</b>	<b>13, 112</b>	<b>10, 207</b>	<b>6, 032</b>	<b>2, 468</b>	<b>392</b>	<b>15</b>	<b>7</b>
ADAMS	511	5	106	175	114	68	37	5	1	0
ALCORN	409	3	82	139	106	60	15	3	0	1
AMITE	139	0	18	49	43	22	5	2	0	0
ATTALA	242	3	51	62	76	36	12	2	0	0
BENTON	128	0	30	46	32	13	7	0	0	0
BOLIVAR	721	11	188	236	183	74	23	6	0	0
CALHOUN	185	2	51	59	37	30	6	0	0	0
CARROLL	95	0	22	32	20	14	7	0	0	0
CHICKASAW	310	0	76	101	73	36	19	5	0	0
CHOCTAW	112	1	31	20	38	14	8	0	0	0
CLAIBORNE	176	2	45	50	34	24	13	8	0	0
CLARKE	245	2	52	89	55	32	14	1	0	0
CLAY	348	2	82	115	73	58	15	3	0	0
COAHOMA	594	7	180	217	107	59	19	4	0	1
COPIAH	393	5	95	127	99	47	15	5	0	0
COVINGTON	299	2	73	105	60	42	15	2	0	0
DESOTO	1, 391	1	186	371	448	274	96	14	1	0
FORREST	1, 100	6	205	361	276	175	67	9	1	0
FRANKLIN	115	1	25	42	21	20	5	1	0	0
GEORGE	310	1	57	110	84	43	13	2	0	0
GREENE	162	0	31	64	42	19	6	0	0	0
GRENADA	323	3	80	96	73	50	17	4	0	0
HANCOCK	474	2	99	140	111	82	36	4	0	0
HARRISON	2, 719	13	477	892	696	420	184	34	1	2
HINDS	3, 966	36	763	1, 192	1, 003	605	308	58	1	0
HOLMES	409	9	91	138	94	58	16	3	0	0
HUMPHREYS	194	3	50	70	32	26	11	1	1	0
ISSAQUENA	15	0	5	3	3	3	0	1	0	0
ITAWAMBA	248	0	35	92	73	31	14	3	0	0
JACKSON	1, 724	5	349	568	419	248	121	11	2	1
JASPER	293	1	64	91	78	41	17	1	0	0
JEFFERSON	140	1	37	51	27	17	7	0	0	0
JEFF DAVIS	205	4	49	65	48	19	19	1	0	0
JONES	850	4	179	273	229	113	44	8	0	0
KEMPER	135	3	23	59	25	18	5	2	0	0
LAFAYETTE	378	3	54	114	108	67	30	2	0	0
LAMAR	493	1	64	147	152	87	38	4	0	0
LAUDERDALE	1, 151	10	216	351	318	182	62	12	0	0
LAWRENCE	190	1	37	58	49	34	11	0	0	0
LEAKE	291	4	67	104	67	29	18	2	0	0
LEE	1, 123	6	200	316	315	207	69	10	0	0
LEFLORE	691	11	212	240	116	72	30	10	0	0

TABLE 3A - PAGE 2  
TOTAL LIVE BIRTHS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	434	4	81	138	108	78	21	4	0	0
LOWNDES	1,030	8	188	329	276	158	64	6	0	1
MADISON	1,187	5	158	264	331	296	119	14	0	0
MARION	370	3	86	131	85	49	15	1	0	0
MARSHALL	520	2	132	179	116	53	30	6	2	0
MONROE	493	3	92	155	139	73	24	7	0	0
MONTGOMERY	198	3	54	63	39	24	12	3	0	0
NESHOBA	453	1	102	155	110	56	27	2	0	0
NEWTON	345	1	58	134	86	49	15	2	0	0
NOXUBEE	214	2	41	66	57	30	18	0	0	0
OKTIBBEHA	569	2	104	145	159	111	45	2	0	1
PANOLA	519	9	126	183	108	64	25	4	0	0
PEARL RIVER	595	0	119	226	141	80	25	4	0	0
PERRY	185	0	47	81	28	21	7	1	0	0
PIKE	523	3	117	182	126	54	31	9	1	0
PONTOTOC	341	0	54	116	93	57	18	3	0	0
PRETISS	336	2	67	104	94	43	24	2	0	0
QUITMAN	185	1	55	74	33	16	5	1	0	0
RANKIN	1,454	6	172	394	457	298	112	15	0	0
SCOTT	437	1	94	160	102	50	22	8	0	0
SHARKEY	121	0	31	28	37	18	6	1	0	0
SIMPSON	355	1	76	129	80	40	24	5	0	0
SMITH	210	2	48	60	57	33	7	3	0	0
STONE	159	0	31	58	43	22	4	1	0	0
SUNFLOWER	515	7	176	175	91	40	22	4	0	0
TALLAHATCHIE	208	4	67	63	43	25	5	1	0	0
TATE	343	4	86	109	74	54	16	0	0	0
TIPPAH	304	3	74	91	80	43	12	1	0	0
TISHOMINGO	227	0	39	83	60	32	11	2	0	0
TUNICA	152	1	54	46	33	9	5	3	1	0
UNION	342	3	79	121	81	37	19	2	0	0
WALTHALL	212	0	44	76	54	23	14	1	0	0
WARREN	769	8	165	250	172	121	47	6	0	0
WASHINGTON	1,210	21	345	399	239	122	70	14	0	0
WAYNE	344	3	87	119	81	38	9	6	1	0
WEBSTER	129	1	31	42	29	20	6	0	0	0
WILKINSON	125	0	33	34	27	20	9	2	0	0
WINSTON	257	3	54	97	59	28	15	0	1	0
YALOBUSHA	179	1	45	72	31	18	12	0	0	0
YAZOO	432	6	98	151	91	60	22	3	1	0

**TABLE 3B**  
**LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>21, 447</b>	<b>31</b>	<b>3, 059</b>	<b>6, 322</b>	<b>6, 402</b>	<b>3, 911</b>	<b>1, 494</b>	<b>217</b>	<b>6</b>	<b>5</b>
ADAMS	174	0	16	56	55	32	12	3	0	0
ALCORN	331	2	60	116	92	47	11	3	0	0
AMITE	74	0	6	27	26	10	3	2	0	0
ATTALA	133	2	22	34	38	28	7	2	0	0
BENTON	77	0	14	32	20	7	4	0	0	0
BOLIVAR	159	0	18	50	61	25	4	1	0	0
CALHOUN	120	1	28	38	27	23	3	0	0	0
CARROLL	48	0	5	12	16	10	5	0	0	0
CHICKASAW	158	0	26	43	49	25	12	3	0	0
CHOCTAW	63	0	13	10	27	10	3	0	0	0
CLAIBORNE	11	0	1	0	2	3	3	2	0	0
CLARKE	123	0	20	43	33	19	7	1	0	0
CLAY	111	0	21	26	32	24	8	0	0	0
COAHOMA	111	0	13	35	34	20	8	1	0	0
COPIAH	159	0	28	45	52	23	10	1	0	0
COVINGTON	151	0	20	56	33	31	9	2	0	0
DESOTO	1, 191	1	126	315	402	247	87	13	0	0
FORREST	604	1	83	173	181	114	45	7	0	0
FRANKLIN	52	0	6	25	11	8	2	0	0	0
GEORGE	286	1	52	95	83	40	13	2	0	0
GREENE	124	0	24	45	36	13	6	0	0	0
GRENADA	159	0	26	42	49	30	10	2	0	0
HANCOCK	433	2	88	128	104	74	33	4	0	0
HARRISON	1, 884	2	280	602	517	325	133	23	0	2
HINDS	1, 077	2	96	224	371	244	122	18	0	0
HOLMES	46	0	5	11	17	11	2	0	0	0
HUMPHREYS	40	0	3	14	11	8	3	0	1	0
ISSAQUENA	4	0	1	1	0	2	0	0	0	0
ITAWAMBA	227	0	28	82	71	30	13	3	0	0
JACKSON	1, 227	2	219	360	336	201	100	6	2	1
JASPER	101	0	10	25	42	16	8	0	0	0
JEFFERSON	11	0	2	4	3	1	1	0	0	0
JEFF DAVIS	58	0	5	20	23	5	5	0	0	0
JONES	530	1	86	158	170	81	27	7	0	0
KEMPER	44	0	5	19	11	7	1	1	0	0
LAFAYETTE	230	1	22	44	80	59	22	2	0	0
LAMAR	413	1	50	115	132	79	33	3	0	0
LAUDERDALE	578	0	64	150	194	121	39	10	0	0
LAWRENCE	120	0	17	36	38	24	5	0	0	0
LEAKE	132	0	26	36	40	22	8	0	0	0
LEE	779	0	105	201	240	169	56	8	0	0
LEFLORE	137	0	27	43	34	25	7	1	0	0

TABLE 3B - PAGE 2  
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	277	0	43	87	74	57	13	3	0	0
LOWNDES	481	0	45	147	162	89	35	2	0	1
MADISON	626	0	21	85	203	222	90	5	0	0
MARION	213	1	36	74	55	37	10	0	0	0
MARSHALL	204	0	45	72	55	17	10	4	1	0
MONROE	315	1	45	97	99	53	17	3	0	0
MONTGOMERY	83	0	11	28	19	17	5	3	0	0
NESHOBA	250	1	41	84	72	34	16	2	0	0
NEWTON	179	0	19	71	51	31	6	1	0	0
NOXUBEE	51	0	0	13	13	16	9	0	0	0
OKTIBBEHA	252	0	22	62	86	58	21	2	0	1
PANOLA	198	1	39	68	48	31	10	1	0	0
PEARL RIVER	501	0	94	187	127	69	20	4	0	0
PERRY	121	0	25	50	23	16	6	1	0	0
PIKE	216	1	29	66	64	32	17	6	1	0
PONTOTOC	288	0	39	97	80	52	17	3	0	0
PRENTISS	285	0	54	88	81	40	20	2	0	0
QUITMAN	32	0	3	12	9	6	1	1	0	0
RANKIN	1,158	3	110	306	395	240	91	13	0	0
SCOTT	230	0	41	73	69	37	8	2	0	0
SHARKEY	33	0	2	6	10	12	3	0	0	0
SIMPSON	177	0	31	59	48	25	11	3	0	0
SMITH	144	0	25	46	44	21	5	3	0	0
STONE	122	0	23	40	35	21	3	0	0	0
SUNFLOWER	116	0	17	40	34	20	4	1	0	0
TALLAHATCHIE	57	0	12	14	16	11	4	0	0	0
TATE	200	0	36	60	59	32	13	0	0	0
TIPPAH	232	2	51	66	67	36	9	1	0	0
TISHOMINGO	220	0	36	80	59	32	11	2	0	0
TUNICA	23	0	4	7	8	3	0	1	0	0
UNION	277	2	64	93	69	28	19	2	0	0
WALTHALL	85	0	8	38	23	11	5	0	0	0
WARREN	344	0	45	111	87	65	34	2	0	0
WASHINGTON	307	0	56	78	95	43	28	7	0	0
WAYNE	187	0	39	67	47	24	5	4	1	0
WEBSTER	89	0	15	28	25	17	4	0	0	0
WILKINSON	28	0	4	10	7	4	2	1	0	0
WINSTON	127	0	25	44	32	17	9	0	0	0
YALOBUSHA	85	0	19	34	17	9	6	0	0	0
YAZOO	144	0	18	43	42	33	7	1	0	0

**TABLE 3C**  
**LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>19, 531</b>	<b>267</b>	<b>5, 388</b>	<b>6, 790</b>	<b>3, 805</b>	<b>2, 121</b>	<b>974</b>	<b>175</b>	<b>9</b>	<b>2</b>
ADAMS	337	5	90	119	59	36	25	2	1	0
ALCORN	78	1	22	23	14	13	4	0	0	1
AMITE	65	0	12	22	17	12	2	0	0	0
ATTALA	109	1	29	28	38	8	5	0	0	0
BENTON	51	0	16	14	12	6	3	0	0	0
BOLIVAR	562	11	170	186	122	49	19	5	0	0
CALHOUN	65	1	23	21	10	7	3	0	0	0
CARROLL	47	0	17	20	4	4	2	0	0	0
CHICKASAW	152	0	50	58	24	11	7	2	0	0
CHOCTAW	49	1	18	10	11	4	5	0	0	0
CLAIBORNE	165	2	44	50	32	21	10	6	0	0
CLARKE	122	2	32	46	22	13	7	0	0	0
CLAY	237	2	61	89	41	34	7	3	0	0
COAHOMA	483	7	167	182	73	39	11	3	0	1
COPIAH	234	5	67	82	47	24	5	4	0	0
COVINGTON	148	2	53	49	27	11	6	0	0	0
DESOTO	200	0	60	56	46	27	9	1	1	0
FORREST	496	5	122	188	95	61	22	2	1	0
FRANKLIN	63	1	19	17	10	12	3	1	0	0
GEORGE	24	0	5	15	1	3	0	0	0	0
GREENE	38	0	7	19	6	6	0	0	0	0
GRENADA	164	3	54	54	24	20	7	2	0	0
HANCOCK	41	0	11	12	7	8	3	0	0	0
HARRISON	835	11	197	290	179	95	51	11	1	0
HINDS	2, 889	34	667	968	632	361	186	40	1	0
HOLMES	363	9	86	127	77	47	14	3	0	0
HUMPHREYS	154	3	47	56	21	18	8	1	0	0
ISSAQUENA	11	0	4	2	3	1	0	1	0	0
ITAWAMBA	21	0	7	10	2	1	1	0	0	0
JACKSON	497	3	130	208	83	47	21	5	0	0
JASPER	192	1	54	66	36	25	9	1	0	0
JEFFERSON	129	1	35	47	24	16	6	0	0	0
JEFF DAVIS	147	4	44	45	25	14	14	1	0	0
JONES	320	3	93	115	59	32	17	1	0	0
KEMPER	91	3	18	40	14	11	4	1	0	0
LAFAYETTE	148	2	32	70	28	8	8	0	0	0
LAMAR	80	0	14	32	20	8	5	1	0	0
LAUDERDALE	573	10	152	201	124	61	23	2	0	0
LAWRENCE	70	1	20	22	11	10	6	0	0	0
LEAKE	159	4	41	68	27	7	10	2	0	0
LEE	344	6	95	115	75	38	13	2	0	0
LEFLORE	554	11	185	197	82	47	23	9	0	0

TABLE 3C - PAGE 2  
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	157	4	38	51	34	21	8	1	0	0
LOWNDES	549	8	143	182	114	69	29	4	0	0
MADISON	561	5	137	179	128	74	29	9	0	0
MARION	157	2	50	57	30	12	5	1	0	0
MARSHALL	316	2	87	107	61	36	20	2	1	0
MONROE	178	2	47	58	40	20	7	4	0	0
MONTGOMERY	115	3	43	35	20	7	7	0	0	0
NESHOBA	203	0	61	71	38	22	11	0	0	0
NEWTON	166	1	39	63	35	18	9	1	0	0
NOXUBEE	163	2	41	53	44	14	9	0	0	0
OKTIBBEHA	317	2	82	83	73	53	24	0	0	0
PANOLA	321	8	87	115	60	33	15	3	0	0
PEARL RIVER	94	0	25	39	14	11	5	0	0	0
PERRY	64	0	22	31	5	5	1	0	0	0
PIKE	307	2	88	116	62	22	14	3	0	0
PONTOTOC	53	0	15	19	13	5	1	0	0	0
PRETISS	51	2	13	16	13	3	4	0	0	0
QUITMAN	153	1	52	62	24	10	4	0	0	0
RANKIN	296	3	62	88	62	58	21	2	0	0
SCOTT	207	1	53	87	33	13	14	6	0	0
SHARKEY	88	0	29	22	27	6	3	1	0	0
SIMPSON	178	1	45	70	32	15	13	2	0	0
SMITH	66	2	23	14	13	12	2	0	0	0
STONE	37	0	8	18	8	1	1	1	0	0
SUNFLOWER	399	7	159	135	57	20	18	3	0	0
TALLAHATCHIE	151	4	55	49	27	14	1	1	0	0
TATE	143	4	50	49	15	22	3	0	0	0
TIPPAH	72	1	23	25	13	7	3	0	0	0
TISHOMINGO	7	0	3	3	1	0	0	0	0	0
TUNICA	129	1	50	39	25	6	5	2	1	0
UNION	65	1	15	28	12	9	0	0	0	0
WALTHALL	127	0	36	38	31	12	9	1	0	0
WARREN	425	8	120	139	85	56	13	4	0	0
WASHINGTON	903	21	289	321	144	79	42	7	0	0
WAYNE	157	3	48	52	34	14	4	2	0	0
WEBSTER	40	1	16	14	4	3	2	0	0	0
WILKINSON	97	0	29	24	20	16	7	1	0	0
WINSTON	130	3	29	53	27	11	6	0	1	0
YALOBUSHA	94	1	26	38	14	9	6	0	0	0
YAZOO	288	6	80	108	49	27	15	2	1	0



**TABLE 4**  
**LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18, 458</u>	<u>3, 995</u>	<u>14, 463</u>	<u>45. 0</u>	<u>18. 6</u>	<u>74. 0</u>
ADAMS	315	33	282	61. 6	19. 0	83. 7
ALCORN	122	69	53	29. 8	20. 8	67. 9
AMITE	54	12	42	38. 8	16. 2	64. 6
ATTALA	105	27	78	43. 4	20. 3	71. 6
BENTON	55	18	37	43. 0	23. 4	72. 5
BOLIVAR	476	21	455	66. 0	13. 2	81. 0
CALHOUN	77	22	55	41. 6	18. 3	84. 6
CARROLL	45	6	39	47. 4	12. 5	83. 0
CHICKASAW	132	22	110	42. 6	13. 9	72. 4
CHOCTAW	49	10	39	43. 8	15. 9	79. 6
CLAIBORNE	130	1	129	73. 9	9. 1	78. 2
CLARKE	103	16	87	42. 0	13. 0	71. 3
CLAY	185	17	168	53. 2	15. 3	70. 9
COAHOMA	425	24	401	71. 5	21. 6	83. 0
COPIAH	212	40	172	53. 9	25. 2	73. 5
COVINGTON	137	26	111	45. 8	17. 2	75. 0
DESOTO	348	216	132	25. 0	18. 1	66. 0
FORREST	463	99	364	42. 1	16. 4	73. 4
FRANKLIN	58	15	43	50. 4	28. 8	68. 2
GEORGE	69	51	18	22. 2	17. 8	75. 0
GREENE	47	20	27	29. 0	16. 1	71. 0
GRENADA	147	28	119	45. 5	17. 6	72. 6
HANCOCK	178	156	22	37. 6	36. 0	53. 6
HARRISON	1, 023	488	535	37. 6	25. 9	64. 1
HINDS	2, 225	190	2, 035	56. 1	17. 6	70. 4
HOLMES	293	6	287	71. 6	13. 0	79. 1
HUMPHREYS	137	7	130	70. 6	17. 5	84. 4
ISSAQUENA	9	1	8	60. 0	25. 0	72. 7
ITAWAMBA	47	31	16	19. 0	13. 6	76. 2
JACKSON	671	305	366	38. 9	24. 8	73. 6
JASPER	151	15	136	51. 5	14. 8	70. 8
JEFFERSON	108	3	105	77. 1	27. 3	81. 4
JEFF DAVIS	119	10	109	58. 0	17. 2	74. 2
JONES	320	78	242	37. 6	14. 7	75. 6
KEMPER	76	6	70	56. 3	13. 6	76. 9
LAFAYETTE	133	28	105	35. 2	12. 2	70. 9
LAMAR	121	68	53	24. 5	16. 5	66. 2
LAUDERDALE	518	97	421	45. 0	16. 8	73. 5
LAWRENCE	60	15	45	31. 6	12. 5	64. 3
LEAKE	142	19	123	48. 8	14. 4	77. 4
LEE	390	145	245	34. 7	18. 6	71. 2
LEFLORE	499	28	471	72. 2	20. 4	85. 0

TABLE 4 - PAGE 2  
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1996

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	148	30	118	34.1	10.8	75.2
LOWNDES	458	74	384	44.5	15.4	69.9
MADISON	430	40	390	36.2	6.4	69.5
MARION	157	42	115	42.4	19.7	73.2
MARSHALL	288	64	224	55.4	31.4	70.9
MONROE	188	57	131	38.1	18.1	73.6
MONTGOMERY	103	10	93	52.0	12.0	80.9
NESHOBA	186	46	140	41.1	18.4	69.0
NEWTON	142	26	116	41.2	14.5	69.9
NOXUBEE	127	1	126	59.3	2.0	77.3
OKTIBBEHA	223	23	200	39.2	9.1	63.1
PANOLA	293	39	254	56.4	19.7	79.1
PEARL RIVER	181	115	66	30.4	23.0	70.2
PERRY	71	17	54	38.4	14.0	84.4
PIKE	242	33	209	46.3	15.3	68.1
PONTOTOC	76	40	36	22.3	13.9	67.9
PRENTISS	87	51	36	25.9	17.9	70.6
QUITMAN	134	4	130	72.4	12.5	85.0
RANKIN	348	171	177	23.9	14.8	59.8
SCOTT	215	62	153	49.2	27.0	73.9
SHARKEY	78	4	74	64.5	12.1	84.1
SIMPSON	152	28	124	42.8	15.8	69.7
SMITH	63	18	45	30.0	12.5	68.2
STONE	55	25	30	34.6	20.5	81.1
SUNFLOWER	351	19	332	68.2	16.4	83.2
TALLAHATCHIE	145	14	131	69.7	24.6	86.8
TATE	145	39	106	42.3	19.5	74.1
TIPPAH	95	47	48	31.2	20.2	66.7
TISHOMINGO	53	47	6	23.3	21.4	85.7
TUNICA	116	5	111	76.3	21.7	86.0
UNION	94	50	44	27.5	18.0	67.7
WALTHALL	94	14	80	44.3	16.5	63.0
WARREN	373	59	314	48.5	17.2	73.9
WASHINGTON	823	70	753	68.0	22.8	83.4
WAYNE	161	43	118	46.8	23.0	75.2
WEBSTER	47	16	31	36.4	18.0	77.5
WILKINSON	79	3	76	63.2	10.7	78.4
WINSTON	108	18	90	42.0	14.2	69.2
YALOBUSHA	86	16	70	48.0	18.8	74.5
YAZOO	269	26	243	62.3	18.0	84.4

**TABLE 5A**  
**TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>18,458</b>	<b>296</b>	<b>6,772</b>	<b>6,814</b>	<b>2,764</b>	<b>1,203</b>	<b>513</b>	<b>89</b>	<b>3</b>	<b>4</b>
ADAMS	315	5	99	117	53	23	15	3	0	0
ALCORN	122	3	48	43	16	6	4	1	0	1
AMITE	54	0	13	24	10	6	0	1	0	0
ATTALA	105	3	39	32	23	5	3	0	0	0
BENTON	55	0	21	20	9	2	3	0	0	0
BOLIVAR	476	11	176	162	83	30	10	4	0	0
CALHOUN	77	2	33	25	11	4	2	0	0	0
CARROLL	45	0	18	20	4	3	0	0	0	0
CHICKASAW	132	0	62	47	14	3	6	0	0	0
CHOCTAW	49	1	26	11	8	1	2	0	0	0
CLAIBORNE	130	2	44	43	22	10	7	2	0	0
CLARKE	103	2	43	37	9	10	2	0	0	0
CLAY	185	2	71	73	26	11	1	1	0	0
COAHOMA	425	7	170	155	55	29	7	1	0	1
COPIAH	212	5	80	76	31	17	3	0	0	0
COVINGTON	137	2	61	47	21	4	2	0	0	0
DESOTO	348	1	131	120	59	25	9	2	1	0
FORREST	463	6	156	186	72	29	14	0	0	0
FRANKLIN	58	1	23	21	5	7	0	1	0	0
GEORGE	69	1	28	30	8	2	0	0	0	0
GREENE	47	0	15	23	5	3	1	0	0	0
GRENADA	147	3	66	48	16	11	3	0	0	0
HANCOCK	178	2	74	55	28	10	8	1	0	0
HARRISON	1,023	13	359	377	166	68	34	5	0	1
HINDS	2,225	36	713	854	368	168	70	16	0	0
HOLMES	293	9	82	116	50	27	8	1	0	0
HUMPHREYS	137	3	48	54	14	12	6	0	0	0
ISSAQUENA	9	0	5	2	1	0	0	1	0	0
ITAWAMBA	47	0	15	22	7	1	2	0	0	0
JACKSON	671	4	267	263	82	38	15	2	0	0
JASPER	151	1	54	57	22	12	5	0	0	0
JEFFERSON	108	1	35	42	16	11	3	0	0	0
JEFF DAVIS	119	4	47	36	17	8	7	0	0	0
JONES	320	4	127	109	53	15	11	1	0	0
KEMPER	76	3	19	38	11	5	0	0	0	0
LAFAYETTE	133	3	43	62	14	5	6	0	0	0
LAMAR	121	1	38	51	21	7	3	0	0	0
LAUDERDALE	518	10	181	187	89	35	15	1	0	0
LAWRENCE	60	1	25	20	4	8	2	0	0	0
LEAKE	142	4	47	63	16	7	4	1	0	0
LEE	390	6	155	121	71	26	8	3	0	0
LEFLORE	499	11	196	194	56	27	11	4	0	0

TABLE 5A - PAGE 2  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	148	4	48	54	22	13	5	2	0	0
LOWNDES	458	8	162	161	81	29	15	2	0	0
MADISON	430	5	145	162	61	38	14	5	0	0
MARION	157	2	57	65	25	7	1	0	0	0
MARSHALL	288	2	113	103	45	10	13	2	0	0
MONROE	188	3	64	61	40	15	2	3	0	0
MONTGOMERY	103	3	45	35	12	4	4	0	0	0
NESHOBA	186	1	71	64	27	13	10	0	0	0
NEWTON	142	1	48	56	18	14	5	0	0	0
NOXUBEE	127	2	40	44	25	9	7	0	0	0
OKTIBBEHA	223	2	85	72	34	22	7	0	0	1
PANOLA	293	9	107	110	43	15	6	3	0	0
PEARL RIVER	181	0	73	75	20	8	5	0	0	0
PERRY	71	0	30	33	5	3	0	0	0	0
PIKE	242	3	90	91	39	13	5	1	0	0
PONTOTOC	76	0	27	33	11	4	1	0	0	0
PRETISS	87	2	34	32	12	3	4	0	0	0
QUITMAN	134	1	51	60	15	6	1	0	0	0
RANKIN	348	6	119	121	57	33	11	1	0	0
SCOTT	215	1	69	78	42	14	6	5	0	0
SHARKEY	78	0	30	21	20	5	1	1	0	0
SIMPSON	152	1	54	57	23	6	9	2	0	0
SMITH	63	2	25	19	9	7	1	0	0	0
STONE	55	0	21	23	8	3	0	0	0	0
SUNFLOWER	351	7	167	125	37	7	8	0	0	0
TALLAHATCHIE	145	4	61	46	23	10	1	0	0	0
TATE	145	4	64	49	12	14	2	0	0	0
TIPPAH	95	3	44	26	12	8	2	0	0	0
TISHOMINGO	53	0	16	24	9	3	1	0	0	0
TUNICA	116	1	50	39	19	4	1	1	1	0
UNION	94	3	41	31	10	7	1	1	0	0
WALTHALL	94	0	36	32	14	10	1	1	0	0
WARREN	373	8	138	140	52	27	6	2	0	0
WASHINGTON	823	21	319	320	95	42	23	3	0	0
WAYNE	161	3	64	47	32	8	4	2	1	0
WEBSTER	47	1	22	16	6	2	0	0	0	0
WILKINSON	79	0	30	24	15	6	4	0	0	0
WINSTON	108	3	38	38	18	6	5	0	0	0
YALOBUSHA	86	1	34	31	12	4	4	0	0	0
YAZOO	269	6	87	113	38	20	5	0	0	0

**TABLE 5B**  
**LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<b>STATE</b>	<b>3,995</b>	<b>29</b>	<b>1,542</b>	<b>1,384</b>	<b>638</b>	<b>275</b>	<b>106</b>	<b>18</b>	<b>1</b>	<b>2</b>
ADAMS	33	0	9	12	9	2	0	1	0	0
ALCORN	69	2	26	26	9	3	2	1	0	0
AMITE	12	0	1	6	3	1	0	1	0	0
ATTALA	27	2	11	8	3	2	1	0	0	0
BENTON	18	0	6	11	1	0	0	0	0	0
BOLIVAR	21	0	7	7	4	2	0	1	0	0
CALHOUN	22	1	11	5	4	1	0	0	0	0
CARROLL	6	0	1	3	2	0	0	0	0	0
CHICKASAW	22	0	13	5	1	0	3	0	0	0
CHOCTAW	10	0	8	2	0	0	0	0	0	0
CLAIBORNE	1	0	1	0	0	0	0	0	0	0
CLARKE	16	0	12	1	1	2	0	0	0	0
CLAY	17	0	13	1	3	0	0	0	0	0
COAHOMA	24	0	5	9	5	3	2	0	0	0
COPIAH	40	0	17	13	5	5	0	0	0	0
COVINGTON	26	0	9	14	3	0	0	0	0	0
DESOTO	216	1	73	75	40	20	5	2	0	0
FORREST	99	1	36	36	17	7	2	0	0	0
FRANKLIN	15	0	4	8	1	2	0	0	0	0
GEORGE	51	1	23	19	7	1	0	0	0	0
GREENE	20	0	8	7	3	1	1	0	0	0
GRENADA	28	0	14	8	4	2	0	0	0	0
HANCOCK	156	2	63	50	25	7	8	1	0	0
HARRISON	488	2	170	180	81	36	16	2	0	1
HINDS	190	2	58	65	40	18	7	0	0	0
HOLMES	6	0	0	3	1	2	0	0	0	0
HUMPHREYS	7	0	2	2	0	2	1	0	0	0
ISSAQUENA	1	0	1	0	0	0	0	0	0	0
ITAWAMBA	31	0	9	15	5	1	1	0	0	0
JACKSON	305	1	145	96	39	15	9	0	0	0
JASPER	15	0	1	5	4	4	1	0	0	0
JEFFERSON	3	0	1	1	1	0	0	0	0	0
JEFF DAVIS	10	0	3	4	3	0	0	0	0	0
JONES	78	1	38	19	14	3	3	0	0	0
KEMPER	6	0	1	4	1	0	0	0	0	0
LAFAYETTE	28	1	11	7	5	3	1	0	0	0
LAMAR	68	1	24	28	10	4	1	0	0	0
LAUDERDALE	97	0	33	29	20	11	3	1	0	0
LAWRENCE	15	0	7	3	2	3	0	0	0	0
LEAKE	19	0	8	6	3	2	0	0	0	0
LEE	145	0	63	40	26	12	2	2	0	0
LEFLORE	28	0	11	12	3	1	0	1	0	0

TABLE 5B - PAGE 2  
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	30	0	11	12	4	1	1	1	0	0
LOWNDES	74	0	26	29	15	2	2	0	0	0
MADISON	40	0	14	14	6	3	3	0	0	0
MARION	42	0	11	20	8	3	0	0	0	0
MARSHALL	64	0	27	19	11	2	4	1	0	0
MONROE	57	1	20	20	14	2	0	0	0	0
MONTGOMERY	10	0	4	6	0	0	0	0	0	0
NESHOBA	46	1	18	13	8	5	1	0	0	0
NEWTON	26	0	10	11	2	2	1	0	0	0
NOXUBEE	1	0	0	0	0	1	0	0	0	0
OKTIBBEHA	23	0	5	9	5	1	2	0	0	1
PANOLA	39	1	22	12	4	0	0	0	0	0
PEARL RIVER	115	0	51	44	12	7	1	0	0	0
PERRY	17	0	8	6	2	1	0	0	0	0
PIKE	33	1	12	12	4	4	0	0	0	0
PONTOTOC	40	0	13	18	6	2	1	0	0	0
PRETISS	51	0	21	20	6	3	1	0	0	0
QUITMAN	4	0	2	2	0	0	0	0	0	0
RANKIN	171	3	57	59	32	15	5	0	0	0
SCOTT	62	0	18	16	20	6	0	2	0	0
SHARKEY	4	0	1	1	1	1	0	0	0	0
SIMPSON	28	0	11	10	5	1	1	0	0	0
SMITH	18	0	5	8	3	2	0	0	0	0
STONE	25	0	13	8	2	2	0	0	0	0
SUNFLOWER	19	0	8	7	3	0	1	0	0	0
TALLAHATCHIE	14	0	6	5	3	0	0	0	0	0
TATE	39	0	17	13	4	4	1	0	0	0
TIPPAH	47	2	21	10	6	6	2	0	0	0
TISHOMINGO	47	0	13	22	8	3	1	0	0	0
TUNICA	5	0	1	4	0	0	0	0	0	0
UNION	50	2	26	14	3	3	1	1	0	0
WALTHALL	14	0	3	8	0	3	0	0	0	0
WARREN	59	0	22	31	5	1	0	0	0	0
WASHINGTON	70	0	33	23	8	3	3	0	0	0
WAYNE	43	0	20	11	9	1	1	0	1	0
WEBSTER	16	0	8	3	3	2	0	0	0	0
WILKINSON	3	0	2	1	0	0	0	0	0	0
WINSTON	18	0	9	2	3	1	3	0	0	0
YALOBUSHA	16	0	9	2	3	1	1	0	0	0
YAZOO	26	0	7	14	2	3	0	0	0	0

**TABLE 5C**  
**LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>14, 463</b>	<b>267</b>	<b>5, 230</b>	<b>5, 430</b>	<b>2, 126</b>	<b>928</b>	<b>407</b>	<b>71</b>	<b>2</b>	<b>2</b>
ADAMS	282	5	90	105	44	21	15	2	0	0
ALCORN	53	1	22	17	7	3	2	0	0	1
AMITE	42	0	12	18	7	5	0	0	0	0
ATTALA	78	1	28	24	20	3	2	0	0	0
BENTON	37	0	15	9	8	2	3	0	0	0
BOLIVAR	455	11	169	155	79	28	10	3	0	0
CALHOUN	55	1	22	20	7	3	2	0	0	0
CARROLL	39	0	17	17	2	3	0	0	0	0
CHICKASAW	110	0	49	42	13	3	3	0	0	0
CHOCTAW	39	1	18	9	8	1	2	0	0	0
CLAIBORNE	129	2	43	43	22	10	7	2	0	0
CLARKE	87	2	31	36	8	8	2	0	0	0
CLAY	168	2	58	72	23	11	1	1	0	0
COAHOMA	401	7	165	146	50	26	5	1	0	1
COPIAH	172	5	63	63	26	12	3	0	0	0
COVINGTON	111	2	52	33	18	4	2	0	0	0
DESOTO	132	0	58	45	19	5	4	0	1	0
FORREST	364	5	120	150	55	22	12	0	0	0
FRANKLIN	43	1	19	13	4	5	0	1	0	0
GEORGE	18	0	5	11	1	1	0	0	0	0
GREENE	27	0	7	16	2	2	0	0	0	0
GRENADA	119	3	52	40	12	9	3	0	0	0
HANCOCK	22	0	11	5	3	3	0	0	0	0
HARRISON	535	11	189	197	85	32	18	3	0	0
HINDS	2, 035	34	655	789	328	150	63	16	0	0
HOLMES	287	9	82	113	49	25	8	1	0	0
HUMPHREYS	130	3	46	52	14	10	5	0	0	0
ISSAQUENA	8	0	4	2	1	0	0	1	0	0
ITAWAMBA	16	0	6	7	2	0	1	0	0	0
JACKSON	366	3	122	167	43	23	6	2	0	0
JASPER	136	1	53	52	18	8	4	0	0	0
JEFFERSON	105	1	34	41	15	11	3	0	0	0
JEFF DAVIS	109	4	44	32	14	8	7	0	0	0
JONES	242	3	89	90	39	12	8	1	0	0
KEMPER	70	3	18	34	10	5	0	0	0	0
LAFAYETTE	105	2	32	55	9	2	5	0	0	0
LAMAR	53	0	14	23	11	3	2	0	0	0
LAUDERDALE	421	10	148	158	69	24	12	0	0	0
LAWRENCE	45	1	18	17	2	5	2	0	0	0
LEAKE	123	4	39	57	13	5	4	1	0	0
LEE	245	6	92	81	45	14	6	1	0	0
LEFLORE	471	11	185	182	53	26	11	3	0	0

TABLE 5C - PAGE 2  
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1996

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	118	4	37	42	18	12	4	1	0	0
LOWNDES	384	8	136	132	66	27	13	2	0	0
MADISON	390	5	131	148	55	35	11	5	0	0
MARION	115	2	46	45	17	4	1	0	0	0
MARSHALL	224	2	86	84	34	8	9	1	0	0
MONROE	131	2	44	41	26	13	2	3	0	0
MONTGOMERY	93	3	41	29	12	4	4	0	0	0
NESHOBA	140	0	53	51	19	8	9	0	0	0
NEWTON	116	1	38	45	16	12	4	0	0	0
NOXUBEE	126	2	40	44	25	8	7	0	0	0
OKTIBBEHA	200	2	80	63	29	21	5	0	0	0
PANOLA	254	8	85	98	39	15	6	3	0	0
PEARL RIVER	66	0	22	31	8	1	4	0	0	0
PERRY	54	0	22	27	3	2	0	0	0	0
PIKE	209	2	78	79	35	9	5	1	0	0
PONTOTOC	36	0	14	15	5	2	0	0	0	0
PRETISS	36	2	13	12	6	0	3	0	0	0
QUITMAN	130	1	49	58	15	6	1	0	0	0
RANKIN	177	3	62	62	25	18	6	1	0	0
SCOTT	153	1	51	62	22	8	6	3	0	0
SHARKEY	74	0	29	20	19	4	1	1	0	0
SIMPSON	124	1	43	47	18	5	8	2	0	0
SMITH	45	2	20	11	6	5	1	0	0	0
STONE	30	0	8	15	6	1	0	0	0	0
SUNFLOWER	332	7	159	118	34	7	7	0	0	0
TALLAHATCHIE	131	4	55	41	20	10	1	0	0	0
TATE	106	4	47	36	8	10	1	0	0	0
TIPPAH	48	1	23	16	6	2	0	0	0	0
TISHOMINGO	6	0	3	2	1	0	0	0	0	0
TUNICA	111	1	49	35	19	4	1	1	1	0
UNION	44	1	15	17	7	4	0	0	0	0
WALTHALL	80	0	33	24	14	7	1	1	0	0
WARREN	314	8	116	109	47	26	6	2	0	0
WASHINGTON	753	21	286	297	87	39	20	3	0	0
WAYNE	118	3	44	36	23	7	3	2	0	0
WEBSTER	31	1	14	13	3	0	0	0	0	0
WILKINSON	76	0	28	23	15	6	4	0	0	0
WINSTON	90	3	29	36	15	5	2	0	0	0
YALOBUSHA	70	1	25	29	9	3	3	0	0	0
YAZOO	243	6	80	99	36	17	5	0	0	0



**TABLE 6A**  
**LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 047</u>	<u>1, 570</u>	<u>2, 477</u>	<u>9. 9</u>	<u>7. 3</u>	<u>12. 7</u>
ADAMS	55	13	42	10. 8	7. 5	12. 5
ALCORN	38	26	12	9. 3	7. 8	15. 4
AMITE	9	3	6	6. 5	4. 0	9. 2
ATTALA	25	14	11	10. 3	10. 5	10. 1
BENTON	16	8	8	12. 5	10. 4	15. 7
BOLIVAR	90	16	74	12. 5	10. 1	13. 2
CALHOUN	15	6	9	8. 1	5. 0	13. 8
CARROLL	6	4	2	6. 3	8. 3	4. 2
CHICKASAW	29	11	18	9. 4	7. 0	11. 8
CHOCTAW	15	5	10	13. 4	7. 9	20. 4
CLAIBORNE	32	1	31	18. 2	9. 1	18. 8
CLARKE	24	9	15	9. 8	7. 3	12. 3
CLAY	28	8	20	8. 0	7. 2	8. 4
COAHOMA	65	8	57	10. 9	7. 2	11. 8
COPIAH	40	10	30	10. 2	6. 3	12. 8
COVINGTON	23	6	17	7. 7	4. 0	11. 5
DESOTO	112	86	26	8. 0	7. 2	13. 0
FORREST	114	48	66	10. 4	7. 9	13. 3
FRANKLIN	18	8	10	15. 6	15. 4	15. 9
GEORGE	19	17	2	6. 1	5. 9	8. 3
GREENE	8	6	2	4. 9	4. 8	5. 3
GRENADA	36	13	23	11. 1	8. 2	14. 0
HANCOCK	35	32	3	7. 4	7. 4	7. 3
HARRISON	233	125	108	8. 6	6. 6	12. 9
HINDS	544	98	446	13. 7	9. 1	15. 4
HOLMES	46	2	44	11. 2	4. 3	12. 1
HUMPHREYS	31	7	24	16. 0	17. 5	15. 6
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	17	14	3	6. 8	6. 2	14. 3
JACKSON	158	98	60	9. 2	8. 0	12. 1
JASPER	32	9	23	10. 9	8. 9	12. 0
JEFFERSON	18	1	17	12. 8	9. 1	13. 2
JEFF DAVIS	20	5	15	9. 8	8. 6	10. 2
JONES	86	35	51	10. 1	6. 6	15. 9
KEMPER	17	0	17	12. 6	-	18. 7
LAFAYETTE	36	14	22	9. 5	6. 1	14. 9
LAMAR	30	25	5	6. 1	6. 0	6. 2
LAUDERDALE	78	25	53	6. 8	4. 3	9. 2
LAWRENCE	16	12	4	8. 4	10. 0	5. 7
LEAKE	31	15	16	10. 6	11. 4	10. 1
LEE	99	50	49	8. 8	6. 4	14. 2
LEFLORE	68	6	62	9. 8	4. 4	11. 2

TABLE 6A - PAGE 2  
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1996

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	34	14	20	7.8	5.0	12.7
LOWNDES	89	26	63	8.6	5.4	11.5
MADISON	100	43	57	8.4	6.9	10.2
MARION	39	18	21	10.5	8.4	13.4
MARSHALL	60	18	42	11.5	8.8	13.3
MONROE	45	21	24	9.1	6.7	13.5
MONTGOMERY	22	9	13	11.1	10.8	11.3
NESHOBA	47	24	23	10.4	9.6	11.3
NEWTON	41	19	22	11.9	10.6	13.2
NOXUBEE	22	3	19	10.3	5.9	11.6
OKTIBBEHA	47	8	39	8.3	3.2	12.3
PANOLA	74	24	50	14.2	12.1	15.6
PEARL RIVER	40	36	4	6.7	7.2	4.2
PERRY	20	9	11	10.8	7.4	17.2
PIKE	43	10	33	8.2	4.6	10.7
PONTOTOC	29	21	8	8.5	7.3	15.1
PRETISS	22	18	4	6.5	6.3	7.8
QUITMAN	16	1	15	8.6	3.1	9.8
RANKIN	113	70	43	7.8	6.0	14.5
SCOTT	46	25	21	10.5	10.9	10.1
SHARKEY	19	7	12	15.7	21.2	13.6
SIMPSON	36	17	19	10.1	9.6	10.7
SMITH	26	16	10	12.4	11.1	15.2
STONE	18	11	7	11.3	9.0	18.9
SUNFLOWER	64	10	54	12.4	8.6	13.5
TALLAHATCHIE	26	11	15	12.5	19.3	9.9
TATE	35	13	22	10.2	6.5	15.4
TIPPAH	36	19	17	11.8	8.2	23.6
TISHOMINGO	21	20	1	9.2	9.1	14.3
TUNICA	11	2	9	7.2	8.7	7.0
UNION	37	26	11	10.8	9.4	16.9
WALTHALL	12	3	9	5.7	3.5	7.1
WARREN	68	26	42	8.8	7.6	9.9
WASHINGTON	138	24	114	11.4	7.8	12.6
WAYNE	35	13	22	10.2	7.0	14.0
WEBSTER	10	5	5	7.8	5.6	12.5
WILKINSON	23	2	21	18.4	7.1	21.6
WINSTON	15	7	8	5.8	5.5	6.2
YALOBUSHA	14	9	5	7.8	10.6	5.3
YAZOO	42	13	29	9.7	9.0	10.1

**TABLE 6B**  
**LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>791</u>	<u>248</u>	<u>543</u>	<u>1.9</u>	<u>1.2</u>	<u>2.8</u>
ADAMS	13	3	10	2.5	1.7	3.0
ALCORN	2	2	0	0.5	0.6	-
AMITE	0	0	0	-	-	-
ATTALA	2	1	1	0.8	0.8	0.9
BENTON	3	3	0	2.3	3.9	-
BOLIVAR	14	1	13	1.9	0.6	2.3
CALHOUN	4	1	3	2.2	0.8	4.6
CARROLL	1	0	1	1.0	-	2.1
CHICKASAW	6	0	6	1.9	-	3.9
CHOCTAW	2	0	2	1.8	-	4.1
CLAIBORNE	7	0	7	4.0	-	4.2
CLARKE	2	0	2	0.8	-	1.6
CLAY	5	0	5	1.4	-	2.1
COAHOMA	15	4	11	2.5	3.6	2.3
COPIAH	6	1	5	1.5	0.6	2.1
COVINGTON	3	1	2	1.0	0.7	1.4
DESOTO	23	12	11	1.6	1.0	5.5
FORREST	15	6	9	1.4	1.0	1.8
FRANKLIN	1	1	0	0.9	1.9	-
GEORGE	7	5	2	2.2	1.7	8.3
GREENE	0	0	0	-	-	-
GRENADA	10	3	7	3.1	1.9	4.3
HANCOCK	7	7	0	1.5	1.6	-
HARRISON	47	20	27	1.7	1.1	3.2
HINDS	108	8	100	2.7	0.7	3.5
HOLMES	9	0	9	2.2	-	2.5
HUMPHREYS	9	2	7	4.6	5.0	4.5
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	1	1	0	0.4	0.4	-
JACKSON	34	15	19	2.0	1.2	3.8
JASPER	3	0	3	1.0	-	1.6
JEFFERSON	3	0	3	2.1	-	2.3
JEFF DAVIS	5	2	3	2.4	3.4	2.0
JONES	16	7	9	1.9	1.3	2.8
KEMPER	5	0	5	3.7	-	5.5
LAFAYETTE	8	2	6	2.1	0.9	4.0
LAMAR	1	1	0	0.2	0.2	-
LAUDERDALE	22	7	15	1.9	1.2	2.6
LAWRENCE	6	4	2	3.2	3.3	2.8
LEAKE	3	0	3	1.0	-	1.9
LEE	30	15	15	2.7	1.9	4.4
LEFLORE	14	1	13	2.0	0.7	2.3

TABLE 6B - PAGE 2  
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1996

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	6	0	6	1.4	-	3.8
LOWNDES	20	8	12	1.9	1.7	2.2
MADISON	17	7	10	1.4	1.1	1.8
MARION	5	0	5	1.4	-	3.2
MARSHALL	9	1	8	1.7	0.5	2.5
MONROE	11	4	7	2.2	1.3	3.9
MONTGOMERY	6	3	3	3.0	3.6	2.6
NESHOBA	10	5	5	2.2	2.0	2.5
NEWTON	15	7	8	4.3	3.9	4.8
NOXUBEE	7	2	5	3.3	3.9	3.1
OKTIBBEHA	10	3	7	1.8	1.2	2.2
PANOLA	19	7	12	3.7	3.5	3.7
PEARL RIVER	5	4	1	0.8	0.8	1.1
PERRY	5	2	3	2.7	1.6	4.7
PIKE	8	2	6	1.5	0.9	2.0
PONTOTOC	8	4	4	2.3	1.4	7.5
PRETISS	4	3	1	1.2	1.0	2.0
QUITMAN	5	0	5	2.7	-	3.3
RANKIN	16	11	5	1.1	1.0	1.7
SCOTT	10	3	7	2.3	1.3	3.4
SHARKEY	2	0	2	1.6	-	2.3
SIMPSON	7	4	3	2.0	2.3	1.7
SMITH	5	4	1	2.4	2.8	1.5
STONE	5	3	2	3.1	2.4	5.4
SUNFLOWER	14	0	14	2.7	-	3.5
TALLAHATCHIE	1	0	1	0.5	-	0.7
TATE	7	1	6	2.0	0.5	4.2
TIPPAH	7	3	4	2.3	1.3	5.6
TISHOMINGO	5	4	1	2.2	1.8	14.3
TUNICA	2	0	2	1.3	-	1.6
UNION	5	4	1	1.5	1.4	1.5
WALTHALL	0	0	0	-	-	-
WARREN	13	1	12	1.7	0.3	2.8
WASHINGTON	27	6	21	2.2	2.0	2.3
WAYNE	4	1	3	1.2	0.5	1.9
WEBSTER	0	0	0	-	-	-
WILKINSON	5	0	5	4.0	-	5.2
WINSTON	0	0	0	-	-	-
YALOBUSHA	4	1	3	2.2	1.2	3.2
YAZOO	10	4	6	2.3	2.8	2.1

**TABLE 7**  
**PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 133</u>	<u>2, 371</u>	<u>3, 762</u>	<u>15. 0</u>	<u>11. 0</u>	<u>19. 3</u>
ADAMS	84	18	66	16. 4	10. 3	19. 6
ALCORN	54	34	20	13. 2	10. 3	25. 6
AMITE	15	7	8	10. 8	9. 4	12. 3
ATTALA	38	17	21	15. 7	12. 8	19. 3
BENTON	19	8	11	14. 8	10. 4	21. 6
BOLIVAR	135	20	115	18. 7	12. 6	20. 5
CALHOUN	26	17	9	14. 0	14. 2	13. 8
CARROLL	8	3	5	8. 4	6. 2	10. 6
CHICKASAW	53	15	38	17. 1	9. 5	25. 0
CHOCTAW	21	7	14	18. 8	11. 1	28. 6
CLAIBORNE	43	2	41	24. 4	18. 2	24. 8
CLARKE	35	12	23	14. 3	9. 8	18. 8
CLAY	43	5	38	12. 4	4. 5	16. 0
COAHOMA	123	15	108	20. 7	13. 5	22. 4
COPIAH	65	20	45	16. 5	12. 6	19. 2
COVINGTON	45	14	31	15. 0	9. 3	20. 9
DESOTO	135	108	27	9. 7	9. 1	13. 5
FORREST	167	69	98	15. 2	11. 4	19. 8
FRANKLIN	23	12	11	20. 0	23. 1	17. 5
GEORGE	33	27	6	10. 6	9. 4	25. 0
GREENE	24	22	2	14. 8	17. 7	5. 3
GRENADA	54	19	35	16. 7	12. 0	21. 3
HANCOCK	52	44	8	11. 0	10. 2	19. 5
HARRISON	363	204	159	13. 4	10. 8	19. 0
HINDS	767	129	638	19. 3	12. 0	22. 1
HOLMES	80	7	73	19. 6	15. 2	20. 1
HUMPHREYS	41	6	35	21. 1	15. 0	22. 7
ISSAQUENA	1	0	1	6. 7	0. 0	9. 1
ITAWAMBA	27	21	6	10. 9	9. 2	28. 6
JACKSON	228	139	89	13. 2	11. 3	17. 9
JASPER	35	9	26	11. 9	8. 9	13. 5
JEFFERSON	20	1	19	14. 3	9. 1	14. 7
JEFF DAVIS	35	9	26	17. 1	15. 5	17. 7
JONES	97	44	53	11. 4	8. 3	16. 6
KEMPER	23	2	21	17. 0	4. 5	23. 1
LAFAYETTE	51	23	28	13. 5	10. 0	18. 9
LAMAR	51	40	11	10. 3	9. 7	13. 8
LAUDERDALE	125	40	85	10. 9	6. 9	14. 8
LAWRENCE	31	16	15	16. 3	13. 3	21. 4
LEAKE	58	23	35	19. 9	17. 4	22. 0
LEE	137	73	64	12. 2	9. 4	18. 6
LEFLORE	106	8	98	15. 3	5. 8	17. 7

TABLE 7 - PAGE 2  
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1996

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	56	27	29	12.9	9.7	18.5
LOWNDES	132	41	91	12.8	8.5	16.6
MADISON	165	67	98	13.9	10.7	17.5
MARION	61	26	35	16.5	12.2	22.3
MARSHALL	84	22	62	16.2	10.8	19.6
MONROE	68	30	38	13.8	9.5	21.3
MONTGOMERY	34	11	23	17.2	13.2	20.0
NESHOBA	72	32	40	15.9	12.8	19.7
NEWTON	44	19	25	12.8	10.6	15.1
NOXUBEE	25	3	22	11.7	5.9	13.5
OKTIBBEHA	78	26	52	13.7	10.3	16.4
PANOLA	108	31	77	20.8	15.6	24.0
PEARL RIVER	72	52	20	12.1	10.4	21.3
PERRY	32	11	21	17.3	9.1	32.8
PIKE	63	18	45	12.0	8.3	14.6
PONTOTOC	58	47	11	17.0	16.3	20.8
PRETISS	46	36	10	13.7	12.6	19.6
QUITMAN	29	3	26	15.7	9.4	17.0
RANKIN	202	137	65	13.9	11.8	22.0
SCOTT	68	38	30	15.6	16.5	14.5
SHARKEY	26	8	18	21.5	24.2	20.4
SIMPSON	61	24	37	17.2	13.6	20.8
SMITH	34	23	11	16.2	16.0	16.7
STONE	26	16	10	16.4	13.1	27.0
SUNFLOWER	113	16	97	21.9	13.8	24.3
TALLAHATCHIE	37	11	26	17.8	19.3	17.2
TATE	58	18	40	16.9	9.0	28.0
TIPPAH	51	33	18	16.8	14.2	25.0
TISHOMINGO	35	34	1	15.4	15.4	14.3
TUNICA	29	4	25	19.1	17.4	19.4
UNION	66	47	19	19.3	17.0	29.2
WALTHALL	15	5	10	7.1	5.9	7.9
WARREN	106	40	66	13.8	11.6	15.5
WASHINGTON	195	30	165	16.1	9.8	18.3
WAYNE	43	22	21	12.5	11.8	13.4
WEBSTER	16	8	8	12.4	9.0	20.0
WILKINSON	24	5	19	19.2	17.8	19.6
WINSTON	36	14	22	14.0	11.0	16.9
YALOBUSHA	17	6	11	9.5	7.0	11.7
YAZOO	77	21	56	17.8	14.6	19.4

\* GESTATION LESS THAN 37 WEEKS.

**TABLE 8**  
**REPORTABLE\* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1996**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>455</b>	<b>150</b>	<b>305</b>	<b>453</b>	<b>148</b>	<b>305</b>	<b>11.0</b>	<b>6.9</b>	<b>15.6</b>
ADAMS	6	0	6	5	0	5	9.8	-	14.8
ALCORN	3	2	1	1	0	1	2.4	-	12.8
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	0	0	0	1	0	1	4.1	-	9.2
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	7	1	6	6	0	6	8.3	-	10.7
CALHOUN	1	0	1	1	0	1	5.4	-	15.4
CARROLL	0	0	0	2	2	0	21.0	41.7	-
CHICKASAW	0	0	0	2	2	0	6.4	12.6	-
CHOCTAW	0	0	0	1	0	1	8.9	-	20.4
CLAIBORNE	1	0	1	2	0	2	11.4	-	12.1
CLARKE	0	0	0	5	0	5	20.4	-	41.0
CLAY	1	0	1	3	2	1	8.6	18.0	4.2
COAHOMA	18	2	16	4	0	4	6.7	-	8.3
COPIAH	1	1	0	3	2	1	7.6	12.6	4.3
COVINGTON	2	1	1	0	0	0	-	-	-
DESOTO	6	1	5	6	4	2	4.3	3.4	10.0
FORREST	19	9	10	10	6	4	9.1	9.9	8.1
FRANKLIN	0	0	0	2	2	0	17.4	38.5	-
GEORGE	1	1	0	3	3	0	9.7	10.5	-
GREENE	0	0	0	1	1	0	6.2	8.1	-
GRENADA	8	3	5	2	0	2	6.2	-	12.2
HANCOCK	1	1	0	1	1	0	2.1	2.3	-
HARRISON	27	14	13	22	9	13	8.1	4.8	15.6
HINDS	138	28	110	60	10	50	15.1	9.3	17.3
HOLMES	0	0	0	6	0	6	14.7	-	16.5
HUMPHREYS	0	0	0	2	0	2	10.3	-	13.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	1	1	8.1	4.4	47.6
JACKSON	8	4	4	11	7	4	6.4	5.7	8.0
JASPER	0	0	0	1	0	1	3.4	-	5.2
JEFFERSON	0	0	0	0	0	0	-	-	-
JEFF DAVIS	0	0	0	6	1	5	29.3	17.2	34.0
JONES	9	3	6	11	5	6	12.9	9.4	18.8
KEMPER	0	0	0	1	0	1	7.4	-	11.0
LAFAYETTE	4	1	3	3	2	1	7.9	8.7	6.8
LAMAR	6	4	2	3	1	2	6.1	2.4	25.0
LAUDERDALE	31	8	23	21	4	17	18.2	6.9	29.7
LAWRENCE	0	0	0	1	1	0	5.3	8.3	-
LEAKE	0	0	0	3	1	2	10.3	7.6	12.6
LEE	18	8	10	12	4	8	10.7	5.1	23.2
LEFLORE	14	1	13	13	1	12	18.8	7.3	21.7

TABLE 8 - PAGE 2  
 FETAL DEATHS - MISSISSIPPI - 1996

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	6	6	0	5	4	1	11.5	14.4	6.4
LOWNDES	13	7	6	15	8	7	14.6	16.6	12.8
MADISON	1	0	1	16	6	10	13.5	9.6	17.8
MARION	1	1	0	5	2	3	13.5	9.4	19.1
MARSHALL	0	0	0	3	1	2	5.8	4.9	6.3
MONROE	7	5	2	6	3	3	12.2	9.5	16.8
MONTGOMERY	0	0	0	2	1	1	10.1	12.0	8.7
NESHOBA	1	0	1	6	2	4	13.2	8.0	19.7
NEWTON	0	0	0	6	3	3	17.4	16.8	18.1
NOXUBEE	2	0	2	6	1	5	28.0	19.6	30.7
OKTIBBEHA	10	4	6	2	1	1	3.5	4.0	3.2
PANOLA	2	1	1	10	0	10	19.3	-	31.2
PEARL RIVER	6	5	1	6	4	2	10.1	8.0	21.3
PERRY	0	0	0	2	0	2	10.8	-	31.2
PIKE	10	2	8	8	2	6	15.3	9.2	19.5
PONTOTOC	0	0	0	2	0	2	5.9	-	37.7
PRENTISS	0	0	0	1	0	1	3.0	-	19.6
QUITMAN	0	0	0	4	1	3	21.6	31.2	19.6
RANKIN	19	12	7	13	6	7	8.9	5.2	23.6
SCOTT	1	1	0	6	5	1	13.7	21.7	4.8
SHARKEY	0	0	0	1	0	1	8.3	-	11.4
SIMPSON	0	0	0	5	2	3	14.1	11.3	16.8
SMITH	0	0	0	2	1	1	9.5	6.9	15.2
STONE	0	0	0	2	2	0	12.6	16.4	-
SUNFLOWER	3	0	3	4	0	4	7.8	-	10.0
TALLAHATCHIE	0	0	0	3	1	2	14.4	17.5	13.2
TATE	4	0	4	2	1	1	5.8	5.0	7.0
TIPPAH	0	0	0	2	1	1	6.6	4.3	13.9
TISHOMINGO	0	0	0	3	3	0	13.2	13.6	-
TUNICA	0	0	0	7	1	6	46.0	43.5	46.5
UNION	7	4	3	3	2	1	8.8	7.2	15.4
WALTHALL	0	0	0	4	1	3	18.9	11.8	23.6
WARREN	8	2	6	8	2	6	10.4	5.8	14.1
WASHINGTON	14	6	8	18	6	12	14.9	19.5	13.3
WAYNE	4	0	4	4	0	4	11.6	-	25.5
WEBSTER	0	0	0	1	1	0	7.8	11.2	-
WILKINSON	4	1	3	4	0	4	32.0	-	41.2
WINSTON	2	0	2	6	1	5	23.3	7.9	38.5
YALOBUSHA	0	0	0	2	0	2	11.2	-	21.3
YAZOO	0	0	0	9	1	8	20.8	6.9	27.8
OUT OF STATE	16	10	6	18	12	6			

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.



**TABLE 9**  
**DEATHS, BY PLACE OF OCCURRENCE AND RACE,**  
**ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1996**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>25, 809</u>	<u>16, 944</u>	<u>8, 865</u>	<u>26, 566</u>	<u>17, 488</u>	<u>9, 078</u>	<u>9. 9</u>	<u>10. 3</u>	<u>9. 1</u>
ADAMS	538	269	269	437	220	217	12. 1	12. 2	12. 0
ALCORN	345	316	29	377	337	40	11. 8	12. 0	10. 5
AMITE	58	30	28	139	78	61	10. 0	10. 4	9. 6
ATTALA	181	131	50	232	159	73	12. 7	15. 0	9. 6
BENTON	29	24	5	99	73	26	12. 6	16. 0	7. 9
BOLI VAR	374	134	240	450	151	299	10. 8	10. 9	10. 8
CALHOUN	101	77	24	178	131	47	12. 2	12. 6	11. 2
CARROLL	35	20	15	85	53	32	8. 6	9. 0	8. 1
CHI CKASAW	141	92	49	213	141	72	12. 1	13. 5	10. 0
CHOCTAW	80	57	23	103	76	27	11. 5	12. 4	9. 6
CLAI BORNE	72	17	55	112	28	84	9. 9	15. 0	8. 9
CLARKE	105	69	36	174	113	61	10. 1	10. 2	9. 9
CLAY	159	95	64	202	112	90	9. 3	11. 6	7. 5
COAHOMA	351	108	243	391	142	249	12. 0	13. 0	11. 4
COPIAH	193	101	92	279	152	127	10. 0	11. 5	8. 6
COVINGTON	128	102	26	187	147	40	11. 7	14. 6	6. 7
DESOTO	471	374	97	584	499	85	6. 6	6. 6	6. 3
FORREST	1, 103	806	297	718	519	199	9. 9	10. 6	8. 5
FRANKLIN	77	56	21	100	79	21	12. 6	16. 3	6. 8
GEORGE	107	99	8	143	132	11	8. 0	8. 3	5. 7
GREENE	37	28	9	104	85	19	9. 3	9. 8	7. 6
GRENADA	246	149	97	250	150	100	11. 4	12. 0	10. 6
HANCOCK	261	237	24	336	309	27	9. 3	9. 6	6. 5
HARRI SON	1, 841	1, 495	346	1, 622	1, 313	309	9. 5	10. 0	7. 8
HI NDS	4, 044	2, 194	1, 850	2, 449	1, 231	1, 218	9. 7	10. 6	8. 9
HOLMES	174	57	117	247	80	167	11. 9	17. 2	10. 4
HUMPHREYS	78	30	48	128	46	82	11. 2	13. 2	10. 3
I SSAQUENA	3	1	2	15	5	10	8. 3	6. 5	9. 7
I TAWAMBA	121	115	6	245	232	13	12. 4	12. 6	9. 4
JACKSON	828	673	155	924	757	167	6. 9	7. 3	5. 6
JASPER	75	46	29	176	94	82	10. 2	11. 5	9. 0
JEFFERSON	43	3	40	93	10	83	11. 2	9. 5	11. 4
JEFF DAVIS	102	57	45	159	78	81	11. 8	13. 8	10. 3
JONES	587	405	182	682	491	191	11. 0	10. 7	11. 6
KEMPER	48	27	21	109	61	48	10. 3	14. 2	7. 6
LAFAYETTE	463	334	129	255	192	63	7. 4	7. 7	6. 6
LAMAR	346	298	48	242	220	22	7. 7	8. 0	5. 4
LAUDERDALE	1, 178	776	402	802	548	254	10. 5	11. 3	9. 0
LAWRENCE	93	61	32	145	103	42	11. 9	13. 0	10. 0
LEAKE	171	125	46	228	156	72	12. 3	14. 3	9. 4
LEE	1, 385	1, 070	315	686	536	150	9. 3	9. 4	9. 0
LEFLORE	502	213	289	424	189	235	11. 5	14. 0	10. 0

TABLE 9 - PAGE 2  
DEATHS - MISSISSIPPI - 1996

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	305	225	80	363	268	95	11.4	12.2	9.6
LOWNDES	467	293	174	491	306	185	8.0	8.1	7.7
MADISON	288	151	137	519	283	236	7.6	7.1	8.3
MARION	207	152	55	297	218	79	11.9	12.8	10.0
MARSHALL	177	94	83	306	166	140	9.4	10.5	8.4
MONROE	275	204	71	393	282	111	10.8	11.3	9.6
MONTGOMERY	116	73	43	135	87	48	11.4	13.8	8.6
NESHOBA	188	130	58	295	215	80	11.0	11.8	9.1
NEWTON	204	145	59	270	186	84	12.5	12.9	11.7
NOXUBEE	94	41	53	120	51	69	9.9	15.7	7.8
OKTIBBEHA	261	152	109	304	171	133	7.8	7.1	8.9
PANOLA	258	158	100	364	207	157	10.8	11.8	9.7
PEARL RIVER	271	237	34	397	353	44	9.5	10.0	6.6
PERRY	73	59	14	112	87	25	9.9	10.1	9.2
PIKE	428	285	143	435	266	169	11.6	13.6	9.5
PONTOTOC	140	124	16	240	207	33	9.6	9.9	8.2
PRENTISS	165	151	14	221	197	24	9.4	9.6	8.1
QUITMAN	95	31	64	116	50	66	12.2	15.3	10.6
RANKIN	557	423	134	730	585	145	7.1	6.9	7.8
SCOTT	169	120	49	251	163	88	10.3	11.2	9.1
SHARKEY	52	16	36	74	26	48	10.8	13.2	9.8
SIMPSON	234	175	59	263	188	75	11.0	11.9	9.2
SMITH	62	52	10	171	146	25	11.5	12.8	7.3
STONE	96	80	16	138	113	25	11.2	11.9	8.8
SUNFLOWER	248	102	146	342	140	202	9.7	12.2	8.4
TALLAHATCHIE	83	50	33	154	83	71	10.9	16.5	7.8
TATE	156	108	48	233	163	70	10.4	11.4	8.7
TIPP AH	183	159	24	240	200	40	12.2	12.3	11.7
TISHOMINGO	170	157	13	235	224	11	13.3	13.2	15.7
TUNICA	65	35	30	108	38	70	11.9	16.0	10.5
UNION	213	194	19	245	223	22	10.4	11.3	6.0
WALTHALL	111	77	34	156	109	47	11.1	14.0	7.5
WARREN	547	313	234	514	298	216	10.5	10.2	10.9
WASHINGTON	687	271	416	688	292	396	9.8	10.2	9.4
WAYNE	220	129	91	202	129	73	10.4	10.6	10.0
WEBSTER	98	78	20	118	101	17	11.3	12.6	7.0
WILKINSON	111	41	70	129	40	89	14.3	16.1	13.6
WINSTON	139	94	45	198	125	73	10.1	11.5	8.4
YALOBUSHA	79	60	19	160	112	48	13.3	15.4	10.0
YAZOO	243	134	109	315	162	153	12.5	14.4	11.0
OUT OF STATE	1,630	1,149	481	873	605	268			

\* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3  
DEATHS - MISSISSIPPI - 1996

TOWN**	RESIDENCE DATA		
	NUMBER		
	TOTAL	WHITE	NON- WHITE
BI LOXI	444	366	78
BRANDON	175	149	26
BROOKHAVEN	188	122	66
CANTON	128	47	81
CLARKSDALE	296	114	182
CLEVELAND	192	95	97
CLINTON	146	105	41
COLUMBUS	304	173	131
CORINTH	175	146	29
GAUTIER	77	60	17
GREENVILLE	498	205	293
GREENWOOD	267	116	151
GRENADA	191	107	84
GULFPORT	642	464	178
HATTIESBURG	507	326	181
INDIANOLA	135	50	85
JACKSON	2, 034	1, 005	1, 029
LAUREL	277	154	123
LONG BEACH	121	112	9
MCCOMB	184	112	72
MERIDIAN	535	330	205
MOSS POINT	180	85	95
NATCHEZ	315	152	163
OCEAN SPRINGS	175	162	13
PASCAGOULA	230	195	35
PEARL	116	101	15
PI CAYUNE	114	82	32
RI DGELAND	68	59	9
SOUTHAVEN	186	181	5
STARKVILLE	190	108	82
TUPELO	320	251	69
VICKSBURG	394	217	177
YAZOO CITY	196	95	101

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 10**  
**DEATHS, BY CAUSE AND RACE,**  
**MISSISSIPPI RESIDENTS, 1996**

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>26,566</u>	<u>17,488</u>	<u>9,078</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>621</u>	<u>293</u>	<u>328</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>7</u>	<u>2</u>	<u>5</u>
<u>002,003</u>	<u>Typhoid and paratyphoid fevers, and other</u>			
	<u>salmonella infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
003	Other salmonella infections	2	1	1
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>5</u>	<u>1</u>	<u>4</u>
009	Ill-defined intestinal infections	5	1	4
<u>010-018</u>	<u>Tuberculosis</u>	<u>25</u>	<u>10</u>	<u>15</u>
<u>010-012</u>	<u>Respiratory</u>	<u>19</u>	<u>6</u>	<u>13</u>
011	Pulmonary	19	6	13
<u>013-018</u>	<u>Other forms</u>	<u>6</u>	<u>4</u>	<u>2</u>
014	Intestines, peritoneum and mesenteric glands	1	1	0
015	Bones and joints	2	1	1
018	Miliary	3	2	1
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>250</u>	<u>141</u>	<u>109</u>
031	Other diseases due to mycobacteria	7	6	1
036	Meningococcal infection	2	1	1
038	Septicemia	231	129	102
041	Bacterial infection of unspecified site	10	5	5
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>229</u>	<u>73</u>	<u>156</u>
042	With specified conditions	212	67	145
043	Causing other specified conditions	2	0	2
044	Other human immunodeficiency virus infections	15	6	9
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne</u>			
	<u>diseases of central nervous system</u>	<u>5</u>	<u>3</u>	<u>2</u>
046	Slow virus infection	2	2	0
047	Meningitis due to enterovirus	1	0	1
048	Other enterovirus diseases	1	1	0
049	Other non-arthropod-borne diseases	1	0	1
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>5</u>	<u>3</u>	<u>2</u>
052	Chickenpox	4	2	2
054	Herpes simplex	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>44</u>	<u>32</u>	<u>12</u>
070	Viral hepatitis	41	30	11
078	Other diseases due to viruses and Chlamydiae	1	1	0
079	Viral infection in conditions classified			
	elsewhere and of unspecified site	2	1	1
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>32</u>	<u>23</u>	<u>9</u>
110	Dermatophytosis	1	1	0
112	Candidiasis	6	5	1
115	Histoplasmosis	1	0	1
116	Blastomycotic infection	4	2	2
117	Other mycoses	20	15	5
<u>120-129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>24</u>	<u>6</u>	<u>18</u>
135	Sarcoidosis	11	0	11

Table 10 - Page 2  
 Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
136	Other and unspecified infectious and parasitic diseases	10	5	5
137	Late effects of tuberculosis	1	0	1
138	Late effects of acute poliomyelitis	2	1	1
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,811</u>	<u>3,913</u>	<u>1,898</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,732</u>	<u>3,864</u>	<u>1,868</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>92</u>	<u>64</u>	<u>28</u>
140	Lip	3	3	0
141	Tongue	11	9	2
142	Major salivary glands	4	4	0
143	Gum	1	1	0
145	Other and unspecified parts of mouth	15	11	4
146	Oropharynx	9	5	4
147	Nasopharynx	5	4	1
148	Hypopharynx	4	3	1
149	Other and ill-defined sites	40	24	16
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,294</u>	<u>836</u>	<u>458</u>
150	Esophagus	94	53	41
151	Stomach	113	57	56
152	Small intestine, including duodenum	10	7	3
153	Colon	485	312	173
154	Rectum, rectosigmoid junction, and anus	67	45	22
155	Liver and intrahepatic bile ducts	177	130	47
156	Gallbladder and extrahepatic bile ducts	25	17	8
157	Pancreas	299	199	100
158	Retroperitoneum and peritoneum	10	6	4
159	Other and ill-defined sites	14	10	4
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,790</u>	<u>1,311</u>	<u>479</u>
160	Nasal cavities, middle ear, and accessory sinuses	5	4	1
161	Larynx	37	23	14
162	Trachea, bronchus, and lung	1,736	1,276	460
163	Pleura	6	5	1
164	Thymus, heart, and mediastinum	6	3	3
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>588</u>	<u>381</u>	<u>207</u>
170	Bone and articular cartilage	30	16	14
171	Connective and other soft tissue	32	15	17
172	Melanoma of skin	63	61	2
173	Skin, other	27	21	6
174	Female breast	434	267	167
175	Male breast	2	1	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>829</u>	<u>468</u>	<u>361</u>
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>654</u>	<u>347</u>	<u>307</u>
179	Uterus, part unspecified	23	7	16
180	Cervix uteri	53	27	26
181	Placenta	1	0	1
182	Body of uterus	21	8	13
183	Ovary and other uterine adnexa	101	70	31
184	Other and unspecified female genital organs	18	15	3
185	Prostate	429	214	215
186	Testis	6	5	1
187	Penis and other male genital organs	2	1	1

Table 10 - Page 3  
 Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
<u>(188, 189)</u>	<u>(Urinary organs)</u>	<u>175</u>	<u>121</u>	<u>54</u>
188	Bladder	72	51	21
189	Kidney and other and unspecified urinary organs	103	70	33
<u>190- 199</u>	<u>Other and unspecified sites</u>	<u>615</u>	<u>439</u>	<u>176</u>
190	Eye	1	1	0
191	Brain	129	108	21
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	10	5	5
194	Other endocrine glands and related structures	4	4	0
195	Other and ill-defined sites	30	21	9
199	Site unspecified	440	299	141
<u>200- 208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>524</u>	<u>365</u>	<u>159</u>
200	Lymphosarcoma and reticulosarcoma	14	12	2
201	Hodgkin's disease	18	13	5
202	Other lymphoid and histiocytic tissue	181	136	45
203	Multiple myeloma and immunoproliferative neoplasms	108	58	50
<u>(204- 208)</u>	<u>(Leukemia)</u>	<u>203</u>	<u>146</u>	<u>57</u>
204	Lymphatic	54	38	16
205	Myeloid	78	59	19
206	Monocytic	2	1	1
207	Other specified	2	2	0
208	Unspecified cell type	67	46	21
<u>210- 229</u>	<u>Benign neoplasms</u>	<u>21</u>	<u>11</u>	<u>10</u>
211	Benign neoplasm of other parts of digestive system	2	2	0
215	Other benign neoplasm of connective and other soft tissue	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	14	7	7
227	Benign neoplasm of other endocrine glands and related structures	1	0	1
228	Hemangioma and lymphangioma, any site	2	2	0
229	Benign neoplasm of other and unspecified sites	1	0	1
<u>230- 234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235- 239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>58</u>	<u>38</u>	<u>20</u>
<u>235- 238</u>	<u>Uncertain behavior</u>	<u>7</u>	<u>5</u>	<u>2</u>
236	Genitourinary organs	1	1	0
237	Endocrine glands and nervous system	1	1	0
238	Other and unspecified sites and tissues	5	3	2
239	Unspecified nature	51	33	18
<u>240- 279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>748</u>	<u>395</u>	<u>353</u>
<u>240- 246</u>	<u>Diseases of thyroid gland</u>	<u>6</u>	<u>4</u>	<u>2</u>
242	Thyrotoxicosis with or without goiter	2	0	2
244	Acquired hypothyroidism	3	3	0
246	Other disorders of thyroid	1	1	0
<u>250- 259</u>	<u>Diseases of other endocrine glands</u>	<u>542</u>	<u>273</u>	<u>269</u>
250	Diabetes mellitus	533	268	265
251	Other disorders of pancreatic internal secretion	4	2	2
252	Disorders of parathyroid gland	1	1	0

Table 10 - Page 4  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
253	Disorders of pituitary gland and its hypothalamic control	3	2	1
255	Disorders of adrenal glands	1	0	1
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>39</u>	<u>19</u>	<u>20</u>
260	Kwashiorkor	2	0	2
261	Nutritional marasmus	4	3	1
263	Other and unspecified protein-calorie malnutrition	32	15	17
269	Other nutritional deficiencies	1	1	0
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>161</u>	<u>99</u>	<u>62</u>
270	Disorders of amino-acid transport and metabolism	1	1	0
272	Disorders of lipid metabolism	5	5	0
273	Disorders of plasma protein metabolism	7	4	3
275	Disorders of mineral metabolism	2	1	1
276	Disorders of fluid, electrolyte, and acid-base balance	89	53	36
277	Other and unspecified disorders of metabolism	15	11	4
278	Obesity and other hyperalimentation	27	17	10
279	Disorders involving the immune mechanism	15	7	8
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>104</u>	<u>60</u>	<u>44</u>
<u>280-285</u>	<u>Anemias</u>	<u>59</u>	<u>31</u>	<u>28</u>
280	Iron deficiency	1	1	0
281	Other deficiency anemias	5	5	0
282	Hereditary hemolytic	17	2	15
283	Acquired hemolytic	3	1	2
284	Aplastic	14	12	2
285	Other and unspecified	19	10	9
286	Coagulation defects	13	7	6
287	Purpura and other hemorrhagic conditions	8	3	5
288	Diseases of white blood cells	9	5	4
289	Other diseases of blood and blood-forming organs	15	14	1
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>308</u>	<u>221</u>	<u>87</u>
<u>290-299</u>	<u>Psychoses</u>	<u>172</u>	<u>139</u>	<u>33</u>
290	Senile and presenile organic psychotic conditions	110	95	15
291	Alcoholic psychoses	8	4	4
294	Other organic psychotic conditions (chronic)	4	3	1
295	Schizophrenic psychoses	2	1	1
298	Other nonorganic psychoses	48	36	12
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>127</u>	<u>77</u>	<u>50</u>
301	Personality disorders	1	0	1
303	Alcohol dependence syndrome	42	21	21
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	22	8	14
307	Special symptoms or syndromes not elsewhere classified	6	4	2
308	Acute reaction to stress	1	1	0
310	Specific nonpsychotic mental disorders following organic brain damage	50	38	12
311	Depressive disorder, not elsewhere classified	4	4	0

Table 10 - Page 5  
 Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
317-319	<u>Mental retardation</u>	<u>9</u>	<u>5</u>	<u>4</u>
318	Other specified	3	1	2
319	Unspecified	6	4	2
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>448</u>	<u>349</u>	<u>99</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>20</u>	<u>11</u>	<u>9</u>
320	Bacterial meningitis	6	4	2
322	Meningitis of unspecified cause	6	3	3
323	Encephalitis, myelitis, and encephalomyelitis	3	3	0
324	Intracranial and intraspinal abscess	1	1	0
326	Late effects of intracranial abscess or pyogenic infection	4	0	4
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>300</u>	<u>255</u>	<u>45</u>
330	Cerebral degenerations usually manifest in childhood	2	2	0
331	Other cerebral degenerations	164	135	29
332	Parkinson's disease	82	73	9
333	Other extrapyramidal disease and abnormal movement disorders	12	9	3
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	37	33	4
336	Other diseases of spinal cord	1	1	0
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>103</u>	<u>64</u>	<u>39</u>
340	Multiple sclerosis	14	10	4
341	Other demyelinating diseases of central nervous system	1	1	0
343	Infantile cerebral palsy	16	11	5
344	Other paralytic syndromes	15	11	4
345	Epilepsy	16	4	12
348	Other conditions of brain	41	27	14
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>25</u>	<u>19</u>	<u>6</u>
352	Disorders of other cranial nerves	1	1	0
355	Mononeuritis of lower limb	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	7	4	3
357	Inflammatory and toxic neuropathy	2	0	2
358	Myoneural disorders	4	4	0
359	Muscular dystrophies and other myopathies	10	9	1
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,760</u>	<u>7,912</u>	<u>3,848</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>25</u>	<u>21</u>	<u>4</u>
394	Diseases of mitral valve	17	17	0
396	Diseases of mitral and aortic valves	2	1	1
397	Diseases of other endocardial structures	2	1	1
398	Other rheumatic heart disease	4	2	2
<u>401-405</u>	<u>Hypertensive disease</u>	<u>727</u>	<u>356</u>	<u>371</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>143</u>	<u>75</u>	<u>68</u>
401	Essential hypertension	91	55	36
403	Hypertensive renal disease	52	20	32



Table 10 - Page 6  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>584</u>	<u>281</u>	<u>303</u>
402	Hypertensive heart disease	542	266	276
404	Hypertensive heart and renal disease	42	15	27
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,713</u>	<u>3,401</u>	<u>1,312</u>
410	Acute myocardial infarction	2,647	1,854	793
411	Other acute and subacute forms of ischemic heart disease	13	8	5
412	Old myocardial infarction	10	9	1
413	Angina pectoris	9	7	2
414	Other forms of chronic ischemic heart disease	2,034	1,523	511
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>206</u>	<u>128</u>	<u>78</u>
415	Acute pulmonary heart disease	170	100	70
416	Chronic pulmonary heart disease	36	28	8
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>3,971</u>	<u>2,615</u>	<u>1,356</u>
420	Acute pericarditis	1	0	1
421	Acute and subacute endocarditis	6	2	4
423	Other diseases of pericardium	4	1	3
424	Other diseases of endocardium	91	71	20
425	Cardiomyopathy	299	166	133
426	Conduction disorders	8	5	3
427	Cardiac dysrhythmias	1,008	619	389
428	Heart failure	990	687	303
429	Ill-defined heart diseases	1,564	1,064	500
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,691</u>	<u>1,089</u>	<u>602</u>
430	Subarachnoid hemorrhage	61	38	23
431	Intracerebral hemorrhage	187	117	70
432	Other and unspecified intracranial hemorrhage	40	21	19
433	Occlusion and stenosis of precerebral arteries	14	11	3
434	Occlusion of cerebral arteries	120	76	44
435	Transient cerebral ischemia	8	4	4
436	Acute but ill-defined cerebrovascular disease	1,110	715	395
437	Other and ill-defined cerebrovascular disease	85	65	20
438	Late effects of cerebrovascular disease	66	42	24
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>371</u>	<u>265</u>	<u>106</u>
440	Atherosclerosis	107	84	23
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>264</u>	<u>181</u>	<u>83</u>
441	Aortic aneurysm	163	121	42
442	Other aneurysm	14	9	5
443	Other peripheral vascular disease	52	23	29
444	Arterial embolism and thrombosis	16	12	4
446	Polyarteritis nodosa and allied conditions	9	8	1
447	Other disorders of arteries and arterioles	10	8	2
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>56</u>	<u>37</u>	<u>19</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>15</u>	<u>11</u>	<u>4</u>
451	Phlebitis and thrombophlebitis	12	9	3
452	Portal vein thrombosis	1	0	1
453	Other venous embolism and thrombosis	2	2	0
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>41</u>	<u>26</u>	<u>15</u>
454	Varicose veins of lower extremities	1	0	1
456	Varicose veins of other sites	7	5	2
457	Noninfective disorders of lymphatic channels	2	1	1

Table 10 - Page 7  
 Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
458	Hypotension	15	9	6
459	Other disorders of circulatory system	16	11	5
<b>460-519</b>	<b><u>DISEASES OF THE RESPIRATORY SYSTEM</u></b>	<b><u>2,248</u></b>	<b><u>1,723</u></b>	<b><u>525</u></b>
<b>460-466</b>	<b><u>Acute respiratory infections</u></b>	<b><u>12</u></b>	<b><u>8</u></b>	<b><u>4</u></b>
464	Acute laryngitis and tracheitis	2	1	1
466	Acute bronchitis and bronchiolitis	10	7	3
<b>470-478</b>	<b><u>Other diseases of upper respiratory tract</u></b>	<b><u>8</u></b>	<b><u>5</u></b>	<b><u>3</u></b>
473	Chronic sinusitis	3	2	1
475	Peritonsillar abscess	2	1	1
478	Other diseases of upper respiratory tract	3	2	1
<b>480-487</b>	<b><u>Pneumonia and influenza</u></b>	<b><u>884</u></b>	<b><u>637</u></b>	<b><u>247</u></b>
<b>480-486</b>	<b><u>Pneumonia</u></b>	<b><u>878</u></b>	<b><u>633</u></b>	<b><u>245</u></b>
480	Viral	9	3	6
481	Pneumococcal	11	6	5
482	Other bacterial	26	20	6
483	Due to other specified organism	3	3	0
485	Broncho, organism unspecified	22	17	5
486	Organism unspecified	807	584	223
487	Influenza	6	4	2
<b>490-496</b>	<b><u>Chronic obstructive pulmonary disease and allied conditions</u></b>	<b><u>1,003</u></b>	<b><u>823</u></b>	<b><u>180</u></b>
<b>490, 491</b>	<b><u>Chronic and unqualified bronchitis</u></b>	<b><u>40</u></b>	<b><u>35</u></b>	<b><u>5</u></b>
490	Unqualified	12	10	2
491	Chronic	28	25	3
492	Emphysema	135	109	26
493	Asthma	60	31	29
494	Bronchiectasis	12	10	2
496	Chronic airways obstruction, not elsewhere classified	756	638	118
<b>500-508</b>	<b><u>Pneumoconioses and other lung diseases due to external agents</u></b>	<b><u>167</u></b>	<b><u>123</u></b>	<b><u>44</u></b>
501	Asbestosis	8	7	1
502	Pneumoconiosis due to other silica or silicates	1	0	1
506	Respiratory conditions due to chemical fumes and vapors	1	1	0
507	Pneumonitis due to solids and liquids	157	115	42
<b>510-519</b>	<b><u>Other diseases of respiratory system</u></b>	<b><u>174</u></b>	<b><u>127</u></b>	<b><u>47</u></b>
510	Empyema	3	2	1
511	Pleurisy	11	6	5
512	Pneumothorax	2	2	0
513	Abscess of lung and mediastinum	5	2	3
514	Pulmonary congestion and hypostasis	15	9	6
515	Postinflammatory pulmonary fibrosis	57	49	8
516	Other alveolar and parietoalveolar pneumopathy	5	3	2
518	Other diseases of lung	70	50	20
519	Other diseases of respiratory system	6	4	2
<b>520-579</b>	<b><u>DISEASES OF THE DIGESTIVE SYSTEM</u></b>	<b><u>852</u></b>	<b><u>582</u></b>	<b><u>270</u></b>
<b>520-529</b>	<b><u>Diseases of oral cavity, salivary glands, and jaws</u></b>	<b><u>0</u></b>	<b><u>0</u></b>	<b><u>0</u></b>
<b>530-537</b>	<b><u>Diseases of esophagus, stomach, and duodenum</u></b>	<b><u>80</u></b>	<b><u>56</u></b>	<b><u>24</u></b>
530	Diseases of esophagus	14	11	3

Table 10 - Page 8  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
<u>531-533</u>	<u>Peptic ulcer</u>	<u>53</u>	<u>37</u>	<u>16</u>
531	Gastric ulcer	24	17	7
532	Duodenal ulcer	13	8	5
533	Peptic ulcer, site unspecified	16	12	4
535	Gastritis and duodenitis	9	7	2
536	Disorders of function of stomach	1	0	1
537	Other disorders of stomach and duodenum	3	1	2
<u>540-543</u>	<u>Appendicitis</u>	<u>3</u>	<u>2</u>	<u>1</u>
540	Acute appendicitis	3	2	1
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>15</u>	<u>12</u>	<u>3</u>
550	Inguinal	2	1	1
551	Other, of abdominal cavity, with gangrene	1	1	0
552	Other, of abdominal cavity with obstruction, without mention of gangrene	7	6	1
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	4	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>93</u>	<u>64</u>	<u>29</u>
555	Regional enteritis	1	1	0
556	Idiopathic proctocolitis	3	2	1
557	Vascular insufficiency of intestine	76	54	22
558	Other noninfective gastroenteritis and colitis	13	7	6
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>153</u>	<u>104</u>	<u>49</u>
560	Intestinal obstruction without mention of hernia	64	41	23
562	Diverticula of intestine	43	31	12
566	Abscess of anal and rectal regions	2	0	2
567	Peritonitis	17	11	6
568	Other disorders of peritoneum	3	3	0
569	Other disorders of intestine	24	18	6
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>508</u>	<u>344</u>	<u>164</u>
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	257	187	70
572	Liver abscess and sequelae of chronic liver disease	48	27	21
573	Other disorders of liver	21	8	13
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>35</u>	<u>24</u>	<u>11</u>
574	Cholelithiasis	22	16	6
575	Other disorders of gallbladder	13	8	5
576	Other disorders of biliary tract	8	6	2
577	Diseases of pancreas	36	20	16
578	Gastrointestinal hemorrhage	96	68	28
579	Intestinal malabsorption	3	2	1
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>644</u>	<u>349</u>	<u>295</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>351</u>	<u>176</u>	<u>175</u>
581	Nephrotic syndrome	1	0	1
582	Chronic glomerulonephritis	13	9	4
583	Nephritis and nephropathy, unqualified	3	3	0
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>334</u>	<u>164</u>	<u>170</u>
584	Acute	52	27	25
585	Chronic	69	27	42
586	Unspecified	212	109	103
587	Renal sclerosis, unspecified	1	1	0

Table 10 - Page 9  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>285</u>	<u>167</u>	<u>118</u>
590	Infections of kidney	16	13	3
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>6</u>	<u>4</u>	<u>2</u>
592	Of kidney and ureter	6	4	2
593	Other disorders of kidney and ureter	84	31	53
595	Cystitis	1	1	0
596	Other disorders of bladder	3	2	1
599	Other disorders of urethra and urinary tract	175	116	59
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>6</u>	<u>0</u>
600	Hyperplasia of prostate	4	4	0
602	Other disorders of prostate	1	1	0
604	Orchitis and epididymitis	1	1	0
<u>610, 611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>1</u>	<u>0</u>	<u>1</u>
619	Fistula involving female genital tract	1	0	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
673	Obstetrical pulmonary embolism	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>25</u>	<u>35</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>8</u>	<u>5</u>	<u>3</u>
680	Carbuncle and furuncle	1	0	1
682	Other cellulitis and abscess	5	5	0
686	Other local infections of skin and subcutaneous tissue	2	0	2
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>6</u>	<u>3</u>	<u>3</u>
694	Bullous dermatoses	1	0	1
695	Erythematous conditions	5	3	2
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>46</u>	<u>17</u>	<u>29</u>
705	Disorders of sweat glands	1	0	1
707	Chronic ulcer of skin	45	17	28
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>89</u>	<u>51</u>	<u>38</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>54</u>	<u>32</u>	<u>22</u>
710	Diffuse diseases of connective tissue	36	18	18
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>18</u>	<u>14</u>	<u>4</u>

Table 10 - Page 10  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
714	Rheumatoid arthritis and other inflammatory polyarthropathies	14	11	3
715	Osteoarthritis and allied disorders	3	2	1
716	Other and unspecified arthropathies	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>3</u>	<u>2</u>	<u>1</u>
721	Spondylosis and allied disorders	3	2	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>10</u>	<u>5</u>	<u>5</u>
728	Disorders of muscle, ligament, and fascia	3	3	0
729	Other disorders of soft tissues	7	2	5
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>22</u>	<u>12</u>	<u>10</u>
730	Osteomyelitis, periostitis, and other infections involving bone	10	3	7
733	Other disorders of bone and cartilage	11	9	2
737	Curvature of spine	1	0	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>160</u>	<u>78</u>	<u>82</u>
<u>740-742</u>	<u>Nervous system</u>	<u>22</u>	<u>10</u>	<u>12</u>
740	Anencephalus and similar anomalies	3	1	2
741	Spina bifida	2	0	2
742	Other congenital anomalies of nervous system	17	9	8
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>52</u>	<u>20</u>	<u>32</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	12	6	6
746	Heart	27	9	18
747	Other congenital anomalies of circulatory system	13	5	8
748	Respiratory system	20	9	11
<u>749-751</u>	<u>Digestive system</u>	<u>2</u>	<u>0</u>	<u>2</u>
751	Other congenital anomalies of digestive system	2	0	2
<u>752, 753</u>	<u>Genitourinary system</u>	<u>15</u>	<u>8</u>	<u>7</u>
753	Urinary system	15	8	7
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>11</u>	<u>9</u>	<u>2</u>
756	Other congenital musculoskeletal anomalies	11	9	2
758	Chromosomal anomalies	28	16	12
759	Other and unspecified congenital anomalies	10	6	4
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>201</u>	<u>60</u>	<u>141</u>
760	Maternal conditions unrelated to present pregnancy	4	0	4
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>22</u>	<u>11</u>	<u>11</u>
761	Maternal complications of pregnancy	11	6	5
762	Complications of placenta, cord, and membranes	11	5	6
764	Slow fetal growth and fetal malnutrition	1	0	1
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>57</u>	<u>17</u>	<u>40</u>
765	Short gestation and unspecified low birthweight	57	17	40
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>66</u>	<u>18</u>	<u>48</u>
768	Intrauterine hypoxia and birth asphyxia	6	2	4
769	Respiratory distress syndrome	20	3	17

Table 10 - Page 11  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
770	Other respiratory conditions of fetus and newborn	40	13	27
771	Infections specific to the perinatal period	11	2	9
772	Fetal and neonatal hemorrhage	7	4	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	8	2	6
779	Other and ill-defined conditions originating in the perinatal period	24	6	18
<b>780-799</b>	<b><u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u></b>	<b>281</b>	<b>161</b>	<b>120</b>
<b>780-789</b>	<b><u>Symptoms</u></b>	<b>44</b>	<b>23</b>	<b>21</b>
780	General	21	10	11
783	Concerning nutrition, metabolism and development	1	1	0
785	Involving cardiovascular system	15	8	7
786	Involving respiratory system and other chest symptoms	6	3	3
789	Other involving abdomen and pelvis	1	1	0
<b>790-796</b>	<b><u>Nonspecific abnormal findings</u></b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>797-799</b>	<b><u>Ill-defined and unknown causes of morbidity and mortality</u></b>	<b>237</b>	<b>138</b>	<b>99</b>
797	Senility without mention of psychosis	17	11	6
798	Sudden death, cause unknown	52	20	32
799	Other ill-defined and unknown causes	168	107	61
<b>800-999</b>	<b><u>EXTERNAL CAUSES OF INJURY AND POISONING</u></b>	<b>2,230</b>	<b>1,316</b>	<b>914</b>
<b>800-949</b>	<b><u>Accidents and adverse effects</u></b>	<b>1,512</b>	<b>907</b>	<b>605</b>
<b>800-807</b>	<b><u>Railway</u></b>	<b>4</b>	<b>2</b>	<b>2</b>
805	Hit by rolling stock	4	2	2
<b>810-825</b>	<b><u>Motor vehicle</u></b>	<b>868</b>	<b>519</b>	<b>349</b>
<b>(810-819)</b>	<b><u>(Traffic)</u></b>	<b>853</b>	<b>514</b>	<b>339</b>
810	Involving collision with train	16	9	7
812	Involving collision with another motor vehicle	364	224	140
813	Involving collision with other vehicle	5	3	2
814	Involving collision with pedestrian	50	25	25
815	Other involving collision on the highway	26	13	13
816	Due to loss of control, without collision on the highway	288	172	116
818	Other noncollision	7	3	4
819	Of unspecified nature	97	65	32
<b>(820-825)</b>	<b><u>(Nontraffic)</u></b>	<b>15</b>	<b>5</b>	<b>10</b>
821	Involving other off-road motor vehicle	3	1	2
822	Involving collision of other motor vehicle with moving object	9	3	6
823	Involving collision with stationary object	1	1	0
825	Of other and unspecified nature	2	0	2
<b>826-829</b>	<b><u>Other road vehicle</u></b>	<b>1</b>	<b>1</b>	<b>0</b>
826	Pedal cycle accident	1	1	0
<b>830-838</b>	<b><u>Water transport</u></b>	<b>17</b>	<b>8</b>	<b>9</b>
830	Accident to watercraft causing submersion	8	3	5
831	Accident to watercraft causing other injury	2	2	0
832	Other submersion or drowning in water transport	6	3	3

Table 10 - Page 12  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
835	Other and unspecified fall in water transport	1	0	1
<u>840-845</u>	<u>Air and space transport</u>	<u>6</u>	<u>6</u>	<u>0</u>
840	Accident to powered aircraft at takeoff or landing	1	1	0
841	Accident to powered aircraft, other and unspecified	4	4	0
843	Fall in, on or from aircraft	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>37</u>	<u>24</u>	<u>13</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>28</u>	<u>20</u>	<u>8</u>
850	Analgesics, antipyretics, antirheumatics	5	4	1
854	Other psychotropic agents	1	1	0
855	Other drugs acting on central and autonomic nervous systems	8	4	4
858	Other drugs	14	11	3
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>9</u>	<u>4</u>	<u>5</u>
860	Alcohol, not elsewhere classified	1	1	0
862	Petroleum products, other solvents and their vapors, not elsewhere classified	2	1	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	2	0	2
864	Corrosives and caustics, not elsewhere classified	1	0	1
868	Other utility gas and other carbon monoxide	1	1	0
869	Other gases and vapors	2	1	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>9</u>	<u>5</u>	<u>4</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	2	1	1
876	Other and unspecified misadventures during medical care	7	4	3
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>32</u>	<u>18</u>	<u>14</u>
878	Surgical operation or other surgical procedure	23	13	10
879	Other procedures	9	5	4
<u>880-888</u>	<u>Falls</u>	<u>142</u>	<u>114</u>	<u>28</u>
880	On or from stairs or steps	5	4	1
881	On or from ladders or scaffolding	4	3	1
882	From or out of building or other structure	6	3	3
883	Into hole or other opening in surface	2	2	0
884	Other from one level to another	12	8	4
885	On same level from slipping, tripping, or stumbling	5	5	0
887	Fracture, cause unspecified	25	19	6
888	Other and unspecified fall	83	70	13
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>100</u>	<u>36</u>	<u>64</u>
890	Conflagration in private dwelling	90	33	57
893	Ignition of clothing	2	1	1
895	Controlled fire in private dwelling	4	1	3
897	Controlled fire not in building or structure	1	0	1
898	Other specified fire and flames	1	0	1

Table 10 - Page 13  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
899	Unspecified fire	2	1	1
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>26</u>	<u>12</u>	<u>14</u>
900	Excessive heat	5	3	2
901	Excessive cold	15	6	9
902	High and low air pressure and changes in air pressure	1	1	0
904	Hunger, thirst, exposure, and neglect	1	0	1
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
906	Other injury caused by animals	1	1	0
907	Lightning	1	0	1
908	Cataclysmic storms and floods resulting from storms	1	0	1
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>138</u>	<u>83</u>	<u>48</u>
910	Drowning and submersion	51	22	29
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	18	13	5
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	49	28	2
913	Mechanical suffocation	18	13	5
915	Foreign body accidentally entering other orifice	2	2	0
<u>916-929</u>	<u>Other accidents</u>	<u>131</u>	<u>83</u>	<u>4</u>
916	Struck by falling object	16	8	8
917	Striking against or struck by objects or persons	3	3	0
918	Caught accidentally in or between objects	1	1	0
919	Caused by machinery	20	18	2
920	Caused by cutting and piercing instruments or objects	5	2	3
922	Caused by firearm missile	41	26	15
923	Caused by explosive material	2	1	1
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	0	3
925	Caused by electric current	8	5	3
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	24	14	10
929	Late effects of accidental injury	7	4	3
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>1</u>	<u>1</u>	<u>0</u>
947	Other and unspecified drugs and medicaments	1	1	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>310</u>	<u>263</u>	<u>47</u>
<u>950-952</u>	<u>By poisoning</u>	<u>41</u>	<u>37</u>	<u>4</u>
950	By solid or liquid substances	30	28	2
951	By gases in domestic use	1	0	1
952	By other gases and vapors	10	9	1
953	By hanging, strangulation, and suffocation	15	14	1
954	By submersion (drowning)	4	1	3
955	By firearms and explosives	246	208	38
956	By cutting and piercing instruments	1	1	0
957	By jumping from high place	2	1	1



Table 10 - Page 14  
Deaths - Mississippi - 1996

International Classification Number*	Cause*	Total	White	Non- white
958	By other and unspecified means	1	1	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>377</u>	<u>131</u>	<u>246</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>375</u>	<u>131</u>	<u>244</u>
960	Fight, brawl, rape	3	2	1
962	Assault by poisoning	1	1	0
963	Assault by hanging and strangulation	9	5	4
964	Assault by submersion (drowning)	6	4	2
965	Assault by firearms and explosives	262	84	178
966	Assault by cutting and piercing instrument	48	14	34
967	Child battering and other maltreatment	7	5	2
968	Assault by other and unspecified mean	36	15	21
969	Late effects of injury purposely inflicted by other person	3	1	2
<u>970-978</u>	<u>Legal intervention</u>	<u>2</u>	<u>0</u>	<u>2</u>
970	Injury by firearms	2	0	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>31</u>	<u>15</u>	<u>16</u>
980	Poisoning by solid or liquid substances	8	4	4
984	Submersion (drowning)	2	1	1
985	Injury by firearms and explosives	11	7	4
987	Falling from high place	3	2	1
988	Injury by other and unspecified means	7	1	6
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

\* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

**TABLE 11**  
**DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,**  
**ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1996**

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-999	ALL CAUSES	26,566	9.9	W	17,488	M	8,936	92	21	17	25	192	230	417	665	1,248	6,027	2	
						F	8,552	77	11	10	15	83	112	177	378	692	6,997	0	
						NW	M	4,731	155	36	24	25	245	263	369	513	666	2,432	3
							F	4,347	127	19	16	17	79	119	238	336	476	2,919	1
001-139	INFECTIOUS AND PARASITIC DISEASES	621	23.0	W	293	M	165	3	2	1	0	1	30	30	20	12	66	0	
						F	128	2	0	0	0	0	2	7	11	9	97	0	
						NW	M	209	7	1	3	1	5	52	56	21	17	45	1
							F	119	0	1	0	0	6	22	19	14	11	46	0
010-018	TUBERCULOSIS	25	0.9	W	10	M	6	0	0	0	0	0	0	0	0	1	5	0	
						F	4	0	0	0	0	0	0	0	0	0	4	0	
						NW	M	13	0	0	0	0	0	0	0	1	3	9	0
							F	2	0	0	0	0	0	0	0	0	0	2	0
042-044	HUMAN IMMUNODEFICIENCY VIRUS INFECTION	229	8.5	W	73	M	67	0	0	0	0	1	28	26	11	1	0	0	
						F	6	0	0	0	0	0	3	2	1	0	0		
						NW	M	115	0	0	2	0	3	46	49	8	4	2	1
							F	41	0	0	0	0	4	17	12	6	1	1	0
140-208	MALIGNANT NEOPLASMS	5,732	212.8	W	3,864	M	2,136	0	0	1	1	6	16	51	162	401	1,498	0	
						F	1,728	1	1	1	3	6	17	66	150	266	1,217	0	
						NW	M	1,060	0	0	1	2	6	12	47	120	207	665	0
							F	808	0	1	2	2	6	14	56	97	137	493	0
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	79	2.9	W	49	M	28	0	1	0	0	0	1	3	4	5	14	0	
						F	21	0	0	0	0	0	1	1	2	17	0		
						NW	M	11	0	1	0	0	0	1	0	0	2	7	0
							F	19	0	2	0	0	0	0	0	1	1	15	0

TABLE 11 - PAGE 2  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E	S E X	T O T A L B Y R A C E A N D S E X	AGE											65 A N D O V E R	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
240-279	ENDOCRINE, NUTRI- TIONAL, AND META- BOLIC DISEASES AND IMMUNITY DISORDERS	748	27.8	W	395	M	180	0	1	0	1	1	9	8	19	35	106	0		
						F	215	1	1	1	0	0	6	4	9	20	173	0		
				NW	353	M	123	0	0	0	0	1	6	9	15	21	71	0		
						F	230	2	1	1	0	1	6	9	15	32	163	0		
250	DIABETES MELLITUS	533	19.8	W	268	M	129	0	0	0	0	0	4	6	12	23	84	0		
						F	139	0	0	0	0	0	3	2	7	16	111	0		
				NW	265	M	85	0	0	0	0	0	2	6	14	16	47	0		
						F	180	0	0	1	0	0	2	4	14	31	128	0		
260-269	NUTRITIONAL DEFICIENCIES	39	1.4	W	19	M	3	0	0	0	0	0	0	0	0	0	3	0		
						F	16	0	0	0	0	0	0	0	0	0	16	0		
				NW	20	M	10	0	0	0	0	0	0	0	0	0	2	8	0	
						F	10	0	0	0	0	1	0	0	0	0	0	9	0	
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	104	3.9	W	60	M	22	0	0	1	0	0	2	1	2	3	13	0		
						F	38	0	0	0	0	1	4	0	2	3	28	0		
				NW	44	M	22	0	1	1	0	0	3	2	5	1	9	0		
						F	22	0	0	0	0	0	1	4	2	3	12	0		
280-285	ANEMIAS	59	2.2	W	31	M	9	0	0	1	0	0	0	1	2	1	4	0		
						F	22	0	0	0	0	0	3	0	1	0	18	0		
				NW	28	M	15	0	0	1	0	0	2	2	5	1	4	0		
						F	13	0	0	0	0	0	1	4	2	1	5	0		
290-319	MENTAL DISORDERS	308	11.4	W	221	M	88	0	0	0	0	0	2	1	6	10	69	0		
						F	133	0	0	0	0	1	0	3	3	3	123	0		
				NW	87	M	53	0	0	0	1	0	3	6	13	8	22	0		
						F	34	0	0	0	0	0	1	0	3	1	29	0		
303	ALCOHOLISM	42	1.6	W	21	M	15	0	0	0	0	0	0	1	3	6	5	0		
						F	6	0	0	0	0	0	0	1	2	1	2	0		
				NW	21	M	19	0	0	0	0	0	1	3	6	3	6	0		
						F	2	0	0	0	0	0	0	0	2	0	0	0		

TABLE 11 - PAGE 3  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
320-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	448	16.6	W	349	M	162	3	3	2	1	2	2	9	9	15	116	0		
							187	3	0	3	0	1	0	4	7	14	155	0		
							46	3	1	1	1	4	1	3	5	5	22	0		
							53	7	1	0	0	0	3	4	3	2	33	0		
320-322	MENINGITIS	12	0.4	W	7	M	5	1	0	0	0	0	0	1	1	1	1	0		
							2	0	0	0	0	0	0	0	0	1	1	0		
							4	1	0	0	0	1	0	1	1	0	0	0		
							1	1	0	0	0	0	0	0	0	0	0	0		
345	EPILEPSY	16	0.6	W	4	M	2	0	0	0	0	0	0	2	0	0	0	0		
							2	0	0	0	0	0	0	0	1	1	0			
							12	0	0	0	0	1	0	0	1	1	3	0		
							6	0	0	0	0	0	0	2	1	1	2	0		
390-459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,760	436.7	W	7,912	M	3,779	2	0	0	0	4	20	100	241	549	2,862	1		
							4,133	4	0	2	1	4	13	28	99	225	3,757	0		
							3,848	4	0	0	4	10	27	98	219	288	1,149	0		
							2,049	3	0	3	1	9	16	70	128	209	1,610	0		
390-398, 402, 404-429	HEART DISEASES	9,499	352.7	W	6,446	M	3,154	2	0	0	0	2	13	88	215	485	2,348	1		
							3,292	3	0	2	1	4	8	23	71	186	2,994	0		
							3,053	1	0	0	4	8	25	80	174	228	908	0		
							1,625	2	0	3	0	6	12	57	100	173	1,272	0		
401,403	HYPERTENSION	143	5.3	W	75	M	30	0	0	0	0	1	1	2	4	22	0			
							45	0	0	0	0	0	0	1	5	39	0			
							68	0	0	0	0	0	0	2	5	7	13	0		
							41	0	0	0	0	1	0	0	6	4	30	0		
430-438	CEREBROVASCULAR DISEASES	1,691	62.8	W	1,089	M	445	0	0	0	0	2	4	8	18	43	370	0		
							644	1	0	0	0	0	3	4	26	26	584	0		
							602	3	0	0	0	1	2	13	38	42	182	0		
							321	1	0	0	1	1	3	11	20	23	261	0		

TABLE 11 - PAGE 4  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64						
440	ATHEROSCLEROSIS	107	4.0	W	84	M	24	0	0	0	0	0	0	0	0	1	2	21	0			
							F	60	0	0	0	0	0	0	0	0	0	1	59	0		
							NW	23	M	12	0	0	0	0	0	0	0	0	0	2	10	0
									F	11	0	0	0	0	0	0	0	0	0	1	10	0
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,248</u>	<u>83.5</u>	W	<u>1,723</u>	M	<u>867</u>	<u>3</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>6</u>	<u>33</u>	<u>87</u>	<u>725</u>	<u>0</u>				
							F	<u>856</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>6</u>	<u>23</u>	<u>73</u>	<u>747</u>	<u>0</u>			
							NW	<u>525</u>	M	<u>286</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>11</u>	<u>8</u>	<u>14</u>	<u>38</u>	<u>203</u>	<u>0</u>	
									F	<u>239</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>5</u>	<u>13</u>	<u>24</u>	<u>180</u>	<u>0</u>	
480-486	PNEUMONIA	878	32.6	W	633	M	263	1	0	2	1	1	2	5	13	25	213	0				
							F	370	0	1	0	0	1	2	0	6	15	345	0			
							NW	245	M	122	2	1	0	1	3	4	3	4	18	86	0	
									F	123	3	0	0	0	0	3	1	4	6	106	0	
487	INFLUENZA	6	0.2	W	4	M	1	0	0	0	0	0	0	0	1	0	0	0				
							F	3	0	0	0	0	0	0	0	0	0	3	0			
							NW	2	M	1	0	0	0	0	0	0	0	0	0	1	0	
									F	1	0	0	0	0	0	0	0	0	0	1	0	
492	EMPHYSEMA	135	5.0	W	109	M	72	0	0	0	0	0	0	0	3	10	59	0				
							F	37	0	0	0	0	0	0	3	6	28	0				
							NW	26	M	20	0	0	0	0	1	0	0	2	5	12	0	
									F	6	0	0	0	0	0	0	1	3	2	0		
<u>490, 491</u> <u>493-496</u>	<u>OTHER CHRONIC OBSTRUCTIVE PUL- MONARY DISEASES AND ALLIED CONDITIONS</u>	<u>868</u>	<u>32.2</u>	W	<u>714</u>	M	<u>394</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>13</u>	<u>43</u>	<u>337</u>	<u>0</u>				
							F	<u>320</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>11</u>	<u>42</u>	<u>262</u>	<u>0</u>			
							NW	<u>154</u>	M	<u>91</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>0</u>	<u>4</u>	<u>10</u>	<u>72</u>	<u>0</u>	
									F	<u>63</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>13</u>	<u>37</u>	<u>0</u>	
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>852</u>	<u>31.6</u>	W	<u>582</u>	M	<u>306</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>29</u>	<u>53</u>	<u>45</u>	<u>172</u>	<u>0</u>				
							F	<u>276</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>9</u>	<u>15</u>	<u>26</u>	<u>224</u>	<u>0</u>			
							NW	<u>270</u>	M	<u>119</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>20</u>	<u>19</u>	<u>19</u>	<u>53</u>	<u>0</u>	
									F	<u>151</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>17</u>	<u>17</u>	<u>17</u>	<u>89</u>	<u>0</u>	

TABLE 11 - PAGE 5  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E	S E X	T O T A L B Y R A C E A N D S E X	AGE											65 A N D O V E R	U N D E R	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
531-533	ULCER OF STOMACH AND DUODENUM	53	2.0	W	37	M	22	0	0	0	0	0	0	1	2	2	17	0			
							F	15	0	0	0	0	0	0	0	0	0	15	0		
							NW	16	M	6	0	0	0	0	1	1	1	0	0	3	0
										F	10	0	0	0	0	0	0	0	1	9	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	257	9.5	W	187	M	131	0	0	0	0	0	2	19	42	27	41	0			
							F	56	0	0	0	0	0	0	6	8	9	33	0		
							NW	70	M	46	0	0	0	0	0	2	9	11	12	12	0
										F	24	0	0	0	0	1	2	5	6	4	6
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>644</u>	<u>23.9</u>	W	<u>349</u>	M	<u>149</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>2</u>	<u>6</u>	<u>136</u>	<u>0</u>			
							F	<u>200</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>180</u>	<u>0</u>		
							NW	<u>295</u>	M	<u>126</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>10</u>	<u>8</u>	<u>17</u>	<u>85</u>	<u>0</u>
										F	<u>169</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>7</u>	<u>19</u>	<u>132</u>
580-589	NEPHRITIS, NEPHROTIC SYN- DROME, AND NEPHROSIS	351	13.0	W	176	M	84	0	0	0	0	0	1	2	1	4	76	0			
							F	92	0	0	0	0	0	5	5	4	78	0			
							NW	175	M	71	1	0	0	0	1	2	2	7	7	51	0
										F	104	2	0	0	0	2	1	4	3	16	76
590	INFECTIONS OF KIDNEY	16	0.6	W	13	M	6	0	0	0	0	0	0	1	0	0	5	0			
							F	7	0	0	0	0	0	0	0	0	0	7	0		
							NW	3	M	1	0	0	0	0	0	0	1	0	0	0	0
										F	2	0	0	0	0	0	0	0	1	0	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILD- BIRTH, AND THE PUERPERIUM</u>	<u>1</u>	<u>2.4</u>	W	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							NW	<u>1</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
										F	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES</u>	<u>60</u>	<u>2.2</u>	W	<u>25</u>	M	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>9</u>	<u>0</u>			
							F	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>0</u>			
							NW	<u>35</u>	M	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>8</u>	
										F	<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>20</u>

TABLE 11 - PAGE 6  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E	S E X	T O T A L B Y R A C E A N D S E X	AGE											65 A N D O V E R	U N D E R 1 8	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
710-739	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u>	<u>89</u>	<u>3.3</u>	W	<u>51</u>	M	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>11</u>	<u>0</u>			
							F	<u>35</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>7</u>	<u>25</u>	<u>0</u>			
							NW	M	<u>38</u>	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>5</u>	<u>0</u>
								F		<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>4</u>	<u>5</u>	<u>0</u>	<u>5</u>	<u>0</u>
740-759	<u>CONGENITAL ANOMALIES</u>	<u>160</u>	<u>5.9</u>	W	<u>78</u>	M	<u>45</u>	<u>27</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>6</u>	<u>0</u>			
							F	<u>33</u>	<u>22</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>0</u>			
							NW	M	<u>82</u>	<u>41</u>	<u>24</u>	<u>3</u>	<u>1</u>	<u>4</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>
								F		<u>41</u>	<u>29</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>
760-779	<u>CERTAIN CONDI- TIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>201</u>	<u>4.9</u>	W	<u>60</u>	M	<u>33</u>	<u>32</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>27</u>	<u>27</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							NW	M	<u>141</u>	<u>86</u>	<u>86</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
								F		<u>55</u>	<u>55</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
780-799	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>281</u>	<u>10.4</u>	W	<u>161</u>	M	<u>65</u>	<u>11</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>7</u>	<u>5</u>	<u>5</u>	<u>31</u>	<u>0</u>			
							F	<u>96</u>	<u>10</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>3</u>	<u>2</u>	<u>74</u>	<u>0</u>			
							NW	M	<u>120</u>	<u>64</u>	<u>21</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>2</u>	<u>5</u>	<u>3</u>	<u>22</u>	
								F		<u>56</u>	<u>13</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>35</u>	
800-999	<u>ALL EXTERNAL CAUSES</u>	<u>2,230</u>	<u>82.8</u>	W	<u>1,316</u>	M	<u>885</u>	<u>8</u>	<u>12</u>	<u>8</u>	<u>18</u>	<u>172</u>	<u>132</u>	<u>164</u>	<u>106</u>	<u>71</u>	<u>193</u>	<u>1</u>			
							F	<u>431</u>	<u>4</u>	<u>5</u>	<u>3</u>	<u>11</u>	<u>64</u>	<u>63</u>	<u>40</u>	<u>49</u>	<u>32</u>	<u>160</u>			
							NW	M	<u>914</u>	<u>661</u>	<u>6</u>	<u>23</u>	<u>13</u>	<u>10</u>	<u>209</u>	<u>130</u>	<u>105</u>	<u>64</u>	<u>33</u>	<u>66</u>	
								F		<u>253</u>	<u>7</u>	<u>8</u>	<u>8</u>	<u>10</u>	<u>44</u>	<u>35</u>	<u>39</u>	<u>29</u>	<u>15</u>	<u>57</u>	
810-825	<u>MOTOR VEHICLE ACCIDENTS</u>	<u>868</u>	<u>32.2</u>	W	<u>519</u>	M	<u>333</u>	<u>1</u>	<u>4</u>	<u>6</u>	<u>6</u>	<u>103</u>	<u>50</u>	<u>50</u>	<u>38</u>	<u>20</u>	<u>55</u>	<u>0</u>			
							F	<u>186</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>6</u>	<u>47</u>	<u>34</u>	<u>20</u>	<u>16</u>	<u>15</u>	<u>44</u>			
							NW	M	<u>349</u>	<u>248</u>	<u>3</u>	<u>5</u>	<u>5</u>	<u>3</u>	<u>83</u>	<u>55</u>	<u>41</u>	<u>27</u>	<u>9</u>	<u>17</u>	
								F		<u>101</u>	<u>101</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>6</u>	<u>19</u>	<u>19</u>	<u>18</u>	<u>19</u>	<u>2</u>	
800-807, 826-949	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>644</u>	<u>23.9</u>	W	<u>388</u>	M	<u>249</u>	<u>4</u>	<u>7</u>	<u>2</u>	<u>8</u>	<u>26</u>	<u>24</u>	<u>44</u>	<u>16</u>	<u>24</u>	<u>94</u>	<u>0</u>			
							F	<u>139</u>	<u>3</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>2</u>	<u>6</u>	<u>12</u>	<u>6</u>	<u>99</u>			
							NW	M	<u>256</u>	<u>165</u>	<u>3</u>	<u>13</u>	<u>8</u>	<u>5</u>	<u>29</u>	<u>17</u>	<u>20</u>	<u>18</u>	<u>15</u>	<u>37</u>	
								F		<u>91</u>	<u>91</u>	<u>4</u>	<u>4</u>	<u>7</u>	<u>2</u>	<u>6</u>	<u>3</u>	<u>11</u>	<u>7</u>	<u>10</u>	

TABLE 11 - PAGE 7  
DEATHS - MISSISSIPPI - 1996

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
950-959	SUICIDE	310	11.5	W	263	M	204	0	0	0	3	24	39	45	37	24	32	0		
						F	59	0	0	0	1	5	14	7	14	8	10	0		
				NW	47	M	39	0	0	0	0	18	13	4	0	1	3	0		
						F	8	0	0	0	0	1	3	1	1	1	1	0		
960-978	HOMICIDE AND LEGAL INTERVENTION	377	14.0	W	131	M	91	3	1	0	1	19	18	21	13	3	11	1		
						F	40	0	1	0	2	5	12	6	6	3	5	0		
				NW	246	M	197	0	4	0	2	75	44	37	18	8	8	1		
						F	49	0	1	0	2	18	10	8	2	2	5	1		

\* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.



**TABLE 12A**  
**INFANT, NEONATAL, AND POSTNEONATAL DEATHS\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1996**

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>451</b>	<b>169</b>	<b>282</b>	<b>294</b>	<b>103</b>	<b>191</b>	<b>157</b>	<b>66</b>	<b>91</b>
ADAMS	6	2	4	3	1	2	3	1	2
ALCORN	1	1	0	0	0	0	1	1	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	1	0	1	0	0	0	1	0	1
BENTON	4	4	0	4	4	0	0	0	0
BOLIVAR	13	0	13	9	0	9	4	0	4
CALHOUN	1	1	0	0	0	0	1	1	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	5	2	3	4	2	2	1	0	1
CHOCTAW	1	1	0	1	1	0	0	0	0
CLAIBORNE	1	0	1	0	0	0	1	0	1
CLARKE	1	0	1	1	0	1	0	0	0
CLAY	4	0	4	2	0	2	2	0	2
COAHOMA	11	1	10	7	1	6	4	0	4
COPIAH	4	1	3	2	0	2	2	1	1
COVINGTON	1	0	1	1	0	1	0	0	0
DESOTO	16	10	6	11	6	5	5	4	1
FORREST	6	3	3	1	0	1	5	3	2
FRANKLIN	1	1	0	1	1	0	0	0	0
GEORGE	1	0	1	1	0	1	0	0	0
GREENE	1	1	0	0	0	0	1	1	0
GRENADA	1	0	1	1	0	1	0	0	0
HANCOCK	7	6	1	3	3	0	4	3	1
HARRISON	24	12	12	19	9	10	5	3	2
HINDS	55	10	45	36	5	31	19	5	14
HOLMES	7	0	7	5	0	5	2	0	2
HUMPHREYS	2	0	2	2	0	2	0	0	0
ISSAQUENA	1	0	1	0	0	0	1	0	1
ITAWAMBA	3	3	0	2	2	0	1	1	0
JACKSON	21	11	10	17	8	9	4	3	1
JASPER	2	2	0	1	1	0	1	1	0
JEFFERSON	5	0	5	5	0	5	0	0	0
JEFF DAVIS	1	1	0	0	0	0	1	1	0
JONES	11	4	7	6	1	5	5	3	2
KEMPER	2	0	2	2	0	2	0	0	0
LAFAYETTE	3	1	2	3	1	2	0	0	0
LAMAR	1	1	0	1	1	0	0	0	0
LAUDERDALE	16	6	10	11	4	7	5	2	3
LAWRENCE	3	1	2	2	1	1	1	0	1
LEAKE	1	1	0	1	1	0	0	0	0
LEE	15	8	7	13	7	6	2	1	1
LEFLORE	11	1	10	8	1	7	3	0	3

TABLE 12A - PAGE 2  
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1996

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	3	1	2	2	0	2	1	1	0
LOWNDES	16	6	10	12	3	9	4	3	1
MADISON	6	1	5	2	0	2	4	1	3
MARION	3	2	1	2	1	1	1	1	0
MARSHALL	3	2	1	2	1	1	1	1	0
MONROE	8	2	6	2	0	2	6	2	4
MONTGOMERY	1	0	1	0	0	0	1	0	1
NESHOBA	4	0	4	2	0	2	2	0	2
NEWTON	9	2	7	6	2	4	3	0	3
NOXUBEE	2	0	2	2	0	2	0	0	0
OKTIBBEHA	4	0	4	4	0	4	0	0	0
PANOLA	11	1	10	6	0	6	5	1	4
PEARL RIVER	4	4	0	2	2	0	2	2	0
PERRY	1	1	0	1	1	0	0	0	0
PIKE	4	1	3	2	1	1	2	0	2
PONTOTOC	5	3	2	3	1	2	2	2	0
PRETISS	4	3	1	0	0	0	4	3	1
QUITMAN	0	0	0	0	0	0	0	0	0
RANKIN	15	11	4	11	9	2	4	2	2
SCOTT	4	4	0	2	2	0	2	2	0
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	3	0	3	1	0	1	2	0	2
SMITH	1	1	0	1	1	0	0	0	0
STONE	4	4	0	3	3	0	1	1	0
SUNFLOWER	6	1	5	3	1	2	3	0	3
TALLAHATCHIE	2	0	2	1	0	1	1	0	1
TATE	5	3	2	4	2	2	1	1	0
TIPPAH	8	3	5	5	1	4	3	2	1
TISHOMINGO	1	1	0	1	1	0	0	0	0
TUNICA	4	0	4	0	0	0	4	0	4
UNION	4	4	0	3	3	0	1	1	0
WALTHALL	3	1	2	2	1	1	1	0	1
WARREN	7	3	4	4	1	3	3	2	1
WASHINGTON	14	3	11	9	2	7	5	1	4
WAYNE	4	3	1	3	2	1	1	1	0
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	3	1	2	2	0	2	1	1	0
WINSTON	1	0	1	0	0	0	1	0	1
YALOBUSHA	1	0	1	1	0	1	0	0	0
YAZOO	2	1	1	2	1	1	0	0	0

\* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B**  
**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1992-1996 (5-YEAR AVERAGE)**

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>11.2</u>	<u>7.7</u>	<u>14.9</u>	<u>6.9</u>	<u>4.6</u>	<u>9.3</u>	<u>4.3</u>	<u>3.1</u>	<u>5.6</u>
ADAMS	12.2	7.3	14.8	9.2	4.2	11.9	2.9	3.1	2.8
ALCORN	8.6	8.8	7.8	6.2	5.9	7.8	2.4	3.0	-
AMITE	1.2	-	2.4	-	-	-	1.2	-	2.4
ATTALA	9.7	5.0	13.9	5.6	3.4	7.7	4.0	1.7	6.2
BENTON	13.7	15.6	11.4	10.2	12.5	7.6	3.4	3.1	3.8
BOLI VAR	13.5	5.2	15.7	6.4	1.3	7.9	7.0	3.9	7.9
CALHOUN	17.8	13.5	24.0	11.9	11.8	12.0	5.9	1.7	12.0
CARROLL	11.8	8.3	15.0	9.9	8.3	11.3	2.0	-	3.8
CHICKASAW	12.2	10.0	14.3	10.9	8.8	13.0	1.3	1.2	1.3
CHOCTAW	8.6	9.0	8.1	6.9	9.0	4.0	1.7	-	4.0
CLAI BORNE	12.9	-	14.2	5.9	-	6.5	7.0	-	7.8
CLARKE	9.2	11.0	7.2	5.0	4.7	5.4	4.2	6.3	1.8
CLAY	14.0	10.3	15.8	8.4	5.2	10.0	5.6	5.2	5.8
COAHOMA	19.1	8.4	21.6	13.3	5.0	15.2	5.8	3.4	6.4
COPIAH	9.4	9.7	9.2	6.6	6.1	6.9	2.8	3.6	2.3
COVINGTON	15.9	9.1	23.0	10.6	3.9	17.6	5.3	5.2	5.4
DESOTO	8.7	6.9	18.5	6.0	4.4	14.4	2.7	2.5	4.1
FORREST	11.1	5.4	17.9	7.2	3.0	12.2	3.9	2.4	5.7
FRANKLIN	14.6	3.9	24.0	7.3	3.9	10.3	7.3	-	13.7
GEORGE	5.7	5.6	6.8	4.4	4.2	6.8	1.3	1.4	-
GREENE	8.0	5.2	16.8	4.0	1.8	11.2	4.0	3.5	5.6
GRENADA	9.8	2.6	15.9	6.1	1.3	10.2	3.6	1.3	5.7
HANCOCK	8.5	6.2	25.8	4.2	3.8	7.4	4.2	2.4	18.4
HARRISON	8.3	7.1	11.2	4.9	4.1	6.6	3.4	3.0	4.6
HINDS	11.5	5.5	14.0	7.6	3.3	9.5	3.9	2.3	4.5
HOLMES	13.8	-	15.5	9.3	-	10.5	4.4	-	5.0
HUMPHREYS	11.7	4.7	13.5	5.8	-	7.4	5.8	4.7	6.1
ISSAQUENA	23.8	27.8	22.2	7.9	-	11.1	15.9	27.8	11.1
ITAWAMBA	7.9	6.3	24.4	3.6	4.0	-	4.3	2.4	24.4
JACKSON	11.7	9.7	16.3	8.1	6.7	11.2	3.6	3.0	5.1
JASPER	8.7	10.2	7.8	4.3	4.1	4.5	4.3	6.1	3.4
JEFFERSON	22.4	-	23.8	15.8	-	16.8	6.6	-	7.0
JEFF DAVIS	9.9	6.2	11.5	5.4	-	7.6	4.5	6.2	3.8
JONES	9.5	5.7	15.4	5.1	2.3	9.5	4.4	3.4	5.9
KEMPER	5.9	5.0	6.2	4.4	-	6.2	1.5	5.0	-
LAFAYETTE	10.2	4.5	17.8	6.6	3.6	10.7	3.6	0.9	7.1
LAMAR	9.3	8.1	15.2	5.9	4.0	15.2	3.4	4.0	-
LAUDERDALE	11.9	6.8	16.8	6.4	3.4	9.4	5.4	3.4	7.4
LAWRENCE	9.4	11.1	7.1	7.3	9.2	4.8	2.1	1.8	2.4
LEAKE	13.1	5.7	19.2	5.2	4.3	6.0	7.8	1.4	13.2
LEE	13.8	10.5	20.2	9.4	6.5	15.2	4.4	4.0	5.0
LEFLORE	14.4	6.3	16.8	9.8	3.8	11.5	4.6	2.5	5.2

TABLE 12B - PAGE 2  
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1992-1996 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7.1	8.0	5.6	5.7	6.6	4.4	1.3	1.5	1.1
LOWNDES	16.0	10.9	21.2	10.4	7.8	13.1	5.6	3.1	8.1
MADISON	7.0	3.1	10.8	3.5	1.4	5.6	3.5	1.7	5.2
MARION	8.9	7.3	11.0	5.8	4.6	7.3	3.1	2.8	3.7
MARSHALL	13.4	8.1	17.1	9.7	6.3	12.0	3.7	1.8	5.1
MONROE	12.7	10.2	16.5	7.6	5.4	11.0	5.1	4.8	5.5
MONTGOMERY	10.8	10.8	10.9	8.7	10.8	7.3	2.2	-	3.6
NESHOBA	14.9	8.5	21.8	11.6	7.5	15.8	3.4	0.9	5.9
NEWTON	17.1	11.8	23.0	11.0	10.6	11.5	6.1	1.2	11.5
NOXUBEE	17.2	12.6	18.5	9.0	8.4	9.2	8.2	4.2	9.2
OKTIBBEHA	7.0	3.3	10.0	5.0	1.7	7.9	1.9	1.7	2.2
PANOLA	17.4	9.2	22.0	9.6	3.1	13.3	7.8	6.1	8.7
PEARL RIVER	8.1	7.9	9.0	4.0	4.6	1.8	4.0	3.3	7.2
PERRY	9.9	8.1	13.6	7.7	8.1	6.8	2.2	-	6.8
PIKE	6.4	3.5	8.2	3.0	0.9	4.4	3.4	2.6	3.8
PONTOTOC	10.3	6.2	30.8	7.4	4.8	20.5	2.8	1.4	10.3
PRENTISS	9.4	9.6	8.3	3.8	4.4	-	5.6	5.2	8.3
QUITMAN	10.3	4.8	11.8	5.2	-	6.6	5.2	4.8	5.2
RANKIN	8.2	6.9	12.9	4.7	4.5	5.4	3.5	2.4	7.4
SCOTT	14.8	14.4	15.2	6.7	9.0	4.5	8.1	5.4	10.7
SHARKEY	4.6	8.2	3.7	1.5	-	1.9	3.0	8.2	1.9
SIMPSON	12.4	6.9	18.7	8.8	4.9	13.2	3.6	2.0	5.5
SMITH	7.6	8.8	5.3	3.8	4.4	2.6	3.8	4.4	2.6
STONE	13.0	12.2	14.9	8.6	6.1	14.9	4.3	6.1	-
SUNFLOWER	10.3	3.4	12.1	5.3	3.4	5.8	5.0	-	6.3
TALLAHATCHIE	11.8	3.3	14.6	6.3	-	8.3	5.5	3.3	6.2
TATE	10.4	8.5	13.1	5.5	4.2	7.2	4.9	4.2	5.8
TIPPAH	11.3	9.1	18.6	6.3	4.6	12.4	4.9	4.6	6.2
TISHOMINGO	10.5	10.0	22.2	7.0	6.4	22.2	3.5	3.6	-
TUNICA	24.2	-	27.8	11.4	-	13.2	12.7	-	14.7
UNION	17.8	18.8	14.0	8.9	9.0	8.4	8.9	9.8	5.6
WALTHALL	6.9	2.2	10.0	3.5	2.2	4.3	3.5	-	5.7
WARREN	13.1	9.0	16.8	7.2	3.2	10.7	5.9	5.8	6.0
WASHINGTON	11.5	5.6	13.6	7.0	3.1	8.3	4.6	2.5	5.3
WAYNE	12.9	11.9	13.8	7.6	4.8	10.4	5.3	7.1	3.5
WEBSTER	7.5	6.7	9.1	3.0	2.2	4.6	4.5	4.4	4.6
WILKINSON	11.9	12.7	11.7	10.4	6.4	11.7	1.5	6.4	-
WINSTON	12.8	5.2	19.4	7.2	3.4	10.4	5.6	1.7	9.0
YALOBUSHA	6.8	7.4	6.4	2.3	-	4.2	4.6	7.4	2.1
YAZOO	11.5	10.1	12.1	5.1	2.9	6.1	6.4	7.2	6.1

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13**  
**INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,**  
**ALSO MORTALITY RATES FOR SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1996**

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>451</u>	<u>11.0</u>	W	<u>169</u>	<u>103</u>	<u>57</u>	<u>31</u>	<u>6</u>	<u>3</u>	<u>6</u>	<u>66</u>
			NW	<u>282</u>	<u>191</u>	<u>107</u>	<u>46</u>	<u>13</u>	<u>13</u>	<u>12</u>	<u>91</u>
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	8	0.2	W	4	1	0	0	0	1	0	3
			NW	4	1	0	0	1	0	0	3
MENINGITIS (320-322)	3	0.1	W	1	0	0	0	0	0	0	1
			NW	2	2	0	1	0	0	1	0
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
PNEUMONIA AND INFLUENZA (480-487)	6	0.1	W	1	1	0	0	0	1	0	0
			NW	5	3	0	0	1	0	2	2
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
CONGENITAL ANOMALIES (740-759)	102	2.5	W	49	36	18	12	4	0	2	13
			NW	53	40	17	13	2	6	2	13
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	4	3	1	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	11	0.3	W	6	6	6	0	0	0	0	0
			NW	5	5	5	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	11	0.3	W	5	5	3	2	0	0	0	0
			NW	6	6	6	0	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	57	1.4	W	17	17	16	0	0	0	1	0
			NW	40	40	38	2	0	0	0	0

TABLE 13 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1996

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
BIRTH TRAUMA (767)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	4	1	3	0	0	0	0
RESPIRATORY DISTRESS SYNDROME (769)	20	0.5	W	3	3	2	1	0	0	0	0
			NW	17	16	10	3	1	1	1	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	11	0.3	W	2	2	1	1	0	0	0	0
			NW	9	9	0	4	2	1	2	0
NEONATAL HEMORRHAGE (772)	7	0.2	W	4	4	0	4	0	0	0	0
			NW	3	3	1	2	0	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	48	1.2	W	19	1	0	0	0	0	1	18
			NW	29	1	0	0	0	0	1	28
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	7	0.2	W	2	0	0	0	0	0	0	2
			NW	5	1	0	1	0	0	0	4
ACCIDENTS (800-949)	21	0.5	W	9	2	0	1	0	0	1	7
			NW	12	1	0	0	1	0	0	11
ALL OTHER CAUSES	123	3.0	W	44	25	11	10	2	1	1	19
			NW	79	55	26	16	5	5	3	24

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

**TABLE 14**  
**ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,**  
**MISSISSIPPI, 1996**

<u>COUNTY</u>	<u>TOTAL</u>	<u>MOTOR VEHICLE</u>	<u>WATER TRANS- PORT</u>	<u>POISON- ING</u>	<u>FALLS</u>	<u>FIRES AND FLAMES</u>	<u>DROWNING AND SUB- MERSION</u>	<u>FIRE- ARMS</u>	<u>ALL OTHER</u>
<u>STATE</u>	<u>1,451</u>	<u>851</u>	<u>19</u>	<u>34</u>	<u>136</u>	<u>96</u>	<u>45</u>	<u>39</u>	<u>231</u>
ADAMS	14	6	0	0	3	2	0	0	3
ALCORN	21	12	0	2	3	0	0	1	3
AMITE	9	8	0	0	0	0	0	0	1
ATTALA	10	5	0	0	1	1	1	0	2
BENTON	5	5	0	0	0	0	0	0	0
BOLIVAR	19	10	1	1	1	0	0	0	6
CALHOUN	4	2	0	0	0	0	0	0	2
CARROLL	9	7	0	0	0	0	0	1	1
CHICKASAW	6	6	0	0	0	0	0	0	0
CHOCTAW	6	3	0	0	0	2	0	0	1
CLAIBORNE	5	2	1	0	0	0	1	0	1
CLARKE	8	7	0	0	0	0	1	0	0
CLAY	7	4	0	0	0	1	0	1	1
COAHOMA	19	11	2	0	1	2	1	0	2
COPIAH	18	12	0	0	0	0	0	1	5
COVINGTON	9	7	0	0	0	1	0	0	1
DESOTO	29	19	0	2	1	1	1	0	5
FORREST	69	42	0	3	10	0	2	0	12
FRANKLIN	5	3	0	0	0	0	0	1	1
GEORGE	9	9	0	0	0	0	0	0	0
GREENE	6	5	0	0	0	0	0	0	1
GRENADA	12	9	0	0	0	1	1	0	1
HANCOCK	16	11	1	0	0	0	3	1	0
HARRISON	64	26	1	2	7	6	3	1	18
HINDS	194	100	1	7	29	12	2	7	36
HOLMES	18	16	0	0	0	0	0	0	2
HUMPHREYS	3	3	0	0	0	0	0	0	0
ISSAQUENA	1	0	0	0	0	0	0	0	1
ITAWAMBA	7	4	0	0	0	2	0	1	0
JACKSON	44	16	1	4	4	2	5	1	11
JASPER	12	9	0	0	1	2	0	0	0
JEFFERSON	1	0	0	0	0	1	0	0	0
JEFF DAVIS	7	6	0	0	0	0	0	0	1
JONES	33	13	0	0	3	7	0	4	6
KEMPER	2	2	0	0	0	0	0	0	0
LAFAYETTE	26	13	0	2	7	0	2	1	1
LAMAR	15	8	0	0	3	0	0	1	3
LAUDERDALE	52	25	0	2	6	1	1	0	17
LAWRENCE	6	3	0	0	0	0	1	0	2
LEAKE	14	12	0	0	0	2	0	0	0
LEE	86	50	0	0	25	2	0	1	8
LEFLORE	18	10	0	0	2	0	0	3	3

TABLE 14 - PAGE 2  
 ACCIDENTAL DEATHS - MISSISSIPPI - 1996

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	7	4	0	0	3	0	0	0	0
LOWNDES	14	10	0	0	0	0	3	0	1
MADISON	21	13	3	0	1	2	1	0	1
MARION	10	4	0	0	2	0	2	0	2
MARSHALL	17	14	0	0	0	1	0	0	2
MONROE	19	13	0	0	1	2	0	1	2
MONTGOMERY	5	3	0	1	1	0	0	0	0
NESHOBA	19	15	0	1	0	0	1	0	2
NEWTON	17	8	0	0	0	7	0	0	2
NOXUBEE	6	2	0	0	1	1	0	0	2
OKTIBBEHA	10	6	0	0	0	2	0	0	2
PANOLA	25	18	0	0	1	4	0	0	2
PEARL RIVER	14	9	0	1	0	0	0	0	4
PERRY	6	6	0	0	0	0	0	0	0
PIKE	18	13	0	0	0	0	0	0	5
PONTOTOC	8	6	0	0	1	0	0	0	1
PRENTISS	7	6	0	0	0	0	0	1	0
QUITMAN	5	3	0	0	0	1	0	0	1
RANKIN	29	14	2	0	8	0	1	0	4
SCOTT	19	15	1	0	0	0	1	1	1
SHARKEY	4	4	0	0	0	0	0	0	0
SIMPSON	20	14	0	0	2	1	0	1	2
SMITH	7	3	0	0	0	0	3	0	1
STONE	8	5	1	1	0	0	0	0	1
SUNFLOWER	15	8	0	0	2	1	1	2	1
TALLAHATCHIE	4	4	0	0	0	0	0	0	0
TATE	20	14	3	0	1	1	0	0	1
TIPPAH	10	3	0	0	0	5	0	1	1
TISHOMINGO	8	3	0	0	0	0	2	1	2
TUNICA	10	9	0	0	0	0	0	1	0
UNION	10	4	0	0	3	1	0	0	2
WALTHALL	11	7	0	1	0	0	1	0	2
WARREN	20	11	0	1	0	2	0	0	6
WASHINGTON	45	18	0	0	2	12	1	1	11
WAYNE	14	11	0	1	0	1	1	0	0
WEBSTER	5	4	0	0	0	0	0	0	1
WILKINSON	5	2	1	1	0	0	0	1	0
WINSTON	9	3	0	0	0	0	0	2	4
YALOBUSHA	10	4	0	1	0	2	2	0	1
YAZOO	22	17	0	0	0	2	0	0	3



**TABLE 15**  
**MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,**  
**MISSISSIPPI, 1996**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>21, 550</b>	<b>15, 219</b>	<b>6, 331</b>	<b>21, 550</b>	<b>15, 219</b>	<b>6, 331</b>	<b>20, 314</b>	<b>14, 270</b>	<b>6, 044</b>
ADAMS	345	219	126	366	240	126	260	150	110
ALCORN	188	174	14	196	183	13	166	153	13
AMITE	93	57	36	115	75	40	92	61	31
ATTALA	181	117	64	178	114	64	168	111	57
BENTON	46	34	12	58	39	19	56	39	17
BOLIVAR	239	95	144	242	87	155	232	89	143
CALHOUN	118	91	27	129	103	26	121	87	34
CARROLL	55	40	15	62	43	19	59	40	19
CHICKASAW	169	106	63	175	116	59	159	102	57
CHOCTAW	65	52	13	64	53	11	71	56	15
CLAIBORNE	62	18	44	63	18	45	61	15	46
CLARKE	103	67	36	135	86	49	119	75	44
CLAY	179	112	67	177	105	72	165	103	62
COAHOMA	154	70	84	149	72	77	150	67	83
COPIAH	204	105	99	220	116	104	214	111	103
COVINGTON	147	100	47	149	97	52	154	107	47
DESOTO	582	522	60	525	470	55	468	428	40
FORREST	822	621	201	655	486	169	684	507	177
FRANKLIN	68	47	21	79	54	25	60	40	20
GEORGE	220	198	22	211	192	19	181	167	14
GREENE	76	61	15	89	72	17	79	69	10
GRENADA	176	116	60	186	119	67	161	100	61
HANCOCK	327	308	19	339	318	21	288	270	18
HARRISON	1, 665	1, 365	300	1, 665	1, 371	294	1, 408	1, 148	260
HINDS	2, 259	1, 138	1, 121	2, 149	1, 089	1, 060	1, 935	905	1, 030
HOLMES	90	19	71	119	40	79	102	26	76
HUMPHREYS	58	22	36	65	25	40	60	22	38
ISSAQUENA	12	8	4	13	7	6	14	9	5
ITAWAMBA	164	159	5	189	184	5	169	164	5
JACKSON	998	819	179	1, 035	854	181	1, 018	838	180
JASPER	114	60	54	128	68	60	105	53	52
JEFFERSON	47	9	38	52	15	37	39	7	32
JEFF DAVIS	105	48	57	111	50	61	98	40	58
JONES	547	446	101	562	471	91	534	448	86
KEMPER	49	25	24	66	42	24	57	31	26
LAFAYETTE	260	184	76	247	174	73	234	160	74
LAMAR	216	199	17	272	247	25	298	269	29
LAUDERDALE	654	467	187	641	450	191	593	415	178
LAWRENCE	125	101	24	143	111	32	127	104	23
LEAKE	154	98	56	164	100	64	150	94	56
LEE	695	565	130	606	496	110	626	504	122
LEFLORE	247	92	155	243	84	159	229	89	140

TABLE 15 - PAGE 2  
MARRIAGES - MISSISSIPPI - 1996

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	320	249	71	318	248	70	307	237	70
LOWNDES	479	289	190	487	294	193	435	253	182
MADISON	357	207	150	398	229	169	504	318	186
MARION	269	203	66	273	202	71	263	196	67
MARSHALL	167	94	73	165	96	69	137	79	58
MONROE	267	195	72	293	212	81	266	199	67
MONTGOMERY	83	52	31	105	76	29	90	57	33
NESHOBA	265	183	82	254	178	76	250	176	74
NEWTON	170	122	48	166	123	43	167	125	42
NOXUBEE	76	31	45	91	37	54	76	23	53
OKTIBBEHA	346	225	121	319	197	122	315	202	113
PANOLA	222	138	84	215	129	86	207	124	83
PEARL RIVER	421	372	49	424	375	49	403	358	45
PERRY	85	73	12	104	87	17	89	77	12
PIKE	405	263	142	392	250	142	368	228	140
PONTOTOC	214	190	24	209	183	26	210	184	26
PRENTISS	164	156	8	171	165	6	174	164	10
QUITMAN	57	21	36	66	28	38	56	21	35
RANKIN	896	796	100	761	672	89	950	839	111
SCOTT	265	179	86	254	175	79	253	174	79
SHARKEY	40	25	15	38	21	17	31	16	15
SIMPSON	213	149	64	233	170	63	209	149	60
SMITH	105	89	16	133	114	19	122	100	22
STONE	120	109	11	113	96	17	109	99	10
SUNFLOWER	172	65	107	193	91	102	147	59	88
TALLAHATCHIE	79	40	39	81	44	37	71	36	35
TATE	151	108	43	150	111	39	135	100	35
TIPPAH	146	134	12	145	131	14	140	127	13
TISHOMINGO	128	128	0	128	128	0	112	112	0
TUNICA	65	28	37	62	27	35	58	24	34
UNION	196	175	21	197	177	20	204	185	19
WALTHALL	96	63	33	105	65	40	104	71	33
WARREN	492	322	170	493	336	157	465	301	164
WASHINGTON	262	155	107	271	160	111	245	147	98
WAYNE	154	99	55	157	105	52	151	98	53
WEBSTER	78	66	12	86	74	12	81	71	10
WILKINSON	51	25	26	48	21	27	45	16	29
WINSTON	148	78	70	154	80	74	147	78	69
YALOBUSHA	87	62	25	98	68	30	91	68	23
YAZOO	161	107	54	166	106	60	163	106	57
UNKNOWN COUNTY				2	2	0			
OUT OF STATE	*	*	*	*	*	*	1,235	948	287
UNKNOWN STATE							1	1	0

\* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

**TABLE 16**  
**DIVORCES, BY COUNTY OF OCCURRENCE AND RACE\*,**  
**MISSISSIPPI, 1996**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>14, 263</u>	<u>10, 658</u>	<u>3, 180</u>	<u>425</u>					
ADAMS	149	88	59	2	LINCOLN	104	84	20	0
ALCORN	249	237	12	0	LOWNDES	305	205	97	3
AMITE	41	28	12	1	MADISON	256	199	57	0
ATTALA	88	56	32	0	MARION	173	135	36	2
BENTON	32	24	8	0	MARSHALL	167	130	37	0
BOLIVAR	141	75	64	2	MONROE	199	156	37	6
CALHOUN	85	72	13	0	MONTGOMERY	61	51	10	0
CARROLL	29	23	6	0	NESHOBA	154	133	21	0
CHICKASAW	84	59	20	5	NEWTON	84	65	19	0
CHOCTAW	44	34	9	1	NOXUBEE	17	6	10	1
CLAIBORNE	38	13	25	0	OKTIBBEHA	158	102	44	12
CLARKE	82	61	19	2	PANOLA	157	117	40	0
CLAY	99	53	35	11	PEARL RIVER	239	218	20	1
COAHOMA	100	56	44	0	PERRY	49	45	4	0
COPIAH	111	72	37	2	PIKE	179	122	55	2
COVINGTON	86	60	16	10	PONTOTOC	155	147	8	0
DESOTO	626	591	31	4	PRENTISS	189	155	9	25
FORREST	405	251	80	74	QUITMAN	50	24	26	0
FRANKLIN	27	17	10	0	RANKIN	613	561	51	1
GEORGE	147	142	4	1	SCOTT	143	106	35	2
GREENE	52	48	4	0	SHARKEY	6	2	4	0
GRENADA	101	78	23	0	SIMPSON	122	95	27	0
HANCOCK	211	194	15	2	SMITH	99	89	8	2
HARRISON	1, 287	961	205	121	STONE	62	57	5	0
HINDS	1, 267	626	634	7	SUNFLOWER	91	43	44	4
HOLMES	54	15	38	1	TALLAHATCHIE	40	27	13	0
HUMPHREYS	0	0	0	0	TATE	128	105	22	1
ISSAQUENA	6	3	3	0	TIPPAH	160	142	16	2
ITAWAMBA	150	145	2	3	TISHOMINGO	168	168	0	0
JACKSON	795	657	138	0	TUNICA	39	16	23	0
JASPER	72	46	26	0	UNION	185	161	19	5
JEFFERSON	17	5	12	0	WALTHALL	44	33	11	0
JEFF DAVIS	32	18	14	0	WARREN	253	195	58	0
JONES	398	332	53	13	WASHINGTON	265	133	128	4
KEMPER	22	13	9	0	WAYNE	101	73	28	0
LAFAYETTE	139	102	33	4	WEBSTER	46	42	4	0
LAMAR	208	175	12	21	WILKINSON	34	22	12	0
LAUDERDALE	407	288	103	16	WINSTON	77	54	23	0
LAWRENCE	70	59	9	2	YALOBUSHA	69	54	15	0
LEAKE	102	75	27	0	YAZOO	100	66	34	0
LEE	539	403	89	47					
LEFLORE	130	65	65	0					

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE 17**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI**  
**ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1996**

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>3, 981</u>	<u>1, 208</u>	<u>2, 766</u>	<u>7</u>					
ADAMS	53	15	38	0	LINCOLN	35	17	17	1
ALCORN	1	0	1	0	LOWNDES	19	3	16	0
AMITE	7	3	4	0	MADISON	255	82	173	0
ATTALA	28	9	19	0	MARION	17	5	12	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	27	12	15	0	MONROE	2	0	2	0
CALHOUN	2	1	1	0	MONTGOMERY	17	3	14	0
CARROLL	9	3	6	0	NESHOBA	40	22	18	0
CHICKASAW	5	2	3	0	NEWTON	39	19	20	0
CHOCTAW	2	0	2	0	NOXUBEE	3	1	2	0
CLAIBORNE	26	1	25	0	OKTIBBEHA	33	14	19	0
CLARKE	18	5	13	0	PANOLA	2	1	1	0
CLAY	4	3	1	0	PEARL RIVER	14	10	4	0
COAHOMA	7	1	6	0	PERRY	6	2	4	0
COPIAH	67	19	48	0	PIKE	63	15	48	0
COVINGTON	16	4	12	0	PONTOTOC	5	4	1	0
DESOTO	1	1	0	0	PRETISS	0	0	0	0
FORREST	146	65	81	0	QUITMAN	2	0	2	0
FRANKLIN	5	3	2	0	RANKIN	239	163	74	2
GEORGE	0	0	0	0	SCOTT	63	30	33	0
GREENE	0	0	0	0	SHARKEY	13	1	12	0
GRENADA	24	10	14	0	SIMPSON	39	15	24	0
HANCOCK	10	7	3	0	SMITH	11	6	5	0
HARRISON	147	79	68	0	STONE	6	4	2	0
HINDS	1, 439	251	1, 185	3	SUNFLOWER	43	10	33	0
HOLMES	66	5	61	0	TALLAHATCHIE	6	3	3	0
HUMPHREYS	29	4	25	0	TATE	1	1	0	0
ISSAQUENA	1	0	1	0	TIPPAH	1	0	1	0
ITAWAMBA	1	1	0	0	TISHOMINGO	1	1	0	0
JACKSON	31	21	10	0	TUNICA	1	0	1	0
JASPER	16	4	12	0	UNION	3	1	2	0
JEFFERSON	23	1	22	0	WALTHALL	5	2	3	0
JEFF DAVIS	14	3	11	0	WARREN	172	53	119	0
JONES	74	29	45	0	WASHINGTON	113	22	91	0
KEMPER	4	2	2	0	WAYNE	14	6	8	0
LAFAYETTE	13	10	3	0	WEBSTER	7	2	5	0
LAMAR	25	16	9	0	WILKINSON	3	1	2	0
LAUDERDALE	79	29	50	0	WINSTON	19	4	15	0
LAWRENCE	15	4	11	0	YALOBUSHA	9	6	3	0
LEAKE	28	13	14	1	YAZOO	87	21	66	0
LEE	5	4	1	0					
LEFLORE	105	18	87	0					

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	0	4	11.1	-	22.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	88	39	49	244.6	216.9	272.3	61	57	4	191.2	202.9	105.2
DIABETES MELLITUS (250)	6	2	4	16.7	11.1	22.2	2	2	0	6.3	7.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	169	82	87	469.7	456.0	483.4	140	127	13	438.9	452.0	342.0
HYPERTENSION (401, 403)	1	1	0	2.8	5.6	-	6	5	1	18.8	17.8	26.3
CEREBROVASCULAR DISEASES (430-438)	41	18	23	114.0	100.1	127.8	18	16	2	56.4	56.9	52.6
ATHEROSCLEROSIS (440)	2	2	0	5.6	11.1	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	4	4	22.2	22.2	22.2	19	18	1	59.6	64.1	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	22	16	6	61.1	89.0	33.3	22	20	2	69.0	71.2	52.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	13.9	27.8	-	3	3	0	9.4	10.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	5.6	5.6	5.6	13	8	5	40.8	28.5	131.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	1	3	11.1	5.6	16.7	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	5.9	5.7	5.9	0	0	0	-	-	-
ACCIDENTS (800-949)	15	8	7	41.7	44.5	38.9	27	22	5	84.6	78.3	131.5
MOTOR VEHICLE ACCIDENTS# (810-825)	8	6	2	22.2	33.4	11.1	12	11	1	37.6	39.2	26.3
SUICIDE (950-959)	4	4	0	11.1	22.2	-	2	1	1	6.3	3.6	26.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	16.7	5.6	27.8	3	2	1	9.4	7.1	26.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	8.3	11.1	5.6	4	3	1	12.5	10.7	26.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	30	21	9	216.5	281.2	141.0	47	31	16	258.2	292.5	210.4
DIABETES MELLITUS (250)	3	2	1	21.6	26.8	15.7	1	1	0	5.5	9.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	46	26	20	332.0	348.1	313.2	99	64	35	543.8	603.8	460.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	50.5	26.8	78.3	23	19	4	126.3	179.3	52.6
ATHEROSCLEROSIS (440)	1	0	1	7.2	-	15.7	3	2	1	16.5	18.9	13.1
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	36.1	53.6	15.7	4	3	1	22.0	28.3	13.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	50.5	80.3	15.7	7	7	0	38.4	66.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	14.4	13.4	15.7	1	0	1	5.5	-	13.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	14.4	13.4	15.7	5	2	3	27.5	18.9	39.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	5.5	-	13.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	12	4	8	86.6	53.6	125.3	16	11	5	87.9	103.8	65.7
MOTOR VEHICLE ACCIDENTS# (810-825)	10	4	6	72.2	53.6	94.0	7	4	3	38.4	37.7	39.4
SUICIDE (950-959)	2	2	0	14.4	26.8	-	2	2	0	11.0	18.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	14.4	-	31.3	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	21.6	26.8	15.7	1	1	0	5.5	9.4	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	12.8	21.9	-	6	2	4	14.5	14.4	14.5
MALIGNANT NEOPLASMS (140-208)	23	14	9	293.3	306.7	274.7	99	42	57	238.7	303.1	206.4
DIABETES MELLITUS (250)	1	1	0	12.8	21.9	-	17	3	14	41.0	21.6	50.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	32	8	510.1	701.0	244.2	159	54	105	383.4	389.7	380.3
HYPERTENSION (401, 403)	2	1	1	25.5	21.9	30.5	3	0	3	7.2	-	10.9
CEREBROVASCULAR DISEASES (430-438)	6	4	2	76.5	87.6	61.0	30	10	20	72.3	72.2	72.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	6	2	4	14.5	14.4	14.5
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	25.5	43.8	-	13	4	9	31.3	28.9	32.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	7	5	2	16.9	36.1	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	12.8	-	30.5	4	2	2	9.6	14.4	7.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	6	1	5	14.5	7.2	18.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	7.2	-	10.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	4	0	31.2	51.9	-	7	0	7	9.7	-	12.4
ACCIDENTS (800-949)	9	8	1	114.8	175.2	30.5	21	9	12	50.6	64.9	43.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	51.0	65.7	30.5	10	6	4	24.1	43.3	14.5
SUICIDE (950-959)	0	0	0	-	-	-	5	2	3	12.0	14.4	10.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	9	3	6	21.7	21.6	21.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	25.5	21.9	30.5	4	0	4	9.6	-	14.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	20.3	-	50.7
MALIGNANT NEOPLASMS (140-208)	38	31	7	259.7	297.4	166.4	23	16	7	233.6	271.1	177.5
DIABETES MELLITUS (250)	5	3	2	34.2	28.8	47.6	2	2	0	20.3	33.9	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	52	16	464.8	498.8	380.4	29	20	9	294.6	338.9	228.2
HYPERTENSION (401, 403)	1	1	0	6.8	9.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	18	10	8	123.0	95.9	190.2	4	3	1	40.6	50.8	25.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	20.5	19.2	23.8	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	6.8	9.6	-	2	2	0	20.3	33.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	20.5	28.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	20.5	-	71.3	1	0	1	10.2	-	25.4
INFECTIONS OF KIDNEY (590)	1	1	0	6.8	9.6	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	8	3	5	54.7	28.8	118.9	6	2	4	61.0	33.9	101.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	0	4	27.3	-	95.1	4	2	2	40.6	33.9	50.7
SUICIDE (950-959)	3	3	0	20.5	28.8	-	3	3	0	30.5	50.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	20.5	9.6	47.6	2	1	1	20.3	16.9	25.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	11.3	19.2	-	1	0	1	11.2	-	35.5
MALIGNANT NEOPLASMS (140-208)	53	39	14	300.3	373.4	194.3	25	20	5	279.8	327.1	177.4
DIABETES MELLITUS (250)	8	4	4	45.3	38.3	55.5	4	4	0	44.8	65.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	51	29	453.3	488.4	402.5	39	27	12	436.5	441.5	425.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	9	5	79.3	86.2	69.4	7	7	0	78.4	114.5	-
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	17.0	28.7	-	2	2	0	22.4	32.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	7	3	56.7	67.0	41.6	1	1	0	11.2	16.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	11.2	16.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.7	9.6	-	1	1	0	11.2	16.4	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	17.0	19.2	13.9	2	2	0	22.4	32.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.2	-	6.6	0	0	0	-	-	-
ACCIDENTS (800-949)	11	7	4	62.3	67.0	55.5	7	4	3	78.4	65.4	106.4
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	51.0	47.9	55.5	3	1	2	33.6	16.4	70.9
SUICIDE (950-959)	1	1	0	5.7	9.6	-	2	2	0	22.4	32.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.3	9.6	13.9	2	0	2	22.4	-	70.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	17.0	19.2	13.9	1	1	0	11.2	16.4	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.8	-	10.6	2	0	2	11.6	-	32.4
MALIGNANT NEOPLASMS (140-208)	22	7	15	194.3	375.9	158.5	40	28	12	232.0	253.0	194.3
DIABETES MELLITUS (250)	0	0	0	-	-	-	4	1	3	23.2	9.0	48.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	16	41	503.4	859.3	433.3	72	50	22	417.6	451.8	356.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	1	7	70.6	53.7	74.0	10	6	4	58.0	54.2	64.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	3	3	0	17.4	27.1	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	8.8	-	10.6	4	4	0	23.2	36.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.8	-	10.6	1	1	0	5.8	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	26.5	53.7	21.1	4	1	3	23.2	9.0	48.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	11.6	9.0	16.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.7	-	6.1	0	0	0	-	-	-
ACCIDENTS (800-949)	6	1	5	53.0	53.7	52.8	9	5	4	52.2	45.2	64.8
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	35.3	53.7	31.7	4	1	3	23.2	9.0	48.6
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	26.5	53.7	21.1	1	0	1	5.8	-	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	8.8	-	10.6	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.1	-	4.6
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	16	17	152.0	165.5	141.3	73	27	46	223.7	247.9	211.6
DIABETES MELLITUS (250)	5	2	3	23.0	20.7	24.9	16	5	11	49.0	45.9	50.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	78	51	27	359.4	527.4	224.4	147	56	91	450.5	514.2	418.7
HYPERTENSION (401, 403)	2	0	2	9.2	-	16.6	1	0	1	3.1	-	4.6
CEREBROVASCULAR DISEASES (430-438)	12	6	6	55.3	62.0	49.8	32	14	18	98.1	128.5	82.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	0	2	6.1	-	9.2
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	18.4	41.4	-	9	3	6	27.6	27.5	27.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	7	3	46.1	72.4	24.9	14	7	7	42.9	64.3	32.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.6	10.3	-	4	2	2	12.3	18.4	9.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	13.8	10.3	16.6	5	1	4	15.3	9.2	18.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	9.2	-	16.6	4	0	4	12.3	-	18.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	6	1	5	10.1	9.0	10.4
ACCIDENTS (800-949)	16	10	6	73.7	103.4	49.8	18	5	13	55.2	45.9	59.8
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	46.1	72.4	24.9	10	4	6	30.6	36.7	27.6
SUICIDE (950-959)	2	1	1	9.2	10.3	8.3	3	2	1	9.2	18.4	4.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	9.2	-	16.6	7	1	6	21.4	9.2	27.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	9.2	-	16.6	6	1	5	18.4	9.2	23.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.6	-	6.8	0	0	0	-	-	-
HIV INFECTION (042-044)	3	1	2	10.7	7.5	13.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	55	33	22	196.2	248.9	148.9	41	34	7	256.1	337.4	118.0
DIABETES MELLITUS (250)	6	1	5	21.4	7.5	33.8	12	9	3	75.0	89.3	50.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	100	54	46	356.8	407.4	311.4	69	57	12	431.0	565.7	202.2
HYPERTENSION (401, 403)	1	0	1	3.6	-	6.8	2	2	0	12.5	19.8	-
CEREBROVASCULAR DISEASES (430-438)	19	10	9	67.8	75.4	60.9	8	4	4	50.0	39.7	67.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	6.2	9.9	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	17.8	30.2	6.8	7	6	1	43.7	59.5	16.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	28.5	60.4	-	8	6	2	50.0	59.5	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.6	7.5	-	2	2	0	12.5	19.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	10.7	15.1	6.8	1	0	1	6.2	-	16.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	6.2	9.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	7.1	7.5	6.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.1	-	8.5	1	0	1	3.3	-	6.8
ACCIDENTS (800-949)	28	16	12	99.9	120.7	81.2	7	5	2	43.7	49.6	33.7
MOTOR VEHICLE ACCIDENTS# (810-825)	16	9	7	57.1	67.9	47.4	5	4	1	31.2	39.7	16.8
SUICIDE (950-959)	4	4	0	14.3	30.2	-	3	2	1	18.7	19.8	16.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	17.8	7.5	27.1	2	1	1	12.5	9.9	16.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	6.2	9.9	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	0	2	2.8	-	8.6
HIV INFECTION (042-044)	2	2	0	2.2	2.7	-	6	0	6	8.3	-	25.7
MALIGNANT NEOPLASMS (140-208)	139	126	13	157.0	167.8	96.4	141	109	32	194.7	222.2	137.0
DIABETES MELLITUS (250)	6	6	0	6.8	8.0	-	20	9	11	27.6	18.3	47.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	184	158	26	207.8	210.4	192.8	259	198	61	357.6	403.6	261.1
HYPERTENSION (401, 403)	24	20	4	27.1	26.6	29.6	4	3	1	5.5	6.1	4.3
CEREBROVASCULAR DISEASES (430-438)	32	25	7	36.1	33.3	51.9	34	23	11	46.9	46.9	47.1
ATHEROSCLEROSIS (440)	2	2	0	2.2	2.7	-	2	2	0	2.8	4.1	-
PNEUMONIA AND INFLUENZA (480-487)	13	10	3	14.7	13.3	22.2	29	23	6	40.0	46.9	25.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	27	21	6	30.5	28.0	44.5	28	24	4	38.7	48.9	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	6	0	6.8	8.0	-	8	6	2	11.0	12.2	8.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	6	2	9.0	8.0	14.8	7	4	3	9.7	8.2	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	4.5	4.0	7.4	3	0	3	4.1	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	3	4	5.0	2.5	20.0	1	1	0	0.9	1.6	-
ACCIDENTS (800-949)	34	26	8	38.4	34.6	59.3	34	28	6	46.9	57.1	25.7
MOTOR VEHICLE ACCIDENTS# (810-825)	21	16	5	23.7	21.3	37.1	17	16	1	23.5	32.6	4.3
SUICIDE (950-959)	13	13	0	14.7	17.3	-	12	10	2	16.6	20.4	8.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	3.4	1.3	14.8	8	4	4	11.0	8.2	17.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	2.2	2.7	-	13	6	7	17.9	12.2	30.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	5.6	6.3	-
MALIGNANT NEOPLASMS (140-208)	25	20	5	314.4	412.7	161.0	25	21	4	139.8	131.5	208.9
DIABETES MELLITUS (250)	3	2	1	37.7	41.3	32.2	4	4	0	22.4	25.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	31	10	515.6	639.7	322.0	53	51	2	296.4	319.4	104.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	11.2	-	104.4
CEREBROVASCULAR DISEASES (430-438)	7	5	2	88.0	103.2	64.4	12	10	2	67.1	62.6	104.4
ATHEROSCLEROSIS (440)	2	2	0	25.2	41.3	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	37.7	61.9	-	2	2	0	11.2	12.5	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	50.3	82.5	-	4	4	0	22.4	25.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.6	6.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	25.2	20.6	32.2	3	3	0	16.8	18.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	8.7	19.2	-	1	0	1	3.2	-	41.7
ACCIDENTS (800-949)	3	3	0	37.7	61.9	-	10	10	0	55.9	62.6	-
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	25.2	41.3	-	9	9	0	50.3	56.4	-
SUICIDE (950-959)	0	0	0	-	-	-	5	5	0	28.0	31.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	5	5	0	28.0	31.3	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	25.2	41.3	-	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	4.6	-	10.6
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	22	4	232.1	252.4	161.0	52	31	21	237.0	248.1	222.2
DIABETES MELLITUS (250)	4	2	2	35.7	22.9	80.5	1	0	1	4.6	-	10.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	36	28	8	321.4	321.2	322.1	79	49	30	360.0	392.2	317.5
HYPERTENSION (401, 403)	1	1	0	8.9	11.5	-	2	1	1	9.1	8.0	10.6
CEREBROVASCULAR DISEASES (430-438)	2	2	0	17.8	22.9	-	39	26	13	177.7	208.1	137.6
ATHEROSCLEROSIS (440)	1	1	0	8.9	11.5	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	8.9	11.5	-	15	8	7	68.4	64.0	74.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	44.6	57.4	-	3	3	0	13.7	24.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	4.6	8.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	17.8	22.9	-	1	0	1	4.6	-	10.6
INFECTIONS OF KIDNEY (590)	1	1	0	8.9	11.5	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.9	11.5	-	1	1	0	4.6	8.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	3.1	-	6.1
ACCIDENTS (800-949)	7	6	1	62.5	68.8	40.2	13	7	6	59.2	56.0	63.5
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	53.6	57.4	40.2	7	3	4	31.9	24.0	42.3
SUICIDE (950-959)	1	1	0	8.9	11.5	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	8.9	-	40.2	2	0	2	9.1	-	21.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	4.6	8.0	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
HIV INFECTION (042-044)	4	4	0	11.0	12.5	-	15	8	7	8.8	6.1	17.6
MALIGNANT NEOPLASMS (140-208)	83	79	4	229.4	246.6	96.6	368	308	60	215.4	235.1	150.6
DIABETES MELLITUS (250)	4	3	1	11.0	9.4	24.1	28	22	6	16.4	16.8	15.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	129	119	10	356.5	371.4	241.4	648	525	123	379.2	400.7	308.7
HYPERTENSION (401, 403)	2	2	0	5.5	6.2	-	2	0	2	1.2	-	5.0
CEREBROVASCULAR DISEASES (430-438)	13	13	0	35.9	40.6	-	73	53	20	42.7	40.4	50.2
ATHEROSCLEROSIS (440)	1	1	0	2.8	3.1	-	6	5	1	3.5	3.8	2.5
PNEUMONIA AND INFLUENZA (480-487)	10	10	0	27.6	31.2	-	60	51	9	35.1	38.9	22.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	16	0	44.2	49.9	-	67	62	5	39.2	47.3	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	20	18	2	11.7	13.7	5.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	11.0	6.2	48.3	18	12	6	10.5	9.2	15.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	5.5	6.2	-	10	6	4	5.8	4.6	10.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	6.3	6.9	-	11	6	5	4.0	3.2	6.0
ACCIDENTS (800-949)	17	15	2	47.0	46.8	48.3	66	47	19	38.6	35.9	47.7
MOTOR VEHICLE ACCIDENTS# (810-825)	12	10	2	33.2	31.2	48.3	34	25	9	19.9	19.1	22.6
SUICIDE (950-959)	3	3	0	8.3	9.4	-	23	21	2	13.5	16.0	5.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	5.5	6.2	-	17	13	4	10.0	9.9	10.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	2.8	-	24.1	15	11	4	8.8	8.4	10.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	0.4	-	0.7	0	0	0	-	-	-
HIV INFECTION (042-044)	86	20	66	34.0	17.3	48.1	3	0	3	14.4	-	18.6
MALIGNANT NEOPLASMS (140-208)	561	288	273	221.6	248.6	198.9	50	13	37	240.7	279.3	229.6
DIABETES MELLITUS (250)	52	15	37	20.5	12.9	27.0	5	0	5	24.1	-	31.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	763	405	358	301.5	349.6	260.8	78	26	52	375.5	558.6	322.6
HYPERTENSION (401, 403)	12	1	11	4.7	0.9	8.0	3	1	2	14.4	21.5	12.4
CEREBROVASCULAR DISEASES (430-438)	125	70	55	49.4	60.4	40.1	23	8	15	110.7	171.9	93.1
ATHEROSCLEROSIS (440)	2	0	2	0.8	-	1.4	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	74	45	29	29.2	38.8	21.1	13	8	5	62.6	171.9	31.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	90	69	21	35.6	59.6	15.3	6	4	2	28.9	85.9	12.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	30	20	10	11.8	17.3	7.3	2	1	1	9.6	21.5	6.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	24	5	19	9.5	4.3	13.8	7	1	6	33.7	21.5	37.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	17	4	13	6.7	3.4	9.5	4	2	2	19.2	43.0	12.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	19	1	18	4.8	0.9	6.2	3	0	3	7.3	-	8.3
ACCIDENTS (800-949)	129	56	73	51.0	48.3	53.2	21	7	14	101.1	150.4	86.9
MOTOR VEHICLE ACCIDENTS# (810-825)	67	27	40	26.5	23.3	29.1	17	6	11	81.8	128.9	68.2
SUICIDE (950-959)	37	31	6	14.6	26.8	4.4	1	0	1	4.8	-	6.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	75	12	63	29.6	10.4	45.9	2	0	2	9.6	-	12.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	21	10	11	8.3	8.6	8.0	2	0	2	9.6	-	12.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	13	19	279.4	374.1	238.2	3	1	2	166.2	129.7	193.4
DIABETES MELLITUS (250)	0	0	0	-	-	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	17	32	427.8	489.2	401.1	1	1	0	55.4	129.7	-
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	3	3	52.4	86.3	37.6	1	0	1	55.4	-	96.7
ATHEROSCLEROSIS (440)	1	0	1	8.7	-	12.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	43.6	86.3	25.1	1	0	1	55.4	-	96.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	8.7	-	12.5	2	0	2	110.8	-	193.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	26.2	-	37.6	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	10.3	-	13.0	1	0	1	66.7	-	90.9
ACCIDENTS (800-949)	8	3	5	69.8	86.3	62.7	1	0	1	55.4	-	96.7
MOTOR VEHICLE ACCIDENTS# (810-825)	5	1	4	43.6	28.8	50.1	1	0	1	55.4	-	96.7
SUICIDE (950-959)	1	1	0	8.7	28.8	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	17.5	28.8	12.5	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	10	6	4	7.5	5.8	13.3
MALIGNANT NEOPLASMS (140-208)	53	48	5	267.7	260.6	361.8	235	202	33	176.5	195.8	110.0
DIABETES MELLITUS (250)	8	8	0	40.4	43.4	-	26	18	8	19.5	17.4	26.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	90	85	5	454.6	461.6	361.8	249	210	39	187.0	203.6	130.0
HYPERTENSION (401, 403)	1	1	0	5.0	5.4	-	5	4	1	3.8	3.9	3.3
CEREBROVASCULAR DISEASES (430-438)	19	19	0	96.0	103.2	-	72	55	17	54.1	53.3	56.7
ATHEROSCLEROSIS (440)	1	1	0	5.0	5.4	-	3	3	0	2.2	2.9	-
PNEUMONIA AND INFLUENZA (480-487)	11	11	0	55.6	59.7	-	28	26	2	21.0	25.2	6.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	40.4	43.4	-	33	26	7	24.8	25.2	23.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.0	5.4	-	18	15	3	13.5	14.5	10.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	15.2	16.3	-	13	11	2	9.8	10.7	6.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	3	3	0	2.2	2.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	58.0	-	201.2
CONGENITAL ANOMALIES (740-759)	1	1	0	5.0	5.4	-	10	5	5	7.5	4.8	16.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.0	4.4	-	14	6	8	8.1	4.9	16.1
ACCIDENTS (800-949)	12	12	0	60.6	65.2	-	53	42	11	39.8	40.7	36.7
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	45.5	48.9	-	24	20	4	18.0	19.4	13.3
SUICIDE (950-959)	3	3	0	15.2	16.3	-	12	11	1	9.0	10.7	3.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	10.1	10.9	-	14	8	6	10.5	7.8	20.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	4	0	20.2	21.7	-	7	4	3	5.2	3.9	10.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	5.8	12.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	40	21	19	232.1	257.1	209.5	21	2	19	253.2	190.6	262.2
DIABETES MELLITUS (250)	3	2	1	17.4	24.5	11.0	2	0	2	24.1	-	27.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	26	29	319.1	318.4	319.8	31	6	25	373.7	572.0	345.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	7	7	81.2	85.7	77.2	6	1	5	72.3	95.3	69.0
ATHEROSCLEROSIS (440)	1	1	0	5.8	12.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	2	3	29.0	24.5	33.1	1	0	1	12.0	-	13.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	17.4	24.5	11.0	4	1	3	48.2	95.3	41.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	17.4	24.5	11.0	2	0	2	24.1	-	27.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	24.1	-	27.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.4	9.9	-	3	0	3	21.4	-	23.2
ACCIDENTS (800-949)	14	5	9	81.2	61.2	99.2	7	0	7	84.4	-	96.6
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	52.2	61.2	44.1	4	0	4	48.2	-	55.2
SUICIDE (950-959)	5	5	0	29.0	61.2	-	2	0	2	24.1	-	27.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.6	12.2	11.0	1	0	1	12.0	-	13.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.8	12.2	-	2	0	2	24.1	-	27.6

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.6	-	6.1
HIV INFECTION (042-044)	0	0	0	-	-	-	6	1	5	9.6	2.2	30.3
MALIGNANT NEOPLASMS (140-208)	37	19	18	273.5	335.3	229.0	146	110	36	234.5	240.3	218.5
DIABETES MELLITUS (250)	1	0	1	7.4	-	12.7	8	2	6	12.8	4.4	36.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	64	30	34	473.1	529.4	432.6	238	173	65	382.3	378.0	394.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	1.6	2.2	-
CEREBROVASCULAR DISEASES (430-438)	11	7	4	81.3	123.5	50.9	33	29	4	53.0	63.4	24.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	22.2	17.6	25.4	40	31	9	64.2	67.7	54.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	29.6	35.3	25.4	28	23	5	45.0	50.2	30.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.4	17.6	-	5	3	2	8.0	6.6	12.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	14.8	17.6	12.7	9	4	5	14.4	8.7	30.3
INFECTIONS OF KIDNEY (590)	1	0	1	7.4	-	12.7	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	3.2	-	12.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	1	3	4.7	1.9	9.4
ACCIDENTS (800-949)	8	3	5	59.1	52.9	63.6	39	28	11	62.6	61.2	66.8
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	29.6	17.6	38.2	14	11	3	22.5	24.0	18.2
SUICIDE (950-959)	6	5	1	44.4	88.2	12.7	7	5	2	11.2	10.9	12.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	22.2	-	38.2	12	6	6	19.3	13.1	36.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	14.8	17.6	12.7	6	2	4	9.6	4.4	24.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	9.5	-	15.9	2	1	1	5.8	4.0	10.6
MALIGNANT NEOPLASMS (140-208)	17	8	9	161.1	186.7	143.5	61	48	13	177.4	192.6	137.4
DIABETES MELLITUS (250)	1	0	1	9.5	-	15.9	3	3	0	8.7	12.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	44	25	19	416.9	583.6	303.0	77	60	17	223.9	240.7	179.7
HYPERTENSION (401, 403)	1	0	1	9.5	-	15.9	1	1	0	2.9	4.0	-
CEREBROVASCULAR DISEASES (430-438)	9	4	5	85.3	93.4	79.7	24	16	8	69.8	64.2	84.6
ATHEROSCLEROSIS (440)	2	1	1	19.0	23.3	15.9	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	19.0	46.7	-	5	4	1	14.5	16.0	10.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	9.5	23.3	-	10	9	1	29.1	36.1	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	9.5	23.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	28.4	46.7	15.9	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	9.5	-	15.9	2	1	1	5.8	4.0	10.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	7.4	-	11.0	3	1	2	7.9	4.3	13.5
ACCIDENTS (800-949)	8	4	4	75.8	93.4	63.8	14	9	5	40.7	36.1	52.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	2	47.4	70.0	31.9	10	6	4	29.1	24.1	42.3
SUICIDE (950-959)	0	0	0	-	-	-	5	5	0	14.5	20.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	19.0	-	31.9	1	0	1	2.9	-	10.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	9.5	-	15.9	6	4	2	17.4	16.0	21.1

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	11	4	7	14.4	8.3	24.9
MALIGNANT NEOPLASMS (140-208)	55	51	4	174.8	186.3	97.9	153	103	50	200.1	213.1	177.7
DIABETES MELLITUS (250)	2	2	0	6.4	7.3	-	6	1	5	7.8	2.1	17.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	86	78	8	273.4	285.0	195.8	308	225	83	402.7	465.5	295.0
HYPERTENSION (401, 403)	1	1	0	3.2	3.6	-	3	1	2	3.9	2.1	7.1
CEREBROVASCULAR DISEASES (430-438)	10	8	2	31.8	29.2	49.0	40	27	13	52.3	55.8	46.2
ATHEROSCLEROSIS (440)	2	2	0	6.4	7.3	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	5	2	22.2	18.3	49.0	39	30	9	51.0	62.1	32.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	13	0	41.3	47.5	-	35	29	6	45.8	60.0	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	4	1	15.9	14.6	24.5	6	4	2	7.8	8.3	7.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	3.2	-	24.5	9	4	5	11.8	8.3	17.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.4	7.3	-	4	4	0	5.2	8.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	8	2	6	7.0	3.5	10.5
ACCIDENTS (800-949)	15	15	0	47.7	54.8	-	47	30	17	61.4	62.1	60.4
MOTOR VEHICLE ACCIDENTS# (810-825)	10	10	0	31.8	36.5	-	26	15	11	34.0	31.0	39.1
SUICIDE (950-959)	4	3	1	12.7	11.0	24.5	9	9	0	11.8	18.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	12.7	11.0	24.5	8	4	4	10.5	8.3	14.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	6.4	7.3	-	4	1	3	5.2	2.1	10.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	5.4	-	13.0
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	5.4	-	13.0
MALIGNANT NEOPLASMS (140-208)	24	20	4	197.6	252.0	95.1	50	32	18	269.1	293.4	234.6
DIABETES MELLITUS (250)	5	1	4	41.2	12.6	95.1	4	2	2	21.5	18.3	26.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	38	11	403.5	478.8	261.5	90	64	26	484.4	586.8	338.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	16.1	9.2	26.1
CEREBROVASCULAR DISEASES (430-438)	18	12	6	148.2	151.2	142.6	16	11	5	86.1	100.8	65.2
ATHEROSCLEROSIS (440)	2	2	0	16.5	25.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	65.9	75.6	47.5	5	5	0	26.9	45.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	57.6	63.0	47.5	7	6	1	37.7	55.0	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	1	3	21.5	9.2	39.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	3	2	1	16.1	18.3	13.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.2	-	23.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.5	8.3	14.3	0	0	0	-	-	-
ACCIDENTS (800-949)	10	6	4	82.4	75.6	95.1	17	11	6	91.5	100.8	78.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	4	49.4	25.2	95.1	11	7	4	59.2	64.2	52.1
SUICIDE (950-959)	1	1	0	8.2	12.6	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	16.5	-	47.5	3	1	2	16.1	9.2	26.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	16.5	25.2	-	1	1	0	5.4	9.2	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	2.7	1.8	6.0	1	0	1	2.7	-	4.2
HIV INFECTION (042-044)	3	3	0	4.1	5.2	-	2	0	2	5.4	-	8.5
MALIGNANT NEOPLASMS (140-208)	144	107	37	195.3	187.3	222.6	84	40	44	227.2	297.0	187.2
DIABETES MELLITUS (250)	6	2	4	8.1	3.5	24.1	11	5	6	29.8	37.1	25.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	274	223	51	371.6	390.4	306.9	178	93	85	481.5	690.4	361.7
HYPERTENSION (401, 403)	3	3	0	4.1	5.2	-	2	1	1	5.4	7.4	4.2
CEREBROVASCULAR DISEASES (430-438)	46	38	8	62.4	66.5	48.1	22	7	15	59.5	52.0	63.8
ATHEROSCLEROSIS (440)	2	2	0	2.7	3.5	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	23	18	5	31.2	31.5	30.1	8	1	7	21.6	7.4	29.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	19	0	25.8	33.3	-	14	8	6	37.9	59.4	25.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	8	0	10.8	14.0	-	9	4	5	24.3	29.7	21.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	7	3	13.6	12.2	18.0	2	2	0	5.4	14.8	-
INFECTIONS OF KIDNEY (590)	2	1	1	2.7	1.8	6.0	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	2.7	1.8	6.0	3	0	3	8.1	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	11	6	5	9.8	7.7	14.5	6	1	5	8.7	7.3	9.0
ACCIDENTS (800-949)	37	24	13	50.2	42.0	78.2	17	6	11	46.0	44.5	46.8
MOTOR VEHICLE ACCIDENTS# (810-825)	21	13	8	28.5	22.8	48.1	11	3	8	29.8	22.3	34.0
SUICIDE (950-959)	10	7	3	13.6	12.2	18.0	5	5	0	13.5	37.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	3	4	9.5	5.2	24.1	13	1	12	35.2	7.4	51.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	6.8	7.0	6.0	3	2	1	8.1	14.8	4.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	3.1	4.5	-	2	1	1	3.2	2.7	4.2
HIV INFECTION (042-044)	1	1	0	3.1	4.5	-	2	0	2	3.2	-	8.4
MALIGNANT NEOPLASMS (140-208)	77	58	19	241.3	263.1	192.5	120	80	40	195.2	212.8	167.4
DIABETES MELLITUS (250)	12	5	7	37.6	22.7	70.9	4	2	2	6.5	5.3	8.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	128	96	32	401.1	435.6	324.2	139	89	50	226.1	236.8	209.3
HYPERTENSION (401, 403)	6	3	3	18.8	13.6	30.4	1	0	1	1.6	-	4.2
CEREBROVASCULAR DISEASES (430-438)	27	17	10	84.6	77.1	101.3	33	22	11	53.7	58.5	46.0
ATHEROSCLEROSIS (440)	1	1	0	3.1	4.5	-	2	1	1	3.2	2.7	4.2
PNEUMONIA AND INFLUENZA (480-487)	16	12	4	50.1	54.4	40.5	12	8	4	19.5	21.3	16.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	11	0	34.5	49.9	-	23	18	5	37.4	47.9	20.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	12.5	18.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	9.4	9.1	10.1	6	3	3	9.8	8.0	12.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	6.3	4.5	10.1	5	4	1	8.1	10.6	4.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.3	-	6.4	9	2	7	8.7	4.2	12.8
ACCIDENTS (800-949)	13	11	2	40.7	49.9	20.3	19	13	6	30.9	34.6	25.1
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	28.2	36.3	10.1	16	12	4	26.0	31.9	16.7
SUICIDE (950-959)	4	2	2	12.5	9.1	20.3	6	6	0	9.8	16.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	3.1	-	10.1	6	3	3	9.8	8.0	12.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.1	4.5	-	49	29	20	79.7	77.1	83.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	1	8.0	5.9	12.6
HIV INFECTION (042-044)	5	1	4	7.3	2.5	14.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	99	54	45	145.2	135.3	159.1	58	39	19	232.6	229.1	240.0
DIABETES MELLITUS (250)	12	7	5	17.6	17.5	17.7	8	5	3	32.1	29.4	37.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	158	86	72	231.8	215.6	254.6	103	79	24	413.0	464.1	303.2
HYPERTENSION (401, 403)	6	1	5	8.8	2.5	17.7	1	1	0	4.0	5.9	-
CEREBROVASCULAR DISEASES (430-438)	31	21	10	45.5	52.6	35.4	36	26	10	144.4	152.7	126.3
ATHEROSCLEROSIS (440)	1	1	0	1.5	2.5	-	5	5	0	20.0	29.4	-
PNEUMONIA AND INFLUENZA (480-487)	26	17	9	38.1	42.6	31.8	4	2	2	16.0	11.7	25.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	21	13	8	30.8	32.6	28.3	14	13	1	56.1	76.4	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	6	1	10.3	15.0	3.5	3	3	0	12.0	17.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	4	5	13.2	10.0	17.7	9	5	4	36.1	29.4	50.5
INFECTIONS OF KIDNEY (590)	1	1	0	1.5	2.5	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	4.4	2.5	7.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	1.7	-	3.6	2	1	1	5.4	4.7	6.4
ACCIDENTS (800-949)	31	15	16	45.5	37.6	56.6	18	11	7	72.2	64.6	88.4
MOTOR VEHICLE ACCIDENTS# (810-825)	16	6	10	23.5	15.0	35.4	7	3	4	28.1	17.6	50.5
SUICIDE (950-959)	7	5	2	10.3	12.5	7.1	3	3	0	12.0	17.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	1	8	13.2	2.5	28.3	3	2	1	12.0	11.7	12.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	5.9	5.0	7.1	2	2	0	8.0	11.7	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	2.7	4.0	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	77	43	34	237.6	271.9	204.8	77	57	20	210.9	228.6	172.8
DIABETES MELLITUS (250)	7	1	6	21.6	6.3	36.1	6	3	3	16.4	12.0	25.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	83	45	38	256.1	284.6	228.9	140	100	40	383.4	401.0	345.5
HYPERTENSION (401, 403)	6	3	3	18.5	19.0	18.1	1	0	1	2.7	-	8.6
CEREBROVASCULAR DISEASES (430-438)	23	12	11	71.0	75.9	66.3	37	25	12	101.3	100.2	103.6
ATHEROSCLEROSIS (440)	3	2	1	9.2	12.6	6.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	5	8	40.1	31.6	48.2	24	20	4	65.7	80.2	34.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	30.8	56.9	6.0	9	8	1	24.6	32.1	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	4	1	15.4	25.3	6.0	2	1	1	5.5	4.0	8.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	12.3	6.3	18.1	12	7	5	32.9	28.1	43.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	2.7	4.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.1	6.3	-	3	2	1	8.2	8.0	8.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.9	-	3.2	3	0	3	6.1	-	16.8
ACCIDENTS (800-949)	20	9	11	61.7	56.9	66.3	25	17	8	68.5	68.2	69.1
MOTOR VEHICLE ACCIDENTS# (810-825)	11	4	7	33.9	25.3	42.2	16	11	5	43.8	44.1	43.2
SUICIDE (950-959)	0	0	0	-	-	-	4	4	0	11.0	16.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4	3	21.6	25.3	18.1	1	1	0	2.7	4.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	5	0	15.4	31.6	-	4	1	3	11.0	4.0	25.9

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.4	-	18.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	22	7	244.1	348.3	125.8	57	42	15	211.6	231.0	171.4
DIABETES MELLITUS (250)	0	0	0	-	-	-	7	4	3	26.0	22.0	34.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	32	15	395.6	506.6	269.5	112	91	21	415.8	500.5	239.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	7	2	75.7	110.8	35.9	22	15	7	81.7	82.5	80.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	42.1	47.5	35.9	14	11	3	52.0	60.5	34.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	42.1	63.3	18.0	9	7	2	33.4	38.5	22.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	16.8	-	35.9	5	2	3	18.6	11.0	34.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.4	-	18.0	4	3	1	14.8	16.5	11.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	7.4	5.5	11.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	2.2	-	4.9
ACCIDENTS (800-949)	10	5	5	84.2	79.2	89.8	19	13	6	70.5	71.5	68.6
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	58.9	31.7	89.8	12	9	3	44.6	49.5	34.3
SUICIDE (950-959)	2	2	0	16.8	31.7	-	3	2	1	11.1	11.0	11.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	2	4	50.5	31.7	71.9	3	0	3	11.1	-	34.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	8.4	-	18.0	9	5	4	33.4	27.5	45.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	9.2	6.9	13.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	77	56	21	356.0	388.0	291.8	25	12	13	206.0	370.4	146.2
DIABETES MELLITUS (250)	12	8	4	55.5	55.4	55.6	1	0	1	8.2	-	11.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	85	61	24	393.0	422.6	333.5	57	26	31	469.8	802.5	348.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	10	2	55.5	69.3	27.8	4	1	3	33.0	30.9	33.7
ATHEROSCLEROSIS (440)	1	1	0	4.6	6.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	23.1	27.7	13.9	3	2	1	24.7	61.7	11.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	7	2	41.6	48.5	27.8	3	1	2	24.7	30.9	22.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	2	2	18.5	13.8	27.8	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	13.9	20.8	-	2	1	1	16.5	30.9	11.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	13.9	6.9	27.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	11.6	5.6	18.1	2	0	2	9.3	-	12.3
ACCIDENTS (800-949)	20	8	12	92.5	55.4	166.8	7	3	4	57.7	92.6	45.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	6	4	46.2	41.6	55.6	2	1	1	16.5	30.9	11.2
SUICIDE (950-959)	2	1	1	9.2	6.9	13.9	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	9.2	13.8	-	1	0	1	8.2	-	11.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	0	2	16.5	-	22.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	1	3	10.2	4.2	20.0	2	0	2	5.9	-	12.4
MALIGNANT NEOPLASMS (140-208)	74	44	30	189.8	183.2	200.3	98	55	43	290.5	313.4	265.6
DIABETES MELLITUS (250)	13	3	10	33.3	12.5	66.8	9	6	3	26.7	34.2	18.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	102	61	41	261.6	254.0	273.7	127	72	55	376.4	410.3	339.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	5.9	5.7	6.2
CEREBROVASCULAR DISEASES (430-438)	21	11	10	53.8	45.8	66.8	27	19	8	80.0	108.3	49.4
ATHEROSCLEROSIS (440)	1	1	0	2.6	4.2	-	2	2	0	5.9	11.4	-
PNEUMONIA AND INFLUENZA (480-487)	17	13	4	43.6	54.1	26.7	9	4	5	26.7	22.8	30.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	10.2	8.3	13.4	8	4	4	23.7	22.8	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	5.1	4.2	6.7	7	5	2	20.7	28.5	12.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	7.7	8.3	6.7	3	2	1	8.9	11.4	6.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.6	-	6.7	2	0	2	5.9	-	12.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	7.0	-	12.6	4	0	4	7.7	-	12.5
ACCIDENTS (800-949)	10	3	7	25.6	12.5	46.7	23	8	15	68.2	45.6	92.6
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	10.2	4.2	20.0	15	6	9	44.5	34.2	55.6
SUICIDE (950-959)	5	3	2	12.8	12.5	13.4	3	2	1	8.9	11.4	6.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	1	1	5.9	5.7	6.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	8	5	3	23.7	28.5	18.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	4.8	-	30.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	86	77	9	205.4	218.8	135.0	19	17	2	167.8	197.3	73.9
DIABETES MELLITUS (250)	15	14	1	35.8	39.8	15.0	3	3	0	26.5	34.8	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	135	120	15	322.4	340.9	225.0	32	24	8	282.7	278.6	295.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	15	4	45.4	42.6	60.0	14	12	2	123.7	139.3	73.9
ATHEROSCLEROSIS (440)	1	1	0	2.4	2.8	-	1	1	0	8.8	11.6	-
PNEUMONIA AND INFLUENZA (480-487)	13	11	2	31.0	31.2	30.0	13	11	2	114.8	127.7	73.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	22	21	1	52.5	59.7	15.0	1	1	0	8.8	11.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	11.9	14.2	-	2	2	0	17.7	23.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	7.2	5.7	15.0	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	2.4	2.8	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	2.4	2.8	-	1	1	0	8.8	11.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	1.7	2.0	-	0	0	0	-	-	-
ACCIDENTS (800-949)	22	21	1	52.5	59.7	15.0	9	5	4	79.5	58.0	147.8
MOTOR VEHICLE ACCIDENTS# (810-825)	16	15	1	38.2	42.6	15.0	9	5	4	79.5	58.0	147.8
SUICIDE (950-959)	4	3	1	9.6	8.5	15.0	2	2	0	17.7	23.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3	2	11.9	8.5	30.0	1	0	1	8.8	-	37.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	7.2	8.5	-	1	0	1	8.8	-	37.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	5.4	5.1	5.6	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	2	0	8.0	9.5	-
MALIGNANT NEOPLASMS (140-208)	91	54	37	243.8	276.0	208.4	54	47	7	215.8	224.1	172.9
DIABETES MELLITUS (250)	22	11	11	58.9	56.2	62.0	2	2	0	8.0	9.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	157	104	53	420.7	531.6	298.5	91	78	13	363.7	371.9	321.1
HYPERTENSION (401, 403)	1	1	0	2.7	5.1	-	1	0	1	4.0	-	24.7
CEREBROVASCULAR DISEASES (430-438)	27	15	12	72.3	76.7	67.6	11	10	1	44.0	47.7	24.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	4.0	4.8	-
PNEUMONIA AND INFLUENZA (480-487)	10	7	3	26.8	35.8	16.9	9	7	2	36.0	33.4	49.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	18	16	2	48.2	81.8	11.3	14	13	1	56.0	62.0	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	13.4	15.3	11.3	3	3	0	12.0	14.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	16.1	25.6	5.6	3	3	0	12.0	14.3	-
INFECTIONS OF KIDNEY (590)	1	0	1	2.7	-	5.6	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.7	-	5.6	2	2	0	8.0	9.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.9	-	3.2	3	1	2	8.8	3.5	37.7
ACCIDENTS (800-949)	15	5	10	40.2	25.6	56.3	13	12	1	52.0	57.2	24.7
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	10.7	10.2	11.3	10	9	1	40.0	42.9	24.7
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	11	4	7	29.5	20.4	39.4	2	1	1	8.0	4.8	24.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	5.4	-	11.3	2	1	1	8.0	4.8	24.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	8.5	4.8	33.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	44	41	3	186.7	199.1	101.1	26	10	16	274.6	306.3	257.8
DIABETES MELLITUS (250)	0	0	0	-	-	-	1	0	1	10.6	-	16.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	74	7	343.8	359.3	235.8	57	26	31	601.9	796.3	499.6
HYPERTENSION (401, 403)	1	1	0	4.2	4.8	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	14	2	67.9	68.0	67.4	3	1	2	31.7	30.6	32.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	10.6	30.6	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	42.4	38.8	67.4	3	3	0	31.7	91.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	15	0	63.7	72.8	-	3	1	2	31.7	30.6	32.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.2	4.8	-	1	1	0	10.6	30.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	12.7	9.7	33.7	2	0	2	21.1	-	32.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	8.5	9.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	13	11	2	55.2	53.4	67.4	6	1	5	63.4	30.6	80.6
MOTOR VEHICLE ACCIDENTS# (810-825)	11	9	2	46.7	43.7	67.4	3	0	3	31.7	-	48.3
SUICIDE (950-959)	3	3	0	12.7	14.6	-	1	0	1	10.6	-	16.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.2	4.8	-	1	0	1	10.6	-	16.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	21.2	19.4	33.7	2	0	2	21.1	-	32.2

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	1	2	2.9	1.2	10.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	154	125	29	149.3	148.0	155.0	59	37	22	243.0	253.2	227.7
DIABETES MELLITUS (250)	13	8	5	12.6	9.5	26.7	4	3	1	16.5	20.5	10.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	297	240	57	287.8	284.1	304.7	88	61	27	362.5	417.5	279.4
HYPERTENSION (401, 403)	2	0	2	1.9	-	10.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	25	16	9	24.2	18.9	48.1	18	14	4	74.2	95.8	41.4
ATHEROSCLEROSIS (440)	2	2	0	1.9	2.4	-	3	3	0	12.4	20.5	-
PNEUMONIA AND INFLUENZA (480-487)	21	14	7	20.4	16.6	37.4	7	5	2	28.8	34.2	20.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	34	31	3	33.0	36.7	16.0	10	9	1	41.2	61.6	10.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	7	0	6.8	8.3	-	1	0	1	4.1	-	10.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	2.9	2.4	5.3	4	1	3	16.5	6.8	31.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	5	0	4.8	5.9	-	3	2	1	12.4	13.7	10.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	5	2	4.8	4.3	6.8	1	1	0	2.3	4.3	-
ACCIDENTS (800-949)	36	29	7	34.9	34.3	37.4	21	10	11	86.5	68.4	113.8
MOTOR VEHICLE ACCIDENTS# (810-825)	22	18	4	21.3	21.3	21.4	13	7	6	53.6	47.9	62.1
SUICIDE (950-959)	12	12	0	11.6	14.2	-	3	1	2	12.4	6.8	20.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4	3	6.8	4.7	16.0	5	2	3	20.6	13.7	31.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	6	2	7.8	7.1	10.7	2	1	1	8.2	6.8	10.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	14.5	-	20.4	2	1	1	8.4	6.3	12.3
MALIGNANT NEOPLASMS (140-208)	20	4	16	290.9	203.4	326.0	48	32	16	200.5	202.2	197.2
DIABETES MELLITUS (250)	0	0	0	-	-	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	26	13	13	378.2	660.9	264.9	93	67	26	388.5	423.4	320.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	1	4	72.7	50.8	81.5	15	12	3	62.7	75.8	37.0
ATHEROSCLEROSIS (440)	1	0	1	14.5	-	20.4	10	7	3	41.8	44.2	37.0
PNEUMONIA AND INFLUENZA (480-487)	2	0	2	29.1	-	40.8	13	9	4	54.3	56.9	49.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	1	2	43.6	50.8	40.8	19	17	2	79.4	107.4	24.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	8.4	12.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	29.1	-	40.8	1	1	0	4.2	6.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	2.8	-	5.6
ACCIDENTS (800-949)	5	2	3	72.7	101.7	61.1	25	17	8	104.4	107.4	98.6
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	43.6	-	61.1	14	9	5	58.5	56.9	61.6
SUICIDE (950-959)	0	0	0	-	-	-	4	4	0	16.7	25.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	1	1	8.4	6.3	12.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	4.2	6.3	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	8.1	-	35.2
MALIGNANT NEOPLASMS (140-208)	30	23	7	202.5	202.1	203.8	23	19	4	186.7	200.4	140.9
DIABETES MELLITUS (250)	4	2	2	27.0	17.6	58.2	3	2	1	24.4	21.1	35.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	56	6	418.6	492.1	174.7	63	51	12	511.4	538.0	422.7
HYPERTENSION (401, 403)	3	3	0	20.2	26.4	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	12	2	94.5	105.4	58.2	3	2	1	24.4	21.1	35.2
ATHEROSCLEROSIS (440)	5	5	0	33.8	43.9	-	1	1	0	8.1	10.6	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	13.5	17.6	-	3	2	1	24.4	21.1	35.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	54.0	70.3	-	8	8	0	64.9	84.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	13.5	17.6	-	1	0	1	8.1	-	35.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	6.8	8.8	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	6.8	8.8	-	1	1	0	8.1	10.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	2	0	12.6	16.4	-
ACCIDENTS (800-949)	14	9	5	94.5	79.1	145.6	10	8	2	81.2	84.4	70.4
MOTOR VEHICLE ACCIDENTS# (810-825)	11	9	2	74.2	79.1	58.2	5	5	0	40.6	52.7	-
SUICIDE (950-959)	0	0	0	-	-	-	1	0	1	8.1	-	35.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	8.1	-	35.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	6.8	-	29.1	2	2	0	16.2	21.1	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	7.1	19.8	-
HIV INFECTION (042-044)	5	1	4	14.1	8.7	16.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	73	35	38	206.5	306.0	158.9	43	23	20	305.2	456.2	221.1
DIABETES MELLITUS (250)	6	0	6	17.0	-	25.1	3	1	2	21.3	19.8	22.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	132	58	74	373.5	507.1	309.5	61	36	25	433.0	714.1	276.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	7.1	-	11.0
CEREBROVASCULAR DISEASES (430-438)	26	11	15	73.6	96.2	62.7	6	4	2	42.6	79.3	22.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	7.1	-	11.0
PNEUMONIA AND INFLUENZA (480-487)	11	6	5	31.1	52.5	20.9	4	4	0	28.4	79.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	4	3	19.8	35.0	12.5	3	3	0	21.3	59.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	8.5	8.7	8.4	1	0	1	7.1	-	11.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	1	5	17.0	8.7	20.9	3	1	2	21.3	19.8	22.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	8.5	8.7	8.4	1	0	1	7.1	-	11.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.9	-	2.5	1	0	1	4.8	-	6.6
ACCIDENTS (800-949)	24	7	17	67.9	61.2	71.1	7	3	4	49.7	59.5	44.2
MOTOR VEHICLE ACCIDENTS# (810-825)	11	2	9	31.1	17.5	37.6	6	2	4	42.6	39.7	44.2
SUICIDE (950-959)	5	3	2	14.1	26.2	8.4	1	0	1	7.1	-	11.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	11.3	-	16.7	2	0	2	14.2	-	22.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	8.5	8.7	8.4	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	4.5	-	12.5	2	2	0	10.2	12.3	-
MALIGNANT NEOPLASMS (140-208)	44	33	11	196.8	230.1	137.3	41	34	7	209.0	209.8	205.1
DIABETES MELLITUS (250)	5	2	3	22.4	13.9	37.4	7	5	2	35.7	30.9	58.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	51	22	326.6	355.6	274.6	81	72	9	412.9	444.4	263.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	7	7	62.6	48.8	87.4	18	13	5	91.8	80.2	146.5
ATHEROSCLEROSIS (440)	2	2	0	8.9	13.9	-	4	2	2	20.4	12.3	58.6
PNEUMONIA AND INFLUENZA (480-487)	14	10	4	62.6	69.7	49.9	9	9	0	45.9	55.5	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	13	3	71.6	90.6	37.4	13	12	1	66.3	74.1	29.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.5	7.0	-	3	3	0	15.3	18.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	17.9	13.9	25.0	5	3	2	25.5	18.5	58.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.5	7.0	-	4	2	2	20.4	12.3	58.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	8.7	5.0	14.0	2	0	2	6.6	-	27.8
ACCIDENTS (800-949)	25	14	11	111.8	97.6	137.3	16	9	7	81.6	55.5	205.1
MOTOR VEHICLE ACCIDENTS# (810-825)	14	6	8	62.6	41.8	99.9	7	4	3	35.7	24.7	87.9
SUICIDE (950-959)	3	3	0	13.4	20.9	-	2	2	0	10.2	12.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	8.9	13.9	-	3	3	0	15.3	18.5	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	10.2	12.3	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	11.0	-	14.9
MALIGNANT NEOPLASMS (140-208)	46	43	3	260.4	253.5	427.4	21	9	12	231.7	379.3	179.4
DIABETES MELLITUS (250)	5	5	0	28.3	29.5	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	103	99	4	583.0	583.6	569.8	44	15	29	485.5	632.1	433.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	11.0	42.1	-
CEREBROVASCULAR DISEASES (430-438)	10	9	1	56.6	53.0	142.4	4	1	3	44.1	42.1	44.8
ATHEROSCLEROSIS (440)	3	2	1	17.0	11.8	142.4	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	34.0	29.5	142.4	3	2	1	33.1	84.3	14.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	14	0	79.2	82.5	-	5	3	2	55.2	126.4	29.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.7	5.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	34.0	29.5	142.4	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	11.0	-	14.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.4	4.5	-	0	0	0	-	-	-
ACCIDENTS (800-949)	17	17	0	96.2	100.2	-	10	1	9	110.3	42.1	134.5
MOTOR VEHICLE ACCIDENTS# (810-825)	10	10	0	56.6	58.9	-	6	0	6	66.2	-	89.7
SUICIDE (950-959)	3	3	0	17.0	17.7	-	1	1	0	11.0	42.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	11.0	-	14.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.7	5.9	-	2	0	2	22.1	-	29.9

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.3	5.1	-	1	0	1	7.1	-	15.9
HIV INFECTION (042-044)	1	1	0	4.3	5.1	-	1	1	0	7.1	12.8	-
MALIGNANT NEOPLASMS (140-208)	56	51	5	239.0	258.2	135.9	31	23	8	220.0	294.6	127.2
DIABETES MELLITUS (250)	5	5	0	21.3	25.3	-	3	0	3	21.3	-	47.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	58	9	286.0	293.7	244.6	51	38	13	361.8	486.7	206.8
HYPERTENSION (401, 403)	1	1	0	4.3	5.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	30	28	2	128.0	141.8	54.4	9	6	3	63.8	76.8	47.7
ATHEROSCLEROSIS (440)	3	3	0	12.8	15.2	-	1	1	0	7.1	12.8	-
PNEUMONIA AND INFLUENZA (480-487)	11	11	0	47.0	55.7	-	9	5	4	63.8	64.0	63.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	42.7	50.6	-	5	3	2	35.5	38.4	31.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.3	5.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	29.9	30.4	27.2	4	2	2	28.4	25.6	31.8
INFECTIONS OF KIDNEY (590)	1	1	0	4.3	5.1	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	8.5	10.1	-	1	1	0	7.1	12.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.9	3.6	-	0	0	0	-	-	-
ACCIDENTS (800-949)	14	12	2	59.8	60.8	54.4	16	13	3	113.5	166.5	47.7
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	29.9	30.4	27.2	11	9	2	78.0	115.3	31.8
SUICIDE (950-959)	3	3	0	12.8	15.2	-	1	1	0	7.1	12.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.3	5.1	-	4	2	2	28.4	25.6	31.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	8.5	10.1	-	2	1	1	14.2	12.8	15.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.4	-	2.4
HIV INFECTION (042-044)	3	0	3	6.1	-	15.1	4	1	3	5.7	3.5	7.2
MALIGNANT NEOPLASMS (140-208)	106	63	43	216.4	216.4	216.4	143	73	70	203.1	256.1	167.0
DIABETES MELLITUS (250)	4	0	4	8.2	-	20.1	14	5	9	19.9	17.5	21.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	202	130	72	412.3	446.5	362.3	261	111	150	370.7	389.5	357.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	4.3	3.5	4.8
CEREBROVASCULAR DISEASES (430-438)	40	17	23	81.6	58.4	115.7	50	22	28	71.0	77.2	66.8
ATHEROSCLEROSIS (440)	1	1	0	2.0	3.4	-	3	3	0	4.3	10.5	-
PNEUMONIA AND INFLUENZA (480-487)	17	11	6	34.7	37.8	30.2	16	6	10	22.7	21.0	23.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	18	16	2	36.7	55.0	10.1	21	12	9	29.8	42.1	21.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	6.1	10.3	-	7	1	6	9.9	3.5	14.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	3	6	18.4	10.3	30.2	12	1	11	17.0	3.5	26.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	4.1	-	10.1	6	3	3	8.5	10.5	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	2	5.2	5.8	4.7	6	0	6	5.0	-	6.6
ACCIDENTS (800-949)	25	12	13	51.0	41.2	65.4	30	11	19	42.6	38.6	45.3
MOTOR VEHICLE ACCIDENTS# (810-825)	12	3	9	24.5	10.3	45.3	18	6	12	25.6	21.0	28.6
SUICIDE (950-959)	3	3	0	6.1	10.3	-	4	4	0	5.7	14.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	1	9	20.4	3.4	45.3	14	3	11	19.9	10.5	26.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	2.0	3.4	-	8	3	5	11.4	10.5	11.9

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	9.6	12.5	-
HIV INFECTION (042-044)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	43	22	21	222.0	181.7	289.3	23	20	3	220.4	250.1	123.1
DIABETES MELLITUS (250)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	48	24	371.7	396.4	330.6	42	36	6	402.5	450.2	246.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	8	5	67.1	66.1	68.9	8	6	2	76.7	75.0	82.1
ATHEROSCLEROSIS (440)	1	1	0	5.2	8.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	20.6	24.8	13.8	1	1	0	9.6	12.5	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	25.8	24.8	27.6	9	7	2	86.2	87.5	82.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	10.3	-	27.6	2	2	0	19.2	25.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	20.6	16.5	27.6	1	0	1	9.6	-	41.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	15.5	16.5	13.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	17	10	7	87.8	82.6	96.4	5	5	0	47.9	62.5	-
MOTOR VEHICLE ACCIDENTS# (810-825)	13	7	6	67.1	57.8	82.6	2	2	0	19.2	25.0	-
SUICIDE (950-959)	3	3	0	15.5	24.8	-	2	2	0	19.2	25.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	3	4	36.1	24.8	55.1	1	0	1	9.6	-	41.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	19.2	25.0	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	11.1	-	15.2	1	0	1	5.1	-	11.5
MALIGNANT NEOPLASMS (140-208)	35	10	25	387.1	403.2	381.0	28	16	12	142.9	147.1	137.6
DIABETES MELLITUS (250)	1	0	1	11.1	-	15.2	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	15	32	519.8	604.8	487.7	102	69	33	520.5	634.4	378.5
HYPERTENSION (401, 403)	1	0	1	11.1	-	15.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	4	1	3	44.2	40.3	45.7	11	7	4	56.1	64.4	45.9
ATHEROSCLEROSIS (440)	1	1	0	11.1	40.3	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	33.2	40.3	30.5	6	4	2	30.6	36.8	22.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	1	4	55.3	40.3	61.0	7	7	0	35.7	64.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	11.1	-	15.2	2	2	0	10.2	18.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	4	1	3	20.4	9.2	34.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.1	9.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	11.1	-	15.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	16.0	-	20.6	0	0	0	-	-	-
ACCIDENTS (800-949)	3	1	2	33.2	40.3	30.5	10	5	5	51.0	46.0	57.4
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	22.1	40.3	15.2	1	1	0	5.1	9.2	-
SUICIDE (950-959)	1	0	1	11.1	-	15.2	2	1	1	10.2	9.2	11.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	22.1	40.3	15.2	3	1	2	15.3	9.2	22.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	11.1	40.3	-	5	4	1	25.5	36.8	11.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1996**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	8.0	-	14.4
MALIGNANT NEOPLASMS (140-208)	44	31	13	365.2	426.1	272.3	57	33	24	226.8	293.6	172.7
DIABETES MELLITUS (250)	1	1	0	8.3	13.7	-	15	3	12	59.7	26.7	86.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	59	38	21	489.7	522.3	439.9	94	57	37	374.0	507.1	266.3
HYPERTENSION (401, 403)	1	1	0	8.3	13.7	-	12	4	8	47.7	35.6	57.6
CEREBROVASCULAR DISEASES (430-438)	11	8	3	91.3	110.0	62.8	21	13	8	83.6	115.6	57.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	66.4	82.5	41.9	10	5	5	39.8	44.5	36.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	41.5	55.0	20.9	16	12	4	63.6	106.8	28.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	8.3	13.7	-	2	0	2	8.0	-	14.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	24.9	41.2	-	4	1	3	15.9	8.9	21.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	4.0	-	7.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.6	-	10.6	1	0	1	2.3	-	3.5
ACCIDENTS (800-949)	11	7	4	91.3	96.2	83.8	21	11	10	83.6	97.9	72.0
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	33.2	27.5	41.9	16	8	8	63.6	71.2	57.6
SUICIDE (950-959)	2	2	0	16.6	27.5	-	4	4	0	15.9	35.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	8.3	13.7	-	7	2	5	27.8	17.8	36.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	0	2	8.0	-	14.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	25	10	15	0.9	0.6	1.5
HIV INFECTION (042-044)	229	73	156	8.5	4.3	15.6
MALIGNANT NEOPLASMS (140-208)	5,732	3,864	1,868	212.8	228.3	186.7
DIABETES MELLITUS (250)	533	268	265	19.8	15.8	26.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,499	6,446	3,053	352.7	380.8	305.2
HYPERTENSION (401, 403)	143	75	68	5.3	4.4	6.8
CEREBROVASCULAR DISEASES (430-438)	1,691	1,089	602	62.8	64.3	60.2
ATHEROSCLEROSIS (440)	107	84	23	4.0	5.0	2.3
PNEUMONIA AND INFLUENZA (480-487)	884	637	247	32.8	37.6	24.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1,003	823	180	37.2	48.6	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	257	187	70	9.5	11.0	7.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	351	176	175	13.0	10.4	17.5
INFECTIONS OF KIDNEY (590)	16	13	3	0.6	0.8	0.3
MATERNAL CAUSES (630-676)	1	0	1	2.4	-	5.1
CONGENITAL ANOMALIES (740-759)	160	78	82	5.9	4.6	8.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	201	60	141	4.9	2.8	7.2
ACCIDENTS (800-949)	1,512	907	605	56.1	53.6	60.5
MOTOR VEHICLE ACCIDENTS# (810-825)	868	519	349	32.2	30.7	34.9
SUICIDE (950-959)	310	263	47	11.5	15.5	4.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	377	131	246	14.0	7.7	24.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	281	161	120	10.4	9.5	12.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

## **TIME SERIES TABLES**

**TABLE 19**  
**LIVE BIRTHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1996,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1996)**

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1913-1996

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5

\* BIRTHS PER 1,000 POPULATION.

\*\* FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

**TABLE 20**  
**DEATHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1996,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1996)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2  
DEATHS - MISSISSIPPI - 1913-1996

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1

\* DEATHS PER 1,000 POPULATION.

**TABLE 21**  
**MATERNAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1996,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1996)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2  
 MATERNAL DEATHS - MISSISSIPPI - 1913-1996

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1

\* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

\*\* DEATHS PER 100,000 LIVE BIRTHS.



**TABLE 22**  
**INFANT DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1917-1996,**  
**(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1996)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 22 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1917-1996

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# NOT AVAILABLE.

**TABLE 23**  
**NEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1996,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1996)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2  
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1996

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8

\* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 24**  
**POSTNEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1996,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1996)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2  
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1996

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6

\* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR  
 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 25**  
**MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,**  
**MISSISSIPPI, 1926-1996**

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2  
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1996

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180

\* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

\*\* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.



**TABLE 26**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1996**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.