

(HSWWDTCO)

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	437	220	217	12.1	12.2	12.0
HEART DISEASES	169	82	87	469.7	456.0	483.4
MALIGNANT NEOPLASMS	88	39	49	244.6	216.9	272.3
CEREBROVASCULAR DISEASES	41	18	23	114.0	100.1	127.8
EMPHYSEMA AND OTHER COPD	22	16	6	61.1	89.0	33.3
ACCIDENTS	15	8	7	41.7	44.5	38.9
PNEUMONIA AND INFLUENZA	8	4	4	22.2	22.2	22.2
DIABETES MELLITUS	6	2	4	16.7	11.1	22.2
HOMICIDE AND LEGAL INTERVENTION	6	1	5	16.7	5.6	27.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	13.9	27.8	0.0
CONGENITAL ANOMALIES	4	1	3	11.1	5.6	16.7
SUICIDE	4	4	0	11.1	22.2	0.0
HIV INFECTION	4	0	4	11.1	0.0	22.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	5.9	5.7	5.9
ATHEROSCLEROSIS	2	2	0	5.6	11.1	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	5.6	5.6	5.6
HYPERTENSION	1	1	0	2.8	5.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	8.3	11.1	5.6
ALL OTHER	54	33	21	150.1	183.5	116.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	437	220	217	208	106	102	229	114	115
UNDER 1	6	2	4	3	1	2	3	1	2
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	4	2	2	2	1	1	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	1	1	0	6	2	4
25-34	15	5	10	11	4	7	4	1	3
35-44	14	6	8	9	4	5	5	2	3
45-54	20	6	14	14	4	10	6	2	4
55-64	64	35	29	31	19	12	33	16	17
65-74	104	48	56	60	27	33	44	21	23
75-84	106	59	47	43	27	16	63	32	31
85 AND OVER	97	54	43	34	18	16	63	36	27
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,979
WHITE	17,982
NONWHITE	17,997

(HSWWDTCO)

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	377	337	40	11.8	12.0	10.5
HEART DISEASES	140	127	13	438.9	452.0	342.0
MALIGNANT NEOPLASMS	61	57	4	191.2	202.9	105.2
ACCIDENTS	27	22	5	84.6	78.3	131.5
EMPHYSEMA AND OTHER COPD	22	20	2	69.0	71.2	52.6
PNEUMONIA AND INFLUENZA	19	18	1	59.6	64.1	26.3
CEREBROVASCULAR DISEASES	18	16	2	56.4	56.9	52.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	8	5	40.8	28.5	131.5
HYPERTENSION	6	5	1	18.8	17.8	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	9.4	10.7	0.0
HOMICIDE AND LEGAL INTERVENTION	3	2	1	9.4	7.1	26.3
DIABETES MELLITUS	2	2	0	6.3	7.1	0.0
SUICIDE	2	1	1	6.3	3.6	26.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	12.5	10.7	26.3
ALL OTHER	57	53	4	178.7	188.6	105.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	377	337	40	200	180	20	177	157	20
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	5	0	4	4	0	1	1	0
25-34	7	6	1	6	5	1	1	1	0
35-44	11	9	2	11	9	2	0	0	0
45-54	23	21	2	19	17	2	4	4	0
55-64	35	28	7	21	17	4	14	11	3
65-74	72	66	6	49	47	2	23	19	4
75-84	104	93	11	47	43	4	57	50	7
85 AND OVER	117	106	11	42	37	5	75	69	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,897
WHITE	28,096
NONWHITE	3,801

(HSWWDTCO)

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	139	78	61	10.0	10.4	9.6
HEART DISEASES	46	26	20	332.0	348.1	313.2
MALIGNANT NEOPLASMS	30	21	9	216.5	281.2	141.0
ACCIDENTS	12	4	8	86.6	53.6	125.3
CEREBROVASCULAR DISEASES	7	2	5	50.5	26.8	78.3
EMPHYSEMA AND OTHER COPD	7	6	1	50.5	80.3	15.7
PNEUMONIA AND INFLUENZA	5	4	1	36.1	53.6	15.7
DIABETES MELLITUS	3	2	1	21.6	26.8	15.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	14.4	13.4	15.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	14.4	13.4	15.7
SUICIDE	2	2	0	14.4	26.8	0.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	14.4	0.0	31.3
ATHEROSCLEROSIS	1	0	1	7.2	0.0	15.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	21.6	26.8	15.7
ALL OTHER	17	7	10	122.7	93.7	156.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	139	78	61	75	44	31	64	34	30
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	5	2	3	4	1	3	1	1	0
25-34	4	0	4	4	0	4	0	0	0
35-44	6	1	5	4	0	4	2	1	1
45-54	15	7	8	10	6	4	5	1	4
55-64	11	7	4	5	4	1	6	3	3
65-74	31	17	14	17	12	5	14	5	9
75-84	44	29	15	25	18	7	19	11	8
85 AND OVER	21	14	7	5	3	2	16	11	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 13,854
 WHITE 7,469
 NONWHITE 6,385

(HSWWDTCO)

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	232	159	73	12.7	15.0	9.6
HEART DISEASES	99	64	35	543.8	603.8	460.2
MALIGNANT NEOPLASMS	47	31	16	258.2	292.5	210.4
CEREBROVASCULAR DISEASES	23	19	4	126.3	179.3	52.6
ACCIDENTS	16	11	5	87.9	103.8	65.7
EMPHYSEMA AND OTHER COPD	7	7	0	38.4	66.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	27.5	18.9	39.4
PNEUMONIA AND INFLUENZA	4	3	1	22.0	28.3	13.1
ATHEROSCLEROSIS	3	2	1	16.5	18.9	13.1
SUICIDE	2	2	0	11.0	18.9	0.0
DIABETES MELLITUS	1	1	0	5.5	9.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.5	0.0	13.1
CONGENITAL ANOMALIES	1	0	1	5.5	0.0	13.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.5	9.4	0.0
ALL OTHER	22	16	6	120.8	151.0	78.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	232	159	73	117	81	36	115	78	37
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	5	4	1	4	3	1	1	1	0
35-44	9	5	4	5	4	1	4	1	3
45-54	14	5	9	10	3	7	4	2	2
55-64	17	9	8	9	5	4	8	4	4
65-74	36	25	11	20	15	5	16	10	6
75-84	72	58	14	35	27	8	37	31	6
85 AND OVER	76	52	24	34	24	10	42	28	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,204
WHITE	10,599
NONWHITE	7,605

(HSWWDTCO)

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	99	73	26	12.6	16.0	7.9
HEART DISEASES	40	32	8	510.1	701.0	244.2
MALIGNANT NEOPLASMS	23	14	9	293.3	306.7	274.7
ACCIDENTS	9	8	1	114.8	175.2	30.5
CEREBROVASCULAR DISEASES	6	4	2	76.5	87.6	61.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	4	0	31.2	51.9	0.0
HYPERTENSION	2	1	1	25.5	21.9	30.5
PNEUMONIA AND INFLUENZA	2	2	0	25.5	43.8	0.0
DIABETES MELLITUS	1	1	0	12.8	21.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	12.8	0.0	30.5
HIV INFECTION	1	1	0	12.8	21.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	25.5	21.9	30.5
ALL OTHER	8	5	3	102.0	109.5	91.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	99	73	26	54	38	16	45	35	10
UNDER 1	4	4	0	3	3	0	1	1	0
(NEONATAL)	4	4	0	3	3	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	11	5	6	9	4	5	2	1	1
55-64	8	5	3	7	4	3	1	1	0
65-74	19	15	4	11	9	2	8	6	2
75-84	24	21	3	12	10	2	12	11	1
85 AND OVER	29	20	9	9	6	3	20	14	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	7,841
WHITE	4,565
NONWHITE	3,276

(HSWWDTCO)

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	450	151	299	10.8	10.9	10.8
HEART DISEASES	159	54	105	383.4	389.7	380.3
MALIGNANT NEOPLASMS	99	42	57	238.7	303.1	206.4
CEREBROVASCULAR DISEASES	30	10	20	72.3	72.2	72.4
ACCIDENTS	21	9	12	50.6	64.9	43.4
DIABETES MELLITUS	17	3	14	41.0	21.6	50.7
PNEUMONIA AND INFLUENZA	13	4	9	31.3	28.9	32.6
HOMICIDE AND LEGAL INTERVENTION	9	3	6	21.7	21.6	21.7
EMPHYSEMA AND OTHER COPD	7	5	2	16.9	36.1	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	7	0	7	9.7	0.0	12.4
ATHEROSCLEROSIS	6	2	4	14.5	14.4	14.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	1	5	14.5	7.2	18.1
HIV INFECTION	6	2	4	14.5	14.4	14.5
SUICIDE	5	2	3	12.0	14.4	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	9.6	14.4	7.2
HYPERTENSION	3	0	3	7.2	0.0	10.9
CONGENITAL ANOMALIES	3	0	3	7.2	0.0	10.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	9.6	0.0	14.5
ALL OTHER	51	12	39	123.0	86.6	141.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	450	151	299	214	65	149	236	86	150
UNDER 1	13	0	13	8	0	8	5	0	5
(NEONATAL)	9	0	9	5	0	5	4	0	4
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	15	4	11	9	3	6	6	1	5
25-34	13	4	9	5	2	3	8	2	6
35-44	19	6	13	13	4	9	6	2	4
45-54	28	6	22	18	4	14	10	2	8
55-64	45	13	32	31	9	22	14	4	10
65-74	89	30	59	47	13	34	42	17	25
75-84	118	56	62	46	22	24	72	34	38
85 AND OVER	109	32	77	37	8	29	72	24	48
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,469
WHITE	13,857
NONWHITE	27,612

(HSWWDTCO)

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	178	131	47	12.2	12.6	11.2
HEART DISEASES	68	52	16	464.8	498.8	380.4
MALIGNANT NEOPLASMS	38	31	7	259.7	297.4	166.4
CEREBROVASCULAR DISEASES	18	10	8	123.0	95.9	190.2
ACCIDENTS	8	3	5	54.7	28.8	118.9
DIABETES MELLITUS	5	3	2	34.2	28.8	47.6
PNEUMONIA AND INFLUENZA	3	2	1	20.5	19.2	23.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	20.5	28.8	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	0	3	20.5	0.0	71.3
SUICIDE	3	3	0	20.5	28.8	0.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	20.5	9.6	47.6
HYPERTENSION	1	1	0	6.8	9.6	0.0
EMPHYSEMA AND OTHER COPD	1	1	0	6.8	9.6	0.0
INFECTIONS OF KIDNEY	1	1	0	6.8	9.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	23	20	3	157.2	191.9	71.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	178	131	47	87	62	25	91	69	22
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	7	4	3	5	3	2	2	1	1
35-44	7	5	2	5	3	2	2	2	0
45-54	10	5	5	9	5	4	1	0	1
55-64	18	11	7	12	8	4	6	3	3
65-74	38	26	12	16	11	5	22	15	7
75-84	45	37	8	23	19	4	22	18	4
85 AND OVER	49	42	7	16	13	3	33	29	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,630
WHITE	10,424
NONWHITE	4,206

(HSWWDTCO)

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	85	53	32	8.6	9.0	8.1
HEART DISEASES	29	20	9	294.6	338.9	228.2
MALIGNANT NEOPLASMS	23	16	7	233.6	271.1	177.5
ACCIDENTS	6	2	4	61.0	33.9	101.4
CEREBROVASCULAR DISEASES	4	3	1	40.6	50.8	25.4
SUICIDE	3	3	0	30.5	50.8	0.0
DIABETES MELLITUS	2	2	0	20.3	33.9	0.0
EMPHYSEMA AND OTHER COPD	2	2	0	20.3	33.9	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	20.3	16.9	25.4
HIV INFECTION	2	0	2	20.3	0.0	50.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	10.2	0.0	25.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	11	4	7	111.7	67.8	177.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	85	53	32	48	32	16	37	21	16
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	1	1	0	0	0	2	1	1
35-44	6	5	1	5	4	1	1	1	0
45-54	8	4	4	6	2	4	2	2	0
55-64	5	2	3	4	2	2	1	0	1
65-74	16	8	8	9	7	2	7	1	6
75-84	29	21	8	18	14	4	11	7	4
85 AND OVER	17	12	5	4	3	1	13	9	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 9,844
 WHITE 5,901
 NONWHITE 3,943

(HSWWDTCO)

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	213	141	72	12.1	13.5	10.0
HEART DISEASES	80	51	29	453.3	488.4	402.5
MALIGNANT NEOPLASMS	53	39	14	300.3	373.4	194.3
CEREBROVASCULAR DISEASES	14	9	5	79.3	86.2	69.4
ACCIDENTS	11	7	4	62.3	67.0	55.5
EMPHYSEMA AND OTHER COPD	10	7	3	56.7	67.0	41.6
DIABETES MELLITUS	8	4	4	45.3	38.3	55.5
PNEUMONIA AND INFLUENZA	3	3	0	17.0	28.7	0.0
CONGENITAL ANOMALIES	3	2	1	17.0	19.2	13.9
HOMICIDE AND LEGAL INTERVENTION	2	1	1	11.3	9.6	13.9
HIV INFECTION	2	2	0	11.3	19.2	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	5.7	9.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.2	0.0	6.6
SUICIDE	1	1	0	5.7	9.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	17.0	19.2	13.9
ALL OTHER	21	12	9	119.0	114.9	124.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	213	141	72	109	72	37	104	69	35
UNDER 1	5	2	3	2	1	1	3	1	2
(NEONATAL)	4	2	2	2	1	1	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	11	6	5	8	5	3	3	1	2
45-54	15	8	7	6	5	1	9	3	6
55-64	27	15	12	16	10	6	11	5	6
65-74	47	29	18	28	17	11	19	12	7
75-84	52	37	15	28	20	8	24	17	7
85 AND OVER	48	40	8	14	11	3	34	29	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,648
WHITE	10,443
NONWHITE	7,205

(HSWWDTCO)

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	103	76	27	11.5	12.4	9.6
HEART DISEASES	39	27	12	436.5	441.5	425.7
MALIGNANT NEOPLASMS	25	20	5	279.8	327.1	177.4
CEREBROVASCULAR DISEASES	7	7	0	78.4	114.5	0.0
ACCIDENTS	7	4	3	78.4	65.4	106.4
DIABETES MELLITUS	4	4	0	44.8	65.4	0.0
PNEUMONIA AND INFLUENZA	2	2	0	22.4	32.7	0.0
CONGENITAL ANOMALIES	2	2	0	22.4	32.7	0.0
SUICIDE	2	2	0	22.4	32.7	0.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	22.4	0.0	70.9
EMPHYSEMA AND OTHER COPD	1	1	0	11.2	16.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.2	16.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	11.2	16.4	0.0
HIV INFECTION	1	0	1	11.2	0.0	35.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	11.2	16.4	0.0
ALL OTHER	8	4	4	89.5	65.4	141.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	103	76	27	49	34	15	54	42	12
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	3	1	2	3	1	2	0	0	0
35-44	7	4	3	3	1	2	4	3	1
45-54	3	1	2	1	1	0	2	0	2
55-64	10	9	1	5	5	0	5	4	1
65-74	23	17	6	14	10	4	9	7	2
75-84	27	22	5	13	10	3	14	12	2
85 AND OVER	24	18	6	6	4	2	18	14	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,934
WHITE	6,115
NONWHITE	2,819

(HSWWDTCO)

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	112	28	84	9.9	15.0	8.9
HEART DISEASES	57	16	41	503.4	859.3	433.3
MALIGNANT NEOPLASMS	22	7	15	194.3	375.9	158.5
CEREBROVASCULAR DISEASES	8	1	7	70.6	53.7	74.0
ACCIDENTS	6	1	5	53.0	53.7	52.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	26.5	53.7	21.1
HOMICIDE AND LEGAL INTERVENTION	3	1	2	26.5	53.7	21.1
EMPHYSEMA AND OTHER COPD	1	0	1	8.8	0.0	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.8	0.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.7	0.0	6.1
HIV INFECTION	1	0	1	8.8	0.0	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.8	0.0	10.6
ALL OTHER	8	1	7	70.6	53.7	74.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	112	28	84	68	15	53	44	13	31
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	9	1	8	5	0	5	4	1	3
45-54	9	2	7	8	2	6	1	0	1
55-64	17	3	14	10	1	9	7	2	5
65-74	17	6	11	10	4	6	7	2	5
75-84	34	11	23	20	7	13	14	4	10
85 AND OVER	20	5	15	11	1	10	9	4	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,324
WHITE	1,862
NONWHITE	9,462

(HSWWDTCO)

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	174	113	61	10.1	10.2	9.9
HEART DISEASES	72	50	22	417.6	451.8	356.3
MALIGNANT NEOPLASMS	40	28	12	232.0	253.0	194.3
CEREBROVASCULAR DISEASES	10	6	4	58.0	54.2	64.8
ACCIDENTS	9	5	4	52.2	45.2	64.8
DIABETES MELLITUS	4	1	3	23.2	9.0	48.6
EMPHYSEMA AND OTHER COPD	4	4	0	23.2	36.1	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	23.2	9.0	48.6
PNEUMONIA AND INFLUENZA	3	3	0	17.4	27.1	0.0
CONGENITAL ANOMALIES	2	1	1	11.6	9.0	16.2
HIV INFECTION	2	0	2	11.6	0.0	32.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.8	9.0	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	5.8	0.0	16.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	22	13	9	127.6	117.5	145.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	174	113	61	81	54	27	93	59	34
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	1	2	3	1	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	7	1	6	3	1	2	4	0	4
45-54	8	4	4	4	3	1	4	1	3
55-64	13	7	6	9	4	5	4	3	1
65-74	35	25	10	18	14	4	17	11	6
75-84	59	44	15	28	22	6	31	22	9
85 AND OVER	44	31	13	12	9	3	32	22	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,241
WHITE	11,066
NONWHITE	6,175

(HSWWDTCO)

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	202	112	90	9.3	11.6	7.5
HEART DISEASES	78	51	27	359.4	527.4	224.4
MALIGNANT NEOPLASMS	33	16	17	152.0	165.5	141.3
ACCIDENTS	16	10	6	73.7	103.4	49.8
CEREBROVASCULAR DISEASES	12	6	6	55.3	62.0	49.8
EMPHYSEMA AND OTHER COPD	10	7	3	46.1	72.4	24.9
DIABETES MELLITUS	5	2	3	23.0	20.7	24.9
PNEUMONIA AND INFLUENZA	4	4	0	18.4	41.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	13.8	10.3	16.6
HYPERTENSION	2	0	2	9.2	0.0	16.6
CONGENITAL ANOMALIES	2	0	2	9.2	0.0	16.6
SUICIDE	2	1	1	9.2	10.3	8.3
HOMICIDE AND LEGAL INTERVENTION	2	0	2	9.2	0.0	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.6	10.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.2	0.0	16.6
ALL OTHER	30	13	17	138.2	134.4	141.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	202	112	90	92	50	42	110	62	48
UNDER 1	4	0	4	0	0	0	4	0	4
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	4	5	6	3	3	3	1	2
25-34	4	2	2	1	0	1	3	2	1
35-44	10	3	7	6	2	4	4	1	3
45-54	18	6	12	8	3	5	10	3	7
55-64	28	14	14	15	8	7	13	6	7
65-74	30	14	16	15	6	9	15	8	7
75-84	54	33	21	23	16	7	31	17	14
85 AND OVER	44	36	8	17	12	5	27	24	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,703
WHITE	9,669
NONWHITE	12,034

(HSWWDTCO)

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	391	142	249	12.0	13.0	11.4
HEART DISEASES	147	56	91	450.5	514.2	418.7
MALIGNANT NEOPLASMS	73	27	46	223.7	247.9	211.6
CEREBROVASCULAR DISEASES	32	14	18	98.1	128.5	82.8
ACCIDENTS	18	5	13	55.2	45.9	59.8
DIABETES MELLITUS	16	5	11	49.0	45.9	50.6
EMPHYSEMA AND OTHER COPD	14	7	7	42.9	64.3	32.2
PNEUMONIA AND INFLUENZA	9	3	6	27.6	27.5	27.6
HOMICIDE AND LEGAL INTERVENTION	7	1	6	21.4	9.2	27.6
CONDITIONS ORIG IN PERINATAL PERIOD	6	1	5	10.1	9.0	10.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	1	4	15.3	9.2	18.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	12.3	18.4	9.2
CONGENITAL ANOMALIES	4	0	4	12.3	0.0	18.4
SUICIDE	3	2	1	9.2	18.4	4.6
ATHEROSCLEROSIS	2	0	2	6.1	0.0	9.2
TUBERCULOSIS	1	0	1	3.1	0.0	4.6
HYPERTENSION	1	0	1	3.1	0.0	4.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	1	5	18.4	9.2	23.0
ALL OTHER	43	17	26	131.8	156.1	119.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	391	142	249	211	83	128	180	59	121
UNDER 1	11	1	10	6	1	5	5	0	5
(NEONATAL)	7	1	6	4	1	3	3	0	3
(POSTNEONATAL)	4	0	4	2	0	2	2	0	2
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	5	1	4	2	0	2	3	1	2
25-34	10	2	8	7	2	5	3	0	3
35-44	18	1	17	11	1	10	7	0	7
45-54	31	12	19	19	8	11	12	4	8
55-64	53	20	33	36	12	24	17	8	9
65-74	74	34	40	48	25	23	26	9	17
75-84	112	43	69	57	25	32	55	18	37
85 AND OVER	73	28	45	23	9	14	50	19	31
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,627
WHITE	10,891
NONWHITE	21,736

(HSWWDTCO)

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	279	152	127	10.0	11.5	8.6
HEART DISEASES	100	54	46	356.8	407.4	311.4
MALIGNANT NEOPLASMS	55	33	22	196.2	248.9	148.9
ACCIDENTS	28	16	12	99.9	120.7	81.2
CEREBROVASCULAR DISEASES	19	10	9	67.8	75.4	60.9
EMPHYSEMA AND OTHER COPD	8	8	0	28.5	60.4	0.0
DIABETES MELLITUS	6	1	5	21.4	7.5	33.8
PNEUMONIA AND INFLUENZA	5	4	1	17.8	30.2	6.8
HOMICIDE AND LEGAL INTERVENTION	5	1	4	17.8	7.5	27.1
SUICIDE	4	4	0	14.3	30.2	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	10.7	15.1	6.8
HIV INFECTION	3	1	2	10.7	7.5	13.5
CONGENITAL ANOMALIES	2	1	1	7.1	7.5	6.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.1	0.0	8.5
TUBERCULOSIS	1	0	1	3.6	0.0	6.8
HYPERTENSION	1	0	1	3.6	0.0	6.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	7.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	36	16	20	128.4	120.7	135.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	279	152	127	140	68	72	139	84	55
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	8	6	2	8	6	2	0	0	0
25-34	11	3	8	10	3	7	1	0	1
35-44	18	6	12	13	3	10	5	3	2
45-54	22	8	14	12	3	9	10	5	5
55-64	39	21	18	24	12	12	15	9	6
65-74	55	35	20	29	21	8	26	14	12
75-84	57	33	24	19	9	10	38	24	14
85 AND OVER	62	38	24	21	10	11	41	28	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	28,027
WHITE	13,256
NONWHITE	14,771

(HSWWDTCO)

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	187	147	40	11.7	14.6	6.7
HEART DISEASES	69	57	12	431.0	565.7	202.2
MALIGNANT NEOPLASMS	41	34	7	256.1	337.4	118.0
DIABETES MELLITUS	12	9	3	75.0	89.3	50.6
CEREBROVASCULAR DISEASES	8	4	4	50.0	39.7	67.4
EMPHYSEMA AND OTHER COPD	8	6	2	50.0	59.5	33.7
PNEUMONIA AND INFLUENZA	7	6	1	43.7	59.5	16.8
ACCIDENTS	7	5	2	43.7	49.6	33.7
SUICIDE	3	2	1	18.7	19.8	16.8
HYPERTENSION	2	2	0	12.5	19.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	12.5	19.8	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	12.5	9.9	16.8
ATHEROSCLEROSIS	1	1	0	6.2	9.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	6.2	0.0	16.8
INFECTIONS OF KIDNEY	1	1	0	6.2	9.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.3	0.0	6.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.2	9.9	0.0
ALL OTHER	21	16	5	131.2	158.8	84.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	187	147	40	108	84	24	79	63	16
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	2	0	2	2	1	1
25-34	4	3	1	3	2	1	1	1	0
35-44	3	2	1	3	2	1	0	0	0
45-54	9	7	2	5	4	1	4	3	1
55-64	21	15	6	16	12	4	5	3	2
65-74	47	38	9	31	25	6	16	13	3
75-84	54	41	13	32	25	7	22	16	6
85 AND OVER	44	40	4	15	14	1	29	26	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	16,010
WHITE	10,076
NONWHITE	5,934

(HSWWDTCO)

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	584	499	85	6.6	6.6	6.3
HEART DISEASES	184	158	26	207.8	210.4	192.8
MALIGNANT NEOPLASMS	139	126	13	157.0	167.8	96.4
ACCIDENTS	34	26	8	38.4	34.6	59.3
CEREBROVASCULAR DISEASES	32	25	7	36.1	33.3	51.9
EMPHYSEMA AND OTHER COPD	27	21	6	30.5	28.0	44.5
HYPERTENSION	24	20	4	27.1	26.6	29.6
PNEUMONIA AND INFLUENZA	13	10	3	14.7	13.3	22.2
SUICIDE	13	13	0	14.7	17.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	6	2	9.0	8.0	14.8
CONDITIONS ORIG IN PERINATAL PERIOD	7	3	4	5.0	2.5	20.0
DIABETES MELLITUS	6	6	0	6.8	8.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	6.8	8.0	0.0
CONGENITAL ANOMALIES	4	3	1	4.5	4.0	7.4
HOMICIDE AND LEGAL INTERVENTION	3	1	2	3.4	1.3	14.8
ATHEROSCLEROSIS	2	2	0	2.2	2.7	0.0
HIV INFECTION	2	2	0	2.2	2.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	2.2	2.7	0.0
ALL OTHER	78	69	9	88.1	91.9	66.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	584	499	85	305	259	46	279	240	39
UNDER 1	16	10	6	10	5	5	6	5	1
(NEONATAL)	11	6	5	6	2	4	5	4	1
(POSTNEONATAL)	5	4	1	4	3	1	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	2	0	2	2	0	0	0	0
15-24	18	11	7	12	7	5	6	4	2
25-34	13	13	0	9	9	0	4	4	0
35-44	24	17	7	16	12	4	8	5	3
45-54	45	42	3	24	22	2	21	20	1
55-64	71	66	5	42	39	3	29	27	2
65-74	136	123	13	79	74	5	57	49	8
75-84	162	129	33	86	69	17	76	60	16
85 AND OVER	93	84	9	23	19	4	70	65	5
UNKNOWN	2	0	2	1	0	1	1	0	1

1995 POPULATION:

TOTAL	88,563
WHITE	75,074
NONWHITE	13,489

(HSWWDTCO)

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	718	519	199	9.9	10.6	8.5
HEART DISEASES	259	198	61	357.6	403.6	261.1
MALIGNANT NEOPLASMS	141	109	32	194.7	222.2	137.0
CEREBROVASCULAR DISEASES	34	23	11	46.9	46.9	47.1
ACCIDENTS	34	28	6	46.9	57.1	25.7
PNEUMONIA AND INFLUENZA	29	23	6	40.0	46.9	25.7
EMPHYSEMA AND OTHER COPD	28	24	4	38.7	48.9	17.1
DIABETES MELLITUS	20	9	11	27.6	18.3	47.1
SUICIDE	12	10	2	16.6	20.4	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	6	2	11.0	12.2	8.6
HOMICIDE AND LEGAL INTERVENTION	8	4	4	11.0	8.2	17.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	4	3	9.7	8.2	12.8
HIV INFECTION	6	0	6	8.3	0.0	25.7
HYPERTENSION	4	3	1	5.5	6.1	4.3
CONGENITAL ANOMALIES	3	0	3	4.1	0.0	12.8
TUBERCULOSIS	2	0	2	2.8	0.0	8.6
ATHEROSCLEROSIS	2	2	0	2.8	4.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	0.9	1.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	13	6	7	17.9	12.2	30.0
ALL OTHER	107	69	38	147.7	140.6	162.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	718	519	199	348	254	94	370	265	105
UNDER 1	6	3	3	2	1	1	4	2	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	5	3	2	2	1	1	3	2	1
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	2	1	1	1	0	1
15-24	16	11	5	14	10	4	2	1	1
25-34	23	8	15	13	5	8	10	3	7
35-44	18	10	8	15	8	7	3	2	1
45-54	57	35	22	31	20	11	26	15	11
55-64	82	59	23	51	42	9	31	17	14
65-74	157	125	32	90	72	18	67	53	14
75-84	184	139	45	88	70	18	96	69	27
85 AND OVER	168	128	40	39	25	14	129	103	26
UNKNOWN	1	0	1	1	0	1	0	0	0

1995 POPULATION:

TOTAL	72,427
WHITE	49,061
NONWHITE	23,366

(HSWWDTCO)

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	100	79	21	12.6	16.3	6.8
HEART DISEASES	41	31	10	515.6	639.7	322.0
MALIGNANT NEOPLASMS	25	20	5	314.4	412.7	161.0
CEREBROVASCULAR DISEASES	7	5	2	88.0	103.2	64.4
EMPHYSEMA AND OTHER COPD	4	4	0	50.3	82.5	0.0
DIABETES MELLITUS	3	2	1	37.7	41.3	32.2
PNEUMONIA AND INFLUENZA	3	3	0	37.7	61.9	0.0
ACCIDENTS	3	3	0	37.7	61.9	0.0
ATHEROSCLEROSIS	2	2	0	25.2	41.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	25.2	20.6	32.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	8.7	19.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	25.2	41.3	0.0
ALL OTHER	7	5	2	88.0	103.2	64.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100	79	21	53	40	13	47	39	8
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	2	2	0	1	1	0	1	1	0
45-54	4	1	3	2	1	1	2	0	2
55-64	11	7	4	8	5	3	3	2	1
65-74	31	24	7	18	13	5	13	11	2
75-84	27	23	4	12	9	3	15	14	1
85 AND OVER	21	19	2	10	9	1	11	10	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	7,952
WHITE	4,846
NONWHITE	3,106

(HSWWDTCO)

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	143	132	11	8.0	8.3	5.7
HEART DISEASES	53	51	2	296.4	319.4	104.4
MALIGNANT NEOPLASMS	25	21	4	139.8	131.5	208.9
CEREBROVASCULAR DISEASES	12	10	2	67.1	62.6	104.4
ACCIDENTS	10	10	0	55.9	62.6	0.0
SUICIDE	5	5	0	28.0	31.3	0.0
HOMICIDE AND LEGAL INTERVENTION	5	5	0	28.0	31.3	0.0
DIABETES MELLITUS	4	4	0	22.4	25.0	0.0
EMPHYSEMA AND OTHER COPD	4	4	0	22.4	25.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	16.8	18.8	0.0
HYPERTENSION	2	0	2	11.2	0.0	104.4
PNEUMONIA AND INFLUENZA	2	2	0	11.2	12.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.6	6.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.2	0.0	41.7
HIV INFECTION	1	1	0	5.6	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	15	0	83.9	93.9	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	143	132	11	74	70	4	69	62	7
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	1	1	0	2	2	0
15-24	1	1	0	0	0	0	1	1	0
25-34	4	4	0	2	2	0	2	2	0
35-44	7	7	0	4	4	0	3	3	0
45-54	19	17	2	10	10	0	9	7	2
55-64	14	13	1	11	10	1	3	3	0
65-74	28	26	2	16	15	1	12	11	1
75-84	41	38	3	20	20	0	21	18	3
85 AND OVER	25	23	2	10	8	2	15	15	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,884
WHITE	15,969
NONWHITE	1,915

(HSWWDTCO)

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	104	85	19	9.3	9.8	7.6
HEART DISEASES	36	28	8	321.4	321.2	322.1
MALIGNANT NEOPLASMS	26	22	4	232.1	252.4	161.0
ACCIDENTS	7	6	1	62.5	68.8	40.2
EMPHYSEMA AND OTHER COPD	5	5	0	44.6	57.4	0.0
DIABETES MELLITUS	4	2	2	35.7	22.9	80.5
CEREBROVASCULAR DISEASES	2	2	0	17.8	22.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	17.8	22.9	0.0
HYPERTENSION	1	1	0	8.9	11.5	0.0
ATHEROSCLEROSIS	1	1	0	8.9	11.5	0.0
PNEUMONIA AND INFLUENZA	1	1	0	8.9	11.5	0.0
INFECTIONS OF KIDNEY	1	1	0	8.9	11.5	0.0
CONGENITAL ANOMALIES	1	1	0	8.9	11.5	0.0
SUICIDE	1	1	0	8.9	11.5	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.9	0.0	40.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	12	3	133.9	137.7	120.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	104	85	19	65	54	11	39	31	8
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	3	1	4	3	1	0	0	0
35-44	4	4	0	4	4	0	0	0	0
45-54	6	4	2	5	4	1	1	0	1
55-64	16	14	2	11	9	2	5	5	0
65-74	22	20	2	13	12	1	9	8	1
75-84	25	19	6	15	12	3	10	7	3
85 AND OVER	25	19	6	11	8	3	14	11	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,201
WHITE	8,717
NONWHITE	2,484

(HSWWDTCO)

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	250	150	100	11.4	12.0	10.6
HEART DISEASES	79	49	30	360.0	392.2	317.5
MALIGNANT NEOPLASMS	52	31	21	237.0	248.1	222.2
CEREBROVASCULAR DISEASES	39	26	13	177.7	208.1	137.6
PNEUMONIA AND INFLUENZA	15	8	7	68.4	64.0	74.1
ACCIDENTS	13	7	6	59.2	56.0	63.5
EMPHYSEMA AND OTHER COPD	3	3	0	13.7	24.0	0.0
HYPERTENSION	2	1	1	9.1	8.0	10.6
HOMICIDE AND LEGAL INTERVENTION	2	0	2	9.1	0.0	21.2
TUBERCULOSIS	1	0	1	4.6	0.0	10.6
DIABETES MELLITUS	1	0	1	4.6	0.0	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.6	8.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	4.6	0.0	10.6
CONGENITAL ANOMALIES	1	1	0	4.6	8.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.1	0.0	6.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.6	8.0	0.0
ALL OTHER	38	22	16	173.2	176.1	169.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	250	150	100	127	73	54	123	77	46
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	5	1	4	3	0	3	2	1	1
35-44	13	4	9	6	3	3	7	1	6
45-54	19	6	13	12	5	7	7	1	6
55-64	25	15	10	14	10	4	11	5	6
65-74	45	28	17	30	20	10	15	8	7
75-84	67	49	18	32	21	11	35	28	7
85 AND OVER	71	47	24	26	14	12	45	33	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,942
WHITE	12,493
NONWHITE	9,449

(HSWWDTCO)

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	336	309	27	9.3	9.6	6.5
HEART DISEASES	129	119	10	356.5	371.4	241.4
MALIGNANT NEOPLASMS	83	79	4	229.4	246.6	96.6
ACCIDENTS	17	15	2	47.0	46.8	48.3
EMPHYSEMA AND OTHER COPD	16	16	0	44.2	49.9	0.0
CEREBROVASCULAR DISEASES	13	13	0	35.9	40.6	0.0
PNEUMONIA AND INFLUENZA	10	10	0	27.6	31.2	0.0
DIABETES MELLITUS	4	3	1	11.0	9.4	24.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	11.0	6.2	48.3
HIV INFECTION	4	4	0	11.0	12.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	6.3	6.9	0.0
SUICIDE	3	3	0	8.3	9.4	0.0
HYPERTENSION	2	2	0	5.5	6.2	0.0
CONGENITAL ANOMALIES	2	2	0	5.5	6.2	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	5.5	6.2	0.0
ATHEROSCLEROSIS	1	1	0	2.8	3.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.8	0.0	24.1
ALL OTHER	42	35	7	116.1	109.2	169.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	336	309	27	189	178	11	147	131	16
UNDER 1	7	6	1	3	3	0	4	3	1
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	4	3	1	1	1	0	3	2	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	14	11	3	10	8	2	4	3	1
35-44	14	14	0	10	10	0	4	4	0
45-54	25	22	3	15	13	2	10	9	1
55-64	46	44	2	31	29	2	15	15	0
65-74	92	86	6	59	58	1	33	28	5
75-84	85	79	6	42	40	2	43	39	4
85 AND OVER	49	43	6	16	14	2	33	29	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,182
WHITE	32,040
NONWHITE	4,142

(HSWWDTCO)

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,622	1,313	309	9.5	10.0	7.8
HEART DISEASES	648	525	123	379.2	400.7	308.7
MALIGNANT NEOPLASMS	368	308	60	215.4	235.1	150.6
CEREBROVASCULAR DISEASES	73	53	20	42.7	40.4	50.2
EMPHYSEMA AND OTHER COPD	67	62	5	39.2	47.3	12.6
ACCIDENTS	66	47	19	38.6	35.9	47.7
PNEUMONIA AND INFLUENZA	60	51	9	35.1	38.9	22.6
DIABETES MELLITUS	28	22	6	16.4	16.8	15.0
SUICIDE	23	21	2	13.5	16.0	5.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	18	2	11.7	13.7	5.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	18	12	6	10.5	9.2	15.0
HOMICIDE AND LEGAL INTERVENTION	17	13	4	10.0	9.9	10.0
HIV INFECTION	15	8	7	8.8	6.1	17.6
CONDITIONS ORIG IN PERINATAL PERIOD	11	6	5	4.0	3.2	6.0
CONGENITAL ANOMALIES	10	6	4	5.8	4.6	10.0
ATHEROSCLEROSIS	6	5	1	3.5	3.8	2.5
HYPERTENSION	2	0	2	1.2	0.0	5.0
TUBERCULOSIS	1	1	0	0.6	0.8	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	15	11	4	8.8	8.4	10.0
ALL OTHER	174	144	30	101.8	109.9	75.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,622	1,313	309	863	689	174	759	624	135
UNDER 1	24	12	12	12	6	6	12	6	6
(NEONATAL)	19	9	10	10	4	6	9	5	4
(POSTNEONATAL)	5	3	2	2	2	0	3	1	2
1-4	7	5	2	5	3	2	2	2	0
5-9	5	3	2	3	2	1	2	1	1
10-14	6	4	2	4	3	1	2	1	1
15-24	20	12	8	15	9	6	5	3	2
25-34	48	38	10	36	28	8	12	10	2
35-44	68	46	22	43	30	13	25	16	9
45-54	118	86	32	72	49	23	46	37	9
55-64	210	163	47	131	98	33	79	65	14
65-74	363	305	58	215	181	34	148	124	24
75-84	466	396	70	237	203	34	229	193	36
85 AND OVER	287	243	44	90	77	13	197	166	31
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	170,862
WHITE	131,020
NONWHITE	39,842

(HSWWDTCO)

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,449	1,231	1,218	9.7	10.6	8.9
HEART DISEASES	763	405	358	301.5	349.6	260.8
MALIGNANT NEOPLASMS	561	288	273	221.6	248.6	198.9
ACCIDENTS	129	56	73	51.0	48.3	53.2
CEREBROVASCULAR DISEASES	125	70	55	49.4	60.4	40.1
EMPHYSEMA AND OTHER COPD	90	69	21	35.6	59.6	15.3
HIV INFECTION	86	20	66	34.0	17.3	48.1
HOMICIDE AND LEGAL INTERVENTION	75	12	63	29.6	10.4	45.9
PNEUMONIA AND INFLUENZA	74	45	29	29.2	38.8	21.1
DIABETES MELLITUS	52	15	37	20.5	12.9	27.0
SUICIDE	37	31	6	14.6	26.8	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	30	20	10	11.8	17.3	7.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	24	5	19	9.5	4.3	13.8
CONDITIONS ORIG IN PERINATAL PERIOD	19	1	18	4.8	0.9	6.2
CONGENITAL ANOMALIES	17	4	13	6.7	3.4	9.5
HYPERTENSION	12	1	11	4.7	0.9	8.0
ATHEROSCLEROSIS	2	0	2	0.8	0.0	1.4
TUBERCULOSIS	1	0	1	0.4	0.0	0.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	10	11	8.3	8.6	8.0
ALL OTHER	331	179	152	130.8	154.5	110.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,449	1,231	1,218	1,284	607	677	1,165	624	541
UNDER 1	55	10	45	37	5	32	18	5	13
(NEONATAL)	36	5	31	27	2	25	9	3	6
(POSTNEONATAL)	19	5	14	10	3	7	9	2	7
1-4	9	0	9	6	0	6	3	0	3
5-9	8	0	8	6	0	6	2	0	2
10-14	5	1	4	3	0	3	2	1	1
15-24	77	18	59	59	13	46	18	5	13
25-34	102	24	78	71	18	53	31	6	25
35-44	146	42	104	93	29	64	53	13	40
45-54	194	73	121	132	50	82	62	23	39
55-64	246	109	137	139	63	76	107	46	61
65-74	467	268	199	266	162	104	201	106	95
75-84	620	378	242	312	181	131	308	197	111
85 AND OVER	520	308	212	160	86	74	360	222	138
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	253,096
WHITE	115,854
NONWHITE	137,242

(HSWWDTCO)

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	247	80	167	11.9	17.2	10.4
HEART DISEASES	78	26	52	375.5	558.6	322.6
MALIGNANT NEOPLASMS	50	13	37	240.7	279.3	229.6
CEREBROVASCULAR DISEASES	23	8	15	110.7	171.9	93.1
ACCIDENTS	21	7	14	101.1	150.4	86.9
PNEUMONIA AND INFLUENZA	13	8	5	62.6	171.9	31.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	1	6	33.7	21.5	37.2
EMPHYSEMA AND OTHER COPD	6	4	2	28.9	85.9	12.4
DIABETES MELLITUS	5	0	5	24.1	0.0	31.0
CONGENITAL ANOMALIES	4	2	2	19.2	43.0	12.4
HYPERTENSION	3	1	2	14.4	21.5	12.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.3	0.0	8.3
HIV INFECTION	3	0	3	14.4	0.0	18.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.6	21.5	6.2
HOMICIDE AND LEGAL INTERVENTION	2	0	2	9.6	0.0	12.4
SUICIDE	1	0	1	4.8	0.0	6.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.6	0.0	12.4
ALL OTHER	24	9	15	115.5	193.4	93.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	247	80	167	111	33	78	136	47	89
UNDER 1	7	0	7	5	0	5	2	0	2
(NEONATAL)	5	0	5	3	0	3	2	0	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	0	8	6	0	6	2	0	2
25-34	8	1	7	3	0	3	5	1	4
35-44	5	3	2	3	3	0	2	0	2
45-54	22	5	17	11	2	9	11	3	8
55-64	32	10	22	23	8	15	9	2	7
65-74	46	12	34	20	6	14	26	6	20
75-84	60	22	38	26	9	17	34	13	21
85 AND OVER	58	27	31	14	5	9	44	22	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	20,771
WHITE	4,654
NONWHITE	16,117

(HSWWDTCO)

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	128	46	82	11.2	13.2	10.3
HEART DISEASES	49	17	32	427.8	489.2	401.1
MALIGNANT NEOPLASMS	32	13	19	279.4	374.1	238.2
ACCIDENTS	8	3	5	69.8	86.3	62.7
CEREBROVASCULAR DISEASES	6	3	3	52.4	86.3	37.6
PNEUMONIA AND INFLUENZA	5	3	2	43.6	86.3	25.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	0	3	26.2	0.0	37.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	10.3	0.0	13.0
ATHEROSCLEROSIS	1	0	1	8.7	0.0	12.5
EMPHYSEMA AND OTHER COPD	1	0	1	8.7	0.0	12.5
SUICIDE	1	1	0	8.7	28.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	17.5	28.8	12.5
ALL OTHER	18	5	13	157.2	143.9	162.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	128	46	82	66	25	41	62	21	41
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	1	0	1	1	0	1
25-34	2	2	0	2	2	0	0	0	0
35-44	8	1	7	6	1	5	2	0	2
45-54	6	0	6	5	0	5	1	0	1
55-64	23	14	9	14	9	5	9	5	4
65-74	21	8	13	10	5	5	11	3	8
75-84	30	12	18	15	6	9	15	6	9
85 AND OVER	32	9	23	12	2	10	20	7	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,453
WHITE	3,475
NONWHITE	7,978

(HSWWDTCO)

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	15	5	10	8.3	6.5	9.7
MALIGNANT NEOPLASMS	3	1	2	166.2	129.7	193.4
EMPHYSEMA AND OTHER COPD	2	0	2	110.8	0.0	193.4
HEART DISEASES	1	1	0	55.4	129.7	0.0
CEREBROVASCULAR DISEASES	1	0	1	55.4	0.0	96.7
PNEUMONIA AND INFLUENZA	1	0	1	55.4	0.0	96.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	66.7	0.0	90.9
ACCIDENTS	1	0	1	55.4	0.0	96.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	5	3	2	277.0	389.1	193.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	15	5	10	9	2	7	6	3	3
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	3	1	2	2	1	1	1	0	1
75-84	5	2	3	2	0	2	3	2	1
85 AND OVER	4	1	3	4	1	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	1,805
WHITE	771
NONWHITE	1,034

(HSWWDTCO)

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	245	232	13	12.4	12.6	9.4
HEART DISEASES	90	85	5	454.6	461.6	361.8
MALIGNANT NEOPLASMS	53	48	5	267.7	260.6	361.8
CEREBROVASCULAR DISEASES	19	19	0	96.0	103.2	0.0
ACCIDENTS	12	12	0	60.6	65.2	0.0
PNEUMONIA AND INFLUENZA	11	11	0	55.6	59.7	0.0
DIABETES MELLITUS	8	8	0	40.4	43.4	0.0
EMPHYSEMA AND OTHER COPD	8	8	0	40.4	43.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	15.2	16.3	0.0
SUICIDE	3	3	0	15.2	16.3	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	10.1	10.9	0.0
HYPERTENSION	1	1	0	5.0	5.4	0.0
ATHEROSCLEROSIS	1	1	0	5.0	5.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.0	5.4	0.0
CONGENITAL ANOMALIES	1	1	0	5.0	5.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.0	4.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.2	21.7	0.0
ALL OTHER	27	24	3	136.4	130.3	217.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	245	232	13	128	119	9	117	113	4
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	6	6	0	4	4	0	2	2	0
25-34	2	2	0	1	1	0	1	1	0
35-44	5	5	0	3	3	0	2	2	0
45-54	12	11	1	7	7	0	5	4	1
55-64	26	24	2	16	15	1	10	9	1
65-74	56	55	1	35	34	1	21	21	0
75-84	73	66	7	36	31	5	37	35	2
85 AND OVER	59	57	2	22	20	2	37	37	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 19,797
 WHITE 18,415
 NONWHITE 1,382

(HSWWDTCO)

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	924	757	167	6.9	7.3	5.6
HEART DISEASES	249	210	39	187.0	203.6	130.0
MALIGNANT NEOPLASMS	235	202	33	176.5	195.8	110.0
CEREBROVASCULAR DISEASES	72	55	17	54.1	53.3	56.7
ACCIDENTS	53	42	11	39.8	40.7	36.7
EMPHYSEMA AND OTHER COPD	33	26	7	24.8	25.2	23.3
PNEUMONIA AND INFLUENZA	28	26	2	21.0	25.2	6.7
DIABETES MELLITUS	26	18	8	19.5	17.4	26.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	15	3	13.5	14.5	10.0
CONDITIONS ORIG IN PERINATAL PERIOD	14	6	8	8.1	4.9	16.1
HOMICIDE AND LEGAL INTERVENTION	14	8	6	10.5	7.8	20.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	11	2	9.8	10.7	6.7
SUICIDE	12	11	1	9.0	10.7	3.3
CONGENITAL ANOMALIES	10	5	5	7.5	4.8	16.7
HIV INFECTION	10	6	4	7.5	5.8	13.3
HYPERTENSION	5	4	1	3.8	3.9	3.3
ATHEROSCLEROSIS	3	3	0	2.2	2.9	0.0
INFECTIONS OF KIDNEY	3	3	0	2.2	2.9	0.0
MATERNAL CAUSES	1	0	1	58.0	0.0	201.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	5.2	3.9	10.0
ALL OTHER	118	102	16	88.6	98.9	53.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	924	757	167	502	419	83	422	338	84
UNDER 1	21	11	10	11	5	6	10	6	4
(NEONATAL)	17	8	9	9	3	6	8	5	3
(POSTNEONATAL)	4	3	1	2	2	0	2	1	1
1-4	2	2	0	1	1	0	1	1	0
5-9	4	1	3	2	1	1	2	0	2
10-14	2	1	1	1	1	0	1	0	1
15-24	18	14	4	12	8	4	6	6	0
25-34	24	14	10	11	8	3	13	6	7
35-44	35	26	9	23	17	6	12	9	3
45-54	69	54	15	46	36	10	23	18	5
55-64	135	104	31	88	73	15	47	31	16
65-74	230	201	29	143	128	15	87	73	14
75-84	228	195	33	113	98	15	115	97	18
85 AND OVER	155	133	22	50	42	8	105	91	14
UNKNOWN	1	1	0	1	1	0	0	0	0

1995 POPULATION:

TOTAL 133,134
 WHITE 103,144
 NONWHITE 29,990

(HSWWDTCO)

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	176	94	82	10.2	11.5	9.0
HEART DISEASES	55	26	29	319.1	318.4	319.8
MALIGNANT NEOPLASMS	40	21	19	232.1	257.1	209.5
CEREBROVASCULAR DISEASES	14	7	7	81.2	85.7	77.2
ACCIDENTS	14	5	9	81.2	61.2	99.2
PNEUMONIA AND INFLUENZA	5	2	3	29.0	24.5	33.1
SUICIDE	5	5	0	29.0	61.2	0.0
DIABETES MELLITUS	3	2	1	17.4	24.5	11.0
EMPHYSEMA AND OTHER COPD	3	2	1	17.4	24.5	11.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	17.4	24.5	11.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	11.6	12.2	11.0
ATHEROSCLEROSIS	1	1	0	5.8	12.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.4	9.9	0.0
HIV INFECTION	1	1	0	5.8	12.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.8	12.2	0.0
ALL OTHER	28	17	11	162.5	208.2	121.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	176	94	82	99	54	45	77	40	37
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	2	1	1	2	0	2
25-34	5	3	2	2	1	1	3	2	1
35-44	7	2	5	5	1	4	2	1	1
45-54	18	7	11	11	6	5	7	1	6
55-64	27	15	12	17	11	6	10	4	6
65-74	33	20	13	16	7	9	17	13	4
75-84	45	29	16	26	18	8	19	11	8
85 AND OVER	34	15	19	18	8	10	16	7	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,235
WHITE	8,167
NONWHITE	9,068

(HSWWDTCO)

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	93	10	83	11.2	9.5	11.4
HEART DISEASES	31	6	25	373.7	572.0	345.0
MALIGNANT NEOPLASMS	21	2	19	253.2	190.6	262.2
ACCIDENTS	7	0	7	84.4	0.0	96.6
CEREBROVASCULAR DISEASES	6	1	5	72.3	95.3	69.0
EMPHYSEMA AND OTHER COPD	4	1	3	48.2	95.3	41.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	21.4	0.0	23.2
DIABETES MELLITUS	2	0	2	24.1	0.0	27.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	24.1	0.0	27.6
CONGENITAL ANOMALIES	2	0	2	24.1	0.0	27.6
SUICIDE	2	0	2	24.1	0.0	27.6
PNEUMONIA AND INFLUENZA	1	0	1	12.0	0.0	13.8
HOMICIDE AND LEGAL INTERVENTION	1	0	1	12.0	0.0	13.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	24.1	0.0	27.6
ALL OTHER	9	0	9	108.5	0.0	124.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	93	10	83	46	5	41	47	5	42
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	0	6	5	0	5	1	0	1
35-44	7	1	6	6	1	5	1	0	1
45-54	5	0	5	2	0	2	3	0	3
55-64	10	0	10	6	0	6	4	0	4
65-74	22	2	20	10	1	9	12	1	11
75-84	20	4	16	9	3	6	11	1	10
85 AND OVER	17	3	14	5	0	5	12	3	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,295
WHITE	1,049
NONWHITE	7,246

(HSWWDTCO)

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	159	78	81	11.8	13.8	10.3
HEART DISEASES	64	30	34	473.1	529.4	432.6
MALIGNANT NEOPLASMS	37	19	18	273.5	335.3	229.0
CEREBROVASCULAR DISEASES	11	7	4	81.3	123.5	50.9
ACCIDENTS	8	3	5	59.1	52.9	63.6
SUICIDE	6	5	1	44.4	88.2	12.7
EMPHYSEMA AND OTHER COPD	4	2	2	29.6	35.3	25.4
PNEUMONIA AND INFLUENZA	3	1	2	22.2	17.6	25.4
HOMICIDE AND LEGAL INTERVENTION	3	0	3	22.2	0.0	38.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	14.8	17.6	12.7
DIABETES MELLITUS	1	0	1	7.4	0.0	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.4	17.6	0.0
INFECTIONS OF KIDNEY	1	0	1	7.4	0.0	12.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	14.8	17.6	12.7
ALL OTHER	16	8	8	118.3	141.2	101.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	159	78	81	94	43	51	65	35	30
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	5	3	2	5	3	2	0	0	0
35-44	9	4	5	5	2	3	4	2	2
45-54	16	4	12	11	4	7	5	0	5
55-64	27	16	11	18	11	7	9	5	4
65-74	27	10	17	16	5	11	11	5	6
75-84	35	22	13	21	13	8	14	9	5
85 AND OVER	33	18	15	13	5	8	20	13	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	13,527
WHITE	5,667
NONWHITE	7,860

(HSWWDTCO)

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	682	491	191	11.0	10.7	11.6
HEART DISEASES	238	173	65	382.3	378.0	394.5
MALIGNANT NEOPLASMS	146	110	36	234.5	240.3	218.5
PNEUMONIA AND INFLUENZA	40	31	9	64.2	67.7	54.6
ACCIDENTS	39	28	11	62.6	61.2	66.8
CEREBROVASCULAR DISEASES	33	29	4	53.0	63.4	24.3
EMPHYSEMA AND OTHER COPD	28	23	5	45.0	50.2	30.3
HOMICIDE AND LEGAL INTERVENTION	12	6	6	19.3	13.1	36.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	4	5	14.4	8.7	30.3
DIABETES MELLITUS	8	2	6	12.8	4.4	36.4
SUICIDE	7	5	2	11.2	10.9	12.1
HIV INFECTION	6	1	5	9.6	2.2	30.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	8.0	6.6	12.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	4.7	1.9	9.4
CONGENITAL ANOMALIES	2	0	2	3.2	0.0	12.1
TUBERCULOSIS	1	0	1	1.6	0.0	6.1
HYPERTENSION	1	1	0	1.6	2.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	9.6	4.4	24.3
ALL OTHER	97	72	25	155.8	157.3	151.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	682	491	191	341	242	99	341	249	92
UNDER 1	11	4	7	6	1	5	5	3	2
(NEONATAL)	6	1	5	4	0	4	2	1	1
(POSTNEONATAL)	5	3	2	2	1	1	3	2	1
1-4	3	2	1	2	1	1	1	1	0
5-9	3	2	1	3	2	1	0	0	0
10-14	5	3	2	5	3	2	0	0	0
15-24	20	9	11	10	3	7	10	6	4
25-34	18	9	9	11	4	7	7	5	2
35-44	24	9	15	15	7	8	9	2	7
45-54	45	29	16	25	18	7	20	11	9
55-64	86	68	18	52	39	13	34	29	5
65-74	129	96	33	74	58	16	55	38	17
75-84	184	144	40	89	70	19	95	74	21
85 AND OVER	154	116	38	49	36	13	105	80	25
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	62,251
WHITE	45,773
NONWHITE	16,478

(HSWWDTCO)

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	109	61	48	10.3	14.2	7.6
HEART DISEASES	44	25	19	416.9	583.6	303.0
MALIGNANT NEOPLASMS	17	8	9	161.1	186.7	143.5
CEREBROVASCULAR DISEASES	9	4	5	85.3	93.4	79.7
ACCIDENTS	8	4	4	75.8	93.4	63.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	28.4	46.7	15.9
ATHEROSCLEROSIS	2	1	1	19.0	23.3	15.9
PNEUMONIA AND INFLUENZA	2	2	0	19.0	46.7	0.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	19.0	0.0	31.9
DIABETES MELLITUS	1	0	1	9.5	0.0	15.9
HYPERTENSION	1	0	1	9.5	0.0	15.9
EMPHYSEMA AND OTHER COPD	1	1	0	9.5	23.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.5	23.3	0.0
CONGENITAL ANOMALIES	1	0	1	9.5	0.0	15.9
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.4	0.0	11.0
HIV INFECTION	1	0	1	9.5	0.0	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.5	0.0	15.9
ALL OTHER	14	13	1	132.6	303.4	15.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	109	61	48	65	36	29	44	25	19
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	1	3	1	1	0
25-34	4	0	4	3	0	3	1	0	1
35-44	4	2	2	3	1	2	1	1	0
45-54	11	4	7	10	4	6	1	0	1
55-64	9	6	3	8	5	3	1	1	0
65-74	19	12	7	12	9	3	7	3	4
75-84	31	22	9	17	13	4	14	9	5
85 AND OVER	24	13	11	8	3	5	16	10	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	10,554
WHITE	4,284
NONWHITE	6,270

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	255	192	63	7.4	7.7	6.6
HEART DISEASES	77	60	17	223.9	240.7	179.7
MALIGNANT NEOPLASMS	61	48	13	177.4	192.6	137.4
CEREBROVASCULAR DISEASES	24	16	8	69.8	64.2	84.6
ACCIDENTS	14	9	5	40.7	36.1	52.8
EMPHYSEMA AND OTHER COPD	10	9	1	29.1	36.1	10.6
PNEUMONIA AND INFLUENZA	5	4	1	14.5	16.0	10.6
SUICIDE	5	5	0	14.5	20.0	0.0
DIABETES MELLITUS	3	3	0	8.7	12.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	7.9	4.3	13.5
CONGENITAL ANOMALIES	2	1	1	5.8	4.0	10.6
HIV INFECTION	2	1	1	5.8	4.0	10.6
HYPERTENSION	1	1	0	2.9	4.0	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	2.9	0.0	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	17.4	16.0	21.1
ALL OTHER	41	30	11	119.2	120.4	116.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	255	192	63	142	107	35	113	85	28
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	1	1	0	0	0	0	1	1	0
15-24	7	2	5	6	2	4	1	0	1
25-34	4	1	3	3	1	2	1	0	1
35-44	10	7	3	6	5	1	4	2	2
45-54	20	13	7	12	7	5	8	6	2
55-64	22	15	7	11	8	3	11	7	4
65-74	52	40	12	29	23	6	23	17	6
75-84	71	54	17	44	33	11	27	21	6
85 AND OVER	62	58	4	28	27	1	34	31	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	34,388
WHITE	24,927
NONWHITE	9,461

(HSWWDTCO)

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	242	220	22	7.7	8.0	5.4
HEART DISEASES	86	78	8	273.4	285.0	195.8
MALIGNANT NEOPLASMS	55	51	4	174.8	186.3	97.9
ACCIDENTS	15	15	0	47.7	54.8	0.0
EMPHYSEMA AND OTHER COPD	13	13	0	41.3	47.5	0.0
CEREBROVASCULAR DISEASES	10	8	2	31.8	29.2	49.0
PNEUMONIA AND INFLUENZA	7	5	2	22.2	18.3	49.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	15.9	14.6	24.5
SUICIDE	4	3	1	12.7	11.0	24.5
HOMICIDE AND LEGAL INTERVENTION	4	3	1	12.7	11.0	24.5
DIABETES MELLITUS	2	2	0	6.4	7.3	0.0
ATHEROSCLEROSIS	2	2	0	6.4	7.3	0.0
CONGENITAL ANOMALIES	2	2	0	6.4	7.3	0.0
HYPERTENSION	1	1	0	3.2	3.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	3.2	0.0	24.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	6.4	7.3	0.0
ALL OTHER	33	31	2	104.9	113.2	49.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	242	220	22	128	116	12	114	104	10
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	8	7	1	7	6	1	1	1	0
25-34	6	4	2	4	3	1	2	1	1
35-44	13	12	1	12	11	1	1	1	0
45-54	13	11	2	10	9	1	3	2	1
55-64	28	26	2	19	18	1	9	8	1
65-74	54	50	4	28	25	3	26	25	1
75-84	59	54	5	25	24	1	34	30	4
85 AND OVER	57	52	5	20	17	3	37	35	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,458
WHITE	27,373
NONWHITE	4,085

(HSWWDTCO)

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	802	548	254	10.5	11.3	9.0
HEART DISEASES	308	225	83	402.7	465.5	295.0
MALIGNANT NEOPLASMS	153	103	50	200.1	213.1	177.7
ACCIDENTS	47	30	17	61.4	62.1	60.4
CEREBROVASCULAR DISEASES	40	27	13	52.3	55.8	46.2
PNEUMONIA AND INFLUENZA	39	30	9	51.0	62.1	32.0
EMPHYSEMA AND OTHER COPD	35	29	6	45.8	60.0	21.3
HIV INFECTION	11	4	7	14.4	8.3	24.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	4	5	11.8	8.3	17.8
SUICIDE	9	9	0	11.8	18.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	8	2	6	7.0	3.5	10.5
HOMICIDE AND LEGAL INTERVENTION	8	4	4	10.5	8.3	14.2
DIABETES MELLITUS	6	1	5	7.8	2.1	17.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	7.8	8.3	7.1
CONGENITAL ANOMALIES	4	4	0	5.2	8.3	0.0
HYPERTENSION	3	1	2	3.9	2.1	7.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	5.2	2.1	10.7
ALL OTHER	112	70	42	146.4	144.8	149.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	802	548	254	389	266	123	413	282	131
UNDER 1	16	6	10	9	5	4	7	1	6
(NEONATAL)	11	4	7	6	3	3	5	1	4
(POSTNEONATAL)	5	2	3	3	2	1	2	0	2
1-4	4	0	4	3	0	3	1	0	1
5-9	2	1	1	2	1	1	0	0	0
10-14	3	2	1	1	1	0	2	1	1
15-24	9	2	7	7	2	5	2	0	2
25-34	20	10	10	13	7	6	7	3	4
35-44	32	21	11	24	17	7	8	4	4
45-54	45	28	17	24	18	6	21	10	11
55-64	92	58	34	60	43	17	32	15	17
65-74	143	106	37	69	52	17	74	54	20
75-84	222	157	65	113	79	34	109	78	31
85 AND OVER	214	157	57	64	41	23	150	116	34
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	76,475
WHITE	48,338
NONWHITE	28,137

(HSWWDTCO)

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	145	103	42	11.9	13.0	10.0
HEART DISEASES	49	38	11	403.5	478.8	261.5
MALIGNANT NEOPLASMS	24	20	4	197.6	252.0	95.1
CEREBROVASCULAR DISEASES	18	12	6	148.2	151.2	142.6
ACCIDENTS	10	6	4	82.4	75.6	95.1
PNEUMONIA AND INFLUENZA	8	6	2	65.9	75.6	47.5
EMPHYSEMA AND OTHER COPD	7	5	2	57.6	63.0	47.5
DIABETES MELLITUS	5	1	4	41.2	12.6	95.1
ATHEROSCLEROSIS	2	2	0	16.5	25.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	10.5	8.3	14.3
HOMICIDE AND LEGAL INTERVENTION	2	0	2	16.5	0.0	47.5
CONGENITAL ANOMALIES	1	0	1	8.2	0.0	23.8
SUICIDE	1	1	0	8.2	12.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.5	25.2	0.0
ALL OTHER	14	9	5	115.3	113.4	118.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	145	103	42	82	63	19	63	40	23
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	4	1	3	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	3	3	0	2	2	0	1	1	0
35-44	7	4	3	4	3	1	3	1	2
45-54	9	8	1	8	7	1	1	1	0
55-64	23	16	7	15	11	4	8	5	3
65-74	32	25	7	18	16	2	14	9	5
75-84	32	21	11	14	9	5	18	12	6
85 AND OVER	30	23	7	15	13	2	15	10	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,143
WHITE	7,936
NONWHITE	4,207

(HSWWDTCO)

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	228	156	72	12.3	14.3	9.4
HEART DISEASES	90	64	26	484.4	586.8	338.9
MALIGNANT NEOPLASMS	50	32	18	269.1	293.4	234.6
ACCIDENTS	17	11	6	91.5	100.8	78.2
CEREBROVASCULAR DISEASES	16	11	5	86.1	100.8	65.2
EMPHYSEMA AND OTHER COPD	7	6	1	37.7	55.0	13.0
PNEUMONIA AND INFLUENZA	5	5	0	26.9	45.8	0.0
DIABETES MELLITUS	4	2	2	21.5	18.3	26.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	21.5	9.2	39.1
HYPERTENSION	3	1	2	16.1	9.2	26.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	16.1	18.3	13.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	16.1	9.2	26.1
TUBERCULOSIS	1	0	1	5.4	0.0	13.0
HIV INFECTION	1	0	1	5.4	0.0	13.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.4	9.2	0.0
ALL OTHER	23	19	4	123.8	174.2	52.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	228	156	72	129	91	38	99	65	34
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	6	5	1	4	3	1	2	2	0
25-34	5	0	5	4	0	4	1	0	1
35-44	12	3	9	5	3	2	7	0	7
45-54	16	9	7	11	7	4	5	2	3
55-64	31	18	13	20	13	7	11	5	6
65-74	42	31	11	30	25	5	12	6	6
75-84	70	51	19	40	28	12	30	23	7
85 AND OVER	43	37	6	13	10	3	30	27	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,578
WHITE	10,907
NONWHITE	7,671

(HSWWDTCO)

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	686	536	150	9.3	9.4	9.0
HEART DISEASES	274	223	51	371.6	390.4	306.9
MALIGNANT NEOPLASMS	144	107	37	195.3	187.3	222.6
CEREBROVASCULAR DISEASES	46	38	8	62.4	66.5	48.1
ACCIDENTS	37	24	13	50.2	42.0	78.2
PNEUMONIA AND INFLUENZA	23	18	5	31.2	31.5	30.1
EMPHYSEMA AND OTHER COPD	19	19	0	25.8	33.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	11	6	5	9.8	7.7	14.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	7	3	13.6	12.2	18.0
SUICIDE	10	7	3	13.6	12.2	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	8	0	10.8	14.0	0.0
HOMICIDE AND LEGAL INTERVENTION	7	3	4	9.5	5.2	24.1
DIABETES MELLITUS	6	2	4	8.1	3.5	24.1
HYPERTENSION	3	3	0	4.1	5.2	0.0
HIV INFECTION	3	3	0	4.1	5.2	0.0
TUBERCULOSIS	2	1	1	2.7	1.8	6.0
ATHEROSCLEROSIS	2	2	0	2.7	3.5	0.0
INFECTIONS OF KIDNEY	2	1	1	2.7	1.8	6.0
CONGENITAL ANOMALIES	2	1	1	2.7	1.8	6.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	6.8	7.0	6.0
ALL OTHER	72	59	13	97.6	103.3	78.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	686	536	150	345	258	87	341	278	63
UNDER 1	15	8	7	7	2	5	8	6	2
(NEONATAL)	13	7	6	5	1	4	8	6	2
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	16	10	6	14	8	6	2	2	0
25-34	19	11	8	11	8	3	8	3	5
35-44	35	21	14	28	16	12	7	5	2
45-54	48	36	12	27	21	6	21	15	6
55-64	75	54	21	38	29	9	37	25	12
65-74	136	106	30	83	66	17	53	40	13
75-84	193	161	32	85	66	19	108	95	13
85 AND OVER	147	129	18	50	42	8	97	87	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	73,739
WHITE	57,121
NONWHITE	16,618

(HSWWDTCO)

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	424	189	235	11.5	14.0	10.0
HEART DISEASES	178	93	85	481.5	690.4	361.7
MALIGNANT NEOPLASMS	84	40	44	227.2	297.0	187.2
CEREBROVASCULAR DISEASES	22	7	15	59.5	52.0	63.8
ACCIDENTS	17	6	11	46.0	44.5	46.8
EMPHYSEMA AND OTHER COPD	14	8	6	37.9	59.4	25.5
HOMICIDE AND LEGAL INTERVENTION	13	1	12	35.2	7.4	51.1
DIABETES MELLITUS	11	5	6	29.8	37.1	25.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	4	5	24.3	29.7	21.3
PNEUMONIA AND INFLUENZA	8	1	7	21.6	7.4	29.8
CONDITIONS ORIG IN PERINATAL PERIOD	6	1	5	8.7	7.3	9.0
SUICIDE	5	5	0	13.5	37.1	0.0
CONGENITAL ANOMALIES	3	0	3	8.1	0.0	12.8
HYPERTENSION	2	1	1	5.4	7.4	4.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	5.4	14.8	0.0
HIV INFECTION	2	0	2	5.4	0.0	8.5
TUBERCULOSIS	1	0	1	2.7	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	8.1	14.8	4.2
ALL OTHER	44	13	31	119.0	96.5	131.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	424	189	235	209	84	125	215	105	110
UNDER 1	11	1	10	5	1	4	6	0	6
(NEONATAL)	8	1	7	4	1	3	4	0	4
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	16	0	16	13	0	13	3	0	3
25-34	12	3	9	9	2	7	3	1	2
35-44	18	1	17	9	0	9	9	1	8
45-54	29	9	20	23	7	16	6	2	4
55-64	34	12	22	20	9	11	14	3	11
65-74	88	41	47	54	26	28	34	15	19
75-84	101	57	44	47	27	20	54	30	24
85 AND OVER	112	64	48	28	11	17	84	53	31
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,970
WHITE	13,470
NONWHITE	23,500

(HSWWDTCO)

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	363	268	95	11.4	12.2	9.6
HEART DISEASES	128	96	32	401.1	435.6	324.2
MALIGNANT NEOPLASMS	77	58	19	241.3	263.1	192.5
CEREBROVASCULAR DISEASES	27	17	10	84.6	77.1	101.3
PNEUMONIA AND INFLUENZA	16	12	4	50.1	54.4	40.5
ACCIDENTS	13	11	2	40.7	49.9	20.3
DIABETES MELLITUS	12	5	7	37.6	22.7	70.9
EMPHYSEMA AND OTHER COPD	11	11	0	34.5	49.9	0.0
HYPERTENSION	6	3	3	18.8	13.6	30.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	12.5	18.1	0.0
SUICIDE	4	2	2	12.5	9.1	20.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	9.4	9.1	10.1
CONGENITAL ANOMALIES	2	1	1	6.3	4.5	10.1
TUBERCULOSIS	1	1	0	3.1	4.5	0.0
ATHEROSCLEROSIS	1	1	0	3.1	4.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	0.0	6.4
HOMICIDE AND LEGAL INTERVENTION	1	0	1	3.1	0.0	10.1
HIV INFECTION	1	1	0	3.1	4.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.1	4.5	0.0
ALL OTHER	54	42	12	169.2	190.6	121.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	363	268	95	190	143	47	173	125	48
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	7	5	2	1	1	0
25-34	4	3	1	3	3	0	1	0	1
35-44	17	10	7	13	8	5	4	2	2
45-54	21	9	12	13	6	7	8	3	5
55-64	33	23	10	20	12	8	13	11	2
65-74	73	57	16	49	40	9	24	17	7
75-84	101	80	21	49	39	10	52	41	11
85 AND OVER	102	78	24	35	29	6	67	49	18
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,911
WHITE	22,041
NONWHITE	9,870

(HSWWDTCO)

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	491	306	185	8.0	8.1	7.7
HEART DISEASES	139	89	50	226.1	236.8	209.3
MALIGNANT NEOPLASMS	120	80	40	195.2	212.8	167.4
CEREBROVASCULAR DISEASES	33	22	11	53.7	58.5	46.0
EMPHYSEMA AND OTHER COPD	23	18	5	37.4	47.9	20.9
ACCIDENTS	19	13	6	30.9	34.6	25.1
PNEUMONIA AND INFLUENZA	12	8	4	19.5	21.3	16.7
CONDITIONS ORIG IN PERINATAL PERIOD	9	2	7	8.7	4.2	12.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	9.8	8.0	12.6
SUICIDE	6	6	0	9.8	16.0	0.0
HOMICIDE AND LEGAL INTERVENTION	6	3	3	9.8	8.0	12.6
CONGENITAL ANOMALIES	5	4	1	8.1	10.6	4.2
DIABETES MELLITUS	4	2	2	6.5	5.3	8.4
TUBERCULOSIS	2	1	1	3.2	2.7	4.2
ATHEROSCLEROSIS	2	1	1	3.2	2.7	4.2
HIV INFECTION	2	0	2	3.2	0.0	8.4
HYPERTENSION	1	0	1	1.6	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	49	29	20	79.7	77.1	83.7
ALL OTHER	53	25	28	86.2	66.5	117.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	491	306	185	255	154	101	236	152	84
UNDER 1	16	6	10	11	4	7	5	2	3
(NEONATAL)	12	3	9	9	3	6	3	0	3
(POSTNEONATAL)	4	3	1	2	1	1	2	2	0
1-4	3	2	1	3	2	1	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	7	5	2	1	0	1
25-34	14	6	8	7	2	5	7	4	3
35-44	19	8	11	13	6	7	6	2	4
45-54	37	23	14	24	15	9	13	8	5
55-64	62	40	22	44	31	13	18	9	9
65-74	94	50	44	52	29	23	42	21	21
75-84	132	91	41	62	41	21	70	50	20
85 AND OVER	103	74	29	31	19	12	72	55	17
UNKNOWN	1	0	1	1	0	1	0	0	0

1995 POPULATION:

TOTAL	61,480
WHITE	37,591
NONWHITE	23,889

(HSWWDTCO)

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	519	283	236	7.6	7.1	8.3
HEART DISEASES	158	86	72	231.8	215.6	254.6
MALIGNANT NEOPLASMS	99	54	45	145.2	135.3	159.1
CEREBROVASCULAR DISEASES	31	21	10	45.5	52.6	35.4
ACCIDENTS	31	15	16	45.5	37.6	56.6
PNEUMONIA AND INFLUENZA	26	17	9	38.1	42.6	31.8
EMPHYSEMA AND OTHER COPD	21	13	8	30.8	32.6	28.3
DIABETES MELLITUS	12	7	5	17.6	17.5	17.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	4	5	13.2	10.0	17.7
HOMICIDE AND LEGAL INTERVENTION	9	1	8	13.2	2.5	28.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	10.3	15.0	3.5
SUICIDE	7	5	2	10.3	12.5	7.1
HYPERTENSION	6	1	5	8.8	2.5	17.7
HIV INFECTION	5	1	4	7.3	2.5	14.1
CONGENITAL ANOMALIES	3	1	2	4.4	2.5	7.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	1.7	0.0	3.6
ATHEROSCLEROSIS	1	1	0	1.5	2.5	0.0
INFECTIONS OF KIDNEY	1	1	0	1.5	2.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	5.9	5.0	7.1
ALL OTHER	87	47	40	127.6	117.8	141.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	519	283	236	260	133	127	259	150	109
UNDER 1	6	1	5	4	1	3	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	4	1	3	3	1	2	1	0	1
1-4	3	1	2	3	1	2	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	13	5	8	12	4	8	1	1	0
25-34	12	2	10	11	2	9	1	0	1
35-44	35	14	21	21	12	9	14	2	12
45-54	39	22	17	24	11	13	15	11	4
55-64	51	23	28	31	16	15	20	7	13
65-74	95	50	45	48	28	20	47	22	25
75-84	120	69	51	58	31	27	62	38	24
85 AND OVER	143	96	47	46	27	19	97	69	28
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	68,174
WHITE	39,897
NONWHITE	28,277

(HSWWDTCO)

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	297	218	79	11.9	12.8	10.0
HEART DISEASES	103	79	24	413.0	464.1	303.2
MALIGNANT NEOPLASMS	58	39	19	232.6	229.1	240.0
CEREBROVASCULAR DISEASES	36	26	10	144.4	152.7	126.3
ACCIDENTS	18	11	7	72.2	64.6	88.4
EMPHYSEMA AND OTHER COPD	14	13	1	56.1	76.4	12.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	5	4	36.1	29.4	50.5
DIABETES MELLITUS	8	5	3	32.1	29.4	37.9
ATHEROSCLEROSIS	5	5	0	20.0	29.4	0.0
PNEUMONIA AND INFLUENZA	4	2	2	16.0	11.7	25.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.0	17.6	0.0
SUICIDE	3	3	0	12.0	17.6	0.0
HOMICIDE AND LEGAL INTERVENTION	3	2	1	12.0	11.7	12.6
TUBERCULOSIS	2	1	1	8.0	5.9	12.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	5.4	4.7	6.4
HYPERTENSION	1	1	0	4.0	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	8.0	11.7	0.0
ALL OTHER	26	20	6	104.2	117.5	75.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	297	218	79	155	111	44	142	107	35
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	5	2	3	0	0	0
25-34	9	6	3	5	4	1	4	2	2
35-44	16	13	3	13	10	3	3	3	0
45-54	20	14	6	12	7	5	8	7	1
55-64	27	19	8	13	11	2	14	8	6
65-74	65	47	18	41	29	12	24	18	6
75-84	88	67	21	45	35	10	43	32	11
85 AND OVER	62	47	15	18	12	6	44	35	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,938
WHITE	17,023
NONWHITE	7,915

(HSWWDTCO)

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	306	166	140	9.4	10.5	8.4
HEART DISEASES	83	45	38	256.1	284.6	228.9
MALIGNANT NEOPLASMS	77	43	34	237.6	271.9	204.8
CEREBROVASCULAR DISEASES	23	12	11	71.0	75.9	66.3
ACCIDENTS	20	9	11	61.7	56.9	66.3
PNEUMONIA AND INFLUENZA	13	5	8	40.1	31.6	48.2
EMPHYSEMA AND OTHER COPD	10	9	1	30.8	56.9	6.0
DIABETES MELLITUS	7	1	6	21.6	6.3	36.1
HOMICIDE AND LEGAL INTERVENTION	7	4	3	21.6	25.3	18.1
HYPERTENSION	6	3	3	18.5	19.0	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	15.4	25.3	6.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	12.3	6.3	18.1
ATHEROSCLEROSIS	3	2	1	9.2	12.6	6.0
CONGENITAL ANOMALIES	1	1	0	3.1	6.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	0.0	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	15.4	31.6	0.0
ALL OTHER	41	22	19	126.5	139.1	114.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	306	166	140	164	93	71	142	73	69
UNDER 1	3	2	1	2	2	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	8	3	5	0	0	0
25-34	8	4	4	4	1	3	4	3	1
35-44	19	7	12	15	4	11	4	3	1
45-54	26	12	14	13	5	8	13	7	6
55-64	34	22	12	23	16	7	11	6	5
65-74	71	42	29	42	27	15	29	15	14
75-84	76	42	34	38	24	14	38	18	20
85 AND OVER	59	30	29	18	10	8	41	20	21
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,413
WHITE	15,813
NONWHITE	16,600

(HSWWDTCO)

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	393	282	111	10.8	11.3	9.6
HEART DISEASES	140	100	40	383.4	401.0	345.5
MALIGNANT NEOPLASMS	77	57	20	210.9	228.6	172.8
CEREBROVASCULAR DISEASES	37	25	12	101.3	100.2	103.6
ACCIDENTS	25	17	8	68.5	68.2	69.1
PNEUMONIA AND INFLUENZA	24	20	4	65.7	80.2	34.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	7	5	32.9	28.1	43.2
EMPHYSEMA AND OTHER COPD	9	8	1	24.6	32.1	8.6
DIABETES MELLITUS	6	3	3	16.4	12.0	25.9
SUICIDE	4	4	0	11.0	16.0	0.0
CONGENITAL ANOMALIES	3	2	1	8.2	8.0	8.6
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	6.1	0.0	16.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.5	4.0	8.6
TUBERCULOSIS	1	1	0	2.7	4.0	0.0
HYPERTENSION	1	0	1	2.7	0.0	8.6
INFECTIONS OF KIDNEY	1	1	0	2.7	4.0	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	2.7	4.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.0	4.0	25.9
ALL OTHER	43	34	9	117.8	136.3	77.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	393	282	111	187	141	46	206	141	65
UNDER 1	8	2	6	4	1	3	4	1	3
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	6	2	4	3	1	2	3	1	2
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	2	1	1	0	1	2	2	0
25-34	7	5	2	4	2	2	3	3	0
35-44	14	9	5	9	6	3	5	3	2
45-54	30	19	11	18	14	4	12	5	7
55-64	50	31	19	30	20	10	20	11	9
65-74	95	78	17	56	49	7	39	29	10
75-84	89	70	19	41	33	8	48	37	11
85 AND OVER	95	65	30	22	15	7	73	50	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,514
WHITE	24,937
NONWHITE	11,577

(HSWWDTCO)

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	135	87	48	11.4	13.8	8.6
HEART DISEASES	47	32	15	395.6	506.6	269.5
MALIGNANT NEOPLASMS	29	22	7	244.1	348.3	125.8
ACCIDENTS	10	5	5	84.2	79.2	89.8
CEREBROVASCULAR DISEASES	9	7	2	75.7	110.8	35.9
HOMICIDE AND LEGAL INTERVENTION	6	2	4	50.5	31.7	71.9
PNEUMONIA AND INFLUENZA	5	3	2	42.1	47.5	35.9
EMPHYSEMA AND OTHER COPD	5	4	1	42.1	63.3	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	16.8	0.0	35.9
SUICIDE	2	2	0	16.8	31.7	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	8.4	0.0	18.0
HIV INFECTION	1	0	1	8.4	0.0	18.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.4	0.0	18.0
ALL OTHER	17	10	7	143.1	158.3	125.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGINATING IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	135	87	48	74	43	31	61	44	17
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	3	1	2	2	0	2	1	1	0
35-44	8	2	6	7	2	5	1	0	1
45-54	6	1	5	4	1	3	2	0	2
55-64	13	8	5	8	5	3	5	3	2
65-74	20	16	4	10	8	2	10	8	2
75-84	32	25	7	19	15	4	13	10	3
85 AND OVER	47	32	15	19	10	9	28	22	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,882
WHITE	6,316
NONWHITE	5,566

(HSWWDTCO)

COUNTY: NESHOBA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOBA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	295	215	80	11.0	11.8	9.1
HEART DISEASES	112	91	21	415.8	500.5	239.9
MALIGNANT NEOPLASMS	57	42	15	211.6	231.0	171.4
CEREBROVASCULAR DISEASES	22	15	7	81.7	82.5	80.0
ACCIDENTS	19	13	6	70.5	71.5	68.6
PNEUMONIA AND INFLUENZA	14	11	3	52.0	60.5	34.3
EMPHYSEMA AND OTHER COPD	9	7	2	33.4	38.5	22.8
DIABETES MELLITUS	7	4	3	26.0	22.0	34.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	2	3	18.6	11.0	34.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	14.8	16.5	11.4
SUICIDE	3	2	1	11.1	11.0	11.4
HOMICIDE AND LEGAL INTERVENTION	3	0	3	11.1	0.0	34.3
CONGENITAL ANOMALIES	2	1	1	7.4	5.5	11.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	4.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	5	4	33.4	27.5	45.7
ALL OTHER	28	19	9	104.0	104.5	102.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	295	215	80	142	101	41	153	114	39
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	3	2	1	2	1	1	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	7	5	2	4	3	1	3	2	1
25-34	7	2	5	5	2	3	2	0	2
35-44	10	4	6	7	3	4	3	1	2
45-54	21	12	9	7	4	3	14	8	6
55-64	33	25	8	22	18	4	11	7	4
65-74	52	34	18	26	17	9	26	17	9
75-84	68	58	10	35	29	6	33	29	4
85 AND OVER	88	72	16	31	24	7	57	48	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	26,934
WHITE	18,182
NONWHITE	8,752

(HSWWDTCO)

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	270	186	84	12.5	12.9	11.7
HEART DISEASES	85	61	24	393.0	422.6	333.5
MALIGNANT NEOPLASMS	77	56	21	356.0	388.0	291.8
ACCIDENTS	20	8	12	92.5	55.4	166.8
DIABETES MELLITUS	12	8	4	55.5	55.4	55.6
CEREBROVASCULAR DISEASES	12	10	2	55.5	69.3	27.8
EMPHYSEMA AND OTHER COPD	9	7	2	41.6	48.5	27.8
PNEUMONIA AND INFLUENZA	5	4	1	23.1	27.7	13.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	18.5	13.8	27.8
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	11.6	5.6	18.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	13.9	20.8	0.0
CONGENITAL ANOMALIES	3	1	2	13.9	6.9	27.8
SUICIDE	2	1	1	9.2	6.9	13.9
HOMICIDE AND LEGAL INTERVENTION	2	2	0	9.2	13.8	0.0
HIV INFECTION	2	1	1	9.2	6.9	13.9
ATHEROSCLEROSIS	1	1	0	4.6	6.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	29	20	9	134.1	138.6	125.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	270	186	84	131	95	36	139	91	48
UNDER 1	9	2	7	6	2	4	3	0	3
(NEONATAL)	6	2	4	4	2	2	2	0	2
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	9	4	5	4	1	3	5	3	2
25-34	5	2	3	4	1	3	1	1	0
35-44	14	10	4	7	7	0	7	3	4
45-54	22	14	8	12	9	3	10	5	5
55-64	34	20	14	18	12	6	16	8	8
65-74	52	35	17	26	18	8	26	17	9
75-84	69	58	11	33	30	3	36	28	8
85 AND OVER	52	40	12	20	14	6	32	26	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,630
WHITE	14,434
NONWHITE	7,196

(HSWWDTCO)

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	120	51	69	9.9	15.7	7.8
HEART DISEASES	57	26	31	469.8	802.5	348.6
MALIGNANT NEOPLASMS	25	12	13	206.0	370.4	146.2
ACCIDENTS	7	3	4	57.7	92.6	45.0
CEREBROVASCULAR DISEASES	4	1	3	33.0	30.9	33.7
PNEUMONIA AND INFLUENZA	3	2	1	24.7	61.7	11.2
EMPHYSEMA AND OTHER COPD	3	1	2	24.7	30.9	22.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	16.5	30.9	11.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.3	0.0	12.3
DIABETES MELLITUS	1	0	1	8.2	0.0	11.2
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.2	0.0	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	16.5	0.0	22.5
ALL OTHER	13	5	8	107.1	154.3	89.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	120	51	69	59	26	33	61	25	36
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	4	1	3	2	1	1	2	0	2
35-44	5	1	4	3	1	2	2	0	2
45-54	6	2	4	4	2	2	2	0	2
55-64	13	6	7	8	4	4	5	2	3
65-74	23	9	14	15	6	9	8	3	5
75-84	30	15	15	12	7	5	18	8	10
85 AND OVER	35	17	18	14	5	9	21	12	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,134
WHITE	3,240
NONWHITE	8,894

(HSWWDTCO)

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	304	171	133	7.8	7.1	8.9
HEART DISEASES	102	61	41	261.6	254.0	273.7
MALIGNANT NEOPLASMS	74	44	30	189.8	183.2	200.3
CEREBROVASCULAR DISEASES	21	11	10	53.8	45.8	66.8
PNEUMONIA AND INFLUENZA	17	13	4	43.6	54.1	26.7
DIABETES MELLITUS	13	3	10	33.3	12.5	66.8
ACCIDENTS	10	3	7	25.6	12.5	46.7
SUICIDE	5	3	2	12.8	12.5	13.4
EMPHYSEMA AND OTHER COPD	4	2	2	10.2	8.3	13.4
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	7.0	0.0	12.6
HIV INFECTION	4	1	3	10.2	4.2	20.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	7.7	8.3	6.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.1	4.2	6.7
ATHEROSCLEROSIS	1	1	0	2.6	4.2	0.0
CONGENITAL ANOMALIES	1	0	1	2.6	0.0	6.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	43	26	17	110.3	108.3	113.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	304	171	133	147	78	69	157	93	64
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	7	3	4	5	2	3	2	1	1
35-44	11	4	7	5	1	4	6	3	3
45-54	23	11	12	16	7	9	7	4	3
55-64	41	26	15	25	15	10	16	11	5
65-74	59	32	27	28	14	14	31	18	13
75-84	74	39	35	37	20	17	37	19	18
85 AND OVER	79	54	25	24	17	7	55	37	18
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	38,994
WHITE	24,015
NONWHITE	14,979

(HSWWDTCO)

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	364	207	157	10.8	11.8	9.7
HEART DISEASES	127	72	55	376.4	410.3	339.7
MALIGNANT NEOPLASMS	98	55	43	290.5	313.4	265.6
CEREBROVASCULAR DISEASES	27	19	8	80.0	108.3	49.4
ACCIDENTS	23	8	15	68.2	45.6	92.6
DIABETES MELLITUS	9	6	3	26.7	34.2	18.5
PNEUMONIA AND INFLUENZA	9	4	5	26.7	22.8	30.9
EMPHYSEMA AND OTHER COPD	8	4	4	23.7	22.8	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	20.7	28.5	12.4
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	7.7	0.0	12.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	8.9	11.4	6.2
SUICIDE	3	2	1	8.9	11.4	6.2
HYPERTENSION	2	1	1	5.9	5.7	6.2
ATHEROSCLEROSIS	2	2	0	5.9	11.4	0.0
CONGENITAL ANOMALIES	2	0	2	5.9	0.0	12.4
HOMICIDE AND LEGAL INTERVENTION	2	1	1	5.9	5.7	6.2
HIV INFECTION	2	0	2	5.9	0.0	12.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	5	3	23.7	28.5	18.5
ALL OTHER	28	21	7	83.0	119.7	43.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	364	207	157	191	105	86	173	102	71
UNDER 1	11	1	10	7	0	7	4	1	3
(NEONATAL)	6	0	6	3	0	3	3	0	3
(POSTNEONATAL)	5	1	4	4	0	4	1	1	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	3	6	6	1	5	3	2	1
25-34	7	1	6	5	1	4	2	0	2
35-44	15	10	5	10	7	3	5	3	2
45-54	27	14	13	13	7	6	14	7	7
55-64	32	13	19	18	7	11	14	6	8
65-74	77	45	32	44	26	18	33	19	14
75-84	95	66	29	52	37	15	43	29	14
85 AND OVER	89	54	35	34	19	15	55	35	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	33,738
WHITE	17,547
NONWHITE	16,191

(HSWWDTCO)

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	397	353	44	9.5	10.0	6.6
HEART DISEASES	135	120	15	322.4	340.9	225.0
MALIGNANT NEOPLASMS	86	77	9	205.4	218.8	135.0
EMPHYSEMA AND OTHER COPD	22	21	1	52.5	59.7	15.0
ACCIDENTS	22	21	1	52.5	59.7	15.0
CEREBROVASCULAR DISEASES	19	15	4	45.4	42.6	60.0
DIABETES MELLITUS	15	14	1	35.8	39.8	15.0
PNEUMONIA AND INFLUENZA	13	11	2	31.0	31.2	30.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	11.9	14.2	0.0
HOMICIDE AND LEGAL INTERVENTION	5	3	2	11.9	8.5	30.0
SUICIDE	4	3	1	9.6	8.5	15.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	7.2	5.7	15.0
HIV INFECTION	2	0	2	4.8	0.0	30.0
ATHEROSCLEROSIS	1	1	0	2.4	2.8	0.0
INFECTIONS OF KIDNEY	1	1	0	2.4	2.8	0.0
CONGENITAL ANOMALIES	1	1	0	2.4	2.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.7	2.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	7.2	8.5	0.0
ALL OTHER	59	54	5	140.9	153.4	75.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	397	353	44	213	190	23	184	163	21
UNDER 1	4	4	0	1	1	0	3	3	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	3	3	0	0	0	0	3	3	0
15-24	11	9	2	9	7	2	2	2	0
25-34	10	6	4	6	3	3	4	3	1
35-44	16	11	5	12	10	2	4	1	3
45-54	34	27	7	22	17	5	12	10	2
55-64	61	53	8	41	36	5	20	17	3
65-74	99	90	9	56	52	4	43	38	5
75-84	96	90	6	54	52	2	42	38	4
85 AND OVER	62	59	3	12	12	0	50	47	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,866
WHITE	35,198
NONWHITE	6,668

(HSWWDTCO)

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	112	87	25	9.9	10.1	9.2
HEART DISEASES	32	24	8	282.7	278.6	295.6
MALIGNANT NEOPLASMS	19	17	2	167.8	197.3	73.9
CEREBROVASCULAR DISEASES	14	12	2	123.7	139.3	73.9
PNEUMONIA AND INFLUENZA	13	11	2	114.8	127.7	73.9
ACCIDENTS	9	5	4	79.5	58.0	147.8
DIABETES MELLITUS	3	3	0	26.5	34.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	17.7	23.2	0.0
SUICIDE	2	2	0	17.7	23.2	0.0
ATHEROSCLEROSIS	1	1	0	8.8	11.6	0.0
EMPHYSEMA AND OTHER COPD	1	1	0	8.8	11.6	0.0
CONGENITAL ANOMALIES	1	1	0	8.8	11.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.8	0.0	37.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.8	0.0	37.0
ALL OTHER	13	8	5	114.8	92.9	184.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	112	87	25	65	45	20	47	42	5
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	9	6	3	7	4	3	2	2	0
45-54	8	5	3	5	3	2	3	2	1
55-64	14	10	4	10	7	3	4	3	1
65-74	19	16	3	14	11	3	5	5	0
75-84	30	25	5	12	10	2	18	15	3
85 AND OVER	24	20	4	10	6	4	14	14	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,321
WHITE	8,615
NONWHITE	2,706

(HSWWDTCO)

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	435	266	169	11.6	13.6	9.5
HEART DISEASES	157	104	53	420.7	531.6	298.5
MALIGNANT NEOPLASMS	91	54	37	243.8	276.0	208.4
CEREBROVASCULAR DISEASES	27	15	12	72.3	76.7	67.6
DIABETES MELLITUS	22	11	11	58.9	56.2	62.0
EMPHYSEMA AND OTHER COPD	18	16	2	48.2	81.8	11.3
ACCIDENTS	15	5	10	40.2	25.6	56.3
HOMICIDE AND LEGAL INTERVENTION	11	4	7	29.5	20.4	39.4
PNEUMONIA AND INFLUENZA	10	7	3	26.8	35.8	16.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	5	1	16.1	25.6	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	13.4	15.3	11.3
TUBERCULOSIS	2	1	1	5.4	5.1	5.6
HYPERTENSION	1	1	0	2.7	5.1	0.0
INFECTIONS OF KIDNEY	1	0	1	2.7	0.0	5.6
CONGENITAL ANOMALIES	1	0	1	2.7	0.0	5.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	0.0	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	5.4	0.0	11.3
ALL OTHER	65	40	25	174.2	204.4	140.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	435	266	169	208	135	73	227	131	96
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	3	5	8	3	5	0	0	0
25-34	10	4	6	7	2	5	3	2	1
35-44	19	5	14	7	3	4	12	2	10
45-54	25	11	14	15	8	7	10	3	7
55-64	57	28	29	33	18	15	24	10	14
65-74	100	68	32	58	44	14	42	24	18
75-84	111	77	34	48	38	10	63	39	24
85 AND OVER	98	68	30	27	17	10	71	51	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	37,321
WHITE	19,565
NONWHITE	17,756

(HSWWDTCO)

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	240	207	33	9.6	9.9	8.2
HEART DISEASES	91	78	13	363.7	371.9	321.1
MALIGNANT NEOPLASMS	54	47	7	215.8	224.1	172.9
EMPHYSEMA AND OTHER COPD	14	13	1	56.0	62.0	24.7
ACCIDENTS	13	12	1	52.0	57.2	24.7
CEREBROVASCULAR DISEASES	11	10	1	44.0	47.7	24.7
PNEUMONIA AND INFLUENZA	9	7	2	36.0	33.4	49.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.0	14.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	12.0	14.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	8.8	3.5	37.7
DIABETES MELLITUS	2	2	0	8.0	9.5	0.0
CONGENITAL ANOMALIES	2	2	0	8.0	9.5	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	8.0	4.8	24.7
HIV INFECTION	2	2	0	8.0	9.5	0.0
HYPERTENSION	1	0	1	4.0	0.0	24.7
ATHEROSCLEROSIS	1	1	0	4.0	4.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.0	4.8	24.7
ALL OTHER	27	24	3	107.9	114.4	74.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	240	207	33	126	107	19	114	100	14
UNDER 1	5	3	2	2	0	2	3	3	0
(NEONATAL)	3	1	2	2	0	2	1	1	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	4	3	1	1	1	0
25-34	4	3	1	3	2	1	1	1	0
35-44	11	10	1	9	8	1	2	2	0
45-54	12	10	2	7	6	1	5	4	1
55-64	22	21	1	14	14	0	8	7	1
65-74	55	48	7	30	28	2	25	20	5
75-84	69	61	8	39	32	7	30	29	1
85 AND OVER	57	47	10	18	14	4	39	33	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	25,020
WHITE	20,971
NONWHITE	4,049

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	221	197	24	9.4	9.6	8.1
HEART DISEASES	81	74	7	343.8	359.3	235.8
MALIGNANT NEOPLASMS	44	41	3	186.7	199.1	101.1
CEREBROVASCULAR DISEASES	16	14	2	67.9	68.0	67.4
EMPHYSEMA AND OTHER COPD	15	15	0	63.7	72.8	0.0
ACCIDENTS	13	11	2	55.2	53.4	67.4
PNEUMONIA AND INFLUENZA	10	8	2	42.4	38.8	67.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	12.7	9.7	33.7
SUICIDE	3	3	0	12.7	14.6	0.0
CONGENITAL ANOMALIES	2	2	0	8.5	9.7	0.0
HIV INFECTION	2	1	1	8.5	4.8	33.7
HYPERTENSION	1	1	0	4.2	4.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.2	4.8	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	4.2	4.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	21.2	19.4	33.7
ALL OTHER	24	19	5	101.9	92.3	168.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	221	197	24	136	123	13	85	74	11
UNDER 1	4	3	1	2	1	1	2	2	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	4	3	1	2	1	1	2	2	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	5	1	4	4	0	2	1	1
25-34	5	4	1	4	3	1	1	1	0
35-44	13	11	2	9	9	0	4	2	2
45-54	18	16	2	16	14	2	2	2	0
55-64	27	24	3	17	14	3	10	10	0
65-74	48	45	3	33	31	2	15	14	1
75-84	60	52	8	38	34	4	22	18	4
85 AND OVER	37	35	2	12	12	0	25	23	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,561
WHITE	20,593
NONWHITE	2,968

(HSWWDTCO)

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	116	50	66	12.2	15.3	10.6
HEART DISEASES	57	26	31	601.9	796.3	499.6
MALIGNANT NEOPLASMS	26	10	16	274.6	306.3	257.8
ACCIDENTS	6	1	5	63.4	30.6	80.6
CEREBROVASCULAR DISEASES	3	1	2	31.7	30.6	32.2
PNEUMONIA AND INFLUENZA	3	3	0	31.7	91.9	0.0
EMPHYSEMA AND OTHER COPD	3	1	2	31.7	30.6	32.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	21.1	0.0	32.2
DIABETES MELLITUS	1	0	1	10.6	0.0	16.1
ATHEROSCLEROSIS	1	1	0	10.6	30.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.6	30.6	0.0
SUICIDE	1	0	1	10.6	0.0	16.1
HOMICIDE AND LEGAL INTERVENTION	1	0	1	10.6	0.0	16.1

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	21.1	0.0	32.2
ALL OTHER	9	6	3	95.0	183.8	48.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	116	50	66	62	28	34	54	22	32
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	5	1	4	5	1	4	0	0	0
45-54	7	3	4	6	3	3	1	0	1
55-64	19	5	14	12	4	8	7	1	6
65-74	22	9	13	14	5	9	8	4	4
75-84	33	15	18	14	8	6	19	7	12
85 AND OVER	26	17	9	9	7	2	17	10	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,470
WHITE	3,265
NONWHITE	6,205

(HSWWDTCO)

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	730	585	145	7.1	6.9	7.8
HEART DISEASES	297	240	57	287.8	284.1	304.7
MALIGNANT NEOPLASMS	154	125	29	149.3	148.0	155.0
ACCIDENTS	36	29	7	34.9	34.3	37.4
EMPHYSEMA AND OTHER COPD	34	31	3	33.0	36.7	16.0
CEREBROVASCULAR DISEASES	25	16	9	24.2	18.9	48.1
PNEUMONIA AND INFLUENZA	21	14	7	20.4	16.6	37.4
DIABETES MELLITUS	13	8	5	12.6	9.5	26.7
SUICIDE	12	12	0	11.6	14.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	6.8	8.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	7	5	2	4.8	4.3	6.8
HOMICIDE AND LEGAL INTERVENTION	7	4	3	6.8	4.7	16.0
CONGENITAL ANOMALIES	5	5	0	4.8	5.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	2.9	2.4	5.3
HIV INFECTION	3	1	2	2.9	1.2	10.7
HYPERTENSION	2	0	2	1.9	0.0	10.7
ATHEROSCLEROSIS	2	2	0	1.9	2.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	7.8	7.1	10.7
ALL OTHER	94	78	16	91.1	92.3	85.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	730	585	145	373	299	74	357	286	71
UNDER 1	15	11	4	9	7	2	6	4	2
(NEONATAL)	11	9	2	8	6	2	3	3	0
(POSTNEONATAL)	4	2	2	1	1	0	3	1	2
1-4	3	3	0	0	0	0	3	3	0
5-9	2	2	0	2	2	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	17	15	2	10	8	2	7	7	0
25-34	25	20	5	17	14	3	8	6	2
35-44	30	25	5	20	16	4	10	9	1
45-54	55	40	15	37	27	10	18	13	5
55-64	97	75	22	63	47	16	34	28	6
65-74	156	135	21	98	83	15	58	52	6
75-84	183	147	36	71	61	10	112	86	26
85 AND OVER	147	112	35	46	34	12	101	78	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	103,176
WHITE	84,469
NONWHITE	18,707

(HSWWDTCO)

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	251	163	88	10.3	11.2	9.1
HEART DISEASES	88	61	27	362.5	417.5	279.4
MALIGNANT NEOPLASMS	59	37	22	243.0	253.2	227.7
ACCIDENTS	21	10	11	86.5	68.4	113.8
CEREBROVASCULAR DISEASES	18	14	4	74.2	95.8	41.4
EMPHYSEMA AND OTHER COPD	10	9	1	41.2	61.6	10.3
PNEUMONIA AND INFLUENZA	7	5	2	28.8	34.2	20.7
HOMICIDE AND LEGAL INTERVENTION	5	2	3	20.6	13.7	31.0
DIABETES MELLITUS	4	3	1	16.5	20.5	10.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	16.5	6.8	31.0
ATHEROSCLEROSIS	3	3	0	12.4	20.5	0.0
CONGENITAL ANOMALIES	3	2	1	12.4	13.7	10.3
SUICIDE	3	1	2	12.4	6.8	20.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.1	0.0	10.3
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.3	4.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.2	6.8	10.3
ALL OTHER	22	13	9	90.6	89.0	93.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	251	163	88	131	85	46	120	78	42
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	3	1	2	2	1	1	1	0	1
15-24	7	4	3	5	3	2	2	1	1
25-34	10	4	6	8	3	5	2	1	1
35-44	13	4	9	7	2	5	6	2	4
45-54	21	11	10	17	9	8	4	2	2
55-64	38	24	14	19	13	6	19	11	8
65-74	45	32	13	23	16	7	22	16	6
75-84	58	47	11	30	25	5	28	22	6
85 AND OVER	50	32	18	17	11	6	33	21	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,275
WHITE	14,612
NONWHITE	9,663

(HSWWDTCO)

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	74	26	48	10.8	13.2	9.8
HEART DISEASES	26	13	13	378.2	660.9	264.9
MALIGNANT NEOPLASMS	20	4	16	290.9	203.4	326.0
CEREBROVASCULAR DISEASES	5	1	4	72.7	50.8	81.5
ACCIDENTS	5	2	3	72.7	101.7	61.1
EMPHYSEMA AND OTHER COPD	3	1	2	43.6	50.8	40.8
PNEUMONIA AND INFLUENZA	2	0	2	29.1	0.0	40.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	29.1	0.0	40.8
ATHEROSCLEROSIS	1	0	1	14.5	0.0	20.4
HIV INFECTION	1	0	1	14.5	0.0	20.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	9	5	4	130.9	254.2	81.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	74	26	48	38	11	27	36	15	21
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	6	0	6	4	0	4	2	0	2
45-54	10	2	8	5	2	3	5	0	5
55-64	4	2	2	3	1	2	1	1	0
65-74	12	6	6	5	3	2	7	3	4
75-84	19	6	13	9	2	7	10	4	6
85 AND OVER	19	9	10	9	2	7	10	7	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	6,875
WHITE	1,967
NONWHITE	4,908

(HSWWDTCO)

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	263	188	75	11.0	11.9	9.2
HEART DISEASES	93	67	26	388.5	423.4	320.5
MALIGNANT NEOPLASMS	48	32	16	200.5	202.2	197.2
ACCIDENTS	25	17	8	104.4	107.4	98.6
EMPHYSEMA AND OTHER COPD	19	17	2	79.4	107.4	24.6
CEREBROVASCULAR DISEASES	15	12	3	62.7	75.8	37.0
PNEUMONIA AND INFLUENZA	13	9	4	54.3	56.9	49.3
ATHEROSCLEROSIS	10	7	3	41.8	44.2	37.0
SUICIDE	4	4	0	16.7	25.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.4	12.6	0.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	8.4	6.3	12.3
HIV INFECTION	2	1	1	8.4	6.3	12.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	4.2	6.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	0.0	5.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.2	6.3	0.0
ALL OTHER	27	17	10	112.8	107.4	123.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	263	188	75	137	97	40	126	91	35
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	6	4	2	1	1	0
25-34	8	5	3	6	3	3	2	2	0
35-44	12	8	4	10	6	4	2	2	0
45-54	16	10	6	11	7	4	5	3	2
55-64	33	22	11	24	17	7	9	5	4
65-74	51	35	16	31	22	9	20	13	7
75-84	69	57	12	27	21	6	42	36	6
85 AND OVER	62	45	17	19	16	3	43	29	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,936
WHITE	15,824
NONWHITE	8,112

(HSWWDTCO)

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	171	146	25	11.5	12.8	7.3
HEART DISEASES	62	56	6	418.6	492.1	174.7
MALIGNANT NEOPLASMS	30	23	7	202.5	202.1	203.8
CEREBROVASCULAR DISEASES	14	12	2	94.5	105.4	58.2
ACCIDENTS	14	9	5	94.5	79.1	145.6
EMPHYSEMA AND OTHER COPD	8	8	0	54.0	70.3	0.0
ATHEROSCLEROSIS	5	5	0	33.8	43.9	0.0
DIABETES MELLITUS	4	2	2	27.0	17.6	58.2
HYPERTENSION	3	3	0	20.2	26.4	0.0
PNEUMONIA AND INFLUENZA	2	2	0	13.5	17.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	13.5	17.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	6.8	8.8	0.0
CONGENITAL ANOMALIES	1	1	0	6.8	8.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.8	0.0	29.1
ALL OTHER	24	22	2	162.0	193.3	58.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	171	146	25	82	66	16	89	80	9
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	5	2	4	2	2	3	3	0
25-34	1	0	1	1	0	1	0	0	0
35-44	10	6	4	5	2	3	5	4	1
45-54	6	5	1	2	1	1	4	4	0
55-64	23	19	4	12	10	2	11	9	2
65-74	34	32	2	23	22	1	11	10	1
75-84	45	36	9	21	16	5	24	20	4
85 AND OVER	43	42	1	12	12	0	31	30	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,813
WHITE	11,379
NONWHITE	3,434

(HSWWDTCO)

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	138	113	25	11.2	11.9	8.8
HEART DISEASES	63	51	12	511.4	538.0	422.7
MALIGNANT NEOPLASMS	23	19	4	186.7	200.4	140.9
ACCIDENTS	10	8	2	81.2	84.4	70.4
EMPHYSEMA AND OTHER COPD	8	8	0	64.9	84.4	0.0
DIABETES MELLITUS	3	2	1	24.4	21.1	35.2
CEREBROVASCULAR DISEASES	3	2	1	24.4	21.1	35.2
PNEUMONIA AND INFLUENZA	3	2	1	24.4	21.1	35.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	12.6	16.4	0.0
ATHEROSCLEROSIS	1	1	0	8.1	10.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.1	0.0	35.2
CONGENITAL ANOMALIES	1	1	0	8.1	10.6	0.0
SUICIDE	1	0	1	8.1	0.0	35.2
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.1	0.0	35.2
HIV INFECTION	1	0	1	8.1	0.0	35.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.2	21.1	0.0
ALL OTHER	15	15	0	121.8	158.2	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	138	113	25	77	62	15	61	51	10
UNDER 1	4	4	0	2	2	0	2	2	0
(Neonatal)	3	3	0	2	2	0	1	1	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	2	1	1	0	0	0	2	1	1
35-44	7	6	1	5	5	0	2	1	1
45-54	4	2	2	4	2	2	0	0	0
55-64	15	13	2	9	7	2	6	6	0
65-74	32	24	8	21	16	5	11	8	3
75-84	41	37	4	25	21	4	16	16	0
85 AND OVER	26	22	4	6	6	0	20	16	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,318
WHITE	9,479
NONWHITE	2,839

(HSWWDTCO)

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	342	140	202	9.7	12.2	8.4
HEART DISEASES	132	58	74	373.5	507.1	309.5
MALIGNANT NEOPLASMS	73	35	38	206.5	306.0	158.9
CEREBROVASCULAR DISEASES	26	11	15	73.6	96.2	62.7
ACCIDENTS	24	7	17	67.9	61.2	71.1
PNEUMONIA AND INFLUENZA	11	6	5	31.1	52.5	20.9
EMPHYSEMA AND OTHER COPD	7	4	3	19.8	35.0	12.5
DIABETES MELLITUS	6	0	6	17.0	0.0	25.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	1	5	17.0	8.7	20.9
SUICIDE	5	3	2	14.1	26.2	8.4
HIV INFECTION	5	1	4	14.1	8.7	16.7
HOMICIDE AND LEGAL INTERVENTION	4	0	4	11.3	0.0	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	8.5	8.7	8.4
CONGENITAL ANOMALIES	3	1	2	8.5	8.7	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	0.0	2.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.5	8.7	8.4
ALL OTHER	33	11	22	93.4	96.2	92.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	342	140	202	172	62	110	170	78	92
UNDER 1	6	1	5	4	1	3	2	0	2
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	4	0	4	3	0	3	1	0	1
10-14	3	0	3	2	0	2	1	0	1
15-24	9	1	8	8	1	7	1	0	1
25-34	9	4	5	7	2	5	2	2	0
35-44	19	6	13	13	4	9	6	2	4
45-54	28	6	22	17	3	14	11	3	8
55-64	42	18	24	22	10	12	20	8	12
65-74	58	20	38	35	14	21	23	6	17
75-84	97	44	53	43	19	24	54	25	29
85 AND OVER	66	40	26	18	8	10	48	32	16
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,345
WHITE	11,437
NONWHITE	23,908

(HSWWDTCO)

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	154	83	71	10.9	16.5	7.8
HEART DISEASES	61	36	25	433.0	714.1	276.4
MALIGNANT NEOPLASMS	43	23	20	305.2	456.2	221.1
ACCIDENTS	7	3	4	49.7	59.5	44.2
CEREBROVASCULAR DISEASES	6	4	2	42.6	79.3	22.1
PNEUMONIA AND INFLUENZA	4	4	0	28.4	79.3	0.0
DIABETES MELLITUS	3	1	2	21.3	19.8	22.1
EMPHYSEMA AND OTHER COPD	3	3	0	21.3	59.5	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	21.3	19.8	22.1
HOMICIDE AND LEGAL INTERVENTION	2	0	2	14.2	0.0	22.1
TUBERCULOSIS	1	1	0	7.1	19.8	0.0
HYPERTENSION	1	0	1	7.1	0.0	11.0
ATHEROSCLEROSIS	1	0	1	7.1	0.0	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.1	0.0	11.0
CONGENITAL ANOMALIES	1	0	1	7.1	0.0	11.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.8	0.0	6.6
SUICIDE	1	0	1	7.1	0.0	11.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	7	8	106.5	138.9	88.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	154	83	71	81	44	37	73	39	34
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	6	1	5	3	0	3	3	1	2
35-44	7	2	5	2	1	1	5	1	4
45-54	12	1	11	8	1	7	4	0	4
55-64	8	6	2	6	5	1	2	1	1
65-74	40	25	15	23	18	5	17	7	10
75-84	38	22	16	20	11	9	18	11	7
85 AND OVER	38	26	12	14	8	6	24	18	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,087
WHITE	5,041
NONWHITE	9,046

(HSWWDTCO)

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	233	163	70	10.4	11.4	8.7
HEART DISEASES	73	51	22	326.6	355.6	274.6
MALIGNANT NEOPLASMS	44	33	11	196.8	230.1	137.3
ACCIDENTS	25	14	11	111.8	97.6	137.3
EMPHYSEMA AND OTHER COPD	16	13	3	71.6	90.6	37.4
CEREBROVASCULAR DISEASES	14	7	7	62.6	48.8	87.4
PNEUMONIA AND INFLUENZA	14	10	4	62.6	69.7	49.9
DIABETES MELLITUS	5	2	3	22.4	13.9	37.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	17.9	13.9	25.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	8.7	5.0	14.0
SUICIDE	3	3	0	13.4	20.9	0.0
ATHEROSCLEROSIS	2	2	0	8.9	13.9	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	8.9	13.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.5	7.0	0.0
CONGENITAL ANOMALIES	1	1	0	4.5	7.0	0.0
HIV INFECTION	1	0	1	4.5	0.0	12.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	25	21	4	111.8	146.4	49.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	233	163	70	110	81	29	123	82	41
UNDER 1	5	3	2	3	3	0	2	0	2
(NEONATAL)	4	2	2	2	2	0	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	6	2	4	2	1	1
25-34	8	5	3	5	3	2	3	2	1
35-44	8	4	4	4	0	4	4	4	0
45-54	17	10	7	10	7	3	7	3	4
55-64	22	16	6	15	12	3	7	4	3
65-74	43	28	15	22	19	3	21	9	12
75-84	68	49	19	25	19	6	43	30	13
85 AND OVER	52	43	9	19	15	4	33	28	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	22,352
WHITE	14,342
NONWHITE	8,010

(HSWWDTCO)

COUNTY: TIPPAAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	240	200	40	12.2	12.3	11.7
HEART DISEASES	81	72	9	412.9	444.4	263.7
MALIGNANT NEOPLASMS	41	34	7	209.0	209.8	205.1
CEREBROVASCULAR DISEASES	18	13	5	91.8	80.2	146.5
ACCIDENTS	16	9	7	81.6	55.5	205.1
EMPHYSEMA AND OTHER COPD	13	12	1	66.3	74.1	29.3
PNEUMONIA AND INFLUENZA	9	9	0	45.9	55.5	0.0
DIABETES MELLITUS	7	5	2	35.7	30.9	58.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	25.5	18.5	58.6
ATHEROSCLEROSIS	4	2	2	20.4	12.3	58.6
CONGENITAL ANOMALIES	4	2	2	20.4	12.3	58.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	15.3	18.5	0.0
HOMICIDE AND LEGAL INTERVENTION	3	3	0	15.3	18.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.6	0.0	27.8
SUICIDE	2	2	0	10.2	12.3	0.0
HIV INFECTION	2	2	0	10.2	12.3	0.0
INFECTIONS OF KIDNEY	1	1	0	5.1	6.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.2	12.3	0.0
ALL OTHER	27	26	1	137.6	160.5	29.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	240	200	40	125	102	23	115	98	17
UNDER 1	8	3	5	5	3	2	3	0	3
(NEONATAL)	5	1	4	2	1	1	3	0	3
(POSTNEONATAL)	3	2	1	3	2	1	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	3	0	2	1	1
25-34	5	4	1	4	4	0	1	0	1
35-44	11	9	2	10	8	2	1	1	0
45-54	9	9	0	6	6	0	3	3	0
55-64	26	23	3	19	17	2	7	6	1
65-74	42	34	8	24	18	6	18	16	2
75-84	67	56	11	28	22	6	39	34	5
85 AND OVER	64	58	6	24	21	3	40	37	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,615
WHITE	16,202
NONWHITE	3,413

(HSWWDTCO)

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	235	224	11	13.3	13.2	15.7
HEART DISEASES	103	99	4	583.0	583.6	569.8
MALIGNANT NEOPLASMS	46	43	3	260.4	253.5	427.4
ACCIDENTS	17	17	0	96.2	100.2	0.0
EMPHYSEMA AND OTHER COPD	14	14	0	79.2	82.5	0.0
CEREBROVASCULAR DISEASES	10	9	1	56.6	53.0	142.4
PNEUMONIA AND INFLUENZA	6	5	1	34.0	29.5	142.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	5	1	34.0	29.5	142.4
DIABETES MELLITUS	5	5	0	28.3	29.5	0.0
ATHEROSCLEROSIS	3	2	1	17.0	11.8	142.4
SUICIDE	3	3	0	17.0	17.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.7	5.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.4	4.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.7	5.9	0.0
ALL OTHER	19	19	0	107.6	112.0	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	235	224	11	122	118	4	113	106	7
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	4	4	0	2	2	0	2	2	0
35-44	4	4	0	1	1	0	3	3	0
45-54	18	17	1	10	9	1	8	8	0
55-64	24	23	1	15	14	1	9	9	0
65-74	50	48	2	35	34	1	15	14	1
75-84	67	64	3	29	28	1	38	36	2
85 AND OVER	61	57	4	25	25	0	36	32	4
UNKNOWN	1	1	0	1	1	0	0	0	0

1995 POPULATION:

TOTAL	17,666
WHITE	16,964
NONWHITE	702

(HSWWDTCO)

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	108	38	70	11.9	16.0	10.5
HEART DISEASES	44	15	29	485.5	632.1	433.5
MALIGNANT NEOPLASMS	21	9	12	231.7	379.3	179.4
ACCIDENTS	10	1	9	110.3	42.1	134.5
EMPHYSEMA AND OTHER COPD	5	3	2	55.2	126.4	29.9
CEREBROVASCULAR DISEASES	4	1	3	44.1	42.1	44.8
PNEUMONIA AND INFLUENZA	3	2	1	33.1	84.3	14.9
HYPERTENSION	1	1	0	11.0	42.1	0.0
CONGENITAL ANOMALIES	1	0	1	11.0	0.0	14.9
SUICIDE	1	1	0	11.0	42.1	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	11.0	0.0	14.9
HIV INFECTION	1	0	1	11.0	0.0	14.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	22.1	0.0	29.9
ALL OTHER	14	5	9	154.5	210.7	134.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	108	38	70	53	22	31	55	16	39
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	4	0	4	1	0	1	3	0	3
1-4	2	0	2	0	0	0	2	0	2
5-9	2	0	2	2	0	2	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	0	4	2	0	2	2	0	2
25-34	2	0	2	2	0	2	0	0	0
35-44	6	3	3	5	3	2	1	0	1
45-54	10	3	7	5	1	4	5	2	3
55-64	11	4	7	7	3	4	4	1	3
65-74	22	11	11	14	7	7	8	4	4
75-84	23	10	13	9	5	4	14	5	9
85 AND OVER	21	7	14	6	3	3	15	4	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 9,063
 WHITE 2,373
 NONWHITE 6,690

(HSWWDTCO)

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	245	223	22	10.4	11.3	6.0
HEART DISEASES	67	58	9	286.0	293.7	244.6
MALIGNANT NEOPLASMS	56	51	5	239.0	258.2	135.9
CEREBROVASCULAR DISEASES	30	28	2	128.0	141.8	54.4
ACCIDENTS	14	12	2	59.8	60.8	54.4
PNEUMONIA AND INFLUENZA	11	11	0	47.0	55.7	0.0
EMPHYSEMA AND OTHER COPD	10	10	0	42.7	50.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	6	1	29.9	30.4	27.2
DIABETES MELLITUS	5	5	0	21.3	25.3	0.0
ATHEROSCLEROSIS	3	3	0	12.8	15.2	0.0
SUICIDE	3	3	0	12.8	15.2	0.0
CONGENITAL ANOMALIES	2	2	0	8.5	10.1	0.0
TUBERCULOSIS	1	1	0	4.3	5.1	0.0
HYPERTENSION	1	1	0	4.3	5.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.3	5.1	0.0
INFECTIONS OF KIDNEY	1	1	0	4.3	5.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.9	3.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	4.3	5.1	0.0
HIV INFECTION	1	1	0	4.3	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	8.5	10.1	0.0
ALL OTHER	28	25	3	119.5	126.6	81.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	245	223	22	127	118	9	118	105	13
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	6	5	1	3	2	1	3	3	0
35-44	6	5	1	4	4	0	2	1	1
45-54	13	11	2	8	7	1	5	4	1
55-64	22	18	4	16	13	3	6	5	1
65-74	38	32	6	20	17	3	18	15	3
75-84	83	81	2	42	42	0	41	39	2
85 AND OVER	68	62	6	29	28	1	39	34	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,429
WHITE	19,750
NONWHITE	3,679

(HSWWDTCO)

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	156	109	47	11.1	14.0	7.5
HEART DISEASES	51	38	13	361.8	486.7	206.8
MALIGNANT NEOPLASMS	31	23	8	220.0	294.6	127.2
ACCIDENTS	16	13	3	113.5	166.5	47.7
CEREBROVASCULAR DISEASES	9	6	3	63.8	76.8	47.7
PNEUMONIA AND INFLUENZA	9	5	4	63.8	64.0	63.6
EMPHYSEMA AND OTHER COPD	5	3	2	35.5	38.4	31.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	28.4	25.6	31.8
HOMICIDE AND LEGAL INTERVENTION	4	2	2	28.4	25.6	31.8
DIABETES MELLITUS	3	0	3	21.3	0.0	47.7
TUBERCULOSIS	1	0	1	7.1	0.0	15.9
ATHEROSCLEROSIS	1	1	0	7.1	12.8	0.0
CONGENITAL ANOMALIES	1	1	0	7.1	12.8	0.0
SUICIDE	1	1	0	7.1	12.8	0.0
HIV INFECTION	1	1	0	7.1	12.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	14.2	12.8	15.9
ALL OTHER	17	12	5	120.6	153.7	79.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	156	109	47	73	51	22	83	58	25
UNDER 1	3	1	2	1	0	1	2	1	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	2	0	1	1	0	1	1	0
25-34	9	5	4	7	4	3	2	1	1
35-44	8	4	4	2	1	1	6	3	3
45-54	11	8	3	9	7	2	2	1	1
55-64	20	11	9	12	6	6	8	5	3
65-74	29	21	8	19	15	4	10	6	4
75-84	36	30	6	14	13	1	22	17	5
85 AND OVER	37	27	10	8	4	4	29	23	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,094
WHITE	7,807
NONWHITE	6,287

(HSWWDTCO)

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	514	298	216	10.5	10.2	10.9
HEART DISEASES	202	130	72	412.3	446.5	362.3
MALIGNANT NEOPLASMS	106	63	43	216.4	216.4	216.4
CEREBROVASCULAR DISEASES	40	17	23	81.6	58.4	115.7
ACCIDENTS	25	12	13	51.0	41.2	65.4
EMPHYSEMA AND OTHER COPD	18	16	2	36.7	55.0	10.1
PNEUMONIA AND INFLUENZA	17	11	6	34.7	37.8	30.2
HOMICIDE AND LEGAL INTERVENTION	10	1	9	20.4	3.4	45.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	3	6	18.4	10.3	30.2
DIABETES MELLITUS	4	0	4	8.2	0.0	20.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	5.2	5.8	4.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	6.1	10.3	0.0
SUICIDE	3	3	0	6.1	10.3	0.0
HIV INFECTION	3	0	3	6.1	0.0	15.1
CONGENITAL ANOMALIES	2	0	2	4.1	0.0	10.1
ATHEROSCLEROSIS	1	1	0	2.0	3.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.0	3.4	0.0
ALL OTHER	66	35	31	134.7	120.2	156.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	514	298	216	236	133	103	278	165	113
UNDER 1	7	3	4	4	3	1	3	0	3
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	2	1	1	1	1	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	13	2	11	9	1	8	4	1	3
25-34	8	4	4	6	3	3	2	1	1
35-44	25	10	15	17	8	9	8	2	6
45-54	32	14	18	18	10	8	14	4	10
55-64	49	22	27	32	13	19	17	9	8
65-74	120	78	42	54	34	20	66	44	22
75-84	134	83	51	64	40	24	70	43	27
85 AND OVER	123	81	42	30	20	10	93	61	32
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	48,988
WHITE	29,116
NONWHITE	19,872

(HSWWDTCO)

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	688	292	396	9.8	10.2	9.4
HEART DISEASES	261	111	150	370.7	389.5	357.9
MALIGNANT NEOPLASMS	143	73	70	203.1	256.1	167.0
CEREBROVASCULAR DISEASES	50	22	28	71.0	77.2	66.8
ACCIDENTS	30	11	19	42.6	38.6	45.3
EMPHYSEMA AND OTHER COPD	21	12	9	29.8	42.1	21.5
PNEUMONIA AND INFLUENZA	16	6	10	22.7	21.0	23.9
DIABETES MELLITUS	14	5	9	19.9	17.5	21.5
HOMICIDE AND LEGAL INTERVENTION	14	3	11	19.9	10.5	26.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	1	11	17.0	3.5	26.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	1	6	9.9	3.5	14.3
CONGENITAL ANOMALIES	6	3	3	8.5	10.5	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	5.0	0.0	6.6
SUICIDE	4	4	0	5.7	14.0	0.0
HIV INFECTION	4	1	3	5.7	3.5	7.2
HYPERTENSION	3	1	2	4.3	3.5	4.8
ATHEROSCLEROSIS	3	3	0	4.3	10.5	0.0
TUBERCULOSIS	1	0	1	1.4	0.0	2.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	3	5	11.4	10.5	11.9
ALL OTHER	85	32	53	120.7	112.3	126.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	688	292	396	360	154	206	328	138	190
UNDER 1	14	3	11	8	1	7	6	2	4
(NEONATAL)	9	2	7	7	1	6	2	1	1
(POSTNEONATAL)	5	1	4	1	0	1	4	1	3
1-4	3	0	3	2	0	2	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	13	5	8	11	5	6	2	0	2
25-34	23	6	17	16	4	12	7	2	5
35-44	39	8	31	21	6	15	18	2	16
45-54	53	17	36	31	10	21	22	7	15
55-64	83	23	60	56	18	38	27	5	22
65-74	139	64	75	83	43	40	56	21	35
75-84	173	94	79	88	49	39	85	45	40
85 AND OVER	147	72	75	44	18	26	103	54	49
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	70,411
WHITE	28,501
NONWHITE	41,910

(HSWWDTCO)

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	202	129	73	10.4	10.6	10.0
HEART DISEASES	72	48	24	371.7	396.4	330.6
MALIGNANT NEOPLASMS	43	22	21	222.0	181.7	289.3
ACCIDENTS	17	10	7	87.8	82.6	96.4
CEREBROVASCULAR DISEASES	13	8	5	67.1	66.1	68.9
HOMICIDE AND LEGAL INTERVENTION	7	3	4	36.1	24.8	55.1
EMPHYSEMA AND OTHER COPD	5	3	2	25.8	24.8	27.6
PNEUMONIA AND INFLUENZA	4	3	1	20.6	24.8	13.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	20.6	16.5	27.6
CONGENITAL ANOMALIES	3	2	1	15.5	16.5	13.8
SUICIDE	3	3	0	15.5	24.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	10.3	0.0	27.6
DIABETES MELLITUS	1	1	0	5.2	8.2	0.0
ATHEROSCLEROSIS	1	1	0	5.2	8.2	0.0
HIV INFECTION	1	1	0	5.2	8.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	26	22	4	134.2	181.7	55.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	202	129	73	101	65	36	101	64	37
UNDER 1	4	3	1	3	3	0	1	0	1
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	5	1	4	4	0	2	1	1
25-34	5	4	1	4	3	1	1	1	0
35-44	17	6	11	11	2	9	6	4	2
45-54	14	5	9	6	2	4	8	3	5
55-64	27	20	7	18	13	5	9	7	2
65-74	42	28	14	20	16	4	22	12	10
75-84	51	32	19	21	13	8	30	19	11
85 AND OVER	35	26	9	13	9	4	22	17	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,368
WHITE	12,109
NONWHITE	7,259

(HSWWDTCO)

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	118	101	17	11.3	12.6	7.0
HEART DISEASES	42	36	6	402.5	450.2	246.2
MALIGNANT NEOPLASMS	23	20	3	220.4	250.1	123.1
EMPHYSEMA AND OTHER COPD	9	7	2	86.2	87.5	82.1
CEREBROVASCULAR DISEASES	8	6	2	76.7	75.0	82.1
ACCIDENTS	5	5	0	47.9	62.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	19.2	25.0	0.0
SUICIDE	2	2	0	19.2	25.0	0.0
TUBERCULOSIS	1	1	0	9.6	12.5	0.0
PNEUMONIA AND INFLUENZA	1	1	0	9.6	12.5	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	9.6	0.0	41.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	9.6	0.0	41.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	19.2	25.0	0.0
ALL OTHER	21	19	2	201.3	237.6	82.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	118	101	17	58	52	6	60	49	11
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	4	4	0	2	2	0	2	2	0
45-54	3	3	0	1	1	0	2	2	0
55-64	9	6	3	7	5	2	2	1	1
65-74	34	31	3	19	19	0	15	12	3
75-84	37	31	6	17	15	2	20	16	4
85 AND OVER	27	24	3	8	8	0	19	16	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	10,434
WHITE	7,997
NONWHITE	2,437

(HSWWDTCO)

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	129	40	89	14.3	16.1	13.6
HEART DISEASES	47	15	32	519.8	604.8	487.7
MALIGNANT NEOPLASMS	35	10	25	387.1	403.2	381.0
EMPHYSEMA AND OTHER COPD	5	1	4	55.3	40.3	61.0
CEREBROVASCULAR DISEASES	4	1	3	44.2	40.3	45.7
PNEUMONIA AND INFLUENZA	3	1	2	33.2	40.3	30.5
ACCIDENTS	3	1	2	33.2	40.3	30.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	16.0	0.0	20.6
HOMICIDE AND LEGAL INTERVENTION	2	1	1	22.1	40.3	15.2
DIABETES MELLITUS	1	0	1	11.1	0.0	15.2
HYPERTENSION	1	0	1	11.1	0.0	15.2
ATHEROSCLEROSIS	1	1	0	11.1	40.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.1	0.0	15.2
CONGENITAL ANOMALIES	1	0	1	11.1	0.0	15.2
SUICIDE	1	0	1	11.1	0.0	15.2
HIV INFECTION	1	0	1	11.1	0.0	15.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	11.1	40.3	0.0
ALL OTHER	20	8	12	221.2	322.6	182.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	129	40	89	60	13	47	69	27	42
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	2	0	2	1	0	1	1	0	1
25-34	2	1	1	0	0	0	2	1	1
35-44	6	1	5	3	1	2	3	0	3
45-54	16	4	12	10	2	8	6	2	4
55-64	12	2	10	6	1	5	6	1	5
65-74	25	7	18	8	2	6	17	5	12
75-84	28	8	20	15	1	14	13	7	6
85 AND OVER	33	16	17	14	5	9	19	11	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 9,041
 WHITE 2,480
 NONWHITE 6,561

(HSWWDTCO)

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	198	125	73	10.1	11.5	8.4
HEART DISEASES	102	69	33	520.5	634.4	378.5
MALIGNANT NEOPLASMS	28	16	12	142.9	147.1	137.6
CEREBROVASCULAR DISEASES	11	7	4	56.1	64.4	45.9
ACCIDENTS	10	5	5	51.0	46.0	57.4
EMPHYSEMA AND OTHER COPD	7	7	0	35.7	64.4	0.0
PNEUMONIA AND INFLUENZA	6	4	2	30.6	36.8	22.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	20.4	9.2	34.4
HOMICIDE AND LEGAL INTERVENTION	3	1	2	15.3	9.2	22.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.2	18.4	0.0
SUICIDE	2	1	1	10.2	9.2	11.5
INFECTIONS OF KIDNEY	1	1	0	5.1	9.2	0.0
HIV INFECTION	1	0	1	5.1	0.0	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	25.5	36.8	11.5
ALL OTHER	16	7	9	81.6	64.4	103.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	198	125	73	94	58	36	104	67	37
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	0	4	1	1	0
25-34	4	1	3	4	1	3	0	0	0
35-44	4	2	2	1	1	0	3	1	2
45-54	10	4	6	5	3	2	5	1	4
55-64	20	13	7	13	7	6	7	6	1
65-74	46	28	18	25	19	6	21	9	12
75-84	52	31	21	22	13	9	30	18	12
85 AND OVER	56	45	11	20	14	6	36	31	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,595
WHITE	10,877
NONWHITE	8,718

(HSWWDTCO)

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	160	112	48	13.3	15.4	10.0
HEART DISEASES	59	38	21	489.7	522.3	439.9
MALIGNANT NEOPLASMS	44	31	13	365.2	426.1	272.3
CEREBROVASCULAR DISEASES	11	8	3	91.3	110.0	62.8
ACCIDENTS	11	7	4	91.3	96.2	83.8
PNEUMONIA AND INFLUENZA	8	6	2	66.4	82.5	41.9
EMPHYSEMA AND OTHER COPD	5	4	1	41.5	55.0	20.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	24.9	41.2	0.0
SUICIDE	2	2	0	16.6	27.5	0.0
DIABETES MELLITUS	1	1	0	8.3	13.7	0.0
HYPERTENSION	1	1	0	8.3	13.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.3	13.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.6	0.0	10.6
HOMICIDE AND LEGAL INTERVENTION	1	1	0	8.3	13.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	12	9	3	99.6	123.7	62.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	160	112	48	83	59	24	77	53	24
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	3	1	4	3	1	0	0	0
35-44	7	4	3	6	4	2	1	0	1
45-54	14	8	6	5	2	3	9	6	3
55-64	22	9	13	16	8	8	6	1	5
65-74	33	28	5	16	15	1	17	13	4
75-84	48	35	13	26	20	6	22	15	7
85 AND OVER	26	23	3	5	5	0	21	18	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,049
WHITE	7,275
NONWHITE	4,774

(HSWWDTCO)

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	315	162	153	12.5	14.4	11.0
HEART DISEASES	94	57	37	374.0	507.1	266.3
MALIGNANT NEOPLASMS	57	33	24	226.8	293.6	172.7
CEREBROVASCULAR DISEASES	21	13	8	83.6	115.6	57.6
ACCIDENTS	21	11	10	83.6	97.9	72.0
EMPHYSEMA AND OTHER COPD	16	12	4	63.6	106.8	28.8
DIABETES MELLITUS	15	3	12	59.7	26.7	86.4
HYPERTENSION	12	4	8	47.7	35.6	57.6
PNEUMONIA AND INFLUENZA	10	5	5	39.8	44.5	36.0
HOMICIDE AND LEGAL INTERVENTION	7	2	5	27.8	17.8	36.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	15.9	8.9	21.6
SUICIDE	4	4	0	15.9	35.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	8.0	0.0	14.4
HIV INFECTION	2	0	2	8.0	0.0	14.4
CONGENITAL ANOMALIES	1	0	1	4.0	0.0	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	0.0	3.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	8.0	0.0	14.4
ALL OTHER	46	17	29	183.0	151.2	208.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	315	162	153	155	78	77	160	84	76
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	17	9	8	10	5	5	7	4	3
25-34	7	1	6	5	1	4	2	0	2
35-44	11	6	5	6	2	4	5	4	1
45-54	23	7	16	18	6	12	5	1	4
55-64	39	13	26	23	9	14	16	4	12
65-74	62	31	31	34	22	12	28	9	19
75-84	89	48	41	36	14	22	53	34	19
85 AND OVER	63	44	19	21	17	4	42	27	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 25,134
 WHITE 11,240
 NONWHITE 13,894