

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,979	2,939	1,502	1,437	511
WHITE	17,982	1,248	653	595	174
NONWHITE	17,997	1,691	849	842	337

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	111	5	50	56	16	0	4	12	95	5	46	44
TEENAGE IMMATURE BIRTHS	13	0	5	8	1	0	0	1	12	0	5	7
TEENAGE PREMATURE BIRTHS	26	0	15	11	0	0	0	0	26	0	15	11
TEENAGE ILLEGITIMATE BIRTHS	104	5	49	50	9	0	3	6	95	5	46	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	5	19	4	0	0	4	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	9	21	4	0	0	4	26	0	9	17
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	1	0	0	1	7	0	3	4
TEENAGE FERTILITY RATE	37.8	3.3	73.8 (15-19)		12.8	0.0	26.9 (15-19)		56.2	5.9	106.9 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	18.0	0.0	20.0	17.8	0.0	0.0	0.0	0.0	21.0	0.0	21.7	22.7
TEENAGE INDUCED TERMINATIONS#	9	1	1	7	0	0	0	0	9	1	1	7
TEENAGE INDUCED TERMINATION RATIO	81.1	200.0	20.0	125.0	0.0	.	0.0	0.0	94.7	200.0	21.7	159.1
TEENAGE PREGNANCIES#	122	6	52	64	16	0	4	12	106	6	48	52
TEENAGE PREGNANCY RATE	41.5	4.0	80.7 (15-19)		12.8	0.0	26.9 (15-19)		62.7	7.1	118.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,897	2,206	1,030	1,176	409
WHITE	28,096	1,845	868	977	331
NONWHITE	3,801	361	162	199	78

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	3	33	49	62	2	26	34	23	1	7	15
TEENAGE IMMATURE BIRTHS	10	0	4	6	4	0	2	2	6	0	2	4
TEENAGE PREMATURE BIRTHS	10	0	4	6	2	0	2	0	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	51	3	21	27	28	2	14	12	23	1	7	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	5	11	11	0	4	7	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	5	19	16	0	4	12	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	38.5	2.9	69.7	(15-19)	33.6	2.3	61.4	(15-19)	63.7	6.2	110.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	14	1	3	10	11	1	2	8	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	164.7	333.3	90.9	204.1	177.4	500.0	76.9	235.3	130.4	0.0	142.8	133.3
TEENAGE PREGNANCIES#	99	4	36	59	73	3	28	42	26	1	8	17
TEENAGE PREGNANCY RATE	44.9	3.9	80.8	(15-19)	39.6	3.4	71.6	(15-19)	72.0	6.2	125.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,854	1,163	559	604	139
WHITE	7,469	503	255	248	74
NONWHITE	6,385	660	304	356	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	0	7	11	6	0	0	6	12	0	7	5
TEENAGE IMMATURE BIRTHS	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE PREMATURE BIRTHS	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	13	0	7	6	1	0	0	1	12	0	7	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	3	1	1	0	0	1	3	0	3	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	15.5	0.0	29.8	(15-19)	11.9	0.0	24.2	(15-19)	18.2	0.0	33.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	111.1	.	142.8	90.9	166.7	.	.	0.0	83.3	.	0.0	200.0
TEENAGE PREGNANCIES#	20	0	8	12	7	0	1	6	13	0	7	6
TEENAGE PREGNANCY RATE	17.2	0.0	33.1	(15-19)	13.9	0.0	28.2	(15-19)	19.7	0.0	36.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,204	1,399	693	706	242
WHITE	10,599	705	346	359	131
NONWHITE	7,605	694	347	347	109

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	3	18	33	24	2	6	16	30	1	12	17
TEENAGE IMMATURE BIRTHS	7	1	2	4	3	1	1	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	9	1	3	5	4	1	0	3	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	42	3	16	23	13	2	4	7	29	1	12	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	2	0	0	2	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	2	0	0	2	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	3	1	0	2	2	0	1	1
TEENAGE FERTILITY RATE	38.6	4.3	72.2	(15-19)	34.0	5.8	61.3	(15-19)	43.2	2.9	83.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	55.6	0.0	55.6	60.6	41.7	0.0	166.7	0.0	66.7	0.0	0.0	117.6
TEENAGE PREGNANCIES#	57	3	19	35	25	2	7	16	32	1	12	19
TEENAGE PREGNANCY RATE	40.7	4.3	76.5	(15-19)	35.5	5.8	64.1	(15-19)	46.1	2.9	89.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,841	679	314	365	128
WHITE	4,565	289	133	156	71
NONWHITE	3,276	390	181	209	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	7	23	14	0	1	13	16	0	6	10
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	21	0	6	15	6	0	0	6	15	0	6	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	44.2	0.0	82.2	(15-19)	48.4	0.0	89.7	(15-19)	41.0	0.0	76.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	0.0	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	30	0	7	23	14	0	1	13	16	0	6	10
TEENAGE PREGNANCY RATE	44.2	0.0	82.2	(15-19)	48.4	0.0	89.7	(15-19)	41.0	0.0	76.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,469	4,035	1,900	2,135	721
WHITE	13,857	1,049	363	686	159
NONWHITE	27,612	2,986	1,537	1,449	562

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	199	11	93	95	18	0	8	10	181	11	85	85
TEENAGE IMMATURE BIRTHS	31	3	14	14	5	0	3	2	26	3	11	12
TEENAGE PREMATURE BIRTHS	35	2	16	17	4	0	2	2	31	2	14	15
TEENAGE ILLEGITIMATE BIRTHS	187	11	89	87	7	0	4	3	180	11	85	84
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	1	26	33	2	0	1	1	58	1	25	32
TEENS WHO HAD PREVIOUS PREGNANCIES	72	1	30	41	6	0	2	4	66	1	28	37
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	7	2	0	0	0	0	9	0	7	2
TEENAGE FERTILITY RATE	49.3	5.8	88.0	(15-19)	17.2	0.0	26.2	(15-19)	60.6	7.2	117.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	40	1	12	27	14	0	3	11	26	1	9	16
TEENAGE INDUCED TERMINATION RATIO	201.0	90.9	129.0	284.2	777.8	.	375.0	1100	143.6	90.9	105.9	188.2
TEENAGE PREGNANCIES#	239	12	105	122	32	0	11	21	207	12	94	101
TEENAGE PREGNANCY RATE	59.2	6.3	106.3	(15-19)	30.5	0.0	46.6	(15-19)	69.3	7.8	134.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	1	4	1	0	0	0	0	6	1	4	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,630	1,054	535	519	185
WHITE	10,424	655	323	332	120
NONWHITE	4,206	399	212	187	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	2	26	25	29	1	13	15	24	1	13	10
TEENAGE IMMATURE BIRTHS	4	1	2	1	2	0	1	1	2	1	1	0
TEENAGE PREMATURE BIRTHS	5	0	4	1	3	0	3	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	35	2	20	13	12	1	7	4	23	1	13	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	3	0	1	2	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	1	0	1	0	3	1	1	1
TEENAGE FERTILITY RATE	50.3	3.7	98.3	(15-19)	44.3	3.1	84.3	(15-19)	60.2	4.7	123.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.9	0.0	0.0	40.0	0.0	0.0	0.0	0.0	41.7	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	1	0	1	0	5	1	0	4
TEENAGE INDUCED TERMINATION RATIO	113.2	500.0	38.5	160.0	34.5	0.0	76.9	0.0	208.3	1000	0.0	400.0
TEENAGE PREGNANCIES#	60	3	27	30	30	1	14	15	30	2	13	15
TEENAGE PREGNANCY RATE	56.9	5.6	109.8	(15-19)	45.8	3.1	87.3	(15-19)	75.2	9.4	149.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,844	819	383	436	95
WHITE	5,901	421	197	224	48
NONWHITE	3,943	398	186	212	47

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	0	10	12	5	0	2	3	17	0	8	9
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	18	0	9	9	1	0	1	0	17	0	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	1	0	0	1	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	26.9	0.0	50.4	(15-19)	11.9	0.0	22.3	(15-19)	42.7	0.0	80.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	5	1	4	0	4	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	272.7	.	500.0	83.3	800.0	.	2000	0.0	117.6	.	125.0	111.1
TEENAGE PREGNANCIES#	28	0	15	13	9	0	6	3	19	0	9	10
TEENAGE PREGNANCY RATE	34.2	0.0	64.2	(15-19)	21.4	0.0	40.2	(15-19)	47.7	0.0	89.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,648	1,372	662	710	310
WHITE	10,443	659	310	349	158
NONWHITE	7,205	713	352	361	152

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	0	35	41	26	0	8	18	50	0	27	23
TEENAGE IMMATURE BIRTHS	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	17	0	7	10	7	0	2	5	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	62	0	33	29	13	0	6	7	49	0	27	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	1	19	5	0	0	5	15	0	1	14
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	1	23	7	0	0	7	17	0	1	16
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE FERTILITY RATE	55.4	0.0	107.0	(15-19)	39.4	0.0	74.5	(15-19)	70.1	0.0	138.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	2	6	4	0	0	4	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	118.4	.	57.1	146.3	153.8	.	0.0	222.2	100.0	.	74.1	87.0
TEENAGE PREGNANCIES#	85	1	37	47	30	0	8	22	55	1	29	25
TEENAGE PREGNANCY RATE	62.0	1.5	118.3	(15-19)	45.5	0.0	86.0	(15-19)	77.1	2.8	149.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,934	778	369	409	112
WHITE	6,115	455	204	251	61
NONWHITE	2,819	323	165	158	49

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	12	19	13	0	4	9	19	1	8	10
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	27	1	10	16	8	0	2	6	19	1	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	3	0	0	3	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	41.1	2.7	75.8 (15-19)		28.6	0.0	51.8 (15-19)		58.8	6.1	113.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	31.2	0.0	0.0	52.6	0.0	0.0	0.0	0.0	52.6	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	33	1	12	20	13	0	4	9	20	1	8	11
TEENAGE PREGNANCY RATE	42.4	2.7	78.2 (15-19)		28.6	0.0	51.8 (15-19)		61.9	6.1	120.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,324	1,533	404	1,129	176
WHITE	1,862	106	51	55	11
NONWHITE	9,462	1,427	353	1,074	165

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	2	19	26	1	0	0	1	46	2	19	25
TEENAGE IMMATURE BIRTHS	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE PREMATURE BIRTHS	13	2	3	8	0	0	0	0	13	2	3	8
TEENAGE ILLEGITIMATE BIRTHS	46	2	19	25	1	0	0	1	45	2	19	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	1	8	6	0	0	0	0	15	1	8	6
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	8	7	0	0	0	0	16	1	8	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	30.6	5.0	39.8	(15-19)	9.4	0.0	18.2	(15-19)	32.2	5.7	41.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	1	0	0	1	3	1	2	0
TEENAGE INDUCED TERMINATION RATIO	85.1	500.0	105.3	38.5	1000	.	.	1000	65.2	500.0	105.3	0.0
TEENAGE PREGNANCIES#	51	3	21	27	2	0	0	2	49	3	21	25
TEENAGE PREGNANCY RATE	33.3	7.4	42.5	(15-19)	18.9	0.0	36.4	(15-19)	34.3	8.5	42.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,241	1,402	699	703	245
WHITE	11,066	752	370	382	121
NONWHITE	6,175	650	329	321	122

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	2	21	31	20	0	8	12	34	2	13	19
TEENAGE IMMATURE BIRTHS	9	0	4	5	2	0	0	2	7	0	4	3
TEENAGE PREMATURE BIRTHS	9	0	2	7	2	0	0	2	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	45	2	18	25	12	0	6	6	33	2	12	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	1	0	0	1	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	5	10	2	0	1	1	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	2	0	0	0	0	0	3	1	2	0
TEENAGE FERTILITY RATE	38.5	2.9	74.0 (15-19)		26.6	0.0	52.4 (15-19)		52.3	6.1	99.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	18.5	0.0	47.6	0.0	0.0	0.0	0.0	0.0	29.4	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	3	0	2	1	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	129.6	0.0	190.5	96.8	150.0		250.0	83.3	117.6	0.0	153.8	105.3
TEENAGE PREGNANCIES#	62	2	26	34	23	0	10	13	39	2	16	21
TEENAGE PREGNANCY RATE	44.2	2.9	85.3 (15-19)		30.6	0.0	60.2 (15-19)		60.0	6.1	115.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,703	1,816	881	935	348
WHITE	9,669	638	305	333	111
NONWHITE	12,034	1,178	576	602	237

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	2	34	48	21	0	9	12	63	2	25	36
TEENAGE IMMATURE BIRTHS	8	1	3	4	1	0	0	1	7	1	3	3
TEENAGE PREMATURE BIRTHS	9	1	4	4	0	0	0	0	9	1	4	4
TEENAGE ILLEGITIMATE BIRTHS	73	2	32	39	13	0	7	6	60	2	25	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	4	15	3	0	0	3	16	0	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	6	19	4	0	1	3	21	0	5	16
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	46.2	2.3	87.7	(15-19)	32.9	0.0	63.1	(15-19)	53.5	3.5	101.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	23.8	0.0	0.0	41.7	47.6	0.0	0.0	83.3	15.9	0.0	0.0	27.8
TEENAGE INDUCED TERMINATIONS#	19	2	6	11	4	0	3	1	15	2	3	10
TEENAGE INDUCED TERMINATION RATIO	226.2	1000	176.5	229.2	190.5	.	333.3	83.3	238.1	1000	120.0	277.8
TEENAGE PREGNANCIES#	105	4	40	61	26	0	12	14	79	4	28	47
TEENAGE PREGNANCY RATE	57.8	4.5	108.0	(15-19)	40.8	0.0	78.1	(15-19)	67.1	6.9	124.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,627	3,019	1,506	1,513	594
WHITE	10,891	677	334	343	111
NONWHITE	21,736	2,342	1,172	1,170	483

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	187	7	86	94	13	0	5	8	174	7	81	86
TEENAGE IMMATURE BIRTHS	19	1	9	9	0	0	0	0	19	1	9	9
TEENAGE PREMATURE BIRTHS	42	2	22	18	2	0	1	1	40	2	21	17
TEENAGE ILLEGITIMATE BIRTHS	177	7	83	87	5	0	3	2	172	7	80	85
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	0	16	44	3	0	0	3	57	0	16	41
TEENS WHO HAD PREVIOUS PREGNANCIES	66	0	17	49	4	0	0	4	62	0	17	45
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	4	4	1	0	0	1	8	1	4	3
TEENAGE FERTILITY RATE	61.9	4.6	119.0	(15-19)	19.2	0.0	37.9	(15-19)	74.3	6.0	142.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	5.3	0.0	11.6	0.0	0.0	0.0	0.0	0.0	5.7	0.0	12.3	0.0
TEENAGE INDUCED TERMINATIONS#	25	5	8	12	7	1	2	4	18	4	6	8
TEENAGE INDUCED TERMINATION RATIO	133.7	714.3	93.0	127.7	538.5	.	400.0	500.0	103.4	571.4	74.1	93.0
TEENAGE PREGNANCIES#	213	12	95	106	20	1	7	12	193	11	88	94
TEENAGE PREGNANCY RATE	70.6	8.0	132.8	(15-19)	29.5	3.0	55.4	(15-19)	82.4	9.4	155.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	2	0	0	0	0	0	3	1	2	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,027	2,237	1,121	1,116	393
WHITE	13,256	867	435	432	159
NONWHITE	14,771	1,370	686	684	234

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	5	49	46	28	0	14	14	72	5	35	32
TEENAGE IMMATURE BIRTHS	19	1	6	12	5	0	1	4	14	1	5	8
TEENAGE PREMATURE BIRTHS	20	1	9	10	5	0	2	3	15	1	7	7
TEENAGE ILLEGITIMATE BIRTHS	85	5	43	37	17	0	9	8	68	5	34	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	3	0	0	3	16	0	5	11
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	8	18	6	0	0	6	20	0	8	12
TEENS WITH INADEQUATE* PRENATAL CARE	11	3	3	5	3	0	2	1	8	3	1	4
TEENAGE FERTILITY RATE	44.7	4.5	85.1	(15-19)	32.3	0.0	64.8	(15-19)	52.6	7.3	98.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.0	0.0	0.0	21.7	0.0	0.0	0.0	0.0	13.9	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	19	2	6	11	5	0	3	2	14	2	3	9
TEENAGE INDUCED TERMINATION RATIO	190.0	400.0	122.4	239.1	178.6	.	214.3	142.8	194.4	400.0	85.7	281.2
TEENAGE PREGNANCIES#	120	7	55	58	33	0	17	16	87	7	38	42
TEENAGE PREGNANCY RATE	53.6	6.2	101.2	(15-19)	38.1	0.0	76.4	(15-19)	63.5	10.2	117.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	1	1	0	0	0	0	3	1	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,010	1,354	664	690	299
WHITE	10,076	684	336	348	151
NONWHITE	5,934	670	328	342	148

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	2	29	44	20	0	8	12	55	2	21	32
TEENAGE IMMATURE BIRTHS	10	0	4	6	1	0	1	0	9	0	3	6
TEENAGE PREMATURE BIRTHS	15	0	5	10	2	0	1	1	13	0	4	9
TEENAGE ILLEGITIMATE BIRTHS	63	2	24	37	9	0	4	5	54	2	20	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	4	17	2	0	0	2	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	3	0	1	2	21	0	5	16
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	5	4	2	0	1	1	7	0	4	3
TEENAGE FERTILITY RATE	55.4	3.0	105.8	(15-19)	29.2	0.0	57.5	(15-19)	82.1	6.1	155.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	40.0	0.0	0.0	68.2	100.0	.	0.0	166.7	18.2	0.0	0.0	31.2
TEENAGE PREGNANCIES#	78	2	29	47	22	0	8	14	56	2	21	33
TEENAGE PREGNANCY RATE	57.6	3.0	110.1	(15-19)	32.2	0.0	63.2	(15-19)	83.6	6.1	157.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	88,563	6,813	3,391	3,422	1,391
WHITE	75,074	5,492	2,772	2,720	1,191
NONWHITE	13,489	1,321	619	702	200

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	187	1	63	123	127	1	46	80	60	0	17	43
TEENAGE IMMATURE BIRTHS	12	0	4	8	7	0	2	5	5	0	2	3
TEENAGE PREMATURE BIRTHS	19	0	9	10	11	0	5	6	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	132	1	50	81	74	1	33	40	58	0	17	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	50	0	8	42	21	0	3	18	29	0	5	24
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	10	44	25	0	5	20	29	0	5	24
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	7	7	7	0	3	4	7	0	4	3
TEENAGE FERTILITY RATE	27.4	0.3	54.4	(15-19)	23.1	0.4	46.3	(15-19)	45.4	0.0	85.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.3	0.0	0.0	8.1	0.0	0.0	0.0	0.0	16.7	0.0	0.0	23.2
TEENAGE INDUCED TERMINATIONS#	72	4	31	37	58	3	28	27	14	1	3	10
TEENAGE INDUCED TERMINATION RATIO	385.0	4000	492.1	300.8	456.7	3000	608.7	337.5	233.3	.	176.5	232.6
TEENAGE PREGNANCIES#	260	5	94	161	185	4	74	107	75	1	20	54
TEENAGE PREGNANCY RATE	38.2	1.5	74.5	(15-19)	33.7	1.4	66.5	(15-19)	56.8	1.6	105.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	3	2	2	0	1	1	3	0	2	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	72,427	5,613	2,574	3,039	1,100
WHITE	49,061	3,165	1,453	1,712	604
NONWHITE	23,366	2,448	1,121	1,327	496

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	211	6	84	121	84	1	26	57	127	5	58	64
TEENAGE IMMATURE BIRTHS	22	1	13	8	5	0	3	2	17	1	10	6
TEENAGE PREMATURE BIRTHS	35	2	17	16	9	1	3	5	26	1	14	11
TEENAGE ILLEGITIMATE BIRTHS	162	6	77	79	37	1	19	17	125	5	58	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	59	0	17	42	15	0	1	14	44	0	16	28
TEENS WHO HAD PREVIOUS PREGNANCIES	63	0	17	46	17	0	1	16	46	0	16	30
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	8	8	2	0	1	1	14	0	7	7
TEENAGE FERTILITY RATE	37.6	2.3	67.4	(15-19)	26.5	0.7	48.5	(15-19)	51.9	4.5	91.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.2	0.0	0.0	24.8	23.8	0.0	0.0	35.1	7.9	0.0	0.0	15.6
TEENAGE INDUCED TERMINATIONS#	39	2	6	31	22	1	4	17	17	1	2	14
TEENAGE INDUCED TERMINATION RATIO	184.8	333.3	71.4	256.2	261.9	1000	153.8	298.2	133.8	200.0	34.5	218.8
TEENAGE PREGNANCIES#	253	8	90	155	108	2	30	76	145	6	60	79
TEENAGE PREGNANCY RATE	45.1	3.1	80.6	(15-19)	34.1	1.4	61.9	(15-19)	59.2	5.4	104.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,952	699	377	322	115
WHITE	4,846	347	179	168	52
NONWHITE	3,106	352	198	154	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	12	13	6	0	1	5	20	1	11	8
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	24	1	12	11	4	0	1	3	20	1	11	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	1	0	0	1	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	2	0	0	2	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	37.2	2.6	77.6 (15-19)	17.3	0.0	35.7 (15-19)	56.8	5.0	123.4 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	38.5	0.0	0.0	76.9	166.7	0.0	0.0	200.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	115.4	0.0	166.7	76.9	166.7	.	1000	0.0	100.0	0.0	90.9	125.0
TEENAGE PREGNANCIES#	30	1	14	15	8	0	2	6	22	1	12	9
TEENAGE PREGNANCY RATE	42.9	2.6	90.1 (15-19)	23.0	0.0	47.6 (15-19)	62.5	5.0	136.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,884	1,458	734	724	310
WHITE	15,969	1,248	626	622	286
NONWHITE	1,915	210	108	102	24

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	1	12	45	53	1	11	41	5	0	1	4
TEENAGE IMMATURE BIRTHS	5	0	0	5	5	0	0	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	0	7	5	0	0	5	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	29	1	8	20	24	1	7	16	5	0	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	1	1	12	14	1	1	12	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	19	1	3	15	19	1	3	15	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	0	3	3	1	0	2	1	0	0	1
TEENAGE FERTILITY RATE	39.8	1.4	78.7 (15-19)		42.5	1.6	83.6 (15-19)		23.8	0.0	49.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	2	1	1	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	69.0	1000	166.7	22.2	37.7	1000	90.9	0.0	400.0	.	1000	250.0
TEENAGE PREGNANCIES#	62	2	14	46	55	2	12	41	7	0	2	5
TEENAGE PREGNANCY RATE	42.5	2.7	82.9 (15-19)		44.1	3.2	85.2 (15-19)		33.3	0.0	68.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,201	918	431	487	162
WHITE	8,717	664	314	350	124
NONWHITE	2,484	254	117	137	38

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	10	21	24	0	7	17	7	0	3	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	2	3	5	0	2	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	15	0	5	10	8	0	2	6	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	4	0	0	4	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	5	0	0	5	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	33.8	0.0	63.6	(15-19)	36.1	0.0	68.6	(15-19)	27.6	0.0	51.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	64.5	.	200.0	0.0	83.3	.	285.7	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	33	0	12	21	26	0	9	17	7	0	3	4
TEENAGE PREGNANCY RATE	35.9	0.0	67.8	(15-19)	39.2	0.0	74.3	(15-19)	27.6	0.0	51.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,942	1,747	853	894	323
WHITE	12,493	875	434	441	159
NONWHITE	9,449	872	419	453	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	3	41	39	26	0	10	16	57	3	31	23
TEENAGE IMMATURE BIRTHS	6	1	0	5	1	0	0	1	5	1	0	4
TEENAGE PREMATURE BIRTHS	11	0	4	7	2	0	0	2	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	69	3	37	29	14	0	7	7	55	3	30	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	5	17	7	0	0	7	15	0	5	10
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	7	19	9	0	1	8	17	0	6	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FERTILITY RATE	47.5	3.5	89.5	(15-19)	29.7	0.0	59.0	(15-19)	65.4	7.2	119.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	20	2	13	5	10	1	8	1	10	1	5	4
TEENAGE INDUCED TERMINATION RATIO	241.0	666.7	317.1	128.2	384.6	.	800.0	62.5	175.4	333.3	161.3	173.9
TEENAGE PREGNANCIES#	103	5	54	44	36	1	18	17	67	4	36	27
TEENAGE PREGNANCY RATE	59.0	5.9	109.6	(15-19)	41.1	2.3	79.4	(15-19)	76.8	9.5	139.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,182	2,692	1,332	1,360	474
WHITE	32,040	2,290	1,142	1,148	431
NONWHITE	4,142	402	190	212	41

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	101	2	37	62	90	2	33	55	11	0	4	7
TEENAGE IMMATURE BIRTHS	10	0	4	6	9	0	4	5	1	0	0	1
TEENAGE PREMATURE BIRTHS	15	0	5	10	11	0	4	7	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	76	2	32	42	65	2	28	35	11	0	4	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	13	0	2	11	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	4	22	24	0	4	20	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	0	4	4	1	0	3	1	0	0	1
TEENAGE FERTILITY RATE	37.5	1.5	72.8	(15-19)	39.3	1.8	76.6	(15-19)	27.4	0.0	51.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	29.7	0.0	54.0	16.1	33.3	0.0	60.6	18.2	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	104	2	39	63	93	2	35	56	11	0	4	7
TEENAGE PREGNANCY RATE	38.6	1.5	75.0	(15-19)	40.6	1.8	79.3	(15-19)	27.4	0.0	51.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	170,862	12,488	6,395	6,093	2,719
WHITE	131,020	8,679	4,482	4,197	1,884
NONWHITE	39,842	3,809	1,913	1,896	835

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	490	13	181	296	282	2	100	180	208	11	81	116
TEENAGE IMMATURE BIRTHS	47	2	18	27	18	1	8	9	29	1	10	18
TEENAGE PREMATURE BIRTHS	73	3	32	38	23	1	10	12	50	2	22	26
TEENAGE ILLEGITIMATE BIRTHS	372	13	157	202	172	2	76	94	200	11	81	108
TEENS WHO HAD PREVIOUS LIVE BIRTHS	113	1	23	89	54	0	8	46	59	1	15	43
TEENS WHO HAD PREVIOUS PREGNANCIES	153	1	32	120	80	0	13	67	73	1	19	53
TEENS WITH INADEQUATE* PRENATAL CARE	98	6	39	53	40	0	15	25	58	6	24	28
TEENAGE FERTILITY RATE	39.2	2.0	78.3	(15-19)	32.5	0.4	66.7	(15-19)	54.6	5.8	103.9	(15-19)
TEENAGE FETAL DEATHS**	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE FETAL DEATH RATIO	8.2	0.0	11.0	6.8	7.1	0.0	10.0	5.6	9.6	0.0	12.3	8.6
TEENAGE INDUCED TERMINATIONS#	74	3	21	50	40	1	12	27	34	2	9	23
TEENAGE INDUCED TERMINATION RATIO	151.0	230.8	116.0	168.9	141.8	500.0	120.0	150.0	163.5	181.8	111.1	198.3
TEENAGE PREGNANCIES#	568	16	204	348	324	3	113	208	244	13	91	140
TEENAGE PREGNANCY RATE	45.5	2.5	90.6	(15-19)	37.3	0.7	76.5	(15-19)	64.0	6.8	121.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	3	0	1	2	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	253,096	19,628	9,551	10,077	3,966
WHITE	115,854	6,945	3,380	3,565	1,071
NONWHITE	137,242	12,683	6,171	6,512	2,889

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	799	36	310	453	98	2	34	62	701	34	276	391
TEENAGE IMMATURE BIRTHS	131	5	48	78	9	0	4	5	122	5	44	73
TEENAGE PREMATURE BIRTHS	172	9	65	98	12	0	4	8	160	9	61	90
TEENAGE ILLEGITIMATE BIRTHS	749	36	298	415	60	2	24	34	689	34	274	381
TEENS WHO HAD PREVIOUS LIVE BIRTHS	225	1	52	172	10	0	4	6	215	1	48	166
TEENS WHO HAD PREVIOUS PREGNANCIES	282	1	73	208	20	0	6	14	262	1	67	194
TEENS WITH INADEQUATE* PRENATAL CARE	85	4	35	46	12	1	6	5	73	3	29	41
TEENAGE FERTILITY RATE	40.7	3.8	75.7	(15-19)	14.1	0.6	26.9	(15-19)	55.3	5.5	102.4	(15-19)
TEENAGE FETAL DEATHS**	5	1	0	4	0	0	0	0	5	1	0	4
TEENAGE FETAL DEATH RATIO	6.2	27.8	0.0	8.8	0.0	0.0	0.0	0.0	7.1	29.4	0.0	10.2
TEENAGE INDUCED TERMINATIONS#	267	12	75	180	62	2	19	41	205	10	56	139
TEENAGE INDUCED TERMINATION RATIO	334.2	333.3	241.9	397.4	632.6	1000	558.8	661.3	292.4	294.1	202.9	355.5
TEENAGE PREGNANCIES#	1,071	49	385	637	160	4	53	103	911	45	332	534
TEENAGE PREGNANCY RATE	54.6	5.1	101.4	(15-19)	23.0	1.2	43.8	(15-19)	71.8	7.3	133.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	1	0	1	0	4	0	1	3

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,771	2,018	1,039	979	409
WHITE	4,654	298	155	143	46
NONWHITE	16,117	1,720	884	836	363

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	9	41	50	5	0	2	3	95	9	39	47
TEENAGE IMMATURE BIRTHS	12	2	6	4	1	0	0	1	11	2	6	3
TEENAGE PREMATURE BIRTHS	18	1	11	6	0	0	0	0	18	1	11	6
TEENAGE ILLEGITIMATE BIRTHS	91	9	39	43	0	0	0	0	91	9	39	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	0	0	0	0	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	24	1	5	18	0	0	0	0	24	1	5	18
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	4	4	0	0	0	0	9	1	4	4
TEENAGE FERTILITY RATE	49.6	8.7	93.0	(15-19)	16.8	0.0	35.0	(15-19)	55.2	10.2	102.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	10.5	0.0	0.0	21.3
TEENAGE INDUCED TERMINATIONS#	23	4	11	8	2	0	1	1	21	4	10	7
TEENAGE INDUCED TERMINATION RATIO	230.0	444.4	268.3	160.0	400.0	.	500.0	333.3	221.0	444.4	256.4	148.9
TEENAGE PREGNANCIES#	124	13	52	59	7	0	3	4	117	13	49	55
TEENAGE PREGNANCY RATE	61.4	12.5	113.4	(15-19)	23.5	0.0	49.0	(15-19)	68.0	14.7	124.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,453	1,151	614	537	194
WHITE	3,475	221	122	99	40
NONWHITE	7,978	930	492	438	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	3	24	26	3	0	0	3	50	3	24	23
TEENAGE IMMATURE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE PREMATURE BIRTHS	14	0	7	7	0	0	0	0	14	0	7	7
TEENAGE ILLEGITIMATE BIRTHS	51	3	24	24	2	0	0	2	49	3	24	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	6	9	1	0	0	1	14	0	6	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	6	10	1	0	0	1	15	0	6	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	5	1	0	0	0	0	7	1	5	1
TEENAGE FERTILITY RATE	46.0	4.9	93.1 (15-19)		13.6	0.0	30.3 (15-19)		53.8	6.1	107.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.9	0.0	0.0	38.5	0.0	0.0	0.0	0.0	20.0	0.0	0.0	43.5
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	75.5	333.3	41.7	76.9	0.0	.	.	0.0	80.0	333.3	41.7	87.0
TEENAGE PREGNANCIES#	58	4	25	29	3	0	0	3	55	4	25	26
TEENAGE PREGNANCY RATE	50.4	6.5	100.6 (15-19)		13.6	0.0	30.3 (15-19)		59.1	8.1	116.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,805	166	74	92	15
WHITE	771	53	26	27	4
NONWHITE	1,034	113	48	65	11

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	30.1	0.0	54.3	(15-19)	18.9	0.0	37.0	(15-19)	35.4	0.0	61.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	.	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREGNANCY RATE	30.1	0.0	54.3	(15-19)	18.9	0.0	37.0	(15-19)	35.4	0.0	61.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,797	1,266	630	636	248
WHITE	18,415	1,145	576	569	221
NONWHITE	1,382	121	54	67	21

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	15	20	28	0	13	15	7	0	2	5
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	0	5	1	4	0	3	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	15	0	7	8	9	0	5	4	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	5	0	1	4	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	7	0	2	5	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE	27.6	0.0	55.0	(15-19)	24.4	0.0	49.2	(15-19)	57.8	0.0	104.5	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	57.1	0.0	0.0	100.0	35.7	0.0	0.0	66.7	142.8	0.0	0.0	200.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	4	0	2	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	200.0	.	200.0	200.0	142.8	.	153.8	133.3	428.6	.	500.0	400.0
TEENAGE PREGNANCIES#	44	0	18	26	33	0	15	18	11	0	3	8
TEENAGE PREGNANCY RATE	34.8	0.0	69.2	(15-19)	28.8	0.0	58.0	(15-19)	90.9	0.0	164.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	133,134	10,630	5,147	5,483	1,724
WHITE	103,144	7,506	3,690	3,816	1,227
NONWHITE	29,990	3,124	1,457	1,667	497

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	354	5	122	227	221	2	76	143	133	3	46	84
TEENAGE IMMATURE BIRTHS	42	0	12	30	22	0	8	14	20	0	4	16
TEENAGE PREMATURE BIRTHS	43	1	15	27	19	1	8	10	24	0	7	17
TEENAGE ILLEGITIMATE BIRTHS	271	4	106	161	146	1	61	84	125	3	45	77
TEENS WHO HAD PREVIOUS LIVE BIRTHS	82	0	15	67	39	0	4	35	43	0	11	32
TEENS WHO HAD PREVIOUS PREGNANCIES	100	0	23	77	51	0	9	42	49	0	14	35
TEENS WITH INADEQUATE* PRENATAL CARE	39	1	21	17	20	0	13	7	19	1	8	10
TEENAGE FERTILITY RATE	33.3	1.0	63.6	(15-19)	29.4	0.5	57.4	(15-19)	42.6	2.0	78.0	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	8.5	0.0	0.0	13.2	0.0	0.0	0.0	0.0	22.6	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	87	4	34	49	52	1	26	25	35	3	8	24
TEENAGE INDUCED TERMINATION RATIO	245.8	800.0	278.7	215.8	235.3	500.0	342.1	174.8	263.2	1000	173.9	285.7
TEENAGE PREGNANCIES#	444	9	156	279	273	3	102	168	171	6	54	111
TEENAGE PREGNANCY RATE	41.8	1.7	79.3	(15-19)	36.4	0.8	70.8	(15-19)	54.7	4.1	99.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	0	5	3	0	0	3	2	0	0	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,235	1,492	708	784	293
WHITE	8,167	515	265	250	101
NONWHITE	9,068	977	443	534	192

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	28	36	10	0	2	8	55	1	26	28
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	55	1	26	28	1	0	0	1	54	1	26	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	1	0	0	1	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	2	0	0	2	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE FERTILITY RATE	43.6	1.4	81.6 (15-19)		19.4	0.0	40.0 (15-19)		56.3	2.2	101.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	2	0	1	1	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	61.5	1000	71.4	27.8	200.0	.	500.0	125.0	36.4	1000	38.5	0.0
TEENAGE PREGNANCIES#	69	2	30	37	12	0	3	9	57	2	27	28
TEENAGE PREGNANCY RATE	46.2	2.8	85.4 (15-19)		23.3	0.0	48.0 (15-19)		58.3	4.5	103.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,295	815	403	412	140
WHITE	1,049	54	28	26	11
NONWHITE	7,246	761	375	386	129

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	1	12	25	2	0	0	2	36	1	12	23
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	36	1	11	24	1	0	0	1	35	1	11	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	0	0	0	0	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	46.6	2.5	89.8	(15-19)	37.0	0.0	76.9	(15-19)	47.3	2.7	90.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	105.3	0.0	0.0	160.0	0.0	.	.	0.0	111.1	0.0	0.0	173.9
TEENAGE PREGNANCIES#	42	1	12	29	2	0	0	2	40	1	12	27
TEENAGE PREGNANCY RATE	51.5	2.5	99.5	(15-19)	37.0	0.0	76.9	(15-19)	52.6	2.7	101.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,527	1,203	583	620	205
WHITE	5,667	372	203	169	58
NONWHITE	7,860	831	380	451	147

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	4	19	30	5	0	0	5	48	4	19	25
TEENAGE IMMATURE BIRTHS	8	0	3	5	1	0	0	1	7	0	3	4
TEENAGE PREMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	51	4	19	28	3	0	0	3	48	4	19	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	5	12	2	0	0	2	15	0	5	10
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	6	14	3	0	0	3	17	0	6	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	1	0	0	1	2	1	0	1
TEENAGE FERTILITY RATE	44.0	6.9	79.0 (15-19)		13.4	0.0	29.6 (15-19)		57.8	10.5	97.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	94.3	0.0	0.0	166.7	200.0	.	.	200.0	83.3	0.0	0.0	160.0
TEENAGE PREGNANCIES#	58	4	19	35	6	0	0	6	52	4	19	29
TEENAGE PREGNANCY RATE	48.2	6.9	87.1 (15-19)		16.1	0.0	35.5 (15-19)		62.6	10.5	106.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	62,251	4,761	2,367	2,394	850
WHITE	45,773	3,087	1,537	1,550	530
NONWHITE	16,478	1,674	830	844	320

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	183	4	69	110	87	1	34	52	96	3	35	58
TEENAGE IMMATURE BIRTHS	21	1	9	11	7	0	4	3	14	1	5	8
TEENAGE PREMATURE BIRTHS	21	1	8	12	9	0	4	5	12	1	4	7
TEENAGE ILLEGITIMATE BIRTHS	131	4	54	73	39	1	20	18	92	3	34	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	49	0	10	39	14	0	2	12	35	0	8	27
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	11	45	15	0	2	13	41	0	9	32
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	4	0	1	3	4	0	1	3
TEENAGE FERTILITY RATE	38.4	1.7	74.8	(15-19)	28.2	0.6	55.5	(15-19)	57.3	3.6	110.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	10.9	0.0	14.5	9.1	11.5	0.0	0.0	19.2	10.4	0.0	28.6	0.0
TEENAGE INDUCED TERMINATIONS#	22	0	9	13	10	0	2	8	12	0	7	5
TEENAGE INDUCED TERMINATION RATIO	120.2	0.0	130.4	118.2	114.9	0.0	58.8	153.8	125.0	0.0	200.0	86.2
TEENAGE PREGNANCIES#	207	4	79	124	98	1	36	61	109	3	43	63
TEENAGE PREGNANCY RATE	43.5	1.7	84.8	(15-19)	31.7	0.6	62.6	(15-19)	65.1	3.6	125.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	0	0	0	0	4	0	1	3

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,554	850	421	429	135
WHITE	4,284	273	144	129	44
NONWHITE	6,270	577	277	300	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	3	11	12	5	0	3	2	21	3	8	10
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE ILLEGITIMATE BIRTHS	22	3	9	10	1	0	1	0	21	3	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	30.6	7.1	53.6 (15-19)	18.3	0.0	38.8 (15-19)	36.4	10.8	60.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	4	0	3	0	3	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	363.6	0.0	600.0	.	1000	0.0	47.6	0.0	125.0	0.0
TEENAGE PREGNANCIES#	30	3	15	12	8	0	6	2	22	3	9	10
TEENAGE PREGNANCY RATE	35.3	7.1	62.9 (15-19)	29.3	0.0	62.0 (15-19)	38.1	10.8	63.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,388	2,686	976	1,710	378
WHITE	24,927	1,805	567	1,238	230
NONWHITE	9,461	881	409	472	148

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	3	17	37	23	1	7	15	34	2	10	22
TEENAGE IMMATURE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENAGE PREMATURE BIRTHS	14	3	4	7	4	1	2	1	10	2	2	6
TEENAGE ILLEGITIMATE BIRTHS	46	3	16	27	12	1	6	5	34	2	10	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	2	2	14	6	0	1	5	12	2	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	24	2	5	17	8	0	1	7	16	2	4	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	2	3	4	2	0	2	0	7	2	1	4
TEENAGE FERTILITY RATE	21.2	3.1	31.6	(15-19)	12.7	1.8	17.8	(15-19)	38.6	4.9	67.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	33	0	7	26	20	0	4	16	13	0	3	10
TEENAGE INDUCED TERMINATION RATIO	578.9	0.0	411.8	702.7	869.6	0.0	571.4	1067	382.4	0.0	300.0	454.5
TEENAGE PREGNANCIES#	90	3	24	63	43	1	11	31	47	2	13	32
TEENAGE PREGNANCY RATE	33.5	3.1	50.9	(15-19)	23.8	1.8	33.9	(15-19)	53.3	4.9	95.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,458	2,562	1,331	1,231	493
WHITE	27,373	2,153	1,120	1,033	411
NONWHITE	4,085	409	211	198	80

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	20	44	51	1	14	36	14	0	6	8
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	5	0	1	4	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	39	1	16	22	25	1	10	14	14	0	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	7	0	1	6	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	11	0	1	10	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	25.4	0.8	52.0 (15-19)		23.7	0.9	48.4 (15-19)		34.2	0.0	70.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	1	7	7	0	1	6	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	123.1	0.0	50.0	159.1	137.2	0.0	71.4	166.7	71.4	.	0.0	125.0
TEENAGE PREGNANCIES#	73	1	21	51	58	1	15	42	15	0	6	9
TEENAGE PREGNANCY RATE	28.5	0.8	58.5 (15-19)		26.9	0.9	55.2 (15-19)		36.7	0.0	75.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,475	5,694	2,861	2,833	1,151
WHITE	48,338	3,031	1,484	1,547	578
NONWHITE	28,137	2,663	1,377	1,286	573

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	226	10	99	117	64	0	23	41	162	10	76	76
TEENAGE IMMATURE BIRTHS	21	1	10	10	5	0	2	3	16	1	8	7
TEENAGE PREMATURE BIRTHS	34	3	14	17	2	0	1	1	32	3	13	16
TEENAGE ILLEGITIMATE BIRTHS	191	10	92	89	33	0	16	17	158	10	76	72
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	0	15	39	9	0	0	9	45	0	15	30
TEENS WHO HAD PREVIOUS PREGNANCIES	66	0	20	46	12	0	1	11	54	0	19	35
TEENS WITH INADEQUATE* PRENATAL CARE	17	3	8	6	2	0	1	1	15	3	7	5
TEENAGE FERTILITY RATE	39.7	3.5	76.2	(15-19)	21.1	0.0	41.4	(15-19)	60.8	7.3	118.2	(15-19)
TEENAGE FETAL DEATHS**	6	1	2	3	1	0	0	1	5	1	2	2
TEENAGE FETAL DEATH RATIO	26.5	100.0	20.2	25.6	15.6	0.0	0.0	24.4	30.9	100.0	26.3	26.3
TEENAGE INDUCED TERMINATIONS#	55	3	25	27	24	2	8	14	31	1	17	13
TEENAGE INDUCED TERMINATION RATIO	243.4	300.0	252.5	230.8	375.0	.	347.8	341.5	191.4	100.0	223.7	171.0
TEENAGE PREGNANCIES#	287	14	126	147	89	2	31	56	198	12	95	91
TEENAGE PREGNANCY RATE	50.4	4.9	96.4	(15-19)	29.4	1.3	56.2	(15-19)	74.4	8.7	144.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	1	5	2	0	0	2	4	0	1	3

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,143	1,023	504	519	190
WHITE	7,936	587	302	285	120
NONWHITE	4,207	436	202	234	70

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	1	11	26	17	0	3	14	21	1	8	12
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	1	3	4	1	0	0	1	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	26	1	10	15	7	0	3	4	19	1	7	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	4	0	0	4	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	4	0	0	4	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	37.1	2.0	71.3	(15-19)	29.0	0.0	59.6	(15-19)	48.2	5.0	85.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	90.9	38.5	58.8	.	333.3	0.0	47.6	0.0	0.0	83.3
TEENAGE PREGNANCIES#	40	1	12	27	18	0	4	14	22	1	8	13
TEENAGE PREGNANCY RATE	39.1	2.0	75.1	(15-19)	30.7	0.0	63.2	(15-19)	50.4	5.0	89.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,578	1,441	726	715	291
WHITE	10,907	695	361	334	132
NONWHITE	7,671	746	365	381	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	4	26	41	26	0	10	16	45	4	16	25
TEENAGE IMMATURE BIRTHS	9	1	3	5	4	0	1	3	5	1	2	2
TEENAGE PREMATURE BIRTHS	13	2	0	11	4	0	0	4	9	2	0	7
TEENAGE ILLEGITIMATE BIRTHS	51	4	20	27	8	0	4	4	43	4	16	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	6	0	0	6	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	4	17	9	0	1	8	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	49.3	5.5	93.7	(15-19)	37.4	0.0	77.8	(15-19)	60.3	11.0	107.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.1	0.0	38.5	0.0	0.0	0.0	0.0	0.0	22.2	0.0	62.5	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	3	0	3	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	42.2	0.0	115.4	0.0	115.4	0.0	300.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	4	30	41	29	0	13	16	46	4	17	25
TEENAGE PREGNANCY RATE	52.0	5.5	99.3	(15-19)	41.7	0.0	86.8	(15-19)	61.7	11.0	110.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	73,739	5,507	2,807	2,700	1,123
WHITE	57,121	3,911	2,010	1,901	775
NONWHITE	16,618	1,596	797	799	344

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	206	6	82	118	105	0	36	69	101	6	46	49
TEENAGE IMMATURE BIRTHS	28	1	8	19	11	0	1	10	17	1	7	9
TEENAGE PREMATURE BIRTHS	37	3	9	25	11	0	2	9	26	3	7	16
TEENAGE ILLEGITIMATE BIRTHS	161	6	69	86	63	0	23	40	98	6	46	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	61	0	20	41	21	0	6	15	40	0	14	26
TEENS WHO HAD PREVIOUS PREGNANCIES	71	0	23	48	26	0	6	20	45	0	17	28
TEENS WITH INADEQUATE* PRENATAL CARE	19	1	7	11	4	0	0	4	15	1	7	7
TEENAGE FERTILITY RATE	37.4	2.1	74.1	(15-19)	26.8	0.0	55.2	(15-19)	63.3	7.5	118.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	9.7	0.0	0.0	16.9	0.0	0.0	0.0	0.0	19.8	0.0	0.0	40.8
TEENAGE INDUCED TERMINATIONS#	35	2	12	21	20	0	7	13	15	2	5	8
TEENAGE INDUCED TERMINATION RATIO	169.9	333.3	146.3	178.0	190.5	.	194.4	188.4	148.5	333.3	108.7	163.3
TEENAGE PREGNANCIES#	243	8	94	141	125	0	43	82	118	8	51	59
TEENAGE PREGNANCY RATE	44.1	2.8	87.0	(15-19)	32.0	0.0	65.8	(15-19)	73.9	10.0	137.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	1	1	0	0	0	0	3	1	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,970	3,572	1,698	1,874	691
WHITE	13,470	905	454	451	137
NONWHITE	23,500	2,667	1,244	1,423	554

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	223	11	115	97	27	0	12	15	196	11	103	82
TEENAGE IMMATURE BIRTHS	22	4	10	8	0	0	0	0	22	4	10	8
TEENAGE PREMATURE BIRTHS	47	6	23	18	0	0	0	0	47	6	23	18
TEENAGE ILLEGITIMATE BIRTHS	207	11	108	88	11	0	5	6	196	11	103	82
TEENS WHO HAD PREVIOUS LIVE BIRTHS	73	0	24	49	6	0	1	5	67	0	23	44
TEENS WHO HAD PREVIOUS PREGNANCIES	87	0	29	58	11	0	2	9	76	0	27	49
TEENS WITH INADEQUATE* PRENATAL CARE	34	3	13	18	0	0	0	0	34	3	13	18
TEENAGE FERTILITY RATE	62.4	6.5	113.1	(15-19)	29.8	0.0	59.9	(15-19)	73.5	8.8	130.0	(15-19)
TEENAGE FETAL DEATHS**	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE FETAL DEATH RATIO	26.9	90.9	26.1	20.6	0.0	0.0	0.0	0.0	30.6	90.9	29.1	24.4
TEENAGE INDUCED TERMINATIONS#	40	5	15	20	6	0	3	3	34	5	12	17
TEENAGE INDUCED TERMINATION RATIO	179.4	454.5	130.4	206.2	222.2	.	250.0	200.0	173.5	454.5	116.5	207.3
TEENAGE PREGNANCIES#	269	17	133	119	33	0	15	18	236	17	118	101
TEENAGE PREGNANCY RATE	75.3	10.0	134.5	(15-19)	36.5	0.0	73.2	(15-19)	88.5	13.7	153.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	1	2	1	0	0	0	0	4	1	2	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,911	2,555	1,246	1,309	434
WHITE	22,041	1,575	786	789	271
NONWHITE	9,870	980	460	520	157

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	4	29	52	43	0	10	33	42	4	19	19
TEENAGE IMMATURE BIRTHS	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE PREMATURE BIRTHS	10	1	4	5	3	0	0	3	7	1	4	2
TEENAGE ILLEGITIMATE BIRTHS	52	4	23	25	11	0	5	6	41	4	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	3	0	0	3	11	0	4	7
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	6	14	7	0	2	5	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	0	4	1	0	0	1	4	1	0	3
TEENAGE FERTILITY RATE	33.3	3.2	61.9 (15-19)	27.3	0.0	54.5 (15-19)	42.8	8.7	73.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	2	1	12	5	1	1	3	10	1	0	9
TEENAGE INDUCED TERMINATION RATIO	176.5	500.0	34.5	230.8	116.3	100.0	90.9	238.1	250.0	0.0	473.7	
TEENAGE PREGNANCIES#	100	6	30	64	48	1	11	36	52	5	19	28
TEENAGE PREGNANCY RATE	39.1	4.8	71.8 (15-19)	30.5	1.3	59.6 (15-19)	53.1	10.9	90.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	61,480	4,774	2,343	2,431	1,030
WHITE	37,591	2,487	1,242	1,245	481
NONWHITE	23,889	2,287	1,101	1,186	549

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	196	8	76	112	45	0	15	30	151	8	61	82
TEENAGE IMMATURE BIRTHS	21	1	10	10	3	0	1	2	18	1	9	8
TEENAGE PREMATURE BIRTHS	36	2	18	16	6	0	2	4	30	2	16	12
TEENAGE ILLEGITIMATE BIRTHS	170	8	73	89	26	0	12	14	144	8	61	75
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	0	11	33	6	0	0	6	38	0	11	27
TEENS WHO HAD PREVIOUS PREGNANCIES	57	0	14	43	11	0	1	10	46	0	13	33
TEENS WITH INADEQUATE* PRENATAL CARE	20	0	14	6	3	0	2	1	17	0	12	5
TEENAGE FERTILITY RATE	41.0	3.4	77.3	(15-19)	18.1	0.0	36.1	(15-19)	66.0	7.3	120.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	10.2	0.0	13.2	8.9	0.0	0.0	0.0	0.0	13.2	0.0	16.4	12.2
TEENAGE INDUCED TERMINATIONS#	50	5	20	25	19	0	11	8	31	5	9	17
TEENAGE INDUCED TERMINATION RATIO	255.1	625.0	263.2	223.2	422.2	.	733.3	266.7	205.3	625.0	147.5	207.3
TEENAGE PREGNANCIES#	248	13	97	138	64	0	26	38	184	13	71	100
TEENAGE PREGNANCY RATE	51.9	5.5	96.7	(15-19)	25.7	0.0	51.4	(15-19)	80.4	11.8	144.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	0	0	0	0	4	0	3	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	68,174	5,278	2,720	2,558	1,187
WHITE	39,897	2,554	1,371	1,183	626
NONWHITE	28,277	2,724	1,349	1,375	561

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	163	5	73	85	21	0	7	14	142	5	66	71
TEENAGE IMMATURE BIRTHS	14	0	7	7	0	0	0	0	14	0	7	7
TEENAGE PREMATURE BIRTHS	22	1	4	17	2	0	0	2	20	1	4	15
TEENAGE ILLEGITIMATE BIRTHS	150	5	71	74	14	0	5	9	136	5	66	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	11	29	4	0	0	4	36	0	11	25
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	14	30	6	0	2	4	38	0	12	26
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	10	7	3	0	1	2	15	1	9	5
TEENAGE FERTILITY RATE	30.9	1.8	61.8	(15-19)	8.2	0.0	17.8	(15-19)	52.1	3.7	99.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.1	0.0	0.0	11.8	0.0	0.0	0.0	0.0	7.0	0.0	0.0	14.1
TEENAGE INDUCED TERMINATIONS#	46	6	17	23	16	1	8	7	30	5	9	16
TEENAGE INDUCED TERMINATION RATIO	282.2	1200	232.9	270.6	761.9	.	1143	500.0	211.3	1000	136.4	225.4
TEENAGE PREGNANCIES#	210	11	90	109	37	1	15	21	173	10	75	88
TEENAGE PREGNANCY RATE	39.8	4.0	77.8	(15-19)	14.5	0.7	30.4	(15-19)	63.5	7.4	118.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,938	2,083	1,034	1,049	370
WHITE	17,023	1,254	639	615	211
NONWHITE	7,915	829	395	434	157

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	3	38	48	37	1	17	19	52	2	21	29
TEENAGE IMMATURE BIRTHS	7	2	0	5	4	1	0	3	3	1	0	2
TEENAGE PREMATURE BIRTHS	10	1	4	5	3	0	1	2	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	59	2	26	31	11	0	5	6	48	2	21	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	3	20	9	0	0	9	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	11	0	1	10	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE FERTILITY RATE	42.7	2.9	82.0 (15-19)		29.5	1.6	58.5 (15-19)		62.7	5.1	115.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	44.9	0.0	78.9	20.8	27.0	0.0	58.8	0.0	57.7	0.0	95.2	34.5
TEENAGE PREGNANCIES#	93	3	41	49	38	1	18	19	55	2	23	30
TEENAGE PREGNANCY RATE	44.6	2.9	85.8 (15-19)		30.3	1.6	60.2 (15-19)		66.3	5.1	122.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,413	2,759	1,318	1,441	520
WHITE	15,813	1,048	531	517	204
NONWHITE	16,600	1,711	787	924	316

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	134	2	62	70	45	0	21	24	89	2	41	46
TEENAGE IMMATURE BIRTHS	17	0	9	8	2	0	2	0	15	0	7	8
TEENAGE PREMATURE BIRTHS	19	0	10	9	5	0	1	4	14	0	9	5
TEENAGE ILLEGITIMATE BIRTHS	115	2	56	57	27	0	16	11	88	2	40	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	8	21	8	0	1	7	21	0	7	14
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	9	26	11	0	2	9	24	0	7	17
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	7	5	1	0	1	0	12	1	6	5
TEENAGE FERTILITY RATE	48.6	1.5	91.6	(15-19)	42.9	0.0	87.0	(15-19)	52.0	2.5	94.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	7.5	0.0	0.0	14.3	22.2	0.0	0.0	41.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	22	1	11	10	6	0	6	0	16	1	5	10
TEENAGE INDUCED TERMINATION RATIO	164.2	500.0	177.4	142.8	133.3	.	285.7	0.0	179.8	500.0	122.0	217.4
TEENAGE PREGNANCIES#	157	3	73	81	52	0	27	25	105	3	46	56
TEENAGE PREGNANCY RATE	56.9	2.3	106.9	(15-19)	49.6	0.0	100.6	(15-19)	61.4	3.8	110.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,514	2,792	1,407	1,385	493
WHITE	24,937	1,717	890	827	311
NONWHITE	11,577	1,075	517	558	178

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	3	36	56	46	1	15	30	49	2	21	26
TEENAGE IMMATURE BIRTHS	7	0	4	3	4	0	2	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	7	0	4	3	3	0	1	2	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	67	3	29	35	21	1	9	11	46	2	20	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	7	0	1	6	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	8	0	2	6	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE FERTILITY RATE	34.0	2.1	66.4 (15-19)	26.8	1.1	54.4 (15-19)	45.6	3.9	84.2 (15-19)			
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	21.0	0.0	27.8	17.8	21.7	0.0	0.0	33.3	20.4	0.0	47.6	0.0
TEENAGE INDUCED TERMINATIONS#	18	2	10	6	9	0	5	4	9	2	5	2
TEENAGE INDUCED TERMINATION RATIO	189.5	666.7	277.8	107.1	195.6	0.0	333.3	133.3	183.7	1000	238.1	76.9
TEENAGE PREGNANCIES#	115	5	47	63	56	1	20	35	59	4	27	28
TEENAGE PREGNANCY RATE	41.2	3.6	79.4 (15-19)	32.6	1.1	66.5 (15-19)	54.9	7.7	98.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,882	952	485	467	198
WHITE	6,316	376	196	180	81
NONWHITE	5,566	576	289	287	115

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	3	28	26	11	0	4	7	46	3	24	19
TEENAGE IMMATURE BIRTHS	11	1	5	5	2	0	2	0	9	1	3	5
TEENAGE PREMATURE BIRTHS	17	2	10	5	3	0	1	2	14	2	9	3
TEENAGE ILLEGITIMATE BIRTHS	48	3	27	18	4	0	3	1	44	3	24	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	6	9	5	0	1	4	10	0	5	5
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	6	13	6	0	1	5	13	0	5	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	3	0	1	0	1	0	3	1	2	0
TEENAGE FERTILITY RATE	59.9	6.2	115.6	(15-19)	29.2	0.0	61.1	(15-19)	79.9	10.4	149.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	17.5	0.0	35.7	0.0	90.9	0.0	250.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	2	4	3	2	0	1	1	7	2	3	2
TEENAGE INDUCED TERMINATION RATIO	157.9	666.7	142.8	115.4	181.8	.	250.0	142.8	152.2	666.7	125.0	105.3
TEENAGE PREGNANCIES#	67	5	33	29	14	0	6	8	53	5	27	21
TEENAGE PREGNANCY RATE	70.4	10.3	132.8	(15-19)	37.2	0.0	77.8	(15-19)	92.0	17.3	167.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,934	2,156	1,030	1,126	453
WHITE	18,182	1,270	603	667	250
NONWHITE	8,752	886	427	459	203

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	103	1	30	72	42	1	11	30	61	0	19	42
TEENAGE IMMATURE BIRTHS	10	1	5	4	2	1	1	0	8	0	4	4
TEENAGE PREMATURE BIRTHS	20	1	8	11	3	1	1	1	17	0	7	10
TEENAGE ILLEGITIMATE BIRTHS	72	1	25	46	19	1	7	11	53	0	18	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	1	22	9	0	0	9	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	1	25	12	0	0	12	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	3	7	2	0	1	1	8	0	2	6
TEENAGE FERTILITY RATE	47.8	1.0	90.6	(15-19)	33.1	1.6	61.5	(15-19)	68.8	0.0	132.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	19.4	0.0	0.0	27.8	23.8	0.0	0.0	33.3	16.4	0.0	0.0	23.8
TEENAGE INDUCED TERMINATIONS#	9	3	5	1	7	3	3	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	87.4	3000	166.7	13.9	166.7	3000	272.7	33.3	32.8	.	105.3	0.0
TEENAGE PREGNANCIES#	114	4	35	75	50	4	14	32	64	0	21	43
TEENAGE PREGNANCY RATE	52.9	3.9	97.7	(15-19)	39.4	6.6	69.0	(15-19)	72.2	0.0	139.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,630	1,654	785	869	345
WHITE	14,434	960	464	496	175
NONWHITE	7,196	694	321	373	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	1	20	38	19	0	7	12	40	1	13	26
TEENAGE IMMATURE BIRTHS	9	0	3	6	1	0	1	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	10	0	3	7	2	0	0	2	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	49	1	17	31	10	0	5	5	39	1	12	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	3	0	0	3	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	4	0	0	4	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	35.7	1.3	66.7 (15-19)		19.8	0.0	38.3 (15-19)		57.6	3.1	104.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	50.8	0.0	50.0	52.6	157.9	0.0	142.8	166.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	2	7	5	0	0	5	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	169.5	1000	100.0	184.2	263.2	.	0.0	416.7	125.0	1000	153.8	76.9
TEENAGE PREGNANCIES#	72	2	23	47	27	0	8	19	45	2	15	28
TEENAGE PREGNANCY RATE	43.5	2.5	80.6 (15-19)		28.1	0.0	54.4 (15-19)		64.8	6.2	115.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	1	0	2	0	0	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,134	1,142	559	583	214
WHITE	3,240	213	107	106	51
NONWHITE	8,894	929	452	477	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	2	18	23	0	0	0	0	43	2	18	23
TEENAGE IMMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE PREMATURE BIRTHS	7	0	5	2	0	0	0	0	7	0	5	2
TEENAGE ILLEGITIMATE BIRTHS	42	2	18	22	0	0	0	0	42	2	18	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	37.6	3.6	70.3	(15-19)	0.0	0.0	0.0	(15-19)	46.3	4.4	86.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	162.8	0.0	111.1	217.4	0.0	.	.	0.0	139.5	0.0	111.1	173.9
TEENAGE PREGNANCIES#	50	2	20	28	1	0	0	1	49	2	20	27
TEENAGE PREGNANCY RATE	43.8	3.6	82.3	(15-19)	4.7	0.0	9.4	(15-19)	52.7	4.4	98.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,994	3,468	1,204	2,264	569
WHITE	24,015	1,911	490	1,421	252
NONWHITE	14,979	1,557	714	843	317

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	2	31	73	22	0	3	19	84	2	28	54
TEENAGE IMMATURE BIRTHS	14	0	4	10	1	0	0	1	13	0	4	9
TEENAGE PREMATURE BIRTHS	24	0	8	16	5	0	1	4	19	0	7	12
TEENAGE ILLEGITIMATE BIRTHS	87	2	29	56	5	0	1	4	82	2	28	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	4	21	5	0	1	4	20	0	3	17
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	4	23	5	0	1	4	22	0	3	19
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	4	13	0	0	0	0	17	0	4	13
TEENAGE FERTILITY RATE	30.6	1.7	45.9	(15-19)	11.5	0.0	15.5	(15-19)	54.0	2.8	97.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.4	0.0	0.0	13.7	0.0	0.0	0.0	0.0	11.9	0.0	0.0	18.5
TEENAGE INDUCED TERMINATIONS#	31	2	6	23	16	0	1	15	15	2	5	8
TEENAGE INDUCED TERMINATION RATIO	292.4	1000	193.5	315.1	727.3	.	333.3	789.5	178.6	1000	178.6	148.1
TEENAGE PREGNANCIES#	138	4	37	97	38	0	4	34	100	4	33	63
TEENAGE PREGNANCY RATE	39.8	3.3	59.2	(15-19)	19.9	0.0	26.7	(15-19)	64.2	5.6	113.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,738	2,911	1,467	1,444	519
WHITE	17,547	1,175	582	593	198
NONWHITE	16,191	1,736	885	851	321

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	135	9	49	77	40	1	11	28	95	8	38	49
TEENAGE IMMATURE BIRTHS	22	5	7	10	4	0	1	3	18	5	6	7
TEENAGE PREMATURE BIRTHS	29	1	14	14	7	0	2	5	22	1	12	9
TEENAGE ILLEGITIMATE BIRTHS	116	9	45	62	23	1	7	15	93	8	38	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	11	25	7	0	1	6	29	0	10	19
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	13	31	10	0	1	9	34	0	12	22
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	8	2	0	0	0	0	11	1	8	2
TEENAGE FERTILITY RATE	46.4	6.1	87.2	(15-19)	34.0	1.7	65.8	(15-19)	54.7	9.0	102.2	(15-19)
TEENAGE FETAL DEATHS**	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FETAL DEATH RATIO	29.6	0.0	0.0	51.9	0.0	0.0	0.0	0.0	42.1	0.0	0.0	81.6
TEENAGE INDUCED TERMINATIONS#	23	1	12	10	7	0	2	5	16	1	10	5
TEENAGE INDUCED TERMINATION RATIO	170.4	111.1	244.9	129.9	175.0	0.0	181.8	178.6	168.4	125.0	263.2	102.0
TEENAGE PREGNANCIES#	162	10	61	91	47	1	13	33	115	9	48	58
TEENAGE PREGNANCY RATE	55.6	6.8	105.3	(15-19)	40.0	1.7	77.6	(15-19)	66.2	10.2	124.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,866	3,273	1,628	1,645	595
WHITE	35,198	2,608	1,297	1,311	501
NONWHITE	6,668	665	331	334	94

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	119	0	44	75	94	0	33	61	25	0	11	14
TEENAGE IMMATURE BIRTHS	6	0	2	4	4	0	1	3	2	0	1	1
TEENAGE PREMATURE BIRTHS	18	0	7	11	11	0	3	8	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	73	0	33	40	51	0	22	29	22	0	11	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	3	21	17	0	1	16	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	7	27	26	0	4	22	8	0	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	4	0	2	2	3	0	2	1
TEENAGE FERTILITY RATE	36.4	0.0	72.3	(15-19)	36.0	0.0	71.7	(15-19)	37.6	0.0	74.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.4	0.0	0.0	13.3	10.6	0.0	0.0	16.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	33.6	.	22.7	40.0	21.3	.	0.0	32.8	80.0	.	90.9	71.4
TEENAGE PREGNANCIES#	124	0	45	79	97	0	33	64	27	0	12	15
TEENAGE PREGNANCY RATE	37.9	0.0	75.4	(15-19)	37.2	0.0	74.0	(15-19)	40.6	0.0	80.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,321	957	479	478	185
WHITE	8,615	681	349	332	121
NONWHITE	2,706	276	130	146	64

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	0	19	28	25	0	10	15	22	0	9	13
TEENAGE IMMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	30	0	14	16	8	0	5	3	22	0	9	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	4	9	7	0	2	5	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	7	0	2	5	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	49.1	0.0	98.3	(15-19)	36.7	0.0	75.3	(15-19)	79.7	0.0	150.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	63.8	.	0.0	107.1	120.0	.	0.0	200.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	50	0	19	31	28	0	10	18	22	0	9	13
TEENAGE PREGNANCY RATE	52.2	0.0	104.6	(15-19)	41.1	0.0	84.3	(15-19)	79.7	0.0	150.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,321	3,170	1,537	1,633	523
WHITE	19,565	1,303	624	679	216
NONWHITE	17,756	1,867	913	954	307

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	120	3	54	63	30	1	13	16	90	2	41	47
TEENAGE IMMATURE BIRTHS	14	0	10	4	1	0	0	1	13	0	10	3
TEENAGE PREMATURE BIRTHS	16	1	10	5	2	0	0	2	14	1	10	3
TEENAGE ILLEGITIMATE BIRTHS	93	3	46	44	13	1	8	4	80	2	38	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	6	20	3	0	0	3	23	0	6	17
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	11	23	4	0	1	3	30	0	10	20
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	8	8	1	0	1	0	15	0	7	8
TEENAGE FERTILITY RATE	37.8	2.0	71.6	(15-19)	23.0	1.6	42.7	(15-19)	48.2	2.2	92.2	(15-19)
TEENAGE FETAL DEATHS**	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FETAL DEATH RATIO	33.3	0.0	37.0	31.7	33.3	0.0	0.0	62.5	33.3	0.0	48.8	21.3
TEENAGE INDUCED TERMINATIONS#	10	1	4	5	4	0	1	3	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	83.3	333.3	74.1	79.4	133.3	0.0	76.9	187.5	66.7	500.0	73.2	42.6
TEENAGE PREGNANCIES#	134	4	60	70	35	1	14	20	99	3	46	50
TEENAGE PREGNANCY RATE	42.3	2.6	79.6	(15-19)	26.9	1.6	50.1	(15-19)	53.0	3.3	100.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,020	1,817	904	913	341
WHITE	20,971	1,416	735	681	288
NONWHITE	4,049	401	169	232	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	0	21	33	39	0	15	24	15	0	6	9
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	9	0	5	4	9	0	5	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	27	0	14	13	13	0	9	4	14	0	5	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	12	0	2	10	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	13	0	2	11	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	29.7	0.0	59.1	(15-19)	27.5	0.0	57.3	(15-19)	37.4	0.0	64.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.5	0.0	0.0	30.3	0.0	0.0	0.0	0.0	66.7	0.0	0.0	111.1
TEENAGE INDUCED TERMINATIONS#	12	2	3	7	7	1	3	3	5	1	0	4
TEENAGE INDUCED TERMINATION RATIO	222.2	.	142.8	212.1	179.5	.	200.0	125.0	333.3	.	0.0	444.4
TEENAGE PREGNANCIES#	67	2	24	41	46	1	18	27	21	1	6	14
TEENAGE PREGNANCY RATE	36.9	2.2	71.2	(15-19)	32.5	1.4	66.1	(15-19)	52.4	5.9	86.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,561	1,576	723	853	336
WHITE	20,593	1,315	609	706	281
NONWHITE	2,968	261	114	147	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	2	25	42	54	0	20	34	15	2	5	8
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	1	7	6	0	1	5	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	36	2	15	19	21	0	10	11	15	2	5	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	8	0	2	6	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	11	0	2	9	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	1	1	4	0	2	2
TEENAGE FERTILITY RATE	43.8	2.8	78.5 (15-19)		41.1	0.0	76.5 (15-19)		57.5	17.5	88.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	5	2	5	0	3	2	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	101.4	0.0	200.0	47.6	92.6	.	150.0	58.8	133.3	0.0	400.0	0.0
TEENAGE PREGNANCIES#	76	2	30	44	59	0	23	36	17	2	7	8
TEENAGE PREGNANCY RATE	48.2	2.8	86.8 (15-19)		44.9	0.0	83.6 (15-19)		65.1	17.5	102.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,470	843	387	456	185
WHITE	3,265	180	81	99	32
NONWHITE	6,205	663	306	357	153

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	1	23	32	3	0	0	3	53	1	23	29
TEENAGE IMMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	52	1	23	28	2	0	0	2	50	1	23	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	3	7	0	0	0	0	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	0	0	0	0	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	66.4	2.6	120.6	(15-19)	16.7	0.0	30.3	(15-19)	79.9	3.3	145.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	1	0	1	0	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	107.1	0.0	130.4	93.8	333.3	.	.	0.0	94.3	0.0	87.0	103.4
TEENAGE PREGNANCIES#	62	1	26	35	4	0	1	3	58	1	25	32
TEENAGE PREGNANCY RATE	73.5	2.6	133.8	(15-19)	22.2	0.0	40.4	(15-19)	87.5	3.3	159.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	103,176	7,921	3,966	3,955	1,454
WHITE	84,469	6,187	3,084	3,103	1,158
NONWHITE	18,707	1,734	882	852	296

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	178	6	62	110	113	3	32	78	65	3	30	32
TEENAGE IMMATURE BIRTHS	24	1	8	15	11	0	2	9	13	1	6	6
TEENAGE PREMATURE BIRTHS	33	1	10	22	17	0	3	14	16	1	7	8
TEENAGE ILLEGITIMATE BIRTHS	125	6	51	68	60	3	21	36	65	3	30	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	8	24	16	0	2	14	16	0	6	10
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	11	32	24	0	4	20	19	0	7	12
TEENS WITH INADEQUATE* PRENATAL CARE	15	1	5	9	7	0	3	4	8	1	2	5
TEENAGE FERTILITY RATE	22.5	1.5	43.5	(15-19)	18.3	1.0	35.4	(15-19)	37.5	3.4	72.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.2	0.0	16.1	9.1	8.8	0.0	31.2	0.0	15.4	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	57	3	18	36	50	3	16	31	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	320.2	500.0	290.3	327.3	442.5	1000	500.0	397.4	107.7	0.0	66.7	156.2
TEENAGE PREGNANCIES#	237	9	81	147	164	6	49	109	73	3	32	38
TEENAGE PREGNANCY RATE	29.9	2.3	57.6	(15-19)	26.5	1.9	50.9	(15-19)	42.1	3.4	82.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	3	0	0	3	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,275	1,926	952	974	437
WHITE	14,612	974	489	485	230
NONWHITE	9,663	952	463	489	207

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	1	33	61	41	0	11	30	54	1	22	31
TEENAGE IMMATURE BIRTHS	17	0	5	12	8	0	1	7	9	0	4	5
TEENAGE PREMATURE BIRTHS	16	0	6	10	5	0	2	3	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	70	1	26	43	18	0	4	14	52	1	22	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	5	18	9	0	2	7	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	6	21	11	0	2	9	16	0	4	12
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	1	9	2	0	0	2	8	0	1	7
TEENAGE FERTILITY RATE	49.3	1.0	96.5	(15-19)	42.1	0.0	84.5	(15-19)	56.7	2.2	108.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	10.5	0.0	30.3	0.0	24.4	0.0	90.9	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	23	1	12	10	11	0	4	7	12	1	8	3
TEENAGE INDUCED TERMINATION RATIO	242.1	1000	363.6	163.9	268.3	.	363.6	233.3	222.2	1000	363.6	96.8
TEENAGE PREGNANCIES#	119	2	46	71	53	0	16	37	66	2	30	34
TEENAGE PREGNANCY RATE	61.8	2.1	120.1	(15-19)	54.4	0.0	109.3	(15-19)	69.3	4.3	130.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,875	701	319	382	121
WHITE	1,967	154	75	79	31
NONWHITE	4,908	547	244	303	88

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	14	17	2	0	0	2	29	0	14	15
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	30	0	14	16	1	0	0	1	29	0	14	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	6	11	1	0	0	1	16	0	6	10
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	7	11	1	0	0	1	17	0	7	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	6	3	0	0	0	0	9	0	6	3
TEENAGE FERTILITY RATE	44.2	0.0	81.2	(15-19)	13.0	0.0	25.3	(15-19)	53.0	0.0	95.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	225.8	.	214.3	235.3	0.0	.	.	0.0	241.4	.	214.3	266.7
TEENAGE PREGNANCIES#	38	0	17	21	2	0	0	2	36	0	17	19
TEENAGE PREGNANCY RATE	54.2	0.0	99.5	(15-19)	13.0	0.0	25.3	(15-19)	65.8	0.0	118.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,936	1,928	938	990	355
WHITE	15,824	1,134	538	596	171
NONWHITE	8,112	794	400	394	178

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	1	36	40	31	0	17	14	46	1	19	26
TEENAGE IMMATURE BIRTHS	14	0	7	7	6	0	4	2	8	0	3	5
TEENAGE PREMATURE BIRTHS	12	0	7	5	4	0	3	1	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	55	1	28	26	11	0	9	2	44	1	19	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	4	0	1	3	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	4	0	1	3	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	2	0	2	0	5	0	2	3
TEENAGE FERTILITY RATE	39.9	1.1	76.8	(15-19)	27.3	0.0	52.0	(15-19)	57.9	2.5	114.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	64.9	0.0	111.1	25.0	96.8	.	117.6	71.4	43.5	0.0	105.3	0.0
TEENAGE PREGNANCIES#	82	1	40	41	34	0	19	15	48	1	21	26
TEENAGE PREGNANCY RATE	42.5	1.1	81.8	(15-19)	30.0	0.0	57.0	(15-19)	60.4	2.5	119.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,813	1,119	565	554	210
WHITE	11,379	773	382	391	144
NONWHITE	3,434	346	183	163	66

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	2	19	29	25	0	9	16	25	2	10	13
TEENAGE IMMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	14	1	6	7	7	0	3	4	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	27	2	13	12	5	0	3	2	22	2	10	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	2	0	0	2	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	5	0	1	4	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE FERTILITY RATE	44.7	3.5	86.6	(15-19)	32.3	0.0	63.9	(15-19)	72.2	10.9	141.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	4	0	2	2	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	120.0	0.0	105.3	137.9	160.0	.	222.2	125.0	80.0	0.0	0.0	153.8
TEENAGE PREGNANCIES#	56	2	21	33	29	0	11	18	27	2	10	15
TEENAGE PREGNANCY RATE	50.0	3.5	97.5	(15-19)	37.5	0.0	74.2	(15-19)	78.0	10.9	153.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,318	970	436	534	159
WHITE	9,479	681	298	383	124
NONWHITE	2,839	289	138	151	37

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	15	16	23	0	9	14	8	0	6	2
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE PREMATURE BIRTHS	7	0	4	3	4	0	1	3	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	21	0	11	10	13	0	5	8	8	0	6	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	3	0	0	3	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	3	4	4	0	1	3	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	32.0	0.0	58.0	(15-19)	33.8	0.0	60.0	(15-19)	27.7	0.0	53.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	64.5	.	66.7	62.5	0.0	.	0.0	0.0	250.0	.	166.7	500.0
TEENAGE PREGNANCIES#	33	0	16	17	23	0	9	14	10	0	7	3
TEENAGE PREGNANCY RATE	34.0	0.0	61.8	(15-19)	33.8	0.0	60.0	(15-19)	34.6	0.0	66.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,345	3,049	1,509	1,540	515
WHITE	11,437	682	324	358	116
NONWHITE	23,908	2,367	1,185	1,182	399

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	183	7	89	87	17	0	2	15	166	7	87	72
TEENAGE IMMATURE BIRTHS	22	1	13	8	2	0	1	1	20	1	12	7
TEENAGE PREMATURE BIRTHS	43	2	22	19	3	0	1	2	40	2	21	17
TEENAGE ILLEGITIMATE BIRTHS	174	7	88	79	8	0	1	7	166	7	87	72
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	0	17	37	5	0	0	5	49	0	17	32
TEENS WHO HAD PREVIOUS PREGNANCIES	58	0	18	40	7	0	1	6	51	0	17	34
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	6	6	0	0	0	0	13	1	6	6
TEENAGE FERTILITY RATE	60.0	4.6	114.3	(15-19)	24.9	0.0	47.5	(15-19)	70.1	5.9	134.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	20	3	8	9	5	1	2	2	15	2	6	7
TEENAGE INDUCED TERMINATION RATIO	109.3	428.6	89.9	103.4	294.1	.	1000	133.3	90.4	285.7	69.0	97.2
TEENAGE PREGNANCIES#	203	10	97	96	22	1	4	17	181	9	93	79
TEENAGE PREGNANCY RATE	66.6	6.6	125.3	(15-19)	32.2	3.1	58.6	(15-19)	76.5	7.6	145.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,087	1,320	661	659	208
WHITE	5,041	322	167	155	51
NONWHITE	9,046	998	494	504	151

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	4	30	37	12	0	2	10	59	4	28	27
TEENAGE IMMATURE BIRTHS	10	1	4	5	4	0	2	2	6	1	2	3
TEENAGE PREMATURE BIRTHS	11	1	5	5	2	0	0	2	9	1	5	3
TEENAGE ILLEGITIMATE BIRTHS	65	4	29	32	6	0	1	5	59	4	28	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	3	0	0	3	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	3	0	0	3	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	53.8	6.0	101.7	(15-19)	37.3	0.0	77.4	(15-19)	59.1	8.1	109.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.1	0.0	33.3	0.0	83.3	0.0	500.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	2	1	3	2	0	1	1	4	2	0	2
TEENAGE INDUCED TERMINATION RATIO	84.5	500.0	33.3	81.1	166.7	.	500.0	100.0	67.8	500.0	0.0	74.1
TEENAGE PREGNANCIES#	78	6	32	40	15	0	4	11	63	6	28	29
TEENAGE PREGNANCY RATE	59.1	9.1	109.2	(15-19)	46.6	0.0	96.8	(15-19)	63.1	12.1	113.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,352	1,815	834	981	343
WHITE	14,342	1,017	453	564	200
NONWHITE	8,010	798	381	417	143

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	4	31	55	36	0	13	23	54	4	18	32
TEENAGE IMMATURE BIRTHS	10	1	5	4	1	0	1	0	9	1	4	4
TEENAGE PREMATURE BIRTHS	19	2	7	10	3	0	1	2	16	2	6	8
TEENAGE ILLEGITIMATE BIRTHS	68	4	24	40	17	0	6	11	51	4	18	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	7	0	0	7	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	5	16	10	0	2	8	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	7	4	2	0	2	0	9	0	5	4
TEENAGE FERTILITY RATE	49.6	4.8	87.7	(15-19)	35.4	0.0	63.8	(15-19)	67.7	10.5	119.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	24	1	11	12	14	1	5	8	9	0	6	3
TEENAGE INDUCED TERMINATION RATIO	266.7	250.0	354.8	218.2	388.9	.	384.6	347.8	166.7	0.0	333.3	93.8
TEENAGE PREGNANCIES#	114	5	42	67	50	1	18	31	63	4	24	35
TEENAGE PREGNANCY RATE	62.8	6.0	111.1	(15-19)	49.2	2.2	86.9	(15-19)	78.9	10.5	141.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,615	1,449	723	726	304
WHITE	16,202	1,099	545	554	232
NONWHITE	3,413	350	178	172	72

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	3	27	47	53	2	15	36	24	1	12	11
TEENAGE IMMATURE BIRTHS	8	0	3	5	5	0	2	3	3	0	1	2
TEENAGE PREMATURE BIRTHS	14	1	5	8	9	0	3	6	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	47	3	21	23	23	2	9	12	24	1	12	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	1	3	17	12	0	0	12	9	1	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	27	1	4	22	17	0	1	16	10	1	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FERTILITY RATE	53.1	4.1	101.9	(15-19)	48.2	3.7	92.0	(15-19)	68.6	5.6	133.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	2	0	1	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	51.9	0.0	37.0	63.8	37.7	0.0	66.7	27.8	83.3	0.0	0.0	181.8
TEENAGE PREGNANCIES#	81	3	28	50	55	2	16	37	26	1	12	13
TEENAGE PREGNANCY RATE	55.9	4.1	107.4	(15-19)	50.0	3.7	95.7	(15-19)	74.3	5.6	145.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,666	1,144	550	594	227
WHITE	16,964	1,085	520	565	220
NONWHITE	702	59	30	29	7

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	0	10	29	36	0	7	29	3	0	3	0
TEENAGE IMMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	0	5	5	0	0	5	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	8	8	13	0	5	8	3	0	3	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	9	0	0	9	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	10	0	1	9	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	2	0	0	2	2	0	2	0
TEENAGE FERTILITY RATE	34.1	0.0	65.6	(15-19)	33.2	0.0	63.7	(15-19)	50.8	0.0	103.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	76.9	.	200.0	34.5	55.6	.	142.8	34.5	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	42	0	12	30	38	0	8	30	3	0	3	0
TEENAGE PREGNANCY RATE	36.7	0.0	70.7	(15-19)	35.0	0.0	67.2	(15-19)	50.8	0.0	103.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,063	884	419	465	152
WHITE	2,373	165	83	82	21
NONWHITE	6,690	719	336	383	129

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	1	24	30	4	0	2	2	51	1	22	28
TEENAGE IMMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	10	0	4	6	0	0	0	0	10	0	4	6
TEENAGE ILLEGITIMATE BIRTHS	51	1	21	29	1	0	0	1	50	1	21	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	5	13	0	0	0	0	18	0	5	13
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	1	0	0	1	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	2	9	1	0	0	1	10	0	2	8
TEENAGE FERTILITY RATE	62.2	2.4	116.1	(15-19)	24.2	0.0	48.8	(15-19)	70.9	3.0	130.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	2	0	2	0	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	127.3	0.0	125.0	133.3	500.0	.	1000	0.0	98.0	0.0	45.4	142.8
TEENAGE PREGNANCIES#	62	1	27	34	6	0	4	2	56	1	23	32
TEENAGE PREGNANCY RATE	70.1	2.4	131.2	(15-19)	36.4	0.0	73.2	(15-19)	77.9	3.0	143.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,429	1,697	791	906	342
WHITE	19,750	1,374	651	723	271
NONWHITE	3,679	323	140	183	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	3	28	51	66	2	22	42	16	1	6	9
TEENAGE IMMATURE BIRTHS	8	0	3	5	3	0	1	2	5	0	2	3
TEENAGE PREMATURE BIRTHS	15	2	3	10	9	1	1	7	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	44	3	16	25	28	2	10	16	16	1	6	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	15	0	3	12	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	18	0	3	15	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	0	3	2	0	0	2	2	1	0	1
TEENAGE FERTILITY RATE	48.3	3.8	87.2	(15-19)	48.0	3.1	88.5	(15-19)	49.5	7.1	82.0	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	36.6	0.0	35.7	39.2	30.3	0.0	45.4	23.8	62.5	0.0	0.0	111.1
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	8	0	3	5	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	97.6	0.0	107.1	98.0	121.2	0.0	136.4	119.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	93	3	32	58	76	2	26	48	17	1	6	10
TEENAGE PREGNANCY RATE	54.8	3.8	99.3	(15-19)	55.3	3.1	102.4	(15-19)	52.6	7.1	87.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,094	1,267	594	673	212
WHITE	7,807	562	255	307	81
NONWHITE	6,287	705	339	366	127

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	0	19	25	8	0	2	6	36	0	17	19
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	36	0	18	18	3	0	1	2	33	0	17	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	1	0	0	1	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	0	13	2	0	0	2	11	0	0	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	34.7	0.0	65.4	(15-19)	14.2	0.0	26.0	(15-19)	51.1	0.0	98.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	45.4	.	105.3	0.0	125.0	.	500.0	0.0	27.8	.	58.8	0.0
TEENAGE PREGNANCIES#	46	0	21	25	9	0	3	6	37	0	18	19
TEENAGE PREGNANCY RATE	36.3	0.0	68.4	(15-19)	16.0	0.0	29.3	(15-19)	52.5	0.0	101.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,988	4,152	2,043	2,109	769
WHITE	29,116	2,084	1,043	1,041	344
NONWHITE	19,872	2,068	1,000	1,068	425

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	173	8	71	94	45	0	14	31	128	8	57	63
TEENAGE IMMATURE BIRTHS	18	0	8	10	2	0	0	2	16	0	8	8
TEENAGE PREMATURE BIRTHS	28	1	12	15	2	0	1	1	26	1	11	14
TEENAGE ILLEGITIMATE BIRTHS	146	8	63	75	22	0	6	16	124	8	57	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	16	26	9	0	4	5	33	0	12	21
TEENS WHO HAD PREVIOUS PREGNANCIES	50	1	18	31	9	0	4	5	41	1	14	26
TEENS WITH INADEQUATE* PRENATAL CARE	21	0	13	8	5	0	3	2	16	0	10	6
TEENAGE FERTILITY RATE	41.7	3.9	78.2	(15-19)	21.6	0.0	43.2	(15-19)	61.9	8.0	112.4	(15-19)
TEENAGE FETAL DEATHS**	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FETAL DEATH RATIO	28.9	0.0	28.2	31.9	22.2	0.0	0.0	32.2	31.2	0.0	35.1	31.7
TEENAGE INDUCED TERMINATIONS#	25	1	10	14	5	0	1	4	20	1	9	10
TEENAGE INDUCED TERMINATION RATIO	144.5	125.0	140.8	148.9	111.1	.	71.4	129.0	156.2	125.0	157.9	158.7
TEENAGE PREGNANCIES#	203	9	83	111	51	0	15	36	152	9	68	75
TEENAGE PREGNANCY RATE	48.9	4.4	92.0	(15-19)	24.5	0.0	49.0	(15-19)	73.5	9.0	133.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	70,411	6,466	3,245	3,221	1,210
WHITE	28,501	1,996	989	1,007	307
NONWHITE	41,910	4,470	2,256	2,214	903

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	366	21	179	166	56	0	21	35	310	21	158	131
TEENAGE IMMATURE BIRTHS	42	7	19	16	5	0	2	3	37	7	17	13
TEENAGE PREMATURE BIRTHS	68	6	30	32	5	0	2	3	63	6	28	29
TEENAGE ILLEGITIMATE BIRTHS	340	21	175	144	33	0	17	16	307	21	158	128
TEENS WHO HAD PREVIOUS LIVE BIRTHS	117	1	35	81	17	0	5	12	100	1	30	69
TEENS WHO HAD PREVIOUS PREGNANCIES	127	1	39	87	18	0	5	13	109	1	34	74
TEENS WITH INADEQUATE* PRENATAL CARE	48	2	23	23	2	0	1	1	46	2	22	22
TEENAGE FERTILITY RATE	56.6	6.5	107.1	(15-19)	28.0	0.0	55.6	(15-19)	69.4	9.3	130.5	(15-19)
TEENAGE FETAL DEATHS**	7	1	2	4	1	0	0	1	6	1	2	3
TEENAGE FETAL DEATH RATIO	19.1	47.6	11.2	24.1	17.8	0.0	0.0	28.6	19.4	47.6	12.6	22.9
TEENAGE INDUCED TERMINATIONS#	45	4	14	27	16	0	6	10	29	4	8	17
TEENAGE INDUCED TERMINATION RATIO	123.0	190.5	78.2	162.6	285.7	.	285.7	285.7	93.5	190.5	50.6	129.8
TEENAGE PREGNANCIES#	418	26	195	197	73	0	27	46	345	26	168	151
TEENAGE PREGNANCY RATE	64.6	8.0	121.7	(15-19)	36.6	0.0	72.5	(15-19)	77.2	11.5	144.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	2	2	1	1	0	1	0	4	2	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,368	1,677	876	801	344
WHITE	12,109	920	484	436	187
NONWHITE	7,259	757	392	365	157

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	3	31	56	39	0	7	32	51	3	24	24
TEENAGE IMMATURE BIRTHS	10	1	5	4	1	0	0	1	9	1	5	3
TEENAGE PREMATURE BIRTHS	11	1	6	4	2	0	0	2	9	1	6	2
TEENAGE ILLEGITIMATE BIRTHS	67	3	24	40	20	0	2	18	47	3	22	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	9	20	13	0	2	11	16	0	7	9
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	9	24	15	0	2	13	18	0	7	11
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	5	8	0	0	0	0	13	0	5	8
TEENAGE FERTILITY RATE	53.7	3.4	108.6	(15-19)	42.4	0.0	89.4	(15-19)	67.4	7.6	131.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	3	0	2	1	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	44.4	333.3	64.5	17.8	76.9	.	285.7	31.2	19.6	333.3	0.0	0.0
TEENAGE PREGNANCIES#	94	4	33	57	42	0	9	33	52	4	24	24
TEENAGE PREGNANCY RATE	56.0	4.6	112.4	(15-19)	45.6	0.0	96.3	(15-19)	68.7	10.2	131.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,434	758	380	378	129
WHITE	7,997	525	257	268	85
NONWHITE	2,437	233	123	110	40

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	14	17	15	0	6	9	17	1	8	8
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	4	1	2	1	1	0	0	1	3	1	2	0
TEENAGE ILLEGITIMATE BIRTHS	23	1	12	10	8	0	4	4	15	1	8	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	3	0	2	1	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	1	0	1	0	5	0	1	4
TEENAGE FERTILITY RATE	42.2	2.6	82.0 (15-19)		28.6	0.0	56.0 (15-19)		73.0	8.1	145.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	4	0	2	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	156.2	0.0	142.8	176.5	266.7	.	333.3	222.2	58.8	0.0	0.0	125.0
TEENAGE PREGNANCIES#	37	1	16	20	19	0	8	11	18	1	8	9
TEENAGE PREGNANCY RATE	48.8	2.6	95.2 (15-19)		36.2	0.0	70.9 (15-19)		77.2	8.1	154.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,041	802	418	384	125
WHITE	2,480	160	73	87	28
NONWHITE	6,561	642	345	297	97

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	15	18	4	0	3	1	29	0	12	17
TEENAGE IMMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE PREMATURE BIRTHS	6	0	3	3	1	0	1	0	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	30	0	14	16	2	0	2	0	28	0	12	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	0	0	0	0	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	1	0	1	0	5	0	0	5
TEENAGE FERTILITY RATE	41.1	0.0	85.9	(15-19)	25.0	0.0	46.0	(15-19)	45.2	0.0	97.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	60.6	0.0	66.7	55.6	0.0	0.0	0.0	0.0	69.0	0.0	83.3	58.8
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	60.6	.	66.7	55.6	250.0	.	333.3	0.0	34.5	.	0.0	58.8
TEENAGE PREGNANCIES#	37	0	17	20	5	0	4	1	32	0	13	19
TEENAGE PREGNANCY RATE	46.1	0.0	96.4	(15-19)	31.2	0.0	57.5	(15-19)	49.8	0.0	107.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,595	1,585	782	803	257
WHITE	10,877	695	321	374	127
NONWHITE	8,718	890	461	429	130

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	3	22	32	25	0	7	18	32	3	15	14
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	8	1	3	4	3	0	1	2	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	41	3	20	18	9	0	5	4	32	3	15	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	4	0	0	4	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	2	13	8	0	1	7	8	1	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	3	1	0	0	0	0	5	1	3	1
TEENAGE FERTILITY RATE	36.0	3.8	67.2 (15-19)		36.0	0.0	66.8 (15-19)		36.0	6.5	67.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	35.1	0.0	45.4	31.2	0.0	0.0	0.0	0.0	62.5	0.0	66.7	71.4
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	2	0	2	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	136.4	0.0	80.0	.	285.7	0.0	31.2	0.0	66.7	0.0
TEENAGE PREGNANCIES#	62	3	26	33	27	0	9	18	35	3	17	15
TEENAGE PREGNANCY RATE	39.1	3.8	73.5 (15-19)		38.8	0.0	72.2 (15-19)		39.3	6.5	74.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,049	876	441	435	179
WHITE	7,275	437	218	219	81
NONWHITE	4,774	439	223	216	94

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	21	24	19	0	8	11	27	1	13	13
TEENAGE IMMATURE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	35	1	18	16	9	0	5	4	26	1	13	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	3	0	0	3	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	6	0	1	5	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	52.5	2.3	103.4	(15-19)	43.5	0.0	86.8	(15-19)	61.5	4.5	120.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	21.7	0.0	47.6	0.0	0.0	0.0	0.0	0.0	37.0	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	8	3	3	2	3	0	2	1	5	3	1	1
TEENAGE INDUCED TERMINATION RATIO	173.9	3000	142.8	83.3	157.9	.	250.0	90.9	185.2	3000	76.9	76.9
TEENAGE PREGNANCIES#	55	4	25	26	22	0	10	12	33	4	15	14
TEENAGE PREGNANCY RATE	62.8	9.1	117.2	(15-19)	50.3	0.0	100.4	(15-19)	75.2	17.9	134.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1996

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,134	2,294	1,146	1,148	432
WHITE	11,240	796	392	404	144
NONWHITE	13,894	1,498	754	744	288

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	104	6	40	58	18	0	4	14	86	6	36	44
TEENAGE IMMATURE BIRTHS	13	1	2	10	3	0	0	3	10	1	2	7
TEENAGE PREMATURE BIRTHS	23	2	6	15	5	0	0	5	18	2	6	10
TEENAGE ILLEGITIMATE BIRTHS	93	6	37	50	7	0	1	6	86	6	36	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	8	21	6	0	0	6	23	0	8	15
TEENS WHO HAD PREVIOUS PREGNANCIES	41	0	10	31	9	0	0	9	32	0	10	22
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	6	6	2	0	0	2	11	1	6	4
TEENAGE FERTILITY RATE	45.3	5.2	85.4 (15-19)		22.6	0.0	44.6 (15-19)		57.4	8.0	107.5 (15-19)	
TEENAGE FETAL DEATHS**	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FETAL DEATH RATIO	48.1	0.0	75.0	34.5	0.0	0.0	0.0	0.0	58.1	0.0	83.3	45.4
TEENAGE INDUCED TERMINATIONS#	19	0	12	7	5	0	2	3	14	0	10	4
TEENAGE INDUCED TERMINATION RATIO	182.7	0.0	300.0	120.7	277.8		500.0	214.3	162.8	0.0	277.8	90.9
TEENAGE PREGNANCIES#	128	6	55	67	23	0	6	17	105	6	49	50
TEENAGE PREGNANCY RATE	55.8	5.2	106.3 (15-19)		28.9	0.0	56.9 (15-19)		70.1	8.0	133.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE