


Claiborne



POPULATION CHARACTERISTICS	County rate is significantly different than State rate	COUNTY ESTIMATE	STATE ESTIMATE
Total population all ages		9,042	2,981,835
Population 60 years or older as % of total population		22.3%	22.3%
Total population 60 years or older		2,016	663,581
Population 65 years or older as % of total population		16.8%	15.9%
Total population 65 years or older		1,521	474,270
% 65-74 years		61.0%	59.7%
% 75-84 years		28.1%	29.4%
% 85 years or older		10.8%	10.1%
% 65+ population who are female		57.5%	56.5%
% 85+ population who are female		75.2%	67.4%
Race and ethnicity of the population 65+			
% White	*	31.5%	70.9%
% African American	*	67.0%	26.9%
% Other race(s)		1.5%	2.2%
% Hispanic/Latino		0.2%	1.0%
Marital status of the population 65+			
% married		54.8%	53.1%
% divorced/separated		13.5%	14.5%
% widowed		23.7%	27.1%
% never married		8.0%	5.3%
Education of the population 65+			
% with less than high school education	*	31.1%	20.1%
% with high school or some college	*	46.9%	58.7%
% with college degree		8.7%	11.8%
% with graduate or professional degree		13.3%	9.4%
% of 65+ population who speak only English at home		100.0%	97.8%
% of 65+ population who are veterans of military service		11.0%	15.8%
Life expectancy at birth		72.1	74.6

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COUNTY ESTIMATE	STATE ESTIMATE
COVID-19			
Total COVID-19 cases since March 2020		2,145	797,161
COVID-19 mortality rate per 100,000 people		508.7	417.1
% of county received at least one vaccine dose		61.0%	53.7%
% of county fully vaccinated		56.0%	48.9%
WELLNESS			
% 60+ getting the recommended hours of sleep		64.6%	59.9%
% 60+ doing any physical activity within last month		55.9%	61.3%
% 60+ met CDC guidelines for muscle-strengthening activity		14.2%	19.0%
% 60+ met CDC guidelines for aerobic physical activity		39.6%	39.8%
% 60+ with fair or poor health status		36.4%	32.5%
% 60+ with 15+ physically unhealthy days in last month		20.0%	18.7%
FALLS			
% 60+ who fell within last year		27.4%	27.8%
% 60+ who were injured in a fall within last year		10.1%	10.6%
PREVENTION			
% 60+ with physical exam/check-up in last year		88.0%	89.0%
% 60+ had flu shot in last year		61.5%	57.6%
% 60+ had pneumonia vaccine		60.6%	58.9%
% 60+ had shingles vaccine		29.2%	24.4%
% 60+ women with a mammogram within last 2 years		80.4%	71.0%
% 60+ with colorectal cancer screening		60.8%	57.1%
% 60+ with HIV test		22.6%	20.8%
% 60+ met CDC preventive health screening goals		23.6%	26.2%
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias		14.6%	12.9%
% 65+ with arthritis		47.5%	39.8%
% 65+ with asthma		6.7%	3.7%
% 65+ with atrial fibrillation		N/A	8.9%
% 65+ with cancer (breast, colorectal, lung, prostate)		9.3%	8.8%
% 65+ with chronic kidney disease		27.7%	25.3%
% 65+ with chronic obstructive pulmonary disease (COPD)		20.4%	12.6%
% 65+ with diabetes		35.0%	30.7%
% 65+ with high cholesterol		37.4%	48.9%
% 65+ with heart failure		27.2%	16.1%
% 65+ with hypertension		72.8%	67.9%
% 65+ with ischemic heart disease		31.7%	31.9%
% 65+ with osteoporosis		N/A	6.4%
% 65+ with stroke		4.8%	4.4%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COUNTY ESTIMATE	STATE ESTIMATE
NUTRITION & DIET			
% 60+ with 5 or more servings of fruits or vegetables per day		11.5%	11.1%
% 60+ self-reported obese		39.6%	36.0%
% 60+ with cholesterol screening		93.8%	94.7%
ORAL HEALTH			
% 60+ with annual dental exam		56.8%	56.3%
# of dentists per 100,000 persons (all ages)		22.4	42.1
% 60+ with loss of 6 or more teeth		52.0%	45.8%
BEHAVIORAL HEALTH			
# of drug overdose deaths (all ages)		0	2,137
% 60+ current smokers		13.8%	13.1%
% 65+ with alcohol abuse disorder		N/A	1.3%
% 65+ with drug abuse/substance abuse disorder		2.1%	2.6%
MENTAL HEALTH			
% 60+ with 15+ days poor mental health in last month		9.5%	9.8%
% 65+ with depression		13.5%	16.4%
% 65+ with schizophrenia & other psychotic disorder		4.6%	2.2%
LIVING WITH DISABILITY			
% 65+ with self-reported hearing difficulty	*	7.3%	15.5%
% 65+ with self-reported vision difficulty	*	4.3%	8.7%
% 65+ with self-reported cognition difficulty		7.4%	11.2%
% 65+ with self-reported ambulatory difficulty		28.1%	28.0%
% 65+ with self-reported self-care difficulty		7.1%	10.2%
% 65+ with self-reported independent living difficulty		13.5%	17.3%
CAREGIVING			
% of grandparents raising grandchildren		3.3%	2.4%
% of grandparents who live with grandchildren		5.2%	4.7%
ACCESS TO CARE			
% 60+ with a regular doctor	B	96.3%	92.0%
% 60+ who did not see a doctor when needed due to cost		7.5%	8.6%
# of primary care providers in county		13	3,571
# of rural health care centers in county		0	191
# of hospitals in county		1	101
# of home health agencies in county		0	45
# of nursing homes in county		1	204
# of community health centers in county		1	20
# of adult day health centers in county		0	8
# of hospice agencies in county		0	94

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COUNTY ESTIMATE	STATE ESTIMATE
COMMUNITY			
Particulate matter PM2.5		N/A	9.1
Ozone		N/A	0.361
Air pollution: annual # of unhealthy days for 65+		N/A	N/A
Age-friendly efforts in county		Not yet	Not yet
# of senior centers in county		0	115
% households that have smartphone (all ages)		11.5%	15.3%
% households without computer (all ages)	*	26.9%	13.5%
% households with access to Broadband (all ages)		69.4%	75.8%
% households without access to Internet (all ages)		30.0%	23.9%
Voter participation rate in 2020 presidential election (age 18+)		62.5%	61.2%
SAFETY & CRIME			
Homicide rate/100,000 persons		0.0	14.1
# firearm fatalities (all ages)		0	3,428
# 60+ deaths by suicide		0	562
TRANSPORTATION			
% 65+ who own a motor vehicle		84.8%	91.5%
% 60+ who always drive or ride wearing a seatbelt		86.5%	89.6%
# of fatal crashes involving adult age 60+		4	780
HOUSING			
% 65+ population who live alone		26.8%	28.1%
Average household size (all ages)		2.8	2.6
Median house value	*	\$69,600	\$125,500
% 60+ who own home		79.5%	82.7%
% 60+ homeowners who have mortgage		28.3%	32.1%
% 65+ households(renter) who spend >35% of income on housing	*	7.7%	33.5%
% 65+ households(owner) who spend >35% of income on housing		17.4%	15.2%
ECONOMIC			
% 60+ receiving food benefits in last year		16.2%	11.4%
% 65+ employed in last year	*	8.2%	15.6%
% 65+ with income below the poverty line in last year		17.0%	12.8%
65+ median household income	*	\$26,544	\$36,653
% 65+ households with annual income < \$20,000		39.2%	27.4%
% 65+ households with annual income \$20,000-\$49,999		34.1%	35.5%
% 65+ households with annual income \$50,000-\$99,999		18.2%	24.6%
% 65+ households with annual income \$100,000+		8.5%	12.5%

HEALTHY AGING INDICATORS

RATIO OF COUNTY
TO STATE

\$ COUNTY
ESTIMATE

\$ STATE
ESTIMATE

Elder Index: COST OF LIVING

	RATIO OF COUNTY TO STATE	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE
Single, homeowner without mortgage, good health	0.99	\$20,520	\$20,760
Single, renter, good health	0.96	\$22,968	\$23,892
Couple, homeowner without mortgage, good health	0.99	\$32,832	\$33,264
Couple, renter, good health	0.97	\$35,280	\$36,396

TECHNICAL NOTES

**See our technical report for more information on data sources, measures, and methodology. For most indicators the county and state values are estimates derived from sample data. Thus, it is possible that some of the differences between state and county estimates may be due to chance associated with population sampling. We use the terms “Better” and “Worse” to highlight differences between county and state estimates that we are confident are not due to chance. “Better” is used where a higher/lower value has positive implications for the health of older residents. “Worse” is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an *. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting.*

Data Sources:

- *Population Characteristics: The U.S. Census Bureau (American Community Survey 2016-2020) & Robert Wood Johnson Foundation (2020).*
- *COVID-19: Mississippi State Department of Health (MSDH; 2022).*
- *Wellness, Falls, Prevention: The Behavioral Risk Factor Surveillance System (BRFSS; 2013-2020), & Health Resources and Services Administration (HRSA) Area Health Resources Files (AHRF; 2022).*
- *Chronic Disease: The Centers for Medicare and Medicaid Services (CMS) Select Chronic Conditions Database (2018).*
- *Nutrition/Diet, Oral Health: BRFSS (2013-2020) & Health Resources and Services Administration (HRSA) Area Health Resources Files (AHRF; 2022).*
- *Behavioral Health, Mental Health: BRFSS (2013-2020), CMS (2018), & MSDH (2022).*
- *Living with Disability: ACS (2016-2020).*
- *Caregiving: ACS (2016-2020).*
- *Access to Care: BRFSS (2013-2020), CMS (2018), National Adult Day Service Association (June 2022), Community Health Center (Association of Mississippi; June 2022).*
- *Community: Environmental Protection Agency (EPA, 2020), BRFSS (2013-2020), ACS (2016-2020), AARP, & State of Mississippi (May 2022).*
- *Safety & Crime: CDC WONDER (2016-2020).*
- *Transportation: BRFSS (2013-2020), ACS (2016-2020), & Fatality Analysis Reporting System (FARS; 2016-2020).*
- *Housing & Economic: ACS (2016-2020).*
- *Elder Index: Center for Social and Demographic Research on Aging at the University of Massachusetts Boston (2022).*

Acknowledgments: *Many people contributed to the MS Healthy Aging Data Report research. The University of Massachusetts Boston Gerontology Institute 2022 research team: Beth Dugan PhD, Nina Silverstein PhD, Chae Man Lee PhD, Taylor Jansen MS, Shu Xu MS, & Yanjhu Su MS. Dr. Kina White from the Mississippi State Department of Health provided important guidance and leadership.*

Questions? Beth.Dugan@umb.edu