

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>442</u>	<u>232</u>	<u>210</u>	<u>13.1</u>	<u>14.2</u>	<u>12.1</u>
HEART DISEASES	160	93	67	475.4	568.8	387.1
MALIGNANT NEOPLASMS	85	37	48	252.5	226.3	277.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	19	8	80.2	116.2	46.2
ACCIDENTS	24	13	11	71.3	79.5	63.6
CEREBROVASCULAR DISEASE	20	4	16	59.4	24.5	92.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	6	13	56.4	36.7	75.1
INFLUENZA AND PNEUMONIA	15	10	5	44.6	61.2	28.9
SEPTICEMIA	9	4	5	26.7	24.5	28.9
SUICIDE	8	6	2	23.8	36.7	11.6
DIABETES MELLITUS	7	2	5	20.8	12.2	28.9
ALZHEIMERS DISEASE	7	7	0	20.8	42.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	14.8	24.5	5.8
HOMICIDE	4	1	3	11.9	6.1	17.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	8.9	12.2	5.8
CONDITIONS ORIGIN PERINATAL PERIOD	3	0	3	6.4	-	9.4
HIV DISEASE	2	0	2	5.9	-	11.6
ANEMIAS	2	0	2	5.9	-	11.6
PARKINSONS DISEASE	2	2	0	5.9	12.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	5.9	12.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	5.9	-	11.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	5.9	-	11.6
VIRAL HEPATITIS	1	0	1	3.0	-	5.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.0	6.1	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	3.0	6.1	-
PEPTIC ULCER	1	0	1	3.0	-	5.8
HERNIA	1	1	0	3.0	6.1	-
INFECTIONS OF KIDNEY	1	1	0	3.0	6.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.0	6.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.9	12.2	-
ALL OTHER CAUSES	25	13	12	74.3	79.5	69.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>442</u>	<u>232</u>	<u>210</u>	<u>204</u>	<u>104</u>	<u>100</u>	<u>238</u>	<u>128</u>	<u>110</u>
UNDER 1	7	1	6	3	0	3	4	1	3
(NEONATAL)	5	1	4	2	0	2	3	1	2
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	0	3	3	0	3	0	0	0
25-34	6	2	4	3	1	2	3	1	2
35-44	23	8	15	15	4	11	8	4	4
45-54	29	15	14	14	6	8	15	9	6
55-64	54	25	29	24	12	12	30	13	17
65-74	95	48	47	46	28	18	49	20	29
75-84	131	74	57	64	40	24	67	34	33
85 AND OVER	92	59	33	32	13	19	60	46	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 33,657 - WHITE 16,351 - NONWHITE 17,306

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>424</u>	<u>382</u>	<u>42</u>	<u>12.8</u>	<u>13.2</u>	<u>10.0</u>
HEART DISEASES	134	124	10	405.1	429.3	238.2
MALIGNANT NEOPLASMS	88	80	8	266.0	277.0	190.5
CEREBROVASCULAR DISEASE	39	35	4	117.9	121.2	95.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	21	1	66.5	72.7	23.8
ACCIDENTS	21	20	1	63.5	69.2	23.8
INFLUENZA AND PNEUMONIA	15	13	2	45.3	45.0	47.6
SEPTICEMIA	11	11	0	33.2	38.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	6	3	27.2	20.8	71.4
ALZHEIMERS DISEASE	7	7	0	21.2	24.2	-
DIABETES MELLITUS	5	3	2	15.1	10.4	47.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	12.1	10.4	23.8
HOMICIDE	4	2	2	12.1	6.9	47.6
ATHEROSCLEROSIS	3	3	0	9.1	10.4	-
ANEMIAS	2	1	1	6.0	3.5	23.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	6.0	3.5	23.8
AORTIC ANEURYSM AND DISSECTION	2	1	1	6.0	3.5	23.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	2	2	0	6.0	6.9	-
NEOPLASMS	1	1	0	3.0	3.5	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.0	3.5	-
PEPTIC ULCER	1	1	0	3.0	3.5	-
HERNIA	1	1	0	3.0	3.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.0	3.5	-
INFECTIONS OF KIDNEY	1	1	0	3.0	3.5	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	2.4	2.8	-
SUICIDE	1	1	0	3.0	3.5	-
LEGAL INTERVENTION	1	1	0	3.0	3.5	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.0	3.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	15.1	13.8	23.8
ALL OTHER CAUSES	39	35	4	117.9	121.2	95.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>424</u>	<u>382</u>	<u>42</u>	<u>202</u>	<u>186</u>	<u>16</u>	<u>222</u>	<u>196</u>	<u>26</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	2	1	1	2	2	0
25-34	6	5	1	4	4	0	2	1	1
35-44	15	12	3	10	8	2	5	4	1
45-54	30	26	4	22	19	3	8	7	1
55-64	44	41	3	25	25	0	19	16	3
65-74	91	81	10	57	51	6	34	30	4
75-84	118	110	8	55	51	4	63	59	4
85 AND OVER	115	103	12	27	27	0	88	76	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 33,080 - WHITE 28,881 - NONWHITE 4,199

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>130</u>	<u>69</u>	<u>61</u>	<u>9.3</u>	<u>9.5</u>	<u>9.2</u>
HEART DISEASES	45	24	21	323.6	331.1	315.4
MALIGNANT NEOPLASMS	31	20	11	222.9	275.9	165.2
CEREBROVASCULAR DISEASE	7	3	4	50.3	41.4	60.1
DIABETES MELLITUS	5	2	3	36.0	27.6	45.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	1	4	36.0	13.8	60.1
SUICIDE	5	3	2	36.0	41.4	30.0
INFLUENZA AND PNEUMONIA	4	1	3	28.8	13.8	45.1
ACCIDENTS	4	2	2	28.8	27.6	30.0
SEPTICEMIA	3	2	1	21.6	27.6	15.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	21.6	27.6	15.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.2	-	15.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.2	13.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.2	13.8	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	1	0	1	5.8	-	11.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.2	-	15.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	13	7	6	93.5	96.6	90.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>130</u>	<u>69</u>	<u>61</u>	<u>75</u>	<u>40</u>	<u>35</u>	<u>55</u>	<u>29</u>	<u>26</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	4	0	4	3	0	3	1	0	1
45-54	7	2	5	5	2	3	2	0	2
55-64	15	12	3	10	7	3	5	5	0
65-74	33	16	17	18	11	7	15	5	10
75-84	37	22	15	20	11	9	17	11	6
85 AND OVER	29	16	13	16	9	7	13	7	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 13,906 - WHITE 7,249 - NONWHITE 6,657

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>254</u>	<u>179</u>	<u>75</u>	<u>13.8</u>	<u>17.0</u>	<u>9.6</u>
HEART DISEASES	82	55	27	447.2	521.2	346.8
MALIGNANT NEOPLASMS	39	28	11	212.7	265.4	141.3
CEREBROVASCULAR DISEASE	21	17	4	114.5	161.1	51.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	17	3	109.1	161.1	38.5
ACCIDENTS	16	12	4	87.2	113.7	51.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	4	4	43.6	37.9	51.4
ALZHEIMERS DISEASE	7	7	0	38.2	66.3	-
DIABETES MELLITUS	6	6	0	32.7	56.9	-
INFLUENZA AND PNEUMONIA	5	4	1	27.3	37.9	12.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	16.4	9.5	25.7
SUICIDE	3	1	2	16.4	9.5	25.7
HOMICIDE	3	0	3	16.4	-	38.5
SEPTICEMIA	2	1	1	10.9	9.5	12.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	10.9	9.5	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	10.9	9.5	12.8
CONDITIONS ORIGIN PERINATAL PERIOD	2	1	1	7.6	7.5	7.7
MENINGITIS	1	1	0	5.4	9.5	-
PARKINSONS DISEASE	1	1	0	5.4	9.5	-
ATHEROSCLEROSIS	1	1	0	5.4	9.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.4	-	12.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	10.9	-	25.7
ALL OTHER CAUSES	22	19	3	120.0	180.1	38.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>254</u>	<u>179</u>	<u>75</u>	<u>145</u>	<u>106</u>	<u>39</u>	<u>109</u>	<u>73</u>	<u>36</u>
UNDER 1	3	1	2	1	1	0	2	0	2
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	6	4	2	2	2	0
25-34	4	2	2	2	2	0	2	0	2
35-44	5	1	4	4	0	4	1	1	0
45-54	12	8	4	9	6	3	3	2	1
55-64	33	20	13	28	17	11	5	3	2
65-74	52	33	19	32	25	7	20	8	12
75-84	76	58	18	39	31	8	37	27	10
85 AND OVER	61	50	11	24	20	4	37	30	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 18,338 - WHITE 10,552 - NONWHITE 7,786

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>94</u>	<u>69</u>	<u>25</u>	<u>11.6</u>	<u>14.6</u>	<u>7.5</u>
HEART DISEASES	32	26	6	395.5	548.5	179.0
MALIGNANT NEOPLASMS	21	15	6	259.5	316.4	179.0
ACCIDENTS	6	4	2	74.2	84.4	59.7
CEREBROVASCULAR DISEASE	5	5	0	61.8	105.5	-
INFLUENZA AND PNEUMONIA	4	2	2	49.4	42.2	59.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	49.4	84.4	-
SEPTICEMIA	3	3	0	37.1	63.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	37.1	21.1	59.7
VIRAL HEPATITIS	1	1	0	12.4	21.1	-
DIABETES MELLITUS	1	1	0	12.4	21.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	12.4	-	29.8
PEPTIC ULCER	1	1	0	12.4	21.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	12.4	-	29.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	12.4	21.1	-
SUICIDE	1	1	0	12.4	21.1	-
HOMICIDE	1	0	1	12.4	-	29.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	37.1	21.1	59.7
ALL OTHER CAUSES	5	3	2	61.8	63.3	59.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>94</u>	<u>69</u>	<u>25</u>	<u>49</u>	<u>35</u>	<u>14</u>	<u>45</u>	<u>34</u>	<u>11</u>
UNDER 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	5	3	2	3	1	2	2	2	0
55-64	19	16	3	12	10	2	7	6	1
65-74	14	8	6	6	3	3	8	5	3
75-84	24	21	3	13	12	1	11	9	2
85 AND OVER	22	17	5	7	5	2	15	12	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 8,091 - WHITE 4,740 - NONWHITE 3,351

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>436</u>	<u>162</u>	<u>274</u>	<u>10.9</u>	<u>11.8</u>	<u>10.5</u>
HEART DISEASES	150	62	88	376.6	449.7	338.0
MALIGNANT NEOPLASMS	95	41	54	238.5	297.4	207.4
CEREBROVASCULAR DISEASE	28	13	15	70.3	94.3	57.6
ACCIDENTS	25	6	19	62.8	43.5	73.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	2	17	47.7	14.5	65.3
INFLUENZA AND PNEUMONIA	18	7	11	45.2	50.8	42.2
DIABETES MELLITUS	11	6	5	27.6	43.5	19.2
ALZHEIMERS DISEASE	11	5	6	27.6	36.3	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	3	8	27.6	21.8	30.7
SEPTICEMIA	5	1	4	12.6	7.2	15.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	0	5	12.6	-	19.2
CONDITIONS ORIGIN IN PERINATAL PERIOD	4	0	4	6.0	-	8.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	0	4	10.0	-	15.4
SUICIDE	4	4	0	10.0	29.0	-
HOMICIDE	4	1	3	10.0	7.2	11.5
HIV DISEASE	2	0	2	5.0	-	7.7
ATHEROSCLEROSIS	2	0	2	5.0	-	7.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.5	7.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.5	-	3.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.5	7.2	-
PEPTIC ULCER	1	0	1	2.5	-	3.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.5	7.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.5	7.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	7.5	7.2	7.7
ALL OTHER CAUSES	29	6	23	72.8	43.5	88.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>436</u>	<u>162</u>	<u>274</u>	<u>217</u>	<u>81</u>	<u>136</u>	<u>219</u>	<u>81</u>	<u>138</u>
UNDER 1	8	1	7	7	1	6	1	0	1
(NEONATAL)	7	1	6	6	1	5	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	0	3	3	0	3	0	0	0
5-9	2	0	2	0	0	0	2	0	2
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	5	2	3	1	1	0
25-34	7	3	4	6	2	4	1	1	0
35-44	26	6	20	15	5	10	11	1	10
45-54	42	14	28	28	10	18	14	4	10
55-64	50	17	33	31	10	21	19	7	12
65-74	67	28	39	30	15	15	37	13	24
75-84	96	44	52	46	24	22	50	20	30
85 AND OVER	129	46	83	46	12	34	83	34	49
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 39,826 - WHITE 13,787 - NONWHITE 26,039

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>193</u>	<u>149</u>	<u>44</u>	<u>13.0</u>	<u>14.1</u>	<u>10.1</u>
HEART DISEASES	62	46	16	416.4	435.9	368.8
MALIGNANT NEOPLASMS	41	28	13	275.3	265.3	299.7
CEREBROVASCULAR DISEASE	17	15	2	114.2	142.1	46.1
ACCIDENTS	11	6	5	73.9	56.8	115.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	53.7	75.8	-
INFLUENZA AND PNEUMONIA	7	5	2	47.0	47.4	46.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	40.3	47.4	23.0
SEPTICEMIA	4	4	0	26.9	37.9	-
PARKINSONS DISEASE	4	4	0	26.9	37.9	-
ALZHEIMERS DISEASE	4	3	1	26.9	28.4	23.0
DIABETES MELLITUS	3	2	1	20.1	19.0	23.0
SUICIDE	3	2	1	20.1	19.0	23.0
ATHEROSCLEROSIS	2	2	0	13.4	19.0	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	13.4	19.0	-
PEPTIC ULCER	2	2	0	13.4	19.0	-
VIRAL HEPATITIS	1	1	0	6.7	9.5	-
HIV DISEASE	1	0	1	6.7	-	23.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.7	9.5	-
HERNIA	1	1	0	6.7	9.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.7	9.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	12	11	1	80.6	104.2	23.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>193</u>	<u>149</u>	<u>44</u>	<u>100</u>	<u>75</u>	<u>25</u>	<u>93</u>	<u>74</u>	<u>19</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	8	5	3	6	4	2	2	1	1
45-54	12	7	5	7	4	3	5	3	2
55-64	16	11	5	11	6	5	5	5	0
65-74	41	29	12	28	23	5	13	6	7
75-84	58	51	7	23	19	4	35	32	3
85 AND OVER	53	43	10	21	16	5	32	27	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 14,891 - WHITE 10,553 - NONWHITE 4,338

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>95</u>	<u>68</u>	<u>27</u>	<u>9.5</u>	<u>11.8</u>	<u>6.4</u>
HEART DISEASES	32	23	9	321.0	400.1	213.3
MALIGNANT NEOPLASMS	21	14	7	210.7	243.6	165.9
INFLUENZA AND PNEUMONIA	6	4	2	60.2	69.6	47.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	60.2	104.4	-
DIABETES MELLITUS	5	2	3	50.2	34.8	71.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	50.2	52.2	47.4
ACCIDENTS	5	4	1	50.2	69.6	23.7
CEREBROVASCULAR DISEASE	3	2	1	30.1	34.8	23.7
SUICIDE	2	2	0	20.1	34.8	-
ANEMIAS	1	1	0	10.0	17.4	-
PARKINSONS DISEASE	1	1	0	10.0	17.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	10.0	17.4	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.0	17.4	-
PEPTIC ULCER	1	1	0	10.0	17.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.0	-	23.7
ALL OTHER CAUSES	4	3	1	40.1	52.2	23.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>95</u>	<u>68</u>	<u>27</u>	<u>52</u>	<u>39</u>	<u>13</u>	<u>43</u>	<u>29</u>	<u>14</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	7	3	4	5	3	2	2	0	2
45-54	6	4	2	3	3	0	3	1	2
55-64	14	9	5	4	2	2	10	7	3
65-74	22	17	5	16	12	4	6	5	1
75-84	26	21	5	14	12	2	12	9	3
85 AND OVER	19	14	5	9	7	2	10	7	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 9,967 - WHITE 5,748 - NONWHITE 4,219

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>228</u>	<u>156</u>	<u>72</u>	<u>12.6</u>	<u>14.7</u>	<u>9.6</u>
HEART DISEASES	76	54	22	419.4	508.4	293.4
MALIGNANT NEOPLASMS	54	39	15	298.0	367.2	200.0
ACCIDENTS	20	15	5	110.4	141.2	66.7
CEREBROVASCULAR DISEASE	13	7	6	71.7	65.9	80.0
INFLUENZA AND PNEUMONIA	12	11	1	66.2	103.6	13.3
DIABETES MELLITUS	6	2	4	33.1	18.8	53.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	33.1	37.6	26.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	33.1	18.8	53.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	22.1	18.8	26.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	8.8	6.2	11.1
HIV DISEASE	2	1	1	11.0	9.4	13.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	11.0	9.4	13.3
SUICIDE	2	1	1	11.0	9.4	13.3
SEPTICEMIA	1	0	1	5.5	-	13.3
ANEMIAS	1	0	1	5.5	-	13.3
ALZHEIMERS DISEASE	1	0	1	5.5	-	13.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.5	-	13.3
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.5	9.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.5	-	13.3
HOMICIDE	1	1	0	5.5	9.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	16.6	28.2	-
ALL OTHER CAUSES	12	11	1	66.2	103.6	13.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>228</u>	<u>156</u>	<u>72</u>	<u>125</u>	<u>88</u>	<u>37</u>	<u>103</u>	<u>68</u>	<u>35</u>
UNDER 1	5	2	3	2	1	1	3	1	2
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	7	3	4	5	3	2	2	0	2
25-34	3	2	1	2	1	1	1	1	0
35-44	10	4	6	6	3	3	4	1	3
45-54	15	5	10	11	5	6	4	0	4
55-64	26	18	8	22	17	5	4	1	3
65-74	44	27	17	28	17	11	16	10	6
75-84	56	44	12	24	21	3	32	23	9
85 AND OVER	58	49	9	21	18	3	37	31	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 18,121 - WHITE 10,622 - NONWHITE 7,499

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>105</u>	<u>74</u>	<u>31</u>	<u>11.2</u>	<u>11.7</u>	<u>10.2</u>
HEART DISEASES	31	22	9	331.0	347.3	296.8
MALIGNANT NEOPLASMS	19	14	5	202.9	221.0	164.9
ACCIDENTS	9	5	4	96.1	78.9	131.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	74.7	78.9	66.0
CEREBROVASCULAR DISEASE	6	5	1	64.1	78.9	33.0
DIABETES MELLITUS	4	3	1	42.7	47.4	33.0
INFLUENZA AND PNEUMONIA	4	2	2	42.7	31.6	66.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	32.0	31.6	33.0
HOMICIDE	2	0	2	21.4	-	66.0
VIRAL HEPATITIS	1	1	0	10.7	15.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	10.7	15.8	-
ALZHEIMERS DISEASE	1	1	0	10.7	15.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	10.7	15.8	-
HERNIA	1	1	0	10.7	15.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.7	15.8	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.7	-	33.0
SUICIDE	1	1	0	10.7	15.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	12	9	3	128.1	142.1	98.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>105</u>	<u>74</u>	<u>31</u>	<u>53</u>	<u>36</u>	<u>17</u>	<u>52</u>	<u>38</u>	<u>14</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	2	0	2	2	0	2
25-34	2	0	2	0	0	0	2	0	2
35-44	2	1	1	1	0	1	1	1	0
45-54	7	4	3	5	4	1	2	0	2
55-64	12	8	4	8	6	2	4	2	2
65-74	26	19	7	15	11	4	11	8	3
75-84	27	23	4	11	9	2	16	14	2
85 AND OVER	24	19	5	10	6	4	14	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 9,366 - WHITE 6,334 - NONWHITE 3,032

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>115</u>	<u>34</u>	<u>81</u>	<u>9.9</u>	<u>17.0</u>	<u>8.4</u>
HEART DISEASES	55	21	34	474.3	1047.9	354.5
MALIGNANT NEOPLASMS	19	4	15	163.8	199.6	156.4
CEREBROVASCULAR DISEASE	10	2	8	86.2	99.8	83.4
ACCIDENTS	6	2	4	51.7	99.8	41.7
DIABETES MELLITUS	3	2	1	25.9	99.8	10.4
ALZHEIMERS DISEASE	3	1	2	25.9	49.9	20.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	25.9	49.9	20.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	3	0	3	25.9	-	31.3
NEOPLASMS	1	0	1	8.6	-	10.4
ANEMIAS	1	1	0	8.6	49.9	-
INFLUENZA AND PNEUMONIA	1	0	1	8.6	-	10.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.6	-	10.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.6	-	10.4
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	6.2	-	6.9
HOMICIDE	1	0	1	8.6	-	10.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	6	0	6	51.7	-	62.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>115</u>	<u>34</u>	<u>81</u>	<u>59</u>	<u>18</u>	<u>41</u>	<u>56</u>	<u>16</u>	<u>40</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	3	0	3	3	0	3	0	0	0
35-44	2	0	2	2	0	2	0	0	0
45-54	7	3	4	3	1	2	4	2	2
55-64	12	1	11	6	1	5	6	0	6
65-74	23	8	15	10	5	5	13	3	10
75-84	26	7	19	13	2	11	13	5	8
85 AND OVER	35	14	21	17	8	9	18	6	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 11,596 - WHITE 2,004 - NONWHITE 9,592

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>199</u>	<u>137</u>	<u>62</u>	<u>10.8</u>	<u>11.8</u>	<u>9.1</u>
HEART DISEASES	86	61	25	466.2	525.1	366.1
MALIGNANT NEOPLASMS	34	24	10	184.3	206.6	146.4
CEREBROVASCULAR DISEASE	16	11	5	86.7	94.7	73.2
ACCIDENTS	10	6	4	54.2	51.6	58.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	32.5	34.4	29.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	21.7	17.2	29.3
INFLUENZA AND PNEUMONIA	4	3	1	21.7	25.8	14.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	16.3	8.6	29.3
SEPTICEMIA	2	2	0	10.8	17.2	-
DIABETES MELLITUS	2	0	2	10.8	-	29.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	10.8	17.2	-
ALZHEIMERS DISEASE	2	2	0	10.8	17.2	-
ATHEROSCLEROSIS	2	0	2	10.8	-	29.3
SUICIDE	2	2	0	10.8	17.2	-
HIV DISEASE	1	0	1	5.4	-	14.6
ANEMIAS	1	0	1	5.4	-	14.6
PARKINSONS DISEASE	1	1	0	5.4	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.4	8.6	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	4.1	-	8.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.4	-	14.6
ALL OTHER CAUSES	18	15	3	97.6	129.1	43.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>199</u>	<u>137</u>	<u>62</u>	<u>105</u>	<u>73</u>	<u>32</u>	<u>94</u>	<u>64</u>	<u>30</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	5	4	1	4	3	1	1	1	0
45-54	9	6	3	8	5	3	1	1	0
55-64	12	9	3	8	6	2	4	3	1
65-74	45	35	10	26	23	3	19	12	7
75-84	51	34	17	26	17	9	25	17	8
85 AND OVER	65	43	22	24	14	10	41	29	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 18,445 - WHITE 11,616 - NONWHITE 6,829

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>221</u>	<u>120</u>	<u>101</u>	<u>10.2</u>	<u>12.6</u>	<u>8.3</u>
HEART DISEASES	99	54	45	457.1	565.6	371.6
MALIGNANT NEOPLASMS	34	23	11	157.0	240.9	90.8
CEREBROVASCULAR DISEASE	12	5	7	55.4	52.4	57.8
ACCIDENTS	9	5	4	41.6	52.4	33.0
DIABETES MELLITUS	8	2	6	36.9	20.9	49.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	36.9	52.4	24.8
CONDITIONS ORIGIN PERINATAL PERIOD	5	2	3	14.4	17.5	12.8
INFLUENZA AND PNEUMONIA	4	2	2	18.5	20.9	16.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	13.8	10.5	16.5
HIV DISEASE	2	0	2	9.2	-	16.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.2	10.5	8.2
SUICIDE	2	1	1	9.2	10.5	8.2
SEPTICEMIA	1	0	1	4.6	-	8.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.6	10.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.6	10.5	-
CHOLELITHIASIS/GALLBLADDER DYSORDER	1	1	0	4.6	10.5	-
HOMICIDE	1	0	1	4.6	-	8.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.6	10.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	-	8.2
ALL OTHER CAUSES	26	15	11	120.0	157.1	90.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>221</u>	<u>120</u>	<u>101</u>	<u>112</u>	<u>62</u>	<u>50</u>	<u>109</u>	<u>58</u>	<u>51</u>
UNDER 1	6	2	4	3	1	2	3	1	2
(Neonatal)	5	2	3	2	1	1	3	1	2
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	4	2	2	3	2	1	1	0	1
35-44	14	6	8	8	4	4	6	2	4
45-54	21	6	15	15	6	9	6	0	6
55-64	22	10	12	12	6	6	10	4	6
65-74	33	16	17	17	9	8	16	7	9
75-84	58	35	23	26	15	11	32	20	12
85 AND OVER	59	41	18	24	17	7	35	24	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 21,657 - WHITE 9,547 - NONWHITE 12,110

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>358</u>	<u>146</u>	<u>212</u>	<u>11.5</u>	<u>14.2</u>	<u>10.2</u>
HEART DISEASES	104	52	52	334.5	505.1	250.0
MALIGNANT NEOPLASMS	72	33	39	231.6	320.5	187.5
CEREBROVASCULAR DISEASE	25	13	12	80.4	126.3	57.7
ACCIDENTS	21	7	14	67.5	68.0	67.3
DIABETES MELLITUS	18	5	13	57.9	48.6	62.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	8	7	48.2	77.7	33.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	5	9	45.0	48.6	43.3
HOMICIDE	11	1	10	35.4	9.7	48.1
INFLUENZA AND PNEUMONIA	9	5	4	28.9	48.6	19.2
SEPTICEMIA	6	2	4	19.3	19.4	19.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	0	6	19.3	-	28.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	1	5	19.3	9.7	24.0
SUICIDE	5	2	3	16.1	19.4	14.4
HIV DISEASE	3	0	3	9.6	-	14.4
ALZHEIMERS DISEASE	3	2	1	9.6	19.4	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	9.6	9.7	9.6
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	0	3	5.3	-	6.4
PARKINSONS DISEASE	2	1	1	6.4	9.7	4.8
ATHEROSCLEROSIS	1	1	0	3.2	9.7	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.2	-	4.8
PEPTIC ULCER	1	0	1	3.2	-	4.8
HERNIA	1	1	0	3.2	9.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.2	-	4.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.2	-	4.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	0	5	16.1	-	24.0
ALL OTHER CAUSES	21	6	15	67.5	58.3	72.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>358</u>	<u>146</u>	<u>212</u>	<u>154</u>	<u>55</u>	<u>99</u>	<u>204</u>	<u>91</u>	<u>113</u>
UNDER 1	8	0	8	4	0	4	4	0	4
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	4	0	4	2	0	2	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	4	1	3	0	0	0
15-24	13	3	10	6	1	5	7	2	5
25-34	6	1	5	5	1	4	1	0	1
35-44	19	2	17	10	1	9	9	1	8
45-54	36	8	28	17	5	12	19	3	16
55-64	40	14	26	21	8	13	19	6	13
65-74	57	28	29	23	10	13	34	18	16
75-84	93	45	48	43	20	23	50	25	25
85 AND OVER	81	44	37	20	8	12	61	36	25
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 31,094 - WHITE 10,295 - NONWHITE 20,799

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>312</u>	<u>150</u>	<u>162</u>	<u>10.8</u>	<u>11.1</u>	<u>10.6</u>
HEART DISEASES	118	64	54	408.4	471.9	352.2
MALIGNANT NEOPLASMS	57	31	26	197.3	228.6	169.6
CEREBROVASCULAR DISEASE	17	8	9	58.8	59.0	58.7
ACCIDENTS	14	7	7	48.4	51.6	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	38.1	51.6	26.1
SEPTICEMIA	8	4	4	27.7	29.5	26.1
CONDITIONS ORIGIN IN PERINATAL PERIOD	8	1	7	19.4	6.3	27.4
DIABETES MELLITUS	6	2	4	20.8	14.7	26.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	1	5	20.8	7.4	32.6
HOMICIDE	6	0	6	20.8	-	39.1
ALZHEIMERS DISEASE	4	3	1	13.8	22.1	6.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	13.8	-	26.1
INFLUENZA AND PNEUMONIA	4	3	1	13.8	22.1	6.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	13.8	7.4	19.6
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	13.8	14.7	13.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	10.4	7.4	13.0
AORTIC ANEURYSM AND DISSECTION IN SITU, BENIGN & UNSPECIFIED	2	1	1	6.9	7.4	6.5
NEOPLASMS	1	0	1	3.5	-	6.5
ANEMIAS	1	1	0	3.5	7.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.5	7.4	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	3.5	-	6.5
PEPTIC ULCER	1	0	1	3.5	-	6.5
SUICIDE	1	1	0	3.5	7.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	17.3	7.4	26.1
ALL OTHER CAUSES	25	10	15	86.5	73.7	97.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>312</u>	<u>150</u>	<u>162</u>	<u>152</u>	<u>69</u>	<u>83</u>	<u>160</u>	<u>81</u>	<u>79</u>
UNDER 1	16	4	12	9	2	7	7	2	5
(NEONATAL)	10	2	8	7	2	5	3	0	3
(POSTNEONATAL)	6	2	4	2	0	2	4	2	2
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	7	3	4	3	1	2	4	2	2
35-44	15	2	13	8	1	7	7	1	6
45-54	23	7	16	13	2	11	10	5	5
55-64	40	20	20	21	12	9	19	8	11
65-74	51	28	23	32	18	14	19	10	9
75-84	77	44	33	34	19	15	43	25	18
85 AND OVER	79	42	37	30	14	16	49	28	21
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 28,892 - WHITE 13,562 - NONWHITE 15,330

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>183</u>	<u>135</u>	<u>48</u>	<u>10.2</u>	<u>12.1</u>	<u>7.1</u>
HEART DISEASES	71	53	18	396.9	475.5	267.0
MALIGNANT NEOPLASMS	42	32	10	234.8	287.1	148.3
ACCIDENTS	11	10	1	61.5	89.7	14.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	55.9	62.8	44.5
CEREBROVASCULAR DISEASE	8	4	4	44.7	35.9	59.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	22.4	26.9	14.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	16.8	26.9	-
DIABETES MELLITUS	2	2	0	11.2	17.9	-
PARKINSONS DISEASE	2	2	0	11.2	17.9	-
INFLUENZA AND PNEUMONIA	2	2	0	11.2	17.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	11.2	-	29.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	11.2	9.0	14.8
INFECTIIONS OF KIDNEY	2	2	0	11.2	17.9	-
SEPTICEMIA	1	1	0	5.6	9.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.6	9.0	-
ATHEROSCLEROSIS	1	1	0	5.6	9.0	-
PEPTIC ULCER	1	1	0	5.6	9.0	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	3.5	6.7	-
HOMICIDE	1	0	1	5.6	-	14.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.6	9.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	15	8	7	83.8	71.8	103.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>183</u>	<u>135</u>	<u>48</u>	<u>105</u>	<u>74</u>	<u>31</u>	<u>78</u>	<u>61</u>	<u>17</u>
UNDER 1	4	3	1	1	1	0	3	2	1
(NEONATAL)	3	2	1	1	1	0	2	1	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	3	2	1	1	0	1	2	2	0
15-24	3	1	2	2	1	1	1	0	1
25-34	2	2	0	2	2	0	0	0	0
35-44	3	1	2	1	0	1	2	1	1
45-54	14	5	9	8	2	6	6	3	3
55-64	16	12	4	12	9	3	4	3	1
65-74	49	40	9	31	25	6	18	15	3
75-84	46	34	12	30	21	9	16	13	3
85 AND OVER	41	33	8	16	12	4	25	21	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 17,889 - WHITE 11,147 - NONWHITE 6,742

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>755</u>	<u>663</u>	<u>92</u>	<u>7.4</u>	<u>7.6</u>	<u>6.1</u>
HEART DISEASES	215	186	29	210.5	213.6	192.5
MALIGNANT NEOPLASMS	164	148	16	160.6	170.0	106.2
ACCIDENTS	56	51	5	54.8	58.6	33.2
CEREBROVASCULAR DISEASE	41	36	5	40.1	41.3	33.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	40	33	7	39.2	37.9	46.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	33	32	1	32.3	36.8	6.6
SEPTICEMIA	19	15	4	18.6	17.2	26.6
DIABETES MELLITUS	19	13	6	18.6	14.9	39.8
INFLUENZA AND PNEUMONIA	18	15	3	17.6	17.2	19.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	16	1	16.6	18.4	6.6
SUICIDE	14	13	1	13.7	14.9	6.6
CONDITIONS ORIGIN PERINATAL PERIOD	11	8	3	6.7	5.8	12.0
ALZHEIMERS DISEASE	8	8	0	7.8	9.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	5.9	4.6	13.3
AORTIC ANEURYSM AND DISSECTION	5	5	0	4.9	5.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	5	0	4.9	5.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	3.9	4.6	-
HIV DISEASE	3	1	2	2.9	1.1	13.3
PARKINSONS DISEASE	3	3	0	2.9	3.4	-
ANEMIAS	2	1	1	2.0	1.1	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	2.0	2.3	-
HOMICIDE	2	2	0	2.0	2.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	2.0	2.3	-
TUBERCULOSIS	1	0	1	1.0	-	6.6
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.0	1.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.0	1.1	-
HERNIA	1	1	0	1.0	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	6	0	5.9	6.9	-
ALL OTHER CAUSES	56	51	5	54.8	58.6	33.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>755</u>	<u>663</u>	<u>92</u>	<u>409</u>	<u>358</u>	<u>51</u>	<u>346</u>	<u>305</u>	<u>41</u>
UNDER 1	21	17	4	14	11	3	7	6	1
(Neonatal)	16	13	3	11	9	2	5	4	1
(Postneonatal)	5	4	1	3	2	1	2	2	0
1-4	2	2	0	2	2	0	0	0	0
5-9	4	4	0	2	2	0	2	2	0
10-14	5	5	0	2	2	0	3	3	0
15-24	16	15	1	11	10	1	5	5	0
25-34	25	22	3	18	16	2	7	6	1
35-44	44	37	7	32	26	6	12	11	1
45-54	60	48	12	43	33	10	17	15	2
55-64	90	81	9	54	47	7	36	34	2
65-74	166	153	13	90	83	7	76	70	6
75-84	184	162	22	87	83	4	97	79	18
85 AND OVER	138	117	21	54	43	11	84	74	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 102,131 - WHITE 87,067 - NONWHITE 15,064

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>769</u>	<u>547</u>	<u>222</u>	<u>10.3</u>	<u>11.1</u>	<u>8.6</u>
HEART DISEASES	227	167	60	303.0	339.4	233.3
MALIGNANT NEOPLASMS	177	129	48	236.2	262.1	186.6
CEREBROVASCULAR DISEASE	54	33	21	72.1	67.1	81.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	51	38	13	68.1	77.2	50.5
ACCIDENTS	50	30	20	66.7	61.0	77.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	22	15	7	29.4	30.5	27.2
ALZHEIMERS DISEASE	17	15	2	22.7	30.5	7.8
INFLUENZA AND PNEUMONIA	14	12	2	18.7	24.4	7.8
SEPTICEMIA	12	6	6	16.0	12.2	23.3
DIABETES MELLITUS	9	5	4	12.0	10.2	15.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	7	2	12.0	14.2	7.8
PARKINSONS DISEASE	8	7	1	10.7	14.2	3.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	6	2	10.7	12.2	7.8
SUICIDE	8	5	3	10.7	10.2	11.7
HIV DISEASE	5	3	2	6.7	6.1	7.8
AORTIC ANEURYSM AND DISSECTION	5	4	1	6.7	8.1	3.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	4	1	6.7	8.1	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	5.3	8.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	5.3	2.0	11.7
ATHEROSCLEROSIS	3	2	1	4.0	4.1	3.9
PEPTIC ULCER	3	3	0	4.0	6.1	-
HOMICIDE	3	2	1	4.0	4.1	3.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	2.7	4.1	-
TUBERCULOSIS	1	1	0	1.3	2.0	-
VIRAL HEPATITIS	1	1	0	1.3	2.0	-
MENINGITIS	1	0	1	1.3	-	3.9
HERNIA	1	1	0	1.3	2.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	2.0	-
INFECTIONS OF KIDNEY	1	1	0	1.3	2.0	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	0.9	1.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	4.0	2.0	7.8
<u>ALL OTHER CAUSES</u>	<u>59</u>	<u>40</u>	<u>19</u>	<u>78.7</u>	<u>81.3</u>	<u>73.9</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>769</u>	<u>547</u>	<u>222</u>	<u>386</u>	<u>268</u>	<u>118</u>	<u>383</u>	<u>279</u>	<u>104</u>
UNDER 1	6	4	2	4	4	0	2	0	2
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	4	3	1	3	3	0	1	0	1
1-4	4	2	2	3	2	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	11	6	5	7	3	4	4	3	1
25-34	19	5	14	9	4	5	10	1	9
35-44	39	26	13	23	15	8	16	11	5
45-54	62	34	28	39	23	16	23	11	12
55-64	83	49	34	52	32	20	31	17	14
65-74	150	117	33	85	63	22	65	54	11
75-84	203	158	45	106	81	25	97	77	20
85 AND OVER	190	146	44	56	41	15	134	105	29
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 74,927 - WHITE 49,209 - NONWHITE 25,718

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>93</u>	<u>66</u>	<u>27</u>	<u>11.4</u>	<u>13.3</u>	<u>8.4</u>
HEART DISEASES	36	30	6	441.2	604.4	187.7
MALIGNANT NEOPLASMS	21	14	7	257.4	282.0	219.0
DIABETES MELLITUS	5	4	1	61.3	80.6	31.3
CEREBROVASCULAR DISEASE	3	2	1	36.8	40.3	31.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	36.8	40.3	31.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	36.8	20.1	62.6
SUICIDE	3	2	1	36.8	40.3	31.3
HOMICIDE	3	1	2	36.8	20.1	62.6
CONDITIONS ORIGIN IN PERINATAL PERIOD	2	1	1	14.9	13.9	16.1
ACCIDENTS	2	1	1	24.5	20.1	31.3
SEPTICEMIA	1	0	1	12.2	-	31.3
ATHEROSCLEROSIS	1	1	0	12.2	20.1	-
INFLUENZA AND PNEUMONIA	1	1	0	12.2	20.1	-
PEPTIC ULCER	1	1	0	12.2	20.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	12.2	-	31.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	7	5	2	85.8	100.7	62.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>93</u>	<u>66</u>	<u>27</u>	<u>54</u>	<u>40</u>	<u>14</u>	<u>39</u>	<u>26</u>	<u>13</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	2	2	2	2	0	2	0	2
35-44	2	1	1	2	1	1	0	0	0
45-54	7	5	2	5	4	1	2	1	1
55-64	14	9	5	8	5	3	6	4	2
65-74	17	13	4	15	12	3	2	1	1
75-84	25	19	6	12	10	2	13	9	4
85 AND OVER	19	15	4	7	5	2	12	10	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 8,160 - WHITE 4,964 - NONWHITE 3,196

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>188</u>	<u>169</u>	<u>19</u>	<u>9.3</u>	<u>9.4</u>	<u>8.5</u>
HEART DISEASES	49	42	7	242.8	233.9	314.0
MALIGNANT NEOPLASMS	48	46	2	237.8	256.2	89.7
ACCIDENTS	17	16	1	84.2	89.1	44.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	12	0	59.4	66.8	-
DIABETES MELLITUS	11	10	1	54.5	55.7	44.9
CEREBROVASCULAR DISEASE	7	6	1	34.7	33.4	44.9
CONDITIONS ORIGIN PERINATAL PERIOD	5	5	0	13.8	15.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	19.8	22.3	-
SUICIDE	4	4	0	19.8	22.3	-
SEPTICEMIA	3	2	1	14.9	11.1	44.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	9.9	5.6	44.9
ALZHEIMERS DISEASE	2	2	0	9.9	11.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	9.9	-	89.7
HOMICIDE	2	2	0	9.9	11.1	-
ANEMIAS	1	1	0	5.0	5.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	5.0	-	44.9
INFLUENZA AND PNEUMONIA	1	1	0	5.0	5.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.0	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	16	14	2	79.3	78.0	89.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>188</u>	<u>169</u>	<u>19</u>	<u>91</u>	<u>81</u>	<u>10</u>	<u>97</u>	<u>88</u>	<u>9</u>
UNDER 1 (NEONATAL)	6	6	0	5	5	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	4	3	1	2	1	1	2	2	0
35-44	10	10	0	7	7	0	3	3	0
45-54	13	10	3	8	6	2	5	4	1
55-64	31	29	2	17	16	1	14	13	1
65-74	41	37	4	19	19	0	22	18	4
75-84	44	39	5	19	16	3	25	23	2
85 AND OVER	33	29	4	10	7	3	23	22	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 20,185 - WHITE 17,956 - NONWHITE 2,229

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>88</u>	<u>74</u>	<u>14</u>	<u>7.0</u>	<u>8.2</u>	<u>3.9</u>
MALIGNANT NEOPLASMS	25	20	5	197.9	220.5	140.5
HEART DISEASES	12	11	1	95.0	121.3	28.1
CEREBROVASCULAR DISEASE	6	4	2	47.5	44.1	56.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	5	0	39.6	55.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	39.6	55.1	-
ACCIDENTS	5	5	0	39.6	55.1	-
DIABETES MELLITUS	4	4	0	31.7	44.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	23.8	22.0	28.1
INFLUENZA AND PNEUMONIA	2	2	0	15.8	22.0	-
HOMICIDE	2	1	1	15.8	11.0	28.1
SEPTICEMIA	1	1	0	7.9	11.0	-
ALZHEIMERS DISEASE	1	1	0	7.9	11.0	-
ATHEROSCLEROSIS	1	0	1	7.9	-	28.1
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.9	11.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.9	11.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.9	-	28.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.9	11.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	15.8	22.0	-
ALL OTHER CAUSES	10	8	2	79.2	88.2	56.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>88</u>	<u>74</u>	<u>14</u>	<u>48</u>	<u>40</u>	<u>8</u>	<u>40</u>	<u>34</u>	<u>6</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	2	1	2	1	1	1	1	0
45-54	4	3	1	3	2	1	1	1	0
55-64	15	11	4	9	6	3	6	5	1
65-74	22	20	2	8	8	0	14	12	2
75-84	17	17	0	14	14	0	3	3	0
85 AND OVER	24	19	5	11	9	2	13	10	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 12,630 - WHITE 9,071 - NONWHITE 3,559

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>286</u>	<u>187</u>	<u>99</u>	<u>12.7</u>	<u>14.9</u>	<u>10.0</u>
HEART DISEASES	93	60	33	414.2	479.6	332.0
MALIGNANT NEOPLASMS	55	31	24	245.0	247.8	241.4
CEREBROVASCULAR DISEASE	37	23	14	164.8	183.8	140.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	15	2	75.7	119.9	20.1
INFLUENZA AND PNEUMONIA	15	12	3	66.8	95.9	30.2
ACCIDENTS	15	11	4	66.8	87.9	40.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	22.3	24.0	20.1
SUICIDE	4	3	1	17.8	24.0	10.1
HOMICIDE	4	2	2	17.8	16.0	20.1
HIV DISEASE	3	0	3	13.4	-	30.2
AORTIC ANEURYSM AND DISSECTION	3	3	0	13.4	24.0	-
SEPTICEMIA	2	1	1	8.9	8.0	10.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	8.9	16.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	8.9	8.0	10.1
ANEMIAS	1	1	0	4.4	8.0	-
DIABETES MELLITUS	1	1	0	4.4	8.0	-
PARKINSONS DISEASE	1	1	0	4.4	8.0	-
ALZHEIMERS DISEASE	1	1	0	4.4	8.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.4	8.0	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	3.6	6.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.4	8.0	-
ALL OTHER CAUSES	22	13	9	98.0	103.9	90.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>286</u>	<u>187</u>	<u>99</u>	<u>123</u>	<u>82</u>	<u>41</u>	<u>163</u>	<u>105</u>	<u>58</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	4	3	1	3	2	1	1	1	0
25-34	5	2	3	3	1	2	2	1	1
35-44	8	2	6	4	2	2	4	0	4
45-54	21	10	11	12	6	6	9	4	5
55-64	36	19	17	19	11	8	17	8	9
65-74	48	33	15	27	20	7	21	13	8
75-84	74	57	17	36	27	9	38	30	8
85 AND OVER	87	58	29	18	12	6	69	46	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 22,450 - WHITE 12,510 - NONWHITE 9,940

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>445</u>	<u>404</u>	<u>41</u>	<u>10.7</u>	<u>10.9</u>	<u>9.1</u>
HEART DISEASES	173	159	14	416.7	429.7	309.9
MALIGNANT NEOPLASMS	99	90	9	238.4	243.2	199.2
ACCIDENTS	30	27	3	72.2	73.0	66.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	19	3	53.0	51.4	66.4
CEREBROVASCULAR DISEASE	16	16	0	38.5	43.2	-
INFLUENZA AND PNEUMONIA	12	11	1	28.9	29.7	22.1
DIABETES MELLITUS	8	7	1	19.3	18.9	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	19.3	18.9	22.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	16.9	16.2	22.1
SEPTICEMIA	5	5	0	12.0	13.5	-
SUICIDE	5	5	0	12.0	13.5	-
HOMICIDE	5	4	1	12.0	10.8	22.1
AORTIC ANEURYSM AND DISSECTION	4	4	0	9.6	10.8	-
ATHEROSCLEROSIS	3	3	0	7.2	8.1	-
ALZHEIMERS DISEASE	2	2	0	4.8	5.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	4.8	5.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	4.8	5.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	4.8	5.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	4.8	2.7	22.1
ANEMIAS	1	0	1	2.4	-	22.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.4	-	22.1
MENINGITIS	1	1	0	2.4	2.7	-
PARKINSONS DISEASE	1	1	0	2.4	2.7	-
PEPTIC ULCER	1	1	0	2.4	2.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.4	2.7	-
ALL OTHER CAUSES	32	28	4	77.1	75.7	88.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>445</u>	<u>404</u>	<u>41</u>	<u>239</u>	<u>216</u>	<u>23</u>	<u>206</u>	<u>188</u>	<u>18</u>
UNDER 1	6	6	0	1	1	0	5	5	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	5	5	0	1	1	0	4	4	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	2	2	0	1	1	0
15-24	7	4	3	5	3	2	2	1	1
25-34	8	7	1	6	5	1	2	2	0
35-44	19	19	0	15	15	0	4	4	0
45-54	34	31	3	25	23	2	9	8	1
55-64	57	49	8	35	29	6	22	20	2
65-74	100	93	7	59	54	5	41	39	2
75-84	111	102	9	58	55	3	53	47	6
85 AND OVER	99	90	9	33	29	4	66	61	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 41,518 - WHITE 37,001 - NONWHITE 4,517

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>1,758</u>	<u>1,448</u>	<u>310</u>	<u>9.8</u>	<u>10.8</u>	<u>6.9</u>
HEART DISEASES	599	485	114	335.4	362.4	254.9
MALIGNANT NEOPLASMS	440	371	69	246.4	277.2	154.3
ACCIDENTS	94	77	17	52.6	57.5	38.0
CEREBROVASCULAR DISEASE	87	64	23	48.7	47.8	51.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	78	76	2	43.7	56.8	4.5
INFLUENZA AND PNEUMONIA	41	38	3	23.0	28.4	6.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	29	25	4	16.2	18.7	8.9
SEPTICEMIA	26	23	3	14.6	17.2	6.7
DIABETES MELLITUS	25	19	6	14.0	14.2	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	18	5	12.9	13.4	11.2
ALZHEIMERS DISEASE	20	17	3	11.2	12.7	6.7
SUICIDE	20	18	2	11.2	13.4	4.5
ATHEROSCLEROSIS	12	10	2	6.7	7.5	4.5
HOMICIDE	11	6	5	6.2	4.5	11.2
HIV DISEASE	10	9	1	5.6	6.7	2.2
CONDITIONS ORIGIN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	10	5	5	3.3	2.3	5.6
NEOPLASMS	9	8	1	5.0	6.0	2.2
AORTIC ANEURYSM AND DISSECTION	9	8	1	5.0	6.0	2.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	6	3	5.0	4.5	6.7
PARKINSONS DISEASE	8	7	1	4.5	5.2	2.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	5	2	3.9	3.7	4.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	3	1	2.2	2.2	2.2
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	2.2	3.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	4	4	0	2.2	3.0	-
VIRAL HEPATITIS	2	1	1	1.1	0.7	2.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	1.1	1.5	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	1	1.1	0.7	2.2
ANEMIAS	1	1	0	0.6	0.7	-
PEPTIC ULCER	1	1	0	0.6	0.7	-
HERNIA	1	1	0	0.6	0.7	-
HYPERPLASIA OF PROSTATE	1	1	0	0.6	0.7	-
MATERNAL CAUSES	1	1	0	33.0	46.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	5	7	6.7	3.7	15.6
ALL OTHER CAUSES	156	128	28	87.4	95.6	62.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>1,758</u>	<u>1,448</u>	<u>310</u>	<u>913</u>	<u>768</u>	<u>145</u>	<u>845</u>	<u>680</u>	<u>165</u>
UNDER 1	23	12	11	14	8	6	9	4	5
(NEONATAL)	15	8	7	10	5	5	5	3	2
(POSTNEONATAL)	8	4	4	4	3	1	4	1	3
1-4	5	4	1	5	4	1	0	0	0
5-9	8	6	2	6	4	2	2	2	0
10-14	4	4	0	2	2	0	2	2	0
15-24	25	19	6	18	13	5	7	6	1
25-34	36	31	5	26	23	3	10	8	2
35-44	73	52	21	49	35	14	24	17	7
45-54	125	90	35	83	65	18	42	25	17
55-64	204	162	42	113	92	21	91	70	21
65-74	411	349	62	237	203	34	174	146	28
75-84	517	444	73	260	232	28	257	212	45
85 AND OVER	327	275	52	100	87	13	227	188	39
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 178,567 - WHITE 133,838 - NONWHITE 44,729

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,340</u>	<u>1,149</u>	<u>1,191</u>	<u>9.5</u>	<u>10.2</u>	<u>8.9</u>
HEART DISEASES	768	407	361	312.5	362.0	270.8
MALIGNANT NEOPLASMS	486	244	242	197.8	217.0	181.5
CEREBROVASCULAR DISEASE	159	86	73	64.7	76.5	54.8
ACCIDENTS	111	42	69	45.2	37.4	51.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	92	66	26	37.4	58.7	19.5
INFLUENZA AND PNEUMONIA	70	44	26	28.5	39.1	19.5
HOMICIDE	52	8	44	21.2	7.1	33.0
SEPTICEMIA	49	18	31	19.9	16.0	23.2
DIABETES MELLITUS	44	10	34	17.9	8.9	25.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	43	12	31	17.5	10.7	23.2
HIV DISEASE	40	2	38	16.3	1.8	28.5
CONDITIONS ORIGIN PERINATAL PERIOD	28	3	25	7.2	3.0	8.7
SUICIDE	26	20	6	10.6	17.8	4.5
ALZHEIMERS DISEASE	25	21	4	10.2	18.7	3.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	19	9	10	7.7	8.0	7.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	4	10	5.7	3.6	7.5
AORTIC ANEURYSM AND DISSECTION	14	9	5	5.7	8.0	3.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	8	6	5.7	7.1	4.5
PARKINSONS DISEASE	13	9	4	5.3	8.0	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	4	8	4.9	3.6	6.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	6	4	4.1	5.3	3.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	4	4	3.2	3.6	3.0
MENINGITIS	5	2	3	2.0	1.8	2.2
ANEMIAS	3	1	2	1.2	0.9	1.5
VIRAL HEPATITIS	2	2	0	0.8	1.8	-
PEPTIC ULCER	2	1	1	0.8	0.9	0.8
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	0.9	0.8
INFECTIONS OF KIDNEY	2	0	2	0.8	-	1.5
HYPERPLASIA OF PROSTATE	2	1	1	0.8	0.9	0.8
FEMALE PELVIC INFLAMMATORY DISEASE	2	1	1	0.8	0.9	0.8
ATHEROSCLEROSIS	1	1	0	0.4	0.9	-
HERNIA	1	0	1	0.4	-	0.8
MATERNAL CAUSES	1	0	1	25.9	-	34.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.4	0.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	7	9	6.5	6.2	6.8
ALL OTHER CAUSES	203	95	108	82.6	84.5	81.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,340</u>	<u>1,149</u>	<u>1,191</u>	<u>1,198</u>	<u>574</u>	<u>624</u>	<u>1,142</u>	<u>575</u>	<u>567</u>
UNDER 1	54	6	48	37	4	33	17	2	15
(NEONATAL)	34	5	29	25	4	21	9	1	8
(POSTNEONATAL)	20	1	19	12	0	12	8	1	7
1-4	11	1	10	7	1	6	4	0	4
5-9	6	1	5	2	0	2	4	1	3
10-14	5	2	3	3	1	2	2	1	1
15-24	49	12	37	30	5	25	19	7	12
25-34	64	20	44	40	12	28	24	8	16
35-44	144	43	101	86	31	55	58	12	46
45-54	194	68	126	125	48	77	69	20	49
55-64	233	107	126	141	70	71	92	37	55
65-74	466	244	222	259	137	122	207	107	100
75-84	577	338	239	283	176	107	294	162	132
85 AND OVER	537	307	230	185	89	96	352	218	134
UNKNOWN	0	0	0	0	0	0	0	0	0
1999 POPULATION:	TOTAL	245,737	-	WHITE	112,415	-	NONWHITE	133,322	

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>255</u>	<u>78</u>	<u>177</u>	<u>11.8</u>	<u>15.9</u>	<u>10.6</u>
HEART DISEASES	88	25	63	408.1	510.7	378.0
MALIGNANT NEOPLASMS	45	18	27	208.7	367.7	162.0
CEREBROVASCULAR DISEASE	21	11	10	97.4	224.7	60.0
ACCIDENTS	18	4	14	83.5	81.7	84.0
INFLUENZA AND PNEUMONIA	12	5	7	55.6	102.1	42.0
DIABETES MELLITUS	6	2	4	27.8	40.8	24.0
HIV DISEASE	5	0	5	23.2	-	30.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	0	5	23.2	-	30.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	18.6	81.7	-
CONDITIONS ORIGIN PERINATAL PERIOD	4	0	4	9.7	-	11.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	0	3	13.9	-	18.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	13.9	20.4	12.0
HOMICIDE	3	1	2	13.9	20.4	12.0
SEPTICEMIA	2	0	2	9.3	-	12.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	9.3	-	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	9.3	-	12.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.3	-	12.0
SUICIDE	2	1	1	9.3	20.4	6.0
LEGAL INTERVENTION	2	0	2	9.3	-	12.0
VIRAL HEPATITIS	1	0	1	4.6	-	6.0
ANEMIAS	1	0	1	4.6	-	6.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.6	20.4	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.6	-	6.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	4.6	-	6.0
PEPTIC ULCER	1	0	1	4.6	-	6.0
HERNIA	1	0	1	4.6	-	6.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	18.6	-	24.0
ALL OTHER CAUSES	15	5	10	69.6	102.1	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>255</u>	<u>78</u>	<u>177</u>	<u>137</u>	<u>35</u>	<u>102</u>	<u>118</u>	<u>43</u>	<u>75</u>
UNDER 1	7	0	7	4	0	4	3	0	3
(NEONATAL)	5	0	5	3	0	3	2	0	2
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	2	4	3	0	3	3	2	1
25-34	9	2	7	8	2	6	1	0	1
35-44	20	2	18	12	1	11	8	1	7
45-54	13	1	12	11	1	10	2	0	2
55-64	28	4	24	16	1	15	12	3	9
65-74	39	13	26	26	9	17	13	4	9
75-84	74	27	47	38	12	26	36	15	21
85 AND OVER	57	27	30	17	9	8	40	18	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 21,562 - WHITE 4,895 - NONWHITE 16,667

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>134</u>	<u>51</u>	<u>83</u>	<u>11.9</u>	<u>15.1</u>	<u>10.6</u>
HEART DISEASES	47	19	28	419.1	564.3	356.8
MALIGNANT NEOPLASMS	29	11	18	258.6	326.7	229.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	62.4	148.5	25.5
ACCIDENTS	7	3	4	62.4	89.1	51.0
CEREBROVASCULAR DISEASE	6	2	4	53.5	59.4	51.0
HOMICIDE	5	1	4	44.6	29.7	51.0
INFLUENZA AND PNEUMONIA	4	2	2	35.7	59.4	25.5
DIABETES MELLITUS	3	2	1	26.8	59.4	12.7
SEPTICEMIA	2	1	1	17.8	29.7	12.7
ALZHEIMERS DISEASE	2	0	2	17.8	-	25.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	17.8	-	25.5
HIV DISEASE	1	0	1	8.9	-	12.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.9	-	12.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	8.9	-	12.7
CONDITIONS ORIGIN IN PERINATAL PERIOD	1	0	1	4.9	-	5.8
SUICIDE	1	0	1	8.9	-	12.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	26.8	-	38.2
ALL OTHER CAUSES	12	5	7	107.0	148.5	89.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>134</u>	<u>51</u>	<u>83</u>	<u>64</u>	<u>21</u>	<u>43</u>	<u>70</u>	<u>30</u>	<u>40</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	3	0	3	2	0	2	1	0	1
35-44	10	2	8	2	1	1	8	1	7
45-54	13	3	10	7	0	7	6	3	3
55-64	19	9	10	12	5	7	7	4	3
65-74	24	10	14	12	6	6	12	4	8
75-84	31	16	15	13	6	7	18	10	8
85 AND OVER	27	10	17	11	2	9	16	8	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 11,214 - WHITE 3,367 - NONWHITE 7,847

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>13</u>	<u>9</u>	<u>4</u>	<u>8.0</u>	<u>13.4</u>	<u>4.1</u>
HEART DISEASES	3	2	1	183.5	299.0	103.5
ACCIDENTS	3	3	0	183.5	448.4	-
MALIGNANT NEOPLASMS	2	1	1	122.3	149.5	103.5
SEPTICEMIA	1	0	1	61.2	-	103.5
DIABETES MELLITUS	1	0	1	61.2	-	103.5
CEREBROVASCULAR DISEASE	1	1	0	61.2	149.5	-
PEPTIC ULCER	1	1	0	61.2	149.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	1	1	0	61.2	149.5	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>13</u>	<u>9</u>	<u>4</u>	<u>8</u>	<u>5</u>	<u>3</u>	<u>5</u>	<u>4</u>	<u>1</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	4	2	2	2	1	1	2	1	1
55-64	1	1	0	0	0	0	1	1	0
65-74	2	1	1	2	1	1	0	0	0
75-84	2	1	1	2	1	1	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 1,635 - WHITE 669 - NONWHITE 966

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>256</u>	<u>246</u>	<u>10</u>	<u>12.1</u>	<u>12.7</u>	<u>5.8</u>
HEART DISEASES	99	93	6	469.5	480.5	346.8
MALIGNANT NEOPLASMS	46	45	1	218.2	232.5	57.8
ACCIDENTS	23	22	1	109.1	113.7	57.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	61.6	67.2	-
CEREBROVASCULAR DISEASE	11	11	0	52.2	56.8	-
DIABETES MELLITUS	8	7	1	37.9	36.2	57.8
ALZHEIMERS DISEASE	8	8	0	37.9	41.3	-
INFLUENZA AND PNEUMONIA	4	4	0	19.0	20.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	19.0	20.7	-
SEPTICEMIA	3	3	0	14.2	15.5	-
PARKINSONS DISEASE	3	3	0	14.2	15.5	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.5	10.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.5	10.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	9.5	10.3	-
CONDITIONS ORIGIN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	1	1	7.7	4.2	40.0
NEOPLASMS	1	1	0	4.7	5.2	-
ANEMIAS	1	1	0	4.7	5.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.7	5.2	-
ATHEROSCLEROSIS	1	1	0	4.7	5.2	-
SUICIDE	1	1	0	4.7	5.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.5	10.3	-
ALL OTHER CAUSES	19	19	0	90.1	98.2	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>256</u>	<u>246</u>	<u>10</u>	<u>130</u>	<u>123</u>	<u>7</u>	<u>126</u>	<u>123</u>	<u>3</u>
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	6	0	3	3	0	3	3	0
25-34	1	0	1	0	0	0	1	0	1
35-44	7	7	0	3	3	0	4	4	0
45-54	19	19	0	15	15	0	4	4	0
55-64	31	30	1	26	25	1	5	5	0
65-74	55	51	4	33	30	3	22	21	1
75-84	65	63	2	32	31	1	33	32	1
85 AND OVER	69	68	1	15	14	1	54	54	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 21,085 - WHITE 19,355 - NONWHITE 1,730

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>1,103</u>	<u>897</u>	<u>206</u>	<u>8.3</u>	<u>8.8</u>	<u>6.5</u>
HEART DISEASES	342	277	65	256.9	273.1	205.2
MALIGNANT NEOPLASMS	282	236	46	211.8	232.6	145.2
ACCIDENTS	66	56	10	49.6	55.2	31.6
CEREBROVASCULAR DISEASE	62	52	10	46.6	51.3	31.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	59	53	6	44.3	52.2	18.9
DIABETES MELLITUS	25	20	5	18.8	19.7	15.8
ALZHEIMERS DISEASE	21	17	4	15.8	16.8	12.6
INFLUENZA AND PNEUMONIA	21	20	1	15.8	19.7	3.2
SUICIDE	20	16	4	15.0	15.8	12.6
SEPTICEMIA	17	13	4	12.8	12.8	12.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	11	2	9.8	10.8	6.3
HOMICIDE	11	1	10	8.3	1.0	31.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	7.5	8.9	3.2
CONDITIONS ORIGIN PERINATAL PERIOD	8	4	4	4.3	3.0	7.4
ATHEROSCLEROSIS	7	5	2	5.2	4.9	6.3
HIV DISEASE	6	3	3	4.5	3.0	9.5
PARKINSONS DISEASE	5	4	1	3.8	3.9	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	5	5	0	3.8	4.9	-
NEOPLASMS	4	3	1	3.0	3.0	3.2
AORTIC ANEURYSM AND DISSECTION	4	2	2	3.0	2.0	6.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	3.0	3.0	3.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	2.2	1.0	6.3
VIRAL HEPATITIS	1	1	0	0.8	1.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.8	1.0	-
MENINGITIS	1	0	1	0.8	-	3.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	0.8	-	3.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.8	1.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	0.8	-	3.2
ALL OTHER CAUSES	102	83	19	76.6	81.8	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>1,103</u>	<u>897</u>	<u>206</u>	<u>576</u>	<u>478</u>	<u>98</u>	<u>527</u>	<u>419</u>	<u>108</u>
UNDER 1	12	6	6	6	4	2	6	2	4
(NEONATAL)	9	4	5	4	3	1	5	1	4
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	5	4	1	5	4	1	0	0	0
5-9	3	0	3	2	0	2	1	0	1
10-14	3	3	0	2	2	0	1	1	0
15-24	10	6	4	7	4	3	3	2	1
25-34	32	22	10	25	17	8	7	5	2
35-44	50	37	13	35	28	7	15	9	6
45-54	85	57	28	52	34	18	33	23	10
55-64	171	143	28	105	91	14	66	52	14
65-74	238	198	40	137	121	16	101	77	24
75-84	278	237	41	130	113	17	148	124	24
85 AND OVER	216	184	32	70	60	10	146	124	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 133,120 - WHITE 101,436 - NONWHITE 31,684

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>175</u>	<u>97</u>	<u>78</u>	<u>9.7</u>	<u>11.5</u>	<u>8.0</u>
HEART DISEASES	66	34	32	364.4	404.3	329.9
MALIGNANT NEOPLASMS	34	21	13	187.7	249.7	134.0
CEREBROVASCULAR DISEASE	13	8	5	71.8	95.1	51.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	6	3	49.7	71.3	30.9
ACCIDENTS	9	5	4	49.7	59.4	41.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	38.6	47.6	30.9
INFLUENZA AND PNEUMONIA	4	2	2	22.1	23.8	20.6
ALZHEIMERS DISEASE	2	2	0	11.0	23.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	11.0	11.9	10.3
CONDITIONS ORIGIN IN PERINATAL PERIOD	2	0	2	7.5	-	12.4
SEPTICEMIA	1	1	0	5.5	11.9	-
HIV DISEASE	1	0	1	5.5	-	10.3
DIABETES MELLITUS	1	0	1	5.5	-	10.3
PARKINSONS DISEASE	1	0	1	5.5	-	10.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.5	11.9	-
SUICIDE	1	1	0	5.5	11.9	-
HOMICIDE	1	0	1	5.5	-	10.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	11.0	11.9	10.3
ALL OTHER CAUSES	18	10	8	99.4	118.9	82.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>175</u>	<u>97</u>	<u>78</u>	<u>93</u>	<u>49</u>	<u>44</u>	<u>82</u>	<u>48</u>	<u>34</u>
UNDER 1	4	1	3	1	1	0	3	0	3
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	3	0	3	2	0	2	1	0	1
35-44	10	5	5	5	2	3	5	3	2
45-54	11	5	6	9	5	4	2	0	2
55-64	26	14	12	12	7	5	14	7	7
65-74	36	23	13	22	15	7	14	8	6
75-84	40	21	19	23	10	13	17	11	6
85 AND OVER	41	25	16	18	8	10	23	17	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 18,110 - WHITE 8,410 - NONWHITE 9,700

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>92</u>	<u>20</u>	<u>72</u>	<u>11.0</u>	<u>18.1</u>	<u>9.9</u>
HEART DISEASES	39	7	32	465.1	632.3	439.7
MALIGNANT NEOPLASMS	19	4	15	226.6	361.3	206.1
DIABETES MELLITUS	5	0	5	59.6	-	68.7
CEREBROVASCULAR DISEASE	5	3	2	59.6	271.0	27.5
ACCIDENTS	5	2	3	59.6	180.7	41.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	1	3	47.7	90.3	41.2
INFLUENZA AND PNEUMONIA	2	1	1	23.8	90.3	13.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	23.8	90.3	13.7
SUICIDE	2	0	2	23.8	-	27.5
PARKINSONS DISEASE	1	0	1	11.9	-	13.7
ATHEROSCLEROSIS	1	0	1	11.9	-	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.9	-	13.7
INFECTIONS OF KIDNEY	1	1	0	11.9	90.3	-
MATERNAL CAUSES	1	0	1	714.3	-	757.6
HOMICIDE	1	0	1	11.9	-	13.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	3	0	3	35.8	-	41.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>92</u>	<u>20</u>	<u>72</u>	<u>51</u>	<u>13</u>	<u>38</u>	<u>41</u>	<u>7</u>	<u>34</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	7	0	7	3	0	3	4	0	4
45-54	10	1	9	5	1	4	5	0	5
55-64	16	5	11	11	5	6	5	0	5
65-74	18	4	14	11	3	8	7	1	6
75-84	20	6	14	10	3	7	10	3	7
85 AND OVER	17	4	13	8	1	7	9	3	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 8,385 - WHITE 1,107 - NONWHITE 7,278

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>145</u>	<u>72</u>	<u>73</u>	<u>10.5</u>	<u>12.3</u>	<u>9.2</u>
HEART DISEASES	53	30	23	384.9	512.6	290.5
MALIGNANT NEOPLASMS	29	15	14	210.6	256.3	176.8
ACCIDENTS	10	5	5	72.6	85.4	63.1
CEREBROVASCULAR DISEASE	7	4	3	50.8	68.4	37.9
INFLUENZA AND PNEUMONIA	4	1	3	29.0	17.1	37.9
ALZHEIMERS DISEASE	3	1	2	21.8	17.1	25.2
SEPTICEMIA	2	1	1	14.5	17.1	12.6
HIV DISEASE	2	0	2	14.5	-	25.2
PARKINSONS DISEASE	2	2	0	14.5	34.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	14.5	-	25.2
CONDITIONS ORIGIN IN PERINATAL PERIOD	2	0	2	10.2	-	14.4
SUICIDE	2	2	0	14.5	34.2	-
DIABETES MELLITUS	1	0	1	7.3	-	12.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	7.3	-	12.6
ATHEROSCLEROSIS	1	1	0	7.3	17.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	7.3	17.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.3	17.1	-
PEPTIC ULCER	1	1	0	7.3	17.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.3	17.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.3	-	12.6
HOMICIDE	1	0	1	7.3	-	12.6
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	21.8	34.2	12.6
ALL OTHER CAUSES	15	4	11	108.9	68.4	138.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>145</u>	<u>72</u>	<u>73</u>	<u>56</u>	<u>28</u>	<u>28</u>	<u>89</u>	<u>44</u>	<u>45</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	3	1	2	0	0	0
15-24	5	2	3	3	2	1	2	0	2
25-34	2	0	2	0	0	0	2	0	2
35-44	7	1	6	1	0	1	6	1	5
45-54	7	3	4	5	2	3	2	1	1
55-64	24	10	14	11	5	6	13	5	8
65-74	27	12	15	10	5	5	17	7	10
75-84	37	26	11	14	9	5	23	17	6
85 AND OVER	31	17	14	8	4	4	23	13	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 13,770 - WHITE 5,852 - NONWHITE 7,918

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>657</u>	<u>512</u>	<u>145</u>	<u>10.4</u>	<u>11.2</u>	<u>8.4</u>
HEART DISEASES	222	181	41	352.1	395.9	236.6
MALIGNANT NEOPLASMS	144	120	24	228.4	262.4	138.5
ACCIDENTS	46	30	16	73.0	65.6	92.3
CEREBROVASCULAR DISEASE	34	24	10	53.9	52.5	57.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	26	4	47.6	56.9	23.1
INFLUENZA AND PNEUMONIA	27	23	4	42.8	50.3	23.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	16	11	5	25.4	24.0	28.8
SEPTICEMIA	9	4	5	14.3	8.7	28.8
DIABETES MELLITUS	8	5	3	12.7	10.9	17.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	11.1	15.3	-
SUICIDE	7	6	1	11.1	13.1	5.8
HOMICIDE	6	2	4	9.5	4.4	23.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	6.3	6.6	5.8
ALZHEIMERS DISEASE	4	4	0	6.3	8.7	-
AORTIC ANEURYSM AND DISSECTION	4	2	2	6.3	4.4	11.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	6.3	4.4	11.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	4.8	2.2	11.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	4.8	4.4	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	4.8	6.6	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	2	0	2.0	3.2	-
TUBERCULOSIS	1	0	1	1.6	-	5.8
MENINGOCOCCAL INFECTION	1	1	0	1.6	2.2	-
VIRAL HEPATITIS	1	1	0	1.6	2.2	-
MENINGITIS	1	1	0	1.6	2.2	-
PARKINSONS DISEASE	1	1	0	1.6	2.2	-
ATHEROSCLEROSIS	1	1	0	1.6	2.2	-
PEPTIC ULCER	1	0	1	1.6	-	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	7	1	12.7	15.3	5.8
ALL OTHER CAUSES	59	42	17	93.6	91.8	98.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>657</u>	<u>512</u>	<u>145</u>	<u>344</u>	<u>272</u>	<u>72</u>	<u>313</u>	<u>240</u>	<u>73</u>
UNDER 1	7	6	1	4	3	1	3	3	0
(Neonatal)	3	3	0	1	1	0	2	2	0
(Postneonatal)	4	3	1	3	2	1	1	1	0
1-4	2	0	2	2	0	2	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	4	3	1	1	1	0	3	2	1
15-24	15	9	6	13	9	4	2	0	2
25-34	15	7	8	13	6	7	2	1	1
35-44	21	13	8	14	9	5	7	4	3
45-54	39	24	15	25	17	8	14	7	7
55-64	64	48	16	41	30	11	23	18	5
65-74	142	113	29	88	74	14	54	39	15
75-84	190	161	29	85	73	12	105	88	17
85 AND OVER	157	127	30	57	49	8	100	78	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 63,054 - WHITE 45,722 - NONWHITE 17,332

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>93</u>	<u>51</u>	<u>42</u>	<u>8.9</u>	<u>12.0</u>	<u>6.7</u>
HEART DISEASES	37	15	22	352.8	354.6	351.6
MALIGNANT NEOPLASMS	18	12	6	171.6	283.7	95.9
CEREBROVASCULAR DISEASE	8	5	3	76.3	118.2	47.9
INFLUENZA AND PNEUMONIA	7	5	2	66.7	118.2	32.0
ACCIDENTS	5	4	1	47.7	94.6	16.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	38.1	70.9	16.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	28.6	23.6	32.0
ALZHEIMERS DISEASE	2	1	1	19.1	23.6	16.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	9.5	-	16.0
DIABETES MELLITUS	1	0	1	9.5	-	16.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.5	23.6	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	7.2	-	9.8
SUICIDE	1	1	0	9.5	23.6	-
HOMICIDE	1	0	1	9.5	-	16.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.5	23.6	-
ALL OTHER CAUSES	2	2	0	19.1	47.3	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>93</u>	<u>51</u>	<u>42</u>	<u>47</u>	<u>25</u>	<u>22</u>	<u>46</u>	<u>26</u>	<u>20</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	6	2	4	5	1	4	1	1	0
55-64	11	3	8	5	1	4	6	2	4
65-74	21	10	11	13	6	7	8	4	4
75-84	20	14	6	9	7	2	11	7	4
85 AND OVER	29	20	9	11	8	3	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 10,487 - WHITE 4,230 - NONWHITE 6,257

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>278</u>	<u>214</u>	<u>64</u>	<u>8.0</u>	<u>8.8</u>	<u>6.0</u>
HEART DISEASES	97	82	15	277.8	337.8	141.0
MALIGNANT NEOPLASMS	62	46	16	177.6	189.5	150.4
CEREBROVASCULAR DISEASE	17	14	3	48.7	57.7	28.2
ACCIDENTS	17	10	7	48.7	41.2	65.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	28.6	33.0	18.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	5	4	25.8	20.6	37.6
INFLUENZA AND PNEUMONIA	8	7	1	22.9	28.8	9.4
ALZHEIMERS DISEASE	6	6	0	17.2	24.7	-
SEPTICEMIA	5	3	2	14.3	12.4	18.8
SUICIDE	5	4	1	14.3	16.5	9.4
DIABETES MELLITUS	4	3	1	11.4	12.4	9.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	8.6	12.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.6	8.2	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	8.6	8.2	9.4
PARKINSONS DISEASE	2	1	1	5.7	4.1	9.4
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.7	4.1	9.4
CONDITIONS ORIGIN PERINATAL PERIOD	2	2	0	4.5	7.9	-
TUBERCULOSIS	1	0	1	2.9	-	9.4
HOMICIDE	1	1	0	2.9	4.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.9	4.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	8.6	12.4	-
ALL OTHER CAUSES	17	10	7	48.7	41.2	65.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>278</u>	<u>214</u>	<u>64</u>	<u>156</u>	<u>123</u>	<u>33</u>	<u>122</u>	<u>91</u>	<u>31</u>
UNDER 1	5	3	2	3	3	0	2	0	2
(Neonatal)	4	3	1	3	3	0	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	3	3	0	2	2	0	1	1	0
35-44	12	6	6	5	3	2	7	3	4
45-54	16	15	1	7	7	0	9	8	1
55-64	41	22	19	24	16	8	17	6	11
65-74	57	48	9	34	29	5	23	19	4
75-84	77	64	13	48	40	8	29	24	5
85 AND OVER	64	52	12	32	22	10	32	30	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 34,914 - WHITE 24,275 - NONWHITE 10,639

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>283</u>	<u>251</u>	<u>32</u>	<u>7.4</u>	<u>7.6</u>	<u>6.0</u>
HEART DISEASES	97	89	8	254.4	271.4	149.8
MALIGNANT NEOPLASMS	61	51	10	160.0	155.5	187.3
CEREBROVASCULAR DISEASE	26	23	3	68.2	70.2	56.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	34.1	39.6	-
ACCIDENTS	12	11	1	31.5	33.6	18.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	18.4	18.3	18.7
INFLUENZA AND PNEUMONIA	5	4	1	13.1	12.2	18.7
SEPTICEMIA	4	4	0	10.5	12.2	-
SUICIDE	4	4	0	10.5	12.2	-
VIRAL HEPATITIS	3	3	0	7.9	9.2	-
ALZHEIMERS DISEASE	3	3	0	7.9	9.2	-
CONDITIONS ORIGIN PERINATAL PERIOD	3	2	1	5.0	4.0	11.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.2	3.0	18.7
HOMICIDE	2	1	1	5.2	3.0	18.7
MENINGITIS	1	1	0	2.6	3.0	-
PARKINSONS DISEASE	1	1	0	2.6	3.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	2.6	3.0	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.6	3.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.6	3.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.6	3.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	15.7	15.2	18.7
ALL OTHER CAUSES	29	25	4	76.1	76.2	74.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>283</u>	<u>251</u>	<u>32</u>	<u>137</u>	<u>127</u>	<u>10</u>	<u>146</u>	<u>124</u>	<u>22</u>
UNDER 1	7	5	2	2	2	0	5	3	2
(NEONATAL)	5	3	2	1	1	0	4	2	2
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	6	6	0	5	5	0	1	1	0
25-34	8	7	1	6	5	1	2	2	0
35-44	8	8	0	4	4	0	4	4	0
45-54	24	19	5	14	13	1	10	6	4
55-64	35	24	11	20	16	4	15	8	7
65-74	46	44	2	27	25	2	19	19	0
75-84	77	75	2	39	37	2	38	38	0
85 AND OVER	69	62	7	20	20	0	49	42	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 38,127 - WHITE 32,787 - NONWHITE 5,340

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>939</u>	<u>653</u>	<u>286</u>	<u>12.4</u>	<u>13.8</u>	<u>9.9</u>
HEART DISEASES	299	224	75	393.5	475.3	260.0
MALIGNANT NEOPLASMS	238	152	86	313.2	322.5	298.1
ACCIDENTS	58	37	21	76.3	78.5	72.8
CEREBROVASCULAR DISEASE	44	38	6	57.9	80.6	20.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	42	37	5	55.3	78.5	17.3
INFLUENZA AND PNEUMONIA	32	22	10	42.1	46.7	34.7
ALZHEIMERS DISEASE	21	18	3	27.6	38.2	10.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	10	9	25.0	21.2	31.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	9	6	19.7	19.1	20.8
SEPTICEMIA	11	10	1	14.5	21.2	3.5
CONDITIONS ORIGIN IN PERINATAL PERIOD	11	1	10	9.4	1.8	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	13.2	19.1	3.5
HIV DISEASE	9	0	9	11.8	-	31.2
PARKINSONS DISEASE	9	8	1	11.8	17.0	3.5
HOMICIDE	8	4	4	10.5	8.5	13.9
DIABETES MELLITUS	7	4	3	9.2	8.5	10.4
AORTIC ANEURYSM AND DISSECTION	5	4	1	6.6	8.5	3.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	5.3	6.4	3.5
SUICIDE	4	3	1	5.3	6.4	3.5
INSITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	2.6	2.1	3.5
ATHEROSCLEROSIS	2	1	1	2.6	2.1	3.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.6	2.1	3.5
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	2.6	-	6.9
ANEMIAS	1	0	1	1.3	-	3.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.3	-	3.5
PEPTIC ULCER	1	1	0	1.3	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	9	2	14.5	19.1	6.9
ALL OTHER CAUSES	70	46	24	92.1	97.6	83.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>939</u>	<u>653</u>	<u>286</u>	<u>445</u>	<u>293</u>	<u>152</u>	<u>494</u>	<u>360</u>	<u>134</u>
UNDER 1	14	2	12	8	1	7	6	1	5
(Neonatal)	11	1	10	6	1	5	5	0	5
(Postneonatal)	3	1	2	2	0	2	1	1	0
1-4	2	1	1	1	0	1	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	24	14	10	15	7	8	9	7	2
25-34	15	8	7	10	5	5	5	3	2
35-44	37	20	17	23	13	10	14	7	7
45-54	53	28	25	36	19	17	17	9	8
55-64	102	64	38	61	41	20	41	23	18
65-74	156	114	42	92	65	27	64	49	15
75-84	292	207	85	136	91	45	156	116	40
85 AND OVER	241	194	47	60	50	10	181	144	37
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 75,978 - WHITE 47,129 - NONWHITE 28,849

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>137</u>	<u>93</u>	<u>44</u>	<u>10.5</u>	<u>11.1</u>	<u>9.4</u>
HEART DISEASES	49	32	17	375.0	380.6	364.9
MALIGNANT NEOPLASMS	34	24	10	260.2	285.5	214.6
ACCIDENTS	12	10	2	91.8	118.9	42.9
CEREBROVASCULAR DISEASE	7	3	4	53.6	35.7	85.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	53.6	71.4	21.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	30.6	11.9	64.4
SEPTICEMIA	2	2	0	15.3	23.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	15.3	23.8	-
AORTIC ANEURYSM AND DISSECTION	2	0	2	15.3	-	42.9
DIABETES MELLITUS	1	0	1	7.6	-	21.5
PARKINSONS DISEASE	1	1	0	7.6	11.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.6	11.9	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	5.8	8.9	-
SUICIDE	1	1	0	7.6	11.9	-
HOMICIDE	1	0	1	7.6	-	21.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.6	-	21.5
ALL OTHER CAUSES	11	9	2	84.2	107.0	42.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>137</u>	<u>93</u>	<u>44</u>	<u>69</u>	<u>48</u>	<u>21</u>	<u>68</u>	<u>45</u>	<u>23</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	1	1	1	0	1	1	1	0
25-34	3	3	0	2	2	0	1	1	0
35-44	6	2	4	3	2	1	3	0	3
45-54	12	8	4	10	7	3	2	1	1
55-64	17	12	5	10	7	3	7	5	2
65-74	31	22	9	19	14	5	12	8	4
75-84	38	26	12	19	13	6	19	13	6
85 AND OVER	26	17	9	5	3	2	21	14	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 13,066 - WHITE 8,407 - NONWHITE 4,659

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>239</u>	<u>142</u>	<u>97</u>	<u>12.2</u>	<u>12.6</u>	<u>11.6</u>
HEART DISEASES	83	62	21	423.4	550.5	251.8
MALIGNANT NEOPLASMS	45	28	17	229.6	248.6	203.8
CEREBROVASCULAR DISEASE	14	5	9	71.4	44.4	107.9
ACCIDENTS	10	6	4	51.0	53.3	48.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	5	4	45.9	44.4	48.0
DIABETES MELLITUS	8	1	7	40.8	8.9	83.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	2	6	40.8	17.8	71.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	30.6	26.6	36.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	3	3	30.6	26.6	36.0
SEPTICEMIA	5	3	2	25.5	26.6	24.0
INFLUENZA AND PNEUMONIA	5	5	0	25.5	44.4	-
HOMICIDE	4	1	3	20.4	8.9	36.0
ALZHEIMERS DISEASE	2	1	1	10.2	8.9	12.0
ATHEROSCLEROSIS	2	0	2	10.2	-	24.0
SUICIDE	2	2	0	10.2	17.8	-
TUBERCULOSIS	1	0	1	5.1	-	12.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.1	8.9	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	5.1	-	12.0
PEPTIC ULCER	1	0	1	5.1	-	12.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	5.1	-	12.0
MATERNAL CAUSES	1	0	1	308.6	-	602.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	24	14	10	122.4	124.3	119.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>239</u>	<u>142</u>	<u>97</u>	<u>119</u>	<u>73</u>	<u>46</u>	<u>120</u>	<u>69</u>	<u>51</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	4	1	5	4	1	0	0	0
25-34	5	1	4	3	1	2	2	0	2
35-44	12	4	8	10	4	6	2	0	2
45-54	14	9	5	9	5	4	5	4	1
55-64	32	17	15	18	9	9	14	8	6
65-74	49	27	22	26	18	8	23	9	14
75-84	64	39	25	32	20	12	32	19	13
85 AND OVER	54	41	13	14	12	2	40	29	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 19,602 - WHITE 11,262 - NONWHITE 8,340

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>720</u>	<u>572</u>	<u>148</u>	<u>9.6</u>	<u>10.0</u>	<u>8.2</u>
HEART DISEASES	238	198	40	316.4	345.6	223.2
MALIGNANT NEOPLASMS	169	132	37	224.7	230.4	206.5
CEREBROVASCULAR DISEASE	57	50	7	75.8	87.3	39.1
ACCIDENTS	47	38	9	62.5	66.3	50.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	28	2	39.9	48.9	11.2
INFLUENZA AND PNEUMONIA	18	13	5	23.9	22.7	27.9
SEPTICEMIA	15	9	6	19.9	15.7	33.5
ALZHEIMERS DISEASE	12	11	1	16.0	19.2	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	8	2	13.3	14.0	11.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	4	4	10.6	7.0	22.3
SUICIDE	7	7	0	9.3	12.2	-
DIABETES MELLITUS	6	4	2	8.0	7.0	11.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	8.0	8.7	5.6
PARKINSONS DISEASE	5	5	0	6.6	8.7	-
AORTIC ANEURYSM AND DISSECTION	5	5	0	6.6	8.7	-
CONDITIONS ORIGIN PERINATAL PERIOD	5	1	4	4.1	1.2	9.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	5.3	3.5	11.2
HOMICIDE	4	2	2	5.3	3.5	11.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	4.0	3.5	5.6
ATHEROSCLEROSIS	3	3	0	4.0	5.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	2.6	3.5	-
PEPTIC ULCER	2	2	0	2.6	3.5	-
HIV DISEASE	1	0	1	1.3	-	5.6
ANEMIAS	1	1	0	1.3	1.7	-
MENINGITIS	1	1	0	1.3	1.7	-
HERNIA	1	1	0	1.3	1.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	1.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	1.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	6	3	12.0	10.5	16.7
ALL OTHER CAUSES	49	30	19	65.2	52.4	106.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>720</u>	<u>572</u>	<u>148</u>	<u>357</u>	<u>275</u>	<u>82</u>	<u>363</u>	<u>297</u>	<u>66</u>
UNDER 1	10	2	8	5	0	5	5	2	3
(Neonatal)	7	1	6	3	0	3	4	1	3
(Postneonatal)	3	1	2	2	0	2	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	5	4	1	3	3	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	11	7	4	10	7	3	1	0	1
25-34	16	12	4	12	9	3	4	3	1
35-44	41	27	14	21	14	7	20	13	7
45-54	42	25	17	28	15	13	14	10	4
55-64	76	62	14	52	46	6	24	16	8
65-74	132	104	28	68	56	12	64	48	16
75-84	192	164	28	88	71	17	104	93	11
85 AND OVER	194	164	30	70	54	16	124	110	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 75,211 - WHITE 57,291 - NONWHITE 17,920

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>419</u>	<u>178</u>	<u>241</u>	<u>11.4</u>	<u>13.4</u>	<u>10.3</u>
HEART DISEASES	160	69	91	434.6	517.6	387.5
MALIGNANT NEOPLASMS	89	43	46	241.7	322.6	195.9
CEREBROVASCULAR DISEASE	35	11	24	95.1	82.5	102.2
ACCIDENTS	22	4	18	59.8	30.0	76.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	15	6	57.0	112.5	25.5
HOMICIDE	9	0	9	24.4	-	38.3
INFLUENZA AND PNEUMONIA	8	4	4	21.7	30.0	17.0
DIABETES MELLITUS	6	3	3	16.3	22.5	12.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	16.3	7.5	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	13.6	37.5	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	4	0	4	6.6	-	8.0
HIV DISEASE	3	0	3	8.1	-	12.8
ALZHEIMERS DISEASE	3	2	1	8.1	15.0	4.2
SUICIDE	3	2	1	8.1	15.0	4.2
ANEMIAS	2	0	2	5.4	-	8.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	5.4	-	8.5
TUBERCULOSIS	1	0	1	2.7	-	4.2
SEPTICEMIA	1	0	1	2.7	-	4.2
VIRAL HEPATITIS	1	0	1	2.7	-	4.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.7	7.5	-
PARKINSONS DISEASE	1	1	0	2.7	7.5	-
ATHEROSCLEROSIS	1	1	0	2.7	7.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.7	-	4.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.7	7.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	8.1	-	12.8
ALL OTHER CAUSES	30	15	15	81.5	112.5	63.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>419</u>	<u>178</u>	<u>241</u>	<u>201</u>	<u>87</u>	<u>114</u>	<u>218</u>	<u>91</u>	<u>127</u>
UNDER 1	7	1	6	3	1	2	4	0	4
(Neonatal)	4	0	4	2	0	2	2	0	2
(Postneonatal)	3	1	2	1	1	0	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	10	3	7	10	3	7	0	0	0
25-34	7	2	5	5	1	4	2	1	1
35-44	22	2	20	11	1	10	11	1	10
45-54	31	6	25	18	5	13	13	1	12
55-64	38	15	23	25	12	13	13	3	10
65-74	78	40	38	36	21	15	42	19	23
75-84	113	55	58	50	25	25	63	30	33
85 AND OVER	109	54	55	39	18	21	70	36	34
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 36,816 - WHITE 13,330 - NONWHITE 23,486

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>452</u>	<u>327</u>	<u>125</u>	<u>14.1</u>	<u>15.1</u>	<u>11.9</u>
HEART DISEASES	118	78	40	367.5	360.9	381.3
MALIGNANT NEOPLASMS	107	79	28	333.3	365.5	266.9
CEREBROVASCULAR DISEASE	44	37	7	137.0	171.2	66.7
DIABETES MELLITUS	32	22	10	99.7	101.8	95.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	20	6	81.0	92.5	57.2
INFLUENZA AND PNEUMONIA	19	16	3	59.2	74.0	28.6
ACCIDENTS	15	12	3	46.7	55.5	28.6
ALZHEIMERS DISEASE	11	10	1	34.3	46.3	9.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	28.0	18.5	47.7
SUICIDE	7	6	1	21.8	27.8	9.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	18.7	23.1	9.5
SEPTICEMIA	5	3	2	15.6	13.9	19.1
PARKINSONS DISEASE	5	5	0	15.6	23.1	-
HOMICIDE	4	0	4	12.4	-	38.1
HIV DISEASE	2	0	2	6.2	-	19.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.1	4.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.1	4.6	-
ATHEROSCLEROSIS	1	0	1	3.1	-	9.5
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.1	4.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.1	-	9.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.1	4.6	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	1	0	1	2.1	-	6.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.1	4.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.1	-	9.5
ALL OTHER CAUSES	33	25	8	102.8	115.7	76.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>452</u>	<u>327</u>	<u>125</u>	<u>237</u>	<u>168</u>	<u>69</u>	<u>215</u>	<u>159</u>	<u>56</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	6	3	3	3	1	2	3	2	1
35-44	19	10	9	11	7	4	8	3	5
45-54	26	13	13	17	7	10	9	6	3
55-64	40	27	13	28	20	8	12	7	5
65-74	102	75	27	57	42	15	45	33	12
75-84	140	111	29	78	62	16	62	49	13
85 AND OVER	111	85	26	38	27	11	73	58	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 32,105 - WHITE 21,614 - NONWHITE 10,491

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>499</u>	<u>289</u>	<u>210</u>	<u>8.2</u>	<u>8.0</u>	<u>8.6</u>
HEART DISEASES	149	86	63	246.2	238.6	257.2
MALIGNANT NEOPLASMS	99	56	43	163.6	155.4	175.6
CEREBROVASCULAR DISEASE	37	20	17	61.1	55.5	69.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	18	4	36.3	49.9	16.3
ACCIDENTS	22	12	10	36.3	33.3	40.8
ALZHEIMERS DISEASE	11	10	1	18.2	27.7	4.1
INFLUENZA AND PNEUMONIA	11	9	2	18.2	25.0	8.2
SEPTICEMIA	9	5	4	14.9	13.9	16.3
DIABETES MELLITUS	8	4	4	13.2	11.1	16.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	2	6	13.2	5.6	24.5
HIV DISEASE	7	0	7	11.6	-	28.6
SUICIDE	7	6	1	11.6	16.6	4.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	9.9	13.9	4.1
ANEMIAS	3	0	3	5.0	-	12.2
PARKINSONS DISEASE	3	3	0	5.0	8.3	-
AORTIC ANEURYSM AND DISSECTION	3	3	0	5.0	8.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	5.0	2.8	8.2
CONDITIONS ORIGIN PERINATAL PERIOD	3	1	2	3.1	2.0	4.1
HOMICIDE	3	0	3	5.0	-	12.2
VIRAL HEPATITIS	1	1	0	1.6	2.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.6	2.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.6	-	4.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	1.6	2.8	-
PEPTIC ULCER	1	1	0	1.6	2.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.6	-	4.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.6	-	4.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	42	22	20	69.4	61.0	81.7
ALL OTHER CAUSES	36	22	14	59.5	61.0	57.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>499</u>	<u>289</u>	<u>210</u>	<u>249</u>	<u>142</u>	<u>107</u>	<u>250</u>	<u>147</u>	<u>103</u>
UNDER 1	10	4	6	6	3	3	4	1	3
(Neonatal)	3	1	2	3	1	2	0	0	0
(Postneonatal)	7	3	4	3	2	1	4	1	3
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	10	6	4	7	5	2	3	1	2
25-34	12	4	8	10	3	7	2	1	1
35-44	29	10	19	20	5	15	9	5	4
45-54	48	21	27	29	15	14	19	6	13
55-64	56	31	25	35	22	13	21	9	12
65-74	86	45	41	46	25	21	40	20	20
75-84	129	90	39	62	44	18	67	46	21
85 AND OVER	115	78	37	31	20	11	84	58	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 60,527 - WHITE 36,037 - NONWHITE 24,490

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>627</u>	<u>388</u>	<u>239</u>	<u>8.4</u>	<u>9.9</u>	<u>6.7</u>
MALIGNANT NEOPLASMS	185	130	55	248.1	332.2	155.2
HEART DISEASES	160	98	62	214.6	250.4	175.0
CEREBROVASCULAR DISEASE	49	32	17	65.7	81.8	48.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	19	8	36.2	48.5	22.6
ACCIDENTS	24	16	8	32.2	40.9	22.6
INFLUENZA AND PNEUMONIA	22	14	8	29.5	35.8	22.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	4	9	17.4	10.2	25.4
HOMICIDE	13	1	12	17.4	2.6	33.9
ALZHEIMERS DISEASE	12	9	3	16.1	23.0	8.5
SEPTICEMIA	10	3	7	13.4	7.7	19.8
HIV DISEASE	9	1	8	12.1	2.6	22.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	10.7	10.2	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	6	2	10.7	15.3	5.6
CONDITIONS ORIGIN IN PERINATAL PERIOD	8	2	6	6.8	3.3	10.6
DIABETES MELLITUS	4	3	1	5.4	7.7	2.8
SUICIDE	3	3	0	4.0	7.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	2.7	2.6	2.8
ANEMIAS	2	1	1	2.7	2.6	2.8
AORTIC ANEURYSM AND DISSECTION	2	2	0	2.7	5.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	2.7	5.1	-
PEPTIC ULCER	2	2	0	2.7	5.1	-
TUBERCULOSIS	1	1	0	1.3	2.6	-
PARKINSONS DISEASE	1	1	0	1.3	2.6	-
INFECTIONS OF KIDNEY	1	1	0	1.3	2.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	1.3	2.6	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	8.0	5.1	11.3
ALL OTHER CAUSES	51	28	23	68.4	71.5	64.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>627</u>	<u>388</u>	<u>239</u>	<u>306</u>	<u>183</u>	<u>123</u>	<u>321</u>	<u>205</u>	<u>116</u>
UNDER 1	12	4	8	10	3	7	2	1	1
(Neonatal)	8	2	6	7	1	6	1	1	0
(Postneonatal)	4	2	2	3	2	1	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	13	5	8	12	5	7	1	0	1
25-34	14	7	7	7	3	4	7	4	3
35-44	31	8	23	21	6	15	10	2	8
45-54	50	32	18	32	24	8	18	8	10
55-64	74	32	42	42	20	22	32	12	20
65-74	119	74	45	69	44	25	50	30	20
75-84	147	109	38	57	42	15	90	67	23
85 AND OVER	164	116	48	53	35	18	111	81	30
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 74,562 - WHITE 39,136 - NONWHITE 35,426

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>329</u>	<u>230</u>	<u>99</u>	<u>12.4</u>	<u>12.9</u>	<u>11.3</u>
HEART DISEASES	101	72	29	380.6	405.2	330.7
MALIGNANT NEOPLASMS	69	46	23	260.0	258.9	262.3
CEREBROVASCULAR DISEASE	26	17	9	98.0	95.7	102.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	14	6	75.4	78.8	68.4
ACCIDENTS	14	10	4	52.8	56.3	45.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	9	2	41.4	50.6	22.8
HOMICIDE	9	3	6	33.9	16.9	68.4
SEPTICEMIA	7	3	4	26.4	16.9	45.6
INFLUENZA AND PNEUMONIA	6	5	1	22.6	28.1	11.4
DIABETES MELLITUS	5	3	2	18.8	16.9	22.8
ALZHEIMERS DISEASE	3	3	0	11.3	16.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	11.3	5.6	22.8
PARKINSONS DISEASE	2	2	0	7.5	11.2	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.5	11.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.5	11.2	-
HIV DISEASE	1	0	1	3.8	-	11.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.8	5.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.8	5.6	-
PEPTIC ULCER	1	0	1	3.8	-	11.4
SUICIDE	1	1	0	3.8	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	18.8	11.2	34.2
ALL OTHER CAUSES	39	33	6	147.0	185.7	68.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>329</u>	<u>230</u>	<u>99</u>	<u>176</u>	<u>120</u>	<u>56</u>	<u>153</u>	<u>110</u>	<u>43</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	4	6	10	4	6	0	0	0
25-34	4	3	1	4	3	1	0	0	0
35-44	8	6	2	6	4	2	2	2	0
45-54	26	9	17	15	7	8	11	2	9
55-64	31	24	7	19	15	4	12	9	3
65-74	79	58	21	47	32	15	32	26	6
75-84	81	62	19	41	34	7	40	28	12
85 AND OVER	87	63	24	32	20	12	55	43	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 26,538 - WHITE 17,770 - NONWHITE 8,768

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>358</u>	<u>178</u>	<u>180</u>	<u>11.1</u>	<u>11.8</u>	<u>10.5</u>
HEART DISEASES	117	56	61	362.0	370.0	354.9
MALIGNANT NEOPLASMS	77	38	39	238.2	251.1	226.9
CEREBROVASCULAR DISEASE	32	14	18	99.0	92.5	104.7
ACCIDENTS	32	18	14	99.0	118.9	81.4
INFLUENZA AND PNEUMONIA	10	6	4	30.9	39.6	23.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	24.8	26.4	23.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	21.6	39.6	5.8
SEPTICEMIA	6	2	4	18.6	13.2	23.3
AORTIC ANEURYSM AND DISSECTION	5	3	2	15.5	19.8	11.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	15.5	13.2	17.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	12.4	13.2	11.6
ALZHEIMERS DISEASE	3	3	0	9.3	19.8	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	0	3	5.6	-	9.5
SUICIDE	3	2	1	9.3	13.2	5.8
HOMICIDE	3	0	3	9.3	-	17.4
DIABETES MELLITUS	2	1	1	6.2	6.6	5.8
ATHEROSCLEROSIS	2	1	1	6.2	6.6	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.2	-	11.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.1	6.6	-
ANEMIAS	1	0	1	3.1	-	5.8
MENINGITIS	1	0	1	3.1	-	5.8
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.1	6.6	-
PEPTIC ULCER	1	1	0	3.1	6.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	6.2	6.6	5.8
ALL OTHER CAUSES	30	16	14	92.8	105.7	81.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>358</u>	<u>178</u>	<u>180</u>	<u>192</u>	<u>98</u>	<u>94</u>	<u>166</u>	<u>80</u>	<u>86</u>
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	13	7	6	9	5	4	4	2	2
25-34	8	2	6	5	2	3	3	0	3
35-44	26	12	14	17	7	10	9	5	4
45-54	29	15	14	23	13	10	6	2	4
55-64	51	29	22	34	20	14	17	9	8
65-74	72	38	34	44	26	18	28	12	16
75-84	90	45	45	41	18	23	49	27	22
85 AND OVER	63	30	33	17	7	10	46	23	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 32,323 - WHITE 15,134 - NONWHITE 17,189

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>400</u>	<u>270</u>	<u>130</u>	<u>10.5</u>	<u>10.5</u>	<u>10.3</u>
HEART DISEASES	109	81	28	285.1	315.7	222.7
MALIGNANT NEOPLASMS	88	61	27	230.2	237.7	214.8
CEREBROVASCULAR DISEASE	34	23	11	88.9	89.6	87.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	20	3	60.2	77.9	23.9
ACCIDENTS	21	10	11	54.9	39.0	87.5
INFLUENZA AND PNEUMONIA	16	13	3	41.8	50.7	23.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	3	11	36.6	11.7	87.5
DIABETES MELLITUS	8	5	3	20.9	19.5	23.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	2	6	20.9	7.8	47.7
SEPTICEMIA	7	3	4	18.3	11.7	31.8
CONDITIONS ORIGIN PERINATAL PERIOD	6	3	3	11.9	9.8	15.2
ALZHEIMERS DISEASE	5	5	0	13.1	19.5	-
SUICIDE	4	3	1	10.5	11.7	8.0
HOMICIDE	4	1	3	10.5	3.9	23.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	7.8	11.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.2	3.9	8.0
TUBERCULOSIS	1	0	1	2.6	-	8.0
HIV DISEASE	1	0	1	2.6	-	8.0
ANEMIAS	1	0	1	2.6	-	8.0
PARKINSONS DISEASE	1	1	0	2.6	3.9	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.6	3.9	-
DISEASES OF APPENDIX	1	1	0	2.6	3.9	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	2.6	3.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.6	-	8.0
LEGAL INTERVENTION	1	1	0	2.6	3.9	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.6	-	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.2	7.8	-
ALL OTHER CAUSES	36	26	10	94.2	101.3	79.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>400</u>	<u>270</u>	<u>130</u>	<u>191</u>	<u>128</u>	<u>63</u>	<u>209</u>	<u>142</u>	<u>67</u>
UNDER 1	11	6	5	8	4	4	3	2	1
(Neonatal)	6	3	3	4	2	2	2	1	1
(Postneonatal)	5	3	2	4	2	2	1	1	0
1-4	3	1	2	1	0	1	2	1	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	10	2	8	5	1	4	5	1	4
25-34	7	3	4	5	2	3	2	1	1
35-44	18	10	8	15	9	6	3	1	2
45-54	32	19	13	16	11	5	16	8	8
55-64	32	24	8	19	13	6	13	11	2
65-74	77	50	27	42	30	12	35	20	15
75-84	104	75	29	54	39	15	50	36	14
85 AND OVER	105	80	25	26	19	7	79	61	18
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 38,230 - WHITE 25,658 - NONWHITE 12,572

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>152</u>	<u>90</u>	<u>62</u>	<u>12.3</u>	<u>13.6</u>	<u>10.8</u>
HEART DISEASES	59	31	28	476.0	466.7	486.8
MALIGNANT NEOPLASMS	29	21	8	234.0	316.2	139.1
CEREBROVASCULAR DISEASE	12	6	6	96.8	90.3	104.3
ACCIDENTS	10	5	5	80.7	75.3	86.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	64.5	105.4	17.4
ALZHEIMERS DISEASE	5	5	0	40.3	75.3	-
DIABETES MELLITUS	3	0	3	24.2	-	52.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	24.2	30.1	17.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	0	3	19.1	-	34.1
SEPTICEMIA	2	0	2	16.1	-	34.8
PARKINSONS DISEASE	2	2	0	16.1	30.1	-
INFLUENZA AND PNEUMONIA	2	1	1	16.1	15.0	17.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	2	2	0	16.1	30.1	-
NEOPLASMS	1	0	1	8.1	-	17.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.1	15.0	-
SUICIDE	1	1	0	8.1	15.0	-
HOMICIDE	1	0	1	8.1	-	17.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	8	6	2	64.5	90.3	34.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>152</u>	<u>90</u>	<u>62</u>	<u>73</u>	<u>45</u>	<u>28</u>	<u>79</u>	<u>45</u>	<u>34</u>
UNDER 1 (NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	4	1	3	2	0	2	2	1	1
45-54	7	1	6	3	1	2	4	0	4
55-64	17	10	7	14	9	5	3	1	2
65-74	31	18	13	14	9	5	17	9	8
75-84	42	31	11	23	17	6	19	14	5
85 AND OVER	42	28	14	12	8	4	30	20	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 12,394 - WHITE 6,642 - NONWHITE 5,752

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>290</u>	<u>211</u>	<u>79</u>	<u>10.5</u>	<u>11.6</u>	<u>8.3</u>
HEART DISEASES	101	77	24	365.4	424.1	253.1
MALIGNANT NEOPLASMS	56	42	14	202.6	231.3	147.6
CEREBROVASCULAR DISEASE	21	16	5	76.0	88.1	52.7
ACCIDENTS	12	9	3	43.4	49.6	31.6
DIABETES MELLITUS	11	2	9	39.8	11.0	94.9
INFLUENZA AND PNEUMONIA	11	10	1	39.8	55.1	10.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	39.8	38.6	42.2
SEPTICEMIA	10	10	0	36.2	55.1	-
ALZHEIMERS DISEASE	7	5	2	25.3	27.5	21.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	21.7	27.5	10.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	14.5	5.5	31.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	10.8	5.5	21.1
AORTIC ANEURYSM AND DISSECTION	2	0	2	7.2	-	21.1
PEPTIC ULCER	2	2	0	7.2	11.0	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	2	0	7.2	11.0	-
VIRAL HEPATITIS	2	0	2	4.0	-	8.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.6	5.5	-
PARKINSONS DISEASE	1	0	1	3.6	-	10.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	5.5	-
HOMICIDE	1	1	0	3.6	5.5	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.6	5.5	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	21.7	27.5	10.5
ALL OTHER CAUSES	17	12	5	61.5	66.1	52.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>290</u>	<u>211</u>	<u>79</u>	<u>147</u>	<u>107</u>	<u>40</u>	<u>143</u>	<u>104</u>	<u>39</u>
UNDER 1	5	2	3	0	0	0	5	2	3
(Neonatal)	3	0	3	0	0	0	3	0	3
(Postneonatal)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	7	4	3	1	0	1	6	4	2
35-44	9	3	6	7	3	4	2	0	2
45-54	23	12	11	16	8	8	7	4	3
55-64	39	28	11	32	23	9	7	5	2
65-74	57	39	18	35	27	8	22	12	10
75-84	73	56	17	32	26	6	41	30	11
85 AND OVER	75	65	10	23	19	4	52	46	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 27,639 - WHITE 18,156 - NONWHITE 9,483

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>235</u>	<u>158</u>	<u>77</u>	<u>10.8</u>	<u>11.2</u>	<u>10.1</u>
HEART DISEASES	78	55	23	358.8	389.3	302.1
MALIGNANT NEOPLASMS	54	38	16	248.4	269.0	210.1
CEREBROVASCULAR DISEASE	19	14	5	87.4	99.1	65.7
ACCIDENTS	15	6	9	69.0	42.5	118.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	10	2	55.2	70.8	26.3
DIABETES MELLITUS	7	2	5	32.2	14.2	65.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	27.6	28.3	26.3
SUICIDE	6	4	2	27.6	28.3	26.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	23.0	21.2	26.3
INFLUENZA AND PNEUMONIA	4	3	1	18.4	21.2	13.1
ALZHEIMERS DISEASE	3	3	0	13.8	21.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	13.8	14.2	13.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.2	7.1	13.1
SEPTICEMIA	1	1	0	4.6	7.1	-
HIV DISEASE	1	0	1	4.6	-	13.1
ANEMIAS	1	0	1	4.6	-	13.1
ATHEROSCLEROSIS	1	1	0	4.6	7.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.6	7.1	-
HOMICIDE	1	0	1	4.6	-	13.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	-	13.1
ALL OTHER CAUSES	14	10	4	64.4	70.8	52.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>235</u>	<u>158</u>	<u>77</u>	<u>130</u>	<u>83</u>	<u>47</u>	<u>105</u>	<u>75</u>	<u>30</u>
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	8	5	3	7	4	3	1	1	0
35-44	5	1	4	2	0	2	3	1	2
45-54	9	3	6	9	3	6	0	0	0
55-64	23	15	8	15	9	6	8	6	2
65-74	57	40	17	32	22	10	25	18	7
75-84	62	47	15	36	29	7	26	18	8
85 AND OVER	63	45	18	23	14	9	40	31	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 21,741 - WHITE 14,127 - NONWHITE 7,614

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>146</u>	<u>45</u>	<u>101</u>	<u>11.7</u>	<u>12.1</u>	<u>11.5</u>
HEART DISEASES	59	20	39	472.1	538.6	444.0
MALIGNANT NEOPLASMS	22	8	14	176.0	215.4	159.4
ACCIDENTS	16	3	13	128.0	80.8	148.0
CEREBROVASCULAR DISEASE	9	2	7	72.0	53.9	79.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	48.0	26.9	56.9
DIABETES MELLITUS	5	3	2	40.0	80.8	22.8
HOMICIDE	4	0	4	32.0	-	45.5
INFLUENZA AND PNEUMONIA	3	2	1	24.0	53.9	11.4
SEPTICEMIA	2	0	2	16.0	-	22.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	16.0	26.9	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	16.0	26.9	11.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.0	-	11.4
HERNIA	1	1	0	8.0	26.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	8.0	-	11.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	16.0	-	22.8
ALL OTHER CAUSES	10	3	7	80.0	80.8	79.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>146</u>	<u>45</u>	<u>101</u>	<u>87</u>	<u>24</u>	<u>63</u>	<u>59</u>	<u>21</u>	<u>38</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	5	0	5	4	0	4	1	0	1
35-44	14	1	13	10	1	9	4	0	4
45-54	12	4	8	10	4	6	2	0	2
55-64	23	4	19	15	4	11	8	0	8
65-74	29	8	21	16	4	12	13	4	9
75-84	26	12	14	18	9	9	8	3	5
85 AND OVER	32	16	16	10	2	8	22	14	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 12,497 - WHITE 3,713 - NONWHITE 8,784

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>286</u>	<u>168</u>	<u>118</u>	<u>7.2</u>	<u>7.1</u>	<u>7.3</u>
HEART DISEASES	106	61	45	266.6	258.3	278.7
MALIGNANT NEOPLASMS	53	33	20	133.3	139.7	123.8
CEREBROVASCULAR DISEASE	24	15	9	60.4	63.5	55.7
ACCIDENTS	22	11	11	55.3	46.6	68.1
INFLUENZA AND PNEUMONIA	11	8	3	27.7	33.9	18.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	15.1	21.2	6.2
SEPTICEMIA	5	4	1	12.6	16.9	6.2
DIABETES MELLITUS	5	2	3	12.6	8.5	18.6
ALZHEIMERS DISEASE	5	3	2	12.6	12.7	12.4
AORTIC ANEURYSM AND DISSECTION	4	3	1	10.0	12.7	6.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	10.0	16.9	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	7.5	4.2	12.4
CONDITIONS ORIGIN PERINATAL PERIOD	3	0	3	5.6	-	10.9
SUICIDE	3	2	1	7.5	8.5	6.2
PARKINSONS DISEASE	2	2	0	5.0	8.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	5.0	4.2	6.2
HIV DISEASE	1	0	1	2.5	-	6.2
ANEMIAS	1	1	0	2.5	4.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.5	-	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.5	4.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	5.0	-	12.4
ALL OTHER CAUSES	22	11	11	55.3	46.6	68.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>286</u>	<u>168</u>	<u>118</u>	<u>146</u>	<u>77</u>	<u>69</u>	<u>140</u>	<u>91</u>	<u>49</u>
UNDER 1	5	0	5	4	0	4	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	4	3	1	3	1	2
25-34	6	2	4	4	1	3	2	1	1
35-44	7	4	3	4	2	2	3	2	1
45-54	19	7	12	13	5	8	6	2	4
55-64	33	16	17	24	11	13	9	5	4
65-74	53	36	17	28	18	10	25	18	7
75-84	72	48	24	34	21	13	38	27	11
85 AND OVER	81	50	31	29	15	14	52	35	17
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 39,765 - WHITE 23,617 - NONWHITE 16,148

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>348</u>	<u>200</u>	<u>148</u>	<u>10.3</u>	<u>12.1</u>	<u>8.5</u>
HEART DISEASES	112	61	51	330.2	368.6	293.7
MALIGNANT NEOPLASMS	74	42	32	218.2	253.8	184.3
CEREBROVASCULAR DISEASE	31	21	10	91.4	126.9	57.6
ACCIDENTS	27	16	11	79.6	96.7	63.3
INFLUENZA AND PNEUMONIA	19	13	6	56.0	78.6	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	44.2	72.5	17.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	1	6	20.6	6.0	34.6
SEPTICEMIA	5	2	3	14.7	12.1	17.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	11.8	18.1	5.8
DIABETES MELLITUS	3	1	2	8.8	6.0	11.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	8.8	6.0	11.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	8.8	6.0	11.5
SUICIDE	3	2	1	8.8	12.1	5.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	5.9	12.1	-
PARKINSONS DISEASE	2	2	0	5.9	12.1	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	0	2	3.4	-	5.7
HIV DISEASE	1	0	1	2.9	-	5.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.9	-	5.8
ALZHEIMERS DISEASE	1	1	0	2.9	6.0	-
ATHEROSCLEROSIS	1	0	1	2.9	-	5.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.9	6.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.9	-	5.8
HOMICIDE	1	0	1	2.9	-	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	8.8	12.1	5.8
ALL OTHER CAUSES	26	16	10	76.7	96.7	57.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>348</u>	<u>200</u>	<u>148</u>	<u>158</u>	<u>94</u>	<u>64</u>	<u>190</u>	<u>106</u>	<u>84</u>
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	4	5	6	2	4	3	2	1
25-34	10	3	7	7	2	5	3	1	2
35-44	13	4	9	6	3	3	7	1	6
45-54	27	21	6	13	10	3	14	11	3
55-64	41	18	23	21	12	9	20	6	14
65-74	71	43	28	37	24	13	34	19	15
75-84	94	55	39	41	24	17	53	31	22
85 AND OVER	77	50	27	23	15	8	54	35	19
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 33,913 - WHITE 16,549 - NONWHITE 17,364

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>409</u>	<u>357</u>	<u>52</u>	<u>8.5</u>	<u>8.9</u>	<u>6.6</u>
HEART DISEASES	110	94	16	229.3	234.6	202.4
MALIGNANT NEOPLASMS	105	96	9	218.9	239.6	113.8
ACCIDENTS	24	19	5	50.0	47.4	63.2
CEREBROVASCULAR DISEASE	19	15	4	39.6	37.4	50.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	14	2	33.4	34.9	25.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	16	16	0	33.4	39.9	-
DIABETES MELLITUS	15	12	3	31.3	30.0	38.0
INFLUENZA AND PNEUMONIA	15	14	1	31.3	34.9	12.6
SEPTICEMIA	8	5	3	16.7	12.5	38.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	12.5	12.5	12.6
SUICIDE	5	5	0	10.4	12.5	-
HOMICIDE	5	4	1	10.4	10.0	12.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	8.3	10.0	-
VIRAL HEPATITIS	3	2	1	6.2	5.0	12.6
CONDITIONS ORIGIN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	3	2	1	4.3	3.4	8.5
NEOPLASMS	2	2	0	4.2	5.0	-
PARKINSONS DISEASE	2	2	0	4.2	5.0	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.2	5.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.1	2.5	-
MENINGITIS	1	0	1	2.1	-	12.6
ALZHEIMERS DISEASE	1	1	0	2.1	2.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	2.1	2.5	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.1	2.5	-
INFECTIONS OF KIDNEY	1	1	0	2.1	2.5	-
MATERNAL CAUSES	1	1	0	143.5	172.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.1	2.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	8	0	16.7	20.0	-
ALL OTHER CAUSES	33	29	4	68.8	72.4	50.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>409</u>	<u>357</u>	<u>52</u>	<u>207</u>	<u>181</u>	<u>26</u>	<u>202</u>	<u>176</u>	<u>26</u>
UNDER 1	5	3	2	3	2	1	2	1	1
(NEONATAL)	4	2	2	2	1	1	2	1	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	5	1	4	3	1	2	2	0
25-34	8	8	0	5	5	0	3	3	0
35-44	17	14	3	14	11	3	3	3	0
45-54	32	28	4	18	17	1	14	11	3
55-64	69	59	10	44	38	6	25	21	4
65-74	86	71	15	47	38	9	39	33	6
75-84	105	101	4	45	44	1	60	57	3
85 AND OVER	78	66	12	25	22	3	53	44	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 47,969 - WHITE 40,064 - NONWHITE 7,905

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>128</u>	<u>94</u>	<u>34</u>	<u>10.6</u>	<u>10.5</u>	<u>11.1</u>
HEART DISEASES	49	36	13	407.0	400.7	425.7
MALIGNANT NEOPLASMS	24	19	5	199.4	211.5	163.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	91.4	111.3	32.7
CEREBROVASCULAR DISEASE	6	5	1	49.8	55.6	32.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	41.5	33.4	65.5
DIABETES MELLITUS	4	1	3	33.2	11.1	98.2
INFLUENZA AND PNEUMONIA	3	2	1	24.9	22.2	32.7
ATHEROSCLEROSIS	2	1	1	16.6	11.1	32.7
AORTIC ANEURYSM AND DISSECTION	2	2	0	16.6	22.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	16.6	-	65.5
ACCIDENTS	2	2	0	16.6	22.2	-
SUICIDE	2	2	0	16.6	22.2	-
HIV DISEASE	1	0	1	8.3	-	32.7
INFECTIONS OF KIDNEY	1	1	0	8.3	11.1	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	5.0	-	15.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	8.3	11.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.6	22.2	-
ALL OTHER CAUSES	10	7	3	83.1	77.9	98.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>128</u>	<u>94</u>	<u>34</u>	<u>56</u>	<u>40</u>	<u>16</u>	<u>72</u>	<u>54</u>	<u>18</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	3	1	2	1	1	0	2	0	2
45-54	11	7	4	8	5	3	3	2	1
55-64	12	11	1	9	8	1	3	3	0
65-74	31	23	8	17	13	4	14	10	4
75-84	29	20	9	9	6	3	20	14	6
85 AND OVER	37	29	8	9	6	3	28	23	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 12,039 - WHITE 8,985 - NONWHITE 3,054

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>429</u>	<u>241</u>	<u>188</u>	<u>11.3</u>	<u>12.3</u>	<u>10.2</u>
HEART DISEASES	145	96	49	382.5	491.8	266.5
MALIGNANT NEOPLASMS	79	42	37	208.4	215.1	201.2
CEREBROVASCULAR DISEASE	31	20	11	81.8	102.4	59.8
DIABETES MELLITUS	25	13	12	65.9	66.6	65.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	16	7	60.7	82.0	38.1
ACCIDENTS	23	7	16	60.7	35.8	87.0
INFLUENZA AND PNEUMONIA	11	7	4	29.0	35.8	21.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	4	6	26.4	20.5	32.6
SEPTICEMIA	9	4	5	23.7	20.5	27.2
HOMICIDE	9	1	8	23.7	5.1	43.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	3	5	21.1	15.4	27.2
CONDITIONS ORIGIN PERINATAL PERIOD	4	0	4	6.0	-	9.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	7.9	5.1	10.9
SUICIDE	3	2	1	7.9	10.2	5.4
PARKINSONS DISEASE	2	2	0	5.3	10.2	-
ALZHEIMERS DISEASE	2	1	1	5.3	5.1	5.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	5.3	-	10.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	5.3	-	10.9
TUBERCULOSIS	1	0	1	2.6	-	5.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.6	5.1	-
INFECTIONS OF KIDNEY	1	0	1	2.6	-	5.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.6	5.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	34	20	14	89.7	102.4	76.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>429</u>	<u>241</u>	<u>188</u>	<u>188</u>	<u>96</u>	<u>92</u>	<u>241</u>	<u>145</u>	<u>96</u>
UNDER 1	5	0	5	3	0	3	2	0	2
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	1	8	8	1	7	1	0	1
25-34	14	4	10	8	2	6	6	2	4
35-44	21	8	13	12	5	7	9	3	6
45-54	29	12	17	16	7	9	13	5	8
55-64	41	16	25	20	8	12	21	8	13
65-74	77	39	38	39	21	18	38	18	20
75-84	132	91	41	56	37	19	76	54	22
85 AND OVER	101	70	31	26	15	11	75	55	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 37,910 - WHITE 19,522 - NONWHITE 18,388

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>241</u>	<u>209</u>	<u>32</u>	<u>9.4</u>	<u>9.8</u>	<u>7.4</u>
HEART DISEASES	89	80	9	346.5	374.3	208.7
MALIGNANT NEOPLASMS	38	32	6	147.9	149.7	139.1
CEREBROVASCULAR DISEASE	19	15	4	74.0	70.2	92.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	62.3	74.9	-
ACCIDENTS	16	14	2	62.3	65.5	46.4
INFLUENZA AND PNEUMONIA	8	8	0	31.1	37.4	-
SEPTICEMIA	3	3	0	11.7	14.0	-
DIABETES MELLITUS	3	1	2	11.7	4.7	46.4
AORTIC ANEURYSM AND DISSECTION	3	3	0	11.7	14.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	11.7	9.4	23.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	7.8	9.4	-
SUICIDE	2	2	0	7.8	9.4	-
HIV DISEASE	1	0	1	3.9	-	23.2
PARKINSONS DISEASE	1	1	0	3.9	4.7	-
ALZHEIMERS DISEASE	1	1	0	3.9	4.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	4.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	4.7	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	2.7	-	16.4
HOMICIDE	1	0	1	3.9	-	23.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.6	14.0	23.2
ALL OTHER CAUSES	25	21	4	97.3	98.2	92.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>241</u>	<u>209</u>	<u>32</u>	<u>111</u>	<u>96</u>	<u>15</u>	<u>130</u>	<u>113</u>	<u>17</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	3	0	1	0	1
25-34	6	5	1	3	2	1	3	3	0
35-44	11	9	2	7	6	1	4	3	1
45-54	13	12	1	4	4	0	9	8	1
55-64	24	20	4	17	14	3	7	6	1
65-74	60	51	9	31	26	5	29	25	4
75-84	54	47	7	28	25	3	26	22	4
85 AND OVER	67	61	6	17	15	2	50	46	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 25,685 - WHITE 21,372 - NONWHITE 4,313

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>245</u>	<u>223</u>	<u>22</u>	<u>10.0</u>	<u>10.5</u>	<u>6.6</u>
HEART DISEASES	79	68	11	322.5	320.9	332.4
MALIGNANT NEOPLASMS	54	50	4	220.4	236.0	120.9
CEREBROVASCULAR DISEASE	22	21	1	89.8	99.1	30.2
ACCIDENTS	18	18	0	73.5	85.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	57.2	66.1	-
INFLUENZA AND PNEUMONIA	7	6	1	28.6	28.3	30.2
SUICIDE	4	4	0	16.3	18.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	12.2	14.2	-
SEPTICEMIA	2	2	0	8.2	9.4	-
DIABETES MELLITUS	2	2	0	8.2	9.4	-
PARKINSONS DISEASE	2	2	0	8.2	9.4	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	8.2	9.4	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	2	0	6.2	7.4	-
HOMICIDE	2	2	0	8.2	9.4	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.1	4.7	-
ANEMIAS	1	0	1	4.1	-	30.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.1	4.7	-
ATHEROSCLEROSIS	1	0	1	4.1	-	30.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.1	4.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.1	4.7	-
CHOLELITHIASIS/GALLBLADDER DYSORDER	1	1	0	4.1	4.7	-
HYPERPLASIA OF PROSTATE	1	1	0	4.1	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	16.3	9.4	60.4
ALL OTHER CAUSES	20	19	1	81.6	89.7	30.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>245</u>	<u>223</u>	<u>22</u>	<u>134</u>	<u>122</u>	<u>12</u>	<u>111</u>	<u>101</u>	<u>10</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	5	0	3	3	0	2	2	0
25-34	8	6	2	8	6	2	0	0	0
35-44	16	11	5	7	5	2	9	6	3
45-54	10	10	0	7	7	0	3	3	0
55-64	35	31	4	22	20	2	13	11	2
65-74	54	49	5	40	37	3	14	12	2
75-84	61	56	5	27	25	2	34	31	3
85 AND OVER	51	50	1	18	17	1	33	33	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 24,497 - WHITE 21,188 - NONWHITE 3,309

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>130</u>	<u>65</u>	<u>65</u>	<u>13.3</u>	<u>17.4</u>	<u>10.8</u>
HEART DISEASES	38	21	17	388.5	561.2	281.6
MALIGNANT NEOPLASMS	34	17	17	347.6	454.3	281.6
ACCIDENTS	10	5	5	102.2	133.6	82.8
CEREBROVASCULAR DISEASE	9	6	3	92.0	160.3	49.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	61.4	133.6	16.6
INFLUENZA AND PNEUMONIA	5	2	3	51.1	53.4	49.7
DIABETES MELLITUS	3	0	3	30.7	-	49.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	30.7	53.4	16.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	30.7	-	49.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	20.4	-	33.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	20.4	53.4	-
SEPTICEMIA	1	1	0	10.2	26.7	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	10.2	26.7	-
ALZHEIMERS DISEASE	1	0	1	10.2	-	16.6
ATHEROSCLEROSIS	1	1	0	10.2	26.7	-
PEPTIC ULCER	1	0	1	10.2	-	16.6
INFECTIONS OF KIDNEY	1	1	0	10.2	26.7	-
MATERNAL CAUSES	1	0	1	549.4	-	719.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.2	-	16.6
HOMICIDE	1	0	1	10.2	-	16.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	6	1	5	61.4	26.7	82.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>130</u>	<u>65</u>	<u>65</u>	<u>65</u>	<u>31</u>	<u>34</u>	<u>65</u>	<u>34</u>	<u>31</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	2	0	2	3	1	2
25-34	6	0	6	5	0	5	1	0	1
35-44	4	3	1	1	1	0	3	2	1
45-54	13	3	10	13	3	10	0	0	0
55-64	15	11	4	11	8	3	4	3	1
65-74	28	20	8	14	13	1	14	7	7
75-84	28	18	10	7	3	4	21	15	6
85 AND OVER	28	9	19	9	3	6	19	6	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 9,780 - WHITE 3,742 - NONWHITE 6,038

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>790</u>	<u>635</u>	<u>155</u>	<u>7.0</u>	<u>7.0</u>	<u>7.1</u>
HEART DISEASES	311	255	56	276.8	281.8	256.2
MALIGNANT NEOPLASMS	180	146	34	160.2	161.3	155.6
CEREBROVASCULAR DISEASE	48	40	8	42.7	44.2	36.6
ACCIDENTS	40	33	7	35.6	36.5	32.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	20	3	20.5	22.1	13.7
INFLUENZA AND PNEUMONIA	19	14	5	16.9	15.5	22.9
DIABETES MELLITUS	15	11	4	13.4	12.2	18.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	8	5	11.6	8.8	22.9
SUICIDE	8	7	1	7.1	7.7	4.6
SEPTICEMIA	7	5	2	6.2	5.5	9.2
ALZHEIMERS DISEASE	7	5	2	6.2	5.5	9.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	6	1	6.2	6.6	4.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	5.3	3.3	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	5.3	5.5	4.6
ATHEROSCLEROSIS	3	2	1	2.7	2.2	4.6
AORTIC ANEURYSM AND DISSECTION	3	3	0	2.7	3.3	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	1	2	1.9	0.8	6.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	2.7	2.2	4.6
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	2.7	1.1	9.2
HIV DISEASE	2	0	2	1.8	-	9.2
PARKINSONS DISEASE	2	1	1	1.8	1.1	4.6
INFECTIONS OF KIDNEY	2	1	1	1.8	1.1	4.6
ANEMIAS	1	1	0	0.9	1.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.9	1.1	-
PEPTIC ULCER	1	1	0	0.9	1.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.9	-	4.6
HOMICIDE	1	1	0	0.9	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	7.1	6.6	9.2
ALL OTHER CAUSES	66	56	10	58.7	61.9	45.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>790</u>	<u>635</u>	<u>155</u>	<u>390</u>	<u>311</u>	<u>79</u>	<u>400</u>	<u>324</u>	<u>76</u>
UNDER 1	10	7	3	6	4	2	4	3	1
(Neonatal)	6	3	3	3	1	2	3	2	1
(Postneonatal)	4	4	0	3	3	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	5	4	1	4	4	0	1	0	1
15-24	12	8	4	10	8	2	2	0	2
25-34	22	18	4	16	14	2	6	4	2
35-44	38	28	10	21	14	7	17	14	3
45-54	76	57	19	50	37	13	26	20	6
55-64	107	85	22	67	54	13	40	31	9
65-74	161	132	29	85	72	13	76	60	16
75-84	185	156	29	85	70	15	100	86	14
85 AND OVER	173	139	34	46	34	12	127	105	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 112,348 - WHITE 90,495 - NONWHITE 21,853

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>306</u>	<u>206</u>	<u>100</u>	<u>12.3</u>	<u>13.9</u>	<u>9.9</u>
HEART DISEASES	111	81	30	445.6	548.0	296.2
MALIGNANT NEOPLASMS	58	41	17	232.8	277.4	167.8
ACCIDENTS	24	13	11	96.3	88.0	108.6
CEREBROVASCULAR DISEASE	18	13	5	72.2	88.0	49.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	10	2	48.2	67.6	19.7
INFLUENZA AND PNEUMONIA	10	7	3	40.1	47.4	29.6
ATHEROSCLEROSIS	9	9	0	36.1	60.9	-
HOMICIDE	8	5	3	32.1	33.8	29.6
DIABETES MELLITUS	7	4	3	28.1	27.1	29.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	1	4	20.1	6.8	39.5
ALZHEIMERS DISEASE	3	3	0	12.0	20.3	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	12.0	13.5	9.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	12.0	13.5	9.9
SUICIDE	3	3	0	12.0	20.3	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	1	1	4.6	4.3	5.0
TUBERCULOSIS	1	0	1	4.0	-	9.9
SEPTICEMIA	1	0	1	4.0	-	9.9
HIV DISEASE	1	1	0	4.0	6.8	-
PARKINSONS DISEASE	1	0	1	4.0	-	9.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.0	6.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.0	-	9.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.0	-	9.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	16.0	6.8	29.6
ALL OTHER CAUSES	19	8	11	76.3	54.1	108.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>306</u>	<u>206</u>	<u>100</u>	<u>162</u>	<u>113</u>	<u>49</u>	<u>144</u>	<u>93</u>	<u>51</u>
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	13	4	9	8	2	6	5	2	3
35-44	18	10	8	13	8	5	5	2	3
45-54	26	14	12	17	11	6	9	3	6
55-64	39	26	13	24	18	6	15	8	7
65-74	56	40	16	34	26	8	22	14	8
75-84	66	48	18	33	25	8	33	23	10
85 AND OVER	80	61	19	28	20	8	52	41	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 24,911 - WHITE 14,781 - NONWHITE 10,130

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>65</u>	<u>29</u>	<u>36</u>	<u>9.9</u>	<u>14.2</u>	<u>8.0</u>
MALIGNANT NEOPLASMS	20	9	11	305.7	442.5	244.0
HEART DISEASES	14	9	5	214.0	442.5	110.9
CEREBROVASCULAR DISEASE	6	4	2	91.7	196.6	44.4
INFLUENZA AND PNEUMONIA	3	0	3	45.8	-	66.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	45.8	-	66.5
SEPTICEMIA	2	2	0	30.6	98.3	-
ALZHEIMERS DISEASE	2	0	2	30.6	-	44.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	30.6	49.2	22.2
ACCIDENTS	2	0	2	30.6	-	44.4
HOMICIDE	2	0	2	30.6	-	44.4
HIV DISEASE	1	0	1	15.3	-	22.2
ANEMIAS	1	1	0	15.3	49.2	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	15.3	49.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	6	2	4	91.7	98.3	88.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>65</u>	<u>29</u>	<u>36</u>	<u>37</u>	<u>15</u>	<u>22</u>	<u>28</u>	<u>14</u>	<u>14</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	5	1	4	5	1	4	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	3	1	2	1	1	0	2	0	2
65-74	16	4	12	10	2	8	6	2	4
75-84	15	11	4	6	4	2	9	7	2
85 AND OVER	20	11	9	11	6	5	9	5	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 6,543 - WHITE 2,034 - NONWHITE 4,509

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>286</u>	<u>206</u>	<u>80</u>	<u>11.3</u>	<u>12.5</u>	<u>9.0</u>
HEART DISEASES	74	57	17	291.6	345.7	191.3
MALIGNANT NEOPLASMS	51	41	10	201.0	248.6	112.5
ACCIDENTS	26	15	11	102.5	91.0	123.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	21	1	86.7	127.4	11.2
CEREBROVASCULAR DISEASE	15	10	5	59.1	60.6	56.3
ATHEROSCLEROSIS	13	8	5	51.2	48.5	56.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	6	6	47.3	36.4	67.5
DIABETES MELLITUS	9	6	3	35.5	36.4	33.8
INFLUENZA AND PNEUMONIA	8	4	4	31.5	24.2	45.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3	27.6	24.2	33.8
HOMICIDE	4	3	1	15.8	18.2	11.2
SEPTICEMIA	3	0	3	11.8	-	33.8
ALZHEIMERS DISEASE	2	2	0	7.9	12.1	-
SUICIDE	2	2	0	7.9	12.1	-
TUBERCULOSIS	1	1	0	3.9	6.1	-
HIV DISEASE	1	0	1	3.9	-	11.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	6.1	-
ANEMIAS	1	0	1	3.9	-	11.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	6.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.9	-	11.2
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	2.5	4.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.9	-	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.8	18.2	11.2
ALL OTHER CAUSES	26	20	6	102.5	121.3	67.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>286</u>	<u>206</u>	<u>80</u>	<u>135</u>	<u>100</u>	<u>35</u>	<u>151</u>	<u>106</u>	<u>45</u>
UNDER 1 (NEONATAL)	7	4	3	3	2	1	4	2	2
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	5	3	2	3	2	1	2	1	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	2	3	3	1	2	2	1	1
35-44	7	2	5	5	2	3	2	0	2
45-54	11	7	4	8	4	4	3	3	0
55-64	20	11	9	13	10	3	7	1	6
65-74	39	33	6	19	16	3	20	17	3
75-84	59	43	16	35	28	7	24	15	9
85 AND OVER	75	56	19	27	21	6	48	35	13
UNKNOWN	62	47	15	22	16	6	40	31	9
	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 25,375 - WHITE 16,489 - NONWHITE 8,886

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>187</u>	<u>147</u>	<u>40</u>	<u>12.1</u>	<u>12.6</u>	<u>10.7</u>
HEART DISEASES	57	40	17	369.4	342.1	454.5
MALIGNANT NEOPLASMS	36	28	8	233.3	239.5	213.9
CEREBROVASCULAR DISEASE	13	10	3	84.2	85.5	80.2
ACCIDENTS	11	9	2	71.3	77.0	53.5
DIABETES MELLITUS	9	8	1	58.3	68.4	26.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	45.4	51.3	26.7
INFLUENZA AND PNEUMONIA	6	5	1	38.9	42.8	26.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	32.4	34.2	26.7
ALZHEIMERS DISEASE	4	4	0	25.9	34.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	25.9	34.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	25.9	25.7	26.7
SEPTICEMIA	2	1	1	13.0	8.6	26.7
ANEMIAS	2	1	1	13.0	8.6	26.7
HOMICIDE	2	2	0	13.0	17.1	-
ATHEROSCLEROSIS	1	1	0	6.5	8.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.5	8.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.5	8.6	-
HERNIA	1	1	0	6.5	8.6	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	5.2	8.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.5	8.6	-
ALL OTHER CAUSES	19	16	3	123.1	136.8	80.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>187</u>	<u>147</u>	<u>40</u>	<u>92</u>	<u>76</u>	<u>16</u>	<u>95</u>	<u>71</u>	<u>24</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	1	1	1	1	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	5	3	2	4	3	1	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	8	4	4	4	3	1	4	1	3
45-54	12	9	3	8	6	2	4	3	1
55-64	21	16	5	15	11	4	6	5	1
65-74	40	36	4	22	22	0	18	14	4
75-84	46	39	7	24	21	3	22	18	4
85 AND OVER	49	37	12	12	8	4	37	29	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 15,431 - WHITE 11,691 - NONWHITE 3,740

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>150</u>	<u>125</u>	<u>25</u>	<u>11.1</u>	<u>12.3</u>	<u>7.6</u>
HEART DISEASES	61	49	12	452.2	480.7	364.2
MALIGNANT NEOPLASMS	29	27	2	215.0	264.9	60.7
INFLUENZA AND PNEUMONIA	10	9	1	74.1	88.3	30.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	44.5	49.0	30.3
ACCIDENTS	6	5	1	44.5	49.0	30.3
CEREBROVASCULAR DISEASE	4	4	0	29.6	39.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	29.6	29.4	30.3
SEPTICEMIA	3	2	1	22.2	19.6	30.3
DIABETES MELLITUS	2	2	0	14.8	19.6	-
PEPTIC ULCER	2	1	1	14.8	9.8	30.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	14.8	9.8	30.3
SUICIDE	2	2	0	14.8	19.6	-
HOMICIDE	2	0	2	14.8	-	60.7
VIRAL HEPATITIS	1	1	0	7.4	9.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.4	9.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.4	9.8	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	1	0	1	4.7	-	15.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.4	9.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	14.8	19.6	-
ALL OTHER CAUSES	10	9	1	74.1	88.3	30.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>150</u>	<u>125</u>	<u>25</u>	<u>80</u>	<u>68</u>	<u>12</u>	<u>70</u>	<u>57</u>	<u>13</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	3	2	1	2	2	0	1	0	1
35-44	8	7	1	5	4	1	3	3	0
45-54	8	2	6	3	1	2	5	1	4
55-64	17	17	0	11	11	0	6	6	0
65-74	38	32	6	20	18	2	18	14	4
75-84	44	37	7	30	24	6	14	13	1
85 AND OVER	28	25	3	7	7	0	21	18	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 13,488 - WHITE 10,193 - NONWHITE 3,295

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>323</u>	<u>123</u>	<u>200</u>	<u>9.7</u>	<u>11.4</u>	<u>8.9</u>
HEART DISEASES	113	45	68	339.8	415.8	303.1
MALIGNANT NEOPLASMS	72	26	46	216.5	240.2	205.0
CEREBROVASCULAR DISEASE	28	12	16	84.2	110.9	71.3
ACCIDENTS	14	6	8	42.1	55.4	35.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	5	7	36.1	46.2	31.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	1	8	27.1	9.2	35.7
INFLUENZA AND PNEUMONIA	8	2	6	24.0	18.5	26.7
HOMICIDE	6	2	4	18.0	18.5	17.8
DIABETES MELLITUS	4	1	3	12.0	9.2	13.4
SEPTICEMIA	3	1	2	9.0	9.2	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	9.0	9.2	8.9
HIV DISEASE	2	0	2	6.0	-	8.9
ANEMIAS	2	0	2	6.0	-	8.9
ALZHEIMERS DISEASE	2	2	0	6.0	18.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	6.0	-	8.9
AORTIC ANEURYSM AND DISSECTION	2	0	2	6.0	-	8.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	6.0	9.2	4.4
CONDITIONS ORIGIN PERINATAL PERIOD	2	0	2	3.4	-	4.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	6.0	18.5	-
VIRAL HEPATITIS	1	1	0	3.0	9.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.0	-	4.4
HERNIA	1	1	0	3.0	9.2	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.0	-	4.4
SUICIDE	1	1	0	3.0	9.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	3	5	24.0	27.7	22.3
ALL OTHER CAUSES	22	10	12	66.2	92.4	53.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>323</u>	<u>123</u>	<u>200</u>	<u>161</u>	<u>62</u>	<u>99</u>	<u>162</u>	<u>61</u>	<u>101</u>
UNDER 1	7	1	6	6	1	5	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	5	1	4	4	1	3	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	4	6	4	2	2	6	2	4
25-34	11	3	8	8	3	5	3	0	3
35-44	20	7	13	9	5	4	11	2	9
45-54	29	5	24	20	3	17	9	2	7
55-64	38	18	20	24	12	12	14	6	8
65-74	66	26	40	39	17	22	27	9	18
75-84	66	28	38	29	14	15	37	14	23
85 AND OVER	73	31	42	20	5	15	53	26	27
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 33,257 - WHITE 10,823 - NONWHITE 22,434

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>158</u>	<u>83</u>	<u>75</u>	<u>10.8</u>	<u>14.7</u>	<u>8.4</u>
HEART DISEASES	42	20	22	287.9	353.8	246.2
MALIGNANT NEOPLASMS	41	21	20	281.1	371.6	223.8
ACCIDENTS	12	5	7	82.3	88.5	78.3
CEREBROVASCULAR DISEASE	11	3	8	75.4	53.1	89.5
DIABETES MELLITUS	9	4	5	61.7	70.8	56.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	48.0	106.2	11.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	41.1	53.1	33.6
SUICIDE	5	4	1	34.3	70.8	11.2
HOMICIDE	4	3	1	27.4	53.1	11.2
SEPTICEMIA	3	2	1	20.6	35.4	11.2
ALZHEIMERS DISEASE	2	1	1	13.7	17.7	11.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.8	17.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.8	17.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.8	17.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.8	17.7	-
ALL OTHER CAUSES	12	7	5	82.3	123.8	56.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>158</u>	<u>83</u>	<u>75</u>	<u>81</u>	<u>46</u>	<u>35</u>	<u>77</u>	<u>37</u>	<u>40</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	4	2	2	3	1	2	1	1	0
35-44	9	2	7	5	1	4	4	1	3
45-54	13	5	8	9	3	6	4	2	2
55-64	25	13	12	16	10	6	9	3	6
65-74	35	19	16	20	13	7	15	6	9
75-84	34	19	15	17	10	7	17	9	8
85 AND OVER	36	23	13	11	8	3	25	15	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 14,587 - WHITE 5,652 - NONWHITE 8,935

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>234</u>	<u>170</u>	<u>64</u>	<u>9.6</u>	<u>11.1</u>	<u>7.0</u>
HEART DISEASES	62	47	15	253.9	307.4	164.3
MALIGNANT NEOPLASMS	60	49	11	245.7	320.5	120.5
ACCIDENTS	22	14	8	90.1	91.6	87.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	13	2	61.4	85.0	21.9
CEREBROVASCULAR DISEASE	13	8	5	53.2	52.3	54.8
INFLUENZA AND PNEUMONIA	8	4	4	32.8	26.2	43.8
SUICIDE	5	4	1	20.5	26.2	11.0
ALZHEIMERS DISEASE	3	1	2	12.3	6.5	21.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	12.3	6.5	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	12.3	6.5	21.9
AORTIC ANEURYSM AND DISSSECTION	2	1	1	8.2	6.5	11.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	8.2	13.1	-
SEPTICEMIA	1	0	1	4.1	-	11.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.1	6.5	-
DIABETES MELLITUS	1	0	1	4.1	-	11.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.1	6.5	-
ATHEROSCLEROSIS	1	1	0	4.1	6.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.1	6.5	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	2.7	4.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.1	-	11.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	12.3	19.6	-
ALL OTHER CAUSES	25	17	8	102.4	111.2	87.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>234</u>	<u>170</u>	<u>64</u>	<u>129</u>	<u>92</u>	<u>37</u>	<u>105</u>	<u>78</u>	<u>27</u>
UNDER 1	5	3	2	5	3	2	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	3	2	1	3	2	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	7	2	5	5	2	3	2	0	2
25-34	7	5	2	5	4	1	2	1	1
35-44	9	4	5	7	2	5	2	2	0
45-54	20	12	8	13	7	6	7	5	2
55-64	27	20	7	19	15	4	8	5	3
65-74	44	33	11	20	16	4	24	17	7
75-84	60	47	13	32	25	7	28	22	6
85 AND OVER	52	42	10	20	16	4	32	26	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 24,417 - WHITE 15,287 - NONWHITE 9,130

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>257</u>	<u>220</u>	<u>37</u>	<u>12.2</u>	<u>12.8</u>	<u>9.5</u>
HEART DISEASES	116	103	13	550.6	599.1	335.4
MALIGNANT NEOPLASMS	44	39	5	208.8	226.8	129.0
CEREBROVASCULAR DISEASE	17	16	1	80.7	93.1	25.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	71.2	87.2	-
ACCIDENTS	10	7	3	47.5	40.7	77.4
DIABETES MELLITUS	8	6	2	38.0	34.9	51.6
INFLUENZA AND PNEUMONIA	4	3	1	19.0	17.4	25.8
ALZHEIMERS DISEASE	3	3	0	14.2	17.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	14.2	5.8	51.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	14.2	11.6	25.8
SEPTICEMIA	2	2	0	9.5	11.6	-
SUICIDE	2	2	0	9.5	11.6	-
HIV DISEASE	1	0	1	4.7	-	25.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.7	5.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.7	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.7	5.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.7	5.8	-
INFECTIONS OF KIDNEY	1	1	0	4.7	5.8	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	3.2	-	15.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.7	5.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.7	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	21	14	7	99.7	81.4	180.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>257</u>	<u>220</u>	<u>37</u>	<u>113</u>	<u>95</u>	<u>18</u>	<u>144</u>	<u>125</u>	<u>19</u>
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	4	1	2	2	0	3	2	1
35-44	3	3	0	3	3	0	0	0	0
45-54	13	11	2	7	5	2	6	6	0
55-64	29	26	3	19	18	1	10	8	2
65-74	55	46	9	31	25	6	24	21	3
75-84	82	72	10	30	28	2	52	44	8
85 AND OVER	68	57	11	19	13	6	49	44	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 21,069 - WHITE 17,193 - NONWHITE 3,876

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>258</u>	<u>248</u>	<u>10</u>	<u>13.8</u>	<u>13.8</u>	<u>12.1</u>
HEART DISEASES	82	80	2	437.5	446.5	242.4
MALIGNANT NEOPLASMS	52	49	3	277.4	273.5	363.6
ACCIDENTS	24	23	1	128.0	128.4	121.2
CEREBROVASCULAR DISEASE	19	19	0	101.4	106.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	69.4	72.6	-
INFLUENZA AND PNEUMONIA	10	9	1	53.4	50.2	121.2
DIABETES MELLITUS	6	6	0	32.0	33.5	-
ALZHEIMERS DISEASE	4	4	0	21.3	22.3	-
ATHEROSCLEROSIS	4	3	1	21.3	16.7	121.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	21.3	22.3	-
SUICIDE	3	3	0	16.0	16.7	-
SEPTICEMIA	2	2	0	10.7	11.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	10.7	11.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.7	11.2	-
VIRAL HEPATITIS	1	1	0	5.3	5.6	-
HIV DISEASE	1	1	0	5.3	5.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	5.3	-	121.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.3	-	121.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.3	5.6	-
HOMICIDE	1	1	0	5.3	5.6	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.3	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	21.3	22.3	-
ALL OTHER CAUSES	20	20	0	106.7	111.6	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>258</u>	<u>248</u>	<u>10</u>	<u>147</u>	<u>140</u>	<u>7</u>	<u>111</u>	<u>108</u>	<u>3</u>
UNDER 1 (NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	7	7	0	3	3	0	4	4	0
35-44	12	10	2	12	10	2	0	0	0
45-54	13	13	0	11	11	0	2	2	0
55-64	30	29	1	18	17	1	12	12	0
65-74	63	60	3	42	41	1	21	19	2
75-84	70	68	2	37	35	2	33	33	0
85 AND OVER	56	54	2	18	17	1	38	37	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 18,742 - WHITE 17,917 - NONWHITE 825

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>103</u>	<u>39</u>	<u>64</u>	<u>13.0</u>	<u>21.4</u>	<u>10.5</u>
HEART DISEASES	39	19	20	491.5	1043.4	327.1
MALIGNANT NEOPLASMS	20	9	11	252.0	494.2	179.9
ACCIDENTS	6	0	6	75.6	-	98.1
CEREBROVASCULAR DISEASE	4	3	1	50.4	164.7	16.4
DIABETES MELLITUS	3	0	3	37.8	-	49.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	37.8	54.9	32.7
INFLUENZA AND PNEUMONIA	3	2	1	37.8	109.8	16.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	0	3	18.5	-	21.9
HOMICIDE	3	1	2	37.8	54.9	32.7
SEPTICEMIA	2	0	2	25.2	-	32.7
AORTIC ANEURYSM AND DISSECTION	2	0	2	25.2	-	32.7
HIV DISEASE	1	0	1	12.6	-	16.4
ANEMIAS	1	0	1	12.6	-	16.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	12.6	54.9	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	12.6	-	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	12.6	-	16.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	12.6	-	16.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	12.6	-	16.4
LEGAL INTERVENTION	1	0	1	12.6	-	16.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	12.6	-	16.4
ALL OTHER CAUSES	6	3	3	75.6	164.7	49.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>103</u>	<u>39</u>	<u>64</u>	<u>48</u>	<u>16</u>	<u>32</u>	<u>55</u>	<u>23</u>	<u>32</u>
UNDER 1	5	0	5	0	0	0	5	0	5
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	3	0	3	0	0	0	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	3	0	3	2	0	2	1	0	1
35-44	3	0	3	3	0	3	0	0	0
45-54	9	5	4	5	2	3	4	3	1
55-64	12	3	9	7	1	6	5	2	3
65-74	16	7	9	8	5	3	8	2	6
75-84	24	10	14	11	6	5	13	4	9
85 AND OVER	26	13	13	8	1	7	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 7,935 - WHITE 1,821 - NONWHITE 6,114

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>243</u>	<u>215</u>	<u>28</u>	<u>10.1</u>	<u>10.7</u>	<u>7.1</u>
HEART DISEASES	73	69	4	302.6	342.3	100.9
MALIGNANT NEOPLASMS	42	37	5	174.1	183.6	126.1
CEREBROVASCULAR DISEASE	26	20	6	107.8	99.2	151.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	14	1	62.2	69.4	25.2
ACCIDENTS	14	14	0	58.0	69.4	-
INFLUENZA AND PNEUMONIA	11	9	2	45.6	44.6	50.4
DIABETES MELLITUS	10	10	0	41.4	49.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	5	2	29.0	24.8	50.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	24.9	24.8	25.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	16.6	19.8	-
SEPTICEMIA	3	3	0	12.4	14.9	-
ALZHEIMERS DISEASE	3	3	0	12.4	14.9	-
SUICIDE	3	3	0	12.4	14.9	-
ANEMIAS	2	2	0	8.3	9.9	-
ATHEROSCLEROSIS	2	2	0	8.3	9.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	8.3	9.9	-
HOMICIDE	2	0	2	8.3	-	50.4
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	2.6	3.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.1	5.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.1	5.0	-
ALL OTHER CAUSES	15	10	5	62.2	49.6	126.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>243</u>	<u>215</u>	<u>28</u>	<u>101</u>	<u>95</u>	<u>6</u>	<u>142</u>	<u>120</u>	<u>22</u>
UNDER 1	4	4	0	3	3	0	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	3	3	0	1	1	0	2	2	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	4	2	2	2	1	1	2	1	1
35-44	10	8	2	5	5	0	5	3	2
45-54	19	17	2	8	7	1	11	10	1
55-64	27	22	5	16	14	2	11	8	3
65-74	46	43	3	27	27	0	19	16	3
75-84	60	55	5	27	26	1	33	29	4
85 AND OVER	66	58	8	10	10	0	56	48	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 24,121 - WHITE 20,157 - NONWHITE 3,964

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>167</u>	<u>118</u>	<u>49</u>	<u>11.8</u>	<u>15.1</u>	<u>7.6</u>
HEART DISEASES	65	53	12	457.4	679.4	187.2
MALIGNANT NEOPLASMS	35	23	12	246.3	294.8	187.2
CEREBROVASCULAR DISEASE	9	6	3	63.3	76.9	46.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	49.2	76.9	15.6
ACCIDENTS	6	0	6	42.2	-	93.6
SEPTICEMIA	5	3	2	35.2	38.4	31.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	28.1	25.6	31.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	28.1	38.4	15.6
SUICIDE	4	2	2	28.1	25.6	31.2
INFLUENZA AND PNEUMONIA	2	2	0	14.1	25.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	2	1	1	14.1	12.8	15.6
NEOPLASMS	1	1	0	7.0	12.8	-
PARKINSONS DISEASE	1	1	0	7.0	12.8	-
ALZHEIMERS DISEASE	1	1	0	7.0	12.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	7.0	12.8	-
CONDITIONS ORIGIN IN PERINATAL PERIOD	1	0	1	4.4	-	7.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	21.1	25.6	15.6
<u>ALL OTHER CAUSES</u>	<u>16</u>	<u>11</u>	<u>5</u>	<u>112.6</u>	<u>141.0</u>	<u>78.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>167</u>	<u>118</u>	<u>49</u>	<u>84</u>	<u>58</u>	<u>26</u>	<u>83</u>	<u>60</u>	<u>23</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	2	0	2	2	0	2
25-34	2	0	2	1	0	1	1	0	1
35-44	6	2	4	4	2	2	2	0	2
45-54	5	4	1	3	3	0	2	1	1
55-64	25	18	7	19	14	5	6	4	2
65-74	37	28	9	21	17	4	16	11	5
75-84	49	39	10	17	13	4	32	26	6
85 AND OVER	36	27	9	15	9	6	21	18	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 14,211 - WHITE 7,801 - NONWHITE 6,410

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>527</u>	<u>298</u>	<u>229</u>	<u>10.7</u>	<u>10.5</u>	<u>11.0</u>
HEART DISEASES	166	100	66	337.8	352.0	318.2
MALIGNANT NEOPLASMS	107	59	48	217.7	207.7	231.4
CEREBROVASCULAR DISEASE	38	17	21	77.3	59.8	101.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	31	22	9	63.1	77.4	43.4
ACCIDENTS	25	9	16	50.9	31.7	77.1
INFLUENZA AND PNEUMONIA	16	9	7	32.6	31.7	33.8
ALZHEIMERS DISEASE	11	9	2	22.4	31.7	9.6
SUICIDE	11	9	2	22.4	31.7	9.6
SEPTICEMIA	10	6	4	20.3	21.1	19.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	3	7	20.3	10.6	33.8
AORTIC ANEURYSM AND DISSECTION	7	4	3	14.2	14.1	14.5
DIABETES MELLITUS	6	4	2	12.2	14.1	9.6
CONDITIONS ORIGIN PERINATAL PERIOD	6	3	3	7.1	7.9	6.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	10.2	14.1	4.8
HOMICIDE	4	2	2	8.1	7.0	9.6
HIV DISEASE	3	0	3	6.1	-	14.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.1	7.0	-
PARKINSONS DISEASE	2	2	0	4.1	7.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	4.1	-	9.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	4.1	3.5	4.8
VIRAL HEPATITIS	1	0	1	2.0	-	4.8
ANEMIAS	1	0	1	2.0	-	4.8
MENINGITIS	1	1	0	2.0	3.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.0	3.5	-
PEPTIC ULCER	1	1	0	2.0	3.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	2	6	16.3	7.0	28.9
ALL OTHER CAUSES	50	28	22	101.7	98.6	106.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>527</u>	<u>298</u>	<u>229</u>	<u>258</u>	<u>146</u>	<u>112</u>	<u>269</u>	<u>152</u>	<u>117</u>
UNDER 1	13	3	10	7	2	5	6	1	5
(Neonatal)	8	3	5	5	2	3	3	1	2
(Postneonatal)	5	0	5	2	0	2	3	0	3
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	11	6	5	8	5	3	3	1	2
25-34	14	3	11	12	3	9	2	0	2
35-44	16	10	6	13	9	4	3	1	2
45-54	35	19	16	26	15	11	9	4	5
55-64	51	23	28	27	13	14	24	10	14
65-74	89	54	35	46	28	18	43	26	17
75-84	153	103	50	71	49	22	82	54	28
85 AND OVER	142	75	67	47	22	25	95	53	42
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 49,148 - WHITE 28,409 - NONWHITE 20,739

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>685</u>	<u>262</u>	<u>423</u>	<u>10.6</u>	<u>10.4</u>	<u>10.8</u>
HEART DISEASES	219	89	130	340.8	352.5	333.2
MALIGNANT NEOPLASMS	160	59	101	249.0	233.6	258.9
CEREBROVASCULAR DISEASE	37	14	23	57.6	55.4	59.0
ACCIDENTS	34	10	24	52.9	39.6	61.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	13	9	34.2	51.5	23.1
INFLUENZA AND PNEUMONIA	19	8	11	29.6	31.7	28.2
SEPTICEMIA	17	7	10	26.4	27.7	25.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	1	13	21.8	4.0	33.3
DIABETES MELLITUS	11	4	7	17.1	15.8	17.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	2	9	17.1	7.9	23.1
HOMICIDE	11	3	8	17.1	11.9	20.5
ALZHEIMERS DISEASE	7	5	2	10.9	19.8	5.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	1	5	9.3	4.0	12.8
HIV DISEASE	5	0	5	7.8	-	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	5	5	0	7.8	19.8	-
NEOPLASMS	4	1	3	6.2	4.0	7.7
CONDITIONS ORIGIN PERINATAL PERIOD	4	1	3	3.6	4.0	3.5
SUICIDE	4	2	2	6.2	7.9	5.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	4.7	4.0	5.1
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	4.7	4.0	5.1
ANEMIAS	2	1	1	3.1	4.0	2.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	3.1	-	5.1
PARKINSONS DISEASE	2	2	0	3.1	7.9	-
ATHEROSCLEROSIS	2	2	0	3.1	7.9	-
AORTIC ANEURYSM AND DISSECTION	2	0	2	3.1	-	5.1
TUBERCULOSIS	1	0	1	1.6	-	2.6
MENINGOCOCCAL INFECTION	1	1	0	1.6	4.0	-
VIRAL HEPATITIS	1	1	0	1.6	4.0	-
PEPTIC ULCER	1	0	1	1.6	-	2.6
HERNIA	1	1	0	1.6	4.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	4	12	24.9	15.8	30.8
ALL OTHER CAUSES	58	23	35	90.2	91.1	89.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>685</u>	<u>262</u>	<u>423</u>	<u>343</u>	<u>139</u>	<u>204</u>	<u>342</u>	<u>123</u>	<u>219</u>
UNDER 1	12	1	11	5	0	5	7	1	6
(Neonatal)	4	0	4	2	0	2	2	0	2
(Postneonatal)	8	1	7	3	0	3	5	1	4
1-4	4	1	3	3	1	2	1	0	1
5-9	3	2	1	2	2	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	11	4	7	7	3	4	4	1	3
25-34	13	3	10	9	2	7	4	1	3
35-44	38	11	27	22	4	18	16	7	9
45-54	63	12	51	37	10	27	26	2	24
55-64	77	24	53	43	16	27	34	8	26
65-74	127	50	77	63	25	38	64	25	39
75-84	179	90	89	98	55	43	81	35	46
85 AND OVER	157	64	93	53	21	32	104	43	61
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 64,265 - WHITE 25,251 - NONWHITE 39,014

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>207</u>	<u>141</u>	<u>66</u>	<u>10.0</u>	<u>11.1</u>	<u>8.3</u>
HEART DISEASES	73	52	21	353.7	410.9	263.0
MALIGNANT NEOPLASMS	47	35	12	227.7	276.6	150.3
DIABETES MELLITUS	9	5	4	43.6	39.5	50.1
ACCIDENTS	9	7	2	43.6	55.3	25.0
CEREBROVASCULAR DISEASE	8	5	3	38.8	39.5	37.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	29.1	31.6	25.0
SEPTICEMIA	5	4	1	24.2	31.6	12.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	24.2	23.7	25.0
HOMICIDE	4	1	3	19.4	7.9	37.6
AORTIC ANEURYSM AND DISSECTION	3	3	0	14.5	23.7	-
INFLUENZA AND PNEUMONIA	3	2	1	14.5	15.8	12.5
ALZHEIMERS DISEASE	2	2	0	9.7	15.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.7	7.9	12.5
CONDITIONS ORIGIN IN PERINATAL PERIOD	2	0	2	6.3	-	11.6
HIV DISEASE	1	0	1	4.8	-	12.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.8	7.9	-
ATHEROSCLEROSIS	1	1	0	4.8	7.9	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.8	-	12.5
SUICIDE	1	0	1	4.8	-	12.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	24	15	9	116.3	118.5	112.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>207</u>	<u>141</u>	<u>66</u>	<u>108</u>	<u>74</u>	<u>34</u>	<u>99</u>	<u>67</u>	<u>32</u>
UNDER 1	3	0	3	1	0	1	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	4	2	6	4	2	0	0	0
25-34	6	1	5	3	0	3	3	1	2
35-44	3	1	2	2	1	1	1	0	1
45-54	17	9	8	10	6	4	7	3	4
55-64	22	16	6	15	10	5	7	6	1
65-74	59	39	20	30	23	7	29	16	13
75-84	44	33	11	26	18	8	18	15	3
85 AND OVER	46	38	8	14	12	2	32	26	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 20,637 - WHITE 12,654 - NONWHITE 7,983

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>133</u>	<u>111</u>	<u>22</u>	<u>12.5</u>	<u>13.7</u>	<u>8.7</u>
HEART DISEASES	43	34	9	404.4	419.2	356.9
MALIGNANT NEOPLASMS	21	18	3	197.5	221.9	119.0
CEREBROVASCULAR DISEASE	9	8	1	84.6	98.6	39.6
INFLUENZA AND PNEUMONIA	8	5	3	75.2	61.6	119.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	75.2	98.6	-
ACCIDENTS	6	6	0	56.4	74.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	37.6	49.3	-
ALZHEIMERS DISEASE	3	2	1	28.2	24.6	39.6
SEPTICEMIA	2	1	1	18.8	12.3	39.6
DIABETES MELLITUS	2	2	0	18.8	24.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	18.8	24.6	-
HIV DISEASE	1	0	1	9.4	-	39.6
ANEMIAS	1	1	0	9.4	12.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	9.4	12.3	-
PARKINSONS DISEASE	1	1	0	9.4	12.3	-
ATHEROSCLEROSIS	1	1	0	9.4	12.3	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.4	12.3	-
SUICIDE	1	1	0	9.4	12.3	-
HOMICIDE	1	1	0	9.4	12.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	18.8	12.3	39.6
ALL OTHER CAUSES	15	13	2	141.1	160.3	79.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>133</u>	<u>111</u>	<u>22</u>	<u>59</u>	<u>48</u>	<u>11</u>	<u>74</u>	<u>63</u>	<u>11</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	3	1	2	1	1	0	2	0	2
35-44	5	4	1	4	4	0	1	0	1
45-54	3	3	0	1	1	0	2	2	0
55-64	17	13	4	9	8	1	8	5	3
65-74	15	14	1	7	6	1	8	8	0
75-84	41	35	6	18	14	4	23	21	2
85 AND OVER	45	38	7	19	14	5	26	24	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 10,633 - WHITE 8,111 - NONWHITE 2,522

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>122</u>	<u>43</u>	<u>79</u>	<u>13.5</u>	<u>15.6</u>	<u>12.6</u>
HEART DISEASES	43	16	27	475.6	581.0	429.4
MALIGNANT NEOPLASMS	26	9	17	287.5	326.8	270.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	6	3	99.5	217.9	47.7
CEREBROVASCULAR DISEASE	8	4	4	88.5	145.2	63.6
ACCIDENTS	6	2	4	66.4	72.6	63.6
DIABETES MELLITUS	3	0	3	33.2	-	47.7
ALZHEIMERS DISEASE	3	1	2	33.2	36.3	31.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	33.2	-	47.7
HOMICIDE	3	2	1	33.2	72.6	15.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	22.1	-	31.8
INFLUENZA AND PNEUMONIA	2	0	2	22.1	-	31.8
HIV DISEASE	1	0	1	11.1	-	15.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	11.1	-	15.9
ANEMIAS	1	0	1	11.1	-	15.9
AORTIC ANEURYSM AND DISSECTION	1	0	1	11.1	-	15.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	11.1	-	15.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	11.1	-	15.9
SUICIDE	1	0	1	11.1	-	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	7	3	4	77.4	108.9	63.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>122</u>	<u>43</u>	<u>79</u>	<u>67</u>	<u>22</u>	<u>45</u>	<u>55</u>	<u>21</u>	<u>34</u>
UNDER 1 (NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	8	1	7	4	0	4	4	1	3
45-54	8	0	8	5	0	5	3	0	3
55-64	13	5	8	8	4	4	5	1	4
65-74	21	8	13	12	5	7	9	3	6
75-84	22	8	14	13	5	8	9	3	6
85 AND OVER	45	20	25	20	7	13	25	13	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 9,042 - WHITE 2,754 - NONWHITE 6,288

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>248</u>	<u>169</u>	<u>79</u>	<u>12.9</u>	<u>15.9</u>	<u>9.2</u>
HEART DISEASES	85	58	27	441.5	545.1	313.5
MALIGNANT NEOPLASMS	73	52	21	379.2	488.7	243.8
ACCIDENTS	16	11	5	83.1	103.4	58.0
CEREBROVASCULAR DISEASE	15	11	4	77.9	103.4	46.4
HOMICIDE	7	1	6	36.4	9.4	69.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	31.2	47.0	11.6
SEPTICEMIA	5	2	3	26.0	18.8	34.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	26.0	28.2	23.2
INFLUENZA AND PNEUMONIA	4	4	0	20.8	37.6	-
SUICIDE	4	4	0	20.8	37.6	-
ALZHEIMERS DISEASE	3	2	1	15.6	18.8	11.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	15.6	28.2	-
DIABETES MELLITUS	2	1	1	10.4	9.4	11.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	10.4	-	23.2
CONDITIONS ORIGIN IN PERINATAL PERIOD	2	2	0	6.8	16.1	-
PARKINSONS DISEASE	1	1	0	5.2	9.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.2	-	11.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	14	9	5	72.7	84.6	58.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>248</u>	<u>169</u>	<u>79</u>	<u>129</u>	<u>88</u>	<u>41</u>	<u>119</u>	<u>81</u>	<u>38</u>
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	4	4	4	2	2	4	2	2
25-34	6	2	4	3	2	1	3	0	3
35-44	8	4	4	5	2	3	3	2	1
45-54	10	7	3	7	6	1	3	1	2
55-64	30	15	15	19	10	9	11	5	6
65-74	41	28	13	27	18	9	14	10	4
75-84	69	52	17	35	27	8	34	25	9
85 AND OVER	72	54	18	27	20	7	45	34	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 19,253 - WHITE 10,641 - NONWHITE 8,612

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>160</u>	<u>106</u>	<u>54</u>	<u>12.7</u>	<u>14.1</u>	<u>10.6</u>
HEART DISEASES	56	34	22	443.5	451.2	432.0
MALIGNANT NEOPLASMS	31	22	9	245.5	292.0	176.7
ACCIDENTS	15	11	4	118.8	146.0	78.6
CEREBROVASCULAR DISEASE	9	7	2	71.3	92.9	39.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	39.6	66.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	31.7	53.1	-
SEPTICEMIA	3	2	1	23.8	26.5	19.6
INFLUENZA AND PNEUMONIA	3	2	1	23.8	26.5	19.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	15.8	13.3	19.6
DIABETES MELLITUS	2	1	1	15.8	13.3	19.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	15.8	-	39.3
AORTIC ANEURYSM AND DISSECTION	2	1	1	15.8	13.3	19.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	15.8	13.3	19.6
TUBERCULOSIS	1	0	1	7.9	-	19.6
ANEMIAS	1	1	0	7.9	13.3	-
MENINGITIS	1	1	0	7.9	13.3	-
PARKINSONS DISEASE	1	1	0	7.9	13.3	-
ATHEROSCLEROSIS	1	0	1	7.9	-	19.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	7.9	-	19.6
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	5.4	10.8	-
SUICIDE	1	1	0	7.9	13.3	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.9	-	19.6
ALL OTHER CAUSES	15	10	5	118.8	132.7	98.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>160</u>	<u>106</u>	<u>54</u>	<u>88</u>	<u>60</u>	<u>28</u>	<u>72</u>	<u>46</u>	<u>26</u>
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	4	4	0	2	2	0	2	2	0
45-54	15	8	7	12	6	6	3	2	1
55-64	19	10	9	12	8	4	7	2	5
65-74	29	24	5	17	14	3	12	10	2
75-84	47	34	13	25	20	5	22	14	8
85 AND OVER	39	22	17	13	6	7	26	16	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 12,627 - WHITE 7,535 - NONWHITE 5,092

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>328</u>	<u>151</u>	<u>177</u>	<u>13.0</u>	<u>13.4</u>	<u>12.7</u>
HEART DISEASES	97	45	52	384.8	399.6	372.9
MALIGNANT NEOPLASMS	66	33	33	261.8	293.0	236.6
ACCIDENTS	26	9	17	103.1	79.9	121.9
CEREBROVASCULAR DISEASE	25	12	13	99.2	106.6	93.2
DIABETES MELLITUS	17	7	10	67.4	62.2	71.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	10	3	51.6	88.8	21.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	4	5	35.7	35.5	35.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	4	4	31.7	35.5	28.7
INFLUENZA AND PNEUMONIA	7	4	3	27.8	35.5	21.5
HIV DISEASE	5	0	5	19.8	-	35.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	15.9	17.8	14.3
HOMICIDE	4	0	4	15.9	-	28.7
SUICIDE	3	2	1	11.9	17.8	7.2
SEPTICEMIA	2	2	0	7.9	17.8	-
PARKINSONS DISEASE	2	2	0	7.9	17.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.6	-	6.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.0	-	7.2
ALZHEIMERS DISEASE	1	1	0	4.0	8.9	-
ATHEROSCLEROSIS	1	0	1	4.0	-	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.0	-	7.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.0	-	7.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.0	-	7.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	15.9	17.8	14.3
ALL OTHER CAUSES	28	12	16	111.1	106.6	114.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>328</u>	<u>151</u>	<u>177</u>	<u>166</u>	<u>70</u>	<u>96</u>	<u>162</u>	<u>81</u>	<u>81</u>
UNDER 1	3	0	3	1	0	1	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	4	0	4	2	0	2	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	14	5	9	10	3	7	4	2	2
25-34	7	2	5	5	1	4	2	1	1
35-44	18	2	16	9	2	7	9	0	9
45-54	25	14	11	16	10	6	9	4	5
55-64	29	14	15	17	11	6	12	3	9
65-74	61	30	31	40	17	23	21	13	8
75-84	88	44	44	36	18	18	52	26	26
85 AND OVER	78	39	39	29	7	22	49	32	17
UNKNOWN	0	0	0	0	0	0	0	0	0

1999 POPULATION: TOTAL 25,208 - WHITE 11,262 - NONWHITE 13,946