

# Preface

The following table contains the latest set of figures showing Mississippi's status for selected Healthy People 2000 objectives. The list includes those objectives that can be calculated using data from vital records and surveillance data collected by the Mississippi State Department of Health.

Please note that many of the rates are age-adjusted and will not match those shown in the Vital Statistics annual publication. In addition, there may be slight differences in the definition of some rates shown in this table as compared to other published rates. The objectives represented in the table are those that could be calculated following the same methodology used to calculate the Year 2000 baseline data. No attempt was made to provide surrogate measures for objectives that could not be measured directly. Note that many of the Healthy People 2000 objectives are duplicated in the original document<sup>1</sup> under different sections with different objective numbers. In the table below the objective number indicates the first section where the objective is listed.

---

<sup>1</sup>Healthy People 2000: National Health Promotion and Disease Prevention Objectives. PHS, U.S. Department of Health and Human Services, September 1990

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1995

Objective Number	Objective	Mississippi 1995 Status	Year 2000 Objective (National)
1.	<b>Physical Activity And Fitness</b>		
1.1	Coronary Heart Disease	135.6	100.0 per 100,000 <sup>1</sup>
1.1a	Blacks	163.5	115.0 per 100,000 <sup>1</sup>
2.	<b>Nutrition</b>		
2.2	Cancer Deaths	150.5	130.0 per 100,000 <sup>1</sup>
3.	<b>Tobacco</b>		
3.2	Lung Cancer Deaths	46.3	42.0 per 100,000 <sup>1</sup>
3.3	Chronic Obstructive Pulmonary Disease Deaths	22.2	25.0 per 100,000 <sup>1</sup>
4.	<b>Alcohol and Other Drugs</b>		
4.1	Alcohol-Related Motor Vehicle Crash Deaths	34.1	8.5 per 100,000 <sup>1</sup>
4.1b	15-24 year olds	52.7	18.0 per 100,000
4.2	Cirrhosis Deaths	8.0	6.0 per 100,000 <sup>1</sup>
4.2a	Black males	13.9	12.0 per 100,000 <sup>1</sup>
4.3	Drug-Related Deaths	2.3	3.0 per 100,000 <sup>1</sup>
5.	<b>Family Planning</b>		
5.1	Pregnancies 15-17 years old	71.5	50.0 per 1,000 females
5.1a	Blacks 15-19 years old	129.1	120.0 per 1,000 females
6.	<b>Mental Health and Mental Disorders</b>		
6.1	Suicides	12.0	10.5 per 100,000 <sup>1</sup>
6.1a	15-19 year olds	12.1	8.2 per 100,000
6.1b	Men 20-34 years old	27.2	21.4 per 100,000
6.1c	White men 65+ years old	54.6	39.2 per 100,000
7.	<b>Violent and Abusive Behavior</b>		
7.1	Homicides	17.3	7.2 per 100,000 <sup>1</sup>
7.1a	≤ 3 years old	9.6	3.1 per 100,000
7.1c	Black males 15-34 years old	94.1	72.4 per 100,000
7.1e	Black females 15-34 years old	18.9	16.0 per 100,000
7.3	Weapons-related Violent Deaths	23.7	12.6 per 100,000 <sup>1</sup>
9.	<b>Unintentional Injuries</b>		
9.1a	Unintentional Injury Deaths	56.1	29.3 per 100,000 <sup>1</sup>
9.1b	Black males	98.3	51.9 per 100,000
9.1c	White males	80.4	42.9 per 100,000
9.3	Motor Vehicle Crash Deaths	34.6	16.8 per 100,000 <sup>1</sup>
9.3a	≤ 14 years	11.3	5.5 per 100,000
9.3b	15-24 years	53.2	33.0 per 100,000
9.3c	70+ years	45.6	20.0 per 100,000
9.3e	Motorcyclists	0.3	1.5 per 100,000 <sup>1</sup>
9.3f	Pedestrians	2.3	2.7 per 100,000 <sup>1</sup>
9.4	Falls and Fall-related Deaths	2.9	2.3 per 100,000 <sup>1</sup>

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1995

Objective Number	Objective	Mississippi 1995 Status	Year 2000 Objective (National)
9.4a	65-84 years	22.1	14.4 per 100,000
9.4b	85+ years	167.5	105.0 per 100,000
9.4c	Black males 30-69 years old	7.7	5.6 per 100,000
9.5	Drowning Deaths	3.4	1.3 per 100,000 <sup>1</sup>
9.5a	≤ 4 year olds	5.1	2.3 per 100,000
9.5b	Males 15-34 years old	5.2	2.5 per 100,000
9.5c	Black Males	9.7	3.6 per 100,000
9.6	Fire Deaths	3.8	1.2 per 100,000 <sup>1</sup>
9.6a	≤ 4 year olds	7.7	3.3 per 100,000
9.6b	65+ year olds	15.3	3.3 per 100,000
9.6c	Black males	11.3	4.3 per 100,000
9.6d	Black females	6.1	2.6 per 100,000
13.	<b>Oral Health</b>		
13.7	Oral Cavity and Pharynx Cancer Deaths		
	Males 45-74 years	17.7	10.5 per 100,000
	Females 45-74 years	6.0	4.1 per 100,000
14.	<b>Maternal and Infant Health</b>		
14.1	Infant Mortality Rate	10.5	7.0 per 1,000 LB <sup>2</sup>
14.1a	Blacks	14.7	11.0 per 1,000 LB
14.1d	Neonatal Mortality Rate	6.1	4.5 per 1,000 LB
14.1e	Blacks	8.5	7.0 per 1,000 LB
14.1g	Postneonatal Mortality Rate	4.4	2.5 per 1,000 LB
14.1h	Blacks	6.1	4.0 per 1,000 LB
14.2	Fetal Deaths	11.1	5.0 per 1,000 LB + FD <sup>3</sup>
14.2a	Blacks	16.5	7.5 per 1,000 LB
14.3	Maternal Mortality Rate	12.1	3.3 per 100,000 LB
14.3a	Blacks	26.0	5.0 per 100,000 LB
14.5	Low Birth Weight (<2500 g)	9.8	5.0 percent of LB
14.5a	Blacks	13.0	9.0 percent of LB
	Very Low Birth Weight (<1500 g)	1.7	1.0 percent of LB
	Blacks	2.6	2.0 percent of LB
14.8	Cesarean Deliveries	25.2	15.0 percent of LB + FD <sup>3</sup>
14.8a	Primary	17.3	12.0 percent of LB + FD <sup>3</sup>
14.8b	Repeat	69.7	65.0 percent of LB + FD <sup>3,4</sup>
14.10	Abstinence from Tobacco Use	86.6	90.0 percent of LB
	Abstinence from Alcohol Use	98.7	95.0 percent of LB
14.11	Prenatal Care-1st Trimester	76.6	90.0 percent of LB
14.11a	Blacks	65.3	90.0 percent of LB

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1995

Objective Number	Objective	Mississippi 1995 Status	Year 2000 Objective (National)
15.	<b>Stroke</b>		
15.2	Stroke Deaths	37.5	20.0 per 100,000 <sup>1</sup>
15.2a	Blacks	57.2	27.0 per 100,000 <sup>1</sup>
16.	<b>Cancer</b>		
16.3	Breast Cancer Deaths	22.1	20.6 per 100,000 females <sup>1</sup>
16.4	Uterine Cervix Cancer Deaths	3.2	1.3 per 100,000 females <sup>1</sup>
16.5	Colorectal Cancer Deaths	13.8	13.2 per 100,000 <sup>1</sup>
17.	<b>Diabetes and Chronic Disabling Conditions</b>		
17.9	Diabetes-Related Deaths	44.6	38.0 per 100,000 <sup>1</sup>
	Blacks	72.0	58.0 per 100,000 <sup>1</sup>
19.	<b>Sexually Transmitted Disease</b>		
19.1	Gonorrhea	305.6	225.0 per 100,000
19.3	Primary and Secondary Syphilis	75.9	10.0 per 100,000
	<b>Immunization and Infectious Disease</b>		
20.3	Hepatitis A	8.7	23.0 per 100,000
20.4	Incidence of Tuberculosis	10.5	3.5 per 100,000
20.7	Bacterial Meningitis	3.0	4.7 per 100,000
	<b>Age-Related Objectives</b>		
	Death Rate for Children 1-14 years old	41.9	28.0 per 100,000 children 1-14
	Death Rate for Adolescents and Young Adults 15-24	137.1	85.0 per 100,000 people 15-24
	Death Rate for Adults 25-64	582.3	340.0 per 100,000 people 25-64

<sup>1</sup> Current and target rates are age-adjusted to the 1940 U.S. census population

<sup>2</sup> Live Births

<sup>3</sup> Live Births + Fetal Deaths

<sup>4</sup> Percentage of women who had previous Cesarean sections

Sources: Healthy People 2000: National Health Promotion and Disease Prevention Objectives. PHS, U.S. Department of Health and Human Services, September 1990; Vital Statistics, 1995. Mississippi State Department of Health, Bureau of Public Health Statistics; and "Mississippi Morbidity Report", Office of Epidemiology, Mississippi State Department of Health.