

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,979	2,939	1,502	1,437	479
WHITE	17,982	1,248	653	595	185
NONWHITE	17,997	1,691	849	842	294

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	4	34	59	30	0	7	23	67	4	27	36
TEENAGE IMMATURE BIRTHS	14	0	8	6	4	0	1	3	10	0	7	3
TEENAGE PREMATURE BIRTHS	12	1	5	6	2	0	1	1	10	1	4	5
TEENAGE ILLEGITIMATE BIRTHS	77	4	31	42	12	0	4	8	65	4	27	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	4	0	0	4	16	0	3	13
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	7	22	6	0	0	6	23	0	7	16
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	4	2	0	0	0	0	7	1	4	2
TEENAGE FERTILITY RATE	33.0	2.7	64.7 (15-19)		24.0	0.0	50.4 (15-19)		39.6	4.7	74.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	20.6	0.0	0.0	33.9	0.0	0.0	0.0	0.0	29.8	0.0	0.0	55.6
TEENAGE INDUCED TERMINATIONS#	16	0	8	8	1	0	0	1	15	0	8	7
TEENAGE INDUCED TERMINATION RATIO	164.9	0.0	235.3	135.6	33.3	.	0.0	43.5	223.9	0.0	296.3	194.4
TEENAGE PREGNANCIES#	115	4	42	69	31	0	7	24	84	4	35	45
TEENAGE PREGNANCY RATE	39.1	2.7	77.2 (15-19)		24.8	0.0	52.1 (15-19)		49.7	4.7	95.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,897	2,206	1,030	1,176	446
WHITE	28,096	1,845	868	977	379
NONWHITE	3,801	361	162	199	67

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	3	31	37	53	2	22	29	18	1	9	8
TEENAGE IMMATURE BIRTHS	8	1	3	4	3	1	0	2	5	0	3	2
TEENAGE PREMATURE BIRTHS	14	0	7	7	8	0	2	6	6	0	5	1
TEENAGE ILLEGITIMATE BIRTHS	46	2	22	22	28	1	13	14	18	1	9	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	9	0	2	7	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	2	12	9	0	2	7	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	32.2	2.9	57.8 (15-19)		28.7	2.3	52.2 (15-19)		49.9	6.2	85.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	71	3	31	37	53	2	22	29	18	1	9	8
TEENAGE PREGNANCY RATE	32.2	2.9	57.8 (15-19)		28.7	2.3	52.2 (15-19)		49.9	6.2	85.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,854	1,163	559	604	167
WHITE	7,469	503	255	248	91
NONWHITE	6,385	660	304	356	74

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	2	15	25	20	1	6	13	22	1	9	12
TEENAGE IMMATURE BIRTHS	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	6	2	3	0	3	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	28	1	13	14	8	0	4	4	20	1	9	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	4	0	1	3	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	2	0	0	0	0	0	3	1	2	0
TEENAGE FERTILITY RATE	36.1	3.6	66.2 (15-19)		39.8	3.9	76.6 (15-19)		33.3	3.3	59.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	1	0	1	0	1	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	47.6	500.0	66.7	0.0	50.0	0.0	166.7	0.0	45.4	1000	0.0	0.0
TEENAGE PREGNANCIES#	44	3	16	25	21	1	7	13	23	2	9	12
TEENAGE PREGNANCY RATE	37.8	5.4	67.9 (15-19)		41.8	3.9	80.6 (15-19)		34.8	6.6	59.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,204	1,399	693	706	251
WHITE	10,599	705	346	359	116
NONWHITE	7,605	694	347	347	135

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	0	18	32	16	0	7	9	34	0	11	23
TEENAGE IMMATURE BIRTHS	11	0	2	9	1	0	1	0	10	0	1	9
TEENAGE PREMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	42	0	15	27	10	0	4	6	32	0	11	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	2	0	1	1	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	5	0	3	2	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE FERTILITY RATE	35.7	0.0	70.8 (15-19)		22.7	0.0	44.6 (15-19)		49.0	0.0	98.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.0	0.0	55.6	0.0	62.5	0.0	142.8	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	120.0	.	55.6	156.2	62.5	.	0.0	111.1	147.0	.	90.9	173.9
TEENAGE PREGNANCIES#	57	0	20	37	18	0	8	10	39	0	12	27
TEENAGE PREGNANCY RATE	40.7	0.0	80.7 (15-19)		25.5	0.0	50.1 (15-19)		56.2	0.0	112.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,841	679	314	365	111
WHITE	4,565	289	133	156	61
NONWHITE	3,276	390	181	209	48

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	12	17	14	0	4	10	15	0	8	7
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	3	1	3	0	2	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	25	0	11	14	10	0	3	7	15	0	8	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	3	0	2	0	2	0	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	3	1	3	0	2	1	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	42.7	0.0	79.4 (15-19)		48.4	0.0	89.7 (15-19)		38.5	0.0	71.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	0.0	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	29	0	12	17	14	0	4	10	15	0	8	7
TEENAGE PREGNANCY RATE	42.7	0.0	79.4 (15-19)		48.4	0.0	89.7 (15-19)		38.5	0.0	71.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,469	4,035	1,900	2,135	682
WHITE	13,857	1,049	363	686	159
NONWHITE	27,612	2,986	1,537	1,449	523

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	205	5	101	99	23	1	9	13	182	4	92	86
TEENAGE IMMATURE BIRTHS	19	0	7	12	5	0	4	1	14	0	3	11
TEENAGE PREMATURE BIRTHS	39	2	19	18	5	0	4	1	34	2	15	17
TEENAGE ILLEGITIMATE BIRTHS	194	5	99	90	16	1	8	7	178	4	91	83
TEENS WHO HAD PREVIOUS LIVE BIRTHS	72	1	23	48	3	0	1	2	69	1	22	46
TEENS WHO HAD PREVIOUS PREGNANCIES	78	1	26	51	5	0	2	3	73	1	24	48
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE FERTILITY RATE	50.8	2.6	93.7 (15-19)		21.9	2.8	32.1 (15-19)		61.0	2.6	122.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	9.8	0.0	9.9	10.1	0.0	0.0	0.0	0.0	11.0	0.0	10.9	11.6
TEENAGE INDUCED TERMINATIONS#	16	2	2	12	9	1	1	7	7	1	1	5
TEENAGE INDUCED TERMINATION RATIO	78.0	400.0	19.8	121.2	391.3	1000	111.1	538.5	38.5	250.0	10.9	58.1
TEENAGE PREGNANCIES#	223	7	104	112	32	2	10	20	191	5	94	92
TEENAGE PREGNANCY RATE	55.3	3.7	101.2 (15-19)		30.5	5.5	43.7 (15-19)		64.0	3.2	128.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	0	0	0	0	4	0	2	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,630	1,054	535	519	226
WHITE	10,424	655	323	332	126
NONWHITE	4,206	399	212	187	100

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	1	20	28	21	0	7	14	28	1	13	14
TEENAGE IMMATURE BIRTHS	11	0	3	8	3	0	0	3	8	0	3	5
TEENAGE PREMATURE BIRTHS	12	0	5	7	3	0	0	3	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	45	1	20	24	17	0	7	10	28	1	13	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	5	0	2	3	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	46.5	1.9	92.5 (15-19)	32.1	0.0	63.2 (15-19)	70.2	4.7	144.4 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	1	1	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	40.8	1000	0.0	35.7	47.6	.	0.0	0.0	35.7	0.0	0.0	71.4
TEENAGE PREGNANCIES#	51	2	20	29	22	1	7	14	29	1	13	15
TEENAGE PREGNANCY RATE	48.4	3.7	94.4 (15-19)	33.6	3.1	63.2 (15-19)	72.7	4.7	149.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,844	819	383	436	91
WHITE	5,901	421	197	224	45
NONWHITE	3,943	398	186	212	46

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	5	14	5	0	2	3	14	0	3	11
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	14	0	4	10	2	0	1	1	12	0	3	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	1	0	0	1	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	2	0	1	1	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	23.2	0.0	43.6 (15-19)		11.9	0.0	22.3 (15-19)		35.2	0.0	66.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	52.6	0.0	0.0	71.4	0.0	0.0	0.0	0.0	71.4	0.0	0.0	90.9
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	157.9	.	0.0	142.8	0.0	.	0.0	0.0	214.3	.	0.0	181.8
TEENAGE PREGNANCIES#	23	1	5	17	5	0	2	3	18	1	3	14
TEENAGE PREGNANCY RATE	28.1	2.6	50.4 (15-19)		11.9	0.0	22.3 (15-19)		45.2	5.4	80.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,648	1,372	662	710	315
WHITE	10,443	659	310	349	151
NONWHITE	7,205	713	352	361	162

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	1	36	37	23	0	5	18	51	1	31	19
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	17	0	9	8	5	0	1	4	12	0	8	4
TEENAGE ILLEGITIMATE BIRTHS	60	1	34	25	9	0	3	6	51	1	31	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	9	11	5	0	2	3	15	0	7	8
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	9	11	5	0	2	3	15	0	7	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	53.9	1.5	102.8 (15-19)		34.9	0.0	65.9 (15-19)		71.5	2.8	138.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	4	3	2	1	0	1	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	108.1	1000	111.1	81.1	87.0	.	0.0	55.6	117.6	0.0	129.0	105.3
TEENAGE PREGNANCIES#	82	2	40	40	25	1	5	19	57	1	35	21
TEENAGE PREGNANCY RATE	59.8	3.0	112.7 (15-19)		37.9	3.2	68.8 (15-19)		79.9	2.8	155.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1997

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,934	778	369	409	113
WHITE	6,115	455	204	251	72
NONWHITE	2,819	323	165	158	41

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	3	17	12	15	1	8	6	17	2	9	6
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	1	4	1	0	0	0	0	6	1	4	1
TEENAGE ILLEGITIMATE BIRTHS	21	3	11	7	4	1	2	1	17	2	9	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	3	0	2	1	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	4	3	2	0	0	2	6	1	4	1
TEENAGE FERTILITY RATE	41.1	8.1	70.9 (15-19)		33.0	4.9	55.8 (15-19)		52.6	12.1	94.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	2	0	2	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	117.6	166.7	133.3	0.0	250.0	0.0	117.6	0.0	0.0	333.3
TEENAGE PREGNANCIES#	36	3	19	14	17	1	10	6	19	2	9	8
TEENAGE PREGNANCY RATE	46.3	8.1	80.7 (15-19)		37.4	4.9	63.7 (15-19)		58.8	12.1	107.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,324	1,533	404	1,129	205
WHITE	1,862	106	51	55	19
NONWHITE	9,462	1,427	353	1,074	186

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	3	34	38	2	0	0	2	73	3	34	36
TEENAGE IMMATURE BIRTHS	9	1	4	4	1	0	0	1	8	1	4	3
TEENAGE PREMATURE BIRTHS	10	0	5	5	1	0	0	1	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	71	3	33	35	0	0	0	0	71	3	33	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	2	0	0	2	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	5	16	2	0	0	2	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE FERTILITY RATE	48.9	7.4	63.8 (15-19)		18.9	0.0	36.4 (15-19)		51.2	8.5	65.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	26.7	0.0	29.4	26.3	500.0	0.0	0.0	500.0	13.7	0.0	29.4	0.0
TEENAGE INDUCED TERMINATIONS#	15	0	7	8	0	0	0	0	15	0	7	8
TEENAGE INDUCED TERMINATION RATIO	200.0	0.0	205.9	210.5	0.0	.	.	0.0	205.5	0.0	205.9	222.2
TEENAGE PREGNANCIES#	92	3	42	47	3	0	0	3	89	3	42	44
TEENAGE PREGNANCY RATE	60.0	7.4	78.8 (15-19)		28.3	0.0	54.5 (15-19)		62.4	8.5	80.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1997

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,241	1,402	699	703	229
WHITE	11,066	752	370	382	121
NONWHITE	6,175	650	329	321	102

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	5	30	21	28	2	15	11	28	3	15	10
TEENAGE IMMATURE BIRTHS	11	0	8	3	2	0	1	1	9	0	7	2
TEENAGE PREMATURE BIRTHS	14	2	8	4	4	1	2	1	10	1	6	3
TEENAGE ILLEGITIMATE BIRTHS	43	5	24	14	17	2	9	6	26	3	15	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	3	5	4	0	2	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	5	7	7	0	4	3	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	2	3	0	1	1	0	0	4	1	3	0
TEENAGE FERTILITY RATE	39.9	7.2	72.5 (15-19)		37.2	5.4	68.1 (15-19)		43.1	9.1	77.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	17.8	0.0	33.3	0.0	0.0	0.0	0.0	0.0	35.7	0.0	66.7	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	4	0	1	3	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	100.0	190.5	142.8	0.0	66.7	272.7	107.1	0.0	133.3	100.0
TEENAGE PREGNANCIES#	64	5	34	25	32	2	16	14	32	3	18	11
TEENAGE PREGNANCY RATE	45.6	7.2	83.9 (15-19)		42.6	5.4	78.5 (15-19)		49.2	9.1	90.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1997

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,703	1,816	881	935	346
WHITE	9,669	638	305	333	114
NONWHITE	12,034	1,178	576	602	232

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	3	31	34	10	0	2	8	58	3	29	26
TEENAGE IMMATURE BIRTHS	8	2	2	4	0	0	0	0	8	2	2	4
TEENAGE PREMATURE BIRTHS	16	1	6	9	0	0	0	0	16	1	6	9
TEENAGE ILLEGITIMATE BIRTHS	62	3	31	28	5	0	2	3	57	3	29	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	3	0	0	3	13	0	4	9
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	5	16	4	0	0	4	17	0	5	12
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	7	7	3	0	0	3	11	0	7	4
TEENAGE FERTILITY RATE	37.4	3.4	69.5 (15-19)	15.7	0.0	30.0 (15-19)	49.2	5.2	91.4 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.7	0.0	0.0	29.4	0.0	0.0	0.0	0.0	17.2	0.0	0.0	38.5
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	4	0	2	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	102.9	0.0	96.8	117.6	400.0	.	1000	250.0	51.7	0.0	34.5	76.9
TEENAGE PREGNANCIES#	76	3	34	39	14	0	4	10	62	3	30	29
TEENAGE PREGNANCY RATE	41.8	3.4	78.1 (15-19)	21.9	0.0	42.0 (15-19)	52.6	5.2	98.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,627	3,019	1,506	1,513	609
WHITE	10,891	677	334	343	112
NONWHITE	21,736	2,342	1,172	1,170	497

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	180	11	77	92	9	0	5	4	171	11	72	88
TEENAGE IMMATURE BIRTHS	28	3	12	13	0	0	0	0	28	3	12	13
TEENAGE PREMATURE BIRTHS	46	6	19	21	1	0	1	0	45	6	18	21
TEENAGE ILLEGITIMATE BIRTHS	175	11	75	89	6	0	4	2	169	11	71	87
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	1	17	45	2	0	1	1	61	1	16	44
TEENS WHO HAD PREVIOUS PREGNANCIES	66	1	18	47	4	0	2	2	62	1	16	45
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	5	7	1	0	0	1	12	1	5	6
TEENAGE FERTILITY RATE	59.6	7.3	111.7 (15-19)		13.3	0.0	26.2 (15-19)		73.0	9.4	136.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	5.6	0.0	13.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	13.9	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	11.1	0.0	13.0	10.9	0.0	.	0.0	0.0	11.7	0.0	13.9	11.4
TEENAGE PREGNANCIES#	183	11	79	93	9	0	5	4	174	11	74	89
TEENAGE PREGNANCY RATE	60.6	7.3	113.7 (15-19)		13.3	0.0	26.2 (15-19)		74.3	9.4	139.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	0	0	0	0	4	0	2	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,027	2,237	1,121	1,116	386
WHITE	13,256	867	435	432	141
NONWHITE	14,771	1,370	686	684	244

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	3	39	66	22	0	8	14	86	3	31	52
TEENAGE IMMATURE BIRTHS	21	0	8	13	2	0	0	2	19	0	8	11
TEENAGE PREMATURE BIRTHS	23	1	11	11	1	0	1	0	22	1	10	11
TEENAGE ILLEGITIMATE BIRTHS	92	3	34	55	8	0	3	5	84	3	31	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	2	21	7	0	2	5	16	0	0	16
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	5	29	9	0	2	7	25	0	3	22
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE FERTILITY RATE	48.3	2.7	94.1 (15-19)		25.4	0.0	50.9 (15-19)		62.8	4.4	121.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.2	0.0	0.0	15.2	0.0	0.0	0.0	0.0	11.6	0.0	0.0	19.2
TEENAGE INDUCED TERMINATIONS#	8	0	1	7	2	0	0	2	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	74.1	0.0	25.6	106.1	90.9	.	0.0	142.8	69.8	0.0	32.2	96.2
TEENAGE PREGNANCIES#	117	3	40	74	24	0	8	16	93	3	32	58
TEENAGE PREGNANCY RATE	52.3	2.7	102.2 (15-19)		27.7	0.0	55.6 (15-19)		67.9	4.4	131.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,010	1,354	664	690	287
WHITE	10,076	684	336	348	152
NONWHITE	5,934	670	328	342	135

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	3	24	37	28	1	10	17	36	2	14	20
TEENAGE IMMATURE BIRTHS	9	0	3	6	4	0	1	3	5	0	2	3
TEENAGE PREMATURE BIRTHS	14	1	5	8	5	0	1	4	9	1	4	4
TEENAGE ILLEGITIMATE BIRTHS	50	3	21	26	16	1	7	8	34	2	14	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	1	7	14	7	0	2	5	15	1	5	9
TEENS WHO HAD PREVIOUS PREGNANCIES	23	1	7	15	7	0	2	5	16	1	5	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	6	3	1	0	1	0	8	0	5	3
TEENAGE FERTILITY RATE	47.3	4.5	88.4 (15-19)		40.9	3.0	77.6 (15-19)		53.7	6.1	99.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	31.2	0.0	41.7	27.0	0.0	0.0	0.0	0.0	55.6	0.0	71.4	50.0
TEENAGE INDUCED TERMINATIONS#	7	0	7	0	2	0	2	0	5	0	5	0
TEENAGE INDUCED TERMINATION RATIO	109.4	0.0	291.7	0.0	71.4	0.0	200.0	0.0	138.9	0.0	357.1	0.0
TEENAGE PREGNANCIES#	73	3	32	38	30	1	12	17	43	2	20	21
TEENAGE PREGNANCY RATE	53.9	4.5	101.4 (15-19)		43.9	3.0	83.3 (15-19)		64.2	6.1	119.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	88,563	6,813	3,391	3,422	1,467
WHITE	75,074	5,492	2,772	2,720	1,250
NONWHITE	13,489	1,321	619	702	217

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	169	5	55	109	119	2	38	79	50	3	17	30
TEENAGE IMMATURE BIRTHS	20	1	6	13	9	0	3	6	11	1	3	7
TEENAGE PREMATURE BIRTHS	23	1	7	15	11	0	4	7	12	1	3	8
TEENAGE ILLEGITIMATE BIRTHS	119	5	45	69	70	2	28	40	49	3	17	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	5	33	23	0	4	19	15	0	1	14
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	8	40	31	0	6	25	17	0	2	15
TEENS WITH INADEQUATE* PRENATAL CARE	16	2	6	8	10	0	6	4	6	2	0	4
TEENAGE FERTILITY RATE	24.8	1.5	47.9 (15-19)		21.7	0.7	43.0 (15-19)		37.8	4.8	67.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FETAL DEATH RATIO	17.8	0.0	18.2	18.3	8.4	0.0	0.0	12.6	40.0	0.0	58.8	33.3
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	7	0	4	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	41.4	0.0	72.7	27.5	58.8	0.0	105.3	38.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	179	5	60	114	127	2	42	83	52	3	18	31
TEENAGE PREGNANCY RATE	26.3	1.5	50.8 (15-19)		23.1	0.7	46.0 (15-19)		39.4	4.8	69.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	2	0	0	2	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1997

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	72,427	5,613	2,574	3,039	1,122
WHITE	49,061	3,165	1,453	1,712	630
NONWHITE	23,366	2,448	1,121	1,327	492

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	193	7	83	103	77	2	29	46	116	5	54	57
TEENAGE IMMATURE BIRTHS	16	1	7	8	5	0	0	5	11	1	7	3
TEENAGE PREMATURE BIRTHS	29	2	10	17	10	0	2	8	19	2	8	9
TEENAGE ILLEGITIMATE BIRTHS	154	7	73	74	39	2	19	18	115	5	54	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	15	36	13	0	3	10	38	0	12	26
TEENS WHO HAD PREVIOUS PREGNANCIES	64	0	20	44	19	0	5	14	45	0	15	30
TEENS WITH INADEQUATE* PRENATAL CARE	22	1	10	11	3	0	0	3	19	1	10	8
TEENAGE FERTILITY RATE	34.4	2.7	61.2 (15-19)		24.3	1.4	43.8 (15-19)		47.4	4.5	83.6 (15-19)	
TEENAGE FETAL DEATHS**	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE FETAL DEATH RATIO	20.7	142.8	12.0	19.4	0.0	0.0	0.0	0.0	34.5	200.0	18.5	35.1
TEENAGE INDUCED TERMINATIONS#	49	2	9	38	30	1	6	23	19	1	3	15
TEENAGE INDUCED TERMINATION RATIO	253.9	285.7	108.4	368.9	389.6	500.0	206.9	500.0	163.8	200.0	55.6	263.2
TEENAGE PREGNANCIES#	246	10	93	143	107	3	35	69	139	7	58	74
TEENAGE PREGNANCY RATE	43.8	3.9	77.6 (15-19)		33.8	2.1	60.7 (15-19)		56.8	6.2	99.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,952	699	377	322	110
WHITE	4,846	347	179	168	54
NONWHITE	3,106	352	198	154	56

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	8	9	7	0	5	2	10	0	3	7
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	14	0	6	8	4	0	3	1	10	0	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	24.3	0.0	52.8 (15-19)		20.2	0.0	41.7 (15-19)		28.4	0.0	64.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	58.8	.	0.0	111.1	0.0	.	0.0	0.0	100.0	.	0.0	142.8
TEENAGE PREGNANCIES#	18	0	8	10	7	0	5	2	11	0	3	8
TEENAGE PREGNANCY RATE	25.8	0.0	55.9 (15-19)		20.2	0.0	41.7 (15-19)		31.2	0.0	71.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,884	1,458	734	724	346
WHITE	15,969	1,248	626	622	301
NONWHITE	1,915	210	108	102	45

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	1	29	40	51	1	21	29	19	0	8	11
TEENAGE IMMATURE BIRTHS	6	0	3	3	5	0	3	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	18	1	7	10	13	1	5	7	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	38	1	18	19	21	1	10	10	17	0	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	10	0	1	9	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	3	15	13	0	2	11	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	48.0	1.4	95.3 (15-19)		40.9	1.6	80.4 (15-19)		90.5	0.0	186.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.3	0.0	0.0	25.0	0.0	0.0	0.0	0.0	52.6	0.0	0.0	90.9
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	57.1	0.0	69.0	50.0	19.6	0.0	0.0	34.5	157.9	.	250.0	90.9
TEENAGE PREGNANCIES#	75	1	31	43	52	1	21	30	23	0	10	13
TEENAGE PREGNANCY RATE	51.4	1.4	102.2 (15-19)		41.7	1.6	82.0 (15-19)		109.5	0.0	225.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,201	918	431	487	123
WHITE	8,717	664	314	350	94
NONWHITE	2,484	254	117	137	29

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	12	22	22	0	6	16	12	0	6	6
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	3	0	3	0	3	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	19	0	9	10	7	0	3	4	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	5	0	1	4	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE FERTILITY RATE	37.0	0.0	69.8 (15-19)		33.1	0.0	62.8 (15-19)		47.2	0.0	87.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	29.4	.	83.3	0.0	45.4	.	166.7	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	35	0	13	22	23	0	7	16	12	0	6	6
TEENAGE PREGNANCY RATE	38.1	0.0	71.9 (15-19)		34.6	0.0	65.7 (15-19)		47.2	0.0	87.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,942	1,747	853	894	312
WHITE	12,493	875	434	441	150
NONWHITE	9,449	872	419	453	162

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	2	20	38	14	0	2	12	46	2	18	26
TEENAGE IMMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	8	0	6	2	2	0	2	0	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	47	2	19	26	6	0	1	5	41	2	18	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	3	18	2	0	0	2	19	0	3	16
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	4	0	0	4	20	0	3	17
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE FERTILITY RATE	34.3	2.3	64.9 (15-19)		16.0	0.0	31.7 (15-19)		52.8	4.8	97.1 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	33.3	0.0	50.0	26.3	0.0	0.0	0.0	0.0	43.5	0.0	55.6	38.5
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	5	0	2	3	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	133.3	0.0	150.0	131.6	357.1	.	1000	250.0	65.2	0.0	55.6	76.9
TEENAGE PREGNANCIES#	70	2	24	44	19	0	4	15	51	2	20	29
TEENAGE PREGNANCY RATE	40.1	2.3	76.1 (15-19)		21.7	0.0	43.1 (15-19)		58.5	4.8	108.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,182	2,692	1,332	1,360	449
WHITE	32,040	2,290	1,142	1,148	401
NONWHITE	4,142	402	190	212	46

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	1	26	42	63	1	25	37	6	0	1	5
TEENAGE IMMATURE BIRTHS	7	0	1	6	6	0	1	5	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	1	7	8	0	1	7	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	53	1	19	33	47	1	18	28	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	8	0	1	7	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	12	0	2	10	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	6	0	4	2	0	0	0	0
TEENAGE FERTILITY RATE	25.6	0.8	50.0 (15-19)		27.5	0.9	54.0 (15-19)		14.9	0.0	28.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	29.0	0.0	38.5	23.8	31.7	0.0	40.0	27.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	1	8	6	0	1	5	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	38.5	190.5	95.2	0.0	40.0	135.1	333.3	.	0.0	400.0
TEENAGE PREGNANCIES#	80	1	28	51	71	1	27	43	8	0	1	7
TEENAGE PREGNANCY RATE	29.7	0.8	58.1 (15-19)		31.0	0.9	61.0 (15-19)		19.9	0.0	37.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	170,862	12,488	6,395	6,093	2,763
WHITE	131,020	8,679	4,482	4,197	1,961
NONWHITE	39,842	3,809	1,913	1,896	800

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	482	5	179	298	284	1	98	185	198	4	81	113
TEENAGE IMMATURE BIRTHS	49	0	24	25	28	0	13	15	21	0	11	10
TEENAGE PREMATURE BIRTHS	83	0	38	45	37	0	14	23	46	0	24	22
TEENAGE ILLEGITIMATE BIRTHS	360	5	157	198	180	1	77	102	180	4	80	96
TEENS WHO HAD PREVIOUS LIVE BIRTHS	105	0	19	86	51	0	3	48	54	0	16	38
TEENS WHO HAD PREVIOUS PREGNANCIES	144	0	29	115	76	0	9	67	68	0	20	48
TEENS WITH INADEQUATE* PRENATAL CARE	74	1	31	42	32	0	13	19	42	1	18	23
TEENAGE FERTILITY RATE	38.6	0.8	78.3 (15-19)		32.7	0.2	67.4 (15-19)		52.0	2.1	102.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.1	0.0	5.6	3.4	7.0	0.0	10.2	5.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	107	1	35	71	73	1	25	47	34	0	10	24
TEENAGE INDUCED TERMINATION RATIO	222.0	200.0	195.5	238.2	257.0	1000	255.1	254.0	171.7	0.0	123.4	212.4
TEENAGE PREGNANCIES#	591	6	215	370	359	2	124	233	232	4	91	137
TEENAGE PREGNANCY RATE	47.3	0.9	96.0 (15-19)		41.4	0.4	85.1 (15-19)		60.9	2.1	120.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	7	0	5	2	1	0	1	0	6	0	4	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 1997

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	253,096	19,628	9,551	10,077	4,059
WHITE	115,854	6,945	3,380	3,565	1,125
NONWHITE	137,242	12,683	6,171	6,512	2,934

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	862	39	356	467	85	3	28	54	777	36	328	413
TEENAGE IMMATURE BIRTHS	137	6	58	73	5	0	1	4	132	6	57	69
TEENAGE PREMATURE BIRTHS	195	8	82	105	8	1	2	5	187	7	80	100
TEENAGE ILLEGITIMATE BIRTHS	814	39	347	428	55	3	21	31	759	36	326	397
TEENS WHO HAD PREVIOUS LIVE BIRTHS	264	0	69	195	15	0	3	12	249	0	66	183
TEENS WHO HAD PREVIOUS PREGNANCIES	310	0	83	227	28	0	7	21	282	0	76	206
TEENS WITH INADEQUATE* PRENATAL CARE	105	6	43	56	4	1	1	2	101	5	42	54
TEENAGE FERTILITY RATE	43.9	4.1	81.7 (15-19)		12.2	0.9	23.0 (15-19)		61.3	5.8	113.8 (15-19)	
TEENAGE FETAL DEATHS**	23	3	8	12	3	2	0	1	20	1	8	11
TEENAGE FETAL DEATH RATIO	26.7	76.9	22.5	25.7	35.3	666.7	0.0	18.5	25.7	27.8	24.4	26.6
TEENAGE INDUCED TERMINATIONS#	310	15	92	203	74	0	25	49	236	15	67	154
TEENAGE INDUCED TERMINATION RATIO	359.6	384.6	258.4	434.7	870.6	0.0	892.8	907.4	303.7	416.7	204.3	372.9
TEENAGE PREGNANCIES#	1,195	57	456	682	162	5	53	104	1,033	52	403	578
TEENAGE PREGNANCY RATE	60.9	6.0	112.9 (15-19)		23.3	1.5	44.0 (15-19)		81.4	8.4	150.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	9	1	5	3	1	0	1	0	8	1	4	3

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,771	2,018	1,039	979	363
WHITE	4,654	298	155	143	49
NONWHITE	16,117	1,720	884	836	314

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	93	4	33	56	1	0	0	1	92	4	33	55
TEENAGE IMMATURE BIRTHS	9	1	6	2	0	0	0	0	9	1	6	2
TEENAGE PREMATURE BIRTHS	18	0	9	9	0	0	0	0	18	0	9	9
TEENAGE ILLEGITIMATE BIRTHS	91	4	33	54	1	0	0	1	90	4	33	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	5	20	0	0	0	0	25	0	5	20
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	5	22	0	0	0	0	27	0	5	22
TEENS WITH INADEQUATE* PRENATAL CARE	10	2	2	6	0	0	0	0	10	2	2	6
TEENAGE FERTILITY RATE	46.1	3.8	90.9 (15-19)		3.4	0.0	7.0 (15-19)		53.5	4.5	105.3 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	32.2	0.0	0.0	53.6	0.0	0.0	0.0	0.0	32.6	0.0	0.0	54.5
TEENAGE INDUCED TERMINATIONS#	15	0	7	8	1	0	0	1	14	0	7	7
TEENAGE INDUCED TERMINATION RATIO	161.3	0.0	212.1	142.8	1000	.	.	1000	152.2	0.0	212.1	127.3
TEENAGE PREGNANCIES#	111	4	40	67	2	0	0	2	109	4	40	65
TEENAGE PREGNANCY RATE	55.0	3.8	109.3 (15-19)		6.7	0.0	14.0 (15-19)		63.4	4.5	125.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,453	1,151	614	537	180
WHITE	3,475	221	122	99	31
NONWHITE	7,978	930	492	438	143

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	25	20	4	0	1	3	42	1	24	17
TEENAGE IMMATURE BIRTHS	7	0	5	2	0	0	0	0	7	0	5	2
TEENAGE PREMATURE BIRTHS	11	1	9	1	0	0	0	0	11	1	9	1
TEENAGE ILLEGITIMATE BIRTHS	43	1	24	18	1	0	0	1	42	1	24	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	2	0	0	2	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	3	9	2	0	0	2	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	5	4	0	0	0	0	9	0	5	4
TEENAGE FERTILITY RATE	40.0	1.6	83.8 (15-19)		18.1	0.0	40.4 (15-19)		45.2	2.0	93.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	21.7	0.0	40.0	0.0	0.0	0.0	0.0	0.0	23.8	0.0	41.7	0.0
TEENAGE INDUCED TERMINATIONS#	4	2	0	2	1	1	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	87.0	2000	0.0	100.0	250.0	.	0.0	0.0	71.4	1000	0.0	117.6
TEENAGE PREGNANCIES#	51	3	26	22	5	1	1	3	46	2	25	19
TEENAGE PREGNANCY RATE	44.3	4.9	89.4 (15-19)		22.6	8.2	40.4 (15-19)		49.5	4.1	100.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,805	166	74	92	19
WHITE	771	53	26	27	6
NONWHITE	1,034	113	48	65	13

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	36.1	0.0	65.2 (15-19)		18.9	0.0	37.0 (15-19)		44.2	0.0	76.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	.	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE PREGNANCY RATE	36.1	0.0	65.2 (15-19)		18.9	0.0	37.0 (15-19)		44.2	0.0	76.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,797	1,266	630	636	263
WHITE	18,415	1,145	576	569	229
NONWHITE	1,382	121	54	67	34

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	17	24	31	0	15	16	10	0	2	8
TEENAGE IMMATURE BIRTHS	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	0	4	2	4	0	3	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	10	9	10	0	8	2	9	0	2	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	3	0	1	2	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	32.4	0.0	64.5 (15-19)		27.1	0.0	54.5 (15-19)		82.6	0.0	149.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	24.4	0.0	0.0	41.7	32.2	0.0	0.0	62.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	73.2	.	58.8	83.3	64.5	.	66.7	62.5	100.0	.	0.0	125.0
TEENAGE PREGNANCIES#	45	0	18	27	34	0	16	18	11	0	2	9
TEENAGE PREGNANCY RATE	35.5	0.0	70.8 (15-19)		29.7	0.0	59.8 (15-19)		90.9	0.0	164.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	133,134	10,630	5,147	5,483	1,768
WHITE	103,144	7,506	3,690	3,816	1,235
NONWHITE	29,990	3,124	1,457	1,667	533

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	353	6	135	212	212	2	79	131	141	4	56	81
TEENAGE IMMATURE BIRTHS	38	2	11	25	18	1	5	12	20	1	6	13
TEENAGE PREMATURE BIRTHS	52	1	16	35	24	0	8	16	28	1	8	19
TEENAGE ILLEGITIMATE BIRTHS	271	6	111	154	134	2	56	76	137	4	55	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	84	0	15	69	37	0	6	31	47	0	9	38
TEENS WHO HAD PREVIOUS PREGNANCIES	95	0	19	76	45	0	7	38	50	0	12	38
TEENS WITH INADEQUATE* PRENATAL CARE	41	0	17	24	12	0	6	6	29	0	11	18
TEENAGE FERTILITY RATE	33.2	1.2	63.3 (15-19)		28.2	0.5	55.0 (15-19)		45.1	2.7	82.2 (15-19)	
TEENAGE FETAL DEATHS**	5	0	3	2	3	0	3	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	14.2	0.0	22.2	9.4	14.2	0.0	38.0	0.0	14.2	0.0	0.0	24.7
TEENAGE INDUCED TERMINATIONS#	85	1	37	47	59	1	28	30	26	0	9	17
TEENAGE INDUCED TERMINATION RATIO	240.8	166.7	274.1	221.7	278.3	500.0	354.4	229.0	184.4	0.0	160.7	209.9
TEENAGE PREGNANCIES#	443	7	175	261	274	3	110	161	169	4	65	100
TEENAGE PREGNANCY RATE	41.7	1.4	79.5 (15-19)		36.5	0.8	71.0 (15-19)		54.1	2.7	99.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,235	1,492	708	784	292
WHITE	8,167	515	265	250	101
NONWHITE	9,068	977	443	534	189

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	3	20	35	8	1	1	6	50	2	19	29
TEENAGE IMMATURE BIRTHS	8	1	2	5	0	0	0	0	8	1	2	5
TEENAGE PREMATURE BIRTHS	9	1	5	3	0	0	0	0	9	1	5	3
TEENAGE ILLEGITIMATE BIRTHS	52	3	20	29	3	1	1	1	49	2	19	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	2	0	0	2	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	2	0	0	2	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	38.9	4.2	70.2 (15-19)	15.5	3.8	28.0 (15-19)	51.2	4.5	89.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	1	8	3	0	1	2	6	0	0	6
TEENAGE INDUCED TERMINATION RATIO	155.2	0.0	50.0	228.6	375.0	0.0	1000	333.3	120.0	0.0	0.0	206.9
TEENAGE PREGNANCIES#	67	3	21	43	11	1	2	8	56	2	19	35
TEENAGE PREGNANCY RATE	44.9	4.2	81.6 (15-19)	21.4	3.8	40.0 (15-19)	57.3	4.5	101.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,295	815	403	412	142
WHITE	1,049	54	28	26	5
NONWHITE	7,246	761	375	386	137

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	1	17	23	0	0	0	0	41	1	17	23
TEENAGE IMMATURE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE PREMATURE BIRTHS	11	1	4	6	0	0	0	0	11	1	4	6
TEENAGE ILLEGITIMATE BIRTHS	38	1	17	20	0	0	0	0	38	1	17	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	0	0	0	0	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE FERTILITY RATE	50.3	2.5	97.1 (15-19)		0.0	0.0	0.0 (15-19)		53.9	2.7	103.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	0	0	0	0	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	170.7	1000	117.6	173.9	0.0	.	.	0.0	170.7	1000	117.6	173.9
TEENAGE PREGNANCIES#	48	2	19	27	0	0	0	0	48	2	19	27
TEENAGE PREGNANCY RATE	58.9	5.0	111.6 (15-19)		0.0	0.0	0.0 (15-19)		63.1	5.3	119.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,527	1,203	583	620	187
WHITE	5,667	372	203	169	61
NONWHITE	7,860	831	380	451	126

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	20	23	15	0	4	11	29	1	16	12
TEENAGE IMMATURE BIRTHS	7	0	5	2	1	0	1	0	6	0	4	2
TEENAGE PREMATURE BIRTHS	8	0	4	4	2	0	1	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	30	1	16	13	4	0	1	3	26	1	15	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	2	0	0	2	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	3	0	0	3	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE FERTILITY RATE	36.6	1.7	69.4 (15-19)		40.3	0.0	88.8 (15-19)		34.9	2.6	62.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	0	0	0	0	5	1	0	4
TEENAGE INDUCED TERMINATION RATIO	113.6	1000	0.0	173.9	0.0	.	0.0	0.0	172.4	1000	0.0	333.3
TEENAGE PREGNANCIES#	49	2	20	27	15	0	4	11	34	2	16	16
TEENAGE PREGNANCY RATE	40.7	3.4	75.8 (15-19)		40.3	0.0	88.8 (15-19)		40.9	5.3	71.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	62,251	4,761	2,367	2,394	964
WHITE	45,773	3,087	1,537	1,550	611
NONWHITE	16,478	1,674	830	844	351

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	185	7	62	116	99	1	28	70	86	6	34	46
TEENAGE IMMATURE BIRTHS	24	4	7	13	9	0	1	8	15	4	6	5
TEENAGE PREMATURE BIRTHS	21	0	7	14	13	0	6	7	8	0	1	7
TEENAGE ILLEGITIMATE BIRTHS	122	7	47	68	37	1	14	22	85	6	33	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	1	7	36	17	0	2	15	27	1	5	21
TEENS WHO HAD PREVIOUS PREGNANCIES	60	1	9	50	25	0	3	22	35	1	6	28
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	1	4	3	0	1	2	3	1	0	2
TEENAGE FERTILITY RATE	38.8	3.0	74.4 (15-19)		32.1	0.6	63.2 (15-19)		51.4	7.2	94.8 (15-19)	
TEENAGE FETAL DEATHS**	11	1	2	8	2	0	1	1	9	1	1	7
TEENAGE FETAL DEATH RATIO	59.4	142.8	32.2	69.0	20.2	0.0	35.7	14.3	104.6	166.7	29.4	152.2
TEENAGE INDUCED TERMINATIONS#	20	2	9	9	13	0	4	9	7	2	5	0
TEENAGE INDUCED TERMINATION RATIO	108.1	285.7	145.2	77.6	131.3	0.0	142.8	128.6	81.4	333.3	147.0	0.0
TEENAGE PREGNANCIES#	216	10	73	133	114	1	33	80	102	9	40	53
TEENAGE PREGNANCY RATE	45.4	4.2	86.0 (15-19)		36.9	0.6	72.9 (15-19)		60.9	10.8	110.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	1	0	0	1	3	0	3	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,554	850	421	429	117
WHITE	4,284	273	144	129	28
NONWHITE	6,270	577	277	300	89

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	8	17	5	0	2	3	21	1	6	14
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	8	1	3	4	1	0	1	0	7	1	2	4
TEENAGE ILLEGITIMATE BIRTHS	22	1	7	14	2	0	1	1	20	1	6	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	30.6	2.4	58.3 (15-19)	18.3	0.0	38.8 (15-19)	36.4	3.6	66.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	0.0	235.3	200.0	.	0.0	333.3	142.8	0.0	0.0	214.3
TEENAGE PREGNANCIES#	30	1	8	21	6	0	2	4	24	1	6	17
TEENAGE PREGNANCY RATE	35.3	2.4	67.6 (15-19)	22.0	0.0	46.5 (15-19)	41.6	3.6	76.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,388	2,686	976	1,710	430
WHITE	24,927	1,805	567	1,238	260
NONWHITE	9,461	881	409	472	170

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	21	38	28	1	10	17	32	0	11	21
TEENAGE IMMATURE BIRTHS	10	0	6	4	5	0	2	3	5	0	4	1
TEENAGE PREMATURE BIRTHS	13	1	5	7	5	1	1	3	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	48	1	18	29	16	1	7	8	32	0	11	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	5	0	1	4	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	7	0	2	5	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	22.3	1.0	34.5 (15-19)		15.5	1.8	21.8 (15-19)		36.3	0.0	67.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	66.7	0.0	0.0	105.3	107.1	0.0	0.0	176.5	31.2	.	0.0	47.6
TEENAGE PREGNANCIES#	64	1	21	42	31	1	10	20	33	0	11	22
TEENAGE PREGNANCY RATE	23.8	1.0	36.8 (15-19)		17.2	1.8	24.2 (15-19)		37.4	0.0	69.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,458	2,562	1,331	1,231	579
WHITE	27,373	2,153	1,120	1,033	477
NONWHITE	4,085	409	211	198	102

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	1	32	52	64	0	26	38	21	1	6	14
TEENAGE IMMATURE BIRTHS	7	0	5	2	3	0	3	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	13	1	6	6	6	0	3	3	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	54	1	22	31	33	0	16	17	21	1	6	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	12	0	3	9	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	6	15	15	0	5	10	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	2	0	2	0	4	1	1	2
TEENAGE FERTILITY RATE	33.2	0.8	68.2 (15-19)		29.7	0.0	62.0 (15-19)		51.3	4.7	101.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.5	0.0	62.5	0.0	31.2	0.0	76.9	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	2	7	9	1	2	6	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	117.6	1000	62.5	134.6	140.6	.	76.9	157.9	47.6	0.0	0.0	71.4
TEENAGE PREGNANCIES#	97	2	36	59	75	1	30	44	22	1	6	15
TEENAGE PREGNANCY RATE	37.9	1.5	77.2 (15-19)		34.8	0.9	71.6 (15-19)		53.8	4.7	106.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,475	5,694	2,861	2,833	1,131
WHITE	48,338	3,031	1,484	1,547	601
NONWHITE	28,137	2,663	1,377	1,286	524

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	194	2	64	128	68	0	17	51	126	2	47	77
TEENAGE IMMATURE BIRTHS	27	0	7	20	4	0	0	4	23	0	7	16
TEENAGE PREMATURE BIRTHS	32	0	14	18	4	0	1	3	28	0	13	15
TEENAGE ILLEGITIMATE BIRTHS	158	2	58	98	36	0	11	25	122	2	47	73
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	6	40	9	0	0	9	37	0	6	31
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	7	47	12	0	0	12	42	0	7	35
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	6	8	3	0	0	3	11	0	6	5
TEENAGE FERTILITY RATE	34.1	0.7	67.8 (15-19)		22.4	0.0	44.0 (15-19)		47.3	1.4	96.4 (15-19)	
TEENAGE FETAL DEATHS**	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE FETAL DEATH RATIO	20.6	0.0	0.0	31.2	14.7	0.0	0.0	19.6	23.8	0.0	0.0	39.0
TEENAGE INDUCED TERMINATIONS#	33	7	11	15	15	2	6	7	18	5	5	8
TEENAGE INDUCED TERMINATION RATIO	170.1	3500	171.9	117.2	220.6	.	352.9	137.2	142.8	2500	106.4	103.9
TEENAGE PREGNANCIES#	231	9	75	147	84	2	23	59	147	7	52	88
TEENAGE PREGNANCY RATE	40.6	3.1	78.4 (15-19)		27.7	1.3	53.0 (15-19)		55.2	5.1	108.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	0	1	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,143	1,023	504	519	156
WHITE	7,936	587	302	285	71
NONWHITE	4,207	436	202	234	79

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	7	30	10	0	2	8	27	0	5	22
TEENAGE IMMATURE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	7	0	1	6	4	0	0	4	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	28	0	5	23	3	0	0	3	25	0	5	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	2	0	0	2	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	2	0	0	2	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	36.2	0.0	71.3 (15-19)		17.0	0.0	35.1 (15-19)		61.9	0.0	115.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	27.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	37.0	0.0	0.0	45.4
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	135.1	.	285.7	100.0	200.0	.	500.0	125.0	111.1	.	200.0	90.9
TEENAGE PREGNANCIES#	43	0	9	34	12	0	3	9	31	0	6	25
TEENAGE PREGNANCY RATE	42.0	0.0	82.8 (15-19)		20.4	0.0	42.1 (15-19)		71.1	0.0	132.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,578	1,441	726	715	329
WHITE	10,907	695	361	334	161
NONWHITE	7,671	746	365	381	166

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	4	22	36	28	1	9	18	34	3	13	18
TEENAGE IMMATURE BIRTHS	7	2	2	3	3	1	1	1	4	1	1	2
TEENAGE PREMATURE BIRTHS	11	0	5	6	5	0	1	4	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	39	3	18	18	11	0	5	6	28	3	13	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	6	0	0	6	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	7	0	1	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE		43.0	5.5	81.1 (15-19)	40.3	2.8	80.8 (15-19)		45.6	8.2	81.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	2	5	1	0	1	0	7	1	1	5
TEENAGE INDUCED TERMINATION RATIO	129.0	250.0	90.9	138.9	35.7	0.0	111.1	0.0	205.9	333.3	76.9	277.8
TEENAGE PREGNANCIES#	70	5	24	41	29	1	10	18	41	4	14	23
TEENAGE PREGNANCY RATE	48.6	6.9	90.9 (15-19)	41.7	2.8	83.8 (15-19)	55.0	11.0	97.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	73,739	5,507	2,807	2,700	1,153
WHITE	57,121	3,911	2,010	1,901	774
NONWHITE	16,618	1,596	797	799	379

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	240	7	96	137	122	3	44	75	118	4	52	62
TEENAGE IMMATURE BIRTHS	21	1	6	14	3	0	0	3	18	1	6	11
TEENAGE PREMATURE BIRTHS	37	2	13	22	8	0	2	6	29	2	11	16
TEENAGE ILLEGITIMATE BIRTHS	179	6	77	96	63	2	25	36	116	4	52	60
TEENS WHO HAD PREVIOUS LIVE BIRTHS	64	0	14	50	27	0	4	23	37	0	10	27
TEENS WHO HAD PREVIOUS PREGNANCIES	78	0	19	59	34	0	7	27	44	0	12	32
TEENS WITH INADEQUATE* PRENATAL CARE	20	0	14	6	4	0	2	2	16	0	12	4
TEENAGE FERTILITY RATE	43.6	2.5	86.3 (15-19)		31.2	1.5	62.6 (15-19)		73.9	5.0	142.7 (15-19)	
TEENAGE FETAL DEATHS**	5	0	1	4	3	0	1	2	2	0	0	2
TEENAGE FETAL DEATH RATIO	20.8	0.0	10.4	29.2	24.6	0.0	22.7	26.7	16.9	0.0	0.0	32.2
TEENAGE INDUCED TERMINATIONS#	13	2	6	5	7	0	4	3	6	2	2	2
TEENAGE INDUCED TERMINATION RATIO	54.2	285.7	62.5	36.5	57.4	0.0	90.9	40.0	50.8	500.0	38.5	32.2
TEENAGE PREGNANCIES#	258	9	103	146	132	3	49	80	126	6	54	66
TEENAGE PREGNANCY RATE	46.8	3.2	92.2 (15-19)		33.8	1.5	67.8 (15-19)		78.9	7.5	150.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,970	3,572	1,698	1,874	670
WHITE	13,470	905	454	451	142
NONWHITE	23,500	2,667	1,244	1,423	528

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	192	9	85	98	18	0	3	15	174	9	82	83
TEENAGE IMMATURE BIRTHS	15	2	3	10	3	0	0	3	12	2	3	7
TEENAGE PREMATURE BIRTHS	31	1	7	23	5	0	0	5	26	1	7	18
TEENAGE ILLEGITIMATE BIRTHS	183	9	84	90	10	0	2	8	173	9	82	82
TEENS WHO HAD PREVIOUS LIVE BIRTHS	72	0	18	54	4	0	0	4	68	0	18	50
TEENS WHO HAD PREVIOUS PREGNANCIES	84	0	24	60	6	0	1	5	78	0	23	55
TEENS WITH INADEQUATE* PRENATAL CARE	34	0	13	21	2	0	0	2	32	0	13	19
TEENAGE FERTILITY RATE	53.8	5.3	97.6 (15-19)	19.9	0.0	39.9 (15-19)	65.2	7.2	116.0 (15-19)			
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	10.4	0.0	11.8	10.2	0.0	0.0	0.0	0.0	11.5	0.0	12.2	12.0
TEENAGE INDUCED TERMINATIONS#	22	1	6	15	3	0	0	3	19	1	6	12
TEENAGE INDUCED TERMINATION RATIO	114.6	111.1	70.6	153.1	166.7	.	0.0	200.0	109.2	111.1	73.2	144.6
TEENAGE PREGNANCIES#	216	10	92	114	21	0	3	18	195	10	89	96
TEENAGE PREGNANCY RATE	60.5	5.9	109.9 (15-19)	23.2	0.0	46.6 (15-19)	73.1	8.0	130.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,911	2,555	1,246	1,309	453
WHITE	22,041	1,575	786	789	294
NONWHITE	9,870	980	460	520	159

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	87	2	36	49	40	1	15	24	47	1	21	25
TEENAGE IMMATURE BIRTHS	11	0	4	7	5	0	1	4	6	0	3	3
TEENAGE PREMATURE BIRTHS	20	0	11	9	5	0	3	2	15	0	8	7
TEENAGE ILLEGITIMATE BIRTHS	63	2	30	31	19	1	9	9	44	1	21	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	0	15	4	0	0	4	11	0	0	11
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	1	18	5	0	0	5	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	4	0	3	1	2	1	0	1
TEENAGE FERTILITY RATE	34.0	1.6	64.9 (15-19)	25.4	1.3	49.4 (15-19)	48.0	2.2	88.5 (15-19)			
TEENAGE FETAL DEATHS**	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FETAL DEATH RATIO	34.5	0.0	83.3	0.0	0.0	0.0	0.0	0.0	63.8	0.0	142.8	0.0
TEENAGE INDUCED TERMINATIONS#	14	0	8	6	6	0	4	2	8	0	4	4
TEENAGE INDUCED TERMINATION RATIO	160.9	0.0	222.2	122.4	150.0	0.0	266.7	83.3	170.2	0.0	190.5	160.0
TEENAGE PREGNANCIES#	104	2	47	55	46	1	19	26	58	1	28	29
TEENAGE PREGNANCY RATE	40.7	1.6	77.9 (15-19)	29.2	1.3	57.0 (15-19)	59.2	2.2	109.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	61,480	4,774	2,343	2,431	1,042
WHITE	37,591	2,487	1,242	1,245	501
NONWHITE	23,889	2,287	1,101	1,186	539

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	161	9	55	97	53	0	16	37	108	9	39	60
TEENAGE IMMATURE BIRTHS	25	3	9	13	5	0	1	4	20	3	8	9
TEENAGE PREMATURE BIRTHS	30	3	10	17	5	0	2	3	25	3	8	14
TEENAGE ILLEGITIMATE BIRTHS	127	9	50	68	28	0	11	17	99	9	39	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	1	6	35	10	0	0	10	32	1	6	25
TEENS WHO HAD PREVIOUS PREGNANCIES	46	1	6	39	13	0	0	13	33	1	6	26
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	3	9	1	0	0	1	12	1	3	8
TEENAGE FERTILITY RATE	33.7	3.8	62.5 (15-19)		21.3	0.0	42.6 (15-19)		47.2	8.2	83.5 (15-19)	
TEENAGE FETAL DEATHS**	3	1	1	1	1	0	1	0	2	1	0	1
TEENAGE FETAL DEATH RATIO	18.6	111.1	18.2	10.3	18.9	0.0	62.5	0.0	18.5	111.1	0.0	16.7
TEENAGE INDUCED TERMINATIONS#	29	2	10	17	19	0	6	13	9	2	3	4
TEENAGE INDUCED TERMINATION RATIO	180.1	222.2	181.8	175.2	358.5	.	375.0	351.4	83.3	222.2	76.9	66.7
TEENAGE PREGNANCIES#	193	12	66	115	73	0	23	50	119	12	42	65
TEENAGE PREGNANCY RATE	40.4	5.1	74.4 (15-19)		29.4	0.0	58.6 (15-19)		52.0	10.9	90.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	1	2	0	0	0	0	0	3	1	2	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	68,174	5,278	2,720	2,558	1,144
WHITE	39,897	2,554	1,371	1,183	608
NONWHITE	28,277	2,724	1,349	1,375	536

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	163	4	74	85	18	0	6	12	145	4	68	73
TEENAGE IMMATURE BIRTHS	15	0	5	10	0	0	0	0	15	0	5	10
TEENAGE PREMATURE BIRTHS	27	0	12	15	1	0	0	1	26	0	12	14
TEENAGE ILLEGITIMATE BIRTHS	148	4	70	74	9	0	3	6	139	4	67	68
TEENS WHO HAD PREVIOUS LIVE BIRTHS	35	0	3	32	4	0	0	4	31	0	3	28
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	6	34	6	0	1	5	34	0	5	29
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE FERTILITY RATE	30.9	1.5	62.2 (15-19)		7.0	0.0	15.2 (15-19)		53.2	3.0	102.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	12.3	0.0	27.0	0.0	0.0	0.0	0.0	0.0	13.8	0.0	29.4	0.0
TEENAGE INDUCED TERMINATIONS#	42	3	21	18	21	0	13	8	21	3	8	10
TEENAGE INDUCED TERMINATION RATIO	257.7	750.0	283.8	211.8	1167	.	2167	666.7	144.8	750.0	117.6	137.0
TEENAGE PREGNANCIES#	207	7	97	103	39	0	19	20	168	7	78	83
TEENAGE PREGNANCY RATE	39.2	2.6	78.2 (15-19)		15.3	0.0	33.0 (15-19)		61.7	5.2	117.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,938	2,083	1,034	1,049	397
WHITE	17,023	1,254	639	615	235
NONWHITE	7,915	829	395	434	162

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	3	38	54	47	0	18	29	48	3	20	25
TEENAGE IMMATURE BIRTHS	13	2	7	4	4	0	2	2	9	2	5	2
TEENAGE PREMATURE BIRTHS	10	2	7	1	3	0	2	1	7	2	5	0
TEENAGE ILLEGITIMATE BIRTHS	69	3	31	35	24	0	12	12	45	3	19	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	4	15	7	0	1	6	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	4	17	8	0	1	7	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	45.6	2.9	87.7 (15-19)	37.5	0.0	76.4 (15-19)	57.9	7.6	103.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	3	2	3	0	2	1	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	63.2	333.3	78.9	37.0	63.8	.	111.1	34.5	62.5	333.3	50.0	40.0
TEENAGE PREGNANCIES#	101	4	41	56	50	0	20	30	51	4	21	26
TEENAGE PREGNANCY RATE	48.5	3.9	92.5 (15-19)	39.9	0.0	81.3 (15-19)	61.5	10.1	108.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,413	2,759	1,318	1,441	529
WHITE	15,813	1,048	531	517	224
NONWHITE	16,600	1,711	787	924	305

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	131	5	56	70	43	2	18	23	88	3	38	47
TEENAGE IMMATURE BIRTHS	22	2	12	8	4	1	1	2	18	1	11	6
TEENAGE PREMATURE BIRTHS	16	1	8	7	4	0	3	1	12	1	5	6
TEENAGE ILLEGITIMATE BIRTHS	112	5	51	56	26	2	13	11	86	3	38	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	7	22	8	0	1	7	21	0	6	15
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	10	28	12	0	3	9	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	6	7	2	0	2	0	12	1	4	7
TEENAGE FERTILITY RATE	47.5	3.8	87.4 (15-19)		41.0	3.8	79.3 (15-19)		51.4	3.8	92.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	7.6	0.0	17.8	0.0	0.0	0.0	0.0	0.0	11.4	0.0	26.3	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	132	5	57	70	43	2	18	23	89	3	39	47
TEENAGE PREGNANCY RATE	47.8	3.8	88.1 (15-19)		41.0	3.8	79.3 (15-19)		52.0	3.8	93.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,514	2,792	1,407	1,385	456
WHITE	24,937	1,717	890	827	292
NONWHITE	11,577	1,075	517	558	164

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	86	2	27	57	39	1	9	29	47	1	18	28
TEENAGE IMMATURE BIRTHS	12	0	3	9	5	0	1	4	7	0	2	5
TEENAGE PREMATURE BIRTHS	16	0	4	12	6	0	2	4	10	0	2	8
TEENAGE ILLEGITIMATE BIRTHS	65	2	21	42	18	1	3	14	47	1	18	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	8	0	1	7	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	3	18	10	0	2	8	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	30.8	1.4	60.6 (15-19)		22.7	1.1	45.9 (15-19)		43.7	1.9	82.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.6	0.0	0.0	17.5	25.6	0.0	0.0	34.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	2	4	3	3	0	2	1	6	2	2	2
TEENAGE INDUCED TERMINATION RATIO	104.6	1000	148.1	52.6	76.9	0.0	222.2	34.5	127.7	2000	111.1	71.4
TEENAGE PREGNANCIES#	96	4	31	61	43	1	11	31	53	3	20	30
TEENAGE PREGNANCY RATE	34.4	2.8	66.4 (15-19)		25.0	1.1	50.8 (15-19)		49.3	5.8	89.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,882	952	485	467	185
WHITE	6,316	376	196	180	81
NONWHITE	5,566	576	289	287	102

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	0	22	30	15	0	6	9	37	0	16	21
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	46	0	21	25	10	0	5	5	36	0	16	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	3	0	1	2	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	3	0	1	2	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	54.6	0.0	111.3	(15-19)	39.9	0.0	83.3	(15-19)	64.2	0.0	128.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	57.7	0.0	0.0	100.0	66.7	0.0	0.0	111.1	54.0	0.0	0.0	95.2
TEENAGE INDUCED TERMINATIONS#	9	0	5	4	5	0	2	3	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	173.1	.	227.3	133.3	333.3	.	333.3	333.3	108.1	.	187.5	47.6
TEENAGE PREGNANCIES#	64	0	27	37	21	0	8	13	43	0	19	24
TEENAGE PREGNANCY RATE	67.2	0.0	137.0	(15-19)	55.8	0.0	116.7	(15-19)	74.6	0.0	149.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,934	2,156	1,030	1,126	423
WHITE	18,182	1,270	603	667	231
NONWHITE	8,752	886	427	459	190

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	2	36	50	43	0	17	26	45	2	19	24
TEENAGE IMMATURE BIRTHS	9	0	3	6	7	0	3	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	15	0	8	7	7	0	4	3	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	63	2	30	31	24	0	12	12	39	2	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	7	0	1	6	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	4	17	8	0	1	7	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	5	2	1	0	1	0	7	1	4	2
TEENAGE FERTILITY RATE	40.8	1.9	76.4 (15-19)		33.8	0.0	64.5 (15-19)		50.8	4.7	93.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	22.7	0.0	0.0	40.0	0.0	0.0	0.0	0.0	44.4	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	11	1	5	5	7	0	4	3	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	125.0	500.0	138.9	100.0	162.8	.	235.3	115.4	88.9	500.0	52.6	83.3
TEENAGE PREGNANCIES#	101	3	41	57	50	0	21	29	51	3	20	28
TEENAGE PREGNANCY RATE	46.8	2.9	87.0 (15-19)		39.4	0.0	75.0 (15-19)		57.6	7.0	104.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,630	1,654	785	869	317
WHITE	14,434	960	464	496	171
NONWHITE	7,196	694	321	373	140

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	2	20	35	19	0	3	16	38	2	17	19
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	11	0	5	6	4	0	0	4	7	0	5	2
TEENAGE ILLEGITIMATE BIRTHS	34	2	16	16	1	0	0	1	33	2	16	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	6	14	8	0	1	7	12	0	5	7
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	7	17	9	0	1	8	15	0	6	9
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	34.5	2.5	63.3 (15-19)	19.8	19.8	0.0	38.3 (15-19)	54.8	54.8	6.2	96.5 (15-19)	19.8
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	35.1	0.0	50.0	28.6	0.0	0.0	0.0	0.0	52.6	0.0	58.8	52.6
TEENAGE INDUCED TERMINATIONS#	11	1	5	5	6	0	3	3	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	193.0	500.0	250.0	142.8	315.8	.	1000	187.5	131.6	500.0	117.6	105.3
TEENAGE PREGNANCIES#	70	3	26	41	25	0	6	19	45	3	20	22
TEENAGE PREGNANCY RATE	42.3	3.8	77.1 (15-19)	26.0	26.0	0.0	50.4 (15-19)	64.8	64.8	9.3	112.6 (15-19)	26.0
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,134	1,142	559	583	235
WHITE	3,240	213	107	106	52
NONWHITE	8,894	929	452	477	183

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	2	28	26	4	0	1	3	52	2	27	23
TEENAGE IMMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	17	0	6	11	0	0	0	0	17	0	6	11
TEENAGE ILLEGITIMATE BIRTHS	54	2	28	24	2	0	1	1	52	2	27	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	1	0	0	1	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	6	4	0	0	0	0	11	1	6	4
TEENAGE FERTILITY RATE	49.0	3.6	92.6 (15-19)	18.8	0.0	37.7 (15-19)	56.0	4.4	104.8 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	17.8	0.0	35.7	0.0	0.0	0.0	0.0	0.0	19.2	0.0	37.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	35.7	115.4	500.0	.	0.0	666.7	38.5	0.0	37.0	43.5
TEENAGE PREGNANCIES#	61	2	30	29	6	0	1	5	55	2	29	24
TEENAGE PREGNANCY RATE	53.4	3.6	101.2 (15-19)	28.2	0.0	56.6 (15-19)	59.2	4.4	111.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,994	3,468	1,204	2,264	536
WHITE	24,015	1,911	490	1,421	240
NONWHITE	14,979	1,557	714	843	296

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	1	34	36	14	0	4	10	57	1	30	26
TEENAGE IMMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	12	0	4	8	1	0	0	1	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	62	1	31	30	5	0	1	4	57	1	30	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	3	0	0	3	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	4	17	4	0	0	4	17	0	4	13
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	8	8	2	0	1	1	14	0	7	7
TEENAGE FERTILITY RATE	20.5	0.8	30.9	(15-19)	7.3	0.0	9.8	(15-19)	36.6	1.4	66.4	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	28.2	0.0	29.4	27.8	0.0	0.0	0.0	0.0	35.1	0.0	33.3	38.5
TEENAGE INDUCED TERMINATIONS#	31	1	7	23	15	0	2	13	15	1	4	10
TEENAGE INDUCED TERMINATION RATIO	436.6	1000	205.9	638.9	1071	.	500.0	1300	263.2	1000	133.3	384.6
TEENAGE PREGNANCIES#	104	2	42	60	29	0	6	23	74	2	35	37
TEENAGE PREGNANCY RATE	30.0	1.7	45.0	(15-19)	15.2	0.0	20.4	(15-19)	47.5	2.8	85.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,738	2,911	1,467	1,444	548
WHITE	17,547	1,175	582	593	206
NONWHITE	16,191	1,736	885	851	342

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	143	3	62	78	40	0	20	20	103	3	42	58
TEENAGE IMMATURE BIRTHS	21	0	10	11	1	0	1	0	20	0	9	11
TEENAGE PREMATURE BIRTHS	24	0	11	13	4	0	3	1	20	0	8	12
TEENAGE ILLEGITIMATE BIRTHS	112	3	47	62	13	0	6	7	99	3	41	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	8	30	8	0	1	7	30	0	7	23
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	13	35	13	0	3	10	35	0	10	25
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE FERTILITY RATE	49.1	2.0	97.0 (15-19)		34.0	0.0	67.4 (15-19)		59.3	3.4	117.5 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	21.0	0.0	16.1	25.6	0.0	0.0	0.0	0.0	29.1	0.0	23.8	34.5
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	28.0	0.0	16.1	38.5	75.0	.	50.0	100.0	9.7	0.0	0.0	17.2
TEENAGE PREGNANCIES#	150	3	64	83	43	0	21	22	107	3	43	61
TEENAGE PREGNANCY RATE	51.5	2.0	101.8 (15-19)		36.6	0.0	72.5 (15-19)		61.6	3.4	122.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,866	3,273	1,628	1,645	611
WHITE	35,198	2,608	1,297	1,311	512
NONWHITE	6,668	665	331	334	99

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	139	4	42	93	106	2	33	71	33	2	9	22
TEENAGE IMMATURE BIRTHS	15	1	7	7	10	0	5	5	5	1	2	2
TEENAGE PREMATURE BIRTHS	19	3	4	12	11	1	2	8	8	2	2	4
TEENAGE ILLEGITIMATE BIRTHS	89	4	34	51	56	2	25	29	33	2	9	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	3	37	31	0	3	28	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	49	0	8	41	36	0	7	29	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	3	4	5	0	2	3	3	1	1	1
TEENAGE FERTILITY RATE	42.5	2.4	82.1 (15-19)		40.6	1.5	79.3 (15-19)		49.6	6.0	92.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.4	0.0	47.6	0.0	18.9	0.0	60.6	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	7.2	0.0	23.8	0.0	0.0	0.0	0.0	0.0	30.3	0.0	111.1	0.0
TEENAGE PREGNANCIES#	142	4	45	93	108	2	35	71	34	2	10	22
TEENAGE PREGNANCY RATE	43.4	2.4	83.9 (15-19)		41.4	1.5	80.8 (15-19)		51.1	6.0	95.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,321	957	479	478	200
WHITE	8,615	681	349	332	139
NONWHITE	2,706	276	130	146	61

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	2	13	26	30	0	11	19	11	2	2	7
TEENAGE IMMATURE BIRTHS	7	0	4	3	5	0	3	2	2	0	1	1
TEENAGE PREMATURE BIRTHS	9	0	6	3	7	0	5	2	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	25	2	10	13	14	0	8	6	11	2	2	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	10	0	1	9	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	12	0	2	10	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE	42.8	4.2	81.6 (15-19)		44.0	0.0	90.4 (15-19)		39.8	15.4	61.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	48.8	0.0	0.0	76.9	66.7	.	0.0	105.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	43	2	13	28	32	0	11	21	11	2	2	7
TEENAGE PREGNANCY RATE	44.9	4.2	85.8 (15-19)		47.0	0.0	96.4 (15-19)		39.8	15.4	61.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,321	3,170	1,537	1,633	579
WHITE	19,565	1,303	624	679	250
NONWHITE	17,756	1,867	913	954	329

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	4	45	80	34	1	12	21	95	3	33	59
TEENAGE IMMATURE BIRTHS	15	1	5	9	0	0	0	0	15	1	5	9
TEENAGE PREMATURE BIRTHS	20	1	10	9	2	0	2	0	18	1	8	9
TEENAGE ILLEGITIMATE BIRTHS	113	4	40	69	20	1	8	11	93	3	32	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	4	28	8	0	1	7	24	0	3	21
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	4	36	10	0	1	9	30	0	3	27
TEENS WITH INADEQUATE* PRENATAL CARE	20	1	6	13	1	0	0	1	19	1	6	12
TEENAGE FERTILITY RATE	40.7	2.6	76.5 (15-19)		26.1	1.6	48.6 (15-19)		50.9	3.3	96.4 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	23.2	0.0	22.2	25.0	0.0	0.0	0.0	0.0	31.6	0.0	30.3	33.9
TEENAGE INDUCED TERMINATIONS#	18	0	9	9	6	0	3	3	12	0	6	6
TEENAGE INDUCED TERMINATION RATIO	139.5	0.0	200.0	112.5	176.5	0.0	250.0	142.8	126.3	0.0	181.8	101.7
TEENAGE PREGNANCIES#	150	4	55	91	40	1	15	24	110	3	40	67
TEENAGE PREGNANCY RATE	47.3	2.6	89.4 (15-19)		30.7	1.6	57.4 (15-19)		58.9	3.3	112.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,020	1,817	904	913	347
WHITE	20,971	1,416	735	681	282
NONWHITE	4,049	401	169	232	65

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	4	18	42	54	2	15	37	10	2	3	5
TEENAGE IMMATURE BIRTHS	7	2	1	4	6	1	1	4	1	1	0	0
TEENAGE PREMATURE BIRTHS	14	4	3	7	9	2	2	5	5	2	1	2
TEENAGE ILLEGITIMATE BIRTHS	32	4	13	15	23	2	10	11	9	2	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	0	15	12	0	0	12	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	1	17	14	0	0	14	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE FERTILITY RATE	35.2	4.4	65.7 (15-19)		38.1	2.7	76.4 (15-19)		24.9	11.8	34.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.6	0.0	0.0	23.8	0.0	0.0	0.0	0.0	100.0	0.0	0.0	200.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	65	4	18	43	54	2	15	37	11	2	3	6
TEENAGE PREGNANCY RATE	35.8	4.4	66.8 (15-19)		38.1	2.7	76.4 (15-19)		27.4	11.8	38.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,561	1,576	723	853	321
WHITE	20,593	1,315	609	706	274
NONWHITE	2,968	261	114	147	47

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	0	25	40	52	0	21	31	13	0	4	9
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	4	4	6	0	3	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	30	0	16	14	17	0	12	5	13	0	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	9	0	1	8	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	10	0	1	9	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	41.2	0.0	76.2 (15-19)		39.5	0.0	73.6 (15-19)		49.8	0.0	88.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	2	0	2	0	2	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	46.2	.	80.0	0.0	38.5	.	95.2	0.0	76.9	.	0.0	0.0
TEENAGE PREGNANCIES#	68	1	27	40	54	0	23	31	14	1	4	9
TEENAGE PREGNANCY RATE	43.1	1.4	78.5 (15-19)		41.1	0.0	76.5 (15-19)		53.6	8.8	88.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,470	843	387	456	171
WHITE	3,265	180	81	99	34
NONWHITE	6,205	663	306	357	137

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	2	16	34	7	0	2	5	45	2	14	29
TEENAGE IMMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE PREMATURE BIRTHS	7	1	1	5	1	0	0	1	6	1	1	4
TEENAGE ILLEGITIMATE BIRTHS	47	2	14	31	3	0	0	3	44	2	14	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	2	0	1	1	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	2	0	1	1	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE		61.7	5.2	109.6 (15-19)	38.9	0.0	70.7 (15-19)	67.9	6.5	120.4 (15-19)		
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	19.2	0.0	62.5	0.0	0.0	0.0	0.0	0.0	22.2	0.0	71.4	0.0
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	19.2	500.0	0.0	0.0	0.0	.	0.0	0.0	22.2	500.0	0.0	0.0
TEENAGE PREGNANCIES#	54	3	17	34	7	0	2	5	47	3	15	29
TEENAGE PREGNANCY RATE	64.0	7.8	111.8 (15-19)	38.9	0.0	70.7 (15-19)	70.9	9.8	123.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	103,176	7,921	3,966	3,955	1,534
WHITE	84,469	6,187	3,084	3,103	1,239
NONWHITE	18,707	1,734	882	852	295

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	204	3	79	122	148	2	50	96	56	1	29	26
TEENAGE IMMATURE BIRTHS	20	2	3	15	13	1	3	9	7	1	0	6
TEENAGE PREMATURE BIRTHS	24	1	9	14	16	1	4	11	8	0	5	3
TEENAGE ILLEGITIMATE BIRTHS	135	3	68	64	82	2	39	41	53	1	29	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	6	32	22	0	0	22	16	0	6	10
TEENS WHO HAD PREVIOUS PREGNANCIES	53	0	10	43	37	0	4	33	16	0	6	10
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	9	8	10	0	5	5	8	1	4	3
TEENAGE FERTILITY RATE	25.8	0.8	50.8 (15-19)		23.9	0.6	47.0 (15-19)		32.3	1.1	64.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	14.7	0.0	0.0	24.6	0.0	0.0	0.0	0.0	53.6	0.0	0.0	115.4
TEENAGE INDUCED TERMINATIONS#	65	7	16	42	46	6	13	27	19	1	3	15
TEENAGE INDUCED TERMINATION RATIO	318.6	2333	202.5	344.3	310.8	3000	260.0	281.2	339.3	1000	103.4	576.9
TEENAGE PREGNANCIES#	272	10	95	167	194	8	63	123	78	2	32	44
TEENAGE PREGNANCY RATE	34.3	2.5	66.2 (15-19)		31.4	2.6	59.9 (15-19)		45.0	2.3	89.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,275	1,926	952	974	421
WHITE	14,612	974	489	485	225
NONWHITE	9,663	952	463	489	196

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	99	2	41	56	45	0	16	29	54	2	25	27
TEENAGE IMMATURE BIRTHS	9	0	4	5	4	0	1	3	5	0	3	2
TEENAGE PREMATURE BIRTHS	14	0	8	6	6	0	3	3	8	0	5	3
TEENAGE ILLEGITIMATE BIRTHS	78	2	37	39	24	0	12	12	54	2	25	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	10	17	11	0	3	8	16	0	7	9
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	10	21	14	0	3	11	17	0	7	10
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE FERTILITY RATE	51.4	2.1	99.6 (15-19)	46.2	0.0	92.8 (15-19)	56.7	4.3	106.3 (15-19)			
TEENAGE FETAL DEATHS**	3	1	0	2	2	1	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	30.3	500.0	0.0	35.7	44.4	0.0	0.0	34.5	18.5	0.0	0.0	37.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	4	0	1	3	4	1	2	1
TEENAGE INDUCED TERMINATION RATIO	80.8	500.0	73.2	71.4	88.9	.	62.5	103.4	74.1	500.0	80.0	37.0
TEENAGE PREGNANCIES#	110	4	44	62	51	1	17	33	59	3	27	29
TEENAGE PREGNANCY RATE	57.1	4.2	108.8 (15-19)	52.4	2.0	103.1 (15-19)	62.0	6.5	114.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,875	701	319	382	122
WHITE	1,967	154	75	79	25
NONWHITE	4,908	547	244	303	97

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	12	19	2	0	1	1	30	1	11	18
TEENAGE IMMATURE BIRTHS	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	31	1	12	18	1	0	1	0	30	1	11	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	1	0	1	0	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	1	0	1	0	14	0	2	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE	45.6	3.1	81.2 (15-19)	13.0	0.0	25.3 (15-19)	54.8	4.1	95.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	156.2	0.0	250.0	105.3	1000	.	2000	0.0	100.0	0.0	90.9	111.1
TEENAGE PREGNANCIES#	37	1	15	21	4	0	3	1	33	1	12	20
TEENAGE PREGNANCY RATE	52.8	3.1	94.2 (15-19)	26.0	0.0	50.6 (15-19)	60.3	4.1	105.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,936	1,928	938	990	335
WHITE	15,824	1,134	538	596	201
NONWHITE	8,112	794	400	394	132

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	2	32	41	46	1	16	29	29	1	16	12
TEENAGE IMMATURE BIRTHS	9	0	3	6	7	0	1	6	2	0	2	0
TEENAGE PREMATURE BIRTHS	7	0	4	3	6	0	3	3	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	48	2	23	23	22	1	8	13	26	1	15	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	7	9	10	0	3	7	6	0	4	2
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	7	10	11	0	3	8	6	0	4	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	2	1	0	1	2	0	2	0
TEENAGE FERTILITY RATE	38.9	2.1	73.7 (15-19)		40.6	1.8	75.5 (15-19)		36.5	2.5	71.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.3	0.0	0.0	24.4	0.0	0.0	0.0	0.0	34.5	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	3	0	0	3	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	106.7	0.0	93.8	122.0	65.2	0.0	0.0	103.4	172.4	0.0	187.5	166.7
TEENAGE PREGNANCIES#	84	2	35	47	49	1	16	32	35	1	19	15
TEENAGE PREGNANCY RATE	43.6	2.1	82.8 (15-19)		43.2	1.8	80.5 (15-19)		44.1	2.5	86.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,813	1,119	565	554	190
WHITE	11,379	773	382	391	131
NONWHITE	3,434	346	183	163	57

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	1	18	21	25	1	12	12	15	0	6	9
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	6	1	3	2	5	1	2	2	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	28	1	12	15	14	1	6	7	14	0	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	5	0	1	4	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	5	0	1	4	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	35.7	1.8	70.4 (15-19)		32.3	2.6	61.4 (15-19)		43.4	0.0	92.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	100.0	1000	55.6	95.2	80.0	0.0	83.3	83.3	133.3	.	0.0	111.1
TEENAGE PREGNANCIES#	44	2	19	23	27	1	13	13	17	1	6	10
TEENAGE PREGNANCY RATE	39.3	3.5	75.8 (15-19)		34.9	2.6	66.5 (15-19)		49.1	5.5	98.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,318	970	436	534	209
WHITE	9,479	681	298	383	161
NONWHITE	2,839	289	138	151	46

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	14	23	26	0	9	17	11	0	5	6
TEENAGE IMMATURE BIRTHS	5	0	2	3	5	0	2	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	26	0	12	14	15	0	7	8	11	0	5	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	3	5	3	0	1	2	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	6	0	1	5	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	38.1	0.0	69.3 (15-19)		38.2	0.0	67.9 (15-19)		38.1	0.0	72.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	27.0	0.0	0.0	43.5	0.0	0.0	0.0	0.0	90.9	0.0	0.0	166.7
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	3	0	0	3	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	135.1	.	71.4	173.9	115.4	.	0.0	176.5	181.8	.	200.0	166.7
TEENAGE PREGNANCIES#	43	0	15	28	29	0	9	20	14	0	6	8
TEENAGE PREGNANCY RATE	44.3	0.0	80.5 (15-19)		42.6	0.0	75.7 (15-19)		48.4	0.0	92.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,345	3,049	1,509	1,540	529
WHITE	11,437	682	324	358	94
NONWHITE	23,908	2,367	1,185	1,182	435

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	171	8	63	100	15	0	5	10	156	8	58	90
TEENAGE IMMATURE BIRTHS	17	1	8	8	0	0	0	0	17	1	8	8
TEENAGE PREMATURE BIRTHS	28	1	14	13	1	0	0	1	27	1	14	12
TEENAGE ILLEGITIMATE BIRTHS	164	8	62	94	9	0	4	5	155	8	58	89
TEENS WHO HAD PREVIOUS LIVE BIRTHS	59	0	11	48	2	0	0	2	57	0	11	46
TEENS WHO HAD PREVIOUS PREGNANCIES	63	0	13	50	3	0	0	3	60	0	13	47
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	2	4	1	0	1	0	6	1	1	4
TEENAGE FERTILITY RATE	56.1	5.3	105.8 (15-19)		22.0	0.0	41.9 (15-19)		65.9	6.8	125.2 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	5.8	125.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	125.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	1	1	10	4	0	1	3	8	1	0	7
TEENAGE INDUCED TERMINATION RATIO	70.2	125.0	15.9	100.0	266.7	.	200.0	300.0	51.3	125.0	0.0	77.8
TEENAGE PREGNANCIES#	184	10	64	110	19	0	6	13	165	10	58	97
TEENAGE PREGNANCY RATE	60.3	6.6	113.0 (15-19)		27.8	0.0	53.1 (15-19)		69.7	8.4	131.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,087	1,320	661	659	222
WHITE	5,041	322	167	155	64
NONWHITE	9,046	998	494	504	158

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	2	24	40	7	0	3	4	59	2	21	36
TEENAGE IMMATURE BIRTHS	6	1	2	3	0	0	0	0	6	1	2	3
TEENAGE PREMATURE BIRTHS	11	1	3	7	0	0	0	0	11	1	3	7
TEENAGE ILLEGITIMATE BIRTHS	60	2	21	37	3	0	0	3	57	2	21	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	3	0	1	2	12	0	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	4	17	3	0	1	2	18	0	3	15
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	50.0	3.0	97.1 (15-19)		21.7	0.0	45.2 (15-19)		59.1	4.0	113.1 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	30.3	0.0	41.7	25.0	142.8	0.0	333.3	0.0	16.9	0.0	0.0	27.8
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	1	0	0	1	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	45.4	500.0	0.0	50.0	142.8	.	0.0	250.0	33.9	500.0	0.0	27.8
TEENAGE PREGNANCIES#	71	3	25	43	9	0	4	5	62	3	21	38
TEENAGE PREGNANCY RATE	53.8	4.5	103.2 (15-19)		28.0	0.0	58.1 (15-19)		62.1	6.1	117.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	3	0	0	0	0	0	3	0	3	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,352	1,815	834	981	340
WHITE	14,342	1,017	453	564	199
NONWHITE	8,010	798	381	417	141

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	3	27	50	33	0	10	23	47	3	17	27
TEENAGE IMMATURE BIRTHS	13	0	6	7	4	0	2	2	9	0	4	5
TEENAGE PREMATURE BIRTHS	20	1	8	11	6	0	3	3	14	1	5	8
TEENAGE ILLEGITIMATE BIRTHS	63	3	24	36	16	0	7	9	47	3	17	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	11	0	2	9	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	8	17	13	0	3	10	12	0	5	7
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	3	8	4	0	1	3	8	1	2	5
TEENAGE FERTILITY RATE	44.1	3.6	78.5 (15-19)		32.4	0.0	58.5 (15-19)		58.9	7.9	105.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	12.5	0.0	37.0	0.0	0.0	0.0	0.0	0.0	21.3	0.0	58.8	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	81	3	28	50	33	0	10	23	48	3	18	27
TEENAGE PREGNANCY RATE	44.6	3.6	79.5 (15-19)		32.4	0.0	58.5 (15-19)		60.2	7.9	107.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,615	1,449	723	726	306
WHITE	16,202	1,099	545	554	240
NONWHITE	3,413	350	178	172	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	3	28	54	58	2	18	38	27	1	10	16
TEENAGE IMMATURE BIRTHS	10	2	4	4	5	1	2	2	5	1	2	2
TEENAGE PREMATURE BIRTHS	21	1	6	14	13	0	4	9	8	1	2	5
TEENAGE ILLEGITIMATE BIRTHS	55	3	23	29	31	2	13	16	24	1	10	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	4	17	13	0	2	11	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	15	0	2	13	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	5	2	2	0	1	1	5	0	4	1
TEENAGE FERTILITY RATE	58.7	4.1	112.9	(15-19)	52.8	3.7	101.1	(15-19)	77.1	5.6	151.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	85	3	28	54	58	2	18	38	27	1	10	16
TEENAGE PREGNANCY RATE	58.7	4.1	112.9	(15-19)	52.8	3.7	101.1	(15-19)	77.1	5.6	151.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,666	1,144	550	594	207
WHITE	16,964	1,085	520	565	201
NONWHITE	702	59	30	29	6

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	12	25	33	0	12	21	4	0	0	4
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	16	0	5	11	12	0	5	7	4	0	0	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	5	0	1	4	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	9	0	1	8	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	32.3	0.0	62.3 (15-19)		30.4	0.0	58.4 (15-19)		67.8	0.0	137.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	27.0	.	83.3	0.0	30.3	.	83.3	0.0	0.0	.	.	0.0
TEENAGE PREGNANCIES#	38	0	13	25	34	0	13	21	4	0	0	4
TEENAGE PREGNANCY RATE	33.2	0.0	64.0 (15-19)		31.3	0.0	60.2 (15-19)		67.8	0.0	137.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,063	884	419	465	156
WHITE	2,373	165	83	82	35
NONWHITE	6,690	719	336	383	121

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	4	14	33	7	1	1	5	44	3	13	28
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	7	2	3	2	2	1	0	1	5	1	3	1
TEENAGE ILLEGITIMATE BIRTHS	49	4	14	31	5	1	1	3	44	3	13	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	2	0	0	2	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	2	0	0	2	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	1	0	1	0	5	1	2	2
TEENAGE FERTILITY RATE	57.7	9.5	101.1 (15-19)		42.4	12.0	73.2 (15-19)		61.2	8.9	107.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	19.6	0.0	71.4	0.0	0.0	0.0	0.0	0.0	22.7	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	52	4	15	33	7	1	1	5	45	3	14	28
TEENAGE PREGNANCY RATE	58.8	9.5	103.2 (15-19)		42.4	12.0	73.2 (15-19)		62.6	8.9	109.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,429	1,697	791	906	360
WHITE	19,750	1,374	651	723	286
NONWHITE	3,679	323	140	183	74

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	1	23	38	40	1	14	25	22	0	9	13
TEENAGE IMMATURE BIRTHS	12	1	4	7	7	1	1	5	5	0	3	2
TEENAGE PREMATURE BIRTHS	15	1	2	12	11	1	1	9	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	35	1	13	21	14	1	5	8	21	0	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	6	0	2	4	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	11	0	3	8	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	6	0	3	0	3	0	3	0	3	0
TEENAGE FERTILITY RATE	36.5	1.3	67.3 (15-19)		29.1	1.5	53.9 (15-19)		68.1	0.0	120.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	16.1	0.0	0.0	26.3	0.0	0.0	0.0	0.0	45.4	0.0	0.0	76.9
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	63	1	23	39	40	1	14	25	23	0	9	14
TEENAGE PREGNANCY RATE	37.1	1.3	68.4 (15-19)		29.1	1.5	53.9 (15-19)		71.2	0.0	125.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,094	1,267	594	673	221
WHITE	7,807	562	255	307	86
NONWHITE	6,287	705	339	366	135

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	0	18	34	16	0	6	10	36	0	12	24
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	1	0	4	0	0	4
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	38	0	16	22	7	0	5	2	31	0	11	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	2	0	0	2	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	2	0	0	2	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FERTILITY RATE	41.0	0.0	77.3 (15-19)		28.5	0.0	52.1 (15-19)		51.1	0.0	98.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	38.5	0.0	55.6	29.4	0.0	0.0	0.0	0.0	55.6	0.0	83.3	41.7
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	19.2	.	0.0	29.4	62.5	.	0.0	100.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	55	0	19	36	17	0	6	11	38	0	13	25
TEENAGE PREGNANCY RATE	43.4	0.0	81.7 (15-19)		30.2	0.0	55.4 (15-19)		53.9	0.0	103.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,988	4,152	2,043	2,109	839
WHITE	29,116	2,084	1,043	1,041	412
NONWHITE	19,872	2,068	1,000	1,068	427

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	172	8	71	93	57	2	19	36	115	6	52	57
TEENAGE IMMATURE BIRTHS	23	2	9	12	8	1	2	5	15	1	7	7
TEENAGE PREMATURE BIRTHS	26	3	12	11	6	0	3	3	20	3	9	8
TEENAGE ILLEGITIMATE BIRTHS	145	8	66	71	32	2	15	15	113	6	51	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	15	30	12	0	4	8	33	0	11	22
TEENS WHO HAD PREVIOUS PREGNANCIES	55	0	17	38	19	0	5	14	36	0	12	24
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	7	2	1	0	0	1	8	0	7	1
TEENAGE FERTILITY RATE	41.4	3.9	77.8 (15-19)		27.4	1.9	52.8 (15-19)		55.6	6.0	102.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.8	0.0	0.0	10.8	0.0	0.0	0.0	0.0	8.7	0.0	0.0	17.5
TEENAGE INDUCED TERMINATIONS#	37	3	12	22	9	0	5	4	28	3	7	18
TEENAGE INDUCED TERMINATION RATIO	215.1	375.0	169.0	236.6	157.9	0.0	263.2	111.1	243.5	500.0	134.6	315.8
TEENAGE PREGNANCIES#	210	11	83	116	66	2	24	40	144	9	59	76
TEENAGE PREGNANCY RATE	50.6	5.4	94.4 (15-19)		31.7	1.9	61.5 (15-19)		69.6	9.0	126.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	6	0	5	1	1	0	0	1	5	0	5	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	70,411	6,466	3,245	3,221	1,159
WHITE	28,501	1,996	989	1,007	251
NONWHITE	41,910	4,470	2,256	2,214	902

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	348	15	157	176	36	2	12	22	312	13	145	154
TEENAGE IMMATURE BIRTHS	54	5	25	24	4	2	1	1	50	3	24	23
TEENAGE PREMATURE BIRTHS	80	7	37	36	7	1	2	4	73	6	35	32
TEENAGE ILLEGITIMATE BIRTHS	334	14	156	164	26	1	12	13	308	13	144	151
TEENS WHO HAD PREVIOUS LIVE BIRTHS	94	1	26	67	4	0	2	2	90	1	24	65
TEENS WHO HAD PREVIOUS PREGNANCIES	102	1	29	72	5	0	3	2	97	1	26	70
TEENS WITH INADEQUATE* PRENATAL CARE	36	2	19	15	1	0	1	0	35	2	18	15
TEENAGE FERTILITY RATE	53.8	4.6	103.4 (15-19)		18.0	2.0	33.8 (15-19)		69.8	5.8	135.0 (15-19)	
TEENAGE FETAL DEATHS**	8	0	2	6	1	0	0	1	7	0	2	5
TEENAGE FETAL DEATH RATIO	23.0	0.0	12.7	34.1	27.8	0.0	0.0	45.4	22.4	0.0	13.8	32.5
TEENAGE INDUCED TERMINATIONS#	32	1	12	19	12	1	4	7	20	0	8	12
TEENAGE INDUCED TERMINATION RATIO	92.0	66.7	76.4	108.0	333.3	500.0	333.3	318.2	64.1	0.0	55.2	77.9
TEENAGE PREGNANCIES#	388	16	171	201	49	3	16	30	339	13	155	171
TEENAGE PREGNANCY RATE	60.0	4.9	115.5 (15-19)		24.5	3.0	45.7 (15-19)		75.8	5.8	147.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	1	0	0	1	4	0	2	2

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,368	1,677	876	801	313
WHITE	12,109	920	484	436	148
NONWHITE	7,259	757	392	365	165

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	26	43	27	1	10	16	44	1	16	27
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	53	2	20	31	12	1	6	5	41	1	14	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	4	0	0	4	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	5	0	0	5	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	3	0	1	2	8	0	3	5
TEENAGE FERTILITY RATE	42.3	2.3	86.1 (15-19)		29.3	2.1	59.6 (15-19)		58.1	2.6	117.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.1	0.0	38.5	0.0	0.0	0.0	0.0	0.0	22.7	0.0	62.5	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	56.3	0.0	115.4	23.2	74.1	0.0	100.0	62.5	45.4	0.0	125.0	0.0
TEENAGE PREGNANCIES#	76	2	30	44	29	1	11	17	47	1	19	27
TEENAGE PREGNANCY RATE	45.3	2.3	92.4 (15-19)		31.5	2.1	64.2 (15-19)		62.1	2.6	126.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,434	758	380	378	160
WHITE	7,997	525	257	268	110
NONWHITE	2,437	233	123	110	50

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	17	17	17	0	9	8	17	0	8	9
TEENAGE IMMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	25	0	12	13	8	0	4	4	17	0	8	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	1	0	0	1	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE FERTILITY RATE	44.8	0.0	89.9 (15-19)		32.4	0.0	63.4 (15-19)		73.0	0.0	154.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	58.8	.	58.8	58.8	58.8	.	111.1	0.0	58.8	.	0.0	111.1
TEENAGE PREGNANCIES#	36	0	18	18	18	0	10	8	18	0	8	10
TEENAGE PREGNANCY RATE	47.5	0.0	95.2 (15-19)		34.3	0.0	67.2 (15-19)		77.2	0.0	163.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,041	802	418	384	110
WHITE	2,480	160	73	87	24
NONWHITE	6,561	642	345	297	86

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	11	6	1	0	1	0	16	0	10	6
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	17	0	11	6	1	0	1	0	16	0	10	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	2	2	0	0	0	0	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE FERTILITY RATE	21.2	0.0	44.3 (15-19)		6.2	0.0	11.5 (15-19)		24.9	0.0	53.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	117.6	.	0.0	166.7	0.0	.	0.0	0.0	125.0	.	0.0	166.7
TEENAGE PREGNANCIES#	19	1	11	7	1	0	1	0	18	1	10	7
TEENAGE PREGNANCY RATE	23.7	2.4	46.9 (15-19)		6.2	0.0	11.5 (15-19)		28.0	2.9	57.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,595	1,585	782	803	241
WHITE	10,877	695	321	374	111
NONWHITE	8,718	890	461	429	128

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	4	22	27	19	0	4	15	34	4	18	12
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	0	6	1	2	0	1	1	5	0	5	0
TEENAGE ILLEGITIMATE BIRTHS	37	4	19	14	5	0	2	3	32	4	17	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	7	0	0	7	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	8	0	1	7	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE FERTILITY RATE	33.4	5.1	61.0 (15-19)	27.3	27.3	0.0	50.8 (15-19)	38.2	38.2	8.7	69.9 (15-19)	12.0
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	18.9	0.0	0.0	37.0	52.6	0.0	0.0	66.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	13	0	6	7	7	0	5	2	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	245.3	0.0	272.7	259.2	368.4	.	1250	133.3	176.5	0.0	55.6	416.7
TEENAGE PREGNANCIES#	67	4	28	35	27	0	9	18	40	4	19	17
TEENAGE PREGNANCY RATE	42.3	5.1	78.4 (15-19)	38.8	38.8	0.0	72.2 (15-19)	44.9	44.9	8.7	83.9 (15-19)	12.0
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE



(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,049	876	441	435	171
WHITE	7,275	437	218	219	89
NONWHITE	4,774	439	223	216	82

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	0	17	26	12	0	3	9	31	0	14	17
TEENAGE IMMATURE BIRTHS	5	0	2	3	3	0	1	2	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	36	0	15	21	5	0	1	4	31	0	14	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	3	0	2	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	3	0	2	1	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	49.1	0.0	98.8 (15-19)	27.5	27.5	0.0	54.8 (15-19)	70.6	70.6	0.0	143.5 (15-19)	143.5
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	23.2	0.0	0.0	38.5	0.0	0.0	0.0	0.0	32.2	0.0	0.0	58.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	.	0.0	0.0	0.0	.	0.0	0.0	0.0	.	0.0	0.0
TEENAGE PREGNANCIES#	44	0	17	27	12	0	3	9	32	0	14	18
TEENAGE PREGNANCY RATE	50.2	0.0	101.1 (15-19)	27.5	27.5	0.0	54.8 (15-19)	72.9	72.9	0.0	148.1 (15-19)	148.1
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1997

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,134	2,294	1,146	1,148	451
WHITE	11,240	796	392	404	144
NONWHITE	13,894	1,498	754	744	307

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	128	5	60	63	15	0	5	10	113	5	55	53
TEENAGE IMMATURE BIRTHS	17	0	9	8	0	0	0	0	17	0	9	8
TEENAGE PREMATURE BIRTHS	30	1	16	13	0	0	0	0	30	1	16	13
TEENAGE ILLEGITIMATE BIRTHS	123	5	59	59	11	0	4	7	112	5	55	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	13	26	3	0	1	2	36	0	12	24
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	13	30	4	0	1	3	39	0	12	27
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	6	4	0	0	0	0	10	0	6	4
TEENAGE FERTILITY RATE	55.8	4.4	107.1 (15-19)		18.8	0.0	37.1 (15-19)		75.4	6.6	145.2 (15-19)	
TEENAGE FETAL DEATHS**	6	3	3	0	1	0	1	0	5	3	2	0
TEENAGE FETAL DEATH RATIO	46.9	600.0	50.0	0.0	66.7	0.0	200.0	0.0	44.2	600.0	36.4	0.0
TEENAGE INDUCED TERMINATIONS#	21	3	8	10	6	0	3	3	15	3	5	7
TEENAGE INDUCED TERMINATION RATIO	164.1	600.0	133.3	158.7	400.0	.	600.0	300.0	132.7	600.0	90.9	132.1
TEENAGE PREGNANCIES#	155	11	71	73	22	0	9	13	133	11	62	60
TEENAGE PREGNANCY RATE	67.6	9.6	125.4 (15-19)		27.6	0.0	54.4 (15-19)		88.8	14.6	164.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE