SELECTED DEATH STATISTICS, RESIDENTS OF ABBEVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
HEART DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ABERDEEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	102	47	55
HEART DISEASES	30	15	15
MALIGNANT NEOPLASMS	19	11	8
CEREBROVASCULAR DISEASE	11	5	6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	0	6
ACCIDENTS	6	0	6
SEPTICEMIA	4	3	1
DIABETES MELLITUS	2	0	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
INFLUENZA AND PNEUMONIA	2	1	1
HIV DISEASE	1	0	1
ALZHEIMERS DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	12	5	7

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	102	47	55	51	24	27	51	23	28
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	2	0	2	2	0	2
25-34	1	0	1	0	0	0	1	0	1
35-44	5	1	4	5	1	4	0	0	0
45-54	6	1	5	2	0	2	4	1	3
55-64	12	7	5	8	5	3	4	2	2
65-74	14	5	9	9	5	4	5	0	5
75-84	29	16	13	15	7	8	14	9	5
85 AND OVER	29	17	12	9	6	3	20	11	9
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ACKERMAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	40	29	11
HEART DISEASES	14	11	3
MALIGNANT NEOPLASMS	6	4	2
CEREBROVASCULAR DISEASE	4	4	0
DIABETES MELLITUS	2	1	1
INFLUENZA AND PNEUMONIA	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
ACCIDENTS	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ALZHEIMERS DISEASE	1	1	0
HERNIA	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	2	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	40	29	11	16	9	7	24	20	4
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	3	1	2	1	0	1	2	1	1
65-74	7	5	2	3	2	1	4	3	1
75-84	10	9	1	6	5	1	4	4	0
85 AND OVER	16	14	2	3	2	1	13	12	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ALGOMA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	2	0
HEART DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	2	0	1	1	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ALLIGATOR, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	0	2
DIABETES MELLITUS	1	0	1
HEART DISEASES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	0	2	0	0	0	2	0	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF AMORY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	110	86	24
HEART DISEASES	25	23	2
MALIGNANT NEOPLASMS	22	17	5
CEREBROVASCULAR DISEASE	12	10	2
INFLUENZA AND PNEUMONIA	10	9	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	2	5
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3
ALZHEIMERS DISEASE	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
ACCIDENTS	2	2	0
ANEMIAS	1	0	1
DIABETES MELLITUS	1	1	0
PARKINSONS DISEASE	1	1	0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0
ALL OTHER CAUSES	7	6	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	110	86	24	37	28	9	73	58	15
UNDER 1	6	5	1	3	3	0	3	2	1
(NEONATAL)	4	3	1	2	2	0	2	1	1
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	9	6	3	6	4	2	3	2	1
55-64	3	3	0	1	1	0	2	2	0
65-74	18	10	8	9	5	4	9	5	4
75-84	27	21	6	8	7	1	19	14	5
85 AND OVER	44	41	3	8	8	0	36	33	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ANGUILLA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	2	2
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	2	2	1	0	1	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ARCOLA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	1	5
HEART DISEASES	2	0	2
MALIGNANT NEOPLASMS	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	1	5	3	0	3	3	1	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	2	0	2	0	0	0
45-54	3	0	3	1	0	1	2	0	2
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ARTESIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	0	2
MALIGNANT NEOPLASMS	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	0	2	2	0	2	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ASHLAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	22	20	2
HEART DISEASES	13	11	2
MALIGNANT NEOPLASMS	3	3	0
CEREBROVASCULAR DISEASE	2	2	0
SEPTICEMIA	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	22	20	2	8	8	0	14	12	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	3	0	1	1	0	2	2	0
65-74	3	2	1	2	2	0	1	0	1
75-84	7	7	0	4	4	0	3	3	0
85 AND OVER	9	8	1	1	1	0	8	7	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BALDWYN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	70	52	18
HEART DISEASES	23	17	6
CEREBROVASCULAR DISEASE	14	13	1
MALIGNANT NEOPLASMS	12	10	2
SEPTICEMIA	3	1	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
ACCIDENTS	3	2	1
INFLUENZA AND PNEUMONIA	2	0	2
DIABETES MELLITUS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	4	2	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	70	52	18	36	25	11	34	27	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	7	2	5	4	1	3	3	1	2
45-54	2	1	1	2	1	1	0	0	0
55-64	6	5	1	4	4	0	2	1	1
65-74	13	10	3	7	5	2	6	5	1
75-84	23	17	6	14	10	4	9	7	2
85 AND OVER	19	17	2	5	4	1	14	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BASSFIELD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	1	1
HIV DISEASE	1	0	1
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	1	1	1	1	0	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BATESVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	106	69	37
HEART DISEASES	28	16	12
MALIGNANT NEOPLASMS	24	13	11
CEREBROVASCULAR DISEASE	15	12	3
INFLUENZA AND PNEUMONIA	7	6	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0
SEPTICEMIA	2	0	2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
ACCIDENTS	2	2	0
SUICIDE	2	2	0
HIV DISEASE	1	0	1
DIABETES MELLITUS	1	0	1
PARKINSONS DISEASE	1	1	0
ALZHEIMERS DISEASE	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0
ALL OTHER CAUSES	11	7	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	106	69	37	41	29	12	65	40	25
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	4	2	2	2	1	1	2	1	1
45-54	6	6	0	1	1	0	5	5	0
55-64	8	4	4	4	2	2	4	2	2
65-74	15	9	6	9	6	3	6	3	3
75-84	32	19	13	11	7	4	21	12	9
85 AND OVER	34	24	10	9	8	1	25	16	9
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BAY SPRINGS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	38	27	11
HEART DISEASES	15	10	5
MALIGNANT NEOPLASMS	6	4	2
CEREBROVASCULAR DISEASE	5	4	1
ALZHEIMERS DISEASE	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
ACCIDENTS	2	1	1
SEPTICEMIA	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	38	27	11	17	11	6	21	16	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	7	4	3	3	2	1	4	2	2
65-74	8	6	2	4	3	1	4	3	1
75-84	7	3	4	4	1	3	3	2	1
85 AND OVER	14	12	2	6	5	1	8	7	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BAY ST LOUIS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	144	117	27
HEART DISEASES	62	53	9
MALIGNANT NEOPLASMS	24	18	6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2
ACCIDENTS	7	5	2
INFLUENZA AND PNEUMONIA	6	5	1
DIABETES MELLITUS	3	2	1
CEREBROVASCULAR DISEASE	3	3	0
AORTIC ANEURYSM AND DISSECTION	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0
SEPTICEMIA	1	1	0
ANEMIAS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
ATHEROSCLEROSIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
SUICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	15	12	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	144	117	27	65	48	17	79	69	10
UNDER 1	3	3	0	0	0	0	3	3	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	1	0	1	1	0	1	0	0	0
35-44	4	4	0	2	2	0	2	2	0
45-54	11	11	0	8	8	0	3	3	0
55-64	21	13	8	12	6	6	9	7	2
65-74	32	28	4	13	10	3	19	18	1
75-84	31	26	5	10	8	2	21	18	3
85 AND OVER	35	29	6	15	12	3	20	17	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BEAUMONT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	15	7	8
MALIGNANT NEOPLASMS	5	3	2
HEART DISEASES	4	2	2
DIABETES MELLITUS	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	15	7	8	9	3	6	6	4	2
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	3	1	2	3	1	2	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	4	2	2	2	1	1	2	1	1
75-84	2	2	0	0	0	0	2	2	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BELMONT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	22	22	0
HEART DISEASES	8	8	0
MALIGNANT NEOPLASMS	5	5	0
CEREBROVASCULAR DISEASE	4	4	0
ACCIDENTS	2	2	0
ALZHEIMERS DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	22	22	0	15	15	0	7	7	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	3	0	3	3	0	0	0	0
55-64	4	4	0	2	2	0	2	2	0
65-74	5	5	0	3	3	0	2	2	0
75-84	4	4	0	3	3	0	1	1	0
85 AND OVER	5	5	0	3	3	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BELZONI, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	30	18	12
HEART DISEASES	8	6	2
MALIGNANT NEOPLASMS	6	4	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
INFLUENZA AND PNEUMONIA	2	1	1
ACCIDENTS	2	1	1
HOMICIDE	2	0	2
HIV DISEASE	1	0	1
DIABETES MELLITUS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	30	18	12	13	6	7	17	12	5
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	1	0	1	1	1	0
55-64	5	4	1	3	2	1	2	2	0
65-74	5	3	2	2	2	0	3	1	2
75-84	5	4	1	2	1	1	3	3	0
85 AND OVER	8	6	2	2	1	1	6	5	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BENOIT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	7	3	4
HEART DISEASES	2	1	1
ACCIDENTS	2	0	2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
ALZHEIMERS DISEASE	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	3	4	6	3	3	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	3	2	1	2	2	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BENTONIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	12	8	4
HEART DISEASES	6	3	3
CEREBROVASCULAR DISEASE	2	2	0
DIABETES MELLITUS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	8	4	8	6	2	4	2	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	2	2	0	2	2	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	4	3	1	3	3	0	1	0	1
85 AND OVER	3	1	2	1	0	1	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BEULAH, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	1	2
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	1	2	1	0	1	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	1	0	1	1	0	1	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BIG CREEK, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	3	3	0	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BILOXI, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	426	353	73
HEART DISEASES	146	123	23
MALIGNANT NEOPLASMS	98	84	14
ACCIDENTS	27	19	8
CEREBROVASCULAR DISEASE	20	15	5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	12	10	2
INFLUENZA AND PNEUMONIA	8	7	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	8	0
SEPTICEMIA	7	5	2
DIABETES MELLITUS	6	5	1
HIV DISEASE	5	5	0
ALZHEIMERS DISEASE	5	5	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2
SUICIDE	4	4	0
HOMICIDE	3	3	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0
PARKINSONS DISEASE	2	1	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
ATHEROSCLEROSIS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
PEPTIC ULCER	1	1	0
HERNIA	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	42	32	10

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	426	353	73	199	169	30	227	184	43
UNDER 1	5	1	4	3	1	2	2	0	2
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	3	2	1	3	2	1	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	8	7	1	6	6	0	2	1	1
25-34	11	9	2	9	7	2	2	2	0
35-44	23	15	8	17	12	5	6	3	3
45-54	32	22	10	20	14	6	12	8	4
55-64	46	36	10	25	22	3	21	14	7
65-74	90	77	13	42	37	5	48	40	8
75-84	128	116	12	45	41	4	83	75	8
85 AND OVER	77	66	11	27	26	1	50	40	10
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BLUE MOUNTAIN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
MALIGNANT NEOPLASMS	1	1	0
DIABETES MELLITUS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
ACCIDENTS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	4	4	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	2	2	0	2	2	0	0	0	0
65-74	2	2	0	2	2	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BLUE SPRINGS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BOLTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	23	4	19
HEART DISEASES	9	1	8
MALIGNANT NEOPLASMS	5	2	3
SEPTICEMIA	2	0	2
DIABETES MELLITUS	2	0	2
CEREBROVASCULAR DISEASE	1	0	1
ACCIDENTS	1	1	0
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	23	4	19	9	2	7	14	2	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	2	0	2	2	0	2	0	0	0
55-64	3	1	2	2	1	1	1	0	1
65-74	7	1	6	2	1	1	5	0	5
75-84	5	1	4	0	0	0	5	1	4
85 AND OVER	5	1	4	3	0	3	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BOONEVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	122	110	12
HEART DISEASES	40	33	7
MALIGNANT NEOPLASMS	23	22	1
CEREBROVASCULAR DISEASE	11	10	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0
ACCIDENTS	7	7	0
INFLUENZA AND PNEUMONIA	5	5	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0
PARKINSONS DISEASE	2	2	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
SUICIDE	2	2	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
ATHEROSCLEROSIS	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	13	12	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	122	110	12	61	54	7	61	56	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	5	3	2	5	3	2	0	0	0
35-44	5	4	1	1	1	0	4	3	1
45-54	6	6	0	6	6	0	0	0	0
55-64	11	9	2	6	4	2	5	5	0
65-74	25	22	3	18	17	1	7	5	2
75-84	34	31	3	12	11	1	22	20	2
85 AND OVER	32	31	1	11	10	1	21	21	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BOYLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	5	2
HEART DISEASES	5	4	1
MALIGNANT NEOPLASMS	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	5	2	3	1	2	4	4	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	3	3	0	0	0	0	3	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BRANDON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	227	206	21
HEART DISEASES	101	92	9
MALIGNANT NEOPLASMS	47	43	4
CEREBROVASCULAR DISEASE	16	15	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0
DIABETES MELLITUS	6	5	1
INFLUENZA AND PNEUMONIA	6	4	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1
ACCIDENTS	4	4	0
SEPTICEMIA	2	2	0
ALZHEIMERS DISEASE	2	2	0
HIV DISEASE	1	0	1
PARKINSONS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
ATHEROSCLEROSIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	22	22	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	227	206	21	90	79	11	137	127	10
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	3	1	3	2	1	1	1	0
35-44	7	5	2	4	2	2	3	3	0
45-54	16	14	2	8	6	2	8	8	0
55-64	18	17	1	10	10	0	8	7	1
65-74	40	36	4	22	20	2	18	16	2
75-84	69	67	2	29	28	1	40	39	1
85 AND OVER	71	63	8	12	10	2	59	53	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BRAXTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	2	2
HEART DISEASES	2	1	1
MALIGNANT NEOPLASMS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	2	2	3	1	2	1	1	0
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	2	1	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BROOKHAVEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	295	207	88
MALIGNANT NEOPLASMS	82	59	23
HEART DISEASES	74	46	28
CEREBROVASCULAR DISEASE	28	23	5
DIABETES MELLITUS	24	17	7
INFLUENZA AND PNEUMONIA	14	11	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3
ALZHEIMERS DISEASE	10	9	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	4	4
ACCIDENTS	6	4	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1
HIV DISEASE	2	0	2
PARKINSONS DISEASE	2	2	0
SUICIDE	2	2	0
HOMICIDE	2	0	2
SEPTICEMIA	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	16	12	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	295	207	88	143	98	45	152	109	43
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	8	3	5	3	2	1	5	1	4
45-54	17	9	8	10	3	7	7	6	1
55-64	23	13	10	15	10	5	8	3	5
65-74	61	39	22	34	21	13	27	18	9
75-84	99	79	20	52	43	9	47	36	11
85 AND OVER	82	63	19	26	19	7	56	44	12
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BROOKSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	10	4	6
HEART DISEASES	2	1	1
ACCIDENTS	2	0	2
HOMICIDE	2	0	2
MALIGNANT NEOPLASMS	1	1	0
DIABETES MELLITUS	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	10	4	6	8	2	6	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	1	2	3	1	2	0	0	0
65-74	2	2	0	0	0	0	2	2	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BRUCE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	26	13	13
HEART DISEASES	7	4	3
MALIGNANT NEOPLASMS	5	1	4
CEREBROVASCULAR DISEASE	4	3	1
INFLUENZA AND PNEUMONIA	3	2	1
ACCIDENTS	2	1	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	26	13	13	12	5	7	14	8	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	2	0	2	1	0	1	1	0	1
55-64	3	2	1	2	1	1	1	1	0
65-74	9	4	5	5	3	2	4	1	3
75-84	5	5	0	0	0	0	5	5	0
85 AND OVER	4	1	3	2	0	2	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BUDE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	14	10	4
HEART DISEASES	6	5	1
MALIGNANT NEOPLASMS	3	3	0
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
SUICIDE	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	14	10	4	4	3	1	10	7	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	3	1	0	0	0	4	3	1
65-74	2	2	0	2	2	0	0	0	0
75-84	3	2	1	0	0	0	3	2	1
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BURNSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	13	13	0
MALIGNANT NEOPLASMS	5	5	0
HEART DISEASES	3	3	0
SEPTICEMIA	1	1	0
DIABETES MELLITUS	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	13	13	0	9	9	0	4	4	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	9	9	0	6	6	0	3	3	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF BYHALIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	29	18	11
HEART DISEASES	9	6	3
MALIGNANT NEOPLASMS	5	4	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
ALZHEIMERS DISEASE	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
ACCIDENTS	1	0	1
SUICIDE	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	6	5	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	29	18	11	14	9	5	15	9	6
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	2	1	1	1	0	2	1	1
45-54	2	2	0	2	2	0	0	0	0
55-64	7	6	1	4	3	1	3	3	0
65-74	7	4	3	3	2	1	4	2	2
75-84	6	3	3	3	1	2	3	2	1
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CALEDONIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
MALIGNANT NEOPLASMS	1	1	0
PARKINSONS DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	1	1	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN CITY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	49	40	9
HEART DISEASES	12	9	3
MALIGNANT NEOPLASMS	8	5	3
CEREBROVASCULAR DISEASE	8	8	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0
SEPTICEMIA	2	2	0
DIABETES MELLITUS	2	1	1
PARKINSONS DISEASE	2	2	0
ALZHEIMERS DISEASE	2	2	0
INFLUENZA AND PNEUMONIA	2	2	0
HIV DISEASE	1	0	1
PEPTIC ULCER	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	49	40	9	24	18	6	25	22	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	1	1	2	1	1	0	0	0
65-74	6	4	2	4	3	1	2	1	1
75-84	18	16	2	9	8	1	9	8	1
85 AND OVER	21	19	2	7	6	1	14	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CANTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	135	40	95
HEART DISEASES	37	12	25
MALIGNANT NEOPLASMS	21	5	16
CEREBROVASCULAR DISEASE	10	6	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3
HOMICIDE	7	0	7
INFLUENZA AND PNEUMONIA	6	1	5
ACCIDENTS	5	3	2
SEPTICEMIA	4	1	3
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1
HIV DISEASE	3	0	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3
ANEMIAS	1	1	0
DIABETES MELLITUS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	17	3	14

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	135	40	95	66	22	44	69	18	51
UNDER 1	3	0	3	3	0	3	0	0	0
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	4	1	3	2	1	1	2	0	2
35-44	13	0	13	6	0	6	7	0	7
45-54	13	5	8	7	5	2	6	0	6
55-64	15	4	11	7	3	4	8	1	7
65-74	23	10	13	12	4	8	11	6	5
75-84	27	11	16	13	7	6	14	4	10
85 AND OVER	32	9	23	12	2	10	20	7	13
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLLTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
MALIGNANT NEOPLASMS	2	2	0
PEPTIC ULCER	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	2	2	0	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	0	0	0	2	2	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CARTHAGE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	73	49	24
HEART DISEASES	27	21	6
MALIGNANT NEOPLASMS	12	6	6
CEREBROVASCULAR DISEASE	7	2	5
ACCIDENTS	5	3	2
INFLUENZA AND PNEUMONIA	4	4	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1
SEPTICEMIA	2	2	0
DIABETES MELLITUS	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ATHEROSCLEROSIS	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	8	6	2

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	73	49	24	27	17	10	46	32	14
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	2	0	2	2	0	2	0	0	0
45-54	3	3	0	2	2	0	1	1	0
55-64	3	2	1	1	0	1	2	2	0
65-74	12	6	6	2	1	1	10	5	5
75-84	19	14	5	7	5	2	12	9	3
85 AND OVER	28	21	7	8	6	2	20	15	5
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CARY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	5	1
HEART DISEASES	3	3	0
SEPTICEMIA	1	1	0
HIV DISEASE	1	0	1
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	5	1	3	2	1	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	1	1	0	1	1	0
75-84	3	3	0	1	1	0	2	2	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CENTREVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	25	12	13
HEART DISEASES	6	4	2
CEREBROVASCULAR DISEASE	4	1	3
MALIGNANT NEOPLASMS	3	1	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
HOMICIDE	2	2	0
ANEMIAS	1	0	1
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	25	12	13	12	6	6	13	6	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	2	0	2	0	0	0	2	0	2
55-64	1	1	0	1	1	0	0	0	0
65-74	4	3	1	3	2	1	1	1	0
75-84	3	1	2	3	1	2	0	0	0
85 AND OVER	11	6	5	2	1	1	9	5	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CHARLESTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	43	23	20
HEART DISEASES	12	7	5
MALIGNANT NEOPLASMS	11	5	6
ACCIDENTS	5	2	3
CEREBROVASCULAR DISEASE	3	1	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1
SEPTICEMIA	1	0	1
DIABETES MELLITUS	1	0	1
ALZHEIMERS DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	4	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	43	23	20	23	13	10	20	10	10
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	2	0	2	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	7	4	3	7	4	3	0	0	0
65-74	7	5	2	4	3	1	3	2	1
75-84	10	5	5	6	4	2	4	1	3
85 AND OVER	13	9	4	2	2	0	11	7	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CHUNKY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKSDALE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	274	113	161
HEART DISEASES	76	40	36
MALIGNANT NEOPLASMS	49	23	26
CEREBROVASCULAR DISEASE	24	12	12
DIABETES MELLITUS	16	5	11
ACCIDENTS	14	5	9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	5	7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	12	4	8
HOMICIDE	9	1	8
INFLUENZA AND PNEUMONIA	7	5	2
SEPTICEMIA	6	2	4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	0	5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	1	4
SUICIDE	4	1	3
HIV DISEASE	3	0	3
ALZHEIMERS DISEASE	3	2	1
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3
PARKINSONS DISEASE	2	1	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
ATHEROSCLEROSIS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	1
PEPTIC ULCER	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	16	4	12

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	274	113	161	112	38	74	162	75	87
UNDER 1	7	0	7	4	0	4	3	0	3
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	3	1	2	0	0	0
15-24	8	2	6	4	1	3	4	1	3
25-34	5	1	4	5	1	4	0	0	0
35-44	16	1	15	9	0	9	7	1	6
45-54	27	5	22	12	3	9	15	2	13
55-64	25	9	16	13	5	8	12	4	8
65-74	46	23	23	18	9	9	28	14	14
75-84	69	33	36	29	13	16	40	20	20
85 AND OVER	68	38	30	15	5	10	53	33	20
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CLEVELAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	161	71	90
HEART DISEASES	54	27	27
MALIGNANT NEOPLASMS	32	14	18
CEREBROVASCULAR DISEASE	11	7	4
ACCIDENTS	9	2	7
ALZHEIMERS DISEASE	6	3	3
INFLUENZA AND PNEUMONIA	6	3	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	1	5
DIABETES MELLITUS	5	3	2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3
SUICIDE	3	3	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	0	2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
HOMICIDE	2	1	1
SEPTICEMIA	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
ATHEROSCLEROSIS	1	0	1
PEPTIC ULCER	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1
ALL OTHER CAUSES	13	5	8

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	161	71	90	70	29	41	91	42	49
UNDER 1	6	1	5	6	1	5	0	0	0
(NEONATAL)	5	1	4	5	1	4	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	9	3	6	6	2	4	3	1	2
45-54	14	7	7	9	5	4	5	2	3
55-64	14	4	10	9	4	5	5	0	5
65-74	29	14	15	10	6	4	19	8	11
75-84	32	14	18	14	6	8	18	8	10
85 AND OVER	50	26	24	11	4	7	39	22	17
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CLINTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	172	134	38
HEART DISEASES	55	46	9
MALIGNANT NEOPLASMS	39	34	5
CEREBROVASCULAR DISEASE	14	10	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2
ACCIDENTS	5	5	0
SEPTICEMIA	4	3	1
INFLUENZA AND PNEUMONIA	4	4	0
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2
DIABETES MELLITUS	3	1	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	1	2
ALZHEIMERS DISEASE	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
HOMICIDE	2	0	2
HIV DISEASE	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
PARKINSONS DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	19	13	6

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	172	134	38	98	77	21	74	57	17
UNDER 1	4	2	2	4	2	2	0	0	0
(NEONATAL)	3	2	1	3	2	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	0	0	0	3	3	0
25-34	3	2	1	1	0	1	2	2	0
35-44	10	6	4	7	4	3	3	2	1
45-54	11	7	4	5	4	1	6	3	3
55-64	14	12	2	9	8	1	5	4	1
65-74	32	25	7	19	15	4	13	10	3
75-84	53	44	9	31	27	4	22	17	5
85 AND OVER	41	32	9	21	16	5	20	16	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	0	4
HEART DISEASES	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
ACCIDENTS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	0	4	1	0	1	3	0	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	2	0	2	0	0	0	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COFFEEVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	20	7	13
HEART DISEASES	7	2	5
MALIGNANT NEOPLASMS	5	2	3
ACCIDENTS	2	1	1
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	0	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	20	7	13	10	3	7	10	4	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	2	1	1	0	0	0	2	1	1
75-84	4	3	1	3	2	1	1	1	0
85 AND OVER	9	3	6	3	1	2	6	2	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COLDWATER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	21	8	13
HEART DISEASES	7	3	4
MALIGNANT NEOPLASMS	3	2	1
ACCIDENTS	2	1	1
CEREBROVASCULAR DISEASE	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	2	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	21	8	13	12	5	7	9	3	6
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	5	2	3	3	1	2	2	1	1
55-64	1	1	0	1	1	0	0	0	0
65-74	5	1	4	2	0	2	3	1	2
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	4	2	2	1	1	0	3	1	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COLLINS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	55	40	15
HEART DISEASES	24	18	6
MALIGNANT NEOPLASMS	7	6	1
CEREBROVASCULAR DISEASE	4	2	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1
INFECTIONS OF KIDNEY	2	2	0
SEPTICEMIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
HOMICIDE	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	9	5	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	55	40	15	33	23	10	22	17	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	2	1	1	2	1	1	0	0	0
65-74	18	16	2	13	11	2	5	5	0
75-84	14	11	3	8	6	2	6	5	1
85 AND OVER	14	11	3	6	5	1	8	6	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COLUMBIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	141	106	35
HEART DISEASES	39	28	11
MALIGNANT NEOPLASMS	32	25	7
CEREBROVASCULAR DISEASE	15	11	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1
ACCIDENTS	5	4	1
HOMICIDE	4	2	2
ALZHEIMERS DISEASE	3	3	0
SEPTICEMIA	2	1	1
INFLUENZA AND PNEUMONIA	2	1	1
DIABETES MELLITUS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3
ALL OTHER CAUSES	20	20	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	141	106	35	65	49	16	76	57	19
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	5	3	2	5	3	2	0	0	0
45-54	10	2	8	4	2	2	6	0	6
55-64	10	8	2	5	4	1	5	4	1
65-74	32	29	3	16	14	2	16	15	1
75-84	30	23	7	13	11	2	17	12	5
85 AND OVER	50	38	12	18	12	6	32	26	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COLUMBUS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	303	160	143
HEART DISEASES	96	50	46
MALIGNANT NEOPLASMS	56	27	29
CEREBROVASCULAR DISEASE	20	10	10
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4
ACCIDENTS	8	3	5
SEPTICEMIA	7	3	4
INFLUENZA AND PNEUMONIA	6	5	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	2	4
SUICIDE	6	5	1
HIV DISEASE	5	0	5
DIABETES MELLITUS	5	2	3
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	5	0
ALZHEIMERS DISEASE	4	4	0
ANEMIAS	2	0	2
PARKINSONS DISEASE	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
VIRAL HEPATITIS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
PEPTIC ULCER	1	1	0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	28	15	13
ALL OTHER CAUSES	24	15	9

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	303	160	143	155	75	80	148	85	63
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	6	2	6	5	1	2	1	1
25-34	4	0	4	3	0	3	1	0	1
35-44	16	5	11	13	3	10	3	2	1
45-54	26	6	20	13	2	11	13	4	9
55-64	36	17	19	24	13	11	12	4	8
65-74	51	23	28	28	11	17	23	12	11
75-84	78	49	29	39	25	14	39	24	15
85 AND OVER	78	53	25	24	15	9	54	38	16
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COMO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	14	4	10
MALIGNANT NEOPLASMS	4	1	3
HEART DISEASES	4	2	2
SEPTICEMIA	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	14	4	10	3	1	2	11	3	8
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	2	1	1	1	1	0	1	0	1
65-74	2	0	2	0	0	0	2	0	2
75-84	3	1	2	1	0	1	2	1	1
85 AND OVER	5	2	3	0	0	0	5	2	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CORINTH, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	219	183	36
HEART DISEASES	72	65	7
MALIGNANT NEOPLASMS	39	32	7
CEREBROVASCULAR DISEASE	27	23	4
INFLUENZA AND PNEUMONIA	9	7	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1
ACCIDENTS	7	6	1
SEPTICEMIA	6	6	0
DIABETES MELLITUS	5	3	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	2	2
ALZHEIMERS DISEASE	3	3	0
HOMICIDE	3	1	2
ANEMIAS	2	1	1
AORTIC ANEURYSM AND DISSECTION	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
ATHEROSCLEROSIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
PEPTIC ULCER	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0
INFECTIONS OF KIDNEY	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1
ALL OTHER CAUSES	20	17	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	219	183	36	101	90	11	118	93	25
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	2	1	2	2	0	1	0	1
35-44	3	1	2	2	1	1	1	0	1
45-54	16	13	3	10	8	2	6	5	1
55-64	18	15	3	10	10	0	8	5	3
65-74	42	34	8	27	22	5	15	12	3
75-84	63	57	6	32	30	2	31	27	4
85 AND OVER	73	61	12	17	17	0	56	44	12
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF COURTLAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	2	2
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	0	1
ACCIDENTS	1	1	0
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	2	2	2	0	2	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CRAWFORD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	0	5
CEREBROVASCULAR DISEASE	2	0	2
MALIGNANT NEOPLASMS	1	0	1
HEART DISEASES	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	0	5	3	0	3	2	0	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CRENSHAW, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	2	4
HEART DISEASES	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
CEREBROVASCULAR DISEASE	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	2	4	2	0	2	4	2	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	2	0	2	1	0	1	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CROSBY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	0	7
MALIGNANT NEOPLASMS	2	0	2
HEART DISEASES	2	0	2
CEREBROVASCULAR DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	0	7	2	0	2	5	0	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	0	1	0	0	0	1	0	1
75-84	2	0	2	1	0	1	1	0	1
85 AND OVER	3	0	3	1	0	1	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CROWDER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	4	3
MALIGNANT NEOPLASMS	2	1	1
HEART DISEASES	2	1	1
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	4	3	3	2	1	4	2	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	2	1	1	1	1	0	1	0	1
75-84	3	1	2	1	0	1	2	1	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CRUGER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	0	4
MALIGNANT NEOPLASMS	1	0	1
HEART DISEASES	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	0	4	2	0	2	2	0	2
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF CRYSTAL SPRINGS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	73	36	37
HEART DISEASES	23	12	11
MALIGNANT NEOPLASMS	16	9	7
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6
CEREBROVASCULAR DISEASE	5	2	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
SEPTICEMIA	2	2	0
DIABETES MELLITUS	1	1	0
ALZHEIMERS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
ACCIDENTS	1	1	0
SUICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2
ALL OTHER CAUSES	6	2	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	73	36	37	25	11	14	48	25	23
UNDER 1	10	1	9	5	0	5	5	1	4
(NEONATAL)	7	0	7	4	0	4	3	0	3
(POSTNEONATAL)	3	1	2	1	0	1	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	1	0	1	0	0	0	1	0	1
45-54	8	3	5	3	0	3	5	3	2
55-64	13	9	4	5	3	2	8	6	2
65-74	8	5	3	3	3	0	5	2	3
75-84	17	13	4	6	5	1	11	8	3
85 AND OVER	14	5	9	2	0	2	12	5	7
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF D IBERVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	55	50	5
HEART DISEASES	15	14	1
MALIGNANT NEOPLASMS	12	10	2
CEREBROVASCULAR DISEASE	6	6	0
ACCIDENTS	5	5	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1
SEPTICEMIA	2	2	0
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	6	6	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	55	50	5	28	27	1	27	23	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	3	2	1	2	2	0	1	0	1
55-64	13	11	2	9	9	0	4	2	2
65-74	14	14	0	7	7	0	7	7	0
75-84	18	17	1	6	6	0	12	11	1
85 AND OVER	3	3	0	1	1	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF D LO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	6	1
HEART DISEASES	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
MALIGNANT NEOPLASMS	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	6	1	4	4	0	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	5	4	1	2	2	0	3	2	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DECATUR, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	6	2
HEART DISEASES	6	4	2
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	6	2	4	3	1	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	5	4	1	2	2	0	3	2	1
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DEKALB, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	26	22	4
HEART DISEASES	8	5	3
MALIGNANT NEOPLASMS	5	4	1
CEREBROVASCULAR DISEASE	3	3	0
INFLUENZA AND PNEUMONIA	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
ACCIDENTS	2	2	0
ALZHEIMERS DISEASE	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	26	22	4	12	10	2	14	12	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	2	1	1	0	0	0
65-74	6	4	2	4	3	1	2	1	1
75-84	6	6	0	2	2	0	4	4	0
85 AND OVER	10	9	1	2	2	0	8	7	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DERMA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	2	0
MALIGNANT NEOPLASMS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	2	0	0	0	0	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DODDSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	2	0
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	2	0	1	1	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DREW, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	26	9	17
HEART DISEASES	9	2	7
MALIGNANT NEOPLASMS	5	3	2
CEREBROVASCULAR DISEASE	5	4	1
DIABETES MELLITUS	2	0	2
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	26	9	17	13	5	8	13	4	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	0	2	1	0	1	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	2	1	1	1	0	1	1	1	0
65-74	6	2	4	5	2	3	1	0	1
75-84	6	4	2	3	2	1	3	2	1
85 AND OVER	6	2	4	1	1	0	5	1	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DUCK HILL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	9	6	3
HEART DISEASES	3	2	1
CEREBROVASCULAR DISEASE	2	1	1
MALIGNANT NEOPLASMS	1	1	0
PARKINSONS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	9	6	3	6	4	2	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	2	2	0	1	0	1
65-74	1	0	1	1	0	1	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DUMAS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DUNCAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	27	8	19
HEART DISEASES	9	3	6
MALIGNANT NEOPLASMS	5	1	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2
CEREBROVASCULAR DISEASE	3	0	3
ALZHEIMERS DISEASE	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
INFLUENZA AND PNEUMONIA	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	27	8	19	18	6	12	9	2	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	3	0	3	2	0	2	1	0	1
65-74	4	3	1	4	3	1	0	0	0
75-84	12	5	7	7	3	4	5	2	3
85 AND OVER	6	0	6	4	0	4	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF DURANT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	36	16	20
HEART DISEASES	12	7	5
MALIGNANT NEOPLASMS	6	4	2
ACCIDENTS	5	3	2
INFLUENZA AND PNEUMONIA	3	1	2
CEREBROVASCULAR DISEASE	2	0	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	36	16	20	12	4	8	24	12	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	1	2	2	0	2	1	1	0
65-74	5	1	4	2	1	1	3	0	3
75-84	10	4	6	2	0	2	8	4	4
85 AND OVER	13	7	6	3	2	1	10	5	5
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ECRU, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	9	7	2
HEART DISEASES	6	4	2
CEREBROVASCULAR DISEASE	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	9	7	2	3	2	1	6	5	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	2	1	1	2	1	1	0	0	0
85 AND OVER	6	5	1	0	0	0	6	5	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF EDWARDS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	22	5	17
HEART DISEASES	5	2	3
MALIGNANT NEOPLASMS	2	0	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
ACCIDENTS	2	1	1
SEPTICEMIA	1	0	1
PARKINSONS DISEASE	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	1	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	22	5	17	11	3	8	11	2	9
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	0	0	0	2	0	2
45-54	2	1	1	2	1	1	0	0	0
55-64	3	2	1	0	0	0	3	2	1
65-74	1	0	1	0	0	0	1	0	1
75-84	6	2	4	4	2	2	2	0	2
85 AND OVER	6	0	6	4	0	4	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ELLISVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	47	39	8
MALIGNANT NEOPLASMS	10	8	2
HEART DISEASES	10	10	0
INFLUENZA AND PNEUMONIA	5	4	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0
CEREBROVASCULAR DISEASE	2	1	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
SUICIDE	2	2	0
TUBERCULOSIS	1	0	1
ALZHEIMERS DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	7	4	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	47	39	8	25	21	4	22	18	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	3	0	2	2	0	1	1	0
55-64	4	2	2	3	2	1	1	0	1
65-74	11	11	0	7	7	0	4	4	0
75-84	17	16	1	9	8	1	8	8	0
85 AND OVER	9	5	4	1	0	1	8	5	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ENTERPRISE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	5	1
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	2	1	1
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	5	1	3	2	1	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	1	0	1	1	1	0
85 AND OVER	4	4	0	2	2	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ETHEL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	4	2
MENINGITIS	1	1	0
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	4	2	1	1	0	5	3	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	4	2	2	0	0	0	4	2	2
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF EUPORA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	56	46	10
HEART DISEASES	18	14	4
CEREBROVASCULAR DISEASE	7	6	1
MALIGNANT NEOPLASMS	6	5	1
ALZHEIMERS DISEASE	3	2	1
ACCIDENTS	3	3	0
DIABETES MELLITUS	2	2	0
INFLUENZA AND PNEUMONIA	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
SEPTICEMIA	1	0	1
HIV DISEASE	1	0	1
PARKINSONS DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	7	7	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	56	46	10	19	14	5	37	32	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	1	1	1	1	0	1	0	1
45-54	1	1	0	0	0	0	1	1	0
55-64	2	2	0	1	1	0	1	1	0
65-74	2	2	0	2	2	0	0	0	0
75-84	21	18	3	6	5	1	15	13	2
85 AND OVER	26	21	5	9	5	4	17	16	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FALCON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	0	2
MATERNAL CAUSES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	0	2	1	0	1	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FALKNER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	2	0
MALIGNANT NEOPLASMS	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	2	0	1	1	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FAYETTE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	19	1	18
HEART DISEASES	6	0	6
MALIGNANT NEOPLASMS	4	1	3
DIABETES MELLITUS	2	0	2
PARKINSONS DISEASE	1	0	1
ATHEROSCLEROSIS	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	19	1	18	14	1	13	5	0	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	7	1	6	5	1	4	2	0	2
75-84	1	0	1	1	0	1	0	0	0
85 AND OVER	7	0	7	5	0	5	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FLORA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	20	12	8
HEART DISEASES	8	4	4
MALIGNANT NEOPLASMS	5	4	1
CEREBROVASCULAR DISEASE	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
SEPTICEMIA	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	20	12	8	13	8	5	7	4	3
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	1	0	1	0	0	0	1	0	1
65-74	10	5	5	6	3	3	4	2	2
75-84	4	3	1	4	3	1	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FLORENCE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	44	37	7
HEART DISEASES	19	18	1
MALIGNANT NEOPLASMS	10	7	3
ACCIDENTS	4	3	1
CEREBROVASCULAR DISEASE	2	1	1
DIABETES MELLITUS	1	1	0
ATHEROSCLEROSIS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	44	37	7	25	21	4	19	16	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	5	3	2	3	3	0	2	0	2
35-44	2	1	1	2	1	1	0	0	0
45-54	4	4	0	2	2	0	2	2	0
55-64	2	2	0	1	1	0	1	1	0
65-74	11	10	1	7	6	1	4	4	0
75-84	13	10	3	7	5	2	6	5	1
85 AND OVER	6	6	0	2	2	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FLOWOOD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	12	4	8
HEART DISEASES	3	2	1
MALIGNANT NEOPLASMS	2	0	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	4	8	5	1	4	7	3	4
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	1	0	1	1	0	1	0	0	0
65-74	5	1	4	3	1	2	2	0	2
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	2	1	1	0	0	0	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FOREST, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	86	39	47
HEART DISEASES	26	10	16
MALIGNANT NEOPLASMS	15	8	7
ACCIDENTS	12	5	7
CEREBROVASCULAR DISEASE	6	3	3
HOMICIDE	4	3	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3
DIABETES MELLITUS	2	1	1
INFLUENZA AND PNEUMONIA	2	2	0
HIV DISEASE	1	1	0
PARKINSONS DISEASE	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3
ALL OTHER CAUSES	7	3	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	86	39	47	41	18	23	45	21	24
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	2	5	4	1	3	3	1	2
35-44	8	4	4	5	3	2	3	1	2
45-54	6	2	4	4	1	3	2	1	1
55-64	12	4	8	6	2	4	6	2	4
65-74	13	5	8	7	4	3	6	1	5
75-84	18	8	10	6	2	4	12	6	6
85 AND OVER	19	13	6	7	4	3	12	9	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FRIARS POINT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	15	2	13
HEART DISEASES	4	2	2
MALIGNANT NEOPLASMS	3	0	3
ACCIDENTS	3	0	3
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	15	2	13	8	1	7	7	1	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	3	0	3	2	0	2	1	0	1
65-74	2	1	1	1	1	0	1	0	1
75-84	2	1	1	1	0	1	1	1	0
85 AND OVER	2	0	2	1	0	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF FULTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	101	95	6
HEART DISEASES	44	40	4
MALIGNANT NEOPLASMS	15	14	1
ALZHEIMERS DISEASE	7	7	0
CEREBROVASCULAR DISEASE	7	7	0
DIABETES MELLITUS	5	4	1
ACCIDENTS	4	4	0
PARKINSONS DISEASE	3	3	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
SEPTICEMIA	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	8	8	0

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	101	95	6	33	28	5	68	67	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	1	1	0	1	1	0	0	0	0
55-64	4	4	0	3	3	0	1	1	0
65-74	18	15	3	9	6	3	9	9	0
75-84	29	27	2	9	8	1	20	19	1
85 AND OVER	47	46	1	10	9	1	37	37	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GAUTIER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	92	78	14
MALIGNANT NEOPLASMS	28	25	3
HEART DISEASES	26	21	5
ACCIDENTS	10	9	1
ALZHEIMERS DISEASE	2	2	0
CEREBROVASCULAR DISEASE	2	1	1
AORTIC ANEURYSM AND DISSECTION	2	1	1
INFLUENZA AND PNEUMONIA	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1
SUICIDE	2	2	0
VIRAL HEPATITIS	1	1	0
DIABETES MELLITUS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
HOMICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	7	6	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	92	78	14	56	47	9	36	31	5
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	5	0	4	4	0	1	1	0
35-44	6	6	0	4	4	0	2	2	0
45-54	10	8	2	6	4	2	4	4	0
55-64	23	19	4	16	13	3	7	6	1
65-74	23	19	4	12	11	1	11	8	3
75-84	15	13	2	10	8	2	5	5	0
85 AND OVER	7	6	1	2	2	0	5	4	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGETOWN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	3	1
HEART DISEASES	3	2	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	3	1	2	2	0	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GLEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GLENDORA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	0	2
MALIGNANT NEOPLASMS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	0	2	1	0	1	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GLOSTER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	16	5	11
MALIGNANT NEOPLASMS	4	2	2
HEART DISEASES	2	1	1
CEREBROVASCULAR DISEASE	2	1	1
SEPTICEMIA	1	0	1
DIABETES MELLITUS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	16	5	11	11	3	8	5	2	3
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	1	1	2	1	1	0	0	0
65-74	4	1	3	2	0	2	2	1	1
75-84	3	2	1	2	1	1	1	1	0
85 AND OVER	3	1	2	2	1	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GOLDEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	3	3	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	2	2	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GOODMAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	3	4
HEART DISEASES	3	1	2
MALIGNANT NEOPLASMS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	3	4	4	2	2	3	1	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	1	1	0	2	1	1
65-74	1	0	1	1	0	1	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	2	1	1	1	1	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GREENVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	484	189	295
HEART DISEASES	162	71	91
MALIGNANT NEOPLASMS	108	38	70
CEREBROVASCULAR DISEASE	31	12	19
ACCIDENTS	17	5	12
INFLUENZA AND PNEUMONIA	15	7	8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	7	7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	13	1	12
SEPTICEMIA	12	5	7
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5
HOMICIDE	7	3	4
DIABETES MELLITUS	6	1	5
ALZHEIMERS DISEASE	6	5	1
HIV DISEASE	4	0	4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	1	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	0	3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2
SUICIDE	3	2	1
PARKINSONS DISEASE	2	2	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2
MENINGOCOCCAL INFECTION	1	1	0
VIRAL HEPATITIS	1	1	0
ANEMIAS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
ATHEROSCLEROSIS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	1
PEPTIC ULCER	1	0	1
HERNIA	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	11	3	8
ALL OTHER CAUSES	42	15	27

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	484	189	295	233	93	140	251	96	155
UNDER 1	8	0	8	5	0	5	3	0	3
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	5	0	5	3	0	3	2	0	2
1-4	4	1	3	3	1	2	1	0	1
5-9	3	2	1	2	2	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	6	3	3	2	0	2
25-34	9	3	6	7	2	5	2	1	1
35-44	20	5	15	13	3	10	7	2	5
45-54	44	9	35	25	7	18	19	2	17
55-64	49	12	37	24	6	18	25	6	19
65-74	90	37	53	44	19	25	46	18	28
75-84	131	63	68	65	35	30	66	28	38
85 AND OVER	118	54	64	39	15	24	79	39	40
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GREENWOOD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	245	98	147
HEART DISEASES	87	34	53
MALIGNANT NEOPLASMS	52	24	28
CEREBROVASCULAR DISEASE	26	6	20
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	10	3
ACCIDENTS	12	2	10
DIABETES MELLITUS	5	3	2
HOMICIDE	5	0	5
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0
INFLUENZA AND PNEUMONIA	3	1	2
SUICIDE	3	2	1
HIV DISEASE	2	0	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
TUBERCULOSIS	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ANEMIAS	1	0	1
PARKINSONS DISEASE	1	1	0
ALZHEIMERS DISEASE	1	0	1
ATHEROSCLEROSIS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	20	8	12

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	245	98	147	112	46	66	133	52	81
UNDER 1	4	1	3	1	1	0	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	1	2	1	1	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	8	0	8	4	0	4	4	0	4
45-54	20	5	15	11	4	7	9	1	8
55-64	23	8	15	16	6	10	7	2	5
65-74	47	25	22	23	14	9	24	11	13
75-84	73	35	38	29	13	16	44	22	22
85 AND OVER	60	23	37	19	7	12	41	16	25
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	220	139	81
HEART DISEASES	72	44	28
MALIGNANT NEOPLASMS	38	22	16
CEREBROVASCULAR DISEASE	31	19	12
INFLUENZA AND PNEUMONIA	14	12	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2
ACCIDENTS	9	5	4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2
HOMICIDE	4	2	2
SUICIDE	3	2	1
SEPTICEMIA	2	1	1
HIV DISEASE	2	0	2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0
AORTIC ANEURYSM AND DISSECTION	2	2	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1
ANEMIAS	1	1	0
DIABETES MELLITUS	1	1	0
ALZHEIMERS DISEASE	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	19	11	8

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	220	139	81	84	54	30	136	85	51
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	8	2	6	4	2	2	4	0	4
45-54	14	5	9	7	2	5	7	3	4
55-64	17	8	9	8	5	3	9	3	6
65-74	41	26	15	20	13	7	21	13	8
75-84	61	46	15	28	20	8	33	26	7
85 AND OVER	73	49	24	13	10	3	60	39	21
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GULFPORT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	748	569	179
HEART DISEASES	238	164	74
MALIGNANT NEOPLASMS	203	164	39
CEREBROVASCULAR DISEASE	45	31	14
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	34	34	0
ACCIDENTS	31	24	7
INFLUENZA AND PNEUMONIA	18	16	2
SEPTICEMIA	13	12	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	7	4
ALZHEIMERS DISEASE	10	7	3
ATHEROSCLEROSIS	10	8	2
DIABETES MELLITUS	9	6	3
SUICIDE	9	9	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	6	2
CONDITIONS ORIG IN PERINATAL PERIOD	8	5	3
HOMICIDE	7	2	5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	5	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	4	2
HIV DISEASE	4	3	1
PARKINSONS DISEASE	3	3	0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0
VIRAL HEPATITIS	2	1	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1
AORTIC ANEURYSM AND DISSECTION	2	2	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0
MATERNAL CAUSES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4
ALL OTHER CAUSES	54	45	9

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	748	569	179	412	323	89	336	246	90
UNDER 1	14	8	6	8	4	4	6	4	2
(NEONATAL)	9	5	4	6	2	4	3	3	0
(POSTNEONATAL)	5	3	2	2	2	0	3	1	2
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	7	5	10	5	5	2	2	0
25-34	13	12	1	10	10	0	3	2	1
35-44	34	23	11	22	15	7	12	8	4
45-54	57	40	17	40	31	9	17	9	8
55-64	84	59	25	41	27	14	43	32	11
65-74	167	125	42	110	84	26	57	41	16
75-84	227	186	41	124	109	15	103	77	26
85 AND OVER	138	107	31	45	36	9	93	71	22
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GUNNISON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	0	7
CEREBROVASCULAR DISEASE	2	0	2
MALIGNANT NEOPLASMS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	0	7	3	0	3	4	0	4
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	2	0	2	1	0	1	1	0	1
75-84	2	0	2	2	0	2	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF GUNTOWN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	10	8	2
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
SEPTICEMIA	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	10	8	2	8	7	1	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	2	2	0	2	2	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	3	2	1	3	2	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HATTIESBURG, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	518	316	202
HEART DISEASES	165	106	59
MALIGNANT NEOPLASMS	112	71	41
CEREBROVASCULAR DISEASE	38	20	18
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	35	23	12
ACCIDENTS	31	14	17
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	8	6
ALZHEIMERS DISEASE	12	10	2
SEPTICEMIA	9	4	5
INFLUENZA AND PNEUMONIA	9	7	2
DIABETES MELLITUS	7	3	4
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1
SUICIDE	6	3	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1
HIV DISEASE	3	1	2
ATHEROSCLEROSIS	3	2	1
AORTIC ANEURYSM AND DISSECTION	3	2	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2
PARKINSONS DISEASE	2	1	1
PEPTIC ULCER	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
HOMICIDE	2	1	1
MENINGITIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	43	24	19

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	518	316	202	253	145	108	265	171	94
UNDER 1	4	2	2	2	2	0	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	3	2	1	3	2	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	16	3	13	7	2	5	9	1	8
35-44	25	12	13	17	9	8	8	3	5
45-54	39	16	23	25	11	14	14	5	9
55-64	47	16	31	30	12	18	17	4	13
65-74	86	55	31	51	29	22	35	26	9
75-84	140	101	39	71	49	22	69	52	17
85 AND OVER	151	109	42	41	29	12	110	80	30
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HAZLEHURST, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	86	38	48
HEART DISEASES	32	19	13
MALIGNANT NEOPLASMS	11	5	6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	4
ACCIDENTS	4	1	3
SEPTICEMIA	3	1	2
ALZHEIMERS DISEASE	3	2	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3
CEREBROVASCULAR DISEASE	3	1	2
DIABETES MELLITUS	2	0	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
HOMICIDE	2	0	2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	9	5	4

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	86	38	48	35	14	21	51	24	27
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	6	0	6	2	0	2	4	0	4
45-54	7	2	5	6	2	4	1	0	1
55-64	7	1	6	4	1	3	3	0	3
65-74	13	6	7	6	3	3	7	3	4
75-84	18	9	9	8	3	5	10	6	4
85 AND OVER	31	19	12	7	5	2	24	14	10
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HEIDELBERG, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	5	3
HEART DISEASES	4	2	2
MALIGNANT NEOPLASMS	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	5	3	5	3	2	3	2	1
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	3	2	1	2	1	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HERNANDO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	62	47	15
HEART DISEASES	20	16	4
MALIGNANT NEOPLASMS	11	8	3
CEREBROVASCULAR DISEASE	4	4	0
SUICIDE	4	3	1
SEPTICEMIA	3	1	2
ACCIDENTS	3	2	1
DIABETES MELLITUS	2	0	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
HERNIA	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	6	5	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	62	47	15	31	24	7	31	23	8
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	5	5	0	3	3	0	2	2	0
45-54	6	5	1	6	5	1	0	0	0
55-64	4	4	0	3	3	0	1	1	0
65-74	9	5	4	3	0	3	6	5	1
75-84	16	12	4	5	5	0	11	7	4
85 AND OVER	17	11	6	7	4	3	10	7	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HICKORY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	2	1
HEART DISEASES	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	2	1	1	1	0	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HICKORY FLAT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	6	1
HEART DISEASES	2	2	0
VIRAL HEPATITIS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
ACCIDENTS	1	1	0
SUICIDE	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	6	1	6	6	0	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	3	0	3	3	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HOLLANDALE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	37	1	36
MALIGNANT NEOPLASMS	15	0	15
HEART DISEASES	8	0	8
ACCIDENTS	3	0	3
TUBERCULOSIS	1	0	1
SEPTICEMIA	1	0	1
HIV DISEASE	1	0	1
DIABETES MELLITUS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	0	0	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	37	1	36	18	1	17	19	0	19
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	2	0	2	2	0	2	0	0	0
55-64	5	0	5	4	0	4	1	0	1
65-74	9	0	9	3	0	3	6	0	6
75-84	7	1	6	5	1	4	2	0	2
85 AND OVER	8	0	8	2	0	2	6	0	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HOLLY SPRINGS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	121	41	80
HEART DISEASES	42	14	28
MALIGNANT NEOPLASMS	29	8	21
CEREBROVASCULAR DISEASE	12	3	9
ACCIDENTS	9	5	4
INFLUENZA AND PNEUMONIA	5	3	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2
SEPTICEMIA	2	1	1
ALZHEIMERS DISEASE	2	2	0
AORTIC ANEURYSM AND DISSECTION	2	0	2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2
ANEMIAS	1	0	1
MENINGITIS	1	0	1
PEPTIC ULCER	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	8	2	6

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	121	41	80	46	12	34	75	29	46
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	2	1	1	1	1	0	1	0	1
35-44	4	0	4	3	0	3	1	0	1
45-54	11	4	7	8	4	4	3	0	3
55-64	11	2	9	8	1	7	3	1	2
65-74	21	5	16	10	3	7	11	2	9
75-84	36	13	23	11	1	10	25	12	13
85 AND OVER	32	16	16	5	2	3	27	14	13
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HORN LAKE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	87	76	11
MALIGNANT NEOPLASMS	23	21	2
HEART DISEASES	22	18	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0
ACCIDENTS	5	5	0
INFLUENZA AND PNEUMONIA	4	3	1
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0
SEPTICEMIA	2	2	0
HIV DISEASE	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
DIABETES MELLITUS	1	1	0
SUICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	10	9	1

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	87	76	11	43	38	5	44	38	6
UNDER 1	6	4	2	3	2	1	3	2	1
(NEONATAL)	5	4	1	2	2	0	3	2	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	4	3	1	2	2	0	2	1	1
35-44	6	5	1	4	3	1	2	2	0
45-54	9	7	2	6	5	1	3	2	1
55-64	14	14	0	7	7	0	7	7	0
65-74	26	24	2	12	11	1	14	13	1
75-84	11	11	0	5	5	0	6	6	0
85 AND OVER	8	6	2	2	2	0	6	4	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HOULKA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
MALIGNANT NEOPLASMS	2	2	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	3	3	0	0	0	0
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HOUSTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	66	57	9
HEART DISEASES	26	24	2
MALIGNANT NEOPLASMS	14	12	2
INFLUENZA AND PNEUMONIA	5	5	0
ACCIDENTS	4	4	0
CEREBROVASCULAR DISEASE	3	2	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
DIABETES MELLITUS	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0
ALL OTHER CAUSES	5	5	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	66	57	9	32	27	5	34	30	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	3	0	3	2	0	2	1	0	1
55-64	8	7	1	6	6	0	2	1	1
65-74	9	6	3	5	2	3	4	4	0
75-84	16	15	1	7	7	0	9	8	1
85 AND OVER	26	25	1	9	9	0	17	16	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF INDIANOLA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	118	47	71
HEART DISEASES	46	18	28
MALIGNANT NEOPLASMS	18	7	11
CEREBROVASCULAR DISEASE	9	3	6
ACCIDENTS	5	3	2
INFLUENZA AND PNEUMONIA	4	2	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3
HOMICIDE	3	0	3
DIABETES MELLITUS	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
AORTIC ANEURYSM AND DISSECTION	2	0	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2
HIV DISEASE	1	0	1
ALZHEIMERS DISEASE	1	1	0
HERNIA	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2
ALL OTHER CAUSES	11	6	5

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	118	47	71	49	21	28	69	26	43
UNDER 1	4	1	3	4	1	3	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	4	1	3	4	1	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	1	1	0	3	0	3
25-34	2	1	1	1	1	0	1	0	1
35-44	7	1	6	2	1	1	5	0	5
45-54	12	2	10	7	1	6	5	1	4
55-64	9	6	3	7	4	3	2	2	0
65-74	25	8	17	11	5	6	14	3	11
75-84	22	9	13	9	6	3	13	3	10
85 AND OVER	33	18	15	7	1	6	26	17	9
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF INVERNESS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	13	7	6
MALIGNANT NEOPLASMS	5	1	4
HEART DISEASES	3	2	1
CEREBROVASCULAR DISEASE	2	2	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	13	7	6	5	3	2	8	4	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	2	2	3	2	1	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	5	3	2	1	1	0	4	2	2
85 AND OVER	3	2	1	0	0	0	3	2	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ISOLA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	1	4
HEART DISEASES	3	1	2
MALIGNANT NEOPLASMS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	1	4	4	1	3	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	1	1	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ITTA BENA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	31	4	27
HEART DISEASES	13	2	11
MALIGNANT NEOPLASMS	5	0	5
ACCIDENTS	4	0	4
CEREBROVASCULAR DISEASE	2	1	1
HOMICIDE	2	0	2
VIRAL HEPATITIS	1	0	1
DIABETES MELLITUS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	31	4	27	17	3	14	14	1	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	0	5	3	0	3	2	0	2
45-54	4	0	4	2	0	2	2	0	2
55-64	1	0	1	0	0	0	1	0	1
65-74	3	0	3	1	0	1	2	0	2
75-84	7	2	5	4	2	2	3	0	3
85 AND OVER	8	2	6	4	1	3	4	1	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF IUKA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	82	78	4
HEART DISEASES	27	27	0
MALIGNANT NEOPLASMS	13	10	3
CEREBROVASCULAR DISEASE	7	7	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0
ATHEROSCLEROSIS	3	3	0
INFLUENZA AND PNEUMONIA	3	3	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0
DIABETES MELLITUS	2	2	0
ALZHEIMERS DISEASE	2	2	0
ACCIDENTS	2	2	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0
ALL OTHER CAUSES	9	9	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	82	78	4	36	33	3	46	45	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	2	1	1	2	1	1	0	0	0
45-54	4	4	0	4	4	0	0	0	0
55-64	6	5	1	3	2	1	3	3	0
65-74	16	16	0	11	11	0	5	5	0
75-84	22	21	1	7	6	1	15	15	0
85 AND OVER	30	29	1	7	7	0	23	22	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1,860	867	993
HEART DISEASES	622	313	309
MALIGNANT NEOPLASMS	369	167	202
CEREBROVASCULAR DISEASE	124	67	57
ACCIDENTS	89	32	57
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	72	52	20
INFLUENZA AND PNEUMONIA	52	32	20
HOMICIDE	45	7	38
SEPTICEMIA	39	13	26
HIV DISEASE	37	1	36
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	35	9	26
DIABETES MELLITUS	34	9	25
CONDITIONS ORIG IN PERINATAL PERIOD	23	1	22
ALZHEIMERS DISEASE	22	19	3
SUICIDE	18	13	5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	16	7	9
PARKINSONS DISEASE	11	8	3
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	3	8
AORTIC ANEURYSM AND DISSECTION	11	6	5
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	5	6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	4	7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	4	3
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	4	3
MENINGITIS	5	2	3
ANEMIAS	3	1	2
VIRAL HEPATITIS	2	2	0
PEPTIC ULCER	2	1	1
HYPERPLASIA OF PROSTATE	2	1	1
FEMALE PELVIC INFLAMMATORY DISEASE	2	1	1
ATHEROSCLEROSIS	1	1	0
HERNIA	1	0	1
INFECTIONS OF KIDNEY	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	15	7	8
ALL OTHER CAUSES	159	74	85

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1,860	867	993	936	417	519	924	450	474
UNDER 1	45	4	41	30	2	28	15	2	13
(NEONATAL)	28	3	25	20	2	18	8	1	7
(POSTNEONATAL)	17	1	16	10	0	10	7	1	6
1-4	10	1	9	6	1	5	4	0	4
5-9	6	1	5	2	0	2	4	1	3
10-14	4	1	3	2	0	2	2	1	1
15-24	41	8	33	27	5	22	14	3	11
25-34	55	15	40	34	10	24	21	5	16
35-44	118	30	88	70	21	49	48	9	39
45-54	155	51	104	101	36	65	54	15	39
55-64	179	70	109	112	48	64	67	22	45
65-74	373	187	186	205	101	104	168	86	82
75-84	444	253	191	211	128	83	233	125	108
85 AND OVER	430	246	184	136	65	71	294	181	113
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF JONESTOWN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	1	7
MALIGNANT NEOPLASMS	3	1	2
HEART DISEASES	2	0	2
DIABETES MELLITUS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	1	7	1	0	1	7	1	6
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	0	0	0	2	0	2
65-74	1	1	0	0	0	0	1	1	0
75-84	2	0	2	0	0	0	2	0	2
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF KILMICHAEL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	14	6	8
HEART DISEASES	6	2	4
SEPTICEMIA	2	0	2
MALIGNANT NEOPLASMS	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	14	6	8	10	3	7	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	5	1	4	5	1	4	0	0	0
65-74	3	2	1	1	1	0	2	1	1
75-84	4	2	2	2	0	2	2	2	0
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF KOSCIUSKO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	157	118	39
HEART DISEASES	53	38	15
MALIGNANT NEOPLASMS	20	17	3
CEREBROVASCULAR DISEASE	17	15	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	13	3
ALZHEIMERS DISEASE	6	6	0
ACCIDENTS	5	3	2
DIABETES MELLITUS	4	4	0
INFLUENZA AND PNEUMONIA	3	2	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1
SUICIDE	2	0	2
SEPTICEMIA	1	1	0
PARKINSONS DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	14	13	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	157	118	39	83	63	20	74	55	19
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	3	0	3	3	0	3	0	0	0
45-54	7	4	3	5	3	2	2	1	1
55-64	14	7	7	12	7	5	2	0	2
65-74	28	20	8	16	14	2	12	6	6
75-84	54	42	12	26	20	6	28	22	6
85 AND OVER	47	42	5	18	16	2	29	26	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LAKE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LAMBERT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	22	10	12
MALIGNANT NEOPLASMS	10	4	6
HEART DISEASES	5	3	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
DIABETES MELLITUS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	22	10	12	15	8	7	7	2	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	2	2	4	2	2	0	0	0
55-64	3	1	2	2	1	1	1	0	1
65-74	5	4	1	3	3	0	2	1	1
75-84	4	2	2	3	1	2	1	1	0
85 AND OVER	4	1	3	1	1	0	3	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LAUREL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	257	173	84
HEART DISEASES	97	69	28
MALIGNANT NEOPLASMS	46	34	12
ACCIDENTS	16	8	8
INFLUENZA AND PNEUMONIA	13	11	2
CEREBROVASCULAR DISEASE	11	7	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4
SEPTICEMIA	5	1	4
HOMICIDE	5	1	4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1
DIABETES MELLITUS	3	1	2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2
ALZHEIMERS DISEASE	2	2	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
VIRAL HEPATITIS	1	1	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
PARKINSONS DISEASE	1	1	0
PEPTIC ULCER	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0
ALL OTHER CAUSES	27	17	10

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	257	173	84	119	78	41	138	95	43
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	7	2	5	5	2	3	2	0	2
25-34	5	0	5	5	0	5	0	0	0
35-44	8	4	4	5	2	3	3	2	1
45-54	12	3	9	5	2	3	7	1	6
55-64	19	9	10	14	7	7	5	2	3
65-74	53	34	19	30	21	9	23	13	10
75-84	74	59	15	31	24	7	43	35	8
85 AND OVER	75	60	15	23	20	3	52	40	12
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKESVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	25	23	2
MALIGNANT NEOPLASMS	7	6	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0
DIABETES MELLITUS	2	2	0
HEART DISEASES	2	2	0
ALZHEIMERS DISEASE	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
ATHEROSCLEROSIS	1	0	1
INFLUENZA AND PNEUMONIA	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	25	23	2	12	11	1	13	12	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	1	0	1	1	1	0
65-74	6	6	0	2	2	0	4	4	0
75-84	5	5	0	5	5	0	0	0	0
85 AND OVER	12	11	1	4	4	0	8	7	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LELAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	73	23	50
HEART DISEASES	22	7	15
MALIGNANT NEOPLASMS	12	6	6
ACCIDENTS	7	1	6
CEREBROVASCULAR DISEASE	3	1	2
SEPTICEMIA	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
INFLUENZA AND PNEUMONIA	2	0	2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2
HOMICIDE	2	0	2
ANEMIAS	1	0	1
DIABETES MELLITUS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
ALZHEIMERS DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
SUICIDE	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2
ALL OTHER CAUSES	6	2	4

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	73	23	50	41	16	25	32	7	25
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	2	0	2	2	0	2	0	0	0
35-44	6	2	4	2	0	2	4	2	2
45-54	10	1	9	5	1	4	5	0	5
55-64	7	2	5	5	2	3	2	0	2
65-74	8	2	6	5	1	4	3	1	2
75-84	18	10	8	14	9	5	4	1	3
85 AND OVER	17	4	13	7	3	4	10	1	9
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LENA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	2	6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
MALIGNANT NEOPLASMS	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	2	6	6	2	4	2	0	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	5	1	4	4	1	3	1	0	1
85 AND OVER	2	1	1	1	1	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LEXINGTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	45	20	25
HEART DISEASES	16	8	8
CEREBROVASCULAR DISEASE	10	8	2
MALIGNANT NEOPLASMS	3	0	3
ACCIDENTS	3	0	3
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
SEPTICEMIA	1	0	1
VIRAL HEPATITIS	1	0	1
HIV DISEASE	1	0	1
INFLUENZA AND PNEUMONIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	45	20	25	22	8	14	23	12	11
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	3	0	3	3	0	3	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	2	0	2	2	0	2	0	0	0
65-74	5	3	2	4	2	2	1	1	0
75-84	11	6	5	6	4	2	5	2	3
85 AND OVER	17	11	6	2	2	0	15	9	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LIBERTY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	8	3
HEART DISEASES	4	2	2
MALIGNANT NEOPLASMS	3	2	1
SEPTICEMIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
ACCIDENTS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	8	3	7	6	1	4	2	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	3	1	2	2	1	1	1	0	1
75-84	5	4	1	3	3	0	2	1	1
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LONG BEACH, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	124	117	7
HEART DISEASES	46	45	1
MALIGNANT NEOPLASMS	36	34	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0
DIABETES MELLITUS	3	2	1
CEREBROVASCULAR DISEASE	3	3	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0
ACCIDENTS	3	3	0
INFLUENZA AND PNEUMONIA	2	2	0
SUICIDE	2	1	1
SEPTICEMIA	1	1	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ALZHEIMERS DISEASE	1	1	0
HYPERPLASIA OF PROSTATE	1	1	0
HOMICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	16	14	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	124	117	7	72	68	4	52	49	3
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	0	0	0	2	1	1
35-44	2	1	1	1	0	1	1	1	0
45-54	6	5	1	4	4	0	2	1	1
55-64	18	15	3	11	9	2	7	6	1
65-74	46	46	0	27	27	0	19	19	0
75-84	38	37	1	23	22	1	15	15	0
85 AND OVER	10	10	0	4	4	0	6	6	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LOUIN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	2	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	2	1	2	2	0	1	0	1
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LOUISE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	3	3
HEART DISEASES	3	1	2
DIABETES MELLITUS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	3	3	2	2	0	4	1	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	3	1	2	1	1	0	2	0	2
75-84	2	1	1	1	1	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LOUISVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	125	80	45
HEART DISEASES	46	28	18
MALIGNANT NEOPLASMS	31	21	10
CEREBROVASCULAR DISEASE	8	6	2
ACCIDENTS	7	5	2
HOMICIDE	4	0	4
SEPTICEMIA	3	1	2
INFLUENZA AND PNEUMONIA	3	3	0
ALZHEIMERS DISEASE	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0
DIABETES MELLITUS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	9	6	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	125	80	45	55	32	23	70	48	22
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	3	0	3	0	0	0	3	0	3
35-44	3	0	3	2	0	2	1	0	1
45-54	3	1	2	2	1	1	1	0	1
55-64	10	6	4	6	4	2	4	2	2
65-74	18	8	10	12	5	7	6	3	3
75-84	36	27	9	17	12	5	19	15	4
85 AND OVER	46	36	10	13	10	3	33	26	7
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LUCEDALE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	40	34	6
HEART DISEASES	16	13	3
MALIGNANT NEOPLASMS	7	7	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
SEPTICEMIA	2	1	1
ACCIDENTS	2	2	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
DIABETES MELLITUS	1	1	0
ALZHEIMERS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	40	34	6	16	13	3	24	21	3
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	6	4	2	2	1	1	4	3	1
65-74	6	5	1	3	3	0	3	2	1
75-84	12	10	2	6	5	1	6	5	1
85 AND OVER	12	11	1	3	2	1	9	9	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LULA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	2	3
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	2	3	3	0	3	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	1	2	2	0	2	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LUMBERTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	37	19	18
MALIGNANT NEOPLASMS	9	4	5
HEART DISEASES	6	3	3
VIRAL HEPATITIS	2	2	0
CEREBROVASCULAR DISEASE	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1
ACCIDENTS	2	1	1
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	8	4	4

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	37	19	18	12	7	5	25	12	13
UNDER 1	3	1	2	1	1	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	2	2	0	2	2	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	7	3	4	2	1	1	5	2	3
55-64	8	1	7	2	1	1	6	0	6
65-74	5	3	2	2	0	2	3	3	0
75-84	3	2	1	2	1	1	1	1	0
85 AND OVER	6	6	0	1	1	0	5	5	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF LYON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	9	8	1
HEART DISEASES	4	3	1
MALIGNANT NEOPLASMS	2	2	0
HERNIA	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	9	8	1	5	4	1	4	4	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	2	1	2	1	1	1	1	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MABEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	12	6	6
HEART DISEASES	5	2	3
INFLUENZA AND PNEUMONIA	2	1	1
MALIGNANT NEOPLASMS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	6	6	6	2	4	6	4	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	3	2	1	1	1	0	2	1	1
75-84	5	1	4	3	0	3	2	1	1
85 AND OVER	3	2	1	1	0	1	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MACON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	42	11	31
HEART DISEASES	18	4	14
MALIGNANT NEOPLASMS	4	1	3
CEREBROVASCULAR DISEASE	3	0	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
SEPTICEMIA	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
DIABETES MELLITUS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
HERNIA	1	1	0
ACCIDENTS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	6	3	3

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	42	11	31	21	5	16	21	6	15
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	4	0	4	1	0	1	3	0	3
45-54	3	1	2	3	1	2	0	0	0
55-64	6	1	5	4	1	3	2	0	2
65-74	5	0	5	4	0	4	1	0	1
75-84	5	1	4	4	1	3	1	0	1
85 AND OVER	15	8	7	3	2	1	12	6	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	124	120	4
MALIGNANT NEOPLASMS	33	32	1
HEART DISEASES	33	32	1
INFLUENZA AND PNEUMONIA	9	9	0
CEREBROVASCULAR DISEASE	7	7	0
ACCIDENTS	6	5	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0
ALZHEIMERS DISEASE	3	3	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0
SUICIDE	3	3	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
SEPTICEMIA	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	17	16	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	124	120	4	55	54	1	69	66	3
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	3	0	2	2	0	1	1	0
35-44	5	5	0	4	4	0	1	1	0
45-54	6	5	1	5	4	1	1	1	0
55-64	10	9	1	7	7	0	3	2	1
65-74	17	17	0	11	11	0	6	6	0
75-84	31	30	1	10	10	0	21	20	1
85 AND OVER	49	48	1	14	14	0	35	34	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MAGEE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	74	53	21
HEART DISEASES	26	19	7
MALIGNANT NEOPLASMS	7	6	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0
ACCIDENTS	6	5	1
CEREBROVASCULAR DISEASE	5	3	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3
DIABETES MELLITUS	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0
INFLUENZA AND PNEUMONIA	2	2	0
TUBERCULOSIS	1	1	0
HIV DISEASE	1	0	1
ALZHEIMERS DISEASE	1	1	0
ATHEROSCLEROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	8	5	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	74	53	21	25	18	7	49	35	14
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	2	1	1	1	0	1	1	1	0
45-54	4	1	3	2	1	1	2	0	2
55-64	8	6	2	2	2	0	6	4	2
65-74	12	8	4	6	5	1	6	3	3
75-84	18	14	4	5	4	1	13	10	3
85 AND OVER	27	22	5	6	5	1	21	17	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MAGNOLIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	14	6	8
HEART DISEASES	4	3	1
MALIGNANT NEOPLASMS	3	0	3
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	14	6	8	4	3	1	10	3	7
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	3	1	2	0	0	0	3	1	2
75-84	5	3	2	1	1	0	4	2	2
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MANTACHIE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
MALIGNANT NEOPLASMS	2	2	0
HEART DISEASES	2	2	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	3	3	0	2	2	0
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MANTEE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
HEART DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MARIETTA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
MALIGNANT NEOPLASMS	2	2	0
HEART DISEASES	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	4	4	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MARION, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	36	30	6
HEART DISEASES	17	14	3
MALIGNANT NEOPLASMS	3	2	1
CEREBROVASCULAR DISEASE	3	2	1
INFLUENZA AND PNEUMONIA	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
ACCIDENTS	2	2	0
SEPTICEMIA	1	1	0
ALZHEIMERS DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	36	30	6	11	8	3	25	22	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	2	1	1	0	0	0	2	1	1
65-74	2	2	0	1	1	0	1	1	0
75-84	12	8	4	6	3	3	6	5	1
85 AND OVER	19	18	1	4	4	0	15	14	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MARKS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	42	20	22
HEART DISEASES	15	6	9
MALIGNANT NEOPLASMS	10	5	5
INFLUENZA AND PNEUMONIA	3	2	1
ACCIDENTS	3	1	2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2
SEPTICEMIA	1	1	0
DIABETES MELLITUS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
PEPTIC ULCER	1	0	1
INFECTIONS OF KIDNEY	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	42	20	22	14	5	9	28	15	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	1	5	6	1	5	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	6	3	3	2	2	0	4	1	3
75-84	14	9	5	3	1	2	11	8	3
85 AND OVER	13	5	8	1	0	1	12	5	7
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MATHISTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
HEART DISEASES	2	2	0
ANEMIAS	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	2	2	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	1	1	0	0	0	0	1	1	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	2	2	0	2	2	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MCCOMB, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	216	126	90
HEART DISEASES	79	54	25
MALIGNANT NEOPLASMS	39	19	20
CEREBROVASCULAR DISEASE	15	11	4
DIABETES MELLITUS	12	7	5
ACCIDENTS	12	4	8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2
INFLUENZA AND PNEUMONIA	6	3	3
SEPTICEMIA	5	1	4
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1
SUICIDE	3	2	1
HOMICIDE	3	0	3
PARKINSONS DISEASE	2	2	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
TUBERCULOSIS	1	0	1
ALZHEIMERS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
INFECTIONS OF KIDNEY	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	17	12	5

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	216	126	90	86	41	45	130	85	45
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	5	0	5	0	0	0
25-34	6	3	3	4	2	2	2	1	1
35-44	8	2	6	4	1	3	4	1	3
45-54	10	4	6	8	4	4	2	0	2
55-64	21	7	14	10	3	7	11	4	7
65-74	37	22	15	19	10	9	18	12	6
75-84	67	45	22	27	16	11	40	29	11
85 AND OVER	60	43	17	8	5	3	52	38	14
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MCCOOL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MCLAIN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	6	2
MALIGNANT NEOPLASMS	2	2	0
HEART DISEASES	2	2	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	6	2	1	1	0	7	5	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	3	2	1	0	0	0	3	2	1
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	3	3	0	0	0	0	3	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MEADVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	21	16	5
HEART DISEASES	11	9	2
DIABETES MELLITUS	2	2	0
MALIGNANT NEOPLASMS	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
ATHEROSCLEROSIS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	21	16	5	9	7	2	12	9	3
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	0	0	0	2	1	1
75-84	7	6	1	2	2	0	5	4	1
85 AND OVER	10	8	2	5	4	1	5	4	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MENDENHALL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	31	24	7
MALIGNANT NEOPLASMS	6	6	0
HEART DISEASES	6	3	3
ATHEROSCLEROSIS	5	5	0
ACCIDENTS	3	2	1
CEREBROVASCULAR DISEASE	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
SEPTICEMIA	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	31	24	7	13	9	4	18	15	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	2	0	2	0	0	0
55-64	3	3	0	1	1	0	2	2	0
65-74	5	5	0	3	3	0	2	2	0
75-84	9	7	2	2	2	0	7	5	2
85 AND OVER	11	8	3	4	2	2	7	6	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MERIDIAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	643	411	232
HEART DISEASES	204	143	61
MALIGNANT NEOPLASMS	178	104	74
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	29	26	3
ACCIDENTS	26	14	12
CEREBROVASCULAR DISEASE	21	18	3
INFLUENZA AND PNEUMONIA	18	12	6
ALZHEIMERS DISEASE	16	13	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	8	6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	11	6	5
CONDITIONS ORIG IN PERINATAL PERIOD	10	0	10
HIV DISEASE	9	0	9
PARKINSONS DISEASE	7	6	1
SEPTICEMIA	6	5	1
DIABETES MELLITUS	6	3	3
HOMICIDE	6	3	3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1
AORTIC ANEURYSM AND DISSECTION	3	2	1
ATHEROSCLEROSIS	2	1	1
SUICIDE	2	1	1
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
ANEMIAS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2
ALL OTHER CAUSES	54	34	20

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	643	411	232	305	186	119	338	225	113
UNDER 1	11	1	10	6	0	6	5	1	4
(NEONATAL)	8	0	8	4	0	4	4	0	4
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	5	2	3	3	1	2
25-34	9	4	5	6	3	3	3	1	2
35-44	23	9	14	17	7	10	6	2	4
45-54	39	18	21	27	13	14	12	5	7
55-64	64	34	30	38	23	15	26	11	15
65-74	114	76	38	68	44	24	46	32	14
75-84	213	145	68	97	61	36	116	84	32
85 AND OVER	161	121	40	40	33	7	121	88	33
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MERIGOLD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	2	2
HEART DISEASES	2	1	1
DIABETES MELLITUS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	2	2	3	2	1	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	2	1	2	2	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF METCALF, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	0	5
HEART DISEASES	3	0	3
SEPTICEMIA	1	0	1
MALIGNANT NEOPLASMS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	0	5	1	0	1	4	0	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	2	0	2	0	0	0	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MIZE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	2	2	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MONTICELLO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	24	21	3
HEART DISEASES	12	10	2
MALIGNANT NEOPLASMS	5	5	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
PARKINSONS DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	24	21	3	11	8	3	13	13	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	4	2	2	3	1	2	1	1	0
75-84	10	10	0	6	6	0	4	4	0
85 AND OVER	10	9	1	2	1	1	8	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MOOREHEAD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	20	1	19
HEART DISEASES	7	0	7
MALIGNANT NEOPLASMS	3	0	3
ACCIDENTS	3	0	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
SEPTICEMIA	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	0	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	20	1	19	11	0	11	9	1	8
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	2	0	2	1	0	1	1	0	1
55-64	1	0	1	1	0	1	0	0	0
65-74	6	0	6	4	0	4	2	0	2
75-84	3	1	2	1	0	1	2	1	1
85 AND OVER	2	0	2	1	0	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MORTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	60	48	12
HEART DISEASES	23	21	2
MALIGNANT NEOPLASMS	12	9	3
ATHEROSCLEROSIS	8	8	0
CEREBROVASCULAR DISEASE	3	2	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1
ACCIDENTS	2	1	1
DIABETES MELLITUS	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	4	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	60	48	12	19	16	3	41	32	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	1	1	0	0	0	0	1	1	0
45-54	2	1	1	1	1	0	1	0	1
55-64	3	1	2	0	0	0	3	1	2
65-74	9	8	1	4	4	0	5	4	1
75-84	10	10	0	5	5	0	5	5	0
85 AND OVER	32	27	5	8	6	2	24	21	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MOSS POINT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	183	83	100
HEART DISEASES	57	25	32
MALIGNANT NEOPLASMS	40	14	26
CEREBROVASCULAR DISEASE	12	8	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4
ALZHEIMERS DISEASE	7	4	3
ACCIDENTS	7	3	4
HOMICIDE	6	0	6
DIABETES MELLITUS	3	2	1
ATHEROSCLEROSIS	3	2	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1
SUICIDE	2	1	1
SEPTICEMIA	1	0	1
HIV DISEASE	1	0	1
INFLUENZA AND PNEUMONIA	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	21	10	11

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	183	83	100	93	43	50	90	40	50
UNDER 1	4	1	3	2	1	1	2	0	2
(NEONATAL)	3	1	2	1	1	0	2	0	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	9	2	7	6	1	5	3	1	2
35-44	8	4	4	6	4	2	2	0	2
45-54	15	2	13	10	2	8	5	0	5
55-64	25	9	16	14	6	8	11	3	8
65-74	35	12	23	17	5	12	18	7	11
75-84	48	28	20	21	14	7	27	14	13
85 AND OVER	37	24	13	16	10	6	21	14	7
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MOUND BAYOU, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	18	0	18
HEART DISEASES	7	0	7
MALIGNANT NEOPLASMS	3	0	3
INFLUENZA AND PNEUMONIA	2	0	2
HIV DISEASE	1	0	1
ALZHEIMERS DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	18	0	18	7	0	7	11	0	11
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	3	0	3	3	0	3	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	3	0	3	0	0	0	3	0	3
85 AND OVER	8	0	8	2	0	2	6	0	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MOUNT OLIVE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	5	3
MALIGNANT NEOPLASMS	5	4	1
HEART DISEASES	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	5	3	5	3	2	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	1	0	1	0	0	0	1	0	1
75-84	2	2	0	2	2	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MYRTLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	2	0
HEART DISEASES	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	2	0	2	2	0	0	0	0
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NATCHEZ, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	302	152	150
HEART DISEASES	107	63	44
MALIGNANT NEOPLASMS	58	22	36
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	11	6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	17	4	13
CEREBROVASCULAR DISEASE	14	3	11
ACCIDENTS	13	8	5
INFLUENZA AND PNEUMONIA	8	5	3
SEPTICEMIA	6	2	4
ALZHEIMERS DISEASE	6	6	0
SUICIDE	6	4	2
DIABETES MELLITUS	4	1	3
HOMICIDE	4	1	3
HIV DISEASE	2	0	2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1
PARKINSONS DISEASE	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2
ANEMIAS	1	0	1
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
PEPTIC ULCER	1	0	1
HERNIA	1	1	0
INFECTIONS OF KIDNEY	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	20	11	9

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	302	152	150	133	60	73	169	92	77
UNDER 1	6	1	5	2	0	2	4	1	3
(NEONATAL)	4	1	3	1	0	1	3	1	2
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	1	4	2	0	2	3	1	2
35-44	12	2	10	9	1	8	3	1	2
45-54	15	8	7	7	4	3	8	4	4
55-64	29	9	20	13	5	8	16	4	12
65-74	60	34	26	27	18	9	33	16	17
75-84	95	48	47	44	23	21	51	25	26
85 AND OVER	78	49	29	27	9	18	51	40	11
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NETTLETON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	22	19	3
HEART DISEASES	9	8	1
MALIGNANT NEOPLASMS	4	3	1
CEREBROVASCULAR DISEASE	2	2	0
ACCIDENTS	2	2	0
TUBERCULOSIS	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	22	19	3	13	13	0	9	6	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	2	1	1	1	1	0	1	0	1
55-64	3	3	0	1	1	0	2	2	0
65-74	8	7	1	5	5	0	3	2	1
75-84	2	2	0	2	2	0	0	0	0
85 AND OVER	4	3	1	1	1	0	3	2	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NEW ALBANY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	95	77	18
HEART DISEASES	31	28	3
MALIGNANT NEOPLASMS	14	12	2
CEREBROVASCULAR DISEASE	13	9	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1
INFLUENZA AND PNEUMONIA	4	2	2
DIABETES MELLITUS	3	3	0
ALZHEIMERS DISEASE	3	3	0
ACCIDENTS	3	3	0
ATHEROSCLEROSIS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
HOMICIDE	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	6	3	3

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	95	77	18	35	31	4	60	46	14
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	3	1	2	0	0	0	3	1	2
45-54	4	3	1	1	1	0	3	2	1
55-64	13	10	3	9	7	2	4	3	1
65-74	7	5	2	5	5	0	2	0	2
75-84	24	22	2	12	11	1	12	11	1
85 AND OVER	40	34	6	6	6	0	34	28	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NEW AUGUSTA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	3	1
HEART DISEASES	2	1	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	3	1	2	2	0	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	0	0	0	2	1	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NEW HEBRON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	2	2	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	69	42	27
HEART DISEASES	29	19	10
MALIGNANT NEOPLASMS	9	6	3
CEREBROVASCULAR DISEASE	7	6	1
DIABETES MELLITUS	5	1	4
INFLUENZA AND PNEUMONIA	3	2	1
ACCIDENTS	3	1	2
HIV DISEASE	1	0	1
ANEMIAS	1	0	1
ALZHEIMERS DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	3	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	69	42	27	29	16	13	40	26	14
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	3	2	1	2	1	1	1	1	0
65-74	15	8	7	5	1	4	10	7	3
75-84	21	14	7	8	6	2	13	8	5
85 AND OVER	26	17	9	11	7	4	15	10	5
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NORTH CARROLLTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	6	2
MALIGNANT NEOPLASMS	2	1	1
HEART DISEASES	2	1	1
ANEMIAS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	8	6	2	2	2	0	6	4	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	0	0	0	2	0	2
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	1	1	0	2	2	0
85 AND OVER	3	3	0	1	1	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF NOXAPATER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	6	2
MALIGNANT NEOPLASMS	3	1	2
HEART DISEASES	3	3	0
ALZHEIMERS DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	6	2	5	4	1	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	3	2	1	1	1	0	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OAKLAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	2	9
HEART DISEASES	6	2	4
SEPTICEMIA	1	0	1
MALIGNANT NEOPLASMS	1	0	1
DIABETES MELLITUS	1	0	1
ATHEROSCLEROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	2	9	5	0	5	6	2	4
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	0	0	0	2	0	2
65-74	2	1	1	1	0	1	1	1	0
75-84	2	1	1	0	0	0	2	1	1
85 AND OVER	3	0	3	2	0	2	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OCEAN SPRINGS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	227	205	22
HEART DISEASES	88	81	7
MALIGNANT NEOPLASMS	48	43	5
CEREBROVASCULAR DISEASE	18	17	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	11	1
INFLUENZA AND PNEUMONIA	8	8	0
DIABETES MELLITUS	7	7	0
ACCIDENTS	6	6	0
ALZHEIMERS DISEASE	5	4	1
SEPTICEMIA	4	4	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1
SUICIDE	2	1	1
HIV DISEASE	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	19	17	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	227	205	22	105	96	9	122	109	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	5	4	1	5	4	1	0	0	0
45-54	13	9	4	7	5	2	6	4	2
55-64	22	20	2	14	14	0	8	6	2
65-74	52	49	3	27	26	1	25	23	2
75-84	65	61	4	30	27	3	35	34	1
85 AND OVER	65	58	7	17	16	1	48	42	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OKOLONA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	63	36	27
HEART DISEASES	18	12	6
MALIGNANT NEOPLASMS	17	8	9
ACCIDENTS	6	3	3
DIABETES MELLITUS	4	1	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2
CEREBROVASCULAR DISEASE	3	3	0
INFLUENZA AND PNEUMONIA	3	3	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	63	36	27	25	15	10	38	21	17
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	5	2	3	4	2	2	1	0	1
55-64	6	4	2	5	4	1	1	0	1
65-74	10	7	3	5	4	1	5	3	2
75-84	19	12	7	3	2	1	16	10	6
85 AND OVER	16	11	5	4	3	1	12	8	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OLIVE BRANCH, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	101	88	13
HEART DISEASES	25	22	3
MALIGNANT NEOPLASMS	22	20	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0
ACCIDENTS	9	8	1
SEPTICEMIA	5	5	0
CEREBROVASCULAR DISEASE	4	3	1
DIABETES MELLITUS	3	0	3
ANEMIAS	2	1	1
INFLUENZA AND PNEUMONIA	2	2	0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0
TUBERCULOSIS	1	0	1
PARKINSONS DISEASE	1	1	0
ALZHEIMERS DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	11	10	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	101	88	13	53	44	9	48	44	4
UNDER 1	3	3	0	3	3	0	0	0	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	6	5	1	5	4	1	1	1	0
35-44	7	5	2	7	5	2	0	0	0
45-54	6	3	3	3	1	2	3	2	1
55-64	10	8	2	5	4	1	5	4	1
65-74	26	26	0	13	13	0	13	13	0
75-84	21	18	3	8	7	1	13	11	2
85 AND OVER	18	16	2	8	6	2	10	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OSYKA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	7	4
HEART DISEASES	5	4	1
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	7	4	5	4	1	6	3	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	1	2	0	0	0	3	1	2
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	5	5	0	4	4	0	1	1	0
85 AND OVER	2	1	1	1	0	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF OXFORD, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	150	129	21
HEART DISEASES	59	55	4
MALIGNANT NEOPLASMS	32	28	4
CEREBROVASCULAR DISEASE	9	8	1
ALZHEIMERS DISEASE	6	6	0
ACCIDENTS	6	5	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1
DIABETES MELLITUS	4	3	1
INFLUENZA AND PNEUMONIA	4	3	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1
SEPTICEMIA	3	2	1
AORTIC ANEURYSM AND DISSECTION	2	1	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1
TUBERCULOSIS	1	0	1
PARKINSONS DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	9	6	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	150	129	21	78	68	10	72	61	11
UNDER 1	3	1	2	1	1	0	2	0	2
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	6	6	0	4	4	0	2	2	0
55-64	13	8	5	6	6	0	7	2	5
65-74	27	27	0	14	14	0	13	13	0
75-84	54	47	7	34	29	5	20	18	2
85 AND OVER	43	37	6	16	11	5	27	26	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PACE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	4	7
HEART DISEASES	9	3	6
MALIGNANT NEOPLASMS	1	0	1
INFLUENZA AND PNEUMONIA	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	4	7	6	4	2	5	0	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	0	3	0	0	0	3	0	3
85 AND OVER	3	1	2	2	1	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PACHUTA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
MALIGNANT NEOPLASMS	2	2	0
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	3	3	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PASCAGOULA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	265	210	55
HEART DISEASES	82	66	16
MALIGNANT NEOPLASMS	65	56	9
CEREBROVASCULAR DISEASE	17	13	4
ACCIDENTS	17	14	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0
SUICIDE	7	5	2
PARKINSONS DISEASE	5	4	1
INFLUENZA AND PNEUMONIA	5	5	0
SEPTICEMIA	4	1	3
DIABETES MELLITUS	4	1	3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1
ALZHEIMERS DISEASE	3	3	0
ATHEROSCLEROSIS	3	2	1
HOMICIDE	3	0	3
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0
HIV DISEASE	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1
MENINGITIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	23	18	5

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	265	210	55	127	107	20	138	103	35
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	2	1	1	2	1	1
25-34	7	4	3	5	2	3	2	2	0
35-44	20	12	8	13	9	4	7	3	4
45-54	19	12	7	10	6	4	9	6	3
55-64	36	31	5	21	19	2	15	12	3
65-74	51	43	8	28	27	1	23	16	7
75-84	64	52	12	27	24	3	37	28	9
85 AND OVER	60	52	8	19	18	1	41	34	7
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PASS CHRISTIAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	161	130	31
HEART DISEASES	67	57	10
MALIGNANT NEOPLASMS	36	27	9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0
ACCIDENTS	6	5	1
INFLUENZA AND PNEUMONIA	5	5	0
CEREBROVASCULAR DISEASE	4	2	2
AORTIC ANEURYSM AND DISSECTION	4	3	1
DIABETES MELLITUS	3	2	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
SEPTICEMIA	1	1	0
ANEMIAS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
PARKINSONS DISEASE	1	1	0
ALZHEIMERS DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	19	14	5

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	161	130	31	59	46	13	102	84	18
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	2	0	0	0	0	2	2	0
45-54	7	2	5	4	1	3	3	1	2
55-64	11	9	2	5	3	2	6	6	0
65-74	30	26	4	14	12	2	16	14	2
75-84	40	28	12	22	18	4	18	10	8
85 AND OVER	68	60	8	13	11	2	55	49	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	120	98	22
HEART DISEASES	42	33	9
MALIGNANT NEOPLASMS	30	24	6
ACCIDENTS	9	7	2
CEREBROVASCULAR DISEASE	6	6	0
INFLUENZA AND PNEUMONIA	5	5	0
SUICIDE	4	3	1
SEPTICEMIA	3	2	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
ANEMIAS	1	1	0
DIABETES MELLITUS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0
ALL OTHER CAUSES	7	7	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	120	98	22	65	55	10	55	43	12
UNDER 1	5	4	1	2	2	0	3	2	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	3	3	0	2	2	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	2	2	0	2	2	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	8	6	2	6	5	1	2	1	1
45-54	13	8	5	7	5	2	6	3	3
55-64	23	20	3	15	13	2	8	7	1
65-74	33	29	4	17	16	1	16	13	3
75-84	15	13	2	8	6	2	7	7	0
85 AND OVER	17	13	4	5	3	2	12	10	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PELAHATCHIE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	26	13	13
MALIGNANT NEOPLASMS	7	4	3
HEART DISEASES	7	4	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2
CEREBROVASCULAR DISEASE	2	1	1
ACCIDENTS	2	1	1
HIV DISEASE	1	0	1
DIABETES MELLITUS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	26	13	13	15	9	6	11	4	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	6	1	5	4	1	3	2	0	2
55-64	3	0	3	1	0	1	2	0	2
65-74	6	4	2	2	2	0	4	2	2
75-84	6	4	2	5	3	2	1	1	0
85 AND OVER	2	1	1	1	1	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PETAL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	99	95	4
MALIGNANT NEOPLASMS	24	23	1
HEART DISEASES	21	20	1
CEREBROVASCULAR DISEASE	8	8	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0
ACCIDENTS	6	6	0
PARKINSONS DISEASE	5	5	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1
ALZHEIMERS DISEASE	3	3	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
TUBERCULOSIS	1	1	0
SEPTICEMIA	1	1	0
VIRAL HEPATITIS	1	1	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
PEPTIC ULCER	1	1	0
HERNIA	1	1	0
INFECTIONS OF KIDNEY	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	7	7	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	99	95	4	50	48	2	49	47	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	5	0	2	2	0	3	3	0
45-54	5	3	2	1	1	0	4	2	2
55-64	14	13	1	9	8	1	5	5	0
65-74	29	29	0	16	16	0	13	13	0
75-84	23	22	1	14	13	1	9	9	0
85 AND OVER	21	21	0	7	7	0	14	14	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PHILADELPHIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	90	68	22
HEART DISEASES	33	24	9
MALIGNANT NEOPLASMS	17	11	6
INFLUENZA AND PNEUMONIA	7	7	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1
ACCIDENTS	5	4	1
CEREBROVASCULAR DISEASE	4	3	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0
SEPTICEMIA	2	1	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1
DIABETES MELLITUS	1	0	1
ALZHEIMERS DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PEPTIC ULCER	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
HOMICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	4	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	90	68	22	37	27	10	53	41	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	3	1	2	0	0	0	3	1	2
35-44	4	1	3	2	1	1	2	0	2
45-54	6	4	2	2	1	1	4	3	1
55-64	9	6	3	8	6	2	1	0	1
65-74	16	11	5	10	6	4	6	5	1
75-84	25	21	4	7	6	1	18	15	3
85 AND OVER	26	23	3	8	7	1	18	16	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PICAYUNE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	115	78	37
HEART DISEASES	32	19	13
MALIGNANT NEOPLASMS	24	18	6
CEREBROVASCULAR DISEASE	9	6	3
DIABETES MELLITUS	8	5	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0
ACCIDENTS	4	0	4
SEPTICEMIA	2	1	1
VIRAL HEPATITIS	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
SUICIDE	1	1	0
HOMICIDE	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	13	10	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	115	78	37	50	32	18	65	46	19
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	1	2	3	1	2	0	0	0
45-54	10	6	4	4	3	1	6	3	3
55-64	16	7	9	9	4	5	7	3	4
65-74	27	19	8	15	9	6	12	10	2
75-84	32	28	4	10	9	1	22	19	3
85 AND OVER	21	14	7	4	3	1	17	11	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PICKENS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	1	7
MALIGNANT NEOPLASMS	2	1	1
HIV DISEASE	1	0	1
DIABETES MELLITUS	1	0	1
HEART DISEASES	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
LEGAL INTERVENTION	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	1	7	5	1	4	3	0	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	3	1	2	2	1	1	1	0	1
85 AND OVER	2	0	2	1	0	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PITTSBORO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	2	3
HEART DISEASES	3	2	1
MALIGNANT NEOPLASMS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	2	3	2	1	1	3	1	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	2	1	2	1	1	1	1	0
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PLANTERSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	13	8	5
HEART DISEASES	3	2	1
MALIGNANT NEOPLASMS	2	1	1
ACCIDENTS	2	1	1
DIABETES MELLITUS	1	0	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	13	8	5	7	5	2	6	3	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	4	3	1	2	2	0	2	1	1
75-84	5	4	1	2	2	0	3	2	1
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	76	66	10
HEART DISEASES	26	23	3
MALIGNANT NEOPLASMS	9	7	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0
CEREBROVASCULAR DISEASE	7	6	1
INFLUENZA AND PNEUMONIA	4	4	0
ACCIDENTS	4	4	0
SEPTICEMIA	2	2	0
HIV DISEASE	1	0	1
ALZHEIMERS DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1
ALL OTHER CAUSES	9	8	1

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	76	66	10	34	28	6	42	38	4
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	2	2	0	1	1	0	1	1	0
45-54	3	2	1	0	0	0	3	2	1
55-64	5	5	0	4	4	0	1	1	0
65-74	20	16	4	12	9	3	8	7	1
75-84	17	14	3	9	7	2	8	7	1
85 AND OVER	24	24	0	5	5	0	19	19	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF POPE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	1	1	0	2	2	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	1	1	0	2	2	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF POPLARVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	49	42	7
HEART DISEASES	12	11	1
MALIGNANT NEOPLASMS	11	9	2
CEREBROVASCULAR DISEASE	4	3	1
INFLUENZA AND PNEUMONIA	4	3	1
SEPTICEMIA	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0
ALL OTHER CAUSES	5	4	1

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	49	42	7	17	13	4	32	29	3
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	6	6	0	2	2	0	4	4	0
65-74	10	7	3	6	5	1	4	2	2
75-84	13	13	0	3	3	0	10	10	0
85 AND OVER	18	15	3	5	3	2	13	12	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PORT GIBSON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	33	18	15
HEART DISEASES	20	13	7
MALIGNANT NEOPLASMS	7	3	4
ANEMIAS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	33	18	15	17	9	8	16	9	7
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	1	1	0	1	0	1
65-74	7	3	4	3	1	2	4	2	2
75-84	6	3	3	3	1	2	3	2	1
85 AND OVER	14	11	3	8	6	2	6	5	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF POTTS CAMP, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	7	1
HEART DISEASES	3	3	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
MALIGNANT NEOPLASMS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	7	1	5	4	1	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	3	3	0	1	1	0	2	2	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	41	27	14
HEART DISEASES	15	13	2
MALIGNANT NEOPLASMS	5	3	2
CEREBROVASCULAR DISEASE	4	2	2
ALZHEIMERS DISEASE	3	1	2
PARKINSONS DISEASE	1	1	0
ATHEROSCLEROSIS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
PEPTIC ULCER	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	6	1	5

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	41	27	14	7	5	2	34	22	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	1	1	1	0	1	1	1	0
55-64	4	2	2	0	0	0	4	2	2
65-74	6	4	2	1	1	0	5	3	2
75-84	13	10	3	3	3	0	10	7	3
85 AND OVER	15	10	5	1	1	0	14	9	5
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PUCKETT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF PURVIS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	20	18	2
HEART DISEASES	8	7	1
MALIGNANT NEOPLASMS	4	3	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	20	18	2	14	13	1	6	5	1
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	6	5	1	6	5	1	0	0	0
65-74	4	4	0	3	3	0	1	1	0
75-84	5	5	0	3	3	0	2	2	0
85 AND OVER	3	2	1	1	1	0	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	64	48	16
HEART DISEASES	34	27	7
MALIGNANT NEOPLASMS	8	5	3
CEREBROVASCULAR DISEASE	7	5	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
INFLUENZA AND PNEUMONIA	2	2	0
ACCIDENTS	2	1	1
DIABETES MELLITUS	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
PARKINSONS DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	4	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	64	48	16	27	19	8	37	29	8
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	4	3	1	3	3	0	1	0	1
65-74	13	10	3	5	4	1	8	6	2
75-84	14	11	3	7	6	1	7	5	2
85 AND OVER	30	22	8	10	5	5	20	17	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RALEIGH, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	39	29	10
HEART DISEASES	16	11	5
CEREBROVASCULAR DISEASE	5	3	2
DIABETES MELLITUS	3	3	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0
INFLUENZA AND PNEUMONIA	3	2	1
ALZHEIMERS DISEASE	2	2	0
MALIGNANT NEOPLASMS	1	0	1
ACCIDENTS	1	0	1
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	39	29	10	10	7	3	29	22	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	0	0	0	2	1	1
45-54	0	0	0	0	0	0	0	0	0
55-64	4	2	2	4	2	2	0	0	0
65-74	4	4	0	1	1	0	3	3	0
75-84	10	8	2	3	3	0	7	5	2
85 AND OVER	19	14	5	2	1	1	17	13	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RAYMOND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	42	26	16
HEART DISEASES	13	8	5
MALIGNANT NEOPLASMS	7	5	2
INFLUENZA AND PNEUMONIA	4	4	0
ACCIDENTS	3	1	2
CEREBROVASCULAR DISEASE	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
SEPTICEMIA	1	1	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	4	2	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	42	26	16	18	11	7	24	15	9
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	2	1	1	1	0	2	1	1
55-64	3	2	1	1	1	0	2	1	1
65-74	9	7	2	4	4	0	5	3	2
75-84	13	8	5	6	3	3	7	5	2
85 AND OVER	12	7	5	4	2	2	8	5	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RENOVA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	0	1	0	0	0	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RICHLAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	45	42	3
HEART DISEASES	18	16	2
MALIGNANT NEOPLASMS	12	11	1
ACCIDENTS	4	4	0
CEREBROVASCULAR DISEASE	3	3	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	45	42	3	24	22	2	21	20	1
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	7	7	0	3	3	0	4	4	0
45-54	7	7	0	5	5	0	2	2	0
55-64	7	6	1	6	5	1	1	1	0
65-74	8	7	1	4	3	1	4	4	0
75-84	9	8	1	4	4	0	5	4	1
85 AND OVER	5	5	0	1	1	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RICHTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	32	26	6
HEART DISEASES	18	15	3
MALIGNANT NEOPLASMS	2	1	1
CEREBROVASCULAR DISEASE	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
ATHEROSCLEROSIS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	3	2	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	32	26	6	6	4	2	26	22	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	2	2	0	1	1	0	1	1	0
65-74	5	5	0	1	1	0	4	4	0
75-84	7	4	3	3	1	2	4	3	1
85 AND OVER	17	14	3	1	1	0	16	13	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RIDGELAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	206	161	45
MALIGNANT NEOPLASMS	94	72	22
HEART DISEASES	41	37	4
CEREBROVASCULAR DISEASE	21	15	6
ALZHEIMERS DISEASE	8	5	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0
HIV DISEASE	6	1	5
INFLUENZA AND PNEUMONIA	3	2	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0
ACCIDENTS	2	2	0
TUBERCULOSIS	1	1	0
PARKINSONS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
PEPTIC ULCER	1	1	0
INFECTIONS OF KIDNEY	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	11	8	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	206	161	45	84	64	20	122	97	25
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	2	2	1	0	1	3	2	1
35-44	4	2	2	3	1	2	1	1	0
45-54	18	15	3	11	9	2	7	6	1
55-64	23	14	9	9	6	3	14	8	6
65-74	40	31	9	22	18	4	18	13	5
75-84	56	46	10	19	15	4	37	31	6
85 AND OVER	58	50	8	16	14	2	42	36	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RIENZI, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
HEART DISEASES	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	3	3	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	2	2	0	0	0	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RIPLEY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	127	110	17
HEART DISEASES	65	59	6
MALIGNANT NEOPLASMS	19	16	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0
CEREBROVASCULAR DISEASE	8	7	1
ALZHEIMERS DISEASE	3	3	0
INFLUENZA AND PNEUMONIA	3	2	1
ACCIDENTS	3	2	1
SEPTICEMIA	2	2	0
DIABETES MELLITUS	2	2	0
HIV DISEASE	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	8	5	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	127	110	17	44	38	6	83	72	11
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	0	0	0	2	1	1
35-44	0	0	0	0	0	0	0	0	0
45-54	5	4	1	3	2	1	2	2	0
55-64	12	11	1	6	6	0	6	5	1
65-74	18	15	3	11	9	2	7	6	1
75-84	44	40	4	14	14	0	30	26	4
85 AND OVER	46	39	7	10	7	3	36	32	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ROLLING FORK, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	32	15	17
MALIGNANT NEOPLASMS	8	5	3
HEART DISEASES	7	3	4
CEREBROVASCULAR DISEASE	5	3	2
ACCIDENTS	2	0	2
SEPTICEMIA	1	1	0
ALZHEIMERS DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	2	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	32	15	17	19	8	11	13	7	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	9	2	7	6	1	5	3	1	2
75-84	6	4	2	2	2	0	4	2	2
85 AND OVER	11	7	4	5	3	2	6	4	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ROSEDALE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	19	4	15
MALIGNANT NEOPLASMS	9	1	8
HEART DISEASES	4	1	3
ACCIDENTS	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	19	4	15	12	3	9	7	1	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	4	1	3	3	1	2	1	0	1
55-64	4	0	4	2	0	2	2	0	2
65-74	3	1	2	3	1	2	0	0	0
75-84	2	0	2	1	0	1	1	0	1
85 AND OVER	2	1	1	0	0	0	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF ROXIE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	4	3
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	2	0	2
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	4	3	4	2	2	3	2	1
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	2	0	2	2	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	2	1	1	1	0	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF RULEVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	70	20	50
HEART DISEASES	28	10	18
MALIGNANT NEOPLASMS	16	5	11
CEREBROVASCULAR DISEASE	7	1	6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3
SEPTICEMIA	1	0	1
ANEMIAS	1	0	1
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
ACCIDENTS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	5	2	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	70	20	50	34	9	25	36	11	25
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	1	0	1	0	0	0	1	0	1
45-54	3	0	3	1	0	1	2	0	2
55-64	6	1	5	4	1	3	2	0	2
65-74	16	8	8	10	5	5	6	3	3
75-84	17	4	13	8	1	7	9	3	6
85 AND OVER	24	7	17	9	2	7	15	5	10
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SALLIS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	2	0	2
SEPTICEMIA	1	0	1
HEART DISEASES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	2	0	2	1	0	1	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SALTILLO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	25	25	0
HEART DISEASES	11	11	0
MALIGNANT NEOPLASMS	4	4	0
CEREBROVASCULAR DISEASE	2	2	0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
HERNIA	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
ACCIDENTS	1	1	0
SUICIDE	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	25	25	0	11	11	0	14	14	0
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	1	1	0	0	0	0	1	1	0
45-54	2	2	0	2	2	0	0	0	0
55-64	4	4	0	3	3	0	1	1	0
65-74	5	5	0	3	3	0	2	2	0
75-84	4	4	0	1	1	0	3	3	0
85 AND OVER	5	5	0	1	1	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SANDERSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	7	0
HEART DISEASES	4	4	0
ACCIDENTS	2	2	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	7	0	2	2	0	5	5	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	4	4	0	0	0	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SARDIS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	53	31	22
HEART DISEASES	17	10	7
MALIGNANT NEOPLASMS	10	5	5
CEREBROVASCULAR DISEASE	6	3	3
INFLUENZA AND PNEUMONIA	3	2	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
ACCIDENTS	2	1	1
SEPTICEMIA	1	1	0
DIABETES MELLITUS	1	1	0
PARKINSONS DISEASE	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	3	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	53	31	22	21	12	9	32	19	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	4	1	3	1	1	0	3	0	3
65-74	11	8	3	6	6	0	5	2	3
75-84	16	7	9	7	1	6	9	6	3
85 AND OVER	19	14	5	5	3	2	14	11	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SCHLATER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
ALZHEIMERS DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SCOOBA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	1	4
HEART DISEASES	2	0	2
MALIGNANT NEOPLASMS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	1	4	1	0	1	4	1	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	3	1	2	0	0	0	3	1	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SEBASTOPOL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	6	0
HEART DISEASES	3	3	0
MALIGNANT NEOPLASMS	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	6	0	3	3	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	2	2	0	0	0	0
75-84	2	2	0	0	0	0	2	2	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SEMINARY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	5	0
HEART DISEASES	2	2	0
CEREBROVASCULAR DISEASE	2	2	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	5	0	2	2	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SENATOBIA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	96	76	20
HEART DISEASES	29	26	3
MALIGNANT NEOPLASMS	23	17	6
CEREBROVASCULAR DISEASE	6	4	2
ACCIDENTS	6	3	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0
INFLUENZA AND PNEUMONIA	3	3	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
SEPTICEMIA	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
ALZHEIMERS DISEASE	1	0	1
ATHEROSCLEROSIS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	12	9	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	96	76	20	46	34	12	50	42	8
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	5	3	2	3	1	2	2	2	0
45-54	3	2	1	1	0	1	2	2	0
55-64	9	7	2	8	6	2	1	1	0
65-74	17	14	3	7	6	1	10	8	2
75-84	29	23	6	13	9	4	16	14	2
85 AND OVER	28	25	3	11	10	1	17	15	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHANNON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	12	10	2
HEART DISEASES	5	5	0
SEPTICEMIA	1	1	0
MALIGNANT NEOPLASMS	1	1	0
PARKINSONS DISEASE	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
ACCIDENTS	1	1	0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	10	2	4	3	1	8	7	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	0	0	0	1	1	0
45-54	2	1	1	1	0	1	1	1	0
55-64	2	2	0	1	1	0	1	1	0
65-74	4	4	0	1	1	0	3	3	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHAW, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	20	8	12
HEART DISEASES	7	2	5
MALIGNANT NEOPLASMS	4	2	2
CEREBROVASCULAR DISEASE	4	4	0
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	20	8	12	11	3	8	9	5	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	2	0	2	2	0	2	0	0	0
55-64	5	3	2	1	0	1	4	3	1
65-74	2	1	1	1	0	1	1	1	0
75-84	7	4	3	5	3	2	2	1	1
85 AND OVER	2	0	2	1	0	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHELBY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	56	10	46
HEART DISEASES	17	2	15
MALIGNANT NEOPLASMS	10	5	5
CEREBROVASCULAR DISEASE	5	0	5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	0	4
SEPTICEMIA	3	0	3
DIABETES MELLITUS	3	2	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
ACCIDENTS	2	0	2
INFLUENZA AND PNEUMONIA	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	4	0	4

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	56	10	46	28	5	23	28	5	23
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	3	0	3	1	0	1	2	0	2
55-64	4	0	4	3	0	3	1	0	1
65-74	11	3	8	6	2	4	5	1	4
75-84	9	4	5	6	3	3	3	1	2
85 AND OVER	25	3	22	9	0	9	16	3	13
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHERMAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
HEART DISEASES	2	2	0
MALIGNANT NEOPLASMS	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	1	1	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHUBUTA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	1	2
CEREBROVASCULAR DISEASE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	1	2	2	1	1	1	0	1
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SHUQUALAK, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	9	4	5
MALIGNANT NEOPLASMS	3	2	1
ACCIDENTS	2	0	2
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	9	4	5	5	1	4	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	1	0	1	1	0	0	0	0
75-84	3	3	0	0	0	0	3	3	0
85 AND OVER	2	0	2	2	0	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SIDON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	2	3
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	2	3	3	1	2	2	1	1
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SILVER CITY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	3	3
MALIGNANT NEOPLASMS	2	1	1
HEART DISEASES	2	1	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	3	3	2	0	2	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	0	0	0	3	3	0
85 AND OVER	3	0	3	2	0	2	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SILVER CREEK, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SLEDGE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	1	5
HEART DISEASES	3	1	2
MALIGNANT NEOPLASMS	2	0	2
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	1	5	3	1	2	3	0	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	1	1	0	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	3	0	3	2	0	2	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SMITHVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	11	0
HEART DISEASES	4	4	0
MALIGNANT NEOPLASMS	3	3	0
LEGAL INTERVENTION	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	11	0	6	6	0	5	5	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	1	1	0	1	1	0
75-84	4	4	0	3	3	0	1	1	0
85 AND OVER	3	3	0	0	0	0	3	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SOSO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	1	2
MALIGNANT NEOPLASMS	1	0	1
HEART DISEASES	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	1	2	2	0	2	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	2	0	2	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SOUTHAVEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	246	235	11
HEART DISEASES	75	72	3
MALIGNANT NEOPLASMS	52	50	2
HYPERTENSION/HYPERTENSIVE RENAL DZ	26	25	1
CEREBROVASCULAR DISEASE	16	16	0
DIABETES MELLITUS	10	10	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	10	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1
ACCIDENTS	8	8	0
SEPTICEMIA	5	3	2
ALZHEIMERS DISEASE	4	4	0
INFLUENZA AND PNEUMONIA	4	4	0
SUICIDE	4	4	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
PARKINSONS DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0
ALL OTHER CAUSES	14	13	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	246	235	11	131	126	5	115	109	6
UNDER 1	4	4	0	1	1	0	3	3	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	7	6	1	6	5	1	1	1	0
35-44	6	6	0	3	3	0	3	3	0
45-54	15	15	0	10	10	0	5	5	0
55-64	31	30	1	22	21	1	9	9	0
65-74	53	51	2	30	29	1	23	22	1
75-84	71	66	5	34	33	1	37	33	4
85 AND OVER	54	52	2	20	19	1	34	33	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF STARKVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	144	85	59
HEART DISEASES	56	32	24
MALIGNANT NEOPLASMS	24	14	10
CEREBROVASCULAR DISEASE	9	7	2
ACCIDENTS	8	4	4
DIABETES MELLITUS	4	2	2
ALZHEIMERS DISEASE	4	2	2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0
INFLUENZA AND PNEUMONIA	3	3	0
SEPTICEMIA	2	1	1
PARKINSONS DISEASE	2	2	0
AORTIC ANEURYSM AND DISSECTION	2	2	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2
HIV DISEASE	1	0	1
ANEMIAS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	14	7	7

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	144	85	59	72	34	38	72	51	21
UNDER 1	4	0	4	4	0	4	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	2	1	1	3	1	2
25-34	4	1	3	2	0	2	2	1	1
35-44	1	0	1	0	0	0	1	0	1
45-54	9	2	7	6	2	4	3	0	3
55-64	15	8	7	11	5	6	4	3	1
65-74	20	14	6	11	6	5	9	8	1
75-84	38	28	10	16	9	7	22	19	3
85 AND OVER	46	29	17	18	10	8	28	19	9
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF STATE LINE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	5	4	1
MALIGNANT NEOPLASMS	2	1	1
HEART DISEASES	2	2	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	5	4	1	2	1	1	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF STONEWALL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	6	1
HEART DISEASES	3	3	0
CEREBROVASCULAR DISEASE	2	1	1
SEPTICEMIA	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	6	1	2	2	0	5	4	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	2	2	0	1	1	0	1	1	0
75-84	3	2	1	1	1	0	2	1	1
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF STURGIS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	5	2
MALIGNANT NEOPLASMS	3	3	0
SEPTICEMIA	1	1	0
CEREBROVASCULAR DISEASE	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	5	2	5	4	1	2	1	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	2	1	1	1	1	0	1	0	1
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	2	1	1	2	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SUMMIT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	18	9	9
MALIGNANT NEOPLASMS	6	1	5
HEART DISEASES	4	2	2
DIABETES MELLITUS	2	0	2
INFLUENZA AND PNEUMONIA	2	2	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	18	9	9	7	5	2	11	4	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	1	1	0	1	0	1
55-64	4	0	4	1	0	1	3	0	3
65-74	4	2	2	1	1	0	3	1	2
75-84	4	3	1	1	1	0	3	2	1
85 AND OVER	4	3	1	3	2	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SUMNER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	6	2
MALIGNANT NEOPLASMS	3	2	1
HEART DISEASES	2	1	1
CEREBROVASCULAR DISEASE	1	1	0
SUICIDE	1	1	0
HOMICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	6	2	4	3	1	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	2	1	1	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SUMRALL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	5	2
MALIGNANT NEOPLASMS	1	0	1
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	5	2	3	2	1	4	3	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	1	0	1	1	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 AND OVER	2	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	17	4	13
MALIGNANT NEOPLASMS	6	2	4
HEART DISEASES	5	1	4
VIRAL HEPATITIS	1	1	0
ANEMIAS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	17	4	13	11	1	10	6	3	3
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	6	1	5	2	0	2	4	1	3
65-74	2	1	1	2	1	1	0	0	0
75-84	2	0	2	2	0	2	0	0	0
85 AND OVER	2	1	1	1	0	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TAYLORSVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	16	13	3
MALIGNANT NEOPLASMS	5	4	1
HEART DISEASES	5	3	2
CEREBROVASCULAR DISEASE	3	3	0
HERNIA	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	16	13	3	9	7	2	7	6	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	2	2	0	2	2	0	0	0	0
65-74	2	2	0	1	1	0	1	1	0
75-84	5	4	1	4	4	0	1	0	1
85 AND OVER	4	4	0	0	0	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TCHULA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	29	3	26
HEART DISEASES	14	2	12
MALIGNANT NEOPLASMS	2	0	2
DIABETES MELLITUS	2	0	2
ANEMIAS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
ACCIDENTS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER CAUSES	4	1	3

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	29	3	26	15	2	13	14	1	13
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	5	0	5	3	0	3	2	0	2
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	7	2	5	6	2	4	1	0	1
75-84	6	0	6	1	0	1	5	0	5
85 AND OVER	5	1	4	1	0	1	4	1	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TERRY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	30	8	22
HEART DISEASES	11	2	9
MALIGNANT NEOPLASMS	10	3	7
DIABETES MELLITUS	2	0	2
CEREBROVASCULAR DISEASE	2	2	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
SUICIDE	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	30	8	22	14	4	10	16	4	12
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	2	3	3	2	1	2	0	2
45-54	3	0	3	1	0	1	2	0	2
55-64	4	2	2	3	1	2	1	1	0
65-74	6	3	3	3	1	2	3	2	1
75-84	6	0	6	3	0	3	3	0	3
85 AND OVER	5	1	4	1	0	1	4	1	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF THAXTON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	6	6	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0
HIV DISEASE	1	1	0
MALIGNANT NEOPLASMS	1	1	0
DIABETES MELLITUS	1	1	0
HEART DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	6	6	0	5	5	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TOCCOPOLA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
MALIGNANT NEOPLASMS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TREMONT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	0	0	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	34	21	13
HEART DISEASES	17	11	6
MALIGNANT NEOPLASMS	4	3	1
INFLUENZA AND PNEUMONIA	3	2	1
CEREBROVASCULAR DISEASE	2	2	0
SEPTICEMIA	1	0	1
DIABETES MELLITUS	1	0	1
AORTIC ANEURYSM AND DISSECTION	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	3	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	34	21	13	14	9	5	20	12	8
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	3	1	2	2	0	2	1	1
55-64	4	2	2	2	1	1	2	1	1
65-74	7	4	3	4	3	1	3	1	2
75-84	8	5	3	3	2	1	5	3	2
85 AND OVER	10	7	3	3	1	2	7	6	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TUPELO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	383	296	87
HEART DISEASES	126	103	23
MALIGNANT NEOPLASMS	92	68	24
CEREBROVASCULAR DISEASE	29	25	4
ACCIDENTS	22	17	5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	12	1
ALZHEIMERS DISEASE	11	10	1
INFLUENZA AND PNEUMONIA	9	6	3
SEPTICEMIA	8	5	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	4	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1
DIABETES MELLITUS	4	3	1
PARKINSONS DISEASE	4	4	0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2
SUICIDE	3	3	0
ATHEROSCLEROSIS	2	2	0
AORTIC ANEURYSM AND DISSECTION	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0
HOMICIDE	2	1	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ANEMIAS	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0
PEPTIC ULCER	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2
ALL OTHER CAUSES	27	16	11

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	383	296	87	171	128	43	212	168	44
UNDER 1	7	1	6	4	0	4	3	1	2
(NEONATAL)	5	1	4	2	0	2	3	1	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	1	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	4	3	1	1	0	1
25-34	4	4	0	4	4	0	0	0	0
35-44	23	15	8	11	8	3	12	7	5
45-54	19	12	7	12	8	4	7	4	3
55-64	38	28	10	25	20	5	13	8	5
65-74	58	38	20	30	20	10	28	18	10
75-84	106	89	17	46	36	10	60	53	7
85 AND OVER	121	105	16	34	28	6	87	77	10
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TUTWILER, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	12	1	11
MALIGNANT NEOPLASMS	3	0	3
HEART DISEASES	3	1	2
DIABETES MELLITUS	1	0	1
CEREBROVASCULAR DISEASE	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	1	11	8	0	8	4	1	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	2	0	2	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	5	1	4	2	0	2	3	1	2
75-84	2	0	2	2	0	2	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF TYLERTOWN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	48	41	7
HEART DISEASES	22	19	3
MALIGNANT NEOPLASMS	5	4	1
CEREBROVASCULAR DISEASE	5	4	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
SEPTICEMIA	1	1	0
ALZHEIMERS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	5	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	48	41	7	18	13	5	30	28	2
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	3	0	2	2	0	1	1	0
65-74	10	6	4	4	2	2	6	4	2
75-84	16	16	0	3	3	0	13	13	0
85 AND OVER	18	16	2	8	6	2	10	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF UNION, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	52	41	11
HEART DISEASES	22	17	5
MALIGNANT NEOPLASMS	9	8	1
ALZHEIMERS DISEASE	5	4	1
CEREBROVASCULAR DISEASE	5	4	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
ACCIDENTS	1	1	0
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	2	2	0

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	52	41	11	17	10	7	35	31	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	3	1	2	2	0	2	1	1	0
65-74	6	4	2	2	1	1	4	3	1
75-84	9	8	1	3	3	0	6	5	1
85 AND OVER	29	26	3	5	4	1	24	22	2
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF UTICA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	34	6	28
MALIGNANT NEOPLASMS	6	2	4
ACCIDENTS	6	0	6
HEART DISEASES	4	0	4
CEREBROVASCULAR DISEASE	4	1	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2
INFLUENZA AND PNEUMONIA	2	1	1
HOMICIDE	2	1	1
SEPTICEMIA	1	0	1
DIABETES MELLITUS	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
MATERNAL CAUSES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	34	6	28	20	5	15	14	1	13
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	5	0	5	1	0	1	4	0	4
55-64	5	1	4	1	1	0	4	0	4
65-74	4	0	4	4	0	4	0	0	0
75-84	7	1	6	5	1	4	2	0	2
85 AND OVER	7	3	4	5	2	3	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF VAIDEN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	4	3
MALIGNANT NEOPLASMS	2	1	1
HEART DISEASES	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	4	3	5	2	3	2	2	0
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	1	0	1	2	2	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	2	2	0	0	0	0
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF VARDAMAN, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	12	9	3
HEART DISEASES	5	4	1
MALIGNANT NEOPLASMS	3	2	1
SEPTICEMIA	1	1	0
ATHEROSCLEROSIS	1	1	0
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	12	9	3	6	4	2	6	5	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	3	1	4	3	1	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	1	1	1	1	0	1	0	1
75-84	2	2	0	0	0	0	2	2	0
85 AND OVER	3	3	0	0	0	0	3	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF VERONA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	15	10	5
HEART DISEASES	7	5	2
MALIGNANT NEOPLASMS	3	2	1
CEREBROVASCULAR DISEASE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER CAUSES	3	2	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	15	10	5	10	7	3	5	3	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	2	0	2	1	0	1	1	0	1
55-64	3	2	1	2	2	0	1	0	1
65-74	3	3	0	2	2	0	1	1	0
75-84	3	3	0	2	2	0	1	1	0
85 AND OVER	2	1	1	2	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF VICKSBURG, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	403	202	201
HEART DISEASES	132	71	61
MALIGNANT NEOPLASMS	75	34	41
CEREBROVASCULAR DISEASE	31	14	17
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	15	8
ACCIDENTS	17	5	12
INFLUENZA AND PNEUMONIA	15	9	6
ALZHEIMERS DISEASE	11	9	2
SEPTICEMIA	9	6	3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	2	6
DIABETES MELLITUS	6	4	2
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1
HIV DISEASE	3	0	3
AORTIC ANEURYSM AND DISSECTION	3	1	2
SUICIDE	3	1	2
HOMICIDE	3	1	2
PARKINSONS DISEASE	2	2	0
VIRAL HEPATITIS	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
ANEMIAS	1	0	1
MENINGITIS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	7	1	6
ALL OTHER CAUSES	40	18	22

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	403	202	201	187	90	97	216	112	104
UNDER 1	11	3	8	6	2	4	5	1	4
(NEONATAL)	6	3	3	4	2	2	2	1	1
(POSTNEONATAL)	5	0	5	2	0	2	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	3	1	2	2	0	2
25-34	11	2	9	11	2	9	0	0	0
35-44	9	4	5	7	4	3	2	0	2
45-54	16	5	11	10	3	7	6	2	4
55-64	33	9	24	16	5	11	17	4	13
65-74	67	34	33	35	18	17	32	16	16
75-84	124	78	46	57	36	21	67	42	25
85 AND OVER	126	66	60	41	19	22	85	47	38
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WALNUT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
HEART DISEASES	2	2	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	2	2	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WALNUT GROVE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	7	4	3
HEART DISEASES	4	3	1
CEREBROVASCULAR DISEASE	2	1	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	7	4	3	3	2	1	4	2	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	1	1	0	1	0	1
65-74	1	0	1	0	0	0	1	0	1
75-84	3	2	1	2	1	1	1	1	0
85 AND OVER	1	1	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	3	3	0
MALIGNANT NEOPLASMS	1	1	0
HEART DISEASES	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	3	3	0	2	2	0	1	1	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WATER VALLEY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	36	24	12
HEART DISEASES	15	10	5
MALIGNANT NEOPLASMS	8	6	2
CEREBROVASCULAR DISEASE	4	2	2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
PARKINSONS DISEASE	1	1	0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	3	2	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	36	24	12	22	14	8	14	10	4
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	3	1	4	3	1	0	0	0
55-64	4	2	2	2	1	1	2	1	1
65-74	6	4	2	5	3	2	1	1	0
75-84	13	8	5	8	5	3	5	3	2
85 AND OVER	9	7	2	3	2	1	6	5	1
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WAVELAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	58	53	5
HEART DISEASES	23	21	2
MALIGNANT NEOPLASMS	12	11	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0
ACCIDENTS	3	3	0
CEREBROVASCULAR DISEASE	2	2	0
INFLUENZA AND PNEUMONIA	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1
SUICIDE	2	2	0
SEPTICEMIA	1	1	0
DIABETES MELLITUS	1	1	0
MENINGITIS	1	1	0
ALZHEIMERS DISEASE	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	2	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	58	53	5	34	32	2	24	21	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	5	2	3	3	1	2	2	1	1
55-64	8	8	0	4	4	0	4	4	0
65-74	15	15	0	8	8	0	7	7	0
75-84	19	18	1	13	13	0	6	5	1
85 AND OVER	8	8	0	4	4	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNESBORO, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	77	44	33
HEART DISEASES	31	20	11
MALIGNANT NEOPLASMS	11	8	3
SEPTICEMIA	4	3	1
CEREBROVASCULAR DISEASE	4	2	2
DIABETES MELLITUS	3	1	2
ACCIDENTS	3	2	1
ALZHEIMERS DISEASE	2	2	0
INFLUENZA AND PNEUMONIA	2	1	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1
HIV DISEASE	1	0	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0
ATHEROSCLEROSIS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
SUICIDE	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	8	2	6

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	77	44	33	35	19	16	42	25	17
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	3	1	2	2	1	1	1	0	1
45-54	3	2	1	3	2	1	0	0	0
55-64	6	2	4	4	1	3	2	1	1
65-74	18	9	9	8	5	3	10	4	6
75-84	17	11	6	9	5	4	8	6	2
85 AND OVER	23	18	5	5	4	1	18	14	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WEBB, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	13	7	6
MALIGNANT NEOPLASMS	3	2	1
HEART DISEASES	3	1	2
DIABETES MELLITUS	2	0	2
SEPTICEMIA	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
SUICIDE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	1	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	13	7	6	6	6	0	7	1	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	1	0	1	1	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	4	2	2	2	2	0	2	0	2
75-84	4	2	2	2	2	0	2	0	2
85 AND OVER	2	2	0	1	1	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WEIR, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	4	0
MALIGNANT NEOPLASMS	2	2	0
HEART DISEASES	2	2	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	4	0	1	1	0	3	3	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	2	2	0	0	0	0	2	2	0
75-84	1	1	0	0	0	0	1	1	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WESSON, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	11	10	1
HEART DISEASES	5	5	0
MALIGNANT NEOPLASMS	3	2	1
SEPTICEMIA	1	1	0
CEREBROVASCULAR DISEASE	1	1	0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	11	10	1	6	5	1	5	5	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	3	2	1	2	1	1	1	1	0
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	5	5	0	1	1	0	4	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WEST, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	8	1	7
MALIGNANT NEOPLASMS	4	1	3
HEART DISEASES	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	8	1	7	5	1	4	3	0	3
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	0	3	2	0	2	1	0	1
65-74	1	0	1	0	0	0	1	0	1
75-84	1	1	0	1	1	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WEST POINT, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	139	86	53
HEART DISEASES	64	44	20
MALIGNANT NEOPLASMS	18	16	2
CEREBROVASCULAR DISEASE	8	4	4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3
DIABETES MELLITUS	5	2	3
ACCIDENTS	5	2	3
INFLUENZA AND PNEUMONIA	4	2	2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1
SUICIDE	2	1	1
HIV DISEASE	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
HOMICIDE	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1
ALL OTHER CAUSES	15	7	8

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	139	86	53	73	44	29	66	42	24
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	9	4	5	4	2	2	5	2	3
45-54	14	5	9	10	5	5	4	0	4
55-64	10	5	5	4	2	2	6	3	3
65-74	21	12	9	13	7	6	8	5	3
75-84	36	26	10	16	11	5	20	15	5
85 AND OVER	39	31	8	18	14	4	21	17	4
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WIGGINS, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	83	62	21
HEART DISEASES	41	31	10
MALIGNANT NEOPLASMS	10	8	2
INFLUENZA AND PNEUMONIA	5	4	1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1
SEPTICEMIA	3	2	1
DIABETES MELLITUS	2	2	0
PEPTIC ULCER	2	1	1
ACCIDENTS	2	1	1
CEREBROVASCULAR DISEASE	1	1	0
AORTIC ANEURYSM AND DISSECTION	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0
ALL OTHER CAUSES	5	4	1

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	83	62	21	44	33	11	39	29	10
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	4	3	1	3	2	1	1	1	0
45-54	5	1	4	3	1	2	2	0	2
55-64	6	6	0	5	5	0	1	1	0
65-74	17	13	4	8	7	1	9	6	3
75-84	32	25	7	21	15	6	11	10	1
85 AND OVER	16	13	3	3	3	0	13	10	3
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WINONA, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	92	56	36
HEART DISEASES	33	20	13
MALIGNANT NEOPLASMS	17	12	5
ACCIDENTS	8	4	4
CEREBROVASCULAR DISEASE	7	4	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1
ALZHEIMERS DISEASE	4	4	0
DIABETES MELLITUS	3	0	3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
PARKINSONS DISEASE	1	1	0
INFLUENZA AND PNEUMONIA	1	1	0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	5	3	2

	TOTAL			MALE			FEMALE		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	92	56	36	35	24	11	57	32	25
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	2	0	2	1	0	1	1	0	1
55-64	5	4	1	3	3	0	2	1	1
65-74	19	11	8	7	5	2	12	6	6
75-84	25	20	5	12	11	1	13	9	4
85 AND OVER	31	20	11	7	4	3	24	16	8
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTONVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	4	0	4
MALIGNANT NEOPLASMS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1
ACCIDENTS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	4	0	4	3	0	3	1	0	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	0	2	1	0	1	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	1	0	1	1	0	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WOODLAND, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	1	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	1	1	0	1	1	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF WOODVILLE, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	33	8	25
HEART DISEASES	15	5	10
MALIGNANT NEOPLASMS	4	1	3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2
HIV DISEASE	1	0	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1
DIABETES MELLITUS	1	0	1
INFLUENZA AND PNEUMONIA	1	0	1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1
HOMICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	2	0	2

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	33	8	25	14	3	11	19	5	14
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	0	6	4	0	4	2	0	2
55-64	3	0	3	1	0	1	2	0	2
65-74	2	0	2	0	0	0	2	0	2
75-84	8	4	4	4	2	2	4	2	2
85 AND OVER	13	4	9	4	1	3	9	3	6
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO CITY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
TOTAL OF ALL CAUSES	202	75	127
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	0	0	0

AGE	TOTAL TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	0	0	0	0	0	0	0	0	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO CITY, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE
HEART DISEASES	63	21	42
MALIGNANT NEOPLASMS	41	17	24
CEREBROVASCULAR DISEASE	13	5	8
DIABETES MELLITUS	12	3	9
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	4	5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2
ACCIDENTS	7	1	6
HIV DISEASE	5	0	5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2
INFLUENZA AND PNEUMONIA	3	1	2
PARKINSONS DISEASE	2	2	0
HOMICIDE	2	0	2
SEPTICEMIA	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
ALZHEIMERS DISEASE	1	1	0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1
SUICIDE	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2
ALL OTHER CAUSES	19	8	11

AGE	TOTAL	TOTAL WHITE	TOTAL NON-WHITE	MALE TOTAL	MALE WHITE	MALE NON-WHITE	FEMALE TOTAL	FEMALE WHITE	FEMALE NON-WHITE
TOTAL	202	75	127	87	24	63	115	51	64
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	0	7	5	0	5	2	0	2
25-34	4	1	3	4	1	3	0	0	0
35-44	9	0	9	3	0	3	6	0	6
45-54	10	3	7	5	2	3	5	1	4
55-64	15	4	11	7	3	4	8	1	7
65-74	36	14	22	18	4	14	18	10	8
75-84	61	29	32	24	12	12	37	17	20
85 AND OVER	56	24	32	18	2	16	38	22	16
UNKNOWN	0	0	0	0	0	0	0	0	0