

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	399	202	197	12.2	14.4	10.6
HEART DISEASES	110	61	49	337.2	435.2	263.3
MALIGNANT NEOPLASMS	95	45	50	291.2	321.1	268.6
CEREBROVASCULAR DISEASE	26	10	16	79.7	71.4	86.0
ACCIDENTS	21	15	6	64.4	107.0	32.2
SEPTICEMIA	14	5	9	42.9	35.7	48.4
INFLUENZA AND PNEUMONIA	14	7	7	42.9	49.9	37.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	30.6	57.1	10.7
ALZHEIMERS DISEASE	9	6	3	27.6	42.8	16.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5	21.4	14.3	26.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	2	5	21.4	14.3	26.9
HOMICIDE	5	1	4	15.3	7.1	21.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	1	3	12.3	7.1	16.1
SUICIDE	4	3	1	12.3	21.4	5.4
HIV DISEASE	2	0	2	6.1	0.0	10.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	6.1	7.1	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.1	7.1	5.4
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	6.1	7.1	5.4
DIABETES MELLITUS	1	0	1	3.1	0.0	5.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.1	7.1	0.0
PEPTIC ULCER	1	0	1	3.1	0.0	5.4
DISEASES OF APPENDIX	1	0	1	3.1	0.0	5.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.1	7.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	3.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	29	13	16	88.9	92.8	86.0
ALL OTHER CAUSES	30	18	12	92.0	128.4	64.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	399	202	197	204	107	97	195	95	100
UNDER 1	6	2	4	2	1	1	4	1	3
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	4	2	2	1	1	0	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	11	5	6	7	3	4	4	2	2
25-34	2	1	1	0	0	0	2	1	1
35-44	17	4	13	11	2	9	6	2	4
45-54	29	12	17	21	9	12	8	3	5
55-64	60	22	38	41	17	24	19	5	14
65-74	72	30	42	39	21	18	33	9	24
75-84	99	63	36	52	33	19	47	30	17
85 AND OVER	101	63	38	30	21	9	71	42	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	32,626
WHITE	14,015
NONWHITE	18,611

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	406	374	32	11.4	12.0	7.3
HEART DISEASES	113	104	9	317.5	333.4	204.5
MALIGNANT NEOPLASMS	87	81	6	244.4	259.7	136.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	29	3	89.9	93.0	68.2
CEREBROVASCULAR DISEASE	26	25	1	73.0	80.2	22.7
ACCIDENTS	24	21	3	67.4	67.3	68.2
SEPTICEMIA	10	9	1	28.1	28.8	22.7
ALZHEIMERS DISEASE	10	10	0	28.1	32.1	0.0
INFLUENZA AND PNEUMONIA	8	6	2	22.5	19.2	45.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	16.8	19.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	5	0	14.0	16.0	0.0
ATHEROSCLEROSIS	5	5	0	14.0	16.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	11.2	12.8	0.0
SUICIDE	4	4	0	11.2	12.8	0.0
DIABETES MELLITUS	3	2	1	8.4	6.4	22.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	8.4	9.6	0.0
ANEMIAS	2	2	0	5.6	6.4	0.0
PEPTIC ULCER	2	2	0	5.6	6.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	5.6	6.4	0.0
MENINGITIS	1	0	1	2.8	0.0	22.7
PARKINSONS DISEASE	1	1	0	2.8	3.2	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.8	3.2	0.0
INFECTIONS OF KIDNEY	1	1	0	2.8	3.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	0.0	12.3
HOMICIDE	1	1	0	2.8	3.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	10	0	28.1	32.1	0.0
ALL OTHER CAUSES	44	40	4	123.6	128.2	90.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	406	374	32	203	184	19	203	190	13
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	6	5	1	3	3	0	3	2	1
35-44	9	9	0	6	6	0	3	3	0
45-54	30	25	5	15	12	3	15	13	2
55-64	56	51	5	33	29	4	23	22	1
65-74	72	69	3	42	40	2	30	29	1
75-84	109	103	6	60	56	4	49	47	2
85 AND OVER	116	107	9	39	34	5	77	73	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	35,589
WHITE	31,189
NONWHITE	4,400

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	169	109	60	12.6	14.3	10.3
HEART DISEASES	61	37	24	453.0	485.2	411.0
MALIGNANT NEOPLASMS	45	26	19	334.2	340.9	325.3
ALZHEIMERS DISEASE	8	7	1	59.4	91.8	17.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	4	4	59.4	52.4	68.5
CEREBROVASCULAR DISEASE	6	4	2	44.6	52.4	34.2
ACCIDENTS	5	5	0	37.1	65.6	0.0
HOMICIDE	5	2	3	37.1	26.2	51.4
SUICIDE	4	4	0	29.7	52.4	0.0
DIABETES MELLITUS	3	2	1	22.3	26.2	17.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	22.3	39.3	0.0
SEPTICEMIA	1	0	1	7.4	0.0	17.1
HIV DISEASE	1	0	1	7.4	0.0	17.1
INFLUENZA AND PNEUMONIA	1	0	1	7.4	0.0	17.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.4	13.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.4	13.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.4	13.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	13.1	0.0
ALL OTHER CAUSES	14	11	3	104.0	144.2	51.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	169	109	60	93	60	33	76	49	27
UNDER 1 (NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	2	3	5	2	3	0	0	0
35-44	6	6	0	3	3	0	3	3	0
45-54	18	11	7	7	6	1	11	5	6
55-64	18	8	10	15	7	8	3	1	2
65-74	34	24	10	23	18	5	11	6	5
75-84	45	26	19	22	11	11	23	15	8
85 AND OVER	40	31	9	16	13	3	24	18	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,466
WHITE	7,626
NONWHITE	5,840

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	261	173	88	13.3	15.0	10.8
HEART DISEASES	54	37	17	274.9	321.2	209.2
MALIGNANT NEOPLASMS	53	32	21	269.8	277.8	258.5
CEREBROVASCULAR DISEASE	27	16	11	137.4	138.9	135.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	3	11	71.3	26.0	135.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3	71.3	95.5	36.9
ALZHEIMERS DISEASE	13	11	2	66.2	95.5	24.6
ACCIDENTS	10	5	5	50.9	43.4	61.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	4	4	40.7	34.7	49.2
SEPTICEMIA	7	7	0	35.6	60.8	0.0
INFLUENZA AND PNEUMONIA	5	5	0	25.4	43.4	0.0
HOMICIDE	4	0	4	20.4	0.0	49.2
DIABETES MELLITUS	3	2	1	15.3	17.4	12.3
PARKINSONS DISEASE	3	3	0	15.3	26.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.1	8.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.1	8.7	0.0
MATERNAL CAUSES	1	0	1	318.5	0.0	581.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.1	0.0	12.3
SUICIDE	1	1	0	5.1	8.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.1	8.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	20.4	26.0	12.3
ALL OTHER CAUSES	36	30	6	183.3	260.4	73.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	261	173	88	150	106	44	111	67	44
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	2	1	1	2	0	2
25-34	7	5	2	5	3	2	2	2	0
35-44	6	2	4	3	1	2	3	1	2
45-54	21	13	8	13	9	4	8	4	4
55-64	22	12	10	15	8	7	7	4	3
65-74	41	28	13	25	17	8	16	11	5
75-84	82	62	20	53	43	10	29	19	10
85 AND OVER	74	49	25	32	23	9	42	26	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	19,644
WHITE	11,520
NONWHITE	8,124

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	92	62	30	11.7	12.1	10.9
HEART DISEASES	37	25	12	470.0	488.4	435.7
MALIGNANT NEOPLASMS	25	17	8	317.5	332.1	290.5
ACCIDENTS	6	3	3	76.2	58.6	108.9
DIABETES MELLITUS	5	3	2	63.5	58.6	72.6
CEREBROVASCULAR DISEASE	5	4	1	63.5	78.1	36.3
INFLUENZA AND PNEUMONIA	3	3	0	38.1	58.6	0.0
SUICIDE	2	2	0	25.4	39.1	0.0
SEPTICEMIA	1	0	1	12.7	0.0	36.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	12.7	0.0	36.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	12.7	19.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	12.7	19.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	5	3	2	63.5	58.6	72.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	92	62	30	57	38	19	35	24	11
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	2	2	0	2	2	0	0	0	0
35-44	5	2	3	2	0	2	3	2	1
45-54	11	6	5	9	5	4	2	1	1
55-64	9	6	3	6	4	2	3	2	1
65-74	20	14	6	12	10	2	8	4	4
75-84	21	14	7	14	10	4	7	4	3
85 AND OVER	21	16	5	10	6	4	11	10	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	7,873
WHITE	5,119
NONWHITE	2,754

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	457	174	283	11.9	13.6	11.1
HEART DISEASES	128	57	71	333.8	444.5	278.1
MALIGNANT NEOPLASMS	77	32	45	200.8	249.6	176.3
CEREBROVASCULAR DISEASE	37	11	26	96.5	85.8	101.8
ALZHEIMERS DISEASE	18	7	11	46.9	54.6	43.1
ACCIDENTS	18	5	13	46.9	39.0	50.9
SEPTICEMIA	17	3	14	44.3	23.4	54.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	14	3	44.3	109.2	11.8
DIABETES MELLITUS	15	2	13	39.1	15.6	50.9
INFLUENZA AND PNEUMONIA	15	5	10	39.1	39.0	39.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	3	11	36.5	23.4	43.1
HOMICIDE	12	0	12	31.3	0.0	47.0
HIV DISEASE	5	0	5	13.0	0.0	19.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	13.0	7.8	15.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	10.4	23.4	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.4	23.4	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	5.9	0.0	8.1
SUICIDE	4	3	1	10.4	23.4	3.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	7.8	7.8	7.8
PARKINSONS DISEASE	2	2	0	5.2	15.6	0.0
SYPHILIS	1	0	1	2.6	0.0	3.9
ANEMIAS	1	0	1	2.6	0.0	3.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.6	0.0	3.9
ATHEROSCLEROSIS	1	1	0	2.6	7.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.6	7.8	0.0
MATERNAL CAUSES	1	0	1	147.5	0.0	201.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.6	0.0	3.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	1	7	20.8	7.8	27.4
ALL OTHER CAUSES	43	19	24	112.1	148.2	94.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	457	174	283	232	86	146	225	88	137
UNDER 1 (NEONATAL)	9	1	8	4	0	4	5	1	4
(POSTNEONATAL)	5	0	5	2	0	2	3	0	3
	4	1	3	2	0	2	2	1	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	1	10	9	1	8	2	0	2
25-34	14	6	8	9	4	5	5	2	3
35-44	27	5	22	16	3	13	11	2	9
45-54	43	10	33	23	4	19	20	6	14
55-64	59	18	41	42	13	29	17	5	12
65-74	75	35	40	39	23	16	36	12	24
75-84	100	45	55	52	26	26	48	19	29
85 AND OVER	118	53	65	37	12	25	81	41	40
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	38,352
WHITE	12,823
NONWHITE	25,529

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	167	128	39	11.4	12.5	8.9
HEART DISEASES	54	46	8	368.7	448.1	182.6
MALIGNANT NEOPLASMS	32	24	8	218.5	233.8	182.6
CEREBROVASCULAR DISEASE	14	13	1	95.6	126.6	22.8
ACCIDENTS	12	8	4	81.9	77.9	91.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	68.3	68.2	68.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	7	2	61.4	68.2	45.6
DIABETES MELLITUS	3	1	2	20.5	9.7	45.6
ALZHEIMERS DISEASE	3	3	0	20.5	29.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	20.5	29.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	20.5	29.2	0.0
SEPTICEMIA	2	1	1	13.6	9.7	22.8
HOMICIDE	2	1	1	13.6	9.7	22.8
HIV DISEASE	1	0	1	6.8	0.0	22.8
ANEMIAS	1	0	1	6.8	0.0	22.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	6.8	9.7	0.0
INFLUENZA AND PNEUMONIA	1	1	0	6.8	9.7	0.0
HERNIA	1	0	1	6.8	0.0	22.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.0	0.0	13.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.8	9.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.8	9.7	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	12	7	5	81.9	68.2	114.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	167	128	39	79	58	21	88	70	18
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	2	3	3	2	1	2	0	2
25-34	2	0	2	1	0	1	1	0	1
35-44	6	4	2	5	4	1	1	0	1
45-54	10	8	2	7	6	1	3	2	1
55-64	26	17	9	14	7	7	12	10	2
65-74	14	11	3	8	7	1	6	4	2
75-84	39	29	10	19	14	5	20	15	5
85 AND OVER	60	55	5	18	16	2	42	39	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	14,647
WHITE	10,265
NONWHITE	4,382

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	104	65	39	10.1	9.7	10.8
HEART DISEASES	30	19	11	290.5	282.4	305.8
MALIGNANT NEOPLASMS	21	13	8	203.4	193.2	222.4
INFLUENZA AND PNEUMONIA	8	5	3	77.5	74.3	83.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	77.5	89.2	55.6
CEREBROVASCULAR DISEASE	6	2	4	58.1	29.7	111.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	48.4	29.7	83.4
ACCIDENTS	5	4	1	48.4	59.4	27.8
SUICIDE	4	4	0	38.7	59.4	0.0
DIABETES MELLITUS	3	3	0	29.0	44.6	0.0
SEPTICEMIA	2	1	1	19.4	14.9	27.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.4	0.0	55.6
HIV DISEASE	1	0	1	9.7	0.0	27.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.7	14.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.7	14.9	0.0
ALL OTHER CAUSES	7	4	3	67.8	59.4	83.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	104	65	39	58	42	16	46	23	23
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	4	3	1	3	2	1	1	1	0
45-54	12	3	9	6	3	3	6	0	6
55-64	15	11	4	8	6	2	7	5	2
65-74	16	11	5	11	8	3	5	3	2
75-84	31	19	12	19	15	4	12	4	8
85 AND OVER	23	16	7	9	6	3	14	10	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,326
WHITE	6,729
NONWHITE	3,597

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	185	114	71	9.7	10.4	8.8
HEART DISEASES	63	43	20	331.6	393.7	247.6
MALIGNANT NEOPLASMS	32	20	12	168.4	183.1	148.6
ACCIDENTS	16	9	7	84.2	82.4	86.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4	63.2	73.2	49.5
CEREBROVASCULAR DISEASE	8	5	3	42.1	45.8	37.1
CONDITIONS ORIG IN PERINATAL PERIOD	7	3	4	23.0	20.7	25.2
ALZHEIMERS DISEASE	5	3	2	26.3	27.5	24.8
INFLUENZA AND PNEUMONIA	4	2	2	21.0	18.3	24.8
SEPTICEMIA	3	1	2	15.8	9.2	24.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	15.8	18.3	12.4
DIABETES MELLITUS	2	2	0	10.5	18.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.5	18.3	0.0
PARKINSONS DISEASE	1	1	0	5.3	9.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.3	9.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	5.3	0.0	12.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.3	9.2	0.0
SUICIDE	1	1	0	5.3	9.2	0.0
HOMICIDE	1	1	0	5.3	9.2	0.0
LEGAL INTERVENTION	1	0	1	5.3	0.0	12.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	21.0	9.2	37.1
ALL OTHER CAUSES	17	8	9	89.5	73.2	111.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	185	114	71	96	50	46	89	64	25
UNDER 1	10	3	7	7	2	5	3	1	2
(NEONATAL)	9	3	6	6	2	4	3	1	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	7	2	5	7	2	5	0	0	0
35-44	6	2	4	4	1	3	2	1	1
45-54	15	8	7	12	6	6	3	2	1
55-64	15	7	8	11	4	7	4	3	1
65-74	29	22	7	21	16	5	8	6	2
75-84	41	26	15	20	14	6	21	12	9
85 AND OVER	61	44	17	13	5	8	48	39	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL 18,998
 WHITE 10,921
 NONWHITE 8,077

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	89	64	25	9.5	9.9	8.4
HEART DISEASES	39	29	10	414.8	450.2	338.0
MALIGNANT NEOPLASMS	17	13	4	180.8	201.8	135.2
CEREBROVASCULAR DISEASE	6	3	3	63.8	46.6	101.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	53.2	62.1	33.8
ACCIDENTS	5	2	3	53.2	31.0	101.4
INFLUENZA AND PNEUMONIA	3	3	0	31.9	46.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	21.3	15.5	33.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	21.3	15.5	33.8
SEPTICEMIA	1	1	0	10.6	15.5	0.0
DIABETES MELLITUS	1	0	1	10.6	0.0	33.8
ALZHEIMERS DISEASE	1	1	0	10.6	15.5	0.0
MATERNAL CAUSES	1	0	1	800.0	0.0	1785.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	8.0	14.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	10.6	15.5	0.0
ALL OTHER CAUSES	4	4	0	42.5	62.1	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	89	64	25	42	31	11	47	33	14
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	4	0	4	1	0	1	3	0	3
35-44	4	3	1	3	2	1	1	1	0
45-54	7	2	5	4	1	3	3	1	2
55-64	15	14	1	10	10	0	5	4	1
65-74	12	9	3	5	3	2	7	6	1
75-84	25	18	7	12	9	3	13	9	4
85 AND OVER	20	16	4	7	6	1	13	10	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	9,401
WHITE	6,442
NONWHITE	2,959

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	112	23	89	9.8	13.7	9.1
HEART DISEASES	48	8	40	417.9	477.6	407.7
MALIGNANT NEOPLASMS	25	8	17	217.6	477.6	173.2
CEREBROVASCULAR DISEASE	7	0	7	60.9	0.0	71.3
SEPTICEMIA	4	1	3	34.8	59.7	30.6
INFLUENZA AND PNEUMONIA	4	1	3	34.8	59.7	30.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	26.1	59.7	20.4
HOMICIDE	3	1	2	26.1	59.7	20.4
DIABETES MELLITUS	2	0	2	17.4	0.0	20.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	12.0	0.0	13.0
ACCIDENTS	2	0	2	17.4	0.0	20.4
AORTIC ANEURYSM AND DISSECTION	1	0	1	8.7	0.0	10.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1	8.7	0.0	10.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	8.7	0.0	10.2
SUICIDE	1	0	1	8.7	0.0	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	26.1	59.7	20.4
ALL OTHER CAUSES	5	2	3	43.5	119.4	30.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	112	23	89	65	13	52	47	10	37
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	5	1	4	4	1	3	1	0	1
45-54	11	3	8	8	3	5	3	0	3
55-64	15	4	11	11	3	8	4	1	3
65-74	21	3	18	12	2	10	9	1	8
75-84	23	6	17	13	2	11	10	4	6
85 AND OVER	31	6	25	12	2	10	19	4	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	11,487
WHITE	1,675
NONWHITE	9,812

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	185	124	61	10.5	10.7	10.0
HEART DISEASES	60	38	22	340.3	328.9	362.0
MALIGNANT NEOPLASMS	37	23	14	209.8	199.1	230.3
ACCIDENTS	17	14	3	96.4	121.2	49.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	62.4	60.6	65.8
CEREBROVASCULAR DISEASE	6	6	0	34.0	51.9	0.0
INFLUENZA AND PNEUMONIA	5	2	3	28.4	17.3	49.4
SEPTICEMIA	4	3	1	22.7	26.0	16.4
ALZHEIMERS DISEASE	4	4	0	22.7	34.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	22.7	26.0	16.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	22.7	17.3	32.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	17.0	17.3	16.4
DIABETES MELLITUS	2	2	0	11.3	17.3	0.0
SUICIDE	2	2	0	11.3	17.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	39.7	34.6	49.4
ALL OTHER CAUSES	19	12	7	107.8	103.9	115.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	185	124	61	96	58	38	89	66	23
UNDER 1 (NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	5	3	2	1	0	1
25-34	3	3	0	0	0	0	3	3	0
35-44	9	8	1	4	3	1	5	5	0
45-54	15	8	7	10	5	5	5	3	2
55-64	16	6	10	12	3	9	4	3	1
65-74	37	30	7	18	14	4	19	16	3
75-84	46	30	16	29	18	11	17	12	5
85 AND OVER	51	35	16	16	11	5	35	24	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	17,631
WHITE	11,553
NONWHITE	6,078

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	201	109	92	9.5	12.1	7.5
HEART DISEASES	63	41	22	297.0	455.3	180.2
MALIGNANT NEOPLASMS	48	23	25	226.3	255.4	204.8
CEREBROVASCULAR DISEASE	14	8	6	66.0	88.8	49.2
ACCIDENTS	10	7	3	47.1	77.7	24.6
DIABETES MELLITUS	7	3	4	33.0	33.3	32.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	28.3	66.6	0.0
SEPTICEMIA	5	3	2	23.6	33.3	16.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	23.6	11.1	32.8
INFLUENZA AND PNEUMONIA	4	3	1	18.8	33.3	8.2
HIV DISEASE	3	0	3	14.1	0.0	24.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	14.1	0.0	24.6
HOMICIDE	3	0	3	14.1	0.0	24.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.4	22.2	0.0
ALZHEIMERS DISEASE	2	0	2	9.4	0.0	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.4	11.1	8.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	9.4	11.1	8.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.7	0.0	10.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	9.4	11.1	8.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.7	0.0	8.2
INFECTIONS OF KIDNEY	1	0	1	4.7	0.0	8.2
SUICIDE	1	1	0	4.7	11.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	15	8	7	70.7	88.8	57.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	201	109	92	96	44	52	105	65	40
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	8	1	7	7	1	6	1	0	1
35-44	7	0	7	5	0	5	2	0	2
45-54	17	6	11	11	4	7	6	2	4
55-64	30	13	17	17	8	9	13	5	8
65-74	32	20	12	18	9	9	14	11	3
75-84	46	30	16	24	16	8	22	14	8
85 AND OVER	52	37	15	8	5	3	44	32	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	21,210
WHITE	9,005
NONWHITE	12,205

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	301	105	196	10.6	14.6	9.2
HEART DISEASES	82	27	55	288.5	375.0	259.2
MALIGNANT NEOPLASMS	66	21	45	232.2	291.7	212.1
ACCIDENTS	18	4	14	63.3	55.6	66.0
DIABETES MELLITUS	15	4	11	52.8	55.6	51.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	52.8	166.7	14.1
CEREBROVASCULAR DISEASE	14	5	9	49.3	69.4	42.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	1	7	28.1	13.9	33.0
INFLUENZA AND PNEUMONIA	8	2	6	28.1	27.8	28.3
HOMICIDE	8	1	7	28.1	13.9	33.0
SEPTICEMIA	5	2	3	17.6	27.8	14.1
HIV DISEASE	5	0	5	17.6	0.0	23.6
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	7.8	30.8	4.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.6	41.7	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	3	0	3	10.6	0.0	14.1
NEOPLASMS	2	0	2	7.0	0.0	9.4
PARKINSONS DISEASE	2	2	0	7.0	27.8	0.0
ALZHEIMERS DISEASE	2	1	1	7.0	13.9	4.7
AORTIC ANEURYSM AND DISSECTION	2	1	1	7.0	13.9	4.7
SUICIDE	2	1	1	7.0	13.9	4.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.5	0.0	4.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.5	0.0	4.7
LEGAL INTERVENTION	1	0	1	3.5	0.0	4.7
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.5	0.0	4.7

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.5	0.0	4.7
ALL OTHER CAUSES	32	16	16	112.6	222.2	75.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	301	105	196	154	54	100	147	51	96
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	4	2	2	2	1	1	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	4	0	4	1	0	1	3	0	3
15-24	8	0	8	6	0	6	2	0	2
25-34	9	1	8	6	1	5	3	0	3
35-44	13	3	10	10	3	7	3	0	3
45-54	31	5	26	18	2	16	13	3	10
55-64	46	12	34	24	8	16	22	4	18
65-74	39	12	27	25	9	16	14	3	11
75-84	79	40	39	39	22	17	40	18	22
85 AND OVER	65	30	35	21	8	13	44	22	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	28,420
WHITE	7,200
NONWHITE	21,220

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	274	149	125	9.4	10.5	8.3
HEART DISEASES	75	47	28	256.6	332.1	185.8
MALIGNANT NEOPLASMS	57	29	28	195.0	204.9	185.8
ACCIDENTS	23	14	9	78.7	98.9	59.7
CEREBROVASCULAR DISEASE	15	9	6	51.3	63.6	39.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	34.2	42.4	26.5
INFLUENZA AND PNEUMONIA	9	5	4	30.8	35.3	26.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	3	5	27.4	21.2	33.2
SEPTICEMIA	7	3	4	24.0	21.2	26.5
ALZHEIMERS DISEASE	6	4	2	20.5	28.3	13.3
DIABETES MELLITUS	5	0	5	17.1	0.0	33.2
HOMICIDE	4	2	2	13.7	14.1	13.3
HIV DISEASE	2	0	2	6.8	0.0	13.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	6.8	7.1	6.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.8	7.1	6.6
SUICIDE	2	1	1	6.8	7.1	6.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.4	7.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.4	7.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.4	0.0	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.4	0.0	6.6
PEPTIC ULCER	1	1	0	3.4	7.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.4	7.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	0.0	3.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	24.0	21.2	26.5
ALL OTHER CAUSES	33	17	16	112.9	120.1	106.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	274	149	125	146	70	76	128	79	49
UNDER 1 (NEONATAL)	5	2	3	5	2	3	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
	3	2	1	3	2	1	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	4	3	1	2	1	1
25-34	8	2	6	4	1	3	4	1	3
35-44	19	8	11	9	4	5	10	4	6
45-54	30	16	14	17	10	7	13	6	7
55-64	28	10	18	20	5	15	8	5	3
65-74	37	18	19	26	10	16	11	8	3
75-84	86	57	29	44	29	15	42	28	14
85 AND OVER	52	32	20	15	6	9	37	26	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	29,223
WHITE	14,154
NONWHITE	15,069

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	238	173	65	11.6	13.4	8.6
HEART DISEASES	80	63	17	391.2	487.5	225.9
MALIGNANT NEOPLASMS	42	34	8	205.4	263.1	106.3
CEREBROVASCULAR DISEASE	19	16	3	92.9	123.8	39.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	14	2	78.2	108.3	26.6
ACCIDENTS	15	8	7	73.4	61.9	93.0
ALZHEIMERS DISEASE	6	6	0	29.3	46.4	0.0
SEPTICEMIA	5	2	3	24.4	15.5	39.9
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	15.3	17.4	12.9
PARKINSONS DISEASE	4	4	0	19.6	31.0	0.0
INFLUENZA AND PNEUMONIA	4	4	0	19.6	31.0	0.0
HOMICIDE	4	2	2	19.6	15.5	26.6
DIABETES MELLITUS	3	1	2	14.7	7.7	26.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	14.7	0.0	39.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.8	7.7	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.8	7.7	13.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.8	0.0	26.6
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.9	0.0	13.3
PNEUMOCOCCI & CHEMICAL EFFECTS	1	1	0	4.9	7.7	0.0
HERNIA	1	0	1	4.9	0.0	13.3
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.9	0.0	13.3
SUICIDE	1	1	0	4.9	7.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.9	0.0	13.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.8	7.7	13.3
ALL OTHER CAUSES	18	11	7	88.0	85.1	93.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	238	173	65	135	101	34	103	72	31
UNDER 1	7	4	3	3	2	1	4	2	2
(NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	1	0	1	0	0	0	1	0	1
25-34	5	3	2	4	3	1	1	0	1
35-44	6	3	3	2	0	2	4	3	1
45-54	12	6	6	9	5	4	3	1	2
55-64	20	12	8	13	8	5	7	4	3
65-74	44	36	8	25	21	4	19	15	4
75-84	72	57	15	47	40	7	25	17	8
85 AND OVER	67	51	16	30	21	9	37	30	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	20,447
WHITE	12,923
NONWHITE	7,524

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	895	769	126	6.2	6.7	4.1
MALIGNANT NEOPLASMS	239	215	24	165.2	188.6	78.1
HEART DISEASES	238	206	32	164.5	180.7	104.2
ACCIDENTS	64	61	3	44.2	53.5	9.8
DIABETES MELLITUS	50	38	12	34.6	33.3	39.0
CEREBROVASCULAR DISEASE	41	33	8	28.3	29.0	26.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	40	34	6	27.6	29.8	19.5
ALZHEIMERS DISEASE	22	20	2	15.2	17.5	6.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	14	3	11.7	12.3	9.8
SUICIDE	12	11	1	8.3	9.6	3.2
INFLUENZA AND PNEUMONIA	11	11	0	7.6	9.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	11	4	7	5.0	2.3	14.7
SEPTICEMIA	10	8	2	6.9	7.0	6.5
PARKINSONS DISEASE	10	9	1	6.9	7.9	3.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	8	1	6.2	7.0	3.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	6	3	6.2	5.3	9.8
HOMICIDE	7	3	4	4.8	2.6	13.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	5	1	4.1	4.4	3.2
HIV DISEASE	5	3	2	3.4	2.6	6.5
AORTIC ANEURYSM AND DISSECTION	5	4	1	3.4	3.5	3.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	2.8	2.6	3.2
VIRAL HEPATITIS	3	2	1	2.1	1.8	3.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	2.1	2.6	0.0
MENINGITIS	2	1	1	1.4	0.9	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	0.7	0.0	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	7	2	6.2	6.1	6.5
ALL OTHER CAUSES	67	60	7	46.3	52.6	22.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	895	769	126	453	388	65	442	381	61
UNDER 1	24	12	12	13	6	7	11	6	5
(NEONATAL)	15	7	8	6	3	3	9	4	5
(POSTNEONATAL)	9	5	4	7	3	4	2	2	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	3	2	1	2	2	0	1	0	1
15-24	18	14	4	15	11	4	3	3	0
25-34	27	22	5	20	18	2	7	4	3
35-44	29	24	5	13	10	3	16	14	2
45-54	85	79	6	51	46	5	34	33	1
55-64	121	97	24	73	59	14	48	38	10
65-74	190	167	23	107	96	11	83	71	12
75-84	235	215	20	120	111	9	115	104	11
85 AND OVER	161	135	26	39	29	10	122	106	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	144,706
WHITE	113,982
NONWHITE	30,724

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	696	487	209	9.1	10.2	7.3
HEART DISEASES	174	132	42	227.8	276.7	146.5
MALIGNANT NEOPLASMS	137	90	47	179.4	188.6	164.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	47	34	13	61.5	71.3	45.4
ACCIDENTS	45	39	6	58.9	81.7	20.9
CEREBROVASCULAR DISEASE	36	24	12	47.1	50.3	41.9
ALZHEIMERS DISEASE	28	25	3	36.7	52.4	10.5
DIABETES MELLITUS	23	9	14	30.1	18.9	48.8
INFLUENZA AND PNEUMONIA	20	13	7	26.2	27.2	24.4
SEPTICEMIA	18	8	10	23.6	16.8	34.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	16	11	5	21.0	23.0	17.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	7	4	14.4	14.7	14.0
SUICIDE	10	6	4	13.1	12.6	14.0
HOMICIDE	9	4	5	11.8	8.4	17.4
HIV DISEASE	8	3	5	10.5	6.3	17.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	7.8	12.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	6	3	3	4.8	4.5	5.2
NEOPLASMS	5	5	0	6.5	10.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	6.5	6.3	7.0
PARKINSONS DISEASE	3	3	0	3.9	6.3	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	3.9	6.3	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	1	1	2.6	2.1	3.5
PEPTIC ULCER	2	0	2	2.6	0.0	7.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.6	2.1	3.5
VIRAL HEPATITIS	1	0	1	1.3	0.0	3.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.3	2.1	0.0
HERNIA	1	1	0	1.3	2.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	8	4	15.7	16.8	14.0
ALL OTHER CAUSES	64	46	18	83.8	96.4	62.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	696	487	209	321	215	106	375	272	103
UNDER 1	10	5	5	7	3	4	3	2	1
(NEONATAL)	7	3	4	5	2	3	2	1	1
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	2	1	1	2	1	1	0	0	0
15-24	15	11	4	12	8	4	3	3	0
25-34	23	18	5	11	9	2	12	9	3
35-44	34	20	14	21	12	9	13	8	5
45-54	56	32	24	28	19	9	28	13	15
55-64	101	58	43	59	32	27	42	26	16
65-74	104	71	33	61	43	18	43	28	15
75-84	169	126	43	77	57	20	92	69	23
85 AND OVER	180	143	37	42	30	12	138	113	25
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	76,372
WHITE	47,707
NONWHITE	28,665

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	69	43	26	8.3	8.2	8.6
HEART DISEASES	28	19	9	338.6	363.4	296.0
MALIGNANT NEOPLASMS	13	10	3	157.2	191.3	98.6
ACCIDENTS	6	1	5	72.6	19.1	164.4
DIABETES MELLITUS	3	1	2	36.3	19.1	65.8
INFLUENZA AND PNEUMONIA	3	2	1	36.3	38.2	32.9
HIV DISEASE	2	0	2	24.2	0.0	65.8
CEREBROVASCULAR DISEASE	2	1	1	24.2	19.1	32.9
ALZHEIMERS DISEASE	1	1	0	12.1	19.1	0.0
ATHEROSCLEROSIS	1	1	0	12.1	19.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	12.1	19.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.8	0.0	18.5
SUICIDE	1	1	0	12.1	19.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	12.1	0.0	32.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	6	5	1	72.6	95.6	32.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	69	43	26	33	20	13	36	23	13
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	2	1	1	2	1	1	0	0	0
45-54	7	2	5	5	1	4	2	1	1
55-64	8	2	6	5	1	4	3	1	2
65-74	15	11	4	9	8	1	6	3	3
75-84	16	12	4	6	5	1	10	7	3
85 AND OVER	18	15	3	6	4	2	12	11	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	8,269
WHITE	5,228
NONWHITE	3,041

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	209	185	24	9.6	9.4	11.1
MALIGNANT NEOPLASMS	44	41	3	201.6	208.4	139.0
HEART DISEASES	43	38	5	197.0	193.2	231.6
DIABETES MELLITUS	23	17	6	105.4	86.4	277.9
ACCIDENTS	22	22	0	100.8	111.8	0.0
CEREBROVASCULAR DISEASE	11	10	1	50.4	50.8	46.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	36.6	40.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	5	5	0	22.9	25.4	0.0
SUICIDE	5	5	0	22.9	25.4	0.0
SEPTICEMIA	4	3	1	18.3	15.2	46.3
ALZHEIMERS DISEASE	4	2	2	18.3	10.2	92.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	18.3	20.3	0.0
INFLUENZA AND PNEUMONIA	4	3	1	18.3	15.2	46.3
HOMICIDE	2	2	0	9.2	10.2	0.0
TUBERCULOSIS	1	1	0	4.6	5.1	0.0
VIRAL HEPATITIS	1	1	0	4.6	5.1	0.0
HIV DISEASE	1	1	0	4.6	5.1	0.0
ANEMIAS	1	0	1	4.6	0.0	46.3
PARKINSONS DISEASE	1	1	0	4.6	5.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	4.6	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	0.0	46.3
ALL OTHER CAUSES	23	20	3	105.4	101.7	139.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	209	185	24	112	102	10	97	83	14
UNDER 1	3	3	0	3	3	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	3	3	0	3	3	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	8	7	1	6	6	0	2	1	1
25-34	12	12	0	10	10	0	2	2	0
35-44	6	6	0	4	4	0	2	2	0
45-54	12	12	0	5	5	0	7	7	0
55-64	25	20	5	15	12	3	10	8	2
65-74	49	42	7	34	29	5	15	13	2
75-84	49	44	5	25	24	1	24	20	4
85 AND OVER	44	38	6	9	8	1	35	30	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	21,828
WHITE	19,669
NONWHITE	2,159

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	132	113	19	10.1	11.9	5.3
HEART DISEASES	40	37	3	305.3	389.5	83.3
MALIGNANT NEOPLASMS	34	28	6	259.5	294.7	166.5
CEREBROVASCULAR DISEASE	12	12	0	91.6	126.3	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	68.7	73.7	55.5
ACCIDENTS	8	5	3	61.0	52.6	83.3
DIABETES MELLITUS	4	3	1	30.5	31.6	27.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	22.9	10.5	55.5
ALZHEIMERS DISEASE	2	2	0	15.3	21.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	15.3	10.5	27.8
SEPTICEMIA	1	0	1	7.6	0.0	27.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.6	10.5	0.0
INFLUENZA AND PNEUMONIA	1	1	0	7.6	10.5	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	7.6	10.5	0.0
PEPTIC ULCER	1	1	0	7.6	10.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.6	10.5	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	7.6	10.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	11	11	0	84.0	115.8	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	132	113	19	76	64	12	56	49	7
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	5	5	0	3	3	0	2	2	0
35-44	2	2	0	2	2	0	0	0	0
45-54	11	7	4	8	5	3	3	2	1
55-64	17	13	4	15	11	4	2	2	0
65-74	26	22	4	18	16	2	8	6	2
75-84	34	33	1	14	14	0	20	19	1
85 AND OVER	33	27	6	14	11	3	19	16	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,103
WHITE	9,500
NONWHITE	3,603

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	280	175	105	12.2	13.3	10.8
HEART DISEASES	75	56	19	328.1	427.0	195.0
MALIGNANT NEOPLASMS	57	35	22	249.3	266.8	225.8
CEREBROVASCULAR DISEASE	21	12	9	91.8	91.5	92.4
ACCIDENTS	16	12	4	70.0	91.5	41.0
SEPTICEMIA	14	7	7	61.2	53.4	71.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	4	8	52.5	30.5	82.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	48.1	76.2	10.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	7	4	48.1	53.4	41.0
INFLUENZA AND PNEUMONIA	9	6	3	39.4	45.7	30.8
DIABETES MELLITUS	7	5	2	30.6	38.1	20.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	12.0	6.2	17.3
ANEMIAS	3	0	3	13.1	0.0	30.8
HOMICIDE	3	1	2	13.1	7.6	20.5
HIV DISEASE	2	1	1	8.7	7.6	10.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	8.7	7.6	10.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	8.7	0.0	20.5
PARKINSONS DISEASE	1	1	0	4.4	7.6	0.0
ALZHEIMERS DISEASE	1	0	1	4.4	0.0	10.3
ATHEROSCLEROSIS	1	1	0	4.4	7.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.4	7.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.4	0.0	10.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.4	0.0	10.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.7	7.6	10.3
ALL OTHER CAUSES	23	13	10	100.6	99.1	102.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	280	175	105	143	82	61	137	93	44
UNDER 1	6	1	5	6	1	5	0	0	0
(NEONATAL)	6	1	5	6	1	5	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	2	2	0	3	1	2
25-34	6	2	4	6	2	4	0	0	0
35-44	8	4	4	6	3	3	2	1	1
45-54	28	12	16	19	9	10	9	3	6
55-64	29	16	13	15	8	7	14	8	6
65-74	39	22	17	29	17	12	10	5	5
75-84	73	53	20	32	21	11	41	32	9
85 AND OVER	85	62	23	27	19	8	58	43	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	22,861
WHITE	13,116
NONWHITE	9,745

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	329	309	20	8.1	8.4	5.1
MALIGNANT NEOPLASMS	94	89	5	232.6	243.6	128.7
HEART DISEASES	87	83	4	215.2	227.2	102.9
ACCIDENTS	35	32	3	86.6	87.6	77.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	21	2	56.9	57.5	51.5
CEREBROVASCULAR DISEASE	11	11	0	27.2	30.1	0.0
SEPTICEMIA	8	6	2	19.8	16.4	51.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	14.8	16.4	0.0
DIABETES MELLITUS	5	5	0	12.4	13.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	12.4	10.9	25.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	9.9	5.5	51.5
INFLUENZA AND PNEUMONIA	4	4	0	9.9	10.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	7.4	8.2	0.0
SUICIDE	3	3	0	7.4	8.2	0.0
HIV DISEASE	2	2	0	4.9	5.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.9	5.5	0.0
PARKINSONS DISEASE	2	2	0	4.9	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	4.9	5.5	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	4.9	5.5	0.0
VIRAL HEPATITIS	1	1	0	2.5	2.7	0.0
ANEMIAS	1	1	0	2.5	2.7	0.0
ALZHEIMERS DISEASE	1	1	0	2.5	2.7	0.0
ATHEROSCLEROSIS	1	1	0	2.5	2.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.1	2.3	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	7.4	8.2	0.0
ALL OTHER CAUSES	23	22	1	56.9	60.2	25.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	329	309	20	184	173	11	145	136	9
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	2	2	0	2	2	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	8	7	1	7	6	1	1	1	0
35-44	15	14	1	10	9	1	5	5	0
45-54	38	37	1	27	26	1	11	11	0
55-64	67	62	5	37	34	3	30	28	2
65-74	67	61	6	39	37	2	28	24	4
75-84	76	73	3	40	38	2	36	35	1
85 AND OVER	49	46	3	17	16	1	32	30	2
UNKNOWN	1	1	0	1	1	0	0	0	0

2006 POPULATION:

TOTAL	40,421
WHITE	36,535
NONWHITE	3,886

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,617	1,304	313	9.4	10.6	6.5
HEART DISEASES	445	357	88	258.9	289.2	181.7
MALIGNANT NEOPLASMS	366	288	78	212.9	233.3	161.1
ACCIDENTS	125	105	20	72.7	85.0	41.3
CEREBROVASCULAR DISEASE	89	66	23	51.8	53.5	47.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	58	54	4	33.7	43.7	8.3
SEPTICEMIA	35	31	4	20.4	25.1	8.3
ALZHEIMERS DISEASE	35	34	1	20.4	27.5	2.1
SUICIDE	33	30	3	19.2	24.3	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	29	26	3	16.9	21.1	6.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	29	20	9	16.9	16.2	18.6
INFLUENZA AND PNEUMONIA	28	23	5	16.3	18.6	10.3
HOMICIDE	24	14	10	14.0	11.3	20.6
DIABETES MELLITUS	18	14	4	10.5	11.3	8.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	14	12	2	8.1	9.7	4.1
CONDITIONS ORIG IN PERINATAL PERIOD	12	7	5	4.5	3.8	6.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	7	3	5.8	5.7	6.2
VIRAL HEPATITIS	8	7	1	4.6	5.7	2.1
PARKINSONS DISEASE	7	7	0	4.1	5.7	0.0
AORTIC ANEURYSM AND DISSECTION	7	7	0	4.1	5.7	0.0
HIV DISEASE	6	5	1	3.5	4.0	2.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	5	0	2.9	4.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	2.9	1.6	6.2
CHOLELITHIASIS/GALLBLADDER DISORDER	5	4	1	2.9	3.2	2.1
HERNIA	4	1	3	2.3	0.8	6.2
COMPLICATIONS MEDICAL/SURGICAL CARE	4	4	0	2.3	3.2	0.0
ANEMIAS	3	3	0	1.7	2.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	1.7	2.4	0.0
MENINGITIS	1	1	0	0.6	0.8	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	0	1	0.6	0.0	2.1
PEPTIC ULCER	1	1	0	0.6	0.8	0.0
INFECTIONS OF KIDNEY	1	1	0	0.6	0.8	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	38	34	4	22.1	27.5	8.3
ALL OTHER CAUSES	168	131	37	97.7	106.1	76.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,617	1,304	313	876	724	152	741	580	161
UNDER 1	30	16	14	17	10	7	13	6	7
(NEONATAL)	17	10	7	10	6	4	7	4	3
(POSTNEONATAL)	13	6	7	7	4	3	6	2	4
1-4	2	1	1	2	1	1	0	0	0
5-9	3	3	0	3	3	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	35	21	14	24	16	8	11	5	6
25-34	59	38	21	38	28	10	21	10	11
35-44	77	60	17	48	40	8	29	20	9
45-54	180	142	38	108	87	21	72	55	17
55-64	237	173	64	137	103	34	100	70	30
65-74	311	256	55	189	164	25	122	92	30
75-84	397	343	54	212	186	26	185	157	28
85 AND OVER	284	249	35	96	84	12	188	165	23
UNKNOWN	2	2	0	2	2	0	0	0	0

2006 POPULATION:

TOTAL	171,875
WHITE	123,452
NONWHITE	48,423

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,022	853	1,169	8.1	10.6	6.9
HEART DISEASES	585	260	325	234.9	322.0	193.2
MALIGNANT NEOPLASMS	394	163	231	158.2	201.8	137.3
CEREBROVASCULAR DISEASE	94	39	55	37.7	48.3	32.7
ACCIDENTS	89	35	54	35.7	43.3	32.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	86	56	30	34.5	69.3	17.8
SEPTICEMIA	56	29	27	22.5	35.9	16.0
HOMICIDE	48	5	43	19.3	6.2	25.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	46	13	33	18.5	16.1	19.6
HIV DISEASE	43	3	40	17.3	3.7	23.8
DIABETES MELLITUS	43	8	35	17.3	9.9	20.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	39	9	30	15.7	11.1	17.8
INFLUENZA AND PNEUMONIA	33	22	11	13.2	27.2	6.5
ALZHEIMERS DISEASE	32	23	9	12.8	28.5	5.3
CONDITIONS ORIG IN PERINATAL PERIOD	29	3	26	7.0	3.0	8.2
SUICIDE	23	17	6	9.2	21.0	3.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	13	8	8.4	16.1	4.8
PARKINSONS DISEASE	13	11	2	5.2	13.6	1.2
AORTIC ANEURYSM AND DISSECTION	13	6	7	5.2	7.4	4.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	3	5	3.2	3.7	3.0
ANEMIAS	6	3	3	2.4	3.7	1.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	2	4	2.4	2.5	2.4
CHOLELITHIASIS/GALLBLADDER DISORDER	6	1	5	2.4	1.2	3.0
MALNUTRITION/NUTRITIONAL DEFICIENCY IN SITU, BENIGN & UNSPECIFIED	5	1	4	2.0	1.2	2.4
NEOPLASMS	4	2	2	1.6	2.5	1.2
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	1.6	1.2	1.8
PEPTIC ULCER	3	2	1	1.2	2.5	0.6
VIRAL HEPATITIS	2	1	1	0.8	1.2	0.6
VIRAL ENCEPHALITIS	1	0	1	0.4	0.0	0.6
HERNIA	1	1	0	0.4	1.2	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	25	7	18	10.0	8.7	10.7
ALL OTHER CAUSES	264	114	150	106.0	141.2	89.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,022	853	1,169	1,070	453	617	952	400	552
UNDER 1 (NEONATAL)	53	7	46	34	4	30	19	3	16
(POSTNEONATAL)	36	5	31	23	4	19	13	1	12
	17	2	15	11	0	11	6	2	4
1-4	5	0	5	3	0	3	2	0	2
5-9	3	1	2	1	1	0	2	0	2
10-14	4	1	3	3	1	2	1	0	1
15-24	41	8	33	31	7	24	10	1	9
25-34	67	16	51	45	11	34	22	5	17
35-44	116	27	89	75	19	56	41	8	33
45-54	216	55	161	134	36	98	82	19	63
55-64	279	93	186	170	56	114	109	37	72
65-74	329	133	196	189	82	107	140	51	89
75-84	475	272	203	231	147	84	244	125	119
85 AND OVER	434	240	194	154	89	65	280	151	129
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	249,012
WHITE	80,756
NONWHITE	168,256

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	226	50	176	10.8	13.2	10.3
HEART DISEASES	55	12	43	263.6	316.6	251.8
MALIGNANT NEOPLASMS	40	9	31	191.7	237.5	181.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	2	15	81.5	52.8	87.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	3	11	67.1	79.2	64.4
CEREBROVASCULAR DISEASE	14	3	11	67.1	79.2	64.4
ACCIDENTS	11	2	9	52.7	52.8	52.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	3	4	33.5	79.2	23.4
INFLUENZA AND PNEUMONIA	6	1	5	28.8	26.4	29.3
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	13.8	0.0	15.0
DIABETES MELLITUS	5	1	4	24.0	26.4	23.4
SEPTICEMIA	4	0	4	19.2	0.0	23.4
HIV DISEASE	4	0	4	19.2	0.0	23.4
ALZHEIMERS DISEASE	4	2	2	19.2	52.8	11.7
HOMICIDE	4	0	4	19.2	0.0	23.4
SUICIDE	3	2	1	14.4	52.8	5.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.8	26.4	0.0
ANEMIAS	1	0	1	4.8	0.0	5.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.8	26.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.8	0.0	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.8	0.0	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.8	0.0	5.8
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	14.4	26.4	11.7
ALL OTHER CAUSES	23	7	16	110.2	184.7	93.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	226	50	176	119	22	97	107	28	79
UNDER 1	8	0	8	2	0	2	6	0	6
(NEONATAL)	7	0	7	1	0	1	6	0	6
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	2	0	2	3	1	2
25-34	5	1	4	4	1	3	1	0	1
35-44	17	1	16	11	1	10	6	0	6
45-54	22	1	21	17	1	16	5	0	5
55-64	35	4	31	21	2	19	14	2	12
65-74	34	4	30	20	2	18	14	2	12
75-84	52	15	37	24	8	16	28	7	21
85 AND OVER	48	23	25	18	7	11	30	16	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	20,866
WHITE	3,790
NONWHITE	17,076

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	137	36	101	13.2	13.5	13.1
HEART DISEASES	44	6	38	423.4	225.4	491.5
MALIGNANT NEOPLASMS	29	9	20	279.0	338.1	258.7
ACCIDENTS	8	2	6	77.0	75.1	77.6
CEREBROVASCULAR DISEASE	6	1	5	57.7	37.6	64.7
ALZHEIMERS DISEASE	5	3	2	48.1	112.7	25.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	48.1	112.7	25.9
SEPTICEMIA	4	0	4	38.5	0.0	51.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	38.5	75.1	25.9
HIV DISEASE	2	1	1	19.2	37.6	12.9
DIABETES MELLITUS	2	1	1	19.2	37.6	12.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.2	0.0	25.9
INFLUENZA AND PNEUMONIA	2	1	1	19.2	37.6	12.9
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	8.4	0.0	9.9
HOMICIDE	2	0	2	19.2	0.0	25.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.6	37.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.6	0.0	12.9
SUICIDE	1	1	0	9.6	37.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	9.6	37.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	1	5	57.7	37.6	64.7
ALL OTHER CAUSES	10	3	7	96.2	112.7	90.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	137	36	101	74	16	58	63	20	43
UNDER 1	4	0	4	4	0	4	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	5	1	4	3	0	3	2	1	1
35-44	7	3	4	4	1	3	3	2	1
45-54	16	0	16	13	0	13	3	0	3
55-64	25	7	18	12	3	9	13	4	9
65-74	20	5	15	12	4	8	8	1	7
75-84	28	10	18	10	4	6	18	6	12
85 AND OVER	28	9	19	12	3	9	16	6	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,393
WHITE	2,662
NONWHITE	7,731

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	18	7	11	10.0	9.9	10.0
HEART DISEASES	4	3	1	221.6	423.1	91.2
ACCIDENTS	4	1	3	221.6	141.0	273.7
DIABETES MELLITUS	3	1	2	166.2	141.0	182.5
MALIGNANT NEOPLASMS	2	1	1	110.8	141.0	91.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	0	2	110.8	0.0	182.5
PARKINSONS DISEASE	1	1	0	55.4	141.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	55.4	0.0	91.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	1	0	1	55.4	0.0	91.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	18	7	11	7	5	2	11	2	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	1	0	1	0	0	0	1	0	1
55-64	1	0	1	0	0	0	1	0	1
65-74	4	3	1	3	3	0	1	0	1
75-84	5	3	2	2	1	1	3	2	1
85 AND OVER	1	0	1	0	0	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	1,805
WHITE	709
NONWHITE	1,096

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	256	245	11	11.0	11.3	6.3
HEART DISEASES	75	71	4	321.2	328.6	229.6
MALIGNANT NEOPLASMS	52	49	3	222.7	226.7	172.2
CEREBROVASCULAR DISEASE	18	18	0	77.1	83.3	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	68.5	74.0	0.0
ALZHEIMERS DISEASE	14	14	0	60.0	64.8	0.0
ACCIDENTS	12	12	0	51.4	55.5	0.0
DIABETES MELLITUS	8	8	0	34.2	37.0	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	5	0	21.4	23.1	0.0
SEPTICEMIA	4	3	1	17.1	13.9	57.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.8	13.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	8.6	9.2	0.0
SUICIDE	2	2	0	8.6	9.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	8.6	4.6	57.4
PARKINSONS DISEASE	1	1	0	4.3	4.6	0.0
INFLUENZA AND PNEUMONIA	1	1	0	4.3	4.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.5	3.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.3	4.6	0.0
HOMICIDE	1	1	0	4.3	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	17.1	18.5	0.0
ALL OTHER CAUSES	34	32	2	145.6	148.1	114.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	256	245	11	123	120	3	133	125	8
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	2	0	1	1	0	1	1	0
25-34	5	5	0	5	5	0	0	0	0
35-44	12	11	1	8	8	0	4	3	1
45-54	17	17	0	9	9	0	8	8	0
55-64	30	29	1	24	23	1	6	6	0
65-74	49	45	4	24	23	1	25	22	3
75-84	70	67	3	40	39	1	30	28	2
85 AND OVER	67	65	2	11	11	0	56	54	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	23,352
WHITE	21,610
NONWHITE	1,742

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,197	959	238	9.2	9.8	7.2
HEART DISEASES	281	225	56	215.2	230.8	169.3
MALIGNANT NEOPLASMS	245	208	37	187.6	213.3	111.9
ACCIDENTS	120	102	18	91.9	104.6	54.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	68	61	7	52.1	62.6	21.2
CEREBROVASCULAR DISEASE	61	47	14	46.7	48.2	42.3
ALZHEIMERS DISEASE	36	29	7	27.6	29.7	21.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	32	21	11	24.5	21.5	33.2
INFLUENZA AND PNEUMONIA	26	19	7	19.9	19.5	21.2
SUICIDE	26	22	4	19.9	22.6	12.1
SEPTICEMIA	25	16	9	19.1	16.4	27.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	13	1	10.7	13.3	3.0
PARKINSONS DISEASE	13	13	0	10.0	13.3	0.0
DIABETES MELLITUS	12	6	6	9.2	6.2	18.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	7	5	9.2	7.2	15.1
HOMICIDE	12	4	8	9.2	4.1	24.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	7	2	6.9	7.2	6.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	6	2	6.1	6.2	6.0
HIV DISEASE	7	2	5	5.4	2.0	15.1
AORTIC ANEURYSM AND DISSECTION	7	5	2	5.4	5.1	6.0
VIRAL HEPATITIS	5	5	0	3.8	5.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	2.1	0.7	5.3
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	4	3	1	3.1	3.1	3.0
NEOPLASMS	3	3	0	2.3	3.1	0.0
ANEMIAS	3	2	1	2.3	2.0	3.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	1.5	1.0	3.0
INFECTIONS OF KIDNEY	2	2	0	1.5	2.0	0.0
PEPTIC ULCER	1	1	0	0.8	1.0	0.0
LEGAL INTERVENTION	1	1	0	0.8	1.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	17	2	14.6	17.4	6.0
ALL OTHER CAUSES	139	110	29	106.4	112.8	87.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,197	959	238	600	477	123	597	482	115
UNDER 1	14	8	6	7	3	4	7	5	2
(Neonatal)	9	4	5	4	1	3	5	3	2
(Postneonatal)	5	4	1	3	2	1	2	2	0
1-4	7	4	3	6	3	3	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	38	29	9	23	18	5	15	11	4
25-34	35	21	14	27	16	11	8	5	3
35-44	59	43	16	35	22	13	24	21	3
45-54	131	91	40	73	54	19	58	37	21
55-64	168	125	43	104	76	28	64	49	15
65-74	245	200	45	119	102	17	126	98	28
75-84	281	247	34	125	115	10	156	132	24
85 AND OVER	214	187	27	76	64	12	138	123	15
UNKNOWN	3	2	1	3	2	1	0	0	0

2006 POPULATION:

TOTAL	130,577
WHITE	97,500
NONWHITE	33,077

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	201	109	92	11.0	12.8	9.5
HEART DISEASES	63	37	26	346.2	433.4	269.1
MALIGNANT NEOPLASMS	48	30	18	263.8	351.4	186.3
CEREBROVASCULAR DISEASE	16	7	9	87.9	82.0	93.2
ACCIDENTS	15	9	6	82.4	105.4	62.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	60.4	105.4	20.7
INFLUENZA AND PNEUMONIA	5	2	3	27.5	23.4	31.0
DIABETES MELLITUS	4	2	2	22.0	23.4	20.7
HOMICIDE	4	0	4	22.0	0.0	41.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	16.5	23.4	10.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	16.5	11.7	20.7
SEPTICEMIA	2	0	2	11.0	0.0	20.7
ALZHEIMERS DISEASE	2	1	1	11.0	11.7	10.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.5	0.0	10.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.5	11.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.5	11.7	0.0
SUICIDE	1	1	0	5.5	11.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	5.5	0.0	10.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.5	0.0	10.4
ALL OTHER CAUSES	19	6	13	104.4	70.3	134.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	201	109	92	88	53	35	113	56	57
UNDER 1	6	1	5	4	1	3	2	0	2
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	4	0	4	3	0	3	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	2	1	2	1	1
25-34	5	2	3	3	2	1	2	0	2
35-44	8	1	7	3	0	3	5	1	4
45-54	16	7	9	9	4	5	7	3	4
55-64	30	17	13	13	9	4	17	8	9
65-74	35	22	13	14	12	2	21	10	11
75-84	50	29	21	24	15	9	26	14	12
85 AND OVER	45	26	19	14	7	7	31	19	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	18,197
WHITE	8,536
NONWHITE	9,661

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	78	9	69	8.5	7.2	8.7
HEART DISEASES	28	3	25	304.5	241.7	314.3
MALIGNANT NEOPLASMS	21	2	19	228.4	161.2	238.9
DIABETES MELLITUS	6	1	5	65.3	80.6	62.9
ACCIDENTS	4	0	4	43.5	0.0	50.3
CEREBROVASCULAR DISEASE	2	0	2	21.8	0.0	25.1
INFLUENZA AND PNEUMONIA	2	0	2	21.8	0.0	25.1
SEPTICEMIA	1	0	1	10.9	0.0	12.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.9	0.0	12.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.9	0.0	12.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	10.9	0.0	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.9	0.0	12.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1	10.9	0.0	12.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.6	0.0	8.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	10.9	0.0	12.6
HOMICIDE	1	0	1	10.9	0.0	12.6
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	6	3	3	65.3	241.7	37.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	78	9	69	32	4	28	46	5	41
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	3	0	3	3	0	3	0	0	0
45-54	14	2	12	8	1	7	6	1	5
55-64	12	3	9	5	0	5	7	3	4
65-74	13	1	12	4	0	4	9	1	8
75-84	12	1	11	6	1	5	6	0	6
85 AND OVER	18	2	16	4	2	2	14	0	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	9,194
WHITE	1,241
NONWHITE	7,953

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	150	74	76	11.4	13.5	9.9
HEART DISEASES	48	25	23	364.1	454.8	299.2
MALIGNANT NEOPLASMS	31	19	12	235.1	345.6	156.1
ACCIDENTS	12	5	7	91.0	91.0	91.1
HOMICIDE	8	2	6	60.7	36.4	78.0
CEREBROVASCULAR DISEASE	5	0	5	37.9	0.0	65.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	30.3	18.2	39.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	19.4	38.5	13.0
SEPTICEMIA	3	1	2	22.8	18.2	26.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	22.8	54.6	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	22.8	0.0	39.0
DIABETES MELLITUS	2	0	2	15.2	0.0	26.0
ALZHEIMERS DISEASE	2	1	1	15.2	18.2	13.0
SUICIDE	2	1	1	15.2	18.2	13.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	15.2	0.0	26.0
INFLUENZA AND PNEUMONIA	1	1	0	7.6	18.2	0.0
HERNIA	1	1	0	7.6	18.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.6	0.0	13.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.6	18.2	0.0
ALL OTHER CAUSES	17	11	6	128.9	200.1	78.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	150	74	76	74	33	41	76	41	35
UNDER 1	5	3	2	1	1	0	4	2	2
(NEONATAL)	3	2	1	1	1	0	2	1	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	4	0	4	2	1	1
25-34	3	0	3	1	0	1	2	0	2
35-44	10	4	6	8	3	5	2	1	1
45-54	10	5	5	7	3	4	3	2	1
55-64	22	7	15	16	5	11	6	2	4
65-74	36	17	19	16	8	8	20	9	11
75-84	32	20	12	13	9	4	19	11	8
85 AND OVER	26	17	9	8	4	4	18	13	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,184
WHITE	5,497
NONWHITE	7,687

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	742	578	164	11.1	12.1	8.6
HEART DISEASES	205	162	43	307.3	339.4	226.6
MALIGNANT NEOPLASMS	137	111	26	205.4	232.5	137.0
ACCIDENTS	64	49	15	95.9	102.6	79.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	32	6	57.0	67.0	31.6
CEREBROVASCULAR DISEASE	36	28	8	54.0	58.6	42.2
INFLUENZA AND PNEUMONIA	26	20	6	39.0	41.9	31.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	23	12	11	34.5	25.1	58.0
ALZHEIMERS DISEASE	18	17	1	27.0	35.6	5.3
DIABETES MELLITUS	17	11	6	25.5	23.0	31.6
SEPTICEMIA	11	6	5	16.5	12.6	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	15.0	18.8	5.3
HOMICIDE	10	6	4	15.0	12.6	21.1
SUICIDE	8	8	0	12.0	16.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	9.0	8.4	10.5
PNEUMONITIS & DUE TO SOLIDS & LIQUIDS	5	5	0	7.5	10.5	0.0
AORTIC ANEURYSM AND DISSECTION	3	2	1	4.5	4.2	5.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	4.5	4.2	5.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	1.7	1.3	2.6
HIV DISEASE	1	0	1	1.5	0.0	5.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.5	2.1	0.0
ANEMIAS	1	1	0	1.5	2.1	0.0
MENINGITIS	1	1	0	1.5	2.1	0.0
PARKINSONS DISEASE	1	1	0	1.5	2.1	0.0
ATHEROSCLEROSIS	1	0	1	1.5	0.0	5.3
PEPTIC ULCER	1	1	0	1.5	2.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.5	2.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.5	0.0	5.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	20	14	6	30.0	29.3	31.6
ALL OTHER CAUSES	91	73	18	136.4	152.9	94.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	742	578	164	364	289	75	378	289	89
UNDER 1	7	4	3	2	1	1	5	3	2
(Neonatal)	5	3	2	1	0	1	4	3	1
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	4	1	3	0	0	0	4	1	3
5-9	2	1	1	1	1	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	16	11	5	12	8	4	4	3	1
25-34	21	16	5	10	8	2	11	8	3
35-44	32	20	12	23	16	7	9	4	5
45-54	69	51	18	47	34	13	22	17	5
55-64	94	73	21	61	49	12	33	24	9
65-74	141	116	25	71	59	12	70	57	13
75-84	191	153	38	91	77	14	100	76	24
85 AND OVER	165	132	33	46	36	10	119	96	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	66,715
WHITE	47,735
NONWHITE	18,980

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	101	49	52	10.0	12.8	8.3
HEART DISEASES	33	15	18	326.5	391.8	286.6
MALIGNANT NEOPLASMS	15	8	7	148.4	209.0	111.5
CEREBROVASCULAR DISEASE	12	4	8	118.7	104.5	127.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	89.0	209.0	15.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	59.4	78.4	47.8
ACCIDENTS	6	5	1	59.4	130.6	15.9
SEPTICEMIA	2	0	2	19.8	0.0	31.8
INFLUENZA AND PNEUMONIA	2	1	1	19.8	26.1	15.9
SUICIDE	2	1	1	19.8	26.1	15.9
ANEMIAS	1	0	1	9.9	0.0	15.9
DIABETES MELLITUS	1	0	1	9.9	0.0	15.9
ALZHEIMERS DISEASE	1	0	1	9.9	0.0	15.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.9	26.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.9	0.0	15.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.9	0.0	15.9
HOMICIDE	1	0	1	9.9	0.0	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	19.8	52.2	0.0
ALL OTHER CAUSES	5	1	4	49.5	26.1	63.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	101	49	52	52	26	26	49	23	26
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	4	0	4	3	0	3	1	0	1
45-54	10	5	5	8	4	4	2	1	1
55-64	11	6	5	8	5	3	3	1	2
65-74	12	8	4	5	4	1	7	4	3
75-84	31	13	18	15	8	7	16	5	11
85 AND OVER	26	15	11	9	4	5	17	11	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,108
WHITE	3,828
NONWHITE	6,280

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	333	266	67	8.1	9.0	5.9
HEART DISEASES	79	64	15	193.3	216.5	132.7
MALIGNANT NEOPLASMS	68	56	12	166.4	189.4	106.1
ALZHEIMERS DISEASE	29	25	4	71.0	84.6	35.4
ACCIDENTS	25	20	5	61.2	67.6	44.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	16	3	46.5	54.1	26.5
CEREBROVASCULAR DISEASE	16	12	4	39.2	40.6	35.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	4	5	22.0	13.5	44.2
DIABETES MELLITUS	8	6	2	19.6	20.3	17.7
INFLUENZA AND PNEUMONIA	7	5	2	17.1	16.9	17.7
PARKINSONS DISEASE	4	4	0	9.8	13.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	9.8	6.8	17.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	9.8	13.5	0.0
ANEMIAS	3	3	0	7.3	10.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	5.5	5.7	5.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	7.3	3.4	17.7
SUICIDE	3	3	0	7.3	10.1	0.0
SEPTICEMIA	2	2	0	4.9	6.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.9	3.4	8.8
HIV DISEASE	1	0	1	2.4	0.0	8.8
INFECTIONS OF KIDNEY	1	1	0	2.4	3.4	0.0
HOMICIDE	1	0	1	2.4	0.0	8.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	12.2	13.5	8.8
ALL OTHER CAUSES	37	31	6	90.5	104.9	53.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	333	266	67	189	159	30	144	107	37
UNDER 1	5	2	3	4	1	3	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	5	4	1	3	2	1
25-34	6	5	1	6	5	1	0	0	0
35-44	7	3	4	4	2	2	3	1	2
45-54	27	19	8	17	12	5	10	7	3
55-64	32	27	5	18	16	2	14	11	3
65-74	49	38	11	36	30	6	13	8	5
75-84	100	89	11	55	51	4	45	38	7
85 AND OVER	97	77	20	42	38	4	55	39	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	40,865
WHITE	29,560
NONWHITE	11,305

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	344	304	40	7.4	7.9	5.2
HEART DISEASES	82	75	7	177.3	194.1	92.0
MALIGNANT NEOPLASMS	80	73	7	173.0	189.0	92.0
ALZHEIMERS DISEASE	27	26	1	58.4	67.3	13.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	21	2	49.7	54.4	26.3
ACCIDENTS	22	19	3	47.6	49.2	39.4
CEREBROVASCULAR DISEASE	17	14	3	36.8	36.2	39.4
SEPTICEMIA	6	5	1	13.0	12.9	13.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	10.8	12.9	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	5	0	10.8	12.9	0.0
SUICIDE	5	3	2	10.8	7.8	26.3
DIABETES MELLITUS	3	2	1	6.5	5.2	13.1
PARKINSONS DISEASE	3	3	0	6.5	7.8	0.0
INFLUENZA AND PNEUMONIA	3	3	0	6.5	7.8	0.0
HOMICIDE	3	1	2	6.5	2.6	26.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.3	5.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	4.3	5.2	0.0
AORTIC ANEURYSM AND DISSECTION	2	1	1	4.3	2.6	13.1
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	4.3	2.6	13.1
VIRAL HEPATITIS	1	1	0	2.2	2.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.2	2.6	0.0
HERNIA	1	1	0	2.2	2.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	17.3	15.5	26.3
ALL OTHER CAUSES	41	34	7	88.7	88.0	92.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	344	304	40	168	148	20	176	156	20
UNDER 1	3	2	1	1	1	0	2	1	1
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	7	1	6	5	1	2	2	0
25-34	12	8	4	5	4	1	7	4	3
35-44	17	13	4	9	6	3	8	7	1
45-54	29	23	6	17	13	4	12	10	2
55-64	52	43	9	32	29	3	20	14	6
65-74	55	49	6	27	23	4	28	26	2
75-84	94	88	6	51	48	3	43	40	3
85 AND OVER	74	71	3	20	19	1	54	52	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	46,240
WHITE	38,633
NONWHITE	7,607

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	893	583	310	11.6	13.2	9.6
HEART DISEASES	273	188	85	355.8	424.4	262.1
MALIGNANT NEOPLASMS	179	113	66	233.3	255.1	203.5
CEREBROVASCULAR DISEASE	60	37	23	78.2	83.5	70.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	30	9	50.8	67.7	27.8
ACCIDENTS	37	23	14	48.2	51.9	43.2
ALZHEIMERS DISEASE	33	25	8	43.0	56.4	24.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	33	16	17	43.0	36.1	52.4
INFLUENZA AND PNEUMONIA	21	13	8	27.4	29.3	24.7
HIV DISEASE	11	4	7	14.3	9.0	21.6
SUICIDE	11	6	5	14.3	13.5	15.4
SEPTICEMIA	10	8	2	13.0	18.1	6.2
DIABETES MELLITUS	9	4	5	11.7	9.0	15.4
CONDITIONS ORIG IN PERINATAL PERIOD	9	4	5	7.4	7.2	7.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	7	0	9.1	15.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	7.8	9.0	6.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	5.2	4.5	6.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	3.9	0.0	9.2
AORTIC ANEURYSM AND DISSECTION	3	1	2	3.9	2.2	6.2
VIRAL HEPATITIS	2	1	1	2.6	2.2	3.1
MENINGITIS	2	1	1	2.6	2.2	3.1
PEPTIC ULCER	2	2	0	2.6	4.5	0.0
HOMICIDE	2	1	1	2.6	2.2	3.1
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	2.6	4.5	0.0
HYPERPLASIA OF PROSTATE	1	1	0	1.3	2.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	11	7	23.5	24.8	21.6
ALL OTHER CAUSES	116	79	37	151.2	178.3	114.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	893	583	310	421	270	151	472	313	159
UNDER 1	15	6	9	11	4	7	4	2	2
(NEONATAL)	11	5	6	8	3	5	3	2	1
(POSTNEONATAL)	4	1	3	3	1	2	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	15	9	6	11	5	6	4	4	0
25-34	16	6	10	5	2	3	11	4	7
35-44	30	8	22	11	2	9	19	6	13
45-54	68	36	32	42	23	19	26	13	13
55-64	113	64	49	68	38	30	45	26	19
65-74	155	94	61	83	51	32	72	43	29
75-84	226	173	53	112	85	27	114	88	26
85 AND OVER	251	186	65	76	59	17	175	127	48
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	76,724
WHITE	44,296
NONWHITE	32,428

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	137	103	34	10.2	11.3	7.8
HEART DISEASES	45	33	12	334.4	362.6	275.5
MALIGNANT NEOPLASMS	29	22	7	215.5	241.7	160.7
ACCIDENTS	13	11	2	96.6	120.9	45.9
CEREBROVASCULAR DISEASE	12	9	3	89.2	98.9	68.9
DIABETES MELLITUS	5	4	1	37.2	44.0	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	37.2	44.0	23.0
ALZHEIMERS DISEASE	3	1	2	22.3	11.0	45.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	16.1	8.8	27.4
SEPTICEMIA	2	2	0	14.9	22.0	0.0
INFLUENZA AND PNEUMONIA	2	2	0	14.9	22.0	0.0
PARKINSONS DISEASE	1	1	0	7.4	11.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.4	11.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	7.4	11.0	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	7.4	11.0	0.0
SUICIDE	1	1	0	7.4	11.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	11.0	0.0
ALL OTHER CAUSES	12	8	4	89.2	87.9	91.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	137	103	34	69	52	17	68	51	17
UNDER 1	4	2	2	2	1	1	2	1	1
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	1	1	0	0	0	0	1	1	0
35-44	4	3	1	3	3	0	1	0	1
45-54	9	7	2	6	4	2	3	3	0
55-64	25	17	8	12	8	4	13	9	4
65-74	24	20	4	16	13	3	8	7	1
75-84	38	29	9	20	16	4	18	13	5
85 AND OVER	28	21	7	7	5	2	21	16	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,457
WHITE	9,101
NONWHITE	4,356

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	282	189	93	12.4	14.9	9.2
HEART DISEASES	80	59	21	351.4	466.3	207.6
MALIGNANT NEOPLASMS	63	40	23	276.7	316.1	227.4
ACCIDENTS	21	14	7	92.2	110.6	69.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	79.0	110.6	39.5
CEREBROVASCULAR DISEASE	17	10	7	74.7	79.0	69.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	15	7	8	65.9	55.3	79.1
ALZHEIMERS DISEASE	9	6	3	39.5	47.4	29.6
DIABETES MELLITUS	8	3	5	35.1	23.7	49.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	3	3	26.4	23.7	29.6
INFLUENZA AND PNEUMONIA	5	5	0	22.0	39.5	0.0
PARKINSONS DISEASE	4	4	0	17.6	31.6	0.0
SEPTICEMIA	3	2	1	13.2	15.8	9.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	8.8	15.8	0.0
SUICIDE	2	2	0	8.8	15.8	0.0
ATHEROSCLEROSIS	1	1	0	4.4	7.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.4	7.9	0.0
HERNIA	1	1	0	4.4	7.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.4	0.0	9.9
HOMICIDE	1	0	1	4.4	0.0	9.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	22.0	15.8	29.6
ALL OTHER CAUSES	19	13	6	83.4	102.7	59.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	282	189	93	147	98	49	135	91	44
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	5	0	5	4	0	4	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	6	3	3	4	2	2	2	1	1
35-44	5	4	1	1	1	0	4	3	1
45-54	25	10	15	15	5	10	10	5	5
55-64	37	21	16	26	15	11	11	6	5
65-74	59	40	19	37	28	9	22	12	10
75-84	70	52	18	32	23	9	38	29	9
85 AND OVER	68	54	14	22	20	2	46	34	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	22,769
WHITE	12,653
NONWHITE	10,116

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	923	724	199	11.6	12.6	9.0
HEART DISEASES	269	212	57	337.4	367.8	258.1
MALIGNANT NEOPLASMS	246	193	53	308.6	334.9	240.0
CEREBROVASCULAR DISEASE	54	44	10	67.7	76.3	45.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	33	4	46.4	57.3	18.1
ACCIDENTS	37	31	6	46.4	53.8	27.2
DIABETES MELLITUS	20	13	7	25.1	22.6	31.7
INFLUENZA AND PNEUMONIA	19	14	5	23.8	24.3	22.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	9	5	17.6	15.6	22.6
ALZHEIMERS DISEASE	13	10	3	16.3	17.4	13.6
CONDITIONS ORIG IN PERINATAL PERIOD	11	3	8	8.7	3.6	18.8
SEPTICEMIA	10	8	2	12.5	13.9	9.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	9	1	12.5	15.6	4.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	6	3	11.3	10.4	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	6	2	10.0	10.4	9.0
SUICIDE	8	6	2	10.0	10.4	9.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	7	0	8.8	12.1	0.0
HIV DISEASE	5	2	3	6.3	3.5	13.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	5	0	6.3	8.7	0.0
AORTIC ANEURYSM AND DISSECTION	5	5	0	6.3	8.7	0.0
HOMICIDE	5	1	4	6.3	1.7	18.1
PARKINSONS DISEASE	3	3	0	3.8	5.2	0.0
VIRAL HEPATITIS	2	2	0	2.5	3.5	0.0
ANEMIAS	2	1	1	2.5	1.7	4.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.2	1.7	0.0
HERNIA	1	1	0	1.2	1.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.2	0.0	4.5
LEGAL INTERVENTION	1	0	1	1.2	0.0	4.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.2	1.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	11	1	15.0	19.1	4.5
ALL OTHER CAUSES	107	87	20	134.2	151.0	90.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	923	724	199	435	343	92	488	381	107
UNDER 1	17	7	10	11	4	7	6	3	3
(Neonatal)	15	5	10	10	3	7	5	2	3
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	4	2	2	3	2	1	1	0	1
5-9	3	1	2	1	1	0	2	0	2
10-14	3	1	2	1	0	1	2	1	1
15-24	17	14	3	16	13	3	1	1	0
25-34	17	9	8	9	6	3	8	3	5
35-44	28	19	9	15	11	4	13	8	5
45-54	101	69	32	53	40	13	48	29	19
55-64	103	74	29	63	44	19	40	30	10
65-74	164	125	39	88	69	19	76	56	20
75-84	234	205	29	106	96	10	128	109	19
85 AND OVER	232	198	34	69	57	12	163	141	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	79,714
WHITE	57,632
NONWHITE	22,082

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	349	160	189	9.8	15.9	7.4
HEART DISEASES	129	65	64	360.8	644.6	249.3
MALIGNANT NEOPLASMS	71	37	34	198.6	367.0	132.4
CEREBROVASCULAR DISEASE	25	8	17	69.9	79.3	66.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	50.3	138.8	15.6
ACCIDENTS	14	6	8	39.2	59.5	31.2
INFLUENZA AND PNEUMONIA	10	3	7	28.0	29.8	27.3
HOMICIDE	9	2	7	25.2	19.8	27.3
SEPTICEMIA	8	1	7	22.4	9.9	27.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5	19.6	19.8	19.5
DIABETES MELLITUS	5	1	4	14.0	9.9	15.6
HIV DISEASE	4	1	3	11.2	9.9	11.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3	11.2	9.9	11.7
PARKINSONS DISEASE	3	3	0	8.4	29.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	8.4	9.9	7.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	8.4	9.9	7.8
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.6	9.9	3.9
VIRAL HEPATITIS	1	1	0	2.8	9.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.8	0.0	3.9
ANEMIAS	1	1	0	2.8	9.9	0.0
ALZHEIMERS DISEASE	1	1	0	2.8	9.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.8	0.0	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	0.0	2.0
SUICIDE	1	1	0	2.8	9.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.4	9.9	7.8
ALL OTHER CAUSES	24	8	16	67.1	79.3	62.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	349	160	189	166	77	89	183	83	100
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	1	1	1	1	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	8	2	6	1	0	1
25-34	7	2	5	4	2	2	3	0	3
35-44	15	3	12	11	3	8	4	0	4
45-54	35	11	24	25	9	16	10	2	8
55-64	51	20	31	27	8	19	24	12	12
65-74	52	27	25	22	11	11	30	16	14
75-84	78	41	37	35	21	14	43	20	23
85 AND OVER	93	52	41	30	20	10	63	32	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	35,752
WHITE	10,083
NONWHITE	25,669

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	400	300	100	11.6	12.7	9.3
MALIGNANT NEOPLASMS	87	66	21	252.9	278.5	196.1
HEART DISEASES	87	68	19	252.9	287.0	177.4
CEREBROVASCULAR DISEASE	28	19	9	81.4	80.2	84.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	23	5	81.4	97.1	46.7
ACCIDENTS	22	16	6	63.9	67.5	56.0
DIABETES MELLITUS	19	14	5	55.2	59.1	46.7
INFLUENZA AND PNEUMONIA	18	13	5	52.3	54.9	46.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	9	5	40.7	38.0	46.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	23.2	16.9	37.4
ALZHEIMERS DISEASE	7	6	1	20.3	25.3	9.3
SEPTICEMIA	6	5	1	17.4	21.1	9.3
PARKINSONS DISEASE	4	2	2	11.6	8.4	18.7
AORTIC ANEURYSM AND DISSECTION	3	2	1	8.7	8.4	9.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.7	8.4	9.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	5.7	9.6	0.0
SUICIDE	3	3	0	8.7	12.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	5.8	8.4	0.0
HOMICIDE	2	2	0	5.8	8.4	0.0
VIRAL HEPATITIS IN SITU, BENIGN & UNSPECIFIED	1	1	0	2.9	4.2	0.0
NEOPLASMS	1	1	0	2.9	4.2	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.9	4.2	0.0
PEPTIC ULCER	1	0	1	2.9	0.0	9.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	17.4	16.9	18.7
ALL OTHER CAUSES	46	34	12	133.7	143.5	112.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	400	300	100	188	139	49	212	161	51
UNDER 1	6	4	2	5	3	2	1	1	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	11	10	1	8	7	1	3	3	0
35-44	19	11	8	14	7	7	5	4	1
45-54	26	17	9	17	11	6	9	6	3
55-64	58	41	17	33	26	7	25	15	10
65-74	67	50	17	32	27	5	35	23	12
75-84	93	68	25	42	31	11	51	37	14
85 AND OVER	118	98	20	36	27	9	82	71	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	34,404
WHITE	23,695
NONWHITE	10,709

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	516	308	208	8.6	9.4	7.7
HEART DISEASES	144	83	61	240.9	254.3	224.8
MALIGNANT NEOPLASMS	116	66	50	194.1	202.2	184.2
CEREBROVASCULAR DISEASE	32	21	11	53.5	64.3	40.5
ACCIDENTS	28	15	13	46.8	46.0	47.9
ALZHEIMERS DISEASE	23	18	5	38.5	55.2	18.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	14	7	35.1	42.9	25.8
INFLUENZA AND PNEUMONIA	13	11	2	21.7	33.7	7.4
SEPTICEMIA	12	7	5	20.1	21.4	18.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	3	8	18.4	9.2	29.5
DIABETES MELLITUS	7	3	4	11.7	9.2	14.7
PARKINSONS DISEASE	5	4	1	8.4	12.2	3.7
AORTIC ANEURYSM AND DISSECTION	5	4	1	8.4	12.2	3.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	8.4	12.2	3.7
SUICIDE	5	3	2	8.4	9.2	7.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	6.7	9.2	3.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	5.0	3.1	7.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	5.0	0.0	11.0
HOMICIDE	3	0	3	5.0	0.0	11.0
HIV DISEASE	2	0	2	3.3	0.0	7.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	2.2	2.3	2.0
LEGAL INTERVENTION	2	0	2	3.3	0.0	7.4
TUBERCULOSIS	1	0	1	1.7	0.0	3.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.7	3.1	0.0
ANEMIAS	1	1	0	1.7	3.1	0.0
MENINGITIS	1	1	0	1.7	3.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.7	3.1	0.0
MATERNAL CAUSES	1	1	0	108.1	230.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	5.0	6.1	3.7
ALL OTHER CAUSES	61	40	21	102.0	122.6	77.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	516	308	208	260	151	109	256	157	99
UNDER 1	7	2	5	5	1	4	2	1	1
(NEONATAL)	4	1	3	3	1	2	1	0	1
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	2	4	3	1	2	3	1	2
25-34	11	3	8	8	2	6	3	1	2
35-44	15	9	6	9	6	3	6	3	3
45-54	48	17	31	38	14	24	10	3	7
55-64	74	35	39	45	22	23	29	13	16
65-74	88	51	37	52	29	23	36	22	14
75-84	133	92	41	60	43	17	73	49	24
85 AND OVER	132	97	35	39	33	6	93	64	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	59,773
WHITE	32,637
NONWHITE	27,136

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,052	677	375	12.0	12.8	10.9
MALIGNANT NEOPLASMS	337	194	143	385.5	366.4	414.8
HEART DISEASES	226	153	73	258.5	289.0	211.7
CEREBROVASCULAR DISEASE	50	38	12	57.2	71.8	34.8
ACCIDENTS	49	32	17	56.0	60.4	49.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	46	35	11	52.6	66.1	31.9
ALZHEIMERS DISEASE	31	26	5	35.5	49.1	14.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	23	11	12	26.3	20.8	34.8
DIABETES MELLITUS	20	10	10	22.9	18.9	29.0
HIV DISEASE	16	1	15	18.3	1.9	43.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	12	4	18.3	22.7	11.6
INFLUENZA AND PNEUMONIA	13	10	3	14.9	18.9	8.7
PARKINSONS DISEASE	12	12	0	13.7	22.7	0.0
SEPTICEMIA	10	5	5	11.4	9.4	14.5
SUICIDE	10	7	3	11.4	13.2	8.7
HOMICIDE	7	1	6	8.0	1.9	17.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	6.9	5.7	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	4.1	0.0	9.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	2	4	6.9	3.8	11.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	2	3	5.7	3.8	8.7
VIRAL HEPATITIS	3	3	0	3.4	5.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	3.4	5.7	0.0
ATHEROSCLEROSIS	1	0	1	1.1	0.0	2.9
AORTIC ANEURYSM AND DISSECTION	1	0	1	1.1	0.0	2.9
PEPTIC ULCER	1	1	0	1.1	1.9	0.0
HERNIA	1	0	1	1.1	0.0	2.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.1	1.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	15	6	24.0	28.3	17.4
ALL OTHER CAUSES	131	100	31	149.8	188.9	89.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,052	677	375	472	285	187	580	392	188
UNDER 1	19	4	15	9	3	6	10	1	9
(NEONATAL)	12	3	9	6	2	4	6	1	5
(POSTNEONATAL)	7	1	6	3	1	2	4	0	4
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	18	8	10	15	7	8	3	1	2
25-34	18	8	10	9	5	4	9	3	6
35-44	53	18	35	30	8	22	23	10	13
45-54	77	26	51	46	17	29	31	9	22
55-64	113	59	54	68	37	31	45	22	23
65-74	163	95	68	91	58	33	72	37	35
75-84	283	220	63	114	87	27	169	133	36
85 AND OVER	306	238	68	89	62	27	217	176	41
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	87,419
WHITE	52,941
NONWHITE	34,478

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	342	238	104	13.3	14.0	12.0
HEART DISEASES	88	63	25	342.0	369.9	287.4
MALIGNANT NEOPLASMS	64	53	11	248.7	311.2	126.4
ACCIDENTS	31	20	11	120.5	117.4	126.4
CEREBROVASCULAR DISEASE	29	17	12	112.7	99.8	137.9
ALZHEIMERS DISEASE	16	10	6	62.2	58.7	69.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	8	7	58.3	47.0	80.5
SEPTICEMIA	12	5	7	46.6	29.4	80.5
INFLUENZA AND PNEUMONIA	10	6	4	38.9	35.2	46.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	27.2	41.1	0.0
DIABETES MELLITUS	5	4	1	19.4	23.5	11.5
AORTIC ANEURYSM AND DISSECTION	3	2	1	11.7	11.7	11.5
HOMICIDE	3	2	1	11.7	11.7	11.5
HIV DISEASE	2	0	2	7.8	0.0	23.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	7.8	5.9	11.5
PARKINSONS DISEASE	2	1	1	7.8	5.9	11.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.6	4.0	5.4
SUICIDE	2	2	0	7.8	11.7	0.0
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	1	1	0	3.9	5.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.9	0.0	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	5.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	5.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.9	0.0	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	7.8	5.9	11.5
ALL OTHER CAUSES	42	32	10	163.2	187.9	114.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	342	238	104	178	122	56	164	116	48
UNDER 1	5	2	3	4	2	2	1	0	1
(NEONATAL)	4	1	3	3	1	2	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	0	0	0	2	2	0
10-14	1	0	1	1	0	1	0	0	0
15-24	13	11	2	12	11	1	1	0	1
25-34	10	8	2	9	7	2	1	1	0
35-44	22	12	10	10	6	4	12	6	6
45-54	32	21	11	21	12	9	11	9	2
55-64	42	28	14	27	17	10	15	11	4
65-74	61	43	18	40	26	14	21	17	4
75-84	73	55	18	33	26	7	40	29	11
85 AND OVER	81	56	25	21	15	6	60	41	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	25,730
WHITE	17,030
NONWHITE	8,700

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	406	238	168	11.3	13.2	9.4
HEART DISEASES	114	73	41	318.0	404.9	230.0
MALIGNANT NEOPLASMS	83	47	36	231.5	260.7	202.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	32	5	103.2	177.5	28.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	27	13	14	75.3	72.1	78.5
ACCIDENTS	24	13	11	66.9	72.1	61.7
CEREBROVASCULAR DISEASE	17	7	10	47.4	38.8	56.1
DIABETES MELLITUS	11	4	7	30.7	22.2	39.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	4	7	30.7	22.2	39.3
SEPTICEMIA	7	4	3	19.5	22.2	16.8
INFLUENZA AND PNEUMONIA	5	1	4	13.9	5.5	22.4
SUICIDE	4	1	3	11.2	5.5	16.8
ALZHEIMERS DISEASE	3	3	0	8.4	16.6	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	8.4	16.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.4	11.1	5.6
HOMICIDE	3	0	3	8.4	0.0	16.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.8	0.0	7.3
VIRAL HEPATITIS	1	1	0	2.8	5.5	0.0
HIV DISEASE	1	0	1	2.8	0.0	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.8	0.0	5.6
PEPTIC ULCER	1	1	0	2.8	5.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.8	5.5	0.0
MATERNAL CAUSES	1	0	1	191.9	0.0	366.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.8	0.0	5.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	19.5	22.2	16.8
ALL OTHER CAUSES	38	24	14	106.0	133.1	78.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	406	238	168	211	117	94	195	121	74
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	13	5	8	7	2	5	6	3	3
25-34	8	5	3	5	3	2	3	2	1
35-44	19	10	9	14	6	8	5	4	1
45-54	46	16	30	29	9	20	17	7	10
55-64	60	41	19	33	20	13	27	21	6
65-74	87	56	31	52	33	19	35	23	12
75-84	92	63	29	43	31	12	49	32	17
85 AND OVER	77	41	36	25	12	13	52	29	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	35,853
WHITE	18,029
NONWHITE	17,824

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	382	290	92	10.2	11.3	7.7
HEART DISEASES	120	92	28	319.4	358.1	235.7
MALIGNANT NEOPLASMS	80	60	20	212.9	233.5	168.4
CEREBROVASCULAR DISEASE	28	20	8	74.5	77.8	67.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	22	4	69.2	85.6	33.7
ACCIDENTS	18	15	3	47.9	58.4	25.2
ALZHEIMERS DISEASE	16	10	6	42.6	38.9	50.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	8	5	34.6	31.1	42.1
INFLUENZA AND PNEUMONIA	11	11	0	29.3	42.8	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	4	5	24.0	15.6	42.1
DIABETES MELLITUS	8	6	2	21.3	23.4	16.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	5	1	16.0	19.5	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	10.6	15.6	0.0
SUICIDE	4	4	0	10.6	15.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	3	2	1	5.9	6.9	4.5
NEOPLASMS	2	1	1	5.3	3.9	8.4
PARKINSONS DISEASE	2	1	1	5.3	3.9	8.4
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.3	7.8	0.0
SEPTICEMIA	1	1	0	2.7	3.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.7	3.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.3	7.8	0.0
ALL OTHER CAUSES	26	19	7	69.2	74.0	58.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	382	290	92	197	147	50	185	143	42
UNDER 1	6	4	2	4	3	1	2	1	1
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	6	5	1	4	3	1	2	2	0
25-34	4	1	3	3	1	2	1	0	1
35-44	8	6	2	6	4	2	2	2	0
45-54	20	13	7	12	7	5	8	6	2
55-64	51	37	14	38	25	13	13	12	1
65-74	75	61	14	48	41	7	27	20	7
75-84	95	74	21	46	37	9	49	37	12
85 AND OVER	115	88	27	34	25	9	81	63	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	37,572
WHITE	25,693
NONWHITE	11,879

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	132	83	49	11.2	13.1	9.0
HEART DISEASES	41	26	15	348.8	411.4	276.0
MALIGNANT NEOPLASMS	29	17	12	246.7	269.0	220.8
CEREBROVASCULAR DISEASE	10	8	2	85.1	126.6	36.8
INFLUENZA AND PNEUMONIA	7	5	2	59.6	79.1	36.8
ACCIDENTS	6	4	2	51.0	63.3	36.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	42.5	47.5	36.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	34.0	47.5	18.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	25.5	15.8	36.8
SEPTICEMIA	1	1	0	8.5	15.8	0.0
DIABETES MELLITUS	1	0	1	8.5	0.0	18.4
ALZHEIMERS DISEASE	1	1	0	8.5	15.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.5	15.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.5	15.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	8.5	15.8	0.0
MATERNAL CAUSES	1	0	1	531.9	0.0	826.4
SUICIDE	1	1	0	8.5	15.8	0.0
HOMICIDE	1	0	1	8.5	0.0	18.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.5	15.8	0.0
ALL OTHER CAUSES	17	9	8	144.6	142.4	147.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	132	83	49	62	36	26	70	47	23
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	4	2	2	4	2	2	0	0	0
45-54	14	6	8	9	3	6	5	3	2
55-64	16	8	8	10	5	5	6	3	3
65-74	30	22	8	18	14	4	12	8	4
75-84	32	17	15	12	7	5	20	10	10
85 AND OVER	32	28	4	7	5	2	25	23	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	11,754
WHITE	6,319
NONWHITE	5,435

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	318	223	95	10.6	11.5	8.8
HEART DISEASES	90	75	15	298.8	388.0	138.9
MALIGNANT NEOPLASMS	41	31	10	136.1	160.4	92.6
ACCIDENTS	35	21	14	116.2	108.6	129.6
CEREBROVASCULAR DISEASE	21	18	3	69.7	93.1	27.8
ALZHEIMERS DISEASE	17	15	2	56.4	77.6	18.5
DIABETES MELLITUS	10	1	9	33.2	5.2	83.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	29.9	46.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	1	6	23.2	5.2	55.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	23.2	15.5	37.0
INFLUENZA AND PNEUMONIA	6	5	1	19.9	25.9	9.3
SEPTICEMIA	4	3	1	13.3	15.5	9.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	13.3	15.5	9.3
SUICIDE	4	4	0	13.3	20.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	10.0	10.3	9.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	5.4	8.0	3.3
ANEMIAS	2	2	0	6.6	10.3	0.0
INFECTIONS OF KIDNEY	2	0	2	6.6	0.0	18.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.6	5.2	9.3
HOMICIDE	2	0	2	6.6	0.0	18.5
VIRAL HEPATITIS	1	1	0	3.3	5.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.3	5.2	0.0
PARKINSONS DISEASE	1	1	0	3.3	5.2	0.0
ATHEROSCLEROSIS	1	1	0	3.3	5.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.3	0.0	9.3
LEGAL INTERVENTION	1	0	1	3.3	0.0	9.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.3	0.0	9.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	6	5	36.5	31.0	46.3
ALL OTHER CAUSES	31	17	14	102.9	88.0	129.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	318	223	95	149	103	46	169	120	49
UNDER 1	6	3	3	4	2	2	2	1	1
(NEONATAL)	5	3	2	3	2	1	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	2	1	2	2	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	12	5	7	10	4	6	2	1	1
25-34	6	2	4	4	2	2	2	0	2
35-44	10	6	4	6	3	3	4	3	1
45-54	27	14	13	13	8	5	14	6	8
55-64	39	19	20	21	11	10	18	8	10
65-74	51	32	19	26	17	9	25	15	10
75-84	77	64	13	34	29	5	43	35	8
85 AND OVER	86	75	11	29	25	4	57	50	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	30,125
WHITE	19,327
NONWHITE	10,798

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	211	138	73	9.4	9.4	9.3
HEART DISEASES	87	60	27	388.2	410.9	345.7
MALIGNANT NEOPLASMS	30	19	11	133.8	130.1	140.8
ACCIDENTS	18	11	7	80.3	75.3	89.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	12	1	58.0	82.2	12.8
ALZHEIMERS DISEASE	8	6	2	35.7	41.1	25.6
CEREBROVASCULAR DISEASE	7	5	2	31.2	34.2	25.6
SEPTICEMIA	5	2	3	22.3	13.7	38.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	22.3	20.5	25.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	17.8	6.8	38.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	13.4	13.7	12.8
DIABETES MELLITUS	2	1	1	8.9	6.8	12.8
AORTIC ANEURYSM AND DISSECTION	2	2	0	8.9	13.7	0.0
INFLUENZA AND PNEUMONIA	2	1	1	8.9	6.8	12.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	8.9	0.0	25.6
SUICIDE	2	2	0	8.9	13.7	0.0
HOMICIDE	2	0	2	8.9	0.0	25.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	0.0	6.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.5	0.0	12.8
ALL OTHER CAUSES	17	11	6	75.8	75.3	76.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	211	138	73	103	67	36	108	71	37
UNDER 1	3	0	3	2	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	3	1	2	2	0	2	1	1	0
35-44	7	4	3	3	3	0	4	1	3
45-54	18	10	8	12	6	6	6	4	2
55-64	18	11	7	11	8	3	7	3	4
65-74	36	23	13	21	15	6	15	8	7
75-84	57	41	16	29	21	8	28	20	8
85 AND OVER	65	47	18	21	14	7	44	33	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	22,413
WHITE	14,603
NONWHITE	7,810

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	102	30	72	8.5	8.5	8.4
HEART DISEASES	34	10	24	282.1	284.8	281.0
MALIGNANT NEOPLASMS	28	10	18	232.3	284.8	210.8
ACCIDENTS	7	0	7	58.1	0.0	82.0
CEREBROVASCULAR DISEASE	3	0	3	24.9	0.0	35.1
INFLUENZA AND PNEUMONIA	3	1	2	24.9	28.5	23.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	24.9	28.5	23.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	13.9	0.0	18.9
DIABETES MELLITUS	2	2	0	16.6	57.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	16.6	0.0	23.4
SEPTICEMIA	1	0	1	8.3	0.0	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.3	28.5	0.0
HOMICIDE	1	0	1	8.3	0.0	11.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.3	0.0	11.7
ALL OTHER CAUSES	13	5	8	107.9	142.4	93.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	102	30	72	58	14	44	44	16	28
UNDER 1	4	0	4	4	0	4	0	0	0
(Neonatal)	3	0	3	3	0	3	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	4	0	4	3	0	3	1	0	1
35-44	4	1	3	2	0	2	2	1	1
45-54	10	1	9	8	0	8	2	1	1
55-64	6	1	5	4	0	4	2	1	1
65-74	8	2	6	4	2	2	4	0	4
75-84	35	13	22	18	8	10	17	5	12
85 AND OVER	28	12	16	13	4	9	15	8	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	12,051
WHITE	3,511
NONWHITE	8,540

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	282	147	135	6.8	6.1	7.8
HEART DISEASES	74	38	36	177.7	156.8	206.9
MALIGNANT NEOPLASMS	51	22	29	122.5	90.8	166.6
ACCIDENTS	25	11	14	60.0	45.4	80.4
CEREBROVASCULAR DISEASE	19	12	7	45.6	49.5	40.2
INFLUENZA AND PNEUMONIA	16	8	8	38.4	33.0	46.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4	28.8	33.0	23.0
ALZHEIMERS DISEASE	11	8	3	26.4	33.0	17.2
SEPTICEMIA	6	2	4	14.4	8.2	23.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	9.6	8.2	11.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	9.6	4.1	17.2
SUICIDE	4	4	0	9.6	16.5	0.0
DIABETES MELLITUS	3	3	0	7.2	12.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	3	3	0	7.2	12.4	0.0
NEOPLASMS	2	0	2	4.8	0.0	11.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	4.8	4.1	5.7
PEPTIC ULCER	2	0	2	4.8	0.0	11.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.4	0.0	6.0
HIV DISEASE	1	0	1	2.4	0.0	5.7
ANEMIAS	1	1	0	2.4	4.1	0.0
PARKINSONS DISEASE	1	1	0	2.4	4.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.4	4.1	0.0
MATERNAL CAUSES	1	0	1	171.2	0.0	298.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.4	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.4	4.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	9.6	4.1	17.2
ALL OTHER CAUSES	31	18	13	74.5	74.3	74.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	282	147	135	141	70	71	141	77	64
UNDER 1	6	1	5	4	1	3	2	0	2
(Neonatal)	3	1	2	3	1	2	0	0	0
(Postneonatal)	3	0	3	1	0	1	2	0	2
1-4	2	1	1	2	1	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	6	3	3	1	0	1
25-34	9	1	8	4	1	3	5	0	5
35-44	13	5	8	8	2	6	5	3	2
45-54	20	6	14	16	4	12	4	2	2
55-64	34	15	19	22	8	14	12	7	5
65-74	45	18	27	32	14	18	13	4	9
75-84	74	49	25	29	24	5	45	25	20
85 AND OVER	71	48	23	18	12	6	53	36	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	41,633
WHITE	24,232
NONWHITE	17,401

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	431	267	164	12.2	14.7	9.5
HEART DISEASES	133	81	52	375.4	445.2	301.8
MALIGNANT NEOPLASMS	101	67	34	285.1	368.2	197.3
ACCIDENTS	31	20	11	87.5	109.9	63.8
ALZHEIMERS DISEASE	25	22	3	70.6	120.9	17.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	17	3	56.4	93.4	17.4
DIABETES MELLITUS	12	7	5	33.9	38.5	29.0
CEREBROVASCULAR DISEASE	12	7	5	33.9	38.5	29.0
SEPTICEMIA	7	4	3	19.8	22.0	17.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	3	4	19.8	16.5	23.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	2	4	16.9	11.0	23.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	3	2	14.1	16.5	11.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	14.1	22.0	5.8
INFLUENZA AND PNEUMONIA	4	0	4	11.3	0.0	23.2
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	6.9	0.0	11.1
AORTIC ANEURYSM AND DISSECTION	3	2	1	8.5	11.0	5.8
SUICIDE	3	2	1	8.5	11.0	5.8
VIRAL HEPATITIS	2	2	0	5.6	11.0	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	5.6	0.0	11.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	5.6	0.0	11.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.6	5.5	5.8
HOMICIDE	2	0	2	5.6	0.0	11.6
ANEMIAS	1	1	0	2.8	5.5	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.8	0.0	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	8.5	0.0	17.4
ALL OTHER CAUSES	38	22	16	107.3	120.9	92.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	431	267	164	217	132	85	214	135	79
UNDER 1	8	0	8	5	0	5	3	0	3
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	10	5	5	7	4	3	3	1	2
35-44	21	9	12	15	7	8	6	2	4
45-54	47	17	30	31	12	19	16	5	11
55-64	64	40	24	41	26	15	23	14	9
65-74	78	55	23	44	33	11	34	22	12
75-84	99	75	24	38	27	11	61	48	13
85 AND OVER	99	63	36	34	22	12	65	41	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	35,427
WHITE	18,196
NONWHITE	17,231

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	555	494	61	9.7	10.0	7.8
HEART DISEASES	147	135	12	257.4	274.0	153.3
MALIGNANT NEOPLASMS	143	129	14	250.4	261.8	178.8
ACCIDENTS	47	44	3	82.3	89.3	38.3
CEREBROVASCULAR DISEASE	26	24	2	45.5	48.7	25.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	35.0	38.6	12.8
ALZHEIMERS DISEASE	14	13	1	24.5	26.4	12.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	10	2	21.0	20.3	25.5
INFLUENZA AND PNEUMONIA	11	10	1	19.3	20.3	12.8
DIABETES MELLITUS	8	8	0	14.0	16.2	0.0
SUICIDE	8	7	1	14.0	14.2	12.8
SEPTICEMIA	7	5	2	12.2	10.1	25.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	12.2	10.1	25.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	8.8	10.1	0.0
HOMICIDE	5	4	1	8.8	8.1	12.8
AORTIC ANEURYSM AND DISSECTION IN SITU, BENIGN & UNSPECIFIED	4	4	0	7.0	8.1	0.0
NEOPLASMS	3	2	1	5.2	4.0	12.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	3.7	2.8	8.7
HIV DISEASE	2	1	1	3.5	2.0	12.8
VIRAL HEPATITIS	1	1	0	1.8	2.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	1.8	2.0	0.0
PEPTIC ULCER	1	1	0	1.8	2.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.8	0.0	12.8
HYPERPLASIA OF PROSTATE	1	0	1	1.8	0.0	12.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.8	0.0	12.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.8	0.0	12.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	11	5	28.0	22.3	63.9
ALL OTHER CAUSES	60	53	7	105.1	107.6	89.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	555	494	61	296	272	24	259	222	37
UNDER 1 (NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	4	2	2	2	1	1	2	1	1
	1	0	1	0	0	0	1	0	1
1-4	2	1	1	0	0	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	2	2	0	1	1	0
15-24	12	12	0	8	8	0	4	4	0
25-34	14	12	2	10	9	1	4	3	1
35-44	31	26	5	20	17	3	11	9	2
45-54	60	49	11	35	31	4	25	18	7
55-64	78	70	8	42	37	5	36	33	3
65-74	105	95	10	66	63	3	39	32	7
75-84	133	121	12	65	59	6	68	62	6
85 AND OVER	112	103	9	46	45	1	66	58	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	57,099
WHITE	49,271
NONWHITE	7,828

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	130	106	24	10.7	11.4	8.3
MALIGNANT NEOPLASMS	37	33	4	305.0	356.7	138.9
HEART DISEASES	33	25	8	272.0	270.2	277.8
ACCIDENTS	7	6	1	57.7	64.8	34.7
ALZHEIMERS DISEASE	6	5	1	49.4	54.0	34.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	41.2	54.0	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	5	0	41.2	54.0	0.0
SEPTICEMIA	4	4	0	33.0	43.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	24.7	10.8	69.4
CEREBROVASCULAR DISEASE	3	3	0	24.7	32.4	0.0
INFLUENZA AND PNEUMONIA	3	3	0	24.7	32.4	0.0
HOMICIDE	3	2	1	24.7	21.6	34.7
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	16.5	21.6	0.0
HIV DISEASE	1	0	1	8.2	0.0	34.7
DIABETES MELLITUS	1	1	0	8.2	10.8	0.0
PARKINSONS DISEASE	1	1	0	8.2	10.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.2	10.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.2	10.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.0	0.0	16.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.2	0.0	34.7
ALL OTHER CAUSES	12	8	4	98.9	86.5	138.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	130	106	24	64	54	10	66	52	14
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	3	1	2	3	1	2	0	0	0
45-54	15	11	4	8	6	2	7	5	2
55-64	19	16	3	11	9	2	8	7	1
65-74	34	29	5	18	18	0	16	11	5
75-84	34	29	5	14	13	1	20	16	4
85 AND OVER	21	18	3	6	5	1	15	13	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	12,132
WHITE	9,252
NONWHITE	2,880

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	492	280	212	12.2	14.1	10.4
HEART DISEASES	124	75	49	308.2	378.2	240.1
MALIGNANT NEOPLASMS	120	73	47	298.2	368.1	230.3
CEREBROVASCULAR DISEASE	35	21	14	87.0	105.9	68.6
DIABETES MELLITUS	31	15	16	77.0	75.6	78.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	19	11	74.6	95.8	53.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	22	7	15	54.7	35.3	73.5
ACCIDENTS	22	13	9	54.7	65.6	44.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	7	5	29.8	35.3	24.5
SEPTICEMIA	10	5	5	24.8	25.2	24.5
INFLUENZA AND PNEUMONIA	6	4	2	14.9	20.2	9.8
ALZHEIMERS DISEASE	5	5	0	12.4	25.2	0.0
VIRAL HEPATITIS	3	2	1	7.4	10.1	4.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	7.4	0.0	14.7
HOMICIDE	3	0	3	7.4	0.0	14.7
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	7.4	10.1	4.9
HIV DISEASE	2	0	2	5.0	0.0	9.8
ANEMIAS	2	1	1	5.0	5.0	4.9
AORTIC ANEURYSM AND DISSECTION	2	0	2	5.0	0.0	9.8
SUICIDE	2	1	1	5.0	5.0	4.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.5	5.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.5	5.0	0.0
PEPTIC ULCER	1	0	1	2.5	0.0	4.9
MATERNAL CAUSES	1	0	1	131.9	0.0	217.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.5	0.0	4.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	5.0	0.0	9.8
ALL OTHER CAUSES	48	28	20	119.3	141.2	98.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	492	280	212	237	128	109	255	152	103
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	4	2	2	2	1	1	2	1	1
25-34	5	1	4	2	1	1	3	0	3
35-44	23	6	17	17	5	12	6	1	5
45-54	41	16	25	25	9	16	16	7	9
55-64	66	23	43	38	15	23	28	8	20
65-74	105	64	41	61	39	22	44	25	19
75-84	118	78	40	56	36	20	62	42	20
85 AND OVER	124	89	35	34	22	12	90	67	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	40,240
WHITE	19,832
NONWHITE	20,408

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	209	184	25	7.2	7.5	5.6
HEART DISEASES	63	54	9	218.1	221.1	201.4
MALIGNANT NEOPLASMS	41	35	6	141.9	143.3	134.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	16	1	58.8	65.5	22.4
ACCIDENTS	17	15	2	58.8	61.4	44.8
CEREBROVASCULAR DISEASE	13	12	1	45.0	49.1	22.4
ALZHEIMERS DISEASE	4	2	2	13.8	8.2	44.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0	13.8	16.4	0.0
SUICIDE	4	3	1	13.8	12.3	22.4
AORTIC ANEURYSM AND DISSECTION	3	3	0	10.4	12.3	0.0
INFLUENZA AND PNEUMONIA	3	3	0	10.4	12.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.4	12.3	0.0
SEPTICEMIA	2	2	0	6.9	8.2	0.0
DIABETES MELLITUS	2	1	1	6.9	4.1	22.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	6.9	4.1	22.4
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	4.5	5.4	0.0
ANEMIAS	1	1	0	3.5	4.1	0.0
PARKINSONS DISEASE	1	1	0	3.5	4.1	0.0
PEPTIC ULCER	1	1	0	3.5	4.1	0.0
MATERNAL CAUSES	1	1	0	226.8	271.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.5	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.5	4.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	6.9	8.2	0.0
ALL OTHER CAUSES	21	20	1	72.7	81.9	22.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	209	184	25	103	90	13	106	94	12
UNDER 1	4	4	0	3	3	0	1	1	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	3	3	0	2	2	0
25-34	6	4	2	4	2	2	2	2	0
35-44	9	9	0	8	8	0	1	1	0
45-54	17	15	2	13	12	1	4	3	1
55-64	27	20	7	12	9	3	15	11	4
65-74	34	31	3	18	16	2	16	15	1
75-84	60	54	6	27	22	5	33	32	1
85 AND OVER	47	42	5	15	15	0	32	27	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	28,887
WHITE	24,418
NONWHITE	4,469

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	258	226	32	10.1	10.4	8.3
HEART DISEASES	78	69	9	304.5	317.3	232.6
MALIGNANT NEOPLASMS	61	54	7	238.1	248.3	180.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	15	2	66.4	69.0	51.7
CEREBROVASCULAR DISEASE	13	12	1	50.8	55.2	25.8
ACCIDENTS	11	11	0	42.9	50.6	0.0
ALZHEIMERS DISEASE	10	9	1	39.0	41.4	25.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	6	1	27.3	27.6	25.8
DIABETES MELLITUS	6	6	0	23.4	27.6	0.0
SUICIDE	4	4	0	15.6	18.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	11.7	9.2	25.8
PARKINSONS DISEASE	2	2	0	7.8	9.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.8	9.2	0.0
HOMICIDE	2	1	1	7.8	4.6	25.8
SEPTICEMIA	1	1	0	3.9	4.6	0.0
VIRAL HEPATITIS	1	0	1	3.9	0.0	25.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	4.6	0.0
ANEMIAS	1	1	0	3.9	4.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	4.6	0.0
INFLUENZA AND PNEUMONIA	1	0	1	3.9	0.0	25.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	4.6	0.0
HERNIA	1	1	0	3.9	4.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	4.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.9	0.0	25.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.9	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.6	13.8	25.8
ALL OTHER CAUSES	27	22	5	105.4	101.2	129.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	258	226	32	131	119	12	127	107	20
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	10	4	6	6	3	3	4	1	3
35-44	16	14	2	11	9	2	5	5	0
45-54	25	21	4	16	12	4	9	9	0
55-64	27	24	3	13	12	1	14	12	2
65-74	37	34	3	24	24	0	13	10	3
75-84	68	62	6	38	37	1	30	25	5
85 AND OVER	69	63	6	20	20	0	49	43	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	25,615
WHITE	21,745
NONWHITE	3,870

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	109	49	60	11.7	17.6	9.2
HEART DISEASES	29	15	14	312.2	537.8	215.4
MALIGNANT NEOPLASMS	23	7	16	247.6	251.0	246.2
ACCIDENTS	8	5	3	86.1	179.3	46.2
DIABETES MELLITUS	7	2	5	75.4	71.7	76.9
CEREBROVASCULAR DISEASE	7	1	6	75.4	35.8	92.3
ALZHEIMERS DISEASE	4	2	2	43.1	71.7	30.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	43.1	107.6	15.4
HOMICIDE	4	0	4	43.1	0.0	61.5
INFLUENZA AND PNEUMONIA	2	1	1	21.5	35.8	15.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	21.5	71.7	0.0
SUICIDE	2	1	1	21.5	35.8	15.4
SEPTICEMIA	1	1	0	10.8	35.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	10.8	35.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.8	35.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.8	0.0	15.4
ALL OTHER CAUSES	13	7	6	140.0	251.0	92.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	109	49	60	60	27	33	49	22	27
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	1	3	3	0	3	1	1	0
35-44	7	1	6	6	1	5	1	0	1
45-54	9	3	6	5	2	3	4	1	3
55-64	15	6	9	7	3	4	8	3	5
65-74	17	6	11	11	5	6	6	1	5
75-84	31	17	14	17	10	7	14	7	7
85 AND OVER	25	15	10	10	6	4	15	9	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	9,289
WHITE	2,789
NONWHITE	6,500

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	849	693	156	6.2	6.4	5.6
HEART DISEASES	278	230	48	204.7	213.2	171.7
MALIGNANT NEOPLASMS	163	137	26	120.0	127.0	93.0
ACCIDENTS	68	57	11	50.1	52.8	39.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	44	40	4	32.4	37.1	14.3
CEREBROVASCULAR DISEASE	38	30	8	28.0	27.8	28.6
DIABETES MELLITUS	18	14	4	13.2	13.0	14.3
SEPTICEMIA	16	15	1	11.8	13.9	3.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	11	4	11.0	10.2	14.3
INFLUENZA AND PNEUMONIA	13	9	4	9.6	8.3	14.3
SUICIDE	13	11	2	9.6	10.2	7.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	9	1	7.4	8.3	3.6
ALZHEIMERS DISEASE	9	7	2	6.6	6.5	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	8	0	5.9	7.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	3.7	3.7	3.6
HOMICIDE	5	3	2	3.7	2.8	7.2
HIV DISEASE	4	1	3	2.9	0.9	10.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	1.9	0.6	7.1
AORTIC ANEURYSM AND DISSECTION	3	3	0	2.2	2.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	2.2	2.8	0.0
VIRAL HEPATITIS	2	2	0	1.5	1.8	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	1.5	1.8	0.0
ATHEROSCLEROSIS	2	2	0	1.5	1.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	1.5	0.9	3.6
MATERNAL CAUSES	2	1	1	95.7	60.0	237.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	1.5	0.9	3.6
ANEMIAS	1	1	0	0.7	0.9	0.0
MENINGITIS	1	1	0	0.7	0.9	0.0
PARKINSONS DISEASE	1	1	0	0.7	0.9	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	0.7	0.9	0.0
PEPTIC ULCER	1	1	0	0.7	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	18	4	16.2	16.7	14.3
ALL OTHER CAUSES	93	68	25	68.5	63.0	89.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	849	693	156	432	338	94	417	355	62
UNDER 1	13	10	3	10	8	2	3	2	1
(Neonatal)	8	5	3	5	3	2	3	2	1
(Postneonatal)	5	5	0	5	5	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	5	4	1	5	4	1	0	0	0
15-24	16	12	4	13	9	4	3	3	0
25-34	15	8	7	8	5	3	7	3	4
35-44	48	36	12	28	22	6	20	14	6
45-54	96	75	21	60	43	17	36	32	4
55-64	132	107	25	78	61	17	54	46	8
65-74	157	134	23	85	70	15	72	64	8
75-84	214	187	27	104	88	16	110	99	11
85 AND OVER	151	118	33	39	26	13	112	92	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	135,830
WHITE	107,874
NONWHITE	27,956

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	165	79	8.5	9.6	6.8
HEART DISEASES	72	48	24	250.1	279.6	206.5
MALIGNANT NEOPLASMS	51	39	12	177.1	227.2	103.3
ACCIDENTS	28	15	13	97.2	87.4	111.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	10	4	48.6	58.2	34.4
CEREBROVASCULAR DISEASE	10	7	3	34.7	40.8	25.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	7	3	34.7	40.8	25.8
INFLUENZA AND PNEUMONIA	6	4	2	20.8	23.3	17.2
HOMICIDE	5	1	4	17.4	5.8	34.4
HYPERTENSION/HYPERTENSIVE RENAL DZ CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	13.9	11.6	17.2
SUICIDE	4	4	0	13.9	23.3	0.0
SEPTICEMIA	3	2	1	10.4	11.6	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	10.4	11.6	8.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	6.9	11.6	0.0
HIV DISEASE	1	0	1	3.5	0.0	8.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.5	5.8	0.0
PARKINSONS DISEASE	1	1	0	3.5	5.8	0.0
ALZHEIMERS DISEASE	1	1	0	3.5	5.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.5	0.0	8.6
PEPTIC ULCER	1	1	0	3.5	5.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.5	5.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.5	0.0	8.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	13.9	17.5	8.6
ALL OTHER CAUSES	16	14	2	55.6	81.5	17.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	165	79	137	86	51	107	79	28
UNDER 1	7	0	7	3	0	3	4	0	4
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	0	1	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	12	5	7	9	3	6	3	2	1
35-44	13	9	4	13	9	4	0	0	0
45-54	22	11	11	16	8	8	6	3	3
55-64	31	22	9	19	12	7	12	10	2
65-74	51	45	6	33	29	4	18	16	2
75-84	51	35	16	26	18	8	25	17	8
85 AND OVER	51	35	16	14	6	8	37	29	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	28,790
WHITE	17,169
NONWHITE	11,621

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	60	27	33	10.2	15.1	8.1
MALIGNANT NEOPLASMS	13	6	7	222.2	335.6	172.3
HEART DISEASES	12	4	8	205.1	223.7	196.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	136.7	279.6	73.8
DIABETES MELLITUS	6	1	5	102.5	55.9	123.1
ACCIDENTS	4	1	3	68.4	55.9	73.8
CEREBROVASCULAR DISEASE	2	1	1	34.2	55.9	24.6
SEPTICEMIA	1	0	1	17.1	0.0	24.6
ANEMIAS	1	1	0	17.1	55.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	17.1	55.9	0.0
ALZHEIMERS DISEASE	1	1	0	17.1	55.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	17.1	55.9	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	17.1	55.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	9	4	5	153.8	223.7	123.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	60	27	33	31	13	18	29	14	15
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	8	2	6	4	1	3	4	1	3
55-64	7	4	3	5	4	1	2	0	2
65-74	9	3	6	6	2	4	3	1	2
75-84	17	9	8	8	3	5	9	6	3
85 AND OVER	15	9	6	6	3	3	9	6	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	5,851
WHITE	1,788
NONWHITE	4,063

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	269	199	70	9.6	11.0	7.1
HEART DISEASES	75	52	23	268.1	287.9	232.0
MALIGNANT NEOPLASMS	57	45	12	203.8	249.2	121.1
ACCIDENTS	22	18	4	78.6	99.7	40.4
CEREBROVASCULAR DISEASE	19	16	3	67.9	88.6	30.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	46.5	72.0	0.0
DIABETES MELLITUS	11	7	4	39.3	38.8	40.4
INFLUENZA AND PNEUMONIA	9	7	2	32.2	38.8	20.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	32.2	22.1	50.4
HOMICIDE	5	1	4	17.9	5.5	40.4
SEPTICEMIA	3	1	2	10.7	5.5	20.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	10.7	16.6	0.0
ANEMIAS	2	2	0	7.2	11.1	0.0
ALZHEIMERS DISEASE	2	2	0	7.2	11.1	0.0
SUICIDE	2	2	0	7.2	11.1	0.0
HIV DISEASE	1	0	1	3.6	0.0	10.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.6	0.0	10.1
PARKINSONS DISEASE	1	1	0	3.6	5.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.6	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	5.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.4	4.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.6	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.6	5.5	0.0
ALL OTHER CAUSES	29	20	9	103.7	110.7	90.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	269	199	70	137	98	39	132	101	31
UNDER 1	3	3	0	2	2	0	1	1	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	2	1	1	1	0	1	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	6	2	4	5	2	3	1	0	1
35-44	13	10	3	7	5	2	6	5	1
45-54	18	13	5	17	13	4	1	0	1
55-64	44	32	12	31	22	9	13	10	3
65-74	51	41	10	32	26	6	19	15	4
75-84	72	56	16	26	18	8	46	38	8
85 AND OVER	56	38	18	14	8	6	42	30	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	27,972
WHITE	18,060
NONWHITE	9,912

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	227	179	48	14.2	14.8	12.4
MALIGNANT NEOPLASMS	66	48	18	413.3	396.4	466.2
HEART DISEASES	56	45	11	350.6	371.6	284.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	100.2	123.9	25.9
CEREBROVASCULAR DISEASE	11	10	1	68.9	82.6	25.9
ACCIDENTS	11	10	1	68.9	82.6	25.9
INFLUENZA AND PNEUMONIA	8	8	0	50.1	66.1	0.0
ALZHEIMERS DISEASE	7	7	0	43.8	57.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	37.6	41.3	25.9
HIV DISEASE	5	0	5	31.3	0.0	129.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	31.3	24.8	51.8
SUICIDE	4	4	0	25.0	33.0	0.0
SEPTICEMIA	2	1	1	12.5	8.2	25.9
DIABETES MELLITUS	2	2	0	12.5	16.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	12.5	16.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	6.3	8.2	0.0
PARKINSONS DISEASE	1	0	1	6.3	0.0	25.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.3	8.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.6	7.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.3	0.0	25.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	12.5	8.2	25.9
ALL OTHER CAUSES	19	15	4	119.0	123.9	103.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	227	179	48	131	97	34	96	82	14
UNDER 1 (NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	4	4	0	4	4	0	0	0	0
35-44	18	11	7	10	7	3	8	4	4
45-54	20	11	9	15	8	7	5	3	2
55-64	24	15	9	18	10	8	6	5	1
65-74	44	38	6	31	25	6	13	13	0
75-84	67	59	8	37	30	7	30	29	1
85 AND OVER	46	39	7	14	12	2	32	27	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	15,970
WHITE	12,109
NONWHITE	3,861

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	155	128	27	9.9	10.3	8.4
HEART DISEASES	35	29	6	224.2	233.6	187.8
MALIGNANT NEOPLASMS	30	24	6	192.2	193.3	187.8
ACCIDENTS	15	13	2	96.1	104.7	62.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	83.3	104.7	0.0
CEREBROVASCULAR DISEASE	9	8	1	57.7	64.4	31.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	4	2	38.4	32.2	62.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	32.0	32.2	31.3
SEPTICEMIA	4	4	0	25.6	32.2	0.0
PARKINSONS DISEASE	4	4	0	25.6	32.2	0.0
ALZHEIMERS DISEASE	4	4	0	25.6	32.2	0.0
DIABETES MELLITUS	3	3	0	19.2	24.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	19.2	8.0	62.6
SUICIDE	3	2	1	19.2	16.1	31.3
INFLUENZA AND PNEUMONIA	2	2	0	12.8	16.1	0.0
ANEMIAS	1	1	0	6.4	8.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	6.4	8.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.4	8.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.8	0.0	20.8
HOMICIDE	1	1	0	6.4	8.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	6.4	0.0	31.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.4	8.0	0.0
ALL OTHER CAUSES	11	7	4	70.5	56.4	125.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	155	128	27	74	63	11	81	65	16
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	5	1	5	5	0	1	0	1
25-34	3	2	1	3	2	1	0	0	0
35-44	7	5	2	5	3	2	2	2	0
45-54	14	10	4	6	4	2	8	6	2
55-64	20	13	7	11	8	3	9	5	4
65-74	26	25	1	13	13	0	13	12	1
75-84	44	42	2	17	17	0	27	25	2
85 AND OVER	32	25	7	12	10	2	20	15	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	15,608
WHITE	12,413
NONWHITE	3,195

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	337	122	215	10.6	14.1	9.3
HEART DISEASES	109	42	67	342.4	487.0	288.7
MALIGNANT NEOPLASMS	59	23	36	185.3	266.7	155.1
DIABETES MELLITUS	28	11	17	88.0	127.5	73.2
CEREBROVASCULAR DISEASE	17	3	14	53.4	34.8	60.3
ACCIDENTS	15	5	10	47.1	58.0	43.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	34.6	81.2	17.2
INFLUENZA AND PNEUMONIA	9	3	6	28.3	34.8	25.8
SEPTICEMIA	8	2	6	25.1	23.2	25.8
ALZHEIMERS DISEASE	7	2	5	22.0	23.2	21.5
SUICIDE	5	3	2	15.7	34.8	8.6
HIV DISEASE	4	1	3	12.6	11.6	12.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	12.6	11.6	12.9
HOMICIDE	4	0	4	12.6	0.0	17.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	9.4	0.0	12.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	3	0	3	9.4	0.0	12.9
NEOPLASMS	2	2	0	6.3	23.2	0.0
ANEMIAS	2	0	2	6.3	0.0	8.6
AORTIC ANEURYSM AND DISSECTION	2	0	2	6.3	0.0	8.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.6	0.0	4.4
VIRAL HEPATITIS	1	0	1	3.1	0.0	4.3
PARKINSONS DISEASE	1	1	0	3.1	11.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.1	11.6	0.0
HERNIA	1	0	1	3.1	0.0	4.3
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.1	11.6	0.0
MATERNAL CAUSES	1	0	1	180.8	0.0	220.8
LEGAL INTERVENTION	1	1	0	3.1	11.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	9.4	11.6	8.6
ALL OTHER CAUSES	33	12	21	103.7	139.1	90.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	337	122	215	173	61	112	164	61	103
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	8	3	5	6	2	4	2	1	1
35-44	22	7	15	13	5	8	9	2	7
45-54	43	8	35	27	7	20	16	1	15
55-64	56	17	39	43	14	29	13	3	10
65-74	51	17	34	31	13	18	20	4	16
75-84	68	32	36	21	10	11	47	22	25
85 AND OVER	79	36	43	25	9	16	54	27	27
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	31,833
WHITE	8,625
NONWHITE	23,208

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	140	63	77	10.1	11.7	9.1
MALIGNANT NEOPLASMS	31	17	14	224.7	316.1	166.3
HEART DISEASES	29	13	16	210.2	241.7	190.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	72.5	148.8	23.8
ACCIDENTS	10	3	7	72.5	55.8	83.1
CEREBROVASCULAR DISEASE	6	2	4	43.5	37.2	47.5
INFLUENZA AND PNEUMONIA	5	3	2	36.2	55.8	23.8
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	20.7	22.2	20.4
DIABETES MELLITUS	4	1	3	29.0	18.6	35.6
ALZHEIMERS DISEASE	4	2	2	29.0	37.2	23.8
HOMICIDE	4	3	1	29.0	55.8	11.9
SEPTICEMIA	3	0	3	21.7	0.0	35.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	21.7	18.6	23.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	21.7	37.2	11.9
HIV DISEASE	2	0	2	14.5	0.0	23.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	2	0	2	14.5	0.0	23.8
NEOPLASMS	1	0	1	7.2	0.0	11.9
PARKINSONS DISEASE	1	1	0	7.2	18.6	0.0
PEPTIC ULCER	1	0	1	7.2	0.0	11.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.2	0.0	11.9
SUICIDE	1	1	0	7.2	18.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	36.2	18.6	47.5
ALL OTHER CAUSES	9	4	5	65.2	74.4	59.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	140	63	77	82	39	43	58	24	34
UNDER 1	6	1	5	4	0	4	2	1	1
(NEONATAL)	6	1	5	4	0	4	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	4	0	4	3	0	3	1	0	1
35-44	8	2	6	4	1	3	4	1	3
45-54	11	4	7	8	4	4	3	0	3
55-64	14	3	11	8	3	5	6	0	6
65-74	31	17	14	22	14	8	9	3	6
75-84	36	20	16	23	13	10	13	7	6
85 AND OVER	27	16	11	9	4	5	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,798
WHITE	5,378
NONWHITE	8,420

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	246	165	81	9.2	9.0	9.6
HEART DISEASES	84	58	26	314.3	317.1	308.2
MALIGNANT NEOPLASMS	59	37	22	220.8	202.3	260.8
ACCIDENTS	26	15	11	97.3	82.0	130.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	37.4	54.7	0.0
ALZHEIMERS DISEASE	8	7	1	29.9	38.3	11.8
CEREBROVASCULAR DISEASE	7	2	5	26.2	10.9	59.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	2	4	22.4	10.9	47.4
DIABETES MELLITUS	5	2	3	18.7	10.9	35.6
INFLUENZA AND PNEUMONIA	4	4	0	15.0	21.9	0.0
SUICIDE	3	3	0	11.2	16.4	0.0
SEPTICEMIA	2	1	1	7.5	5.5	11.8
ANEMIAS	2	2	0	7.5	10.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.5	5.5	11.8
HOMICIDE	2	1	1	7.5	5.5	11.8
HIV DISEASE	1	0	1	3.7	0.0	11.8
PARKINSONS DISEASE	1	1	0	3.7	5.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.7	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.7	5.5	0.0
PEPTIC ULCER	1	0	1	3.7	0.0	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.7	5.5	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.0	16.4	11.8
ALL OTHER CAUSES	16	13	3	59.9	71.1	35.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	246	165	81	126	85	41	120	80	40
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	0	1	1	0	1	0	0	0
15-24	9	3	6	6	2	4	3	1	2
25-34	8	3	5	3	1	2	5	2	3
35-44	15	10	5	9	7	2	6	3	3
45-54	29	18	11	20	12	8	9	6	3
55-64	30	18	12	18	10	8	12	8	4
65-74	32	23	9	20	15	5	12	8	4
75-84	57	43	14	28	22	6	29	21	8
85 AND OVER	60	44	16	19	15	4	41	29	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	26,723
WHITE	18,288
NONWHITE	8,435

COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	233	204	29	11.0	11.8	7.3
HEART DISEASES	76	68	8	357.7	393.7	201.2
MALIGNANT NEOPLASMS	38	31	7	178.8	179.5	176.0
CEREBROVASCULAR DISEASE	19	16	3	89.4	92.6	75.4
ACCIDENTS	15	15	0	70.6	86.8	0.0
SEPTICEMIA	9	8	1	42.4	46.3	25.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	42.4	52.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	7	2	42.4	40.5	50.3
ALZHEIMERS DISEASE	8	8	0	37.6	46.3	0.0
INFLUENZA AND PNEUMONIA	5	5	0	23.5	29.0	0.0
DIABETES MELLITUS	4	3	1	18.8	17.4	25.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	9.4	11.6	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.4	11.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.4	5.8	25.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	6.1	7.3	0.0
HOMICIDE	2	0	2	9.4	0.0	50.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.7	5.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.7	5.8	0.0
MATERNAL CAUSES	1	0	1	304.9	0.0	1886.8
SUICIDE	1	1	0	4.7	5.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	14.1	17.4	0.0
ALL OTHER CAUSES	24	21	3	113.0	121.6	75.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	233	204	29	118	109	9	115	95	20
UNDER 1	4	3	1	3	3	0	1	0	1
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	2	0	1	0	1
25-34	4	4	0	3	3	0	1	1	0
35-44	9	7	2	4	4	0	5	3	2
45-54	17	16	1	11	10	1	6	6	0
55-64	26	22	4	16	13	3	10	9	1
65-74	40	32	8	25	20	5	15	12	3
75-84	60	53	7	27	27	0	33	26	7
85 AND OVER	69	64	5	26	26	0	43	38	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	21,248
WHITE	17,271
NONWHITE	3,977

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	251	247	4	13.1	13.6	4.5
HEART DISEASES	75	74	1	392.4	406.0	112.6
MALIGNANT NEOPLASMS	54	53	1	282.5	290.8	112.6
ACCIDENTS	17	16	1	88.9	87.8	112.6
ALZHEIMERS DISEASE	13	13	0	68.0	71.3	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	68.0	71.3	0.0
CEREBROVASCULAR DISEASE	12	12	0	62.8	65.8	0.0
SEPTICEMIA	8	8	0	41.8	43.9	0.0
DIABETES MELLITUS	8	8	0	41.8	43.9	0.0
INFLUENZA AND PNEUMONIA	6	5	1	31.4	27.4	112.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	31.4	32.9	0.0
SUICIDE	4	4	0	20.9	21.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	10.5	11.0	0.0
NEOPLASMS	1	1	0	5.2	5.5	0.0
MENINGITIS	1	1	0	5.2	5.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	5.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.2	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.2	5.5	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	5.2	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.9	21.9	0.0
ALL OTHER CAUSES	23	23	0	120.3	126.2	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	251	247	4	134	132	2	117	115	2
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	7	7	0	6	6	0	1	1	0
35-44	7	7	0	6	6	0	1	1	0
45-54	19	19	0	14	14	0	5	5	0
55-64	31	31	0	19	19	0	12	12	0
65-74	49	48	1	29	28	1	20	20	0
75-84	76	73	3	38	37	1	38	36	2
85 AND OVER	62	62	0	22	22	0	40	40	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	19,112
WHITE	18,224
NONWHITE	888

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	113	43	70	10.8	15.5	9.2
HEART DISEASES	38	17	21	364.7	613.3	274.6
MALIGNANT NEOPLASMS	20	7	13	192.0	252.5	170.0
DIABETES MELLITUS	9	2	7	86.4	72.2	91.5
ACCIDENTS	7	0	7	67.2	0.0	91.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	57.6	108.2	39.2
ALZHEIMERS DISEASE	5	2	3	48.0	72.2	39.2
CEREBROVASCULAR DISEASE	4	2	2	38.4	72.2	26.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	28.8	72.2	13.1
HOMICIDE	3	0	3	28.8	0.0	39.2
INFLUENZA AND PNEUMONIA	2	2	0	19.2	72.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.6	0.0	13.1
ATHEROSCLEROSIS	1	1	0	9.6	36.1	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	9.6	0.0	13.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.0	0.0	4.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.6	0.0	13.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	19.2	0.0	26.2
ALL OTHER CAUSES	9	5	4	86.4	180.4	52.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	113	43	70	55	21	34	58	22	36
UNDER 1	4	0	4	3	0	3	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	5	0	5	3	0	3	2	0	2
35-44	6	0	6	3	0	3	3	0	3
45-54	12	5	7	11	5	6	1	0	1
55-64	15	6	9	6	1	5	9	5	4
65-74	14	4	10	5	1	4	9	3	6
75-84	25	14	11	11	7	4	14	7	7
85 AND OVER	31	14	17	13	7	6	18	7	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,419
WHITE	2,772
NONWHITE	7,647

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	277	241	36	10.2	10.6	8.3
HEART DISEASES	110	97	13	407.3	427.6	300.7
MALIGNANT NEOPLASMS	51	41	10	188.8	180.7	231.3
CEREBROVASCULAR DISEASE	16	14	2	59.2	61.7	46.3
ACCIDENTS	15	12	3	55.5	52.9	69.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	9	1	37.0	39.7	23.1
ALZHEIMERS DISEASE	7	7	0	25.9	30.8	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	5	0	18.5	22.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	14.8	13.2	23.1
SEPTICEMIA	3	3	0	11.1	13.2	0.0
INFLUENZA AND PNEUMONIA	3	3	0	11.1	13.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	7.4	4.4	23.1
DIABETES MELLITUS	2	2	0	7.4	8.8	0.0
PARKINSONS DISEASE	2	1	1	7.4	4.4	23.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	7.4	4.4	23.1
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.4	8.8	0.0
SUICIDE	2	2	0	7.4	8.8	0.0
ATHEROSCLEROSIS	1	1	0	3.7	4.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.7	4.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.7	4.4	0.0
HOMICIDE	1	1	0	3.7	4.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	22.2	22.0	23.1
ALL OTHER CAUSES	31	29	2	114.8	127.8	46.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	277	241	36	139	122	17	138	119	19
UNDER 1	4	3	1	3	2	1	1	1	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	1	1	2	1	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	5	4	1	3	2	1	2	2	0
35-44	12	8	4	6	4	2	6	4	2
45-54	26	18	8	13	11	2	13	7	6
55-64	27	23	4	18	17	1	9	6	3
65-74	47	42	5	31	28	3	16	14	2
75-84	70	62	8	36	31	5	34	31	3
85 AND OVER	81	78	3	26	26	0	55	52	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	27,008
WHITE	22,685
NONWHITE	4,323

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	164	97	67	10.6	11.4	9.5
HEART DISEASES	51	36	15	328.1	423.7	212.8
MALIGNANT NEOPLASMS	42	22	20	270.2	258.9	283.8
INFLUENZA AND PNEUMONIA	8	5	3	51.5	58.8	42.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	38.6	70.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	38.6	11.8	71.0
CEREBROVASCULAR DISEASE	5	3	2	32.2	35.3	28.4
ACCIDENTS	5	3	2	32.2	35.3	28.4
SEPTICEMIA	4	2	2	25.7	23.5	28.4
DIABETES MELLITUS	4	1	3	25.7	11.8	42.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	19.3	23.5	14.2
HOMICIDE	3	1	2	19.3	11.8	28.4
HIV DISEASE	2	0	2	12.9	0.0	28.4
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	2	0	2	12.9	0.0	28.4
NEOPLASMS	1	1	0	6.4	11.8	0.0
PARKINSONS DISEASE	1	1	0	6.4	11.8	0.0
ALZHEIMERS DISEASE	1	1	0	6.4	11.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.4	11.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.4	11.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.4	11.8	0.0
SUICIDE	1	1	0	6.4	11.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	12.9	0.0	28.4
ALL OTHER CAUSES	14	8	6	90.1	94.2	85.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	164	97	67	88	54	34	76	43	33
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	6	3	3	5	3	2	1	0	1
45-54	17	6	11	12	6	6	5	0	5
55-64	19	14	5	10	7	3	9	7	2
65-74	41	22	19	23	14	9	18	8	10
75-84	45	30	15	23	17	6	22	13	9
85 AND OVER	30	21	9	11	7	4	19	14	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	15,543
WHITE	8,496
NONWHITE	7,047

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	473	258	215	9.6	10.1	9.1
HEART DISEASES	142	74	68	288.0	289.2	286.6
MALIGNANT NEOPLASMS	106	65	41	215.0	254.0	172.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	15	9	48.7	58.6	37.9
ACCIDENTS	24	17	7	48.7	66.4	29.5
CEREBROVASCULAR DISEASE	22	8	14	44.6	31.3	59.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	4	10	28.4	15.6	42.2
INFLUENZA AND PNEUMONIA	9	6	3	18.2	23.4	12.6
ALZHEIMERS DISEASE	8	6	2	16.2	23.4	8.4
DIABETES MELLITUS	7	4	3	14.2	15.6	12.6
SEPTICEMIA	6	1	5	12.2	3.9	21.1
HIV DISEASE	6	0	6	12.2	0.0	25.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	1	5	12.2	3.9	21.1
AORTIC ANEURYSM AND DISSECTION	5	5	0	10.1	19.5	0.0
HOMICIDE	5	1	4	10.1	3.9	16.9
PARKINSONS DISEASE	4	2	2	8.1	7.8	8.4
SUICIDE	4	4	0	8.1	15.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	4.0	3.9	4.2
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	2	0	2	4.0	0.0	8.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	4.0	7.8	0.0
VIRAL HEPATITIS	1	1	0	2.0	3.9	0.0
ANEMIAS	1	1	0	2.0	3.9	0.0
ATHEROSCLEROSIS	1	0	1	2.0	0.0	4.2
HERNIA	1	0	1	2.0	0.0	4.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.0	3.9	0.0
MATERNAL CAUSES	1	0	1	122.8	0.0	201.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.2	3.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.0	3.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	4	4	16.2	15.6	16.9
ALL OTHER CAUSES	59	33	26	119.6	129.0	109.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	473	258	215	234	125	109	239	133	106
UNDER 1	7	3	4	4	2	2	3	1	2
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	5	1	4	3	1	2	2	0	2
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	2	6	5	1	4	3	1	2
25-34	9	4	5	6	2	4	3	2	1
35-44	20	6	14	14	4	10	6	2	4
45-54	59	20	39	36	12	24	23	8	15
55-64	63	41	22	38	26	12	25	15	10
65-74	80	46	34	42	26	16	38	20	18
75-84	119	70	49	48	30	18	71	40	31
85 AND OVER	106	64	42	40	21	19	66	43	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	49,308
WHITE	25,586
NONWHITE	23,722

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	613	259	354	10.6	14.3	8.9
HEART DISEASES	173	83	90	298.2	457.8	225.7
MALIGNANT NEOPLASMS	140	50	90	241.4	275.8	225.7
ACCIDENTS	36	18	18	62.1	99.3	45.1
CEREBROVASCULAR DISEASE	29	10	19	50.0	55.2	47.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	20	5	43.1	110.3	12.5
DIABETES MELLITUS	22	10	12	37.9	55.2	30.1
INFLUENZA AND PNEUMONIA	18	8	10	31.0	44.1	25.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	2	14	27.6	11.0	35.1
SEPTICEMIA	15	9	6	25.8	49.6	15.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	4	8	20.7	22.1	20.1
HOMICIDE	9	1	8	15.5	5.5	20.1
ALZHEIMERS DISEASE	8	4	4	13.8	22.1	10.0
CONDITIONS ORIG IN PERINATAL PERIOD	7	4	3	7.0	18.5	3.8
HIV DISEASE	6	0	6	10.3	0.0	15.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	3	2	8.6	16.5	5.0
AORTIC ANEURYSM AND DISSECTION	3	1	2	5.2	5.5	5.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	5.2	5.5	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	5.2	0.0	7.5
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	5.2	5.5	5.0
VIRAL HEPATITIS	2	1	1	3.4	5.5	2.5
SUICIDE	2	2	0	3.4	11.0	0.0
SALMONELLA INFECTION	1	0	1	1.7	0.0	2.5
TUBERCULOSIS	1	0	1	1.7	0.0	2.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.7	5.5	0.0
ANEMIAS	1	0	1	1.7	0.0	2.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.7	5.5	0.0
ATHEROSCLEROSIS	1	1	0	1.7	5.5	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.7	5.5	0.0
PEPTIC ULCER	1	0	1	1.7	0.0	2.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.7	5.5	0.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	7	2	5	12.1	11.0	12.5
ALL OTHER CAUSES	60	20	40	103.4	110.3	100.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	613	259	354	284	113	171	329	146	183
UNDER 1	15	4	11	6	2	4	9	2	7
(NEONATAL)	8	4	4	5	2	3	3	2	1
(POSTNEONATAL)	7	0	7	1	0	1	6	0	6
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	18	6	12	12	5	7	6	1	5
25-34	20	6	14	14	3	11	6	3	3
35-44	25	10	15	14	6	8	11	4	7
45-54	66	14	52	47	8	39	19	6	13
55-64	81	25	56	47	13	34	34	12	22
65-74	107	51	56	49	20	29	58	31	27
75-84	154	83	71	66	40	26	88	43	45
85 AND OVER	125	60	65	27	16	11	98	44	54
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	58,007
WHITE	18,130
NONWHITE	39,877

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	204	136	68	9.7	10.5	8.4
HEART DISEASES	61	41	20	289.3	316.3	246.2
MALIGNANT NEOPLASMS	39	29	10	184.9	223.7	123.1
CEREBROVASCULAR DISEASE	12	7	5	56.9	54.0	61.5
ACCIDENTS	12	8	4	56.9	61.7	49.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	37.9	61.7	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	4	3	33.2	30.8	36.9
DIABETES MELLITUS	6	1	5	28.4	7.7	61.5
INFLUENZA AND PNEUMONIA	5	4	1	23.7	30.8	12.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	0	4	19.0	0.0	49.2
SUICIDE	4	4	0	19.0	30.8	0.0
SEPTICEMIA	3	1	2	14.2	7.7	24.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.5	15.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	9.5	15.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.2	0.0	10.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	9.5	15.4	0.0
HIV DISEASE	1	0	1	4.7	0.0	12.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.7	0.0	12.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.7	0.0	12.3
ATHEROSCLEROSIS	1	0	1	4.7	0.0	12.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.7	7.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.7	7.7	0.0
HOMICIDE	1	0	1	4.7	0.0	12.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.5	0.0	24.6
ALL OTHER CAUSES	26	21	5	123.3	162.0	61.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	204	136	68	103	67	36	101	69	32
UNDER 1	7	0	7	4	0	4	3	0	3
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	3	2	2	1	1	3	2	1
35-44	6	1	5	5	0	5	1	1	0
45-54	15	12	3	6	5	1	9	7	2
55-64	31	19	12	22	14	8	9	5	4
65-74	38	26	12	23	15	8	15	11	4
75-84	52	40	12	26	19	7	26	21	5
85 AND OVER	48	34	14	15	13	2	33	21	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	21,087
WHITE	12,963
NONWHITE	8,124

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	127	104	23	12.6	13.3	10.4
HEART DISEASES	39	32	7	388.4	408.0	318.3
MALIGNANT NEOPLASMS	28	24	4	278.8	306.0	181.9
CEREBROVASCULAR DISEASE	8	6	2	79.7	76.5	91.0
ACCIDENTS	8	8	0	79.7	102.0	0.0
INFLUENZA AND PNEUMONIA	6	3	3	59.8	38.2	136.4
SEPTICEMIA	5	4	1	49.8	51.0	45.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	49.8	51.0	45.5
DIABETES MELLITUS	3	3	0	29.9	38.2	0.0
ALZHEIMERS DISEASE	3	3	0	29.9	38.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	19.9	25.5	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	2	2	0	19.9	25.5	0.0
NEOPLASMS	1	1	0	10.0	12.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	10.0	12.8	0.0
SUICIDE	1	1	0	10.0	12.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.0	0.0	45.5
ALL OTHER CAUSES	14	10	4	139.4	127.5	181.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	127	104	23	60	52	8	67	52	15
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	5	5	0	4	4	0	1	1	0
45-54	3	1	2	0	0	0	3	1	2
55-64	7	6	1	3	2	1	4	4	0
65-74	20	11	9	12	8	4	8	3	5
75-84	41	41	0	23	23	0	18	18	0
85 AND OVER	47	38	9	15	14	1	32	24	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,041
WHITE	7,842
NONWHITE	2,199

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	128	44	84	12.5	14.3	11.7
HEART DISEASES	35	9	26	341.8	292.2	363.2
MALIGNANT NEOPLASMS	23	4	19	224.6	129.9	265.4
CEREBROVASCULAR DISEASE	9	3	6	87.9	97.4	83.8
ACCIDENTS	9	1	8	87.9	32.5	111.7
ALZHEIMERS DISEASE	7	3	4	68.4	97.4	55.9
DIABETES MELLITUS	4	0	4	39.1	0.0	55.9
SEPTICEMIA	3	1	2	29.3	32.5	27.9
INFLUENZA AND PNEUMONIA	3	3	0	29.3	97.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	29.3	64.9	14.0
PARKINSONS DISEASE	2	1	1	19.5	32.5	14.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.5	0.0	27.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	19.5	64.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	19.5	0.0	27.9
TUBERCULOSIS	1	0	1	9.8	0.0	14.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.8	32.5	0.0
SUICIDE	1	1	0	9.8	32.5	0.0
HOMICIDE	1	0	1	9.8	0.0	14.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.8	0.0	14.0
ALL OTHER CAUSES	19	13	6	185.6	422.1	83.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	128	44	84	71	23	48	57	21	36
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	1	4	5	1	4	0	0	0
35-44	5	1	4	5	1	4	0	0	0
45-54	8	3	5	6	2	4	2	1	1
55-64	18	4	14	16	4	12	2	0	2
65-74	19	8	11	10	5	5	9	3	6
75-84	37	18	19	13	6	7	24	12	12
85 AND OVER	31	9	22	12	4	8	19	5	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	10,239
WHITE	3,080
NONWHITE	7,159

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	195	118	77	9.9	11.0	8.6
HEART DISEASES	59	42	17	299.4	390.2	190.1
MALIGNANT NEOPLASMS	39	21	18	197.9	195.1	201.2
ACCIDENTS	14	9	5	71.0	83.6	55.9
ALZHEIMERS DISEASE	11	8	3	55.8	74.3	33.5
DIABETES MELLITUS	9	6	3	45.7	55.7	33.5
CEREBROVASCULAR DISEASE	8	3	5	40.6	27.9	55.9
INFLUENZA AND PNEUMONIA	6	4	2	30.4	37.2	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	30.4	27.9	33.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	30.4	18.6	44.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	20.3	18.6	22.4
AORTIC ANEURYSM AND DISSECTION	3	2	1	15.2	18.6	11.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	10.5	0.0	15.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	10.1	9.3	11.2
MENINGITIS	1	0	1	5.1	0.0	11.2
PARKINSONS DISEASE	1	1	0	5.1	9.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.1	0.0	11.2
SUICIDE	1	1	0	5.1	9.3	0.0
HOMICIDE	1	0	1	5.1	0.0	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	20	13	7	101.5	120.8	78.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	195	118	77	91	56	35	104	62	42
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	6	2	4	3	1	2	3	1	2
25-34	3	2	1	3	2	1	0	0	0
35-44	6	1	5	3	1	2	3	0	3
45-54	9	6	3	7	4	3	2	2	0
55-64	26	15	11	14	8	6	12	7	5
65-74	36	25	11	19	15	4	17	10	7
75-84	51	30	21	25	13	12	26	17	9
85 AND OVER	51	36	15	15	11	4	36	25	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	19,708
WHITE	10,764
NONWHITE	8,944

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	166	116	50	12.4	14.4	9.4
MALIGNANT NEOPLASMS	46	33	13	343.2	408.9	243.8
HEART DISEASES	44	30	14	328.3	371.7	262.6
CEREBROVASCULAR DISEASE	13	7	6	97.0	86.7	112.5
DIABETES MELLITUS	10	9	1	74.6	111.5	18.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	52.2	86.7	0.0
ACCIDENTS	7	4	3	52.2	49.6	56.3
SUICIDE	4	3	1	29.8	37.2	18.8
SEPTICEMIA	3	1	2	22.4	12.4	37.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	22.4	24.8	18.8
ALZHEIMERS DISEASE	2	2	0	14.9	24.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	14.9	24.8	0.0
INFLUENZA AND PNEUMONIA	2	0	2	14.9	0.0	37.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.0	0.0	19.4
HOMICIDE	2	0	2	14.9	0.0	37.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.5	12.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.5	12.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.5	12.4	0.0
HERNIA	1	1	0	7.5	12.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	15	12	3	111.9	148.7	56.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	166	116	50	86	51	35	80	65	15
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	8	3	5	6	2	4	2	1	1
35-44	3	1	2	1	1	0	2	0	2
45-54	12	6	6	11	6	5	1	0	1
55-64	26	18	8	19	12	7	7	6	1
65-74	28	21	7	15	11	4	13	10	3
75-84	35	29	6	13	10	3	22	19	3
85 AND OVER	51	38	13	19	9	10	32	29	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	13,401
WHITE	8,070
NONWHITE	5,331

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	289	142	147	10.3	11.5	9.4
HEART DISEASES	73	35	38	261.4	284.1	243.4
MALIGNANT NEOPLASMS	69	35	34	247.0	284.1	217.8
CEREBROVASCULAR DISEASE	17	8	9	60.9	64.9	57.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	10	7	60.9	81.2	44.8
ACCIDENTS	15	10	5	53.7	81.2	32.0
DIABETES MELLITUS	13	4	9	46.5	32.5	57.6
ALZHEIMERS DISEASE	8	4	4	28.6	32.5	25.6
INFLUENZA AND PNEUMONIA	7	5	2	25.1	40.6	12.8
SEPTICEMIA	5	2	3	17.9	16.2	19.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	17.9	16.2	19.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	1	4	17.9	8.1	25.6
SUICIDE	4	3	1	14.3	24.4	6.4
HOMICIDE	4	0	4	14.3	0.0	25.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	10.7	16.2	6.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.2	16.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.2	0.0	5.7
HIV DISEASE	1	0	1	3.6	0.0	6.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.6	0.0	6.4
ANEMIAS	1	1	0	3.6	8.1	0.0
PARKINSONS DISEASE	1	1	0	3.6	8.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.6	8.1	0.0
PEPTIC ULCER	1	0	1	3.6	0.0	6.4
HERNIA	1	1	0	3.6	8.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.6	8.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	10.7	0.0	19.2
ALL OTHER CAUSES	29	14	15	103.8	113.6	96.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	289	142	147	151	77	74	138	65	73
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	10	5	5	5	2	3	5	3	2
35-44	12	4	8	5	2	3	7	2	5
45-54	36	9	27	24	5	19	12	4	8
55-64	46	24	22	28	12	16	18	12	6
65-74	55	33	22	36	24	12	19	9	10
75-84	65	34	31	31	21	10	34	13	21
85 AND OVER	58	31	27	18	9	9	40	22	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2006 POPULATION:

TOTAL	27,929
WHITE	12,319
NONWHITE	15,610