

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,681	1,752	929	8.8	9.2	8.1
HEART DISEASES	752	503	249	246.5	265.0	216.0
MALIGNANT NEOPLASMS	642	439	203	210.5	231.3	176.1
ACCIDENTS	187	124	63	61.3	65.3	54.7
CEREBROVASCULAR DISEASE	125	71	54	41.0	37.4	46.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	123	104	19	40.3	54.8	16.5
DIABETES MELLITUS	119	70	49	39.0	36.9	42.5
ALZHEIMERS DISEASE	73	58	15	23.9	30.6	13.0
INFLUENZA AND PNEUMONIA	47	29	18	15.4	15.3	15.6
SEPTICEMIA	45	24	21	14.8	12.6	18.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	41	21	20	13.4	11.1	17.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	38	15	23	12.4	7.9	20.0
HOMICIDE	35	9	26	11.5	4.7	22.6
CONDITIONS ORIG IN PERINATAL PERIOD	31	8	23	6.3	3.0	10.0
SUICIDE	27	22	5	8.8	11.6	4.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	26	21	5	8.5	11.1	4.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	25	19	6	8.2	10.0	5.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	18	8	10	5.9	4.2	8.7
HIV DISEASE	15	4	11	4.9	2.1	9.5
PARKINSONS DISEASE	15	14	1	4.9	7.4	0.9
AORTIC ANEURYSM AND DISSECTION	12	9	3	3.9	4.7	2.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	4	5	3.0	2.1	4.3
ANEMIAS	6	3	3	2.0	1.6	2.6
VIRAL HEPATITIS	5	4	1	1.6	2.1	0.9
COMPLICATIONS MEDICAL/SURGICAL CARE	4	0	4	1.3	0.0	3.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	1.0	0.5	1.7
MENINGITIS	2	1	1	0.6	0.5	0.9
ATHEROSCLEROSIS	2	2	0	0.6	1.0	0.0
PEPTIC ULCER	2	0	2	0.6	0.0	1.7
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.3	0.0	0.9
HERNIA	1	1	0	0.3	0.5	0.0
LEGAL INTERVENTION	1	0	1	0.3	0.0	0.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	12	15	8.8	6.3	13.0
ALL OTHER CAUSES	222	152	70	72.8	80.1	60.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,681	1,752	929	1,376	879	497	1,305	873	432
UNDER 1	59	18	41	38	9	29	21	9	12
(NEONATAL)	42	12	30	25	6	19	17	6	11
(POSTNEONATAL)	17	6	11	13	3	10	4	3	1
1-4	5	2	3	1	0	1	4	2	2
5-9	6	3	3	2	0	2	4	3	1
10-14	9	2	7	4	2	2	5	0	5
15-24	45	21	24	32	16	16	13	5	8
25-34	81	37	44	57	28	29	24	9	15
35-44	110	54	56	67	33	34	43	21	22
45-54	264	149	115	174	98	76	90	51	39
55-64	360	216	144	211	130	81	149	86	63
65-74	468	327	141	278	201	77	190	126	64
75-84	670	506	164	321	243	78	349	263	86
85 AND OVER	604	417	187	191	119	72	413	298	115
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	12.0	6.9	17.9	305,044	
NEONATAL	8.6	4.6	13.1	189,791	
POSTNEONATAL	3.5	2.3	4.8	115,253	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,644	3,011	633	10.6	11.2	8.2
HEART DISEASES	1,089	911	178	315.5	340.6	229.3
MALIGNANT NEOPLASMS	806	657	149	233.5	245.6	191.9
CEREBROVASCULAR DISEASE	209	176	33	60.6	65.8	42.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	208	189	19	60.3	70.6	24.5
ACCIDENTS	203	169	34	58.8	63.2	43.8
ALZHEIMERS DISEASE	111	101	10	32.2	37.8	12.9
DIABETES MELLITUS	77	56	21	22.3	20.9	27.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	76	56	20	22.0	20.9	25.8
INFLUENZA AND PNEUMONIA	61	46	15	17.7	17.2	19.3
SEPTICEMIA	57	48	9	16.5	17.9	11.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	57	36	21	16.5	13.4	27.0
SUICIDE	38	32	6	11.0	12.0	7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	29	25	4	8.4	9.3	5.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	24	21	3	7.0	7.8	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	22	10	12	4.3	2.7	9.0
AORTIC ANEURYSM AND DISSECTION	18	18	0	5.2	6.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	10	6	4.6	3.7	7.7
HOMICIDE	16	5	11	4.6	1.9	14.2
PARKINSONS DISEASE	14	13	1	4.0	4.9	1.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	9	1	2.9	3.4	1.3
ANEMIAS	9	8	1	2.6	3.0	1.3
COMPLICATIONS MEDICAL/SURGICAL CARE	8	6	2	2.3	2.2	2.6
HIV DISEASE	7	2	5	2.0	0.7	6.4
ATHEROSCLEROSIS	6	6	0	1.7	2.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	5	4	1	1.4	1.5	1.3
VIRAL HEPATITIS	4	3	1	1.2	1.1	1.3
PEPTIC ULCER	4	4	0	1.2	1.5	0.0
MATERNAL CAUSES	3	1	2	59.2	26.8	149.9
MENINGITIS	2	1	1	0.6	0.4	1.3
HERNIA	2	2	0	0.6	0.7	0.0
INFECTIONS OF KIDNEY	2	2	0	0.6	0.7	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.3	0.4	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.3	0.4	0.0
LEGAL INTERVENTION	1	0	1	0.3	0.0	1.3

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	57	50	7	16.5	18.7	9.0
ALL OTHER CAUSES	391	332	59	113.3	124.1	76.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,644	3,011	633	1,843	1,533	310	1,801	1,478	323
UNDER 1 (NEONATAL)	47	24	23	30	15	15	17	9	8
(POSTNEONATAL)	29	15	14	18	10	8	11	5	6
	18	9	9	12	5	7	6	4	2
1-4	9	4	5	7	3	4	2	1	1
5-9	5	3	2	2	2	0	3	1	2
10-14	7	4	3	4	2	2	3	2	1
15-24	57	42	15	40	30	10	17	12	5
25-34	76	54	22	52	40	12	24	14	10
35-44	133	99	34	84	64	20	49	35	14
45-54	336	241	95	199	146	53	137	95	42
55-64	428	348	80	255	206	49	173	142	31
65-74	648	534	114	381	321	60	267	213	54
75-84	960	845	115	484	437	47	476	408	68
85 AND OVER	938	813	125	305	267	38	633	546	87
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.3	6.4	17.2
NEONATAL	5.7	4.0	10.5
POSTNEONATAL	3.6	2.4	6.7

2006 POPULATION

TOTAL	345,116
WHITE	267,482
NONWHITE	77,634

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,616	1,122	1,494	11.0	13.9	9.6
HEART DISEASES	763	347	416	322.0	430.1	266.2
MALIGNANT NEOPLASMS	519	222	297	219.0	275.2	190.1
CEREBROVASCULAR DISEASE	171	62	109	72.2	76.8	69.8
ACCIDENTS	123	51	72	51.9	63.2	46.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	108	80	28	45.6	99.2	17.9
DIABETES MELLITUS	84	31	53	35.4	38.4	33.9
INFLUENZA AND PNEUMONIA	80	36	44	33.8	44.6	28.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	22	51	30.8	27.3	32.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	67	13	54	28.3	16.1	34.6
SEPTICEMIA	66	24	42	27.8	29.7	26.9
ALZHEIMERS DISEASE	57	31	26	24.0	38.4	16.6
HOMICIDE	45	3	42	19.0	3.7	26.9
HIV DISEASE	26	3	23	11.0	3.7	14.7
CONDITIONS ORIG IN PERINATAL PERIOD	22	4	18	5.3	4.1	5.6
SUICIDE	22	18	4	9.3	22.3	2.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	11	6	7.2	13.6	3.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	5	8	5.5	6.2	5.1
AORTIC ANEURYSM AND DISSECTION	11	6	5	4.6	7.4	3.2
PARKINSONS DISEASE	9	9	0	3.8	11.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	1	8	3.8	1.2	5.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	5	3	3.4	6.2	1.9
ANEMIAS	6	1	5	2.5	1.2	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE	6	3	3	2.5	3.7	1.9
VIRAL HEPATITIS	4	2	2	1.7	2.5	1.3
MATERNAL CAUSES	4	0	4	96.4	0.0	125.7
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.3	3.7	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.8	1.2	0.6
ATHEROSCLEROSIS	2	2	0	0.8	2.5	0.0
SALMONELLA INFECTION	1	0	1	0.4	0.0	0.6
TUBERCULOSIS	1	0	1	0.4	0.0	0.6
SYPHILIS	1	0	1	0.4	0.0	0.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	1.2	0.0
PEPTIC ULCER	1	0	1	0.4	0.0	0.6
HERNIA	1	0	1	0.4	0.0	0.6
LEGAL INTERVENTION	1	1	0	0.4	1.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	36	12	24	15.2	14.9	15.4
ALL OTHER CAUSES	253	112	141	106.8	138.8	90.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,616	1,122	1,494	1,318	559	759	1,298	563	735
UNDER 1	49	8	41	23	3	20	26	5	21
(NEONATAL)	29	6	23	13	2	11	16	4	12
(POSTNEONATAL)	20	2	18	10	1	9	10	1	9
1-4	5	1	4	3	1	2	2	0	2
5-9	2	0	2	1	0	1	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	58	14	44	43	12	31	15	2	13
25-34	71	25	46	47	16	31	24	9	15
35-44	127	36	91	79	24	55	48	12	36
45-54	272	66	206	180	44	136	92	22	70
55-64	360	122	238	225	72	153	135	50	85
65-74	426	200	226	227	112	115	199	88	111
75-84	625	324	301	292	174	118	333	150	183
85 AND OVER	620	326	294	197	101	96	423	225	198
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.8	8.3	12.9	236,927	
NEONATAL	7.0	6.2	7.2	80,681	
POSTNEONATAL	4.8	2.1	5.6	156,246	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,246	1,412	834	9.2	10.0	8.0
HEART DISEASES	689	456	233	281.2	322.7	224.6
MALIGNANT NEOPLASMS	471	283	188	192.2	200.3	181.2
ACCIDENTS	143	84	59	58.4	59.4	56.9
CEREBROVASCULAR DISEASE	140	91	49	57.1	64.4	47.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	106	77	29	43.2	54.5	28.0
ALZHEIMERS DISEASE	75	54	21	30.6	38.2	20.2
INFLUENZA AND PNEUMONIA	67	47	20	27.3	33.3	19.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	51	22	29	20.8	15.6	28.0
DIABETES MELLITUS	45	29	16	18.4	20.5	15.4
SEPTICEMIA	36	20	16	14.7	14.2	15.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	28	14	14	11.4	9.9	13.5
CONDITIONS ORIG IN PERINATAL PERIOD	24	7	17	6.7	4.2	8.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	23	18	5	9.4	12.7	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	17	4	8.6	12.0	3.8
SUICIDE	17	15	2	6.9	10.6	1.9
AORTIC ANEURYSM AND DISSECTION	11	9	2	4.5	6.4	1.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	6	5	4.5	4.2	4.8
HOMICIDE	11	2	9	4.5	1.4	8.7
PARKINSONS DISEASE	10	8	2	4.1	5.7	1.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	5	3	3.3	3.5	2.9
HIV DISEASE	7	0	7	2.8	0.0	6.7
CHOLELITHIASIS/GALLBLADDER DISORDER	5	3	2	2.0	2.1	1.9
ANEMIAS	3	2	1	1.2	1.4	1.0
MATERNAL CAUSES	3	1	2	83.3	60.1	103.2
LEGAL INTERVENTION	3	0	3	1.2	0.0	2.9
MENINGITIS	2	1	1	0.8	0.7	1.0
PEPTIC ULCER	2	0	2	0.8	0.0	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	0.8	1.4	0.0
TUBERCULOSIS	1	0	1	0.4	0.0	1.0
HERNIA	1	0	1	0.4	0.0	1.0
INFECTIONS OF KIDNEY	1	0	1	0.4	0.0	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	7	9	6.5	5.0	8.7
ALL OTHER CAUSES	213	132	81	86.9	93.4	78.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,246	1,412	834	1,120	673	447	1,126	739	387
UNDER 1	45	13	32	29	8	21	16	5	11
(NEONATAL)	31	8	23	21	6	15	10	2	8
(POSTNEONATAL)	14	5	9	8	2	6	6	3	3
1-4	7	2	5	4	2	2	3	0	3
5-9	4	1	3	2	1	1	2	0	2
10-14	6	2	4	6	2	4	0	0	0
15-24	37	15	22	24	10	14	13	5	8
25-34	54	12	42	38	10	28	16	2	14
35-44	74	36	38	49	24	25	25	12	13
45-54	159	68	91	115	46	69	44	22	22
55-64	284	160	124	178	94	84	106	66	40
65-74	359	230	129	219	144	75	140	86	54
75-84	580	402	178	276	201	75	304	201	103
85 AND OVER	637	471	166	180	131	49	457	340	117
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	12.5	7.8	16.5	245,034	
NEONATAL	8.6	4.8	11.9	141,312	
POSTNEONATAL	3.9	3.0	4.6	103,722	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,418	3,028	2,390	8.6	9.6	7.7
HEART DISEASES	1,518	866	652	242.6	274.2	210.3
MALIGNANT NEOPLASMS	1,223	683	540	195.4	216.2	174.2
ACCIDENTS	300	185	115	47.9	58.6	37.1
CEREBROVASCULAR DISEASE	264	149	115	42.2	47.2	37.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	253	181	72	40.4	57.3	23.2
DIABETES MELLITUS	128	49	79	20.4	15.5	25.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	122	48	74	19.5	15.2	23.9
SEPTICEMIA	108	57	51	17.2	18.0	16.4
ALZHEIMERS DISEASE	97	73	24	15.5	23.1	7.7
INFLUENZA AND PNEUMONIA	97	65	32	15.5	20.6	10.3
HOMICIDE	81	14	67	12.9	4.4	21.6
HIV DISEASE	73	5	68	11.7	1.6	21.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	67	25	42	10.7	7.9	13.6
SUICIDE	59	45	14	9.4	14.2	4.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	52	40	12	8.3	12.7	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	46	6	40	4.5	1.4	6.8
PARKINSONS DISEASE	33	29	4	5.3	9.2	1.3
AORTIC ANEURYSM AND DISSECTION	26	16	10	4.2	5.1	3.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	23	13	10	3.7	4.1	3.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	23	11	12	3.7	3.5	3.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	15	9	6	2.4	2.8	1.9
ANEMIAS	12	9	3	1.9	2.8	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	9	3	6	1.4	1.0	1.9
VIRAL HEPATITIS	8	7	1	1.3	2.2	0.3
COMPLICATIONS MEDICAL/SURGICAL CARE	8	4	4	1.3	1.3	1.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	3	4	1.1	1.0	1.3
PEPTIC ULCER	7	5	2	1.1	1.6	0.6
ATHEROSCLEROSIS	4	2	2	0.6	0.6	0.6
HERNIA	4	2	2	0.6	0.6	0.6
PNEUMOCOINIOSES & CHEMICAL EFFECTS	3	1	2	0.5	0.3	0.6
MATERNAL CAUSES	3	1	2	29.4	23.0	34.0
VIRAL ENCEPHALITIS	1	0	1	0.2	0.0	0.3
MENINGITIS	1	1	0	0.2	0.3	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	90	49	41	14.4	15.5	13.2
ALL OTHER CAUSES	653	372	281	104.3	117.8	90.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,418	3,028	2,390	2,745	1,477	1,268	2,673	1,551	1,122
UNDER 1	107	29	78	67	21	46	40	8	32
(Neonatal)	65	16	49	40	11	29	25	5	20
(Postneonatal)	42	13	29	27	10	17	15	3	12
1-4	15	5	10	9	4	5	6	1	5
5-9	6	3	3	3	2	1	3	1	2
10-14	13	6	7	10	6	4	3	0	3
15-24	97	38	59	74	30	44	23	8	15
25-34	135	45	90	83	28	55	52	17	35
35-44	290	110	180	174	65	109	116	45	71
45-54	552	219	333	346	140	206	206	79	127
55-64	728	374	354	449	226	223	279	148	131
65-74	906	509	397	522	303	219	384	206	178
75-84	1,359	914	445	621	426	195	738	488	250
85 AND OVER	1,210	776	434	387	226	161	823	550	273
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	10.5	6.7	13.3
NEONATAL	6.4	3.7	8.3
POSTNEONATAL	4.1	3.0	4.9

2006 POPULATION

TOTAL	625,836
WHITE	315,862
NONWHITE	309,974

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,662	1,759	903	11.0	12.2	9.2
HEART DISEASES	814	565	249	335.4	392.2	252.4
MALIGNANT NEOPLASMS	530	351	179	218.4	243.6	181.4
ACCIDENTS	188	122	66	77.4	84.7	66.9
CEREBROVASCULAR DISEASE	160	104	56	65.9	72.2	56.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	140	114	26	57.7	79.1	26.4
ALZHEIMERS DISEASE	82	65	17	33.8	45.1	17.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	79	42	37	32.5	29.2	37.5
INFLUENZA AND PNEUMONIA	60	41	19	24.7	28.4	19.2
DIABETES MELLITUS	38	15	23	15.6	10.4	23.3
SEPTICEMIA	35	21	14	14.4	14.6	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	32	14	18	13.2	9.7	18.2
SUICIDE	32	26	6	13.2	18.0	6.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	31	18	13	12.8	12.5	13.2
CONDITIONS ORIG IN PERINATAL PERIOD	18	7	11	4.5	3.6	5.3
HIV DISEASE	17	4	13	7.0	2.8	13.2
HOMICIDE	17	2	15	7.0	1.4	15.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	16	13	3	6.6	9.0	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	4	11	6.2	2.8	11.2
AORTIC ANEURYSM AND DISSECTION	10	8	2	4.1	5.6	2.0
PARKINSONS DISEASE	7	6	1	2.9	4.2	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	1.6	2.8	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	1.6	1.4	2.0
VIRAL HEPATITIS	3	2	1	1.2	1.4	1.0
ANEMIAS	3	2	1	1.2	1.4	1.0
PEPTIC ULCER	3	3	0	1.2	2.1	0.0
MENINGITIS	2	1	1	0.8	0.7	1.0
ATHEROSCLEROSIS	2	2	0	0.8	1.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	0.7	1.0
INFECTIONS OF KIDNEY	2	0	2	0.8	0.0	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.4	0.7	0.0
HERNIA	1	1	0	0.4	0.7	0.0
HYPERPLASIA OF PROSTATE	1	1	0	0.4	0.7	0.0
LEGAL INTERVENTION	1	0	1	0.4	0.0	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	51	29	22	21.0	20.1	22.3
ALL OTHER CAUSES	261	168	93	107.5	116.6	94.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,662	1,759	903	1,324	858	466	1,338	901	437
UNDER 1	48	13	35	33	10	23	15	3	12
(NEONATAL)	28	10	18	18	7	11	10	3	7
(POSTNEONATAL)	20	3	17	15	3	12	5	0	5
1-4	7	3	4	4	3	1	3	0	3
5-9	5	4	1	3	2	1	2	2	0
10-14	3	1	2	1	0	1	2	1	1
15-24	52	28	24	39	18	21	13	10	3
25-34	59	26	33	33	15	18	26	11	15
35-44	104	51	53	54	28	26	50	23	27
45-54	221	112	109	140	71	69	81	41	40
55-64	319	181	138	196	111	85	123	70	53
65-74	480	332	148	268	195	73	212	137	75
75-84	675	496	179	338	247	91	337	249	88
85 AND OVER	689	512	177	215	158	57	474	354	120
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NONWHITE
INFANT	12.0	6.8	16.9	242,727		
NEONATAL	7.0	5.2	8.7	144,074		
POSTNEONATAL	5.0	1.6	8.2	98,653		

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,036	1,187	849	11.5	12.8	10.0
HEART DISEASES	569	341	228	320.7	369.4	267.8
MALIGNANT NEOPLASMS	475	270	205	267.7	292.5	240.8
CEREBROVASCULAR DISEASE	125	70	55	70.4	75.8	64.6
ACCIDENTS	107	65	42	60.3	70.4	49.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	88	64	24	49.6	69.3	28.2
DIABETES MELLITUS	76	38	38	42.8	41.2	44.6
INFLUENZA AND PNEUMONIA	57	36	21	32.1	39.0	24.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	57	25	32	32.1	27.1	37.6
SEPTICEMIA	41	20	21	23.1	21.7	24.7
ALZHEIMERS DISEASE	41	30	11	23.1	32.5	12.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	33	15	18	18.6	16.2	21.1
HOMICIDE	20	6	14	11.3	6.5	16.4
SUICIDE	17	15	2	9.6	16.2	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	10	3	7	5.6	3.2	8.2
HIV DISEASE	9	0	9	5.1	0.0	10.6
AORTIC ANEURYSM AND DISSECTION	9	6	3	5.1	6.5	3.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	4	5	5.1	4.3	5.9
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	9	4	5	3.3	3.4	3.1
NEOPLASMS	8	4	4	4.5	4.3	4.7
PARKINSONS DISEASE	8	5	3	4.5	5.4	3.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	7	1	4.5	7.6	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	3	3	3.4	3.2	3.5
VIRAL HEPATITIS	4	3	1	2.2	3.2	1.2
PEPTIC ULCER	3	0	3	1.7	0.0	3.5
ANEMIAS	2	1	1	1.1	1.1	1.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	1.1	2.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.1	2.2	0.0
TUBERCULOSIS	1	0	1	0.6	0.0	1.2
ATHEROSCLEROSIS	1	1	0	0.6	1.1	0.0
DISEASES OF APPENDIX	1	0	1	0.6	0.0	1.2
MATERNAL CAUSES	1	0	1	36.2	0.0	62.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	42	19	23	23.7	20.6	27.0
ALL OTHER CAUSES	195	128	67	109.9	138.6	78.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,036	1,187	849	1,015	587	428	1,021	600	421
UNDER 1	24	9	15	11	5	6	13	4	9
(NEONATAL)	11	4	7	6	3	3	5	1	4
(POSTNEONATAL)	13	5	8	5	2	3	8	3	5
1-4	4	2	2	0	0	0	4	2	2
5-9	1	0	1	1	0	1	0	0	0
10-14	6	1	5	2	0	2	4	1	3
15-24	28	10	18	20	6	14	8	4	4
25-34	34	16	18	23	11	12	11	5	6
35-44	85	35	50	63	25	38	22	10	12
45-54	169	76	93	107	49	58	62	27	35
55-64	284	134	150	175	85	90	109	49	60
65-74	390	230	160	217	145	72	173	85	88
75-84	503	325	178	240	156	84	263	169	94
85 AND OVER	508	349	159	156	105	51	352	244	108
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	8.7	7.7	9.4	177,438	
NEONATAL	4.0	3.4	4.4	92,314	
POSTNEONATAL	4.7	4.3	5.0	85,124	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,978	2,209	769	10.1	11.0	8.2
HEART DISEASES	811	623	188	274.9	309.6	200.5
MALIGNANT NEOPLASMS	601	470	131	203.7	233.6	139.7
ACCIDENTS	216	159	57	73.2	79.0	60.8
CEREBROVASCULAR DISEASE	169	121	48	57.3	60.1	51.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	156	131	25	52.9	65.1	26.7
ALZHEIMERS DISEASE	105	92	13	35.6	45.7	13.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	78	46	32	26.4	22.8	34.1
INFLUENZA AND PNEUMONIA	73	55	18	24.7	27.3	19.2
DIABETES MELLITUS	64	32	32	21.7	15.9	34.1
SEPTICEMIA	63	32	31	21.4	15.9	33.1
HOMICIDE	41	19	22	13.9	9.4	23.5
SUICIDE	32	25	7	10.8	12.4	7.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	16	13	9.8	8.0	13.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	27	22	5	9.2	10.9	5.3
CONDITIONS ORIG IN PERINATAL PERIOD	22	10	12	4.5	3.4	6.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	19	16	3	6.4	8.0	3.2
AORTIC ANEURYSM AND DISSECTION	16	12	4	5.4	6.0	4.3
PARKINSONS DISEASE	14	13	1	4.7	6.5	1.1
HIV DISEASE	13	3	10	4.4	1.5	10.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	3	9	4.1	1.5	9.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	9	2	3.7	4.5	2.1
COMPLICATIONS MEDICAL/SURGICAL CARE	8	4	4	2.7	2.0	4.3
CHOLELITHIASIS/GALLBLADDER DISORDER	7	5	2	2.4	2.5	2.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	5	4	1	1.7	2.0	1.1
PEPTIC ULCER	4	2	2	1.4	1.0	2.1
HERNIA	4	3	1	1.4	1.5	1.1
VIRAL HEPATITIS	2	1	1	0.7	0.5	1.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.7	0.5	1.1
ATHEROSCLEROSIS	2	0	2	0.7	0.0	2.1
ANEMIAS	1	1	0	0.3	0.5	0.0
MENINGITIS	1	1	0	0.3	0.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	48	31	17	16.3	15.4	18.1
ALL OTHER CAUSES	322	247	75	109.1	122.7	80.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,978	2,209	769	1,483	1,093	390	1,495	1,116	379
UNDER 1	46	21	25	23	10	13	23	11	12
(NEONATAL)	32	13	19	15	5	10	17	8	9
(POSTNEONATAL)	14	8	6	8	5	3	6	3	3
1-4	8	3	5	2	1	1	6	2	4
5-9	6	5	1	2	2	0	4	3	1
10-14	5	1	4	3	1	2	2	0	2
15-24	64	45	19	50	35	15	14	10	4
25-34	85	62	23	46	36	10	39	26	13
35-44	132	76	56	83	46	37	49	30	19
45-54	249	168	81	151	102	49	98	66	32
55-64	398	269	129	256	174	82	142	95	47
65-74	539	409	130	299	229	70	240	180	60
75-84	751	601	150	366	303	63	385	298	87
85 AND OVER	695	549	146	202	154	48	493	395	98
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.4	7.1	13.0	295,010	
NEONATAL	6.5	4.4	9.8	201,240	
POSTNEONATAL	2.9	2.7	3.1	93,770	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2006

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	4,062	3,379	683	9.3	10.0	6.9
HEART DISEASES	1,038	867	171	237.3	255.9	173.5
MALIGNANT NEOPLASMS	922	779	143	210.8	229.9	145.1
ACCIDENTS	364	318	46	83.2	93.8	46.7
CEREBROVASCULAR DISEASE	207	166	41	47.3	49.0	41.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	190	176	14	43.4	51.9	14.2
ALZHEIMERS DISEASE	94	83	11	21.5	24.5	11.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	85	60	25	19.4	17.7	25.4
SEPTICEMIA	83	65	18	19.0	19.2	18.3
SUICIDE	78	69	9	17.8	20.4	9.1
INFLUENZA AND PNEUMONIA	75	61	14	17.1	18.0	14.2
DIABETES MELLITUS	69	53	16	15.8	15.6	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	59	54	5	13.5	15.9	5.1
HOMICIDE	44	25	19	10.0	7.4	19.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	32	20	12	7.3	5.9	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	29	23	6	6.6	6.8	6.1
PARKINSONS DISEASE	27	27	0	6.2	8.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	23	17	6	5.2	5.0	6.1
CONDITIONS ORIG IN PERINATAL PERIOD	21	11	10	3.2	2.3	6.1
HIV DISEASE	18	11	7	4.1	3.2	7.1
AORTIC ANEURYSM AND DISSECTION	18	16	2	4.1	4.7	2.0
VIRAL HEPATITIS	16	15	1	3.6	4.4	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	13	12	1	3.0	3.5	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	12	9	3	2.7	2.6	3.0
ANEMIAS	9	7	2	2.0	2.1	2.0
CHOLELITHIASIS/GALLBLADDER DISORDER	9	6	3	2.0	1.8	3.0
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	7	6	1	1.6	1.8	1.0
HERNIA	4	1	3	0.9	0.3	3.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	0.7	0.9	0.0
PEPTIC ULCER	3	3	0	0.7	0.9	0.0
INFECTIONS OF KIDNEY	3	3	0	0.7	0.9	0.0
TUBERCULOSIS	1	1	0	0.2	0.3	0.0
MENINGITIS	1	1	0	0.2	0.3	0.0
ATHEROSCLEROSIS	1	1	0	0.2	0.3	0.0
HYPERPLASIA OF PROSTATE	1	0	1	0.2	0.0	1.0
LEGAL INTERVENTION	1	1	0	0.2	0.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	78	66	12	17.8	19.5	12.2
ALL OTHER CAUSES	424	343	81	96.9	101.2	82.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2006 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,062	3,379	683	2,142	1,811	331	1,920	1,568	352
UNDER 1	58	33	25	32	19	13	26	14	12
(NEONATAL)	33	18	15	17	8	9	16	10	6
(POSTNEONATAL)	25	15	10	15	11	4	10	4	6
1-4	13	8	5	10	6	4	3	2	1
5-9	4	4	0	4	4	0	0	0	0
10-14	5	5	0	4	4	0	1	1	0
15-24	102	77	25	69	56	13	33	21	12
25-34	131	92	39	95	71	24	36	21	15
35-44	195	154	41	122	95	27	73	59	14
45-54	435	341	94	254	207	47	181	134	47
55-64	595	463	132	346	270	76	249	193	56
65-74	803	679	124	460	408	52	343	271	72
75-84	980	870	110	484	439	45	496	431	65
85 AND OVER	735	648	87	256	227	29	479	421	58
UNKNOWN	6	5	1	6	5	1	0	0	0

MORTALITY RATES**				2006 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.0	6.8	15.3	437,408	
NEONATAL	5.1	3.7	9.2	338,840	
POSTNEONATAL	3.9	3.1	6.1	98,568	

** DEATHS PER 1,000 LIVE BIRTHS.