

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,626	2,362	1,177	1,185	460
WHITE	14,015	759	373	386	160
NONWHITE	18,611	1,603	804	799	300

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	3	30	42	16	1	5	10	59	2	25	32
TEENAGE IMMATURE BIRTHS	15	0	8	7	1	0	0	1	14	0	8	6
TEENAGE PREMATURE BIRTHS	18	0	11	7	1	0	0	1	17	0	11	6
TEENAGE ILLEGITIMATE BIRTHS	71	3	29	39	12	1	4	7	59	2	25	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	3	0	0	3	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	3	0	0	3	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	31.8	2.5	60.8	(15-19)	21.1	2.7	38.9	(15-19)	36.8	2.5	71.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	26.7	0.0	33.3	23.8	0.0	0.0	0.0	0.0	33.9	0.0	40.0	31.2
TEENAGE INDUCED TERMINATIONS#	10	0	2	8	1	0	0	1	9	0	2	7
TEENAGE INDUCED TERMINATION RATIO	133.3	0.0	66.7	190.5	62.5	0.0	0.0	100.0	152.5	0.0	80.0	218.8
TEENAGE PREGNANCIES#	87	3	33	51	17	1	5	11	70	2	28	40
TEENAGE PREGNANCY RATE	36.8	2.5	70.9	(15-19)	22.4	2.7	41.4	(15-19)	43.7	2.5	85.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	0.0	33.3	0.0	62.5	0.0	200.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,589	2,139	1,084	1,055	526
WHITE	31,189	1,793	902	891	445
NONWHITE	4,400	346	182	164	81

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	92	1	38	53	71	0	27	44	21	1	11	9
TEENAGE IMMATURE BIRTHS	9	1	5	3	3	0	2	1	6	1	3	2
TEENAGE PREMATURE BIRTHS	20	0	12	8	12	0	8	4	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	66	1	32	33	45	0	21	24	21	1	11	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	4	22	18	0	2	16	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	6	24	22	0	4	18	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	0	5	2	0	0	2	3	0	0	3
TEENAGE FERTILITY RATE	43.0	0.9	86.2 (15-19)		39.6	0.0	79.7 (15-19)		60.7	5.5	122.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	32.6	0.0	0.0	56.6	28.2	0.0	0.0	45.4	47.6	0.0	0.0	111.1
TEENAGE PREGNANCIES#	95	1	38	56	73	0	27	46	22	1	11	10
TEENAGE PREGNANCY RATE	44.4	0.9	89.1 (15-19)		40.7	0.0	81.9 (15-19)		63.6	5.5	128.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	10.9	0.0	0.0	18.9	0.0	0.0	0.0	0.0	47.6	0.0	0.0	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,466	919	466	453	181
WHITE	7,626	436	228	208	78
NONWHITE	5,840	483	238	245	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	12	19	9	0	3	6	22	0	9	13
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	25	0	10	15	4	0	1	3	21	0	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.7	0.0	68.4 (15-19)		20.6	0.0	43.3 (15-19)		45.5	0.0	89.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	64.5	0.0	166.7	0.0	0.0	0.0	0.0	0.0	90.9	0.0	222.2	0.0
TEENAGE PREGNANCIES#	33	0	14	19	9	0	3	6	24	0	11	13
TEENAGE PREGNANCY RATE	35.9	0.0	72.8 (15-19)		20.6	0.0	43.3 (15-19)		49.7	0.0	98.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,644	1,383	657	726	314
WHITE	11,520	667	328	339	142
NONWHITE	8,124	716	329	387	172

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	0	17	47	21	0	4	17	43	0	13	30
TEENAGE IMMATURE BIRTHS	11	0	7	4	1	0	0	1	10	0	7	3
TEENAGE PREMATURE BIRTHS	11	0	4	7	2	0	0	2	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	56	0	16	40	14	0	3	11	42	0	13	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	3	0	1	2	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	6	0	1	5	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	4	6	3	0	2	1	7	0	2	5
TEENAGE FERTILITY RATE	46.3	0.0	88.2 (15-19)		31.5	0.0	61.9 (15-19)		60.0	0.0	111.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	93.8	0.0	117.6	85.1	95.2	0.0	250.0	58.8	93.0	0.0	76.9	100.0
TEENAGE PREGNANCIES#	70	0	19	51	23	0	5	18	47	0	14	33
TEENAGE PREGNANCY RATE	50.6	0.0	96.4 (15-19)		34.5	0.0	67.8 (15-19)		65.6	0.0	121.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	31.3	0.0	58.8	21.3	0.0	0.0	0.0	0.0	46.5	0.0	76.9	33.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,873	548	305	243	127
WHITE	5,119	280	163	117	68
NONWHITE	2,754	268	142	126	59

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	10	16	13	0	5	8	13	0	5	8
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	18	0	6	12	5	0	1	4	13	0	5	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	3	0	0	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	47.4	0.0	107.0 (15-19)		46.4	0.0	111.1 (15-19)		48.5	0.0	103.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	38.5	0.0	100.0	0.0	0.0	0.0	0.0	0.0	76.9	0.0	200.0	0.0
TEENAGE PREGNANCIES#	27	0	11	16	13	0	5	8	14	0	6	8
TEENAGE PREGNANCY RATE	49.3	0.0	111.1 (15-19)		46.4	0.0	111.1 (15-19)		52.2	0.0	111.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,352	3,154	1,421	1,733	678
WHITE	12,823	775	286	489	182
NONWHITE	25,529	2,379	1,135	1,244	496

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	141	3	49	89	19	0	3	16	122	3	46	73
TEENAGE IMMATURE BIRTHS	17	0	4	13	1	0	0	1	16	0	4	12
TEENAGE PREMATURE BIRTHS	29	1	7	21	4	0	0	4	25	1	7	17
TEENAGE ILLEGITIMATE BIRTHS	134	3	48	83	14	0	3	11	120	3	45	72
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	7	27	5	0	0	5	29	0	7	22
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	8	35	6	0	0	6	37	0	8	29
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	4	4	0	0	0	0	9	1	4	4
TEENAGE FERTILITY RATE	44.7	2.1	79.6 (15-19)		24.5	0.0	38.8 (15-19)		51.3	2.6	95.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	21.3	0.0	20.4	22.5	0.0	0.0	0.0	0.0	24.6	0.0	21.7	27.4
TEENAGE INDUCED TERMINATIONS#	22	1	9	12	4	0	2	2	18	1	7	10
TEENAGE INDUCED TERMINATION RATIO	156.0	333.3	183.7	134.8	210.5	0.0	666.7	125.0	147.5	333.3	152.2	137.0
TEENAGE PREGNANCIES#	166	4	59	103	23	0	5	18	143	4	54	85
TEENAGE PREGNANCY RATE	52.6	2.8	93.5 (15-19)		29.7	0.0	47.0 (15-19)		60.1	3.5	111.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3
INFANT MORTALITY RATE, TEEN MOMS	21.3	0.0	0.0	33.7	0.0	0.0	0.0	0.0	24.6	0.0	0.0	41.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,647	922	477	445	198
WHITE	10,265	552	296	256	122
NONWHITE	4,382	370	181	189	76

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	12	19	9	0	1	8	23	1	11	11
TEENAGE IMMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE PREMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	26	1	11	14	3	0	0	3	23	1	11	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	2	0	0	2	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	4	0	0	4	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	34.7	2.1	69.7 (15-19)	16.3	16.3	0.0	35.2 (15-19)	62.2	62.2	5.5	116.4 (15-19)	116.4
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	4	2	1	0	1	0	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	187.5	0.0	333.3	105.3	111.1	0.0	1000.0	0.0	217.4	0.0	272.7	181.8
TEENAGE PREGNANCIES#	38	1	16	21	10	0	2	8	28	1	14	13
TEENAGE PREGNANCY RATE	41.2	2.1	83.1 (15-19)	18.1	18.1	0.0	39.1 (15-19)	75.7	75.7	5.5	142.8 (15-19)	142.8
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,326	647	306	341	114
WHITE	6,729	346	168	178	68
NONWHITE	3,597	301	138	163	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	5	11	7	0	1	6	9	0	4	5
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	13	0	5	8	4	0	1	3	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	24.7	0.0	46.9 (15-19)		20.2	0.0	39.3 (15-19)		29.9	0.0	55.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	125.0	0.0	200.0	90.9	0.0	0.0	0.0	0.0	222.2	0.0	250.0	200.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	187.5	0.0	400.0	90.9	285.7	0.0	1000.0	166.7	111.1	0.0	250.0	0.0
TEENAGE PREGNANCIES#	21	0	8	13	9	0	2	7	12	0	6	6
TEENAGE PREGNANCY RATE	32.4	0.0	61.6 (15-19)		26.0	0.0	50.6 (15-19)		39.9	0.0	73.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,998	1,380	724	656	304
WHITE	10,921	629	373	256	145
NONWHITE	8,077	751	351	400	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	0	24	52	30	0	11	19	46	0	13	33
TEENAGE IMMATURE BIRTHS	7	0	2	5	4	0	2	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	8	0	3	5	3	0	2	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	62	0	21	41	18	0	9	9	44	0	12	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	8	0	2	6	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	8	0	2	6	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE	55.1	0.0	115.8	(15-19)	47.7	0.0	117.2	(15-19)	61.2	0.0	115.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	4	5	2	0	2	0	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	118.4	0.0	166.7	96.2	66.7	0.0	181.8	0.0	152.2	0.0	153.8	151.5
TEENAGE PREGNANCIES#	85	0	28	57	32	0	13	19	53	0	15	38
TEENAGE PREGNANCY RATE	61.6	0.0	129.6	(15-19)	50.9	0.0	125.0	(15-19)	70.6	0.0	132.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.2	0.0	0.0	19.2	0.0	0.0	0.0	0.0	21.7	0.0	0.0	30.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,401	747	349	398	125
WHITE	6,442	467	210	257	69
NONWHITE	2,959	280	139	141	56

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	0	8	12	6	0	3	3	14	0	5	9
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	17	0	8	9	4	0	3	1	13	0	5	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	3	2	0	0	0	0	5	0	3	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	26.8	0.0	50.2 (15-19)		12.8	0.0	23.3 (15-19)		50.0	0.0	99.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	20	0	8	12	6	0	3	3	14	0	5	9
TEENAGE PREGNANCY RATE	26.8	0.0	50.2 (15-19)		12.8	0.0	23.3 (15-19)		50.0	0.0	99.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,487	1,121	373	748	166
WHITE	1,675	67	31	36	12
NONWHITE	9,812	1,054	342	712	154

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	15	12	0	0	0	0	27	0	15	12
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	27	0	15	12	0	0	0	0	27	0	15	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	24.1	0.0	36.1 (15-19)		0.0	0.0	0.0 (15-19)		25.6	0.0	37.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	1	0	1	0	7	0	1	6
TEENAGE INDUCED TERMINATION RATIO	296.3	0.0	133.3	500.0	-	0.0	-	0.0	259.2	0.0	66.7	500.0
TEENAGE PREGNANCIES#	35	0	17	18	1	0	1	0	34	0	16	18
TEENAGE PREGNANCY RATE	31.2	0.0	46.8 (15-19)		14.9	0.0	27.8 (15-19)		32.2	0.0	47.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,631	1,248	621	627	254
WHITE	11,553	755	382	373	116
NONWHITE	6,078	493	239	254	138

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	1	14	20	19	0	9	10	16	1	5	10
TEENAGE IMMATURE BIRTHS	9	0	6	3	4	0	3	1	5	0	3	2
TEENAGE PREMATURE BIRTHS	11	0	5	6	5	0	3	2	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	29	1	11	17	14	0	6	8	15	1	5	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	4	0	1	3	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	3	4	4	0	1	3	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	28.0	1.6	54.2 (15-19)		25.2	0.0	50.9 (15-19)		32.4	4.2	59.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	171.4	0.0	142.8	200.0	105.3	0.0	0.0	200.0	250.0	0.0	400.0	200.0
TEENAGE PREGNANCIES#	41	1	16	24	21	0	9	12	20	1	7	12
TEENAGE PREGNANCY RATE	32.8	1.6	63.8 (15-19)		27.8	0.0	56.3 (15-19)		40.6	4.2	74.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,210	1,573	805	768	297
WHITE	9,005	459	260	199	97
NONWHITE	12,205	1,114	545	569	200

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	0	17	31	10	0	3	7	38	0	14	24
TEENAGE IMMATURE BIRTHS	8	0	0	8	2	0	0	2	6	0	0	6
TEENAGE PREMATURE BIRTHS	10	0	2	8	0	0	0	0	10	0	2	8
TEENAGE ILLEGITIMATE BIRTHS	45	0	15	30	8	0	1	7	37	0	14	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	1	0	0	1	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	1	0	0	1	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	30.5	0.0	62.5 (15-19)		21.8	0.0	50.2 (15-19)		34.1	0.0	66.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.8	0.0	0.0	32.2	0.0	0.0	0.0	0.0	26.3	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	8	0	4	4	2	0	0	2	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	166.7	0.0	235.3	129.0	200.0	0.0	0.0	285.7	157.9	0.0	285.7	83.3
TEENAGE PREGNANCIES#	57	0	21	36	12	0	3	9	45	0	18	27
TEENAGE PREGNANCY RATE	36.2	0.0	74.2 (15-19)		26.1	0.0	60.3 (15-19)		40.4	0.0	79.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,420	2,486	1,252	1,234	515
WHITE	7,200	406	195	211	65
NONWHITE	21,220	2,080	1,057	1,023	450

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	104	2	38	64	5	0	3	2	99	2	35	62
TEENAGE IMMATURE BIRTHS	13	1	4	8	0	0	0	0	13	1	4	8
TEENAGE PREMATURE BIRTHS	21	0	9	12	1	0	0	1	20	0	9	11
TEENAGE ILLEGITIMATE BIRTHS	102	2	38	62	3	0	3	0	99	2	35	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	7	26	0	0	0	0	33	0	7	26
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	9	28	1	0	1	0	36	0	8	28
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	41.8	1.6	82.6 (15-19)		12.3	0.0	23.7 (15-19)		47.6	1.9	94.8 (15-19)	
TEENAGE FETAL DEATHS**	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FETAL DEATH RATIO	28.8	500.0	0.0	31.2	0.0	0.0	0.0	0.0	30.3	500.0	0.0	32.2
TEENAGE INDUCED TERMINATIONS#	18	3	5	10	0	0	0	0	18	3	5	10
TEENAGE INDUCED TERMINATION RATIO	173.1	1500.0	131.6	156.2	0.0	0.0	0.0	0.0	181.8	1500.0	142.8	161.3
TEENAGE PREGNANCIES#	125	6	43	76	5	0	3	2	120	6	40	74
TEENAGE PREGNANCY RATE	50.3	4.8	96.4 (15-19)		12.3	0.0	23.7 (15-19)		57.7	5.7	111.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.6	0.0	0.0	15.6	0.0	0.0	0.0	0.0	10.1	0.0	0.0	16.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,223	2,280	987	1,293	527
WHITE	14,154	843	373	470	192
NONWHITE	15,069	1,437	614	823	335

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	3	25	72	24	2	3	19	76	1	22	53
TEENAGE IMMATURE BIRTHS	21	1	5	15	1	0	1	0	20	1	4	15
TEENAGE PREMATURE BIRTHS	23	0	6	17	5	0	2	3	18	0	4	14
TEENAGE ILLEGITIMATE BIRTHS	91	3	25	63	17	2	3	12	74	1	22	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	2	0	0	2	16	0	1	15
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	1	21	3	0	0	3	19	0	1	18
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	2	0	0	2	6	0	2	4
TEENAGE FERTILITY RATE	43.9	3.0	75.0 (15-19)		28.5	5.4	46.8 (15-19)		52.9	1.6	91.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	10.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	13.2	0.0	45.4	0.0
TEENAGE INDUCED TERMINATIONS#	13	0	5	8	2	0	2	0	11	0	3	8
TEENAGE INDUCED TERMINATION RATIO	130.0	0.0	200.0	111.1	83.3	0.0	666.7	0.0	144.7	0.0	136.4	150.9
TEENAGE PREGNANCIES#	114	3	31	80	26	2	5	19	88	1	26	61
TEENAGE PREGNANCY RATE	50.0	3.0	85.8 (15-19)		30.8	5.4	51.1 (15-19)		61.2	1.6	105.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	20.0	0.0	0.0	27.8	0.0	0.0	0.0	0.0	26.3	0.0	0.0	37.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,447	1,553	786	767	327
WHITE	12,923	858	424	434	172
NONWHITE	7,524	695	362	333	155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	1	22	41	22	0	7	15	42	1	15	26
TEENAGE IMMATURE BIRTHS	11	0	2	9	2	0	0	2	9	0	2	7
TEENAGE PREMATURE BIRTHS	10	0	4	6	3	0	2	1	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	58	1	21	36	16	0	6	10	42	1	15	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	6	0	1	5	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	6	0	1	5	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	1	0	4	0	1	3
TEENAGE FERTILITY RATE	41.2	1.3	82.1 (15-19)		25.6	0.0	50.7 (15-19)		60.4	2.8	123.1 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	46.9	0.0	0.0	73.2	45.4	0.0	0.0	66.7	47.6	0.0	0.0	76.9
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	31.2	0.0	0.0	48.8	0.0	0.0	0.0	0.0	47.6	0.0	0.0	76.9
TEENAGE PREGNANCIES#	69	1	22	46	23	0	7	16	46	1	15	30
TEENAGE PREGNANCY RATE	44.4	1.3	88.6 (15-19)		26.8	0.0	53.0 (15-19)		66.2	2.8	135.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	31.3	0.0	0.0	48.8	90.9	0.0	0.0	133.3	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	144,706	10,131	5,271	4,860	2,194
WHITE	113,982	7,520	3,896	3,624	1,717
NONWHITE	30,724	2,611	1,375	1,236	477

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	241	3	81	157	171	0	50	121	70	3	31	36
TEENAGE IMMATURE BIRTHS	27	1	6	20	13	0	2	11	14	1	4	9
TEENAGE PREMATURE BIRTHS	35	1	13	21	21	0	6	15	14	1	7	6
TEENAGE ILLEGITIMATE BIRTHS	204	3	77	124	136	0	47	89	68	3	30	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	9	37	30	0	1	29	16	0	8	8
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	9	39	31	0	1	30	17	0	8	9
TEENS WITH INADEQUATE* PRENATAL CARE	33	2	12	19	20	0	3	17	13	2	9	2
TEENAGE FERTILITY RATE	23.8	0.6	49.0	(15-19)	22.7	0.0	47.2	(15-19)	26.8	2.2	54.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	61	2	17	42	35	1	9	25	26	1	8	17
TEENAGE INDUCED TERMINATION RATIO	253.1	666.7	209.9	267.5	204.7	-	180.0	206.6	371.4	333.3	258.1	472.2
TEENAGE PREGNANCIES#	302	5	98	199	206	1	59	146	96	4	39	53
TEENAGE PREGNANCY RATE	29.8	0.9	61.1	(15-19)	27.4	0.2	56.6	(15-19)	36.8	2.9	74.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	7	1	4	2	2	0	1	1	5	1	3	1
INFANT MORTALITY RATE, TEEN MOMS	29.0	333.3	49.4	12.7	11.7	0.0	20.0	8.3	71.4	333.3	96.8	27.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,372	5,777	2,401	3,376	1,251
WHITE	47,707	3,045	1,190	1,855	670
NONWHITE	28,665	2,732	1,211	1,521	581

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	214	6	73	135	89	1	29	59	125	5	44	76
TEENAGE IMMATURE BIRTHS	29	0	8	21	9	0	4	5	20	0	4	16
TEENAGE PREMATURE BIRTHS	36	2	15	19	11	1	3	7	25	1	12	12
TEENAGE ILLEGITIMATE BIRTHS	194	6	66	122	70	1	22	47	124	5	44	75
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	13	38	24	0	7	17	27	0	6	21
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	14	45	27	0	8	19	32	0	6	26
TEENS WITH INADEQUATE* PRENATAL CARE	15	2	10	3	8	1	5	2	7	1	5	1
TEENAGE FERTILITY RATE	37.0	2.5	61.6 (15-19)		29.2	0.8	47.4 (15-19)		45.8	4.1	78.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	5	19	7	0	3	4	18	1	2	15
TEENAGE INDUCED TERMINATION RATIO	116.8	166.7	68.5	140.7	78.6	0.0	103.4	67.8	144.0	200.0	45.4	197.4
TEENAGE PREGNANCIES#	239	7	78	154	96	1	32	63	143	6	46	91
TEENAGE PREGNANCY RATE	41.4	2.9	68.7 (15-19)		31.5	0.8	51.2 (15-19)		52.3	5.0	90.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	4.7	0.0	0.0	7.4	0.0	0.0	0.0	0.0	8.0	0.0	0.0	13.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,269	548	266	282	114
WHITE	5,228	280	148	132	60
NONWHITE	3,041	268	118	150	54

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	7	10	7	0	4	3	10	0	3	7
TEENAGE IMMATURE BIRTHS	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	14	0	6	8	4	0	3	1	10	0	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	3	0	1	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	31.0	0.0	60.3 (15-19)		25.0	0.0	53.0 (15-19)		37.3	0.0	66.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	117.6	0.0	142.8	100.0	285.7	0.0	250.0	333.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	19	0	8	11	9	0	5	4	10	0	3	7
TEENAGE PREGNANCY RATE	34.7	0.0	67.4 (15-19)		32.1	0.0	68.2 (15-19)		37.3	0.0	66.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,828	1,494	794	700	376
WHITE	19,669	1,320	699	621	342
NONWHITE	2,159	174	95	79	34

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	2	26	48	67	1	23	43	9	1	3	5
TEENAGE IMMATURE BIRTHS	10	0	1	9	10	0	1	9	0	0	0	0
TEENAGE PREMATURE BIRTHS	13	0	4	9	12	0	4	8	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	56	2	20	34	47	1	17	29	9	1	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	11	0	2	9	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	13	0	2	11	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	4	4	8	0	4	4	1	1	0	0
TEENAGE FERTILITY RATE	50.9	2.5	105.7	(15-19)	50.8	1.4	106.3	(15-19)	51.7	10.5	101.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	13.2	0.0	0.0	20.8	14.9	0.0	0.0	23.2	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	3	1	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	39.5	500.0	0.0	41.7	44.8	1000.0	0.0	46.5	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	80	3	26	51	71	2	23	46	9	1	3	5
TEENAGE PREGNANCY RATE	53.5	3.8	110.0	(15-19)	53.8	2.9	111.1	(15-19)	51.7	10.5	101.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	3	0	1	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	39.5	0.0	38.5	41.7	44.8	0.0	43.5	46.5	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,103	800	426	374	147
WHITE	9,500	634	347	287	113
NONWHITE	3,603	166	79	87	34

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	0	8	14	16	0	6	10	6	0	2	4
TEENAGE IMMATURE BIRTHS	7	0	3	4	1	0	1	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	16	0	6	10	10	0	4	6	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	27.5	0.0	58.8 (15-19)		25.2	0.0	55.7 (15-19)		36.1	0.0	69.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	22	0	8	14	16	0	6	10	6	0	2	4
TEENAGE PREGNANCY RATE	27.5	0.0	58.8 (15-19)		25.2	0.0	55.7 (15-19)		36.1	0.0	69.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,861	1,739	851	888	333
WHITE	13,116	862	427	435	160
NONWHITE	9,745	877	424	453	173

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	0	25	29	16	0	3	13	38	0	22	16
TEENAGE IMMATURE BIRTHS	7	0	4	3	1	0	1	0	6	0	3	3
TEENAGE PREMATURE BIRTHS	10	0	7	3	0	0	0	0	10	0	7	3
TEENAGE ILLEGITIMATE BIRTHS	50	0	25	25	12	0	3	9	38	0	22	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	5	5	1	0	0	1	9	0	5	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	6	5	1	0	0	1	10	0	6	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	31.0	0.0	60.8 (15-19)		18.6	0.0	36.8 (15-19)		43.3	0.0	83.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	92.6	0.0	80.0	103.4	125.0	0.0	0.0	153.8	78.9	0.0	90.9	62.5
TEENAGE PREGNANCIES#	59	0	27	32	18	0	3	15	41	0	24	17
TEENAGE PREGNANCY RATE	33.9	0.0	66.4 (15-19)		20.9	0.0	41.4 (15-19)		46.8	0.0	90.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	37.0	0.0	80.0	0.0	0.0	0.0	0.0	0.0	52.6	0.0	90.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,421	2,753	1,381	1,372	482
WHITE	36,535	2,427	1,218	1,209	442
NONWHITE	3,886	326	163	163	40

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	2	26	53	73	1	24	48	8	1	2	5
TEENAGE IMMATURE BIRTHS	10	1	4	5	8	0	4	4	2	1	0	1
TEENAGE PREMATURE BIRTHS	15	0	9	6	14	0	9	5	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	70	2	25	43	62	1	23	38	8	1	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	13	0	3	10	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	14	0	3	11	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE FERTILITY RATE	29.4	1.4	57.6 (15-19)		30.1	0.8	59.6 (15-19)		24.5	6.1	42.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	2	0	2	0	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	86.4	0.0	153.8	56.6	27.4	0.0	83.3	0.0	625.0	0.0	1000.0	600.0
TEENAGE PREGNANCIES#	88	2	30	56	75	1	26	48	13	1	4	8
TEENAGE PREGNANCY RATE	32.0	1.4	62.7 (15-19)		30.9	0.8	61.2 (15-19)		39.9	6.1	73.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	171,875	12,132	6,252	5,880	2,656
WHITE	123,452	7,703	3,929	3,774	1,822
NONWHITE	48,423	4,429	2,323	2,106	834

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	379	4	117	258	236	2	70	164	143	2	47	94
TEENAGE IMMATURE BIRTHS	45	0	13	32	20	0	6	14	25	0	7	18
TEENAGE PREMATURE BIRTHS	72	0	25	47	36	0	12	24	36	0	13	23
TEENAGE ILLEGITIMATE BIRTHS	326	4	108	214	188	2	61	125	138	2	47	89
TEENS WHO HAD PREVIOUS LIVE BIRTHS	72	0	14	58	35	0	3	32	37	0	11	26
TEENS WHO HAD PREVIOUS PREGNANCIES	95	0	19	76	51	0	8	43	44	0	11	33
TEENS WITH INADEQUATE* PRENATAL CARE	42	1	16	25	21	0	8	13	21	1	8	12
TEENAGE FERTILITY RATE	31.2	0.6	63.8 (15-19)		30.6	0.5	62.0 (15-19)		32.3	0.9	67.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	2.6	0.0	8.5	0.0	4.2	0.0	14.3	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	29	1	12	16	21	1	7	13	8	0	5	3
TEENAGE INDUCED TERMINATION RATIO	76.5	250.0	102.6	62.0	89.0	500.0	100.0	79.3	55.9	0.0	106.4	31.9
TEENAGE PREGNANCIES#	409	5	130	274	258	3	78	177	151	2	52	97
TEENAGE PREGNANCY RATE	33.7	0.8	68.7 (15-19)		33.5	0.8	67.6 (15-19)		34.1	0.9	70.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	0	2	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.9	0.0	8.5	7.8	8.5	0.0	0.0	12.2	7.0	0.0	21.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	249,012	19,594	9,333	10,261	4,142
WHITE	80,756	4,558	1,973	2,585	987
NONWHITE	168,256	15,036	7,360	7,676	3,155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	675	22	221	432	86	0	22	64	589	22	199	368
TEENAGE IMMATURE BIRTHS	134	9	46	79	8	0	2	6	126	9	44	73
TEENAGE PREMATURE BIRTHS	166	8	56	102	16	0	5	11	150	8	51	91
TEENAGE ILLEGITIMATE BIRTHS	639	22	214	403	62	0	17	45	577	22	197	358
TEENS WHO HAD PREVIOUS LIVE BIRTHS	176	3	33	140	16	0	1	15	160	3	32	125
TEENS WHO HAD PREVIOUS PREGNANCIES	210	3	40	167	21	0	3	18	189	3	37	149
TEENS WITH INADEQUATE* PRENATAL CARE	75	6	31	38	9	0	1	8	66	6	30	30
TEENAGE FERTILITY RATE	34.4	2.4	63.6 (15-19)		18.9	0.0	33.3 (15-19)		39.2	3.0	73.9 (15-19)	
TEENAGE FETAL DEATHS**	13	2	4	7	0	0	0	0	13	2	4	7
TEENAGE FETAL DEATH RATIO	19.2	90.9	18.1	16.2	0.0	0.0	0.0	0.0	22.1	90.9	20.1	19.0
TEENAGE INDUCED TERMINATIONS#	153	6	34	113	15	0	2	13	138	6	32	100
TEENAGE INDUCED TERMINATION RATIO	226.7	272.7	153.8	261.6	174.4	0.0	90.9	203.1	234.3	272.7	160.8	271.7
TEENAGE PREGNANCIES#	841	30	259	552	101	0	24	77	740	30	235	475
TEENAGE PREGNANCY RATE	42.9	3.2	79.0 (15-19)		22.2	0.0	39.1 (15-19)		49.2	4.1	92.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	11	3	2	6	2	0	0	2	9	3	2	4
INFANT MORTALITY RATE, TEEN MOMS	16.3	136.4	9.1	13.9	23.3	0.0	0.0	31.3	15.3	136.4	10.1	10.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,866	1,830	888	942	433
WHITE	3,790	219	61	158	33
NONWHITE	17,076	1,611	827	784	400

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	3	34	63	2	0	1	1	98	3	33	62
TEENAGE IMMATURE BIRTHS	20	1	8	11	0	0	0	0	20	1	8	11
TEENAGE PREMATURE BIRTHS	24	0	8	16	0	0	0	0	24	0	8	16
TEENAGE ILLEGITIMATE BIRTHS	96	3	33	60	0	0	0	0	96	3	33	60
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	8	19	0	0	0	0	27	0	8	19
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	9	27	0	0	0	0	36	0	9	27
TEENS WITH INADEQUATE* PRENATAL CARE	24	0	8	16	0	0	0	0	24	0	8	16
TEENAGE FERTILITY RATE	54.6	3.4	103.0	(15-19)	9.1	0.0	12.6	(15-19)	60.8	3.6	121.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.0	0.0	0.0	15.9	0.0	0.0	0.0	0.0	10.2	0.0	0.0	16.1
TEENAGE INDUCED TERMINATIONS#	17	1	8	8	2	0	1	1	15	1	7	7
TEENAGE INDUCED TERMINATION RATIO	170.0	333.3	235.3	127.0	1000.0	0.0	1000.0	1000.0	153.1	333.3	212.1	112.9
TEENAGE PREGNANCIES#	118	4	42	72	4	0	2	2	114	4	40	70
TEENAGE PREGNANCY RATE	64.5	4.5	121.0	(15-19)	18.3	0.0	25.3	(15-19)	70.8	4.8	140.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	1	1	0	0	0	0	3	1	1	1
INFANT MORTALITY RATE, TEEN MOMS	30.0	333.3	29.4	15.9	0.0	0.0	0.0	0.0	30.6	333.3	30.3	16.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,393	878	446	432	238
WHITE	2,662	153	71	82	36
NONWHITE	7,731	725	375	350	202

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	25	41	8	0	2	6	60	2	23	35
TEENAGE IMMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	12	0	5	7	3	0	2	1	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	67	2	25	40	7	0	2	5	60	2	23	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	1	0	0	1	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	2	0	0	2	17	0	3	14
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE FERTILITY RATE	77.4	4.5	152.8	(15-19)	52.3	0.0	97.6	(15-19)	82.8	5.3	165.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	88.2	0.0	80.0	97.6	0.0	0.0	0.0	0.0	100.0	0.0	87.0	114.3
TEENAGE PREGNANCIES#	74	2	27	45	8	0	2	6	66	2	25	39
TEENAGE PREGNANCY RATE	84.3	4.5	166.7	(15-19)	52.3	0.0	97.6	(15-19)	91.0	5.3	182.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.7	0.0	0.0	24.4	0.0	0.0	0.0	0.0	16.7	0.0	0.0	28.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,805	131	66	65	24
WHITE	709	33	12	21	3
NONWHITE	1,096	98	54	44	21

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		38.2	0.0	76.9 (15-19)		30.3	0.0	47.6 (15-19)		40.8	0.0	90.9 (15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	200.0	0.0	0.0	200.0	1000.0	0.0	0.0	1000.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	6	0	0	6	2	0	0	2	4	0	0	4
TEENAGE PREGNANCY RATE	45.8	0.0	92.3 (15-19)		60.6	0.0	95.2 (15-19)		40.8	0.0	90.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,352	1,774	777	997	289
WHITE	21,610	1,579	723	856	256
NONWHITE	1,742	195	54	141	33

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	1	14	32	40	1	11	28	7	0	3	4
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	34	1	12	21	27	1	9	17	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	6	0	0	6	2	0	2	0
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	8	0	1	7	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	26.5	1.3	46.1 (15-19)		25.3	1.4	45.6 (15-19)		35.9	0.0	49.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	1	1	3	1	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	63.8	1000.0	71.4	31.2	75.0	1000.0	90.9	35.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	50	2	15	33	43	2	12	29	7	0	3	4
TEENAGE PREGNANCY RATE	28.2	2.6	48.1 (15-19)		27.2	2.8	47.9 (15-19)		35.9	0.0	49.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	21.3	0.0	0.0	31.3	25.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	130,577	9,547	4,802	4,745	1,922
WHITE	97,500	6,591	3,284	3,307	1,360
NONWHITE	33,077	2,956	1,518	1,438	562

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	307	5	100	202	202	3	55	144	105	2	45	58
TEENAGE IMMATURE BIRTHS	35	2	9	24	15	0	3	12	20	2	6	12
TEENAGE PREMATURE BIRTHS	33	1	8	24	22	1	5	16	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	264	5	93	166	161	3	48	110	103	2	45	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	49	0	7	42	23	0	1	22	26	0	6	20
TEENS WHO HAD PREVIOUS PREGNANCIES	65	0	11	54	37	0	5	32	28	0	6	22
TEENS WITH INADEQUATE* PRENATAL CARE	16	1	5	10	10	1	2	7	6	0	3	3
TEENAGE FERTILITY RATE	32.2	1.0	63.6 (15-19)		30.6	0.9	60.2 (15-19)		35.5	1.3	71.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	35	1	14	20	20	1	9	10	15	0	5	10
TEENAGE INDUCED TERMINATION RATIO	114.0	200.0	140.0	99.0	99.0	333.3	163.6	69.4	142.8	0.0	111.1	172.4
TEENAGE PREGNANCIES#	342	6	114	222	222	4	64	154	120	2	50	68
TEENAGE PREGNANCY RATE	35.8	1.2	70.8 (15-19)		33.7	1.2	65.9 (15-19)		40.6	1.3	82.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	9.8	0.0	0.0	14.9	5.0	0.0	0.0	6.9	19.0	0.0	0.0	34.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,197	1,337	664	673	279
WHITE	8,536	474	242	232	107
NONWHITE	9,661	863	422	441	172

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	2	16	25	11	0	5	6	32	2	11	19
TEENAGE IMMATURE BIRTHS	10	1	4	5	5	0	3	2	5	1	1	3
TEENAGE PREMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	36	2	14	20	5	0	3	2	31	2	11	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	3	0	0	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE FERTILITY RATE	32.2	3.0	60.9 (15-19)	23.2	23.2	0.0	47.4 (15-19)	37.1	37.1	4.7	68.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	46.5	0.0	62.5	40.0	0.0	0.0	0.0	0.0	62.5	0.0	90.9	52.6
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	116.3	0.0	62.5	160.0	0.0	0.0	0.0	0.0	156.2	0.0	90.9	210.5
TEENAGE PREGNANCIES#	50	2	18	30	11	0	5	6	39	2	13	24
TEENAGE PREGNANCY RATE	37.4	3.0	71.3 (15-19)	23.2	23.2	0.0	47.4 (15-19)	45.2	45.2	4.7	83.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,194	709	346	363	131
WHITE	1,241	50	23	27	9
NONWHITE	7,953	659	323	336	122

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	2	19	19	1	0	1	0	39	2	18	19
TEENAGE IMMATURE BIRTHS	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE PREMATURE BIRTHS	10	0	4	6	0	0	0	0	10	0	4	6
TEENAGE ILLEGITIMATE BIRTHS	39	2	18	19	0	0	0	0	39	2	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	0	0	0	0	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE FERTILITY RATE	56.4	5.8	104.7	(15-19)	20.0	0.0	37.0	(15-19)	59.2	6.2	110.1	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	50.0	0.0	0.0	105.3	0.0	0.0	0.0	0.0	51.3	0.0	0.0	105.3
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	75.0	0.0	105.3	52.6	0.0	0.0	0.0	0.0	76.9	0.0	111.1	52.6
TEENAGE PREGNANCIES#	45	2	21	22	1	0	1	0	44	2	20	22
TEENAGE PREGNANCY RATE	63.5	5.8	118.4	(15-19)	20.0	0.0	37.0	(15-19)	66.8	6.2	125.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,184	979	516	463	206
WHITE	5,497	302	143	159	52
NONWHITE	7,687	677	373	304	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	3	16	28	6	0	2	4	41	3	14	24
TEENAGE IMMATURE BIRTHS	11	0	4	7	3	0	2	1	8	0	2	6
TEENAGE PREMATURE BIRTHS	6	0	4	2	2	0	2	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	45	3	16	26	4	0	2	2	41	3	14	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	2	0	1	1	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	2	0	1	1	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	48.0	5.8	95.0 (15-19)	19.9	0.0	37.7 (15-19)	60.6	8.0	125.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	63.8	0.0	125.0	35.7	0.0	0.0	0.0	0.0	73.2	0.0	142.8	41.7
TEENAGE PREGNANCIES#	50	3	18	29	6	0	2	4	44	3	16	25
TEENAGE PREGNANCY RATE	51.1	5.8	101.5 (15-19)	19.9	0.0	37.7 (15-19)	65.0	8.0	134.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	66,715	4,508	2,158	2,350	1,156
WHITE	47,735	2,800	1,301	1,499	765
NONWHITE	18,980	1,708	857	851	391

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	211	1	71	139	113	0	34	79	98	1	37	60
TEENAGE IMMATURE BIRTHS	19	0	8	11	4	0	3	1	15	0	5	10
TEENAGE PREMATURE BIRTHS	22	0	7	15	10	0	2	8	12	0	5	7
TEENAGE ILLEGITIMATE BIRTHS	175	1	63	111	81	0	27	54	94	1	36	57
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	13	33	26	0	8	18	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	15	44	33	0	8	25	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE FERTILITY RATE	46.8	0.5	89.4	(15-19)	40.4	0.0	75.4	(15-19)	57.4	1.2	114.0	(15-19)
TEENAGE FETAL DEATHS**	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE FETAL DEATH RATIO	23.7	0.0	42.2	14.4	8.8	0.0	0.0	12.6	40.8	0.0	81.1	16.7
TEENAGE INDUCED TERMINATIONS#	12	1	2	9	4	0	0	4	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	56.9	1000.0	28.2	64.7	35.4	0.0	0.0	50.6	71.4	1000.0	54.0	66.7
TEENAGE PREGNANCIES#	228	2	76	150	118	0	34	84	109	2	42	65
TEENAGE PREGNANCY RATE	50.6	0.9	96.2	(15-19)	42.1	0.0	78.7	(15-19)	63.8	2.3	125.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,108	747	335	412	142
WHITE	3,828	207	86	121	29
NONWHITE	6,280	540	249	291	113

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	1	7	8	4	0	1	3	12	1	6	5
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	5	1	2	2	1	0	0	1	4	1	2	1
TEENAGE ILLEGITIMATE BIRTHS	16	1	7	8	4	0	1	3	12	1	6	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FERTILITY RATE	21.4	3.0	36.4 (15-19)	19.3	0.0	33.0 (15-19)	22.2	4.0	37.8 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	285.7	0.0	250.0	0.0	1000.0	0.0	83.3	0.0	166.7	0.0
TEENAGE PREGNANCIES#	18	1	9	8	5	0	2	3	13	1	7	5
TEENAGE PREGNANCY RATE	24.1	3.0	41.3 (15-19)	24.2	0.0	41.3 (15-19)	24.1	4.0	41.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,865	3,142	1,025	2,117	544
WHITE	29,560	2,242	613	1,629	349
NONWHITE	11,305	900	412	488	195

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	1	14	34	26	1	8	17	23	0	6	17
TEENAGE IMMATURE BIRTHS	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	10	0	2	8	5	0	2	3	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	39	1	12	26	17	1	6	10	22	0	6	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	6	0	0	6	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	6	0	0	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	3	7	6	0	3	3	4	0	0	4
TEENAGE FERTILITY RATE	15.6	1.0	22.7 (15-19)		11.6	1.6	15.3 (15-19)		25.6	0.0	47.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.4	0.0	0.0	29.4	38.5	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	0	4	11	10	0	3	7	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	306.1	0.0	285.7	323.5	384.6	0.0	375.0	411.8	173.9	0.0	166.7	176.5
TEENAGE PREGNANCIES#	65	1	18	46	37	1	11	25	27	0	7	20
TEENAGE PREGNANCY RATE	20.7	1.0	30.2 (15-19)		16.5	1.6	22.1 (15-19)		30.0	0.0	55.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	20.4	0.0	71.4	0.0	38.5	0.0	125.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	46,240	3,275	1,671	1,604	789
WHITE	38,633	2,566	1,301	1,265	620
NONWHITE	7,607	709	370	339	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	2	25	54	53	1	15	37	28	1	10	17
TEENAGE IMMATURE BIRTHS	12	0	3	9	9	0	2	7	3	0	1	2
TEENAGE PREMATURE BIRTHS	14	0	5	9	9	0	2	7	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	60	1	21	38	32	0	11	21	28	1	10	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	12	0	2	10	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	13	0	2	11	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	24.7	1.2	49.2 (15-19)		20.6	0.8	41.1 (15-19)		39.5	2.7	79.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	7	1	3	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	98.8	500.0	120.0	74.1	132.1	1000.0	200.0	81.1	35.7	0.0	0.0	58.8
TEENAGE PREGNANCIES#	89	3	28	58	60	2	18	40	29	1	10	18
TEENAGE PREGNANCY RATE	27.2	1.8	53.6 (15-19)		23.4	1.5	45.8 (15-19)		40.9	2.7	82.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,724	5,583	2,691	2,892	1,213
WHITE	44,296	2,616	1,227	1,389	553
NONWHITE	32,428	2,967	1,464	1,503	660

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	203	7	81	115	63	2	25	36	140	5	56	79
TEENAGE IMMATURE BIRTHS	25	3	7	15	5	0	2	3	20	3	5	12
TEENAGE PREMATURE BIRTHS	36	1	18	17	8	0	3	5	28	1	15	12
TEENAGE ILLEGITIMATE BIRTHS	192	7	80	105	53	2	24	27	139	5	56	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	10	29	11	0	3	8	28	0	7	21
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	12	33	14	0	4	10	31	0	8	23
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE FERTILITY RATE	36.4	2.6	67.8	(15-19)	24.1	1.6	43.9	(15-19)	47.2	3.4	89.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	32	3	9	20	11	1	4	6	21	2	5	14
TEENAGE INDUCED TERMINATION RATIO	157.6	428.6	111.1	173.9	174.6	500.0	160.0	166.7	150.0	400.0	89.3	177.2
TEENAGE PREGNANCIES#	235	10	90	135	74	3	29	42	161	7	61	93
TEENAGE PREGNANCY RATE	42.1	3.7	77.8	(15-19)	28.3	2.4	51.1	(15-19)	54.3	4.8	102.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	4	1	0	0	0	0	5	0	4	1
INFANT MORTALITY RATE, TEEN MOMS	24.6	0.0	49.4	8.7	0.0	0.0	0.0	0.0	35.7	0.0	71.4	12.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,457	976	521	455	186
WHITE	9,101	570	304	266	113
NONWHITE	4,356	406	217	189	73

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	11	18	18	0	5	13	11	0	6	5
TEENAGE IMMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	1	4	3	0	0	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	24	0	11	13	13	0	5	8	11	0	6	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	5	0	2	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	29.7	0.0	63.7 (15-19)		31.6	0.0	67.7 (15-19)		27.1	0.0	58.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	103.4	0.0	0.0	166.7	55.6	0.0	0.0	76.9	181.8	0.0	0.0	400.0
TEENAGE PREGNANCIES#	32	0	11	21	19	0	5	14	13	0	6	7
TEENAGE PREGNANCY RATE	32.8	0.0	70.3 (15-19)		33.3	0.0	71.4 (15-19)		32.0	0.0	68.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	34.5	0.0	0.0	55.6	55.6	0.0	0.0	76.9	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,769	1,726	845	881	430
WHITE	12,653	782	387	395	212
NONWHITE	10,116	944	458	486	218

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	25	44	27	0	8	19	44	2	17	25
TEENAGE IMMATURE BIRTHS	8	0	3	5	2	0	0	2	6	0	3	3
TEENAGE PREMATURE BIRTHS	17	2	3	12	5	0	2	3	12	2	1	9
TEENAGE ILLEGITIMATE BIRTHS	55	2	23	30	15	0	6	9	40	2	17	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	8	0	1	7	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	8	0	1	7	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	4	5	1	0	1	0	9	1	3	5
TEENAGE FERTILITY RATE	41.1	2.4	78.3	(15-19)	34.5	0.0	68.4	(15-19)	46.6	4.4	86.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.1	0.0	0.0	22.7	0.0	0.0	0.0	0.0	22.7	0.0	0.0	40.0
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	1	0	1	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	70.4	500.0	80.0	45.4	37.0	0.0	125.0	0.0	90.9	500.0	58.8	80.0
TEENAGE PREGNANCIES#	77	3	27	47	28	0	9	19	49	3	18	28
TEENAGE PREGNANCY RATE	44.6	3.6	84.0	(15-19)	35.8	0.0	70.9	(15-19)	51.9	6.6	94.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	79,714	5,583	2,890	2,693	1,258
WHITE	57,632	3,499	1,819	1,680	833
NONWHITE	22,082	2,084	1,071	1,013	425

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	171	7	60	104	94	1	30	63	77	6	30	41
TEENAGE IMMATURE BIRTHS	20	1	8	11	9	0	5	4	11	1	3	7
TEENAGE PREMATURE BIRTHS	20	1	10	9	8	0	3	5	12	1	7	4
TEENAGE ILLEGITIMATE BIRTHS	150	7	57	86	73	1	27	45	77	6	30	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	7	29	18	0	3	15	18	0	4	14
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	10	34	23	0	4	19	21	0	6	15
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	2	0	2	0	4	0	2	2
TEENAGE FERTILITY RATE	30.6	2.4	60.9 (15-19)		26.9	0.6	55.4 (15-19)		36.9	5.6	70.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	5.8	0.0	16.7	0.0	10.6	0.0	33.3	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	8	16	9	0	2	7	15	1	6	8
TEENAGE INDUCED TERMINATION RATIO	146.2	142.8	133.3	153.8	95.7	0.0	66.7	111.1	194.8	166.7	200.0	195.1
TEENAGE PREGNANCIES#	197	8	69	120	104	1	33	70	92	7	36	49
TEENAGE PREGNANCY RATE	35.3	2.8	70.2 (15-19)		29.7	0.6	61.3 (15-19)		44.1	6.5	83.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	6	0	5	1	3	0	2	1	3	0	3	0
INFANT MORTALITY RATE, TEEN MOMS	35.1	0.0	83.3	9.6	31.9	0.0	66.7	15.9	39.0	0.0	100.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,752	2,877	1,373	1,504	631
WHITE	10,083	559	248	311	124
NONWHITE	25,669	2,318	1,125	1,193	507

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	133	3	56	74	8	0	1	7	125	3	55	67
TEENAGE IMMATURE BIRTHS	25	2	10	13	0	0	0	0	25	2	10	13
TEENAGE PREMATURE BIRTHS	28	1	16	11	0	0	0	0	28	1	16	11
TEENAGE ILLEGITIMATE BIRTHS	127	3	54	70	4	0	0	4	123	3	54	66
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	11	22	3	0	1	2	30	0	10	20
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	13	27	3	0	1	2	37	0	12	25
TEENS WITH INADEQUATE* PRENATAL CARE	23	1	10	12	0	0	0	0	23	1	10	12
TEENAGE FERTILITY RATE	46.2	2.2	86.4	(15-19)	14.3	0.0	25.7	(15-19)	53.9	2.7	102.3	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	22.6	0.0	0.0	40.5	0.0	0.0	0.0	0.0	24.0	0.0	0.0	44.8
TEENAGE INDUCED TERMINATIONS#	17	3	7	7	1	0	1	0	16	3	6	7
TEENAGE INDUCED TERMINATION RATIO	127.8	1000.0	125.0	94.6	125.0	0.0	1000.0	0.0	128.0	1000.0	109.1	104.5
TEENAGE PREGNANCIES#	153	6	63	84	9	0	2	7	144	6	61	77
TEENAGE PREGNANCY RATE	53.2	4.4	97.7	(15-19)	16.1	0.0	28.9	(15-19)	62.1	5.3	115.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.5	0.0	17.9	0.0	0.0	0.0	0.0	0.0	8.0	0.0	18.2	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,404	2,325	1,187	1,138	523
WHITE	23,695	1,448	721	727	314
NONWHITE	10,709	877	466	411	209

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	2	20	53	37	1	11	25	38	1	9	28
TEENAGE IMMATURE BIRTHS	20	0	6	14	6	0	1	5	14	0	5	9
TEENAGE PREMATURE BIRTHS	17	1	3	13	8	0	2	6	9	1	1	7
TEENAGE ILLEGITIMATE BIRTHS	63	2	17	44	25	1	8	16	38	1	9	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	5	0	1	4	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	7	0	1	6	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	4	0	1	3	4	0	2	2
TEENAGE FERTILITY RATE	32.2	1.7	64.1 (15-19)		25.6	1.4	49.5 (15-19)		43.3	2.1	90.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	26.7	0.0	50.0	18.9	54.0	0.0	90.9	40.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	0	4	6	3	0	1	2	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	133.3	0.0	200.0	113.2	81.1	0.0	90.9	80.0	184.2	0.0	333.3	142.8
TEENAGE PREGNANCIES#	87	2	25	60	42	1	13	28	45	1	12	32
TEENAGE PREGNANCY RATE	37.4	1.7	74.7 (15-19)		29.0	1.4	56.4 (15-19)		51.3	2.1	107.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	3	0	0	3	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	40.0	0.0	0.0	56.6	81.1	0.0	0.0	120.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,773	4,567	2,208	2,359	925
WHITE	32,637	2,017	954	1,063	433
NONWHITE	27,136	2,550	1,254	1,296	492

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	157	6	44	107	36	0	13	23	121	6	31	84
TEENAGE IMMATURE BIRTHS	23	0	5	18	5	0	2	3	18	0	3	15
TEENAGE PREMATURE BIRTHS	42	2	10	30	8	0	2	6	34	2	8	24
TEENAGE ILLEGITIMATE BIRTHS	144	6	42	96	27	0	12	15	117	6	30	81
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	7	31	11	0	3	8	27	0	4	23
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	10	35	14	0	4	10	31	0	6	25
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	2	8	3	0	1	2	7	0	1	6
TEENAGE FERTILITY RATE	34.4	2.7	64.0 (15-19)		17.8	0.0	33.9 (15-19)		47.4	4.8	88.7 (15-19)	
TEENAGE FETAL DEATHS**	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	25.5	0.0	68.2	9.3	27.8	0.0	76.9	0.0	24.8	0.0	64.5	11.9
TEENAGE INDUCED TERMINATIONS#	34	1	12	21	5	0	1	4	29	1	11	17
TEENAGE INDUCED TERMINATION RATIO	216.6	166.7	272.7	196.3	138.9	0.0	76.9	173.9	239.7	166.7	354.8	202.4
TEENAGE PREGNANCIES#	195	7	59	129	42	0	15	27	153	7	44	102
TEENAGE PREGNANCY RATE	42.7	3.2	79.7 (15-19)		20.8	0.0	39.5 (15-19)		60.0	5.6	112.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	19.1	0.0	45.5	9.3	0.0	0.0	0.0	0.0	24.8	0.0	64.5	11.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	87,419	6,559	3,366	3,193	1,448
WHITE	52,941	3,390	1,800	1,590	787
NONWHITE	34,478	3,169	1,566	1,603	661

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	158	3	49	106	44	0	11	33	114	3	38	73
TEENAGE IMMATURE BIRTHS	21	1	11	9	7	0	3	4	14	1	8	5
TEENAGE PREMATURE BIRTHS	35	1	15	19	7	0	2	5	28	1	13	14
TEENAGE ILLEGITIMATE BIRTHS	141	3	47	91	30	0	9	21	111	3	38	70
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	8	22	4	0	1	3	26	0	7	19
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	9	29	6	0	1	5	32	0	8	24
TEENS WITH INADEQUATE* PRENATAL CARE	37	2	14	21	2	0	2	0	35	2	12	21
TEENAGE FERTILITY RATE	24.1	0.9	48.5 (15-19)		13.0	0.0	27.7 (15-19)		36.0	1.9	69.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.3	0.0	0.0	9.4	0.0	0.0	0.0	0.0	8.8	0.0	0.0	13.7
TEENAGE INDUCED TERMINATIONS#	35	3	10	22	8	0	2	6	27	3	8	16
TEENAGE INDUCED TERMINATION RATIO	221.5	1000.0	204.1	207.5	181.8	0.0	181.8	181.8	236.8	1000.0	210.5	219.2
TEENAGE PREGNANCIES#	194	6	59	129	52	0	13	39	142	6	46	90
TEENAGE PREGNANCY RATE	29.6	1.8	58.9 (15-19)		15.3	0.0	32.7 (15-19)		44.8	3.8	84.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	6.3	0.0	20.4	0.0	0.0	0.0	0.0	0.0	8.8	0.0	26.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,730	1,854	939	915	431
WHITE	17,030	1,053	517	536	247
NONWHITE	8,700	801	422	379	184

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	3	30	47	37	1	12	24	43	2	18	23
TEENAGE IMMATURE BIRTHS	17	0	8	9	7	0	3	4	10	0	5	5
TEENAGE PREMATURE BIRTHS	12	0	4	8	5	0	1	4	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	61	3	28	30	19	1	10	8	42	2	18	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	5	18	12	0	3	9	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	6	20	14	0	3	11	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	2	0	1	1	4	1	2	1
TEENAGE FERTILITY RATE	43.2	3.2	84.2 (15-19)		35.1	1.9	67.2 (15-19)		53.7	4.7	108.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	12.5	0.0	0.0	21.3	0.0	0.0	0.0	0.0	23.2	0.0	0.0	43.5
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	37.5	0.0	0.0	63.8	27.0	0.0	0.0	41.7	46.5	0.0	0.0	87.0
TEENAGE PREGNANCIES#	84	3	30	51	38	1	12	25	46	2	18	26
TEENAGE PREGNANCY RATE	45.3	3.2	88.5 (15-19)		36.1	1.9	69.0 (15-19)		57.4	4.7	116.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	25.0	0.0	66.7	0.0	0.0	0.0	0.0	0.0	46.5	0.0	111.1	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,853	2,592	1,222	1,370	521
WHITE	18,029	1,020	513	507	248
NONWHITE	17,824	1,572	709	863	273

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	2	33	55	34	0	10	24	56	2	23	31
TEENAGE IMMATURE BIRTHS	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE PREMATURE BIRTHS	8	0	3	5	2	0	1	1	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	78	2	30	46	24	0	8	16	54	2	22	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	1	4	12	8	0	2	6	9	1	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	21	1	4	16	10	0	2	8	11	1	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	6	4	1	0	1	0	9	0	5	4
TEENAGE FERTILITY RATE	34.7	1.6	64.2 (15-19)		33.3	0.0	67.1 (15-19)		35.6	2.8	62.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.1	0.0	0.0	18.2	0.0	0.0	0.0	0.0	17.8	0.0	0.0	32.2
TEENAGE INDUCED TERMINATIONS#	17	1	6	10	3	0	1	2	14	1	5	8
TEENAGE INDUCED TERMINATION RATIO	188.9	500.0	181.8	181.8	88.2	0.0	100.0	83.3	250.0	500.0	217.4	258.1
TEENAGE PREGNANCIES#	108	3	39	66	37	0	11	26	71	3	28	40
TEENAGE PREGNANCY RATE	41.7	2.4	76.6 (15-19)		36.3	0.0	73.0 (15-19)		45.2	4.2	78.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.1	0.0	0.0	18.2	0.0	0.0	0.0	0.0	17.9	0.0	0.0	32.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,572	2,640	1,396	1,244	511
WHITE	25,693	1,633	841	792	291
NONWHITE	11,879	1,007	555	452	220

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	92	1	22	69	52	1	15	36	40	0	7	33
TEENAGE IMMATURE BIRTHS	11	0	2	9	7	0	2	5	4	0	0	4
TEENAGE PREMATURE BIRTHS	19	0	7	12	8	0	4	4	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	73	1	18	54	34	1	11	22	39	0	7	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	5	0	0	5	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	9	0	1	8	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	0	6	2	1	0	1	5	0	0	5
TEENAGE FERTILITY RATE	34.8	0.7	73.2 (15-19)		31.8	1.2	64.4 (15-19)		39.7	0.0	88.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	21.7	0.0	90.9	0.0	0.0	0.0	0.0	0.0	50.0	0.0	285.7	0.0
TEENAGE INDUCED TERMINATIONS#	10	2	2	6	3	2	0	1	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	108.7	2000.0	90.9	87.0	57.7	2000.0	0.0	27.8	175.0	0.0	285.7	151.5
TEENAGE PREGNANCIES#	104	3	26	75	55	3	15	37	49	0	11	38
TEENAGE PREGNANCY RATE	39.4	2.1	81.2 (15-19)		33.7	3.6	65.6 (15-19)		48.6	0.0	108.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,754	846	396	450	188
WHITE	6,319	357	163	194	67
NONWHITE	5,435	489	233	256	121

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	1	15	24	10	0	3	7	30	1	12	17
TEENAGE IMMATURE BIRTHS	10	1	5	4	1	0	0	1	9	1	5	3
TEENAGE PREMATURE BIRTHS	9	0	3	6	0	0	0	0	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	34	1	14	19	6	0	2	4	28	1	12	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	3	0	1	2	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	3	0	1	2	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	47.3	2.5	86.7 (15-19)		28.0	0.0	51.5 (15-19)		61.4	4.3	113.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	25.0	0.0	0.0	41.7	0.0	0.0	0.0	0.0	33.3	0.0	0.0	58.8
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	1	0	1	0	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	100.0	1000.0	133.3	41.7	100.0	0.0	333.3	0.0	100.0	1000.0	83.3	58.8
TEENAGE PREGNANCIES#	45	2	17	26	11	0	4	7	34	2	13	19
TEENAGE PREGNANCY RATE	53.2	5.0	95.6 (15-19)		30.8	0.0	56.7 (15-19)		69.5	8.6	125.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: NESHOBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,125	2,216	1,182	1,034	550
WHITE	19,327	1,171	620	551	250
NONWHITE	10,798	1,045	562	483	300

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	2	39	49	30	0	9	21	60	2	30	28
TEENAGE IMMATURE BIRTHS	8	1	2	5	3	0	1	2	5	1	1	3
TEENAGE PREMATURE BIRTHS	19	2	9	8	3	0	2	1	16	2	7	7
TEENAGE ILLEGITIMATE BIRTHS	82	2	39	41	23	0	9	14	59	2	30	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	4	0	0	4	15	0	5	10
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	7	15	6	0	1	5	16	0	6	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE FERTILITY RATE	40.6	1.7	85.1 (15-19)		25.6	0.0	54.4 (15-19)		57.4	3.6	120.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.1	0.0	0.0	20.4	0.0	0.0	0.0	0.0	16.7	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	2	1	0	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	55.6	500.0	51.3	40.8	66.7	-	0.0	47.6	50.0	0.0	66.7	35.7
TEENAGE PREGNANCIES#	96	3	41	52	32	1	9	22	64	2	32	30
TEENAGE PREGNANCY RATE	43.3	2.5	89.9 (15-19)		27.3	1.6	56.3 (15-19)		61.2	3.6	128.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,413	1,702	788	914	351
WHITE	14,603	956	422	534	195
NONWHITE	7,810	746	366	380	156

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	1	22	38	27	0	10	17	34	1	12	21
TEENAGE IMMATURE BIRTHS	6	1	2	3	2	0	1	1	4	1	1	2
TEENAGE PREMATURE BIRTHS	11	0	4	7	3	0	1	2	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	50	1	21	28	16	0	9	7	34	1	12	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	4	0	0	4	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	4	0	0	4	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	35.8	1.3	65.6 (15-19)		28.2	0.0	50.6 (15-19)		45.6	2.7	86.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	16.4	0.0	0.0	26.3	37.0	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	1	0	1	0	5	0	0	5
TEENAGE INDUCED TERMINATION RATIO	98.4	0.0	45.4	131.6	37.0	0.0	100.0	0.0	147.0	0.0	0.0	238.1
TEENAGE PREGNANCIES#	68	1	23	44	29	0	11	18	39	1	12	26
TEENAGE PREGNANCY RATE	40.0	1.3	73.3 (15-19)		30.3	0.0	54.3 (15-19)		52.3	2.7	100.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	16.4	0.0	45.5	0.0	0.0	0.0	0.0	0.0	29.4	0.0	83.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,051	939	465	474	216
WHITE	3,511	175	92	83	57
NONWHITE	8,540	764	373	391	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	17	24	3	0	2	1	38	0	15	23
TEENAGE IMMATURE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENAGE PREMATURE BIRTHS	15	0	5	10	1	0	1	0	14	0	4	10
TEENAGE ILLEGITIMATE BIRTHS	41	0	17	24	3	0	2	1	38	0	15	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	43.7	0.0	86.5 (15-19)	17.1	0.0	36.1 (15-19)	49.7	0.0	97.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	4	4	0	0	0	0	8	1	3	4
TEENAGE INDUCED TERMINATION RATIO	219.5	-	235.3	166.7	0.0	0.0	0.0	0.0	210.5	-	200.0	173.9
TEENAGE PREGNANCIES#	50	1	21	28	3	0	2	1	46	1	18	27
TEENAGE PREGNANCY RATE	53.2	2.2	103.4 (15-19)	17.1	0.0	36.1 (15-19)	60.2	2.7	115.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	73.2	0.0	58.8	83.3	0.0	0.0	0.0	0.0	78.9	0.0	66.7	87.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,633	3,220	1,046	2,174	584
WHITE	24,232	1,672	450	1,222	249
NONWHITE	17,401	1,548	596	952	335

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	8	21	44	22	2	4	16	51	6	17	28
TEENAGE IMMATURE BIRTHS	12	2	2	8	3	1	0	2	9	1	2	6
TEENAGE PREMATURE BIRTHS	13	2	3	8	3	1	0	2	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	61	8	20	33	13	2	3	8	48	6	17	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	5	10	6	0	2	4	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	5	11	7	0	2	5	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	2	3	1	0	0	1	5	1	2	2
TEENAGE FERTILITY RATE	22.7	7.6	29.9 (15-19)	13.2	13.2	4.4	16.4 (15-19)	32.9	32.9	10.1	47.3 (15-19)	19.6
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	27.4	0.0	0.0	45.4	45.4	0.0	0.0	62.5	19.6	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	28	0	6	22	14	0	3	11	14	0	3	11
TEENAGE INDUCED TERMINATION RATIO	383.6	0.0	285.7	500.0	636.4	0.0	750.0	687.5	274.5	0.0	176.5	392.8
TEENAGE PREGNANCIES#	103	8	27	68	37	2	7	28	66	6	20	40
TEENAGE PREGNANCY RATE	32.0	7.6	43.7 (15-19)	22.1	22.1	4.4	28.6 (15-19)	42.6	42.6	10.1	63.0 (15-19)	19.6
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,427	2,560	1,275	1,285	581
WHITE	18,196	963	479	484	220
NONWHITE	17,231	1,597	796	801	361

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	124	2	44	78	40	2	13	25	84	0	31	53
TEENAGE IMMATURE BIRTHS	23	0	9	14	5	0	1	4	18	0	8	10
TEENAGE PREMATURE BIRTHS	24	0	13	11	8	0	4	4	16	0	9	7
TEENAGE ILLEGITIMATE BIRTHS	111	1	43	67	27	1	12	14	84	0	31	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	7	27	7	0	0	7	27	0	7	20
TEENS WHO HAD PREVIOUS PREGNANCIES	39	0	8	31	9	0	0	9	30	0	8	22
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	4	6	3	0	2	1	7	0	2	5
TEENAGE FERTILITY RATE	48.4	1.6	94.9 (15-19)		41.5	4.2	78.5 (15-19)		52.6	0.0	104.9 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	16.1	0.0	0.0	25.6	0.0	0.0	0.0	0.0	23.8	0.0	0.0	37.7
TEENAGE INDUCED TERMINATIONS#	19	1	10	8	4	0	2	2	14	1	7	6
TEENAGE INDUCED TERMINATION RATIO	153.2	500.0	227.3	102.6	100.0	0.0	153.8	80.0	166.7	-	225.8	113.2
TEENAGE PREGNANCIES#	145	3	54	88	44	2	15	27	100	1	38	61
TEENAGE PREGNANCY RATE	56.6	2.4	110.5 (15-19)		45.7	4.2	86.8 (15-19)		62.6	1.2	123.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.1	0.0	0.0	12.8	0.0	0.0	0.0	0.0	11.9	0.0	0.0	18.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	57,099	3,895	1,950	1,945	818
WHITE	49,271	3,185	1,585	1,600	703
NONWHITE	7,828	710	365	345	115

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	1	34	94	111	1	29	81	18	0	5	13
TEENAGE IMMATURE BIRTHS	13	0	3	10	10	0	3	7	3	0	0	3
TEENAGE PREMATURE BIRTHS	23	0	5	18	17	0	4	13	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	94	1	26	67	76	1	21	54	18	0	5	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	2	23	20	0	2	18	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	4	29	28	0	4	24	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	5	0	1	4	1	0	0	1
TEENAGE FERTILITY RATE	33.1	0.5	65.8	(15-19)	34.8	0.6	68.8	(15-19)	25.4	0.0	52.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	6	0	3	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	54.3	0.0	88.2	42.6	54.0	0.0	103.4	37.0	55.6	0.0	0.0	76.9
TEENAGE PREGNANCIES#	136	1	37	98	117	1	32	84	19	0	5	14
TEENAGE PREGNANCY RATE	34.9	0.5	69.4	(15-19)	36.7	0.6	72.5	(15-19)	26.8	0.0	55.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	15.5	0.0	0.0	21.3	0.0	0.0	0.0	0.0	111.1	0.0	0.0	153.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,132	876	441	435	198
WHITE	9,252	588	294	294	137
NONWHITE	2,880	288	147	141	61

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	6	27	22	0	5	17	11	0	1	10
TEENAGE IMMATURE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	22	0	5	17	12	0	4	8	10	0	1	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	8	0	1	7	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	8	0	1	7	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	37.7	0.0	75.9 (15-19)		37.4	0.0	74.8 (15-19)		38.2	0.0	78.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	30.3	0.0	0.0	37.0	0.0	0.0	0.0	0.0	90.9	0.0	0.0	100.0
TEENAGE PREGNANCIES#	34	0	6	28	22	0	5	17	12	0	1	11
TEENAGE PREGNANCY RATE	38.8	0.0	78.2 (15-19)		37.4	0.0	74.8 (15-19)		41.7	0.0	85.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,240	3,019	1,527	1,492	758
WHITE	19,832	1,234	574	660	298
NONWHITE	20,408	1,785	953	832	460

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	116	3	43	70	24	0	7	17	92	3	36	53
TEENAGE IMMATURE BIRTHS	16	1	5	10	2	0	0	2	14	1	5	8
TEENAGE PREMATURE BIRTHS	15	2	3	10	1	0	0	1	14	2	3	9
TEENAGE ILLEGITIMATE BIRTHS	100	3	40	57	10	0	4	6	90	3	36	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	5	26	8	0	1	7	23	0	4	19
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	5	32	10	0	1	9	27	0	4	23
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	4	11	1	0	0	1	14	0	4	10
TEENAGE FERTILITY RATE	38.4	2.0	75.7 (15-19)		19.4	0.0	36.4 (15-19)		51.5	3.1	107.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.6	0.0	0.0	14.3	41.7	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	19	2	7	10	4	1	0	3	15	1	7	7
TEENAGE INDUCED TERMINATION RATIO	163.8	666.7	162.8	142.8	166.7	-	0.0	176.5	163.0	333.3	194.4	132.1
TEENAGE PREGNANCIES#	136	5	50	81	29	1	7	21	107	4	43	60
TEENAGE PREGNANCY RATE	45.0	3.3	87.8 (15-19)		23.5	1.7	42.4 (15-19)		59.9	4.2	123.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.6	0.0	0.0	14.3	0.0	0.0	0.0	0.0	10.9	0.0	0.0	18.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,887	1,950	1,011	939	441
WHITE	24,418	1,595	845	750	369
NONWHITE	4,469	355	166	189	72

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	1	29	41	57	1	25	31	14	0	4	10
TEENAGE IMMATURE BIRTHS	9	1	2	6	7	1	2	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	53	1	25	27	39	1	21	17	14	0	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	5	6	11	0	5	6	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	5	6	11	0	5	6	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	36.4	1.0	74.5 (15-19)		35.7	1.2	74.7 (15-19)		39.4	0.0	74.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.1	0.0	0.0	24.4	0.0	0.0	0.0	0.0	71.4	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	5	0	1	4	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	84.5	1000.0	34.5	97.6	87.7	0.0	40.0	129.0	71.4	-	0.0	0.0
TEENAGE PREGNANCIES#	78	2	30	46	62	1	26	35	16	1	4	11
TEENAGE PREGNANCY RATE	40.0	2.0	80.9 (15-19)		38.9	1.2	81.3 (15-19)		45.1	6.0	79.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	1	1	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.1	1000.0	0.0	0.0	17.5	1000.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,615	1,857	796	1,061	349
WHITE	21,745	1,514	654	860	287
NONWHITE	3,870	343	142	201	62

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	1	23	39	50	1	19	30	13	0	4	9
TEENAGE IMMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	48	1	20	27	35	1	16	18	13	0	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	4	0	1	3	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	6	0	2	4	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.9	1.2	58.4 (15-19)		33.0	1.5	57.0 (15-19)		37.9	0.0	64.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	1	3	4	1	0	3	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	79.4	1000.0	43.5	76.9	80.0	1000.0	0.0	100.0	76.9	0.0	250.0	0.0
TEENAGE PREGNANCIES#	68	2	24	42	54	2	19	33	14	0	5	9
TEENAGE PREGNANCY RATE	36.6	2.5	62.2 (15-19)		35.7	3.0	60.5 (15-19)		40.8	0.0	69.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.9	0.0	0.0	25.6	0.0	0.0	0.0	0.0	76.9	0.0	0.0	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,289	780	404	376	157
WHITE	2,789	144	79	65	24
NONWHITE	6,500	636	325	311	133

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	2	12	18	1	0	0	1	31	2	12	17
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	10	1	4	5	0	0	0	0	10	1	4	5
TEENAGE ILLEGITIMATE BIRTHS	32	2	12	18	1	0	0	1	31	2	12	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	41.0	5.0	79.8 (15-19)	6.9	0.0	15.4 (15-19)	48.7	6.2	93.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	2	1	3	0	0	0	0	6	2	1	3
TEENAGE INDUCED TERMINATION RATIO	187.5	1000.0	83.3	166.7	0.0	0.0	0.0	0.0	193.5	1000.0	83.3	176.5
TEENAGE PREGNANCIES#	38	4	13	21	1	0	0	1	37	4	13	20
TEENAGE PREGNANCY RATE	48.7	9.9	90.4 (15-19)	6.9	0.0	15.4 (15-19)	58.2	12.3	106.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER
 MISSISSIPPI, 2006

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	135,830	8,579	4,398	4,181	2,090
WHITE	107,874	6,523	3,377	3,146	1,668
NONWHITE	27,956	2,056	1,021	1,035	422

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	226	2	82	142	167	1	57	109	59	1	25	33
TEENAGE IMMATURE BIRTHS	22	0	9	13	10	0	3	7	12	0	6	6
TEENAGE PREMATURE BIRTHS	42	1	18	23	25	0	12	13	17	1	6	10
TEENAGE ILLEGITIMATE BIRTHS	181	2	76	103	124	1	51	72	57	1	25	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	0	11	33	33	0	9	24	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	13	41	41	0	11	30	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	6	10	6	0	3	3	10	0	3	7
TEENAGE FERTILITY RATE	26.3	0.4	53.6 (15-19)		25.6	0.3	52.8 (15-19)		28.7	1.0	56.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	13.3	0.0	0.0	21.1	6.0	0.0	0.0	9.2	33.9	0.0	0.0	60.6
TEENAGE INDUCED TERMINATIONS#	45	0	14	31	26	0	7	19	19	0	7	12
TEENAGE INDUCED TERMINATION RATIO	199.1	0.0	170.7	218.3	155.7	0.0	122.8	174.3	322.0	0.0	280.0	363.6
TEENAGE PREGNANCIES#	274	2	96	176	194	1	64	129	80	1	32	47
TEENAGE PREGNANCY RATE	31.9	0.4	65.0 (15-19)		29.7	0.3	61.3 (15-19)		38.9	1.0	76.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	4.4	0.0	0.0	7.0	6.0	0.0	0.0	9.2	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,790	2,066	1,028	1,038	554
WHITE	17,169	1,008	495	513	315
NONWHITE	11,621	1,058	533	525	239

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	5	33	70	63	2	20	41	45	3	13	29
TEENAGE IMMATURE BIRTHS	14	0	4	10	7	0	3	4	7	0	1	6
TEENAGE PREMATURE BIRTHS	20	0	6	14	10	0	4	6	10	0	2	8
TEENAGE ILLEGITIMATE BIRTHS	86	5	27	54	42	2	14	26	44	3	13	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	4	28	21	0	3	18	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	4	29	22	0	3	19	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	3	9	5	0	1	4	8	1	2	5
TEENAGE FERTILITY RATE	52.3	4.9	99.2 (15-19)		62.5	4.0	118.9 (15-19)		42.5	5.6	80.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	9.2	0.0	0.0	14.3	15.9	0.0	0.0	24.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	0	8	3	2	0	1	1	9	0	7	2
TEENAGE INDUCED TERMINATION RATIO	101.8	0.0	242.4	42.8	31.7	0.0	50.0	24.4	200.0	0.0	538.5	69.0
TEENAGE PREGNANCIES#	120	5	41	74	66	2	21	43	54	3	20	31
TEENAGE PREGNANCY RATE	58.1	4.9	110.8 (15-19)		65.5	4.0	124.8 (15-19)		51.0	5.6	97.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	9.3	0.0	30.3	0.0	0.0	0.0	0.0	0.0	22.2	0.0	76.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	5,851	487	263	224	110
WHITE	1,788	94	52	42	19
NONWHITE	4,063	393	211	182	91

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	0	8	14	1	0	0	1	21	0	8	13
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	21	0	8	13	0	0	0	0	21	0	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	1	0	0	1	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	1	0	0	1	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	45.2	0.0	98.2 (15-19)		10.6	0.0	23.8 (15-19)		53.4	0.0	115.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	45.4	0.0	0.0	71.4	0.0	0.0	0.0	0.0	47.6	0.0	0.0	76.9
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	23	0	8	15	1	0	0	1	22	0	8	14
TEENAGE PREGNANCY RATE	47.2	0.0	102.7 (15-19)		10.6	0.0	23.8 (15-19)		56.0	0.0	120.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	45.5	0.0	0.0	71.4	0.0	0.0	0.0	0.0	47.6	0.0	0.0	76.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,972	2,016	1,050	966	419
WHITE	18,060	1,115	572	543	224
NONWHITE	9,912	901	478	423	195

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	0	31	51	43	0	18	25	39	0	13	26
TEENAGE IMMATURE BIRTHS	12	0	5	7	4	0	3	1	8	0	2	6
TEENAGE PREMATURE BIRTHS	20	0	7	13	14	0	5	9	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	62	0	26	36	25	0	13	12	37	0	13	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	1	19	7	0	1	6	13	0	0	13
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	10	0	3	7	14	0	0	14
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE	40.7	0.0	84.9 (15-19)		38.6	0.0	79.2 (15-19)		43.3	0.0	92.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	3	0	2	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	61.0	0.0	64.5	58.8	69.8	0.0	111.1	40.0	51.3	0.0	0.0	76.9
TEENAGE PREGNANCIES#	87	0	33	54	46	0	20	26	41	0	13	28
TEENAGE PREGNANCY RATE	43.2	0.0	90.1 (15-19)		41.2	0.0	84.7 (15-19)		45.5	0.0	96.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,970	1,128	593	535	215
WHITE	12,109	766	397	369	138
NONWHITE	3,861	362	196	166	77

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	13	23	21	1	7	13	16	0	6	10
TEENAGE IMMATURE BIRTHS	4	0	4	0	1	0	1	0	3	0	3	0
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	26	1	10	15	10	1	4	5	16	0	6	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	4	0	1	3	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	7	0	1	6	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	32.8	1.7	67.3 (15-19)		27.4	2.5	54.2 (15-19)		44.2	0.0	96.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	54.0	0.0	76.9	43.5	47.6	0.0	142.8	0.0	62.5	0.0	0.0	100.0
TEENAGE PREGNANCIES#	39	1	14	24	22	1	8	13	17	0	6	11
TEENAGE PREGNANCY RATE	34.6	1.7	71.0 (15-19)		28.7	2.5	56.9 (15-19)		47.0	0.0	102.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,608	1,193	525	668	210
WHITE	12,413	885	395	490	162
NONWHITE	3,195	308	130	178	48

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	0	16	23	30	0	12	18	9	0	4	5
TEENAGE IMMATURE BIRTHS	8	0	4	4	5	0	1	4	3	0	3	0
TEENAGE PREMATURE BIRTHS	11	0	6	5	6	0	2	4	5	0	4	1
TEENAGE ILLEGITIMATE BIRTHS	29	0	14	15	20	0	10	10	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	4	0	0	4	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	5	0	0	5	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE FERTILITY RATE	32.7	0.0	58.4 (15-19)		33.9	0.0	61.2 (15-19)		29.2	0.0	50.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	51.3	0.0	62.5	43.5	66.7	0.0	83.3	55.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	41	0	17	24	32	0	13	19	9	0	4	5
TEENAGE PREGNANCY RATE	34.4	0.0	61.4 (15-19)		36.2	0.0	65.3 (15-19)		29.2	0.0	50.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	25.6	0.0	62.5	0.0	0.0	0.0	0.0	0.0	111.1	0.0	250.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,833	2,446	1,158	1,288	553
WHITE	8,625	482	208	274	100
NONWHITE	23,208	1,964	950	1,014	453

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	124	4	47	73	12	0	5	7	112	4	42	66
TEENAGE IMMATURE BIRTHS	26	3	9	14	2	0	1	1	24	3	8	13
TEENAGE PREMATURE BIRTHS	35	0	12	23	4	0	1	3	31	0	11	20
TEENAGE ILLEGITIMATE BIRTHS	120	4	47	69	9	0	5	4	111	4	42	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	35	0	6	29	4	0	2	2	31	0	4	27
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	6	34	7	0	2	5	33	0	4	29
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	3	4	0	0	0	0	8	1	3	4
TEENAGE FERTILITY RATE	50.7	3.4	93.2 (15-19)		24.9	0.0	43.8 (15-19)		57.0	4.2	106.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.1	0.0	0.0	13.7	83.3	0.0	0.0	142.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	2	9	7	1	0	1	0	17	2	8	7
TEENAGE INDUCED TERMINATION RATIO	145.2	500.0	191.5	95.9	83.3	0.0	200.0	0.0	151.8	500.0	190.5	106.1
TEENAGE PREGNANCIES#	143	6	56	81	14	0	6	8	129	6	50	73
TEENAGE PREGNANCY RATE	58.5	5.2	106.4 (15-19)		29.0	0.0	51.1 (15-19)		65.7	6.3	121.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.1	0.0	21.3	0.0	0.0	0.0	0.0	0.0	8.9	0.0	23.8	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,798	1,231	658	573	241
WHITE	5,378	341	179	162	45
NONWHITE	8,420	890	479	411	196

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	1	25	32	5	0	3	2	53	1	22	30
TEENAGE IMMATURE BIRTHS	11	1	8	2	2	0	2	0	9	1	6	2
TEENAGE PREMATURE BIRTHS	13	0	7	6	2	0	2	0	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	57	1	25	31	4	0	3	1	53	1	22	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	1	0	1	0	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	1	0	1	0	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	5	1	0	0	0	0	6	0	5	1
TEENAGE FERTILITY RATE	47.1	1.5	99.5 (15-19)		14.7	0.0	30.9 (15-19)		59.6	2.1	126.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	2	7	1	0	0	1	8	1	2	5
TEENAGE INDUCED TERMINATION RATIO	172.4	1000.0	80.0	218.8	200.0	0.0	0.0	500.0	150.9	1000.0	90.9	166.7
TEENAGE PREGNANCIES#	68	2	27	39	6	0	3	3	61	2	24	35
TEENAGE PREGNANCY RATE	55.2	3.0	115.2 (15-19)		17.6	0.0	37.0 (15-19)		68.5	4.2	143.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	4	0	1	0	1	0	3	0	3	0
INFANT MORTALITY RATE, TEEN MOMS	69.0	0.0	160.0	0.0	200.0	0.0	333.3	0.0	56.6	0.0	136.4	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,723	2,140	905	1,235	416
WHITE	18,288	1,327	593	734	241
NONWHITE	8,435	813	312	501	175

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	0	24	59	38	0	13	25	45	0	11	34
TEENAGE IMMATURE BIRTHS	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	11	0	4	7	5	0	3	2	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	73	0	22	51	29	0	11	18	44	0	11	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	5	0	2	3	11	0	0	11
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	7	0	2	5	12	0	0	12
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE FERTILITY RATE	38.8	0.0	67.2 (15-19)		28.6	0.0	51.8 (15-19)		55.4	0.0	89.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	24.1	0.0	83.3	0.0	0.0	0.0	0.0	0.0	44.4	0.0	181.8	0.0
TEENAGE INDUCED TERMINATIONS#	17	1	9	7	4	1	3	0	12	0	5	7
TEENAGE INDUCED TERMINATION RATIO	204.8	-	375.0	118.6	105.3	-	230.8	0.0	266.7	0.0	454.5	205.9
TEENAGE PREGNANCIES#	102	1	35	66	42	1	16	25	59	0	18	41
TEENAGE PREGNANCY RATE	47.7	1.1	81.8 (15-19)		31.6	1.7	55.8 (15-19)		72.6	0.0	117.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	12.0	0.0	41.7	0.0	0.0	0.0	0.0	0.0	22.2	0.0	90.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,248	1,342	677	665	328
WHITE	17,271	1,036	514	522	275
NONWHITE	3,977	306	163	143	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	1	15	36	44	1	11	32	8	0	4	4
TEENAGE IMMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	37	1	14	22	29	1	10	18	8	0	4	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	12	0	1	11	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	16	0	2	14	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	38.7	1.5	76.7 (15-19)		42.5	1.9	82.4 (15-19)		26.1	0.0	55.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	9	0	2	7	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	173.1	0.0	133.3	194.4	204.5	0.0	181.8	218.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	61	1	17	43	53	1	13	39	8	0	4	4
TEENAGE PREGNANCY RATE	45.4	1.5	90.2 (15-19)		51.2	1.9	99.6 (15-19)		26.1	0.0	55.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,112	1,161	610	551	235
WHITE	18,224	1,110	580	530	229
NONWHITE	888	51	30	21	6

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	11	20	30	0	11	19	1	0	0	1
TEENAGE IMMATURE BIRTHS	6	0	1	5	6	0	1	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	2	5	7	0	2	5	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	21	0	10	11	20	0	10	10	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	8	0	1	7	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.7	0.0	56.3 (15-19)		27.0	0.0	56.6 (15-19)		19.6	0.0	47.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	32.2	0.0	90.9	0.0	33.3	0.0	90.9	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	32.2	0.0	0.0	50.0	33.3	0.0	0.0	52.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	33	0	12	21	32	0	12	20	1	0	0	1
TEENAGE PREGNANCY RATE	28.4	0.0	59.9 (15-19)		28.8	0.0	60.4 (15-19)		19.6	0.0	47.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,419	822	399	423	252
WHITE	2,772	120	65	55	29
NONWHITE	7,647	702	334	368	223

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	3	21	30	3	0	1	2	51	3	20	28
TEENAGE IMMATURE BIRTHS	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE PREMATURE BIRTHS	9	0	3	6	0	0	0	0	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	52	3	21	28	1	0	1	0	51	3	20	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	4	9	1	0	1	0	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	4	9	1	0	1	0	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	65.7	7.5	120.6 (15-19)	25.0	25.0	0.0	54.5 (15-19)	72.6	72.6	9.0	130.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.5	0.0	0.0	33.3	0.0	0.0	0.0	0.0	19.6	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	13	0	3	10	2	0	1	1	11	0	2	9
TEENAGE INDUCED TERMINATION RATIO	240.7	0.0	142.8	333.3	666.7	0.0	1000.0	500.0	215.7	0.0	100.0	321.4
TEENAGE PREGNANCIES#	68	3	24	41	5	0	2	3	63	3	22	38
TEENAGE PREGNANCY RATE	82.7	7.5	153.7 (15-19)	41.7	41.7	0.0	90.9 (15-19)	89.7	89.7	9.0	163.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,008	1,818	948	870	445
WHITE	22,685	1,459	743	716	370
NONWHITE	4,323	359	205	154	75

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	0	20	54	54	0	13	41	20	0	7	13
TEENAGE IMMATURE BIRTHS	12	0	4	8	6	0	1	5	6	0	3	3
TEENAGE PREMATURE BIRTHS	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	55	0	18	37	37	0	11	26	18	0	7	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	11	0	2	9	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	16	0	2	14	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	2	0	4	0	1	3
TEENAGE FERTILITY RATE	40.7	0.0	85.0 (15-19)		37.0	0.0	75.4 (15-19)		55.7	0.0	129.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.5	0.0	50.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	142.8	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	54.0	0.0	100.0	37.0	74.1	0.0	153.8	48.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	79	0	23	56	58	0	15	43	21	0	8	13
TEENAGE PREGNANCY RATE	43.4	0.0	90.8 (15-19)		39.8	0.0	81.0 (15-19)		58.5	0.0	136.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,543	1,116	550	566	261
WHITE	8,496	457	223	234	115
NONWHITE	7,047	659	327	332	146

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	0	14	29	18	0	6	12	25	0	8	17
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	9	0	3	6	4	0	2	2	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	37	0	13	24	13	0	5	8	24	0	8	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	4	9	3	0	1	2	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	4	0	1	3	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE FERTILITY RATE	38.5	0.0	76.0 (15-19)		39.4	0.0	76.9 (15-19)		37.9	0.0	75.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	23.2	0.0	0.0	34.5	0.0	0.0	0.0	0.0	40.0	0.0	0.0	58.8
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	93.0	0.0	71.4	103.4	55.6	0.0	166.7	0.0	120.0	0.0	0.0	176.5
TEENAGE PREGNANCIES#	48	0	15	33	19	0	7	12	29	0	8	21
TEENAGE PREGNANCY RATE	43.0	0.0	84.8 (15-19)		41.6	0.0	81.2 (15-19)		44.0	0.0	87.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	23.3	0.0	0.0	34.5	0.0	0.0	0.0	0.0	40.0	0.0	0.0	58.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,308	3,734	1,953	1,781	814
WHITE	25,586	1,616	848	768	318
NONWHITE	23,722	2,118	1,105	1,013	496

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	135	6	43	86	36	1	13	22	99	5	30	64
TEENAGE IMMATURE BIRTHS	24	0	12	12	9	0	5	4	15	0	7	8
TEENAGE PREMATURE BIRTHS	26	0	11	15	10	0	4	6	16	0	7	9
TEENAGE ILLEGITIMATE BIRTHS	129	6	43	80	31	1	13	17	98	5	30	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	8	31	8	0	1	7	31	0	7	24
TEENS WHO HAD PREVIOUS PREGNANCIES	45	1	9	35	10	0	1	9	35	1	8	26
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	36.2	3.1	72.4 (15-19)		22.3	1.2	45.6 (15-19)		46.7	4.5	92.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	30	1	16	13	3	0	1	2	27	1	15	11
TEENAGE INDUCED TERMINATION RATIO	222.2	166.7	372.1	151.2	83.3	0.0	76.9	90.9	272.7	200.0	500.0	171.9
TEENAGE PREGNANCIES#	165	7	59	99	39	1	14	24	126	6	45	75
TEENAGE PREGNANCY RATE	44.2	3.6	88.7 (15-19)		24.1	1.2	49.5 (15-19)		59.5	5.4	118.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	7.4	0.0	0.0	11.6	0.0	0.0	0.0	0.0	10.1	0.0	0.0	15.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	58,007	4,655	2,442	2,213	1,001
WHITE	18,130	973	482	491	216
NONWHITE	39,877	3,682	1,960	1,722	785

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	229	7	81	141	24	0	3	21	205	7	78	120
TEENAGE IMMATURE BIRTHS	32	1	10	21	2	0	0	2	30	1	10	19
TEENAGE PREMATURE BIRTHS	63	2	23	38	2	0	0	2	61	2	23	36
TEENAGE ILLEGITIMATE BIRTHS	223	7	81	135	18	0	3	15	205	7	78	120
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	13	40	2	0	0	2	51	0	13	38
TEENS WHO HAD PREVIOUS PREGNANCIES	65	0	15	50	5	0	0	5	60	0	15	45
TEENS WITH INADEQUATE* PRENATAL CARE	31	2	10	19	2	0	0	2	29	2	10	17
TEENAGE FERTILITY RATE	49.2	2.9	100.3	(15-19)	24.7	0.0	48.9	(15-19)	55.7	3.6	115.0	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	8.7	0.0	24.7	0.0	0.0	0.0	0.0	0.0	9.8	0.0	25.6	0.0
TEENAGE INDUCED TERMINATIONS#	33	3	8	22	8	1	2	5	25	2	6	17
TEENAGE INDUCED TERMINATION RATIO	144.1	428.6	98.8	156.0	333.3	-	666.7	238.1	122.0	285.7	76.9	141.7
TEENAGE PREGNANCIES#	264	10	91	163	32	1	5	26	232	9	86	137
TEENAGE PREGNANCY RATE	56.7	4.1	114.8	(15-19)	32.9	2.1	63.1	(15-19)	63.0	4.6	129.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	1	1	2	1	0	0	1	3	1	1	1
INFANT MORTALITY RATE, TEEN MOMS	17.5	142.9	12.3	14.2	41.7	0.0	0.0	47.6	14.6	142.9	12.8	8.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,087	1,531	815	716	388
WHITE	12,963	818	421	397	188
NONWHITE	8,124	713	394	319	200

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	22	44	32	0	9	23	36	2	13	21
TEENAGE IMMATURE BIRTHS	10	1	2	7	4	0	0	4	6	1	2	3
TEENAGE PREMATURE BIRTHS	14	0	4	10	6	0	1	5	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	57	2	18	37	22	0	5	17	35	2	13	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	2	0	2	0	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	3	9	4	0	3	1	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	44.4	2.4	92.2 (15-19)		39.1	0.0	80.6 (15-19)		50.5	5.1	106.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	44.1	0.0	45.4	45.4	31.2	0.0	111.1	0.0	55.6	0.0	0.0	95.2
TEENAGE PREGNANCIES#	71	2	23	46	33	0	10	23	38	2	13	23
TEENAGE PREGNANCY RATE	46.4	2.4	96.4 (15-19)		40.3	0.0	83.1 (15-19)		53.3	5.1	112.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,041	643	311	332	156
WHITE	7,842	450	214	236	107
NONWHITE	2,199	193	97	96	49

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	10	19	19	0	7	12	10	0	3	7
TEENAGE IMMATURE BIRTHS	5	0	4	1	2	0	2	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	16	0	6	10	6	0	3	3	10	0	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	6	0	2	4	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	6	0	2	4	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	45.1	0.0	87.3 (15-19)		42.2	0.0	80.5 (15-19)		51.8	0.0	104.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	69.0	0.0	100.0	52.6	52.6	0.0	0.0	83.3	100.0	0.0	333.3	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	69.0	0.0	100.0	52.6	52.6	0.0	142.8	0.0	100.0	0.0	0.0	142.8
TEENAGE PREGNANCIES#	33	0	12	21	21	0	8	13	12	0	4	8
TEENAGE PREGNANCY RATE	51.3	0.0	99.4 (15-19)		46.7	0.0	89.0 (15-19)		62.2	0.0	125.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,239	664	341	323	144
WHITE	3,080	149	74	75	18
NONWHITE	7,159	515	267	248	126

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	1	13	11	1	0	1	0	24	1	12	11
TEENAGE IMMATURE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE PREMATURE BIRTHS	6	0	4	2	1	0	1	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	25	1	13	11	1	0	1	0	24	1	12	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	0	0	0	0	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	37.6	2.9	74.3 (15-19)		6.7	0.0	13.3 (15-19)		46.6	3.7	92.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	1	13	11	1	0	1	0	24	1	12	11
TEENAGE PREGNANCY RATE	37.6	2.9	74.3 (15-19)		6.7	0.0	13.3 (15-19)		46.6	3.7	92.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,708	1,313	650	663	285
WHITE	10,764	606	299	307	94
NONWHITE	8,944	707	351	356	191

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	0	12	33	10	0	2	8	35	0	10	25
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	12	0	5	7	1	0	1	0	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	43	0	11	32	8	0	1	7	35	0	10	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	4	11	0	0	0	0	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	0	0	0	0	15	0	4	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE FERTILITY RATE	34.3	0.0	67.9 (15-19)		16.5	0.0	32.6 (15-19)		49.5	0.0	98.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.2	0.0	0.0	30.3	0.0	0.0	0.0	0.0	28.6	0.0	0.0	40.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	66.7	0.0	166.7	30.3	200.0	0.0	500.0	125.0	28.6	0.0	100.0	0.0
TEENAGE PREGNANCIES#	49	0	14	35	12	0	3	9	37	0	11	26
TEENAGE PREGNANCY RATE	37.3	0.0	73.9 (15-19)		19.8	0.0	39.1 (15-19)		52.3	0.0	103.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,401	873	445	428	223
WHITE	8,070	413	213	200	120
NONWHITE	5,331	460	232	228	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	2	25	31	27	0	11	16	31	2	14	15
TEENAGE IMMATURE BIRTHS	6	0	3	3	3	0	2	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	52	2	24	26	21	0	10	11	31	2	14	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	5	0	1	4	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	7	0	1	6	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	3	8	6	0	1	5	6	1	2	3
TEENAGE FERTILITY RATE	66.4	4.5	130.8	(15-19)	65.4	0.0	135.0	(15-19)	67.4	8.6	127.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.2	0.0	0.0	32.2	0.0	0.0	0.0	0.0	32.2	0.0	0.0	66.7
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	59	2	25	32	27	0	11	16	32	2	14	16
TEENAGE PREGNANCY RATE	67.6	4.5	133.2	(15-19)	65.4	0.0	135.0	(15-19)	69.6	8.6	131.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	34.5	0.0	0.0	64.5	0.0	0.0	0.0	0.0	64.5	0.0	0.0	133.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2006

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,929	2,024	1,055	969	477
WHITE	12,319	625	318	307	128
NONWHITE	15,610	1,399	737	662	349

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	98	3	38	57	13	0	5	8	85	3	33	49
TEENAGE IMMATURE BIRTHS	10	0	5	5	2	0	2	0	8	0	3	5
TEENAGE PREMATURE BIRTHS	22	0	10	12	4	0	3	1	18	0	7	11
TEENAGE ILLEGITIMATE BIRTHS	97	3	38	56	12	0	5	7	85	3	33	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	0	7	21	1	0	0	1	27	0	7	20
TEENS WHO HAD PREVIOUS PREGNANCIES	32	0	8	24	2	0	1	1	30	0	7	23
TEENS WITH INADEQUATE* PRENATAL CARE	18	0	6	12	1	0	1	0	17	0	5	12
TEENAGE FERTILITY RATE	48.4	2.8	98.0 (15-19)		20.8	0.0	42.3 (15-19)		60.8	4.1	123.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.2	0.0	0.0	17.5	0.0	0.0	0.0	0.0	11.8	0.0	0.0	20.4
TEENAGE INDUCED TERMINATIONS#	10	1	5	4	3	0	2	1	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	102.0	333.3	131.6	70.2	230.8	0.0	400.0	125.0	82.4	333.3	90.9	61.2
TEENAGE PREGNANCIES#	109	4	43	62	16	0	7	9	93	4	36	53
TEENAGE PREGNANCY RATE	53.8	3.8	108.4 (15-19)		25.6	0.0	52.1 (15-19)		66.5	5.4	134.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	20.4	0.0	26.3	17.5	0.0	0.0	0.0	0.0	23.5	0.0	30.3	20.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.