

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	405	195	210	12.8	14.4	11.5
HEART DISEASES	109	49	60	343.7	362.8	329.6
MALIGNANT NEOPLASMS	92	48	44	290.1	355.4	241.7
INFLUENZA AND PNEUMONIA	21	8	13	66.2	59.2	71.4
ACCIDENTS	21	13	8	66.2	96.2	43.9
SEPTICEMIA	19	9	10	59.9	66.6	54.9
ALZHEIMERS DISEASE	15	9	6	47.3	66.6	33.0
CEREBROVASCULAR DISEASE	11	4	7	34.7	29.6	38.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	34.7	51.8	22.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	2	6	25.2	14.8	33.0
DIABETES MELLITUS	5	2	3	15.8	14.8	16.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	12.6	29.6	0.0
HOMICIDE	4	1	3	12.6	7.4	16.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	9.5	7.4	11.0
HIV DISEASE	2	0	2	6.3	0.0	11.0
SUICIDE	2	1	1	6.3	7.4	5.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.2	7.4	0.0
ANEMIAS	1	0	1	3.2	0.0	5.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.2	0.0	5.5
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.2	7.4	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.2	7.4	0.0
PEPTIC ULCER	1	0	1	3.2	0.0	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	0.0	3.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.2	0.0	5.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.2	0.0	5.5
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	23	14	9	72.5	103.6	49.4
ALL OTHER CAUSES	46	20	26	145.1	148.1	142.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	405	195	210	218	101	117	187	94	93
UNDER 1	5	1	4	3	1	2	2	0	2
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	6	3	3	3	2	1	3	1	2
35-44	12	3	9	10	2	8	2	1	1
45-54	50	19	31	34	12	22	16	7	9
55-64	57	18	39	37	12	25	20	6	14
65-74	73	36	37	39	20	19	34	16	18
75-84	109	65	44	54	34	20	55	31	24
85 AND OVER	88	48	40	34	16	18	54	32	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	31,710
WHITE	13,506
NONWHITE	18,204

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	405	372	33	11.4	11.9	7.5
HEART DISEASES	110	98	12	308.9	314.2	271.4
MALIGNANT NEOPLASMS	88	83	5	247.1	266.1	113.1
CEREBROVASCULAR DISEASE	37	34	3	103.9	109.0	67.8
ACCIDENTS	28	26	2	78.6	83.4	45.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	24	0	67.4	77.0	0.0
ALZHEIMERS DISEASE	18	17	1	50.5	54.5	22.6
SEPTICEMIA	13	13	0	36.5	41.7	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	6	0	16.8	19.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	5	0	14.0	16.0	0.0
INFLUENZA AND PNEUMONIA	5	5	0	14.0	16.0	0.0
SUICIDE	5	5	0	14.0	16.0	0.0
ATHEROSCLEROSIS	4	3	1	11.2	9.6	22.6
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	2	1	8.4	6.4	22.6
NEOPLASMS	2	1	1	5.6	3.2	22.6
DIABETES MELLITUS	2	2	0	5.6	6.4	0.0
HOMICIDE	2	1	1	5.6	3.2	22.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	5.6	6.4	0.0
HIV DISEASE	1	0	1	2.8	0.0	22.6
PARKINSONS DISEASE	1	1	0	2.8	3.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.8	3.2	0.0
INFECTIONS OF KIDNEY	1	1	0	2.8	3.2	0.0
MATERNAL CAUSES	1	1	0	196.5	231.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.8	3.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	11.2	12.8	0.0
ALL OTHER CAUSES	41	36	5	115.1	115.4	113.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	405	372	33	186	166	20	219	206	13
UNDER 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	8	6	2	4	3	1	4	3	1
35-44	10	8	2	6	5	1	4	3	1
45-54	27	26	1	16	15	1	11	11	0
55-64	66	56	10	43	37	6	23	19	4
65-74	89	81	8	51	46	5	38	35	3
75-84	102	98	4	40	36	4	62	62	0
85 AND OVER	97	92	5	22	21	1	75	71	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	35,609
WHITE	31,187
NONWHITE	4,422

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	155	98	57	11.6	13.3	9.6
HEART DISEASES	46	27	19	344.7	365.4	319.1
MALIGNANT NEOPLASMS	39	28	11	292.2	378.9	184.7
ALZHEIMERS DISEASE	9	7	2	67.4	94.7	33.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	59.9	94.7	16.8
DIABETES MELLITUS	7	4	3	52.4	54.1	50.4
ACCIDENTS	4	2	2	30.0	27.1	33.6
INFLUENZA AND PNEUMONIA	3	1	2	22.5	13.5	33.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	22.5	27.1	16.8
SUICIDE	3	3	0	22.5	40.6	0.0
HOMICIDE	3	1	2	22.5	13.5	33.6
SEPTICEMIA	2	2	0	15.0	27.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	15.0	13.5	16.8
PARKINSONS DISEASE	2	2	0	15.0	27.1	0.0
CEREBROVASCULAR DISEASE	2	1	1	15.0	13.5	16.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	10.9	0.0	18.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.5	0.0	16.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.5	0.0	16.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.5	0.0	16.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.5	13.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.5	13.5	0.0
ALL OTHER CAUSES	15	8	7	112.4	108.2	117.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	155	98	57	72	46	26	83	52	31
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	5	0	5	3	0	3	2	0	2
45-54	12	9	3	4	3	1	8	6	2
55-64	23	13	10	16	8	8	7	5	2
65-74	29	22	7	19	15	4	10	7	3
75-84	37	25	12	16	11	5	21	14	7
85 AND OVER	42	27	15	10	8	2	32	19	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	13,345
WHITE	7,390
NONWHITE	5,955

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	290	193	97	14.8	17.0	11.8
HEART DISEASES	77	52	25	392.8	457.5	303.6
MALIGNANT NEOPLASMS	43	29	14	219.4	255.1	170.0
CEREBROVASCULAR DISEASE	19	12	7	96.9	105.6	85.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	10	4	71.4	88.0	48.6
ACCIDENTS	13	6	7	66.3	52.8	85.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	10	2	61.2	88.0	24.3
ALZHEIMERS DISEASE	11	8	3	56.1	70.4	36.4
INFLUENZA AND PNEUMONIA	10	6	4	51.0	52.8	48.6
SEPTICEMIA	9	5	4	45.9	44.0	48.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	5	2	35.7	44.0	24.3
DIABETES MELLITUS	5	3	2	25.5	26.4	24.3
SUICIDE	4	4	0	20.4	35.2	0.0
ANEMIAS	3	3	0	15.3	26.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	15.3	17.6	12.1
HOMICIDE	3	0	3	15.3	0.0	36.4
HIV DISEASE	2	0	2	10.2	0.0	24.3
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	2	0	2	10.2	0.0	24.3
NEOPLASMS	1	1	0	5.1	8.8	0.0
PARKINSONS DISEASE	1	1	0	5.1	8.8	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	5.1	8.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.1	8.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.1	0.0	5.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.1	8.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	47	33	14	239.8	290.3	170.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	290	193	97	175	118	57	115	75	40
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	6	4	2	1	0	1
25-34	7	3	4	5	3	2	2	0	2
35-44	5	1	4	3	0	3	2	1	1
45-54	13	6	7	10	5	5	3	1	2
55-64	40	24	16	24	13	11	16	11	5
65-74	45	29	16	33	21	12	12	8	4
75-84	83	65	18	56	44	12	27	21	6
85 AND OVER	88	60	28	37	28	9	51	32	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	19,600
WHITE	11,367
NONWHITE	8,233

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	75	51	24	9.3	10.0	8.2
HEART DISEASES	25	14	11	311.1	273.8	376.2
MALIGNANT NEOPLASMS	21	15	6	261.3	293.4	205.2
DIABETES MELLITUS	6	5	1	74.6	97.8	34.2
ACCIDENTS	5	4	1	62.2	78.2	34.2
CEREBROVASCULAR DISEASE	4	3	1	49.8	58.7	34.2
SEPTICEMIA	2	1	1	24.9	19.6	34.2
INFLUENZA AND PNEUMONIA	2	1	1	24.9	19.6	34.2
PARKINSONS DISEASE	1	1	0	12.4	19.6	0.0
ALZHEIMERS DISEASE	1	1	0	12.4	19.6	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	12.4	19.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	12.4	0.0	34.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	12.4	19.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	12.4	0.0	34.2
HOMICIDE	1	1	0	12.4	19.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	3	3	0	37.3	58.7	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	75	51	24	46	33	13	29	18	11
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	12	7	5	7	4	3	5	3	2
55-64	15	11	4	12	10	2	3	1	2
65-74	11	8	3	8	5	3	3	3	0
75-84	18	14	4	8	6	2	10	8	2
85 AND OVER	16	9	7	8	6	2	8	3	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	8,037
WHITE	5,113
NONWHITE	2,924

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	412	147	265	10.9	11.8	10.5
HEART DISEASES	143	45	98	380.0	362.6	388.5
MALIGNANT NEOPLASMS	68	26	42	180.7	209.5	166.5
CEREBROVASCULAR DISEASE	37	15	22	98.3	120.8	87.2
ACCIDENTS	16	8	8	42.5	64.4	31.7
DIABETES MELLITUS	13	6	7	34.5	48.3	27.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	9	4	34.5	72.5	15.8
ALZHEIMERS DISEASE	12	7	5	31.9	56.4	19.8
SEPTICEMIA	11	1	10	29.2	8.0	39.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	2	8	26.6	16.1	31.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	3	7	26.6	24.2	27.8
INFLUENZA AND PNEUMONIA	9	6	3	23.9	48.3	11.9
CONDITIONS ORIG IN PERINATAL PERIOD	7	0	7	11.2	0.0	14.6
HOMICIDE	6	0	6	15.9	0.0	23.8
HIV DISEASE	5	0	5	13.3	0.0	19.8
AORTIC ANEURYSM AND DISSECTION	4	2	2	10.6	16.1	7.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	8.0	16.1	4.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	8.0	8.0	7.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	8.0	8.0	7.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	5.3	8.0	4.0
ATHEROSCLEROSIS	2	0	2	5.3	0.0	7.9
SUICIDE	2	2	0	5.3	16.1	0.0
VIRAL HEPATITIS	1	1	0	2.6	8.0	0.0
ANEMIAS	1	0	1	2.6	0.0	4.0
INFECTIONS OF KIDNEY	1	0	1	2.6	0.0	4.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	10.6	8.0	11.9
ALL OTHER CAUSES	26	8	18	69.1	64.4	71.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	412	147	265	214	68	146	198	79	119
UNDER 1	9	0	9	5	0	5	4	0	4
(Neonatal)	7	0	7	3	0	3	4	0	4
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	0	2	1	0	1	1	0	1
15-24	4	1	3	3	0	3	1	1	0
25-34	11	3	8	8	2	6	3	1	2
35-44	27	3	24	20	1	19	7	2	5
45-54	44	16	28	30	9	21	14	7	7
55-64	62	18	44	37	12	25	25	6	19
65-74	61	21	40	32	11	21	29	10	19
75-84	94	41	53	48	21	27	46	20	26
85 AND OVER	95	44	51	28	12	16	67	32	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	37,635
WHITE	12,412
NONWHITE	25,223

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	157	122	35	10.8	12.0	7.9
HEART DISEASES	45	36	9	308.4	354.9	202.4
MALIGNANT NEOPLASMS	39	31	8	267.3	305.6	179.9
CEREBROVASCULAR DISEASE	12	9	3	82.2	88.7	67.5
ACCIDENTS	12	8	4	82.2	78.9	89.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	68.5	78.9	45.0
ALZHEIMERS DISEASE	9	8	1	61.7	78.9	22.5
SEPTICEMIA	4	4	0	27.4	39.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	20.6	29.6	0.0
INFLUENZA AND PNEUMONIA	3	3	0	20.6	29.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	6.8	0.0	22.5
PARKINSONS DISEASE	1	1	0	6.8	9.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	6.8	0.0	22.5
HERNIA	1	1	0	6.8	9.8	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	6.8	9.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.8	0.0	22.5
SUICIDE	1	1	0	6.8	9.8	0.0
HOMICIDE	1	0	1	6.8	0.0	22.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	12	8	4	82.2	78.9	89.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	157	122	35	79	60	19	78	62	16
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	6	3	3	5	2	3	1	1	0
35-44	7	3	4	6	3	3	1	0	1
45-54	11	9	2	4	3	1	7	6	1
55-64	19	15	4	16	13	3	3	2	1
65-74	24	21	3	10	10	0	14	11	3
75-84	44	33	11	19	15	4	25	18	7
85 AND OVER	40	34	6	15	11	4	25	23	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	14,591
WHITE	10,144
NONWHITE	4,447

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	103	61	42	10.0	9.2	11.5
HEART DISEASES	32	19	13	310.6	285.9	355.3
MALIGNANT NEOPLASMS	26	18	8	252.3	270.9	218.6
CEREBROVASCULAR DISEASE	11	5	6	106.8	75.2	164.0
ACCIDENTS	5	3	2	48.5	45.1	54.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	38.8	45.1	27.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	2	2	38.8	30.1	54.7
PARKINSONS DISEASE	3	3	0	29.1	45.1	0.0
INFLUENZA AND PNEUMONIA	3	1	2	29.1	15.0	54.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	19.4	30.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	19.4	15.0	27.3
HOMICIDE	2	0	2	19.4	0.0	54.7
SEPTICEMIA	1	1	0	9.7	15.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	6.3	9.9	0.0
SUICIDE	1	0	1	9.7	0.0	27.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.7	15.0	0.0
ALL OTHER CAUSES	5	1	4	48.5	15.0	109.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	103	61	42	54	32	22	49	29	20
UNDER 1	3	2	1	0	0	0	3	2	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	2	0	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	1	3	4	1	3	0	0	0
45-54	12	8	4	6	4	2	6	4	2
55-64	15	9	6	10	6	4	5	3	2
65-74	24	15	9	15	11	4	9	4	5
75-84	21	14	7	10	6	4	11	8	3
85 AND OVER	21	12	9	7	4	3	14	8	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	10,304
WHITE	6,645
NONWHITE	3,659

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	168	114	54	8.8	10.5	6.7
HEART DISEASES	55	32	23	289.9	294.2	284.1
MALIGNANT NEOPLASMS	28	20	8	147.6	183.8	98.8
ACCIDENTS	18	15	3	94.9	137.9	37.0
CEREBROVASCULAR DISEASE	14	7	7	73.8	64.4	86.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	31.6	55.2	0.0
INFLUENZA AND PNEUMONIA	5	4	1	26.4	36.8	12.4
SEPTICEMIA	4	3	1	21.1	27.6	12.4
ALZHEIMERS DISEASE	4	2	2	21.1	18.4	24.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	21.1	18.4	24.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	10.5	9.2	12.4
SUICIDE	2	2	0	10.5	18.4	0.0
VIRAL HEPATITIS	1	1	0	5.3	9.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.3	9.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.3	9.2	0.0
INFECTIONS OF KIDNEY	1	1	0	5.3	9.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.3	0.0	12.4
HOMICIDE	1	0	1	5.3	0.0	12.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.3	9.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	19	15	4	100.1	137.9	49.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	168	114	54	81	53	28	87	61	26
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	8	5	3	6	5	1	2	0	2
35-44	5	2	3	2	0	2	3	2	1
45-54	13	9	4	10	7	3	3	2	1
55-64	21	14	7	12	6	6	9	8	1
65-74	30	19	11	14	11	3	16	8	8
75-84	37	25	12	19	11	8	18	14	4
85 AND OVER	50	37	13	15	10	5	35	27	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	18,974
WHITE	10,878
NONWHITE	8,096

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	106	79	27	11.7	12.8	9.4
HEART DISEASES	36	30	6	397.7	486.0	208.4
MALIGNANT NEOPLASMS	18	16	2	198.8	259.2	69.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	8	3	121.5	129.6	104.2
ACCIDENTS	8	6	2	88.4	97.2	69.5
SEPTICEMIA	4	2	2	44.2	32.4	69.5
CEREBROVASCULAR DISEASE	4	0	4	44.2	0.0	138.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	44.2	16.2	104.2
ALZHEIMERS DISEASE	3	3	0	33.1	48.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	33.1	48.6	0.0
TUBERCULOSIS	1	0	1	11.0	0.0	34.7
DIABETES MELLITUS	1	0	1	11.0	0.0	34.7
PARKINSONS DISEASE	1	1	0	11.0	16.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.0	0.0	15.9
SUICIDE	1	1	0	11.0	16.2	0.0
HOMICIDE	1	1	0	11.0	16.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	11.0	0.0	34.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	22.1	32.4	0.0
ALL OTHER CAUSES	6	5	1	66.3	81.0	34.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	106	79	27	50	34	16	56	45	11
UNDER 1	3	0	3	3	0	3	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	10	6	4	5	4	1	5	2	3
55-64	18	13	5	10	7	3	8	6	2
65-74	21	16	5	9	7	2	12	9	3
75-84	20	14	6	13	9	4	7	5	2
85 AND OVER	29	26	3	6	4	2	23	22	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	9,052
WHITE	6,173
NONWHITE	2,879

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	113	35	78	10.3	21.1	8.4
HEART DISEASES	32	10	22	290.9	602.4	235.6
MALIGNANT NEOPLASMS	24	4	20	218.2	241.0	214.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	6	6	109.1	361.4	64.2
ACCIDENTS	11	4	7	100.0	241.0	75.0
CEREBROVASCULAR DISEASE	9	4	5	81.8	241.0	53.5
SEPTICEMIA	4	1	3	36.4	60.2	32.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	18.2	60.2	10.7
TUBERCULOSIS	1	0	1	9.1	0.0	10.7
DIABETES MELLITUS	1	0	1	9.1	0.0	10.7
PARKINSONS DISEASE	1	1	0	9.1	60.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.1	0.0	10.7
PEPTIC ULCER	1	0	1	9.1	0.0	10.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.1	60.2	0.0
SUICIDE	1	1	0	9.1	60.2	0.0
HOMICIDE	1	0	1	9.1	0.0	10.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.1	0.0	10.7
ALL OTHER CAUSES	10	2	8	90.9	120.5	85.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	113	35	78	61	16	45	52	19	33
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	4	1	3	3	1	2	1	0	1
45-54	15	3	12	9	2	7	6	1	5
55-64	15	4	11	10	3	7	5	1	4
65-74	23	5	18	14	2	12	9	3	6
75-84	25	9	16	10	3	7	15	6	9
85 AND OVER	22	11	11	8	4	4	14	7	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	10,999
WHITE	1,660
NONWHITE	9,339

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	200	138	62	11.5	12.3	10.1
HEART DISEASES	53	38	15	304.4	337.7	243.4
MALIGNANT NEOPLASMS	42	29	13	241.2	257.7	211.0
ACCIDENTS	13	9	4	74.6	80.0	64.9
CEREBROVASCULAR DISEASE	11	7	4	63.2	62.2	64.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	57.4	71.1	32.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	5	3	45.9	44.4	48.7
ALZHEIMERS DISEASE	7	5	2	40.2	44.4	32.4
INFLUENZA AND PNEUMONIA	7	5	2	40.2	44.4	32.4
SEPTICEMIA	3	2	1	17.2	17.8	16.2
DIABETES MELLITUS	3	2	1	17.2	17.8	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	17.2	26.7	0.0
SUICIDE	3	2	1	17.2	17.8	16.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	11.5	17.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	8.6	0.0	18.2
HIV DISEASE	1	0	1	5.7	0.0	16.2
ANEMIAS	1	0	1	5.7	0.0	16.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	34.4	26.7	48.7
ALL OTHER CAUSES	25	18	7	143.6	160.0	113.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	200	138	62	105	70	35	95	68	27
UNDER 1	4	2	2	3	1	2	1	1	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	2	1	1	2	1	1	0	0	0
35-44	8	3	5	4	1	3	4	2	2
45-54	15	10	5	13	9	4	2	1	1
55-64	21	13	8	10	5	5	11	8	3
65-74	40	31	9	20	18	2	20	13	7
75-84	54	39	15	27	18	9	27	21	6
85 AND OVER	48	36	12	19	14	5	29	22	7
UNKNOWN	1	1	0	1	1	0	0	0	0

2007 POPULATION:

TOTAL	17,414
WHITE	11,252
NONWHITE	6,162

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	202	115	87	9.6	12.8	7.3
HEART DISEASES	65	37	28	310.0	410.2	234.3
MALIGNANT NEOPLASMS	44	19	25	209.8	210.7	209.2
CEREBROVASCULAR DISEASE	13	7	6	62.0	77.6	50.2
ACCIDENTS	12	7	5	57.2	77.6	41.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	47.7	77.6	25.1
SEPTICEMIA	7	5	2	33.4	55.4	16.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	28.6	22.2	33.5
DIABETES MELLITUS	4	2	2	19.1	22.2	16.7
ALZHEIMERS DISEASE	3	3	0	14.3	33.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	14.3	11.1	16.7
SUICIDE	3	2	1	14.3	22.2	8.4
HIV DISEASE	2	0	2	9.5	0.0	16.7
PARKINSONS DISEASE	2	2	0	9.5	22.2	0.0
INFLUENZA AND PNEUMONIA	2	2	0	9.5	22.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.8	11.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.8	11.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.8	11.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.8	0.0	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.2	0.0	4.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.8	0.0	8.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	20	16	4	95.4	177.4	33.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	202	115	87	94	46	48	108	69	39
UNDER 1	2	0	2	0	0	0	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	2	1	1	2	1	1
25-34	1	1	0	0	0	0	1	1	0
35-44	4	3	1	4	3	1	0	0	0
45-54	17	6	11	12	4	8	5	2	3
55-64	30	13	17	20	9	11	10	4	6
65-74	30	16	14	17	7	10	13	9	4
75-84	48	30	18	19	12	7	29	18	11
85 AND OVER	65	44	21	19	10	9	46	34	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	20,969
WHITE	9,019
NONWHITE	11,950

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	326	115	211	11.8	17.2	10.1
HEART DISEASES	90	33	57	326.8	492.8	273.4
MALIGNANT NEOPLASMS	67	27	40	243.2	403.2	191.9
DIABETES MELLITUS	18	2	16	65.4	29.9	76.8
CEREBROVASCULAR DISEASE	17	3	14	61.7	44.8	67.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	9	7	58.1	134.4	33.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	3	8	39.9	44.8	38.4
ACCIDENTS	11	6	5	39.9	89.6	24.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	3	5	29.0	44.8	24.0
SEPTICEMIA	7	2	5	25.4	29.9	24.0
ALZHEIMERS DISEASE	7	4	3	25.4	59.7	14.4
CONDITIONS ORIG IN PERINATAL PERIOD	7	0	7	12.7	0.0	14.5
HIV DISEASE	6	0	6	21.8	0.0	28.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	1	4	18.2	14.9	19.2
SUICIDE	5	4	1	18.2	59.7	4.8
HOMICIDE	5	0	5	18.2	0.0	24.0
INFLUENZA AND PNEUMONIA	4	2	2	14.5	29.9	9.6
AORTIC ANEURYSM AND DISSECTION	2	1	1	7.3	14.9	4.8
VIRAL HEPATITIS	1	0	1	3.6	0.0	4.8
ANEMIAS	1	1	0	3.6	14.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.6	14.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.6	0.0	4.8

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.6	0.0	4.8
ALL OTHER CAUSES	35	13	22	127.1	194.1	105.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	326	115	211	157	48	109	169	67	102
UNDER 1	8	0	8	4	0	4	4	0	4
(NEONATAL)	7	0	7	3	0	3	4	0	4
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	9	0	9	6	0	6	3	0	3
35-44	16	5	11	11	3	8	5	2	3
45-54	33	8	25	24	6	18	9	2	7
55-64	54	18	36	28	10	18	26	8	18
65-74	48	10	38	27	4	23	21	6	15
75-84	79	42	37	33	19	14	46	23	23
85 AND OVER	75	31	44	21	6	15	54	25	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	27,543
WHITE	6,697
NONWHITE	20,846

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	323	183	140	11.0	13.1	9.1
HEART DISEASES	82	37	45	279.7	264.9	293.2
MALIGNANT NEOPLASMS	70	40	30	238.8	286.4	195.4
CEREBROVASCULAR DISEASE	19	10	9	64.8	71.6	58.6
ACCIDENTS	19	15	4	64.8	107.4	26.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	61.4	100.2	26.1
INFLUENZA AND PNEUMONIA	14	11	3	47.8	78.8	19.5
SEPTICEMIA	9	5	4	30.7	35.8	26.1
DIABETES MELLITUS	9	2	7	30.7	14.3	45.6
ALZHEIMERS DISEASE	9	5	4	30.7	35.8	26.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	20.5	21.5	19.5
HOMICIDE	4	1	3	13.6	7.2	19.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	10.2	0.0	19.5
AORTIC ANEURYSM AND DISSECTION	3	3	0	10.2	21.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	3	3	0	10.2	21.5	0.0
NEOPLASMS	2	0	2	6.8	0.0	13.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	6.8	7.2	6.5
SUICIDE	2	2	0	6.8	14.3	0.0
VIRAL HEPATITIS	1	0	1	3.4	0.0	6.5
HIV DISEASE	1	1	0	3.4	7.2	0.0
ANEMIAS	1	0	1	3.4	0.0	6.5
PARKINSONS DISEASE	1	1	0	3.4	7.2	0.0
ATHEROSCLEROSIS	1	1	0	3.4	7.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.4	7.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.4	0.0	6.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.1	5.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.4	0.0	6.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	6.8	14.3	0.0
ALL OTHER CAUSES	38	24	14	129.6	171.8	91.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	323	183	140	157	83	74	166	100	66
UNDER 1	5	2	3	2	1	1	3	1	2
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	4	1	3	2	1	1	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	7	5	2	6	5	1	1	0	1
25-34	6	3	3	4	1	3	2	2	0
35-44	15	10	5	13	9	4	2	1	1
45-54	20	6	14	12	3	9	8	3	5
55-64	57	26	31	29	14	15	28	12	16
65-74	51	25	26	30	13	17	21	12	9
75-84	90	63	27	42	27	15	48	36	12
85 AND OVER	70	43	27	18	10	8	52	33	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	29,317
WHITE	13,968
NONWHITE	15,349

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	234	177	57	11.5	13.8	7.5
HEART DISEASES	75	52	23	368.4	406.2	304.3
MALIGNANT NEOPLASMS	38	32	6	186.6	249.9	79.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	20	4	117.9	156.2	52.9
ACCIDENTS	15	12	3	73.7	93.7	39.7
CEREBROVASCULAR DISEASE	14	11	3	68.8	85.9	39.7
ALZHEIMERS DISEASE	9	8	1	44.2	62.5	13.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	24.6	23.4	26.5
DIABETES MELLITUS	3	2	1	14.7	15.6	13.2
PARKINSONS DISEASE	3	3	0	14.7	23.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	14.7	15.6	13.2
INFLUENZA AND PNEUMONIA	3	3	0	14.7	23.4	0.0
SUICIDE	2	2	0	9.8	15.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.9	7.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.9	0.0	13.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.9	7.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.2	5.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.9	0.0	13.2
HOMICIDE	1	0	1	4.9	0.0	13.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	19.6	23.4	13.2
ALL OTHER CAUSES	30	21	9	147.3	164.0	119.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	234	177	57	149	118	31	85	59	26
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	5	1	4	1	1	0
25-34	4	2	2	2	2	0	2	0	2
35-44	3	1	2	2	1	1	1	0	1
45-54	14	10	4	10	8	2	4	2	2
55-64	23	14	9	16	8	8	7	6	1
65-74	38	32	6	25	22	3	13	10	3
75-84	81	66	15	51	45	6	30	21	9
85 AND OVER	62	48	14	36	29	7	26	19	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	20,361
WHITE	12,803
NONWHITE	7,558

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	939	825	114	6.3	7.2	3.3
HEART DISEASES	257	233	24	172.0	202.1	70.3
MALIGNANT NEOPLASMS	247	218	29	165.3	189.1	85.0
ACCIDENTS	61	47	14	40.8	40.8	41.0
CEREBROVASCULAR DISEASE	42	36	6	28.1	31.2	17.6
ALZHEIMERS DISEASE	41	38	3	27.4	33.0	8.8
DIABETES MELLITUS	38	34	4	25.4	29.5	11.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	36	1	24.8	31.2	2.9
SUICIDE	16	14	2	10.7	12.1	5.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	15	15	0	10.0	13.0	0.0
SEPTICEMIA	12	9	3	8.0	7.8	8.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	8	3	7.4	6.9	8.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	9	2	7.4	7.8	5.9
INFLUENZA AND PNEUMONIA	9	8	1	6.0	6.9	2.9
CONDITIONS ORIG IN PERINATAL PERIOD	8	4	4	3.6	2.4	7.4
AORTIC ANEURYSM AND DISSECTION	6	6	0	4.0	5.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	5	1	4.0	4.3	2.9
VIRAL HEPATITIS	4	4	0	2.7	3.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	2.7	3.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	2.7	3.5	0.0
PARKINSONS DISEASE	3	3	0	2.0	2.6	0.0
HOMICIDE	3	1	2	2.0	0.9	5.9
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.3	1.7	0.0
HIV DISEASE	1	1	0	0.7	0.9	0.0
PEPTIC ULCER	1	1	0	0.7	0.9	0.0
HERNIA	1	0	1	0.7	0.0	2.9
INFECTIONS OF KIDNEY	1	0	1	0.7	0.0	2.9
MATERNAL CAUSES	1	0	1	44.7	0.0	183.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.7	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	23	21	2	15.4	18.2	5.9
ALL OTHER CAUSES	73	63	10	48.9	54.6	29.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	939	825	114	499	432	67	440	393	47
UNDER 1	19	13	6	13	9	4	6	4	2
(NEONATAL)	10	6	4	7	5	2	3	1	2
(POSTNEONATAL)	9	7	2	6	4	2	3	3	0
1-4	4	1	3	4	1	3	0	0	0
5-9	4	1	3	2	1	1	2	0	2
10-14	4	1	3	4	1	3	0	0	0
15-24	18	17	1	11	10	1	7	7	0
25-34	20	13	7	16	11	5	4	2	2
35-44	41	35	6	29	24	5	12	11	1
45-54	101	89	12	62	54	8	39	35	4
55-64	147	130	17	94	82	12	53	48	5
65-74	181	167	14	105	96	9	76	71	5
75-84	229	203	26	116	106	10	113	97	16
85 AND OVER	171	155	16	43	37	6	128	118	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	149,393
WHITE	115,266
NONWHITE	34,127

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	662	462	200	8.5	9.5	6.8
HEART DISEASES	167	126	41	213.4	258.7	138.8
MALIGNANT NEOPLASMS	135	99	36	172.5	203.3	121.8
ALZHEIMERS DISEASE	40	30	10	51.1	61.6	33.8
ACCIDENTS	39	29	10	49.8	59.6	33.8
CEREBROVASCULAR DISEASE	30	23	7	38.3	47.2	23.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	18	10	35.8	37.0	33.8
DIABETES MELLITUS	22	12	10	28.1	24.6	33.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	22	13	9	28.1	26.7	30.5
SEPTICEMIA	13	7	6	16.6	14.4	20.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	8	4	15.3	16.4	13.5
CONDITIONS ORIG IN PERINATAL PERIOD	11	2	9	8.3	2.8	15.1
SUICIDE	10	10	0	12.8	20.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	1	4	6.4	2.0	13.5
HIV DISEASE	4	1	3	5.1	2.0	10.2
PARKINSONS DISEASE	4	4	0	5.1	8.2	0.0
INFLUENZA AND PNEUMONIA	3	2	1	3.8	4.1	3.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	2.6	4.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	2.6	4.1	0.0
MATERNAL CAUSES	2	0	2	151.4	0.0	336.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.6	2.0	3.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.3	2.0	0.0
INFECTIONS OF KIDNEY	1	0	1	1.3	0.0	3.4
HYPERPLASIA OF PROSTATE	1	1	0	1.3	2.0	0.0
HOMICIDE	1	0	1	1.3	0.0	3.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	31	17	14	39.6	34.9	47.4
ALL OTHER CAUSES	73	52	21	93.3	106.8	71.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	662	462	200	309	211	98	353	251	102
UNDER 1	20	4	16	8	1	7	12	3	9
(NEONATAL)	15	3	12	7	1	6	8	2	6
(POSTNEONATAL)	5	1	4	1	0	1	4	1	3
1-4	3	3	0	2	2	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	19	13	6	7	6	1	12	7	5
25-34	16	5	11	11	3	8	5	2	3
35-44	24	15	9	15	9	6	9	6	3
45-54	53	34	19	37	26	11	16	8	8
55-64	82	57	25	53	39	14	29	18	11
65-74	119	84	35	65	44	21	54	40	14
75-84	167	124	43	70	53	17	97	71	26
85 AND OVER	157	122	35	39	27	12	118	95	23
UNKNOWN	1	1	0	1	1	0	0	0	0

2007 POPULATION:

TOTAL	78,241
WHITE	48,696
NONWHITE	29,545

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	79	63	16	9.5	12.3	5.0
HEART DISEASES	37	26	11	445.1	506.9	345.6
MALIGNANT NEOPLASMS	18	16	2	216.6	312.0	62.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	48.1	58.5	31.4
CEREBROVASCULAR DISEASE	3	3	0	36.1	58.5	0.0
ACCIDENTS	2	2	0	24.1	39.0	0.0
SEPTICEMIA	1	1	0	12.0	19.5	0.0
IN SITU, BENIGN & UNSPECIFIED						
NEOPLASMS	1	1	0	12.0	19.5	0.0
DIABETES MELLITUS	1	1	0	12.0	19.5	0.0
MENINGITIS	1	1	0	12.0	19.5	0.0
ALZHEIMERS DISEASE	1	1	0	12.0	19.5	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER						
RESPIRATORY DISEASES	1	1	0	12.0	19.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	12.0	0.0	31.4
SUICIDE	1	1	0	12.0	19.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	7	6	1	84.2	117.0	31.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	79	63	16	38	33	5	41	30	11
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	3	3	0	1	1	0	2	2	0
45-54	5	3	2	3	2	1	2	1	1
55-64	13	12	1	8	8	0	5	4	1
65-74	18	15	3	11	10	1	7	5	2
75-84	17	14	3	8	6	2	9	8	1
85 AND OVER	20	15	5	6	5	1	14	10	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	8,312
WHITE	5,129
NONWHITE	3,183

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	233	216	17	10.6	11.0	7.1
MALIGNANT NEOPLASMS	52	44	8	237.0	225.2	333.2
HEART DISEASES	49	47	2	223.4	240.6	83.3
DIABETES MELLITUS	22	20	2	100.3	102.4	83.3
ACCIDENTS	22	22	0	100.3	112.6	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	17	0	77.5	87.0	0.0
CEREBROVASCULAR DISEASE	16	14	2	72.9	71.7	83.3
SUICIDE	6	6	0	27.4	30.7	0.0
HOMICIDE	5	4	1	22.8	20.5	41.6
ALZHEIMERS DISEASE	4	4	0	18.2	20.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	13.7	10.2	41.6
INFLUENZA AND PNEUMONIA	3	3	0	13.7	15.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.1	10.2	0.0
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	2	2	0	9.1	10.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.1	10.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	4.8	5.3	0.0
SEPTICEMIA	1	1	0	4.6	5.1	0.0
ANEMIAS	1	1	0	4.6	5.1	0.0
PARKINSONS DISEASE	1	1	0	4.6	5.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.6	5.1	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	4.6	5.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.6	0.0	41.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.6	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.6	5.1	0.0
ALL OTHER CAUSES	18	18	0	82.0	92.1	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	233	216	17	119	113	6	114	103	11
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	9	8	1	7	6	1	2	2	0
25-34	12	12	0	9	9	0	3	3	0
35-44	10	6	4	4	3	1	6	3	3
45-54	17	15	2	10	9	1	7	6	1
55-64	28	25	3	16	14	2	12	11	1
65-74	60	57	3	33	33	0	27	24	3
75-84	48	45	3	30	29	1	18	16	2
85 AND OVER	44	43	1	8	8	0	36	35	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	21,937
WHITE	19,536
NONWHITE	2,401

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	110	90	20	8.4	9.3	5.7
HEART DISEASES	35	27	8	266.4	280.1	228.8
MALIGNANT NEOPLASMS	23	19	4	175.1	197.1	114.4
ACCIDENTS	10	10	0	76.1	103.7	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	68.5	83.0	28.6
CEREBROVASCULAR DISEASE	5	5	0	38.1	51.9	0.0
DIABETES MELLITUS	4	3	1	30.4	31.1	28.6
ALZHEIMERS DISEASE	4	4	0	30.4	41.5	0.0
SEPTICEMIA	3	2	1	22.8	20.7	28.6
HIV DISEASE	1	0	1	7.6	0.0	28.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.6	10.4	0.0
INFLUENZA AND PNEUMONIA	1	1	0	7.6	10.4	0.0
SUICIDE	1	1	0	7.6	10.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.6	10.4	0.0
ALL OTHER CAUSES	12	8	4	91.3	83.0	114.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	110	90	20	62	50	12	48	40	8
UNDER 1 (NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	4	1	4	3	1	1	1	0
35-44	4	3	1	3	2	1	1	1	0
45-54	11	10	1	4	4	0	7	6	1
55-64	8	7	1	4	3	1	4	4	0
65-74	26	23	3	18	16	2	8	7	1
75-84	30	21	9	19	14	5	11	7	4
85 AND OVER	23	19	4	7	5	2	16	14	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	13,137
WHITE	9,640
NONWHITE	3,497

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	273	165	108	11.8	12.5	10.9
HEART DISEASES	104	65	39	450.7	494.3	392.9
MALIGNANT NEOPLASMS	54	35	19	234.0	266.2	191.4
CEREBROVASCULAR DISEASE	14	8	6	60.7	60.8	60.4
SEPTICEMIA	11	6	5	47.7	45.6	50.4
ACCIDENTS	11	6	5	47.7	45.6	50.4
ALZHEIMERS DISEASE	10	7	3	43.3	53.2	30.2
DIABETES MELLITUS	6	4	2	26.0	30.4	20.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	26.0	38.0	10.1
HOMICIDE	6	0	6	26.0	0.0	60.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	17.3	15.2	20.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	13.0	7.6	20.1
INFLUENZA AND PNEUMONIA	3	1	2	13.0	7.6	20.1
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	8.7	0.0	15.7
HIV DISEASE	2	0	2	8.7	0.0	20.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	8.7	7.6	10.1
ANEMIAS	2	1	1	8.7	7.6	10.1
PARKINSONS DISEASE	2	2	0	8.7	15.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.7	15.2	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0	8.7	15.2	0.0
SUICIDE	2	2	0	8.7	15.2	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.3	0.0	10.1
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	4.3	0.0	10.1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.3	7.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.3	0.0	10.1
ALL OTHER CAUSES	20	14	6	86.7	106.5	60.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	273	165	108	141	78	63	132	87	45
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	1	2	3	1	2	0	0	0
25-34	8	3	5	7	3	4	1	0	1
35-44	12	5	7	7	3	4	5	2	3
45-54	19	7	12	10	5	5	9	2	7
55-64	39	18	21	26	10	16	13	8	5
65-74	52	35	17	36	25	11	16	10	6
75-84	63	46	17	21	15	6	42	31	11
85 AND OVER	70	50	20	26	16	10	44	34	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	23,076
WHITE	13,149
NONWHITE	9,927

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	335	317	18	8.4	8.8	4.7
HEART DISEASES	89	82	7	224.2	228.8	182.2
MALIGNANT NEOPLASMS	86	81	5	216.7	226.0	130.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	28	2	75.6	78.1	52.1
ACCIDENTS	23	23	0	58.0	64.2	0.0
SEPTICEMIA	11	11	0	27.7	30.7	0.0
SUICIDE	9	9	0	22.7	25.1	0.0
CEREBROVASCULAR DISEASE	8	8	0	20.2	22.3	0.0
DIABETES MELLITUS	7	6	1	17.6	16.7	26.0
ALZHEIMERS DISEASE	7	6	1	17.6	16.7	26.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	17.6	19.5	0.0
INFLUENZA AND PNEUMONIA	6	6	0	15.1	16.7	0.0
PARKINSONS DISEASE	5	5	0	12.6	13.9	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0	10.1	11.2	0.0
HOMICIDE	4	4	0	10.1	11.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	7.6	5.6	26.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	7.6	8.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	5.0	5.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.5	2.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.5	2.8	0.0
PEPTIC ULCER	1	1	0	2.5	2.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.6	5.6	26.0
ALL OTHER CAUSES	25	25	0	63.0	69.7	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	335	317	18	193	186	7	142	131	11
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	6	6	0	5	5	0	1	1	0
35-44	22	21	1	11	11	0	11	10	1
45-54	29	27	2	21	20	1	8	7	1
55-64	59	58	1	40	40	0	19	18	1
65-74	72	68	4	43	43	0	29	25	4
75-84	84	77	7	49	44	5	35	33	2
85 AND OVER	56	55	1	18	18	0	38	37	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	39,687
WHITE	35,846
NONWHITE	3,841

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,509	1,189	320	8.6	9.4	6.4
HEART DISEASES	437	346	91	248.1	274.4	181.9
MALIGNANT NEOPLASMS	339	275	64	192.5	218.1	127.9
ACCIDENTS	109	88	21	61.9	69.8	42.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	83	71	12	47.1	56.3	24.0
CEREBROVASCULAR DISEASE	64	45	19	36.3	35.7	38.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	43	29	14	24.4	23.0	28.0
SUICIDE	35	32	3	19.9	25.4	6.0
SEPTICEMIA	34	22	12	19.3	17.4	24.0
ALZHEIMERS DISEASE	27	22	5	15.3	17.4	10.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	19	1	11.4	15.1	2.0
INFLUENZA AND PNEUMONIA	19	11	8	10.8	8.7	16.0
AORTIC ANEURYSM AND DISSECTION	14	11	3	8.0	8.7	6.0
HOMICIDE	14	9	5	8.0	7.1	10.0
DIABETES MELLITUS	10	8	2	5.7	6.3	4.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	7	3	5.7	5.6	6.0
HIV DISEASE	8	3	5	4.5	2.4	10.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	4	2	3.4	3.2	4.0
PARKINSONS DISEASE	5	5	0	2.8	4.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	2.3	2.4	2.0
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	2.3	3.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	1.4	1.4	1.2
VIRAL HEPATITIS	3	2	1	1.7	1.6	2.0
PEPTIC ULCER	3	3	0	1.7	2.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	1.1	1.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	1.1	0.8	2.0
ATHEROSCLEROSIS	2	2	0	1.1	1.6	0.0
TUBERCULOSIS	1	1	0	0.6	0.8	0.0
ANEMIAS	1	1	0	0.6	0.8	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.6	0.8	0.0
PNEUMOCOINOSSES & CHEMICAL EFFECTS	1	1	0	0.6	0.8	0.0
HERNIA	1	1	0	0.6	0.8	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	0.6	0.0	2.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	26	21	5	14.8	16.6	10.0
ALL OTHER CAUSES	176	136	40	99.9	107.9	80.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,509	1,189	320	862	690	172	647	499	148
UNDER 1	22	17	5	9	6	3	13	11	2
(NEONATAL)	8	6	2	4	2	2	4	4	0
(POSTNEONATAL)	14	11	3	5	4	1	9	7	2
1-4	7	4	3	3	1	2	4	3	1
5-9	2	1	1	1	1	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	33	27	6	29	24	5	4	3	1
25-34	21	17	4	17	16	1	4	1	3
35-44	77	53	24	49	33	16	28	20	8
45-54	173	131	42	114	88	26	59	43	16
55-64	241	174	67	156	119	37	85	55	30
65-74	291	233	58	172	140	32	119	93	26
75-84	387	319	68	220	185	35	167	134	33
85 AND OVER	251	210	41	88	74	14	163	136	27
UNKNOWN	3	2	1	3	2	1	0	0	0

2007 POPULATION:

TOTAL	176,105
WHITE	126,078
NONWHITE	50,027

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,004	864	1,140	8.0	10.8	6.8
HEART DISEASES	610	275	335	244.8	342.2	198.4
MALIGNANT NEOPLASMS	369	157	212	148.1	195.4	125.6
ACCIDENTS	116	61	55	46.6	75.9	32.6
CEREBROVASCULAR DISEASE	101	42	59	40.5	52.3	35.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	75	48	27	30.1	59.7	16.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	56	24	32	22.5	29.9	19.0
HOMICIDE	51	3	48	20.5	3.7	28.4
SEPTICEMIA	45	16	29	18.1	19.9	17.2
HIV DISEASE	40	3	37	16.0	3.7	21.9
INFLUENZA AND PNEUMONIA	39	22	17	15.6	27.4	10.1
DIABETES MELLITUS	33	7	26	13.2	8.7	15.4
ALZHEIMERS DISEASE	33	23	10	13.2	28.6	5.9
CONDITIONS ORIG IN PERINATAL PERIOD	32	1	31	8.0	1.1	10.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	9	20	11.6	11.2	11.8
SUICIDE	22	13	9	8.8	16.2	5.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	9	11	8.0	11.2	6.5
AORTIC ANEURYSM AND DISSECTION	10	2	8	4.0	2.5	4.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	5	4	3.6	6.2	2.4
ANEMIAS	8	5	3	3.2	6.2	1.8
PARKINSONS DISEASE	5	4	1	2.0	5.0	0.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	0	5	2.0	0.0	3.0
VIRAL HEPATITIS	3	2	1	1.2	2.5	0.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	0.8	1.2	0.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	0.8	0.0	1.2
HYPERPLASIA OF PROSTATE	2	2	0	0.8	2.5	0.0
SHIGELLOSIS & AMEBIASIS	1	0	1	0.4	0.0	0.6
MENINGITIS	1	0	1	0.4	0.0	0.6
ATHEROSCLEROSIS	1	1	0	0.4	1.2	0.0
PEPTIC ULCER	1	1	0	0.4	1.2	0.0
HERNIA	1	0	1	0.4	0.0	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.4	1.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.4	1.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	24	12	12	9.6	14.9	7.1
ALL OTHER CAUSES	256	114	142	102.7	141.9	84.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,004	864	1,140	1,025	426	599	979	438	541
UNDER 1	60	7	53	27	5	22	33	2	31
(NEONATAL)	35	2	33	16	1	15	19	1	18
(POSTNEONATAL)	25	5	20	11	4	7	14	1	13
1-4	3	0	3	1	0	1	2	0	2
5-9	3	0	3	1	0	1	2	0	2
10-14	3	2	1	3	2	1	0	0	0
15-24	58	10	48	47	9	38	11	1	10
25-34	66	17	49	49	11	38	17	6	11
35-44	101	23	78	61	11	50	40	12	28
45-54	218	62	156	132	33	99	86	29	57
55-64	301	102	199	182	64	118	119	38	81
65-74	299	122	177	144	55	89	155	67	88
75-84	432	257	175	228	144	84	204	113	91
85 AND OVER	459	262	197	149	92	57	310	170	140
UNKNOWN	1	0	1	1	0	1	0	0	0

2007 POPULATION:

TOTAL	249,157
WHITE	80,353
NONWHITE	168,804

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	222	68	154	10.8	18.2	9.2
HEART DISEASES	65	20	45	317.7	536.3	268.9
MALIGNANT NEOPLASMS	44	18	26	215.0	482.7	155.4
CEREBROVASCULAR DISEASE	24	7	17	117.3	187.7	101.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	7	6	63.5	187.7	35.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	2	10	58.6	53.6	59.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	2	6	39.1	53.6	35.8
ACCIDENTS	8	3	5	39.1	80.4	29.9
ALZHEIMERS DISEASE	7	3	4	34.2	80.4	23.9
INFLUENZA AND PNEUMONIA	4	1	3	19.5	26.8	17.9
HOMICIDE	3	0	3	14.7	0.0	17.9
SEPTICEMIA	2	0	2	9.8	0.0	12.0
HIV DISEASE	2	0	2	9.8	0.0	12.0
DIABETES MELLITUS	2	1	1	9.8	26.8	6.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.8	26.8	6.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	9.8	0.0	12.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.9	0.0	5.5
SUICIDE	2	0	2	9.8	0.0	12.0
ANEMIAS	1	0	1	4.9	0.0	6.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.9	0.0	6.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.9	26.8	0.0
PEPTIC ULCER	1	1	0	4.9	26.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	0	6	29.3	0.0	35.8
ALL OTHER CAUSES	10	1	9	48.9	26.8	53.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	222	68	154	98	30	68	124	38	86
UNDER 1	6	0	6	4	0	4	2	0	2
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	4	1	3	2	0	2	2	1	1
35-44	12	2	10	7	2	5	5	0	5
45-54	23	6	17	10	2	8	13	4	9
55-64	28	8	20	13	4	9	15	4	11
65-74	37	12	25	19	7	12	18	5	13
75-84	54	17	37	23	11	12	31	6	25
85 AND OVER	52	21	31	15	3	12	37	18	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	20,461
WHITE	3,729
NONWHITE	16,732

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	112	35	77	11.2	13.4	10.4
HEART DISEASES	33	11	22	330.2	422.6	297.6
MALIGNANT NEOPLASMS	25	9	16	250.2	345.8	216.5
ACCIDENTS	8	1	7	80.0	38.4	94.7
ALZHEIMERS DISEASE	6	3	3	60.0	115.2	40.6
CEREBROVASCULAR DISEASE	6	3	3	60.0	115.2	40.6
HOMICIDE	5	0	5	50.0	0.0	67.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	40.0	76.8	27.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	0	4	40.0	0.0	54.1
DIABETES MELLITUS	3	1	2	30.0	38.4	27.1
INFLUENZA AND PNEUMONIA	3	0	3	30.0	0.0	40.6
HIV DISEASE	2	1	1	20.0	38.4	13.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	8.1	0.0	9.2
ANEMIAS	1	0	1	10.0	0.0	13.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.0	0.0	13.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.0	0.0	13.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	10.0	38.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	7	3	4	70.0	115.2	54.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	112	35	77	57	12	45	55	23	32
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	9	0	9	5	0	5	4	0	4
45-54	10	2	8	6	1	5	4	1	3
55-64	15	3	12	8	1	7	7	2	5
65-74	18	5	13	11	3	8	7	2	5
75-84	21	10	11	9	4	5	12	6	6
85 AND OVER	29	13	16	11	2	9	18	11	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	9,994
WHITE	2,603
NONWHITE	7,391

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	10	5	5	6.0	7.2	5.1
HEART DISEASES	4	3	1	238.8	434.8	101.5
CEREBROVASCULAR DISEASE	2	1	1	119.4	144.9	101.5
MALIGNANT NEOPLASMS	1	0	1	59.7	0.0	101.5
DIABETES MELLITUS	1	1	0	59.7	144.9	0.0
ACCIDENTS	1	0	1	59.7	0.0	101.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	1	0	1	59.7	0.0	101.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	10	5	5	4	2	2	6	3	3
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	3	2	1	2	2	0	1	0	1
75-84	4	3	1	0	0	0	4	3	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	1,675
WHITE	690
NONWHITE	985

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	236	221	15	10.2	10.4	8.3
HEART DISEASES	73	68	5	316.9	320.2	277.9
MALIGNANT NEOPLASMS	45	41	4	195.4	193.1	222.3
ALZHEIMERS DISEASE	15	15	0	65.1	70.6	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	60.8	65.9	0.0
ACCIDENTS	14	13	1	60.8	61.2	55.6
CEREBROVASCULAR DISEASE	12	12	0	52.1	56.5	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	7	7	0	30.4	33.0	0.0
NEOPLASMS	2	2	0	8.7	9.4	0.0
INFLUENZA AND PNEUMONIA	2	2	0	8.7	9.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	8.7	4.7	55.6
SUICIDE	2	2	0	8.7	9.4	0.0
SEPTICEMIA	1	1	0	4.3	4.7	0.0
VIRAL HEPATITIS	1	1	0	4.3	4.7	0.0
DIABETES MELLITUS	1	1	0	4.3	4.7	0.0
PARKINSONS DISEASE	1	1	0	4.3	4.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.3	0.0	55.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.3	4.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.3	0.0	76.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	4.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	21.7	23.5	0.0
ALL OTHER CAUSES	35	33	2	151.9	155.4	111.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	236	221	15	110	104	6	126	117	9
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	14	14	0	6	6	0	8	8	0
45-54	18	17	1	10	10	0	8	7	1
55-64	35	31	4	19	18	1	16	13	3
65-74	42	39	3	31	28	3	11	11	0
75-84	66	63	3	25	25	0	41	38	3
85 AND OVER	53	52	1	13	13	0	40	39	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	23,034
WHITE	21,235
NONWHITE	1,799

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,087	885	202	8.4	9.2	6.0
MALIGNANT NEOPLASMS	254	209	45	195.2	216.3	134.4
HEART DISEASES	253	204	49	194.5	211.1	146.4
ACCIDENTS	100	77	23	76.9	79.7	68.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	65	58	7	50.0	60.0	20.9
CEREBROVASCULAR DISEASE	56	42	14	43.0	43.5	41.8
ALZHEIMERS DISEASE	33	30	3	25.4	31.0	9.0
INFLUENZA AND PNEUMONIA	31	25	6	23.8	25.9	17.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	24	17	7	18.4	17.6	20.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	22	18	4	16.9	18.6	12.0
SUICIDE	19	15	4	14.6	15.5	12.0
SEPTICEMIA	15	11	4	11.5	11.4	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	10	3	10.0	10.3	9.0
HOMICIDE	9	6	3	6.9	6.2	9.0
DIABETES MELLITUS	8	5	3	6.1	5.2	9.0
AORTIC ANEURYSM AND DISSECTION	8	8	0	6.1	8.3	0.0
HIV DISEASE	7	3	4	5.4	3.1	12.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	7	0	5.4	7.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	7	6	1	3.6	4.4	1.7
PARKINSONS DISEASE	6	6	0	4.6	6.2	0.0
VIRAL HEPATITIS	5	4	1	3.8	4.1	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	1	4	3.8	1.0	12.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	2.3	2.1	3.0
ATHEROSCLEROSIS	3	3	0	2.3	3.1	0.0
PEPTIC ULCER	3	3	0	2.3	3.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.8	1.0	0.0
MENINGITIS	1	1	0	0.8	1.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.8	1.0	0.0
HERNIA	1	1	0	0.8	1.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	0.8	0.0	3.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	16	2	13.8	16.6	6.0
ALL OTHER CAUSES	108	95	13	83.0	98.3	38.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,087	885	202	593	468	125	494	417	77
UNDER 1	17	13	4	11	8	3	6	5	1
(NEONATAL)	8	7	1	5	4	1	3	3	0
(POSTNEONATAL)	9	6	3	6	4	2	3	2	1
1-4	3	2	1	2	2	0	1	0	1
5-9	3	2	1	3	2	1	0	0	0
10-14	3	3	0	2	2	0	1	1	0
15-24	23	15	8	15	8	7	8	7	1
25-34	32	22	10	25	15	10	7	7	0
35-44	49	37	12	36	29	7	13	8	5
45-54	109	80	29	69	49	20	40	31	9
55-64	160	124	36	96	75	21	64	49	15
65-74	207	155	52	118	86	32	89	69	20
75-84	287	256	31	143	128	15	144	128	16
85 AND OVER	194	176	18	73	64	9	121	112	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	130,098
WHITE	96,629
NONWHITE	33,469

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	179	100	79	9.9	11.7	8.3
HEART DISEASES	73	44	29	404.0	516.7	303.5
MALIGNANT NEOPLASMS	21	8	13	116.2	94.0	136.0
ACCIDENTS	17	9	8	94.1	105.7	83.7
CEREBROVASCULAR DISEASE	11	7	4	60.9	82.2	41.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	44.3	58.7	31.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	22.1	35.2	10.5
SUICIDE	4	4	0	22.1	47.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	16.6	23.5	10.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	16.6	35.2	0.0
HOMICIDE	3	0	3	16.6	0.0	31.4
INFLUENZA AND PNEUMONIA	2	2	0	11.1	23.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.2	0.0	11.6
SEPTICEMIA	1	1	0	5.5	11.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.5	11.7	0.0
DIABETES MELLITUS	1	0	1	5.5	0.0	10.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.5	11.7	0.0
ALZHEIMERS DISEASE	1	0	1	5.5	0.0	10.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.5	0.0	10.5
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.5	11.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.5	0.0	10.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.5	11.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	1	5	33.2	11.7	52.3
ALL OTHER CAUSES	13	7	6	71.9	82.2	62.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	179	100	79	95	48	47	84	52	32
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	4	2	2	2	1	1	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	7	6	1	6	5	1	1	1	0
35-44	8	3	5	5	1	4	3	2	1
45-54	17	3	14	12	1	11	5	2	3
55-64	29	10	19	19	7	12	10	3	7
65-74	33	23	10	22	14	8	11	9	2
75-84	44	31	13	18	13	5	26	18	8
85 AND OVER	31	21	10	8	6	2	23	15	8
UNKNOWN	2	0	2	2	0	2	0	0	0

2007 POPULATION:

TOTAL	18,071
WHITE	8,515
NONWHITE	9,556

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	77	9	68	8.6	7.4	8.8
HEART DISEASES	26	3	23	290.2	246.3	297.1
MALIGNANT NEOPLASMS	13	1	12	145.1	82.1	155.0
ACCIDENTS	5	2	3	55.8	164.2	38.8
DIABETES MELLITUS	4	0	4	44.6	0.0	51.7
CEREBROVASCULAR DISEASE	4	0	4	44.6	0.0	51.7
INFLUENZA AND PNEUMONIA	4	1	3	44.6	82.1	38.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3	44.6	82.1	38.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	33.5	0.0	38.8
SEPTICEMIA	2	1	1	22.3	82.1	12.9
SUICIDE	2	0	2	22.3	0.0	25.8
ALZHEIMERS DISEASE	1	0	1	11.2	0.0	12.9
HYPERPLASIA OF PROSTATE	1	0	1	11.2	0.0	12.9
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.7	0.0	8.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	11.2	0.0	12.9
HOMICIDE	1	0	1	11.2	0.0	12.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	5	0	5	55.8	0.0	64.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	77	9	68	40	5	35	37	4	33
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	9	0	9	9	0	9	0	0	0
45-54	7	1	6	2	1	1	5	0	5
55-64	7	0	7	4	0	4	3	0	3
65-74	12	0	12	4	0	4	8	0	8
75-84	18	4	14	9	1	8	9	3	6
85 AND OVER	17	3	14	7	2	5	10	1	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	8,960
WHITE	1,218
NONWHITE	7,742

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	156	70	86	12.2	13.2	11.4
HEART DISEASES	46	20	26	359.0	376.9	346.4
MALIGNANT NEOPLASMS	27	17	10	210.7	320.3	133.2
ACCIDENTS	15	5	10	117.1	94.2	133.2
CEREBROVASCULAR DISEASE	7	4	3	54.6	75.4	40.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	3	4	54.6	56.5	53.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	1	5	46.8	18.8	66.6
HOMICIDE	4	1	3	31.2	18.8	40.0
PARKINSONS DISEASE	3	1	2	23.4	18.8	26.6
INFLUENZA AND PNEUMONIA	3	2	1	23.4	37.7	13.3
SEPTICEMIA	2	1	1	15.6	18.8	13.3
ALZHEIMERS DISEASE	2	1	1	15.6	18.8	13.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	15.6	18.8	13.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	15.6	0.0	26.6
VIRAL HEPATITIS	1	1	0	7.8	18.8	0.0
HIV DISEASE	1	0	1	7.8	0.0	13.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.8	18.8	0.0
DIABETES MELLITUS	1	0	1	7.8	0.0	13.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.8	0.0	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.8	0.0	13.3
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	7.8	18.8	0.0
SUICIDE	1	1	0	7.8	18.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	23.4	37.7	13.3
ALL OTHER CAUSES	19	7	12	148.3	131.9	159.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	156	70	86	82	37	45	74	33	41
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	4	1	3	1	0	1	3	1	2
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	5	1	4	3	1	2	2	0	2
35-44	4	1	3	1	0	1	3	1	2
45-54	15	4	11	9	3	6	6	1	5
55-64	19	8	11	13	7	6	6	1	5
65-74	29	19	10	14	9	5	15	10	5
75-84	37	18	19	19	10	9	18	8	10
85 AND OVER	34	17	17	14	6	8	20	11	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	12,813
WHITE	5,307
NONWHITE	7,506

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	702	506	196	10.5	10.6	10.2
HEART DISEASES	175	125	50	262.1	263.2	259.5
MALIGNANT NEOPLASMS	143	97	46	214.2	204.2	238.7
ACCIDENTS	42	34	8	62.9	71.6	41.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	35	4	58.4	73.7	20.8
ALZHEIMERS DISEASE	31	26	5	46.4	54.7	25.9
CEREBROVASCULAR DISEASE	31	25	6	46.4	52.6	31.1
INFLUENZA AND PNEUMONIA	27	22	5	40.4	46.3	25.9
SEPTICEMIA	19	15	4	28.4	31.6	20.8
SUICIDE	11	9	2	16.5	19.0	10.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	8	1	13.5	16.8	5.2
DIABETES MELLITUS	8	5	3	12.0	10.5	15.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	4	4	12.0	8.4	20.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	4	4	12.0	8.4	20.8
CONDITIONS ORIG IN PERINATAL PERIOD	7	3	4	5.9	3.8	10.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	7.5	6.3	10.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	0	5	7.5	0.0	25.9
HOMICIDE	4	0	4	6.0	0.0	20.8
HIV DISEASE	3	1	2	4.5	2.1	10.4
PARKINSONS DISEASE	3	3	0	4.5	6.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	4.5	4.2	5.2
ANEMIAS	2	1	1	3.0	2.1	5.2
TUBERCULOSIS	1	1	0	1.5	2.1	0.0
HERNIA	1	1	0	1.5	2.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.5	0.0	5.2
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	1.5	2.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.5	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	23	14	9	34.4	29.5	46.7
ALL OTHER CAUSES	91	66	25	136.3	139.0	129.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	702	506	196	351	251	100	351	255	96
UNDER 1	11	5	6	5	2	3	6	3	3
(NEONATAL)	8	4	4	3	2	1	5	2	3
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	3	1	2	1	0	1	2	1	1
5-9	4	3	1	4	3	1	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	12	5	7	9	4	5	3	1	2
25-34	12	10	2	9	7	2	3	3	0
35-44	28	20	8	16	10	6	12	10	2
45-54	50	24	26	28	14	14	22	10	12
55-64	96	71	25	59	42	17	37	29	8
65-74	117	89	28	65	52	13	52	37	15
75-84	187	144	43	86	66	20	101	78	23
85 AND OVER	180	133	47	68	51	17	112	82	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	66,763
WHITE	47,494
NONWHITE	19,269

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	97	43	54	9.6	11.3	8.6
HEART DISEASES	28	17	11	277.0	447.1	174.4
MALIGNANT NEOPLASMS	24	10	14	237.4	263.0	222.0
CEREBROVASCULAR DISEASE	11	2	9	108.8	52.6	142.7
ACCIDENTS	7	5	2	69.2	131.5	31.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	29.7	26.3	31.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	29.7	26.3	31.7
SEPTICEMIA	2	1	1	19.8	26.3	15.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	13.9	0.0	19.4
SUICIDE	2	0	2	19.8	0.0	31.7
DIABETES MELLITUS	1	0	1	9.9	0.0	15.8
MENINGITIS	1	1	0	9.9	26.3	0.0
ALZHEIMERS DISEASE	1	0	1	9.9	0.0	15.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	9.9	0.0	15.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	9.9	0.0	15.8
HOMICIDE	1	0	1	9.9	0.0	15.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	29.7	78.9	0.0
ALL OTHER CAUSES	6	2	4	59.4	52.6	63.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	97	43	54	56	26	30	41	17	24
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	0	0	0	2	0	2
35-44	9	3	6	6	2	4	3	1	2
45-54	7	1	6	4	0	4	3	1	2
55-64	14	11	3	11	9	2	3	2	1
65-74	22	8	14	11	5	6	11	3	8
75-84	16	8	8	10	3	7	6	5	1
85 AND OVER	23	12	11	11	7	4	12	5	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	10,109
WHITE	3,802
NONWHITE	6,307

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	325	239	86	7.6	7.7	7.4
HEART DISEASES	79	56	23	184.9	179.9	198.6
MALIGNANT NEOPLASMS	55	40	15	128.8	128.5	129.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	21	3	56.2	67.4	25.9
ALZHEIMERS DISEASE	22	22	0	51.5	70.7	0.0
CEREBROVASCULAR DISEASE	21	19	2	49.2	61.0	17.3
ACCIDENTS	21	15	6	49.2	48.2	51.8
DIABETES MELLITUS	18	11	7	42.1	35.3	60.4
SUICIDE	8	7	1	18.7	22.5	8.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5	16.4	6.4	43.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	4	3	16.4	12.8	25.9
PARKINSONS DISEASE	3	2	1	7.0	6.4	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	7.0	9.6	0.0
SEPTICEMIA	2	1	1	4.7	3.2	8.6
HIV DISEASE	2	0	2	4.7	0.0	17.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.3	0.0	8.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.3	3.2	0.0
INFLUENZA AND PNEUMONIA	1	1	0	2.3	3.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.3	0.0	8.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.8	0.0	5.3
HOMICIDE	1	0	1	2.3	0.0	8.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	7	1	18.7	22.5	8.6
ALL OTHER CAUSES	39	27	12	91.3	86.7	103.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	325	239	86	186	146	40	139	93	46
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	9	7	2	6	4	2	3	3	0
35-44	11	7	4	7	5	2	4	2	2
45-54	18	11	7	14	10	4	4	1	3
55-64	28	17	11	19	11	8	9	6	3
65-74	43	28	15	24	18	6	19	10	9
75-84	109	91	18	69	60	9	40	31	9
85 AND OVER	98	76	22	42	36	6	56	40	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	42,716
WHITE	31,134
NONWHITE	11,582

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	317	269	48	6.6	6.8	5.8
HEART DISEASES	77	65	12	161.4	164.7	145.9
MALIGNANT NEOPLASMS	64	52	12	134.2	131.7	145.9
ACCIDENTS	30	29	1	62.9	73.5	12.2
CEREBROVASCULAR DISEASE	20	15	5	41.9	38.0	60.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	41.9	48.1	12.2
ALZHEIMERS DISEASE	11	11	0	23.1	27.9	0.0
INFLUENZA AND PNEUMONIA	10	9	1	21.0	22.8	12.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	5	1	12.6	12.7	12.2
SEPTICEMIA	5	5	0	10.5	12.7	0.0
PARKINSONS DISEASE	5	5	0	10.5	12.7	0.0
SUICIDE	4	4	0	8.4	10.1	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	6.3	7.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	6.3	7.6	0.0
DIABETES MELLITUS	2	1	1	4.2	2.5	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	4.2	2.5	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.2	2.5	12.2
VIRAL HEPATITIS	1	1	0	2.1	2.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.1	0.0	12.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.1	2.5	0.0
HERNIA	1	0	1	2.1	0.0	12.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.1	0.0	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.2	0.0	5.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.1	0.0	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	16.8	15.2	24.3
ALL OTHER CAUSES	38	33	5	79.7	83.6	60.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	317	269	48	164	136	28	153	133	20
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	6	0	5	5	0	1	1	0
25-34	7	6	1	6	5	1	1	1	0
35-44	14	13	1	8	8	0	6	5	1
45-54	31	23	8	23	16	7	8	7	1
55-64	46	35	11	27	22	5	19	13	6
65-74	50	43	7	33	29	4	17	14	3
75-84	81	71	10	33	28	5	48	43	5
85 AND OVER	75	68	7	25	21	4	50	47	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	47,698
WHITE	39,472
NONWHITE	8,226

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	895	604	291	11.6	13.7	8.8
HEART DISEASES	214	146	68	277.6	331.0	206.1
MALIGNANT NEOPLASMS	182	112	70	236.0	254.0	212.1
CEREBROVASCULAR DISEASE	63	35	28	81.7	79.4	84.8
ACCIDENTS	52	35	17	67.4	79.4	51.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	49	43	6	63.6	97.5	18.2
ALZHEIMERS DISEASE	46	36	10	59.7	81.6	30.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	34	23	11	44.1	52.2	33.3
SEPTICEMIA	18	13	5	23.3	29.5	15.2
INFLUENZA AND PNEUMONIA	17	15	2	22.0	34.0	6.1
HIV DISEASE	11	5	6	14.3	11.3	18.2
DIABETES MELLITUS	8	3	5	10.4	6.8	15.2
PARKINSONS DISEASE	7	6	1	9.1	13.6	3.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	6	4	2	4.7	6.9	2.9
NEOPLASMS	5	5	0	6.5	11.3	0.0
SUICIDE	5	3	2	6.5	6.8	6.1
HOMICIDE	5	1	4	6.5	2.3	12.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	5.2	9.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	3.9	4.5	3.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	3.9	6.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	2.6	2.3	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.6	2.3	3.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.6	2.3	3.0
ANEMIAS	1	0	1	1.3	0.0	3.0
HERNIA	1	1	0	1.3	2.3	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.3	0.0	3.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	1.3	2.3	0.0
MATERNAL CAUSES	1	0	1	78.8	0.0	145.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	30	23	7	38.9	52.2	21.2
ALL OTHER CAUSES	122	82	40	158.2	185.9	121.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	895	604	291	444	297	147	451	307	144
UNDER 1	15	7	8	8	5	3	7	2	5
(NEONATAL)	7	4	3	4	4	0	3	0	3
(POSTNEONATAL)	8	3	5	4	1	3	4	2	2
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	18	10	8	12	7	5	6	3	3
25-34	16	9	7	13	9	4	3	0	3
35-44	34	13	21	21	9	12	13	4	9
45-54	72	40	32	45	28	17	27	12	15
55-64	101	61	40	62	39	23	39	22	17
65-74	139	89	50	84	58	26	55	31	24
75-84	249	175	74	116	78	38	133	97	36
85 AND OVER	248	199	49	81	63	18	167	136	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	77,100
WHITE	44,102
NONWHITE	32,998

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	140	101	39	10.5	11.3	8.8
HEART DISEASES	54	45	9	404.8	505.3	202.9
MALIGNANT NEOPLASMS	23	15	8	172.4	168.4	180.4
CEREBROVASCULAR DISEASE	11	2	9	82.4	22.4	202.9
ACCIDENTS	9	5	4	67.5	56.1	90.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	52.5	78.6	0.0
SEPTICEMIA	3	2	1	22.5	22.4	22.5
ALZHEIMERS DISEASE	3	2	1	22.5	22.4	22.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	22.5	22.4	22.5
ATHEROSCLEROSIS	2	2	0	15.0	22.4	0.0
HOMICIDE	2	1	1	15.0	11.2	22.5
HIV DISEASE	1	0	1	7.5	0.0	22.5
ANEMIAS	1	0	1	7.5	0.0	22.5
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.5	11.2	0.0
INFLUENZA AND PNEUMONIA	1	1	0	7.5	11.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.5	11.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.6	0.0	11.9
SUICIDE	1	1	0	7.5	11.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.5	0.0	22.5
ALL OTHER CAUSES	15	14	1	112.4	157.2	22.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	140	101	39	67	50	17	73	51	22
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	0	0	0	0	0	0	0	0	0
35-44	10	5	5	6	3	3	4	2	2
45-54	13	9	4	10	7	3	3	2	1
55-64	16	9	7	8	5	3	8	4	4
65-74	28	23	5	17	15	2	11	8	3
75-84	32	25	7	16	12	4	16	13	3
85 AND OVER	35	28	7	9	7	2	26	21	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	13,341
WHITE	8,906
NONWHITE	4,435

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	274	191	83	12.0	15.1	8.2
HEART DISEASES	77	61	16	337.3	481.3	157.6
MALIGNANT NEOPLASMS	64	44	20	280.4	347.2	196.9
ACCIDENTS	23	12	11	100.8	94.7	108.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	11	7	78.8	86.8	68.9
CEREBROVASCULAR DISEASE	15	11	4	65.7	86.8	39.4
ALZHEIMERS DISEASE	9	8	1	39.4	63.1	9.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	3	6	39.4	23.7	59.1
DIABETES MELLITUS	7	4	3	30.7	31.6	29.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	5	2	30.7	39.4	19.7
INFLUENZA AND PNEUMONIA	5	5	0	21.9	39.4	0.0
HOMICIDE	4	0	4	17.5	0.0	39.4
SEPTICEMIA	3	1	2	13.1	7.9	19.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.1	23.7	0.0
SUICIDE	3	3	0	13.1	23.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	8.8	15.8	0.0
VIRAL HEPATITIS	1	0	1	4.4	0.0	9.8
HIV DISEASE	1	0	1	4.4	0.0	9.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.4	7.9	0.0
PARKINSONS DISEASE	1	1	0	4.4	7.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.4	7.9	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	8.8	15.8	0.0
ALL OTHER CAUSES	18	13	5	78.8	102.6	49.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	274	191	83	141	95	46	133	96	37
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	1	2	3	1	2	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	4	5	8	4	4	1	0	1
25-34	4	2	2	2	1	1	2	1	1
35-44	8	4	4	4	3	1	4	1	3
45-54	23	11	12	17	9	8	6	2	4
55-64	27	16	11	16	11	5	11	5	6
65-74	52	31	21	29	17	12	23	14	9
75-84	77	61	16	36	27	9	41	34	7
85 AND OVER	70	60	10	26	22	4	44	38	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	22,828
WHITE	12,673
NONWHITE	10,155

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,037	836	201	12.9	14.4	9.0
HEART DISEASES	303	259	44	377.1	447.3	196.0
MALIGNANT NEOPLASMS	277	222	55	344.7	383.4	245.0
CEREBROVASCULAR DISEASE	57	40	17	70.9	69.1	75.7
ACCIDENTS	56	43	13	69.7	74.3	57.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	36	1	46.0	62.2	4.4
DIABETES MELLITUS	21	14	7	26.1	24.2	31.2
ALZHEIMERS DISEASE	21	19	2	26.1	32.8	8.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	10	6	19.9	17.3	26.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	10	4	17.4	17.3	17.8
SUICIDE	14	13	1	17.4	22.4	4.4
INFLUENZA AND PNEUMONIA	12	7	5	14.9	12.1	22.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	9	2	13.7	15.5	8.9
CONDITIONS ORIG IN PERINATAL PERIOD	11	5	6	8.2	5.8	12.8
SEPTICEMIA	10	8	2	12.4	13.8	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	6	3	3	7.5	5.2	13.4
NEOPLASMS	5	5	0	6.2	8.6	0.0
PARKINSONS DISEASE	5	5	0	6.2	8.6	0.0
HIV DISEASE	4	0	4	5.0	0.0	17.8
PEPTIC ULCER	4	2	2	5.0	3.4	8.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	0	4	5.0	0.0	17.8
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	3.7	1.7	8.9
VIRAL HEPATITIS	2	2	0	2.5	3.4	0.0
ANEMIAS	1	1	0	1.2	1.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.2	1.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.2	1.7	0.0
HOMICIDE	1	0	1	1.2	0.0	4.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	28	26	2	34.8	44.9	8.9
ALL OTHER CAUSES	112	94	18	139.4	162.3	80.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,037	836	201	499	408	91	538	428	110
UNDER 1	21	7	14	9	3	6	12	4	8
(NEONATAL)	11	5	6	4	1	3	7	4	3
(POSTNEONATAL)	10	2	8	5	2	3	5	0	5
1-4	4	4	0	3	3	0	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	2	0	2	2	0	0	0	0
15-24	13	9	4	9	5	4	4	4	0
25-34	19	11	8	10	6	4	9	5	4
35-44	29	20	9	16	13	3	13	7	6
45-54	75	52	23	43	32	11	32	20	12
55-64	131	106	25	85	72	13	46	34	12
65-74	199	157	42	122	104	18	77	53	24
75-84	275	239	36	131	112	19	144	127	17
85 AND OVER	268	229	39	69	56	13	199	173	26
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	80,349
WHITE	57,902
NONWHITE	22,447

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	367	169	198	10.4	17.4	7.8
HEART DISEASES	137	65	72	390.4	669.8	283.6
MALIGNANT NEOPLASMS	68	28	40	193.8	288.5	157.6
CEREBROVASCULAR DISEASE	38	21	17	108.3	216.4	67.0
ACCIDENTS	16	4	12	45.6	41.2	47.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	12	1	37.0	123.6	3.9
INFLUENZA AND PNEUMONIA	10	5	5	28.5	51.5	19.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5	20.0	20.6	19.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	2	5	20.0	20.6	19.7
SEPTICEMIA	6	2	4	17.1	20.6	15.8
HOMICIDE	5	1	4	14.2	10.3	15.8
DIABETES MELLITUS	4	2	2	11.4	20.6	7.9
AORTIC ANEURYSM AND DISSECTION	3	0	3	8.6	0.0	11.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	8.6	20.6	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	2	1	8.6	20.6	3.9
NEOPLASMS	2	0	2	5.7	0.0	7.9
ANEMIAS	2	0	2	5.7	0.0	7.9
ALZHEIMERS DISEASE	2	2	0	5.7	20.6	0.0
TUBERCULOSIS	1	1	0	2.8	10.3	0.0
VIRAL HEPATITIS	1	1	0	2.8	10.3	0.0
HIV DISEASE	1	0	1	2.8	0.0	3.9
MENINGITIS	1	1	0	2.8	10.3	0.0
PARKINSONS DISEASE	1	1	0	2.8	10.3	0.0
MATERNAL CAUSES	1	0	1	167.5	0.0	207.9
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.7	8.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.8	10.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.4	10.3	11.8
ALL OTHER CAUSES	29	12	17	82.6	123.6	67.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	367	169	198	155	63	92	212	106	106
UNDER 1 (NEONATAL)	4	1	3	3	1	2	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
	3	0	3	2	0	2	1	0	1
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	4	0	4	2	0	2	2	0	2
25-34	2	0	2	2	0	2	0	0	0
35-44	17	6	11	13	5	8	4	1	3
45-54	48	13	35	33	10	23	15	3	12
55-64	41	16	25	23	9	14	18	7	11
65-74	65	33	32	27	17	10	38	16	22
75-84	84	47	37	33	13	20	51	34	17
85 AND OVER	98	52	46	19	8	11	79	44	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	35,088
WHITE	9,705
NONWHITE	25,383

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	372	261	111	10.8	11.1	10.1
HEART DISEASES	106	72	34	307.0	305.7	309.7
MALIGNANT NEOPLASMS	68	44	24	196.9	186.8	218.6
ACCIDENTS	30	20	10	86.9	84.9	91.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	21	1	63.7	89.2	9.1
CEREBROVASCULAR DISEASE	19	14	5	55.0	59.4	45.6
ALZHEIMERS DISEASE	12	10	2	34.8	42.4	18.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	7	4	31.8	29.7	36.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	6	5	31.8	25.5	45.6
DIABETES MELLITUS	10	6	4	29.0	25.5	36.4
SEPTICEMIA	9	6	3	26.1	25.5	27.3
INFLUENZA AND PNEUMONIA	7	6	1	20.3	25.5	9.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	11.6	12.7	9.1
PARKINSONS DISEASE	3	3	0	8.7	12.7	0.0
SUICIDE	3	3	0	8.7	12.7	0.0
VIRAL HEPATITIS	2	2	0	5.8	8.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.8	8.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.4	0.0	8.9
HIV DISEASE	1	0	1	2.9	0.0	9.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.9	4.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.9	4.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.9	4.2	0.0
HOMICIDE	1	0	1	2.9	0.0	9.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.9	4.2	0.0
ALL OTHER CAUSES	45	32	13	130.3	135.9	118.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	372	261	111	190	135	55	182	126	56
UNDER 1 (NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	4	1	3	1	0	1	3	1	2
	1	1	0	1	1	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	6	4	2	5	3	2	1	1	0
25-34	9	2	7	5	1	4	4	1	3
35-44	11	7	4	9	5	4	2	2	0
45-54	26	15	11	20	13	7	6	2	4
55-64	48	32	16	27	18	9	21	14	7
65-74	63	42	21	36	27	9	27	15	12
75-84	107	82	25	53	44	9	54	38	16
85 AND OVER	93	74	19	31	22	9	62	52	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	34,529
WHITE	23,552
NONWHITE	10,977

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	528	316	212	8.8	9.6	7.9
HEART DISEASES	170	97	73	285.2	295.8	272.1
MALIGNANT NEOPLASMS	104	56	48	174.4	170.8	178.9
CEREBROVASCULAR DISEASE	35	14	21	58.7	42.7	78.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	27	3	50.3	82.3	11.2
ALZHEIMERS DISEASE	20	17	3	33.5	51.8	11.2
ACCIDENTS	19	12	7	31.9	36.6	26.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	4	10	23.5	12.2	37.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	8	4	20.1	24.4	14.9
INFLUENZA AND PNEUMONIA	12	10	2	20.1	30.5	7.4
SEPTICEMIA	10	8	2	16.8	24.4	7.4
SUICIDE	10	6	4	16.8	18.3	14.9
DIABETES MELLITUS	8	4	4	13.4	12.2	14.9
HOMICIDE	6	3	3	10.1	9.2	11.2
PARKINSONS DISEASE	4	3	1	6.7	9.2	3.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	4.3	4.6	4.0
HIV DISEASE	3	0	3	5.0	0.0	11.2
AORTIC ANEURYSM AND DISSECTION	3	3	0	5.0	9.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	3.4	3.0	3.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.7	0.0	3.7
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.7	0.0	3.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	6.7	3.0	11.2
ALL OTHER CAUSES	56	40	16	93.9	122.0	59.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	528	316	212	228	136	92	300	180	120
UNDER 1	9	2	7	6	2	4	3	0	3
(NEONATAL)	4	2	2	4	2	2	0	0	0
(POSTNEONATAL)	5	0	5	2	0	2	3	0	3
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	2	1	1	4	0	4
25-34	11	4	7	6	3	3	5	1	4
35-44	15	7	8	8	4	4	7	3	4
45-54	45	15	30	26	11	15	19	4	15
55-64	56	26	30	31	16	15	25	10	15
65-74	104	54	50	54	30	24	50	24	26
75-84	135	95	40	53	37	16	82	58	24
85 AND OVER	145	112	33	41	32	9	104	80	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	59,614
WHITE	32,788
NONWHITE	26,826

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,044	699	345	11.7	13.0	9.6
MALIGNANT NEOPLASMS	362	226	136	405.0	421.5	380.3
HEART DISEASES	210	138	72	234.9	257.4	201.3
CEREBROVASCULAR DISEASE	51	43	8	57.0	80.2	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	35	4	43.6	65.3	11.2
ALZHEIMERS DISEASE	38	32	6	42.5	59.7	16.8
ACCIDENTS	32	25	7	35.8	46.6	19.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	25	9	16	28.0	16.8	44.7
INFLUENZA AND PNEUMONIA	18	15	3	20.1	28.0	8.4
PARKINSONS DISEASE	17	16	1	19.0	29.8	2.8
HIV DISEASE	13	1	12	14.5	1.9	33.6
DIABETES MELLITUS	12	5	7	13.4	9.3	19.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	8	3	12.3	14.9	8.4
SUICIDE	11	8	3	12.3	14.9	8.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	9	1	11.2	16.8	2.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	5	3	9.0	9.3	8.4
HOMICIDE	8	1	7	9.0	1.9	19.6
SEPTICEMIA	7	3	4	7.8	5.6	11.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	4.5	7.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	2.7	1.3	4.2
VIRAL HEPATITIS	2	1	1	2.2	1.9	2.8
HERNIA	2	1	1	2.2	1.9	2.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	2.2	0.0	5.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.2	1.9	2.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.1	0.0	2.8
AORTIC ANEURYSM AND DISSECTION	1	0	1	1.1	0.0	2.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	9	2	12.3	16.8	5.6
ALL OTHER CAUSES	143	103	40	160.0	192.1	111.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,044	699	345	500	303	197	544	396	148
UNDER 1 (NEONATAL)	8	2	6	6	1	5	2	1	1
(POSTNEONATAL)	5	2	3	4	1	3	1	1	0
	3	0	3	2	0	2	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	3	1	2	1	0	1	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	3	6	8	2	6	1	1	0
25-34	15	6	9	11	5	6	4	1	3
35-44	34	12	22	23	8	15	11	4	7
45-54	81	33	48	54	21	33	27	12	15
55-64	121	67	54	67	36	31	54	31	23
65-74	159	98	61	87	50	37	72	48	24
75-84	287	219	68	133	99	34	154	120	34
85 AND OVER	326	258	68	109	81	28	217	177	40
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	89,387
WHITE	53,623
NONWHITE	35,764

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	336	244	92	13.0	14.4	10.5
HEART DISEASES	89	72	17	345.8	424.4	193.9
MALIGNANT NEOPLASMS	66	52	14	256.5	306.5	159.7
CEREBROVASCULAR DISEASE	28	14	14	108.8	82.5	159.7
ACCIDENTS	22	18	4	85.5	106.1	45.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	12	4	8	46.6	23.6	91.2
ALZHEIMERS DISEASE	11	10	1	42.7	58.9	11.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	42.7	53.0	22.8
HOMICIDE	8	3	5	31.1	17.7	57.0
INFLUENZA AND PNEUMONIA	5	5	0	19.4	29.5	0.0
SEPTICEMIA	4	4	0	15.5	23.6	0.0
DIABETES MELLITUS	4	2	2	15.5	11.8	22.8
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	9.3	3.8	17.8
PARKINSONS DISEASE	3	3	0	11.6	17.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	11.6	11.8	11.4
SUICIDE	3	3	0	11.6	17.7	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.8	11.8	0.0
ANEMIAS	1	1	0	3.9	5.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	5.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	5.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.9	0.0	11.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	8	3	42.7	47.2	34.2
ALL OTHER CAUSES	46	29	17	178.7	170.9	193.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	336	244	92	174	121	53	162	123	39
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	5	3	2	2	1	1
25-34	6	5	1	6	5	1	0	0	0
35-44	12	9	3	10	7	3	2	2	0
45-54	30	18	12	17	11	6	13	7	6
55-64	45	25	20	26	13	13	19	12	7
65-74	70	52	18	44	33	11	26	19	7
75-84	80	63	17	41	32	9	39	31	8
85 AND OVER	78	64	14	21	15	6	57	49	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	25,735
WHITE	16,967
NONWHITE	8,768

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	348	226	122	9.5	12.2	6.7
HEART DISEASES	84	58	26	228.9	314.0	142.7
MALIGNANT NEOPLASMS	81	47	34	220.7	254.4	186.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	33	24	9	89.9	129.9	49.4
ACCIDENTS	28	18	10	76.3	97.4	54.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	20	4	65.4	108.3	21.9
DIABETES MELLITUS	11	6	5	30.0	32.5	27.4
ALZHEIMERS DISEASE	7	7	0	19.1	37.9	0.0
CEREBROVASCULAR DISEASE	7	5	2	19.1	27.1	11.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	4	3	19.1	21.6	16.5
SEPTICEMIA	6	3	3	16.4	16.2	16.5
INFLUENZA AND PNEUMONIA	5	4	1	13.6	21.6	5.5
SUICIDE	5	4	1	13.6	21.6	5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.9	16.2	5.5
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	4	1	3	6.9	3.7	9.5
NEOPLASMS	3	2	1	8.2	10.8	5.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	8.2	16.2	0.0
HOMICIDE	3	1	2	8.2	5.4	11.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	5.4	0.0	11.0
ANEMIAS	1	0	1	2.7	0.0	5.5
PARKINSONS DISEASE	1	1	0	2.7	5.4	0.0
ATHEROSCLEROSIS	1	1	0	2.7	5.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.7	0.0	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	4	4	21.8	21.6	21.9
ALL OTHER CAUSES	19	10	9	51.8	54.1	49.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	348	226	122	203	133	70	145	93	52
UNDER 1 (NEONATAL)	8	1	7	2	0	2	6	1	5
(POSTNEONATAL)	5	1	4	2	0	2	3	1	2
	3	0	3	0	0	0	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	12	8	4	9	6	3	3	2	1
25-34	8	5	3	6	4	2	2	1	1
35-44	17	7	10	15	6	9	2	1	1
45-54	27	17	10	20	11	9	7	6	1
55-64	57	33	24	43	26	17	14	7	7
65-74	59	37	22	40	26	14	19	11	8
75-84	95	71	24	46	40	6	49	31	18
85 AND OVER	62	45	17	19	12	7	43	33	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	36,695
WHITE	18,471
NONWHITE	18,224

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	393	282	111	10.6	11.2	9.4
HEART DISEASES	116	91	25	312.8	360.1	211.8
MALIGNANT NEOPLASMS	84	47	37	226.5	186.0	313.4
ACCIDENTS	26	21	5	70.1	83.1	42.4
CEREBROVASCULAR DISEASE	24	18	6	64.7	71.2	50.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	17	0	45.8	67.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	8	4	32.4	31.6	33.9
SEPTICEMIA	9	6	3	24.3	23.7	25.4
INFLUENZA AND PNEUMONIA	9	8	1	24.3	31.6	8.5
DIABETES MELLITUS	7	6	1	18.9	23.7	8.5
ALZHEIMERS DISEASE	7	5	2	18.9	19.8	16.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	5	2	18.9	19.8	16.9
CONDITIONS ORIG IN PERINATAL PERIOD	6	1	5	10.6	2.9	22.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	10.8	15.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.8	11.9	8.5
SUICIDE	4	3	1	10.8	11.9	8.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	5.4	7.9	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.4	7.9	0.0
HOMICIDE	2	1	1	5.4	4.0	8.5
ANEMIAS	1	0	1	2.7	0.0	8.5
PARKINSONS DISEASE	1	0	1	2.7	0.0	8.5
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.7	4.0	0.0
HERNIA	1	1	0	2.7	4.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.7	0.0	8.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.4	4.0	8.5
ALL OTHER CAUSES	44	31	13	118.7	122.7	110.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	393	282	111	191	131	60	202	151	51
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	6	1	5	3	0	3	3	1	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	7	1	6	7	1	6	0	0	0
35-44	14	8	6	5	1	4	9	7	2
45-54	33	23	10	20	15	5	13	8	5
55-64	46	27	19	28	17	11	18	10	8
65-74	69	54	15	40	34	6	29	20	9
75-84	106	81	25	50	34	16	56	47	9
85 AND OVER	103	81	22	32	26	6	71	55	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	37,078
WHITE	25,272
NONWHITE	11,806

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	148	87	61	12.9	14.2	11.4
HEART DISEASES	35	22	13	304.6	358.9	242.4
MALIGNANT NEOPLASMS	30	17	13	261.1	277.4	242.4
ACCIDENTS	16	10	6	139.2	163.2	111.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	87.0	114.2	55.9
CEREBROVASCULAR DISEASE	8	5	3	69.6	81.6	55.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	3	5	69.6	48.9	93.2
DIABETES MELLITUS	4	1	3	34.8	16.3	55.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	34.8	0.0	74.6
INFLUENZA AND PNEUMONIA	4	3	1	34.8	48.9	18.6
SEPTICEMIA	3	2	1	26.1	32.6	18.6
ANEMIAS	2	2	0	17.4	32.6	0.0
PARKINSONS DISEASE	2	2	0	17.4	32.6	0.0
HIV DISEASE	1	0	1	8.7	0.0	18.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	8.7	16.3	0.0
ALZHEIMERS DISEASE	1	1	0	8.7	16.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.7	16.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.7	0.0	18.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	6.4	19.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	52.2	48.9	55.9
ALL OTHER CAUSES	10	6	4	87.0	97.9	74.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	148	87	61	71	43	28	77	44	33
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	3	2	1	3	2	1	0	0	0
35-44	5	2	3	3	2	1	2	0	2
45-54	13	5	8	7	3	4	6	2	4
55-64	15	6	9	7	3	4	8	3	5
65-74	30	11	19	17	8	9	13	3	10
75-84	38	27	11	21	14	7	17	13	4
85 AND OVER	39	31	8	12	10	2	27	21	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	11,491
WHITE	6,129
NONWHITE	5,362

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	310	206	104	10.2	10.6	9.6
HEART DISEASES	95	63	32	314.2	325.0	294.8
MALIGNANT NEOPLASMS	51	36	15	168.7	185.7	138.2
ACCIDENTS	21	12	9	69.4	61.9	82.9
CEREBROVASCULAR DISEASE	20	15	5	66.1	77.4	46.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	8	6	46.3	41.3	55.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	36.4	56.8	0.0
DIABETES MELLITUS	10	3	7	33.1	15.5	64.5
ALZHEIMERS DISEASE	9	6	3	29.8	31.0	27.6
SEPTICEMIA	6	1	5	19.8	5.2	46.1
INFLUENZA AND PNEUMONIA	6	5	1	19.8	25.8	9.2
SUICIDE	5	3	2	16.5	15.5	18.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	4	13.2	0.0	36.8
AORTIC ANEURYSM AND DISSECTION	3	3	0	9.9	15.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	5.5	3.9	6.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.6	5.2	9.2
HOMICIDE	2	2	0	6.6	10.3	0.0
VIRAL HEPATITIS	1	1	0	3.3	5.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.3	0.0	9.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.3	5.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.3	5.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.3	5.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	10	2	39.7	51.6	18.4
ALL OTHER CAUSES	31	22	9	102.5	113.5	82.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	310	206	104	165	106	59	145	100	45
UNDER 1	6	1	5	1	0	1	5	1	4
(NEONATAL)	4	1	3	0	0	0	4	1	3
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	2	3	4	1	3	1	1	0
25-34	5	1	4	5	1	4	0	0	0
35-44	13	4	9	9	3	6	4	1	3
45-54	37	21	16	27	16	11	10	5	5
55-64	50	32	18	32	21	11	18	11	7
65-74	59	34	25	34	21	13	25	13	12
75-84	67	54	13	29	23	6	38	31	7
85 AND OVER	66	56	10	23	20	3	43	36	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	30,236
WHITE	19,382
NONWHITE	10,854

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	217	158	59	9.7	10.9	7.5
HEART DISEASES	60	45	15	268.7	311.2	190.6
MALIGNANT NEOPLASMS	42	32	10	188.1	221.3	127.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	19	2	94.0	131.4	25.4
CEREBROVASCULAR DISEASE	15	14	1	67.2	96.8	12.7
ACCIDENTS	11	6	5	49.3	41.5	63.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	7	3	44.8	48.4	38.1
ALZHEIMERS DISEASE	8	6	2	35.8	41.5	25.4
DIABETES MELLITUS	6	3	3	26.9	20.7	38.1
INFLUENZA AND PNEUMONIA	3	2	1	13.4	13.8	12.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	8.2	0.0	18.1
SUICIDE	3	2	1	13.4	13.8	12.7
SEPTICEMIA	2	0	2	9.0	0.0	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	9.0	6.9	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.0	13.8	0.0
PARKINSONS DISEASE	1	1	0	4.5	6.9	0.0
ATHEROSCLEROSIS	1	1	0	4.5	6.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.5	6.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.5	0.0	12.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.5	6.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.5	0.0	12.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	17.9	6.9	38.1
ALL OTHER CAUSES	19	14	5	85.1	96.8	63.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	217	158	59	119	85	34	98	73	25
UNDER 1	5	0	5	3	0	3	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	4	0	4	4	0	4	0	0	0
35-44	9	7	2	5	5	0	4	2	2
45-54	13	9	4	9	6	3	4	3	1
55-64	25	14	11	16	10	6	9	4	5
65-74	40	33	7	32	27	5	8	6	2
75-84	67	56	11	27	22	5	40	34	6
85 AND OVER	50	37	13	19	13	6	31	24	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	22,329
WHITE	14,460
NONWHITE	7,869

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	111	42	69	9.3	12.2	8.2
HEART DISEASES	44	20	24	370.6	582.1	284.4
MALIGNANT NEOPLASMS	20	7	13	168.4	203.7	154.1
ACCIDENTS	7	2	5	59.0	58.2	59.2
SEPTICEMIA	6	3	3	50.5	87.3	35.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	33.7	87.3	11.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	0	4	33.7	0.0	47.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	25.3	0.0	35.6
CEREBROVASCULAR DISEASE	3	1	2	25.3	29.1	23.7
DIABETES MELLITUS	2	0	2	16.8	0.0	23.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	16.8	29.1	11.8
HOMICIDE	2	0	2	16.8	0.0	23.7
HIV DISEASE	1	0	1	8.4	0.0	11.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	8.4	29.1	0.0
PARKINSONS DISEASE	1	1	0	8.4	29.1	0.0
ALZHEIMERS DISEASE	1	0	1	8.4	0.0	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.4	0.0	11.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.8	0.0	6.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.4	0.0	11.8
ALL OTHER CAUSES	7	3	4	59.0	87.3	47.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	111	42	69	59	23	36	52	19	33
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	7	2	5	5	2	3	2	0	2
45-54	12	3	9	8	3	5	4	0	4
55-64	12	2	10	7	1	6	5	1	4
65-74	20	8	12	12	3	9	8	5	3
75-84	26	11	15	12	9	3	14	2	12
85 AND OVER	29	16	13	11	5	6	18	11	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	11,874
WHITE	3,436
NONWHITE	8,438

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	279	157	122	6.4	6.0	6.8
HEART DISEASES	88	47	41	200.5	180.7	229.1
MALIGNANT NEOPLASMS	57	32	25	129.8	123.0	139.7
CEREBROVASCULAR DISEASE	17	9	8	38.7	34.6	44.7
ALZHEIMERS DISEASE	13	9	4	29.6	34.6	22.4
ACCIDENTS	12	8	4	27.3	30.8	22.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	5	5	22.8	19.2	27.9
INFLUENZA AND PNEUMONIA	9	7	2	20.5	26.9	11.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	20.5	26.9	11.2
SEPTICEMIA	7	4	3	15.9	15.4	16.8
DIABETES MELLITUS	7	3	4	15.9	11.5	22.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	9.1	0.0	22.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	9.1	11.5	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	9.1	7.7	11.2
SUICIDE	3	3	0	6.8	11.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	4.6	3.8	5.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.6	7.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.2	0.0	6.5
VIRAL HEPATITIS	1	1	0	2.3	3.8	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.3	0.0	5.6
PARKINSONS DISEASE	1	0	1	2.3	0.0	5.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.3	3.8	0.0
MATERNAL CAUSES	1	1	0	160.2	314.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.3	3.8	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	6.8	3.8	11.2
ALL OTHER CAUSES	20	10	10	45.6	38.4	55.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	279	157	122	136	79	57	143	78	65
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	4	1	2	2	0	3	2	1
25-34	10	3	7	2	1	1	8	2	6
35-44	8	2	6	3	0	3	5	2	3
45-54	25	10	15	13	5	8	12	5	7
55-64	34	19	15	22	14	8	12	5	7
65-74	54	30	24	31	16	15	23	14	9
75-84	58	33	25	32	19	13	26	14	12
85 AND OVER	79	54	25	28	20	8	51	34	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	43,898
WHITE	26,005
NONWHITE	17,893

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	383	224	159	10.8	12.3	9.2
HEART DISEASES	113	67	46	319.1	368.2	267.2
MALIGNANT NEOPLASMS	85	52	33	240.0	285.8	191.7
ACCIDENTS	40	18	22	113.0	98.9	127.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	18	2	56.5	98.9	11.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	5	7	33.9	27.5	40.7
CEREBROVASCULAR DISEASE	11	5	6	31.1	27.5	34.8
DIABETES MELLITUS	9	2	7	25.4	11.0	40.7
ALZHEIMERS DISEASE	9	6	3	25.4	33.0	17.4
SUICIDE	8	6	2	22.6	33.0	11.6
SEPTICEMIA	7	4	3	19.8	22.0	17.4
INFLUENZA AND PNEUMONIA	5	4	1	14.1	22.0	5.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	1	4	14.1	5.5	23.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	4	1	14.1	22.0	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	11.3	11.0	11.6
ANEMIAS	3	1	2	8.5	5.5	11.6
HOMICIDE	2	0	2	5.6	0.0	11.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	5.6	11.0	0.0
HIV DISEASE	1	0	1	2.8	0.0	5.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.8	0.0	5.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.8	5.5	0.0
PARKINSONS DISEASE	1	1	0	2.8	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.8	5.5	0.0
PEPTIC ULCER	1	0	1	2.8	0.0	5.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	0.0	2.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.8	0.0	5.8
ALL OTHER CAUSES	35	24	11	98.8	131.9	63.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	383	224	159	194	109	85	189	115	74
UNDER 1	5	2	3	2	0	2	3	2	1
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	3	0	3	1	0	1	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	12	8	4	8	5	3	4	3	1
35-44	20	5	15	15	4	11	5	1	4
45-54	42	13	29	31	11	20	11	2	9
55-64	52	25	27	32	13	19	20	12	8
65-74	77	51	26	38	27	11	39	24	15
75-84	75	54	21	28	22	6	47	32	15
85 AND OVER	91	65	26	34	26	8	57	39	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	35,408
WHITE	18,195
NONWHITE	17,213

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	542	480	62	9.5	9.8	7.6
HEART DISEASES	153	134	19	268.1	274.0	232.4
MALIGNANT NEOPLASMS	137	126	11	240.0	257.7	134.6
ACCIDENTS	42	37	5	73.6	75.7	61.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	25	0	43.8	51.1	0.0
CEREBROVASCULAR DISEASE	24	18	6	42.0	36.8	73.4
INFLUENZA AND PNEUMONIA	14	11	3	24.5	22.5	36.7
SEPTICEMIA	13	10	3	22.8	20.4	36.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	8	2	17.5	16.4	24.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	9	0	15.8	18.4	0.0
SUICIDE	9	9	0	15.8	18.4	0.0
ALZHEIMERS DISEASE	7	7	0	12.3	14.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	12.3	10.2	24.5
DIABETES MELLITUS	4	4	0	7.0	8.2	0.0
PARKINSONS DISEASE	4	4	0	7.0	8.2	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	5.2	6.1	0.0
ANEMIAS	2	2	0	3.5	4.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	2.6	3.1	0.0
HOMICIDE	2	2	0	3.5	4.1	0.0
VIRAL HEPATITIS	1	1	0	1.8	2.0	0.0
HIV DISEASE	1	0	1	1.8	0.0	12.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.8	2.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.8	0.0	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	1.8	2.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.8	2.0	0.0
MATERNAL CAUSES	1	1	0	129.4	153.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	25	25	0	43.8	51.1	0.0
ALL OTHER CAUSES	43	34	9	75.3	69.5	110.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	542	480	62	272	237	35	270	243	27
UNDER 1	8	7	1	6	5	1	2	2	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	6	5	1	5	4	1	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	10	10	0	7	7	0	3	3	0
25-34	14	14	0	9	9	0	5	5	0
35-44	26	25	1	17	16	1	9	9	0
45-54	61	52	9	30	28	2	31	24	7
55-64	80	71	9	49	43	6	31	28	3
65-74	108	95	13	58	49	9	50	46	4
75-84	138	118	20	66	54	12	72	64	8
85 AND OVER	93	85	8	27	24	3	66	61	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	57,071
WHITE	48,896
NONWHITE	8,175

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	124	98	26	10.2	10.5	9.1
MALIGNANT NEOPLASMS	33	28	5	270.4	299.8	174.4
HEART DISEASES	31	23	8	254.0	246.3	279.1
CEREBROVASCULAR DISEASE	9	6	3	73.7	64.2	104.7
ACCIDENTS	9	6	3	73.7	64.2	104.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	49.2	64.2	0.0
SEPTICEMIA	5	3	2	41.0	32.1	69.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	24.6	32.1	0.0
DIABETES MELLITUS	3	1	2	24.6	10.7	69.8
ALZHEIMERS DISEASE	3	2	1	24.6	21.4	34.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	24.6	32.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	24.6	32.1	0.0
ANEMIAS	2	1	1	16.4	10.7	34.9
SUICIDE	2	2	0	16.4	21.4	0.0
HIV DISEASE	1	0	1	8.2	0.0	34.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	8.2	10.7	0.0
INFLUENZA AND PNEUMONIA	1	1	0	8.2	10.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	8.2	10.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	8.2	10.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.2	10.7	0.0
ALL OTHER CAUSES	6	6	0	49.2	64.2	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	124	98	26	77	60	17	47	38	9
UNDER 1 (NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	5	3	2	4	2	2	1	1	0
25-34	4	4	0	1	1	0	3	3	0
35-44	4	2	2	3	1	2	1	1	0
45-54	12	8	4	10	6	4	2	2	0
55-64	18	15	3	15	12	3	3	3	0
65-74	25	20	5	17	15	2	8	5	3
75-84	36	32	4	21	19	2	15	13	2
85 AND OVER	17	12	5	5	3	2	12	9	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	12,205
WHITE	9,339
NONWHITE	2,866

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	454	265	189	11.4	13.5	9.4
HEART DISEASES	153	91	62	384.4	462.8	308.0
MALIGNANT NEOPLASMS	69	42	27	173.4	213.6	134.1
DIABETES MELLITUS	30	16	14	75.4	81.4	69.5
CEREBROVASCULAR DISEASE	27	17	10	67.8	86.4	49.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	14	9	57.8	71.2	44.7
ACCIDENTS	20	12	8	50.2	61.0	39.7
SEPTICEMIA	13	5	8	32.7	25.4	39.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	7	6	32.7	35.6	29.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	4	5	22.6	20.3	24.8
INFLUENZA AND PNEUMONIA	9	9	0	22.6	45.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	15.1	20.3	9.9
ANEMIAS	4	3	1	10.0	15.2	5.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	5.8	3.8	6.9
SUICIDE	4	3	1	10.0	15.2	5.0
HIV DISEASE	3	1	2	7.5	5.1	9.9
ALZHEIMERS DISEASE	3	2	1	7.5	10.2	5.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	7.5	5.1	9.9
VIRAL HEPATITIS	2	1	1	5.0	5.1	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	5.0	0.0	9.9
HOMICIDE	2	1	1	5.0	5.1	5.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.5	0.0	5.0
MENINGITIS	1	0	1	2.5	0.0	5.0
PARKINSONS DISEASE	1	1	0	2.5	5.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	2.5	0.0	5.0
HERNIA	1	0	1	2.5	0.0	5.0
INFECTIONS OF KIDNEY	1	0	1	2.5	0.0	5.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.0	10.2	0.0
ALL OTHER CAUSES	47	28	19	118.1	142.4	94.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	454	265	189	220	123	97	234	142	92
UNDER 1	10	1	9	6	1	5	4	0	4
(NEONATAL)	6	1	5	3	1	2	3	0	3
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	3	1	2	2	0	2	1	1
25-34	13	4	9	12	4	8	1	0	1
35-44	18	7	11	8	2	6	10	5	5
45-54	35	19	16	22	13	9	13	6	7
55-64	59	24	35	36	17	19	23	7	16
65-74	92	57	35	48	27	21	44	30	14
75-84	117	74	43	51	34	17	66	40	26
85 AND OVER	104	76	28	34	23	11	70	53	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	39,798
WHITE	19,665
NONWHITE	20,133

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	234	200	34	8.1	8.2	7.5
HEART DISEASES	74	63	11	256.4	259.0	242.3
MALIGNANT NEOPLASMS	46	41	5	159.4	168.6	110.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	18	2	69.3	74.0	44.1
ACCIDENTS	16	15	1	55.4	61.7	22.0
DIABETES MELLITUS	10	9	1	34.6	37.0	22.0
CEREBROVASCULAR DISEASE	7	5	2	24.2	20.6	44.1
ALZHEIMERS DISEASE	5	5	0	17.3	20.6	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	17.3	12.3	44.1
SUICIDE	5	5	0	17.3	20.6	0.0
INFLUENZA AND PNEUMONIA	4	3	1	13.8	12.3	22.0
SEPTICEMIA	3	3	0	10.4	12.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	10.4	12.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	6.3	4.8	15.9
AORTIC ANEURYSM AND DISSECTION	2	1	1	6.9	4.1	22.0
CHOLELITHIASIS/GALLBLADDER DISORDER IN SITU, BENIGN & UNSPECIFIED	2	2	0	6.9	8.2	0.0
NEOPLASMS	1	1	0	3.5	4.1	0.0
ANEMIAS	1	0	1	3.5	0.0	22.0
PARKINSONS DISEASE	1	1	0	3.5	4.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.5	4.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.5	0.0	22.0
HOMICIDE	1	1	0	3.5	4.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	10.4	8.2	22.0
ALL OTHER CAUSES	20	16	4	69.3	65.8	88.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	234	200	34	125	103	22	109	97	12
UNDER 1	5	4	1	4	4	0	1	0	1
(NEONATAL)	4	3	1	3	3	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	3	3	0	1	1	0	2	2	0
25-34	1	0	1	1	0	1	0	0	0
35-44	9	9	0	9	9	0	0	0	0
45-54	24	16	8	13	6	7	11	10	1
55-64	37	30	7	25	19	6	12	11	1
65-74	40	34	6	24	20	4	16	14	2
75-84	56	50	6	31	29	2	25	21	4
85 AND OVER	56	52	4	15	14	1	41	38	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	28,862
WHITE	24,323
NONWHITE	4,539

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	216	14	9.1	10.0	3.6
HEART DISEASES	63	60	3	248.2	279.3	77.0
MALIGNANT NEOPLASMS	48	44	4	189.1	204.8	102.7
ACCIDENTS	20	20	0	78.8	93.1	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	18	0	70.9	83.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	12	1	51.2	55.8	25.7
CEREBROVASCULAR DISEASE	9	9	0	35.5	41.9	0.0
ALZHEIMERS DISEASE	7	7	0	27.6	32.6	0.0
DIABETES MELLITUS	6	4	2	23.6	18.6	51.3
INFLUENZA AND PNEUMONIA	5	5	0	19.7	23.3	0.0
SEPTICEMIA	3	2	1	11.8	9.3	25.7
SUICIDE	2	2	0	7.9	9.3	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	4.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.9	4.6	0.0
PARKINSONS DISEASE	1	1	0	3.9	4.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.9	4.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	4.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.8	3.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.9	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	19.7	23.3	0.0
ALL OTHER CAUSES	24	21	3	94.6	97.8	77.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	216	14	117	107	10	113	109	4
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	7	0	5	5	0	2	2	0
25-34	6	5	1	4	4	0	2	1	1
35-44	8	8	0	6	6	0	2	2	0
45-54	16	15	1	9	8	1	7	7	0
55-64	31	26	5	16	12	4	15	14	1
65-74	40	37	3	26	24	2	14	13	1
75-84	52	51	1	28	27	1	24	24	0
85 AND OVER	66	63	3	20	18	2	46	45	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	25,378
WHITE	21,483
NONWHITE	3,895

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	139	54	85	15.6	20.2	13.6
HEART DISEASES	47	20	27	527.5	748.5	432.8
MALIGNANT NEOPLASMS	23	9	14	258.1	336.8	224.4
CEREBROVASCULAR DISEASE	9	3	6	101.0	112.3	96.2
DIABETES MELLITUS	8	1	7	89.8	37.4	112.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	67.3	187.1	16.0
ACCIDENTS	6	2	4	67.3	74.8	64.1
INFLUENZA AND PNEUMONIA	5	1	4	56.1	37.4	64.1
ALZHEIMERS DISEASE	4	2	2	44.9	74.8	32.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	33.7	37.4	32.1
HOMICIDE	3	0	3	33.7	0.0	48.1
HIV DISEASE	2	0	2	22.4	0.0	32.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	22.4	37.4	16.0
SUICIDE	2	2	0	22.4	74.8	0.0
VIRAL HEPATITIS	1	0	1	11.2	0.0	16.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	11.2	0.0	16.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	11.2	37.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.2	37.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.1	0.0	9.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	11.2	0.0	16.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	13	5	8	145.9	187.1	128.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	139	54	85	77	35	42	62	19	43
UNDER 1 (NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	4	1	3	2	1	1	2	0	2
45-54	21	4	17	13	3	10	8	1	7
55-64	17	4	13	12	4	8	5	0	5
65-74	22	10	12	15	9	6	7	1	6
75-84	33	18	15	16	10	6	17	8	9
85 AND OVER	32	15	17	10	6	4	22	9	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	8,910
WHITE	2,672
NONWHITE	6,238

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	883	717	166	6.4	6.6	5.5
HEART DISEASES	285	230	55	206.0	212.3	183.0
MALIGNANT NEOPLASMS	162	137	25	117.1	126.5	83.2
ACCIDENTS	72	61	11	52.0	56.3	36.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	41	38	3	29.6	35.1	10.0
CEREBROVASCULAR DISEASE	32	27	5	23.1	24.9	16.6
SUICIDE	24	23	1	17.3	21.2	3.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	22	17	5	15.9	15.7	16.6
INFLUENZA AND PNEUMONIA	21	17	4	15.2	15.7	13.3
SEPTICEMIA	18	14	4	13.0	12.9	13.3
DIABETES MELLITUS	17	11	6	12.3	10.2	20.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	12	2	10.1	11.1	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	4	3	5.0	3.7	10.0
HOMICIDE	6	5	1	4.3	4.6	3.3
HIV DISEASE	5	2	3	3.6	1.8	10.0
ALZHEIMERS DISEASE	5	5	0	3.6	4.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	5	0	3.6	4.6	0.0
AORTIC ANEURYSM AND DISSECTION	5	3	2	3.6	2.8	6.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	4	1	2.3	2.3	2.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	2	3	3.6	1.8	10.0
VIRAL HEPATITIS	4	3	1	2.9	2.8	3.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	2.2	2.8	0.0
PARKINSONS DISEASE	3	3	0	2.2	2.8	0.0
PEPTIC ULCER	3	2	1	2.2	1.8	3.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.7	0.9	0.0
MENINGITIS	1	1	0	0.7	0.9	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.7	0.9	0.0
HERNIA	1	1	0	0.7	0.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	0.7	0.0	3.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	13	6	13.7	12.0	20.0
ALL OTHER CAUSES	95	72	23	68.7	66.5	76.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	883	717	166	471	379	92	412	338	74
UNDER 1	15	12	3	11	9	2	4	3	1
(NEONATAL)	8	6	2	7	5	2	1	1	0
(POSTNEONATAL)	7	6	1	4	4	0	3	2	1
1-4	2	1	1	1	0	1	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	3	2	1	2	1	1	1	1	0
15-24	28	23	5	20	18	2	8	5	3
25-34	29	23	6	23	19	4	6	4	2
35-44	62	47	15	36	25	11	26	22	4
45-54	86	61	25	55	36	19	31	25	6
55-64	126	108	18	76	66	10	50	42	8
65-74	160	131	29	89	75	14	71	56	15
75-84	205	179	26	101	86	15	104	93	11
85 AND OVER	166	129	37	57	44	13	109	85	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	138,362
WHITE	108,316
NONWHITE	30,046

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	255	167	88	8.8	9.7	7.6
HEART DISEASES	83	55	28	287.2	318.3	241.0
MALIGNANT NEOPLASMS	50	30	20	173.0	173.6	172.1
ACCIDENTS	16	12	4	55.4	69.4	34.4
CEREBROVASCULAR DISEASE	14	11	3	48.4	63.7	25.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	7	7	48.4	40.5	60.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	45.0	63.7	17.2
DIABETES MELLITUS	7	3	4	24.2	17.4	34.4
INFLUENZA AND PNEUMONIA	7	3	4	24.2	17.4	34.4
SEPTICEMIA	5	5	0	17.3	28.9	0.0
HOMICIDE	4	2	2	13.8	11.6	17.2
ALZHEIMERS DISEASE	3	3	0	10.4	17.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	3.9	6.9	0.0
SUICIDE	2	2	0	6.9	11.6	0.0
VIRAL HEPATITIS	1	1	0	3.5	5.8	0.0
ANEMIAS	1	0	1	3.5	0.0	8.6
PARKINSONS DISEASE	1	1	0	3.5	5.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.5	0.0	8.6
ATHEROSCLEROSIS	1	1	0	3.5	5.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	5.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.5	5.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.5	0.0	8.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.5	0.0	8.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	10.4	5.8	17.2
ALL OTHER CAUSES	23	15	8	79.6	86.8	68.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	255	167	88	141	93	48	114	74	40
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	5	5	8	4	4	2	1	1
25-34	7	4	3	4	2	2	3	2	1
35-44	12	8	4	6	4	2	6	4	2
45-54	28	13	15	19	10	9	9	3	6
55-64	40	25	15	30	18	12	10	7	3
65-74	44	31	13	24	18	6	20	13	7
75-84	59	39	20	31	26	5	28	13	15
85 AND OVER	52	40	12	18	10	8	34	30	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	28,895
WHITE	17,277
NONWHITE	11,618

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	69	24	45	12.4	14.2	11.6
HEART DISEASES	20	8	12	359.0	472.5	309.4
MALIGNANT NEOPLASMS	18	7	11	323.1	413.5	283.6
DIABETES MELLITUS	5	0	5	89.8	0.0	128.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	71.8	118.1	51.6
ACCIDENTS	4	1	3	71.8	59.1	77.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	53.8	0.0	77.4
SUICIDE	3	1	2	53.8	59.1	51.6
SEPTICEMIA	1	1	0	18.0	59.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	18.0	0.0	25.8
CEREBROVASCULAR DISEASE	1	1	0	18.0	59.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	18.0	0.0	25.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	18.0	0.0	25.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	7	3	4	125.6	177.2	103.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	69	24	45	39	15	24	30	9	21
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	3	0	3	2	0	2	1	0	1
45-54	4	2	2	2	1	1	2	1	1
55-64	12	1	11	6	1	5	6	0	6
65-74	8	6	2	5	3	2	3	3	0
75-84	15	5	10	10	3	7	5	2	3
85 AND OVER	20	8	12	9	5	4	11	3	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	5,571
WHITE	1,693
NONWHITE	3,878

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	289	210	79	10.4	11.7	8.0
HEART DISEASES	83	55	28	298.3	307.4	281.9
MALIGNANT NEOPLASMS	57	39	18	204.8	218.0	181.2
ACCIDENTS	21	19	2	75.5	106.2	20.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	17	3	71.9	95.0	30.2
CEREBROVASCULAR DISEASE	18	14	4	64.7	78.2	40.3
INFLUENZA AND PNEUMONIA	10	10	0	35.9	55.9	0.0
SEPTICEMIA	7	5	2	25.2	27.9	20.1
DIABETES MELLITUS	5	5	0	18.0	27.9	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	18.0	22.4	10.1
SUICIDE	5	3	2	18.0	16.8	20.1
AORTIC ANEURYSM AND DISSECTION	4	3	1	14.4	16.8	10.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	9.0	11.6	5.5
ANEMIAS	3	2	1	10.8	11.2	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	10.8	16.8	0.0
HOMICIDE	2	0	2	7.2	0.0	20.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.6	5.6	0.0
ALZHEIMERS DISEASE	1	0	1	3.6	0.0	10.1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.6	0.0	10.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.6	0.0	10.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	7.2	5.6	10.1
ALL OTHER CAUSES	36	26	10	129.4	145.3	100.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	289	210	79	142	103	39	147	107	40
UNDER 1	6	3	3	4	2	2	2	1	1
(NEONATAL)	6	3	3	4	2	2	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	7	4	3	5	3	2	2	1	1
25-34	8	5	3	6	4	2	2	1	1
35-44	18	11	7	10	7	3	8	4	4
45-54	25	14	11	14	9	5	11	5	6
55-64	39	22	17	25	15	10	14	7	7
65-74	54	39	15	29	21	8	25	18	7
75-84	74	62	12	26	23	3	48	39	9
85 AND OVER	56	49	7	21	18	3	35	31	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	27,824
WHITE	17,890
NONWHITE	9,934

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	202	153	49	12.6	12.8	12.2
HEART DISEASES	54	43	11	337.3	358.9	273.0
MALIGNANT NEOPLASMS	48	37	11	299.8	308.8	273.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	17	3	124.9	141.9	74.5
ACCIDENTS	16	11	5	99.9	91.8	124.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	8	5	3	50.0	41.7	74.5
CEREBROVASCULAR DISEASE	6	4	2	37.5	33.4	49.6
ALZHEIMERS DISEASE	4	4	0	25.0	33.4	0.0
INFLUENZA AND PNEUMONIA	4	4	0	25.0	33.4	0.0
SUICIDE	4	4	0	25.0	33.4	0.0
HIV DISEASE	3	1	2	18.7	8.3	49.6
DIABETES MELLITUS	3	0	3	18.7	0.0	74.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	18.7	25.0	0.0
HOMICIDE	3	0	3	18.7	0.0	74.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	12.5	8.3	24.8
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	12.5	8.3	24.8
SEPTICEMIA	1	1	0	6.2	8.3	0.0
VIRAL HEPATITIS	1	1	0	6.2	8.3	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.2	8.3	0.0
ANEMIAS	1	0	1	6.2	0.0	24.8
PARKINSONS DISEASE	1	1	0	6.2	8.3	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.2	8.3	0.0
PEPTIC ULCER	1	1	0	6.2	8.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.2	8.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	14	11	3	87.4	91.8	74.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	202	153	49	119	87	32	83	66	17
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	2	6	3	0	3	5	2	3
25-34	3	2	1	3	2	1	0	0	0
35-44	9	6	3	7	4	3	2	2	0
45-54	16	8	8	9	5	4	7	3	4
55-64	27	20	7	17	12	5	10	8	2
65-74	38	30	8	24	17	7	14	13	1
75-84	59	49	10	34	27	7	25	22	3
85 AND OVER	39	34	5	20	19	1	19	15	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	16,009
WHITE	11,980
NONWHITE	4,029

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	142	118	24	9.0	9.5	7.3
HEART DISEASES	40	34	6	254.3	273.0	183.2
MALIGNANT NEOPLASMS	33	28	5	209.8	224.8	152.7
ACCIDENTS	13	11	2	82.6	88.3	61.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	10	1	69.9	80.3	30.5
SEPTICEMIA	4	3	1	25.4	24.1	30.5
DIABETES MELLITUS	4	4	0	25.4	32.1	0.0
CEREBROVASCULAR DISEASE	4	3	1	25.4	24.1	30.5
ALZHEIMERS DISEASE	3	2	1	19.1	16.0	30.5
SUICIDE	3	1	2	19.1	8.0	61.1
INFLUENZA AND PNEUMONIA	2	2	0	12.7	16.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	12.7	16.0	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	2	1	1	12.7	8.0	30.5
NEOPLASMS	1	1	0	6.4	8.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.4	8.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	19	15	4	120.8	120.4	122.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	142	118	24	78	61	17	64	57	7
UNDER 1	3	2	1	0	0	0	3	2	1
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	3	3	0	1	1	0	2	2	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	3	3	0	2	2	0	1	1	0
45-54	19	15	4	16	12	4	3	3	0
55-64	20	12	8	15	9	6	5	3	2
65-74	32	30	2	17	15	2	15	15	0
75-84	33	29	4	16	14	2	17	15	2
85 AND OVER	25	20	5	8	5	3	17	15	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	15,731
WHITE	12,456
NONWHITE	3,275

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	333	125	208	10.8	14.9	9.2
HEART DISEASES	103	42	61	332.6	501.5	270.0
MALIGNANT NEOPLASMS	60	27	33	193.8	322.4	146.1
DIABETES MELLITUS	30	6	24	96.9	71.6	106.2
ACCIDENTS	19	8	11	61.4	95.5	48.7
CEREBROVASCULAR DISEASE	14	3	11	45.2	35.8	48.7
ALZHEIMERS DISEASE	13	9	4	42.0	107.5	17.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	5	6	35.5	59.7	26.6
SEPTICEMIA	7	3	4	22.6	35.8	17.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	19.4	11.9	22.1
HOMICIDE	6	1	5	19.4	11.9	22.1
INFLUENZA AND PNEUMONIA	5	3	2	16.1	35.8	8.8
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	9.4	13.7	8.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	12.9	11.9	13.3
HIV DISEASE	3	0	3	9.7	0.0	13.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	9.7	11.9	8.8
SUICIDE	3	2	1	9.7	23.9	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	6.4	11.9	4.4
ANEMIAS	1	0	1	3.2	0.0	4.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.2	11.9	0.0
PARKINSONS DISEASE	1	0	1	3.2	0.0	4.4
ATHEROSCLEROSIS	1	1	0	3.2	11.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.2	0.0	4.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.2	11.9	0.0
PEPTIC ULCER	1	1	0	3.2	11.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.2	0.0	4.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	9.7	0.0	13.3
ALL OTHER CAUSES	28	7	21	90.4	83.6	93.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	333	125	208	166	56	110	167	69	98
UNDER 1 (NEONATAL)	8	1	7	5	1	4	3	0	3
(POSTNEONATAL)	7	1	6	5	1	4	2	0	2
	1	0	1	0	0	0	1	0	1
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	4	1	3	1	0	1	3	1	2
25-34	10	1	9	9	1	8	1	0	1
35-44	12	4	8	8	4	4	4	0	4
45-54	35	5	30	26	3	23	9	2	7
55-64	61	21	40	34	11	23	27	10	17
65-74	57	21	36	26	8	18	31	13	18
75-84	68	32	36	32	16	16	36	16	20
85 AND OVER	73	37	36	22	10	12	51	27	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	30,964
WHITE	8,375
NONWHITE	22,589

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	142	64	78	10.7	12.4	9.6
HEART DISEASES	31	16	15	233.8	309.6	185.4
MALIGNANT NEOPLASMS	25	11	14	188.5	212.8	173.0
ACCIDENTS	23	8	15	173.4	154.8	185.4
SEPTICEMIA	8	3	5	60.3	58.0	61.8
DIABETES MELLITUS	8	2	6	60.3	38.7	74.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	3	4	52.8	58.0	49.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	37.7	38.7	37.1
CEREBROVASCULAR DISEASE	5	3	2	37.7	58.0	24.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	3	2	37.7	58.0	24.7
INFLUENZA AND PNEUMONIA	3	1	2	22.6	19.4	24.7
HIV DISEASE	2	0	2	15.1	0.0	24.7
SUICIDE	2	2	0	15.1	38.7	0.0
HOMICIDE	2	0	2	15.1	0.0	24.7
ANEMIAS	1	1	0	7.5	19.4	0.0
PARKINSONS DISEASE	1	1	0	7.5	19.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.9	20.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.5	0.0	12.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	22.6	38.7	12.4
ALL OTHER CAUSES	9	5	4	67.9	96.7	49.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	142	64	78	74	33	41	68	31	37
UNDER 1	3	1	2	2	0	2	1	1	0
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	2	0	2	1	1	0
15-24	3	2	1	2	1	1	1	1	0
25-34	7	4	3	5	3	2	2	1	1
35-44	3	1	2	2	1	1	1	0	1
45-54	21	3	18	13	2	11	8	1	7
55-64	20	7	13	13	5	8	7	2	5
65-74	16	7	9	10	4	6	6	3	3
75-84	29	18	11	13	11	2	16	7	9
85 AND OVER	35	20	15	11	6	5	24	14	10
UNKNOWN	1	0	1	1	0	1	0	0	0

2007 POPULATION:

TOTAL	13,260
WHITE	5,168
NONWHITE	8,092

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	252	189	63	9.4	10.4	7.2
HEART DISEASES	82	63	19	304.7	346.1	218.2
MALIGNANT NEOPLASMS	59	45	14	219.2	247.2	160.8
ACCIDENTS	19	17	2	70.6	93.4	23.0
CEREBROVASCULAR DISEASE	16	8	8	59.4	44.0	91.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3	52.0	60.4	34.4
ALZHEIMERS DISEASE	9	7	2	33.4	38.4	23.0
DIABETES MELLITUS	8	4	4	29.7	22.0	45.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	4	2	22.3	22.0	23.0
SEPTICEMIA	3	3	0	11.1	16.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	11.1	5.5	23.0
INFLUENZA AND PNEUMONIA	3	3	0	11.1	16.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	7.2	11.8	0.0
SUICIDE	3	3	0	11.1	16.5	0.0
PARKINSONS DISEASE	2	2	0	7.4	11.0	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.4	11.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	7.4	11.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.7	0.0	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.7	5.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.7	5.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.7	5.5	0.0
HOMICIDE	1	0	1	3.7	0.0	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	13	8	5	48.3	44.0	57.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	252	189	63	127	92	35	125	97	28
UNDER 1	4	4	0	3	3	0	1	1	0
(Neonatal)	3	3	0	3	3	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	3	3	0	1	1	0
25-34	5	2	3	2	1	1	3	1	2
35-44	10	7	3	8	5	3	2	2	0
45-54	15	7	8	9	4	5	6	3	3
55-64	41	28	13	29	20	9	12	8	4
65-74	62	49	13	34	28	6	28	21	7
75-84	54	38	16	24	16	8	30	22	8
85 AND OVER	57	50	7	15	12	3	42	38	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	26,910
WHITE	18,201
NONWHITE	8,709

COUNTY: TIPP AH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPP AH COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	244	212	32	11.5	12.3	8.2
HEART DISEASES	76	65	11	359.2	376.1	283.7
MALIGNANT NEOPLASMS	44	41	3	207.9	237.2	77.4
CEREBROVASCULAR DISEASE	18	16	2	85.1	92.6	51.6
ACCIDENTS	16	12	4	75.6	69.4	103.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	61.4	75.2	0.0
INFLUENZA AND PNEUMONIA	8	8	0	37.8	46.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	33.1	28.9	51.6
SEPTICEMIA	6	4	2	28.4	23.1	51.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1	23.6	23.1	25.8
DIABETES MELLITUS	4	1	3	18.9	5.8	77.4
ALZHEIMERS DISEASE	4	4	0	18.9	23.1	0.0
HOMICIDE	4	4	0	18.9	23.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	14.2	17.4	0.0
SUICIDE	3	3	0	14.2	17.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	9.4	11.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	9.4	11.6	0.0
VIRAL HEPATITIS	1	1	0	4.7	5.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.7	5.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.7	5.8	0.0
PEPTIC ULCER	1	1	0	4.7	5.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.0	3.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	14.2	11.6	25.8
ALL OTHER CAUSES	21	18	3	99.2	104.1	77.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	244	212	32	124	109	15	120	103	17
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	3	2	1	2	1	1	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	5	4	1	3	3	0	2	1	1
35-44	8	5	3	7	4	3	1	1	0
45-54	20	15	5	13	9	4	7	6	1
55-64	27	22	5	15	13	2	12	9	3
65-74	51	44	7	29	26	3	22	18	4
75-84	50	48	2	23	23	0	27	25	2
85 AND OVER	73	66	7	28	26	2	45	40	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	21,160
WHITE	17,283
NONWHITE	3,877

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	260	254	6	13.6	14.0	6.7
HEART DISEASES	77	75	2	404.1	413.0	224.0
MALIGNANT NEOPLASMS	51	50	1	267.7	275.3	112.0
ALZHEIMERS DISEASE	20	20	0	105.0	110.1	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	19	0	99.7	104.6	0.0
ACCIDENTS	19	18	1	99.7	99.1	112.0
CEREBROVASCULAR DISEASE	9	9	0	47.2	49.6	0.0
SEPTICEMIA	6	6	0	31.5	33.0	0.0
DIABETES MELLITUS	6	6	0	31.5	33.0	0.0
SUICIDE	4	4	0	21.0	22.0	0.0
ATHEROSCLEROSIS	3	3	0	15.7	16.5	0.0
INFLUENZA AND PNEUMONIA	3	3	0	15.7	16.5	0.0
PARKINSONS DISEASE	2	2	0	10.5	11.0	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	10.5	11.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	10.5	11.0	0.0
SALMONELLA INFECTION	1	1	0	5.2	5.5	0.0
TUBERCULOSIS	1	1	0	5.2	5.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.2	5.5	0.0
ANEMIAS	1	1	0	5.2	5.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.2	5.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	5.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	5.2	5.5	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	5.2	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	8	0	42.0	44.0	0.0
ALL OTHER CAUSES	21	19	2	110.2	104.6	224.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	260	254	6	125	122	3	135	132	3
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	4	0	1	1	0	3	3	0
35-44	6	5	1	5	4	1	1	1	0
45-54	11	11	0	8	8	0	3	3	0
55-64	32	30	2	22	21	1	10	9	1
65-74	54	54	0	36	36	0	18	18	0
75-84	74	73	1	32	32	0	42	41	1
85 AND OVER	77	75	2	20	19	1	57	56	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	19,053
WHITE	18,160
NONWHITE	893

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	103	36	67	9.8	12.5	8.8
HEART DISEASES	30	10	20	287.0	347.8	263.9
MALIGNANT NEOPLASMS	24	10	14	229.6	347.8	184.7
ACCIDENTS	9	1	8	86.1	34.8	105.6
DIABETES MELLITUS	6	0	6	57.4	0.0	79.2
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	21.4	64.5	14.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	38.3	139.1	0.0
CEREBROVASCULAR DISEASE	3	0	3	28.7	0.0	39.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	19.1	0.0	26.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	19.1	69.6	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2	19.1	0.0	26.4
SEPTICEMIA	1	1	0	9.6	34.8	0.0
HIV DISEASE	1	0	1	9.6	0.0	13.2
ANEMIAS	1	0	1	9.6	0.0	13.2
ALZHEIMERS DISEASE	1	1	0	9.6	34.8	0.0
SUICIDE	1	1	0	9.6	34.8	0.0
HOMICIDE	1	0	1	9.6	0.0	13.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	38.3	34.8	39.6
ALL OTHER CAUSES	6	3	3	57.4	104.3	39.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	103	36	67	50	20	30	53	16	37
UNDER 1	10	2	8	8	2	6	2	0	2
(NEONATAL)	5	2	3	5	2	3	0	0	0
(POSTNEONATAL)	5	0	5	3	0	3	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	1	3	3	0	3	1	1	0
35-44	7	0	7	1	0	1	6	0	6
45-54	10	4	6	6	3	3	4	1	3
55-64	21	11	10	16	9	7	5	2	3
65-74	17	8	9	8	3	5	9	5	4
75-84	17	5	12	5	3	2	12	2	10
85 AND OVER	15	5	10	1	0	1	14	5	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	10,453
WHITE	2,875
NONWHITE	7,578

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	257	238	19	9.6	10.6	4.2
HEART DISEASES	76	72	4	282.4	320.9	89.5
MALIGNANT NEOPLASMS	42	39	3	156.1	173.8	67.1
CEREBROVASCULAR DISEASE	18	15	3	66.9	66.8	67.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	14	1	55.7	62.4	22.4
ACCIDENTS	15	15	0	55.7	66.8	0.0
ALZHEIMERS DISEASE	10	9	1	37.2	40.1	22.4
SUICIDE	9	9	0	33.4	40.1	0.0
INFLUENZA AND PNEUMONIA	5	5	0	18.6	22.3	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	14.9	13.4	22.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	11.2	13.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	7.4	8.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.4	4.4	22.4
SEPTICEMIA	1	1	0	3.7	4.4	0.0
DIABETES MELLITUS	1	1	0	3.7	4.4	0.0
PARKINSONS DISEASE	1	1	0	3.7	4.4	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.7	4.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.7	4.4	0.0
HERNIA	1	1	0	3.7	4.4	0.0
HOMICIDE	1	0	1	3.7	0.0	22.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	14	2	59.5	62.4	44.7
ALL OTHER CAUSES	33	31	2	122.6	138.2	44.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	257	238	19	123	111	12	134	127	7
UNDER 1	6	4	2	3	2	1	3	2	1
(NEONATAL)	3	2	1	1	1	0	2	1	1
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	3	3	0	1	1	0	2	2	0
35-44	13	12	1	11	10	1	2	2	0
45-54	17	16	1	10	9	1	7	7	0
55-64	27	23	4	20	16	4	7	7	0
65-74	35	33	2	20	19	1	15	14	1
75-84	64	58	6	34	30	4	30	28	2
85 AND OVER	86	83	3	21	21	0	65	62	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	26,907
WHITE	22,436
NONWHITE	4,471

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	153	98	55	10.0	11.8	7.8
HEART DISEASES	55	37	18	358.1	445.1	255.4
MALIGNANT NEOPLASMS	24	15	9	156.2	180.5	127.7
CEREBROVASCULAR DISEASE	10	9	1	65.1	108.3	14.2
ACCIDENTS	8	5	3	52.1	60.2	42.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	45.6	60.2	28.4
ALZHEIMERS DISEASE	5	3	2	32.6	36.1	28.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	32.6	24.1	42.6
INFLUENZA AND PNEUMONIA	5	3	2	32.6	36.1	28.4
DIABETES MELLITUS	4	1	3	26.0	12.0	42.6
SEPTICEMIA	3	1	2	19.5	12.0	28.4
HOMICIDE	3	0	3	19.5	0.0	42.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	13.0	12.0	14.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	13.0	12.0	14.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.5	12.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.5	12.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	6.5	12.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.5	12.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.5	12.0	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1	6.5	0.0	14.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.4	0.0	8.3
SUICIDE	1	1	0	6.5	12.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	13.0	12.0	14.2
ALL OTHER CAUSES	10	8	2	65.1	96.2	28.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	153	98	55	74	47	27	79	51	28
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	3	1	2	3	1	2	0	0	0
35-44	6	1	5	4	0	4	2	1	1
45-54	10	7	3	5	4	1	5	3	2
55-64	15	9	6	8	6	2	7	3	4
65-74	29	20	9	20	15	5	9	5	4
75-84	48	33	15	24	16	8	24	17	7
85 AND OVER	36	25	11	7	4	3	29	21	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	15,360
WHITE	8,312
NONWHITE	7,048

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	514	293	221	10.5	11.7	9.3
HEART DISEASES	168	102	66	343.8	407.3	277.0
MALIGNANT NEOPLASMS	97	52	45	198.5	207.6	188.9
CEREBROVASCULAR DISEASE	32	12	20	65.5	47.9	83.9
ACCIDENTS	26	16	10	53.2	63.9	42.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	7	10	34.8	28.0	42.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	12	4	32.7	47.9	16.8
INFLUENZA AND PNEUMONIA	14	4	10	28.6	16.0	42.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	7	5	24.6	28.0	21.0
SEPTICEMIA	9	5	4	18.4	20.0	16.8
DIABETES MELLITUS	9	7	2	18.4	28.0	8.4
ALZHEIMERS DISEASE	8	7	1	16.4	28.0	4.2
HOMICIDE	7	0	7	14.3	0.0	29.4
SUICIDE	6	6	0	12.3	24.0	0.0
PARKINSONS DISEASE	5	3	2	10.2	12.0	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	8.2	4.0	12.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	8.2	8.0	8.4
HIV DISEASE	3	0	3	6.1	0.0	12.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	6.1	8.0	4.2
VIRAL HEPATITIS	2	2	0	4.1	8.0	0.0
ATHEROSCLEROSIS	2	2	0	4.1	8.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.1	4.0	4.2
ANEMIAS	1	1	0	2.0	4.0	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.0	4.0	0.0
PEPTIC ULCER	1	1	0	2.0	4.0	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	2.0	4.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.0	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	1	5	12.3	4.0	21.0
ALL OTHER CAUSES	57	38	19	116.6	151.8	79.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	514	293	221	252	140	112	262	153	109
UNDER 1	8	2	6	6	2	4	2	0	2
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	6	0	6	4	0	4	2	0	2
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	8	3	5	6	2	4	2	1	1
25-34	12	4	8	8	4	4	4	0	4
35-44	19	11	8	12	9	3	7	2	5
45-54	41	17	24	21	7	14	20	10	10
55-64	68	41	27	41	24	17	27	17	10
65-74	89	51	38	54	27	27	35	24	11
75-84	129	80	49	58	36	22	71	44	27
85 AND OVER	137	81	56	44	27	17	93	54	39
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	48,866
WHITE	25,041
NONWHITE	23,825

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	595	233	362	10.7	13.5	9.4
HEART DISEASES	149	64	85	267.8	371.7	221.2
MALIGNANT NEOPLASMS	119	42	77	213.9	243.9	200.4
CEREBROVASCULAR DISEASE	45	18	27	80.9	104.5	70.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	39	14	25	70.1	81.3	65.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	20	7	48.5	116.2	18.2
ACCIDENTS	24	10	14	43.1	58.1	36.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	22	3	19	39.5	17.4	49.4
DIABETES MELLITUS	19	4	15	34.1	23.2	39.0
ALZHEIMERS DISEASE	11	6	5	19.8	34.8	13.0
SEPTICEMIA	10	1	9	18.0	5.8	23.4
HOMICIDE	10	1	9	18.0	5.8	23.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	2	6	14.4	11.6	15.6
INFLUENZA AND PNEUMONIA	7	1	6	12.6	5.8	15.6
SUICIDE	5	5	0	9.0	29.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	7.2	5.8	7.8
HIV DISEASE	3	0	3	5.4	0.0	7.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	5.4	5.8	5.2
PEPTIC ULCER	3	0	3	5.4	0.0	7.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	3.6	5.8	2.6
PARKINSONS DISEASE	2	2	0	3.6	11.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.8	5.8	0.0
HYPERPLASIA OF PROSTATE	1	0	1	1.8	0.0	2.6
MATERNAL CAUSES	1	0	1	103.1	0.0	128.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.0	0.0	1.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	13	6	7	23.4	34.8	18.2
ALL OTHER CAUSES	66	30	36	118.6	174.2	93.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	595	233	362	322	118	204	273	115	158
UNDER 1	8	0	8	4	0	4	4	0	4
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	1	9	7	1	6	3	0	3
25-34	12	7	5	11	7	4	1	0	1
35-44	33	10	23	21	7	14	12	3	9
45-54	59	16	43	39	9	30	20	7	13
55-64	82	21	61	53	11	42	29	10	19
65-74	111	44	67	68	31	37	43	13	30
75-84	137	62	75	63	26	37	74	36	38
85 AND OVER	139	72	67	53	26	27	86	46	40
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	55,644
WHITE	17,219
NONWHITE	38,425

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	181	123	58	8.6	9.6	7.0
HEART DISEASES	62	42	20	293.9	328.9	240.2
MALIGNANT NEOPLASMS	33	22	11	156.4	172.3	132.1
CEREBROVASCULAR DISEASE	8	6	2	37.9	47.0	24.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	37.9	47.0	24.0
ACCIDENTS	8	5	3	37.9	39.2	36.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	33.2	23.5	48.0
DIABETES MELLITUS	4	3	1	19.0	23.5	12.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	19.0	23.5	12.0
ALZHEIMERS DISEASE	3	3	0	14.2	23.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	9.2	11.5	6.7
SUICIDE	3	3	0	14.2	23.5	0.0
INFLUENZA AND PNEUMONIA	2	1	1	9.5	7.8	12.0
HOMICIDE	2	1	1	9.5	7.8	12.0
HIV DISEASE	1	0	1	4.7	0.0	12.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.7	0.0	12.0
PARKINSONS DISEASE	1	1	0	4.7	7.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.7	0.0	12.0
ATHEROSCLEROSIS	1	1	0	4.7	7.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.7	0.0	12.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.7	0.0	12.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.5	7.8	12.0
ALL OTHER CAUSES	25	20	5	118.5	156.6	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	181	123	58	85	57	28	96	66	30
UNDER 1	3	2	1	0	0	0	3	2	1
(NEONATAL)	3	2	1	0	0	0	3	2	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	3	1	3	3	0	1	0	1
35-44	4	3	1	2	1	1	2	2	0
45-54	21	10	11	13	4	9	8	6	2
55-64	16	10	6	6	5	1	10	5	5
65-74	36	21	15	19	9	10	17	12	5
75-84	43	36	7	22	21	1	21	15	6
85 AND OVER	52	37	15	18	13	5	34	24	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	21,096
WHITE	12,770
NONWHITE	8,326

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	161	130	31	16.4	16.8	14.9
HEART DISEASES	45	32	13	459.7	414.8	626.5
MALIGNANT NEOPLASMS	28	23	5	286.0	298.2	241.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	11	1	122.6	142.6	48.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	12	10	2	122.6	129.6	96.4
ACCIDENTS	8	8	0	81.7	103.7	0.0
SEPTICEMIA	7	6	1	71.5	77.8	48.2
ALZHEIMERS DISEASE	7	7	0	71.5	90.7	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1	40.9	38.9	48.2
SUICIDE	4	4	0	40.9	51.8	0.0
CEREBROVASCULAR DISEASE	3	1	2	30.6	13.0	96.4
INFLUENZA AND PNEUMONIA	3	3	0	30.6	38.9	0.0
DIABETES MELLITUS	2	1	1	20.4	13.0	48.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	20.4	13.0	48.2
HOMICIDE	2	2	0	20.4	25.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	10.2	13.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.2	13.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	10.2	0.0	48.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	19	16	3	194.1	207.4	144.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	161	130	31	76	59	17	85	71	14
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	0	0	0	0	0	0	0	0	0
45-54	13	11	2	10	9	1	3	2	1
55-64	17	12	5	11	7	4	6	5	1
65-74	20	15	5	13	9	4	7	6	1
75-84	52	43	9	17	14	3	35	29	6
85 AND OVER	54	45	9	21	17	4	33	28	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	9,789
WHITE	7,714
NONWHITE	2,075

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	114	33	81	11.1	10.7	11.3
MALIGNANT NEOPLASMS	29	12	17	282.5	388.1	237.0
HEART DISEASES	24	4	20	233.8	129.4	278.8
SEPTICEMIA	7	0	7	68.2	0.0	97.6
CEREBROVASCULAR DISEASE	7	2	5	68.2	64.7	69.7
INFLUENZA AND PNEUMONIA	5	1	4	48.7	32.3	55.8
DIABETES MELLITUS	4	0	4	39.0	0.0	55.8
ALZHEIMERS DISEASE	4	1	3	39.0	32.3	41.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	39.0	64.7	27.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	39.0	64.7	27.9
ACCIDENTS	4	1	3	39.0	32.3	41.8
HOMICIDE	3	1	2	29.2	32.3	27.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2	19.5	0.0	27.9
PARKINSONS DISEASE	1	0	1	9.7	0.0	13.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.7	32.3	0.0
MATERNAL CAUSES	1	0	1	649.4	0.0	793.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	29.2	32.3	27.9
ALL OTHER CAUSES	11	5	6	107.2	161.7	83.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	114	33	81	51	19	32	63	14	49
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	3	0	3	3	1	2
25-34	2	0	2	1	0	1	1	0	1
35-44	4	1	3	1	1	0	3	0	3
45-54	12	3	9	6	3	3	6	0	6
55-64	21	4	17	9	2	7	12	2	10
65-74	22	7	15	8	2	6	14	5	9
75-84	26	11	15	15	9	6	11	2	9
85 AND OVER	20	6	14	7	2	5	13	4	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	10,266
WHITE	3,092
NONWHITE	7,174

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	213	119	94	10.8	11.2	10.4
HEART DISEASES	53	24	29	269.0	225.0	320.9
MALIGNANT NEOPLASMS	43	25	18	218.2	234.3	199.2
ACCIDENTS	18	11	7	91.3	103.1	77.5
DIABETES MELLITUS	13	6	7	66.0	56.2	77.5
ALZHEIMERS DISEASE	13	10	3	66.0	93.7	33.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	9	3	60.9	84.4	33.2
CEREBROVASCULAR DISEASE	8	4	4	40.6	37.5	44.3
INFLUENZA AND PNEUMONIA	7	3	4	35.5	28.1	44.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	2	4	30.4	18.7	44.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	3	3	30.4	28.1	33.2
SUICIDE	3	2	1	15.2	18.7	11.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.2	18.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.2	18.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	10.2	9.4	11.1
SEPTICEMIA	1	1	0	5.1	9.4	0.0
HIV DISEASE	1	0	1	5.1	0.0	11.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.6	0.0	5.7
HOMICIDE	1	1	0	5.1	9.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.1	0.0	11.1
ALL OTHER CAUSES	20	13	7	101.5	121.8	77.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	213	119	94	123	73	50	90	46	44
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	7	4	3	5	3	2	2	1	1
45-54	22	9	13	16	6	10	6	3	3
55-64	32	13	19	24	9	15	8	4	4
65-74	35	23	12	24	19	5	11	4	7
75-84	43	29	14	27	20	7	16	9	7
85 AND OVER	68	40	28	22	15	7	46	25	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	19,705
WHITE	10,669
NONWHITE	9,036

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	160	111	49	11.7	13.6	8.9
HEART DISEASES	53	38	15	387.6	465.0	272.7
MALIGNANT NEOPLASMS	34	23	11	248.7	281.5	200.0
ACCIDENTS	11	6	5	80.4	73.4	90.9
CEREBROVASCULAR DISEASE	10	7	3	73.1	85.7	54.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	43.9	73.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	29.2	24.5	36.4
DIABETES MELLITUS	3	3	0	21.9	36.7	0.0
ALZHEIMERS DISEASE	3	2	1	21.9	24.5	18.2
AORTIC ANEURYSM AND DISSECTION	3	2	1	21.9	24.5	18.2
HOMICIDE	3	0	3	21.9	0.0	54.5
SEPTICEMIA	2	0	2	14.6	0.0	36.4
VIRAL HEPATITIS	2	2	0	14.6	24.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	14.6	12.2	18.2
SUICIDE	2	0	2	14.6	0.0	36.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	7.3	0.0	18.2
INFLUENZA AND PNEUMONIA	1	1	0	7.3	12.2	0.0
PEPTIC ULCER	1	1	0	7.3	12.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.3	12.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.3	12.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.3	12.2	0.0
ALL OTHER CAUSES	16	14	2	117.0	171.3	36.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	160	111	49	74	51	23	86	60	26
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	1	3	2	0	2	2	1	1
35-44	5	3	2	3	3	0	2	0	2
45-54	17	9	8	11	5	6	6	4	2
55-64	23	14	9	17	11	6	6	3	3
65-74	31	25	6	14	11	3	17	14	3
75-84	42	29	13	14	11	3	28	18	10
85 AND OVER	35	29	6	10	9	1	25	20	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	13,672
WHITE	8,171
NONWHITE	5,501

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	229	106	123	8.4	9.0	8.0
HEART DISEASES	65	36	29	239.1	304.6	188.7
MALIGNANT NEOPLASMS	44	19	25	161.8	160.8	162.6
CEREBROVASCULAR DISEASE	21	7	14	77.2	59.2	91.1
DIABETES MELLITUS	16	5	11	58.8	42.3	71.6
ACCIDENTS	7	6	1	25.7	50.8	6.5
HOMICIDE	7	1	6	25.7	8.5	39.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	22.1	42.3	6.5
SUICIDE	6	3	3	22.1	25.4	19.5
ALZHEIMERS DISEASE	5	2	3	18.4	16.9	19.5
INFLUENZA AND PNEUMONIA	5	3	2	18.4	25.4	13.0
SEPTICEMIA	3	1	2	11.0	8.5	13.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	11.0	8.5	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	11.0	16.9	6.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	1	2	11.0	8.5	13.0
VIRAL HEPATITIS	1	0	1	3.7	0.0	6.5
HIV DISEASE	1	0	1	3.7	0.0	6.5
ANEMIAS	1	0	1	3.7	0.0	6.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.7	8.5	0.0
PARKINSONS DISEASE	1	1	0	3.7	8.5	0.0
INFECTIONS OF KIDNEY	1	0	1	3.7	0.0	6.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.1	0.0	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.7	0.0	6.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.7	8.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	14.7	16.9	13.0
ALL OTHER CAUSES	22	9	13	80.9	76.2	84.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	229	106	123	109	48	61	120	58	62
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	1	3	1	0	1	3	1	2
25-34	6	2	4	6	2	4	0	0	0
35-44	9	5	4	4	3	1	5	2	3
45-54	29	6	23	14	3	11	15	3	12
55-64	32	16	16	19	10	9	13	6	7
65-74	39	19	20	25	11	14	14	8	6
75-84	55	31	24	22	11	11	33	20	13
85 AND OVER	50	26	24	15	8	7	35	18	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2007 POPULATION:

TOTAL	27,187
WHITE	11,817
NONWHITE	15,370