

SELECTED DEATH STATISTICS, RESIDENTS OF GULFPORT, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	664	443	221
HEART DISEASES	186	126	60
MALIGNANT NEOPLASMS	142	97	45
ACCIDENTS	46	28	18
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	41	32	9
CEREBROVASCULAR DISEASE	30	18	12
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	30	20	10
ALZHEIMERS DISEASE	16	12	4
SEPTICEMIA	15	6	9
SUICIDE	14	13	1
AORTIC ANEURYSM AND DISSECTION	7	5	2
INFLUENZA AND PNEUMONIA	7	1	6
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0
HIV DISEASE	6	2	4
DIABETES MELLITUS	4	3	1
HOMICIDE	4	2	2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2
VIRAL HEPATITIS	2	1	1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0
ATHEROSCLEROSIS	2	2	0
PEPTIC ULCER	2	2	0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
PARKINSONS DISEASE	1	1	0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	16	11	5
ALL OTHER CAUSES	74	48	26

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	664	443	221	360	245	115	304	198	106
UNDER 1	10	6	4	5	2	3	5	4	1
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	7	5	2	2	1	1	5	4	1
1-4	3	1	2	2	1	1	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	6	5	1	1	0	1
25-34	11	8	3	7	7	0	4	1	3
35-44	36	20	16	20	10	10	16	10	6
45-54	81	49	32	52	33	19	29	16	13
55-64	104	60	44	64	39	25	40	21	19
65-74	122	80	42	69	44	25	53	36	17
75-84	174	131	43	91	71	20	83	60	23
85 AND OVER	112	81	31	41	31	10	71	50	21
UNKNOWN	3	2	1	3	2	1	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HATTIESBURG, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	408	232	176
HEART DISEASES	90	55	35
MALIGNANT NEOPLASMS	77	42	35
ALZHEIMERS DISEASE	30	22	8
ACCIDENTS	20	13	7
DIABETES MELLITUS	16	7	9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	16	8	8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	7	8
CEREBROVASCULAR DISEASE	14	10	4
SEPTICEMIA	9	3	6
CONDITIONS ORIG IN PERINATAL PERIOD	8	0	8
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3
INFLUENZA AND PNEUMONIA	6	4	2
SUICIDE	5	5	0
HIV DISEASE	4	1	3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	4	1	3
NEOPLASMS	3	3	0
PARKINSONS DISEASE	3	3	0
MATERNAL CAUSES	2	0	2
VIRAL HEPATITIS	1	1	0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1
INFECTIONS OF KIDNEY	1	0	1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1
HOMICIDE	1	0	1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	27	14	13
ALL OTHER CAUSES	46	28	18

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	408	232	176	170	86	84	238	146	92
UNDER 1	13	0	13	5	0	5	8	0	8
(NEONATAL)	11	0	11	4	0	4	7	0	7
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	4	6	4	3	1	6	1	5
25-34	9	1	8	6	1	5	3	0	3
35-44	13	5	8	9	3	6	4	2	2
45-54	32	14	18	20	10	10	12	4	8
55-64	50	28	22	28	16	12	22	12	10
65-74	56	24	32	32	13	19	24	11	13
75-84	101	66	35	34	20	14	67	46	21
85 AND OVER	121	88	33	30	19	11	91	69	22
UNKNOWN	1	1	0	1	1	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,480	506	974
HEART DISEASES	454	173	281
MALIGNANT NEOPLASMS	246	77	169
CEREBROVASCULAR DISEASE	78	28	50
ACCIDENTS	71	26	45
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	52	28	24
HOMICIDE	48	2	46
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	44	15	29
SEPTICEMIA	38	10	28
HIV DISEASE	37	3	34
CONDITIONS ORIG IN PERINATAL PERIOD	29	0	29
INFLUENZA AND PNEUMONIA	28	13	15
DIABETES MELLITUS	27	4	23
ALZHEIMERS DISEASE	24	14	10
HYPERTENSION/HYPERTENSIVE RENAL DZ	21	4	17
CHRONIC LIVER DISEASE AND CIRRHOSIS	15	6	9
SUICIDE	10	3	7
AORTIC ANEURYSM AND DISSECTION	8	1	7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	4	3
ANEMIAS	6	3	3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	0	5
PARKINSONS DISEASE	3	2	1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2
HYPERPLASIA OF PROSTATE	2	2	0
SHIGELLOSIS & AMEBIASIS	1	0	1
VIRAL HEPATITIS	1	0	1
MENINGITIS	1	0	1
ATHEROSCLEROSIS	1	1	0
PEPTIC ULCER	1	1	0
HERNIA	1	0	1

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	19	7	12
ALL OTHER CAUSES	198	78	120

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,480	506	974	777	258	519	703	248	455
UNDER 1	52	2	50	21	1	20	31	1	30
(NEONATAL)	31	0	31	14	0	14	17	0	17
(POSTNEONATAL)	21	2	19	7	1	6	14	1	13
1-4	2	0	2	1	0	1	1	0	1
5-9	3	0	3	1	0	1	2	0	2
10-14	2	1	1	2	1	1	0	0	0
15-24	46	4	42	38	4	34	8	0	8
25-34	50	8	42	40	5	35	10	3	7
35-44	76	7	69	47	3	44	29	4	25
45-54	172	38	134	108	21	87	64	17	47
55-64	216	53	163	133	33	100	83	20	63
65-74	218	64	154	105	28	77	113	36	77
75-84	319	166	153	176	102	74	143	64	79
85 AND OVER	323	163	160	104	60	44	219	103	116

UNKNOWN

1

0

1

1

0

1

0

0

0



SELECTED DEATH STATISTICS, RESIDENTS OF SHUBUTA, 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	4	1	3
HEART DISEASES	2	1	1
DIABETES MELLITUS	1	0	1
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0
ALL OTHER CAUSES	1	0	1

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	4	1	3	2	1	1	2	0	2
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	1	0	1	0	0	0	1	0	1
85 AND OVER	0	0	0	0	0	0	0	0	0
UNKNOWN	1	1	0	1	1	0	0	0	0

