

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,717	1,783	934	8.8	9.4	7.9
HEART DISEASES	807	545	262	261.5	286.2	221.6
MALIGNANT NEOPLASMS	618	430	188	200.2	225.8	159.0
ACCIDENTS	191	111	80	61.9	58.3	67.7
CEREBROVASCULAR DISEASE	127	73	54	41.2	38.3	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	114	95	19	36.9	49.9	16.1
DIABETES MELLITUS	104	52	52	33.7	27.3	44.0
ALZHEIMERS DISEASE	84	67	17	27.2	35.2	14.4
SEPTICEMIA	51	28	23	16.5	14.7	19.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	49	25	24	15.9	13.1	20.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	48	22	26	15.6	11.6	22.0
SUICIDE	41	34	7	13.3	17.8	5.9
INFLUENZA AND PNEUMONIA	33	21	12	10.7	11.0	10.2
CONDITIONS ORIG IN PERINATAL PERIOD	29	10	19	5.8	3.8	8.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	26	2	9.1	13.6	1.7
HOMICIDE	26	1	25	8.4	0.5	21.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	16	9	7	5.2	4.7	5.9
HIV DISEASE	15	1	14	4.9	0.5	11.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	11	4	4.9	5.8	3.4
AORTIC ANEURYSM AND DISSECTION	14	11	3	4.5	5.8	2.5
PARKINSONS DISEASE	9	9	0	2.9	4.7	0.0
VIRAL HEPATITIS	8	6	2	2.6	3.2	1.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	5	3	2.6	2.6	2.5
ANEMIAS	8	4	4	2.6	2.1	3.4
COMPLICATIONS MEDICAL/SURGICAL CARE	6	5	1	1.9	2.6	0.8
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	1.3	2.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.0	1.0	0.8
PEPTIC ULCER	3	2	1	1.0	1.0	0.8
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.3	0.0	0.8
HERNIA	1	0	1	0.3	0.0	0.8
INFECTIONS OF KIDNEY	1	0	1	0.3	0.0	0.8
MATERNAL CAUSES	1	0	1	20.0	0.0	42.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	34	25	9	11.0	13.1	7.6
ALL OTHER CAUSES	220	149	71	71.3	78.2	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,717	1,783	934	1,393	898	495	1,324	885	439
UNDER 1	57	23	34	38	15	23	19	8	11
(NEONATAL)	37	14	23	25	11	14	12	3	9
(POSTNEONATAL)	20	9	11	13	4	9	7	5	2
1-4	13	1	12	10	1	9	3	0	3
5-9	5	1	4	3	1	2	2	0	2
10-14	9	2	7	7	1	6	2	1	1
15-24	42	27	15	31	17	14	11	10	1
25-34	71	33	38	51	24	27	20	9	11
35-44	118	62	56	78	44	34	40	18	22
45-54	279	144	135	179	93	86	100	51	49
55-64	414	255	159	267	164	103	147	91	56
65-74	506	362	144	287	207	80	219	155	64
75-84	621	453	168	270	213	57	351	240	111
85 AND OVER	581	420	161	171	118	53	410	302	108
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**				2007 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.4	8.7	14.4	308,625	
NEONATAL	7.4	5.3	9.7	190,394	
POSTNEONATAL	4.0	3.4	4.6	118,231	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,651	3,065	586	10.5	11.4	7.4
HEART DISEASES	1,040	888	152	299.0	330.4	192.2
MALIGNANT NEOPLASMS	798	663	135	229.4	246.7	170.7
ACCIDENTS	238	199	39	68.4	74.0	49.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	209	198	11	60.1	73.7	13.9
CEREBROVASCULAR DISEASE	199	167	32	57.2	62.1	40.5
ALZHEIMERS DISEASE	130	126	4	37.4	46.9	5.0
DIABETES MELLITUS	86	60	26	24.7	22.3	32.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	71	48	23	20.4	17.9	29.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	70	54	16	20.1	20.1	20.2
SUICIDE	57	54	3	16.4	20.1	3.8
SEPTICEMIA	53	43	10	15.2	16.0	12.6
INFLUENZA AND PNEUMONIA	52	44	8	15.0	16.4	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	30	26	4	8.6	9.7	5.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	22	10	12	4.2	2.6	8.9
NEOPLASMS	20	17	3	5.8	6.3	3.8
PARKINSONS DISEASE	17	16	1	4.9	6.0	1.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	12	5	4.9	4.5	6.3
HOMICIDE	14	8	6	4.0	3.0	7.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	4	8	3.4	1.5	10.1
CHOLELITHIASIS/GALLBLADDER DISORDER	9	7	2	2.6	2.6	2.5
ATHEROSCLEROSIS	8	7	1	2.3	2.6	1.3
AORTIC ANEURYSM AND DISSECTION	8	7	1	2.3	2.6	1.3
COMPLICATIONS MEDICAL/SURGICAL CARE	8	6	2	2.3	2.2	2.5
HIV DISEASE	7	0	7	2.0	0.0	8.8
PEPTIC ULCER	5	3	2	1.4	1.1	2.5
VIRAL HEPATITIS	4	4	0	1.2	1.5	0.0
ANEMIAS	4	2	2	1.2	0.7	2.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.6	0.7	0.0
SALMONELLA INFECTION	1	1	0	0.3	0.4	0.0
TUBERCULOSIS	1	1	0	0.3	0.4	0.0
HERNIA	1	1	0	0.3	0.4	0.0
INFECTIONS OF KIDNEY	1	1	0	0.3	0.4	0.0
MATERNAL CAUSES	1	1	0	19.2	26.0	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	88	77	11	25.3	28.6	13.9
ALL OTHER CAUSES	368	308	60	105.8	114.6	75.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,651	3,065	586	1,844	1,542	302	1,807	1,523	284
UNDER 1	52	23	29	24	14	10	28	9	19
(NEONATAL)	28	14	14	12	7	5	16	7	9
(POSTNEONATAL)	24	9	15	12	7	5	12	2	10
1-4	13	10	3	7	5	2	6	5	1
5-9	5	4	1	3	3	0	2	1	1
10-14	11	10	1	9	8	1	2	2	0
15-24	50	38	12	35	25	10	15	13	2
25-34	68	47	21	41	28	13	27	19	8
35-44	125	95	30	88	68	20	37	27	10
45-54	265	203	62	163	122	41	102	81	21
55-64	486	385	101	319	255	64	167	130	37
65-74	663	552	111	411	352	59	252	200	52
75-84	961	856	105	467	420	47	494	436	58
85 AND OVER	952	842	110	277	242	35	675	600	75
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	10.0	6.0	21.4
NEONATAL	5.4	3.6	10.4
POSTNEONATAL	4.6	2.3	11.1

2007 POPULATION

TOTAL	347,800
WHITE	268,727
NONWHITE	79,073

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,582	1,118	1,464	11.2	14.3	9.6
HEART DISEASES	774	340	434	334.8	434.9	283.7
MALIGNANT NEOPLASMS	483	214	269	208.9	273.7	175.8
CEREBROVASCULAR DISEASE	202	89	113	87.4	113.8	73.8
ACCIDENTS	125	53	72	54.1	67.8	47.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	109	75	34	47.1	95.9	22.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	91	33	58	39.4	42.2	37.9
DIABETES MELLITUS	80	24	56	34.6	30.7	36.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	76	21	55	32.9	26.9	35.9
ALZHEIMERS DISEASE	63	39	24	27.2	49.9	15.7
INFLUENZA AND PNEUMONIA	55	26	29	23.8	33.2	19.0
SEPTICEMIA	49	15	34	21.2	19.2	22.2
HOMICIDE	40	3	37	17.3	3.8	24.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	7	15	9.5	9.0	9.8
CONDITIONS ORIG IN PERINATAL PERIOD	21	4	17	5.2	4.4	5.5
HIV DISEASE	19	1	18	8.2	1.3	11.8
SUICIDE	17	13	4	7.4	16.6	2.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	14	8	6	6.0	10.2	3.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	6	6	5.2	7.7	3.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	6	5	4.8	7.7	3.3
ANEMIAS	11	5	6	4.8	6.4	3.9
PARKINSONS DISEASE	10	9	1	4.3	11.5	0.6
AORTIC ANEURYSM AND DISSECTION	9	3	6	3.9	3.8	3.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	3	2	2.2	3.8	1.3
PEPTIC ULCER	5	2	3	2.2	2.6	2.0
ATHEROSCLEROSIS	3	1	2	1.3	1.3	1.3
VIRAL HEPATITIS	2	2	0	0.9	2.6	0.0
MATERNAL CAUSES	2	0	2	49.8	0.0	64.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	0.9	0.0	1.3
TUBERCULOSIS	1	1	0	0.4	1.3	0.0
MENINGITIS	1	1	0	0.4	1.3	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	1.3	0.0
INFECTIONS OF KIDNEY	1	0	1	0.4	0.0	0.6
HYPERPLASIA OF PROSTATE	1	0	1	0.4	0.0	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	37	12	25	16.0	15.3	16.3
ALL OTHER CAUSES	228	101	127	98.6	129.2	83.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,582	1,118	1,464	1,312	540	772	1,270	578	692
UNDER 1	46	6	40	24	2	22	22	4	18
(NEONATAL)	30	5	25	15	2	13	15	3	12
(POSTNEONATAL)	16	1	15	9	0	9	7	1	6
1-4	10	1	9	4	0	4	6	1	5
5-9	4	1	3	3	1	2	1	0	1
10-14	7	3	4	3	2	1	4	1	3
15-24	43	10	33	30	7	23	13	3	10
25-34	50	17	33	41	15	26	9	2	7
35-44	124	29	95	84	22	62	40	7	33
45-54	257	77	180	167	46	121	90	31	59
55-64	359	126	233	209	70	139	150	56	94
65-74	448	191	257	248	117	131	200	74	126
75-84	600	315	285	295	155	140	305	160	145
85 AND OVER	634	342	292	204	103	101	430	239	191
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2007 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.4	6.6	12.9	231,181	
NEONATAL	7.5	5.5	8.0	78,184	
POSTNEONATAL	4.0	1.1	4.8	152,997	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,318	1,476	842	9.4	10.4	8.1
HEART DISEASES	717	446	271	292.0	313.9	262.0
MALIGNANT NEOPLASMS	465	276	189	189.4	194.2	182.7
ACCIDENTS	140	98	42	57.0	69.0	40.6
CEREBROVASCULAR DISEASE	133	70	63	54.2	49.3	60.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	119	101	18	48.5	71.1	17.4
ALZHEIMERS DISEASE	80	64	16	32.6	45.0	15.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	60	26	34	24.4	18.3	32.9
SEPTICEMIA	59	42	17	24.0	29.6	16.4
INFLUENZA AND PNEUMONIA	50	40	10	20.4	28.2	9.7
DIABETES MELLITUS	44	22	22	17.9	15.5	21.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	44	24	20	17.9	16.9	19.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	37	28	9	15.1	19.7	8.7
SUICIDE	31	24	7	12.6	16.9	6.8
CONDITIONS ORIG IN PERINATAL PERIOD	16	3	13	4.3	1.7	6.8
HOMICIDE	16	8	8	6.5	5.6	7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	8	5	5.3	5.6	4.8
PARKINSONS DISEASE	11	8	3	4.5	5.6	2.9
AORTIC ANEURYSM AND DISSECTION	9	9	0	3.7	6.3	0.0
HIV DISEASE	7	0	7	2.8	0.0	6.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	3	2	2.0	2.1	1.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	1	4	2.0	0.7	3.9
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	5	1	4	2.0	0.7	3.9
NEOPLASMS	4	3	1	1.6	2.1	1.0
VIRAL HEPATITIS	2	2	0	0.8	1.4	0.0
HERNIA	2	2	0	0.8	1.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	0.7	1.0
TUBERCULOSIS	1	0	1	0.4	0.0	1.0
ANEMIAS	1	0	1	0.4	0.0	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	0.4	0.7	0.0
INFECTIONS OF KIDNEY	1	1	0	0.4	0.7	0.0
MATERNAL CAUSES	1	1	0	27.0	55.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	13	5	8	5.3	3.5	7.7
ALL OTHER CAUSES	223	157	66	90.8	110.5	63.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,318	1,476	842	1,117	694	423	1,201	782	419
UNDER 1	31	5	26	18	4	14	13	1	12
(NEONATAL)	19	3	16	12	2	10	7	1	6
(POSTNEONATAL)	12	2	10	6	2	4	6	0	6
1-4	6	4	2	3	2	1	3	2	1
5-9	1	0	1	1	0	1	0	0	0
10-14	3	1	2	2	1	1	1	0	1
15-24	34	20	14	23	15	8	11	5	6
25-34	51	20	31	32	14	18	19	6	13
35-44	68	32	36	38	16	22	30	16	14
45-54	201	101	100	124	67	57	77	34	43
55-64	285	154	131	181	99	82	104	55	49
65-74	407	256	151	224	146	78	183	110	73
75-84	569	394	175	261	180	81	308	214	94
85 AND OVER	662	489	173	210	150	60	452	339	113
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2007 POPULATION	
INFANT	8.4	2.8	13.7	TOTAL	245,544
NEONATAL	5.1	1.7	8.4	WHITE	142,098
POSTNEONATAL	3.2	1.1	5.3	NONWHITE	103,446

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,478	3,136	2,342	8.7	10.0	7.5
HEART DISEASES	1,559	894	665	248.1	283.8	212.3
MALIGNANT NEOPLASMS	1,204	681	523	191.6	216.2	166.9
ACCIDENTS	309	208	101	49.2	66.0	32.2
CEREBROVASCULAR DISEASE	286	161	125	45.5	51.1	39.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	230	175	55	36.6	55.5	17.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	140	68	72	22.3	21.6	23.0
INFLUENZA AND PNEUMONIA	121	82	39	19.2	26.0	12.4
DIABETES MELLITUS	108	43	65	17.2	13.6	20.7
SEPTICEMIA	103	51	52	16.4	16.2	16.6
ALZHEIMERS DISEASE	99	74	25	15.8	23.5	8.0
HOMICIDE	86	11	75	13.7	3.5	23.9
SUICIDE	80	60	20	12.7	19.0	6.4
HIV DISEASE	63	7	56	10.0	2.2	17.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	62	27	35	9.9	8.6	11.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	58	37	21	9.2	11.7	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	47	10	37	4.6	2.3	6.4
PARKINSONS DISEASE	33	29	4	5.2	9.2	1.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	25	17	8	4.0	5.4	2.6
AORTIC ANEURYSM AND DISSECTION IN SITU, BENIGN & UNSPECIFIED	23	11	12	3.7	3.5	3.8
NEOPLASMS	21	16	5	3.3	5.1	1.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	20	4	16	3.2	1.3	5.1
ANEMIAS	14	8	6	2.2	2.5	1.9
VIRAL HEPATITIS	13	8	5	2.1	2.5	1.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	3	4	1.1	1.0	1.3
PEPTIC ULCER	6	4	2	1.0	1.3	0.6
COMPLICATIONS MEDICAL/SURGICAL CARE	6	3	3	1.0	1.0	1.0
ATHEROSCLEROSIS	4	4	0	0.6	1.3	0.0
HERNIA	4	2	2	0.6	0.6	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	3	1	2	0.5	0.3	0.6
MENINGITIS	2	1	1	0.3	0.3	0.3
HYPERPLASIA OF PROSTATE	2	2	0	0.3	0.6	0.0
SHIGELLOSIS & AMEBIASIS	1	0	1	0.2	0.0	0.3
TUBERCULOSIS	1	0	1	0.2	0.0	0.3
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.2	0.3	0.0
INFECTIONS OF KIDNEY	1	0	1	0.2	0.0	0.3
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.2	0.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	69	40	29	11.0	12.7	9.2
ALL OTHER CAUSES	665	391	274	105.8	124.1	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,478	3,136	2,342	2,760	1,515	1,245	2,718	1,621	1,097
UNDER 1	108	28	80	60	20	40	48	8	40
(NEONATAL)	58	16	42	33	11	22	25	5	20
(POSTNEONATAL)	50	12	38	27	9	18	23	3	20
1-4	12	4	8	6	1	5	6	3	3
5-9	7	2	5	2	0	2	5	2	3
10-14	11	6	5	8	5	3	3	1	2
15-24	128	52	76	100	42	58	28	10	18
25-34	146	60	86	110	46	64	36	14	22
35-44	266	120	146	165	73	92	101	47	54
45-54	521	204	317	314	115	199	207	89	118
55-64	771	387	384	455	233	222	316	154	162
65-74	885	498	387	479	259	220	406	239	167
75-84	1,316	908	408	630	432	198	686	476	210
85 AND OVER	1,306	867	439	430	289	141	876	578	298
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**				2007 POPULATION	
INFANT	10.7	6.5	13.8	TOTAL	628,345
NEONATAL	5.7	3.7	7.2	WHITE	315,051
POSTNEONATAL	5.0	2.8	6.6	NONWHITE	313,294

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,629	1,760	869	10.8	12.3	8.7
HEART DISEASES	737	512	225	303.3	356.9	226.0
MALIGNANT NEOPLASMS	524	338	186	215.6	235.6	186.8
ACCIDENTS	176	111	65	72.4	77.4	65.3
CEREBROVASCULAR DISEASE	166	106	60	68.3	73.9	60.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	150	125	25	61.7	87.1	25.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	101	64	37	41.6	44.6	37.2
ALZHEIMERS DISEASE	88	68	20	36.2	47.4	20.1
INFLUENZA AND PNEUMONIA	51	41	10	21.0	28.6	10.0
DIABETES MELLITUS	46	18	28	18.9	12.5	28.1
SEPTICEMIA	41	25	16	16.9	17.4	16.1
SUICIDE	31	23	8	12.8	16.0	8.0
HOMICIDE	22	5	17	9.0	3.5	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	12	8	8.2	8.4	8.0
CONDITIONS ORIG IN PERINATAL PERIOD	20	7	13	5.0	3.6	6.4
HIV DISEASE	16	6	10	6.6	4.2	10.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	6	10	6.6	4.2	10.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	13	2	6.2	9.1	2.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	14	9	5	5.8	6.3	5.0
PARKINSONS DISEASE	11	10	1	4.5	7.0	1.0
AORTIC ANEURYSM AND DISSECTION	9	9	0	3.7	6.3	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	3.3	4.9	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	7	4	3	2.9	2.8	3.0
CHOLELITHIASIS/GALLBLADDER DISORDER	6	2	4	2.5	1.4	4.0
VIRAL HEPATITIS	4	3	1	1.6	2.1	1.0
ANEMIAS	4	0	4	1.6	0.0	4.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.8	1.4	0.0
ATHEROSCLEROSIS	2	2	0	0.8	1.4	0.0
MENINGITIS	1	1	0	0.4	0.7	0.0
PEPTIC ULCER	1	1	0	0.4	0.7	0.0
HERNIA	1	1	0	0.4	0.7	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.4	0.7	0.0
MATERNAL CAUSES	1	0	1	25.2	0.0	49.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	66	44	22	27.2	30.7	22.1
ALL OTHER CAUSES	271	184	87	111.5	128.3	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,629	1,760	869	1,385	907	478	1,244	853	391
UNDER 1	44	17	27	24	10	14	20	7	13
(NEONATAL)	25	10	15	12	7	5	13	3	10
(POSTNEONATAL)	19	7	12	12	3	9	7	4	3
1-4	7	5	2	2	2	0	5	3	2
5-9	2	1	1	1	1	0	1	0	1
10-14	3	0	3	3	0	3	0	0	0
15-24	62	25	37	45	18	27	17	7	10
25-34	50	25	25	39	21	18	11	4	7
35-44	110	51	59	67	32	35	43	19	24
45-54	228	116	112	155	84	71	73	32	41
55-64	334	202	132	213	132	81	121	70	51
65-74	467	310	157	280	195	85	187	115	72
75-84	692	512	180	328	237	91	364	275	89
85 AND OVER	627	495	132	225	174	51	402	321	81
UNKNOWN	3	1	2	3	1	2	0	0	0

MORTALITY RATES**				2007 POPULATION	
INFANT	11.1	8.8	13.2	TOTAL	242,991
NEONATAL	6.3	5.2	7.4	WHITE	143,443
POSTNEONATAL	4.8	3.6	5.9	NONWHITE	99,548

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,949	1,123	826	11.1	12.4	9.7
HEART DISEASES	610	354	256	347.3	390.0	301.7
MALIGNANT NEOPLASMS	375	221	154	213.5	243.5	181.5
ACCIDENTS	103	62	41	58.6	68.3	48.3
CEREBROVASCULAR DISEASE	94	52	42	53.5	57.3	49.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	86	64	22	49.0	70.5	25.9
DIABETES MELLITUS	65	30	35	37.0	33.0	41.2
SEPTICEMIA	59	27	32	33.6	29.7	37.7
INFLUENZA AND PNEUMONIA	55	30	25	31.3	33.0	29.5
ALZHEIMERS DISEASE	53	35	18	30.2	38.6	21.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	49	23	26	27.9	25.3	30.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	31	15	16	17.6	16.5	18.8
HOMICIDE	19	5	14	10.8	5.5	16.5
SUICIDE	17	13	4	9.7	14.3	4.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	13	3	9.1	14.3	3.5
CONDITIONS ORIG IN PERINATAL PERIOD	12	1	11	4.4	0.8	7.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	4	7	6.3	4.4	8.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	4	6	5.7	4.4	7.1
HIV DISEASE	7	1	6	4.0	1.1	7.1
PARKINSONS DISEASE	7	6	1	4.0	6.6	1.2
ANEMIAS	6	3	3	3.4	3.3	3.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	4	1	2.8	4.4	1.2
VIRAL HEPATITIS	4	3	1	2.3	3.3	1.2
AORTIC ANEURYSM AND DISSECTION	4	3	1	2.3	3.3	1.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	1.1	1.1	1.2
MENINGITIS	2	1	1	1.1	1.1	1.2
ATHEROSCLEROSIS	2	2	0	1.1	2.2	0.0
PNEUMOCOINOSSES & CHEMICAL EFFECTS	2	2	0	1.1	2.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.1	2.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	1.1	1.1	1.2
PEPTIC ULCER	1	0	1	0.6	0.0	1.2
HERNIA	1	0	1	0.6	0.0	1.2
INFECTIONS OF KIDNEY	1	0	1	0.6	0.0	1.2
HYPERPLASIA OF PROSTATE	1	0	1	0.6	0.0	1.2
MATERNAL CAUSES	1	0	1	36.4	0.0	64.2

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	33	20	13	18.8	22.0	15.3
ALL OTHER CAUSES	201	121	80	114.4	133.3	94.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,949	1,123	826	970	559	411	979	564	415
UNDER 1 (NEONATAL)	31	4	27	15	3	12	16	1	15
(POSTNEONATAL)	18	2	16	9	1	8	9	1	8
	13	2	11	6	2	4	7	0	7
1-4	3	1	2	3	1	2	0	0	0
5-9	4	1	3	1	0	1	3	1	2
10-14	2	0	2	0	0	0	2	0	2
15-24	30	14	16	19	10	9	11	4	7
25-34	40	13	27	29	10	19	11	3	8
35-44	78	27	51	51	14	37	27	13	14
45-54	170	85	85	106	58	48	64	27	37
55-64	259	121	138	153	76	77	106	45	61
65-74	366	222	144	202	131	71	164	91	73
75-84	511	333	178	246	167	79	265	166	99
85 AND OVER	455	302	153	145	89	56	310	213	97
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	11.3	3.4	17.3
NEONATAL	6.6	1.7	10.3
POSTNEONATAL	4.7	1.7	7.1

2007 POPULATION

TOTAL	175,621
WHITE	90,770
NONWHITE	84,851

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,822	2,039	783	9.5	10.1	8.2
HEART DISEASES	757	552	205	254.0	272.6	214.5
MALIGNANT NEOPLASMS	562	418	144	188.6	206.4	150.7
ACCIDENTS	190	148	42	63.7	73.1	44.0
CEREBROVASCULAR DISEASE	152	109	43	51.0	53.8	45.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	152	124	28	51.0	61.2	29.3
ALZHEIMERS DISEASE	114	95	19	38.2	46.9	19.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	65	36	29	21.8	17.8	30.3
INFLUENZA AND PNEUMONIA	55	46	9	18.4	22.7	9.4
SEPTICEMIA	51	37	14	17.1	18.3	14.6
DIABETES MELLITUS	51	29	22	17.1	14.3	23.0
SUICIDE	37	35	2	12.4	17.3	2.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	33	15	18	11.1	7.4	18.8
CONDITIONS ORIG IN PERINATAL PERIOD	27	9	18	5.5	2.9	9.6
PARKINSONS DISEASE	22	20	2	7.4	9.9	2.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	21	10	11	7.0	4.9	11.5
HOMICIDE	20	5	15	6.7	2.5	15.7
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	19	17	2	6.4	8.4	2.1
NEOPLASMS	16	13	3	5.4	6.4	3.1
HIV DISEASE	11	2	9	3.7	1.0	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	4	7	3.7	2.0	7.3
AORTIC ANEURYSM AND DISSECTION	6	4	2	2.0	2.0	2.1
ANEMIAS	5	3	2	1.7	1.5	2.1
CHOLELITHIASIS/GALLBLADDER DISORDER	4	1	3	1.3	0.5	3.1
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	1.0	1.5	0.0
VIRAL HEPATITIS	2	2	0	0.7	1.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.7	0.5	1.0
HERNIA	2	1	1	0.7	0.5	1.0
MATERNAL CAUSES	2	0	2	40.6	0.0	107.2
TUBERCULOSIS	1	1	0	0.3	0.5	0.0
ATHEROSCLEROSIS	1	1	0	0.3	0.5	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.3	0.5	0.0
INFECTIONS OF KIDNEY	1	0	1	0.3	0.0	1.0
HYPERPLASIA OF PROSTATE	1	1	0	0.3	0.5	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.3	0.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	84	53	31	28.2	26.2	32.4
ALL OTHER CAUSES	340	242	98	114.1	119.5	102.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,822	2,039	783	1,453	1,041	412	1,369	998	371
UNDER 1 (NEONATAL)	45	15	30	21	6	15	24	9	15
(POSTNEONATAL)	34	11	23	15	4	11	19	7	12
	11	4	7	6	2	4	5	2	3
1-4	15	8	7	6	4	2	9	4	5
5-9	11	7	4	10	6	4	1	1	0
10-14	8	4	4	4	1	3	4	3	1
15-24	62	36	26	41	24	17	21	12	9
25-34	63	40	23	45	30	15	18	10	8
35-44	97	67	30	60	39	21	37	28	9
45-54	237	141	96	151	92	59	86	49	37
55-64	353	242	111	219	151	68	134	91	43
65-74	510	383	127	300	229	71	210	154	56
75-84	742	575	167	362	288	74	380	287	93
85 AND OVER	678	520	158	233	170	63	445	350	95
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				2007 POPULATION		
INFANT	9.1	4.9	16.1	TOTAL	298,049	
NEONATAL	6.9	3.6	12.3	WHITE	202,488	
POSTNEONATAL	2.2	1.3	3.8	NONWHITE	95,561	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2007

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,848	3,205	643	8.7	9.4	6.4
HEART DISEASES	1,021	847	174	231.7	249.5	172.0
MALIGNANT NEOPLASMS	901	763	138	204.5	224.8	136.4
ACCIDENTS	309	258	51	70.1	76.0	50.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	231	209	22	52.4	61.6	21.7
CEREBROVASCULAR DISEASE	172	130	42	39.0	38.3	41.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	82	61	21	18.6	18.0	20.8
ALZHEIMERS DISEASE	81	71	10	18.4	20.9	9.9
SUICIDE	81	72	9	18.4	21.2	8.9
SEPTICEMIA	78	58	20	17.7	17.1	19.8
INFLUENZA AND PNEUMONIA	75	58	17	17.0	17.1	16.8
DIABETES MELLITUS	55	47	8	12.5	13.8	7.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	53	49	4	12.0	14.4	4.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	40	29	11	9.1	8.5	10.9
HOMICIDE	34	25	9	7.7	7.4	8.9
AORTIC ANEURYSM AND DISSECTION	28	25	3	6.4	7.4	3.0
PARKINSONS DISEASE	21	21	0	4.8	6.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	15	2	3.8	4.4	2.0
HIV DISEASE	16	6	10	3.6	1.8	9.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	8	8	3.6	2.4	7.9
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	15	13	2	2.2	2.5	1.2
NEOPLASMS	12	10	2	2.7	2.9	2.0
VIRAL HEPATITIS	9	7	2	2.0	2.1	2.0
PEPTIC ULCER	7	7	0	1.6	2.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	3	2	1.1	0.9	2.0
ATHEROSCLEROSIS	5	5	0	1.1	1.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	5	5	0	1.1	1.5	0.0
ANEMIAS	4	4	0	0.9	1.2	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	4	4	0	0.9	1.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	0.7	0.3	2.0
HERNIA	2	2	0	0.4	0.6	0.0
TUBERCULOSIS	1	1	0	0.2	0.3	0.0
MENINGITIS	1	1	0	0.2	0.3	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	0.0
MATERNAL CAUSES	1	1	0	14.7	19.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	73	65	8	16.6	19.1	7.9
ALL OTHER CAUSES	389	323	66	88.3	95.2	65.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2007 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,848	3,205	643	2,117	1,755	362	1,731	1,450	281
UNDER 1 (NEONATAL)	55	43	12	28	21	7	27	22	5
(POSTNEONATAL)	23	19	4	12	9	3	11	10	1
	32	24	8	16	12	4	16	12	4
1-4	12	8	4	7	5	2	5	3	2
5-9	9	6	3	6	4	2	3	2	1
10-14	9	8	1	6	5	1	3	3	0
15-24	80	65	15	63	50	13	17	15	2
25-34	87	73	14	66	55	11	21	18	3
35-44	187	145	42	119	94	25	68	51	17
45-54	408	320	88	260	206	54	148	114	34
55-64	588	464	124	372	300	72	216	164	52
65-74	770	638	132	441	366	75	329	272	57
75-84	977	844	133	524	454	70	453	390	63
85 AND OVER	663	589	74	222	193	29	441	396	45
UNKNOWN	3	2	1	3	2	1	0	0	0

MORTALITY RATES**				2007 POPULATION	
INFANT	8.1	8.4	7.1	TOTAL	440,629
NEONATAL	3.4	3.7	2.4	WHITE	339,441
POSTNEONATAL	4.7	4.7	4.7	NONWHITE	101,188

** DEATHS PER 1,000 LIVE BIRTHS.