



MISSISSIPPI STATE DEPARTMENT OF HEALTH

---

**MISSISSIPPI  
VITAL STATISTICS  
2008**

## TABLE OF CONTENTS

	Page
<b>INTRODUCTION</b>	
Description of Bulletin .....	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death .....	1
Occurrence and Residence Allocation .....	2
Population .....	2
Race .....	3
Rates .....	3
Classification of Cause of Death .....	3
 <b>SUMMARY TABLES, 2008</b>	
 <b>POPULATION</b>	
Table P1. 2008 Estimated Population, by Age, Race, and Sex, Residents of Mississippi .....	7
 <b>LIVE BIRTHS</b>	
Table A1. Live Births and Average per Day, by Month .....	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2008 .....	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother .....	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother .....	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother .....	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother .....	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother .....	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother .....	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother .....	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother .....	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother .....	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother .....	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother . . . . .	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother . . . . .	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother . . . . .	17

## FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother . . . . .	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother . . . . .	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother . . . . .	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2006-2008 . . . . .	20

## DEATHS

Table C1.	Deaths and Average per Day, by Month . . . . .	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race . . . . .	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race . . . . .	22
Table C3B.	Death Rates, by Age, Race, and Sex . . . . .	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race . . . . .	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause . . . . .	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race . . . . .	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1983, 1988, 1993, 1998, 2003, 2008 . . . . .	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race . . . . .	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age . . . . .	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2008 . . . . .	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race . . . . .	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race . . . . .	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death . . . . .	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females . . . . .	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females . . . . .	33
--	----

**MARRIAGES**

Table D1. Marriages and Average per Day, by Month . . . . .	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race . . . . .	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race . . . . .	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race . . . . .	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride . . . . .	39

**DIVORCES**

Table E1. Divorces and Percentage Distribution, by Cause and Race . . . . .	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race . . . . .	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race . . . . .	41

**INDUCED TERMINATIONS OF PREGNANCY**

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi . . . . .	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi . . . . .	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi . . . . .	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi . . . . .	44

**MAJOR TABLES, 2008****POPULATION**

Table I. 2008 Estimated Population and Percent Change From 2000 Census Population, Mississippi . . . . .	47
--	----

## LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2008 . . . . .	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2008 . . . . .	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2008 . . . . .	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	74

## FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2008 . . . . .	76
----------	--	----

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2008 . . . . .	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2008 . . . . .	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2008 . . . . .	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2008 . . . . .	113
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2008 . . . . .	120
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2004-2008 (5-Year Average) . .	122
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2008 . . . . .	124
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2008 . . . . .	127
 <b>MARRIAGES</b>	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2008 . . . . .	129
 <b>DIVORCES</b>	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2008 . . . . .	131
 <b>INDUCED TERMINATIONS</b>	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2008 . . . . .	132
 <b>TEENAGE PREGNANCY</b>	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2008 . . . . .	133
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2008 . . . . .	135
 <b>DEATHS (COUNTY AND STATE SUMMARIES)</b>	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order) . . . . .	138
The State . . . . .	158

**TIME SERIES TABLES**

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2008, (Occurrence Data 1913-1943, Residence Data 1944-2008) . . . . .	161
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2008, (Occurrence Data 1913-1943, Residence Data 1944-2008) . . . . .	163
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2008, (Occurrence Data 1913-1943, Residence Data 1944-2008) . . . . .	165
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2008, (Occurrence Data 1917-1943, Residence Data 1944-2008) . . . . .	167
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2008, (Occurrence Data 1924-1944, Residence Data 1945-2008) . . . . .	169
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2008, (Occurrence Data 1924-1943, Residence Data 1944-2008) . . . . .	171
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2008 . . . . .	173
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2008 . . . . .	175
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2008 . . . . .	176

**APPENDICES**

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included . . . . .	179
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category . . . . .	193
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included . . . . .	195
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2008 . . . . .	202

# VITAL STATISTICS MISSISSIPPI, 2008

## INTRODUCTION

### Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2008; the second part contains major statistical tables for 2008. Time series tables numbered 20 through 28 are presented in the third part.

### Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

**Live Birth** - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

**Fetal Death** - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

**Induced Termination of Pregnancy** - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

**Death** - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of



the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

### Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

### Population

The population figures used in this publication are 2008 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

## Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

## Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

## Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

## Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2008 is presented in Appendix D.

Internet site

The tables contained in this book can also be found on the Internet at:

[www.msdh.state.ms.us/phs](http://www.msdh.state.ms.us/phs)

## **SUMMARY TABLES**

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.



TABLE P1. 2008 ESTIMATED POPULATION\*, BY AGE, RACE, AND SEX  
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<b>TOTAL</b>	<b>2,938,618</b>	<b>1,423,841</b>	<b>1,514,777</b>	<b>1,780,749</b>	<b>877,234</b>	<b>903,515</b>	<b>1,157,869</b>	<b>546,607</b>	<b>611,262</b>
0-4	220,813	112,990	107,823	116,711	59,863	56,848	104,102	53,127	50,975
(Under 1)	45,305	23,199	22,106	23,155	11,895	11,260	22,150	11,304	10,846
(1-4)	175,508	89,791	85,717	93,556	47,968	45,588	81,952	41,823	40,129
5-9	207,736	106,405	101,331	112,390	57,917	54,473	95,346	48,488	46,858
10-14	205,999	105,207	100,792	108,788	56,177	52,611	97,211	49,030	48,181
15-19	223,847	114,386	109,461	118,442	61,319	57,123	105,405	53,067	52,338
20-24	214,289	109,943	104,346	117,510	61,593	55,917	96,779	48,350	48,429
25-29	204,939	102,788	102,151	115,839	59,221	56,618	89,100	43,567	45,533
30-34	180,068	87,788	92,280	105,560	53,291	52,269	74,508	34,497	40,011
35-39	188,673	91,164	97,509	115,643	58,360	57,283	73,030	32,804	40,226
40-44	190,523	92,227	98,296	117,746	59,588	58,158	72,777	32,639	40,138
45-49	208,064	100,061	108,003	130,208	65,048	65,160	77,856	35,013	42,843
50-54	201,740	97,239	104,501	127,630	63,490	64,140	74,110	33,749	40,361
55-59	175,798	84,017	91,781	115,674	56,568	59,106	60,124	27,449	32,675
60-64	144,531	68,321	76,210	103,724	50,127	53,597	40,807	18,194	22,613
65-69	110,810	50,765	60,045	81,339	38,217	43,122	29,471	12,548	16,923
70-74	86,855	37,969	48,886	63,956	28,864	35,092	22,899	9,105	13,794
75-79	69,094	27,770	41,324	51,939	21,463	30,476	17,155	6,307	10,848
80-84	52,604	19,108	33,496	39,694	14,776	24,918	12,910	4,332	8,578
85+	52,235	15,693	36,542	37,956	11,352	26,604	14,279	4,341	9,938
UNDER 15	634,548	324,602	309,946	337,889	173,957	163,932	296,659	150,645	146,014
15-64	1,932,472	947,934	984,538	1,167,976	588,605	579,371	764,496	359,329	405,167
65 & OVER	371,598	151,305	220,293	274,884	114,672	160,212	96,714	36,633	60,081
MEDIAN AGE	35.3	33.4	37.0	39.1	37.5	40.7	29.5	27.4	31.7

\* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2008**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>44,904</u>	<u>123</u>			
JANUARY	3,929	127	JULY	3,999	129
FEBRUARY	3,577	123	AUGUST	3,978	128
MARCH	3,530	114	SEPTEMBER	3,947	132
APRIL	3,455	115	OCTOBER	3,798	122
MAY	3,525	114	NOVEMBER	3,563	119
JUNE	3,668	122	DECEMBER	3,934	127

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,  
BY YEAR AND RACE\*  
MISSISSIPPI, 1940, 1950, 1960, 1970-2008**

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4	2005#	99.7	99.7	99.8
1986#	99.6	99.7	99.5	2006#	99.7	99.7	99.8
1987#	99.6	99.8	99.5	2007#	99.7	99.7	99.8
1988#	99.6	99.7	99.6	2008#	99.8	99.7	99.8
1989#	99.6	99.8	99.5				

\* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;  
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL  
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING  
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 2008**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>44,904</u>	<u>43,858</u>	<u>850</u>	<u>46</u>	<u>120</u>	<u>30</u>	<u>100.0</u>	<u>97.7</u>	<u>1.9</u>	<u>0.1</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	44,801	43,852	845	5	70	29	99.8	97.6	1.9	*	0.2	0.1
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	91	4	5	39	42	1	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	10	0	0	2	8	0	*	-	-	*	*	-
	1	1	0	0	0	0	*	*	-	-	-	-
<u>WHITE</u>	<u>24,229</u>	<u>23,719</u>	<u>401</u>	<u>41</u>	<u>51</u>	<u>17</u>	<u>100.0</u>	<u>97.9</u>	<u>1.6</u>	<u>0.2</u>	<u>0.2</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	24,158	23,717	396	2	26	17	99.7	97.9	1.6	*	0.1	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	66	2	5	37	22	0	0.3	*	*	0.2	0.1	-
UNKNOWN PLACE	5	0	0	2	3	0	*	-	-	*	*	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>20,675</u>	<u>20,139</u>	<u>449</u>	<u>5</u>	<u>69</u>	<u>13</u>	<u>100.0</u>	<u>97.4</u>	<u>2.2</u>	<u>-</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	20,643	20,135	449	3	44	12	99.8	97.4	2.2	*	0.2	*
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	25	2	0	2	20	1	0.1	*	-	*	0.1	*
UNKNOWN PLACE	5	0	0	0	5	0	*	-	-	-	*	-
	1	1	0	0	0	0	*	*	-	-	-	-

\* LESS THAN 0.06 PERCENT.



**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2008**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>74.3</u>	<u>71.8</u>	<u>77.5</u>
UNDER 15	130	30	100	0.3	0.1	0.5	1.3	0.6	2.1
15-19	7,180	3,086	4,094	16.0	12.7	19.8	65.6	54.0	78.2
20-24	14,946	7,380	7,566	33.3	30.4	36.6	143.2	132.0	156.2
25-29	12,500	7,300	5,200	27.8	30.1	25.2	122.4	128.9	114.2
30-34	6,750	4,309	2,441	15.0	17.8	11.8	73.1	82.4	61.0
35-39	2,809	1,775	1,034	6.2	7.3	5.0	28.8	31.0	25.7
40-44	549	323	226	1.2	1.3	1.1	5.6	5.6	5.6
45-49	33	22	11	0.1	0.1	**	0.3	0.3	0.2
UNKNOWN	7	4	3	**	**	**			

\* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER  
MISSISSIPPI, 2008**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	894	691	203	2.0	2.9	1.0	2.0	2.9	1.0
7-9 YEARS	3,202	1,815	1,387	7.2	7.6	6.8	9.2	10.5	7.8
10,11 YEARS	6,628	2,663	3,965	15.0	11.2	19.4	24.2	21.7	27.1
12 YEARS	13,695	6,391	7,304	30.9	26.9	35.7	55.2	48.6	62.8
1-3 YEARS COLLEGE	11,286	6,058	5,228	25.5	25.5	25.5	80.7	74.1	88.3
4 OR MORE YEARS OF COLLEGE	8,558	6,164	2,394	19.3	25.9	11.7	100.0	100.0	100.0
UNKNOWN	641	447	194						
MEDIAN YEARS COMPLETED*	12	13	12						

\* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS  
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2008**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>24,436</u>	<u>8,127</u>	<u>16,309</u>	<u>54.4</u>	<u>33.5</u>	<u>78.9</u>
UNDER 15	130	30	100	100.0	100.0	100.0
15-19	6,313	2,280	4,033	87.9	73.9	98.5
20-24	10,093	3,319	6,774	67.5	45.0	89.5
25-29	5,211	1,612	3,599	41.7	22.1	69.2
30-34	1,806	568	1,238	26.8	13.2	50.7
35-39	725	255	470	25.8	14.4	45.4
40-44	148	60	88	27.0	18.6	38.9
45-49	6	2	4	18.2	9.1	36.4
UNKNOWN	4	1	3			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND  
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER  
MISSISSIPPI, 2008**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>74.3</u>	<u>71.8</u>	<u>77.5</u>	<u>25</u>	<u>26</u>	<u>23</u>
FIRST	15,359	8,640	6,719	34.2	35.7	32.5	25.4	25.6	25.2	21	23	20
SECOND	13,370	7,634	5,736	29.8	31.5	27.7	22.1	22.6	21.5	25	26	23
THIRD	8,397	4,444	3,953	18.7	18.3	19.1	13.9	13.2	14.8	26	27	25
FOURTH	4,257	2,029	2,228	9.5	8.4	10.8	7.0	6.0	8.4	27	29	27
FIFTH	1,894	835	1,059	4.2	3.4	5.1	3.1	2.5	4.0	28	29	28
SIXTH	844	339	505	1.9	1.4	2.4	1.4	1.0	1.9	30	31	29
SEVENTH	406	161	245	0.9	0.7	1.2	0.7	0.5	0.9	30	31	30
EIGHTH	194	68	126	0.4	0.3	0.6	0.3	0.2	0.5	31	34	31
NINTH	76	37	39	0.2	0.2	0.2	0.1	0.1	0.1	31	33	30
TENTH & OVER	81	28	53	0.2	0.1	0.2	0.1	0.1	0.2	35	38	35
UNKNOWN	26	14	12	#	#	#	#	#	#			

\* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

\*\* LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

# LESS THAN 0.06 PERCENT.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE,  
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER  
MISSISSIPPI, 2008**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	615	194	421	1.4	0.8	2.0
<u>SOME PRENATAL CARE</u>	<u>44,115</u>	<u>23,965</u>	<u>20,150</u>	<u>98.2</u>	<u>98.9</u>	<u>97.5</u>
FIRST TRIMESTER	36,657	21,077	15,580	81.6	87.0	75.4
SECOND TRIMESTER	6,143	2,309	3,834	13.7	9.5	18.5
THIRD TRIMESTER	1,023	363	660	2.3	1.5	3.2
UNKNOWN MONTH	292	216	76	0.6	0.9	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	174	70	104	0.4	0.3	0.5

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY MATURITY AND RACE OF MOTHER  
MISSISSIPPI, 2008**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,185	818	1,367	4.9	3.4	6.6
PREMATURE ONLY**	4,831	2,276	2,555	10.8	9.4	12.4
BOTH IMMATURE AND PREMATURE	3,131	1,233	1,898	7.0	5.1	9.2
TOTAL IMMATURE	5,316	2,051	3,265	11.8	8.5	15.8
TOTAL PREMATURE	7,962	3,509	4,453	17.7	14.5	21.5
TOTAL IMMATURE AND/OR PREMATURE	10,147	4,327	5,820	22.6	17.8	28.2
NEITHER IMMATURE NOR PREMATURE**	34,757	19,902	14,855	77.4	82.1	71.8

\* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

\*\* BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY ANOMALY AND RACE OF MOTHER  
MISSISSIPPI, 2008**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>488</u>	<u>254</u>	<u>234</u>
ANENCEPHALUS	5	3	2
SPINA BIFIDA / MENINGOCELE	4	2	2
HYDROCEPHALUS	9	4	5
MICROCEPHALUS	6	3	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	4	3	1
HEART MALFORMATIONS	51	27	24
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	26	16	10
RECTAL ATRESIA / STENOSIS	9	4	5
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	5	3	2
OMPHALOCELE / GASTROSCHISIS	25	16	9
OTHER GASTROINTESTINAL ANOMALIES	13	5	8
MALFORMED GENITALIA	17	10	7
RENAL AGENESIS	6	2	4
OTHER UROGENITAL ANOMALIES	26	15	11
CLEFT LIP / PALATE	34	24	10
POLYDACTYLY / SYNDACTYLY / ADACTYLY	76	28	48
CLUB FOOT	22	14	8
DIAPHRAGMATIC HERNIA	13	7	6
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	66	32	34
DOWNS SYNDROME	17	10	7
OTHER CHROMOSOMAL ANOMALIES	7	4	3
OTHER	47	22	25

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,  
BY RISK FACTOR AND RACE OF MOTHER  
MISSISSIPPI, 2008**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>13,760</u>	<u>6,438</u>	<u>7,322</u>
ANEMIA (HCT. < 30/HGB. < 10)	1128	504	624
CARDIAC DISEASE	125	86	39
ACUTE OR CHRONIC LUNG DISEASE	434	198	236
DIABETES	1,509	842	667
GENITAL HERPES	323	163	160
HYDRAMNIOS/OLIGOHYDRAMNIOS	527	270	257
HEMOGLOBINOPATHY	146	5	141
HYPERTENSION, CHRONIC	1080	359	721
HYPERTENSION, PREGNANCY-ASSOCIATED	2,150	1,004	1,146
ECLAMPSIA	186	107	79
INCOMPETENT CERVIX	102	47	55
PREVIOUS INFANT 4000+ GRAMS	115	71	44
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	456	192	264
RENAL DISEASE	60	35	25
RH SENSITIZATION	397	264	133
UTERINE BLEEDING	72	41	31
OTHER	4,950	2,250	2,700

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES  
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,  
MISSISSIPPI, 2008**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	39,326	20,147	19,179	87.6	83.2	92.8
<u>SOME</u>	<u>5,529</u>	<u>4,062</u>	<u>1,467</u>	<u>12.3</u>	<u>16.8</u>	<u>7.1</u>
1-9 CIGARETTES PER DAY	2,464	1,549	915	5.5	6.4	4.4
10-19 CIGARETTES PER DAY	2,272	1,849	423	5.1	7.6	2.0
20-29 CIGARETTES PER DAY	629	543	86	1.4	2.2	0.4
30-39 CIGARETTES PER DAY	18	16	2	*	0.1	*
40-49 CIGARETTES PER DAY	10	8	2	*	*	*
50-59 CIGARETTES PER DAY	0	0	0	-	-	-
60 OR MORE PER DAY	11	8	3	*	*	*
UNKNOWN AMOUNT	125	89	36	0.3	0.4	0.2
NOT STATED	49	20	29	0.1	0.1	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	43,024	22,860	20,164	95.8	94.4	97.5
<u>SOME</u>	<u>207</u>	<u>79</u>	<u>128</u>	<u>0.5</u>	<u>0.3</u>	<u>0.6</u>
1 DRINK PER WEEK	83	42	41	0.2	0.2	0.2
2 DRINKS PER WEEK	48	14	34	0.1	*	0.2
3 DRINKS PER WEEK	13	3	10	*	*	*
4 DRINKS PER WEEK	3	2	1	*	*	*
5 DRINKS PER WEEK	6	2	4	*	*	*
6 OR MORE PER WEEK	19	8	11	*	*	*
UNKNOWN AMOUNT	35	8	27	0.1	*	0.1
NOT STATED	1,673	1,290	383	3.7	5.3	1.8
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	2,270	1,050	1,220	5.0	4.3	5.9
1-4 POUNDS	589	241	348	1.3	1.0	1.7
5-9 POUNDS	1,342	586	756	3.0	2.4	3.6
10-14 POUNDS	3,078	1,361	1,717	6.8	5.6	8.3
15-19 POUNDS	3,616	1,746	1,870	8.0	7.2	9.0
20-24 POUNDS	5,907	2,906	3,001	13.2	12.0	14.5
25-29 POUNDS	5,343	2,980	2,363	11.9	12.3	11.4
30-34 POUNDS	6,760	3,891	2,869	15.0	16.0	13.9
35-39 POUNDS	4,383	2,752	1,631	9.8	11.4	7.9
40-44 POUNDS	4,002	2,384	1,618	8.9	9.8	7.8
45 OR MORE POUNDS	6,367	3,842	2,525	14.2	15.8	12.2
UNKNOWN AMOUNT	1,247	490	757	2.8	2.0	3.7
MEDIAN WEIGHT GAIN (LBS)**	29	30	25			

\* LESS THAN 0.06 PERCENT.

\*\* EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY COMPLICATION AND RACE OF MOTHER  
MISSISSIPPI, 2008**

COMPLICATION	TOTAL	WHITE	NON-WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>10,867</u>	<u>6,071</u>	<u>4,796</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	232	117	115
MECONIUM, MODERATE / HEAVY	951	448	503
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	622	276	346
ABRUPTIO PLACENTA	236	122	114
PLACENTA PREVIA	73	45	28
OTHER EXCESSIVE BLEEDING	91	58	33
SEIZURES DURING LABOR	20	8	12
PRECIPITOUS LABOR (< 3 HOURS)	524	241	283
PROLONGED LABOR (> 20 HOURS)	130	81	49
DYSFUNCTIONAL LABOR	1,274	712	562
BREECH / MALPRESENTATION	1,605	984	621
CEPHALOPELVIC DISPROPORTION	661	392	269
CORD PROLAPSE	65	25	40
ANESTHETIC COMPLICATIONS	11	7	4
FETAL DISTRESS	2,062	1,105	957
OTHER	2,310	1,450	860

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,  
BY METHOD AND RACE OF MOTHER  
MISSISSIPPI, 2008**

METHOD OF DELIVERY	TOTAL	WHITE	NON-WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>46,728</u>	<u>25,260</u>	<u>21,468</u>
VAGINAL	27,896	14,962	12,934
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	201	90	111
PRIMARY C-SECTION	9,372	5,221	4,151
REPEAT C-SECTION	7,422	3,950	3,472
FORCEPS	410	263	147
VACUUM	1,427	774	653

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY PROCEDURE AND RACE OF MOTHER  
MISSISSIPPI, 2008**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>74,136</u>	<u>41,149</u>	<u>32,987</u>
AMNIOCENTESIS	119	77	42
ELECTRONIC FETAL MONITORING	35,072	18,874	16,198
INDUCTION OF LABOR	9,434	5,815	3,619
STIMULATION OF LABOR	3,633	1,800	1,833
TOCOLYSIS	525	265	260
ULTRASOUND	25,294	14,282	11,012
OTHER	59	36	23

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY CONDITION AND RACE OF MOTHER  
MISSISSIPPI, 2008**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,287</u>	<u>1,100</u>	<u>1,187</u>
ANEMIA (HCT. < 39 / HGB. < 13)	38	15	23
BIRTH INJURY	156	91	65
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	397	212	185
MECONIUM ASPIRATION SYNDROME	45	22	23
ASSISTED VENTILATION < 30 MINUTES	142	67	75
ASSISTED VENTILATION 30 MINUTES OR MORE	520	214	306
SEIZURES	8	4	4
OTHER	981	475	506



FETAL DEATHS

TABLE B1. REPORTABLE\* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,  
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 2008

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>470</u>	<u>453</u>	<u>6</u>	<u>0</u>	<u>11</u>	<u>0</u>	<u>100.0</u>	<u>96.4</u>	<u>1.3</u>	-	<u>2.3</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	462	452	6	0	4	0	98.3	96.2	1.3	-	0.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	1	0	0	6	0	1.5	0.2	-	-	1.3	-
	1	0	0	0	1	0	0.2	-	-	-	0.2	-
<u>WHITE</u>	<u>151</u>	<u>146</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>100.0</u>	<u>96.7</u>	<u>1.3</u>	-	<u>2.0</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	148	145	2	0	1	0	98.0	96.0	1.3	-	0.7	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	2	1	0	0	1	0	1.3	0.7	-	-	0.7	-
	1	0	0	0	1	0	0.7	-	-	-	0.7	-
<u>NONWHITE</u>	<u>319</u>	<u>307</u>	<u>4</u>	<u>0</u>	<u>8</u>	<u>0</u>	<u>100.0</u>	<u>96.2</u>	<u>1.2</u>	-	<u>2.5</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	314	307	4	0	3	0	98.4	96.2	1.2	-	0.9	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	5	0	0	0	5	0	1.6	-	-	-	1.6	-
	0	0	0	0	0	0	-	-	-	-	-	-

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 2008**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>470</u>	<u>151</u>	<u>319</u>	<u>10.5</u>	<u>6.2</u>	<u>15.4</u>
UNDER 15	2	0	2	15.4	#	20.0
15-19	89	23	66	12.4	7.4	16.1
20-24	171	54	117	11.4	7.3	15.5
25-29	109	38	71	8.7	5.2	13.6
30-34	57	20	37	8.4	4.6	15.2
35-39	28	13	15	10.0	7.3	14.5
40-44	11	2	9	20.0	6.2	39.8
45-49	1	0	1	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	2	1	1	#	#	#

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

# RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS  
AND REPORTABLE\* FETAL DEATHS,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER  
MISSISSIPPI, 2008**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.4	0.8	2.0	6.2	7.3	5.6
SOME CARE	97.6	98.0	97.1	78.1	81.4	76.5
UNKNOWN WHETHER ANY CARE	1.0	1.2	0.9	15.7	11.2	17.9

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,  
MISSISSIPPI, 2006-2008**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2006	2007	2008	2006	2007	2008	2006	2007	2008
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>444</u>	<u>477</u>	<u>470</u>	<u>120</u>	<u>154</u>	<u>151</u>	<u>324</u>	<u>323</u>	<u>319</u>
UNDER 20	13	16	13	1	3	1	12	13	12
<u>20 AND OVER</u>	<u>291</u>	<u>256</u>	<u>282</u>	<u>81</u>	<u>106</u>	<u>100</u>	<u>210</u>	<u>150</u>	<u>182</u>
20-22	79	62	70	17	21	13	62	41	57
23-27	71	80	68	22	27	26	49	53	42
28-36	99	85	97	25	39	41	74	46	56
37 AND OVER	42	29	47	17	19	20	25	10	27
UNKNOWN	140	205	175	38	45	50	102	160	125
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.6</u>	<u>10.3</u>	<u>10.5</u>	<u>5.0</u>	<u>6.2</u>	<u>6.2</u>	<u>14.8</u>	<u>14.9</u>	<u>15.4</u>
UNDER 20	0.3	0.3	0.3	##	0.1	##	0.5	0.6	0.6
<u>20 AND OVER</u>	<u>6.3</u>	<u>5.5</u>	<u>6.3</u>	<u>3.3</u>	<u>4.3</u>	<u>4.1</u>	<u>9.6</u>	<u>6.9</u>	<u>8.8</u>
20-22	1.7	1.3	1.6	0.7	0.8	0.5	2.8	1.9	2.8
23-27	1.5	1.7	1.5	0.9	1.1	1.1	2.2	2.4	2.0
28-36	2.2	1.8	2.2	1.0	1.6	1.7	3.4	2.1	2.7
37 AND OVER	0.9	0.6	1.0	0.7	0.8	0.8	1.1	0.5	1.3
UNKNOWN	3.0	4.4	3.9	1.6	1.8	2.1	4.7	7.4	6.0

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

# REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

## DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2008**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,867</u>	<u>79</u>			
JANUARY	2,695	87	JULY	2,226	72
FEBRUARY	2,655	92	AUGUST	2,301	74
MARCH	2,626	85	SEPTEMBER	2,241	75
APRIL	2,331	78	OCTOBER	2,306	74
MAY	2,300	74	NOVEMBER	2,409	80
JUNE	2,219	74	DECEMBER	2,558	82

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE  
MISSISSIPPI, 2008**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,867</u>	<u>19,434</u>	<u>9,433</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.8</u>	<u>10.9</u>	<u>8.1</u>
UNDER 1	446	180	266	1.5	0.9	2.8	9.8	7.8	12.0
1-4	66	25	41	0.2	0.1	0.4	0.4	0.3	0.5
5-9	39	21	18	0.1	0.1	0.2	0.2	0.2	0.2
10-14	61	28	33	0.2	0.1	0.4	0.3	0.2	0.3
15-24	466	239	227	1.6	1.2	2.4	1.1	1.0	1.1
25-34	656	329	327	2.3	1.7	3.5	1.7	1.5	2.0
35-44	1,105	552	553	3.8	2.8	5.9	2.9	2.4	3.8
45-54	2,610	1,476	1,134	9.0	7.6	12.0	6.4	5.7	7.5
55-64	4,083	2,433	1,650	14.1	12.5	17.5	12.7	11.1	16.3
65-74	5,322	3,664	1,658	18.4	18.8	17.6	26.9	25.2	31.6
75 AND OVER	14,007	10,481	3,526	48.5	53.9	37.4	80.5	80.9	79.5
UNKNOWN	6	6	0	**	**	-			

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,  
AND MALE/FEMALE RATIOS BY AGE AND RACE  
MISSISSIPPI, 2008**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,491</u>	<u>14,376</u>	<u>1.01</u>	<u>9,656</u>	<u>9,778</u>	<u>0.99</u>	<u>4,835</u>	<u>4,598</u>	<u>1.05</u>
UNDER 1	244	202	1.21	100	80	1.25	144	122	1.18
1-4	42	24	1.75	14	11	1.27	28	13	2.15
5-9	17	22	0.77	9	12	0.75	8	10	0.80
10-14	40	21	1.90	18	10	1.80	22	11	2.00
15-24	349	117	2.98	178	61	2.92	171	56	3.05
25-34	446	210	2.12	232	97	2.39	214	113	1.89
35-44	656	449	1.46	334	218	1.53	322	231	1.39
45-54	1,587	1,023	1.55	916	560	1.64	671	463	1.45
55-64	2,501	1,582	1.58	1,496	937	1.60	1,005	645	1.56
65-74	3,032	2,290	1.32	2,136	1,528	1.40	896	762	1.18
75-84	3,364	3,773	0.89	2,584	2,783	0.93	780	990	0.79
85 AND OVER	2,209	4,661	0.47	1,635	3,479	0.47	574	1,182	0.48
UNKNOWN	4	2		4	2		0	0	
MEDIAN AGE	69	78		72	80		63	73	

**TABLE C3B. DEATH RATES\* BY AGE, RACE, AND SEX  
MISSISSIPPI, 2008**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.2</u>	<u>9.1</u>	<u>10.8</u>	<u>10.3</u>	<u>9.0</u>	<u>7.2</u>
UNDER 1	10.8	9.8	8.1	6.1	13.7	13.6
1-4	0.5	0.5	0.4	0.5	0.6	0.5
5-9	0.3	0.2	0.3	0.1	0.3	0.2
10-14	0.4	0.2	0.4	0.2	0.4	0.2
15-24	1.7	0.7	1.7	0.7	1.8	0.6
25-34	2.4	0.9	2.2	0.8	2.8	1.0
35-44	4.0	2.1	3.4	1.9	5.3	2.4
45-54	8.3	4.5	6.9	3.9	10.8	5.4
55-64	16.1	9.0	14.1	7.7	21.0	11.6
65-74	33.3	20.2	30.6	18.4	41.7	24.9
75 AND OVER	89.1	73.0	86.6	73.4	97.0	72.0

\* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,  
BY CAUSE AND RACE  
MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,438</u>	<u>15,263</u>	<u>7,175</u>	<u>7.6</u>	<u>8.6</u>	<u>6.2</u>	<u>77.7</u>	<u>78.5</u>	<u>76.1</u>
1. HEART DISEASES (156-160,162,164-181)	7,970	5,465	2,505	271.2	306.9	216.3	27.6	28.1	26.6
2. MALIGNANT NEOPLASMS (056-108)	6,141	4,127	2,014	209.0	231.8	173.9	21.3	21.2	21.4
3. ACCIDENTS (295-330)	1,668	1,189	479	56.8	66.8	41.4	5.8	6.1	5.1
4. CEREBROVASCULAR DISEASE (182-186)	1,559	957	602	53.0	53.7	52.0	5.4	4.9	6.4
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,499	1,266	233	51.0	71.1	20.1	5.2	6.5	2.5
6. ALZHEIMERS DISEASE (148)	914	753	161	31.1	42.3	13.9	3.2	3.9	1.7
7. DIABETES MELLITUS (124)	753	361	392	25.6	20.3	33.8	2.6	1.8	4.2
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	720	380	340	24.5	21.3	29.4	2.5	2.0	3.6
9. INFLUENZA AND PNEUMONIA (195-198)	630	442	188	21.4	24.8	16.2	2.2	2.3	2.0
10. SEPTICEMIA (018)	584	323	261	19.9	18.1	22.5	2.0	1.7	2.8

\* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

\*\* SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES  
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE  
MISSISSIPPI, 2008**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>66</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (295-330)	21	31.8	12.0
	2. MALIGNANT NEOPLASMS (056-108)	7	10.6	4.0
	3. HEART DISEASES (156-160,162,164-181)	6	9.1	3.4
	T4. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	7.6	2.8
	T4. HOMICIDE (338-346)	5	7.6	2.8
5-14	<u>ALL CAUSES</u>	<u>100</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	40	40.0	9.7
	2. MALIGNANT NEOPLASMS (056-108)	11	11.0	2.6
	3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6.0	1.4
	4. HEART DISEASES (156-160,162,164-181)	5	5.0	1.2
	T5. CEREBROVASCULAR DISEASE (182-186)	3	3.0	0.7
	T5. INFLUENZA AND PNEUMONIA (195-198)	3	3.0	0.7
	T5. SUICIDE (331-337)	3	3.0	0.7
	T5. HOMICIDE (338-346)	3	3.0	0.7
15-24	<u>ALL CAUSES</u>	<u>466</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (295-330)	202	43.3	46.1
	2. HOMICIDE (338-346)	84	18.0	19.2
	3. SUICIDE (331-337)	53	11.4	12.1
	4. HEART DISEASES (156-160,162,164-181)	21	4.5	4.8
	5. MALIGNANT NEOPLASMS (056-108)	20	4.3	4.6
25-44	<u>ALL CAUSES</u>	<u>1,761</u>	<u>100.0</u>	<u>2.3</u>
	1. ACCIDENTS (295-330)	452	25.7	59.1
	2. HEART DISEASES (156-160,162,164-181)	270	15.3	35.3
	3. MALIGNANT NEOPLASMS (056-108)	182	10.3	23.8
	4. HOMICIDE (338-346)	139	7.9	18.2
	5. SUICIDE (331-337)	132	7.5	17.3
45-64	<u>ALL CAUSES</u>	<u>6,693</u>	<u>100.0</u>	<u>9.2</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,983	29.6	271.6
	2. HEART DISEASES (156-160,162,164-181)	1,668	24.9	228.4
	3. ACCIDENTS (295-330)	459	6.8	62.9
	4. CEREBROVASCULAR DISEASE (182-186)	286	4.3	39.2
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	248	3.7	34.0
65 & OVER	<u>ALL CAUSES</u>	<u>19,329</u>	<u>100.0</u>	<u>52.0</u>
	1. HEART DISEASES (156-160,162,164-181)	5,992	31.0	1,612.5
	2. MALIGNANT NEOPLASMS (056-108)	3,936	20.4	1,059.2
	3. CEREBROVASCULAR DISEASE (182-186)	1,226	6.3	329.9
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,220	6.3	328.3
	5. ALZHEIMER'S DISEASE (148)	900	4.6	242.2

\* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

\*\* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,  
BY PRIMARY SITE, SEX, AND RACE  
MISSISSIPPI, 2008**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<b>TOTAL</b>	<u>2,232</u>	<u>1,144</u>	<u>1,895</u>	<u>870</u>	<u>254.4</u>	<u>209.3</u>	<u>209.7</u>	<u>142.3</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	893	390	573	184	101.8	71.3	63.4	30.1
2. DIGESTIVE ORGANS (060-070)	511	327	437	225	58.3	59.8	48.4	36.8
3. GENITAL ORGANS (083-091)	168	160	155	99	19.2	29.3	17.2	16.2
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	205	73	181	57	23.4	13.4	20.0	9.3
5. BREAST (082)	1	1	253	163	0.1	0.2	28.0	26.7
6. URINARY TRACT (092-094)	117	37	62	28	13.3	6.8	6.9	4.6
7. BRAIN (096)	55	13	53	15	6.3	2.4	5.9	2.5
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	41	29	25	9	4.7	5.3	2.8	1.5
9. SKIN (077,078)	57	7	22	3	6.5	1.3	2.4	0.5
10. BONE AND ARTICULAR CARTILAGE (076)	11	11	9	6	1.3	2.0	1.0	1.0
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	173	96	125	81	19.7	17.6	13.8	13.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,  
1983, 1988, 1993, 1998, 2003, 2008**

DISEASE*	1983	1988	1993	1998	2003	2008
TUBERCULOSIS OF RESPIRATORY SYSTEM	23	23	21	11	4	10
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,378	1,619	1,713	1,954	1,941	2,040
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,340	1,567	1,761	1,887	1,886	1,991
CHRONIC AND UNQUALIFIED BRONCHITIS	32	44	41	33	19	7
EMPHYSEMA	85	132	154	150	116	106
ASTHMA	35	38	64	63	34	44

\* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.



**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM  
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 2008**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,417</u>	<u>1,026</u>	<u>391</u>	<u>85.0</u>	<u>86.3</u>	<u>81.6</u>
1. MOTOR VEHICLE (296-306)	768	499	269	46.0	42.0	56.2
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	264	233	31	15.8	19.6	6.5
3. FALLS (312-314)	241	205	36	14.4	17.2	7.5
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	75	50	25	4.5	4.2	5.2
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	69	39	30	4.1	3.3	6.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE  
MISSISSIPPI, 2008**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,668</u>	<u>1,072</u>	<u>596</u>	<u>44</u>	<u>21</u>	<u>40</u>	<u>202</u>	<u>218</u>	<u>234</u>	<u>459</u>	<u>448</u>	<u>2</u>
MOTOR VEHICLE (296-306)	768	527	241	1	7	27	156	136	129	206	105	1
OTHER LAND TRANSPORT (295,307-308)	8	4	4	0	0	0	0	1	2	5	0	0
WATER TRANSPORT (309)	10	9	1	0	0	0	2	2	1	4	1	0
AIR AND SPACE TRANSPORT (310)	4	4	0	0	0	0	1	0	1	1	1	0
FALLS (312-314)	241	120	121	1	0	1	1	2	6	35	195	0
DISCHARGE OF FIREARMS (315)	22	15	7	0	3	0	5	4	0	5	5	0
EXPLOSION (316)	1	1	0	0	0	0	0	0	0	1	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	46	37	9	0	5	7	7	5	4	13	5	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	75	35	40	0	0	1	2	1	4	14	53	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	49	29	20	41	1	1	1	1	1	3	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	3	3	0	0	0	0	0	0	1	2	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	69	48	21	0	3	2	3	3	4	27	27	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	1	0	1	0	0	0	0	0	0	0	1	0
<u>POISONING (327-329)</u>	<u>264</u>	<u>159</u>	<u>105</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>22</u>	<u>49</u>	<u>66</u>	<u>114</u>	<u>13</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	236	135	101	0	0	0	20	45	54	105	12	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	28	24	4	0	0	0	2	4	12	9	1	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	107	81	26	1	2	1	2	14	15	29	42	1

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2008**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7
2006	969	2.3	960	33.0
2007	898	2.1	894	30.6
2008	773	#	768	26.1

\* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

\*\* NOT AVAILABLE.

# MILES OF VEHICLE TRAVEL FOR 2008 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES  
BY AGE AND RACE  
MISSISSIPPI, 2008**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>446</u>	<u>180</u>	<u>266</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.9</u>	<u>7.4</u>	<u>12.9</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>256</u>	<u>96</u>	<u>160</u>	<u>57.4</u>	<u>53.3</u>	<u>60.2</u>	<u>5.7</u>	<u>4.0</u>	<u>7.7</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>190</u>	<u>71</u>	<u>119</u>	<u>42.6</u>	<u>39.4</u>	<u>44.7</u>	<u>4.2</u>	<u>2.9</u>	<u>5.8</u>
UNDER 1 DAY	141	54	87	31.6	30.0	32.7	3.1	2.2	4.2
1-6 DAYS	49	17	32	11.0	9.4	12.0	1.1	0.7	1.5
7-27 DAYS	66	25	41	14.8	13.9	15.4	1.5	1.0	2.0
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>190</u>	<u>84</u>	<u>106</u>	<u>42.6</u>	<u>46.7</u>	<u>39.8</u>	<u>4.2</u>	<u>3.5</u>	<u>5.1</u>

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES  
OF INFANT DEATHS, BY CAUSE AND RACE  
MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>446</u>	<u>180</u>	<u>266</u>	<u>9.9</u>	<u>7.4</u>	<u>12.9</u>
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	76	32	44	1.7	1.3	2.1
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	62	19	43	1.4	0.8	2.1
3. SUDDEN INFANT DEATH SYNDROME (111)	54	28	26	1.2	1.2	1.2
4. ACCIDENTS (114-124)	44	21	23	1.0	0.9	1.1
5. BACTERIAL SEPSIS OF NEWBORN (085)	18	3	15	0.4	0.1	0.7
6. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	4	7	0.2	0.2	0.3
7. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	10	2	8	0.2	0.1	0.4
T8. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	9	4	5	0.2	0.2	0.2
T8. RESPIRATORY DISTRESS OF NEWBORN (077)	9	6	3	0.2	0.2	0.1
T10. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	8	2	6	0.2	0.1	0.3
T10. ATELECTASIS (083)	8	2	6	0.2	0.1	0.3

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

# LESS THAN 0.06 PERCENT.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH  
MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>293,807</u>	<u>10,627.1</u>
HEART DISEASES (156-160,162,164-181)	50,478	1,825.8
ISCHEMIC HEART DISEASE (165-168)	27,983	1,012.2
CEREBROVASCULAR DISEASES (182-186)	8,786	317.8
MALIGNANT NEOPLASMS (056-108)	54,315	1,964.6
RESPIRATORY SYSTEM (071-075)	15,999	578.7
COLORECTAL (063,064)	5,362	193.9
PROSTATE (089)#	1,134	83.3
BREAST (082)##	4,922	350.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	7,397	267.6
PNEMONIA AND INFLUENZA (195-198)	3,520	127.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,432	160.3
DIABETES MELLITUS (124)	7,016	253.8
HIV INFECTION (039-043)	4,588	166.0
UNINTENTIONAL INJURIES (295-330)	47,571	1,720.7
MOTOR VEHICLE CRASHES (296-306)	26,519	959.2
SUICIDE (331-337)	11,568	418.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	13,293	480.8

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.

# MALES ONLY.

## FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH  
WHITE MALES AND FEMALES  
MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>98,935</u>	<u>11,925.0</u>
HEART DISEASES (156-160,162,164-181)	18,013	2,171.2
ISCHEMIC HEART DISEASE (165-168)	11,842	1,427.4
CEREBROVASCULAR DISEASES (182-186)	1,823	219.7
MALIGNANT NEOPLASMS (056-108)	17,126	2,064.3
RESPIRATORY SYSTEM (071-075)	6,122	737.9
COLORECTAL (063,064)	1,752	211.2
PROSTATE (089)	479	57.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,921	352.1
PNEMONIA AND INFLUENZA (195-198)	1,267	152.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,111	254.4
DIABETES MELLITUS (124)	1,674	201.8
HIV INFECTION (039-043)	509	61.4
UNINTENTIONAL INJURIES (295-330)	21,785	2,625.8
MOTOR VEHICLE CRASHES (296-306)	11,636	1,402.5
SUICIDE (331-337)	7,933	956.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,504	301.8
<u>WHITE FEMALES - ALL CAUSES</u>	<u>59,411</u>	<u>7,231.9</u>
HEART DISEASES (156-160,162,164-181)	8,371	1,019.0
ISCHEMIC HEART DISEASE (165-168)	5,006	609.4
CEREBROVASCULAR DISEASES (182-186)	1,525	185.6
MALIGNANT NEOPLASMS (056-108)	14,255	1,735.2
RESPIRATORY SYSTEM (071-075)	3,799	462.4
COLORECTAL (063,064)	1,336	162.6
BREAST (082)	2,489	303.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,322	282.6
PNEMONIA AND INFLUENZA (195-198)	899	109.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	982	119.5
DIABETES MELLITUS (124)	1,174	142.9
HIV INFECTION (039-043)	164	20.0
UNINTENTIONAL INJURIES (295-330)	9,733	1,184.8
MOTOR VEHICLE CRASHES (296-306)	5,094	620.1
SUICIDE (331-337)	1,719	209.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,030	125.4

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75  
FOR SELECTED CAUSES OF DEATH  
NONWHITE MALES AND FEMALES  
MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>82,489</u>	<u>15,516.3</u>
HEART DISEASES (156-160,162,164-181)	14,490	2,725.6
ISCHEMIC HEART DISEASE (165-168)	7,127	1,340.6
CEREBROVASCULAR DISEASES (182-186)	3,133	589.3
MALIGNANT NEOPLASMS (056-108)	12,657	2,380.8
RESPIRATORY SYSTEM (071-075)	4,105	772.2
COLORECTAL (063,064)	1,324	249.0
PROSTATE (089)	655	123.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,298	244.2
PNEMONIA AND INFLUENZA (195-198)	836	157.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	927	174.4
DIABETES MELLITUS (124)	2,169	408.0
HIV INFECTION (039-043)	2,431	457.3
UNINTENTIONAL INJURIES (295-330)	11,007	2,070.4
MOTOR VEHICLE CRASHES (296-306)	6,816	1,282.1
SUICIDE (331-337)	1,815	341.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	8,021	1,508.8
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>52,972</u>	<u>9,103.3</u>
HEART DISEASES (156-160,162,164-181)	9,604	1,650.5
ISCHEMIC HEART DISEASE (165-168)	4,008	688.8
CEREBROVASCULAR DISEASES (182-186)	2,305	396.1
MALIGNANT NEOPLASMS (056-108)	10,277	1,766.1
RESPIRATORY SYSTEM (071-075)	1,973	339.1
COLORECTAL (063,064)	950	163.2
BREAST (082)	2,425	416.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	856	147.1
PNEMONIA AND INFLUENZA (195-198)	518	89.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	412	70.8
DIABETES MELLITUS (124)	1,999	343.5
HIV INFECTION (039-043)	1,484	255.0
UNINTENTIONAL INJURIES (295-330)	5,046	867.2
MOTOR VEHICLE CRASHES (296-306)	2,973	510.9
SUICIDE (331-337)	101	17.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,738	298.7

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

\*\* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000  
POPULATION UNDER AGE 75.



## MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 2008**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>15,057</u>	<u>41</u>			
JANUARY	651	21	JULY	1,361	44
FEBRUARY	1,070	37	AUGUST	1,359	44
MARCH	1,351	44	SEPTEMBER	1,038	35
APRIL	1,269	42	OCTOBER	1,344	43
MAY	1,714	55	NOVEMBER	1,143	38
JUNE	1,702	57	DECEMBER	1,055	34

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE  
MISSISSIPPI, 2008**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<u>15,057</u>	<u>10,549</u>	<u>4,508</u>	<u>15,057</u>	<u>10,484</u>	<u>4,573</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<b>UNDER 20</b>	<u>1,098</u>	<u>1,012</u>	<u>86</u>	<u>402</u>	<u>367</u>	<u>35</u>	<u>7.3</u>	<u>9.6</u>	<u>1.9</u>	<u>2.7</u>	<u>3.5</u>	<u>0.8</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	1	1	0	0	0	0	*	*	-	-	-	-
15	50	47	3	2	2	0	0.3	0.4	0.1	*	*	-
16	54	51	3	3	3	0	0.4	0.5	0.1	*	*	-
17	162	156	6	48	45	3	1.1	1.5	0.1	0.3	0.4	0.1
18	328	304	24	113	107	6	2.2	2.9	0.5	0.8	1.0	0.1
19	503	453	50	236	210	26	3.3	4.3	1.1	1.6	2.0	0.6
20-24	4,035	3,211	824	3,214	2,584	630	26.8	30.4	18.3	21.3	24.6	13.8
25-34	5,204	3,282	1,922	5,812	3,939	1,873	34.6	31.1	42.6	38.6	37.6	41.0
35-44	2,480	1,523	957	2,733	1,685	1,048	16.5	14.4	21.2	18.2	16.1	22.9
45-54	1,477	952	525	1,672	1,056	616	9.8	9.0	11.6	11.1	10.1	13.5
55-64	506	353	153	775	512	263	3.4	3.3	3.4	5.1	4.9	5.8
65-74	195	163	32	307	224	83	1.3	1.5	0.7	2.0	2.1	1.8
75 & OVER	62	53	9	142	117	25	0.4	0.5	0.2	0.9	1.1	0.5
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

\* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM  
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE  
MISSISSIPPI, 2008**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	28	26	31	30	29	33
FIRST MARRIAGES	24	23	27	26	25	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES  
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY MARRIAGE ORDER AND RACE  
MISSISSIPPI, 2008**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>15,057</u>	<u>10,549</u>	<u>4,508</u>	<u>15,057</u>	<u>10,484</u>	<u>4,573</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	9,170	6,057	3,113	9,062	6,127	2,935	60.9	57.4	69.0	60.2	58.4	64.2
<u>REMARRIAGE</u>	<u>5,887</u>	<u>4,492</u>	<u>1,395</u>	<u>5,995</u>	<u>4,357</u>	<u>1,638</u>	<u>39.1</u>	<u>42.6</u>	<u>30.9</u>	<u>39.8</u>	<u>41.6</u>	<u>35.8</u>
SECOND	3,792	2,709	1,083	3,987	2,753	1,234	25.2	25.7	24.0	26.5	26.2	27.0
<u>OVER TWO</u>	<u>2,095</u>	<u>1,783</u>	<u>312</u>	<u>2,008</u>	<u>1,604</u>	<u>404</u>	<u>13.9</u>	<u>16.9</u>	<u>6.9</u>	<u>13.3</u>	<u>15.3</u>	<u>8.8</u>
THIRD	1,452	1,197	255	1,453	1,122	331	9.6	11.3	5.6	9.6	10.7	7.2
FOURTH	451	401	50	419	360	59	3.0	3.8	1.1	2.8	3.4	1.3
FIFTH	143	136	7	102	92	10	1.0	1.3	0.2	0.7	0.9	0.2
SIXTH	39	39	0	23	19	4	0.2	0.4	-	0.2	0.2	0.1
SEVENTH	7	7	0	8	8	0	#	0.1	-	#	0.1	-
EIGHTH	1	1	0	1	1	0	#	#	-	#	#	-
NINTH	1	1	0	2	2	0	#	#	-	#	#	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	1	1	0	0	0	0	#	#	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

\* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

\*\* UNKNOWN WHETHER PREVIOUSLY MARRIED.

# LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY PREVIOUS MARITAL STATUS AND RACE  
MISSISSIPPI, 2008**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>15,057</u>	<u>10,549</u>	<u>4,508</u>	<u>15,057</u>	<u>10,484</u>	<u>4,573</u>
NOT PREVIOUSLY MARRIED	9,170	6,057	3,113	9,062	6,127	2,935
<u>REMARRIAGES</u>	<u>5,887</u>	<u>4,492</u>	<u>1,395</u>	<u>5,995</u>	<u>4,357</u>	<u>1,638</u>
WIDOWED	608	468	140	571	420	151
DIVORCED*	5,278	4,023	1,255	5,424	3,937	1,487
UNKNOWN**	1	1	0	0	0	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	60.9	57.4	69.0	60.2	58.4	64.2
<u>REMARRIAGES</u>	<u>39.1</u>	<u>42.6</u>	<u>30.9</u>	<u>39.8</u>	<u>41.6</u>	<u>35.8</u>
WIDOWED	4.0	4.4	3.1	3.8	4.0	3.3
DIVORCED*	35.0	38.1	27.8	36.0	37.6	32.5
UNKNOWN**	##	##	-	-	-	-
UNKNOWN#	-	-	-	-	-	-

\* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

\*\* UNKNOWN WHETHER WIDOWED OR DIVORCED.

# UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

## LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES  
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,  
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE  
MISSISSIPPI, 2008**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>15,057</u>	<u>14,088</u>	<u>959</u>	<u>10</u>	<u>10,549</u>	<u>9,792</u>	<u>754</u>	<u>3</u>	<u>4,508</u>	<u>4,296</u>	<u>205</u>	<u>7</u>
MISSISSIPPI	13,876	13,659	210	7	9,636	9,482	152	2	4,240	4,177	58	5
OTHER	1,171	421	749	1	907	305	602	0	264	116	147	1
UNKNOWN	10	8	0	2	6	5	0	1	4	3	0	1
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.6</u>	<u>6.4</u>	<u>0.1</u>	<u>100.0</u>	<u>92.8</u>	<u>7.1</u>	<u>*</u>	<u>100.0</u>	<u>95.3</u>	<u>4.5</u>	<u>0.2</u>
MISSISSIPPI	92.2	90.7	1.4	*	91.3	89.9	1.4	*	94.0	92.6	1.3	0.1
OTHER	7.8	2.8	5.0	*	8.6	2.9	5.7	-	5.8	2.6	3.3	*
UNKNOWN	0.1	*	-	*	*	*	-	*	0.1	0.1	-	*

\* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**DIVORCES**

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE\*  
MISSISSIPPI, 2008**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,597</u>	<u>8,388</u>	<u>3,084</u>	<u>1,125</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,518	7,857	2,684	977	91.4	93.7	87.0	86.8
CRUEL AND INHUMAN TREATMENT	404	203	137	64	3.2	2.4	4.4	5.7
DESERTION	278	97	137	44	2.2	1.2	4.4	3.9
ADULTERY	222	123	74	25	1.8	1.5	2.4	2.2
DRUNKENNESS	64	45	14	5	0.5	0.5	0.4	0.4
PENITENTIARY	60	30	28	2	0.5	0.4	0.9	0.2
ANNULMENT	21	10	6	5	0.2	0.1	0.2	0.4
BIGAMY	1	1	0	0	#	#	-	-
MISCELLANEOUS AND OTHER	29	22	4	3	0.2	0.3	0.1	0.3
UNKNOWN	0	0	0	0	-	-	-	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

# LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF MINOR CHILDREN AND RACE\*  
MISSISSIPPI, 2008**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,597</u>	<u>8,388</u>	<u>3,084</u>	<u>1,125</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,596	4,227	1,624	745	52.4	50.4	52.6	66.2
ONE	2,947	2,044	725	178	23.4	24.4	23.5	15.8
TWO	2,258	1,584	521	153	17.9	18.9	16.9	13.6
THREE OR MORE	795	532	214	49	6.3	6.3	6.9	4.4
UNKNOWN	1	1	0	0	#	#	-	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF YEARS MARRIED AND RACE\*  
MISSISSIPPI, 2008**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,597</u>	<u>8,388</u>	<u>3,084</u>	<u>1,125</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,669</u>	<u>3,238</u>	<u>927</u>	<u>504</u>	<u>37.1</u>	<u>38.6</u>	<u>30.0</u>	<u>44.8</u>
<u>UNDER ONE</u>	519	384	65	70	4.1	4.6	2.1	6.2
<u>ONE</u>	1,074	759	192	123	8.5	9.0	6.2	10.9
<u>TWO</u>	1,097	733	222	142	8.7	8.7	7.2	12.6
<u>THREE</u>	1,041	733	218	90	8.3	8.7	7.1	8.0
<u>FOUR</u>	938	629	230	79	7.4	7.5	7.4	7.0
<u>FIVE-NINE</u>	<u>3,457</u>	<u>2,196</u>	<u>973</u>	<u>288</u>	<u>27.4</u>	<u>26.2</u>	<u>31.6</u>	<u>25.6</u>
<u>TEN-NINETEEN</u>	<u>3,003</u>	<u>1,972</u>	<u>804</u>	<u>227</u>	<u>23.8</u>	<u>23.5</u>	<u>26.1</u>	<u>20.2</u>
<u>TWENTY AND OVER</u>	<u>1,433</u>	<u>958</u>	<u>370</u>	<u>105</u>	<u>11.4</u>	<u>11.4</u>	<u>12.0</u>	<u>9.3</u>
<u>UNKNOWN</u>	<u>35</u>	<u>24</u>	<u>10</u>	<u>1</u>	<u>0.3</u>	<u>0.3</u>	<u>0.3</u>	<u>0.1</u>

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.



**INDUCED TERMINATIONS OF PREGNANCY**

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 2008**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,772</u>	<u>654</u>	<u>2,116</u>	<u>2</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>61.7</u>	<u>27.0</u>	<u>102.3</u>
UNDER 15	23	5	18	0	0.8	0.8	0.8	176.9	166.7	180.0
15-19	452	101	350	1	16.3	15.4	16.5	63.0	32.7	85.5
20-24	1,002	236	766	0	36.1	36.1	36.2	67.0	32.0	101.2
25-29	678	149	529	0	24.4	22.8	25.0	54.2	20.4	101.7
30-34	380	96	284	0	13.7	14.7	13.4	56.3	22.3	116.3
35-39	179	45	133	1	6.4	6.9	6.3	63.7	25.4	128.6
40-44	54	19	35	0	1.9	2.9	1.6	98.4	58.8	154.9
45-49	2	1	1	0	0.1	0.2	**	60.6	45.4	90.9
UNKNOWN	2	2	0	0	0.1	0.3	-			

\* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION.  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 2008**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,772</u>	<u>654</u>	<u>2,116</u>	<u>2</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,697	627	2,068	2	97.3	95.9	97.7
<u>NONRESIDENT</u>	<u>75</u>	<u>27</u>	<u>48</u>	<u>0</u>	<u>2.7</u>	<u>4.1</u>	<u>2.3</u>
BORDER STATE	70	25	45	0	2.5	3.8	2.1
OTHER STATE	5	2	3	0	0.2	0.3	0.1
<u>MARITAL STATUS</u>							
MARRIED	239	92	146	1	8.6	14.1	6.9
NOT MARRIED	2,532	561	1,970	1	91.3	85.8	93.1
UNKNOWN	1	1	0	0	*	0.2	-
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	6	3	3	0	0.2	0.4	0.1
7-9 YEARS	75	23	52	0	2.7	3.5	2.4
10, 11 YEARS	230	63	167	0	8.3	9.6	7.9
12 YEARS	985	233	751	1	35.5	35.6	35.5
1-3 YEARS COLLEGE	1,075	248	827	0	38.8	37.9	39.1
4 OR MORE YEARS COLLEGE	396	84	311	1	14.3	12.8	14.7
UNKNOWN	5	0	5	0	0.2	-	0.2
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	852	269	582	1	30.7	41.1	27.5
ONE	913	171	741	1	32.9	26.1	35.0
TWO	653	153	500	0	23.6	23.4	23.6
THREE	240	41	199	0	8.6	6.3	9.4
FOUR	66	13	53	0	2.4	2.0	2.5
FIVE OR MORE	45	6	39	0	1.6	0.9	1.8
UNKNOWN	3	1	2	0	0.1	0.2	0.1
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,706	448	1,256	2	61.5	68.5	59.4
ONE	740	152	588	0	26.7	23.2	27.8
TWO	243	37	206	0	8.8	5.6	9.7
THREE OR MORE	82	17	65	0	3.0	2.6	3.1
UNKNOWN	1	0	1	0	*	-	*

\* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2008**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,772</u>	<u>654</u>	<u>2,116</u>	<u>2</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,497	355	1,141	1	54.0	54.3	53.9
9, 10	511	126	384	1	18.4	19.3	18.1
11, 12	286	52	234	0	10.3	8.0	11.0
13-15	105	24	81	0	3.8	3.7	3.8
16-20	14	2	12	0	0.5	0.3	0.6
21 OR MORE	2	1	1	0	0.1	0.2	**
UNKNOWN	357	94	263	0	12.9	14.4	12.4
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,771	654	2,115	2	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION							
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	1	0	1	0	**	-	**
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2008**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>5</u>	<u>1</u>	<u>3</u>	<u>1</u>
<u>AGE</u>				
UNDER 20	1	0	0	1
20-29	3	1	2	0
30-39	0	0	0	0
40-49	1	0	1	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	2	1	1	0
NOT MARRIED	3	0	2	1
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	2	0	2	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	3	1	1	1
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

## MAJOR TABLES



**TABLE I  
2008 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION  
MISSISSIPPI**

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>2,938,618</u>	<u>1,780,749</u>	<u>1,157,869</u>	<u>3.3</u>	<u>2.0</u>	<u>5.4</u>
ADAMS	31,307	13,337	17,970	-8.8	-15.6	-3.0
ALCORN	35,673	31,193	4,480	3.2	3.3	2.6
AMITE	13,248	7,303	5,945	-2.6	-4.8	0.3
ATTALA	19,671	11,304	8,367	*	-1.5	2.2
BENTON	8,116	5,243	2,873	1.1	5.8	-6.5
BOLIVAR	37,195	12,267	24,928	-8.5	-9.2	-8.1
CALHOUN	14,508	10,182	4,326	-3.7	-2.7	-6.1
CARROLL	10,367	6,695	3,672	-3.7	-0.8	-8.7
CHICKASAW	18,826	10,746	8,080	-3.2	-2.8	-3.6
CHOCTAW	9,090	6,139	2,951	-6.9	-7.5	-5.4
CLAIBORNE	10,848	1,649	9,199	-8.3	-8.2	-8.3
CLARKE	17,378	11,212	6,166	-3.2	-3.2	-3.3
CLAY	20,860	8,901	11,959	-5.1	-5.4	-4.9
COAHOMA	27,272	6,581	20,691	-10.9	-26.6	-4.5
COPIAH	29,331	13,990	15,341	2.0	1.8	2.2
COVINGTON	20,526	12,803	7,723	5.8	4.0	8.8
DESOTO	154,748	117,676	37,072	44.4	28.0	143.1
FORREST	79,425	49,581	29,844	9.4	6.1	15.3
FRANKLIN	8,316	5,147	3,169	-1.6	-3.0	0.8
GEORGE	22,406	20,001	2,405	17.0	16.9	18.2
GREENE	13,818	9,790	4,028	3.9	1.1	11.3
GRENADA	22,995	13,093	9,902	-1.2	-2.8	1.2
HANCOCK	40,140	36,162	3,978	-6.6	-6.7	-5.6
HARRISON	178,460	126,933	51,527	-5.9	-8.5	1.2
HINDS	247,650	78,669	168,981	-1.3	-15.9	7.5
HOLMES	20,595	3,763	16,832	-4.7	-14.9	-2.1
HUMPHREYS	10,089	2,658	7,431	-10.0	-12.7	-8.9
ISSAQUENA	1,658	672	986	-27.1	-18.6	-31.9
ITAWAMBA	23,175	21,350	1,825	1.8	1.4	6.4
JACKSON	130,694	96,702	33,992	-0.6	-2.4	4.9
JASPER	18,253	8,631	9,622	0.6	2.4	-1.0
JEFFERSON	8,872	1,189	7,683	-8.9	-6.5	-9.3
JEFF DAVIS	12,653	5,209	7,444	-9.4	-10.4	-8.6
JONES	67,198	47,790	19,408	3.5	3.5	3.4
KEMPER	9,967	3,728	6,239	-4.7	-8.6	-2.1
LAFAYETTE	43,922	32,001	11,921	13.4	15.0	9.3
LAMAR	49,121	40,323	8,798	25.7	20.9	53.6
LAUDERDALE	78,180	44,504	33,676	*	-5.3	8.1
LAWRENCE	13,370	8,906	4,464	0.8	0.4	1.9
LEAKE	22,844	12,604	10,240	9.1	7.2	11.5
LEE	81,139	58,278	22,861	7.1	4.4	14.6
LEFLORE	35,185	9,670	25,515	-7.3	-15.1	-4.0

TABLE I - PAGE 2  
 2008 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,931	23,875	11,056	5.3	3.8	8.9
LOWNDES	59,284	32,580	26,704	-3.7	-6.3	-0.4
MADISON	91,369	55,062	36,307	22.4	22.3	22.4
MARION	25,830	16,965	8,865	0.9	-1.0	4.8
MARSHALL	37,102	18,767	18,335	6.0	10.9	1.5
MONROE	37,250	25,483	11,767	-2.0	-2.0	-2.1
MONTGOMERY	11,266	6,023	5,243	-7.6	-8.9	-6.0
NESHOBA	30,530	19,256	11,274	6.4	2.5	13.9
NEWTON	22,355	14,455	7,900	2.4	1.8	3.4
NOXUBEE	11,828	3,502	8,326	-5.7	-5.4	-5.9
OKTIBBEHA	43,944	26,202	17,742	2.4	4.1	*
PANOLA	35,660	18,322	17,338	4.0	5.9	2.2
PEARL RIVER	57,466	48,989	8,477	18.2	17.8	20.7
PERRY	12,235	9,327	2,908	0.8	0.9	0.5
PIKE	39,961	19,829	20,132	2.6	-0.6	6.0
PONTOTOC	29,004	24,454	4,550	8.5	8.4	9.1
PRENTISS	25,707	21,789	3,918	0.6	-0.7	8.4
QUITMAN	8,724	2,601	6,123	-13.8	-15.6	-13.0
RANKIN	140,901	110,151	30,750	22.2	17.9	40.6
SCOTT	28,850	17,419	11,431	1.5	7.1	-6.0
SHARKEY	5,556	1,642	3,914	-15.6	-15.0	-15.8
SIMPSON	28,034	18,096	9,938	1.4	1.7	1.0
SMITH	15,809	11,905	3,904	-2.3	-3.3	1.0
STONE	16,025	12,805	3,220	17.6	18.4	14.8
SUNFLOWER	30,697	8,168	22,529	-10.7	-17.7	-7.8
TALLAHATCHIE	13,027	4,980	8,047	-12.6	-15.7	-10.6
TATE	27,176	18,361	8,815	7.1	6.7	8.0
TIPPAH	21,210	17,346	3,864	1.8	1.8	2.2
TISHOMINGO	18,947	18,057	890	-1.1	-0.7	-8.3
TUNICA	10,448	2,833	7,615	13.2	11.5	13.9
UNION	27,212	22,676	4,536	7.3	7.2	7.9
WALTHALL	15,416	8,336	7,080	1.7	0.7	2.9
WARREN	48,087	24,518	23,569	-3.1	-10.2	5.4
WASHINGTON	55,079	16,772	38,307	-12.5	-21.6	-7.9
WAYNE	20,755	12,575	8,180	-2.2	-3.3	-0.4
WEBSTER	9,887	7,747	2,140	-4.0	-3.0	-7.4
WILKINSON	10,283	3,111	7,172	-0.3	-3.4	1.1
WINSTON	19,575	10,540	9,035	-2.9	-5.4	0.2
YALOBUSHA	13,645	8,102	5,543	4.6	2.7	7.4
YAZOO	28,464	12,553	15,911	1.1	-0.3	2.3

\* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE 1A**  
**LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 2008**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>44,136</u>	<u>23,198</u>	<u>20,938</u>	<u>44,904</u>	<u>24,229</u>	<u>20,675</u>	<u>15.3</u>	<u>13.6</u>	<u>17.8</u>
ADAMS	1,142	438	704	418	161	257	13.4	12.1	14.3
ALCORN	585	488	97	475	400	75	13.3	12.8	16.7
AMITE	1	1	0	155	90	65	11.7	12.3	10.9
ATTALA	9	1	8	312	131	181	15.9	11.6	21.6
BENTON	0	0	0	118	66	52	14.5	12.6	18.1
BOLIVAR	552	105	447	630	146	484	16.9	11.9	19.4
CALHOUN	4	1	3	211	129	82	14.5	12.7	19.0
CARROLL	0	0	0	128	80	48	12.3	11.9	13.1
CHICKASAW	2	2	0	281	157	124	14.9	14.6	15.3
CHOCTAW	1	1	0	125	66	59	13.8	10.8	20.0
CLAIBORNE	0	0	0	161	10	151	14.8	6.1	16.4
CLARKE	0	0	0	214	122	92	12.3	10.9	14.9
CLAY	538	231	307	309	103	206	14.8	11.6	17.2
COAHOMA	991	172	819	527	74	453	19.3	11.2	21.9
COPIAH	1	0	1	459	176	283	15.6	12.6	18.4
COVINGTON	13	3	10	319	192	127	15.5	15.0	16.4
DESOTO	2,150	1,229	921	2,326	1,759	567	15.0	14.9	15.3
FORREST	2,790	1,893	897	1,239	696	543	15.6	14.0	18.2
FRANKLIN	1	1	0	127	61	66	15.3	11.8	20.8
GEORGE	176	152	24	382	354	28	17.0	17.7	11.6
GREENE	0	0	0	151	121	30	10.9	12.4	7.4
GRENADA	565	218	347	333	154	179	14.5	11.8	18.1
HANCOCK	269	241	28	532	489	43	13.2	13.5	10.8
HARRISON	3,434	2,457	977	2,952	2,043	909	16.5	16.1	17.6
HINDS	6,996	2,448	4,548	3,861	873	2,988	15.6	11.1	17.7
HOLMES	6	0	6	379	36	343	18.4	9.6	20.4
HUMPHREYS	1	0	1	184	24	160	18.2	9.0	21.5
ISSAQUENA	0	0	0	13	5	8	7.8	7.4	8.1
ITAWAMBA	1	0	1	297	275	22	12.8	12.9	12.0
JACKSON	1,627	1,191	436	1,882	1,355	527	14.4	14.0	15.5
JASPER	1	0	1	249	93	156	13.6	10.8	16.2
JEFFERSON	1	0	1	119	7	112	13.4	5.9	14.6
JEFF DAVIS	0	0	0	195	60	135	15.4	11.5	18.1
JONES	1,026	455	571	1,116	738	378	16.6	15.4	19.5
KEMPER	0	0	0	124	36	88	12.4	9.6	14.1
LAFAYETTE	961	579	382	501	327	174	11.4	10.2	14.6
LAMAR	1,617	1,133	484	830	626	204	16.9	15.5	23.2
LAUDERDALE	2,700	1,262	1,438	1,216	584	632	15.6	13.1	18.8
LAWRENCE	0	0	0	211	134	77	15.8	15.0	17.2
LEAKE	4	1	3	397	188	209	17.4	14.9	20.4
LEE	2,457	1,816	641	1,241	785	456	15.3	13.5	19.9
LEFLORE	861	172	689	629	142	487	17.9	14.7	19.1



TABLE 1A - Page 2  
LIVE BIRTHS - MISSISSIPPI -2008

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	653	351	302	556	350	206	15.9	14.7	18.6
LOWNDES	1,088	511	577	885	454	431	14.9	13.9	16.1
MADISON	332	7	325	1,439	783	656	15.7	14.2	18.1
MARION	3	0	3	430	267	163	16.6	15.7	18.4
MARSHALL	3	1	2	575	282	293	15.5	15.0	16.0
MONROE	520	361	159	513	313	200	13.8	12.3	17.0
MONTGOMERY	1	1	0	164	63	101	14.6	10.5	19.3
NESHOBA	3	1	2	510	232	278	16.7	12.0	24.6
NEWTON	2	0	2	359	186	173	16.0	12.9	21.9
NOXUBEE	0	0	0	193	39	154	16.3	11.1	18.5
OKTIBBEHA	1,052	437	615	620	305	315	14.1	11.6	17.8
PANOLA	164	43	121	570	241	329	16.0	13.2	19.0
PEARL RIVER	403	294	109	840	675	165	14.6	13.8	19.5
PERRY	0	0	0	186	138	48	15.2	14.8	16.5
PIKE	1,119	539	580	681	255	426	17.0	12.9	21.2
PONTOTOC	11	11	0	445	393	52	15.3	16.1	11.4
PRETISS	0	0	0	363	300	63	14.1	13.8	16.1
QUITMAN	0	0	0	136	21	115	15.6	8.1	18.8
RANKIN	3,498	2,374	1,124	2,031	1,555	476	14.4	14.1	15.5
SCOTT	3	2	1	541	321	220	18.8	18.4	19.2
SHARKEY	2	1	1	94	16	78	16.9	9.7	19.9
SIMPSON	106	56	50	399	256	143	14.2	14.1	14.4
SMITH	0	0	0	240	175	65	15.2	14.7	16.6
STONE	0	0	0	247	199	48	15.4	15.5	14.9
SUNFLOWER	342	68	274	437	72	365	14.2	8.8	16.2
TALLAHATCHIE	1	0	1	225	46	179	17.3	9.2	22.2
TATE	3	1	2	366	232	134	13.5	12.6	15.2
TIPPAH	2	2	0	312	254	58	14.7	14.6	15.0
TISHOMINGO	1	1	0	223	217	6	11.8	12.0	6.7
TUNICA	0	0	0	241	33	208	23.1	11.6	27.3
UNION	1,112	841	271	385	323	62	14.1	14.2	13.7
WALTHALL	1	0	1	221	103	118	14.3	12.4	16.7
WARREN	1,029	305	724	726	297	429	15.1	12.1	18.2
WASHINGTON	934	172	762	958	193	765	17.4	11.5	20.0
WAYNE	240	121	119	295	149	146	14.2	11.8	17.8
WEBSTER	0	0	0	135	99	36	13.6	12.8	16.8
WILKINSON	0	0	0	138	27	111	13.4	8.7	15.5
WINSTON	5	2	3	293	92	201	15.0	8.7	22.2
YALOBUSHA	4	3	1	171	90	81	12.5	11.1	14.6
YAZOO	16	1	15	433	115	318	15.2	9.2	20.0
OUT OF STATE	2,300	1,820	480	1,532	789	743	-	-	-

\* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 2008

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	724	500	224
BRANDON	471	347	124
BROOKHAVEN	221	71	150
CANTON	342	81	261
CLARKSDALE	390	51	339
CLEVELAND	263	80	183
CLINTON	333	175	158
COLUMBUS	385	108	277
CORINTH	212	148	64
GAUTIER	251	160	91
GREENVILLE	691	89	602
GREENWOOD	352	74	278
GRENADA	216	73	143
GULFPORT	1,229	705	524
HATTIESBURG	906	357	549
INDIANOLA	199	26	173
JACKSON	2,845	399	2,446
LAUREL	469	219	250
LONG BEACH	186	158	28
MCCOMB	261	55	206
MERIDIAN	719	214	505
MOSS POINT	304	138	166
NATCHEZ	246	79	167
OCEAN SPRINGS	310	266	44
PASCAGOULA	333	198	135
PEARL	411	297	114
PICAYUNE	250	142	108
RIDGELAND	336	198	138
SOUTHAVEN	747	580	167
STARKVILLE	429	188	241
TUPELO	574	279	295
VICKSBURG	447	118	329
YAZOO CITY	265	24	241

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B**  
**FERTILITY RATES\*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>74.3</u>	<u>71.8</u>	<u>77.5</u>				
ADAMS	72.3	80.8	67.8	LINCOLN	80.0	78.7	82.3
ALCORN	69.5	68.2	77.2	LOWNDES	72.1	77.9	66.9
AMITE	61.3	72.6	50.5	MADISON	72.7	72.5	73.0
ATTALA	81.8	69.0	94.6	MARION	86.4	86.5	86.2
BENTON	74.8	68.2	85.2	MARSHALL	77.8	83.4	73.0
BOLIVAR	76.4	61.3	82.5	MONROE	69.8	66.3	76.1
CALHOUN	78.0	73.6	86.1	MONTGOMERY	74.7	63.0	84.5
CARROLL	66.0	65.5	66.8	NESHOBA	84.2	66.0	109.6
CHICKASAW	78.5	87.4	69.5	NEWTON	80.6	70.3	95.6
CHOCTAW	72.5	62.1	89.1	NOXUBEE	82.4	78.0	83.6
CLAIBORNE	61.4	47.6	62.6	OKTIBBEHA	55.1	46.5	67.2
CLARKE	65.1	62.2	69.3	PANOLA	76.0	71.4	79.7
CLAY	74.2	71.2	75.7	PEARL RIVER	71.3	68.7	84.5
COAHOMA	94.5	82.9	96.8	PERRY	71.3	72.9	67.2
COPIAH	76.2	70.6	80.1	PIKE	87.8	75.0	97.7
COVINGTON	74.9	79.8	68.4	PONTOTOC	76.2	83.0	47.3
DESOTO	70.0	72.4	63.4	PRENTISS	68.5	69.5	64.4
FORREST	63.6	60.6	68.1	QUITMAN	78.3	57.7	83.8
FRANKLIN	77.3	67.8	88.8	RANKIN	67.3	68.4	63.8
GEORGE	85.4	88.2	60.9	SCOTT	96.9	106.1	86.0
GREENE	65.0	65.5	62.9	SHARKEY	90.6	77.7	93.9
GRENADA	69.7	63.0	76.8	SIMPSON	71.4	75.6	64.9
HANCOCK	71.7	73.4	56.6	SMITH	76.6	79.0	70.6
HARRISON	83.9	85.0	81.6	STONE	72.8	76.3	61.0
HINDS	72.8	68.9	74.0	SUNFLOWER	74.6	62.1	77.7
HOLMES	86.1	61.2	89.9	TALLAHATCHIE	84.0	59.5	94.0
HUMPHREYS	89.8	59.4	97.2	TATE	63.7	63.6	63.8
ISSAQUENA	45.0	49.0	42.8	TIPPAH	73.1	74.5	67.6
ITAWAMBA	61.6	63.1	47.8	TISHOMINGO	63.6	65.0	36.8
JACKSON	72.7	73.9	69.8	TUNICA	107.6	71.0	117.2
JASPER	69.4	62.4	74.4	UNION	71.4	73.7	61.4
JEFFERSON	69.2	49.0	71.1	WALTHALL	70.6	68.8	72.3
JEFF DAVIS	78.1	73.1	80.5	WARREN	76.3	73.1	78.8
JONES	86.3	86.1	86.7	WASHINGTON	87.8	80.3	90.0
KEMPER	62.8	59.8	64.1	WAYNE	69.0	62.8	76.8
LAFAYETTE	42.9	38.2	55.8	WEBSTER	71.5	68.8	80.2
LAMAR	76.2	71.7	94.1	WILKINSON	80.2	64.7	85.1
LAUDERDALE	78.7	75.8	81.6	WINSTON	81.2	54.6	104.4
LAWRENCE	79.0	82.0	74.5	YALOBUSHA	63.2	64.0	62.4
LEAKE	94.1	90.2	97.9	YAZOO	87.0	66.8	97.6
LEE	75.5	71.1	84.6				
LEFLORE	84.2	94.4	81.6				

\* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

**TABLE 2**  
**LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,**  
**ALSO BY COUNTY OF RESIDENCE AND SEX,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>44,904</u>	<u>24,229</u>	<u>24,158</u>	<u>2</u>	<u>69</u>	<u>20,675</u>	<u>20,643</u>	<u>4</u>	<u>28</u>	<u>22,821</u>	<u>22,083</u>
ADAMS	418	161	160	0	1	257	257	0	0	222	196
ALCORN	475	400	400	0	0	75	74	0	1	251	224
AMITE	155	90	89	0	1	65	65	0	0	70	85
ATTALA	312	131	131	0	0	181	179	0	2	170	142
BENTON	118	66	66	0	0	52	52	0	0	64	54
BOLIVAR	630	146	146	0	0	484	484	0	0	300	330
CALHOUN	211	129	129	0	0	82	81	0	1	126	85
CARROLL	128	80	80	0	0	48	48	0	0	65	63
CHICKASAW	281	157	155	0	2	124	124	0	0	134	147
CHOCTAW	125	66	65	0	1	59	59	0	0	67	58
CLAIBORNE	161	10	10	0	0	151	151	0	0	77	84
CLARKE	214	122	122	0	0	92	92	0	0	104	110
CLAY	309	103	103	0	0	206	206	0	0	156	153
COAHOMA	527	74	74	0	0	453	453	0	0	264	263
COPIAH	459	176	176	0	0	283	282	0	1	235	224
COVINGTON	319	192	192	0	0	127	127	0	0	148	171
DESOTO	2,326	1,759	1,756	0	3	567	566	0	1	1,164	1,162
FORREST	1,239	696	696	0	0	543	542	0	1	639	600
FRANKLIN	127	61	60	0	1	66	66	0	0	73	54
GEORGE	382	354	353	0	1	28	28	0	0	197	185
GREENE	151	121	121	0	0	30	30	0	0	75	76
GRENADA	333	154	153	0	1	179	179	0	0	164	169
HANCOCK	532	489	488	0	1	43	43	0	0	270	262
HARRISON	2,952	2,043	2,039	0	4	909	908	0	1	1,553	1,399

TABLE 2 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 2008

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,861	873	865	0	8	2,988	2,982	1	5	1,975	1,886
HOLMES	379	36	36	0	0	343	342	0	1	218	161
HUMPHREYS	184	24	24	0	0	160	160	0	0	99	85
ISSAQUENA	13	5	5	0	0	8	8	0	0	3	10
ITAWAMBA	297	275	275	0	0	22	21	0	1	155	142
JACKSON	1,882	1,355	1,352	0	3	527	527	0	0	966	916
JASPER	249	93	93	0	0	156	155	0	1	119	130
JEFFERSON	119	7	7	0	0	112	112	0	0	65	54
JEFF DAVIS	195	60	60	0	0	135	135	0	0	84	111
JONES	1116	738	737	0	1	378	378	0	0	551	565
KEMPER	124	36	36	0	0	88	88	0	0	61	63
LAFAYETTE	501	327	325	0	2	174	174	0	0	246	255
LAMAR	830	626	623	0	3	204	204	0	0	416	414
LAUDERDALE	1,216	584	582	0	2	632	632	0	0	577	639
LAWRENCE	211	134	134	0	0	77	77	0	0	101	110
LEAKE	397	188	188	0	0	209	208	0	1	211	186
LEE	1,241	785	782	1	2	456	456	0	0	622	619
LEFLORE	629	142	141	1	0	487	487	0	0	319	310
LINCOLN	556	350	350	0	0	206	206	0	0	277	279
LOWNDES	885	454	453	0	1	431	431	0	0	456	429
MADISON	1,439	783	783	0	0	656	655	1	0	738	701
MARION	430	267	267	0	0	163	162	0	1	204	226
MARSHALL	575	282	281	0	1	293	292	0	1	283	292
MONROE	513	313	313	0	0	200	200	0	0	258	255
MONTGOMERY	164	63	62	0	1	101	101	0	0	99	65
NESHOBA	510	232	231	0	1	278	277	1	0	257	253
NEWTON	359	186	186	0	0	173	171	1	1	170	189
NOXUBEE	193	39	39	0	0	154	154	0	0	103	90
OKTIBBEHA	620	305	305	0	0	315	315	0	0	320	300
PANOLA	570	241	240	0	1	329	328	0	1	283	287

TABLE 2 - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 2008

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	840	675	672	0	3	165	165	0	0	430	410
PERRY	186	138	138	0	0	48	48	0	0	90	96
PIKE	681	255	255	0	0	426	424	0	2	376	305
PONTOTOC	445	393	382	0	11	52	52	0	0	238	207
PRENTISS	363	300	300	0	0	63	63	0	0	182	181
QUITMAN	136	21	21	0	0	115	115	0	0	77	59
RANKIN	2,031	1,555	1,551	0	4	476	476	0	0	1,053	978
SCOTT	541	321	321	0	0	220	220	0	0	272	269
SHARKEY	94	16	16	0	0	78	78	0	0	40	54
SIMPSON	399	256	255	0	1	143	142	0	1	211	188
SMITH	240	175	175	0	0	65	65	0	0	137	103
STONE	247	199	199	0	0	48	48	0	0	131	116
SUNFLOWER	437	72	72	0	0	365	365	0	0	206	231
TALLAHATCHIE	225	46	46	0	0	179	178	0	1	112	113
TATE	366	232	231	0	1	134	134	0	0	188	178
TIPPAH	312	254	254	0	0	58	58	0	0	164	148
TISHOMINGO	223	217	217	0	0	6	6	0	0	116	107
TUNICA	241	33	33	0	0	208	208	0	0	136	105
UNION	385	323	323	0	0	62	62	0	0	177	208
WALTHALL	221	103	102	0	1	118	118	0	0	106	115
WARREN	726	297	296	0	1	429	429	0	0	359	367
WASHINGTON	958	193	193	0	0	765	764	0	1	480	478
WAYNE	295	149	149	0	0	146	146	0	0	145	150
WEBSTER	135	99	99	0	0	36	36	0	0	70	65
WILKINSON	138	27	27	0	0	111	111	0	0	71	67
WINSTON	293	92	91	0	1	201	200	0	1	136	157
YALOBUSHA	171	90	87	0	3	81	80	0	1	85	86
YAZOO	433	115	114	0	1	318	318	0	0	209	224

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A**  
**TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>44,904</u>	<u>130</u>	<u>7,180</u>	<u>14,946</u>	<u>12,500</u>	<u>6,750</u>	<u>2,809</u>	<u>549</u>	<u>33</u>	<u>7</u>
ADAMS	418	2	71	150	118	49	26	1	1	0
ALCORN	475	1	83	162	138	63	25	3	0	0
AMITE	155	0	24	52	47	23	8	1	0	0
ATTALA	312	0	49	120	91	33	14	4	1	0
BENTON	118	0	23	46	34	11	4	0	0	0
BOLIVAR	630	6	119	244	158	63	32	8	0	0
CALHOUN	211	2	30	74	64	27	13	1	0	0
CARROLL	128	0	14	43	41	25	2	3	0	0
CHICKASAW	281	2	56	103	75	31	11	3	0	0
CHOCTAW	125	0	21	39	35	16	13	1	0	0
CLAIBORNE	161	0	41	52	37	21	8	2	0	0
CLARKE	214	1	43	69	54	28	16	2	1	0
CLAY	309	0	58	111	75	45	16	4	0	0
COAHOMA	527	4	127	204	112	57	18	5	0	0
COPIAH	459	2	101	169	119	44	21	3	0	0
COVINGTON	319	0	74	127	70	28	14	6	0	0
DESOTO	2,326	4	251	591	739	479	219	41	1	1
FORREST	1,239	5	209	402	345	186	82	7	2	1
FRANKLIN	127	0	16	50	34	22	3	2	0	0
GEORGE	382	0	66	147	105	37	21	6	0	0
GREENE	151	0	17	56	46	27	4	1	0	0
GRENADA	333	0	69	100	90	52	17	4	1	0
HANCOCK	532	2	91	185	137	69	40	7	1	0
HARRISON	2,952	3	376	1,049	858	423	197	43	1	2
HINDS	3,861	15	574	1,262	1,085	632	242	47	4	0
HOLMES	379	2	88	127	111	36	13	1	1	0
HUMPHREYS	184	2	38	77	50	11	3	3	0	0
ISSAQUENA	13	0	2	7	4	0	0	0	0	0
ITAWAMBA	297	0	44	108	92	34	15	3	0	1
JACKSON	1,882	2	300	586	515	332	121	24	2	0
JASPER	249	0	41	94	67	36	9	2	0	0
JEFFERSON	119	1	19	49	26	11	7	4	2	0
JEFF DAVIS	195	0	35	81	45	18	13	3	0	0
JONES	1,116	2	189	363	346	144	66	6	0	0
KEMPER	124	1	20	47	29	18	6	3	0	0
LAFAYETTE	501	0	39	132	156	111	54	9	0	0
LAMAR	830	1	85	244	257	164	67	11	1	0
LAUDERDALE	1,216	5	198	388	351	174	82	17	1	0
LAWRENCE	211	1	31	76	73	18	11	1	0	0
LEAKE	397	2	67	147	107	53	15	5	1	0
LEE	1,241	5	197	397	345	205	80	11	0	1
LEFLORE	629	4	133	229	163	73	24	3	0	0

TABLE 3A - PAGE 2  
TOTAL LIVE BIRTHS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	556	4	73	188	149	87	48	7	0	0
LOWNDES	885	1	148	287	272	127	42	8	0	0
MADISON	1,439	0	150	357	416	309	175	32	0	0
MARION	430	1	76	166	111	52	21	3	0	0
MARSHALL	575	1	112	227	134	61	32	8	0	0
MONROE	513	1	88	178	140	75	25	6	0	0
MONTGOMERY	164	0	35	59	42	22	4	2	0	0
NESHOBA	510	1	111	172	133	72	17	4	0	0
NEWTON	359	1	62	110	107	54	22	3	0	0
NOXUBEE	193	0	36	70	52	21	12	2	0	0
OKTIBBEHA	620	2	69	182	179	126	53	9	0	0
PANOLA	570	0	135	196	144	64	26	4	1	0
PEARL RIVER	840	5	136	302	221	125	46	4	1	0
PERRY	186	0	40	68	37	29	9	3	0	0
PIKE	681	1	123	236	189	81	37	14	0	0
PONTOTOC	445	2	69	160	110	70	27	7	0	0
PRENTISS	363	2	66	120	102	52	17	4	0	0
QUITMAN	136	1	25	58	30	17	3	1	1	0
RANKIN	2,031	4	187	549	644	436	173	35	3	0
SCOTT	541	4	98	224	123	61	25	6	0	0
SHARKEY	94	1	17	27	33	14	1	0	1	0
SIMPSON	399	2	87	120	93	72	21	4	0	0
SMITH	240	1	36	88	69	24	21	1	0	0
STONE	247	0	43	89	63	35	10	7	0	0
SUNFLOWER	437	0	101	171	99	48	15	3	0	0
TALLAHATCHIE	225	2	61	79	47	27	8	1	0	0
TATE	366	0	43	123	105	68	24	3	0	0
TIPPAH	312	2	56	94	83	57	16	2	2	0
TISHOMINGO	223	0	31	78	60	37	15	2	0	0
TUNICA	241	0	47	101	65	19	8	1	0	0
UNION	385	0	61	121	120	57	18	8	0	0
WALTHALL	221	0	42	77	59	30	11	2	0	0
WARREN	726	4	133	223	189	114	49	11	2	1
WASHINGTON	958	5	188	366	238	104	46	11	0	0
WAYNE	295	0	59	102	79	30	23	1	1	0
WEBSTER	135	0	18	55	33	22	5	2	0	0
WILKINSON	138	1	21	52	33	20	8	3	0	0
WINSTON	293	1	42	96	86	49	16	3	0	0
YALOBUSHA	171	1	38	67	41	18	4	2	0	0
YAZOO	433	2	88	149	126	35	24	9	0	0



**TABLE 3B**  
**LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>24,229</u>	<u>30</u>	<u>3,086</u>	<u>7,380</u>	<u>7,300</u>	<u>4,309</u>	<u>1,775</u>	<u>323</u>	<u>22</u>	<u>4</u>
ADAMS	161	0	11	50	57	28	13	1	1	0
ALCORN	400	0	62	140	114	60	21	3	0	0
AMITE	90	0	14	19	34	17	5	1	0	0
ATTALA	131	0	17	45	46	18	5	0	0	0
BENTON	66	0	14	24	20	4	4	0	0	0
BOLIVAR	146	0	17	43	47	26	11	2	0	0
CALHOUN	129	1	20	44	44	16	4	0	0	0
CARROLL	80	0	8	20	32	16	1	3	0	0
CHICKASAW	157	0	35	55	41	15	8	3	0	0
CHOCTAW	66	0	10	19	18	10	9	0	0	0
CLAIBORNE	10	0	1	2	5	1	0	1	0	0
CLARKE	122	0	23	39	32	18	8	2	0	0
CLAY	103	0	13	31	32	22	4	1	0	0
COAHOMA	74	0	17	19	23	12	3	0	0	0
COPIAH	176	0	28	49	61	24	14	0	0	0
COVINGTON	192	0	40	71	46	21	11	3	0	0
DESOTO	1,759	3	158	459	572	373	161	31	1	1
FORREST	696	2	89	226	188	133	52	3	2	1
FRANKLIN	61	0	6	20	17	16	1	1	0	0
GEORGE	354	0	60	139	93	35	21	6	0	0
GREENE	121	0	16	45	37	21	1	1	0	0
GRENADA	154	0	25	48	41	31	7	2	0	0
HANCOCK	489	1	85	169	126	63	37	7	1	0
HARRISON	2,043	2	241	700	612	311	139	36	1	1
HINDS	873	0	72	184	290	227	81	17	2	0
HOLMES	36	0	3	7	21	4	1	0	0	0
HUMPHREYS	24	0	3	11	6	3	0	1	0	0
ISSAQUENA	5	0	1	1	3	0	0	0	0	0
ITAWAMBA	275	0	40	103	85	30	15	2	0	0
JACKSON	1,355	0	201	392	377	268	96	19	2	0
JASPER	93	0	8	36	27	18	3	1	0	0
JEFFERSON	7	0	1	2	0	2	0	0	2	0
JEFF DAVIS	60	0	9	27	10	9	4	1	0	0
JONES	738	1	102	237	240	102	50	6	0	0
KEMPER	36	0	4	14	13	4	1	0	0	0
LAFAYETTE	327	0	17	76	103	83	42	6	0	0
LAMAR	626	0	51	175	206	131	54	8	1	0
LAUDERDALE	584	1	64	159	187	111	55	6	1	0
LAWRENCE	134	1	14	56	45	11	6	1	0	0
LEAKE	188	0	29	73	52	25	9	0	0	0
LEE	785	0	104	243	226	142	63	6	0	1
LEFLORE	142	0	14	46	41	29	9	3	0	0

TABLE 3B - PAGE 2  
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	350	1	37	116	100	58	35	3	0	0
LOWNDES	454	1	45	140	155	85	26	2	0	0
MADISON	783	0	39	130	255	219	120	20	0	0
MARION	267	1	47	96	78	34	9	2	0	0
MARSHALL	282	0	46	108	68	32	22	6	0	0
MONROE	313	1	56	98	81	56	18	3	0	0
MONTGOMERY	63	0	9	15	24	13	2	0	0	0
NESHOBA	232	0	44	77	67	32	10	2	0	0
NEWTON	186	0	23	51	65	30	15	2	0	0
NOXUBEE	39	0	3	11	16	5	3	1	0	0
OKTIBBEHA	305	0	18	66	99	84	34	4	0	0
PANOLA	241	0	48	72	73	31	14	2	1	0
PEARL RIVER	675	4	103	243	181	102	39	3	0	0
PERRY	138	0	30	43	30	27	6	2	0	0
PIKE	255	1	34	80	82	40	14	4	0	0
PONTOTOC	393	2	55	140	99	66	24	7	0	0
PRENTISS	300	2	49	101	83	46	15	4	0	0
QUITMAN	21	0	4	7	7	2	1	0	0	0
RANKIN	1,555	2	133	414	504	349	125	25	3	0
SCOTT	321	1	52	141	76	37	10	4	0	0
SHARKEY	16	0	1	3	6	4	1	0	1	0
SIMPSON	256	0	60	78	64	37	14	3	0	0
SMITH	175	0	22	62	52	19	19	1	0	0
STONE	199	0	31	76	50	28	8	6	0	0
SUNFLOWER	72	0	7	21	30	10	4	0	0	0
TALLAHATCHIE	46	0	15	8	9	11	2	1	0	0
TATE	232	0	26	62	75	45	21	3	0	0
TIPPAH	254	1	50	72	69	46	13	1	2	0
TISHOMINGO	217	0	31	74	59	37	14	2	0	0
TUNICA	33	0	3	13	11	3	3	0	0	0
UNION	323	0	49	98	109	47	17	3	0	0
WALTHALL	103	0	20	25	33	15	8	2	0	0
WARREN	297	0	45	73	91	58	24	6	0	0
WASHINGTON	193	1	26	60	57	31	16	2	0	0
WAYNE	149	0	25	47	47	15	13	1	1	0
WEBSTER	99	0	11	45	21	17	3	2	0	0
WILKINSON	27	0	2	9	8	4	3	1	0	0
WINSTON	92	0	13	25	31	18	3	2	0	0
YALOBUSHA	90	0	15	33	23	13	4	2	0	0
YAZOO	115	0	12	29	42	13	14	5	0	0

**TABLE 3C  
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>20,675</u>	<u>100</u>	<u>4,094</u>	<u>7,566</u>	<u>5,200</u>	<u>2,441</u>	<u>1,034</u>	<u>226</u>	<u>11</u>	<u>3</u>
ADAMS	257	2	60	100	61	21	13	0	0	0
ALCORN	75	1	21	22	24	3	4	0	0	0
AMITE	65	0	10	33	13	6	3	0	0	0
ATTALA	181	0	32	75	45	15	9	4	1	0
BENTON	52	0	9	22	14	7	0	0	0	0
BOLIVAR	484	6	102	201	111	37	21	6	0	0
CALHOUN	82	1	10	30	20	11	9	1	0	0
CARROLL	48	0	6	23	9	9	1	0	0	0
CHICKASAW	124	2	21	48	34	16	3	0	0	0
CHOCTAW	59	0	11	20	17	6	4	1	0	0
CLAIBORNE	151	0	40	50	32	20	8	1	0	0
CLARKE	92	1	20	30	22	10	8	0	1	0
CLAY	206	0	45	80	43	23	12	3	0	0
COAHOMA	453	4	110	185	89	45	15	5	0	0
COPIAH	283	2	73	120	58	20	7	3	0	0
COVINGTON	127	0	34	56	24	7	3	3	0	0
DESOTO	567	1	93	132	167	106	58	10	0	0
FORREST	543	3	120	176	157	53	30	4	0	0
FRANKLIN	66	0	10	30	17	6	2	1	0	0
GEORGE	28	0	6	8	12	2	0	0	0	0
GREENE	30	0	1	11	9	6	3	0	0	0
GRENADA	179	0	44	52	49	21	10	2	1	0
HANCOCK	43	1	6	16	11	6	3	0	0	0
HARRISON	909	1	135	349	246	112	58	7	0	1
HINDS	2,988	15	502	1,078	795	405	161	30	2	0
HOLMES	343	2	85	120	90	32	12	1	1	0
HUMPHREYS	160	2	35	66	44	8	3	2	0	0
ISSAQUENA	8	0	1	6	1	0	0	0	0	0
ITAWAMBA	22	0	4	5	7	4	0	1	0	1
JACKSON	527	2	99	194	138	64	25	5	0	0
JASPER	156	0	33	58	40	18	6	1	0	0
JEFFERSON	112	1	18	47	26	9	7	4	0	0
JEFF DAVIS	135	0	26	54	35	9	9	2	0	0
JONES	378	1	87	126	106	42	16	0	0	0
KEMPER	88	1	16	33	16	14	5	3	0	0
LAFAYETTE	174	0	22	56	53	28	12	3	0	0
LAMAR	204	1	34	69	51	33	13	3	0	0
LAUDERDALE	632	4	134	229	164	63	27	11	0	0
LAWRENCE	77	0	17	20	28	7	5	0	0	0
LEAKE	209	2	38	74	55	28	6	5	1	0
LEE	456	5	93	154	119	63	17	5	0	0
LEFLORE	487	4	119	183	122	44	15	0	0	0

TABLE 3C - PAGE 2  
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	206	3	36	72	49	29	13	4	0	0
LOWNDES	431	0	103	147	117	42	16	6	0	0
MADISON	656	0	111	227	161	90	55	12	0	0
MARION	163	0	29	70	33	18	12	1	0	0
MARSHALL	293	1	66	119	66	29	10	2	0	0
MONROE	200	0	32	80	59	19	7	3	0	0
MONTGOMERY	101	0	26	44	18	9	2	2	0	0
NESHOBA	278	1	67	95	66	40	7	2	0	0
NEWTON	173	1	39	59	42	24	7	1	0	0
NOXUBEE	154	0	33	59	36	16	9	1	0	0
OKTIBBEHA	315	2	51	116	80	42	19	5	0	0
PANOLA	329	0	87	124	71	33	12	2	0	0
PEARL RIVER	165	1	33	59	40	23	7	1	1	0
PERRY	48	0	10	25	7	2	3	1	0	0
PIKE	426	0	89	156	107	41	23	10	0	0
PONTOTOC	52	0	14	20	11	4	3	0	0	0
PRENTISS	63	0	17	19	19	6	2	0	0	0
QUITMAN	115	1	21	51	23	15	2	1	1	0
RANKIN	476	2	54	135	140	87	48	10	0	0
SCOTT	220	3	46	83	47	24	15	2	0	0
SHARKEY	78	1	16	24	27	10	0	0	0	0
SIMPSON	143	2	27	42	29	35	7	1	0	0
SMITH	65	1	14	26	17	5	2	0	0	0
STONE	48	0	12	13	13	7	2	1	0	0
SUNFLOWER	365	0	94	150	69	38	11	3	0	0
TALLAHATCHIE	179	2	46	71	38	16	6	0	0	0
TATE	134	0	17	61	30	23	3	0	0	0
TIPPAH	58	1	6	22	14	11	3	1	0	0
TISHOMINGO	6	0	0	4	1	0	1	0	0	0
TUNICA	208	0	44	88	54	16	5	1	0	0
UNION	62	0	12	23	11	10	1	5	0	0
WALTHALL	118	0	22	52	26	15	3	0	0	0
WARREN	429	4	88	150	98	56	25	5	2	1
WASHINGTON	765	4	162	306	181	73	30	9	0	0
WAYNE	146	0	34	55	32	15	10	0	0	0
WEBSTER	36	0	7	10	12	5	2	0	0	0
WILKINSON	111	1	19	43	25	16	5	2	0	0
WINSTON	201	1	29	71	55	31	13	1	0	0
YALOBUSHA	81	1	23	34	18	5	0	0	0	0
YAZOO	318	2	76	120	84	22	10	4	0	0

**TABLE 4**  
**LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>24,436</u>	<u>8,127</u>	<u>16,309</u>	<u>54.4</u>	<u>33.5</u>	<u>78.9</u>
ADAMS	279	60	219	66.7	37.3	85.2
ALCORN	198	135	63	41.7	33.8	84.0
AMITE	73	22	51	47.1	24.4	78.5
ATTALA	184	32	152	59.0	24.4	84.0
BENTON	67	27	40	56.8	40.9	76.9
BOLIVAR	465	48	417	73.8	32.9	86.2
CALHOUN	117	50	67	55.4	38.8	81.7
CARROLL	56	18	38	43.8	22.5	79.2
CHICKASAW	159	66	93	56.6	42.0	75.0
CHOCTAW	64	15	49	51.2	22.7	83.0
CLAIBORNE	131	3	128	81.4	30.0	84.8
CLARKE	111	44	67	51.9	36.1	72.8
CLAY	207	35	172	67.0	34.0	83.5
COAHOMA	413	28	385	78.4	37.8	85.0
COPIAH	308	61	247	67.1	34.6	87.3
COVINGTON	177	69	108	55.5	35.9	85.0
DESOTO	864	526	338	37.1	29.9	59.6
FORREST	699	276	423	56.4	39.6	77.9
FRANKLIN	66	13	53	52.0	21.3	80.3
GEORGE	139	117	22	36.4	33.0	78.6
GREENE	56	37	19	37.1	30.6	63.3
GRENADA	193	56	137	58.0	36.4	76.5
HANCOCK	264	239	25	49.6	48.9	58.1
HARRISON	1,474	839	635	49.9	41.1	69.8
HINDS	2,594	247	2,347	67.2	28.3	78.5
HOLMES	312	11	301	82.3	30.6	87.8
HUMPHREYS	155	9	146	84.2	37.5	91.2
ISSAQUENA	9	3	6	69.2	60.0	75.0
ITAWAMBA	96	80	16	32.3	29.1	72.7
JACKSON	948	562	386	50.4	41.5	73.2
JASPER	161	33	128	64.6	35.5	82.0
JEFFERSON	86	2	84	72.3	28.6	75.0
JEFF DAVIS	127	21	106	65.1	35.0	78.5
JONES	616	305	311	55.2	41.3	82.3
KEMPER	78	6	72	62.9	16.7	81.8
LAFAYETTE	184	67	117	36.7	20.5	67.2
LAMAR	273	145	128	32.9	23.2	62.7
LAUDERDALE	698	177	521	57.4	30.3	82.4
LAWRENCE	101	41	60	47.9	30.6	77.9
LEAKE	231	74	157	58.2	39.4	75.1
LEE	607	265	342	48.9	33.8	75.0
LEFLORE	455	43	412	72.3	30.3	84.6

TABLE 4 - PAGE 2  
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2008

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	229	80	149	41.2	22.8	72.3
LOWNDES	441	117	324	49.8	25.8	75.2
MADISON	634	173	461	44.0	22.1	70.3
MARION	219	97	122	50.9	36.3	74.8
MARSHALL	351	110	241	61.0	39.0	82.2
MONROE	241	82	159	47.0	26.2	79.5
MONTGOMERY	93	16	77	56.7	25.4	76.2
NESHOPA	319	78	241	62.5	33.6	86.7
NEWTON	183	44	139	51.0	23.6	80.3
NOXUBEE	130	3	127	67.4	7.7	82.5
OKTIBBEHA	274	50	224	44.2	16.4	71.1
PANOLA	369	92	277	64.7	38.2	84.2
PEARL RIVER	407	279	128	48.4	41.3	77.6
PERRY	95	52	43	51.1	37.7	89.6
PIKE	413	77	336	60.6	30.2	78.9
PONTOTOC	186	143	43	41.8	36.4	82.7
PRENTISS	161	109	52	44.4	36.3	82.5
QUITMAN	107	8	99	78.7	38.1	86.1
RANKIN	718	433	285	35.4	27.8	59.9
SCOTT	356	167	189	65.8	52.0	85.9
SHARKEY	74	2	72	78.7	12.5	92.3
SIMPSON	202	101	101	50.6	39.4	70.6
SMITH	95	39	56	39.6	22.3	86.2
STONE	102	64	38	41.3	32.2	79.2
SUNFLOWER	360	28	332	82.4	38.9	91.0
TALLAHATCHIE	183	21	162	81.3	45.6	90.5
TATE	186	70	116	50.8	30.2	86.6
TIPPAH	126	86	40	40.4	33.8	69.0
TISHOMINGO	73	69	4	32.7	31.8	66.7
TUNICA	193	15	178	80.1	45.4	85.6
UNION	152	113	39	39.5	35.0	62.9
WALTHALL	121	35	86	54.8	34.0	72.9
WARREN	469	128	341	64.6	43.1	79.5
WASHINGTON	762	71	691	79.5	36.8	90.3
WAYNE	154	41	113	52.2	27.5	77.4
WEBSTER	52	27	25	38.5	27.3	69.4
WILKINSON	94	6	88	68.1	22.2	79.3
WINSTON	195	36	159	66.6	39.1	79.1
YALOBUSHA	100	25	75	58.5	27.8	92.6
YAZOO	322	33	289	74.4	28.7	90.9

**TABLE 5A**  
**TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>24,436</u>	<u>130</u>	<u>6,313</u>	<u>10,093</u>	<u>5,211</u>	<u>1,806</u>	<u>725</u>	<u>148</u>	<u>6</u>	<u>4</u>
ADAMS	279	2	69	117	61	18	11	0	1	0
ALCORN	198	1	62	75	43	11	5	1	0	0
AMITE	73	0	15	38	14	4	2	0	0	0
ATTALA	184	0	43	82	40	7	9	2	1	0
BENTON	67	0	22	24	15	5	1	0	0	0
BOLIVAR	465	6	114	204	96	26	15	4	0	0
CALHOUN	117	2	24	45	28	10	8	0	0	0
CARROLL	56	0	12	30	9	4	1	0	0	0
CHICKASAW	159	2	50	61	32	8	5	1	0	0
CHOCTAW	64	0	17	21	19	3	3	1	0	0
CLAIBORNE	131	0	41	47	23	13	6	1	0	0
CLARKE	111	1	33	39	25	7	6	0	0	0
CLAY	207	0	54	85	41	16	8	3	0	0
COAHOMA	413	4	119	185	75	21	8	1	0	0
COPIAH	308	2	92	130	55	17	9	3	0	0
COVINGTON	177	0	59	83	25	7	2	1	0	0
DESOTO	864	4	217	327	192	72	40	12	0	0
FORREST	699	5	186	279	158	45	24	1	1	0
FRANKLIN	66	0	13	31	14	7	1	0	0	0
GEORGE	139	0	49	60	21	5	3	1	0	0
GREENE	56	0	11	25	15	4	1	0	0	0
GRENADA	193	0	64	67	44	13	5	0	0	0
HANCOCK	264	2	75	100	61	12	12	2	0	0
HARRISON	1,474	3	317	636	364	108	41	4	0	1
HINDS	2,594	15	555	1,080	600	242	83	17	2	0
HOLMES	312	2	88	115	72	25	9	1	0	0
HUMPHREYS	155	2	38	67	41	5	0	2	0	0
ISSAQUENA	9	0	1	6	2	0	0	0	0	0
ITAWAMBA	96	0	30	38	16	9	2	0	0	1
JACKSON	948	2	260	381	193	75	32	5	0	0
JASPER	161	0	39	75	29	15	3	0	0	0
JEFFERSON	86	1	19	42	18	5	1	0	0	0
JEFF DAVIS	127	0	31	58	24	9	4	1	0	0
JONES	616	2	161	229	163	46	13	2	0	0
KEMPER	78	1	20	33	12	7	5	0	0	0
LAFAYETTE	184	0	32	86	42	18	6	0	0	0
LAMAR	273	1	73	122	54	16	7	0	0	0
LAUDERDALE	698	5	185	279	151	46	27	5	0	0
LAWRENCE	101	1	27	38	26	3	6	0	0	0
LEAKE	231	2	57	101	44	20	7	0	0	0
LEE	607	5	166	247	120	46	17	5	0	1
LEFLORE	455	4	128	191	94	29	9	0	0	0

TABLE 5A - PAGE 2  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	229	4	57	103	43	14	7	1	0	0
LOWNDES	441	1	132	172	95	29	9	3	0	0
MADISON	634	0	146	265	139	48	28	8	0	0
MARION	219	1	60	97	38	14	8	1	0	0
MARSHALL	351	1	95	162	61	24	7	1	0	0
MONROE	241	1	67	100	53	11	6	3	0	0
MONTGOMERY	93	0	33	45	10	4	0	1	0	0
NESHOBA	319	1	92	114	72	34	5	1	0	0
NEWTON	183	1	55	66	36	20	5	0	0	0
NOXUBEE	130	0	33	56	31	6	4	0	0	0
OKTIBBEHA	274	2	59	120	59	25	7	2	0	0
PANOLA	369	0	123	139	67	27	12	1	0	0
PEARL RIVER	407	5	112	170	78	29	12	1	0	0
PERRY	95	0	30	40	13	10	1	1	0	0
PIKE	413	1	106	180	83	26	12	5	0	0
PONTOTOC	186	2	57	75	30	14	6	2	0	0
PRENTISS	161	2	48	60	40	8	2	1	0	0
QUITMAN	107	1	24	54	17	9	2	0	0	0
RANKIN	718	4	157	305	158	57	29	8	0	0
SCOTT	356	4	87	157	63	29	13	3	0	0
SHARKEY	74	1	16	24	26	7	0	0	0	0
SIMPSON	202	2	73	63	37	22	3	2	0	0
SMITH	95	1	23	45	19	4	3	0	0	0
STONE	102	0	33	38	18	7	4	2	0	0
SUNFLOWER	360	0	100	157	65	27	9	2	0	0
TALLAHATCHIE	183	2	58	70	34	14	5	0	0	0
TATE	186	0	34	87	46	18	1	0	0	0
TIPPAH	126	2	40	41	26	14	2	1	0	0
TISHOMINGO	73	0	24	27	11	8	2	1	0	0
TUNICA	193	0	45	88	47	9	4	0	0	0
UNION	152	0	45	56	35	11	3	2	0	0
WALTHALL	121	0	38	54	22	7	0	0	0	0
WARREN	469	4	125	179	99	37	18	5	1	1
WASHINGTON	762	5	182	328	166	57	19	5	0	0
WAYNE	154	0	47	65	26	9	7	0	0	0
WEBSTER	52	0	13	23	12	4	0	0	0	0
WILKINSON	94	1	20	42	21	8	1	1	0	0
WINSTON	195	1	39	77	49	22	6	1	0	0
YALOBUSHA	100	1	32	44	18	5	0	0	0	0
YAZOO	322	2	85	126	77	19	6	7	0	0



**TABLE 5B**  
**LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>8,127</u>	<u>30</u>	<u>2,280</u>	<u>3,319</u>	<u>1,612</u>	<u>568</u>	<u>255</u>	<u>60</u>	<u>2</u>	<u>1</u>
ADAMS	60	0	9	25	15	6	4	0	1	0
ALCORN	135	0	42	55	27	9	1	1	0	0
AMITE	22	0	6	8	7	0	1	0	0	0
ATTALA	32	0	11	11	6	1	3	0	0	0
BENTON	27	0	13	7	5	1	1	0	0	0
BOLIVAR	48	0	14	21	10	1	1	1	0	0
CALHOUN	50	1	14	19	11	3	2	0	0	0
CARROLL	18	0	6	8	2	2	0	0	0	0
CHICKASAW	66	0	29	19	12	2	3	1	0	0
CHOCTAW	15	0	6	4	3	0	2	0	0	0
CLAIBORNE	3	0	1	1	1	0	0	0	0	0
CLARKE	44	0	15	14	9	2	4	0	0	0
CLAY	35	0	9	14	9	3	0	0	0	0
COAHOMA	28	0	12	11	5	0	0	0	0	0
COPIAH	61	0	20	23	9	5	4	0	0	0
COVINGTON	69	0	25	33	7	2	1	1	0	0
DESOTO	526	3	125	215	108	43	25	7	0	0
FORREST	276	2	67	128	48	18	12	0	1	0
FRANKLIN	13	0	4	4	2	3	0	0	0	0
GEORGE	117	0	43	53	13	4	3	1	0	0
GREENE	37	0	10	15	10	2	0	0	0	0
GRENADA	56	0	20	22	10	3	1	0	0	0
HANCOCK	239	1	70	91	53	11	11	2	0	0
HARRISON	839	2	188	353	215	57	21	3	0	0
HINDS	247	0	58	96	58	26	6	3	0	0
HOLMES	11	0	3	3	4	1	0	0	0	0
HUMPHREYS	9	0	3	4	1	0	0	1	0	0
ISSAQUENA	3	0	1	1	1	0	0	0	0	0
ITAWAMBA	80	0	26	34	12	6	2	0	0	0
JACKSON	562	0	166	212	108	47	25	4	0	0
JASPER	33	0	6	19	5	3	0	0	0	0
JEFFERSON	2	0	1	1	0	0	0	0	0	0
JEFF DAVIS	21	0	5	8	2	4	1	1	0	0
JONES	305	1	74	116	85	21	6	2	0	0
KEMPER	6	0	4	1	1	0	0	0	0	0
LAFAYETTE	67	0	11	37	9	8	2	0	0	0
LAMAR	145	0	39	65	28	7	6	0	0	0
LAUDERDALE	177	1	51	70	34	12	8	1	0	0
LAWRENCE	41	1	10	20	6	2	2	0	0	0
LEAKE	74	0	20	33	12	5	4	0	0	0
LEE	265	0	75	118	43	19	6	3	0	1
LEFLORE	43	0	11	18	8	5	1	0	0	0

TABLE 5B - PAGE 2  
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	80	1	21	41	13	1	3	0	0	0
LOWNDES	117	1	32	49	25	6	3	1	0	0
MADISON	173	0	36	64	44	14	11	4	0	0
MARION	97	1	32	39	17	5	3	0	0	0
MARSHALL	110	0	29	58	14	6	2	1	0	0
MONROE	82	1	35	30	10	4	1	1	0	0
MONTGOMERY	16	0	7	7	1	1	0	0	0	0
NESHOBA	78	0	27	28	16	6	1	0	0	0
NEWTON	44	0	16	14	8	4	2	0	0	0
NOXUBEE	3	0	1	1	1	0	0	0	0	0
OKTIBBEHA	50	0	13	19	12	4	2	0	0	0
PANOLA	92	0	39	28	14	7	3	1	0	0
PEARL RIVER	279	4	79	121	47	19	8	1	0	0
PERRY	52	0	20	16	8	8	0	0	0	0
PIKE	77	1	19	35	16	5	1	0	0	0
PONTOTOC	143	2	43	58	22	12	4	2	0	0
PRENTISS	109	2	31	42	26	6	1	1	0	0
QUITMAN	8	0	3	5	0	0	0	0	0	0
RANKIN	433	2	105	190	86	31	14	5	0	0
SCOTT	167	1	42	76	30	11	6	1	0	0
SHARKEY	2	0	0	1	1	0	0	0	0	0
SIMPSON	101	0	46	28	17	8	1	1	0	0
SMITH	39	0	9	22	6	0	2	0	0	0
STONE	64	0	21	28	8	3	2	2	0	0
SUNFLOWER	28	0	6	12	6	3	1	0	0	0
TALLAHATCHIE	21	0	12	4	2	3	0	0	0	0
TATE	70	0	17	31	18	4	0	0	0	0
TIPPAH	86	1	34	24	19	8	0	0	0	0
TISHOMINGO	69	0	24	24	10	8	2	1	0	0
TUNICA	15	0	1	8	5	1	0	0	0	0
UNION	113	0	33	39	30	8	2	1	0	0
WALTHALL	35	0	17	11	4	3	0	0	0	0
WARREN	128	0	38	44	26	13	6	1	0	0
WASHINGTON	71	1	20	34	10	4	2	0	0	0
WAYNE	41	0	13	21	4	1	2	0	0	0
WEBSTER	27	0	7	15	3	2	0	0	0	0
WILKINSON	6	0	1	4	1	0	0	0	0	0
WINSTON	36	0	10	12	10	3	0	1	0	0
YALOBUSHA	25	0	9	11	3	2	0	0	0	0
YAZOO	33	0	9	15	5	0	1	3	0	0

**TABLE 5C**  
**LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>16,309</u>	<u>100</u>	<u>4,033</u>	<u>6,774</u>	<u>3,599</u>	<u>1,238</u>	<u>470</u>	<u>88</u>	<u>4</u>	<u>3</u>
ADAMS	219	2	60	92	46	12	7	0	0	0
ALCORN	63	1	20	20	16	2	4	0	0	0
AMITE	51	0	9	30	7	4	1	0	0	0
ATTALA	152	0	32	71	34	6	6	2	1	0
BENTON	40	0	9	17	10	4	0	0	0	0
BOLIVAR	417	6	100	183	86	25	14	3	0	0
CALHOUN	67	1	10	26	17	7	6	0	0	0
CARROLL	38	0	6	22	7	2	1	0	0	0
CHICKASAW	93	2	21	42	20	6	2	0	0	0
CHOCTAW	49	0	11	17	16	3	1	1	0	0
CLAIBORNE	128	0	40	46	22	13	6	1	0	0
CLARKE	67	1	18	25	16	5	2	0	0	0
CLAY	172	0	45	71	32	13	8	3	0	0
COAHOMA	385	4	107	174	70	21	8	1	0	0
COPIAH	247	2	72	107	46	12	5	3	0	0
COVINGTON	108	0	34	50	18	5	1	0	0	0
DESOTO	338	1	92	112	84	29	15	5	0	0
FORREST	423	3	119	151	110	27	12	1	0	0
FRANKLIN	53	0	9	27	12	4	1	0	0	0
GEORGE	22	0	6	7	8	1	0	0	0	0
GREENE	19	0	1	10	5	2	1	0	0	0
GRENADA	137	0	44	45	34	10	4	0	0	0
HANCOCK	25	1	5	9	8	1	1	0	0	0
HARRISON	635	1	129	283	149	51	20	1	0	1
HINDS	2,347	15	497	984	542	216	77	14	2	0
HOLMES	301	2	85	112	68	24	9	1	0	0
HUMPHREYS	146	2	35	63	40	5	0	1	0	0
ISSAQUENA	6	0	0	5	1	0	0	0	0	0
ITAWAMBA	16	0	4	4	4	3	0	0	0	1
JACKSON	386	2	94	169	85	28	7	1	0	0
JASPER	128	0	33	56	24	12	3	0	0	0
JEFFERSON	84	1	18	41	18	5	1	0	0	0
JEFF DAVIS	106	0	26	50	22	5	3	0	0	0
JONES	311	1	87	113	78	25	7	0	0	0
KEMPER	72	1	16	32	11	7	5	0	0	0
LAFAYETTE	117	0	21	49	33	10	4	0	0	0
LAMAR	128	1	34	57	26	9	1	0	0	0
LAUDERDALE	521	4	134	209	117	34	19	4	0	0
LAWRENCE	60	0	17	18	20	1	4	0	0	0
LEAKE	157	2	37	68	32	15	3	0	0	0
LEE	342	5	91	129	77	27	11	2	0	0
LEFLORE	412	4	117	173	86	24	8	0	0	0

TABLE 5C - PAGE 2  
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2008

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	149	3	36	62	30	13	4	1	0	0
LOWNDES	324	0	100	123	70	23	6	2	0	0
MADISON	461	0	110	201	95	34	17	4	0	0
MARION	122	0	28	58	21	9	5	1	0	0
MARSHALL	241	1	66	104	47	18	5	0	0	0
MONROE	159	0	32	70	43	7	5	2	0	0
MONTGOMERY	77	0	26	38	9	3	0	1	0	0
NESHOBA	241	1	65	86	56	28	4	1	0	0
NEWTON	139	1	39	52	28	16	3	0	0	0
NOXUBEE	127	0	32	55	30	6	4	0	0	0
OKTIBBEHA	224	2	46	101	47	21	5	2	0	0
PANOLA	277	0	84	111	53	20	9	0	0	0
PEARL RIVER	128	1	33	49	31	10	4	0	0	0
PERRY	43	0	10	24	5	2	1	1	0	0
PIKE	336	0	87	145	67	21	11	5	0	0
PONTOTOC	43	0	14	17	8	2	2	0	0	0
PRENTISS	52	0	17	18	14	2	1	0	0	0
QUITMAN	99	1	21	49	17	9	2	0	0	0
RANKIN	285	2	52	115	72	26	15	3	0	0
SCOTT	189	3	45	81	33	18	7	2	0	0
SHARKEY	72	1	16	23	25	7	0	0	0	0
SIMPSON	101	2	27	35	20	14	2	1	0	0
SMITH	56	1	14	23	13	4	1	0	0	0
STONE	38	0	12	10	10	4	2	0	0	0
SUNFLOWER	332	0	94	145	59	24	8	2	0	0
TALLAHATCHIE	162	2	46	66	32	11	5	0	0	0
TATE	116	0	17	56	28	14	1	0	0	0
TIPPAH	40	1	6	17	7	6	2	1	0	0
TISHOMINGO	4	0	0	3	1	0	0	0	0	0
TUNICA	178	0	44	80	42	8	4	0	0	0
UNION	39	0	12	17	5	3	1	1	0	0
WALTHALL	86	0	21	43	18	4	0	0	0	0
WARREN	341	4	87	135	73	24	12	4	1	1
WASHINGTON	691	4	162	294	156	53	17	5	0	0
WAYNE	113	0	34	44	22	8	5	0	0	0
WEBSTER	25	0	6	8	9	2	0	0	0	0
WILKINSON	88	1	19	38	20	8	1	1	0	0
WINSTON	159	1	29	65	39	19	6	0	0	0
YALOBUSHA	75	1	23	33	15	3	0	0	0	0
YAZOO	289	2	76	111	72	19	5	4	0	0

**TABLE 6A**  
**LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,316</u>	<u>2,051</u>	<u>3,265</u>	<u>11.8</u>	<u>8.5</u>	<u>15.8</u>
ADAMS	58	13	45	13.9	8.1	17.5
ALCORN	70	56	14	14.7	14.0	18.7
AMITE	16	10	6	10.3	11.1	9.2
ATTALA	45	7	38	14.4	5.3	21.0
BENTON	19	9	10	16.1	13.6	19.2
BOLIVAR	98	10	88	15.6	6.8	18.2
CALHOUN	28	11	17	13.3	8.5	20.7
CARROLL	11	7	4	8.6	8.8	8.3
CHICKASAW	27	13	14	9.6	8.3	11.3
CHOCTAW	18	8	10	14.4	12.1	16.9
CLAIBORNE	23	1	22	14.3	10.0	14.6
CLARKE	24	14	10	11.2	11.5	10.9
CLAY	49	8	41	15.8	7.8	19.9
COAHOMA	92	6	86	17.4	8.1	19.0
COPIAH	79	16	63	17.2	9.1	22.3
COVINGTON	32	14	18	10.0	7.3	14.2
DESOTO	184	110	74	7.9	6.2	13.0
FORREST	146	60	86	11.8	8.6	15.8
FRANKLIN	23	9	14	18.1	14.8	21.2
GEORGE	53	44	9	13.9	12.4	32.1
GREENE	14	10	4	9.3	8.3	13.3
GRENADA	39	16	23	11.7	10.4	12.8
HANCOCK	37	33	4	7.0	6.7	9.3
HARRISON	290	157	133	9.8	7.7	14.6
HINDS	572	71	501	14.8	8.1	16.8
HOLMES	48	1	47	12.7	2.8	13.7
HUMPHREYS	30	2	28	16.3	8.3	17.5
ISSAQUENA	4	2	2	30.8	40.0	25.0
ITAWAMBA	29	26	3	9.8	9.4	13.6
JACKSON	180	108	72	9.6	8.0	13.7
JASPER	27	5	22	10.8	5.4	14.1
JEFFERSON	16	4	12	13.4	57.1	10.7
JEFF DAVIS	28	5	23	14.4	8.3	17.0
JONES	117	61	56	10.5	8.3	14.8
KEMPER	24	4	20	19.4	11.1	22.7
LAFAYETTE	52	25	27	10.4	7.6	15.5
LAMAR	75	43	32	9.0	6.9	15.7
LAUDERDALE	156	49	107	12.8	8.4	16.9
LAWRENCE	28	13	15	13.3	9.7	19.5
LEAKE	47	18	29	11.8	9.6	13.9
LEE	137	71	66	11.0	9.0	14.5
LEFLORE	90	19	71	14.3	13.4	14.6

TABLE 6A - PAGE 2  
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2008

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	60	33	27	10.8	9.4	13.1
LOWNDES	116	35	81	13.1	7.7	18.8
MADISON	176	69	107	12.2	8.8	16.3
MARION	43	19	24	10.0	7.1	14.7
MARSHALL	62	21	41	10.8	7.4	14.0
MONROE	58	24	34	11.3	7.7	17.0
MONTGOMERY	21	4	17	12.8	6.3	16.8
NESHOBA	46	15	31	9.0	6.5	11.2
NEWTON	39	16	23	10.9	8.6	13.3
NOXUBEE	19	0	19	9.8	-	12.3
OKTIBBEHA	66	19	47	10.6	6.2	14.9
PANOLA	57	23	34	10.0	9.5	10.3
PEARL RIVER	81	59	22	9.6	8.7	13.3
PERRY	19	15	4	10.2	10.9	8.3
PIKE	89	22	67	13.1	8.6	15.7
PONTOTOC	41	32	9	9.2	8.1	17.3
PRENTISS	47	33	14	12.9	11.0	22.2
QUITMAN	17	1	16	12.5	4.8	13.9
RANKIN	223	146	77	11.0	9.4	16.2
SCOTT	85	43	42	15.7	13.4	19.1
SHARKEY	15	1	14	16.0	6.2	17.9
SIMPSON	41	16	25	10.3	6.2	17.5
SMITH	30	15	15	12.5	8.6	23.1
STONE	20	13	7	8.1	6.5	14.6
SUNFLOWER	69	9	60	15.8	12.5	16.4
TALLAHATCHIE	44	5	39	19.6	10.9	21.8
TATE	42	21	21	11.5	9.0	15.7
TIPPAH	33	26	7	10.6	10.2	12.1
TISHOMINGO	21	20	1	9.4	9.2	16.7
TUNICA	30	3	27	12.4	9.1	13.0
UNION	43	30	13	11.2	9.3	21.0
WALTHALL	23	9	14	10.4	8.7	11.9
WARREN	101	23	78	13.9	7.7	18.2
WASHINGTON	118	14	104	12.3	7.2	13.6
WAYNE	48	16	32	16.3	10.7	21.9
WEBSTER	9	4	5	6.7	4.0	13.9
WILKINSON	17	3	14	12.3	11.1	12.6
WINSTON	40	9	31	13.6	9.8	15.4
YALOBUSHA	18	7	11	10.5	7.8	13.6
YAZOO	54	9	45	12.5	7.8	14.2

**TABLE 6B**  
**LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>969</u>	<u>323</u>	<u>646</u>	<u>2.2</u>	<u>1.3</u>	<u>3.1</u>
ADAMS	17	2	15	4.1	1.2	5.8
ALCORN	10	7	3	2.1	1.8	4.0
AMITE	2	1	1	1.3	1.1	1.5
ATTALA	5	1	4	1.6	0.8	2.2
BENTON	2	1	1	1.7	1.5	1.9
BOLIVAR	21	3	18	3.3	2.0	3.7
CALHOUN	8	2	6	3.8	1.6	7.3
CARROLL	3	2	1	2.3	2.5	2.1
CHICKASAW	1	0	1	0.4	-	0.8
CHOCTAW	3	3	0	2.4	4.5	-
CLAIBORNE	1	0	1	0.6	-	0.7
CLARKE	5	2	3	2.3	1.6	3.3
CLAY	10	1	9	3.2	1.0	4.4
COAHOMA	15	1	14	2.8	1.4	3.1
COPIAH	18	3	15	3.9	1.7	5.3
COVINGTON	7	2	5	2.2	1.0	3.9
DESOTO	29	16	13	1.2	0.9	2.3
FORREST	34	13	21	2.7	1.9	3.9
FRANKLIN	4	0	4	3.2	-	6.1
GEORGE	15	12	3	3.9	3.4	10.7
GREENE	3	2	1	2.0	1.6	3.3
GRENADA	9	4	5	2.7	2.6	2.8
HANCOCK	4	4	0	0.8	0.8	-
HARRISON	59	30	29	2.0	1.5	3.2
HINDS	96	10	86	2.5	1.1	2.9
HOLMES	6	0	6	1.6	-	1.7
HUMPHREYS	4	0	4	2.2	-	2.5
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	4	3	1	1.3	1.1	4.5
JACKSON	38	15	23	2.0	1.1	4.4
JASPER	6	1	5	2.4	1.1	3.2
JEFFERSON	1	1	0	0.8	14.3	-
JEFF DAVIS	5	1	4	2.6	1.7	3.0
JONES	23	11	12	2.1	1.5	3.2
KEMPER	4	0	4	3.2	-	4.5
LAFAYETTE	10	6	4	2.0	1.8	2.3
LAMAR	11	9	2	1.3	1.4	1.0
LAUDERDALE	33	9	24	2.7	1.5	3.8
LAWRENCE	5	3	2	2.4	2.2	2.6
LEAKE	13	5	8	3.3	2.7	3.8
LEE	19	6	13	1.5	0.8	2.8
LEFLORE	18	8	10	2.9	5.6	2.0

TABLE 6B - PAGE 2  
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2008

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7	5	2	1.2	1.4	1.0
LOWNDES	21	6	15	2.4	1.3	3.5
MADISON	28	5	23	1.9	0.6	3.5
MARION	8	2	6	1.9	0.7	3.7
MARSHALL	11	1	10	1.9	0.4	3.4
MONROE	12	6	6	2.3	1.9	3.0
MONTGOMERY	4	0	4	2.4	-	4.0
NESHOBA	7	0	7	1.4	-	2.5
NEWTON	3	0	3	0.8	-	1.7
NOXUBEE	3	0	3	1.6	-	1.9
OKTIBBEHA	11	5	6	1.8	1.6	1.9
PANOLA	7	3	4	1.2	1.2	1.2
PEARL RIVER	13	7	6	1.5	1.0	3.6
PERRY	4	3	1	2.2	2.2	2.1
PIKE	18	2	16	2.6	0.8	3.8
PONTOTOC	8	5	3	1.8	1.3	5.8
PRENTISS	10	7	3	2.8	2.3	4.8
QUITMAN	4	0	4	2.9	-	3.5
RANKIN	39	22	17	1.9	1.4	3.6
SCOTT	16	7	9	3.0	2.2	4.1
SHARKEY	6	0	6	6.4	-	7.7
SIMPSON	8	3	5	2.0	1.2	3.5
SMITH	5	3	2	2.1	1.7	3.1
STONE	3	1	2	1.2	0.5	4.2
SUNFLOWER	8	1	7	1.8	1.4	1.9
TALLAHATCHIE	10	2	8	4.4	4.3	4.5
TATE	12	5	7	3.3	2.2	5.2
TIPPAH	3	3	0	1.0	1.2	-
TISHOMINGO	2	2	0	0.9	0.9	-
TUNICA	3	0	3	1.2	-	1.4
UNION	4	1	3	1.0	0.3	4.8
WALTHALL	4	1	3	1.8	1.0	2.5
WARREN	23	5	18	3.2	1.7	4.2
WASHINGTON	26	4	22	2.7	2.1	2.9
WAYNE	7	2	5	2.4	1.3	3.4
WEBSTER	3	1	2	2.2	1.0	5.6
WILKINSON	1	0	1	0.7	-	0.9
WINSTON	12	2	10	4.1	2.2	5.0
YALOBUSHA	1	0	1	0.6	-	1.2
YAZOO	13	1	12	3.0	0.9	3.8



**TABLE 7**  
**PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>7,962</u>	<u>3,509</u>	<u>4,453</u>	<u>17.7</u>	<u>14.5</u>	<u>21.5</u>
ADAMS	88	29	59	21.0	18.0	23.0
ALCORN	91	70	21	19.2	17.5	28.0
AMITE	19	11	8	12.2	12.2	12.3
ATTALA	58	19	39	18.6	14.5	21.5
BENTON	25	11	14	21.2	16.7	26.9
BOLIVAR	137	18	119	21.7	12.3	24.6
CALHOUN	42	19	23	19.9	14.7	28.0
CARROLL	19	9	10	14.8	11.2	20.8
CHICKASAW	43	19	24	15.3	12.1	19.4
CHOCTAW	24	13	11	19.2	19.7	18.6
CLAIBORNE	37	2	35	23.0	20.0	23.2
CLARKE	37	18	19	17.3	14.8	20.6
CLAY	59	11	48	19.1	10.7	23.3
COAHOMA	149	14	135	28.3	18.9	29.8
COPIAH	117	25	92	25.5	14.2	32.5
COVINGTON	53	21	32	16.6	10.9	25.2
DESOTO	220	149	71	9.4	8.5	12.5
FORREST	196	99	97	15.8	14.2	17.9
FRANKLIN	24	10	14	18.9	16.4	21.2
GEORGE	72	64	8	18.8	18.1	28.6
GREENE	20	15	5	13.2	12.4	16.7
GRENADA	57	29	28	17.1	18.8	15.6
HANCOCK	68	62	6	12.8	12.7	14.0
HARRISON	480	278	202	16.3	13.6	22.2
HINDS	943	176	767	24.4	20.2	25.7
HOLMES	88	10	78	23.2	27.8	22.7
HUMPHREYS	29	2	27	15.8	8.3	16.9
ISSAQUENA	4	3	1	30.8	60.0	12.5
ITAWAMBA	37	33	4	12.4	12.0	18.2
JACKSON	282	192	90	15.0	14.2	17.1
JASPER	50	12	38	20.1	12.9	24.4
JEFFERSON	25	5	20	21.0	71.4	17.8
JEFF DAVIS	40	12	28	20.5	20.0	20.7
JONES	192	111	81	17.2	15.0	21.4
KEMPER	21	4	17	16.9	11.1	19.3
LAFAYETTE	64	33	31	12.8	10.1	17.8
LAMAR	124	84	40	14.9	13.4	19.6
LAUDERDALE	241	109	132	19.8	18.7	20.9
LAWRENCE	38	23	15	18.0	17.2	19.5
LEAKE	75	33	42	18.9	17.6	20.1
LEE	175	99	76	14.1	12.6	16.7
LEFLORE	112	20	92	17.8	14.1	18.9

TABLE 7 - PAGE 2  
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2008

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	89	49	40	16.0	14.0	19.4
LOWNDES	169	78	91	19.1	17.2	21.1
MADISON	337	172	165	23.4	22.0	25.2
MARION	72	30	42	16.7	11.2	25.8
MARSHALL	57	25	32	9.9	8.9	10.9
MONROE	104	54	50	20.3	17.2	25.0
MONTGOMERY	26	5	21	15.8	7.9	20.8
NESHOBA	84	27	57	16.5	11.6	20.5
NEWTON	69	32	37	19.2	17.2	21.4
NOXUBEE	39	1	38	20.2	2.6	24.7
OKTIBBEHA	84	29	55	13.5	9.5	17.5
PANOLA	61	25	36	10.7	10.4	10.9
PEARL RIVER	121	84	37	14.4	12.4	22.4
PERRY	33	23	10	17.7	16.7	20.8
PIKE	92	34	58	13.5	13.3	13.6
PONTOTOC	54	48	6	12.1	12.2	11.5
PRENTISS	66	53	13	18.2	17.7	20.6
QUITMAN	25	4	21	18.4	19.0	18.3
RANKIN	404	286	118	19.9	18.4	24.8
SCOTT	107	57	50	19.8	17.8	22.7
SHARKEY	16	0	16	17.0	-	20.5
SIMPSON	81	45	36	20.3	17.6	25.2
SMITH	52	36	16	21.7	20.6	24.6
STONE	39	32	7	15.8	16.1	14.6
SUNFLOWER	92	9	83	21.0	12.5	22.7
TALLAHATCHIE	53	10	43	23.6	21.7	24.0
TATE	45	29	16	12.3	12.5	11.9
TIPPAH	54	43	11	17.3	16.9	19.0
TISHOMINGO	24	23	1	10.8	10.6	16.7
TUNICA	41	3	38	17.0	9.1	18.3
UNION	54	33	21	14.0	10.2	33.9
WALTHALL	36	16	20	16.3	15.5	16.9
WARREN	153	45	108	21.1	15.2	25.2
WASHINGTON	195	20	175	20.4	10.4	22.9
WAYNE	59	25	34	20.0	16.8	23.3
WEBSTER	21	13	8	15.6	13.1	22.2
WILKINSON	25	2	23	18.1	7.4	20.7
WINSTON	47	11	36	16.0	12.0	17.9
YALOBUSHA	20	7	13	11.7	7.8	16.0
YAZOO	87	15	72	20.1	13.0	22.6

\* GESTATION LESS THAN 37 WEEKS.

**TABLE 8**  
**REPORTABLE \* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 2008**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>468</u>	<u>144</u>	<u>324</u>	<u>470</u>	<u>151</u>	<u>319</u>	<u>10.5</u>	<u>6.2</u>	<u>15.4</u>
ADAMS	21	0	21	13	0	13	31.1	-	50.6
ALCORN	6	6	0	5	5	0	10.5	12.5	-
AMITE	0	0	0	3	0	3	19.4	-	46.2
ATTALA	1	0	1	8	1	7	25.6	7.6	38.7
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	7	1	6	10	1	9	15.9	6.8	18.6
CALHOUN	0	0	0	3	2	1	14.2	15.5	12.2
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	1	1	0	4	2	2	14.2	12.7	16.1
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	1	0	1	6.2	-	6.6
CLARKE	0	0	0	5	0	5	23.4	-	54.3
CLAY	7	0	7	4	0	4	12.9	-	19.4
COAHOMA	8	3	5	3	0	3	5.7	-	6.6
COPIAH	0	0	0	4	2	2	8.7	11.4	7.1
COVINGTON	0	0	0	2	1	1	6.3	5.2	7.9
DESOTO	13	5	8	13	7	6	5.6	4.0	10.6
FORREST	21	12	9	9	5	4	7.3	7.2	7.4
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	2	1	1	4	3	1	10.5	8.5	35.7
GREENE	0	0	0	1	0	1	6.6	-	33.3
GRENADA	4	1	3	2	0	2	6.0	-	11.2
HANCOCK	1	1	0	2	2	0	3.8	4.1	-
HARRISON	19	9	10	19	9	10	6.4	4.4	11.0
HINDS	125	22	103	51	2	49	13.2	2.3	16.4
HOLMES	0	0	0	3	0	3	7.9	-	8.7
HUMPHREYS	2	0	2	4	0	4	21.7	-	25.0
ISSAQUENA	0	0	0	1	1	0	76.9	200.0	-
ITAWAMBA	0	0	0	4	4	0	13.5	14.5	-
JACKSON	10	6	4	13	7	6	6.9	5.2	11.4
JASPER	0	0	0	5	0	5	20.1	-	32.0
JEFFERSON	0	0	0	2	0	2	16.8	-	17.8
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	15	1	14	7	3	4	6.3	4.1	10.6
KEMPER	1	0	1	1	0	1	8.1	-	11.4
LAFAYETTE	11	6	5	6	6	0	12.0	18.3	-
LAMAR	8	1	7	6	1	5	7.2	1.6	24.5
LAUDERDALE	36	10	26	15	5	10	12.3	8.6	15.8
LAWRENCE	0	0	0	1	0	1	4.7	-	13.0
LEAKE	0	0	0	4	2	2	10.1	10.6	9.6
LEE	29	19	10	17	10	7	13.7	12.7	15.4
LEFLORE	5	0	5	1	0	1	1.6	-	2.0

TABLE 8 - PAGE 2  
 FETAL DEATHS - MISSISSIPPI - 2008

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7	4	3	6	4	2	10.8	11.4	9.7
LOWNDES	11	3	8	10	0	10	11.3	-	23.2
MADISON	5	0	5	17	3	14	11.8	3.8	21.3
MARION	0	0	0	4	1	3	9.3	3.7	18.4
MARSHALL	0	0	0	7	3	4	12.2	10.6	13.6
MONROE	6	3	3	3	0	3	5.8	-	15.0
MONTGOMERY	0	0	0	0	0	0	-	-	-
NESHOBA	2	1	1	7	2	5	13.7	8.6	18.0
NEWTON	0	0	0	11	3	8	30.6	16.1	46.2
NOXUBEE	0	0	0	5	1	4	25.9	25.6	26.0
OKTIBBEHA	9	1	8	4	1	3	6.4	3.3	9.5
PANOLA	2	0	2	9	2	7	15.8	8.3	21.3
PEARL RIVER	3	3	0	5	4	1	6.0	5.9	6.1
PERRY	0	0	0	1	0	1	5.4	-	20.8
PIKE	5	0	5	7	2	5	10.3	7.8	11.7
PONTOTOC	0	0	0	4	4	0	9.0	10.2	-
PRENTISS	0	0	0	4	3	1	11.0	10.0	15.9
QUITMAN	0	0	0	1	0	1	7.4	-	8.7
RANKIN	28	16	12	12	7	5	5.9	4.5	10.5
SCOTT	1	0	1	10	3	7	18.5	9.3	31.8
SHARKEY	1	0	1	3	0	3	31.9	-	38.5
SIMPSON	1	0	1	10	7	3	25.1	27.3	21.0
SMITH	0	0	0	3	0	3	12.5	-	46.2
STONE	0	0	0	2	2	0	8.1	10.0	-
SUNFLOWER	3	0	3	6	0	6	13.7	-	16.4
TALLAHATCHIE	0	0	0	7	2	5	31.1	43.5	27.9
TATE	2	1	1	4	3	1	10.9	12.9	7.5
TIPPAH	0	0	0	3	2	1	9.6	7.9	17.2
TISHOMINGO	0	0	0	3	3	0	13.4	13.8	-
TUNICA	0	0	0	2	0	2	8.3	-	9.6
UNION	7	4	3	0	0	0	-	-	-
WALTHALL	1	0	1	4	0	4	18.1	-	33.9
WARREN	6	1	5	3	2	1	4.1	6.7	2.3
WASHINGTON	12	2	10	13	2	11	13.6	10.4	14.4
WAYNE	2	0	2	3	0	3	10.2	-	20.5
WEBSTER	0	0	0	1	0	1	7.4	-	27.8
WILKINSON	0	0	0	3	1	2	21.7	37.0	18.0
WINSTON	1	0	1	5	2	3	17.1	21.7	14.9
YALOBUSHA	0	0	0	0	0	0	-	-	-
YAZOO	0	0	0	12	1	11	27.7	8.7	34.6
OUT OF STATE	18	14	4	16	7	9			

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 9**  
**DEATHS, BY PLACE OF OCCURRENCE AND RACE,**  
**ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 2008**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>28,399</u>	<u>19,077</u>	<u>9,322</u>	<u>28,867</u>	<u>19,434</u>	<u>9,433</u>	<u>9.8</u>	<u>10.9</u>	<u>8.1</u>
ADAMS	464	241	223	437	225	212	14.0	16.9	11.8
ALCORN	459	433	26	463	424	39	13.0	13.6	8.7
AMITE	72	55	17	167	112	55	12.6	15.3	9.2
ATTALA	239	166	73	288	192	96	14.6	17.0	11.5
BENTON	47	38	9	103	86	17	12.7	16.4	5.9
BOLIVAR	375	141	234	437	163	274	11.7	13.3	11.0
CALHOUN	121	96	25	189	149	40	13.0	14.6	9.2
CARROLL	49	36	13	91	55	36	8.8	8.2	9.8
CHICKASAW	110	83	27	181	123	58	9.6	11.4	7.2
CHOCTAW	73	47	26	104	73	31	11.4	11.9	10.5
CLAIBORNE	65	12	53	97	19	78	8.9	11.5	8.5
CLARKE	116	83	33	208	137	71	12.0	12.2	11.5
CLAY	166	91	75	222	112	110	10.6	12.6	9.2
COAHOMA	336	104	232	333	109	224	12.2	16.6	10.8
COPIAH	185	98	87	292	157	135	10.0	11.2	8.8
COVINGTON	186	131	55	243	170	73	11.8	13.3	9.4
DESOTO	941	748	193	969	838	131	6.3	7.1	3.5
FORREST	1,094	792	302	711	500	211	9.0	10.1	7.1
FRANKLIN	55	31	24	91	60	31	10.9	11.6	9.8
GEORGE	190	178	12	235	215	20	10.5	10.7	8.3
GREENE	71	59	12	114	94	20	8.2	9.6	5.0
GRENADA	262	168	94	272	170	102	11.8	13.0	10.3
HANCOCK	284	269	15	379	359	20	9.4	9.9	5.0
HARRISON	1,792	1,452	340	1,660	1,333	327	9.3	10.5	6.3
HINDS	3,581	1,801	1,780	1,992	841	1,151	8.0	10.7	6.8
HOLMES	134	48	86	200	49	151	9.7	13.0	9.0
HUMPHREYS	76	20	56	93	33	60	9.2	12.4	8.1
ISSAQUENA	2	1	1	9	5	4	5.4	7.4	4.0
ITAWAMBA	164	154	10	291	272	19	12.6	12.7	10.4
JACKSON	1,070	872	198	1,111	909	202	8.5	9.4	5.9
JASPER	95	63	32	166	89	77	9.1	10.3	8.0
JEFFERSON	47	14	33	71	22	49	8.0	18.5	6.4
JEFF DAVIS	89	41	48	128	62	66	10.1	11.9	8.9
JONES	662	489	173	723	545	178	10.8	11.4	9.2
KEMPER	41	24	17	102	43	59	10.2	11.5	9.4
LAFAYETTE	547	400	147	376	291	85	8.6	9.1	7.1
LAMAR	420	354	66	361	314	47	7.3	7.8	5.3
LAUDERDALE	1,454	904	550	932	632	300	11.9	14.2	8.9
LAWRENCE	93	76	17	153	122	31	11.4	13.7	6.9
LEAKE	199	137	62	250	166	84	10.9	13.2	8.2
LEE	1,562	1,260	302	859	702	157	10.6	12.0	6.9
LEFLORE	466	163	303	360	145	215	10.2	15.0	8.4

TABLE 9 - PAGE 2  
DEATHS - MISSISSIPPI - 2008

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	288	218	70	378	282	96	10.8	11.8	8.7
LOWNDES	587	367	220	543	352	191	9.2	10.8	7.2
MADISON	914	605	309	1,038	669	369	11.4	12.2	10.2
MARION	259	196	63	324	235	89	12.5	13.8	10.0
MARSHALL	236	160	76	355	228	127	9.6	12.1	6.9
MONROE	316	244	72	387	292	95	10.4	11.4	8.1
MONTGOMERY	105	68	37	161	106	55	14.3	17.6	10.5
NESHOBA	209	139	70	315	192	123	10.3	10.0	10.9
NEWTON	143	98	45	239	163	76	10.7	11.3	9.6
NOXUBEE	68	20	48	113	31	82	9.6	8.8	9.8
OKTIBBEHA	279	170	109	306	178	128	7.0	6.8	7.2
PANOLA	258	165	93	362	217	145	10.2	11.8	8.4
PEARL RIVER	432	391	41	611	543	68	10.6	11.1	8.0
PERRY	82	70	12	119	98	21	9.7	10.5	7.2
PIKE	581	322	259	505	267	238	12.6	13.5	11.8
PONTOTOC	147	134	13	233	211	22	8.0	8.6	4.8
PRENTISS	187	176	11	257	231	26	10.0	10.6	6.6
QUITMAN	67	28	39	115	43	72	13.2	16.5	11.8
RANKIN	678	539	139	926	768	158	6.6	7.0	5.1
SCOTT	226	144	82	304	190	114	10.5	10.9	10.0
SHARKEY	44	18	26	61	23	38	11.0	14.0	9.7
SIMPSON	270	207	63	306	230	76	10.9	12.7	7.6
SMITH	74	65	9	149	120	29	9.4	10.1	7.4
STONE	110	94	16	164	141	23	10.2	11.0	7.1
SUNFLOWER	240	87	153	325	111	214	10.6	13.6	9.5
TALLAHATCHIE	81	38	43	141	62	79	10.8	12.4	9.8
TATE	159	128	31	248	195	53	9.1	10.6	6.0
TIPPAH	194	170	24	245	214	31	11.6	12.3	8.0
TISHOMINGO	165	161	4	247	238	9	13.0	13.2	10.1
TUNICA	70	31	39	121	46	75	11.6	16.2	9.8
UNION	223	194	29	245	218	27	9.0	9.6	6.0
WALTHALL	125	84	41	196	136	60	12.7	16.3	8.5
WARREN	534	312	222	487	283	204	10.1	11.5	8.6
WASHINGTON	590	219	371	622	234	388	11.3	14.0	10.1
WAYNE	229	164	65	254	179	75	12.2	14.2	9.2
WEBSTER	129	104	25	148	116	32	15.0	15.0	15.0
WILKINSON	148	75	73	141	52	89	13.7	16.7	12.4
WINSTON	209	132	77	275	172	103	14.0	16.3	11.4
YALOBUSHA	95	69	26	173	121	52	12.7	14.9	9.4
YAZOO	194	98	96	265	130	135	9.3	10.4	8.5
OUT OF STATE	1,415	1,012	403	947	655	292			

\* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3  
DEATHS - MISSISSIPPI - 2008

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	404	337	67
BRANDON	244	222	22
BROOKHAVEN	202	135	67
CANTON	129	32	97
CLARKSDALE	244	80	164
CLEVELAND	183	85	98
CLINTON	191	126	65
COLUMBUS	297	178	119
CORINTH	253	219	34
GAUTIER	123	102	21
GREENVILLE	454	154	300
GREENWOOD	198	80	118
GRENADA	205	120	85
GULFPORT	719	500	219
HATTIESBURG	486	295	191
INDIANOLA	126	39	87
JACKSON	1,463	516	947
LAUREL	266	175	91
LONG BEACH	113	108	5
MCCOMB	261	135	126
MERIDIAN	560	327	233
MOSS POINT	173	72	101
NATCHEZ	299	158	141
OCEAN SPRINGS	225	200	25
PASCAGOULA	175	141	34
PEARL	166	144	22
PICAYUNE	155	112	43
RIDGELAND	565	419	146
SOUTHAVEN	301	261	40
STARKVILLE	169	109	60
TUPELO	411	343	68
VICKSBURG	336	159	177
YAZOO CITY	161	64	97

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 10A**  
**DEATHS, BY CAUSE AND RACE,**  
**(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)**  
**MISSISSIPPI RESIDENTS, 2008**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,867</u>	<u>19,434</u>	<u>9,433</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>881</u>	<u>453</u>	<u>428</u>
<u>001-008</u>	Intestinal infectious diseases	<u>25</u>	<u>20</u>	<u>5</u>
<u>002-007</u>	Other intestinal infectious diseases	<u>25</u>	<u>20</u>	<u>5</u>
003	Paratyphoid fevers and other salmonella infections	1	0	1
007	Intestinal infections due to other specified organisms	24	20	4
<u>009-010</u>	<u>Tuberculosis</u>	<u>12</u>	<u>4</u>	<u>8</u>
009	Respiratory tuberculosis	10	4	6
010	Other tuberculosis	2	0	2
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>606</u>	<u>339</u>	<u>267</u>
015	Whooping cough	1	1	0
018	Septicemia	584	323	261
019	Other zoonotic and bacterial diseases	21	15	6
<u>028-044</u>	<u>Viral diseases</u>	<u>218</u>	<u>76</u>	<u>142</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	2	2	0
033	Herpesviral (herpes simplex) infections	3	1	2
038	Viral hepatitis	53	38	15
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>151</u>	<u>27</u>	<u>124</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	61	12	49
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	7	1	6
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	6	2	4
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	22	3	19
043	Unspecified human immunodeficiency virus (HIV) disease	55	9	46
044	All other and unspecified viral diseases	9	8	1
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>20</u>	<u>14</u>	<u>6</u>
045	Mycoses	7	4	3
054	Sequelae of poliomyelitis	4	4	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	9	6	3
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,269</u>	<u>4,219</u>	<u>2,050</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,141</u>	<u>4,127</u>	<u>2,014</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>104</u>	<u>66</u>	<u>38</u>
057	Malignant neoplasms of tongue	13	12	1
058	Malignant neoplasms of pharynx	64	35	29
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	27	19	8
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,500</u>	<u>948</u>	<u>552</u>
060	Malignant neoplasms of esophagus	139	84	55



Table 10A - Page 2  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
061	Malignant neoplasms of stomach	137	63	74
062	Malignant neoplasms of small intestine	11	6	5
063	Malignant neoplasms of colon	520	327	193
064	Malignant neoplasms of rectosigmoid junction and rectum	82	63	19
065	Malignant neoplasms of anus and anal canal	3	2	1
066	Malignant neoplasms of liver	200	132	68
067	Intrahepatic bile duct carcinoma	23	16	7
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	21	12	9
069	Malignant neoplasms of pancreas	355	238	117
070	Malignant neoplasms of other and ill-defined digestive organs	9	5	4
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,040</u>	<u>1,466</u>	<u>574</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	4	3	1
072	Malignant neoplasms of larynx	41	20	21
073	Malignant neoplasms of trachea, bronchus and lung	1,991	1,439	552
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	3	3	0
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	1	1	0
076	Malignant neoplasms of bone and articular cartilage	37	20	17
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>89</u>	<u>79</u>	<u>10</u>
077	Malignant melanoma of skin	63	58	5
078	Other malignant neoplasms of skin	26	21	5
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>45</u>	<u>30</u>	<u>15</u>
079	Mesothelioma	14	12	2
081	Malignant neoplasms of other mesothelial and soft tissue	31	18	13
082	Malignant neoplasm of breast	418	254	164
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>254</u>	<u>155</u>	<u>99</u>
083	Malignant neoplasms of vulva and vagina	14	12	2
084	Malignant neoplasms of cervix uteri	60	26	34
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	59	29	30
086	Malignant neoplasms of ovary	119	87	32
087	Malignant neoplasms of other and unspecified female genital organs	2	1	1
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>328</u>	<u>168</u>	<u>160</u>
089	Malignant neoplasms of prostate	324	165	159
090	Malignant neoplasms of testis	2	1	1
091	Malignant neoplasms of penis and other and unspecified male genital organs	2	2	0
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>244</u>	<u>179</u>	<u>65</u>
092	Malignant neoplasms of kidney and renal pelvis	147	99	48
093	Malignant neoplasms of bladder	93	76	17
094	Malignant neoplasms of other and unspecified sites within the urinary tract	4	4	0
095	Malignant neoplasm of eye and adnexa	3	2	1
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>137</u>	<u>109</u>	<u>28</u>
096	Malignant neoplasms of brain	136	108	28
097	Malignant neoplasms of other parts of central nervous system	1	1	0
098	Malignant neoplasms of thyroid and other endocrine glands	22	14	8

Table 10A - Page 3  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
099	Other malignant neoplasms of other and unspecified sites	404	251	153
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>516</u>	<u>386</u>	<u>130</u>
100	Hodgkin's disease	7	6	1
101	Non-Hodgkin's lymphoma	191	159	32
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	1	1	0
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	108	59	49
<u>105-108</u>	<u>Leukemia</u>	<u>208</u>	<u>160</u>	<u>48</u>
105	Lymphoid leukemia	35	26	9
106	Myeloid leukemia	84	68	16
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	87	64	23
110	Carcinoma in situ of other and unspecified sites	1	0	1
<u>111-113</u>	<u>Benign neoplasms</u>	<u>10</u>	<u>5</u>	<u>5</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	5	2	3
113	Benign neoplasms of other and unspecified sites	5	3	2
114	Neoplasms of uncertain or unknown behavior of specified sites	110	83	27
115	Neoplasm of uncertain or unknown behavior of unspecified sites	7	4	3
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>128</u>	<u>69</u>	<u>59</u>
<u>116-119</u>	<u>Anemias</u>	<u>66</u>	<u>35</u>	<u>31</u>
116	Nutritional anemias	4	2	2
117	Hemolytic anemias	17	0	17
118	Aplastic anemias	11	9	2
119	Acute posthemorrhagic and other anemias	34	24	10
120	Coagulation defects, purpura and other hemorrhagic conditions	27	18	9
121	Other diseases of blood and blood-forming organs	16	14	2
122	Certain disorders involving the immune mechanism	19	2	17
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,034</u>	<u>536</u>	<u>498</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>781</u>	<u>377</u>	<u>404</u>
123	Disorders of thyroid gland	11	5	6
124	Diabetes mellitus	753	361	392
125	Disorders of pituitary gland	2	2	0
126	Disorders of adrenal glands	2	2	0
128	Other endocrine diseases	13	7	6
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>38</u>	<u>24</u>	<u>14</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>37</u>	<u>24</u>	<u>13</u>
130	Other and unspecified malnutrition	37	24	13
131	Other nutritional deficiencies	1	0	1
132	Obesity and other hyperalimentation	60	33	27
<u>133-135</u>	<u>Metabolic disorders</u>	<u>155</u>	<u>102</u>	<u>53</u>

Table 10A - Page 4  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
133	Cystic fibrosis	5	5	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	92	56	36
135	Other metabolic disorders	58	41	17
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>835</u>	<u>640</u>	<u>195</u>
136	Organic dementia	723	565	158
137	Other and unspecified organic mental disorders	8	6	2
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>63</u>	<u>38</u>	<u>25</u>
138	Mental and behavioral disorders due to use of alcohol	45	28	17
139	Mental and behavioral disorders due to other psychoactive substance use	18	10	8
140	Schizophrenia, schizotypal and delusional disorders	7	6	1
141	Mood (affective) disorders	18	12	6
142	Neurotic, stress-related and somatoform disorders	5	5	0
143	Mental retardation	9	7	2
144	Other and unspecified mental and behavioral disorders	2	1	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,394</u>	<u>1,115</u>	<u>279</u>
145	Meningitis	5	4	1
146	Other inflammatory diseases of central nervous system	6	5	1
147	Parkinson's disease	151	138	13
148	Alzheimer's disease	914	753	161
149	Multiple sclerosis	19	12	7
150	Epilepsy	13	7	6
151	Transient cerebral ischemic attacks and related syndromes	1	1	0
152	Infantile cerebral palsy	25	11	14
153	All other diseases of nervous system	260	184	76
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,231</u>	<u>6,821</u>	<u>3,410</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>10,180</u>	<u>6,789</u>	<u>3,391</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>14</u>	<u>10</u>	<u>4</u>
157	Rheumatic mitral valve diseases	9	6	3
159	Disorders of both mitral and aortic valves	3	3	0
160	Other chronic rheumatic heart diseases	2	1	1
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,261</u>	<u>628</u>	<u>633</u>
161	Essential (primary) hypertension	293	160	133
162	Hypertensive heart disease	746	377	369
163	Hypertensive renal disease	163	65	98
164	Hypertensive heart and renal disease	59	26	33
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,100</u>	<u>2,972</u>	<u>1,128</u>
165	Acute myocardial infarction	1,800	1,241	559
166	Other acute ischemic heart diseases	16	13	3
167	Atherosclerotic cardiovascular disease, so described	597	458	139

Table 10A - Page 5  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
168	All other forms of chronic ischemic heart disease	1,687	1,260	427
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>192</u>	<u>112</u>	<u>80</u>
169	Pulmonary embolism	138	82	56
170	Other pulmonary heart disease and diseases of pulmonary circulation	54	30	24
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,859</u>	<u>1,968</u>	<u>891</u>
171	Acute and subacute endocarditis	10	6	4
172	Diseases of pericardium and acute myocarditis	8	6	2
173	Nonrheumatic mitral valve disorders	11	9	2
174	Nonrheumatic aortic valve disorders	85	69	16
175	All other diseases of endocardium	40	29	11
176	Cardiomyopathy	253	139	114
177	Conduction disorders and cardiac dysrhythmias	819	532	287
178	Congestive heart failure	1,202	880	322
179	Other and unspecified heart failure	118	80	38
180	Myocarditis, unspecified and myocardial degeneration	9	5	4
181	All other and ill-defined forms of heart disease	304	213	91
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,559</u>	<u>957</u>	<u>602</u>
182	Subarachnoid hemorrhage	56	33	23
183	Intracerebral and other intracranial hemorrhage	289	158	131
184	Cerebral infarction	73	48	25
185	Stroke, not specified as hemorrhage or infarction	958	602	356
186	Other cerebrovascular diseases and their sequelae	183	116	67
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>195</u>	<u>142</u>	<u>53</u>
187	Atherosclerosis	29	22	7
188	Aortic aneurysm and dissection	96	72	24
189	Other diseases of arteries, arterioles and capillaries	70	48	22
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>51</u>	<u>32</u>	<u>19</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	32	22	10
191	All other and unspecified disorders of circulatory system	19	10	9
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,733</u>	<u>2,133</u>	<u>600</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
194	Other and unspecified acute upper respiratory infections	2	1	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,731</u>	<u>2,132</u>	<u>599</u>
195	Influenza	16	14	2
<u>196-198</u>	<u>Pneumonia</u>	<u>614</u>	<u>428</u>	<u>186</u>
196	Viral pneumonia, not elsewhere classified	1	0	1
197	Bacterial pneumonia	27	21	6
198	Pneumonia due to other or unspecified organisms	586	407	179
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
199	Acute bronchitis and bronchiolitis	4	3	1
201	Other diseases of upper respiratory tract	9	4	5
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,499</u>	<u>1,266</u>	<u>233</u>
202	Bronchitis, not specified as acute or chronic	3	3	0
203	Chronic bronchitis	4	4	0
204	Emphysema	106	87	19
205	Other chronic obstructive pulmonary disease	1,333	1,149	184
206	Asthma	44	14	30
207	Bronchiectasis	9	9	0

Table 10A - Page 6  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>185</u>	<u>123</u>	<u>62</u>
208	Pneumoconioses and chemical effects	9	7	2
209	Pneumonitis due to food and vomit	176	116	60
212	Suppurative and necrotic conditions of lower respiratory tract	9	5	4
213	Pleural effusion and plaque	13	11	2
214	All other diseases of respiratory system	382	278	104
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>933</u>	<u>668</u>	<u>265</u>
215	Diseases of oral cavity, salivary glands and jaws	1	1	0
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>932</u>	<u>667</u>	<u>265</u>
216	Diseases of esophagus	17	11	6
<u>217-220</u>	<u>Peptic ulcer</u>	<u>29</u>	<u>17</u>	<u>12</u>
217	Gastric ulcer	10	3	7
218	Duodenal ulcer	9	8	1
219	Peptic ulcer, site unspecified	9	5	4
220	Gastrojejunal ulcer	1	1	0
221	Gastritis and duodenitis	2	1	1
222	Dyspepsia and other diseases of stomach and duodenum	11	6	5
223	Diseases of appendix	2	2	0
224	Hernia	22	18	4
225	Crohn's disease and ulcerative colitis	9	8	1
226	Vascular disorders and obstruction of intestine without hernia	144	100	44
227	Diverticular disease of intestine	30	26	4
228	Other diseases of intestines and peritoneum	49	28	21
229	Diseases of peritoneum	18	12	6
<u>230-233</u>	<u>Diseases of liver</u>	<u>407</u>	<u>312</u>	<u>95</u>
230	Alcoholic liver disease	90	56	34
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	177	144	33
233	Other diseases of liver	139	111	28
234	Cholelithiasis and other disorders of gallbladder	44	34	10
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>48</u>	<u>27</u>	<u>21</u>
235	Pancreatitis	37	21	16
236	Other disorders of biliary tract and pancreas	11	6	5
237	All other diseases of digestive system	100	65	35
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>26</u>	<u>34</u>
238	Infections of skin and subcutaneous tissue	20	12	8
239	Other and unspecified diseases of skin and subcutaneous tissue	40	14	26
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>103</u>	<u>67</u>	<u>36</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	11	8	3
241	Systemic lupus erythematosus	9	4	5
242	Other arthropathies and related disorders	41	23	18

Table 10A - Page 7  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
243	Dorsopathies	7	6	1
244	Soft tissue disorders	20	13	7
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>15</u>	<u>13</u>	<u>2</u>
245	Osteoporosis	5	5	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	10	8	2
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>930</u>	<u>513</u>	<u>417</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>920</u>	<u>508</u>	<u>412</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>40</u>	<u>20</u>	<u>20</u>
247	Acute and rapidly progressive nephritic syndrome	2	1	1
249	Other and unspecified glomerular diseases	38	19	19
250	Renal tubulo-interstitial diseases	10	4	6
251	Renal failure	679	359	320
252	Urolithiasis	3	3	0
253	Other and unspecified disorders of kidney	1	1	0
254	Urinary tract infection, site not specified	163	109	54
255	Other diseases of urinary system	24	12	12
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>10</u>	<u>5</u>	<u>5</u>
256	Hyperplasia of prostate	2	2	0
257	Other diseases of male genital organs	8	3	5
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>14</u>	<u>3</u>	<u>11</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>2</u>	<u>0</u>	<u>2</u>
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
268	Obstetric embolism	1	0	1
269	Other complications predominately related to the puerperium	1	0	1
270	All other direct obstetric causes	4	1	3
272	Other deaths related to pregnancy, childbirth and the puerperium	7	2	5
273	Indirect obstetric deaths	1	0	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>185</u>	<u>64</u>	<u>121</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	19	6	13
275	Disorders related to short gestation and low birth weight, not elsewhere classified	62	19	43
277	Intrauterine hypoxia and birth asphyxia	7	2	5
278	Respiratory distress of newborn	9	6	3
279	Other respiratory conditions originating in the perinatal period	21	7	14
280	Infections specific to the perinatal period	21	4	17
281	Other and unspecified conditions originating in the perinatal period	46	20	26
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>58</u>	<u>58</u>

Table 10A - Page 8  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
282	Anencephaly and similar malformations	2	2	0
283	Spina bifida	2	2	0
284	All other congenital malformations of nervous system	7	2	5
285	Congenital malformations of heart	28	12	16
286	Other congenital malformations of circulatory system	10	5	5
287	Congenital malformations of respiratory system	5	1	4
288	Other congenital malformations and deformations	38	20	18
289	Down's syndrome	11	8	3
290	All other chromosomal abnormalities, not elsewhere classified	13	6	7
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>501</u>	<u>326</u>	<u>175</u>
291	Senility	14	9	5
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>168</u>	<u>88</u>	<u>80</u>
292	Sudden infant death syndrome	54	28	26
293	Other ill-defined and unknown causes of mortality	114	60	54
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	319	229	90
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,520</u>	<u>1,723</u>	<u>797</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,668</u>	<u>1,189</u>	<u>479</u>
295	Railway accidents	3	1	2
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>768</u>	<u>499</u>	<u>269</u>
296	Pedestrian involved in collision with motor vehicle	46	23	23
297	Pedal cyclist involved in collision with motor vehicle	4	2	2
298	Motorcyclist involved in any accident except collision with railway train	48	34	14
300	Other motor vehicle accident involving collision with railway train	13	3	10
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	199	137	62
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	207	132	75
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	1	1	0
304	Occupant of motor vehicle involved in noncollision accident	133	78	55
305	Occupant of special-use motor vehicle involved in any accident	35	30	5
306	Other and unspecified motor vehicle accidents	82	59	23
308	Other and unspecified land transport accidents	5	4	1
309	Water transport accidents	10	6	4
310	Air and space transport accidents	4	4	0
311	Other and unspecified transport accidents and their sequelae	10	8	2
<u>312-314</u>	<u>Falls</u>	<u>241</u>	<u>205</u>	<u>36</u>
312	Fall on same level	103	88	15
313	Fall from one level to another	23	17	6

Table 10A - Page 9  
Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
314	Unspecified fall	115	100	15
315	Accidental discharge of firearms	22	16	6
316	Accidental explosion	1	0	1
317	Accidental drowning and submersion	46	28	18
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	75	50	25
319	Other accidental and unspecified threats to breathing	49	26	23
320	Accidental exposure to electric current	3	2	1
322	Accidental exposure to smoke, fire and flames	69	39	30
323	Accidental contact with heat and hot substances	1	0	1
324	Lightning	1	0	1
326	Cataclysmic storm and flood	1	1	0
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>264</u>	<u>233</u>	<u>31</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	236	215	21
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	23	17	6
329	Accidental poisoning by and exposure to other gases and vapors	5	1	4
330	All other and unspecified accidents and their sequelae	95	67	28
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>398</u>	<u>348</u>	<u>50</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	28	27	1
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	6	5	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	69	58	11
335	Intentional self-harm (suicide) by discharge of firearms	280	244	36
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	10	9	1
<u>338-346</u>	<u>Assault (homicide)</u>	<u>317</u>	<u>102</u>	<u>215</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	1	1	0
339	Assault (homicide) by hanging, strangulation and suffocation	3	2	1
340	Assault (homicide) by discharge of firearms	240	68	172
341	Assault (homicide) by sharp object	32	12	20
342	Assault (homicide) by blunt object	5	2	3
344	Sexual assault (homicide) by bodily force	1	0	1
345	Neglect, abandonment and other maltreatment syndromes	4	2	2
346	Assault (homicide) by all other and unspecified means and their sequelae	31	15	16
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>64</u>	<u>43</u>	<u>21</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	34	33	1
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	1	0	1
350	Discharge of firearms, undetermined intent	7	3	4
352	All other and unspecified events of undetermined intent and their sequelae	22	7	15



Table 10A - Page 10  
 Deaths - Mississippi - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>353-354</u>	<u>Legal intervention</u>	<u>9</u>	<u>2</u>	<u>7</u>
353	Legal execution	2	2	0
354	Other legal intervention and their sequelae	7	0	7
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>64</u>	<u>39</u>	<u>25</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	4	4	0
357	Misadventures to patients during medical and surgical care and their sequelae	7	4	3
358	Other complications of medical and surgical care and their sequelae	53	31	22
358	Other complications of medical and surgical care and their sequelae	53	31	22

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B  
DEATHS, BY CAUSE AND RACE,  
MISSISSIPPI RESIDENTS, 2008**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,867</u>	<u>19,434</u>	<u>9,433</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>881</u>	<u>453</u>	<u>428</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>25</u>	<u>20</u>	<u>5</u>
A02	Other salmonella infections	1	0	1
A04	Other bacterial intestinal infections	23	19	4
A08	Viral and other specified intestinal infections	1	1	0
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>12</u>	<u>4</u>	<u>8</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	10	4	6
A17	Tuberculosis of nervous system	1	0	1
A18	Tuberculosis of other organs	1	0	1
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>606</u>	<u>339</u>	<u>267</u>
A31	Infection due to other mycobacteria	4	4	0
A37	Whooping cough	1	1	0
A40	Streptococcal septicemia	3	2	1
A41	Other septicemia	581	321	260
A42	Actinomycosis	1	0	1
A49	Bacterial infection of unspecified site	16	11	5
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>5</u>	<u>5</u>	<u>0</u>
A81	Atypical virus infections of central nervous system	4	4	0
A86	Unspecified viral encephalitis	1	1	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>2</u>	<u>2</u>	<u>0</u>
A92	Other mosquito-borne viral fevers	2	2	0
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>3</u>	<u>1</u>	<u>2</u>
B00	Herpes-viral [herpes simplex] infections	3	1	2
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>53</u>	<u>38</u>	<u>15</u>
B16	Acute hepatitis B	6	2	4
B18	Chronic viral hepatitis	46	36	10
B19	Unspecified viral hepatitis	1	0	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>151</u>	<u>27</u>	<u>124</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	61	12	49
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	7	1	6
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	6	2	4
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	22	3	19
B24	Unspecified human immunodeficiency virus [HIV] disease	55	9	46
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>4</u>	<u>3</u>	<u>1</u>
B25	Cytomegaloviral disease	3	3	0
B34	Viral infection of unspecified site	1	0	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>7</u>	<u>4</u>	<u>3</u>

Table 10B - Page 2  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B37	Candidiasis	3	2	1
B45	Cryptococcosis	3	1	2
B49	Unspecified mycosis	1	1	0
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>13</u>	<u>10</u>	<u>3</u>
B91	Sequelae of poliomyelitis	4	4	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	9	6	3
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,269</u>	<u>4,219</u>	<u>2,050</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,141</u>	<u>4,127</u>	<u>2,014</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>104</u>	<u>66</u>	<u>38</u>
C01	Malignant neoplasm of base of tongue	1	1	0
C02	Malignant neoplasm of other and unspecified parts of tongue	12	11	1
C03	Malignant neoplasm of gum	1	1	0
C04	Malignant neoplasm of floor of mouth	4	3	1
C05	Malignant neoplasm of palate	2	1	1
C06	Malignant neoplasm of other and unspecified parts of mouth	10	7	3
C07	Malignant neoplasm of parotid gland	4	4	0
C09	Malignant neoplasm of tonsil	6	3	3
C10	Malignant neoplasm of oropharynx	10	8	2
C11	Malignant neoplasm of nasopharynx	2	0	2
C13	Malignant neoplasm of hypopharynx	2	1	1
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	50	26	24
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,500</u>	<u>948</u>	<u>552</u>
C15	Malignant neoplasm of esophagus	139	84	55
C16	Malignant neoplasm of stomach	137	63	74
C17	Malignant neoplasm of small intestine	11	6	5
C18	Malignant neoplasm of colon	520	327	193
C19	Malignant neoplasm of rectosigmoid junction	23	16	7
C20	Malignant neoplasm of rectum	59	47	12
C21	Malignant neoplasm of anus and anal canal	3	2	1
C22	Malignant neoplasm of liver and intrahepatic bile ducts	223	148	75
C23	Malignant neoplasm of gallbladder	12	8	4
C24	Malignant neoplasm of other and unspecified parts of biliary tract	9	4	5
C25	Malignant neoplasm of pancreas	355	238	117
C26	Malignant neoplasm of other and ill-defined digestive organs	9	5	4
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,040</u>	<u>1,466</u>	<u>574</u>
C31	Malignant neoplasm of accessory sinuses	4	3	1
C32	Malignant neoplasm of larynx	41	20	21
C34	Malignant neoplasm of bronchus and lung	1,991	1,439	552
C37	Malignant neoplasm of thymus	3	3	0
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>37</u>	<u>20</u>	<u>17</u>
C40	Malignant neoplasm of bone and articular cartilage of limbs	2	2	0

Table 10B - Page 3  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	35	18	17
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>89</u>	<u>79</u>	<u>10</u>
C43	Malignant melanoma of skin	63	58	5
C44	Other malignant neoplasms of skin	26	21	5
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>45</u>	<u>30</u>	<u>15</u>
C45	Mesothelioma	14	12	2
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	1	0	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	5	4	1
C49	Malignant neoplasm of other connective and soft tissue	25	14	11
C50	Malignant neoplasm of breast	418	254	164
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>254</u>	<u>155</u>	<u>99</u>
C51	Malignant neoplasm of vulva	7	5	2
C52	Malignant neoplasm of vagina	7	7	0
C53	Malignant neoplasm of cervix uteri	60	26	34
C54	Malignant neoplasm of corpus uteri	23	11	12
C55	Malignant neoplasm of uterus, part unspecified	36	18	18
C56	Malignant neoplasm of ovary	119	87	32
C57	Malignant neoplasm of other and unspecified female genital organs	2	1	1
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>328</u>	<u>168</u>	<u>160</u>
C60	Malignant neoplasm of penis	2	2	0
C61	Malignant neoplasm of prostate	324	165	159
C62	Malignant neoplasm of testis	2	1	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>244</u>	<u>179</u>	<u>65</u>
C64	Malignant neoplasm of kidney, except renal pelvis	145	97	48
C65	Malignant neoplasm of renal pelvis	2	2	0
C66	Malignant neoplasm of ureter	1	1	0
C67	Malignant neoplasm of bladder	93	76	17
C68	Malignant neoplasm of other and unspecified urinary organs	3	3	0
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>140</u>	<u>111</u>	<u>29</u>
C69	Malignant neoplasm of eye and adnexa	3	2	1
C71	Malignant neoplasm of brain	136	108	28
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	1	0
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>22</u>	<u>14</u>	<u>8</u>
C73	Malignant neoplasm of thyroid gland	13	8	5
C74	Malignant neoplasm of adrenal gland	7	4	3
C75	Malignant neoplasm of other endocrine glands and related structures	2	2	0
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>363</u>	<u>229</u>	<u>134</u>
C76	Malignant neoplasm of other and ill-defined sites	33	22	11
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	0	1
C78	Secondary malignant neoplasm of respiratory and digestive organs	45	27	18

Table 10B - Page 4  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C79	Secondary malignant neoplasm of other sites	64	33	31
C80	Malignant neoplasm without specification of site	220	147	73
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>516</u>	<u>386</u>	<u>130</u>
C81	Hodgkin's disease	7	6	1
C82	Follicular [nodular] non-Hodgkin's lymphoma	1	1	0
C83	Diffuse non-Hodgkin's lymphoma	14	13	1
C84	Peripheral and cutaneous T-cell lymphomas	10	8	2
C85	Other and unspecified types of non-Hodgkin's lymphoma	166	137	29
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	108	59	49
C91	Lymphoid leukemia	35	26	9
C92	Myeloid leukemia	84	68	16
C93	Monocytic leukemia	2	2	0
C94	Other leukemias of specified cell type	1	0	1
C95	Leukemia of unspecified cell type	86	64	22
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	1	0
C97	Malignant neoplasms of independent (primary) multiple sites	41	22	19
<u>D00-D09</u>	<u>In situ neoplasms</u>	<u>1</u>	<u>0</u>	<u>1</u>
D09	Carcinoma in situ of other and unspecified sites	1	0	1
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>10</u>	<u>5</u>	<u>5</u>
D13	Benign neoplasm of other and ill-defined parts of digestive system	1	1	0
D18	Hemangioma and lymphangioma, any site	1	0	1
D32	Benign neoplasm of meninges	5	2	3
D35	Benign neoplasm of other and unspecified endocrine glands	2	1	1
D36	Benign neoplasm of other and unspecified sites	1	1	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>117</u>	<u>87</u>	<u>30</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	2	1	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	6	4	2
D39	Neoplasm of uncertain or unknown behavior of female genital organs	1	1	0
D40	Neoplasm of uncertain or unknown behavior of male genital organs	1	0	1
D41	Neoplasm of uncertain or unknown behavior of urinary organs	2	1	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	47	34	13
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	0	2
D46	Myelodysplastic syndromes	37	31	6
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	12	11	1
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	7	4	3
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>128</u>	<u>69</u>	<u>59</u>

Table 10B - Page 5  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>4</u>	<u>2</u>	<u>2</u>
D50	Iron deficiency anemia	1	0	1
D51	Vitamin B-12 deficiency anemia	1	1	0
D53	Other nutritional anemias	2	1	1
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>17</u>	<u>0</u>	<u>17</u>
D57	Sickle-cell disorders	16	0	16
D59	Acquired hemolytic anemia	1	0	1
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>45</u>	<u>33</u>	<u>12</u>
D61	Other aplastic anemias	11	9	2
D62	Acute posthemorrhagic anemia	4	1	3
D64	Other anemias	30	23	7
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>27</u>	<u>18</u>	<u>9</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	5	4	1
D68	Other coagulation defects	16	10	6
D69	Purpura and other hemorrhagic conditions	6	4	2
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>16</u>	<u>14</u>	<u>2</u>
D70	Agranulocytosis	7	7	0
D72	Other disorders of white blood cells	5	3	2
D73	Diseases of spleen	2	2	0
D75	Other diseases of blood and blood-forming organs	2	2	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>19</u>	<u>2</u>	<u>17</u>
D84	Other immunodeficiencies	1	0	1
D86	Sarcoidosis	17	1	16
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	1	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,034</u>	<u>536</u>	<u>498</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>11</u>	<u>5</u>	<u>6</u>
E03	Other hypothyroidism	9	5	4
E05	Thyrotoxicosis [hyperthyroidism]	1	0	1
E07	Other disorders of thyroid	1	0	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>753</u>	<u>361</u>	<u>392</u>
E10	Insulin-dependent diabetes mellitus	43	24	19
E11	Noninsulin-dependent diabetes mellitus	73	42	31
E14	Unspecified diabetes mellitus	637	295	342
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>12</u>	<u>6</u>	<u>6</u>
E16	Other disorders of pancreatic internal secretion	12	6	6
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>5</u>	<u>5</u>	<u>0</u>
E23	Hypofunction and other disorders of the pituitary gland	2	2	0
E24	Cushing's syndrome	1	1	0
E27	Other disorders of adrenal gland	1	1	0
E34	Other endocrine disorders	1	1	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>37</u>	<u>24</u>	<u>13</u>

Table 10B - Page 6  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E43	Unspecified severe protein-energy malnutrition	10	6	4
E46	Unspecified protein-energy malnutrition	27	18	9
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>1</u>	<u>0</u>	<u>1</u>
E51	Thiamin deficiency	1	0	1
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>60</u>	<u>33</u>	<u>27</u>
E66	Obesity	60	33	27
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>155</u>	<u>102</u>	<u>53</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	1	0	1
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	1	1	0
E78	Disorders of lipoprotein metabolism and other lipidemias	30	22	8
E79	Disorders of purine and pyrimidine metabolism	1	1	0
E83	Disorders of mineral metabolism	12	7	5
E84	Cystic fibrosis	5	5	0
E85	Amyloidosis	5	5	0
E86	Volume depletion	52	32	20
E87	Other disorders of fluid, electrolyte, and acid-base balance	40	24	16
E88	Other metabolic disorders	8	5	3
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>835</u>	<u>640</u>	<u>195</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>731</u>	<u>571</u>	<u>160</u>
F01	Vascular dementia	62	42	20
F03	Unspecified dementia	661	523	138
F05	Delirium, not induced by alcohol and other psychoactive substances	2	0	2
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	6	6	0
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>63</u>	<u>38</u>	<u>25</u>
F10	Mental and behavioral disorders due to use of alcohol	45	28	17
F11	Mental and behavioral disorders due to use of opioids	1	1	0
F14	Mental and behavioral disorders due to use of cocaine	8	0	8
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	9	9	0
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>7</u>	<u>6</u>	<u>1</u>
F20	Schizophrenia	7	6	1
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>18</u>	<u>12</u>	<u>6</u>
F31	Bipolar affective disorder	1	1	0
F32	Depressive episode	17	11	6
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>5</u>	<u>5</u>	<u>0</u>
F41	Other anxiety disorders	3	3	0
F43	Reaction to severe stress, and adjustment disorders	2	2	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>1</u>	<u>1</u>	<u>0</u>
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	1	1	0

Table 10B - Page 7  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>F70-F79</u>	<u>Mental retardation</u>	<u>9</u>	<u>7</u>	<u>2</u>
F73	Profound mental retardation	2	1	1
F79	Unspecified mental retardation	7	6	1
<u>F80-F89</u>	<u>Disorders of psychological development</u>	<u>1</u>	<u>0</u>	<u>1</u>
F84	Pervasive developmental disorders	1	0	1
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,394</u>	<u>1,115</u>	<u>279</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>11</u>	<u>9</u>	<u>2</u>
G03	Meningitis due to other and unspecified causes	5	4	1
G04	Encephalitis, myelitis, and encephalomyelitis	3	3	0
G06	Intracranial and intraspinal abscess and granuloma	2	2	0
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>57</u>	<u>51</u>	<u>6</u>
G10	Huntington's disease	9	8	1
G11	Hereditary ataxia	4	2	2
G12	Spinal muscular atrophy and related syndromes	44	41	3
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>155</u>	<u>141</u>	<u>14</u>
G20	Parkinson's disease	151	138	13
G23	Other degenerative diseases of basal ganglia	3	2	1
G24	Dystonia	1	1	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>928</u>	<u>767</u>	<u>161</u>
G30	Alzheimer's disease	914	753	161
G31	Other degenerative diseases of nervous system, not elsewhere classified	14	14	0
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>21</u>	<u>13</u>	<u>8</u>
G35	Multiple sclerosis	19	12	7
G36	Other acute disseminated demyelination	1	1	0
G37	Other demyelinating diseases of central nervous system	1	0	1
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>27</u>	<u>19</u>	<u>8</u>
G40	Epilepsy	11	5	6
G41	Status epilepticus	2	2	0
G45	Transient cerebral ischemic attacks and related syndromes	1	1	0
G47	Sleep disorders	13	11	2
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>2</u>	<u>2</u>	<u>0</u>
G50	Disorders of trigeminal nerve	2	2	0
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>5</u>	<u>5</u>	<u>0</u>
G60	Hereditary and idiopathic neuropathy	1	1	0
G61	Inflammatory polyneuropathy	3	3	0
G62	Other polyneuropathies	1	1	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>28</u>	<u>25</u>	<u>3</u>
G70	Myasthenia gravis and other myoneural disorders	9	7	2
G71	Primary disorders of muscles	17	16	1
G72	Other myopathies	2	2	0
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>34</u>	<u>18</u>	<u>16</u>
G80	Infantile cerebral palsy	25	11	14



Table 10B - Page 8  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G81	Hemiplegia	2	2	0
G82	Paraplegia and tetraplegia	7	5	2
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>126</u>	<u>65</u>	<u>61</u>
G90	Disorders of autonomic nervous system	4	4	0
G91	Hydrocephalus	10	5	5
G92	Toxic encephalopathy	1	1	0
G93	Other disorders of brain	107	53	54
G95	Other diseases of spinal cord	3	1	2
G96	Other disorders of central nervous system	1	1	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,231</u>	<u>6,821</u>	<u>3,410</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>14</u>	<u>10</u>	<u>4</u>
I05	Rheumatic mitral valve diseases	9	6	3
I07	Rheumatic tricuspid valve diseases	2	1	1
I08	Multiple valve diseases	3	3	0
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,261</u>	<u>628</u>	<u>633</u>
I10	Essential (primary) hypertension	293	160	133
I11	Hypertensive heart disease	746	377	369
I12	Hypertensive renal disease	163	65	98
I13	Hypertensive heart and renal disease	59	26	33
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,100</u>	<u>2,972</u>	<u>1,128</u>
I20	Angina pectoris	3	2	1
I21	Acute myocardial infarction	1,800	1,241	559
I24	Other acute ischemic heart diseases	16	13	3
I25	Chronic ischemic heart disease	2,281	1,716	565
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>192</u>	<u>112</u>	<u>80</u>
I26	Pulmonary embolism	138	82	56
I27	Other pulmonary heart diseases	52	29	23
I28	Other diseases of pulmonary vessels	2	1	1
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,859</u>	<u>1,968</u>	<u>891</u>
I31	Other diseases of pericardium	8	6	2
I33	Acute and subacute endocarditis	10	6	4
I34	Nonrheumatic mitral valve disorders	11	9	2
I35	Nonrheumatic aortic valve disorders	85	69	16
I38	Endocarditis, valve unspecified	40	29	11
I42	Cardiomyopathy	253	139	114
I44	Atrioventricular and left bundle-branch block	7	5	2
I45	Other conduction disorders	4	2	2
I46	Cardiac arrest	545	326	219
I47	Paroxysmal tachycardia	10	6	4

Table 10B - Page 9  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
148	Atrial fibrillation and flutter	185	147	38
149	Other cardiac arrhythmias	68	46	22
150	Heart failure	1,320	960	360
151	Complications and ill-defined descriptions of heart disease	313	218	95
<u>160-169</u>	<u>Cerebrovascular diseases</u>	<u>1,559</u>	<u>957</u>	<u>602</u>
160	Subarachnoid hemorrhage	56	33	23
161	Intracerebral hemorrhage	163	92	71
162	Other nontraumatic intracranial hemorrhage	126	66	60
163	Cerebral infarction	73	48	25
164	Stroke, not specified as hemorrhage or infarction	958	602	356
167	Other cerebrovascular diseases	69	43	26
169	Sequelae of cerebrovascular disease	114	73	41
<u>170-178</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>195</u>	<u>142</u>	<u>53</u>
170	Atherosclerosis	29	22	7
171	Aortic aneurysm and dissection	96	72	24
172	Other aneurysm	4	4	0
173	Other peripheral vascular diseases	43	28	15
174	Arterial embolism and thrombosis	12	9	3
177	Other disorders of arteries and arterioles	10	6	4
178	Diseases of capillaries	1	1	0
<u>180-189</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>42</u>	<u>27</u>	<u>15</u>
180	Phlebitis and thrombophlebitis	28	19	9
181	Portal vein thrombosis	1	1	0
182	Other venous embolism and thrombosis	3	2	1
183	Varicose veins of lower extremities	1	1	0
185	Esophageal varices	5	1	4
187	Other disorders of veins	2	2	0
189	Other noninfective disorders of lymphatic vessels and lymph nodes	2	1	1
<u>195-199</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>9</u>	<u>5</u>	<u>4</u>
195	Hypotension	3	2	1
199	Other and unspecified disorders of circulatory system	6	3	3
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,733</u>	<u>2,133</u>	<u>600</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
J06	Acute upper respiratory infections of multiple and unspecified sites	2	1	1
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>630</u>	<u>442</u>	<u>188</u>
J11	Influenza, virus not identified	16	14	2
J12	Viral pneumonia, not elsewhere classified	1	0	1
J13	Pneumonia due to Streptococcus pneumoniae	1	1	0
J15	Bacterial pneumonia, not elsewhere classified	26	20	6
J18	Pneumonia, organism unspecified	586	407	179
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
J20	Acute bronchitis	3	2	1
J21	Acute bronchiolitis	1	1	0

Table 10B - Page 10  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>9</u>	<u>4</u>	<u>5</u>
J32	Chronic sinusitis	1	0	1
J34	Other disorders of nose and nasal sinuses	1	1	0
J38	Diseases of vocal cords and larynx, not elsewhere classified	2	1	1
J39	Other diseases of upper respiratory tract	5	2	3
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,499</u>	<u>1,266</u>	<u>233</u>
J40	Bronchitis, not specified as acute or chronic	3	3	0
J42	Unspecified chronic bronchitis	4	4	0
J43	Emphysema	106	87	19
J44	Other chronic obstructive pulmonary disease	1,333	1,149	184
J45	Asthma	40	13	27
J46	Status asthmaticus	4	1	3
J47	Bronchiectasis	9	9	0
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>185</u>	<u>123</u>	<u>62</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	8	6	2
J62	Pneumoconiosis due to dust containing silica	1	1	0
J69	Pneumonitis due to solids and liquids	176	116	60
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>161</u>	<u>134</u>	<u>27</u>
J80	Adult respiratory distress syndrome	22	19	3
J81	Pulmonary edema	8	4	4
J82	Pulmonary eosinophilia, not elsewhere classified	5	4	1
J84	Other interstitial pulmonary diseases	126	107	19
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>9</u>	<u>5</u>	<u>4</u>
J85	Abscess of lung and mediastinum	4	3	1
J86	Pyothorax	5	2	3
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>16</u>	<u>13</u>	<u>3</u>
J90	Pleural effusion, not elsewhere classified	13	11	2
J93	Pneumothorax	3	2	1
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>218</u>	<u>142</u>	<u>76</u>
J96	Respiratory failure, not elsewhere classified	159	101	58
J98	Other respiratory disorders	59	41	18
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>933</u>	<u>668</u>	<u>265</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
K11	Diseases of salivary glands	1	1	0
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>59</u>	<u>35</u>	<u>24</u>
K21	Gastroesophageal reflux disease	5	2	3
K22	Other diseases of esophagus	12	9	3
K25	Gastric ulcer	10	3	7
K26	Duodenal ulcer	9	8	1
K27	Peptic ulcer, site unspecified	9	5	4
K28	Gastrojejunal ulcer	1	1	0
K29	Gastritis and duodenitis	2	1	1
K30	Dyspepsia	1	1	0
K31	Other diseases of stomach and duodenum	10	5	5

Table 10B - Page 11  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>2</u>	<u>2</u>	<u>0</u>
K35	Acute appendicitis	2	2	0
<u>K40-K46</u>	<u>Hernia</u>	<u>22</u>	<u>18</u>	<u>4</u>
K40	Inguinal hernia	1	1	0
K41	Femoral hernia	1	1	0
K42	Umbilical hernia	1	1	0
K43	Ventral hernia	3	1	2
K44	Diaphragmatic hernia	5	5	0
K45	Other abdominal hernia	1	1	0
K46	Unspecified abdominal hernia	10	8	2
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>27</u>	<u>17</u>	<u>10</u>
K50	Crohn's disease [regional enteritis]	7	7	0
K51	Ulcerative colitis	2	1	1
K52	Other noninfective gastroenteritis and colitis	18	9	9
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>205</u>	<u>145</u>	<u>60</u>
K55	Vascular disorders of intestine	78	63	15
K56	Paralytic ileus and intestinal obstruction without hernia	66	37	29
K57	Diverticular disease of intestine	30	26	4
K59	Other functional intestinal disorders	2	1	1
K62	Other diseases of anus and rectum	4	3	1
K63	Other diseases of intestine	25	15	10
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>18</u>	<u>12</u>	<u>6</u>
K65	Peritonitis	15	10	5
K66	Other disorders of peritoneum	3	2	1
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>407</u>	<u>312</u>	<u>95</u>
K70	Alcoholic liver disease	90	56	34
K71	Toxic liver disease	1	1	0
K72	Hepatic failure, not elsewhere classified	57	40	17
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	177	144	33
K75	Other inflammatory liver diseases	9	8	1
K76	Other diseases of liver	72	62	10
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>92</u>	<u>61</u>	<u>31</u>
K80	Cholelithiasis	13	10	3
K81	Cholecystitis	22	19	3
K82	Other diseases of gallbladder	9	5	4
K83	Other diseases of biliary tract	6	2	4
K85	Acute pancreatitis	32	19	13
K86	Other diseases of pancreas	10	6	4
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>100</u>	<u>65</u>	<u>35</u>
K90	Intestinal malabsorption	1	1	0
K92	Other diseases of the digestive system	99	64	35
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>26</u>	<u>34</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>20</u>	<u>12</u>	<u>8</u>
L02	Cutaneous abscess, furuncle, and carbuncle	4	2	2
L03	Cellulitis	9	6	3

Table 10B - Page 12  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L08	Other local infections of skin and subcutaneous tissue	7	4	3
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>2</u>	<u>1</u>	<u>1</u>
L51	Erythema multiforme	2	1	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>38</u>	<u>13</u>	<u>25</u>
L89	Decubitus ulcer	31	8	23
L93	Lupus erythematosus	2	1	1
L97	Ulcer of lower limb, not elsewhere classified	1	1	0
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	4	3	1
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>103</u>	<u>67</u>	<u>36</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>25</u>	<u>19</u>	<u>6</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>5</u>	<u>4</u>	<u>1</u>
M00	Pyogenic arthritis	5	4	1
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>12</u>	<u>9</u>	<u>3</u>
M05	Seropositive rheumatoid arthritis	2	2	0
M06	Other rheumatoid arthritis	9	6	3
M13	Other arthritis	1	1	0
<u>M15-M19</u>	<u>Arthrosis</u>	<u>7</u>	<u>5</u>	<u>2</u>
M19	Other arthrosis	7	5	2
<u>M20-M25</u>	<u>Other joint disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
M25	Other joint disorders, not elsewhere classified	1	1	0
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>36</u>	<u>16</u>	<u>20</u>
M31	Other necrotizing vasculopathies	3	1	2
M32	Systemic lupus erythematosus	9	4	5
M33	Dermatopolymyositis	2	0	2
M34	Systemic sclerosis	14	8	6
M35	Other systemic involvement of connective tissue	8	3	5
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>7</u>	<u>6</u>	<u>1</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>2</u>	<u>2</u>	<u>0</u>
M41	Scoliosis	2	2	0
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>4</u>	<u>3</u>	<u>1</u>
M46	Other inflammatory spondylopathies	3	2	1
M48	Other spondylopathies	1	1	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M51	Other intervertebral disc disorders	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>20</u>	<u>13</u>	<u>7</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>11</u>	<u>8</u>	<u>3</u>
M60	Myositis	2	2	0
M62	Other disorders of muscle	9	6	3
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>9</u>	<u>5</u>	<u>4</u>
M72	Fibroblastic disorders	7	4	3
M75	Shoulder lesions	1	1	0
M79	Other soft tissue disorders, not elsewhere classified	1	0	1
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>15</u>	<u>13</u>	<u>2</u>
M80-M85	Disorders of bone density and structure	6	6	0

Table 10B - Page 13  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M81	Osteoporosis without pathological fracture	5	5	0
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>9</u>	<u>7</u>	<u>2</u>
M86	Osteomyelitis	8	6	2
M89	Other disorders of bone	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>930</u>	<u>513</u>	<u>417</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>40</u>	<u>20</u>	<u>20</u>
N00	Acute nephritic syndrome	2	1	1
N03	Chronic nephritic syndrome	38	19	19
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>10</u>	<u>4</u>	<u>6</u>
N10	Acute tubulo-interstitial nephritis	1	0	1
N11	Chronic tubulo-interstitial nephritis	1	0	1
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	6	3	3
N13	Obstructive and reflux uropathy	2	1	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>679</u>	<u>359</u>	<u>320</u>
N17	Acute renal failure	134	84	50
N18	Chronic renal failure	278	126	152
N19	Unspecified renal failure	267	149	118
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>3</u>	<u>3</u>	<u>0</u>
N20	Calculus of kidney and ureter	3	3	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>21</u>	<u>10</u>	<u>11</u>
N26	Unspecified contracted kidney	1	1	0
N28	Other disorders of kidney and ureter, not elsewhere classified	20	9	11
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>167</u>	<u>112</u>	<u>55</u>
N30	Cystitis	1	1	0
N32	Other disorders of bladder	2	2	0
N34	Urethritis and urethral syndrome	1	0	1
N39	Other disorders of urinary system	163	109	54
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>10</u>	<u>5</u>	<u>5</u>
N40	Hyperplasia of prostate	2	2	0
N41	Inflammatory diseases of prostate	1	1	0
N42	Other disorders of prostate	3	1	2
N43	Hydrocele and spermatocele	1	1	0
N48	Other disorders of penis	1	0	1
N49	Inflammatory disorders of male genital organs, not elsewhere classified	1	0	1
N50	Other disorders of male genital organs	1	0	1
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>14</u>	<u>3</u>	<u>11</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>6</u>	<u>1</u>	<u>5</u>
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>2</u>	<u>0</u>	<u>2</u>
O26	Maternal care for other conditions predominantly related to pregnancy	2	0	2

Table 10B - Page 14  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>2</u>	<u>1</u>	<u>1</u>
O75	Other complications of labor and delivery, not elsewhere classified	2	1	1
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
O88	Obstetric embolism	1	0	1
O90	Complications of the puerperium, not elsewhere classified	1	0	1
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>8</u>	<u>2</u>	<u>6</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	7	2	5
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>185</u>	<u>64</u>	<u>121</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>19</u>	<u>6</u>	<u>13</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	2	1	1
P01	Newborn affected by maternal complications of pregnancy	10	2	8
P02	Newborn affected by complications of placenta, cord, and membranes	7	3	4
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>65</u>	<u>20</u>	<u>45</u>
P05	Slow fetal growth and fetal malnutrition	3	1	2
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	62	19	43
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>58</u>	<u>23</u>	<u>35</u>
P20	Intrauterine hypoxia	3	2	1
P21	Birth asphyxia	4	0	4
P22	Respiratory distress of newborn	9	6	3
P23	Congenital pneumonia	2	2	0
P24	Neonatal aspiration syndromes	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	8	2	6
P27	Chronic respiratory disease originating in the perinatal period	2	1	1
P28	Other respiratory conditions originating in the perinatal period	8	2	6
P29	Cardiovascular disorders originating in the perinatal period	21	8	13
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>21</u>	<u>4</u>	<u>17</u>
P36	Bacterial sepsis of newborn	18	3	15
P37	Other congenital infectious and parasitic diseases	3	1	2
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>6</u>	<u>5</u>	<u>1</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	3	2	1
P54	Other neonatal hemorrhages	3	3	0
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>12</u>	<u>5</u>	<u>7</u>
P77	Necrotizing enterocolitis of newborn	11	4	7
P78	Other perinatal digestive system disorders	1	1	0

Table 10B - Page 15  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>3</u>	<u>1</u>	<u>2</u>
P83	Other conditions of integument specific to newborn	3	1	2
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>1</u>	<u>0</u>	<u>1</u>
P96	Other conditions originating in the perinatal period	1	0	1
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>58</u>	<u>58</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>11</u>	<u>6</u>	<u>5</u>
Q00	Anencephaly and similar malformations	2	2	0
Q03	Congenital hydrocephalus	1	0	1
Q04	Other congenital malformations of brain	5	2	3
Q05	Spina bifida	2	2	0
Q06	Other congenital malformations of spinal cord	1	0	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>38</u>	<u>17</u>	<u>21</u>
Q21	Congenital malformations of cardiac septa	5	2	3
Q23	Congenital malformations of aortic and mitral valves	7	2	5
Q24	Other congenital malformations of heart	16	8	8
Q25	Congenital malformations of great arteries	5	2	3
Q27	Other congenital malformations of peripheral vascular system	1	1	0
Q28	Other congenital malformations of circulatory system	4	2	2
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>5</u>	<u>1</u>	<u>4</u>
Q31	Congenital malformations of larynx	1	0	1
Q33	Congenital malformations of lung	4	1	3
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>2</u>	<u>0</u>	<u>2</u>
Q43	Other congenital malformations of intestine	1	0	1
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	0	1
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>10</u>	<u>5</u>	<u>5</u>
Q60	Renal agenesis and other reduction defects of kidney	6	1	5
Q61	Cystic kidney disease	3	3	0
Q62	Congenital obstructive defects of renal pelvis and congenital malformations of ureter	1	1	0
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>7</u>	<u>4</u>	<u>3</u>
Q78	Other osteochondrodysplasias	1	1	0
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	6	3	3
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>19</u>	<u>11</u>	<u>8</u>
Q85	Phakomatoses, not elsewhere classified	2	1	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	5	4	1
Q89	Other congenital malformations, not elsewhere classified	12	6	6
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>24</u>	<u>14</u>	<u>10</u>
Q90	Down's syndrome	11	8	3
Q91	Edwards' syndrome and Patau's syndrome	10	4	6
Q99	Other chromosome abnormalities, not elsewhere classified	3	2	1



Table 10B - Page 16  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>501</u>	<u>326</u>	<u>175</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>45</u>	<u>29</u>	<u>16</u>
R00	Abnormalities of heart beat	1	1	0
R02	Gangrene, not elsewhere classified	2	2	0
R04	Hemorrhage from respiratory passages	3	1	2
R06	Abnormalities of breathing	5	3	2
R09	Other symptoms and signs involving the circulatory and respiratory systems	34	22	12
<u>R40-R46</u>	<u>Symptoms and signs involving cognition, perception, emotional state and behavior</u>	<u>1</u>	<u>1</u>	<u>0</u>
R41	Other symptoms and signs involving cognitive functions and awareness	1	1	0
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>282</u>	<u>204</u>	<u>78</u>
R50	Fever of unknown origin	1	1	0
R53	Malaise and fatigue	71	48	23
R54	Senility	14	9	5
R56	Convulsions, not elsewhere classified	23	12	11
R57	Shock, not elsewhere classified	9	7	2
R58	Hemorrhage, not elsewhere classified	10	8	2
R62	Lack of expected normal physiological development	132	102	30
R68	Other general symptoms and signs	22	17	5
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>2</u>	<u>0</u>
R73	Elevated blood glucose level	1	1	0
R79	Other abnormal findings of blood chemistry	1	1	0
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
R90	Abnormal findings on diagnostic imaging of central nervous system	1	1	0
R91	Abnormal findings on diagnostic imaging of lung	2	1	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>168</u>	<u>88</u>	<u>80</u>
R95	Sudden infant death syndrome	54	28	26
R96	Other sudden death, cause unknown	1	1	0
R99	Other ill-defined and unspecified causes of mortality	113	59	54
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,520</u>	<u>1,723</u>	<u>797</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>65</u>	<u>35</u>	<u>30</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	41	19	22
V04	Pedestrian injured in collision with heavy transport vehicle or bus	5	4	1
V05	Pedestrian injured in collision with railway train or railway vehicle	3	1	2

Table 10B - Page 17  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V06	Pedestrian injured in collision with other nonmotor vehicle	1	1	0
V09	Pedestrian injured in other and unspecified transport accidents	15	10	5
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>4</u>	<u>2</u>	<u>2</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	4	2	2
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>47</u>	<u>34</u>	<u>13</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	1	0	1
V23	Motorcycle rider injured in collision with car, pickup truck, or van	20	15	5
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	3	3	0
V26	Motorcycle rider injured in collision with other nonmotor vehicle	2	0	2
V27	Motorcycle rider injured in collision with fixed or stationary object	7	7	0
V28	Motorcycle rider injured in noncollision transport accident	4	2	2
V29	Motorcycle rider injured in other and unspecified transport accidents	10	7	3
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>0</u>	<u>1</u>
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	0	1
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>409</u>	<u>233</u>	<u>176</u>
V40	Car occupant injured in collision with pedestrian or animal	1	1	0
V43	Car occupant injured in collision with car, pickup truck, or van	123	68	55
V44	Car occupant injured in collision with heavy transport vehicle or bus	29	18	11
V45	Car occupant injured in collision with railway train or railway vehicle	13	3	10
V47	Car occupant injured in collision with fixed or stationary object	139	86	53
V48	Car occupant injured in noncollision transport accident	94	49	45
V49	Car occupant injured in other and unspecified transport accidents	10	8	2
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>139</u>	<u>115</u>	<u>24</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	26	24	2
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	17	12	5
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	58	49	9
V58	Occupant of pickup truck or van injured in noncollision transport accident	36	28	8
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	2	2	0

Table 10B - Page 18  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>5</u>	<u>3</u>	<u>2</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	1	1	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	1	0
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	3	1	2
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>106</u>	<u>82</u>	<u>24</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	1	1	0
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	6	4	2
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	29	26	3
V87	Traffic accident of specified type but victim's mode of transport unknown	16	15	1
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	54	36	18
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>10</u>	<u>6</u>	<u>4</u>
V90	Accident to watercraft causing drowning and submersion	2	0	2
V91	Accident to watercraft causing other injury	1	1	0
V92	Water-transport-related drowning and submersion without accident to watercraft	4	3	1
V93	Accident onboard watercraft without accident to watercraft, not causing drowning and submersion	1	0	1
V94	Other and unspecified water transport accidents	2	2	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>4</u>	<u>4</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	4	4	0
<u>W00-W19</u>	<u>Falls</u>	<u>241</u>	<u>205</u>	<u>36</u>
W01	Fall on same level from slipping, tripping, and stumbling	9	7	2
W05	Fall involving wheelchair	7	5	2
W06	Fall involving bed	16	13	3
W07	Fall involving chair	4	3	1
W10	Fall on and from stairs and steps	8	8	0
W11	Fall on and from ladder	4	2	2
W12	Fall on and from scaffolding	1	0	1
W13	Fall from, out of, or through building or structure	3	2	1
W14	Fall from tree	1	1	0
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	5	3	2
W18	Other fall on same level	67	60	7
W19	Unspecified fall	115	100	15
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>49</u>	<u>35</u>	<u>14</u>
W20	Struck by thrown, projected, or falling object	13	9	4
W22	Striking against or struck by other objects	1	1	0

Table 10B - Page 19  
 Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	4	3	1
W25	Contact with sharp glass	1	0	1
W30	Contact with agricultural machinery	3	3	0
W31	Contact with other and unspecified machinery	2	1	1
W32	Handgun discharge	6	4	2
W33	Rifle, shotgun, and larger firearm discharge	4	2	2
W34	Discharge from other and unspecified firearms	12	10	2
W35	Explosion and rupture of boiler	1	1	0
W40	Explosion of other materials	1	0	1
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>5</u>	<u>3</u>	<u>2</u>
W54	Bitten or struck by dog	2	1	1
W55	Bitten or struck by other mammals	3	2	1
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>46</u>	<u>28</u>	<u>18</u>
W65	Drowning and submersion while in bathtub	2	2	0
W66	Drowning and submersion following fall into bathtub	2	0	2
W67	Drowning and submersion while in swimming pool	10	7	3
W69	Drowning and submersion while in natural water	24	12	12
W70	Drowning and submersion following fall into natural water	4	3	1
W74	Unspecified drowning and submersion	4	4	0
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>124</u>	<u>76</u>	<u>48</u>
W75	Accidental suffocation and strangulation in bed	40	18	22
W76	Other accidental hanging and strangulation	1	1	0
W77	Threat to breathing due to cave-in, falling earth, and other substances	5	5	0
W78	Inhalation of gastric contents	8	6	2
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	9	6	3
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	58	38	20
W83	Other specified threats to breathing	2	1	1
W84	Unspecified threat to breathing	1	1	0
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>3</u>	<u>2</u>	<u>1</u>
W85	Exposure to electric transmission lines	1	0	1
W87	Exposure to unspecified electric current	2	2	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>69</u>	<u>39</u>	<u>30</u>
X00	Exposure to uncontrolled fire in building or structure	55	29	26
X01	Exposure to uncontrolled fire, not in building or structure	7	4	3
X02	Exposure to controlled fire in building or structure	2	1	1
X04	Exposure to ignition of highly flammable material	1	1	0
X09	Exposure to unspecified smoke, fire, and flames	4	4	0
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>0</u>	<u>1</u>
X12	Contact with other hot fluids	1	0	1
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>8</u>	<u>2</u>	<u>6</u>
X30	Exposure to excessive natural heat	4	1	3
X31	Exposure to excessive natural cold	2	0	2

Table 10B - Page 20  
 Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X33	Victim of lightning	1	0	1
X37	Victim of cataclysmic storm	1	1	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>264</u>	<u>233</u>	<u>31</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	3	2	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	9	5	4
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	58	50	8
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	166	158	8
X45	Accidental poisoning by and exposure to alcohol	20	14	6
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	2	2	0
X47	Accidental poisoning by and exposure to other gases and vapors	5	1	4
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	1	1	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>45</u>	<u>34</u>	<u>11</u>
X58	Exposure to other specified factors	3	1	2
X59	Exposure to unspecified factor	42	33	9
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>398</u>	<u>348</u>	<u>50</u>
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	3	3	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	5	4	1
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	20	20	0
X65	Intentional self-poisoning (suicide) by and exposure to alcohol	1	1	0
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
X68	Intentional self-poisoning (suicide) by and exposure to pesticides	2	1	1
X69	Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances	2	2	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	69	58	11
X71	Intentional self harm (suicide) by drowning and submersion	1	0	1

Table 10B - Page 21  
Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X72	Intentional self harm (suicide) by handgun discharge	72	64	8
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	53	47	6
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	155	133	22
X76	Intentional self harm (suicide) by smoke, fire, and flames	1	1	0
X78	Intentional self harm (suicide) by sharp object	3	3	0
X81	Intentional self harm (suicide) by jumping or lying before moving object	2	2	0
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	1	0
X83	Intentional self harm (suicide) by other specified means	2	2	0
<u>X85-Y09</u>	<u>Assault</u>	<u>317</u>	<u>102</u>	<u>215</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	1	0
X91	Assault (homicide) by hanging, strangulation, and suffocation	3	2	1
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	67	14	53
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	24	12	12
X95	Assault (homicide) by other and unspecified firearm discharge	149	42	107
X97	Assault (homicide) by smoke, fire, and flames	1	0	1
X99	Assault (homicide) by sharp object	32	12	20
Y00	Assault (homicide) by blunt object	5	2	3
Y03	Assault (homicide) by crashing of motor vehicle	1	0	1
Y05	Sexual assault (homicide) by bodily force	1	0	1
Y07	Other maltreatment syndromes	4	2	2
Y08	Assault (homicide) by other specified means	8	4	4
Y09	Assault (homicide) by unspecified means	20	11	9
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>63</u>	<u>43</u>	<u>20</u>
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent	1	1	0
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	1	1	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	14	14	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	18	17	1
Y15	Poisoning by and exposure to alcohol, undetermined intent	1	0	1
Y20	Hanging, strangulation, and suffocation, undetermined intent	1	1	0
Y21	Drowning and submersion, undetermined intent	6	3	3
Y22	Handgun discharge, undetermined intent	1	0	1
Y24	Other and unspecified firearm discharge, undetermined intent	6	3	3
Y26	Exposure to smoke, fire, and flames, undetermined intent	5	1	4

Table 10B - Page 22  
 Deaths - Mississippi - 2008

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y31	Falling, lying, or running before or into moving object, undetermined intent	1	1	0
Y32	Crashing of motor vehicle, undetermined intent	1	0	1
Y33	Other specified events, undetermined intent	1	0	1
Y34	Unspecified event, undetermined intent	6	1	5
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>9</u>	<u>2</u>	<u>7</u>
Y35	Legal intervention	9	2	7
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>4</u>	<u>4</u>	<u>0</u>
Y40	Systemic antibiotics	1	1	0
Y44	Agents primarily affecting blood constituents	1	1	0
Y48	Anesthetics and therapeutic gases	1	1	0
Y51	Drugs primarily affecting the autonomic nervous system	1	1	0
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>7</u>	<u>4</u>	<u>3</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	4	3	1
Y65	Other misadventures during surgical and medical care	3	1	2
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>52</u>	<u>31</u>	<u>21</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	36	23	13
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	16	8	8
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>25</u>	<u>18</u>	<u>7</u>
Y85	Sequelae of transport accidents	10	8	2
Y86	Sequelae of other accidents	13	10	3
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	1	0	1
Y88	Sequelae with surgical and medical care as external cause	1	0	1
Y88	Sequelae with surgical and medical care as external cause	1	0	1

\* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11**  
**DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,**  
**ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 2008**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								NO.	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-	65
		1	4							9	14	24	34	44	54	64	AND OVER		
001-358	ALL CAUSES	28,867	9.8	W	19,434	M	9,656	100	14	9	18	178	232	334	916	1,496	6,355	4	
						F	9,778	80	11	12	10	61	97	218	560	937	7,790	2	
					9,433	NW	M	4,835	144	28	8	22	171	214	322	671	1,005	2,250	0
						F	4,598	122	13	10	11	56	113	231	463	645	2,934	0	
001-055	INFECTIOUS AND PARASITIC DISEASES	881	30.0	W	453	M	218	2	0	0	0	1	3	11	44	35	122	0	
						F	235	3	0	0	0	2	2	7	23	27	171	0	
					428	NW	M	228	5	0	0	1	2	13	38	51	46	72	0
						F	200	1	0	0	0	4	18	22	22	20	113	0	
009,010	TUBERCULOSIS	12	0.4	W	4	M	3	0	0	0	0	0	0	0	0	2	1	0	
						F	1	0	0	0	0	0	0	0	0	0	1	0	
					8	NW	M	5	0	0	0	0	0	0	0	2	2	1	0
						F	3	0	0	0	0	0	0	0	1	0	2	0	
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	151	5.1	W	27	M	22	0	0	0	0	0	5	10	5	2	0		
						F	5	0	0	0	0	2	1	0	2	0	0		
					124	NW	M	83	0	0	0	0	1	8	29	31	11	3	0
						F	41	0	0	0	0	3	11	16	10	0	1	0	
056-108	MALIGNANT NEOPLASMS	6,141	209.0	W	4,127	M	2,232	0	1	1	4	7	10	26	196	444	1,542	1	
						F	1,895	0	0	0	4	2	8	34	175	353	1,318	1	
					2,014	NW	M	1,144	0	3	0	1	9	7	34	162	317	611	0
						F	870	0	3	1	0	2	13	50	127	209	465	0	
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	128	4.4	W	92	M	49	0	0	0	0	0	1	1	4	5	38	0	
						F	43	0	0	0	0	1	0	4	5	33	0		
					36	NW	M	18	0	0	1	0	0	1	3	2	3	8	0
						F	18	0	0	0	1	0	0	1	1	1	3	12	0



TABLE 11 - PAGE 2  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN	
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54			55-64
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	128	4.4	W	69	M	30	0	0	0	0	0	0	2	4	4	20	0		
						F	39	1	0	0	0	0	0	1	6	31	0			
					NW	59	M	21	0	0	0	3	4	4	3	2	5	5	18	0
							F	38	0	0	0	3	0	3	4	5	5	18	0	
116-119	ANEMIAS	66	2.2	W	35	M	13	0	0	0	0	0	0	1	1	2	9	0		
						F	22	0	0	0	0	0	0	0	2	20	0			
					NW	31	M	15	0	0	0	0	2	4	2	2	1	4	0	
							F	16	0	0	0	2	0	2	2	0	1	9	0	
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,034	35.2	W	536	M	256	0	1	0	0	3	1	11	31	53	156	0		
						F	280	0	0	0	0	2	4	11	17	38	208	0		
					NW	498	M	217	0	0	0	1	4	5	14	39	45	109	0	
							F	281	2	0	0	0	2	10	9	29	51	178	0	
124	DIABETES MELLITUS	753	25.6	W	361	M	182	0	0	0	0	0	7	23	40	112	0			
						F	179	0	0	0	0	1	2	7	12	22	135	0		
					NW	392	M	164	0	0	0	1	3	2	8	30	38	82	0	
							F	228	0	0	0	0	2	5	7	23	42	149	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	38	1.3	W	24	M	9	0	0	0	0	0	0	1	0	8	0			
						F	15	0	0	0	0	0	0	0	0	15	0			
					NW	14	M	9	0	0	0	0	0	0	0	1	0	8	0	
							F	5	0	0	0	0	0	0	1	0	0	4	0	
136-144	MENTAL AND BEHAVIORAL DISORDERS	835	28.4	W	640	M	205	0	0	0	0	0	2	2	12	16	173	0		
						F	435	0	0	0	0	0	0	4	3	10	418	0		
					NW	195	M	71	0	0	0	1	0	1	5	6	11	47	0	
							F	124	0	0	0	0	1	1	2	3	3	114	0	
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	45	1.5	W	28	M	22	0	0	0	0	0	0	9	9	4	0			
						F	6	0	0	0	0	0	1	1	1	3	0			
					NW	17	M	14	0	0	0	0	0	0	4	1	7	2	0	
							F	3	0	0	0	0	0	1	0	1	0	1	0	

TABLE 11 - PAGE 3  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
145-153	<u>DISEASES OF THE NERVOUS SYSTEM</u>	1,394	47.4	W	1,115	M	429	4	2	0	1	5	6	7	21	24	359	0
						F	686	2	1	2	1	1	5	6	12	25	631	0
				NW	279	M	105	2	3	1	2	5	3	4	11	14	60	0
						F	174	1	0	2	1	2	2	7	8	9	142	0
145	MENINGITIS	5	0.2	W	4	M	1	0	0	0	0	0	0	0	1	0	0	0
						F	3	0	0	0	0	0	0	0	1	0	2	0
				NW	1	M	1	0	0	0	0	0	0	0	0	1	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
147	PARKINSONS DISEASE	151	5.1	W	138	M	74	0	0	0	0	0	0	0	0	1	73	0
						F	64	0	0	0	0	0	0	0	0	1	63	0
				NW	13	M	5	0	0	0	0	0	0	0	0	0	5	0
						F	8	0	0	0	0	0	0	0	0	0	8	0
148	ALZHEIMERS DISEASE	914	31.1	W	753	M	242	0	0	0	0	0	0	0	1	4	237	0
						F	511	0	0	0	0	0	0	0	1	6	504	0
				NW	161	M	44	0	0	0	0	0	0	0	0	1	43	0
						F	117	0	0	0	0	0	0	0	0	1	116	0
150	EPILEPSY	13	0.4	W	7	M	3	0	0	0	0	0	0	0	1	1	1	0
						F	4	0	0	0	0	0	2	0	0	0	2	0
				NW	6	M	2	0	0	0	0	0	0	1	1	0	0	
						F	4	0	0	0	1	1	1	1	0	0	0	
154	<u>DISEASES OF THE EYE AND ADNEXA</u>	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	
155	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	
				NW	0	M	0	0	0	0	0	0	0	0	0	0		
						F	0	0	0	0	0	0	0	0	0	0		

TABLE 11 - PAGE 4  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								NO.	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-	65
		1	4							9	14	24	34	44	54	64	AND OVER		
156-191	DISEASES OF THE CIRCULATORY SYSTEM	10,231	348.2	W	6,821	M	3,268	3	1	1	1	6	19	65	236	511	2,425	0	
						F	3,553	1	1	1	0	5	10	37	124	224	3,149	1	
					NW	3,410	M	1,618	3	3	0	3	11	30	94	225	382	867	0
							F	1,792	2	2	1	1	6	21	66	171	229	1,293	0
156-189	MAJOR CARDIO-VASCULAR DISEASES	10,180	346.4	W	6,789	M	3,251	3	0	1	1	6	19	65	235	506	2,415	0	
						F	3,538	1	1	1	0	5	9	36	123	224	3,137	1	
					NW	3,391	M	1,608	3	3	0	3	11	29	93	222	379	865	0
							F	1,783	2	2	1	1	6	21	66	169	228	1,287	0
156-160, 162, 164-181	HEART DISEASES	7,970	271.2	W	5,465	M	2,707	3	0	0	1	4	17	56	203	446	1,977	0	
						F	2,758	0	1	1	0	4	6	28	100	183	2,434	1	
					NW	2,505	M	1,209	2	3	0	1	9	22	78	164	277	653	0
							F	1,296	2	2	1	1	4	17	46	130	165	928	0
161,163	HYPERTENSION	456	15.5	W	225	M	94	0	0	0	0	0	4	10	8	72	0		
						F	131	0	0	0	0	0	3	5	8	115	0		
					NW	231	M	94	0	0	0	0	0	3	4	17	22	48	0
							F	137	0	0	0	0	0	1	6	7	18	105	0
182-186	CEREBROVASCULAR DISEASES	1,559	53.0	W	957	M	376	0	0	1	0	1	2	4	16	40	312	0	
						F	581	1	0	0	0	1	3	5	16	27	528	0	
					NW	602	M	272	1	0	0	2	2	1	8	39	73	146	0
							F	330	0	0	0	0	1	3	11	31	44	240	0
187	ATHEROSCLEROSIS	29	1.0	W	22	M	6	0	0	0	0	0	0	0	1	5	0		
						F	16	0	0	0	0	0	0	0	1	15	0		
					NW	7	M	6	0	0	0	0	0	0	1	0	1	4	0
							F	1	0	0	0	0	0	0	0	0	0	1	0
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,733	93.0	W	2,133	M	1,020	0	1	0	2	2	4	15	42	133	820	1	
						F	1,113	0	1	1	0	2	3	15	38	108	945	0	
					NW	600	M	309	4	3	3	1	3	4	6	28	43	214	0
							F	291	3	1	1	1	2	5	7	22	29	220	0

TABLE 11 - PAGE 5  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN			
		NO.	RATE#																		
195	INFLUENZA	16	0.5	W	14	M	4	0	0	0	2	0	0	0	0	1	1	0			
						F	10	0	0	1	0	0	0	1	0	8	0				
					NW	2	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0
							F	2	0	0	0	0	0	0	0	0	0	0	2	0	
196-198	PNEUMONIA	614	20.9	W	428	M	187	0	1	0	0	1	4	5	11	17	147	1			
						F	241	0	0	0	0	1	1	4	8	15	212	0			
					NW	186	M	92	1	2	0	0	1	0	4	9	6	69	0		
							F	94	0	0	0	0	3	3	5	7	76	0			
204	EMPHYSEMA	106	3.6	W	87	M	58	0	0	0	0	0	0	3	9	46	0				
						F	29	0	0	0	0	0	2	2	2	23	0				
					NW	19	M	13	0	0	0	0	0	1	3	3	6	0			
							F	6	0	0	0	0	0	0	2	1	3	0			
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>933</u>	<u>31.8</u>	<u>W</u>	<u>668</u>	<u>M</u>	<u>355</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>20</u>	<u>79</u>	<u>83</u>	<u>170</u>	<u>0</u>				
						<u>F</u>	<u>313</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>41</u>	<u>48</u>	<u>207</u>	<u>0</u>				
					<u>NW</u>	<u>265</u>	<u>M</u>	<u>138</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>14</u>	<u>29</u>	<u>35</u>	<u>52</u>	<u>0</u>			
							<u>F</u>	<u>127</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>9</u>	<u>15</u>	<u>20</u>	<u>76</u>	<u>0</u>			
217-220	PEPTIC ULCER	29	1.0	W	17	M	10	0	0	0	0	0	1	2	2	5	0				
						F	7	0	0	0	0	0	1	2	4	0					
					NW	12	M	7	0	0	0	0	1	1	2	1	2	0			
							F	5	0	0	0	0	0	1	2	2	0				
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	268	9.1	W	201	M	131	0	0	0	0	0	7	41	44	39	0				
						F	70	0	0	0	0	0	4	22	16	28	0				
					NW	67	M	48	0	0	0	0	1	7	15	14	11	0			
							F	19	0	0	0	0	0	6	5	4	4	0			
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>2.0</u>	<u>W</u>	<u>26</u>	<u>M</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>0</u>				
						<u>F</u>	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>12</u>	<u>0</u>					
					<u>NW</u>	<u>34</u>	<u>M</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>8</u>	<u>0</u>				
							<u>F</u>	<u>21</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>16</u>	<u>0</u>				

TABLE 11 - PAGE 6  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	103	3.5	W	67	M	19	0	0	0	0	0	0	0	2	2	15	0	
					NW	F	48	0	0	0	0	0	0	5	7	36	0		
						M	36	13	0	0	0	0	1	2	2	6	0		
						F	23	0	0	0	0	0	1	0	7	5	10	0	
247-260	DISEASES OF THE GENITOURINARY SYSTEM	930	31.6	W	513	M	204	0	0	0	0	1	0	15	22	166	0		
					NW	F	309	2	0	0	0	0	1	12	24	270	0		
						M	417	174	1	0	0	1	3	9	24	36	100	0	
						F	243	5	0	0	0	3	2	16	14	33	170	0	
247-249	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	720	24.5	W	380	M	162	0	0	0	0	1	0	9	16	136	0		
					NW	F	218	2	0	0	0	0	0	10	20	186	0		
						M	340	145	1	0	0	1	2	7	23	32	79	0	
						F	195	3	0	0	0	2	0	14	13	28	135	0	
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	14	31.2	W	3	M	0	0	0	0	0	0	0	0	0	0	0		
					NW	F	3	0	0	0	0	1	1	1	0	0	0	0	
						M	11	0	0	0	0	0	0	0	0	0	0	0	
						F	11	0	0	0	0	2	6	3	0	0	0	0	
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	185	4.1	W	64	M	34	34	0	0	0	0	0	0	0	0	0		
					NW	F	30	30	0	0	0	0	0	0	0	0	0	0	
						M	121	71	71	0	0	0	0	0	0	0	0	0	
						F	50	50	0	0	0	0	0	0	0	0	0	0	
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	116	3.9	W	58	M	25	16	1	0	0	1	1	1	3	1	0		
					NW	F	33	16	1	2	0	1	2	1	6	1	3	0	
						M	58	31	25	3	0	0	0	1	0	1	1	0	
						F	27	19	0	0	0	3	0	2	1	1	1	0	
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	501	17.0	W	326	M	139	27	2	1	2	1	7	6	9	11	73	0	
					NW	F	187	14	0	1	0	1	2	4	5	7	153	0	
						M	175	93	16	3	1	1	5	4	9	14	15	25	0
						F	82	19	0	0	0	0	3	3	2	4	51	0	

TABLE 11 - PAGE 7  
DEATHS - MISSISSIPPI - 2008

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
295-358	ALL EXTERNAL CAUSES	2,520	85.8	W	1,723	M	1,163	13	5	6	8	152	175	166	220	148	268	2	
						F	560	9	7	5	5	44	58	82	93	52	205	0	
					NW	797	M	571	14	10	2	11	128	133	83	74	51	65	0
							F	226	15	7	5	4	29	26	30	34	21	55	0
296-306	MOTOR VEHICLE ACCIDENTS	768	26.1	W	499	M	346	0	1	4	6	78	51	55	61	37	52	1	
						F	153	0	0	4	5	27	29	24	18	17	29	0	
					NW	269	M	181	0	3	1	1	37	49	35	26	17	12	0
							F	88	1	3	2	4	14	7	15	16	14	12	0
295, 307-330	ALL OTHER ACCIDENTS	900	30.6	W	690	M	414	12	2	2	1	28	58	50	79	45	136	1	
						F	276	9	5	1	0	3	12	31	50	23	142	0	
					NW	210	M	131	11	6	1	5	14	8	17	20	16	33	0
							F	79	11	1	3	0	1	4	7	13	7	32	0
331-337	SUICIDE	398	13.5	W	348	M	286	0	0	0	1	33	46	44	56	44	62	0	
						F	62	0	0	0	0	5	8	16	12	9	12	0	
					NW	50	M	46	0	0	0	2	15	9	7	2	8	3	0
							F	4	0	0	0	0	0	1	1	1	0	1	0
338-346	HOMICIDE	317	10.8	W	102	M	75	1	2	0	0	9	16	12	14	12	9	0	
						F	27	0	2	0	0	6	4	7	4	1	3	0	
					NW	215	M	180	1	0	0	3	56	62	23	22	6	7	0
							F	35	3	1	0	0	13	12	3	2	0	1	0
353,354	LEGAL INTERVENTION	9	0.3	W	2	M	2	0	0	0	0	0	1	0	1	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
					NW	7	M	7	0	0	0	0	3	3	0	0	1	0	0
							F	0	0	0	0	0	0	0	0	0	0	0	0

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* LESS THAN 0.06.

# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

**TABLE 12A**  
**INFANT, NEONATAL, AND POSTNEONATAL DEATHS\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 2008**

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>446</u>	<u>180</u>	<u>266</u>	<u>256</u>	<u>96</u>	<u>160</u>	<u>190</u>	<u>84</u>	<u>106</u>
ADAMS	5	0	5	2	0	2	3	0	3
ALCORN	7	5	2	3	1	2	4	4	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	1	1	0	0	0	0	1	1	0
BENTON	1	1	0	1	1	0	0	0	0
BOLIVAR	11	3	8	6	1	5	5	2	3
CALHOUN	2	1	1	2	1	1	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	0	0	0	0	0	0	0	0	0
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	1	0	1	0	0	0	1	0	1
CLARKE	1	0	1	1	0	1	0	0	0
CLAY	6	1	5	4	0	4	2	1	1
COAHOMA	8	0	8	3	0	3	5	0	5
COPIAH	7	1	6	2	0	2	5	1	4
COVINGTON	4	1	3	1	0	1	3	1	2
DESOTO	12	11	1	8	7	1	4	4	0
FORREST	15	6	9	11	4	7	4	2	2
FRANKLIN	1	1	0	1	1	0	0	0	0
GEORGE	3	3	0	1	1	0	2	2	0
GREENE	2	1	1	2	1	1	0	0	0
GRENADA	3	0	3	2	0	2	1	0	1
HANCOCK	4	3	1	1	1	0	3	2	1
HARRISON	23	14	9	14	9	5	9	5	4
HINDS	36	4	32	22	4	18	14	0	14
HOLMES	3	1	2	2	1	1	1	0	1
HUMPHREYS	0	0	0	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	3	3	0	2	2	0	1	1	0
JACKSON	15	7	8	12	5	7	3	2	1
JASPER	2	0	2	2	0	2	0	0	0
JEFFERSON	1	0	1	0	0	0	1	0	1
JEFF DAVIS	1	0	1	1	0	1	0	0	0
JONES	9	5	4	6	4	2	3	1	2
KEMPER	2	0	2	1	0	1	1	0	1
LAFAYETTE	7	2	5	3	1	2	4	1	3
LAMAR	8	4	4	4	3	1	4	1	3
LAUDERDALE	7	0	7	6	0	6	1	0	1
LAWRENCE	4	4	0	2	2	0	2	2	0
LEAKE	7	2	5	5	2	3	2	0	2
LEE	11	2	9	10	1	9	1	1	0
LEFLORE	8	3	5	7	3	4	1	0	1

TABLE 12A - PAGE 2  
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2008

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	5	1	2	2	0	4	3	1
LOWNDES	9	2	7	3	1	2	6	1	5
MADISON	10	1	9	8	0	8	2	1	1
MARION	6	3	3	1	1	0	5	2	3
MARSHALL	4	1	3	3	0	3	1	1	0
MONROE	7	4	3	2	2	0	5	2	3
MONTGOMERY	3	0	3	2	0	2	1	0	1
NESHOBA	4	0	4	2	0	2	2	0	2
NEWTON	3	0	3	3	0	3	0	0	0
NOXUBEE	3	0	3	1	0	1	2	0	2
OKTIBBEHA	6	4	2	4	3	1	2	1	1
PANOLA	4	0	4	3	0	3	1	0	1
PEARL RIVER	10	9	1	6	5	1	4	4	0
PERRY	3	3	0	1	1	0	2	2	0
PIKE	10	1	9	5	0	5	5	1	4
PONTOTOC	6	4	2	2	1	1	4	3	1
PRENTISS	3	3	0	0	0	0	3	3	0
QUITMAN	1	0	1	1	0	1	0	0	0
RANKIN	19	17	2	11	9	2	8	8	0
SCOTT	9	4	5	4	1	3	5	3	2
SHARKEY	2	0	2	2	0	2	0	0	0
SIMPSON	4	1	3	2	0	2	2	1	1
SMITH	6	4	2	4	2	2	2	2	0
STONE	3	1	2	2	0	2	1	1	0
SUNFLOWER	8	3	5	5	3	2	3	0	3
TALLAHATCHIE	1	0	1	1	0	1	0	0	0
TATE	1	1	0	0	0	0	1	1	0
TIPPAH	2	2	0	2	2	0	0	0	0
TISHOMINGO	3	2	1	1	1	0	2	1	1
TUNICA	4	1	3	3	1	2	1	0	1
UNION	0	0	0	0	0	0	0	0	0
WALTHALL	3	2	1	2	2	0	1	0	1
WARREN	12	4	8	4	2	2	8	2	6
WASHINGTON	14	4	10	6	0	6	8	4	4
WAYNE	4	2	2	1	0	1	3	2	1
WEBSTER	2	2	0	1	1	0	1	1	0
WILKINSON	0	0	0	0	0	0	0	0	0
WINSTON	4	0	4	3	0	3	1	0	1
YALOBUSHA	1	0	1	0	0	0	1	0	1
YAZOO	5	0	5	3	0	3	2	0	2

\* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.



**TABLE 12B**  
**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 2004-2008 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.3</u>	<u>6.8</u>	<u>14.5</u>	<u>6.1</u>	<u>3.7</u>	<u>9.0</u>	<u>4.2</u>	<u>3.0</u>	<u>5.5</u>
ADAMS	13.0	5.2	17.3	6.5	-	10.1	6.5	5.2	7.2
ALCORN	7.4	5.8	17.0	2.9	1.9	8.5	4.6	3.9	8.5
AMITE	8.3	2.5	13.4	7.1	2.5	11.2	1.2	-	2.2
ATTALA	5.2	2.8	7.3	1.3	-	2.4	3.9	2.8	4.9
BENTON	12.4	14.6	9.0	7.1	8.8	4.5	5.3	5.8	4.5
BOLIVAR	13.5	5.0	16.4	7.4	1.2	9.5	6.1	3.8	6.9
CALHOUN	10.7	4.5	21.8	7.8	1.5	19.1	2.9	3.0	2.7
CARROLL	9.7	10.6	8.4	4.8	5.3	4.2	4.8	5.3	4.2
CHICKASAW	11.9	6.8	17.1	10.5	6.8	14.2	1.4	-	2.8
CHOCTAW	12.5	6.5	19.7	7.1	6.5	7.9	5.4	-	11.8
CLAIBORNE	10.3	-	11.0	7.7	-	8.3	2.6	-	2.8
CLARKE	9.5	6.5	13.1	5.2	-	11.2	4.3	6.5	1.9
CLAY	13.6	3.8	18.6	7.8	-	11.7	5.8	3.8	6.8
COAHOMA	15.5	8.2	16.7	10.8	5.4	11.7	4.6	2.7	5.0
COPIAH	10.9	6.8	13.4	5.5	2.3	7.4	5.5	4.5	6.0
COVINGTON	10.9	10.4	11.5	5.1	3.4	7.2	5.8	6.9	4.3
DESOTO	6.9	5.6	11.5	4.2	3.0	8.5	2.7	2.6	3.0
FORREST	13.7	8.9	19.6	8.8	4.8	13.7	5.0	4.2	5.9
FRANKLIN	8.7	6.8	10.6	3.5	3.4	3.5	5.2	3.4	7.1
GEORGE	6.5	7.1	-	2.2	2.4	-	4.3	4.8	-
GREENE	7.9	7.0	11.1	5.3	5.2	5.6	2.6	1.7	5.6
GRENADA	14.0	2.6	24.4	11.0	1.3	19.8	3.0	1.3	4.6
HANCOCK	8.0	7.0	19.5	4.8	4.4	9.8	3.2	2.6	9.8
HARRISON	9.5	7.8	13.4	5.0	4.2	6.8	4.5	3.5	6.6
HINDS	13.4	6.2	15.6	8.4	3.9	9.8	5.0	2.4	5.8
HOLMES	11.0	5.0	11.7	7.5	5.0	7.8	3.5	-	3.9
HUMPHREYS	14.4	14.8	14.3	10.5	7.4	11.0	3.8	7.4	3.3
ISSAQUENA	11.9	50.0	-	11.9	50.0	-	-	-	-
ITAWAMBA	11.8	11.3	16.9	6.2	5.3	16.9	5.5	6.0	-
JACKSON	7.8	7.1	9.6	4.8	3.9	7.0	3.0	3.2	2.6
JASPER	15.7	12.3	17.7	11.0	8.2	12.7	4.7	4.1	5.1
JEFFERSON	14.2	-	15.1	7.9	-	8.4	6.3	-	6.7
JEFF DAVIS	8.8	11.1	7.9	6.6	7.4	6.3	2.2	3.7	1.6
JONES	8.8	6.0	14.1	5.4	4.4	7.3	3.4	1.6	6.8
KEMPER	13.8	10.9	14.9	10.7	5.5	12.8	3.1	5.5	2.1
LAFAYETTE	9.4	3.7	19.4	5.1	3.0	8.6	4.3	0.6	10.8
LAMAR	7.4	4.7	16.7	4.5	3.4	8.4	2.9	1.3	8.4
LAUDERDALE	11.1	8.2	13.8	7.4	5.8	9.0	3.6	2.4	4.8
LAWRENCE	13.6	10.2	19.1	8.4	5.1	13.6	5.2	5.1	5.4
LEAKE	9.9	5.0	14.8	3.0	2.0	3.9	7.0	3.0	10.8
LEE	11.4	6.8	20.5	7.2	3.1	14.9	4.3	3.6	5.6
LEFLORE	12.1	9.7	12.7	9.0	9.7	8.9	3.0	-	3.8

TABLE 12B - PAGE 2

## INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2004-2008 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	8.9	9.3	8.3	4.6	4.3	5.2	4.3	5.0	3.1
LOWNDES	9.4	4.1	14.4	5.1	2.7	7.4	4.2	1.4	7.0
MADISON	8.6	3.0	15.2	5.8	1.6	10.7	2.8	1.4	4.4
MARION	11.9	10.0	14.9	5.7	3.9	8.7	6.2	6.2	6.2
MARSHALL	7.5	3.9	10.9	4.5	1.6	7.3	3.0	2.3	3.6
MONROE	10.1	8.0	13.2	5.6	3.7	8.5	4.5	4.3	4.7
MONTGOMERY	8.3	6.2	9.6	3.6	3.1	3.8	4.8	3.1	5.8
NESHOPA	10.2	4.9	14.9	7.6	4.9	9.9	2.6	-	5.0
NEWTON	11.7	2.1	23.2	6.7	-	14.6	5.0	2.1	8.5
NOXUBEE	17.0	-	21.6	12.0	-	15.3	5.0	-	6.4
OKTIBBEHA	9.6	6.3	12.6	6.3	2.8	9.4	3.3	3.5	3.1
PANOLA	8.2	1.7	12.7	5.8	0.8	9.2	2.4	0.8	3.5
PEARL RIVER	8.3	7.9	9.9	4.3	4.1	5.0	4.0	3.8	5.0
PERRY	7.9	7.6	8.5	2.2	1.5	4.3	5.6	6.1	4.3
PIKE	8.3	3.1	11.5	4.1	0.8	6.2	4.1	2.3	5.3
PONTOTOC	9.3	9.2	10.1	6.2	6.1	6.7	3.1	3.0	3.4
PRENTISS	10.1	8.6	17.7	3.6	2.1	10.6	6.5	6.4	7.1
QUITMAN	10.4	-	12.6	8.9	-	10.8	1.5	-	1.8
RANKIN	8.2	7.8	9.6	4.3	3.8	6.2	3.8	4.0	3.3
SCOTT	11.6	6.6	19.0	7.4	3.3	13.3	4.3	3.3	5.7
SHARKEY	9.8	-	12.1	3.9	-	4.8	5.9	-	7.3
SIMPSON	10.6	7.4	15.2	7.7	4.1	12.9	2.9	3.3	2.3
SMITH	15.0	14.8	15.5	9.4	10.8	6.2	5.6	4.0	9.3
STONE	13.0	5.9	37.6	7.4	2.4	25.1	5.6	3.6	12.6
SUNFLOWER	13.4	17.6	12.6	10.2	15.1	9.2	3.2	2.5	3.4
TALLAHATCHIE	15.0	8.2	16.9	12.2	8.2	13.3	2.8	-	3.6
TATE	8.1	9.0	6.6	4.6	5.7	2.7	3.5	3.3	4.0
TIPPAH	7.3	7.4	6.8	4.2	4.4	3.4	3.0	3.0	3.4
TISHOMINGO	6.0	5.3	38.5	2.6	2.6	-	3.4	2.6	38.5
TUNICA	20.1	18.5	20.4	12.2	18.5	11.2	7.9	-	9.2
UNION	8.1	5.4	22.6	4.1	3.6	6.4	4.1	1.8	16.1
WALTHALL	8.0	5.8	10.0	3.6	3.9	3.3	4.5	1.9	6.6
WARREN	10.5	6.4	13.4	4.2	4.5	4.0	6.3	1.9	9.4
WASHINGTON	13.2	9.6	14.2	6.1	5.8	6.2	7.1	3.8	8.0
WAYNE	12.8	6.3	19.7	7.7	3.8	11.8	5.1	2.5	7.9
WEBSTER	8.8	8.3	9.8	7.3	6.2	9.8	1.5	2.1	-
WILKINSON	7.1	-	8.8	2.8	-	3.5	4.3	-	5.2
WINSTON	10.6	3.9	14.5	7.8	2.0	11.1	2.8	2.0	3.3
YALOBUSHA	9.8	5.3	15.6	6.9	3.5	11.1	3.0	1.8	4.4
YAZOO	8.9	3.1	11.2	3.6	1.6	4.4	5.4	1.6	6.9

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13**  
**INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,**  
**ALSO MORTALITY RATES FOR SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 2008**

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>446</u>	<u>9.9</u>	W	<u>180</u>	<u>96</u>	<u>54</u>	<u>17</u>	<u>8</u>	<u>10</u>	<u>7</u>	<u>84</u>
			NW	<u>266</u>	<u>160</u>	<u>87</u>	<u>32</u>	<u>12</u>	<u>17</u>	<u>12</u>	<u>106</u>
WHOOPING COUGH (006)	1	##	W	1	1	0	0	0	0	1	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (008)	7	0.2	W	2	0	0	0	0	0	0	2
			NW	5	0	0	0	0	0	0	5
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	2	0	0	0	0
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	9	0.2	W	4	2	1	0	0	0	1	2
			NW	5	1	1	0	0	0	0	4
INFLUENZA AND PNEUMONIA (046,047)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	6	0.1	W	1	0	0	0	0	0	0	1
			NW	5	0	0	0	0	0	0	5
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	6	0.1	W	2	2	0	2	0	0	0	0
			NW	4	2	0	0	0	0	2	2
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0

TABLE 13 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 2008

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-	< 1	1-	7-	14-	21-	
					AL	DAY	6	13	20	27	
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	10	0.2	W	2	2	2	0	0	0	0	0
			NW	8	8	8	0	0	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	7	0.2	W	3	3	2	0	0	1	0	0
			NW	4	4	4	0	0	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	3	0.1	W	1	1	0	0	0	1	0	0
			NW	2	1	1	0	0	0	0	1
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	62	1.4	W	19	19	16	1	2	0	0	0
			NW	43	41	34	4	1	2	0	2
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	7	0.2	W	2	2	2	0	0	0	0	0
			NW	5	5	3	2	0	0	0	0
RESPIRATORY DISTRESS OF NEWBORN (077)	9	0.2	W	6	6	3	1	2	0	0	0
			NW	3	3	3	0	0	0	0	0
CONGENITAL PNEUMONIA (078)	2	##	W	2	2	0	1	0	0	1	0
			NW	0	0	0	0	0	0	0	0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	8	0.2	W	2	2	0	1	0	1	0	0
			NW	6	6	0	5	0	1	0	0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
ATELECTASIS (083)	8	0.2	W	2	2	0	1	0	1	0	0
			NW	6	6	3	3	0	0	0	0

TABLE 13 - PAGE 3  
 INFANT DEATHS - MISSISSIPPI - 2008

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20		21- 27
BACTERIAL SEPSIS OF NEWBORN (085)	18	0.4	W	3	3	1	1	0	1	0	0
			NW	15	15	2	5	1	4	3	0
NEONATAL HEMORRHAGE (088)	6	0.1	W	5	5	0	3	1	0	1	0
			NW	1	1	0	1	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	0.2	W	4	4	0	1	1	1	1	0
			NW	7	7	0	0	2	4	1	0
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	2	0	0	0	1	1	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	76	1.7	W	32	21	15	3	2	0	1	11
			NW	44	29	14	8	3	2	2	15
SUDDEN INFANT DEATH SYNDROME (111)	54	1.2	W	28	2	0	0	0	2	0	26
			NW	26	1	0	0	1	0	0	25
ACCIDENTS (114-124)	44	1.0	W	21	2	0	0	0	1	1	19
			NW	23	4	0	0	0	1	3	19
ASSAULT (HOMICIDE) (125-128)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	0	0	0	0	0	0	4
ALL OTHER CAUSES	73	1.6	W	32	11	9	1	0	1	0	21
			NW	41	20	13	1	4	2	0	21

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

# DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

**TABLE 14  
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,  
MISSISSIPPI, 2008**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,619</u>	<u>773</u>	<u>29</u>	<u>257</u>	<u>227</u>	<u>55</u>	<u>46</u>	<u>22</u>	<u>210</u>
ADAMS	23	10	0	6	4	0	1	1	1
ALCORN	27	12	1	3	5	1	0	1	4
AMITE	6	4	0	1	0	1	0	0	0
ATTALA	8	5	0	0	2	0	0	0	1
BENTON	6	5	0	1	0	0	0	0	0
BOLIVAR	9	8	0	0	0	1	0	0	0
CALHOUN	11	6	0	2	0	1	1	0	1
CARROLL	6	5	0	1	0	0	0	0	0
CHICKASAW	6	2	1	1	1	1	0	0	0
CHOCTAW	1	1	0	0	0	0	0	0	0
CLAIBORNE	4	3	0	0	0	0	1	0	0
CLARKE	10	2	0	4	1	1	0	0	2
CLAY	3	2	0	1	0	0	0	0	0
COAHOMA	19	11	0	1	1	0	1	0	5
COPIAH	15	10	0	4	0	0	0	0	1
COVINGTON	15	10	0	1	1	0	0	0	3
DESOTO	43	21	0	11	4	1	2	0	4
FORREST	71	32	1	6	19	1	3	1	8
FRANKLIN	1	1	0	0	0	0	0	0	0
GEORGE	12	6	1	3	0	0	0	1	1
GREENE	1	0	0	0	0	1	0	0	0
GRENADA	10	2	2	2	1	0	0	2	1
HANCOCK	35	16	0	10	3	1	2	1	2
HARRISON	111	36	3	34	11	3	7	0	17
HINDS	176	86	2	12	35	3	3	6	29
HOLMES	12	9	0	1	0	0	1	0	1
HUMPHREYS	1	0	0	0	1	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	17	13	0	0	1	2	0	0	1
JACKSON	84	27	4	28	16	1	1	2	5
JASPER	6	3	0	1	0	1	0	1	0
JEFFERSON	6	4	0	0	0	1	0	0	1
JEFF DAVIS	3	2	0	1	0	0	0	0	0
JONES	48	26	1	6	8	1	1	0	5
KEMPER	2	2	0	0	0	0	0	0	0
LAFAYETTE	32	12	0	3	14	0	0	0	3
LAMAR	24	9	0	4	6	0	0	0	5
LAUDERDALE	47	16	1	3	14	3	0	1	9
LAWRENCE	14	9	0	0	2	1	0	0	2
LEAKE	7	2	1	0	0	0	2	0	2
LEE	85	35	1	5	36	0	1	0	7
LEFLORE	16	6	0	3	3	0	0	0	4

TABLE 14 - PAGE 2  
 ACCIDENTAL DEATHS - MISSISSIPPI - 2008

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	16	10	0	2	0	1	0	0	3
LOWNDES	26	9	2	6	3	1	0	0	5
MADISON	14	7	0	4	1	0	0	1	1
MARION	10	7	0	0	0	1	0	1	1
MARSHALL	9	8	0	0	0	0	0	0	1
MONROE	11	4	0	1	2	1	1	0	2
MONTGOMERY	5	2	0	2	0	0	0	0	1
NESHOBA	16	6	0	6	0	0	0	1	3
NEWTON	10	4	1	2	2	0	1	0	0
NOXUBEE	8	6	0	0	0	0	1	0	1
OKTIBBEHA	13	5	0	1	3	2	0	0	2
PANOLA	20	15	0	1	0	0	1	0	3
PEARL RIVER	42	18	0	13	2	1	4	0	4
PERRY	7	4	0	1	0	0	0	0	2
PIKE	22	13	0	1	1	0	1	0	6
PONTOTOC	14	10	0	2	0	1	1	0	0
PRENTISS	8	4	1	1	0	0	0	0	2
QUITMAN	4	2	1	1	0	0	0	0	0
RANKIN	56	25	0	15	2	1	0	0	13
SCOTT	25	22	2	0	1	0	0	0	0
SHARKEY	3	2	0	0	0	0	0	1	0
SIMPSON	21	7	0	1	4	4	1	0	4
SMITH	6	4	0	2	0	0	0	0	0
STONE	5	2	0	2	0	0	0	0	1
SUNFLOWER	10	4	0	1	1	1	2	0	1
TALLAHATCHIE	8	8	0	0	0	0	0	0	0
TATE	13	7	0	3	0	3	0	0	0
TIPPAH	10	7	0	0	1	0	0	0	2
TISHOMINGO	10	4	0	4	0	2	0	0	0
TUNICA	13	6	0	2	0	0	4	0	1
UNION	14	10	0	1	0	1	0	0	2
WALTHALL	6	1	0	3	0	1	0	0	1
WARREN	33	12	1	6	5	0	0	0	9
WASHINGTON	23	8	1	3	4	1	0	0	6
WAYNE	21	13	0	4	2	1	0	1	0
WEBSTER	7	1	1	0	1	3	0	0	1
WILKINSON	14	8	0	1	2	1	0	0	2
WINSTON	18	10	0	3	1	1	0	0	3
YALOBUSHA	5	3	0	2	0	0	0	0	0
YAZOO	10	4	0	1	0	1	2	0	2

**TABLE 15  
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,  
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,  
MISSISSIPPI, 2008**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>15,057</u>	<u>10,549</u>	<u>4,508</u>	<u>15,057</u>	<u>10,549</u>	<u>4,508</u>	<u>14,088</u>	<u>9,792</u>	<u>4,296</u>
ADAMS	268	167	101	313	202	111	188	98	90
ALCORN	146	137	9	139	128	11	126	117	9
AMITE	75	55	20	83	60	23	75	52	23
ATTALA	124	83	41	116	82	34	110	71	39
BENTON	23	16	7	26	19	7	30	23	7
BOLIVAR	134	64	70	133	61	72	116	55	61
CALHOUN	75	58	17	80	64	16	82	64	18
CARROLL	38	25	13	47	36	11	39	29	10
CHICKASAW	81	51	30	79	57	22	72	49	23
CHOCTAW	50	31	19	51	35	16	51	33	18
CLAIBORNE	43	6	37	46	8	38	43	7	36
CLARKE	79	62	17	101	82	19	95	76	19
CLAY	111	46	65	128	59	69	103	42	61
COAHOMA	70	29	41	78	37	41	64	25	39
COPIAH	168	73	95	188	93	95	164	76	88
COVINGTON	143	100	43	138	95	43	139	99	40
DESOTO	663	537	126	550	445	105	553	449	104
FORREST	571	396	175	547	383	164	422	283	139
FRANKLIN	57	46	11	55	44	11	63	50	13
GEORGE	190	176	14	176	163	13	156	151	5
GREENE	52	44	8	58	49	9	49	45	4
GRENADA	117	87	30	118	78	40	103	69	34
HANCOCK	245	231	14	244	230	14	216	204	12
HARRISON	1,186	895	291	1,181	899	282	1,025	765	260
HINDS	780	334	446	953	473	480	773	328	445
HOLMES	82	11	71	91	14	77	81	15	66
HUMPHREYS	42	11	31	52	16	36	41	10	31
ISSAQUENA	10	2	8	11	3	8	2	1	1
ITAWAMBA	99	96	3	112	112	0	97	93	4
JACKSON	685	557	128	728	603	125	703	568	135
JASPER	80	39	41	97	46	51	85	41	44
JEFFERSON	37	2	35	36	5	31	30	6	24
JEFF DAVIS	85	33	52	88	35	53	77	28	49
JONES	367	268	99	369	269	100	366	272	94
KEMPER	41	16	25	45	23	22	37	15	22
LAFAYETTE	262	199	63	254	198	56	230	169	61
LAMAR	285	249	36	264	234	30	383	325	58
LAUDERDALE	439	300	139	423	286	137	387	260	127
LAWRENCE	82	64	18	85	66	19	86	64	22
LEAKE	0	0	0	21	14	7	20	13	7
LEE	470	356	114	441	317	124	430	321	109
LEFLORE	149	70	79	147	70	77	121	52	69



TABLE 15 - PAGE 2  
MARRIAGES - MISSISSIPPI - 2008

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	259	184	75	238	169	69	241	173	68
LOWNDES	240	162	78	229	150	79	228	146	82
MADISON	425	275	150	396	252	144	429	276	153
MARION	213	156	57	212	153	59	180	138	42
MARSHALL	116	73	43	136	87	49	103	65	38
MONROE	143	104	39	157	121	36	139	100	39
MONTGOMERY	41	22	19	41	21	20	38	22	16
NESHOBA	197	142	55	204	145	59	187	133	54
NEWTON	129	95	34	115	86	29	134	96	38
NOXUBEE	32	11	21	47	16	31	29	9	20
OKTIBBEHA	233	158	75	211	138	73	213	139	74
PANOLA	143	83	60	140	79	61	141	80	61
PEARL RIVER	310	275	35	317	281	36	288	258	30
PERRY	59	50	9	52	41	11	64	54	10
PIKE	285	156	129	312	172	140	271	138	133
PONTOTOC	140	126	14	148	134	14	152	137	15
PRENTISS	135	118	17	130	118	12	130	111	19
QUITMAN	33	11	22	42	20	22	33	9	24
RANKIN	1,005	840	165	716	594	122	968	812	156
SCOTT	177	105	72	187	114	73	165	98	67
SHARKEY	9	4	5	14	5	9	7	2	5
SIMPSON	151	110	41	162	119	43	151	105	46
SMITH	85	76	9	98	82	16	97	81	16
STONE	124	109	15	114	99	15	112	99	13
SUNFLOWER	90	24	66	111	35	76	81	24	57
TALLAHATCHIE	44	22	22	48	25	23	45	22	23
TATE	127	100	27	162	133	29	128	101	27
TIPPAH	116	102	14	109	99	10	109	99	10
TISHOMINGO	96	93	3	107	104	3	75	73	2
TUNICA	39	17	22	58	32	26	37	15	22
UNION	145	133	12	136	122	14	146	130	16
WALTHALL	90	60	30	66	44	22	82	54	28
WARREN	309	177	132	321	198	123	277	157	120
WASHINGTON	132	59	73	135	64	71	127	51	76
WAYNE	99	73	26	90	67	23	80	57	23
WEBSTER	50	44	6	61	54	7	51	44	7
WILKINSON	43	12	31	45	14	31	34	7	27
WINSTON	106	57	49	110	61	49	94	53	41
YALOBUSHA	60	42	18	59	39	20	69	47	22
YAZOO	123	67	56	129	69	60	120	64	56
OUT OF STATE	*	*	*	*	*	*	959	754	205

\* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16  
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE\*,  
MISSISSIPPI, 2008**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,597</u>	<u>8,388</u>	<u>3,084</u>	<u>1,125</u>					
ADAMS	137	57	77	3	LINCOLN	154	113	38	3
ALCORN	253	231	16	6	LOWNDES	246	149	92	5
AMITE	61	50	10	1	MADISON	292	200	90	2
ATTALA	90	55	27	8	MARION	153	122	29	2
BENTON	30	21	9	0	MARSHALL	107	62	43	2
BOLIVAR	119	47	67	5	MONROE	164	128	34	2
CALHOUN	65	48	16	1	MONTGOMERY	46	30	16	0
CARROLL	35	27	8	0	NESHOBA	122	103	18	1
CHICKASAW	54	36	17	1	NEWTON	109	86	23	0
CHOCTAW	40	28	12	0	NOXUBEE	23	6	17	0
CLAIBORNE	23	6	17	0	OKTIBBEHA	130	83	44	3
CLARKE	93	71	22	0	PANOLA	163	101	58	4
CLAY	62	30	30	2	PEARL RIVER	274	256	15	3
COAHOMA	100	29	66	5	PERRY	77	64	12	1
COPIAH	124	66	48	10	PIKE	188	121	61	6
COVINGTON	92	67	21	4	PONTOTOC	0	0	0	0
DESOTO	817	592	129	96	PRENTISS	158	140	11	7
FORREST	307	204	91	12	QUITMAN	15	3	12	0
FRANKLIN	47	38	9	0	RANKIN	801	706	91	4
GEORGE	129	120	6	3	SCOTT	124	89	33	2
GREENE	0	0	0	0	SHARKEY	5	4	1	0
GRENADA	102	75	27	0	SIMPSON	108	89	17	2
HANCOCK	192	149	8	35	SMITH	88	77	10	1
HARRISON	1,005	461	123	421	STONE	80	66	8	6
HINDS	874	262	524	88	SUNFLOWER	0	0	0	0
HOLMES	36	7	29	0	TALLAHATCHIE	1	1	0	0
HUMPHREYS	19	3	11	5	TATE	125	90	33	2
ISSAQUENA	0	0	0	0	TIPPAH	126	91	21	14
ITAWAMBA	148	138	6	4	TISHOMINGO	136	133	3	0
JACKSON	773	431	74	268	TUNICA	5	2	3	0
JASPER	84	55	29	0	UNION	163	144	14	5
JEFFERSON	1	0	1	0	WALTHALL	68	47	21	0
JEFF DAVIS	45	26	19	0	WARREN	158	89	59	10
JONES	381	311	67	3	WASHINGTON	108	41	67	0
KEMPER	0	0	0	0	WAYNE	115	75	39	1
LAFAYETTE	146	97	43	6	WEBSTER	62	52	8	2
LAMAR	235	199	29	7	WILKINSON	0	0	0	0
LAUDERDALE	373	246	125	2	WINSTON	54	35	19	0
LAWRENCE	47	34	13	0	YALOBUSHA	65	54	11	0
LEAKE	51	36	13	2	YAZOO	67	40	26	1
LEE	415	297	89	29					
LEFLORE	112	46	59	7					

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17  
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI  
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2008**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,697</u>	<u>627</u>	<u>2,068</u>	<u>2</u>					
ADAMS	50	11	39	0	LINCOLN	40	16	24	0
ALCORN	0	0	0	0	LOWNDES	6	2	4	0
AMITE	9	3	6	0	MADISON	237	51	185	1
ATTALA	27	8	19	0	MARION	30	11	19	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	14	7	7	0	MONROE	0	0	0	0
CALHOUN	1	1	0	0	MONTGOMERY	10	5	5	0
CARROLL	6	4	2	0	NESHOBA	22	7	15	0
CHICKASAW	1	1	0	0	NEWTON	14	6	8	0
CHOCTAW	6	3	3	0	NOXUBEE	0	0	0	0
CLAIBORNE	15	0	15	0	OKTIBBEHA	17	10	7	0
CLARKE	9	3	6	0	PANOLA	2	1	1	0
CLAY	1	0	1	0	PEARL RIVER	7	5	2	0
COAHOMA	1	1	0	0	PERRY	8	6	2	0
COPIAH	65	6	59	0	PIKE	64	13	51	0
COVINGTON	26	8	18	0	PONTOTOC	1	1	0	0
DESOTO	2	1	1	0	PRENTISS	0	0	0	0
FORREST	123	40	83	0	QUITMAN	0	0	0	0
FRANKLIN	2	0	2	0	RANKIN	225	114	111	0
GEORGE	4	3	1	0	SCOTT	43	14	29	0
GREENE	1	0	1	0	SHARKEY	10	0	10	0
GRENADA	3	1	2	0	SIMPSON	30	18	12	0
HANCOCK	3	3	0	0	SMITH	9	6	3	0
HARRISON	19	13	6	0	STONE	3	1	2	0
HINDS	949	82	867	0	SUNFLOWER	15	5	10	0
HOLMES	59	0	59	0	TALLAHATCHIE	3	0	3	0
HUMPHREYS	18	2	16	0	TATE	0	0	0	0
ISSAQUENA	1	0	1	0	TIPPAH	0	0	0	0
ITAWAMBA	1	0	1	0	TISHOMINGO	1	1	0	0
JACKSON	13	7	6	0	TUNICA	0	0	0	0
JASPER	26	6	20	0	UNION	0	0	0	0
JEFFERSON	15	0	15	0	WALTHALL	9	1	8	0
JEFF DAVIS	14	2	12	0	WARREN	100	15	85	0
JONES	45	12	33	0	WASHINGTON	25	5	20	0
KEMPER	1	0	1	0	WAYNE	10	3	7	0
LAFAYETTE	5	4	1	0	WEBSTER	1	1	0	0
LAMAR	41	25	16	0	WILKINSON	2	0	2	0
LAUDERDALE	29	20	9	0	WINSTON	9	3	6	0
LAWRENCE	19	8	11	0	YALOBUSHA	1	1	0	0
LEAKE	31	4	26	1	YAZOO	65	12	53	0
LEE	4	3	1	0					
LEFLORE	19	1	18	0					

**TABLE 18A  
TEENAGE PREGNANCIES\*, BY COUNTY OF RESIDENCE,  
RACE, AND AGE GROUP OF MOTHER,  
MISSISSIPPI, 2008**

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>8,528</u>	<u>195</u>	<u>8,333</u>	<u>3,449</u>	<u>44</u>	<u>3,405</u>	<u>5,069</u>	<u>151</u>	<u>4,918</u>
ADAMS	85	2	83	13	0	13	72	2	70
ALCORN	95	3	92	71	2	69	24	1	23
AMITE	25	0	25	15	0	15	10	0	10
ATTALA	55	1	54	18	1	17	37	0	37
BENTON	27	1	26	16	1	15	11	0	11
BOLIVAR	157	9	148	21	0	21	136	9	127
CALHOUN	35	3	32	21	1	20	14	2	12
CARROLL	16	0	16	9	0	9	7	0	7
CHICKASAW	69	3	66	40	1	39	29	2	27
CHOCTAW	23	0	23	11	0	11	12	0	12
CLAIBORNE	42	0	42	1	0	1	41	0	41
CLARKE	49	2	47	24	0	24	25	2	23
CLAY	65	0	65	13	0	13	52	0	52
COAHOMA	145	6	139	18	0	18	127	6	121
COPIAH	116	3	113	29	1	28	87	2	85
COVINGTON	83	0	83	43	0	43	40	0	40
DESOTO	342	7	335	200	3	197	139	4	135
FORREST	252	6	246	100	2	98	152	4	148
FRANKLIN	16	0	16	6	0	6	10	0	10
GEORGE	69	0	69	62	0	62	7	0	7
GREENE	17	0	17	16	0	16	1	0	1
GRENADA	79	1	78	25	0	25	53	1	52
HANCOCK	94	2	92	87	1	86	7	1	6
HARRISON	406	4	402	253	2	251	152	2	150
HINDS	798	25	773	86	0	86	712	25	687
HOLMES	102	3	99	3	0	3	99	3	96
HUMPHREYS	47	2	45	4	0	4	43	2	41
ISSAQUENA	2	0	2	1	0	1	1	0	1
ITAWAMBA	48	0	48	43	0	43	5	0	5
JACKSON	332	5	327	219	1	218	112	4	108
JASPER	52	0	52	8	0	8	44	0	44
JEFFERSON	22	1	21	1	0	1	21	1	20
JEFF DAVIS	38	0	38	9	0	9	29	0	29
JONES	207	3	204	108	1	107	99	2	97
KEMPER	26	1	25	5	0	5	21	1	20
LAFAYETTE	60	0	60	28	0	28	32	0	32
LAMAR	98	1	97	56	0	56	42	1	41
LAUDERDALE	241	7	234	73	2	71	168	5	163
LAWRENCE	39	2	37	19	2	17	20	0	20
LEAKE	76	2	74	31	0	31	44	2	42
LEE	233	8	225	122	2	120	111	6	105
LEFLORE	155	6	149	16	0	16	139	6	133

TABLE 18A - PAGE 2  
TEENAGE PREGNANCIES - MISSISSIPPI - 2008

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	86	5	81	43	1	42	43	4	39
LOWNDES	185	7	178	56	2	54	129	5	124
MADISON	194	0	194	44	0	44	150	0	150
MARION	83	1	82	50	1	49	33	0	33
MARSHALL	138	2	136	52	0	52	86	2	84
MONROE	107	1	106	64	1	63	43	0	43
MONTGOMERY	42	0	42	12	0	12	30	0	30
NESHOBA	120	2	118	47	1	46	72	1	71
NEWTON	72	1	71	25	0	25	47	1	46
NOXUBEE	44	0	44	3	0	3	41	0	41
OKTIBBEHA	88	2	86	23	0	23	65	2	63
PANOLA	154	0	154	53	0	53	101	0	101
PEARL RIVER	145	5	140	109	4	105	36	1	35
PERRY	46	0	46	33	0	33	13	0	13
PIKE	136	1	135	38	1	37	98	0	98
PONTOTOC	78	2	76	63	2	61	15	0	15
PRENTISS	73	2	71	54	2	52	19	0	19
QUITMAN	33	2	31	4	0	4	29	2	27
RANKIN	227	5	222	156	3	153	71	2	69
SCOTT	114	4	110	59	1	58	55	3	52
SHARKEY	21	1	20	1	0	1	20	1	19
SIMPSON	95	2	93	64	0	64	31	2	29
SMITH	40	1	39	25	0	25	15	1	14
STONE	51	0	51	36	0	36	15	0	15
SUNFLOWER	123	4	119	8	0	8	115	4	111
TALLAHATCHIE	71	2	69	16	0	16	55	2	53
TATE	54	0	54	31	0	31	23	0	23
TIPPAH	63	2	61	56	1	55	7	1	6
TISHOMINGO	37	0	37	36	0	36	0	0	0
TUNICA	55	0	55	3	0	3	52	0	52
UNION	69	0	69	55	0	55	13	0	13
WALTHALL	45	1	44	21	0	21	24	1	23
WARREN	158	7	151	47	0	47	111	7	104
WASHINGTON	236	8	228	29	1	28	207	7	200
WAYNE	62	0	62	26	0	26	36	0	36
WEBSTER	23	0	23	14	0	14	9	0	9
WILKINSON	23	1	22	3	0	3	20	1	19
WINSTON	47	1	46	14	0	14	33	1	32
YALOBUSHA	43	1	42	16	0	16	27	1	26
YAZOO	109	3	106	16	0	16	93	3	90

\* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

**TABLE 18B  
TEENAGE PREGNANCY RATES\*, BY COUNTY OF RESIDENCE,  
RACE, AND AGE GROUP OF MOTHER,  
MISSISSIPPI, 2008**

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>40.6</u>	<u>1.9</u>	<u>76.1</u>	<u>31.4</u>	<u>0.8</u>	<u>59.6</u>	<u>50.4</u>	<u>3.1</u>	<u>94.0</u>
ADAMS	39.2	1.9	73.6	18.5	-	33.8	49.0	2.8	94.2
ALCORN	44.4	2.8	85.3	39.5	2.2	77.1	70.2	6.3	125.7
AMITE	29.3	-	54.9	38.0	-	74.6	21.9	-	39.4
ATTALA	41.5	1.6	75.4	27.9	3.2	50.3	54.5	-	97.9
BENTON	48.6	3.5	96.3	56.1	6.3	118.1	40.6	-	76.9
BOLIVAR	55.5	7.3	92.8	30.0	-	47.0	63.9	9.2	110.7
CALHOUN	39.5	6.6	73.9	38.5	3.5	77.2	41.3	12.1	69.0
CARROLL	26.4	-	48.2	27.4	-	51.7	25.2	-	44.3
CHICKASAW	52.3	4.3	105.6	64.3	2.8	150.0	41.5	6.0	74.0
CHOCTAW	34.2	-	64.8	25.5	-	47.2	49.6	-	98.4
CLAIBORNE	42.1	-	65.2	15.2	-	32.2	44.0	-	66.9
CLARKE	40.6	3.6	73.1	32.9	-	62.5	52.5	9.2	88.8
CLAY	44.0	-	87.8	29.9	-	68.4	49.8	-	94.5
COAHOMA	62.2	5.1	119.3	51.1	-	94.7	64.1	6.0	124.1
COPIAH	53.0	3.3	88.6	35.4	2.7	61.4	63.6	3.6	103.6
COVINGTON	54.3	-	107.1	51.0	-	97.5	58.3	-	119.8
DESOTO	30.2	1.2	62.9	25.5	0.7	52.8	39.8	2.1	84.5
FORREST	41.5	2.4	69.7	30.9	1.6	50.1	53.6	3.2	94.2
FRANKLIN	32.5	-	60.6	24.4	-	44.1	40.6	-	78.1
GEORGE	43.7	-	93.4	45.4	-	97.3	32.6	-	68.6
GREENE	21.5	-	42.9	25.4	-	51.9	6.2	-	11.4
GRENADA	47.3	1.2	91.5	29.8	-	59.1	63.8	2.5	121.2
HANCOCK	35.0	1.5	66.6	36.4	0.9	69.9	24.0	7.1	39.5
HARRISON	32.3	0.6	63.6	31.6	0.5	61.7	33.3	0.9	66.8
HINDS	41.6	2.8	75.1	19.6	-	33.1	48.2	3.5	89.3
HOLMES	59.9	4.0	104.9	13.5	-	18.4	66.8	4.3	122.9
HUMPHREYS	64.5	6.0	113.6	30.1	-	52.6	72.1	7.2	128.1
ISSAQUENA	18.9	-	32.2	31.2	-	55.6	13.5	-	22.7
ITAWAMBA	27.6	-	47.7	28.2	-	49.9	23.5	-	34.5
JACKSON	35.5	1.1	68.4	34.3	0.3	66.8	37.6	2.7	71.4
JASPER	39.0	-	75.2	15.7	-	32.0	53.4	-	99.8
JEFFERSON	34.3	3.3	62.3	22.7	-	50.0	35.2	3.6	63.1
JEFF DAVIS	43.6	-	83.5	33.4	-	59.6	48.2	-	95.4
JONES	46.9	1.4	87.1	39.5	0.8	73.0	58.9	2.5	110.7
KEMPER	36.7	3.2	63.1	25.9	-	42.4	40.7	4.2	71.9
LAFAYETTE	17.5	-	25.7	11.5	-	15.8	32.4	-	56.7
LAMAR	28.6	0.6	57.5	21.4	-	43.2	51.7	2.4	104.6
LAUDERDALE	43.0	2.7	77.1	27.8	1.7	49.3	56.4	3.6	102.2
LAWRENCE	41.9	4.4	78.4	35.6	7.7	62.3	50.4	-	100.5
LEAKE	44.0	2.3	85.2	39.3	-	81.8	46.9	4.5	85.7
LEE	41.9	2.8	83.0	35.2	1.1	71.9	53.0	5.7	100.9
LEFLORE	55.6	4.6	100.2	30.5	-	53.9	61.5	5.6	111.8

TABLE 18B - PAGE 2  
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2008

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	36.7	4.4	66.8	30.0	1.5	54.9	47.2	8.6	87.0
LOWNDES	41.6	3.3	76.9	27.8	2.0	52.0	53.2	4.4	97.1
MADISON	28.5	-	58.2	12.6	-	27.3	45.2	-	87.0
MARION	45.6	1.1	89.4	48.2	2.0	92.8	42.0	-	84.8
MARSHALL	52.8	1.6	98.7	48.6	-	100.4	55.8	2.9	97.7
MONROE	43.2	0.8	86.0	41.9	1.3	81.8	45.4	-	93.1
MONTGOMERY	53.6	-	96.8	34.0	-	62.2	69.8	-	124.5
NESHOBA	54.2	1.7	110.7	40.9	1.7	84.1	67.5	1.8	136.8
NEWTON	43.8	1.4	76.9	26.7	-	46.6	66.4	3.1	118.9
NOXUBEE	49.9	-	92.6	18.2	-	34.1	57.2	-	105.9
OKTIBBEHA	26.4	1.8	38.9	12.9	-	18.2	42.0	3.4	66.2
PANOLA	61.6	-	120.1	54.5	-	112.8	66.1	-	124.4
PEARL RIVER	36.2	2.6	68.7	33.7	2.5	64.3	47.1	2.8	86.4
PERRY	51.7	-	96.8	54.0	-	103.8	46.6	-	82.8
PIKE	46.3	0.7	86.5	30.2	1.8	53.4	58.3	-	113.0
PONTOTOC	40.2	2.0	82.1	39.4	2.4	81.3	43.9	-	85.2
PRENTISS	39.1	2.5	66.1	36.0	3.1	60.2	51.9	-	90.5
QUITMAN	47.7	5.6	91.7	31.0	-	69.0	51.5	7.1	96.4
RANKIN	25.4	1.0	52.5	23.6	0.8	49.2	30.3	1.6	61.7
SCOTT	56.9	4.0	108.2	58.8	2.0	115.5	55.0	6.2	101.0
SHARKEY	46.7	4.3	91.7	11.8	-	22.2	54.8	5.2	109.8
SIMPSON	48.4	2.0	95.6	58.6	-	118.1	35.7	4.6	67.3
SMITH	36.2	1.8	72.8	33.6	-	67.2	41.8	5.1	85.4
STONE	43.6	-	80.3	41.7	-	78.1	49.0	-	86.2
SUNFLOWER	55.0	4.1	93.7	17.7	-	30.5	64.5	5.2	110.1
TALLAHATCHIE	68.8	4.3	122.3	55.9	-	102.6	73.7	5.9	129.9
TATE	25.7	-	44.9	24.0	-	43.4	28.5	-	47.2
TIPPAH	49.2	3.2	94.3	56.3	2.1	107.2	24.6	6.7	44.8
TISHOMINGO	32.4	-	65.0	33.5	-	66.4	-	-	-
TUNICA	70.0	-	140.3	24.2	-	62.5	78.6	-	151.2
UNION	38.2	-	77.4	38.6	-	76.7	34.4	-	74.3
WALTHALL	42.2	1.9	81.3	48.7	-	99.0	37.8	3.3	69.9
WARREN	43.9	3.8	84.5	30.6	-	63.0	53.8	6.8	100.0
WASHINGTON	56.9	3.8	110.6	34.7	2.8	58.7	62.6	4.1	126.2
WAYNE	42.0	-	90.6	33.0	-	70.5	52.2	-	114.3
WEBSTER	35.8	-	68.4	30.6	-	58.8	48.9	-	91.8
WILKINSON	36.4	3.3	66.7	20.3	-	41.7	41.4	4.4	73.6
WINSTON	37.8	1.7	71.5	23.5	-	46.8	50.9	3.3	93.0
YALOBUSHA	49.4	2.5	89.7	39.6	-	78.8	57.9	5.0	98.1
YAZOO	57.6	3.2	110.9	28.3	-	57.8	70.1	4.6	132.5

\* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

**NOTE:**

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>437</b>	<b>225</b>	<b>212</b>	<b>14.0</b>	<b>16.9</b>	<b>11.8</b>	<b>463</b>	<b>424</b>	<b>39</b>	<b>13.0</b>	<b>13.6</b>	<b>8.7</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	16	6	10	51.1	45.0	55.6	10	8	2	28.0	25.6	44.6
HIV DISEASE (039-043)	5	0	5	16.0	-	27.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	73	39	34	233.2	292.4	189.2	91	84	7	255.1	269.3	156.2
DIABETES MELLITUS (124)	6	1	5	19.2	7.5	27.8	8	5	3	22.4	16.0	67.0
ALZHEIMERS DISEASE (148)	9	6	3	28.7	45.0	16.7	24	23	1	67.3	73.7	22.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	147	68	79	469.5	509.9	439.6	177	161	16	496.2	516.1	357.1
HEART DISEASES (156-160,162, 164-181)	120	58	62	383.3	434.9	345.0	136	127	9	381.2	407.1	200.9
HYPERTENSION (161,163)	4	2	2	12.8	15.0	11.1	6	3	3	16.8	9.6	67.0
CEREBROVASCULAR DISEASES (182-186)	20	6	14	63.9	45.0	77.9	33	29	4	92.5	93.0	89.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	12	6	57.5	90.0	33.4	4	4	0	11.2	12.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	22	4	83.0	165.0	22.2	22	21	1	61.7	67.3	22.3
PEPTIC ULCER (217-220)	1	1	0	3.2	7.5	-	1	1	0	2.8	3.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	3.2	-	5.6	4	4	0	11.2	12.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	4	13	54.3	30.0	72.3	11	11	0	30.8	35.3	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	7.2	-	11.7	2	1	1	4.2	2.5	13.3
CONGENITAL MALFORMATIONS (282-290)	2	0	2	6.4	-	11.1	2	1	1	5.6	3.2	22.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.1	2.5	-
ACCIDENTS (295-330)	18	14	4	57.5	105.0	22.2	26	26	0	72.9	83.4	-
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	25.6	37.5	16.7	9	9	0	25.2	28.8	-
SUICIDE (331-337)	3	2	1	9.6	15.0	5.6	9	9	0	25.2	28.8	-
HOMICIDE (338-346)	4	0	4	12.8	-	22.2	4	3	1	11.2	9.6	22.3

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>167</b>	<b>112</b>	<b>55</b>	<b>12.6</b>	<b>15.3</b>	<b>9.2</b>	<b>288</b>	<b>192</b>	<b>96</b>	<b>14.6</b>	<b>17.0</b>	<b>11.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	30.2	27.4	33.6	4	2	2	20.3	17.7	23.9
HIV DISEASE (039-043)	1	0	1	7.5	-	16.8	1	0	1	5.1	-	12.0
MALIGNANT NEOPLASMS (056-108)	32	19	13	241.5	260.2	218.7	51	30	21	259.3	265.4	251.0
DIABETES MELLITUS (124)	7	4	3	52.8	54.8	50.5	14	7	7	71.2	61.9	83.7
ALZHEIMERS DISEASE (148)	9	9	0	67.9	123.2	-	22	21	1	111.8	185.8	12.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	34	18	392.5	465.6	302.8	105	74	31	533.8	654.6	370.5
HEART DISEASES (156-160,162, 164-181)	38	25	13	286.8	342.3	218.7	81	61	20	411.8	539.6	239.0
HYPERTENSION (161,163)	4	3	1	30.2	41.1	16.8	6	4	2	30.5	35.4	23.9
CEREBROVASCULAR DISEASES (182-186)	8	4	4	60.4	54.8	67.3	17	8	9	86.4	70.8	107.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	7.5	-	16.8	7	5	2	35.6	44.2	23.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	10	2	90.6	136.9	33.6	7	5	2	35.6	44.2	23.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	5.1	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	52.8	82.2	16.8	7	2	5	35.6	17.7	59.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	6	2	60.4	82.2	33.6	15	10	5	76.2	88.5	59.8
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	37.7	41.1	33.6	9	4	5	45.8	35.4	59.8
SUICIDE (331-337)	1	1	0	7.5	13.7	-	2	2	0	10.2	17.7	-
HOMICIDE (338-346)	4	3	1	30.2	41.1	16.8	4	2	2	20.3	17.7	23.9

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>103</b>	<b>86</b>	<b>17</b>	<b>12.7</b>	<b>16.4</b>	<b>5.9</b>	<b>437</b>	<b>163</b>	<b>274</b>	<b>11.7</b>	<b>13.3</b>	<b>11.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	37.0	38.1	34.8	16	6	10	43.0	48.9	40.1
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.7	-	4.0
MALIGNANT NEOPLASMS (056-108)	23	20	3	283.4	381.5	104.4	89	32	57	239.3	260.9	228.6
DIABETES MELLITUS (124)	3	1	2	37.0	19.1	69.6	27	6	21	72.6	48.9	84.2
ALZHEIMERS DISEASE (148)	1	1	0	12.3	19.1	-	12	8	4	32.3	65.2	16.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	38	32	6	468.2	610.3	208.8	162	63	99	435.5	513.6	397.1
HEART DISEASES (156-160,162, 164-181)	30	27	3	369.6	515.0	104.4	109	45	64	293.0	366.8	256.7
HYPERTENSION (161,163)	2	0	2	24.6	-	69.6	24	9	15	64.5	73.4	60.2
CEREBROVASCULAR DISEASES (182-186)	5	4	1	61.6	76.3	34.8	23	7	16	61.8	57.1	64.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	4	2	2	10.8	16.3	8.0
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	24.6	38.1	-	10	7	3	26.9	57.1	12.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	37.0	57.2	-	16	9	7	43.0	73.4	28.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	2.7	-	4.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	12.3	19.1	-	17	2	15	45.7	16.3	60.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	8.5	15.2	-	5	1	4	7.9	6.8	8.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	5.4	8.2	4.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	1	2	4.8	6.8	4.1
ACCIDENTS (295-330)	11	7	4	135.5	133.5	139.2	16	4	12	43.0	32.6	48.1
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	86.2	76.3	104.4	8	3	5	21.5	24.4	20.0
SUICIDE (331-337)	4	4	0	49.3	76.3	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	4	0	4	10.8	-	16.0

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>189</b>	<b>149</b>	<b>40</b>	<b>13.0</b>	<b>14.6</b>	<b>9.2</b>	<b>91</b>	<b>55</b>	<b>36</b>	<b>8.8</b>	<b>8.2</b>	<b>9.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	20.7	9.8	46.2	1	1	0	9.6	14.9	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	37	31	6	255.0	304.4	138.7	24	12	12	231.5	179.2	326.8
DIABETES MELLITUS (124)	4	1	3	27.6	9.8	69.3	3	1	2	28.9	14.9	54.5
ALZHEIMERS DISEASE (148)	10	10	0	68.9	98.2	-	1	0	1	9.6	-	27.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	76	59	17	523.8	579.4	393.0	33	22	11	318.3	328.6	299.6
HEART DISEASES (156-160,162, 164-181)	61	49	12	420.4	481.2	277.4	23	16	7	221.8	239.0	190.6
HYPERTENSION (161,163)	3	0	3	20.7	-	69.3	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	9	7	2	62.0	68.7	46.2	10	6	4	96.5	89.6	108.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	41.4	58.9	-	5	4	1	48.2	59.7	27.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	8	2	68.9	78.6	46.2	5	4	1	48.2	59.7	27.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	6.9	-	23.1	2	0	2	19.3	-	54.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	41.4	29.5	69.3	1	1	0	9.6	14.9	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.7	7.8	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	15	3	124.1	147.3	69.3	5	4	1	48.2	59.7	27.2
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	48.2	39.3	69.3	4	3	1	38.6	44.8	27.2
SUICIDE (331-337)	2	2	0	13.8	19.6	-	1	1	0	9.6	14.9	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>181</b>	<b>123</b>	<b>58</b>	<b>9.6</b>	<b>11.4</b>	<b>7.2</b>	<b>104</b>	<b>73</b>	<b>31</b>	<b>11.4</b>	<b>11.9</b>	<b>10.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	15.9	18.6	12.4	4	2	2	44.0	32.6	67.8
HIV DISEASE (039-043)	1	0	1	5.3	-	12.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	27	14	217.8	251.2	173.3	20	12	8	220.0	195.5	271.1
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	6	6	0	31.9	55.8	-	4	4	0	44.0	65.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	73	48	25	387.8	446.7	309.4	36	28	8	396.0	456.1	271.1
HEART DISEASES (156-160,162, 164-181)	62	40	22	329.3	372.2	272.3	33	25	8	363.0	407.2	271.1
HYPERTENSION (161,163)	2	2	0	10.6	18.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	42.5	46.5	37.1	2	2	0	22.0	32.6	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	42.5	37.2	49.5	1	1	0	11.0	16.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	12	0	63.7	111.7	-	10	8	2	110.0	130.3	67.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	10.6	9.3	12.4	1	1	0	11.0	16.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	15.9	18.6	12.4	4	2	2	44.0	32.6	67.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	11.0	-	33.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	47.8	55.8	37.1	1	1	0	11.0	16.3	-
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	15.9	18.6	12.4	1	1	0	11.0	16.3	-
SUICIDE (331-337)	0	0	0	-	-	-	3	2	1	33.0	32.6	33.9
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	11.0	-	33.9

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>97</b>	<b>19</b>	<b>78</b>	<b>8.9</b>	<b>11.5</b>	<b>8.5</b>	<b>208</b>	<b>137</b>	<b>71</b>	<b>12.0</b>	<b>12.2</b>	<b>11.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.2	-	10.9	1	0	1	5.8	-	16.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	22	5	17	202.8	303.2	184.8	29	19	10	166.9	169.5	162.2
DIABETES MELLITUS (124)	1	1	0	9.2	60.6	-	4	3	1	23.0	26.8	16.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	9	6	3	51.8	53.5	48.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	45	8	37	414.8	485.1	402.2	73	48	25	420.1	428.1	405.4
HEART DISEASES (156-160,162, 164-181)	37	7	30	341.1	424.5	326.1	66	45	21	379.8	401.4	340.6
HYPERTENSION (161,163)	1	0	1	9.2	-	10.9	2	1	1	11.5	8.9	16.2
CEREBROVASCULAR DISEASES (182-186)	6	1	5	55.3	60.6	54.4	5	2	3	28.8	17.8	48.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	9.2	-	10.9	9	7	2	51.8	62.4	32.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	2	5	64.5	121.3	54.4	16	16	0	92.1	142.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.2	60.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	27.6	-	32.6	7	2	5	40.3	17.8	81.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.7	-	10.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	1	6	64.5	60.6	65.2	15	8	7	86.3	71.4	113.5
MOTOR VEHICLE ACCIDENTS# (296-306)	5	1	4	46.1	60.6	43.5	7	3	4	40.3	26.8	64.9
SUICIDE (331-337)	1	0	1	9.2	-	10.9	1	1	0	5.8	8.9	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	11.5	8.9	16.2

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>222</b>	<b>112</b>	<b>110</b>	<b>10.6</b>	<b>12.6</b>	<b>9.2</b>	<b>333</b>	<b>109</b>	<b>224</b>	<b>12.2</b>	<b>16.6</b>	<b>10.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	19.2	11.2	25.1	8	2	6	29.3	30.4	29.0
HIV DISEASE (039-043)	4	0	4	19.2	-	33.4	4	0	4	14.7	-	19.3
MALIGNANT NEOPLASMS (056-108)	47	28	19	225.3	314.6	158.9	76	31	45	278.7	471.0	217.5
DIABETES MELLITUS (124)	4	2	2	19.2	22.5	16.7	21	2	19	77.0	30.4	91.8
ALZHEIMERS DISEASE (148)	8	7	1	38.4	78.6	8.4	5	2	3	18.3	30.4	14.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	95	47	48	455.4	528.0	401.4	108	34	74	396.0	516.6	357.6
HEART DISEASES (156-160,162, 164-181)	78	38	40	373.9	426.9	334.5	71	26	45	260.3	395.1	217.5
HYPERTENSION (161,163)	4	1	3	19.2	11.2	25.1	16	3	13	58.7	45.6	62.8
CEREBROVASCULAR DISEASES (182-186)	13	8	5	62.3	89.9	41.8	20	5	15	73.3	76.0	72.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	0	5	24.0	-	41.8	1	0	1	3.7	-	4.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	24.0	44.9	8.4	21	14	7	77.0	212.7	33.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.8	11.2	-	6	2	4	22.0	30.4	19.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	6	4	47.9	67.4	33.4	9	3	6	33.0	45.6	29.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	9.7	-	14.6	2	0	2	3.8	-	4.4
CONGENITAL MALFORMATIONS (282-290)	4	0	4	19.2	-	33.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.2	9.7	-	1	0	1	1.9	-	2.2
ACCIDENTS (295-330)	6	4	2	28.8	44.9	16.7	16	2	14	58.7	30.4	67.7
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	9.6	11.2	8.4	10	1	9	36.7	15.2	43.5
SUICIDE (331-337)	4	4	0	19.2	44.9	-	3	1	2	11.0	15.2	9.7
HOMICIDE (338-346)	0	0	0	-	-	-	5	1	4	18.3	15.2	19.3

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>292</b>	<b>157</b>	<b>135</b>	<b>10.0</b>	<b>11.2</b>	<b>8.8</b>	<b>243</b>	<b>170</b>	<b>73</b>	<b>11.8</b>	<b>13.3</b>	<b>9.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	23.9	21.4	26.1	10	6	4	48.7	46.9	51.8
HIV DISEASE (039-043)	2	0	2	6.8	-	13.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	53	27	26	180.7	193.0	169.5	38	26	12	185.1	203.1	155.4
DIABETES MELLITUS (124)	6	1	5	20.4	7.1	32.6	4	3	1	19.5	23.4	12.9
ALZHEIMERS DISEASE (148)	9	5	4	30.7	35.7	26.1	18	16	2	87.7	125.0	25.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	111	59	52	378.4	421.7	339.0	85	60	25	414.1	468.6	323.7
HEART DISEASES (156-160,162, 164-181)	93	49	44	317.1	350.2	286.8	58	38	20	282.6	296.8	259.0
HYPERTENSION (161,163)	1	1	0	3.4	7.1	-	4	4	0	19.5	31.2	-
CEREBROVASCULAR DISEASES (182-186)	14	8	6	47.7	57.2	39.1	20	15	5	97.4	117.2	64.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.9	7.8	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	27.3	28.6	26.1	6	3	3	29.2	23.4	38.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	10	6	54.6	71.5	39.1	18	15	3	87.7	117.2	38.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	13.6	21.4	6.5	2	1	1	9.7	7.8	12.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	17.0	21.4	13.0	9	7	2	43.8	54.7	25.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	4.4	-	7.1	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.4	7.1	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.2	-	3.5	1	1	0	3.1	5.2	-
ACCIDENTS (295-330)	18	11	7	61.4	78.6	45.6	18	8	10	87.7	62.5	129.5
MOTOR VEHICLE ACCIDENTS# (296-306)	10	7	3	34.1	50.0	19.6	10	3	7	48.7	23.4	90.6
SUICIDE (331-337)	1	1	0	3.4	7.1	-	1	1	0	4.9	7.8	-
HOMICIDE (338-346)	2	0	2	6.8	-	13.0	2	1	1	9.7	7.8	12.9

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>969</b>	<b>838</b>	<b>131</b>	<b>6.3</b>	<b>7.1</b>	<b>3.5</b>	<b>711</b>	<b>500</b>	<b>211</b>	<b>9.0</b>	<b>10.1</b>	<b>7.1</b>
TUBERCULOSIS (009,010)	1	1	0	0.6	0.8	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	2.6	3.4	-	19	9	10	23.9	18.2	33.5
HIV DISEASE (039-043)	6	4	2	3.9	3.4	5.4	4	1	3	5.0	2.0	10.0
MALIGNANT NEOPLASMS (056-108)	258	230	28	166.7	195.4	75.5	127	87	40	159.9	175.5	134.0
DIABETES MELLITUS (124)	48	40	8	31.0	34.0	21.6	24	15	9	30.2	30.2	30.2
ALZHEIMERS DISEASE (148)	34	30	4	22.0	25.5	10.8	43	35	8	54.1	70.6	26.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	321	274	47	207.4	232.8	126.8	238	171	67	299.6	344.9	224.5
HEART DISEASES (156-160,162, 164-181)	269	229	40	173.8	194.6	107.9	179	130	49	225.4	262.2	164.2
HYPERTENSION (161,163)	8	5	3	5.2	4.2	8.1	15	11	4	18.9	22.2	13.4
CEREBROVASCULAR DISEASES (182-186)	38	34	4	24.6	28.9	10.8	43	29	14	54.1	58.5	46.9
ATHEROSCLEROSIS (187)	1	1	0	0.6	0.8	-	1	1	0	1.2	2.0	-
INFLUENZA AND PNEUMONIA (195-198)	11	9	2	7.1	7.6	5.4	12	8	4	15.1	16.1	13.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	52	48	4	33.6	40.8	10.8	41	31	10	51.6	62.5	33.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	3.2	3.4	2.7	6	5	1	7.6	10.1	3.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	6	5	7.1	5.1	13.5	20	14	6	25.2	28.2	20.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	80.7	-	184.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	1.7	1.7	1.8	9	2	7	7.3	2.9	12.9
CONGENITAL MALFORMATIONS (282-290)	6	6	0	3.9	5.1	-	6	3	3	7.6	6.0	10.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	0.8	1.4	-
ACCIDENTS (295-330)	70	61	9	45.2	51.8	24.3	31	24	7	39.0	48.4	23.4
MOTOR VEHICLE ACCIDENTS# (296-306)	32	27	5	20.7	22.9	13.5	15	12	3	18.9	24.2	10.0
SUICIDE (331-337)	20	19	1	12.9	16.1	2.7	9	9	0	11.3	18.2	-
HOMICIDE (338-346)	10	6	4	6.5	5.1	10.8	9	3	6	11.3	6.0	20.1

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>91</b>	<b>60</b>	<b>31</b>	<b>10.9</b>	<b>11.6</b>	<b>9.8</b>	<b>235</b>	<b>215</b>	<b>20</b>	<b>10.5</b>	<b>10.7</b>	<b>8.3</b>
TUBERCULOSIS (009,010)	1	1	0	12.0	19.4	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	1	0	1	4.5	-	41.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	19	11	8	228.5	213.7	252.4	52	48	4	232.1	240.0	166.3
DIABETES MELLITUS (124)	0	0	0	-	-	-	14	13	1	62.5	65.0	41.6
ALZHEIMERS DISEASE (148)	1	1	0	12.0	19.4	-	7	7	0	31.2	35.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	28	14	505.0	544.0	441.8	68	62	6	303.5	310.0	249.5
HEART DISEASES (156-160,162, 164-181)	38	27	11	457.0	524.6	347.1	50	46	4	223.2	230.0	166.3
HYPERTENSION (161,163)	0	0	0	-	-	-	2	2	0	8.9	10.0	-
CEREBROVASCULAR DISEASES (182-186)	4	1	3	48.1	19.4	94.7	15	13	2	66.9	65.0	83.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	36.1	38.8	31.6	1	1	0	4.5	5.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	12.0	19.4	-	22	22	0	98.2	110.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	5	5	0	22.3	25.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	84.2	77.7	94.7	7	4	3	31.2	20.0	124.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.6	2.8	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	12.0	19.4	-	2	2	0	8.9	10.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.6	2.8	-
ACCIDENTS (295-330)	4	4	0	48.1	77.7	-	17	15	2	75.9	75.0	83.2
MOTOR VEHICLE ACCIDENTS# (296-306)	4	4	0	48.1	77.7	-	7	6	1	31.2	30.0	41.6
SUICIDE (331-337)	0	0	0	-	-	-	1	1	0	4.5	5.0	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	2	1	13.4	10.0	41.6

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>114</b>	<b>94</b>	<b>20</b>	<b>8.2</b>	<b>9.6</b>	<b>5.0</b>	<b>272</b>	<b>170</b>	<b>102</b>	<b>11.8</b>	<b>13.0</b>	<b>10.3</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	14.5	20.4	-	12	7	5	52.2	53.5	50.5
HIV DISEASE (039-043)	0	0	0	-	-	-	3	1	2	13.0	7.6	20.2
MALIGNANT NEOPLASMS (056-108)	25	21	4	180.9	214.5	99.3	74	45	29	321.8	343.7	292.9
DIABETES MELLITUS (124)	1	1	0	7.2	10.2	-	6	1	5	26.1	7.6	50.5
ALZHEIMERS DISEASE (148)	5	4	1	36.2	40.8	24.8	4	3	1	17.4	22.9	10.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	34	9	311.2	347.3	223.4	97	61	36	421.8	465.9	363.6
HEART DISEASES (156-160,162, 164-181)	36	28	8	260.5	286.0	198.6	81	51	30	352.2	389.5	303.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	6	1	50.6	61.3	24.8	13	8	5	56.5	61.1	50.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.3	7.6	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	28.9	30.6	24.8	6	5	1	26.1	38.2	10.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	50.6	71.5	-	4	4	0	17.4	30.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.2	10.2	-	2	2	0	8.7	15.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	7.2	10.2	-	11	5	6	47.8	38.2	60.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	13.2	8.3	33.3	1	0	1	3.0	-	5.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.3	-	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	5	1	43.4	51.1	24.8	8	5	3	34.8	38.2	30.3
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	14.5	20.4	-	3	3	0	13.0	22.9	-
SUICIDE (331-337)	1	1	0	7.2	10.2	-	4	3	1	17.4	22.9	10.1
HOMICIDE (338-346)	2	0	2	14.5	-	49.6	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>379</b>	<b>359</b>	<b>20</b>	<b>9.4</b>	<b>9.9</b>	<b>5.0</b>	<b>1,660</b>	<b>1,333</b>	<b>327</b>	<b>9.3</b>	<b>10.5</b>	<b>6.3</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	7	2	22.4	19.4	50.3	36	26	10	20.2	20.5	19.4
HIV DISEASE (039-043)	2	2	0	5.0	5.5	-	4	2	2	2.2	1.6	3.9
MALIGNANT NEOPLASMS (056-108)	79	77	2	196.8	212.9	50.3	398	315	83	223.0	248.2	161.1
DIABETES MELLITUS (124)	8	8	0	19.9	22.1	-	17	11	6	9.5	8.7	11.6
ALZHEIMERS DISEASE (148)	15	15	0	37.4	41.5	-	27	25	2	15.1	19.7	3.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	130	121	9	323.9	334.6	226.2	530	420	110	297.0	330.9	213.5
HEART DISEASES (156-160,162, 164-181)	109	102	7	271.6	282.1	176.0	436	354	82	244.3	278.9	159.1
HYPERTENSION (161,163)	1	1	0	2.5	2.8	-	5	1	4	2.8	0.8	7.8
CEREBROVASCULAR DISEASES (182-186)	17	15	2	42.4	41.5	50.3	75	53	22	42.0	41.8	42.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	2	1	1.7	1.6	1.9
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	7.5	8.3	-	34	29	5	19.0	22.8	9.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	26	1	67.3	71.9	25.1	76	70	6	42.6	55.1	11.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	4	2	2	2.2	1.6	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	14.9	16.6	-	28	26	2	15.7	20.5	3.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	10.0	8.3	25.1	48	38	10	26.9	29.9	19.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	33.9	48.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.9	2.0	-	11	6	5	3.7	2.9	5.5
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.0	2.8	25.1	4	4	0	2.2	3.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.9	2.0	-	5	3	2	1.7	1.5	2.2
ACCIDENTS (295-330)	39	38	1	97.2	105.1	25.1	100	89	11	56.0	70.1	21.3
MOTOR VEHICLE ACCIDENTS# (296-306)	17	17	0	42.4	47.0	-	29	25	4	16.2	19.7	7.8
SUICIDE (331-337)	10	10	0	24.9	27.6	-	41	38	3	23.0	29.9	5.8
HOMICIDE (338-346)	1	1	0	2.5	2.8	-	24	12	12	13.4	9.4	23.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>1,992</b>	<b>841</b>	<b>1,151</b>	<b>8.0</b>	<b>10.7</b>	<b>6.8</b>	<b>200</b>	<b>49</b>	<b>151</b>	<b>9.7</b>	<b>13.0</b>	<b>9.0</b>
TUBERCULOSIS (009,010)	5	0	5	2.0	-	3.0	1	0	1	4.8	-	5.9
SEPTICEMIA (018)	57	21	36	23.0	26.7	21.3	5	0	5	24.3	-	29.7
HIV DISEASE (039-043)	34	2	32	13.7	2.5	18.9	3	0	3	14.6	-	17.8
MALIGNANT NEOPLASMS (056-108)	386	171	215	155.9	217.4	127.2	32	7	25	155.4	186.0	148.5
DIABETES MELLITUS (124)	38	7	31	15.3	8.9	18.3	2	0	2	9.7	-	11.9
ALZHEIMERS DISEASE (148)	36	24	12	14.5	30.5	7.1	3	1	2	14.6	26.6	11.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	751	298	453	303.2	378.8	268.1	81	23	58	393.3	611.2	344.6
HEART DISEASES (156-160,162, 164-181)	585	248	337	236.2	315.2	199.4	44	14	30	213.6	372.0	178.2
HYPERTENSION (161,163)	50	8	42	20.2	10.2	24.8	15	5	10	72.8	132.9	59.4
CEREBROVASCULAR DISEASES (182-186)	107	37	70	43.2	47.0	41.4	20	3	17	97.1	79.7	101.0
ATHEROSCLEROSIS (187)	1	1	0	0.4	1.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	47	29	18	19.0	36.9	10.6	7	3	4	34.0	79.7	23.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	83	55	28	33.5	69.9	16.6	5	3	2	24.3	79.7	11.9
PEPTIC ULCER (217-220)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	14	8	6	5.6	10.2	3.6	4	1	3	19.4	26.6	17.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	55	17	38	22.2	21.6	22.5	8	3	5	38.8	79.7	29.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	263.8	-	291.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	16	3	13	4.1	3.4	4.4	1	0	1	2.6	-	2.9
CONGENITAL MALFORMATIONS (282-290)	8	2	6	3.2	2.5	3.6	2	1	1	9.7	26.6	5.9
SUDDEN INFANT DEATH SYNDROME# (292)	3	0	3	0.8	-	1.0	0	0	0	-	-	-
ACCIDENTS (295-330)	82	40	42	33.1	50.8	24.8	9	0	9	43.7	-	53.5
MOTOR VEHICLE ACCIDENTS# (296-306)	38	13	25	15.3	16.5	14.8	5	0	5	24.3	-	29.7
SUICIDE (331-337)	20	15	5	8.1	19.1	3.0	1	1	0	4.8	26.6	-
HOMICIDE (338-346)	67	6	61	27.0	7.6	36.1	3	0	3	14.6	-	17.8

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>93</b>	<b>33</b>	<b>60</b>	<b>9.2</b>	<b>12.4</b>	<b>8.1</b>	<b>9</b>	<b>5</b>	<b>4</b>	<b>5.4</b>	<b>7.4</b>	<b>4.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.9	-	13.4	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	28	9	19	277.5	338.6	255.7	3	3	0	180.9	446.4	-
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	12	4	8	118.9	150.5	107.6	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	34	10	24	337.0	376.2	323.0	2	2	0	120.6	297.6	-
HEART DISEASES (156-160,162, 164-181)	29	8	21	287.4	301.0	282.6	1	1	0	60.3	148.8	-
HYPERTENSION (161,163)	1	0	1	9.9	-	13.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	4	2	2	39.6	75.2	26.9	0	0	0	-	-	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	1	0	1	60.3	-	101.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	19.8	75.2	-	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	19.8	-	26.9	1	0	1	60.3	-	101.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	3	1	39.6	112.9	13.4	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	19.8	75.2	-	0	0	0	-	-	-
SUICIDE (331-337)	2	1	1	19.8	37.6	13.4	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	19.8	-	26.9	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>291</b>	<b>272</b>	<b>19</b>	<b>12.6</b>	<b>12.7</b>	<b>10.4</b>	<b>1,111</b>	<b>909</b>	<b>202</b>	<b>8.5</b>	<b>9.4</b>	<b>5.9</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	5	2	30.2	23.4	109.6	29	21	8	22.2	21.7	23.5
HIV DISEASE (039-043)	1	1	0	4.3	4.7	-	6	4	2	4.6	4.1	5.9
MALIGNANT NEOPLASMS (056-108)	64	62	2	276.2	290.4	109.6	261	221	40	199.7	228.5	117.7
DIABETES MELLITUS (124)	3	3	0	12.9	14.0	-	7	7	0	5.4	7.2	-
ALZHEIMERS DISEASE (148)	7	7	0	30.2	32.8	-	37	30	7	28.3	31.0	20.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	104	98	6	448.8	459.0	328.8	346	287	59	264.7	296.8	173.6
HEART DISEASES (156-160,162, 164-181)	78	72	6	336.6	337.2	328.8	253	215	38	193.6	222.3	111.8
HYPERTENSION (161,163)	0	0	0	-	-	-	18	15	3	13.8	15.5	8.8
CEREBROVASCULAR DISEASES (182-186)	23	23	0	99.2	107.7	-	64	49	15	49.0	50.7	44.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	0.8	1.0	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	12.9	14.0	-	30	25	5	23.0	25.8	14.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	14	2	69.0	65.6	109.6	60	53	7	45.9	54.8	20.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	3	3	0	2.3	3.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	12.9	14.0	-	17	12	5	13.0	12.4	14.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	21.6	23.4	-	20	12	8	15.3	12.4	23.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	9	4	5	4.8	3.0	9.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.3	4.7	-	4	1	3	3.1	1.0	8.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	1.6	1.5	1.9
ACCIDENTS (295-330)	23	19	4	99.2	89.0	219.2	86	70	16	65.8	72.4	47.1
MOTOR VEHICLE ACCIDENTS# (296-306)	15	13	2	64.7	60.9	109.6	30	22	8	23.0	22.8	23.5
SUICIDE (331-337)	4	4	0	17.3	18.7	-	16	14	2	12.2	14.5	5.9
HOMICIDE (338-346)	2	2	0	8.6	9.4	-	6	3	3	4.6	3.1	8.8

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>166</b>	<b>89</b>	<b>77</b>	<b>9.1</b>	<b>10.3</b>	<b>8.0</b>	<b>71</b>	<b>22</b>	<b>49</b>	<b>8.0</b>	<b>18.5</b>	<b>6.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	21.9	46.3	-	3	1	2	33.8	84.1	26.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	11.3	-	13.0
MALIGNANT NEOPLASMS (056-108)	39	21	18	213.7	243.3	187.1	18	4	14	202.9	336.4	182.2
DIABETES MELLITUS (124)	5	3	2	27.4	34.8	20.8	2	1	1	22.5	84.1	13.0
ALZHEIMERS DISEASE (148)	2	0	2	11.0	-	20.8	1	1	0	11.3	84.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	75	43	32	410.9	498.2	332.6	21	4	17	236.7	336.4	221.3
HEART DISEASES (156-160,162, 164-181)	54	34	20	295.8	393.9	207.8	20	4	16	225.4	336.4	208.2
HYPERTENSION (161,163)	6	1	5	32.9	11.6	52.0	1	0	1	11.3	-	13.0
CEREBROVASCULAR DISEASES (182-186)	15	8	7	82.2	92.7	72.8	0	0	0	-	-	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	11.0	11.6	10.4	5	2	3	56.4	168.2	39.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	27.4	46.3	10.4	8	4	4	90.2	336.4	52.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.5	-	10.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	11.0	11.6	10.4	2	1	1	22.5	84.1	13.0
MATERNAL CAUSES (261-273)	1	0	1	401.6	-	641.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	8.0	-	12.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	5.5	-	10.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	3	5	43.8	34.8	52.0	4	1	3	45.1	84.1	39.0
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	16.4	11.6	20.8	2	1	1	22.5	84.1	13.0
SUICIDE (331-337)	4	4	0	21.9	46.3	-	1	1	0	11.3	84.1	-
HOMICIDE (338-346)	1	0	1	5.5	-	10.4	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>128</b>	<b>62</b>	<b>66</b>	<b>10.1</b>	<b>11.9</b>	<b>8.9</b>	<b>723</b>	<b>545</b>	<b>178</b>	<b>10.8</b>	<b>11.4</b>	<b>9.2</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
SEPTICEMIA (018)	0	0	0	-	-	-	22	16	6	32.7	33.5	30.9
HIV DISEASE (039-043)	1	0	1	7.9	-	13.4	5	1	4	7.4	2.1	20.6
MALIGNANT NEOPLASMS (056-108)	26	9	17	205.5	172.8	228.4	154	109	45	229.2	228.1	231.9
DIABETES MELLITUS (124)	3	2	1	23.7	38.4	13.4	7	4	3	10.4	8.4	15.4
ALZHEIMERS DISEASE (148)	3	1	2	23.7	19.2	26.9	22	21	1	32.7	43.9	5.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	29	22	403.1	556.7	295.5	219	177	42	325.9	370.4	216.4
HEART DISEASES (156-160,162, 164-181)	45	27	18	355.6	518.3	241.8	177	140	37	263.4	292.9	190.6
HYPERTENSION (161,163)	1	1	0	7.9	19.2	-	9	8	1	13.4	16.7	5.2
CEREBROVASCULAR DISEASES (182-186)	5	1	4	39.5	19.2	53.7	25	22	3	37.2	46.0	15.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	47.4	57.6	40.3	37	27	10	55.1	56.5	51.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	4	3	55.3	76.8	40.3	45	38	7	67.0	79.5	36.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.9	19.2	-	10	9	1	14.9	18.8	5.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	7.9	-	13.4	14	8	6	20.8	16.7	30.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.1	-	7.4	4	4	0	3.6	5.4	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	2	2	6.0	4.2	10.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	2	3	39.5	38.4	40.3	47	30	17	69.9	62.8	87.6
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	23.7	19.2	26.9	24	13	11	35.7	27.2	56.7
SUICIDE (331-337)	0	0	0	-	-	-	13	12	1	19.3	25.1	5.2
HOMICIDE (338-346)	2	0	2	15.8	-	26.9	8	4	4	11.9	8.4	20.6

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>102</b>	<b>43</b>	<b>59</b>	<b>10.2</b>	<b>11.5</b>	<b>9.4</b>	<b>376</b>	<b>291</b>	<b>85</b>	<b>8.6</b>	<b>9.1</b>	<b>7.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	30.1	26.8	32.0	1	1	0	2.3	3.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	24	6	18	240.8	160.9	288.5	92	64	28	209.5	200.0	234.9
DIABETES MELLITUS (124)	1	0	1	10.0	-	16.0	11	6	5	25.0	18.7	41.9
ALZHEIMERS DISEASE (148)	2	0	2	20.1	-	32.0	21	20	1	47.8	62.5	8.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	38	20	18	381.2	536.5	288.5	108	90	18	245.9	281.2	151.0
HEART DISEASES (156-160,162, 164-181)	32	17	15	321.0	456.0	240.4	82	70	12	186.7	218.7	100.7
HYPERTENSION (161,163)	1	1	0	10.0	26.8	-	4	3	1	9.1	9.4	8.4
CEREBROVASCULAR DISEASES (182-186)	4	2	2	40.1	53.6	32.0	18	15	3	41.0	46.9	25.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	2.3	-	8.4
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	70.2	107.3	48.1	2	1	1	4.6	3.1	8.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	50.2	107.3	16.0	30	26	4	68.3	81.2	33.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	6.8	6.2	8.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	20.1	-	32.0	6	4	2	13.7	12.5	16.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	8.1	-	11.4	2	0	2	4.0	-	11.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	3	0	6.8	9.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	4.0	3.0	5.7
ACCIDENTS (295-330)	3	2	1	30.1	53.6	16.0	21	15	6	47.8	46.9	50.3
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	20.1	53.6	-	12	7	5	27.3	21.9	41.9
SUICIDE (331-337)	2	1	1	20.1	26.8	16.0	5	4	1	11.4	12.5	8.4
HOMICIDE (338-346)	0	0	0	-	-	-	2	2	0	4.6	6.2	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>361</b>	<b>314</b>	<b>47</b>	<b>7.3</b>	<b>7.8</b>	<b>5.3</b>	<b>932</b>	<b>632</b>	<b>300</b>	<b>11.9</b>	<b>14.2</b>	<b>8.9</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
SEPTICEMIA (018)	8	5	3	16.3	12.4	34.1	15	8	7	19.2	18.0	20.8
HIV DISEASE (039-043)	2	2	0	4.1	5.0	-	3	0	3	3.8	-	8.9
MALIGNANT NEOPLASMS (056-108)	87	76	11	177.1	188.5	125.0	168	113	55	214.9	253.9	163.3
DIABETES MELLITUS (124)	17	13	4	34.6	32.2	45.5	17	9	8	21.7	20.2	23.8
ALZHEIMERS DISEASE (148)	16	15	1	32.6	37.2	11.4	45	39	6	57.6	87.6	17.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	108	93	15	219.9	230.6	170.5	312	199	113	399.1	447.2	335.6
HEART DISEASES (156-160,162, 164-181)	82	74	8	166.9	183.5	90.9	252	160	92	322.3	359.5	273.2
HYPERTENSION (161,163)	4	1	3	8.1	2.5	34.1	1	1	0	1.3	2.2	-
CEREBROVASCULAR DISEASES (182-186)	19	15	4	38.7	37.2	45.5	57	36	21	72.9	80.9	62.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	10.2	12.4	-	25	19	6	32.0	42.7	17.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	11	1	24.4	27.3	11.4	61	52	9	78.0	116.8	26.7
PEPTIC ULCER (217-220)	3	2	1	6.1	5.0	11.4	1	0	1	1.3	-	3.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	8.1	9.9	-	4	4	0	5.1	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	10.2	7.4	22.7	30	17	13	38.4	38.2	38.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	82.2	-	158.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	3.6	3.2	4.9	6	0	6	4.9	-	9.5
CONGENITAL MALFORMATIONS (282-290)	3	3	0	6.1	7.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.2	-	4.9	1	0	1	0.8	-	1.6
ACCIDENTS (295-330)	30	28	2	61.1	69.4	22.7	34	20	14	43.5	44.9	41.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	12	1	26.5	29.8	11.4	17	9	8	21.7	20.2	23.8
SUICIDE (331-337)	7	7	0	14.2	17.4	-	15	12	3	19.2	27.0	8.9
HOMICIDE (338-346)	2	1	1	4.1	2.5	11.4	8	3	5	10.2	6.7	14.8

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>153</b>	<b>122</b>	<b>31</b>	<b>11.4</b>	<b>13.7</b>	<b>6.9</b>	<b>250</b>	<b>166</b>	<b>84</b>	<b>10.9</b>	<b>13.2</b>	<b>8.2</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	4.4	-	9.8
SEPTICEMIA (018)	4	4	0	29.9	44.9	-	1	1	0	4.4	7.9	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	20	5	187.0	224.6	112.0	59	40	19	258.3	317.4	185.5
DIABETES MELLITUS (124)	3	2	1	22.4	22.4	22.4	9	5	4	39.4	39.7	39.1
ALZHEIMERS DISEASE (148)	4	3	1	29.9	33.7	22.4	11	10	1	48.2	79.3	9.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	63	50	13	471.2	561.4	291.2	82	51	31	359.0	404.6	302.7
HEART DISEASES (156-160,162, 164-181)	45	38	7	336.6	426.7	156.8	63	41	22	275.8	325.3	214.8
HYPERTENSION (161,163)	2	2	0	15.0	22.4	-	6	1	5	26.3	7.9	48.8
CEREBROVASCULAR DISEASES (182-186)	14	8	6	104.7	89.8	134.4	13	9	4	56.9	71.4	39.1
ATHEROSCLEROSIS (187)	2	2	0	15.0	22.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.0	22.4	-	5	4	1	21.9	31.7	9.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	44.9	67.4	-	15	14	1	65.7	111.1	9.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.5	11.2	-	4	4	0	17.5	31.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	15.0	22.4	-	6	3	3	26.3	23.8	29.3
MATERNAL CAUSES (261-273)	1	0	1	473.9	-	1,298.7	1	1	0	251.9	531.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.7	7.5	-	2	0	2	5.0	-	9.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	13.1	-	29.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.7	7.5	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	12	3	112.2	134.7	67.2	9	5	4	39.4	39.7	39.1
MOTOR VEHICLE ACCIDENTS# (296-306)	10	8	2	74.8	89.8	44.8	3	2	1	13.1	15.9	9.8
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	13.1	23.8	-
HOMICIDE (338-346)	4	2	2	29.9	22.4	44.8	4	0	4	17.5	-	39.1

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>859</b>	<b>702</b>	<b>157</b>	<b>10.6</b>	<b>12.0</b>	<b>6.9</b>	<b>360</b>	<b>145</b>	<b>215</b>	<b>10.2</b>	<b>15.0</b>	<b>8.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	7	2	11.1	12.0	8.7	8	3	5	22.7	31.0	19.6
HIV DISEASE (039-043)	1	1	0	1.2	1.7	-	3	0	3	8.5	-	11.8
MALIGNANT NEOPLASMS (056-108)	202	162	40	249.0	278.0	175.0	88	36	52	250.1	372.3	203.8
DIABETES MELLITUS (124)	20	12	8	24.6	20.6	35.0	3	1	2	8.5	10.3	7.8
ALZHEIMERS DISEASE (148)	24	23	1	29.6	39.5	4.4	5	3	2	14.2	31.0	7.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	298	247	51	367.3	423.8	223.1	142	58	84	403.6	599.8	329.2
HEART DISEASES (156-160,162, 164-181)	232	194	38	285.9	332.9	166.2	113	48	65	321.2	496.4	254.8
HYPERTENSION (161,163)	13	13	0	16.0	22.3	-	1	0	1	2.8	-	3.9
CEREBROVASCULAR DISEASES (182-186)	49	37	12	60.4	63.5	52.5	25	8	17	71.0	82.7	66.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	15	13	2	18.5	22.3	8.7	9	2	7	25.6	20.7	27.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	53	48	5	65.3	82.4	21.9	18	14	4	51.2	144.8	15.7
PEPTIC ULCER (217-220)	1	1	0	1.2	1.7	-	1	0	1	2.8	-	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	12.3	15.4	4.4	4	1	3	11.4	10.3	11.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	10	4	17.2	17.2	17.5	12	1	11	34.1	10.3	43.1
MATERNAL CAUSES (261-273)	1	0	1	80.6	-	219.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	1	6	5.6	1.3	13.2	6	3	3	9.5	21.1	6.2
CONGENITAL MALFORMATIONS (282-290)	3	1	2	3.7	1.7	8.7	1	0	1	2.8	-	3.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	47	41	6	57.9	70.4	26.2	14	6	8	39.8	62.0	31.4
MOTOR VEHICLE ACCIDENTS# (296-306)	24	22	2	29.6	37.8	8.7	8	4	4	22.7	41.4	15.7
SUICIDE (331-337)	11	11	0	13.6	18.9	-	4	2	2	11.4	20.7	7.8
HOMICIDE (338-346)	3	0	3	3.7	-	13.1	4	1	3	11.4	10.3	11.8

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>378</b>	<b>282</b>	<b>96</b>	<b>10.8</b>	<b>11.8</b>	<b>8.7</b>	<b>543</b>	<b>352</b>	<b>191</b>	<b>9.2</b>	<b>10.8</b>	<b>7.2</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	11.4	12.6	9.0	11	4	7	18.6	12.3	26.2
HIV DISEASE (039-043)	3	0	3	8.6	-	27.1	2	0	2	3.4	-	7.5
MALIGNANT NEOPLASMS (056-108)	80	51	29	229.0	213.6	262.3	116	69	47	195.7	211.8	176.0
DIABETES MELLITUS (124)	18	9	9	51.5	37.7	81.4	7	3	4	11.8	9.2	15.0
ALZHEIMERS DISEASE (148)	9	9	0	25.8	37.7	-	20	15	5	33.7	46.0	18.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	131	100	31	375.0	418.8	280.4	190	116	74	320.5	356.0	277.1
HEART DISEASES (156-160,162, 164-181)	98	74	24	280.6	309.9	217.1	156	95	61	263.1	291.6	228.4
HYPERTENSION (161,163)	8	5	3	22.9	20.9	27.1	6	3	3	10.1	9.2	11.2
CEREBROVASCULAR DISEASES (182-186)	22	19	3	63.0	79.6	27.1	25	16	9	42.2	49.1	33.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	22.9	25.1	18.1	15	14	1	25.3	43.0	3.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	22	19	3	63.0	79.6	27.1	36	31	5	60.7	95.2	18.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	14.3	16.8	9.0	4	2	2	6.7	6.1	7.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	11.4	12.6	9.0	10	5	5	16.9	15.3	18.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	3.6	5.7	-	2	0	2	2.3	-	4.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	2	0	3.4	6.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	1	2	3.4	2.2	4.6
ACCIDENTS (295-330)	21	18	3	60.1	75.4	27.1	29	23	6	48.9	70.6	22.5
MOTOR VEHICLE ACCIDENTS# (296-306)	8	7	1	22.9	29.3	9.0	7	3	4	11.8	9.2	15.0
SUICIDE (331-337)	3	3	0	8.6	12.6	-	5	3	2	8.4	9.2	7.5
HOMICIDE (338-346)	6	1	5	17.2	4.2	45.2	5	3	2	8.4	9.2	7.5

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>1,038</b>	<b>669</b>	<b>369</b>	<b>11.4</b>	<b>12.2</b>	<b>10.2</b>	<b>324</b>	<b>235</b>	<b>89</b>	<b>12.5</b>	<b>13.8</b>	<b>10.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	15	8	7	16.4	14.5	19.3	8	3	5	31.0	17.7	56.4
HIV DISEASE (039-043)	14	1	13	15.3	1.8	35.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	284	186	98	310.8	337.8	269.9	60	46	14	232.3	271.1	157.9
DIABETES MELLITUS (124)	24	7	17	26.3	12.7	46.8	3	2	1	11.6	11.8	11.3
ALZHEIMERS DISEASE (148)	34	29	5	37.2	52.7	13.8	17	15	2	65.8	88.4	22.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	303	181	122	331.6	328.7	336.0	116	86	30	449.1	506.9	338.4
HEART DISEASES (156-160,162, 164-181)	227	143	84	248.4	259.7	231.4	89	70	19	344.6	412.6	214.3
HYPERTENSION (161,163)	13	4	9	14.2	7.3	24.8	1	1	0	3.9	5.9	-
CEREBROVASCULAR DISEASES (182-186)	62	34	28	67.8	61.7	77.1	23	14	9	89.0	82.5	101.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	20	14	6	21.9	25.4	16.5	5	3	2	19.4	17.7	22.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	42	35	7	46.0	63.6	19.3	11	10	1	42.6	58.9	11.3
PEPTIC ULCER (217-220)	1	1	0	1.1	1.8	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	18	14	4	19.7	25.4	11.0	2	2	0	7.7	11.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	12	7	20.8	21.8	19.3	12	2	10	46.4	11.8	112.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	0	7	4.9	-	10.7	1	1	0	2.3	3.7	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	2.2	1.8	2.8	2	1	1	7.7	5.9	11.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.3	3.7	-
ACCIDENTS (295-330)	27	18	9	29.6	32.7	24.8	13	11	2	50.3	64.8	22.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	9	4	14.2	16.3	11.0	7	6	1	27.1	35.4	11.3
SUICIDE (331-337)	13	11	2	14.2	20.0	5.5	4	4	0	15.5	23.6	-
HOMICIDE (338-346)	14	4	10	15.3	7.3	27.5	7	5	2	27.1	29.5	22.6

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>355</b>	<b>228</b>	<b>127</b>	<b>9.6</b>	<b>12.1</b>	<b>6.9</b>	<b>387</b>	<b>292</b>	<b>95</b>	<b>10.4</b>	<b>11.4</b>	<b>8.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	2.7	-	5.4	9	6	3	24.2	23.5	25.5
HIV DISEASE (039-043)	1	1	0	2.7	5.3	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	63	39	24	169.8	207.8	130.9	92	69	23	247.0	270.8	195.5
DIABETES MELLITUS (124)	24	9	15	64.7	48.0	81.8	5	3	2	13.4	11.8	17.0
ALZHEIMERS DISEASE (148)	14	11	3	37.7	58.6	16.4	26	21	5	69.8	82.4	42.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	149	104	45	401.6	554.2	245.4	130	92	38	349.0	361.0	322.9
HEART DISEASES (156-160,162, 164-181)	93	63	30	250.7	335.7	163.6	108	76	32	289.9	298.2	271.9
HYPERTENSION (161,163)	43	36	7	115.9	191.8	38.2	6	3	3	16.1	11.8	25.5
CEREBROVASCULAR DISEASES (182-186)	13	5	8	35.0	26.6	43.6	15	12	3	40.3	47.1	25.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	5	4	24.2	26.6	21.8	7	7	0	18.8	27.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	13	0	35.0	69.3	-	29	24	5	77.8	94.2	42.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	5.4	5.3	5.4	1	1	0	2.7	3.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	16.2	16.0	16.4	9	7	2	24.2	27.5	17.0
MATERNAL CAUSES (261-273)	1	0	1	173.9	-	341.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.5	-	6.8	3	2	1	5.8	6.4	5.0
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.7	-	5.4	2	2	0	5.4	7.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.7	3.5	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	12	7	51.2	63.9	38.2	14	11	3	37.6	43.2	25.5
MOTOR VEHICLE ACCIDENTS# (296-306)	9	4	5	24.2	21.3	27.3	7	7	0	18.8	27.5	-
SUICIDE (331-337)	6	5	1	16.2	26.6	5.4	3	3	0	8.0	11.8	-
HOMICIDE (338-346)	4	1	3	10.8	5.3	16.4	2	1	1	5.4	3.9	8.5

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>161</b>	<b>106</b>	<b>55</b>	<b>14.3</b>	<b>17.6</b>	<b>10.5</b>	<b>315</b>	<b>192</b>	<b>123</b>	<b>10.3</b>	<b>10.0</b>	<b>10.9</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	44.4	49.8	38.1	7	3	4	22.9	15.6	35.5
HIV DISEASE (039-043)	1	0	1	8.9	-	19.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	26	12	337.3	431.7	228.9	60	32	28	196.5	166.2	248.4
DIABETES MELLITUS (124)	4	2	2	35.5	33.2	38.1	10	3	7	32.8	15.6	62.1
ALZHEIMERS DISEASE (148)	5	4	1	44.4	66.4	19.1	8	8	0	26.2	41.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	36	16	461.6	597.7	305.2	107	66	41	350.5	342.8	363.7
HEART DISEASES (156-160,162, 164-181)	38	28	10	337.3	464.9	190.7	83	51	32	271.9	264.8	283.8
HYPERTENSION (161,163)	2	0	2	17.8	-	38.1	1	0	1	3.3	-	8.9
CEREBROVASCULAR DISEASES (182-186)	10	6	4	88.8	99.6	76.3	21	14	7	68.8	72.7	62.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	26.6	49.8	-	13	11	2	42.6	57.1	17.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	53.2	83.0	19.1	17	14	3	55.7	72.7	26.6
PEPTIC ULCER (217-220)	1	0	1	8.9	-	19.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	6	4	2	19.6	20.8	17.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	3	4	62.1	49.8	76.3	9	4	5	29.5	20.8	44.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	12.2	-	19.8	2	0	2	3.9	-	7.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.3	5.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.1	-	9.9	1	0	1	2.0	-	3.6
ACCIDENTS (295-330)	10	8	2	88.8	132.8	38.1	18	12	6	59.0	62.3	53.2
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	26.6	33.2	19.1	6	2	4	19.6	10.4	35.5
SUICIDE (331-337)	1	1	0	8.9	16.6	-	6	4	2	19.6	20.8	17.7
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	3.3	-	8.9

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>239</b>	<b>163</b>	<b>76</b>	<b>10.7</b>	<b>11.3</b>	<b>9.6</b>	<b>113</b>	<b>31</b>	<b>82</b>	<b>9.6</b>	<b>8.8</b>	<b>9.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	17.9	6.9	38.0	2	0	2	16.9	-	24.0
HIV DISEASE (039-043)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	57	39	18	255.0	269.8	227.8	28	5	23	236.7	142.8	276.2
DIABETES MELLITUS (124)	4	2	2	17.9	13.8	25.3	2	0	2	16.9	-	24.0
ALZHEIMERS DISEASE (148)	7	7	0	31.3	48.4	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	90	62	28	402.6	428.9	354.4	43	17	26	363.5	485.4	312.3
HEART DISEASES (156-160,162, 164-181)	71	49	22	317.6	339.0	278.5	33	16	17	279.0	456.9	204.2
HYPERTENSION (161,163)	9	5	4	40.2	34.6	50.6	1	0	1	8.4	-	12.0
CEREBROVASCULAR DISEASES (182-186)	10	8	2	44.7	55.3	25.3	8	1	7	67.6	28.6	84.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	4	5	40.2	27.7	63.3	3	1	2	25.4	28.6	24.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	10	2	53.7	69.2	25.3	5	1	4	42.3	28.6	48.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	8.4	-	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	31.3	27.7	38.0	3	1	2	25.4	28.6	24.0
MATERNAL CAUSES (261-273)	1	0	1	278.6	-	578.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.8	-	5.8	1	0	1	5.2	-	6.5
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.5	-	12.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	13	3	71.6	89.9	38.0	7	2	5	59.2	57.1	60.0
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	17.9	13.8	25.3	5	1	4	42.3	28.6	48.0
SUICIDE (331-337)	5	4	1	22.4	27.7	12.6	1	1	0	8.4	28.6	-
HOMICIDE (338-346)	1	0	1	4.5	-	12.6	1	0	1	8.4	-	12.0

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>306</b>	<b>178</b>	<b>128</b>	<b>7.0</b>	<b>6.8</b>	<b>7.2</b>	<b>362</b>	<b>217</b>	<b>145</b>	<b>10.2</b>	<b>11.8</b>	<b>8.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	4	3	15.9	15.3	16.9	6	4	2	16.8	21.8	11.5
HIV DISEASE (039-043)	1	0	1	2.3	-	5.6	2	0	2	5.6	-	11.5
MALIGNANT NEOPLASMS (056-108)	56	34	22	127.4	129.8	124.0	73	41	32	204.7	223.8	184.6
DIABETES MELLITUS (124)	5	3	2	11.4	11.4	11.3	13	5	8	36.4	27.3	46.1
ALZHEIMERS DISEASE (148)	15	10	5	34.1	38.2	28.2	14	14	0	39.3	76.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	126	63	63	286.7	240.4	355.1	141	85	56	395.4	463.9	323.0
HEART DISEASES (156-160,162, 164-181)	97	50	47	220.7	190.8	264.9	129	81	48	361.8	442.1	276.8
HYPERTENSION (161,163)	7	3	4	15.9	11.4	22.5	1	1	0	2.8	5.4	-
CEREBROVASCULAR DISEASES (182-186)	19	8	11	43.2	30.5	62.0	7	0	7	19.6	-	40.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	13.6	15.3	11.3	2	2	0	5.6	10.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	12	1	29.6	45.8	5.6	20	14	6	56.1	76.4	34.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.3	3.8	-	3	1	2	8.4	5.4	11.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	7	2	20.5	26.7	11.3	6	2	4	16.8	10.9	23.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	6.4	9.8	3.2	2	0	2	3.5	-	6.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.3	-	5.6	1	0	1	2.8	-	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	8	3	25.0	30.5	16.9	25	13	12	70.1	71.0	69.2
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	4.6	7.6	-	18	9	9	50.5	49.1	51.9
SUICIDE (331-337)	2	1	1	4.6	3.8	5.6	3	3	0	8.4	16.4	-
HOMICIDE (338-346)	6	1	5	13.6	3.8	28.2	3	2	1	8.4	10.9	5.8

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>611</b>	<b>543</b>	<b>68</b>	<b>10.6</b>	<b>11.1</b>	<b>8.0</b>	<b>119</b>	<b>98</b>	<b>21</b>	<b>9.7</b>	<b>10.5</b>	<b>7.2</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	15	13	2	26.1	26.5	23.6	2	2	0	16.3	21.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	141	126	15	245.4	257.2	176.9	29	24	5	237.0	257.3	171.9
DIABETES MELLITUS (124)	3	3	0	5.2	6.1	-	5	2	3	40.9	21.4	103.2
ALZHEIMERS DISEASE (148)	19	19	0	33.1	38.8	-	2	2	0	16.3	21.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	198	175	23	344.6	357.2	271.3	45	37	8	367.8	396.7	275.1
HEART DISEASES (156-160,162, 164-181)	159	144	15	276.7	293.9	176.9	39	33	6	318.8	353.8	206.3
HYPERTENSION (161,163)	5	5	0	8.7	10.2	-	1	1	0	8.2	10.7	-
CEREBROVASCULAR DISEASES (182-186)	28	22	6	48.7	44.9	70.8	3	1	2	24.5	10.7	68.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	16	11	5	27.8	22.4	59.0	1	0	1	8.2	-	34.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	19	17	2	33.1	34.7	23.6	5	3	2	40.9	32.2	68.8
PEPTIC ULCER (217-220)	1	1	0	1.7	2.0	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	10.4	12.2	-	1	1	0	8.2	10.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	8	0	13.9	16.3	-	5	5	0	40.9	53.6	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	4.8	4.4	6.1	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	3	3	0	5.2	6.1	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	2.4	3.0	-	1	1	0	5.4	7.2	-
ACCIDENTS (295-330)	61	54	7	106.2	110.2	82.6	10	10	0	81.7	107.2	-
MOTOR VEHICLE ACCIDENTS# (296-306)	25	22	3	43.5	44.9	35.4	7	7	0	57.2	75.0	-
SUICIDE (331-337)	9	9	0	15.7	18.4	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	2	0	3.5	4.1	-	0	0	0	-	-	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>505</b>	<b>267</b>	<b>238</b>	<b>12.6</b>	<b>13.5</b>	<b>11.8</b>	<b>233</b>	<b>211</b>	<b>22</b>	<b>8.0</b>	<b>8.6</b>	<b>4.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	3	6	22.5	15.1	29.8	3	3	0	10.3	12.3	-
HIV DISEASE (039-043)	1	0	1	2.5	-	5.0	1	1	0	3.4	4.1	-
MALIGNANT NEOPLASMS (056-108)	105	57	48	262.8	287.4	238.4	51	45	6	175.8	184.0	131.9
DIABETES MELLITUS (124)	22	8	14	55.0	40.3	69.5	1	1	0	3.4	4.1	-
ALZHEIMERS DISEASE (148)	11	6	5	27.5	30.2	24.8	10	10	0	34.5	40.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	200	111	89	500.5	559.8	442.1	84	74	10	289.6	302.6	219.8
HEART DISEASES (156-160,162, 164-181)	144	79	65	360.4	398.4	322.9	61	54	7	210.3	220.8	153.8
HYPERTENSION (161,163)	10	8	2	25.0	40.3	9.9	2	2	0	6.9	8.2	-
CEREBROVASCULAR DISEASES (182-186)	42	22	20	105.1	110.9	99.3	17	16	1	58.6	65.4	22.0
ATHEROSCLEROSIS (187)	1	1	0	2.5	5.0	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	20.0	30.2	9.9	7	7	0	24.1	28.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	20	6	65.1	100.9	29.8	18	18	0	62.1	73.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	10.0	10.1	9.9	1	1	0	3.4	4.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	21	9	12	52.6	45.4	59.6	5	4	1	17.2	16.4	22.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	4.4	-	7.0	2	1	1	4.5	2.5	19.2
CONGENITAL MALFORMATIONS (282-290)	3	0	3	7.5	-	14.9	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	2.9	-	4.7	3	2	1	6.7	5.1	19.2
ACCIDENTS (295-330)	22	11	11	55.0	55.5	54.6	11	11	0	37.9	45.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	12	5	7	30.0	25.2	34.8	7	7	0	24.1	28.6	-
SUICIDE (331-337)	7	5	2	17.5	25.2	9.9	3	3	0	10.3	12.3	-
HOMICIDE (338-346)	5	1	4	12.5	5.0	19.9	2	1	1	6.9	4.1	22.0

CAUSE AND GROUP NUMBER	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>257</b>	<b>231</b>	<b>26</b>	<b>10.0</b>	<b>10.6</b>	<b>6.6</b>	<b>115</b>	<b>43</b>	<b>72</b>	<b>13.2</b>	<b>16.5</b>	<b>11.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	19.4	13.8	51.0	3	0	3	34.4	-	49.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	52	49	3	202.3	224.9	76.6	18	9	9	206.3	346.0	147.0
DIABETES MELLITUS (124)	5	4	1	19.4	18.4	25.5	7	1	6	80.2	38.4	98.0
ALZHEIMERS DISEASE (148)	10	10	0	38.9	45.9	-	2	1	1	22.9	38.4	16.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	89	78	11	346.2	358.0	280.8	47	19	28	538.7	730.5	457.3
HEART DISEASES (156-160,162, 164-181)	78	67	11	303.4	307.5	280.8	33	14	19	378.3	538.2	310.3
HYPERTENSION (161,163)	2	2	0	7.8	9.2	-	3	1	2	34.4	38.4	32.7
CEREBROVASCULAR DISEASES (182-186)	9	9	0	35.0	41.3	-	9	3	6	103.2	115.3	98.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	8	1	35.0	36.7	25.5	1	0	1	11.5	-	16.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	17	1	70.0	78.0	25.5	3	1	2	34.4	38.4	32.7
PEPTIC ULCER (217-220)	1	1	0	3.9	4.6	-	1	0	1	11.5	-	16.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	23.3	27.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	6	0	23.3	27.5	-	2	0	2	22.9	-	32.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	7.4	-	8.7
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	15	3	70.0	68.8	76.6	9	3	6	103.2	115.3	98.0
MOTOR VEHICLE ACCIDENTS# (296-306)	10	8	2	38.9	36.7	51.0	3	0	3	34.4	-	49.0
SUICIDE (331-337)	3	3	0	11.7	13.8	-	2	2	0	22.9	76.9	-
HOMICIDE (338-346)	1	0	1	3.9	-	25.5	1	0	1	11.5	-	16.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>926</b>	<b>768</b>	<b>158</b>	<b>6.6</b>	<b>7.0</b>	<b>5.1</b>	<b>304</b>	<b>190</b>	<b>114</b>	<b>10.5</b>	<b>10.9</b>	<b>10.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	25	18	7	17.7	16.3	22.8	5	4	1	17.3	23.0	8.7
HIV DISEASE (039-043)	4	0	4	2.8	-	13.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	176	147	29	124.9	133.4	94.3	66	40	26	228.8	229.6	227.4
DIABETES MELLITUS (124)	14	8	6	9.9	7.3	19.5	5	3	2	17.3	17.2	17.5
ALZHEIMERS DISEASE (148)	3	2	1	2.1	1.8	3.2	2	2	0	6.9	11.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	345	291	54	244.8	264.2	175.6	118	73	45	409.0	419.1	393.7
HEART DISEASES (156-160,162, 164-181)	302	258	44	214.3	234.2	143.1	93	57	36	322.4	327.2	314.9
HYPERTENSION (161,163)	4	2	2	2.8	1.8	6.5	1	0	1	3.5	-	8.7
CEREBROVASCULAR DISEASES (182-186)	33	26	7	23.4	23.6	22.8	21	13	8	72.8	74.6	70.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.5	5.7	-
INFLUENZA AND PNEUMONIA (195-198)	17	13	4	12.1	11.8	13.0	3	3	0	10.4	17.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	55	51	4	39.0	46.3	13.0	12	10	2	41.6	57.4	17.5
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	9	7	2	6.4	6.4	6.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	12	5	12.1	10.9	16.3	17	9	8	58.9	51.7	70.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	184.8	311.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	5	2	3.4	3.2	4.2	1	0	1	1.8	-	4.5
CONGENITAL MALFORMATIONS (282-290)	9	8	1	6.4	7.3	3.2	3	1	2	10.4	5.7	17.5
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	1.0	1.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	70	58	12	49.7	52.6	39.0	19	8	11	65.8	45.9	96.2
MOTOR VEHICLE ACCIDENTS# (296-306)	32	27	5	22.7	24.5	16.3	17	6	11	58.9	34.4	96.2
SUICIDE (331-337)	19	19	0	13.5	17.2	-	3	3	0	10.4	17.2	-
HOMICIDE (338-346)	5	3	2	3.5	2.7	6.5	5	3	2	17.3	17.2	17.5

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>61</b>	<b>23</b>	<b>38</b>	<b>11.0</b>	<b>14.0</b>	<b>9.7</b>	<b>306</b>	<b>230</b>	<b>76</b>	<b>10.9</b>	<b>12.7</b>	<b>7.6</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	18.0	60.9	-	8	5	3	28.5	27.6	30.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	10.1
MALIGNANT NEOPLASMS (056-108)	12	4	8	216.0	243.6	204.4	58	47	11	206.9	259.7	110.7
DIABETES MELLITUS (124)	1	1	0	18.0	60.9	-	11	10	1	39.2	55.3	10.1
ALZHEIMERS DISEASE (148)	2	1	1	36.0	60.9	25.5	8	7	1	28.5	38.7	10.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	23	7	16	414.0	426.3	408.8	106	77	29	378.1	425.5	291.8
HEART DISEASES (156-160,162, 164-181)	16	5	11	288.0	304.5	281.0	86	61	25	306.8	337.1	251.6
HYPERTENSION (161,163)	2	1	1	36.0	60.9	25.5	3	2	1	10.7	11.0	10.1
CEREBROVASCULAR DISEASES (182-186)	5	1	4	90.0	60.9	102.2	14	11	3	49.9	60.8	30.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	18.0	60.9	-	8	7	1	28.5	38.7	10.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	36.0	121.8	-	14	13	1	49.9	71.8	10.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	7.1	5.5	10.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	54.0	60.9	51.1	4	3	1	14.3	16.6	10.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	21.3	-	25.6	2	0	2	5.0	-	14.0
CONGENITAL MALFORMATIONS (282-290)	1	0	1	18.0	-	25.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.5	-	7.0
ACCIDENTS (295-330)	3	1	2	54.0	60.9	51.1	26	23	3	92.7	127.1	30.2
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	18.0	-	25.5	10	9	1	35.7	49.7	10.1
SUICIDE (331-337)	1	0	1	18.0	-	25.5	5	5	0	17.8	27.6	-
HOMICIDE (338-346)	1	0	1	18.0	-	25.5	2	0	2	7.1	-	20.1

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>149</b>	<b>120</b>	<b>29</b>	<b>9.4</b>	<b>10.1</b>	<b>7.4</b>	<b>164</b>	<b>141</b>	<b>23</b>	<b>10.2</b>	<b>11.0</b>	<b>7.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	12.6	16.8	-	3	3	0	18.7	23.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	12.5	-	62.1
MALIGNANT NEOPLASMS (056-108)	24	21	3	151.8	176.4	76.8	38	33	5	237.1	257.7	155.3
DIABETES MELLITUS (124)	2	1	1	12.6	8.4	25.6	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	5	3	2	31.6	25.2	51.2	6	6	0	37.4	46.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	61	51	10	385.8	428.4	256.1	47	41	6	293.3	320.2	186.3
HEART DISEASES (156-160,162, 164-181)	49	44	5	310.0	369.6	128.1	36	31	5	224.6	242.1	155.3
HYPERTENSION (161,163)	1	0	1	6.3	-	25.6	1	1	0	6.2	7.8	-
CEREBROVASCULAR DISEASES (182-186)	9	6	3	56.9	50.4	76.8	8	7	1	49.9	54.7	31.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	19.0	25.2	-	4	4	0	25.0	31.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	9	1	63.2	75.6	25.6	12	12	0	74.9	93.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	18.7	15.6	31.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	25.3	16.8	51.2	8	7	1	49.9	54.7	31.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	16.7	11.4	30.8	2	0	2	8.1	-	41.7
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.3	8.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	7	3	63.2	58.8	76.8	9	6	3	56.2	46.8	93.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	38.0	25.2	76.8	3	3	0	18.7	23.4	-
SUICIDE (331-337)	3	3	0	19.0	25.2	-	3	3	0	18.7	23.4	-
HOMICIDE (338-346)	1	1	0	6.3	8.4	-	1	0	1	6.2	-	31.0

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>325</b>	<b>111</b>	<b>214</b>	<b>10.6</b>	<b>13.6</b>	<b>9.5</b>	<b>141</b>	<b>62</b>	<b>79</b>	<b>10.8</b>	<b>12.4</b>	<b>9.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	0	9	29.3	-	39.9	3	0	3	23.0	-	37.3
HIV DISEASE (039-043)	7	0	7	22.8	-	31.1	1	0	1	7.7	-	12.4
MALIGNANT NEOPLASMS (056-108)	73	25	48	237.8	306.1	213.0	30	15	15	230.3	301.2	186.4
DIABETES MELLITUS (124)	30	6	24	97.7	73.4	106.5	10	2	8	76.8	40.2	99.4
ALZHEIMERS DISEASE (148)	13	7	6	42.3	85.7	26.6	2	0	2	15.4	-	24.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	109	37	72	355.1	453.0	319.6	52	29	23	399.2	582.3	285.8
HEART DISEASES (156-160,162, 164-181)	83	26	57	270.4	318.3	253.0	39	21	18	299.4	421.7	223.7
HYPERTENSION (161,163)	3	0	3	9.8	-	13.3	7	2	5	53.7	40.2	62.1
CEREBROVASCULAR DISEASES (182-186)	20	10	10	65.2	122.4	44.4	6	6	0	46.0	120.5	-
ATHEROSCLEROSIS (187)	1	0	1	3.2	-	4.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	2	4	19.5	24.5	17.8	3	0	3	23.0	-	37.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	12	5	55.4	146.9	22.2	7	6	1	53.7	120.5	12.4
PEPTIC ULCER (217-220)	1	0	1	3.2	-	4.4	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	0	2	6.5	-	8.9	2	2	0	15.4	40.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	1	5	19.5	12.2	22.2	7	1	6	53.7	20.1	74.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	6.9	13.9	5.5	1	0	1	4.4	-	5.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	4	5	29.3	49.0	22.2	10	2	8	76.8	40.2	99.4
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	3.2	-	4.4	9	2	7	69.1	40.2	87.0
SUICIDE (331-337)	3	2	1	9.8	24.5	4.4	0	0	0	-	-	-
HOMICIDE (338-346)	7	2	5	22.8	24.5	22.2	1	0	1	7.7	-	12.4

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>248</b>	<b>195</b>	<b>53</b>	<b>9.1</b>	<b>10.6</b>	<b>6.0</b>	<b>245</b>	<b>214</b>	<b>31</b>	<b>11.6</b>	<b>12.3</b>	<b>8.0</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.0	16.3	-	4	4	0	18.8	23.1	-
HIV DISEASE (039-043)	1	1	0	3.7	5.4	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	52	44	8	191.3	239.6	90.8	37	31	6	174.4	178.7	155.3
DIABETES MELLITUS (124)	12	5	7	44.2	27.2	79.4	7	5	2	33.0	28.8	51.8
ALZHEIMERS DISEASE (148)	2	2	0	7.4	10.9	-	9	8	1	42.4	46.1	25.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	73	21	345.9	397.6	238.2	107	95	12	504.5	547.7	310.6
HEART DISEASES (156-160,162, 164-181)	85	69	16	312.8	375.8	181.5	74	68	6	348.9	392.0	155.3
HYPERTENSION (161,163)	1	1	0	3.7	5.4	-	5	5	0	23.6	28.8	-
CEREBROVASCULAR DISEASES (182-186)	8	3	5	29.4	16.3	56.7	23	17	6	108.4	98.0	155.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	3	0	14.1	17.3	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	1	1	0	4.7	5.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	19	1	73.6	103.5	11.3	13	12	1	61.3	69.2	25.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	14.7	16.3	11.3	4	4	0	18.8	23.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	5	2	25.8	27.2	22.7	8	4	4	37.7	23.1	103.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	320.5	-	1,724.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	6.4	7.9	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.7	5.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	25	20	5	92.0	108.9	56.7	13	11	2	61.3	63.4	51.8
MOTOR VEHICLE ACCIDENTS# (296-306)	10	5	5	36.8	27.2	56.7	11	9	2	51.9	51.9	51.8
SUICIDE (331-337)	7	6	1	25.8	32.7	11.3	3	3	0	14.1	17.3	-
HOMICIDE (338-346)	1	0	1	3.7	-	11.3	1	1	0	4.7	5.8	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>247</b>	<b>238</b>	<b>9</b>	<b>13.0</b>	<b>13.2</b>	<b>10.1</b>	<b>121</b>	<b>46</b>	<b>75</b>	<b>11.6</b>	<b>16.2</b>	<b>9.8</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	10.6	11.1	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	9.6	-	13.1
MALIGNANT NEOPLASMS (056-108)	43	41	2	226.9	227.0	224.7	18	7	11	172.3	247.1	144.4
DIABETES MELLITUS (124)	9	7	2	47.5	38.8	224.7	11	4	7	105.3	141.2	91.9
ALZHEIMERS DISEASE (148)	6	6	0	31.7	33.2	-	3	3	0	28.7	105.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	106	104	2	559.4	576.0	224.7	51	18	33	488.1	635.4	433.4
HEART DISEASES (156-160,162, 164-181)	86	84	2	453.9	465.2	224.7	42	17	25	402.0	600.1	328.3
HYPERTENSION (161,163)	1	1	0	5.3	5.5	-	2	0	2	19.1	-	26.3
CEREBROVASCULAR DISEASES (182-186)	14	14	0	73.9	77.5	-	6	1	5	57.4	35.3	65.7
ATHEROSCLEROSIS (187)	3	3	0	15.8	16.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	21.1	16.6	112.4	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	15	1	84.4	83.1	112.4	4	3	1	38.3	105.9	13.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.3	5.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	15.8	16.6	-	5	1	4	47.8	35.3	52.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.5	4.6	-	1	1	0	4.1	30.3	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	5.3	-	112.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	4.1	-	4.8
ACCIDENTS (295-330)	18	18	0	95.0	99.7	-	9	5	4	86.1	176.5	52.5
MOTOR VEHICLE ACCIDENTS# (296-306)	7	7	0	36.9	38.8	-	3	1	2	28.7	35.3	26.3
SUICIDE (331-337)	6	6	0	31.7	33.2	-	1	0	1	9.6	-	13.1
HOMICIDE (338-346)	1	1	0	5.3	5.5	-	1	1	0	9.6	35.3	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>245</b>	<b>218</b>	<b>27</b>	<b>9.0</b>	<b>9.6</b>	<b>6.0</b>	<b>196</b>	<b>136</b>	<b>60</b>	<b>12.7</b>	<b>16.3</b>	<b>8.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	7	3	4	45.4	36.0	56.5
HIV DISEASE (039-043)	1	1	0	3.7	4.4	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	46	42	4	169.0	185.2	88.2	38	22	16	246.5	263.9	226.0
DIABETES MELLITUS (124)	2	1	1	7.4	4.4	22.0	10	4	6	64.9	48.0	84.7
ALZHEIMERS DISEASE (148)	9	8	1	33.1	35.3	22.0	1	1	0	6.5	12.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	82	71	11	301.3	313.1	242.5	78	58	20	506.0	695.8	282.5
HEART DISEASES (156-160,162, 164-181)	66	58	8	242.5	255.8	176.4	64	48	16	415.2	575.8	226.0
HYPERTENSION (161,163)	5	5	0	18.4	22.0	-	3	2	1	19.5	24.0	14.1
CEREBROVASCULAR DISEASES (182-186)	9	7	2	33.1	30.9	44.1	8	5	3	51.9	60.0	42.4
ATHEROSCLEROSIS (187)	1	0	1	3.7	-	22.0	1	1	0	6.5	12.0	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	7.4	8.8	-	4	4	0	25.9	48.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	21	2	84.5	92.6	44.1	5	5	0	32.4	60.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.7	4.4	-	1	0	1	6.5	-	14.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	3.7	4.4	-	3	2	1	19.5	24.0	14.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	9.0	19.4	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.7	4.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	12	5	62.5	52.9	110.2	15	10	5	97.3	120.0	70.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	7	3	36.7	30.9	66.1	6	4	2	38.9	48.0	28.2
SUICIDE (331-337)	6	6	0	22.0	26.5	-	4	3	1	25.9	36.0	14.1
HOMICIDE (338-346)	1	1	0	3.7	4.4	-	3	3	0	19.5	36.0	-

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>487</b>	<b>283</b>	<b>204</b>	<b>10.1</b>	<b>11.5</b>	<b>8.6</b>	<b>622</b>	<b>234</b>	<b>388</b>	<b>11.3</b>	<b>14.0</b>	<b>10.1</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	8	4	25.0	32.6	17.0	12	2	10	21.8	11.9	26.1
HIV DISEASE (039-043)	3	0	3	6.2	-	12.7	2	0	2	3.6	-	5.2
MALIGNANT NEOPLASMS (056-108)	98	55	43	203.8	224.3	182.4	133	47	86	241.5	280.2	224.5
DIABETES MELLITUS (124)	6	4	2	12.5	16.3	8.5	28	7	21	50.8	41.7	54.8
ALZHEIMERS DISEASE (148)	18	13	5	37.4	53.0	21.2	18	7	11	32.7	41.7	28.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	192	108	84	399.3	440.5	356.4	203	81	122	368.6	482.9	318.5
HEART DISEASES (156-160,162, 164-181)	142	87	55	295.3	354.8	233.4	144	67	77	261.4	399.5	201.0
HYPERTENSION (161,163)	5	1	4	10.4	4.1	17.0	32	5	27	58.1	29.8	70.5
CEREBROVASCULAR DISEASES (182-186)	44	19	25	91.5	77.5	106.1	25	9	16	45.4	53.7	41.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	8	5	27.0	32.6	21.2	17	7	10	30.9	41.7	26.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	13	5	37.4	53.0	21.2	24	19	5	43.6	113.3	13.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	10.4	20.4	-	4	0	4	7.3	-	10.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	12.5	8.2	17.0	29	9	20	52.6	53.7	52.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	2	0	2	208.8	-	261.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.4	3.4	-	3	0	3	3.1	-	3.9
CONGENITAL MALFORMATIONS (282-290)	3	0	3	6.2	-	12.7	4	0	4	7.3	-	10.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.4	3.4	-	5	2	3	5.2	10.4	3.9
ACCIDENTS (295-330)	28	20	8	58.2	81.6	33.9	26	14	12	47.2	83.5	31.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	10.4	16.3	4.2	11	5	6	20.0	29.8	15.7
SUICIDE (331-337)	11	9	2	22.9	36.7	8.5	6	4	2	10.9	23.8	5.2
HOMICIDE (338-346)	8	1	7	16.6	4.1	29.7	8	1	7	14.5	6.0	18.3

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>254</b>	<b>179</b>	<b>75</b>	<b>12.2</b>	<b>14.2</b>	<b>9.2</b>	<b>148</b>	<b>116</b>	<b>32</b>	<b>15.0</b>	<b>15.0</b>	<b>15.0</b>
TUBERCULOSIS (009,010)	1	0	1	4.8	-	12.2	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	19.3	15.9	24.4	3	2	1	30.3	25.8	46.7
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	59	36	23	284.3	286.3	281.2	28	25	3	283.2	322.7	140.2
DIABETES MELLITUS (124)	1	1	0	4.8	8.0	-	1	1	0	10.1	12.9	-
ALZHEIMERS DISEASE (148)	6	5	1	28.9	39.8	12.2	9	9	0	91.0	116.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	69	25	452.9	548.7	305.6	51	39	12	515.8	503.4	560.7
HEART DISEASES (156-160,162, 164-181)	75	56	19	361.4	445.3	232.3	45	34	11	455.1	438.9	514.0
HYPERTENSION (161,163)	2	1	1	9.6	8.0	12.2	1	1	0	10.1	12.9	-
CEREBROVASCULAR DISEASES (182-186)	16	11	5	77.1	87.5	61.1	4	3	1	40.4	38.7	46.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	38.5	47.7	24.4	4	2	2	40.4	25.8	93.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	10	2	57.8	79.5	24.4	9	9	0	91.0	116.2	-
PEPTIC ULCER (217-220)	2	0	2	9.6	-	24.4	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	14.4	15.9	12.2	1	1	0	10.1	12.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	14.4	15.9	12.2	3	1	2	30.3	12.9	93.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	7.4	10.1	-
CONGENITAL MALFORMATIONS (282-290)	2	0	2	9.6	-	24.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.4	6.7	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	13	4	81.9	103.4	48.9	15	10	5	151.7	129.1	233.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	38.5	39.8	36.7	6	5	1	60.7	64.5	46.7
SUICIDE (331-337)	2	2	0	9.6	15.9	-	2	1	1	20.2	12.9	46.7
HOMICIDE (338-346)	4	1	3	19.3	8.0	36.7	2	1	1	20.2	12.9	46.7

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>141</b>	<b>52</b>	<b>89</b>	<b>13.7</b>	<b>16.7</b>	<b>12.4</b>	<b>275</b>	<b>172</b>	<b>103</b>	<b>14.0</b>	<b>16.3</b>	<b>11.4</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	38.9	32.1	41.8	2	1	1	10.2	9.5	11.1
HIV DISEASE (039-043)	1	0	1	9.7	-	13.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	28	11	17	272.3	353.6	237.0	59	25	34	301.4	237.2	376.3
DIABETES MELLITUS (124)	6	2	4	58.3	64.3	55.8	10	5	5	51.1	47.4	55.3
ALZHEIMERS DISEASE (148)	4	3	1	38.9	96.4	13.9	18	16	2	92.0	151.8	22.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	19	33	505.7	610.7	460.1	88	59	29	449.6	559.8	321.0
HEART DISEASES (156-160,162, 164-181)	34	14	20	330.6	450.0	278.9	70	51	19	357.6	483.9	210.3
HYPERTENSION (161,163)	3	1	2	29.2	32.1	27.9	3	0	3	15.3	-	33.2
CEREBROVASCULAR DISEASES (182-186)	15	4	11	145.9	128.6	153.4	15	8	7	76.6	75.9	77.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	0	4	38.9	-	55.8	5	5	0	25.5	47.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	0	2	19.4	-	27.9	18	16	2	92.0	151.8	22.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	19.4	32.1	13.9	1	0	1	5.1	-	11.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	38.9	32.1	41.8	9	6	3	46.0	56.9	33.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	6.8	-	10.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	13	2	11	126.4	64.3	153.4	24	12	12	122.6	113.8	132.8
MOTOR VEHICLE ACCIDENTS# (296-306)	9	1	8	87.5	32.1	111.5	11	3	8	56.2	28.5	88.5
SUICIDE (331-337)	1	1	0	9.7	32.1	-	3	3	0	15.3	28.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	5.1	9.5	-

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 19  
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE  
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2008**

CAUSE AND GROUP NUMBER	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>173</b>	<b>121</b>	<b>52</b>	<b>12.7</b>	<b>14.9</b>	<b>9.4</b>	<b>265</b>	<b>130</b>	<b>135</b>	<b>9.3</b>	<b>10.4</b>	<b>8.5</b>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	7.3	12.3	-	3	1	2	10.5	8.0	12.6
HIV DISEASE (039-043)	1	0	1	7.3	-	18.0	1	0	1	3.5	-	6.3
MALIGNANT NEOPLASMS (056-108)	40	31	9	293.1	382.6	162.4	48	22	26	168.6	175.2	163.4
DIABETES MELLITUS (124)	8	3	5	58.6	37.0	90.2	29	12	17	101.9	95.6	106.8
ALZHEIMERS DISEASE (148)	5	3	2	36.6	37.0	36.1	8	4	4	28.1	31.9	25.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	43	17	439.7	530.7	306.7	100	49	51	351.3	390.3	320.5
HEART DISEASES (156-160,162, 164-181)	48	37	11	351.8	456.7	198.4	74	37	37	260.0	294.8	232.5
HYPERTENSION (161,163)	1	0	1	7.3	-	18.0	6	1	5	21.1	8.0	31.4
CEREBROVASCULAR DISEASES (182-186)	9	5	4	66.0	61.7	72.2	17	10	7	59.7	79.7	44.0
ATHEROSCLEROSIS (187)	1	0	1	7.3	-	18.0	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	22.0	12.3	36.1	4	2	2	14.0	15.9	12.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	10	2	87.9	123.4	36.1	12	11	1	42.2	87.6	6.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.5	8.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.3	12.3	-	2	2	0	7.0	15.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	51.3	49.4	54.1	5	1	4	17.6	8.0	25.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	2.3	-	3.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	7.0	-	12.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.3	-	3.1
ACCIDENTS (295-330)	14	9	5	102.6	111.1	90.2	14	6	8	49.2	47.8	50.3
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	44.0	37.0	54.1	8	5	3	28.1	39.8	18.8
SUICIDE (331-337)	1	0	1	7.3	-	18.0	2	0	2	7.0	-	12.6
HOMICIDE (338-346)	1	0	1	7.3	-	18.0	2	0	2	7.0	-	12.6

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>ALL CAUSES</b>	<b>28,867</b>	<b>19,434</b>	<b>9,433</b>	<b>9.8</b>	<b>10.9</b>	<b>8.1</b>
TUBERCULOSIS (009,010)	12	4	8	0.4	0.2	0.7
SEPTICEMIA (018)	584	323	261	19.9	18.1	22.5
HIV DISEASE (039-043)	151	27	124	5.1	1.5	10.7
MALIGNANT NEOPLASMS (056-108)	6,141	4,127	2,014	209.0	231.8	173.9
DIABETES MELLITUS (124)	753	361	392	25.6	20.3	33.8
ALZHEIMERS DISEASE (148)	914	753	161	31.1	42.3	13.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	10,180	6,789	3,391	346.4	381.2	292.9
HEART DISEASES (156-160,162, 164-181)	7,970	5,465	2,505	271.2	306.9	216.3
HYPERTENSION (161,163)	456	225	231	15.5	12.6	20.0
CEREBROVASCULAR DISEASES (182-186)	1,559	957	602	53.0	53.7	52.0
ATHEROSCLEROSIS (187)	29	22	7	1.0	1.2	0.6
INFLUENZA AND PNEUMONIA (195-198)	630	442	188	21.4	24.8	16.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,499	1,266	233	51.0	71.1	20.1
PEPTIC ULCER (217-220)	29	17	12	1.0	1.0	1.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	268	201	67	9.1	11.3	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	720	380	340	24.5	21.3	29.4
MATERNAL CAUSES (261-273)	14	3	11	31.2	12.4	53.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	185	64	121	4.1	2.6	5.8
CONGENITAL MALFORMATIONS (282-290)	116	58	58	3.9	3.2	5.0
SUDDEN INFANT DEATH SYNDROME# (292)	54	28	26	1.2	1.2	1.2
ACCIDENTS (295-330)	1,668	1,189	479	56.8	66.8	41.4
MOTOR VEHICLE ACCIDENTS# (296-306)	768	499	269	26.1	28.0	23.2
SUICIDE (331-337)	398	348	50	13.5	19.5	4.3
HOMICIDE (338-346)	317	102	215	10.8	5.7	18.6

\* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

\*\* TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

## **TIME SERIES TABLES**



**TABLE 20**  
**LIVE BIRTHS AND RATES, BY YEAR AND RACE**  
**MISSISSIPPI, 1913-2008**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2008)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6



TABLE 20 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1913-2008

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0
2006**	46,046	24,195	21,851	15.8	13.7	19.2
2007**	46,455	24,783	21,672	15.9	14.0	18.9
2008**	44,904	24,229	20,675	15.3	13.6	17.8

\* BIRTHS PER 1,000 POPULATION.

\*\* FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

**TABLE 21**  
**DEATHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-2008**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2008)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2  
DEATHS - MISSISSIPPI - 1913-2008

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4
2006	28,343	18,859	9,484	9.7	10.6	8.3
2007	27,994	18,705	9,289	9.6	10.6	8.1
2008	28,867	19,434	9,433	9.8	10.9	8.1

\* DEATHS PER 1,000 POPULATION.

**TABLE 22**  
**MATERNAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-2008**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2008)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2  
 MATERNAL DEATHS - MISSISSIPPI - 1913-2008

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8
2006	14	3	11	30.4	12.4	50.3
2007	10	3	7	21.5	12.1	32.3
2008	14	3	11	31.2	12.4	53.2

\* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

\*\* DEATHS PER 100,000 LIVE BIRTHS.

**TABLE 23**  
**INFANT DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1917-2008**  
**(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2008)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1

TABLE 23 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1917-2008

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0
2006	483	168	315	10.5	6.9	14.4
2007	469	164	305	10.1	6.6	14.1
2008	446	180	266	9.9	7.4	12.9

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# NOT AVAILABLE.

**TABLE 24**  
**NEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-2008**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2008)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1



TABLE 24 - PAGE 2  
 NEONATAL DEATHS - MISSISSIPPI - 1924-2008

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0
2006	300	102	198	6.5	4.2	9.1
2007	272	94	178	5.8	3.8	8.2
2008	256	96	160	5.7	4.0	7.7

\* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 25**  
**POSTNEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-2008**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2008)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2  
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2008

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0
2006	183	66	117	4.0	2.7	5.4
2007	197	70	127	4.2	2.8	5.9
2008	190	84	106	4.2	3.5	5.1

\* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 26**  
**MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,**  
**MISSISSIPPI, 1926-2008**

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2  
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2008

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053
2006	16,550	11,071	5,479	13,891**	8,858	3,138
2007	15,827	11,093	4,734	13,060**	8,362	2,961
2008	15,057	10,549	4,508	12,597**	8,388	3,084

\* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

\*\* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

**TABLE 27**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2008**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6
2008	2,772	654	2,116	2	61.7	27.0	102.3

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

**TABLE 28  
TEENAGE PREGNANCIES AND PREGNANCY RATES,  
BY YEAR AND RACE, RESIDENCE DATA,  
MISSISSIPPI, 1979-2008**

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8
2008#	8,528	3,449	5,069	40.6	31.4	50.4

\* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

\*\* TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

# FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

## **APPENDICES**





**APPENDIX A.  
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,  
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78



Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.  
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH  
USED FOR RANKING LEADING CAUSES,  
SHOWING GROUP NUMBERS, CAUSES OF DEATH,  
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12



Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

\* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

\*\* The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.  
LIST OF 130 SELECTED CAUSES OF INFANT DEATH  
USED FOR TABULATING INFANT MORTALITY STATISTICS,  
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

# Category is used for ranking leading causes of infant death.



**Appendix D**  
**Finalized Adoptions by Chancery Court District**  
**as Reported to the Administrative Office of Courts by the Chancery Clerks, 2008**

District	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08	Oct-08	Nov-08	Dec-08	TOTAL
1	3	11	8	7	10	10	0	17	6	15	10	12	109
2	3	4	3	0	1	5	2	2	4	7	1	4	36
3	8	2	7	8	10	8	5	7	6	5	8	2	76
4	1	1	2	0	3	5	5	4	3	4	4	3	35
5	3	3	5	1	2	5	5	6	18	8	9	7	72
6	4	2	2	0	1	2	5	1	1	3	1	3	25
7	0	2	2	1	0	8	1	5	2	1	2	1	25
8	7	3	5	7	6	10	3	7	14	7	22	6	97
9	10	0	1	3	1	4	3	0	2	4	0	9	37
10	12	10	5	6	8	10	5	7	14	11	8	7	103
11	1	0	0	0	0	1	1	1	0	7	1	0	12
12	0	4	6	3	2	3	3	4	2	9	5	5	46
13	2	5	0	0	2	1	2	6	0	3	0	1	22
14	1	6	2	4	4	8	2	5	8	6	3	15	64
15	6	1	0	0	1	3	2	0	0	2	1	4	20
16	8	5	13	6	7	6	8	7	9	4	12	6	91
17	1	0	1	3	3	3	3	4	2	2	0	0	22
18	2	2	0	1	0	2	0	2	2	1	3	6	21
19	2	3	4	1	4	8	5	2	2	4	1	3	39
20	1	1	0	2	5	9	8	2	5	4	1	7	45
<b>TOTAL</b>	<b>75</b>	<b>65</b>	<b>66</b>	<b>53</b>	<b>70</b>	<b>111</b>	<b>68</b>	<b>89</b>	<b>100</b>	<b>107</b>	<b>92</b>	<b>101</b>	<b>997</b>

Source: Administrative Office of Courts

Map of Chancery Court Districts: [http://www.sos.state.ms.us/ed\\_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf](http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf)