

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,734	1,801	933	8.7	9.4	7.7
HEART DISEASES	797	545	252	254.1	283.0	208.0
MALIGNANT NEOPLASMS	639	453	186	203.7	235.3	153.5
ACCIDENTS	186	120	66	59.3	62.3	54.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	143	119	24	45.6	61.8	19.8
DIABETES MELLITUS	136	63	73	43.4	32.7	60.2
CEREBROVASCULAR DISEASE	116	65	51	37.0	33.8	42.1
ALZHEIMERS DISEASE	71	58	13	22.6	30.1	10.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	65	27	38	20.7	14.0	31.4
SUICIDE	41	34	7	13.1	17.6	5.8
SEPTICEMIA	40	21	19	12.8	10.9	15.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	39	13	26	12.4	6.8	21.5
INFLUENZA AND PNEUMONIA	27	17	10	8.6	8.8	8.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	15	8	7.3	7.8	6.6
HOMICIDE	23	10	13	7.3	5.2	10.7
PARKINSONS DISEASE	20	19	1	6.4	9.9	0.8
HIV DISEASE	19	6	13	6.0	3.1	10.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	15	7	8	4.8	3.6	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	8	7	4.8	4.2	5.8
CONDITIONS ORIG IN PERINATAL PERIOD	12	4	8	2.4	1.5	3.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	7	2	2.9	3.6	1.6
AORTIC ANEURYSM AND DISSECTION	8	5	3	2.6	2.6	2.5
VIRAL HEPATITIS	7	6	1	2.2	3.1	0.8
CHOLELITHIASIS/GALLBLADDER DISORDER	6	6	0	1.9	3.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	5	4	1	1.6	2.1	0.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	3	1	1.3	1.6	0.8
ATHEROSCLEROSIS	3	2	1	1.0	1.0	0.8
ANEMIAS	2	1	1	0.6	0.5	0.8
LEGAL INTERVENTION	2	0	2	0.6	0.0	1.6
TUBERCULOSIS	1	1	0	0.3	0.5	0.0
PEPTIC ULCER	1	0	1	0.3	0.0	0.8
HERNIA	1	1	0	0.3	0.5	0.0
INFECTIONS OF KIDNEY	1	0	1	0.3	0.0	0.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	45	28	17	14.3	14.5	14.0
ALL OTHER CAUSES	212	133	79	67.6	69.1	65.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,734	1,801	933	1,396	905	491	1,338	896	442
UNDER 1	35	13	22	21	8	13	14	5	9
(NEONATAL)	21	8	13	12	5	7	9	3	6
(POSTNEONATAL)	14	5	9	9	3	6	5	2	3
1-4	8	5	3	6	3	3	2	2	0
5-9	3	1	2	3	1	2	0	0	0
10-14	10	4	6	6	2	4	4	2	2
15-24	46	18	28	38	15	23	8	3	5
25-34	71	36	35	47	23	24	24	13	11
35-44	148	69	79	93	47	46	55	22	33
45-54	265	156	109	176	111	65	89	45	44
55-64	403	248	155	255	153	102	148	95	53
65-74	520	368	152	293	200	93	227	168	59
75-84	638	470	168	271	212	59	367	258	109
85 AND OVER	587	413	174	187	130	57	400	283	117
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2008 POPULATION	
INFANT	7.2	4.9	9.8	TOTAL	313,695
NEONATAL	4.3	3.0	5.8	WHITE	192,549
POSTNEONATAL	2.9	1.9	4.0	NONWHITE	121,146

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,674	3,115	559	10.5	11.5	7.0
HEART DISEASES	1,016	884	132	289.3	326.0	164.9
MALIGNANT NEOPLASMS	764	639	125	217.5	235.6	156.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	225	208	17	64.1	76.7	21.2
ACCIDENTS	224	187	37	63.8	69.0	46.2
CEREBROVASCULAR DISEASE	213	176	37	60.6	64.9	46.2
ALZHEIMERS DISEASE	135	127	8	38.4	46.8	10.0
DIABETES MELLITUS	93	54	39	26.5	19.9	48.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	83	70	13	23.6	25.8	16.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	66	52	14	18.8	19.2	17.5
SUICIDE	60	58	2	17.1	21.4	2.5
INFLUENZA AND PNEUMONIA	58	49	9	16.5	18.1	11.2
SEPTICEMIA	45	35	10	12.8	12.9	12.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	35	32	3	10.0	11.8	3.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	22	19	3	6.3	7.0	3.7
HOMICIDE	21	12	9	6.0	4.4	11.2
CONDITIONS ORIG IN PERINATAL PERIOD	19	7	12	3.8	1.9	9.1
PARKINSONS DISEASE	17	15	2	4.8	5.5	2.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	16	15	1	4.6	5.5	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	14	9	5	4.0	3.3	6.2
AORTIC ANEURYSM AND DISSECTION	12	10	2	3.4	3.7	2.5
COMPLICATIONS MEDICAL/SURGICAL CARE	10	6	4	2.8	2.2	5.0
ANEMIAS	8	7	1	2.3	2.6	1.2
ATHEROSCLEROSIS	8	6	2	2.3	2.2	2.5
VIRAL HEPATITIS	6	6	0	1.7	2.2	0.0
HIV DISEASE	5	5	0	1.4	1.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	4	0	1.1	1.5	0.0
HERNIA	4	4	0	1.1	1.5	0.0
PEPTIC ULCER	3	3	0	0.8	1.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	0.8	1.1	0.0
MATERNAL CAUSES	3	0	3	60.8	0.0	228.5
MENINGITIS	1	1	0	0.3	0.4	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.3	0.4	0.0
HYPERPLASIA OF PROSTATE	1	1	0	0.3	0.4	0.0
LEGAL INTERVENTION	1	1	0	0.3	0.4	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	63	50	13	17.9	18.4	16.2
ALL OTHER CAUSES	415	359	56	118.2	132.4	70.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,674	3,115	559	1,770	1,499	271	1,904	1,616	288
UNDER 1 (NEONATAL)	47	25	22	22	13	9	25	12	13
(POSTNEONATAL)	27	10	17	15	7	8	12	3	9
	20	15	5	7	6	1	13	9	4
1-4	6	3	3	3	1	2	3	2	1
5-9	1	1	0	0	0	0	1	1	0
10-14	12	7	5	10	6	4	2	1	1
15-24	49	40	9	41	33	8	8	7	1
25-34	62	42	20	43	30	13	19	12	7
35-44	113	89	24	72	60	12	41	29	12
45-54	299	237	62	179	140	39	120	97	23
55-64	479	381	98	291	230	61	188	151	37
65-74	718	610	108	397	343	54	321	267	54
75-84	913	812	101	407	363	44	506	449	57
85 AND OVER	975	868	107	305	280	25	670	588	82
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.5	6.9	16.8
NEONATAL	5.5	2.8	12.9
POSTNEONATAL	4.0	4.1	3.8

2008 POPULATION

TOTAL	351,207
WHITE	271,154
NONWHITE	80,053

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,577	1,088	1,489	11.2	14.1	9.7
HEART DISEASES	664	313	351	288.5	404.8	229.7
MALIGNANT NEOPLASMS	556	224	332	241.6	289.7	217.2
CEREBROVASCULAR DISEASE	154	59	95	66.9	76.3	62.2
DIABETES MELLITUS	111	30	81	48.2	38.8	53.0
ACCIDENTS	108	53	55	46.9	68.5	36.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	100	73	27	43.4	94.4	17.7
ALZHEIMERS DISEASE	91	55	36	39.5	71.1	23.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	89	22	67	38.7	28.4	43.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	84	23	61	36.5	29.7	39.9
INFLUENZA AND PNEUMONIA	64	33	31	27.8	42.7	20.3
SEPTICEMIA	61	17	44	26.5	22.0	28.8
HOMICIDE	32	6	26	13.9	7.8	17.0
CONDITIONS ORIG IN PERINATAL PERIOD	20	5	15	5.2	5.6	5.1
SUICIDE	20	14	6	8.7	18.1	3.9
HIV DISEASE	18	0	18	7.8	0.0	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	2	16	7.8	2.6	10.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	13	5	8	5.6	6.5	5.2
NEOPLASMS	10	5	5	4.3	6.5	3.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	10	3	7	4.3	3.9	4.6
PARKINSONS DISEASE	9	7	2	3.9	9.0	1.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	2	7	3.9	2.6	4.6
AORTIC ANEURYSM AND DISSECTION	7	4	3	3.0	5.2	2.0
ANEMIAS	6	1	5	2.6	1.3	3.3
ATHEROSCLEROSIS	5	2	3	2.2	2.6	2.0
COMPLICATIONS MEDICAL/SURGICAL CARE	5	2	3	2.2	2.6	2.0
VIRAL HEPATITIS	3	1	2	1.3	1.3	1.3
PEPTIC ULCER	3	0	3	1.3	0.0	2.0
MATERNAL CAUSES	3	0	3	78.5	0.0	102.2
HERNIA	2	2	0	0.9	2.6	0.0
LEGAL INTERVENTION	2	1	1	0.9	1.3	0.6
TUBERCULOSIS	1	0	1	0.4	0.0	0.6
WHOOPING COUGH	1	1	0	0.4	1.3	0.0
PNEUMOCOONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	1.3	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.4	0.0	0.6
HYPERPLASIA OF PROSTATE	1	1	0	0.4	1.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	35	14	21	15.2	18.1	13.7
ALL OTHER CAUSES	260	107	153	113.0	138.4	100.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,577	1,088	1,489	1,276	536	740	1,301	552	749
UNDER 1	48	15	33	26	8	18	22	7	15
(NEONATAL)	28	8	20	13	2	11	15	6	9
(POSTNEONATAL)	20	7	13	13	6	7	7	1	6
1-4	6	1	5	4	0	4	2	1	1
5-9	5	0	5	2	0	2	3	0	3
10-14	3	0	3	2	0	2	1	0	1
15-24	33	3	30	20	1	19	13	2	11
25-34	57	13	44	36	9	27	21	4	17
35-44	116	29	87	64	14	50	52	15	37
45-54	252	59	193	155	38	117	97	21	76
55-64	390	129	261	229	75	154	161	54	107
65-74	461	196	265	255	121	134	206	75	131
75-84	582	313	269	278	155	123	304	158	146
85 AND OVER	623	329	294	204	114	90	419	215	204
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				2008 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	12.6	16.9	11.2	230,144	
NEONATAL	7.3	9.0	6.8	77,320	
POSTNEONATAL	5.2	7.9	4.4	152,824	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,468	1,598	870	10.1	11.2	8.4
HEART DISEASES	743	474	269	303.2	333.8	261.1
MALIGNANT NEOPLASMS	524	325	199	213.8	228.8	193.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	147	125	22	60.0	88.0	21.4
ACCIDENTS	134	92	42	54.7	64.8	40.8
CEREBROVASCULAR DISEASE	118	70	48	48.2	49.3	46.6
ALZHEIMERS DISEASE	116	98	18	47.3	69.0	17.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	66	40	26	26.9	28.2	25.2
INFLUENZA AND PNEUMONIA	60	44	16	24.5	31.0	15.5
SEPTICEMIA	48	23	25	19.6	16.2	24.3
DIABETES MELLITUS	38	18	20	15.5	12.7	19.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	33	13	20	13.5	9.2	19.4
SUICIDE	25	20	5	10.2	14.1	4.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	21	14	7	8.6	9.8	6.8
HOMICIDE	18	7	11	7.3	4.9	10.7
CONDITIONS ORIG IN PERINATAL PERIOD	17	7	10	4.8	4.0	5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	8	5	5.3	5.6	4.8
ANEMIAS	10	3	7	4.1	2.1	6.8
PARKINSONS DISEASE	10	10	0	4.1	7.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	4	6	4.1	2.8	5.8
HIV DISEASE	8	0	8	3.3	0.0	7.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	3.3	4.9	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	8	4	4	3.3	2.8	3.9
AORTIC ANEURYSM AND DISSECTION	7	4	3	2.8	2.8	2.9
COMPLICATIONS MEDICAL/SURGICAL CARE	5	3	2	2.0	2.1	1.9
INFECTIONS OF KIDNEY	3	1	2	1.2	0.7	1.9
VIRAL HEPATITIS	2	2	0	0.8	1.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.8	1.4	0.0
PEPTIC ULCER	2	1	1	0.8	0.7	1.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	0.4	0.7	0.0
HERNIA	1	1	0	0.4	0.7	0.0
LEGAL INTERVENTION	1	0	1	0.4	0.0	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	13	8	8.6	9.2	7.8
ALL OTHER CAUSES	248	164	84	101.2	115.5	81.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,468	1,598	870	1,190	748	442	1,278	850	428
UNDER 1	39	14	25	21	7	14	18	7	11
(NEONATAL)	20	8	12	10	4	6	10	4	6
(POSTNEONATAL)	19	6	13	11	3	8	8	3	5
1-4	4	1	3	3	1	2	1	0	1
5-9	6	4	2	1	1	0	5	3	2
10-14	5	2	3	1	1	0	4	1	3
15-24	35	19	16	25	12	13	10	7	3
25-34	54	22	32	35	16	19	19	6	13
35-44	81	38	43	41	21	20	40	17	23
45-54	181	82	99	106	49	57	75	33	42
55-64	326	178	148	196	101	95	130	77	53
65-74	417	276	141	238	158	80	179	118	61
75-84	654	465	189	315	224	91	339	241	98
85 AND OVER	666	497	169	208	157	51	458	340	118
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2008 POPULATION	
INFANT	10.9	8.0	13.8	TOTAL	245,052
NEONATAL	5.6	4.6	6.6	WHITE	142,022
POSTNEONATAL	5.3	3.4	7.2	NONWHITE	103,030

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,473	3,125	2,348	8.7	9.8	7.4
HEART DISEASES	1,563	896	667	247.4	282.6	211.8
MALIGNANT NEOPLASMS	1,140	667	473	180.4	210.4	150.2
CEREBROVASCULAR DISEASE	302	147	155	47.8	46.4	49.2
ACCIDENTS	275	178	97	43.5	56.2	30.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	249	192	57	39.4	60.6	18.1
DIABETES MELLITUS	130	51	79	20.6	16.1	25.1
SEPTICEMIA	129	65	64	20.4	20.5	20.3
INFLUENZA AND PNEUMONIA	120	78	42	19.0	24.6	13.3
ALZHEIMERS DISEASE	118	85	33	18.7	26.8	10.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	118	51	67	18.7	16.1	21.3
HOMICIDE	101	14	87	16.0	4.4	27.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	85	20	65	13.4	6.3	20.6
SUICIDE	73	60	13	11.6	18.9	4.1
HIV DISEASE	59	3	56	9.3	0.9	17.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	55	41	14	8.7	12.9	4.4
PARKINSONS DISEASE	41	36	5	6.5	11.4	1.6
CONDITIONS ORIG IN PERINATAL PERIOD	38	9	29	4.0	2.2	5.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	31	20	11	4.9	6.3	3.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	26	12	14	4.1	3.8	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	23	15	8	3.6	4.7	2.5
ANEMIAS	12	5	7	1.9	1.6	2.2
AORTIC ANEURYSM AND DISSECTION	12	8	4	1.9	2.5	1.3
CHOLELITHIASIS/GALLBLADDER DISORDER	10	6	4	1.6	1.9	1.3
VIRAL HEPATITIS	7	4	3	1.1	1.3	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	4	2	1.0	1.3	0.6
HERNIA	6	4	2	1.0	1.3	0.6
TUBERCULOSIS	5	0	5	0.8	0.0	1.6
COMPLICATIONS MEDICAL/SURGICAL CARE	5	0	5	0.8	0.0	1.6
PEPTIC ULCER	4	3	1	0.6	0.9	0.3
MENINGITIS	2	1	1	0.3	0.3	0.3
LEGAL INTERVENTION	2	0	2	0.3	0.0	0.6
ATHEROSCLEROSIS	1	1	0	0.2	0.3	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	0.0
DISEASES OF APPENDIX	1	1	0	0.2	0.3	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	63	33	30	10.0	10.4	9.5
ALL OTHER CAUSES	660	414	246	104.4	130.6	78.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,473	3,125	2,348	2,771	1,557	1,214	2,702	1,568	1,134
UNDER 1 (NEONATAL)	96	28	68	55	18	37	41	10	31
(POSTNEONATAL)	54	15	39	31	8	23	23	7	16
	42	13	29	24	10	14	18	3	15
1-4	16	6	10	12	4	8	4	2	2
5-9	8	3	5	2	0	2	6	3	3
10-14	12	5	7	11	5	6	1	0	1
15-24	103	42	61	81	32	49	22	10	12
25-34	149	56	93	100	38	62	49	18	31
35-44	226	82	144	132	41	91	94	41	53
45-54	510	222	288	308	134	174	202	88	114
55-64	806	389	417	498	252	246	308	137	171
65-74	926	535	391	515	316	199	411	219	192
75-84	1,263	850	413	603	417	186	660	433	227
85 AND OVER	1,357	906	451	454	300	154	903	606	297
UNKNOWN	1	1	0	0	0	0	1	1	0

MORTALITY RATES**

INFANT	10.0	6.8	12.3
NEONATAL	5.6	3.7	7.0
POSTNEONATAL	4.4	3.2	5.2

2008 POPULATION

TOTAL	631,898
WHITE	317,002
NONWHITE	314,896

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,665	1,732	933	10.9	12.0	9.3
HEART DISEASES	763	498	265	312.5	346.5	263.8
MALIGNANT NEOPLASMS	526	331	195	215.4	230.3	194.1
CEREBROVASCULAR DISEASE	155	98	57	63.5	68.2	56.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	153	133	20	62.7	92.5	19.9
ACCIDENTS	132	78	54	54.1	54.3	53.8
ALZHEIMERS DISEASE	91	75	16	37.3	52.2	15.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	84	42	42	34.4	29.2	41.8
INFLUENZA AND PNEUMONIA	76	56	20	31.1	39.0	19.9
DIABETES MELLITUS	57	29	28	23.3	20.2	27.9
SEPTICEMIA	42	24	18	17.2	16.7	17.9
SUICIDE	42	35	7	17.2	24.4	7.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	28	10	18	11.5	7.0	17.9
HOMICIDE	23	8	15	9.4	5.6	14.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	15	5	8.2	10.4	5.0
CONDITIONS ORIG IN PERINATAL PERIOD	20	2	18	5.2	1.0	9.4
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	15	12	3	6.1	8.4	3.0
NEOPLASMS	13	8	5	5.3	5.6	5.0
PARKINSONS DISEASE	12	12	0	4.9	8.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	3	7	4.1	2.1	7.0
AORTIC ANEURYSM AND DISSECTION	8	5	3	3.3	3.5	3.0
ANEMIAS	7	4	3	2.9	2.8	3.0
COMPLICATIONS MEDICAL/SURGICAL CARE	6	6	0	2.4	4.2	0.0
VIRAL HEPATITIS	5	2	3	2.0	1.4	3.0
MATERNAL CAUSES	5	2	3	129.9	103.2	156.8
HIV DISEASE	4	1	3	1.6	0.7	3.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.2	1.4	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	1.2	1.4	1.0
TUBERCULOSIS	2	1	1	0.8	0.7	1.0
SALMONELLA INFECTION	1	0	1	0.4	0.0	1.0
ATHEROSCLEROSIS	1	1	0	0.4	0.7	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	0	1	0.4	0.0	1.0
PEPTIC ULCER	1	0	1	0.4	0.0	1.0
HERNIA	1	1	0	0.4	0.7	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	84	55	29	34.4	38.3	28.9
ALL OTHER CAUSES	271	181	90	111.0	125.9	89.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,665	1,732	933	1,324	829	495	1,341	903	438
UNDER 1	41	10	31	21	5	16	20	5	15
(NEONATAL)	28	5	23	15	3	12	13	2	11
(POSTNEONATAL)	13	5	8	6	2	4	7	3	4
1-4	12	3	9	7	3	4	5	0	5
5-9	3	2	1	1	1	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	50	20	30	37	15	22	13	5	8
25-34	54	20	34	37	15	22	17	5	12
35-44	94	44	50	52	23	29	42	21	21
45-54	237	126	111	143	78	65	94	48	46
55-64	375	195	180	228	121	107	147	74	73
65-74	452	293	159	268	176	92	184	117	67
75-84	671	502	169	324	241	83	347	261	86
85 AND OVER	674	515	159	205	150	55	469	365	104
UNKNOWN	2	2	0	1	1	0	1	1	0

MORTALITY RATES**

INFANT	10.6	5.2	16.2
NEONATAL	7.3	2.6	12.0
POSTNEONATAL	3.4	2.6	4.2

2008 POPULATION

TOTAL	244,166
WHITE	143,714
NONWHITE	100,452

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,139	1,278	861	12.2	14.0	10.2
HEART DISEASES	601	367	234	342.0	403.2	276.4
MALIGNANT NEOPLASMS	418	234	184	237.9	257.0	217.3
CEREBROVASCULAR DISEASE	133	69	64	75.7	75.8	75.6
ACCIDENTS	120	78	42	68.3	85.7	49.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	108	87	21	61.5	95.6	24.8
DIABETES MELLITUS	74	31	43	42.1	34.0	50.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	67	32	35	38.1	35.2	41.3
INFLUENZA AND PNEUMONIA	53	34	19	30.2	37.3	22.4
SEPTICEMIA	51	23	28	29.0	25.3	33.1
ALZHEIMERS DISEASE	49	39	10	27.9	42.8	11.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	35	23	12	19.9	25.3	14.2
HOMICIDE	26	10	16	14.8	11.0	18.9
SUICIDE	20	16	4	11.4	17.6	4.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	8	6	8.0	8.8	7.1
HIV DISEASE	12	0	12	6.8	0.0	14.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	12	7	5	6.8	7.7	5.9
CONDITIONS ORIG IN PERINATAL PERIOD	11	5	6	4.2	4.2	4.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	4	5	5.1	4.4	5.9
ANEMIAS	8	6	2	4.6	6.6	2.4
PARKINSONS DISEASE	7	6	1	4.0	6.6	1.2
AORTIC ANEURYSM AND DISSECTION	7	6	1	4.0	6.6	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	1	5	3.4	1.1	5.9
VIRAL HEPATITIS	4	2	2	2.3	2.2	2.4
ATHEROSCLEROSIS	4	4	0	2.3	4.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	2.3	4.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	1.7	1.1	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	1.7	3.3	0.0
TUBERCULOSIS	1	1	0	0.6	1.1	0.0
MENINGITIS	1	1	0	0.6	1.1	0.0
PNEUMOCOCCUSES & CHEMICAL EFFECTS	1	1	0	0.6	1.1	0.0
PEPTIC ULCER	1	1	0	0.6	1.1	0.0
HERNIA	1	0	1	0.6	0.0	1.2
INFECTIONS OF KIDNEY	1	1	0	0.6	1.1	0.0
MATERNAL CAUSES	1	0	1	38.1	0.0	69.5
LEGAL INTERVENTION	1	0	1	0.6	0.0	1.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	64	37	27	36.4	40.6	31.9
ALL OTHER CAUSES	208	136	72	118.4	149.4	85.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,139	1,278	861	1,031	605	426	1,108	673	435
UNDER 1	30	13	17	15	6	9	15	7	8
(NEONATAL)	14	7	7	6	2	4	8	5	3
(POSTNEONATAL)	16	6	10	9	4	5	7	2	5
1-4	5	1	4	2	0	2	3	1	2
5-9	6	4	2	4	3	1	2	1	1
10-14	7	3	4	6	3	3	1	0	1
15-24	36	17	19	24	11	13	12	6	6
25-34	40	23	17	28	16	12	12	7	5
35-44	78	31	47	46	17	29	32	14	18
45-54	204	99	105	112	57	55	92	42	50
55-64	259	124	135	153	73	80	106	51	55
65-74	408	252	156	230	140	90	178	112	66
75-84	544	360	184	247	170	77	297	190	107
85 AND OVER	521	350	171	163	108	55	358	242	116
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**				2008 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	11.4	10.9	11.8	175,704	
NEONATAL	5.3	5.9	4.9	91,033	
POSTNEONATAL	6.1	5.0	7.0	84,671	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,977	2,197	780	9.9	10.8	8.0
HEART DISEASES	780	596	184	258.6	291.6	189.3
MALIGNANT NEOPLASMS	605	434	171	200.6	212.4	175.9
ACCIDENTS	177	131	46	58.7	64.1	47.3
CEREBROVASCULAR DISEASE	161	114	47	53.4	55.8	48.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	158	129	29	52.4	63.1	29.8
ALZHEIMERS DISEASE	132	114	18	43.8	55.8	18.5
INFLUENZA AND PNEUMONIA	84	58	26	27.8	28.4	26.8
SEPTICEMIA	75	45	30	24.9	22.0	30.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	70	42	28	23.2	20.6	28.8
DIABETES MELLITUS	65	43	22	21.6	21.0	22.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	37	28	9	12.3	13.7	9.2
SUICIDE	37	36	1	12.3	17.6	1.0
HOMICIDE	36	15	21	11.9	7.3	21.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	30	26	4	9.9	12.7	4.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	26	17	9	8.6	8.3	9.2
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	20	10	10	4.2	3.3	5.6
NEOPLASMS	19	17	2	6.3	8.3	2.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	17	9	8	5.6	4.4	8.2
AORTIC ANEURYSM AND DISSECTION	15	14	1	5.0	6.8	1.0
PARKINSONS DISEASE	14	14	0	4.6	6.8	0.0
HIV DISEASE	12	4	8	4.0	2.0	8.2
COMPLICATIONS MEDICAL/SURGICAL CARE	10	4	6	3.3	2.0	6.2
PEPTIC ULCER	6	3	3	2.0	1.5	3.1
ANEMIAS	5	3	2	1.6	1.5	2.0
ATHEROSCLEROSIS	3	3	0	1.0	1.5	0.0
HERNIA	3	3	0	1.0	1.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.0	1.5	0.0
TUBERCULOSIS	2	1	1	0.7	0.5	1.0
VIRAL HEPATITIS	2	1	1	0.7	0.5	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.3	0.5	0.0
MENINGITIS	1	1	0	0.3	0.5	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.3	0.0	1.0
PNEUMOCOCCIOSIS & CHEMICAL EFFECTS	1	0	1	0.3	0.0	1.0
DISEASES OF APPENDIX	1	1	0	0.3	0.5	0.0
INFECTIONS OF KIDNEY	1	0	1	0.3	0.0	1.0
MATERNAL CAUSES	1	0	1	21.0	0.0	56.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	46	31	15	15.2	15.2	15.4
ALL OTHER CAUSES	320	246	74	106.1	120.4	76.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,977	2,197	780	1,465	1,059	406	1,512	1,138	374
UNDER 1	52	25	27	30	14	16	22	11	11
(NEONATAL)	28	14	14	17	8	9	11	6	5
(POSTNEONATAL)	24	11	13	13	6	7	11	5	6
1-4	2	0	2	2	0	2	0	0	0
5-9	4	4	0	3	3	0	1	1	0
10-14	4	2	2	1	1	0	3	1	2
15-24	49	27	22	32	17	15	17	10	7
25-34	71	44	27	49	30	19	22	14	8
35-44	100	64	36	62	40	22	38	24	14
45-54	264	177	87	149	99	50	115	78	37
55-64	415	275	140	251	163	88	164	112	52
65-74	546	400	146	303	225	78	243	175	68
75-84	788	639	149	367	306	61	421	333	88
85 AND OVER	682	540	142	216	161	55	466	379	87
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				2008 POPULATION		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NONWHITE
INFANT	10.9	8.4	15.2	301,561		
NEONATAL	5.9	4.7	7.9	204,363		
POSTNEONATAL	5.0	3.7	7.3	97,198		

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2008

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	4,160	3,500	660	9.3	10.2	6.4
HEART DISEASES	1,043	892	151	234.3	261.1	145.8
MALIGNANT NEOPLASMS	969	820	149	217.6	240.0	143.8
ACCIDENTS	312	272	40	70.1	79.6	38.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	216	200	16	48.5	58.5	15.4
CEREBROVASCULAR DISEASE	207	159	48	46.5	46.5	46.3
ALZHEIMERS DISEASE	111	102	9	24.9	29.9	8.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	95	72	23	21.3	21.1	22.2
SEPTICEMIA	93	70	23	20.9	20.5	22.2
INFLUENZA AND PNEUMONIA	88	73	15	19.8	21.4	14.5
SUICIDE	80	75	5	18.0	22.0	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	65	57	8	14.6	16.7	7.7
DIABETES MELLITUS	49	42	7	11.0	12.3	6.8
HOMICIDE	37	20	17	8.3	5.8	16.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	32	25	7	7.2	7.3	6.8
CONDITIONS ORIG IN PERINATAL PERIOD	28	15	13	4.1	2.9	7.6
PARKINSONS DISEASE	21	19	2	4.7	5.6	1.9
AORTIC ANEURYSM AND DISSECTION	20	16	4	4.5	4.7	3.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	19	14	5	4.3	4.1	4.8
VIRAL HEPATITIS	17	14	3	3.8	4.1	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	11	4	3.4	3.2	3.9
COMPLICATIONS MEDICAL/SURGICAL CARE	15	11	4	3.4	3.2	3.9
HIV DISEASE	14	8	6	3.1	2.3	5.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	12	11	1	2.7	3.2	1.0
ANEMIAS	8	5	3	1.8	1.5	2.9
PEPTIC ULCER	8	6	2	1.8	1.8	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	6	6	0	1.3	1.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	4	1	1.1	1.2	1.0
ATHEROSCLEROSIS	4	3	1	0.9	0.9	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	4	4	0	0.9	1.2	0.0
HERNIA	3	2	1	0.7	0.6	1.0
INFECTIONS OF KIDNEY	2	1	1	0.4	0.3	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	0.0
MATERNAL CAUSES	1	1	0	14.6	19.6	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	80	65	15	18.0	19.0	14.5
ALL OTHER CAUSES	480	404	76	107.8	118.3	73.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2008 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,160	3,500	660	2,268	1,918	350	1,892	1,582	310
UNDER 1	58	37	21	33	21	12	25	16	9
(NEONATAL)	36	21	15	20	11	9	16	10	6
(POSTNEONATAL)	22	16	6	13	10	3	9	6	3
1-4	7	5	2	3	2	1	4	3	1
5-9	3	2	1	1	0	1	2	2	0
10-14	8	5	3	3	0	3	5	5	0
15-24	65	53	12	51	42	9	14	11	3
25-34	98	73	25	71	55	16	27	18	9
35-44	149	106	43	94	71	23	55	35	20
45-54	398	318	80	259	210	49	139	108	31
55-64	630	514	116	400	328	72	230	186	44
65-74	874	734	140	533	457	76	341	277	64
75-84	1,084	956	128	552	496	56	532	460	72
85 AND OVER	785	696	89	267	235	32	518	461	57
UNKNOWN	1	1	0	1	1	0	0	0	0

MORTALITY RATES**

INFANT	8.5	7.2	12.2
NEONATAL	5.3	4.1	8.7
POSTNEONATAL	3.2	3.1	3.5

2008 POPULATION

TOTAL	445,191
WHITE	341,592
NONWHITE	103,599

** DEATHS PER 1,000 LIVE BIRTHS.