

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	3
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2009	
 POPULATION	
Table P1. 2009 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2009	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2007-2009	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1984, 1989, 1994, 1999, 2004, 2009	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2009	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2009

POPULATION

Table I. 2009 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2009	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2009	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2009	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2009	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2009	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2009	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2009	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2009	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2009	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2009	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2009	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2009	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2009	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2009	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2009	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2009	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2009	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2009	113
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2009	120
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2005-2009 (5-Year Average) . .	122
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2009	124
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2009	127
 MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2009	129
 DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2009	131
 INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2009	132
 TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2009	133
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2009	135
 DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order)	138
The State	158

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2009, (Occurrence Data 1913-1943, Residence Data 1944-2009)	161
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2009, (Occurrence Data 1913-1943, Residence Data 1944-2009)	163
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2009, (Occurrence Data 1913-1943, Residence Data 1944-2009)	165
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2009, (Occurrence Data 1917-1943, Residence Data 1944-2009)	167
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2009, (Occurrence Data 1924-1944, Residence Data 1945-2009)	169
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2009, (Occurrence Data 1924-1943, Residence Data 1944-2009)	171
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2009	173
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2009	175
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2009	176

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	179
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	193
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	195
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2009	202

VITAL STATISTICS MISSISSIPPI, 2009

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2009; the second part contains major statistical tables for 2009. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2009 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2009 is presented in Appendix D.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2009 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,951,996	1,431,040	1,520,956	1,784,587	879,624	904,963	1,167,409	551,416	615,993
0-4	222,503	114,082	108,421	116,845	60,007	56,838	105,658	54,075	51,583
(Under 1)	43,850	22,459	21,391	22,342	11,487	10,855	21,508	10,972	10,536
(1-4)	178,653	91,623	87,030	94,503	48,520	45,983	84,150	43,103	41,047
5-9	210,815	107,785	103,030	114,292	58,877	55,415	96,523	48,908	47,615
10-14	204,267	104,420	99,847	108,881	56,158	52,723	95,386	48,262	47,124
15-19	221,731	113,525	108,206	116,085	60,368	55,717	105,646	53,157	52,489
20-24	222,155	114,343	107,812	122,484	64,597	57,887	99,671	49,746	49,925
25-29	210,834	105,291	105,543	117,698	59,946	57,752	93,136	45,345	47,791
30-34	182,329	89,199	93,130	105,149	53,403	51,746	77,180	35,796	41,384
35-39	184,521	89,155	95,366	112,015	56,413	55,602	72,506	32,742	39,764
40-44	184,101	88,820	95,281	113,651	57,356	56,295	70,450	31,464	38,986
45-49	205,203	98,445	106,758	128,823	64,202	64,621	76,380	34,243	42,137
50-54	201,201	96,604	104,597	127,021	63,146	63,875	74,180	33,458	40,722
55-59	176,904	84,263	92,641	115,452	56,299	59,153	61,452	27,964	33,488
60-64	148,519	70,612	77,907	105,332	51,185	54,147	43,187	19,427	23,760
65-69	113,242	51,951	61,291	83,511	39,127	44,384	29,731	12,824	16,907
70-74	89,706	39,670	50,036	66,224	30,065	36,159	23,482	9,605	13,877
75-79	70,065	28,592	41,473	52,404	22,000	30,404	17,661	6,592	11,069
80-84	53,881	19,915	33,966	40,723	15,452	25,271	13,158	4,463	8,695
85+	50,019	14,368	35,651	37,997	11,023	26,974	12,022	3,345	8,677
UNDER 15	637,585	326,287	311,298	340,018	175,042	164,976	297,567	151,245	146,322
15-64	1,937,498	950,257	987,241	1,163,710	586,915	576,795	773,788	363,342	410,446
65 & OVER	376,913	154,496	222,417	280,859	117,667	163,192	96,054	36,829	59,225
MEDIAN AGE	35.0	33.1	36.8	39.1	37.3	40.8	29.3	27.4	31.4

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2009**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,809</u>	<u>117</u>			
JANUARY	3,688	119	JULY	3,929	127
FEBRUARY	3,356	120	AUGUST	3,813	123
MARCH	3,488	112	SEPTEMBER	3,749	125
APRIL	3,307	110	OCTOBER	3,600	116
MAY	3,405	110	NOVEMBER	3,326	111
JUNE	3,483	116	DECEMBER	3,665	118

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2009**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4	2005#	99.7	99.7	99.8
1986#	99.6	99.7	99.5	2006#	99.7	99.7	99.8
1987#	99.6	99.8	99.5	2007#	99.7	99.7	99.8
1988#	99.6	99.7	99.6	2008#	99.8	99.7	99.8
1989#	99.6	99.8	99.5	2009#	99.7	99.6	99.8

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2009**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>42,809</u>	<u>41,679</u>	<u>882</u>	<u>61</u>	<u>151</u>	<u>36</u>	<u>100.0</u>	<u>97.4</u>	<u>2.1</u>	<u>0.1</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	42,679	41,675	881	4	85	34	99.7	97.4	2.0	*	0.2	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	111	1	0	53	56	1	0.2	*	-	0.1	0.1	*
UNKNOWN PLACE	17	1	1	4	10	1	*	*	*	*	*	*
	2	2	0	0	0	0	*	*	-	-	-	-
<u>WHITE</u>	<u>22,846</u>	<u>22,281</u>	<u>400</u>	<u>57</u>	<u>81</u>	<u>27</u>	<u>100.0</u>	<u>97.5</u>	<u>1.8</u>	<u>0.2</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	22,753	22,280	399	1	47	26	99.6	97.5	1.7	*	0.2	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	82	0	0	52	29	1	0.4	-	-	0.2	0.1	*
UNKNOWN PLACE	10	0	1	4	5	0	*	-	*	*	*	-
	1	1	0	0	0	0	*	*	-	-	-	-
<u>NONWHITE</u>	<u>19,963</u>	<u>19,398</u>	<u>482</u>	<u>4</u>	<u>70</u>	<u>9</u>	<u>100.0</u>	<u>97.2</u>	<u>2.4</u>	<u>-</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	19,926	19,395	482	3	38	8	99.8	97.2	2.4	*	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	29	1	0	1	27	0	0.1	*	-	*	0.1	-
UNKNOWN PLACE	7	1	0	0	5	1	*	*	-	-	*	*
	1	1	0	0	0	0	*	*	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2009**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>70.7</u>	<u>68.2</u>	<u>73.8</u>
UNDER 15	140	34	106	0.3	0.1	0.5	1.4	0.6	2.2
15-19	6,938	2,878	4,060	16.2	12.6	20.3	64.1	51.6	77.4
20-24	14,039	6,807	7,232	32.8	29.8	36.2	130.2	117.6	144.8
25-29	11,754	6,888	4,866	27.4	30.2	24.4	111.4	119.3	101.8
30-34	6,714	4,265	2,449	15.7	18.7	12.3	72.1	82.4	59.2
35-39	2,675	1,665	1,010	6.2	7.3	5.0	28.0	29.9	25.4
40-44	512	289	223	1.2	1.3	1.1	5.4	5.1	5.7
45-49	33	19	14	0.1	0.1	0.1	0.3	0.3	0.3
UNKNOWN	4	1	3	**	**	**			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2009**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	699	556	143	1.6	2.5	0.7	1.6	2.5	0.7
7-9 YEARS	2,886	1,608	1,278	6.8	7.2	6.4	8.5	9.6	7.2
10,11 YEARS	6,166	2,415	3,751	14.6	10.7	18.9	23.1	20.4	26.1
12 YEARS	13,098	6,092	7,006	31.0	27.1	35.4	54.0	47.5	61.5
1-3 YEARS COLLEGE	11,113	5,860	5,253	26.3	26.1	26.5	80.3	73.6	88.0
4 OR MORE YEARS OF COLLEGE	8,315	5,940	2,375	19.7	26.4	12.0	100.0	100.0	100.0
UNKNOWN	532	375	157						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2009**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>23,648</u>	<u>7,690</u>	<u>15,958</u>	<u>55.2</u>	<u>33.7</u>	<u>79.9</u>
UNDER 15	140	34	106	100.0	100.0	100.0
15-19	6,215	2,199	4,016	89.6	76.4	98.9
20-24	9,600	3,065	6,535	68.4	45.0	90.4
25-29	4,901	1,483	3,418	41.7	21.5	70.2
30-34	1,912	613	1,299	28.5	14.4	53.0
35-39	709	239	470	26.5	14.4	46.5
40-44	163	55	108	31.8	19.0	48.4
45-49	7	1	6	21.2	5.3	42.8
UNKNOWN	1	1	0			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2009**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>70.7</u>	<u>68.2</u>	<u>73.8</u>	<u>25</u>	<u>26</u>	<u>23</u>
FIRST	14,967	8,247	6,720	35.0	36.1	33.7	24.7	24.6	24.8	21	23	20
SECOND	12,382	6,950	5,432	28.9	30.4	27.2	20.4	20.7	20.1	25	26	23
THIRD	8,065	4,262	3,803	18.8	18.6	19.0	13.3	12.7	14.1	26	27	25
FOURTH	4,065	1,936	2,129	9.5	8.5	10.7	6.7	5.8	7.9	27	29	26
FIFTH	1,762	826	936	4.1	3.6	4.7	2.9	2.5	3.5	29	30	28
SIXTH	784	304	480	1.8	1.3	2.4	1.3	0.9	1.8	29	30	29
SEVENTH	406	161	245	0.9	0.7	1.2	0.7	0.5	0.9	30	31	30
EIGHTH	171	72	99	0.4	0.3	0.5	0.3	0.2	0.4	33	34	33
NINTH	84	33	51	0.2	0.1	0.2	0.1	0.1	0.2	33	35	32
TENTH & OVER	109	48	61	0.2	0.2	0.3	0.2	0.1	0.2	36	35	38
UNKNOWN	14	7	7	#	#	#	#	#	#			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2009**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	504	174	330	1.2	0.8	1.6
<u>SOME PRENATAL CARE</u>	<u>42,181</u>	<u>22,617</u>	<u>19,564</u>	<u>98.5</u>	<u>99.0</u>	<u>98.0</u>
FIRST TRIMESTER	35,445	20,016	15,429	82.8	87.6	77.3
SECOND TRIMESTER	5,570	2,119	3,451	13.0	9.3	17.3
THIRD TRIMESTER	859	274	585	2.0	1.2	2.9
UNKNOWN MONTH	307	208	99	0.7	0.9	0.5
UNKNOWN WHETHER ANY PRENATAL CARE	124	55	69	0.3	0.2	0.3

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2009**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,020	791	1,229	4.7	3.5	6.2
PREMATURE ONLY**	4,234	1,944	2,290	9.9	8.5	11.5
BOTH IMMATURE AND PREMATURE	3,226	1,252	1,974	7.5	5.5	9.9
TOTAL IMMATURE	5,246	2,043	3,203	12.2	8.9	16.0
TOTAL PREMATURE	7,460	3,196	4,264	17.4	14.0	21.4
TOTAL IMMATURE AND/OR PREMATURE	9,480	3,987	5,493	22.1	17.4	27.5
NEITHER IMMATURE NOR PREMATURE**	33,329	18,859	14,470	77.8	82.5	72.5

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2009**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>493</u>	<u>269</u>	<u>224</u>
ANENCEPHALUS	9	5	4
SPINA BIFIDA / MENINGOCELE	9	7	2
HYDROCEPHALUS	7	5	2
MICROCEPHALUS	3	1	2
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	8	7	1
HEART MALFORMATIONS	46	26	20
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	21	16	5
RECTAL ATRESIA / STENOSIS	4	2	2
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	3	1	2
OMPHALOCELE / GASTROSCHISIS	32	21	11
OTHER GASTROINTESTINAL ANOMALIES	13	10	3
MALFORMED GENITALIA	25	14	11
RENAL AGENESIS	7	5	2
OTHER UROGENITAL ANOMALIES	21	11	10
CLEFT LIP / PALATE	46	26	20
POLYDACTYLY / SYNDACTYLY / ADACTYLY	76	19	57
CLUB FOOT	23	14	9
DIAPHRAGMATIC HERNIA	4	3	1
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	69	39	30
DOWNS SYNDROME	23	14	9
OTHER CHROMOSOMAL ANOMALIES	13	8	5
OTHER	31	15	16

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2009**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>13,264</u>	<u>6,183</u>	<u>7,081</u>
ANEMIA (HCT. < 30/HGB. < 10)	1100	493	607
CARDIAC DISEASE	135	92	43
ACUTE OR CHRONIC LUNG DISEASE	346	160	186
DIABETES	1,342	709	633
GENITAL HERPES	310	173	137
HYDRAMNIOS/OLIGOHYDRAMNIOS	463	246	217
HEMOGLOBINOPATHY	138	5	133
HYPERTENSION, CHRONIC	1079	318	761
HYPERTENSION, PREGNANCY-ASSOCIATED	2,117	1,001	1,116
ECLAMPSIA	157	88	69
INCOMPETENT CERVIX	108	42	66
PREVIOUS INFANT 4000+ GRAMS	78	56	22
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	405	194	211
RENAL DISEASE	64	47	17
RH SENSITIZATION	299	217	82
UTERINE BLEEDING	107	65	42
OTHER	5,016	2,277	2,739

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2009**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	37,569	19,058	18,511	87.8	83.4	92.7
<u>SOME</u>	<u>5,207</u>	<u>3,775</u>	<u>1,432</u>	<u>12.2</u>	<u>16.5</u>	<u>7.2</u>
1-9 CIGARETTES PER DAY	2,542	1,569	973	5.9	6.9	4.9
10-19 CIGARETTES PER DAY	2,017	1,672	345	4.7	7.3	1.7
20-29 CIGARETTES PER DAY	525	436	89	1.2	1.9	0.4
30-39 CIGARETTES PER DAY	17	15	2	*	0.1	*
40-49 CIGARETTES PER DAY	7	5	2	*	*	*
50-59 CIGARETTES PER DAY	0	0	0	-	-	-
60 OR MORE PER DAY	8	7	1	*	*	*
UNKNOWN AMOUNT	91	71	20	0.2	0.3	0.1
NOT STATED	33	13	20	0.1	*	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	41,231	21,699	19,532	96.3	95.0	97.8
<u>SOME</u>	<u>184</u>	<u>63</u>	<u>121</u>	<u>0.4</u>	<u>0.3</u>	<u>0.6</u>
1 DRINK PER WEEK	92	36	56	0.2	0.2	0.3
2 DRINKS PER WEEK	36	9	27	0.1	*	0.1
3 DRINKS PER WEEK	15	5	10	*	*	*
4 DRINKS PER WEEK	5	2	3	*	*	*
5 DRINKS PER WEEK	7	1	6	*	*	*
6 OR MORE PER WEEK	14	4	10	*	*	*
UNKNOWN AMOUNT	15	6	9	*	*	*
NOT STATED	1,394	1,084	310	3.2	4.7	1.6
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	2,156	922	1,234	5.0	4.0	6.2
1-4 POUNDS	538	218	320	1.2	1.0	1.6
5-9 POUNDS	1,257	546	711	2.9	2.4	3.6
10-14 POUNDS	2,890	1,259	1,631	6.8	5.5	8.2
15-19 POUNDS	3,374	1,594	1,780	7.9	7.0	8.9
20-24 POUNDS	5,726	2,856	2,870	13.4	12.5	14.4
25-29 POUNDS	5,029	2,756	2,273	11.7	12.1	11.4
30-34 POUNDS	6,563	3,699	2,864	15.3	16.2	14.3
35-39 POUNDS	4,105	2,547	1,558	9.6	11.1	7.8
40-44 POUNDS	3,939	2,320	1,619	9.2	10.2	8.1
45 OR MORE POUNDS	6,311	3,773	2,538	14.7	16.5	12.7
UNKNOWN AMOUNT	921	356	565	2.2	1.6	2.8
MEDIAN WEIGHT GAIN (LBS)**	29	30	25			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2009**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>10,502</u>	<u>5,743</u>	<u>4,759</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	197	74	123
MECONIUM, MODERATE / HEAVY	909	410	499
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	578	269	309
ABRUPTIO PLACENTA	219	110	109
PLACENTA PREVIA	79	51	28
OTHER EXCESSIVE BLEEDING	84	44	40
SEIZURES DURING LABOR	15	7	8
PRECIPITOUS LABOR (< 3 HOURS)	471	237	234
PROLONGED LABOR (> 20 HOURS)	124	77	47
DYSFUNCTIONAL LABOR	1,123	587	536
BREECH / MALPRESENTATION	1,595	1,036	559
CEPHALOPELVIC DISPROPORTION	644	389	255
CORD PROLAPSE	61	23	38
ANESTHETIC COMPLICATIONS	17	9	8
FETAL DISTRESS	1,963	942	1,021
OTHER	2,423	1,478	945

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2009**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>44,458</u>	<u>23,793</u>	<u>20,665</u>
VAGINAL	26,278	14,084	12,194
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	198	83	115
PRIMARY C-SECTION	8,875	4,805	4,070
REPEAT C-SECTION	7,437	3,860	3,577
FORCEPS	384	242	142
VACUUM	1,286	719	567

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2009**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>70,988</u>	<u>38,743</u>	<u>32,245</u>
AMNIOCENTESIS	106	70	36
ELECTRONIC FETAL MONITORING	33,101	17,547	15,554
INDUCTION OF LABOR	8,714	5,162	3,552
STIMULATION OF LABOR	3,840	1,853	1,987
TOCOLYSIS	616	339	277
ULTRASOUND	24,526	13,720	10,806
OTHER	85	52	33

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2009**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,203</u>	<u>960</u>	<u>1,243</u>
ANEMIA (HCT. < 39 / HGB. < 13)	26	12	14
BIRTH INJURY	105	83	22
FETAL ALCOHOL SYNDROME	1	0	1
HYALINE MEMBRANE DISEASE / RDS	456	211	245
MECONIUM ASPIRATION SYNDROME	42	21	21
ASSISTED VENTILATION < 30 MINUTES	193	87	106
ASSISTED VENTILATION 30 MINUTES OR MORE	486	185	301
SEIZURES	7	3	4
OTHER	887	358	529

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2009

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>403</u>	<u>389</u>	<u>1</u>	<u>0</u>	<u>13</u>	<u>0</u>	<u>100.0</u>	<u>96.5</u>	<u>0.2</u>	-	<u>3.2</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	397	386	1	0	10	0	98.5	95.8	0.2	-	2.5	-
HOME	2	2	0	0	0	0	0.5	0.5	-	-	-	-
OTHER PLACE	4	1	0	0	3	0	1.0	0.2	-	-	0.7	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>145</u>	<u>141</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>100.0</u>	<u>97.2</u>	-	-	<u>2.8</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	143	140	0	0	3	0	98.6	96.6	-	-	2.1	-
HOME	1	1	0	0	0	0	0.7	0.7	-	-	-	-
OTHER PLACE	1	0	0	0	1	0	0.7	-	-	-	0.7	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>258</u>	<u>248</u>	<u>1</u>	<u>0</u>	<u>9</u>	<u>0</u>	<u>100.0</u>	<u>96.1</u>	<u>0.4</u>	-	<u>3.5</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	254	246	1	0	7	0	98.4	95.3	0.4	-	2.7	-
HOME	1	1	0	0	0	0	0.4	0.4	-	-	-	-
OTHER PLACE	3	1	0	0	2	0	1.2	0.4	-	-	0.8	-
	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2009**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>403</u>	<u>145</u>	<u>258</u>	<u>9.4</u>	<u>6.3</u>	<u>12.9</u>
UNDER 15	3	0	3	21.4	-	28.3
15-19	66	26	40	9.5	9.0	9.8
20-24	142	44	98	10.1	6.5	13.6
25-29	107	38	69	9.1	5.5	14.2
30-34	45	16	29	6.7	3.8	11.8
35-39	31	20	11	11.6	12.0	10.9
40-44	8	1	7	15.6	3.5	31.4
45-49	0	0	0	-	-	-
50 & OVER	0	0	0	-	-	-
UNKNOWN	1	0	1	#	-	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2009**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.2	0.8	1.6	10.9	9.6	11.6
SOME CARE	97.8	98.1	97.5	71.5	80.0	66.7
UNKNOWN WHETHER ANY CARE	1.0	1.2	0.8	17.6	10.3	21.7

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2007-2009**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2007	2008	2009	2007	2008	2009	2007	2008	2009
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>477</u>	<u>470</u>	<u>403</u>	<u>154</u>	<u>151</u>	<u>145</u>	<u>323</u>	<u>319</u>	<u>258</u>
UNDER 20	16	13	8	3	1	2	13	12	6
<u>20 AND OVER</u>	<u>256</u>	<u>282</u>	<u>253</u>	<u>106</u>	<u>100</u>	<u>105</u>	<u>150</u>	<u>182</u>	<u>148</u>
20-22	62	70	68	21	13	26	41	57	42
23-27	80	68	61	27	26	20	53	42	41
28-36	85	97	87	39	41	38	46	56	49
37 AND OVER	29	47	37	19	20	21	10	27	16
UNKNOWN	205	175	142	45	50	38	160	125	104
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>10.3</u>	<u>10.5</u>	<u>9.4</u>	<u>6.2</u>	<u>6.2</u>	<u>6.3</u>	<u>14.9</u>	<u>15.4</u>	<u>12.9</u>
UNDER 20	0.3	0.3	0.2	0.1	##	0.1	0.6	0.6	0.3
<u>20 AND OVER</u>	<u>5.5</u>	<u>6.3</u>	<u>5.9</u>	<u>4.3</u>	<u>4.1</u>	<u>4.6</u>	<u>6.9</u>	<u>8.8</u>	<u>7.4</u>
20-22	1.3	1.6	1.6	0.8	0.5	1.1	1.9	2.8	2.1
23-27	1.7	1.5	1.4	1.1	1.1	0.9	2.4	2.0	2.0
28-36	1.8	2.2	2.0	1.6	1.7	1.7	2.1	2.7	2.4
37 AND OVER	0.6	1.0	0.9	0.8	0.8	0.9	0.5	1.3	0.8
UNKNOWN	4.4	3.9	3.3	1.8	2.1	1.7	7.4	6.0	5.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2009**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,164</u>	<u>77</u>			
JANUARY	2,524	81	JULY	2,219	72
FEBRUARY	2,291	82	AUGUST	2,277	73
MARCH	2,493	80	SEPTEMBER	2,169	72
APRIL	2,315	77	OCTOBER	2,347	76
MAY	2,386	77	NOVEMBER	2,394	80
JUNE	2,271	76	DECEMBER	2,478	80

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2009**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,164</u>	<u>18,946</u>	<u>9,218</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.5</u>	<u>10.6</u>	<u>7.9</u>
UNDER 1	427	159	268	1.5	0.8	2.9	9.7	7.1	12.5
1-4	99	47	52	0.4	0.2	0.6	0.6	0.5	0.6
5-9	38	20	18	0.1	0.1	0.2	0.2	0.2	0.2
10-14	48	27	21	0.2	0.1	0.2	0.2	0.2	0.2
15-24	442	231	211	1.6	1.2	2.3	1.0	1.0	1.0
25-34	641	331	310	2.3	1.7	3.4	1.6	1.5	1.8
35-44	1,088	592	496	3.9	3.1	5.4	3.0	2.6	3.5
45-54	2,539	1,389	1,150	9.0	7.3	12.5	6.2	5.4	7.6
55-64	3,989	2,367	1,622	14.2	12.5	17.6	12.2	10.7	15.5
65-74	5,191	3,562	1,629	18.4	18.8	17.7	25.6	23.8	30.6
75 AND OVER	13,653	10,214	3,439	48.5	53.9	37.3	78.5	77.9	80.3
UNKNOWN	9	7	2	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2009**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,340</u>	<u>13,824</u>	<u>1.04</u>	<u>9,606</u>	<u>9,340</u>	<u>1.03</u>	<u>4,734</u>	<u>4,484</u>	<u>1.06</u>
UNDER 1	251	176	1.43	92	67	1.37	159	109	1.46
1-4	43	56	0.77	24	23	1.04	19	33	0.58
5-9	24	14	1.71	14	6	2.33	10	8	1.25
10-14	26	22	1.18	14	13	1.08	12	9	1.33
15-24	315	127	2.48	171	60	2.85	144	67	2.15
25-34	411	230	1.79	208	123	1.69	203	107	1.90
35-44	668	420	1.59	382	210	1.82	286	210	1.36
45-54	1,583	956	1.66	906	483	1.88	677	473	1.43
55-64	2,411	1,578	1.53	1,432	935	1.53	979	643	1.52
65-74	2,968	2,223	1.34	2,093	1,469	1.42	875	754	1.16
75-84	3,374	3,498	0.96	2,568	2,520	1.02	806	978	0.82
85 AND OVER	2,257	4,524	0.50	1,695	3,431	0.49	562	1,093	0.51
UNKNOWN	9	0		7	0		2	0	
MEDIAN AGE	70	78		72	80		63	72	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2009**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.0</u>	<u>9.1</u>	<u>10.9</u>	<u>10.3</u>	<u>8.6</u>	<u>7.3</u>
UNDER 1	11.2	8.2	8.0	6.2	14.5	10.3
1-4	0.5	0.6	0.5	0.5	0.4	0.8
5-9	0.2	0.1	0.2	0.1	0.2	0.2
10-14	0.2	0.2	0.2	0.2	0.2	0.2
15-24	1.4	0.6	1.4	0.5	1.4	0.6
25-34	2.1	1.2	1.8	1.1	2.5	1.2
35-44	3.8	2.2	3.4	1.9	4.4	2.7
45-54	8.1	4.5	7.1	3.8	10.0	5.7
55-64	15.6	9.2	13.3	8.2	20.6	11.2
65-74	32.4	20.0	30.2	18.2	39.0	24.5
75 AND OVER	89.6	72.2	87.9	72.0	95.0	72.8

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>21,796</u>	<u>14,881</u>	<u>6,915</u>	<u>7.4</u>	<u>8.3</u>	<u>5.9</u>	<u>77.4</u>	<u>78.5</u>	<u>75.0</u>
1. HEART DISEASES (156-160,162,164-181)	7,487	5,098	2,389	253.6	285.7	204.6	26.6	26.9	25.9
2. MALIGNANT NEOPLASMS (056-108)	6,093	4,132	1,961	206.4	231.5	168.0	21.6	21.8	21.3
3. ACCIDENTS (295-330)	1,635	1,152	483	55.4	64.6	41.4	5.8	6.1	5.2
4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,553	1,300	253	52.6	72.8	21.7	5.5	6.9	2.7
5. CEREBROVASCULAR DISEASE (182-186)	1,422	927	495	48.2	51.9	42.4	5.0	4.9	5.4
6. DIABETES MELLITUS (124)	897	434	463	30.4	24.3	39.7	3.2	2.3	5.0
7. ALZHEIMERS DISEASE (148)	896	737	159	30.4	41.3	13.6	3.2	3.9	1.7
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	698	367	331	23.6	20.6	28.4	2.5	1.9	3.6
9. INFLUENZA AND PNEUMONIA (195-198)	578	401	177	19.6	22.5	15.2	2.0	2.1	1.9
10. SEPTICEMIA (018)	537	333	204	18.2	18.7	17.5	1.9	1.8	2.2

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2009**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>99</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (295-330)	38	38.4	21.3
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	11	11.1	6.2
	3. HOMICIDE (338-346)	6	6.1	3.4
	4. INFLUENZA AND PNEUMONIA (195-198)	4	4.0	2.2
	5. MALIGNANT NEOPLASMS (056-108)	3	3.0	1.7
5-14	<u>ALL CAUSES</u>	<u>86</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	42	48.8	10.1
	2. MALIGNANT NEOPLASMS (056-108)	10	11.6	2.4
	3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	6	7.0	1.4
	4. MENINGITIS (145)	3	3.5	0.7
	T5. HEART DISEASES (156-160,162,164-181)	2	2.3	0.5
	T5. INFLUENZA AND PNEUMONIA (195-198)	2	2.3	0.5
	T5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2.3	0.5
15-24	<u>ALL CAUSES</u>	<u>442</u>	<u>100.0</u>	<u>1.0</u>
	1. ACCIDENTS (295-330)	228	51.6	51.4
	2. HOMICIDE (338-346)	58	13.1	13.1
	3. SUICIDE (331-337)	43	9.7	9.7
	4. MALIGNANT NEOPLASMS (056-108)	23	5.2	5.2
	5. HEART DISEASES (156-160,162,164-181)	14	3.2	3.2
25-44	<u>ALL CAUSES</u>	<u>1,729</u>	<u>100.0</u>	<u>2.3</u>
	1. ACCIDENTS (295-330)	426	24.6	55.9
	2. HEART DISEASES (156-160,162,164-181)	257	14.9	33.7
	3. MALIGNANT NEOPLASMS (056-108)	186	10.8	24.4
	4. SUICIDE (331-337)	133	7.7	17.4
	5. HOMICIDE (338-346)	116	6.7	15.2
45-64	<u>ALL CAUSES</u>	<u>6,528</u>	<u>100.0</u>	<u>8.9</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,884	28.9	257.4
	2. HEART DISEASES (156-160,162,164-181)	1,595	24.4	217.9
	3. ACCIDENTS (295-330)	431	6.6	58.9
	4. CEREBROVASCULAR DISEASE (182-186)	273	4.2	37.3
	5. DIABETES MELLITUS (124)	263	4.0	35.9
65 & OVER	<u>ALL CAUSES</u>	<u>18,844</u>	<u>100.0</u>	<u>50.0</u>
	1. HEART DISEASES (156-160,162,164-181)	5,610	29.8	1,488.4
	2. MALIGNANT NEOPLASMS (056-108)	3,985	21.1	1,057.3
	3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,283	6.8	340.4
	4. CEREBROVASCULAR DISEASE (182-186)	1,104	5.8	292.9
	5. ALZHEIMER'S DISEASE (148)	890	4.7	236.1

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2009**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,327</u>	<u>1,063</u>	<u>1,805</u>	<u>898</u>	<u>264.5</u>	<u>192.8</u>	<u>199.4</u>	<u>145.8</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	902	349	550	172	102.5	63.3	60.8	27.9
2. DIGESTIVE ORGANS (060-070)	536	297	383	240	60.9	53.9	42.3	39.0
3. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	221	84	197	68	25.1	15.2	21.8	11.0
4. GENITAL ORGANS (083-091)	162	155	150	102	18.4	28.1	16.6	16.6
5. BREAST (082)	4	0	232	187	0.5	-	25.6	30.4
6. URINARY TRACT (092-094)	137	38	60	23	15.6	6.9	6.6	3.7
7. BRAIN (096)	58	8	50	19	6.6	1.5	5.5	3.1
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	50	35	16	11	5.7	6.3	1.8	1.8
9. SKIN (077,078)	60	7	25	3	6.8	1.3	2.8	0.5
10. BONE AND ARTICULAR CARTILAGE (076)	11	9	6	6	1.3	1.6	0.7	1.0
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	186	81	136	67	21.1	14.7	15.0	10.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1984, 1989, 1994, 1999, 2004, 2009**

DISEASE*	1984	1989	1994	1999	2004	2009
TUBERCULOSIS OF RESPIRATORY SYSTEM	23	19	14	13	6	3
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,374	1,659	1,697	1,954	2,000	1,973
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,312	1,613	1,647	1,906	1,967	1,920
CHRONIC AND UNQUALIFIED BRONCHITIS	38	44	53	20	11	8
EMPHYSEMA	101	109	129	179	119	75
ASTHMA	44	49	53	41	46	44

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2009**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,395</u>	<u>995</u>	<u>400</u>	<u>85.3</u>	<u>86.4</u>	<u>82.8</u>
1. MOTOR VEHICLE (296-306)	733	448	285	44.8	38.9	59.0
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	270	242	28	16.5	21.0	5.8
3. FALLS (312-314)	239	215	24	14.6	18.7	5.0
4. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	79	41	38	4.8	3.6	7.9
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	74	49	25	4.5	4.2	5.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2009**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,635</u>	<u>1,056</u>	<u>579</u>	<u>23</u>	<u>38</u>	<u>42</u>	<u>228</u>	<u>220</u>	<u>206</u>	<u>431</u>	<u>444</u>	<u>3</u>
MOTOR VEHICLE (296-306)	733	516	217	1	14	25	173	128	101	180	110	1
OTHER LAND TRANSPORT (295,307-308)	9	8	1	0	1	0	0	0	1	5	1	1
WATER TRANSPORT (309)	19	17	2	0	0	1	5	3	3	4	3	0
AIR AND SPACE TRANSPORT (310)	7	6	1	0	0	1	0	1	2	3	0	0
FALLS (312-314)	239	131	108	0	0	0	1	4	7	42	184	1
DISCHARGE OF FIREARMS (315)	16	12	4	0	0	2	5	3	2	3	1	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	54	44	10	1	6	4	14	5	9	8	7	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	74	35	39	0	0	0	1	0	1	15	57	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	23	11	12	19	0	1	0	1	1	0	1	0
EXPOSURE TO ELECTRIC CURRENT (320)	1	1	0	0	0	0	0	0	0	1	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	79	49	30	2	13	7	5	6	4	25	17	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	3	1	2	0	0	0	0	1	0	1	1	0
<u>POISONING (327-329)</u>	<u>270</u>	<u>161</u>	<u>109</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>17</u>	<u>57</u>	<u>63</u>	<u>114</u>	<u>17</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	253	148	105	0	2	0	17	53	57	109	15	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	17	13	4	0	0	0	0	4	6	5	2	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	108	64	44	0	2	1	7	11	12	30	45	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2009

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7
2006	969	2.3	960	33.0
2007	898	2.1	894	30.6
2008	773	1.8	768	26.1
2009	743	#	733	24.8

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2009 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2009**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	<u>427</u>	<u>159</u>	<u>268</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.0</u>	<u>7.0</u>	<u>13.4</u>
NEONATAL (UNDER 28 DAYS)	<u>263</u>	<u>97</u>	<u>166</u>	<u>61.6</u>	<u>61.0</u>	<u>61.9</u>	<u>6.1</u>	<u>4.2</u>	<u>8.3</u>
HEBDOMADAL (UNDER 7 DAYS)	<u>198</u>	<u>70</u>	<u>128</u>	<u>46.4</u>	<u>44.0</u>	<u>47.8</u>	<u>4.6</u>	<u>3.1</u>	<u>6.4</u>
UNDER 1 DAY	<u>147</u>	<u>52</u>	<u>95</u>	<u>34.4</u>	<u>32.7</u>	<u>35.4</u>	<u>3.4</u>	<u>2.3</u>	<u>4.8</u>
1-6 DAYS	<u>51</u>	<u>18</u>	<u>33</u>	<u>11.9</u>	<u>11.3</u>	<u>12.3</u>	<u>1.2</u>	<u>0.8</u>	<u>1.6</u>
7-27 DAYS	<u>65</u>	<u>27</u>	<u>38</u>	<u>15.2</u>	<u>17.0</u>	<u>14.2</u>	<u>1.5</u>	<u>1.2</u>	<u>1.9</u>
POSTNEONATAL (28 DAYS TO 1 YEAR)	<u>164</u>	<u>62</u>	<u>102</u>	<u>38.4</u>	<u>39.0</u>	<u>38.1</u>	<u>3.8</u>	<u>2.7</u>	<u>5.1</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>427</u>	<u>159</u>	<u>268</u>	<u>10.0</u>	<u>7.0</u>	<u>13.4</u>
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	87	52	35	2.0	2.3	1.8
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	73	21	52	1.7	0.9	2.6
3. SUDDEN INFANT DEATH SYNDROME (111)	46	21	25	1.1	0.9	1.2
4. ACCIDENTS (114-124)	23	10	13	0.5	0.4	0.6
T5. DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	13	1	12	0.3	#	0.6
T5. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	13	2	11	0.3	0.1	0.6
T7. RESPIRATORY DISTRESS OF NEWBORN (077)	11	2	9	0.2	0.1	0.4
T7. BACTERIAL SEPSIS OF NEWBORN (085)	11	4	7	0.2	0.2	0.4
T7. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	4	7	0.2	0.2	0.4
10. NEONATAL HEMORRHAGE (088)	8	3	5	0.2	0.1	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>287,443</u>	<u>10,347.0</u>
HEART DISEASES (156-160,162,164-181)	48,098	1,731.4
ISCHEMIC HEART DISEASE (165-168)	26,611	957.9
CEREBROVASCULAR DISEASES (182-186)	8,230	296.2
MALIGNANT NEOPLASMS (056-108)	52,071	1,874.4
RESPIRATORY SYSTEM (071-075)	14,909	536.7
COLORECTAL (063,064)	5,449	196.1
PROSTATE (089)#	799	58.4
BREAST (082)##	4,522	320.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	7,375	265.5
PNEMONIA AND INFLUENZA (195-198)	3,861	139.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5,274	189.8
DIABETES MELLITUS (124)	7,317	263.4
HIV INFECTION (039-043)	4,690	168.8
UNINTENTIONAL INJURIES (295-330)	47,324	1,703.5
MOTOR VEHICLE CRASHES (296-306)	25,853	930.6
SUICIDE (331-337)	10,724	386.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	10,358	372.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>97,873</u>	<u>11,775.6</u>
HEART DISEASES (156-160,162,164-181)	17,325	2,084.5
ISCHEMIC HEART DISEASE (165-168)	11,312	1,361.0
CEREBROVASCULAR DISEASES (182-186)	2,043	245.8
MALIGNANT NEOPLASMS (056-108)	18,318	2,203.9
RESPIRATORY SYSTEM (071-075)	6,451	776.2
COLORECTAL (063,064)	2,066	248.6
PROSTATE (089)	325	39.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,576	309.9
PNEMONIA AND INFLUENZA (195-198)	1,196	143.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,446	294.3
DIABETES MELLITUS (124)	1,710	205.7
HIV INFECTION (039-043)	592	71.2
UNINTENTIONAL INJURIES (295-330)	21,328	2,566.1
MOTOR VEHICLE CRASHES (296-306)	10,882	1,309.3
SUICIDE (331-337)	7,134	858.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,903	229.0
<u>WHITE FEMALES - ALL CAUSES</u>	<u>57,606</u>	<u>7,005.4</u>
HEART DISEASES (156-160,162,164-181)	8,140	989.9
ISCHEMIC HEART DISEASE (165-168)	4,591	558.3
CEREBROVASCULAR DISEASES (182-186)	1,291	157.0
MALIGNANT NEOPLASMS (056-108)	13,124	1,596.0
RESPIRATORY SYSTEM (071-075)	3,734	454.1
COLORECTAL (063,064)	990	120.4
BREAST (082)	2,056	250.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,766	336.4
PNEMONIA AND INFLUENZA (195-198)	1,206	146.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,251	152.1
DIABETES MELLITUS (124)	1,313	159.7
HIV INFECTION (039-043)	144	17.5
UNINTENTIONAL INJURIES (295-330)	9,413	1,144.7
MOTOR VEHICLE CRASHES (296-306)	4,279	520.4
SUICIDE (331-337)	1,829	222.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	853	103.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>78,752</u>	<u>14,664.7</u>
HEART DISEASES (156-160,162,164-181)	14,044	2,615.2
ISCHEMIC HEART DISEASE (165-168)	7,170	1,335.2
CEREBROVASCULAR DISEASES (182-186)	2,451	456.4
MALIGNANT NEOPLASMS (056-108)	10,971	2,043.0
RESPIRATORY SYSTEM (071-075)	3,511	653.8
COLORECTAL (063,064)	1,219	227.0
PROSTATE (089)	474	88.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,083	201.7
PNEMONIA AND INFLUENZA (195-198)	709	132.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,106	206.0
DIABETES MELLITUS (124)	2,120	394.8
HIV INFECTION (039-043)	2,580	480.4
UNINTENTIONAL INJURIES (295-330)	10,873	2,024.7
MOTOR VEHICLE CRASHES (296-306)	7,005	1,304.4
SUICIDE (331-337)	1,574	293.1
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	6,263	1,166.2
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>53,212</u>	<u>9,056.6</u>
HEART DISEASES (156-160,162,164-181)	8,589	1,461.8
ISCHEMIC HEART DISEASE (165-168)	3,538	602.2
CEREBROVASCULAR DISEASES (182-186)	2,445	416.1
MALIGNANT NEOPLASMS (056-108)	9,658	1,643.8
RESPIRATORY SYSTEM (071-075)	1,213	206.4
COLORECTAL (063,064)	1,174	199.8
BREAST (082)	2,436	414.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	950	161.7
PNEMONIA AND INFLUENZA (195-198)	750	127.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	471	80.2
DIABETES MELLITUS (124)	2,174	370.0
HIV INFECTION (039-043)	1,374	233.8
UNINTENTIONAL INJURIES (295-330)	5,710	971.8
MOTOR VEHICLE CRASHES (296-306)	3,687	627.5
SUICIDE (331-337)	187	31.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,339	227.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2009**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>14,110</u>	<u>39</u>			
JANUARY	670	22	JULY	1,327	43
FEBRUARY	1,125	40	AUGUST	1,167	38
MARCH	1,157	37	SEPTEMBER	1,073	36
APRIL	1,150	38	OCTOBER	1,255	40
MAY	1,641	53	NOVEMBER	958	32
JUNE	1,600	53	DECEMBER	987	32

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2009**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	<u>14,110</u>	<u>9,894</u>	<u>4,216</u>	<u>14,110</u>	<u>9,817</u>	<u>4,293</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER 20	<u>943</u>	<u>874</u>	<u>69</u>	<u>351</u>	<u>319</u>	<u>32</u>	<u>6.7</u>	<u>8.8</u>	<u>1.6</u>	<u>2.5</u>	<u>3.2</u>	<u>0.7</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	0	0	0	0	0	0	-	-	-	-	-	-
15	14	14	0	0	0	0	0.1	0.1	-	-	-	-
16	45	44	1	0	0	0	0.3	0.4	*	-	-	-
17	133	129	4	26	25	1	0.9	1.3	0.1	0.2	0.2	*
18	311	284	27	108	100	8	2.2	2.9	0.6	0.8	1.0	0.2
19	440	403	37	217	194	23	3.1	4.1	0.9	1.5	2.0	0.5
20-24	3,936	3,199	737	3,090	2,495	595	27.9	32.3	17.5	21.9	25.4	13.9
25-34	4,805	3,002	1,803	5,392	3,598	1,794	34.0	30.3	42.8	38.2	36.6	41.8
35-44	2,279	1,366	913	2,451	1,536	915	16.2	13.8	21.6	17.4	15.6	21.3
45-54	1,386	879	507	1,620	1,019	601	9.8	8.9	12.0	11.5	10.4	14.0
55-64	522	371	151	787	529	258	3.7	3.8	3.6	5.6	5.4	6.0
65-74	195	165	30	296	225	71	1.4	1.7	0.7	2.1	2.3	1.6
75 & OVER	44	38	6	123	96	27	0.3	0.4	0.1	0.9	1.0	0.6
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2009**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	28	26	31	30	29	32
FIRST MARRIAGES	24	23	28	26	25	29

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2009**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>14,110</u>	<u>9,894</u>	<u>4,216</u>	<u>14,110</u>	<u>9,817</u>	<u>4,293</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	8,660	5,761	2,899	8,542	5,748	2,794	61.4	58.2	68.8	60.5	58.6	65.1
<u>REMARRIAGE</u>	<u>5,450</u>	<u>4,133</u>	<u>1,317</u>	<u>5,568</u>	<u>4,069</u>	<u>1,499</u>	<u>38.6</u>	<u>41.8</u>	<u>31.2</u>	<u>39.5</u>	<u>41.4</u>	<u>34.9</u>
SECOND	3,505	2,493	1,012	3,718	2,613	1,105	24.8	25.2	24.0	26.4	26.6	25.7
<u>OVER TWO</u>	<u>1,945</u>	<u>1,640</u>	<u>305</u>	<u>1,850</u>	<u>1,456</u>	<u>394</u>	<u>13.8</u>	<u>16.6</u>	<u>7.2</u>	<u>13.1</u>	<u>14.8</u>	<u>9.2</u>
THIRD	1,338	1,096	242	1,301	980	321	9.5	11.1	5.7	9.2	10.0	7.5
FOURTH	452	395	57	411	349	62	3.2	4.0	1.4	2.9	3.6	1.4
FIFTH	103	98	5	103	96	7	0.7	1.0	0.1	0.7	1.0	0.2
SIXTH	38	37	1	30	26	4	0.3	0.4	#	0.2	0.3	0.1
SEVENTH	8	8	0	4	4	0	#	0.1	-	#	#	-
EIGHTH	2	2	0	1	1	0	#	#	-	#	#	-
NINTH	3	3	0	0	0	0	#	#	-	-	-	-
TENTH	1	1	0	0	0	0	#	#	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2009**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>14,110</u>	<u>9,894</u>	<u>4,216</u>	<u>14,110</u>	<u>9,817</u>	<u>4,293</u>
NOT PREVIOUSLY MARRIED	8,660	5,761	2,899	8,542	5,748	2,794
<u>REMARRIAGES</u>	<u>5,450</u>	<u>4,133</u>	<u>1,317</u>	<u>5,568</u>	<u>4,069</u>	<u>1,499</u>
WIDOWED	562	433	129	551	404	147
DIVORCED*	4,887	3,699	1,188	5,016	3,664	1,352
UNKNOWN**	1	1	0	1	1	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	61.4	58.2	68.8	60.5	58.6	65.1
<u>REMARRIAGES</u>	<u>38.6</u>	<u>41.8</u>	<u>31.2</u>	<u>39.5</u>	<u>41.4</u>	<u>34.9</u>
WIDOWED	4.0	4.4	3.1	3.9	4.1	3.4
DIVORCED*	34.6	37.4	28.2	35.5	37.3	31.5
UNKNOWN**	##	##	-	##	##	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2009**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>14,110</u>	<u>13,202</u>	<u>895</u>	<u>13</u>	<u>9,894</u>	<u>9,215</u>	<u>671</u>	<u>8</u>	<u>4,216</u>	<u>3,987</u>	<u>224</u>	<u>5</u>
MISSISSIPPI	13,035	12,806	221	8	9,065	8,916	144	5	3,970	3,890	77	3
OTHER	1,060	385	672	3	820	292	526	2	240	93	146	1
UNKNOWN	15	11	2	2	9	7	1	1	6	4	1	1
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.6</u>	<u>6.3</u>	<u>0.1</u>	<u>100.0</u>	<u>93.1</u>	<u>6.8</u>	<u>0.1</u>	<u>100.0</u>	<u>94.6</u>	<u>5.3</u>	<u>0.1</u>
MISSISSIPPI	92.4	90.8	1.6	*	91.6	90.1	1.4	*	94.2	92.3	1.8	0.1
OTHER	7.5	2.7	4.8	*	8.3	3.0	5.3	*	5.7	2.2	3.5	*
UNKNOWN	0.1	0.1	*	*	0.1	0.1	*	*	0.1	0.1	*	*

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2009**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,223</u>	<u>7,206</u>	<u>2,698</u>	<u>2,319</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,255	6,783	2,395	2077	92.1	94.1	88.8	89.6
CRUEL AND INHUMAN TREATMENT	353	165	100	88	2.9	2.3	3.7	3.8
DESERTION	259	91	99	69	2.1	1.3	3.7	3.0
ADULTERY	220	117	50	53	1.8	1.6	1.8	2.3
DRUNKENNESS	40	19	8	13	0.3	0.3	0.3	0.6
PENITENTIARY	70	22	41	7	0.6	0.3	1.5	0.3
ANNULMENT	22	8	4	10	0.2	0.1	0.1	0.4
BIGAMY	2	0	0	2	#	-	-	0.1
MISCELLANEOUS AND OTHER	2	1	1	0	#	#	#	-
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2009**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,223</u>	<u>7,206</u>	<u>2,698</u>	<u>2,319</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,353	3,653	1,478	1222	52.0	50.7	54.8	52.7
ONE	2,900	1,705	628	567	23.7	23.7	23.3	24.4
TWO	2,218	1,398	421	399	18.1	19.4	15.6	17.2
THREE OR MORE	752	450	171	131	6.2	6.2	6.3	5.6
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2009**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,223</u>	<u>7,206</u>	<u>2,698</u>	<u>2,319</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,406</u>	<u>2,691</u>	<u>817</u>	<u>898</u>	<u>36.0</u>	<u>37.3</u>	<u>30.3</u>	<u>38.7</u>
<u>UNDER ONE</u>	446	322	43	81	3.6	4.5	1.6	3.5
<u>ONE</u>	1,027	660	158	209	8.4	9.2	5.8	9.0
<u>TWO</u>	1,020	612	199	209	8.3	8.5	7.4	9.0
<u>THREE</u>	975	551	211	213	8.0	7.6	7.8	9.2
<u>FOUR</u>	938	546	206	186	7.7	7.6	7.6	8.0
<u>FIVE-NINE</u>	<u>3,368</u>	<u>1,935</u>	<u>807</u>	<u>626</u>	<u>27.6</u>	<u>26.8</u>	<u>29.9</u>	<u>27.0</u>
<u>TEN-NINETEEN</u>	<u>3,007</u>	<u>1,726</u>	<u>732</u>	<u>549</u>	<u>24.6</u>	<u>24.0</u>	<u>27.1</u>	<u>23.7</u>
<u>TWENTY AND OVER</u>	<u>1,411</u>	<u>844</u>	<u>330</u>	<u>237</u>	<u>11.5</u>	<u>11.7</u>	<u>12.2</u>	<u>10.2</u>
<u>UNKNOWN</u>	<u>31</u>	<u>10</u>	<u>12</u>	<u>9</u>	<u>0.2</u>	<u>0.1</u>	<u>0.4</u>	<u>0.4</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2009**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,438</u>	<u>529</u>	<u>1,906</u>	<u>3</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>57.0</u>	<u>23.2</u>	<u>95.5</u>
UNDER 15	19	2	17	0	0.8	0.4	0.9	135.7	58.8	160.4
15-19	365	80	285	0	15.0	15.1	15.0	52.6	27.8	70.2
20-24	883	178	703	2	36.2	33.6	36.9	62.9	26.2	97.2
25-29	652	135	517	0	26.7	25.5	27.1	55.5	19.6	106.2
30-34	326	82	244	0	13.4	15.5	12.8	48.6	19.2	99.6
35-39	151	36	115	0	6.2	6.8	6.0	56.4	21.6	113.9
40-44	41	16	24	1	1.7	3.0	1.2	80.1	55.4	107.6
45-49	1	0	1	0	**	-	**	30.3	-	71.4
UNKNOWN	0	0	0	0	-	-	-			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2009**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,438</u>	<u>529</u>	<u>1,906</u>	<u>3</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,374	501	1,870	3	97.4	94.7	98.1
<u>NONRESIDENT</u>	<u>64</u>	<u>28</u>	<u>36</u>	<u>0</u>	<u>2.6</u>	<u>5.3</u>	<u>1.9</u>
BORDER STATE	56	24	32	0	2.3	4.5	1.7
OTHER STATE	8	4	4	0	0.3	0.8	0.2
<u>MARITAL STATUS</u>							
MARRIED	178	68	109	1	7.3	12.8	5.7
NOT MARRIED	2,259	461	1,796	2	92.6	87.1	94.2
UNKNOWN	1	0	1	0	*	-	*
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	2	2	0	0	0.1	0.4	-
7-9 YEARS	47	16	31	0	1.9	3.0	1.6
10, 11 YEARS	171	38	132	1	7.0	7.2	6.9
12 YEARS	923	186	736	1	37.8	35.2	38.6
1-3 YEARS COLLEGE	920	192	728	0	37.7	36.3	38.2
4 OR MORE YEARS COLLEGE	366	94	271	1	15.0	17.8	14.2
UNKNOWN	9	1	8	0	0.4	0.2	0.4
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	761	224	535	2	31.2	42.3	28.1
ONE	813	159	654	0	33.3	30.0	34.3
TWO	548	97	450	1	22.5	18.3	23.6
THREE	208	39	169	0	8.5	7.4	8.9
FOUR	67	7	60	0	2.7	1.3	3.1
FIVE OR MORE	41	3	38	0	1.7	0.6	2.0
UNKNOWN	0	0	0	0	-	-	-
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,499	374	1,123	2	61.5	70.7	58.9
ONE	663	115	547	1	27.2	21.7	28.7
TWO	202	33	169	0	8.3	6.2	8.9
THREE OR MORE	73	7	66	0	3.0	1.3	3.5
UNKNOWN	1	0	1	0	*	-	*

* LESS THAN 0.06 PERCENT.

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2009

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,438</u>	<u>529</u>	<u>1,906</u>	<u>3</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,206	265	940	1	49.5	50.1	49.3
9, 10	556	121	435	0	22.8	22.9	22.8
11, 12	250	44	206	0	10.2	8.3	10.8
13-15	84	14	70	0	3.4	2.6	3.7
16-20	10	2	8	0	0.4	0.4	0.4
21 OR MORE	0	0	0	0	-	-	-
UNKNOWN	332	83	247	2	13.6	15.7	13.0
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,437	529	1,905	3	100.0	100.0	99.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	1	0	1	0	**	-	**
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2009

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	2	0	2	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	2	0	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	2	0	2	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE I
2009 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,951,996</u>	<u>1,784,587</u>	<u>1,167,409</u>	<u>3.8</u>	<u>2.2</u>	<u>6.3</u>
ADAMS	30,722	12,999	17,723	-10.5	-17.8	-4.4
ALCORN	35,822	31,176	4,646	3.7	3.3	6.4
AMITE	13,038	7,191	5,847	-4.1	-6.3	-1.3
ATTALA	19,755	11,295	8,460	0.5	-1.5	3.3
BENTON	7,981	5,075	2,906	-0.6	2.4	-5.4
BOLIVAR	36,766	12,160	24,606	-9.5	-10.0	-9.3
CALHOUN	14,422	10,097	4,325	-4.3	-3.5	-6.2
CARROLL	10,278	6,742	3,536	-4.6	-0.1	-12.0
CHICKASAW	18,683	10,708	7,975	-3.9	-3.2	-4.8
CHOCTAW	9,023	6,086	2,937	-7.5	-8.3	-5.9
CLAIBORNE	10,755	1,573	9,182	-9.1	-12.4	-8.5
CLARKE	17,207	11,011	6,196	-4.2	-4.9	-2.8
CLAY	20,722	8,722	12,000	-5.7	-7.3	-4.5
COAHOMA	26,936	6,345	20,591	-12.0	-29.2	-4.9
COPIAH	29,094	13,808	15,286	1.2	0.4	1.8
COVINGTON	20,544	12,810	7,734	5.9	4.1	8.9
DESOTO	158,719	119,466	39,253	48.1	29.9	157.4
FORREST	81,078	50,101	30,977	11.7	7.2	19.7
FRANKLIN	8,324	5,141	3,183	-1.5	-3.1	1.3
GEORGE	22,681	20,203	2,478	18.5	18.1	21.8
GREENE	14,352	9,964	4,388	7.9	2.9	21.3
GRENADA	23,046	13,025	10,021	-0.9	-3.3	2.4
HANCOCK	40,962	36,610	4,352	-4.7	-5.5	3.3
HARRISON	181,191	128,553	52,638	-4.4	-7.3	3.4
HINDS	247,631	77,981	169,650	-1.3	-16.7	7.9
HOLMES	20,290	3,659	16,631	-6.1	-17.3	-3.2
HUMPHREYS	9,809	2,470	7,339	-12.5	-18.9	-10.1
ISSAQUENA	1,612	623	989	-29.1	-24.6	-31.7
ITAWAMBA	23,000	21,176	1,824	1.0	0.6	6.4
JACKSON	132,922	98,203	34,719	1.1	-0.8	7.2
JASPER	17,940	8,469	9,471	-1.2	0.4	-2.5
JEFFERSON	8,928	1,164	7,764	-8.3	-8.5	-8.3
JEFF DAVIS	12,543	5,213	7,330	-10.2	-10.4	-10.0
JONES	67,776	48,093	19,683	4.3	4.1	4.9
KEMPER	9,833	3,638	6,195	-5.9	-10.8	-2.8
LAFAYETTE	43,975	31,909	12,066	13.5	14.6	10.6
LAMAR	49,980	40,797	9,183	27.9	22.4	60.3
LAUDERDALE	79,099	44,726	34,373	1.2	-4.9	10.4
LAWRENCE	13,308	8,898	4,410	0.4	0.3	0.6
LEAKE	23,132	12,645	10,487	10.5	7.6	14.2
LEE	81,913	58,581	23,332	8.1	5.0	16.9
LEFLORE	34,563	9,294	25,269	-8.9	-18.4	-4.9

TABLE I - PAGE 2
 2009 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,830	23,718	11,112	5.0	3.1	9.4
LOWNDES	59,658	32,713	26,945	-3.1	-5.9	0.5
MADISON	93,097	56,033	37,064	24.7	24.5	25.0
MARION	25,732	16,868	8,864	0.5	-1.6	4.8
MARSHALL	36,900	18,756	18,144	5.5	10.8	0.4
MONROE	36,905	25,097	11,808	-2.9	-3.4	-1.8
MONTGOMERY	11,129	5,921	5,208	-8.7	-10.5	-6.6
NESHOBA	30,302	18,799	11,503	5.6	0.1	16.2
NEWTON	22,568	14,555	8,013	3.3	2.5	4.9
NOXUBEE	11,631	3,321	8,310	-7.3	-10.2	-6.1
OKTIBBEHA	44,544	26,571	17,973	3.8	5.6	1.3
PANOLA	35,245	18,072	17,173	2.8	4.5	1.2
PEARL RIVER	57,860	49,181	8,679	19.0	18.2	23.5
PERRY	12,035	9,214	2,821	-0.9	-0.3	-2.5
PIKE	39,834	19,677	20,157	2.3	-1.4	6.2
PONTOTOC	29,248	24,595	4,653	9.4	9.0	11.6
PRENTISS	25,709	21,727	3,982	0.6	-1.0	10.1
QUITMAN	8,391	2,459	5,932	-17.1	-20.2	-15.7
RANKIN	143,124	111,585	31,539	24.1	19.4	44.2
SCOTT	29,341	17,712	11,629	3.2	8.9	-4.4
SHARKEY	5,420	1,570	3,850	-17.6	-18.7	-17.2
SIMPSON	27,920	17,845	10,075	1.0	0.3	2.4
SMITH	15,826	11,819	4,007	-2.2	-4.0	3.7
STONE	16,619	13,172	3,447	22.0	21.8	22.9
SUNFLOWER	29,610	7,727	21,883	-13.9	-22.2	-10.5
TALLAHATCHIE	12,638	4,802	7,836	-15.2	-18.7	-12.9
TATE	27,337	18,464	8,873	7.8	7.3	8.8
TIPPAH	21,661	17,562	4,099	4.0	3.0	8.4
TISHOMINGO	19,034	18,148	886	-0.7	-0.2	-8.8
TUNICA	10,436	2,728	7,708	13.1	7.4	15.3
UNION	27,263	22,649	4,614	7.5	7.1	9.7
WALTHALL	15,291	8,264	7,027	0.9	-0.2	2.2
WARREN	48,175	24,420	23,755	-3.0	-10.5	6.3
WASHINGTON	54,616	16,448	38,168	-13.3	-23.1	-8.2
WAYNE	20,654	12,495	8,159	-2.7	-3.9	-0.7
WEBSTER	9,852	7,721	2,131	-4.3	-3.3	-7.8
WILKINSON	10,143	2,994	7,149	-1.6	-7.0	0.8
WINSTON	19,309	10,278	9,031	-4.2	-7.8	0.1
YALOBUSHA	13,773	8,254	5,519	5.5	4.6	7.0
YAZOO	27,981	12,253	15,728	-0.6	-2.7	1.1

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>41,975</u>	<u>21,895</u>	<u>20,080</u>	<u>42,809</u>	<u>22,846</u>	<u>19,963</u>	<u>14.5</u>	<u>12.8</u>	<u>17.1</u>
ADAMS	1,087	391	696	437	149	288	14.2	11.5	16.2
ALCORN	523	428	95	453	380	73	12.6	12.2	15.7
AMITE	0	0	0	163	81	82	12.5	11.3	14.0
ATTALA	6	0	6	308	138	170	15.6	12.2	20.1
BENTON	0	0	0	109	68	41	13.6	13.4	14.1
BOLIVAR	494	99	395	604	145	459	16.4	11.9	18.6
CALHOUN	1	0	1	207	129	78	14.4	12.8	18.0
CARROLL	0	0	0	87	53	34	8.5	7.9	9.6
CHICKASAW	0	0	0	274	144	130	14.7	13.4	16.3
CHOCTAW	0	0	0	111	60	51	12.3	9.8	17.4
CLAIBORNE	2	0	2	132	7	125	12.3	4.4	13.6
CLARKE	1	0	1	221	136	85	12.8	12.4	13.7
CLAY	447	177	270	259	79	180	12.5	9.0	15.0
COAHOMA	949	164	785	512	68	444	19.0	10.7	21.6
COPIAH	0	0	0	443	177	266	15.2	12.8	17.4
COVINGTON	3	2	1	315	184	131	15.3	14.4	16.9
DESOTO	2,137	1,191	946	2,170	1,580	590	13.7	13.2	15.0
FORREST	2,587	1,748	839	1,172	638	534	14.4	12.7	17.2
FRANKLIN	1	0	1	104	55	49	12.5	10.7	15.4
GEORGE	4	4	0	381	352	29	16.8	17.4	11.7
GREENE	0	0	0	175	137	38	12.2	13.7	8.7
GRENADA	504	204	300	300	147	153	13.0	11.3	15.3
HANCOCK	247	219	28	497	459	38	12.1	12.5	8.7
HARRISON	3,231	2,310	921	2,829	1,953	876	15.6	15.2	16.6
HINDS	6,601	2,243	4,358	3,703	748	2,955	15.0	9.6	17.4
HOLMES	4	0	4	350	24	326	17.2	6.6	19.6
HUMPHREYS	0	0	0	215	21	194	21.9	8.5	26.4
ISSAQUENA	0	0	0	17	2	15	10.5	3.2	15.2
ITAWAMBA	0	0	0	281	262	19	12.2	12.4	10.4
JACKSON	1,752	1,285	467	1,787	1,266	521	13.4	12.9	15.0
JASPER	0	0	0	243	91	152	13.5	10.7	16.0
JEFFERSON	0	0	0	105	5	100	11.8	4.3	12.9
JEFF DAVIS	0	0	0	161	52	109	12.8	10.0	14.9
JONES	962	413	549	1,078	682	396	15.9	14.2	20.1
KEMPER	0	0	0	96	30	66	9.8	8.2	10.6
LAFAYETTE	959	552	407	509	323	186	11.6	10.1	15.4
LAMAR	1,682	1,126	556	783	569	214	15.7	13.9	23.3
LAUDERDALE	2,635	1,216	1,419	1,142	529	613	14.4	11.8	17.8
LAWRENCE	0	0	0	192	124	68	14.4	13.9	15.4
LEAKE	3	0	3	356	180	176	15.4	14.2	16.8
LEE	2,359	1,726	633	1,217	782	435	14.8	13.3	18.6
LEFLORE	781	110	671	586	98	488	17.0	10.5	19.3

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	674	399	275	515	346	169	14.8	14.6	15.2
LOWNDES	1,021	446	575	849	424	425	14.2	13.0	15.8
MADISON	322	10	312	1,410	726	684	15.1	13.0	18.4
MARION	3	1	2	437	277	160	17.0	16.4	18.0
MARSHALL	1	0	1	493	233	260	13.4	12.4	14.3
MONROE	543	391	152	477	315	162	12.9	12.6	13.7
MONTGOMERY	1	0	1	155	65	90	13.9	11.0	17.3
NESHOBA	4	1	3	544	240	304	18.0	12.8	26.4
NEWTON	1	0	1	334	176	158	14.8	12.1	19.7
NOXUBEE	2	2	0	200	42	158	17.2	12.6	19.0
OKTIBBEHA	978	421	557	552	249	303	12.4	9.4	16.8
PANOLA	166	38	128	584	236	348	16.6	13.0	20.3
PEARL RIVER	323	237	86	739	614	125	12.8	12.5	14.4
PERRY	0	0	0	170	129	41	14.1	14.0	14.5
PIKE	1,003	473	530	678	248	430	17.0	12.6	21.3
PONTOTOC	12	12	0	448	380	68	15.3	15.4	14.6
PRENTISS	1	1	0	328	279	49	12.8	12.8	12.3
QUITMAN	0	0	0	144	29	115	17.2	11.8	19.4
RANKIN	3,497	2,323	1,174	1,978	1,545	433	13.8	13.8	13.7
SCOTT	2	1	1	515	301	214	17.6	17.0	18.4
SHARKEY	2	0	2	82	12	70	15.1	7.6	18.2
SIMPSON	106	55	51	414	248	166	14.8	13.9	16.5
SMITH	0	0	0	209	144	65	13.2	12.2	16.2
STONE	0	0	0	214	169	45	12.9	12.8	13.0
SUNFLOWER	323	47	276	412	59	353	13.9	7.6	16.1
TALLAHATCHIE	0	0	0	210	49	161	16.6	10.2	20.5
TATE	0	0	0	385	232	153	14.1	12.6	17.2
TIPPAH	1	1	0	305	259	46	14.1	14.7	11.2
TISHOMINGO	1	1	0	191	182	9	10.0	10.0	10.2
TUNICA	0	0	0	182	31	151	17.4	11.4	19.6
UNION	1,121	914	207	389	325	64	14.3	14.3	13.9
WALTHALL	1	0	1	202	106	96	13.2	12.8	13.7
WARREN	826	248	578	720	284	436	14.9	11.6	18.4
WASHINGTON	844	144	700	848	174	674	15.5	10.6	17.6
WAYNE	218	118	100	272	161	111	13.2	12.9	13.6
WEBSTER	0	0	0	134	96	38	13.6	12.4	17.8
WILKINSON	0	0	0	133	27	106	13.1	9.0	14.8
WINSTON	5	0	5	268	99	169	13.9	9.6	18.7
YALOBUSHA	3	3	0	160	92	68	11.6	11.1	12.3
YAZOO	8	0	8	445	136	309	15.9	11.1	19.6
OUT OF STATE	2,016	1,607	409	1,182	656	526			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2009

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	682	472	210
BRANDON	448	342	106
BROOKHAVEN	221	100	121
CANTON	336	64	272
CLARKSDALE	393	50	343
CLEVELAND	287	85	202
CLINTON	288	152	136
COLUMBUS	401	138	263
CORINTH	200	138	62
GAUTIER	234	130	104
GREENVILLE	596	77	519
GREENWOOD	328	45	283
GRENADA	206	74	132
GULFPORT	1,175	668	507
HATTIESBURG	877	316	561
INDIANOLA	203	23	180
JACKSON	2,861	385	2,476
LAUREL	439	171	268
LONG BEACH	181	152	29
MCCOMB	271	62	209
MERIDIAN	692	193	499
MOSS POINT	249	106	143
NATCHEZ	261	69	192
OCEAN SPRINGS	319	265	54
PASCAGOULA	310	179	131
PEARL	394	275	119
PICAYUNE	217	126	91
RIDGELAND	331	182	149
SOUTHAVEN	663	483	180
STARKVILLE	405	183	222
TUPELO	574	290	284
VICKSBURG	444	112	332
YAZOO CITY	285	35	250

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL	WHITE	NON-WHITE	COUNTY	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>70.7</u>	<u>68.2</u>	<u>73.8</u>				
ADAMS	77.7	77.7	77.8	LINCOLN	76.4	81.1	68.1
ALCORN	68.0	66.7	75.5	LOWNDES	66.6	69.3	64.1
AMITE	68.2	70.7	65.9	MADISON	70.8	67.0	75.2
ATTALA	83.6	75.8	91.2	MARION	91.2	93.5	87.4
BENTON	73.2	76.7	68.0	MARSHALL	69.2	72.3	66.6
BOLIVAR	74.5	61.2	80.0	MONROE	67.5	70.7	62.0
CALHOUN	80.8	78.8	84.3	MONTGOMERY	74.6	69.9	78.4
CARROLL	51.6	49.3	55.7	NESHOBA	89.8	70.0	115.8
CHICKASAW	78.3	82.6	74.0	NEWTON	76.5	68.0	88.7
CHOCTAW	69.3	60.3	84.2	NOXUBEE	88.8	96.3	87.0
CLAIBORNE	49.8	35.7	51.0	OKTIBBEHA	46.3	35.7	61.2
CLARKE	72.2	75.0	68.0	PANOLA	81.5	74.2	87.4
CLAY	64.5	59.0	67.2	PEARL RIVER	65.8	66.0	64.4
COAHOMA	90.2	74.8	93.1	PERRY	71.1	75.1	60.7
COPIAH	77.2	76.8	77.4	PIKE	88.4	75.3	98.2
COVINGTON	74.2	76.2	71.7	PONTOTOC	78.6	82.0	63.7
DESOTO	64.4	65.4	61.6	PRENTISS	63.1	66.1	50.2
FORREST	57.2	54.3	61.3	QUITMAN	84.8	84.0	84.9
FRANKLIN	66.6	63.6	70.3	RANKIN	64.3	67.4	55.1
GEORGE	89.2	92.1	64.4	SCOTT	91.8	99.9	82.4
GREENE	76.7	75.3	82.2	SHARKEY	79.5	54.5	86.3
GRENADA	64.2	62.2	66.3	SIMPSON	77.0	78.3	75.0
HANCOCK	66.6	69.1	46.4	SMITH	69.8	68.3	73.5
HARRISON	74.6	76.4	71.0	STONE	61.8	64.7	53.0
HINDS	67.6	55.9	71.4	SUNFLOWER	72.8	54.2	77.3
HOLMES	83.8	44.9	89.5	TALLAHATCHIE	81.1	66.9	86.7
HUMPHREYS	108.4	56.9	120.1	TATE	69.7	66.3	75.6
ISSAQUENA	58.8	22.0	75.8	TIPPAH	72.1	76.7	53.9
ITAWAMBA	61.0	62.8	44.3	TISHOMINGO	56.1	56.6	46.9
JACKSON	67.2	67.4	66.5	TUNICA	84.4	78.3	85.7
JASPER	71.3	65.4	75.4	UNION	72.4	75.0	61.9
JEFFERSON	61.5	39.7	63.3	WALTHALL	67.4	75.6	60.2
JEFF DAVIS	68.6	67.4	69.1	WARREN	74.8	69.0	79.1
JONES	84.0	81.2	89.2	WASHINGTON	76.4	70.6	78.1
KEMPER	51.7	58.2	49.1	WAYNE	65.5	70.6	59.3
LAFAYETTE	43.1	37.8	57.2	WEBSTER	76.7	71.9	92.2
LAMAR	70.8	65.2	91.8	WILKINSON	78.9	69.4	81.8
LAUDERDALE	72.6	67.8	77.3	WINSTON	77.1	61.7	90.3
LAWRENCE	77.5	80.5	72.6	YALOBUSHA	62.8	71.2	54.2
LEAKE	83.5	84.7	82.4	YAZOO	92.3	82.7	97.3
LEE	73.7	71.4	78.2				
LEFLORE	79.3	67.9	82.0				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2009

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42,809</u>	<u>22,846</u>	<u>22,753</u>	<u>1</u>	<u>92</u>	<u>19,963</u>	<u>19,926</u>	<u>3</u>	<u>34</u>	<u>21,869</u>	<u>20,940</u>
ADAMS	437	149	148	0	1	288	288	0	0	239	198
ALCORN	453	380	380	0	0	73	73	0	0	227	226
AMITE	163	81	81	0	0	82	82	0	0	92	71
ATTALA	308	138	138	0	0	170	169	0	1	154	154
BENTON	109	68	68	0	0	41	41	0	0	53	56
BOLIVAR	604	145	145	0	0	459	459	0	0	319	285
CALHOUN	207	129	129	0	0	78	78	0	0	104	103
CARROLL	87	53	53	0	0	34	34	0	0	42	45
CHICKASAW	274	144	144	0	0	130	130	0	0	142	132
CHOCTAW	111	60	60	0	0	51	51	0	0	53	58
CLAIBORNE	132	7	7	0	0	125	124	0	1	64	68
CLARKE	221	136	136	0	0	85	84	0	1	108	113
CLAY	259	79	77	0	2	180	180	0	0	137	122
COAHOMA	512	68	68	0	0	444	443	1	0	256	256
COPIAH	443	177	177	0	0	266	266	0	0	232	211
COVINGTON	315	184	183	0	1	131	131	0	0	166	149
DESOTO	2,170	1,580	1,571	0	9	590	590	0	0	1,119	1,051
FORREST	1,172	638	632	0	6	534	533	0	1	580	592
FRANKLIN	104	55	55	0	0	49	48	1	0	51	53
GEORGE	381	352	350	0	2	29	29	0	0	185	196
GREENE	175	137	137	0	0	38	38	0	0	94	81
GRENADA	300	147	147	0	0	153	152	0	1	142	158
HANCOCK	497	459	458	0	1	38	38	0	0	253	244
HARRISON	2,829	1,953	1,947	0	6	876	872	1	3	1,431	1,398

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2009

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,703	748	740	1	7	2,955	2,952	0	3	1,917	1,786
HOLMES	350	24	24	0	0	326	323	0	3	177	173
HUMPHREYS	215	21	21	0	0	194	194	0	0	107	108
ISSAQUENA	17	2	2	0	0	15	15	0	0	13	4
ITAWAMBA	281	262	262	0	0	19	19	0	0	137	144
JACKSON	1,787	1,266	1,261	0	5	521	520	0	1	931	856
JASPER	243	91	91	0	0	152	152	0	0	127	116
JEFFERSON	105	5	5	0	0	100	100	0	0	51	54
JEFF DAVIS	161	52	52	0	0	109	109	0	0	79	82
JONES	1078	682	679	0	3	396	396	0	0	547	531
KEMPER	96	30	30	0	0	66	66	0	0	47	49
LAFAYETTE	509	323	321	0	2	186	185	0	1	242	267
LAMAR	783	569	567	0	2	214	214	0	0	391	392
LAUDERDALE	1,142	529	527	0	2	613	612	0	1	591	551
LAWRENCE	192	124	124	0	0	68	68	0	0	93	99
LEAKE	356	180	180	0	0	176	175	0	1	164	192
LEE	1,217	782	781	0	1	435	435	0	0	612	605
LEFLORE	586	98	98	0	0	488	488	0	0	299	287
LINCOLN	515	346	345	0	1	169	169	0	0	279	236
LOWNDES	849	424	424	0	0	425	425	0	0	443	406
MADISON	1,410	726	724	0	2	684	683	0	1	748	662
MARION	437	277	276	0	1	160	160	0	0	216	221
MARSHALL	493	233	233	0	0	260	259	0	1	237	256
MONROE	477	315	313	0	2	162	161	0	1	245	232
MONTGOMERY	155	65	65	0	0	90	89	0	1	88	67
NESHOBA	544	240	239	0	1	304	303	0	1	262	282
NEWTON	334	176	176	0	0	158	158	0	0	181	153
NOXUBEE	200	42	40	0	2	158	158	0	0	100	100
OKTIBBEHA	552	249	246	0	3	303	303	0	0	274	278
PANOLA	584	236	234	0	2	348	346	0	2	299	285

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2009

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	739	614	610	0	4	125	123	0	2	387	352
PERRY	170	129	129	0	0	41	41	0	0	88	82
PIKE	678	248	248	0	0	430	429	0	1	349	329
PONTOTOC	448	380	369	0	11	68	68	0	0	228	220
PRENTISS	328	279	279	0	0	49	49	0	0	180	148
QUITMAN	144	29	29	0	0	115	115	0	0	71	73
RANKIN	1,978	1,545	1,543	0	2	433	433	0	0	1,024	954
SCOTT	515	301	301	0	0	214	214	0	0	273	242
SHARKEY	82	12	12	0	0	70	70	0	0	33	49
SIMPSON	414	248	247	0	1	166	166	0	0	219	195
SMITH	209	144	144	0	0	65	65	0	0	102	107
STONE	214	169	168	0	1	45	45	0	0	117	97
SUNFLOWER	412	59	59	0	0	353	352	0	1	205	207
TALLAHATCHIE	210	49	49	0	0	161	161	0	0	101	109
TATE	385	232	232	0	0	153	153	0	0	199	186
TIPPAH	305	259	258	0	1	46	46	0	0	165	140
TISHOMINGO	191	182	182	0	0	9	9	0	0	96	95
TUNICA	182	31	31	0	0	151	151	0	0	80	102
UNION	389	325	325	0	0	64	64	0	0	187	202
WALTHALL	202	106	106	0	0	96	95	0	1	96	106
WARREN	720	284	280	0	4	436	435	0	1	381	339
WASHINGTON	848	174	174	0	0	674	673	0	1	412	436
WAYNE	272	161	161	0	0	111	110	0	1	147	125
WEBSTER	134	96	96	0	0	38	38	0	0	55	79
WILKINSON	133	27	26	0	1	106	106	0	0	65	68
WINSTON	268	99	99	0	0	169	169	0	0	144	124
YALOBUSHA	160	92	89	0	3	68	68	0	0	88	72
YAZOO	445	136	136	0	0	309	308	0	1	237	208

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>42,809</u>	<u>140</u>	<u>6,938</u>	<u>14,039</u>	<u>11,754</u>	<u>6,714</u>	<u>2,675</u>	<u>512</u>	<u>33</u>	<u>4</u>
ADAMS	437	2	84	159	124	48	14	6	0	0
ALCORN	453	0	85	156	114	67	26	5	0	0
AMITE	163	0	20	51	53	22	13	4	0	0
ATTALA	308	0	55	109	88	40	13	2	1	0
BENTON	109	2	14	33	33	20	7	0	0	0
BOLIVAR	604	2	117	219	162	64	32	7	1	0
CALHOUN	207	1	43	77	49	26	10	1	0	0
CARROLL	87	1	12	26	32	12	4	0	0	0
CHICKASAW	274	1	56	91	64	46	13	3	0	0
CHOCTAW	111	1	21	39	29	14	5	2	0	0
CLAIBORNE	132	0	29	47	30	17	7	2	0	0
CLARKE	221	0	35	77	67	28	8	6	0	0
CLAY	259	0	39	95	71	41	11	2	0	0
COAHOMA	512	2	119	197	124	47	17	6	0	0
COPIAH	443	2	92	173	103	49	18	6	0	0
COVINGTON	315	1	53	118	84	35	20	4	0	0
DESOTO	2,170	2	224	544	644	516	201	38	1	0
FORREST	1,172	5	181	412	325	172	69	8	0	0
FRANKLIN	104	0	22	40	28	10	4	0	0	0
GEORGE	381	3	72	119	102	57	24	4	0	0
GREENE	175	1	29	72	39	21	11	2	0	0
GRENADA	300	1	56	110	78	37	14	3	1	0
HANCOCK	497	1	76	161	125	79	44	9	2	0
HARRISON	2,829	10	376	948	802	465	184	41	2	1
HINDS	3,703	12	610	1,168	992	599	266	53	3	0
HOLMES	350	3	73	143	72	37	16	6	0	0
HUMPHREYS	215	3	41	83	54	20	11	3	0	0
ISSAQUENA	17	0	3	9	5	0	0	0	0	0
ITAWAMBA	281	3	51	87	72	49	16	3	0	0
JACKSON	1,787	5	279	595	508	282	99	19	0	0
JASPER	243	2	49	69	66	42	11	4	0	0
JEFFERSON	105	1	21	33	29	16	3	2	0	0
JEFF DAVIS	161	1	28	57	43	22	10	0	0	0
JONES	1,078	5	181	377	317	133	55	10	0	0
KEMPER	96	0	12	36	24	10	12	2	0	0
LAFAYETTE	509	0	59	128	152	126	34	9	1	0
LAMAR	783	1	73	223	241	152	81	9	1	2
LAUDERDALE	1,142	3	179	360	334	183	74	8	1	0
LAWRENCE	192	1	28	60	62	21	16	4	0	0
LEAKE	356	1	62	133	83	49	24	4	0	0
LEE	1,217	7	200	351	352	219	73	13	2	0
LEFLORE	586	6	119	220	146	63	24	6	2	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	515	0	88	159	157	70	35	6	0	0
LOWNDES	849	3	140	285	229	127	51	11	3	0
MADISON	1,410	6	153	317	410	355	141	24	4	0
MARION	437	1	96	165	102	56	14	3	0	0
MARSHALL	493	0	81	176	142	68	23	1	2	0
MONROE	477	0	68	156	131	87	24	11	0	0
MONTGOMERY	155	1	36	48	39	16	14	1	0	0
NESHOBA	544	4	104	196	132	74	27	7	0	0
NEWTON	334	1	45	121	111	35	18	3	0	0
NOXUBEE	200	0	35	69	59	27	9	1	0	0
OKTIBBEHA	552	0	53	160	169	114	49	7	0	0
PANOLA	584	2	146	212	133	64	24	3	0	0
PEARL RIVER	739	2	110	270	190	112	42	13	0	0
PERRY	170	0	33	63	44	26	4	0	0	0
PIKE	678	6	122	236	185	83	43	2	1	0
PONTOTOC	448	0	74	148	122	68	28	8	0	0
PRENTISS	328	0	69	127	72	46	13	1	0	0
QUITMAN	144	0	34	54	31	18	6	1	0	0
RANKIN	1,978	2	207	498	653	423	170	24	1	0
SCOTT	515	2	91	180	136	75	25	6	0	0
SHARKEY	82	2	24	24	20	5	5	2	0	0
SIMPSON	414	0	84	142	107	56	21	3	1	0
SMITH	209	0	35	86	51	29	7	1	0	0
STONE	214	1	38	88	48	22	15	2	0	0
SUNFLOWER	412	1	106	123	101	52	22	6	1	0
TALLAHATCHIE	210	0	40	81	47	30	8	4	0	0
TATE	385	0	65	131	98	66	20	5	0	0
TIPPAH	305	0	57	105	84	33	23	2	0	1
TISHOMINGO	191	0	31	61	50	36	12	1	0	0
TUNICA	182	1	33	75	40	15	16	2	0	0
UNION	389	1	59	148	99	55	22	5	0	0
WALTHALL	202	0	31	59	67	32	11	2	0	0
WARREN	720	2	130	226	198	113	44	5	2	0
WASHINGTON	848	5	187	324	196	94	35	7	0	0
WAYNE	272	0	45	109	70	35	12	1	0	0
WEBSTER	134	0	16	56	45	11	6	0	0	0
WILKINSON	133	1	22	46	42	17	3	2	0	0
WINSTON	268	1	47	99	72	35	11	3	0	0
YALOBUSHA	160	0	37	55	33	24	8	3	0	0
YAZOO	445	3	88	156	117	54	20	7	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>22,846</u>	<u>34</u>	<u>2,878</u>	<u>6,807</u>	<u>6,888</u>	<u>4,265</u>	<u>1,665</u>	<u>289</u>	<u>19</u>	<u>1</u>
ADAMS	149	0	20	41	58	23	5	2	0	0
ALCORN	380	0	66	133	99	55	22	5	0	0
AMITE	81	0	5	21	29	17	7	2	0	0
ATTALA	138	0	16	42	50	22	7	1	0	0
BENTON	68	1	8	24	19	12	4	0	0	0
BOLIVAR	145	0	19	29	48	31	16	2	0	0
CALHOUN	129	0	18	45	34	23	8	1	0	0
CARROLL	53	0	6	12	22	9	4	0	0	0
CHICKASAW	144	1	22	45	37	31	6	2	0	0
CHOCTAW	60	0	10	18	16	10	5	1	0	0
CLAIBORNE	7	0	0	2	3	2	0	0	0	0
CLARKE	136	0	22	47	44	16	6	1	0	0
CLAY	79	0	10	25	26	15	3	0	0	0
COAHOMA	68	0	9	23	25	8	3	0	0	0
COPIAH	177	2	27	61	50	25	10	2	0	0
COVINGTON	184	0	30	60	51	29	11	3	0	0
DESOTO	1,580	0	140	392	492	375	153	27	1	0
FORREST	638	2	75	191	203	110	51	6	0	0
FRANKLIN	55	0	7	20	21	6	1	0	0	0
GEORGE	352	0	65	110	95	55	23	4	0	0
GREENE	137	1	25	53	33	16	8	1	0	0
GRENADA	147	0	17	46	47	26	8	2	1	0
HANCOCK	459	1	72	149	110	76	42	7	2	0
HARRISON	1,953	6	228	650	595	309	133	31	1	0
HINDS	748	0	52	139	237	203	99	17	1	0
HOLMES	24	0	1	6	8	6	3	0	0	0
HUMPHREYS	21	1	2	5	9	1	3	0	0	0
ISSAQUENA	2	0	0	1	1	0	0	0	0	0
ITAWAMBA	262	2	47	81	65	48	16	3	0	0
JACKSON	1,266	2	172	407	388	213	70	14	0	0
JASPER	91	1	18	23	21	23	2	3	0	0
JEFFERSON	5	0	0	3	2	0	0	0	0	0
JEFF DAVIS	52	0	7	17	16	8	4	0	0	0
JONES	682	1	90	237	210	104	31	9	0	0
KEMPER	30	0	5	8	14	0	1	2	0	0
LAFAYETTE	323	0	24	62	108	96	26	6	1	0
LAMAR	569	1	52	143	189	121	56	6	1	0
LAUDERDALE	529	0	60	145	168	111	41	3	1	0
LAWRENCE	124	0	17	41	38	12	13	3	0	0
LEAKE	180	0	26	64	45	28	16	1	0	0
LEE	782	2	102	202	243	167	55	10	1	0
LEFLORE	98	1	9	34	31	17	4	1	1	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	346	0	45	107	110	51	32	1	0	0
LOWNDES	424	1	50	134	128	77	29	3	2	0
MADISON	726	1	41	99	225	262	82	13	3	0
MARION	277	1	54	99	74	37	10	2	0	0
MARSHALL	233	0	32	86	70	32	12	0	1	0
MONROE	315	0	43	102	87	59	17	7	0	0
MONTGOMERY	65	0	15	20	15	5	9	1	0	0
NESHOBA	240	1	38	84	60	41	13	3	0	0
NEWTON	176	0	21	57	61	21	14	2	0	0
NOXUBEE	42	0	1	10	23	8	0	0	0	0
OKTIBBEHA	249	0	12	54	86	72	20	5	0	0
PANOLA	236	0	41	83	68	29	14	1	0	0
PEARL RIVER	614	1	89	213	164	96	39	12	0	0
PERRY	129	0	28	40	35	23	3	0	0	0
PIKE	248	1	31	83	76	38	18	1	0	0
PONTOTOC	380	0	63	119	107	60	24	7	0	0
PRENTISS	279	0	60	106	64	36	12	1	0	0
QUITMAN	29	0	2	8	8	7	3	1	0	0
RANKIN	1,545	0	151	371	527	351	128	16	1	0
SCOTT	301	0	42	108	82	52	12	5	0	0
SHARKEY	12	0	1	2	3	2	3	1	0	0
SIMPSON	248	0	39	87	73	31	16	2	0	0
SMITH	144	0	22	62	33	21	5	1	0	0
STONE	169	1	30	73	34	19	12	0	0	0
SUNFLOWER	59	0	4	14	17	14	7	2	1	0
TALLAHATCHIE	49	0	3	20	18	5	2	1	0	0
TATE	232	0	27	77	64	44	17	3	0	0
TIPPAH	259	0	51	91	66	28	20	2	0	1
TISHOMINGO	182	0	30	56	48	35	12	1	0	0
TUNICA	31	0	3	7	9	5	7	0	0	0
UNION	325	1	43	120	88	49	19	5	0	0
WALTHALL	106	0	14	30	44	13	5	0	0	0
WARREN	284	1	35	87	84	52	23	2	0	0
WASHINGTON	174	0	24	47	56	32	14	1	0	0
WAYNE	161	0	27	61	44	19	10	0	0	0
WEBSTER	96	0	9	36	36	9	6	0	0	0
WILKINSON	27	0	3	6	9	8	1	0	0	0
WINSTON	99	0	18	30	28	17	4	2	0	0
YALOBUSHA	92	0	19	25	21	18	6	3	0	0
YAZOO	136	0	16	36	43	28	9	4	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,963</u>	<u>106</u>	<u>4,060</u>	<u>7,232</u>	<u>4,866</u>	<u>2,449</u>	<u>1010</u>	<u>223</u>	<u>14</u>	<u>3</u>
ADAMS	288	2	64	118	66	25	9	4	0	0
ALCORN	73	0	19	23	15	12	4	0	0	0
AMITE	82	0	15	30	24	5	6	2	0	0
ATTALA	170	0	39	67	38	18	6	1	1	0
BENTON	41	1	6	9	14	8	3	0	0	0
BOLIVAR	459	2	98	190	114	33	16	5	1	0
CALHOUN	78	1	25	32	15	3	2	0	0	0
CARROLL	34	1	6	14	10	3	0	0	0	0
CHICKASAW	130	0	34	46	27	15	7	1	0	0
CHOCTAW	51	1	11	21	13	4	0	1	0	0
CLAIBORNE	125	0	29	45	27	15	7	2	0	0
CLARKE	85	0	13	30	23	12	2	5	0	0
CLAY	180	0	29	70	45	26	8	2	0	0
COAHOMA	444	2	110	174	99	39	14	6	0	0
COPIAH	266	0	65	112	53	24	8	4	0	0
COVINGTON	131	1	23	58	33	6	9	1	0	0
DESOTO	590	2	84	152	152	141	48	11	0	0
FORREST	534	3	106	221	122	62	18	2	0	0
FRANKLIN	49	0	15	20	7	4	3	0	0	0
GEORGE	29	3	7	9	7	2	1	0	0	0
GREENE	38	0	4	19	6	5	3	1	0	0
GRENADA	153	1	39	64	31	11	6	1	0	0
HANCOCK	38	0	4	12	15	3	2	2	0	0
HARRISON	876	4	148	298	207	156	51	10	1	1
HINDS	2,955	12	558	1,029	755	396	167	36	2	0
HOLMES	326	3	72	137	64	31	13	6	0	0
HUMPHREYS	194	2	39	78	45	19	8	3	0	0
ISSAQUENA	15	0	3	8	4	0	0	0	0	0
ITAWAMBA	19	1	4	6	7	1	0	0	0	0
JACKSON	521	3	107	188	120	69	29	5	0	0
JASPER	152	1	31	46	45	19	9	1	0	0
JEFFERSON	100	1	21	30	27	16	3	2	0	0
JEFF DAVIS	109	1	21	40	27	14	6	0	0	0
JONES	396	4	91	140	107	29	24	1	0	0
KEMPER	66	0	7	28	10	10	11	0	0	0
LAFAYETTE	186	0	35	66	44	30	8	3	0	0
LAMAR	214	0	21	80	52	31	25	3	0	2
LAUDERDALE	613	3	119	215	166	72	33	5	0	0
LAWRENCE	68	1	11	19	24	9	3	1	0	0
LEAKE	176	1	36	69	38	21	8	3	0	0
LEE	435	5	98	149	109	52	18	3	1	0
LEFLORE	488	5	110	186	115	46	20	5	1	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	169	0	43	52	47	19	3	5	0	0
LOWNDES	425	2	90	151	101	50	22	8	1	0
MADISON	684	5	112	218	185	93	59	11	1	0
MARION	160	0	42	66	28	19	4	1	0	0
MARSHALL	260	0	49	90	72	36	11	1	1	0
MONROE	162	0	25	54	44	28	7	4	0	0
MONTGOMERY	90	1	21	28	24	11	5	0	0	0
NESHOBA	304	3	66	112	72	33	14	4	0	0
NEWTON	158	1	24	64	50	14	4	1	0	0
NOXUBEE	158	0	34	59	36	19	9	1	0	0
OKTIBBEHA	303	0	41	106	83	42	29	2	0	0
PANOLA	348	2	105	129	65	35	10	2	0	0
PEARL RIVER	125	1	21	57	26	16	3	1	0	0
PERRY	41	0	5	23	9	3	1	0	0	0
PIKE	430	5	91	153	109	45	25	1	1	0
PONTOTOC	68	0	11	29	15	8	4	1	0	0
PRENTISS	49	0	9	21	8	10	1	0	0	0
QUITMAN	115	0	32	46	23	11	3	0	0	0
RANKIN	433	2	56	127	126	72	42	8	0	0
SCOTT	214	2	49	72	54	23	13	1	0	0
SHARKEY	70	2	23	22	17	3	2	1	0	0
SIMPSON	166	0	45	55	34	25	5	1	1	0
SMITH	65	0	13	24	18	8	2	0	0	0
STONE	45	0	8	15	14	3	3	2	0	0
SUNFLOWER	353	1	102	109	84	38	15	4	0	0
TALLAHATCHIE	161	0	37	61	29	25	6	3	0	0
TATE	153	0	38	54	34	22	3	2	0	0
TIPPAH	46	0	6	14	18	5	3	0	0	0
TISHOMINGO	9	0	1	5	2	1	0	0	0	0
TUNICA	151	1	30	68	31	10	9	2	0	0
UNION	64	0	16	28	11	6	3	0	0	0
WALTHALL	96	0	17	29	23	19	6	2	0	0
WARREN	436	1	95	139	114	61	21	3	2	0
WASHINGTON	674	5	163	277	140	62	21	6	0	0
WAYNE	111	0	18	48	26	16	2	1	0	0
WEBSTER	38	0	7	20	9	2	0	0	0	0
WILKINSON	106	1	19	40	33	9	2	2	0	0
WINSTON	169	1	29	69	44	18	7	1	0	0
YALOBUSHA	68	0	18	30	12	6	2	0	0	0
YAZOO	309	3	72	120	74	26	11	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>23,648</u>	<u>7,690</u>	<u>15,958</u>	<u>55.2</u>	<u>33.7</u>	<u>79.9</u>
ADAMS	310	56	254	70.9	37.6	88.2
ALCORN	201	141	60	44.4	37.1	82.2
AMITE	80	15	65	49.1	18.5	79.3
ATTALA	175	33	142	56.8	23.9	83.5
BENTON	49	18	31	45.0	26.5	75.6
BOLIVAR	437	42	395	72.4	29.0	86.0
CALHOUN	113	42	71	54.6	32.6	91.0
CARROLL	45	18	27	51.7	34.0	79.4
CHICKASAW	167	59	108	60.9	41.0	83.1
CHOCTAW	66	22	44	59.4	36.7	86.3
CLAIBORNE	108	0	108	81.8	-	86.4
CLARKE	110	42	68	49.8	30.9	80.0
CLAY	163	25	138	62.9	31.6	76.7
COAHOMA	421	27	394	82.2	39.7	88.7
COPIAH	295	77	218	66.6	43.5	82.0
COVINGTON	169	61	108	53.6	33.2	82.4
DESOTO	824	480	344	38.0	30.4	58.3
FORREST	660	229	431	56.3	35.9	80.7
FRANKLIN	60	16	44	57.7	29.1	89.8
GEORGE	143	119	24	37.5	33.8	82.8
GREENE	65	38	27	37.1	27.7	71.0
GRENADA	185	53	132	61.7	36.0	86.3
HANCOCK	255	224	31	51.3	48.8	81.6
HARRISON	1,443	818	625	51.0	41.9	71.3
HINDS	2,549	195	2,354	68.8	26.1	79.7
HOLMES	295	7	288	84.3	29.2	88.3
HUMPHREYS	187	7	180	87.0	33.3	92.8
ISSAQUENA	15	1	14	88.2	50.0	93.3
ITAWAMBA	95	78	17	33.8	29.8	89.5
JACKSON	937	533	404	52.4	42.1	77.5
JASPER	155	34	121	63.8	37.4	79.6
JEFFERSON	78	0	78	74.3	-	78.0
JEFF DAVIS	109	14	95	67.7	26.9	87.2
JONES	579	248	331	53.7	36.4	83.6
KEMPER	60	11	49	62.5	36.7	74.2
LAFAYETTE	196	63	133	38.5	19.5	71.5
LAMAR	290	145	145	37.0	25.5	67.8
LAUDERDALE	649	156	493	56.8	29.5	80.4
LAWRENCE	88	40	48	45.8	32.2	70.6
LEAKE	210	72	138	59.0	40.0	78.4
LEE	573	236	337	47.1	30.2	77.5
LEFLORE	465	36	429	79.4	36.7	87.9

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	218	78	140	42.3	22.5	82.8
LOWNDES	459	121	338	54.1	28.5	79.5
MADISON	647	153	494	45.9	21.1	72.2
MARION	249	112	137	57.0	40.4	85.6
MARSHALL	297	98	199	60.2	42.1	76.5
MONROE	225	102	123	47.2	32.4	75.9
MONTGOMERY	94	21	73	60.6	32.3	81.1
NESHOPA	336	92	244	61.8	38.3	80.3
NEWTON	166	41	125	49.7	23.3	79.1
NOXUBEE	137	4	133	68.5	9.5	84.2
OKTIBBEHA	246	38	208	44.6	15.3	68.6
PANOLA	394	90	304	67.5	38.1	87.4
PEARL RIVER	324	227	97	43.8	37.0	77.6
PERRY	92	58	34	54.1	45.0	82.9
PIKE	434	95	339	64.0	38.3	78.8
PONTOTOC	197	149	48	44.0	39.2	70.6
PRENTISS	140	99	41	42.7	35.5	83.7
QUITMAN	106	9	97	73.6	31.0	84.3
RANKIN	693	427	266	35.0	27.6	61.4
SCOTT	335	159	176	65.0	52.8	82.2
SHARKEY	66	2	64	80.5	16.7	91.4
SIMPSON	210	82	128	50.7	33.1	77.1
SMITH	91	46	45	43.5	31.9	69.2
STONE	104	67	37	48.6	39.6	82.2
SUNFLOWER	326	15	311	79.1	25.4	88.1
TALLAHATCHIE	160	15	145	76.2	30.6	90.1
TATE	213	81	132	55.3	34.9	86.3
TIPPAH	130	99	31	42.6	38.2	67.4
TISHOMINGO	62	54	8	32.5	29.7	88.9
TUNICA	143	11	132	78.6	35.5	87.4
UNION	165	120	45	42.4	36.9	70.3
WALTHALL	95	27	68	47.0	25.5	70.8
WARREN	477	112	365	66.2	39.4	83.7
WASHINGTON	678	67	611	80.0	38.5	90.6
WAYNE	139	51	88	51.1	31.7	79.3
WEBSTER	53	19	34	39.6	19.8	89.5
WILKINSON	99	6	93	74.4	22.2	87.7
WINSTON	158	25	133	59.0	25.2	78.7
YALOBUSHA	97	37	60	60.6	40.2	88.2
YAZOO	319	50	269	71.7	36.8	87.0

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
STATE	23,648	140	6,215	9,600	4,901	1,912	709	163	7	1
ADAMS	310	2	80	129	72	20	4	3	0	0
ALCORN	201	0	67	75	39	17	3	0	0	0
AMITE	80	0	17	33	22	2	5	1	0	0
ATTALA	175	0	50	73	35	14	1	2	0	0
BENTON	49	2	12	17	8	7	3	0	0	0
BOLIVAR	437	2	109	197	98	19	9	2	1	0
CALHOUN	113	1	41	42	17	9	3	0	0	0
CARROLL	45	1	11	15	14	4	0	0	0	0
CHICKASAW	167	1	49	67	30	16	3	1	0	0
CHOCTAW	66	1	18	28	13	4	1	1	0	0
CLAIBORNE	108	0	29	42	19	13	4	1	0	0
CLARKE	110	0	24	43	24	12	3	4	0	0
CLAY	163	0	35	77	28	17	5	1	0	0
COAHOMA	421	2	117	183	80	22	11	6	0	0
COPIAH	295	2	89	130	53	11	7	3	0	0
COVINGTON	169	1	44	76	32	10	6	0	0	0
DESOTO	824	2	199	310	169	97	38	9	0	0
FORREST	660	5	170	296	126	43	17	3	0	0
FRANKLIN	60	0	19	26	9	5	1	0	0	0
GEORGE	143	3	52	54	22	8	4	0	0	0
GREENE	65	1	17	31	9	5	2	0	0	0
GRENADA	185	1	55	80	35	11	2	1	0	0
HANCOCK	255	1	64	104	52	20	10	4	0	0
HARRISON	1,443	10	330	585	320	145	44	8	1	0
HINDS	2,549	12	594	1,021	587	234	84	17	0	0
HOLMES	295	3	73	135	51	21	8	4	0	0
HUMPHREYS	187	3	40	79	39	16	7	3	0	0
ISSAQUENA	15	0	3	8	4	0	0	0	0	0
ITAWAMBA	95	3	38	31	14	6	3	0	0	0
JACKSON	937	5	251	396	194	58	30	3	0	0
JASPER	155	2	42	52	34	19	6	0	0	0
JEFFERSON	78	1	21	26	19	9	2	0	0	0
JEFF DAVIS	109	1	25	40	26	13	4	0	0	0
JONES	579	5	161	215	126	49	20	3	0	0
KEMPER	60	0	11	28	8	7	5	1	0	0
LAFAYETTE	196	0	55	88	31	17	1	4	0	0
LAMAR	290	1	53	132	65	24	13	2	0	0
LAUDERDALE	649	3	167	247	155	48	25	3	1	0
LAWRENCE	88	1	24	31	22	5	3	2	0	0
LEAKE	210	1	54	89	38	18	8	2	0	0
LEE	573	7	170	222	121	37	13	3	0	0
LEFLORE	465	6	114	196	101	33	12	2	1	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	218	0	71	79	46	13	5	4	0	0
LOWNDES	459	3	127	183	86	38	18	4	0	0
MADISON	647	6	145	245	155	67	27	2	0	0
MARION	249	1	81	105	38	17	6	1	0	0
MARSHALL	297	0	74	114	70	27	10	1	1	0
MONROE	225	0	54	90	44	24	7	6	0	0
MONTGOMERY	94	1	31	31	18	9	3	1	0	0
NESHOBA	336	4	95	129	64	32	8	4	0	0
NEWTON	166	1	36	71	44	10	4	0	0	0
NOXUBEE	137	0	34	61	28	12	2	0	0	0
OKTIBBEHA	246	0	49	108	63	19	7	0	0	0
PANOLA	394	2	135	154	63	31	8	1	0	0
PEARL RIVER	324	2	89	139	58	28	5	3	0	0
PERRY	92	0	29	38	14	10	1	0	0	0
PIKE	434	6	109	170	95	30	23	1	0	0
PONTOTOC	197	0	61	79	34	14	6	3	0	0
PRENTISS	140	0	51	52	23	12	2	0	0	0
QUITMAN	106	0	34	44	18	10	0	0	0	0
RANKIN	693	2	176	279	161	45	27	3	0	0
SCOTT	335	2	81	133	72	34	11	2	0	0
SHARKEY	66	2	24	19	17	2	1	1	0	0
SIMPSON	210	0	69	89	33	16	3	0	0	0
SMITH	91	0	29	44	9	7	2	0	0	0
STONE	104	1	33	42	18	5	4	1	0	0
SUNFLOWER	326	1	104	110	71	29	8	3	0	0
TALLAHATCHIE	160	0	39	67	30	19	2	3	0	0
TATE	213	0	59	90	39	19	4	2	0	0
TIPPAH	130	0	42	48	28	4	6	1	0	1
TISHOMINGO	62	0	21	25	9	6	1	0	0	0
TUNICA	143	1	32	67	27	9	6	1	0	0
UNION	165	1	48	71	27	12	4	2	0	0
WALTHALL	95	0	26	35	22	8	3	1	0	0
WARREN	477	2	126	164	106	51	24	2	2	0
WASHINGTON	678	5	182	293	129	48	16	5	0	0
WAYNE	139	0	35	62	28	12	1	1	0	0
WEBSTER	53	0	13	25	14	1	0	0	0	0
WILKINSON	99	1	21	41	27	6	2	1	0	0
WINSTON	158	1	40	76	26	11	4	0	0	0
YALOBUSHA	97	0	32	43	13	4	3	2	0	0
YAZOO	319	3	84	136	73	16	5	2	0	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>7,690</u>	<u>34</u>	<u>2,199</u>	<u>3,065</u>	<u>1,483</u>	<u>613</u>	<u>239</u>	<u>55</u>	<u>1</u>	<u>1</u>
ADAMS	56	0	16	17	17	6	0	0	0	0
ALCORN	141	0	48	54	27	10	2	0	0	0
AMITE	15	0	2	6	4	0	3	0	0	0
ATTALA	33	0	11	13	5	3	0	1	0	0
BENTON	18	1	6	8	0	2	1	0	0	0
BOLIVAR	42	0	13	13	12	3	1	0	0	0
CALHOUN	42	0	16	12	5	7	2	0	0	0
CARROLL	18	0	5	4	6	3	0	0	0	0
CHICKASAW	59	1	15	25	12	6	0	0	0	0
CHOCTAW	22	0	7	8	4	2	1	0	0	0
CLAIBORNE	0	0	0	0	0	0	0	0	0	0
CLARKE	42	0	12	17	8	4	1	0	0	0
CLAY	25	0	6	13	4	1	1	0	0	0
COAHOMA	27	0	7	14	5	1	0	0	0	0
COPIAH	77	2	24	30	17	1	3	0	0	0
COVINGTON	61	0	21	24	11	4	1	0	0	0
DESOTO	480	0	116	185	99	54	22	4	0	0
FORREST	229	2	64	95	45	12	9	2	0	0
FRANKLIN	16	0	4	8	2	2	0	0	0	0
GEORGE	119	0	45	45	17	8	4	0	0	0
GREENE	38	1	13	16	3	3	2	0	0	0
GRENADA	53	0	16	20	10	7	0	0	0	0
HANCOCK	224	1	60	92	41	17	10	3	0	0
HARRISON	818	6	185	341	189	66	26	5	0	0
HINDS	195	0	43	73	42	24	10	3	0	0
HOLMES	7	0	1	4	1	0	1	0	0	0
HUMPHREYS	7	1	1	4	1	0	0	0	0	0
ISSAQUENA	1	0	0	1	0	0	0	0	0	0
ITAWAMBA	78	2	34	25	9	5	3	0	0	0
JACKSON	533	2	145	228	113	27	16	2	0	0
JASPER	34	1	13	10	4	6	0	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0	0
JEFF DAVIS	14	0	4	6	2	1	1	0	0	0
JONES	248	1	70	89	48	27	10	3	0	0
KEMPER	11	0	4	4	2	0	0	1	0	0
LAFAYETTE	63	0	21	27	4	8	0	3	0	0
LAMAR	145	1	32	67	32	9	3	1	0	0
LAUDERDALE	156	0	49	58	29	13	5	1	1	0
LAWRENCE	40	0	13	17	6	2	1	1	0	0
LEAKE	72	0	18	27	16	6	5	0	0	0
LEE	236	2	76	93	46	13	6	0	0	0
LEFLORE	36	1	6	20	6	2	1	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	78	0	28	30	15	2	3	0	0	0
LOWNDES	121	1	39	52	15	11	2	1	0	0
MADISON	153	1	34	49	38	26	5	0	0	0
MARION	112	1	39	45	16	8	3	0	0	0
MARSHALL	98	0	25	36	21	12	4	0	0	0
MONROE	102	0	30	42	15	9	2	4	0	0
MONTGOMERY	21	0	10	7	1	1	1	1	0	0
NESHOBA	92	1	32	33	12	11	1	2	0	0
NEWTON	41	0	13	17	9	0	2	0	0	0
NOXUBEE	4	0	0	4	0	0	0	0	0	0
OKTIBBEHA	38	0	10	16	8	3	1	0	0	0
PANOLA	90	0	30	34	16	7	3	0	0	0
PEARL RIVER	227	1	69	92	40	19	3	3	0	0
PERRY	58	0	24	18	8	7	1	0	0	0
PIKE	95	1	20	37	25	6	6	0	0	0
PONTOTOC	149	0	50	55	26	11	5	2	0	0
PRENTISS	99	0	42	34	17	5	1	0	0	0
QUITMAN	9	0	2	3	1	3	0	0	0	0
RANKIN	427	0	121	177	93	21	14	1	0	0
SCOTT	159	0	32	66	35	19	5	2	0	0
SHARKEY	2	0	1	0	1	0	0	0	0	0
SIMPSON	82	0	25	38	14	3	2	0	0	0
SMITH	46	0	16	25	1	3	1	0	0	0
STONE	67	1	25	28	8	3	2	0	0	0
SUNFLOWER	15	0	2	6	4	2	0	1	0	0
TALLAHATCHIE	15	0	3	9	3	0	0	0	0	0
TATE	81	0	22	37	13	6	2	1	0	0
TIPPAH	99	0	36	36	18	3	4	1	0	1
TISHOMINGO	54	0	20	20	8	5	1	0	0	0
TUNICA	11	0	2	2	2	3	2	0	0	0
UNION	120	1	33	53	21	8	2	2	0	0
WALTHALL	27	0	9	8	9	1	0	0	0	0
WARREN	112	1	31	38	20	14	8	0	0	0
WASHINGTON	67	0	19	27	17	3	1	0	0	0
WAYNE	51	0	17	22	9	3	0	0	0	0
WEBSTER	19	0	6	8	5	0	0	0	0	0
WILKINSON	6	0	3	1	2	0	0	0	0	0
WINSTON	25	0	11	12	1	1	0	0	0	0
YALOBUSHA	37	0	14	14	3	3	1	2	0	0
YAZOO	50	0	12	21	9	6	0	2	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2009**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>15,958</u>	<u>106</u>	<u>4,016</u>	<u>6,535</u>	<u>3,418</u>	<u>1,299</u>	<u>470</u>	<u>108</u>	<u>6</u>	<u>0</u>
ADAMS	254	2	64	112	55	14	4	3	0	0
ALCORN	60	0	19	21	12	7	1	0	0	0
AMITE	65	0	15	27	18	2	2	1	0	0
ATTALA	142	0	39	60	30	11	1	1	0	0
BENTON	31	1	6	9	8	5	2	0	0	0
BOLIVAR	395	2	96	184	86	16	8	2	1	0
CALHOUN	71	1	25	30	12	2	1	0	0	0
CARROLL	27	1	6	11	8	1	0	0	0	0
CHICKASAW	108	0	34	42	18	10	3	1	0	0
CHOCTAW	44	1	11	20	9	2	0	1	0	0
CLAIBORNE	108	0	29	42	19	13	4	1	0	0
CLARKE	68	0	12	26	16	8	2	4	0	0
CLAY	138	0	29	64	24	16	4	1	0	0
COAHOMA	394	2	110	169	75	21	11	6	0	0
COPIAH	218	0	65	100	36	10	4	3	0	0
COVINGTON	108	1	23	52	21	6	5	0	0	0
DESOTO	344	2	83	125	70	43	16	5	0	0
FORREST	431	3	106	201	81	31	8	1	0	0
FRANKLIN	44	0	15	18	7	3	1	0	0	0
GEORGE	24	3	7	9	5	0	0	0	0	0
GREENE	27	0	4	15	6	2	0	0	0	0
GRENADA	132	1	39	60	25	4	2	1	0	0
HANCOCK	31	0	4	12	11	3	0	1	0	0
HARRISON	625	4	145	244	131	79	18	3	1	0
HINDS	2,354	12	551	948	545	210	74	14	0	0
HOLMES	288	3	72	131	50	21	7	4	0	0
HUMPHREYS	180	2	39	75	38	16	7	3	0	0
ISSAQUENA	14	0	3	7	4	0	0	0	0	0
ITAWAMBA	17	1	4	6	5	1	0	0	0	0
JACKSON	404	3	106	168	81	31	14	1	0	0
JASPER	121	1	29	42	30	13	6	0	0	0
JEFFERSON	78	1	21	26	19	9	2	0	0	0
JEFF DAVIS	95	1	21	34	24	12	3	0	0	0
JONES	331	4	91	126	78	22	10	0	0	0
KEMPER	49	0	7	24	6	7	5	0	0	0
LAFAYETTE	133	0	34	61	27	9	1	1	0	0
LAMAR	145	0	21	65	33	15	10	1	0	0
LAUDERDALE	493	3	118	189	126	35	20	2	0	0
LAWRENCE	48	1	11	14	16	3	2	1	0	0
LEAKE	138	1	36	62	22	12	3	2	0	0
LEE	337	5	94	129	75	24	7	3	0	0
LEFLORE	429	5	108	176	95	31	11	2	1	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2009

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	140	0	43	49	31	11	2	4	0	0
LOWNDES	338	2	88	131	71	27	16	3	0	0
MADISON	494	5	111	196	117	41	22	2	0	0
MARION	137	0	42	60	22	9	3	1	0	0
MARSHALL	199	0	49	78	49	15	6	1	1	0
MONROE	123	0	24	48	29	15	5	2	0	0
MONTGOMERY	73	1	21	24	17	8	2	0	0	0
NESHOBA	244	3	63	96	52	21	7	2	0	0
NEWTON	125	1	23	54	35	10	2	0	0	0
NOXUBEE	133	0	34	57	28	12	2	0	0	0
OKTIBBEHA	208	0	39	92	55	16	6	0	0	0
PANOLA	304	2	105	120	47	24	5	1	0	0
PEARL RIVER	97	1	20	47	18	9	2	0	0	0
PERRY	34	0	5	20	6	3	0	0	0	0
PIKE	339	5	89	133	70	24	17	1	0	0
PONTOTOC	48	0	11	24	8	3	1	1	0	0
PRENTISS	41	0	9	18	6	7	1	0	0	0
QUITMAN	97	0	32	41	17	7	0	0	0	0
RANKIN	266	2	55	102	68	24	13	2	0	0
SCOTT	176	2	49	67	37	15	6	0	0	0
SHARKEY	64	2	23	19	16	2	1	1	0	0
SIMPSON	128	0	44	51	19	13	1	0	0	0
SMITH	45	0	13	19	8	4	1	0	0	0
STONE	37	0	8	14	10	2	2	1	0	0
SUNFLOWER	311	1	102	104	67	27	8	2	0	0
TALLAHATCHIE	145	0	36	58	27	19	2	3	0	0
TATE	132	0	37	53	26	13	2	1	0	0
TIPPAH	31	0	6	12	10	1	2	0	0	0
TISHOMINGO	8	0	1	5	1	1	0	0	0	0
TUNICA	132	1	30	65	25	6	4	1	0	0
UNION	45	0	15	18	6	4	2	0	0	0
WALTHALL	68	0	17	27	13	7	3	1	0	0
WARREN	365	1	95	126	86	37	16	2	2	0
WASHINGTON	611	5	163	266	112	45	15	5	0	0
WAYNE	88	0	18	40	19	9	1	1	0	0
WEBSTER	34	0	7	17	9	1	0	0	0	0
WILKINSON	93	1	18	40	25	6	2	1	0	0
WINSTON	133	1	29	64	25	10	4	0	0	0
YALOBUSHA	60	0	18	29	10	1	2	0	0	0
YAZOO	269	3	72	115	64	10	5	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,246</u>	<u>2,043</u>	<u>3,203</u>	<u>12.2</u>	<u>8.9</u>	<u>16.0</u>
ADAMS	56	8	48	12.8	5.4	16.7
ALCORN	70	56	14	15.4	14.7	19.2
AMITE	15	4	11	9.2	4.9	13.4
ATTALA	30	12	18	9.7	8.7	10.6
BENTON	16	6	10	14.7	8.8	24.4
BOLIVAR	82	12	70	13.6	8.3	15.2
CALHOUN	23	13	10	11.1	10.1	12.8
CARROLL	6	4	2	6.9	7.5	5.9
CHICKASAW	31	11	20	11.3	7.6	15.4
CHOCTAW	11	6	5	9.9	10.0	9.8
CLAIBORNE	19	0	19	14.4	-	15.2
CLARKE	34	16	18	15.4	11.8	21.2
CLAY	37	6	31	14.3	7.6	17.2
COAHOMA	102	6	96	19.9	8.8	21.6
COPIAH	49	14	35	11.1	7.9	13.2
COVINGTON	36	10	26	11.4	5.4	19.8
DESOTO	202	135	67	9.3	8.5	11.4
FORREST	161	73	88	13.7	11.4	16.5
FRANKLIN	16	3	13	15.4	5.4	26.5
GEORGE	27	21	6	7.1	6.0	20.7
GREENE	12	7	5	6.8	5.1	13.2
GRENADA	38	18	20	12.7	12.2	13.1
HANCOCK	49	42	7	9.8	9.2	18.4
HARRISON	297	169	128	10.5	8.6	14.6
HINDS	614	65	549	16.6	8.7	18.6
HOLMES	65	2	63	18.6	8.3	19.3
HUMPHREYS	38	4	34	17.7	19.0	17.5
ISSAQUENA	2	0	2	11.8	-	13.3
ITAWAMBA	29	23	6	10.3	8.8	31.6
JACKSON	197	122	75	11.0	9.6	14.4
JASPER	32	11	21	13.2	12.1	13.8
JEFFERSON	19	0	19	18.1	-	19.0
JEFF DAVIS	30	8	22	18.6	15.4	20.2
JONES	135	55	80	12.5	8.1	20.2
KEMPER	7	0	7	7.3	-	10.6
LAFAYETTE	49	30	19	9.6	9.3	10.2
LAMAR	83	53	30	10.6	9.3	14.0
LAUDERDALE	136	42	94	11.9	7.9	15.3
LAWRENCE	23	13	10	12.0	10.5	14.7
LEAKE	54	21	33	15.2	11.7	18.8
LEE	126	56	70	10.4	7.2	16.1
LEFLORE	92	13	79	15.7	13.3	16.2

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	47	20	27	9.1	5.8	16.0
LOWNDES	89	31	58	10.5	7.3	13.6
MADISON	166	72	94	11.8	9.9	13.7
MARION	42	21	21	9.6	7.6	13.1
MARSHALL	49	19	30	9.9	8.2	11.5
MONROE	73	45	28	15.3	14.3	17.3
MONTGOMERY	31	7	24	20.0	10.8	26.7
NESHOBA	61	25	36	11.2	10.4	11.8
NEWTON	43	17	26	12.9	9.6	16.4
NOXUBEE	15	1	14	7.5	2.4	8.9
OKTIBBEHA	54	15	39	9.8	6.0	12.9
PANOLA	74	15	59	12.7	6.4	17.0
PEARL RIVER	60	38	22	8.1	6.2	17.6
PERRY	21	14	7	12.4	10.8	17.1
PIKE	94	27	67	13.9	10.9	15.6
PONTOTOC	44	37	7	9.8	9.7	10.3
PRENTISS	34	26	8	10.4	9.3	16.3
QUITMAN	30	6	24	20.8	20.7	20.9
RANKIN	201	135	66	10.2	8.7	15.2
SCOTT	77	34	43	15.0	11.3	20.1
SHARKEY	13	0	13	15.8	-	18.6
SIMPSON	64	30	34	15.4	12.1	20.5
SMITH	22	16	6	10.5	11.1	9.2
STONE	17	13	4	7.9	7.7	8.9
SUNFLOWER	62	5	57	15.0	8.5	16.1
TALLAHATCHIE	43	7	36	20.5	14.3	22.4
TATE	39	19	20	10.1	8.2	13.1
TIPPAH	39	29	10	12.8	11.2	21.7
TISHOMINGO	17	14	3	8.9	7.7	33.3
TUNICA	21	3	18	11.5	9.7	11.9
UNION	36	26	10	9.2	8.0	15.6
WALTHALL	18	6	12	8.9	5.7	12.5
WARREN	90	32	58	12.5	11.3	13.3
WASHINGTON	113	11	102	13.3	6.3	15.1
WAYNE	36	15	21	13.2	9.3	18.9
WEBSTER	21	10	11	15.7	10.4	28.9
WILKINSON	26	3	23	19.5	11.1	21.7
WINSTON	36	10	26	13.4	10.1	15.4
YALOBUSHA	19	8	11	11.9	8.7	16.2
YAZOO	59	11	48	13.2	8.1	15.5

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>901</u>	<u>279</u>	<u>622</u>	<u>2.1</u>	<u>1.2</u>	<u>3.1</u>
ADAMS	11	0	11	2.5	-	3.8
ALCORN	4	2	2	0.9	0.5	2.7
AMITE	3	0	3	1.8	-	3.6
ATTALA	6	1	5	1.9	0.7	2.9
BENTON	2	1	1	1.8	1.5	2.4
BOLIVAR	16	2	14	2.6	1.4	3.0
CALHOUN	3	1	2	1.4	0.8	2.6
CARROLL	1	1	0	1.1	1.9	-
CHICKASAW	4	3	1	1.5	2.1	0.8
CHOCTAW	1	0	1	0.9	-	2.0
CLAIBORNE	3	0	3	2.3	-	2.4
CLARKE	6	2	4	2.7	1.5	4.7
CLAY	10	1	9	3.9	1.3	5.0
COAHOMA	10	1	9	2.0	1.5	2.0
COPIAH	10	5	5	2.2	2.8	1.9
COVINGTON	5	2	3	1.6	1.1	2.3
DESOTO	36	28	8	1.6	1.8	1.4
FORREST	36	14	22	3.1	2.2	4.1
FRANKLIN	3	1	2	2.9	1.8	4.1
GEORGE	3	2	1	0.8	0.6	3.4
GREENE	2	1	1	1.1	0.7	2.6
GRENADA	6	2	4	2.0	1.4	2.6
HANCOCK	2	2	0	0.4	0.4	-
HARRISON	53	26	27	1.9	1.3	3.1
HINDS	117	5	112	3.2	0.7	3.8
HOLMES	16	0	16	4.6	-	4.9
HUMPHREYS	9	1	8	4.2	4.8	4.1
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	4	3	1	1.4	1.1	5.3
JACKSON	31	19	12	1.7	1.5	2.3
JASPER	4	0	4	1.6	-	2.6
JEFFERSON	6	0	6	5.7	-	6.0
JEFF DAVIS	7	2	5	4.3	3.8	4.6
JONES	21	7	14	1.9	1.0	3.5
KEMPER	0	0	0	-	-	-
LAFAYETTE	9	5	4	1.8	1.5	2.2
LAMAR	12	5	7	1.5	0.9	3.3
LAUDERDALE	18	2	16	1.6	0.4	2.6
LAWRENCE	5	1	4	2.6	0.8	5.9
LEAKE	7	3	4	2.0	1.7	2.3
LEE	21	7	14	1.7	0.9	3.2
LEFLORE	14	0	14	2.4	-	2.9

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	3	3	1.2	0.9	1.8
LOWNDES	21	6	15	2.5	1.4	3.5
MADISON	26	12	14	1.8	1.6	2.0
MARION	12	7	5	2.7	2.5	3.1
MARSHALL	5	3	2	1.0	1.3	0.8
MONROE	11	3	8	2.3	1.0	4.9
MONTGOMERY	9	1	8	5.8	1.5	8.9
NESHOBA	11	3	8	2.0	1.2	2.6
NEWTON	6	2	4	1.8	1.1	2.5
NOXUBEE	3	0	3	1.5	-	1.9
OKTIBBEHA	11	2	9	2.0	0.8	3.0
PANOLA	16	2	14	2.7	0.8	4.0
PEARL RIVER	13	9	4	1.8	1.5	3.2
PERRY	3	3	0	1.8	2.3	-
PIKE	18	1	17	2.6	0.4	4.0
PONTOTOC	14	11	3	3.1	2.9	4.4
PRENTISS	5	4	1	1.5	1.4	2.0
QUITMAN	6	0	6	4.2	-	5.2
RANKIN	27	15	12	1.4	1.0	2.8
SCOTT	10	1	9	1.9	0.3	4.2
SHARKEY	2	0	2	2.4	-	2.8
SIMPSON	11	4	7	2.6	1.6	4.2
SMITH	2	1	1	1.0	0.7	1.5
STONE	3	1	2	1.4	0.6	4.4
SUNFLOWER	12	2	10	2.9	3.4	2.8
TALLAHATCHIE	3	1	2	1.4	2.0	1.2
TATE	9	1	8	2.3	0.4	5.2
TIPPAH	6	5	1	2.0	1.9	2.2
TISHOMINGO	2	2	0	1.0	1.1	-
TUNICA	2	0	2	1.1	-	1.3
UNION	6	4	2	1.5	1.2	3.1
WALTHALL	6	2	4	3.0	1.9	4.2
WARREN	10	0	10	1.4	-	2.3
WASHINGTON	23	1	22	2.7	0.6	3.3
WAYNE	3	2	1	1.1	1.2	0.9
WEBSTER	6	3	3	4.5	3.1	7.9
WILKINSON	4	1	3	3.0	3.7	2.8
WINSTON	5	0	5	1.9	-	3.0
YALOBUSHA	5	2	3	3.1	2.2	4.4
YAZOO	11	1	10	2.5	0.7	3.2

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>7,460</u>	<u>3,196</u>	<u>4,264</u>	<u>17.4</u>	<u>14.0</u>	<u>21.4</u>
ADAMS	73	12	61	16.7	8.0	21.2
ALCORN	84	67	17	18.5	17.6	23.3
AMITE	19	7	12	11.6	8.6	14.6
ATTALA	66	25	41	21.4	18.1	24.1
BENTON	20	7	13	18.3	10.3	31.7
BOLIVAR	125	23	102	20.7	15.9	22.2
CALHOUN	44	26	18	21.2	20.2	23.1
CARROLL	10	7	3	11.5	13.2	8.8
CHICKASAW	46	26	20	16.8	18.0	15.4
CHOCTAW	12	7	5	10.8	11.7	9.8
CLAIBORNE	26	0	26	19.7	-	20.8
CLARKE	42	22	20	19.0	16.2	23.5
CLAY	50	12	38	19.3	15.2	21.1
COAHOMA	157	10	147	30.7	14.7	33.1
COPIAH	90	32	58	20.3	18.1	21.8
COVINGTON	54	21	33	17.1	11.4	25.2
DESOTO	219	148	71	10.1	9.4	12.0
FORREST	195	97	98	16.6	15.2	18.4
FRANKLIN	13	5	8	12.5	9.1	16.3
GEORGE	51	47	4	13.4	13.4	13.8
GREENE	27	16	11	15.4	11.7	28.9
GRENADA	54	25	29	18.0	17.0	19.0
HANCOCK	77	70	7	15.5	15.2	18.4
HARRISON	492	299	193	17.4	15.3	22.0
HINDS	847	112	735	22.9	15.0	24.9
HOLMES	94	4	90	26.8	16.7	27.6
HUMPHREYS	44	3	41	20.5	14.3	21.1
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	44	38	6	15.6	14.5	31.6
JACKSON	261	166	95	14.6	13.1	18.2
JASPER	39	15	24	16.0	16.5	15.8
JEFFERSON	27	1	26	25.7	20.0	26.0
JEFF DAVIS	37	9	28	23.0	17.3	25.7
JONES	188	94	94	17.4	13.8	23.7
KEMPER	21	3	18	21.9	10.0	27.3
LAFAYETTE	61	32	29	12.0	9.9	15.6
LAMAR	106	73	33	13.5	12.8	15.4
LAUDERDALE	203	78	125	17.8	14.7	20.4
LAWRENCE	33	22	11	17.2	17.7	16.2
LEAKE	76	27	49	21.3	15.0	27.8
LEE	183	97	86	15.0	12.4	19.8
LEFLORE	106	13	93	18.1	13.3	19.0

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2009

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	83	48	35	16.1	13.9	20.7
LOWNDES	134	47	87	15.8	11.1	20.5
MADISON	257	116	141	18.2	16.0	20.6
MARION	68	34	34	15.6	12.3	21.2
MARSHALL	72	26	46	14.6	11.2	17.7
MONROE	94	55	39	19.7	17.5	24.1
MONTGOMERY	34	11	23	21.9	16.9	25.6
NESHOBA	110	44	66	20.2	18.3	21.7
NEWTON	67	31	36	20.1	17.6	22.8
NOXUBEE	35	4	31	17.5	9.5	19.6
OKTIBBEHA	80	24	56	14.5	9.6	18.5
PANOLA	86	29	57	14.7	12.3	16.4
PEARL RIVER	109	85	24	14.8	13.8	19.2
PERRY	27	21	6	15.9	16.3	14.6
PIKE	114	31	83	16.8	12.5	19.3
PONTOTOC	62	48	14	13.8	12.6	20.6
PRENTISS	63	45	18	19.2	16.1	36.7
QUITMAN	43	2	41	29.9	6.9	35.6
RANKIN	328	236	92	16.6	15.3	21.2
SCOTT	89	43	46	17.3	14.3	21.5
SHARKEY	12	0	12	14.6	-	17.1
SIMPSON	98	55	43	23.7	22.2	25.9
SMITH	32	20	12	15.3	13.9	18.5
STONE	32	26	6	15.0	15.4	13.3
SUNFLOWER	99	18	81	24.0	30.5	22.9
TALLAHATCHIE	56	10	46	26.7	20.4	28.6
TATE	41	20	21	10.6	8.6	13.7
TIPPAH	41	35	6	13.4	13.5	13.0
TISHOMINGO	31	27	4	16.2	14.8	44.4
TUNICA	29	1	28	15.9	3.2	18.5
UNION	50	43	7	12.8	13.2	10.9
WALTHALL	25	9	16	12.4	8.5	16.7
WARREN	124	47	77	17.2	16.5	17.7
WASHINGTON	166	21	145	19.6	12.1	21.5
WAYNE	45	22	23	16.5	13.7	20.7
WEBSTER	24	14	10	17.9	14.6	26.3
WILKINSON	27	4	23	20.3	14.8	21.7
WINSTON	51	17	34	19.0	17.2	20.1
YALOBUSHA	25	12	13	15.6	13.0	19.1
YAZOO	81	17	64	18.2	12.5	20.7

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>402</u>	<u>140</u>	<u>262</u>	<u>403</u>	<u>145</u>	<u>258</u>	<u>9.4</u>	<u>6.3</u>	<u>12.9</u>
ADAMS	12	4	8	5	1	4	11.4	6.7	13.9
ALCORN	5	4	1	4	3	1	8.8	7.9	13.7
AMITE	0	0	0	2	1	1	12.3	12.3	12.2
ATTALA	0	0	0	4	2	2	13.0	14.5	11.8
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	3	0	3	5	0	5	8.3	-	10.9
CALHOUN	0	0	0	3	2	1	14.5	15.5	12.8
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	1	0	1	4	0	4	14.6	-	30.8
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	5	0	5	37.9	-	40.0
CLARKE	0	0	0	2	0	2	9.0	-	23.5
CLAY	2	0	2	3	1	2	11.6	12.6	11.1
COAHOMA	5	1	4	10	0	10	19.5	-	22.5
COPIAH	0	0	0	6	0	6	13.5	-	22.6
COVINGTON	0	0	0	2	2	0	6.3	10.9	-
DESOTO	16	9	7	12	9	3	5.5	5.7	5.1
FORREST	16	11	5	7	2	5	6.0	3.1	9.4
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	0	0	0	3	3	0	7.9	8.5	-
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	4	2	2	5	2	3	16.7	13.6	19.6
HANCOCK	1	1	0	4	3	1	8.0	6.5	26.3
HARRISON	23	12	11	23	12	11	8.1	6.1	12.6
HINDS	131	24	107	38	8	30	10.3	10.7	10.2
HOLMES	0	0	0	8	0	8	22.8	-	24.5
HUMPHREYS	0	0	0	4	0	4	18.6	-	20.6
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	0	0	0	-	-	-
JACKSON	11	6	5	12	7	5	6.7	5.5	9.6
JASPER	0	0	0	2	0	2	8.2	-	13.2
JEFFERSON	0	0	0	3	1	2	28.6	200.0	20.0
JEFF DAVIS	0	0	0	1	0	1	6.2	-	9.2
JONES	15	7	8	13	7	6	12.0	10.3	15.2
KEMPER	0	0	0	0	0	0	-	-	-
LAFAYETTE	13	9	4	9	7	2	17.7	21.7	10.8
LAMAR	17	7	10	6	2	4	7.7	3.5	18.7
LAUDERDALE	16	4	12	7	2	5	6.1	3.8	8.2
LAWRENCE	0	0	0	0	0	0	-	-	-
LEAKE	1	1	0	4	1	3	11.2	5.6	17.0
LEE	15	9	6	8	5	3	6.6	6.4	6.9
LEFLORE	8	0	8	8	1	7	13.6	10.2	14.3

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	4	0	4	4	1	3	7.8	2.9	17.8
LOWNDES	8	4	4	6	3	3	7.1	7.1	7.0
MADISON	2	0	2	11	4	7	7.8	5.5	10.2
MARION	0	0	0	3	0	3	6.9	-	18.8
MARSHALL	0	0	0	2	1	1	4.0	4.3	3.8
MONROE	6	4	2	5	4	1	10.5	12.7	6.2
MONTGOMERY	0	0	0	3	1	2	19.4	15.4	22.2
NESHOBA	0	0	0	4	1	3	7.4	4.2	9.9
NEWTON	0	0	0	4	2	2	12.0	11.4	12.6
NOXUBEE	0	0	0	2	0	2	10.0	-	12.6
OKTIBBEHA	2	1	1	1	1	0	1.8	4.0	-
PANOLA	1	0	1	3	1	2	5.1	4.2	5.7
PEARL RIVER	5	3	2	9	6	3	12.2	9.8	24.0
PERRY	0	0	0	3	2	1	17.6	15.5	24.4
PIKE	5	2	3	4	0	4	5.9	-	9.3
PONTOTOC	0	0	0	2	1	1	4.5	2.6	14.7
PRENTISS	0	0	0	1	1	0	3.0	3.6	-
QUITMAN	0	0	0	2	1	1	13.9	34.5	8.7
RANKIN	15	8	7	8	6	2	4.0	3.9	4.6
SCOTT	0	0	0	5	1	4	9.7	3.3	18.7
SHARKEY	0	0	0	3	0	3	36.6	-	42.8
SIMPSON	1	0	1	4	2	2	9.7	8.1	12.0
SMITH	0	0	0	3	3	0	14.4	20.8	-
STONE	0	0	0	1	0	1	4.7	-	22.2
SUNFLOWER	1	1	0	3	0	3	7.3	-	8.5
TALLAHATCHIE	0	0	0	6	1	5	28.6	20.4	31.0
TATE	0	0	0	4	1	3	10.4	4.3	19.6
TIPPAH	0	0	0	2	1	1	6.6	3.9	21.7
TISHOMINGO	0	0	0	2	2	0	10.5	11.0	-
TUNICA	0	0	0	2	0	2	11.0	-	13.2
UNION	4	3	1	2	2	0	5.1	6.2	-
WALTHALL	1	0	1	7	2	5	34.6	18.9	52.1
WARREN	14	1	13	10	2	8	13.9	7.0	18.3
WASHINGTON	16	1	15	18	2	16	21.2	11.5	23.7
WAYNE	2	1	1	6	4	2	22.0	24.8	18.0
WEBSTER	0	0	0	2	1	1	14.9	10.4	26.3
WILKINSON	0	0	0	3	1	2	22.6	37.0	18.9
WINSTON	0	0	0	1	0	1	3.7	-	5.9
YALOBUSHA	0	0	0	1	0	1	6.2	-	14.7
YAZOO	0	0	0	9	0	9	20.2	-	29.1
OUT OF STATE	10	7	3	9	2	7			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>27,709</u>	<u>18,561</u>	<u>9,148</u>	<u>28,164</u>	<u>18,946</u>	<u>9,218</u>	<u>9.5</u>	<u>10.6</u>	<u>7.9</u>
ADAMS	409	214	195	394	191	203	12.8	14.7	11.4
ALCORN	450	411	39	430	383	47	12.0	12.3	10.1
AMITE	74	48	26	147	88	59	11.3	12.2	10.1
ATTALA	231	175	56	274	189	85	13.9	16.7	10.0
BENTON	60	40	20	94	65	29	11.8	12.8	10.0
BOLIVAR	373	137	236	421	155	266	11.4	12.7	10.8
CALHOUN	131	104	27	185	139	46	12.8	13.8	10.6
CARROLL	51	35	16	109	72	37	10.6	10.7	10.5
CHICKASAW	106	76	30	178	118	60	9.5	11.0	7.5
CHOCTAW	67	47	20	109	76	33	12.1	12.5	11.2
CLAIBORNE	68	16	52	102	25	77	9.5	15.9	8.4
CLARKE	110	78	32	186	134	52	10.8	12.2	8.4
CLAY	160	77	83	211	94	117	10.2	10.8	9.8
COAHOMA	274	76	198	279	83	196	10.4	13.1	9.5
COPIAH	191	113	78	290	168	122	10.0	12.2	8.0
COVINGTON	153	116	37	207	154	53	10.1	12.0	6.8
DESOTO	1,049	821	228	1,056	918	138	6.6	7.7	3.5
FORREST	1,071	801	270	676	501	175	8.3	10.0	5.6
FRANKLIN	57	46	11	80	63	17	9.6	12.2	5.3
GEORGE	186	170	16	225	208	17	9.9	10.3	6.9
GREENE	70	62	8	128	111	17	8.9	11.1	3.9
GRENADA	237	146	91	250	150	100	10.8	11.5	10.0
HANCOCK	290	273	17	378	355	23	9.2	9.7	5.3
HARRISON	1,660	1,329	331	1,523	1,218	305	8.4	9.5	5.8
HINDS	3,544	1,730	1,814	1,946	789	1,157	7.8	10.1	6.8
HOLMES	152	51	101	230	71	159	11.3	19.4	9.6
HUMPHREYS	83	25	58	123	30	93	12.5	12.1	12.7
ISSAQUENA	9	5	4	21	5	16	13.0	8.0	16.2
ITAWAMBA	139	133	6	244	228	16	10.6	10.8	8.8
JACKSON	1,159	931	228	1,196	964	232	9.0	9.8	6.7
JASPER	82	57	25	160	88	72	8.9	10.4	7.6
JEFFERSON	43	5	38	73	11	62	8.2	9.4	8.0
JEFF DAVIS	98	53	45	147	76	71	11.7	14.6	9.7
JONES	644	472	172	718	551	167	10.6	11.4	8.5
KEMPER	61	34	27	114	48	66	11.6	13.2	10.6
LAFAYETTE	529	382	147	350	275	75	8.0	8.6	6.2
LAMAR	373	322	51	317	287	30	6.3	7.0	3.3
LAUDERDALE	1,297	808	489	801	525	276	10.1	11.7	8.0
LAWRENCE	85	66	19	141	96	45	10.6	10.8	10.2
LEAKE	233	163	70	283	194	89	12.2	15.3	8.5
LEE	1,594	1,259	335	908	735	173	11.1	12.5	7.4
LEFLORE	450	166	284	358	140	218	10.4	15.1	8.6

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2009

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	270	195	75	357	252	105	10.2	10.6	9.4
LOWNDES	546	343	203	532	345	187	8.9	10.5	6.9
MADISON	933	634	299	999	684	315	10.7	12.2	8.5
MARION	256	177	79	326	221	105	12.7	13.1	11.8
MARSHALL	237	161	76	388	235	153	10.5	12.5	8.4
MONROE	292	215	77	371	265	106	10.0	10.6	9.0
MONTGOMERY	118	63	55	141	79	62	12.7	13.3	11.9
NESHOBA	196	133	63	321	213	108	10.6	11.3	9.4
NEWTON	170	116	54	286	197	89	12.7	13.5	11.1
NOXUBEE	72	22	50	128	41	87	11.0	12.3	10.5
OKTIBBEHA	269	146	123	296	167	129	6.6	6.3	7.2
PANOLA	278	180	98	385	231	154	10.9	12.8	9.0
PEARL RIVER	421	382	39	562	502	60	9.7	10.2	6.9
PERRY	80	63	17	122	99	23	10.1	10.7	8.2
PIKE	537	319	218	488	291	197	12.2	14.8	9.8
PONTOTOC	151	141	10	245	225	20	8.4	9.1	4.3
PRENTISS	170	160	10	227	209	18	8.8	9.6	4.5
QUITMAN	79	35	44	112	50	62	13.3	20.3	10.4
RANKIN	673	544	129	951	792	159	6.6	7.1	5.0
SCOTT	178	130	48	278	175	103	9.5	9.9	8.8
SHARKEY	50	20	30	64	26	38	11.8	16.6	9.9
SIMPSON	214	157	57	268	190	78	9.6	10.6	7.7
SMITH	111	91	20	162	129	33	10.2	10.9	8.2
STONE	104	92	12	153	128	25	9.2	9.7	7.2
SUNFLOWER	216	89	127	286	108	178	9.6	14.0	8.1
TALLAHATCHIE	83	45	38	148	76	72	11.7	15.8	9.2
TATE	172	133	39	266	189	77	9.7	10.2	8.7
TIPPAH	168	154	14	231	214	17	10.7	12.2	4.1
TISHOMINGO	213	208	5	283	277	6	14.9	15.3	6.8
TUNICA	43	24	19	89	38	51	8.5	13.9	6.6
UNION	203	179	24	255	219	36	9.4	9.7	7.8
WALTHALL	121	79	42	173	102	71	11.3	12.3	10.1
WARREN	512	295	217	477	298	179	9.9	12.2	7.5
WASHINGTON	618	240	378	632	253	379	11.6	15.4	9.9
WAYNE	151	112	39	179	134	45	8.7	10.7	5.5
WEBSTER	132	110	22	153	118	35	15.5	15.3	16.4
WILKINSON	126	51	75	131	40	91	12.9	13.4	12.7
WINSTON	165	93	72	223	128	95	11.5	12.4	10.5
YALOBUSHA	91	67	24	169	121	48	12.3	14.7	8.7
YAZOO	187	90	97	245	114	131	8.8	9.3	8.3
OUT OF STATE	1,409	1,028	381	954	643	311			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2009

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	361	296	65
BRANDON	263	235	28
BROOKHAVEN	177	105	72
CANTON	94	28	66
CLARKSDALE	197	61	136
CLEVELAND	160	90	70
CLINTON	179	131	48
COLUMBUS	320	206	114
CORINTH	237	198	39
GAUTIER	138	117	21
GREENVILLE	443	159	284
GREENWOOD	192	78	114
GRENADA	183	101	82
GULFPORT	638	455	183
HATTIESBURG	434	278	156
INDIANOLA	120	32	88
JACKSON	1,429	435	994
LAUREL	301	184	117
LONG BEACH	95	86	9
MCCOMB	240	132	108
MERIDIAN	495	277	218
MOSS POINT	205	84	121
NATCHEZ	254	131	123
OCEAN SPRINGS	228	199	29
PASCAGOULA	198	156	42
PEARL	188	158	30
PICAYUNE	139	99	40
RIDGELAND	549	424	125
SOUTHAVEN	314	284	30
STARKVILLE	173	97	76
TUPELO	466	361	105
VICKSBURG	298	146	152
YAZOO CITY	136	43	93

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,164</u>	<u>18,946</u>	<u>9,218</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>882</u>	<u>495</u>	<u>387</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>57</u>	<u>37</u>	<u>20</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>28</u>	<u>23</u>	<u>5</u>
007	Intestinal infections due to other specified organisms	28	23	5
008	Diarrhea and gastroenteritis of presumed infectious origin	29	14	15
<u>009-010</u>	<u>Tuberculosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
009	Respiratory tuberculosis	3	2	1
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>562</u>	<u>348</u>	<u>214</u>
018	Septicemia	537	333	204
019	Other zoonotic and bacterial diseases	25	15	10
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
022	Other and unspecified syphilis	1	0	1
<u>025-027</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	All other infections caused by spirochetes, chlamydia or rickettsia	1	1	0
<u>028-044</u>	<u>Viral diseases</u>	<u>223</u>	<u>83</u>	<u>140</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	3	2	1
033	Herpesviral (herpes simplex) infections	2	2	0
038	Viral hepatitis	52	44	8
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>155</u>	<u>27</u>	<u>128</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	56	10	46
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	8	1	7
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	13	3	10
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	32	5	27
043	Unspecified human immunodeficiency virus (HIV) disease	46	8	38
044	All other and unspecified viral diseases	11	8	3
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>35</u>	<u>24</u>	<u>11</u>
045	Mycoses	18	12	6
054	Sequelae of poliomyelitis	4	3	1
055	All other and unspecified infectious and parasitic diseases and their sequelae	13	9	4
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,194</u>	<u>4,205</u>	<u>1,989</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,093</u>	<u>4,132</u>	<u>1,961</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>112</u>	<u>66</u>	<u>46</u>
057	Malignant neoplasms of tongue	15	10	5
058	Malignant neoplasms of pharynx	67	37	30

Table 10A - Page 2
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	30	19	11
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,456</u>	<u>919</u>	<u>537</u>
060	Malignant neoplasms of esophagus	127	75	52
061	Malignant neoplasms of stomach	118	50	68
062	Malignant neoplasms of small intestine	6	3	3
063	Malignant neoplasms of colon	506	306	200
064	Malignant neoplasms of rectosigmoid junction and rectum	85	63	22
065	Malignant neoplasms of anus and anal canal	11	8	3
066	Malignant neoplasms of liver	170	111	59
067	Intrahepatic bile duct carcinoma	18	12	6
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	36	28	8
069	Malignant neoplasms of pancreas	368	254	114
070	Malignant neoplasms of other and ill-defined digestive organs	11	9	2
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,973</u>	<u>1,452</u>	<u>521</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	7	2	5
072	Malignant neoplasms of larynx	43	23	20
073	Malignant neoplasms of trachea, bronchus and lung	1,920	1,425	495
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	3	2	1
076	Malignant neoplasms of bone and articular cartilage	32	17	15
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>95</u>	<u>85</u>	<u>10</u>
077	Malignant melanoma of skin	70	65	5
078	Other malignant neoplasms of skin	25	20	5
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>76</u>	<u>57</u>	<u>19</u>
079	Mesothelioma	17	14	3
081	Malignant neoplasms of other mesothelial and soft tissue	59	43	16
082	Malignant neoplasm of breast	423	236	187
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>252</u>	<u>150</u>	<u>102</u>
083	Malignant neoplasms of vulva and vagina	6	6	0
084	Malignant neoplasms of cervix uteri	50	25	25
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	70	36	34
086	Malignant neoplasms of ovary	124	81	43
087	Malignant neoplasms of other and unspecified female genital organs	2	2	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>317</u>	<u>162</u>	<u>155</u>
089	Malignant neoplasms of prostate	310	158	152
090	Malignant neoplasms of testis	1	1	0
091	Malignant neoplasms of penis and other and unspecified male genital organs	6	3	3
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>258</u>	<u>197</u>	<u>61</u>
092	Malignant neoplasms of kidney and renal pelvis	136	102	34
093	Malignant neoplasms of bladder	116	91	25
094	Malignant neoplasms of other and unspecified sites within the urinary tract	6	4	2
095	Malignant neoplasm of eye and adnexa	3	3	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>136</u>	<u>108</u>	<u>28</u>
096	Malignant neoplasms of brain	135	108	27

Table 10A - Page 3
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
097	Malignant neoplasms of other parts of central nervous system	1	0	1
098	Malignant neoplasms of thyroid and other endocrine glands	21	11	10
099	Other malignant neoplasms of other and unspecified sites	369	251	118
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>570</u>	<u>418</u>	<u>152</u>
100	Hodgkin's disease	15	12	3
101	Non-Hodgkin's lymphoma	183	143	40
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	1	0	1
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	112	68	44
<u>105-108</u>	<u>Leukemia</u>	<u>258</u>	<u>194</u>	<u>64</u>
105	Lymphoid leukemia	73	52	21
106	Myeloid leukemia	88	66	22
107	Monocytic leukemia	3	3	0
108	Other and unspecified leukemia	94	73	21
<u>111-113</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>7</u>	<u>6</u>
111	Benign neoplasms of female genital organs	1	0	1
112	Benign neoplasms of eye, brain and other parts of central nervous system	9	6	3
113	Benign neoplasms of other and unspecified sites	3	1	2
114	Neoplasms of uncertain or unknown behavior of specified sites	86	65	21
115	Neoplasm of uncertain or unknown behavior of unspecified sites	2	1	1
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>149</u>	<u>71</u>	<u>78</u>
<u>116-119</u>	<u>Anemias</u>	<u>73</u>	<u>35</u>	<u>38</u>
116	Nutritional anemias	5	1	4
117	Hemolytic anemias	20	2	18
118	Aplastic anemias	14	10	4
119	Acute posthemorrhagic and other anemias	34	22	12
120	Coagulation defects, purpura and other hemorrhagic conditions	30	20	10
121	Other diseases of blood and blood-forming organs	13	6	7
122	Certain disorders involving the immune mechanism	33	10	23
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,192</u>	<u>611</u>	<u>581</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>933</u>	<u>453</u>	<u>480</u>
123	Disorders of thyroid gland	10	5	5
124	Diabetes mellitus	897	434	463
125	Disorders of pituitary gland	2	1	1
126	Disorders of adrenal glands	6	4	2
127	Diseases of thymus	1	1	0
128	Other endocrine diseases	17	8	9
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>27</u>	<u>14</u>	<u>13</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>27</u>	<u>14</u>	<u>13</u>
130	Other and unspecified malnutrition	27	14	13

Table 10A - Page 4
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
132	Obesity and other hyperalimentation	86	44	42
<u>133-135</u>	<u>Metabolic disorders</u>	<u>146</u>	<u>100</u>	<u>46</u>
133	Cystic fibrosis	3	3	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	91	63	28
135	Other metabolic disorders	52	34	18
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>789</u>	<u>591</u>	<u>198</u>
136	Organic dementia	663	504	159
137	Other and unspecified organic mental disorders	16	13	3
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>84</u>	<u>50</u>	<u>34</u>
138	Mental and behavioral disorders due to use of alcohol	62	36	26
139	Mental and behavioral disorders due to other psychoactive substance use	22	14	8
140	Schizophrenia, schizotypal and delusional disorders	3	3	0
141	Mood (affective) disorders	9	8	1
142	Neurotic, stress-related and somatoform disorders	4	4	0
143	Mental retardation	5	5	0
144	Other and unspecified mental and behavioral disorders	5	4	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,389</u>	<u>1,093</u>	<u>296</u>
145	Meningitis	8	5	3
146	Other inflammatory diseases of central nervous system	10	5	5
147	Parkinson's disease	161	149	12
148	Alzheimer's disease	896	737	159
149	Multiple sclerosis	22	13	9
150	Epilepsy	18	10	8
151	Transient cerebral ischemic attacks and related syndromes	3	3	0
152	Infantile cerebral palsy	25	14	11
153	All other diseases of nervous system	246	157	89
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,642</u>	<u>6,419</u>	<u>3,223</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>9,591</u>	<u>6,392</u>	<u>3,199</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>27</u>	<u>18</u>	<u>9</u>
157	Rheumatic mitral valve diseases	17	12	5
159	Disorders of both mitral and aortic valves	4	2	2
160	Other chronic rheumatic heart diseases	6	4	2
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,203</u>	<u>607</u>	<u>596</u>
161	Essential (primary) hypertension	311	178	133
162	Hypertensive heart disease	668	350	318
163	Hypertensive renal disease	152	51	101
164	Hypertensive heart and renal disease	72	28	44
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>3,911</u>	<u>2,780</u>	<u>1,131</u>
165	Acute myocardial infarction	1,864	1,253	611

Table 10A - Page 5
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
166	Other acute ischemic heart diseases	23	15	8
167	Atherosclerotic cardiovascular disease, so described	537	413	124
168	All other forms of chronic ischemic heart disease	1,487	1,099	388
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>189</u>	<u>119</u>	<u>70</u>
169	Pulmonary embolism	123	78	45
170	Other pulmonary heart disease and diseases of pulmonary circulation	66	41	25
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,620</u>	<u>1,803</u>	<u>817</u>
171	Acute and subacute endocarditis	12	5	7
172	Diseases of pericardium and acute myocarditis	8	7	1
173	Nonrheumatic mitral valve disorders	13	9	4
174	Nonrheumatic aortic valve disorders	80	69	11
175	All other diseases of endocardium	30	22	8
176	Cardiomyopathy	233	128	105
177	Conduction disorders and cardiac dysrhythmias	786	510	276
178	Congestive heart failure	1,088	802	286
179	Other and unspecified heart failure	117	78	39
180	Myocarditis, unspecified and myocardial degeneration	3	2	1
181	All other and ill-defined forms of heart disease	250	171	79
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,422</u>	<u>927</u>	<u>495</u>
182	Subarachnoid hemorrhage	67	39	28
183	Intracerebral and other intracranial hemorrhage	302	196	106
184	Cerebral infarction	60	37	23
185	Stroke, not specified as hemorrhage or infarction	806	539	267
186	Other cerebrovascular diseases and their sequelae	187	116	71
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>219</u>	<u>138</u>	<u>81</u>
187	Atherosclerosis	28	19	9
188	Aortic aneurysm and dissection	107	73	34
189	Other diseases of arteries, arterioles and capillaries	84	46	38
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>51</u>	<u>27</u>	<u>24</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	35	18	17
191	All other and unspecified disorders of circulatory system	16	9	7
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,731</u>	<u>2,116</u>	<u>615</u>
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,731</u>	<u>2,116</u>	<u>615</u>
195	Influenza	25	19	6
<u>196-198</u>	<u>Pneumonia</u>	<u>553</u>	<u>382</u>	<u>171</u>
196	Viral pneumonia, not elsewhere classified	3	2	1
197	Bacterial pneumonia	17	13	4
198	Pneumonia due to other or unspecified organisms	533	367	166
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>7</u>	<u>3</u>	<u>4</u>
199	Acute bronchitis and bronchiolitis	7	3	4
201	Other diseases of upper respiratory tract	8	6	2
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,553</u>	<u>1,300</u>	<u>253</u>
202	Bronchitis, not specified as acute or chronic	5	4	1
203	Chronic bronchitis	3	3	0
204	Emphysema	75	64	11
205	Other chronic obstructive pulmonary disease	1,420	1,204	216
206	Asthma	44	19	25
207	Bronchiectasis	6	6	0

Table 10A - Page 6
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>188</u>	<u>118</u>	<u>70</u>
208	Pneumoconioses and chemical effects	17	14	3
209	Pneumonitis due to food and vomit	171	104	67
212	Suppurative and necrotic conditions of lower respiratory tract	6	5	1
213	Pleural effusion and plaque	10	8	2
214	All other diseases of respiratory system	381	275	106
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>879</u>	<u>639</u>	<u>240</u>
215	Diseases of oral cavity, salivary glands and jaws	2	1	1
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>877</u>	<u>638</u>	<u>239</u>
216	Diseases of esophagus	14	12	2
<u>217-220</u>	<u>Peptic ulcer</u>	<u>20</u>	<u>16</u>	<u>4</u>
217	Gastric ulcer	4	2	2
218	Duodenal ulcer	4	4	0
219	Peptic ulcer, site unspecified	12	10	2
221	Gastritis and duodenitis	4	2	2
222	Dyspepsia and other diseases of stomach and duodenum	6	2	4
223	Diseases of appendix	1	1	0
224	Hernia	8	4	4
225	Crohn's disease and ulcerative colitis	8	7	1
226	Vascular disorders and obstruction of intestine without hernia	117	78	39
227	Diverticular disease of intestine	31	25	6
228	Other diseases of intestines and peritoneum	40	25	15
229	Diseases of peritoneum	25	17	8
<u>230-233</u>	<u>Diseases of liver</u>	<u>412</u>	<u>311</u>	<u>101</u>
230	Alcoholic liver disease	83	58	25
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	201	158	43
233	Other diseases of liver	127	94	33
234	Cholelithiasis and other disorders of gallbladder	38	31	7
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>48</u>	<u>30</u>	<u>18</u>
235	Pancreatitis	38	23	15
236	Other disorders of biliary tract and pancreas	10	7	3
237	All other diseases of digestive system	105	77	28
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>65</u>	<u>19</u>	<u>46</u>
238	Infections of skin and subcutaneous tissue	23	11	12
239	Other and unspecified diseases of skin and subcutaneous tissue	42	8	34
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>107</u>	<u>63</u>	<u>44</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	12	10	2
241	Systemic lupus erythematosus	14	4	10
242	Other arthropathies and related disorders	40	25	15
243	Dorsopathies	7	5	2

Table 10A - Page 7
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
244	Soft tissue disorders	22	10	12
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>12</u>	<u>9</u>	<u>3</u>
245	Osteoporosis	7	6	1
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	5	3	2
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>869</u>	<u>479</u>	<u>390</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>863</u>	<u>475</u>	<u>388</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>45</u>	<u>23</u>	<u>22</u>
247	Acute and rapidly progressive nephritic syndrome	1	1	0
248	Nephrotic syndrome	3	2	1
249	Other and unspecified glomerular diseases	41	20	21
250	Renal tubulo-interstitial diseases	8	5	3
251	Renal failure	653	344	309
252	Urolithiasis	2	2	0
254	Urinary tract infection, site not specified	129	88	41
255	Other diseases of urinary system	26	13	13
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>4</u>	<u>2</u>
256	Hyperplasia of prostate	3	2	1
257	Other diseases of male genital organs	3	2	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>13</u>	<u>6</u>	<u>7</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>3</u>	<u>1</u>	<u>2</u>
266	Eclampsia and pre-eclampsia	1	1	0
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
268	Obstetric embolism	2	0	2
270	All other direct obstetric causes	4	3	1
272	Other deaths related to pregnancy, childbirth and the puerperium	2	0	2
273	Indirect obstetric deaths	4	2	2
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>192</u>	<u>56</u>	<u>136</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	25	7	18
275	Disorders related to short gestation and low birth weight, not elsewhere classified	74	21	53
277	Intrauterine hypoxia and birth asphyxia	1	0	1
278	Respiratory distress of newborn	11	2	9
279	Other respiratory conditions originating in the perinatal period	21	5	16
280	Infections specific to the perinatal period	15	6	9
281	Other and unspecified conditions originating in the perinatal period	45	15	30
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>140</u>	<u>86</u>	<u>54</u>
282	Anencephaly and similar malformations	7	6	1

Table 10A - Page 8
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
283	Spina bifida	2	2	0
284	All other congenital malformations of nervous system	15	9	6
285	Congenital malformations of heart	35	21	14
286	Other congenital malformations of circulatory system	1	0	1
287	Congenital malformations of respiratory system	4	4	0
288	Other congenital malformations and deformations	51	32	19
289	Down's syndrome	9	5	4
290	All other chromosomal abnormalities, not elsewhere classified	16	7	9
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>550</u>	<u>371</u>	<u>179</u>
291	Senility	32	25	7
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>201</u>	<u>112</u>	<u>89</u>
292	Sudden infant death syndrome	46	21	25
293	Other ill-defined and unknown causes of mortality	155	91	64
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	317	234	83
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,380</u>	<u>1,625</u>	<u>755</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,635</u>	<u>1,152</u>	<u>483</u>
295	Railway accidents	4	3	1
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>733</u>	<u>448</u>	<u>285</u>
296	Pedestrian involved in collision with motor vehicle	54	20	34
297	Pedal cyclist involved in collision with motor vehicle	11	6	5
298	Motorcyclist involved in any accident except collision with railway train	51	43	8
300	Other motor vehicle accident involving collision with railway train	7	0	7
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	160	95	65
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	185	115	70
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	3	0	3
304	Occupant of motor vehicle involved in noncollision accident	152	88	64
305	Occupant of special-use motor vehicle involved in any accident	29	21	8
306	Other and unspecified motor vehicle accidents	81	60	21
308	Other and unspecified land transport accidents	5	4	1
309	Water transport accidents	19	11	8
310	Air and space transport accidents	7	7	0
311	Other and unspecified transport accidents and their sequelae	13	9	4
<u>312-314</u>	<u>Falls</u>	<u>239</u>	<u>215</u>	<u>24</u>
312	Fall on same level	110	97	13
313	Fall from one level to another	31	29	2
314	Unspecified fall	98	89	9
315	Accidental discharge of firearms	16	11	5

Table 10A - Page 9
Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
317	Accidental drowning and submersion	54	34	20
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	74	49	25
319	Other accidental and unspecified threats to breathing	23	11	12
320	Accidental exposure to electric current	1	1	0
322	Accidental exposure to smoke, fire and flames	79	41	38
323	Accidental contact with heat and hot substances	3	0	3
324	Lightning	1	1	0
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>270</u>	<u>242</u>	<u>28</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	253	228	25
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	8	5	3
329	Accidental poisoning by and exposure to other gases and vapors	9	9	0
330	All other and unspecified accidents and their sequelae	94	65	29
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>373</u>	<u>320</u>	<u>53</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	26	23	3
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	3	2	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	7	7	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	58	49	9
335	Intentional self-harm (suicide) by discharge of firearms	266	230	36
336	Intentional self-harm (suicide) by jumping from a high place	1	1	0
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	12	8	4
<u>338-346</u>	<u>Assault (homicide)</u>	<u>267</u>	<u>84</u>	<u>183</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	1	1	0
339	Assault (homicide) by hanging, strangulation and suffocation	6	3	3
340	Assault (homicide) by discharge of firearms	191	49	142
341	Assault (homicide) by sharp object	36	11	25
342	Assault (homicide) by blunt object	8	7	1
345	Neglect, abandonment and other maltreatment syndromes	2	0	2
346	Assault (homicide) by all other and unspecified means and their sequelae	23	13	10
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>51</u>	<u>36</u>	<u>15</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	33	28	5
350	Discharge of firearms, undetermined intent	3	1	2
352	All other and unspecified events of undetermined intent and their sequelae	15	7	8
<u>353-354</u>	<u>Legal intervention</u>	<u>3</u>	<u>2</u>	<u>1</u>
354	Other legal intervention and their sequelae	3	2	1
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>51</u>	<u>31</u>	<u>20</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	3	3	0

Table 10A - Page 10
 Deaths - Mississippi - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
357	Misadventures to patients during medical and surgical care and their sequelae	3	1	2
358	Other complications of medical and surgical care and their sequelae	45	27	18

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,164</u>	<u>18,946</u>	<u>9,218</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>882</u>	<u>495</u>	<u>387</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>57</u>	<u>37</u>	<u>20</u>
A04	Other bacterial intestinal infections	27	23	4
A08	Viral and other specified intestinal infections	1	0	1
A09	Diarrhea and gastroenteritis of presumed infectious origin	29	14	15
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	3	2	1
<u>A20-A28</u>	<u>Certain zoonotic bacterial diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
A21	Tularemia	1	0	1
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>561</u>	<u>348</u>	<u>213</u>
A31	Infection due to other mycobacteria	5	4	1
A40	Streptococcal septicemia	3	1	2
A41	Other septicemia	534	332	202
A48	Other bacterial diseases, not elsewhere classified	1	0	1
A49	Bacterial infection of unspecified site	18	11	7
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>A50-A53</u>	<u>Syphilis</u>	<u>1</u>	<u>0</u>	<u>1</u>
A52	Late syphilis	1	0	1
<u>A65-A79</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>A75-A79</u>	<u>Rickettsioses</u>	<u>1</u>	<u>1</u>	<u>0</u>
A77	Spotted fever [tick-borne rickettsioses]	1	1	0
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>6</u>	<u>6</u>	<u>0</u>
A81	Atypical virus infections of central nervous system	4	4	0
A86	Unspecified viral encephalitis	1	1	0
A87	Viral meningitis	1	1	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>3</u>	<u>2</u>	<u>1</u>
A92	Other mosquito-borne viral fevers	3	2	1
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>2</u>	<u>2</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	2	2	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>52</u>	<u>44</u>	<u>8</u>
B16	Acute hepatitis B	4	1	3
B18	Chronic viral hepatitis	46	42	4
B19	Unspecified viral hepatitis	2	1	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>155</u>	<u>27</u>	<u>128</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	56	10	46
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	8	1	7
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	13	3	10

Table 10B - Page 2
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	32	5	27
B24	Unspecified human immunodeficiency virus [HIV] disease	46	8	38
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>5</u>	<u>2</u>	<u>3</u>
B25	Cytomegaloviral disease	2	1	1
B34	Viral infection of unspecified site	3	1	2
<u>B35-B49</u>	<u>Mycoses</u>	<u>18</u>	<u>12</u>	<u>6</u>
B37	Candidiasis	6	5	1
B39	Histoplasmosis	1	0	1
B40	Blastomycosis	1	0	1
B44	Aspergillosis	4	2	2
B45	Cryptococcosis	2	1	1
B49	Unspecified mycosis	4	4	0
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>12</u>	<u>10</u>	<u>2</u>
B91	Sequelae of poliomyelitis	4	3	1
B94	Sequelae of other and unspecified infectious and parasitic diseases	8	7	1
B99	Other and unspecified infectious diseases	5	2	3
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,194</u>	<u>4,205</u>	<u>1,989</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,093</u>	<u>4,132</u>	<u>1,961</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>112</u>	<u>66</u>	<u>46</u>
C01	Malignant neoplasm of base of tongue	3	2	1
C02	Malignant neoplasm of other and unspecified parts of tongue	12	8	4
C04	Malignant neoplasm of floor of mouth	1	0	1
C05	Malignant neoplasm of palate	2	0	2
C06	Malignant neoplasm of other and unspecified parts of mouth	17	12	5
C07	Malignant neoplasm of parotid gland	3	2	1
C09	Malignant neoplasm of tonsil	7	5	2
C10	Malignant neoplasm of oropharynx	8	4	4
C11	Malignant neoplasm of nasopharynx	8	2	6
C13	Malignant neoplasm of hypopharynx	2	0	2
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	49	31	18
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,456</u>	<u>919</u>	<u>537</u>
C15	Malignant neoplasm of esophagus	127	75	52
C16	Malignant neoplasm of stomach	118	50	68
C17	Malignant neoplasm of small intestine	6	3	3
C18	Malignant neoplasm of colon	506	306	200
C19	Malignant neoplasm of rectosigmoid junction	38	31	7
C20	Malignant neoplasm of rectum	47	32	15
C21	Malignant neoplasm of anus and anal canal	11	8	3
C22	Malignant neoplasm of liver and intrahepatic bile ducts	188	123	65
C23	Malignant neoplasm of gallbladder	22	17	5
C24	Malignant neoplasm of other and unspecified parts of biliary tract	14	11	3
C25	Malignant neoplasm of pancreas	368	254	114

Table 10B - Page 3
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C26	Malignant neoplasm of other and ill-defined digestive organs	11	9	2
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,973</u>	<u>1,452</u>	<u>521</u>
C31	Malignant neoplasm of accessory sinuses	7	2	5
C32	Malignant neoplasm of larynx	43	23	20
C33	Malignant neoplasm of trachea	1	0	1
C34	Malignant neoplasm of bronchus and lung	1,919	1,425	494
C37	Malignant neoplasm of thymus	1	0	1
C38	Malignant neoplasm of heart, mediastinum, and pleura	2	2	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>32</u>	<u>17</u>	<u>15</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	32	17	15
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>95</u>	<u>85</u>	<u>10</u>
C43	Malignant melanoma of skin	70	65	5
C44	Other malignant neoplasms of skin	25	20	5
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>76</u>	<u>57</u>	<u>19</u>
C45	Mesothelioma	17	14	3
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	2	0	2
C48	Malignant neoplasm of retroperitoneum and peritoneum	7	7	0
C49	Malignant neoplasm of other connective and soft tissue	50	36	14
C50	Malignant neoplasm of breast	423	236	187
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>252</u>	<u>150</u>	<u>102</u>
C51	Malignant neoplasm of vulva	6	6	0
C53	Malignant neoplasm of cervix uteri	50	25	25
C54	Malignant neoplasm of corpus uteri	14	8	6
C55	Malignant neoplasm of uterus, part unspecified	56	28	28
C56	Malignant neoplasm of ovary	124	81	43
C57	Malignant neoplasm of other and unspecified female genital organs	2	2	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>317</u>	<u>162</u>	<u>155</u>
C60	Malignant neoplasm of penis	5	2	3
C61	Malignant neoplasm of prostate	310	158	152
C62	Malignant neoplasm of testis	1	1	0
C63	Malignant neoplasm of other and unspecified male genital organs	1	1	0
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>258</u>	<u>197</u>	<u>61</u>
C64	Malignant neoplasm of kidney, except renal pelvis	136	102	34
C66	Malignant neoplasm of ureter	2	2	0
C67	Malignant neoplasm of bladder	116	91	25
C68	Malignant neoplasm of other and unspecified urinary organs	4	2	2
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>139</u>	<u>111</u>	<u>28</u>
C69	Malignant neoplasm of eye and adnexa	3	3	0
C71	Malignant neoplasm of brain	135	108	27
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	0	1
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>21</u>	<u>11</u>	<u>10</u>
C73	Malignant neoplasm of thyroid gland	13	7	6

Table 10B - Page 4
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C74	Malignant neoplasm of adrenal gland	5	4	1
C75	Malignant neoplasm of other endocrine glands and related structures	3	0	3
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>315</u>	<u>215</u>	<u>100</u>
C76	Malignant neoplasm of other and ill-defined sites	14	10	4
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	1	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	44	23	21
C79	Secondary malignant neoplasm of other sites	53	30	23
C80	Malignant neoplasm without specification of site	203	151	52
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>570</u>	<u>418</u>	<u>152</u>
C81	Hodgkin's disease	15	12	3
C82	Follicular [nodular] non-Hodgkin's lymphoma	5	4	1
C83	Diffuse non-Hodgkin's lymphoma	18	14	4
C84	Peripheral and cutaneous T-cell lymphomas	16	7	9
C85	Other and unspecified types of non-Hodgkin's lymphoma	144	118	26
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	112	68	44
C91	Lymphoid leukemia	73	52	21
C92	Myeloid leukemia	88	66	22
C93	Monocytic leukemia	3	3	0
C95	Leukemia of unspecified cell type	94	73	21
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	0	1
C97	Malignant neoplasms of independent (primary) multiple sites	54	36	18
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>7</u>	<u>6</u>
D18	Hemangioma and lymphangioma, any site	1	0	1
D27	Benign neoplasm of ovary	1	0	1
D32	Benign neoplasm of meninges	8	5	3
D33	Benign neoplasm of brain and other parts of central nervous system	1	1	0
D35	Benign neoplasm of other and unspecified endocrine glands	2	1	1
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>88</u>	<u>66</u>	<u>22</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	7	4	3
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	4	3	1
D41	Neoplasm of uncertain or unknown behavior of urinary organs	2	1	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	27	20	7
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	3	1	2
D46	Myelodysplastic syndromes	38	31	7
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	5	5	0
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	2	1	1

Table 10B - Page 5
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>149</u>	<u>71</u>	<u>78</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>5</u>	<u>1</u>	<u>4</u>
D50	Iron deficiency anemia	3	1	2
D53	Other nutritional anemias	2	0	2
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>20</u>	<u>2</u>	<u>18</u>
D56	Thalassemia	1	0	1
D57	Sickle-cell disorders	17	0	17
D59	Acquired hemolytic anemia	2	2	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>48</u>	<u>32</u>	<u>16</u>
D61	Other aplastic anemias	14	10	4
D62	Acute posthemorrhagic anemia	1	1	0
D64	Other anemias	33	21	12
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>30</u>	<u>20</u>	<u>10</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	6	6	0
D68	Other coagulation defects	13	5	8
D69	Purpura and other hemorrhagic conditions	11	9	2
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>13</u>	<u>6</u>	<u>7</u>
D70	Agranulocytosis	8	5	3
D72	Other disorders of white blood cells	2	1	1
D75	Other diseases of blood and blood-forming organs	3	0	3
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>33</u>	<u>10</u>	<u>23</u>
D80	Immunodeficiency with predominantly antibody defects	2	2	0
D81	Combined immunodeficiencies	1	0	1
D84	Other immunodeficiencies	2	1	1
D86	Sarcoidosis	27	7	20
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	0	1
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,192</u>	<u>611</u>	<u>581</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>10</u>	<u>5</u>	<u>5</u>
E03	Other hypothyroidism	9	5	4
E05	Thyrotoxicosis [hyperthyroidism]	1	0	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>897</u>	<u>434</u>	<u>463</u>
E10	Insulin-dependent diabetes mellitus	29	20	9
E11	Noninsulin-dependent diabetes mellitus	72	40	32
E14	Unspecified diabetes mellitus	796	374	422
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>15</u>	<u>7</u>	<u>8</u>
E16	Other disorders of pancreatic internal secretion	15	7	8
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>11</u>	<u>7</u>	<u>4</u>
E20	Hypoparathyroidism	1	0	1

Table 10B - Page 6
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E21	Hyperparathyroidism and other disorders of parathyroid gland	1	1	0
E22	Hyperfunction of pituitary gland	1	1	0
E23	Hypofunction and other disorders of the pituitary gland	1	0	1
E27	Other disorders of adrenal gland	6	4	2
E32	Diseases of thymus	1	1	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>27</u>	<u>14</u>	<u>13</u>
E43	Unspecified severe protein-energy malnutrition	7	6	1
E46	Unspecified protein-energy malnutrition	20	8	12
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>86</u>	<u>44</u>	<u>42</u>
E66	Obesity	86	44	42
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>146</u>	<u>100</u>	<u>46</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	1	0	1
E76	Disorders of glycosaminoglycan metabolism	1	1	0
E77	Disorders of glycoprotein metabolism	1	1	0
E78	Disorders of lipoprotein metabolism and other lipidemias	30	18	12
E79	Disorders of purine and pyrimidine metabolism	1	1	0
E83	Disorders of mineral metabolism	3	3	0
E84	Cystic fibrosis	3	3	0
E85	Amyloidosis	6	3	3
E86	Volume depletion	41	30	11
E87	Other disorders of fluid, electrolyte, and acid-base balance	50	33	17
E88	Other metabolic disorders	9	7	2
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>789</u>	<u>591</u>	<u>198</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>679</u>	<u>517</u>	<u>162</u>
F01	Vascular dementia	27	20	7
F03	Unspecified dementia	636	484	152
F05	Delirium, not induced by alcohol and other psychoactive substances	9	9	0
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	7	4	3
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>84</u>	<u>50</u>	<u>34</u>
F10	Mental and behavioral disorders due to use of alcohol	62	36	26
F11	Mental and behavioral disorders due to use of opioids	1	1	0
F14	Mental and behavioral disorders due to use of cocaine	6	0	6
F15	Mental and behavioral disorders due to use of other stimulants, including caffeine	1	1	0
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	14	12	2
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>3</u>	<u>3</u>	<u>0</u>
F20	Schizophrenia	3	3	0
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>9</u>	<u>8</u>	<u>1</u>
F31	Bipolar affective disorder	1	1	0
F32	Depressive episode	8	7	1
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>4</u>	<u>4</u>	<u>0</u>

Table 10B - Page 7
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F41	Other anxiety disorders	2	2	0
F43	Reaction to severe stress, and adjustment disorders	2	2	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>4</u>	<u>3</u>	<u>1</u>
F50	Eating disorders	1	1	0
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	2	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>5</u>	<u>5</u>	<u>0</u>
F73	Profound mental retardation	1	1	0
F79	Unspecified mental retardation	4	4	0
<u>F80-F89</u>	<u>Disorders of psychological development</u>	<u>1</u>	<u>1</u>	<u>0</u>
F84	Pervasive developmental disorders	1	1	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,389</u>	<u>1,093</u>	<u>296</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>18</u>	<u>10</u>	<u>8</u>
G00	Bacterial meningitis, not elsewhere classified	6	4	2
G03	Meningitis due to other and unspecified causes	2	1	1
G04	Encephalitis, myelitis, and encephalomyelitis	6	3	3
G06	Intracranial and intraspinal abscess and granuloma	3	2	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>58</u>	<u>51</u>	<u>7</u>
G10	Huntington's disease	15	15	0
G11	Hereditary ataxia	2	2	0
G12	Spinal muscular atrophy and related syndromes	41	34	7
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>163</u>	<u>150</u>	<u>13</u>
G20	Parkinson's disease	160	149	11
G21	Secondary parkinsonism	1	0	1
G23	Other degenerative diseases of basal ganglia	2	1	1
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>909</u>	<u>749</u>	<u>160</u>
G30	Alzheimer's disease	896	737	159
G31	Other degenerative diseases of nervous system, not elsewhere classified	13	12	1
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>22</u>	<u>13</u>	<u>9</u>
G35	Multiple sclerosis	22	13	9
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>28</u>	<u>16</u>	<u>12</u>
G40	Epilepsy	16	8	8
G41	Status epilepticus	2	2	0
G45	Transient cerebral ischemic attacks and related syndromes	3	3	0
G47	Sleep disorders	7	3	4
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
G50	Disorders of trigeminal nerve	1	1	0
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>8</u>	<u>5</u>	<u>3</u>
G61	Inflammatory polyneuropathy	5	2	3
G62	Other polyneuropathies	3	3	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>19</u>	<u>15</u>	<u>4</u>

Table 10B - Page 8
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G70	Myasthenia gravis and other myoneural disorders	7	6	1
G71	Primary disorders of muscles	12	9	3
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>37</u>	<u>22</u>	<u>15</u>
G80	Infantile cerebral palsy	25	14	11
G82	Paraplegia and tetraplegia	11	8	3
G83	Other paralytic syndromes	1	0	1
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>126</u>	<u>61</u>	<u>65</u>
G90	Disorders of autonomic nervous system	2	2	0
G91	Hydrocephalus	3	2	1
G92	Toxic encephalopathy	1	0	1
G93	Other disorders of brain	118	55	63
G95	Other diseases of spinal cord	1	1	0
G96	Other disorders of central nervous system	1	1	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>H00-H06</u>	<u>Disorders of eyelid, lacrimal system and orbit</u>	<u>1</u>	<u>1</u>	<u>0</u>
H05	Disorders of orbit	1	1	0
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,642</u>	<u>6,419</u>	<u>3,223</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>27</u>	<u>18</u>	<u>9</u>
I05	Rheumatic mitral valve diseases	17	12	5
I07	Rheumatic tricuspid valve diseases	3	2	1
I08	Multiple valve diseases	6	4	2
I09	Other rheumatic heart diseases	1	0	1
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,203</u>	<u>607</u>	<u>596</u>
I10	Essential (primary) hypertension	311	178	133
I11	Hypertensive heart disease	668	350	318
I12	Hypertensive renal disease	152	51	101
I13	Hypertensive heart and renal disease	72	28	44
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>3,911</u>	<u>2,780</u>	<u>1,131</u>
I20	Angina pectoris	5	4	1
I21	Acute myocardial infarction	1,863	1,252	611
I22	Subsequent myocardial infarction	1	1	0
I24	Other acute ischemic heart diseases	23	15	8
I25	Chronic ischemic heart disease	2,019	1,508	511
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>189</u>	<u>119</u>	<u>70</u>
I26	Pulmonary embolism	123	78	45
I27	Other pulmonary heart diseases	64	40	24
I28	Other diseases of pulmonary vessels	2	1	1
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,620</u>	<u>1,803</u>	<u>817</u>
I31	Other diseases of pericardium	5	4	1
I33	Acute and subacute endocarditis	12	5	7

Table 10B - Page 9
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I34	Nonrheumatic mitral valve disorders	13	9	4
I35	Nonrheumatic aortic valve disorders	80	69	11
I38	Endocarditis, valve unspecified	30	22	8
I40	Acute myocarditis	3	3	0
I42	Cardiomyopathy	233	128	105
I44	Atrioventricular and left bundle-branch block	6	4	2
I45	Other conduction disorders	5	5	0
I46	Cardiac arrest	566	341	225
I47	Paroxysmal tachycardia	8	6	2
I48	Atrial fibrillation and flutter	125	103	22
I49	Other cardiac arrhythmias	76	51	25
I50	Heart failure	1,205	880	325
I51	Complications and ill-defined descriptions of heart disease	253	173	80
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,422</u>	<u>927</u>	<u>495</u>
I60	Subarachnoid hemorrhage	67	39	28
I61	Intracerebral hemorrhage	174	115	59
I62	Other nontraumatic intracranial hemorrhage	128	81	47
I63	Cerebral infarction	60	37	23
I64	Stroke, not specified as hemorrhage or infarction	806	539	267
I67	Other cerebrovascular diseases	75	47	28
I69	Sequelae of cerebrovascular disease	112	69	43
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>219</u>	<u>138</u>	<u>81</u>
I70	Atherosclerosis	28	19	9
I71	Aortic aneurysm and dissection	107	73	34
I72	Other aneurysm	4	3	1
I73	Other peripheral vascular diseases	56	26	30
I74	Arterial embolism and thrombosis	10	7	3
I77	Other disorders of arteries and arterioles	14	10	4
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>41</u>	<u>22</u>	<u>19</u>
I80	Phlebitis and thrombophlebitis	31	15	16
I82	Other venous embolism and thrombosis	4	3	1
I85	Esophageal varices	3	2	1
I87	Other disorders of veins	2	1	1
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	1	1	0
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>10</u>	<u>5</u>	<u>5</u>
I95	Hypotension	6	2	4
I99	Other and unspecified disorders of circulatory system	4	3	1
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,731</u>	<u>2,116</u>	<u>615</u>
<u>J09-J18</u>	<u>Influenza and pneumonia</u>	<u>578</u>	<u>401</u>	<u>177</u>
J09	Influenza due to identified avian influenza virus	11	10	1
J11	Influenza, virus not identified	14	9	5
J12	Viral pneumonia, not elsewhere classified	3	2	1
J13	Pneumonia due to Streptococcus pneumoniae	2	2	0
J15	Bacterial pneumonia, not elsewhere classified	15	11	4

Table 10B - Page 10
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J18	Pneumonia, organism unspecified	533	367	166
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>7</u>	<u>3</u>	<u>4</u>
J20	Acute bronchitis	1	0	1
J21	Acute bronchiolitis	6	3	3
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>8</u>	<u>6</u>	<u>2</u>
J32	Chronic sinusitis	2	1	1
J38	Diseases of vocal cords and larynx, not elsewhere classified	3	2	1
J39	Other diseases of upper respiratory tract	3	3	0
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,553</u>	<u>1,300</u>	<u>253</u>
J40	Bronchitis, not specified as acute or chronic	5	4	1
J42	Unspecified chronic bronchitis	3	3	0
J43	Emphysema	75	64	11
J44	Other chronic obstructive pulmonary disease	1,420	1,204	216
J45	Asthma	43	19	24
J46	Status asthmaticus	1	0	1
J47	Bronchiectasis	6	6	0
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>188</u>	<u>118</u>	<u>70</u>
J60	Coalworker's pneumoconiosis	4	2	2
J61	Pneumoconiosis due to asbestos and other mineral fibers	12	12	0
J62	Pneumoconiosis due to dust containing silica	1	0	1
J69	Pneumonitis due to solids and liquids	171	104	67
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>173</u>	<u>134</u>	<u>39</u>
J80	Adult respiratory distress syndrome	19	10	9
J81	Pulmonary edema	12	6	6
J82	Pulmonary eosinophilia, not elsewhere classified	8	7	1
J84	Other interstitial pulmonary diseases	134	111	23
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>6</u>	<u>5</u>	<u>1</u>
J85	Abscess of lung and mediastinum	4	4	0
J86	Pyothorax	2	1	1
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>20</u>	<u>16</u>	<u>4</u>
J90	Pleural effusion, not elsewhere classified	10	8	2
J93	Pneumothorax	8	6	2
J94	Other pleural conditions	2	2	0
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>198</u>	<u>133</u>	<u>65</u>
J96	Respiratory failure, not elsewhere classified	154	102	52
J98	Other respiratory disorders	44	31	13
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>879</u>	<u>639</u>	<u>240</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>1</u>	<u>1</u>
K08	Other disorders of the teeth and supporting structures	2	1	1
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>44</u>	<u>32</u>	<u>12</u>
K20	Esophagitis	1	1	0
K21	Gastroesophageal reflux disease	8	8	0
K22	Other diseases of esophagus	5	3	2
K25	Gastric ulcer	4	2	2

Table 10B - Page 11
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K26	Duodenal ulcer	4	4	0
K27	Peptic ulcer, site unspecified	12	10	2
K29	Gastritis and duodenitis	4	2	2
K31	Other diseases of stomach and duodenum	6	2	4
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>1</u>	<u>1</u>	<u>0</u>
K35	Acute appendicitis	1	1	0
<u>K40-K46</u>	<u>Hernia</u>	<u>8</u>	<u>4</u>	<u>4</u>
K40	Inguinal hernia	2	0	2
K43	Ventral hernia	3	2	1
K44	Diaphragmatic hernia	1	1	0
K46	Unspecified abdominal hernia	2	1	1
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>11</u>	<u>10</u>	<u>1</u>
K50	Crohn's disease [regional enteritis]	7	6	1
K51	Ulcerative colitis	1	1	0
K52	Other noninfective gastroenteritis and colitis	3	3	0
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>185</u>	<u>125</u>	<u>60</u>
K55	Vascular disorders of intestine	69	53	16
K56	Paralytic ileus and intestinal obstruction without hernia	48	25	23
K57	Diverticular disease of intestine	31	25	6
K59	Other functional intestinal disorders	5	2	3
K61	Abscess of anal and rectal regions	2	2	0
K63	Other diseases of intestine	30	18	12
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>25</u>	<u>17</u>	<u>8</u>
K65	Peritonitis	22	15	7
K66	Other disorders of peritoneum	3	2	1
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>412</u>	<u>311</u>	<u>101</u>
K70	Alcoholic liver disease	83	58	25
K72	Hepatic failure, not elsewhere classified	55	39	16
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	201	158	43
K75	Other inflammatory liver diseases	9	4	5
K76	Other diseases of liver	63	51	12
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>86</u>	<u>61</u>	<u>25</u>
K80	Cholelithiasis	9	7	2
K81	Cholecystitis	23	21	2
K82	Other diseases of gallbladder	6	3	3
K83	Other diseases of biliary tract	6	5	1
K85	Acute pancreatitis	32	21	11
K86	Other diseases of pancreas	10	4	6
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>105</u>	<u>77</u>	<u>28</u>
K90	Intestinal malabsorption	2	1	1
K92	Other diseases of the digestive system	103	76	27
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>65</u>	<u>19</u>	<u>46</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>23</u>	<u>11</u>	<u>12</u>
L00	Staphylococcal scalded skin syndrome	1	0	1
L02	Cutaneous abscess, furuncle, and carbuncle	5	2	3

Table 10B - Page 12
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L03	Cellulitis	9	5	4
L08	Other local infections of skin and subcutaneous tissue	8	4	4
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>2</u>	<u>1</u>	<u>1</u>
L12	Pemphigoid	1	0	1
L13	Other bullous disorders	1	1	0
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>3</u>	<u>0</u>	<u>3</u>
L51	Erythema multiforme	3	0	3
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>37</u>	<u>7</u>	<u>30</u>
L89	Decubitus ulcer	28	5	23
L93	Lupus erythematosus	5	1	4
L97	Ulcer of lower limb, not elsewhere classified	1	0	1
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	3	1	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>107</u>	<u>63</u>	<u>44</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>23</u>	<u>19</u>	<u>4</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>4</u>	<u>4</u>	<u>0</u>
M00	Pyogenic arthritis	4	4	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>15</u>	<u>12</u>	<u>3</u>
M05	Seropositive rheumatoid arthritis	3	3	0
M06	Other rheumatoid arthritis	9	7	2
M10	Gout	1	1	0
M13	Other arthritis	2	1	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>4</u>	<u>3</u>	<u>1</u>
M19	Other arthrosis	4	3	1
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>43</u>	<u>20</u>	<u>23</u>
M30	Polyarteritis nodosa and related conditions	2	2	0
M31	Other necrotizing vasculopathies	9	8	1
M32	Systemic lupus erythematosus	14	4	10
M34	Systemic sclerosis	15	5	10
M35	Other systemic involvement of connective tissue	3	1	2
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>7</u>	<u>5</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M41	Scoliosis	3	3	0
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>4</u>	<u>2</u>	<u>2</u>
M46	Other inflammatory spondylopathies	1	0	1
M48	Other spondylopathies	3	2	1
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>22</u>	<u>10</u>	<u>12</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>10</u>	<u>8</u>	<u>2</u>
M60	Myositis	1	0	1
M62	Other disorders of muscle	9	8	1
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>12</u>	<u>2</u>	<u>10</u>
M72	Fibroblastic disorders	11	2	9
M79	Other soft tissue disorders, not elsewhere classified	1	0	1
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>12</u>	<u>9</u>	<u>3</u>
M80-M85	Disorders of bone density and structure	7	6	1

Table 10B - Page 13
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M80	Osteoporosis with pathological fracture	1	1	0
M81	Osteoporosis without pathological fracture	6	5	1
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>5</u>	<u>3</u>	<u>2</u>
M86	Osteomyelitis	4	2	2
M88	Paget's disease of bone [osteitis deformans]	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>869</u>	<u>479</u>	<u>390</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>45</u>	<u>23</u>	<u>22</u>
N00	Acute nephritic syndrome	1	1	0
N03	Chronic nephritic syndrome	41	20	21
N04	Nephrotic syndrome	3	2	1
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>8</u>	<u>5</u>	<u>3</u>
N10	Acute tubulo-interstitial nephritis	2	0	2
N11	Chronic tubulo-interstitial nephritis	1	1	0
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	4	3	1
N13	Obstructive and reflux uropathy	1	1	0
<u>N17-N19</u>	<u>Renal failure</u>	<u>653</u>	<u>344</u>	<u>309</u>
N17	Acute renal failure	119	78	41
N18	Chronic renal failure	297	136	161
N19	Unspecified renal failure	237	130	107
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>2</u>	<u>2</u>	<u>0</u>
N20	Calculus of kidney and ureter	2	2	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>21</u>	<u>10</u>	<u>11</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	21	10	11
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>134</u>	<u>91</u>	<u>43</u>
N30	Cystitis	2	1	1
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	1	1	0
N32	Other disorders of bladder	1	1	0
N39	Other disorders of urinary system	130	88	42
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>4</u>	<u>2</u>
N40	Hyperplasia of prostate	3	2	1
N42	Other disorders of prostate	2	2	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	1	0	1
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>13</u>	<u>6</u>	<u>7</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>7</u>	<u>4</u>	<u>3</u>
<u>O10-O16</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>1</u>	<u>1</u>	<u>0</u>
O14	Gestational [pregnancy-induced] hypertension with significant proteinuria	1	1	0
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>3</u>	<u>2</u>	<u>1</u>
O26	Maternal care for other conditions predominantly related to pregnancy	3	2	1

Table 10B - Page 14
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>1</u>	<u>1</u>	<u>0</u>
O75	Other complications of labor and delivery, not elsewhere classified	1	1	0
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
O88	Obstetric embolism	2	0	2
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>6</u>	<u>2</u>	<u>4</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	2	0	2
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	4	2	2
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>192</u>	<u>56</u>	<u>136</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>25</u>	<u>7</u>	<u>18</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	6	3	3
P01	Newborn affected by maternal complications of pregnancy	13	2	11
P02	Newborn affected by complications of placenta, cord, and membranes	5	1	4
P04	Newborn affected by noxious influences transmitted via placenta or breast milk	1	1	0
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>75</u>	<u>22</u>	<u>53</u>
P05	Slow fetal growth and fetal malnutrition	1	1	0
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	74	21	53
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>51</u>	<u>12</u>	<u>39</u>
P20	Intrauterine hypoxia	1	0	1
P22	Respiratory distress of newborn	11	2	9
P23	Congenital pneumonia	2	1	1
P24	Neonatal aspiration syndromes	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	5	0	5
P27	Chronic respiratory disease originating in the perinatal period	4	1	3
P28	Other respiratory conditions originating in the perinatal period	9	3	6
P29	Cardiovascular disorders originating in the perinatal period	18	5	13
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>15</u>	<u>6</u>	<u>9</u>
P35	Congenital viral diseases	2	1	1
P36	Bacterial sepsis of newborn	11	4	7
P37	Other congenital infectious and parasitic diseases	1	0	1
P38	Omphalitis of newborn with or without mild hemorrhage	1	1	0
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>9</u>	<u>3</u>	<u>6</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	6	2	4
P54	Other neonatal hemorrhages	2	1	1
P60	Disseminated intravascular coagulation of newborn	1	0	1

Table 10B - Page 15
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>11</u>	<u>4</u>	<u>7</u>
P77	Necrotizing enterocolitis of newborn	11	4	7
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>2</u>	<u>1</u>	<u>1</u>
P83	Other conditions of integument specific to newborn	2	1	1
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>4</u>	<u>1</u>	<u>3</u>
P91	Other disturbances of cerebral status of newborn	2	1	1
P96	Other conditions originating in the perinatal period	2	0	2
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>140</u>	<u>86</u>	<u>54</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>24</u>	<u>17</u>	<u>7</u>
Q00	Anencephaly and similar malformations	7	6	1
Q01	Encephalocele	2	2	0
Q03	Congenital hydrocephalus	5	3	2
Q04	Other congenital malformations of brain	7	4	3
Q05	Spina bifida	2	2	0
Q07	Other congenital malformations of nervous system	1	0	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>36</u>	<u>21</u>	<u>15</u>
Q20	Congenital malformations of cardiac chambers and connections	1	1	0
Q21	Congenital malformations of cardiac septa	7	4	3
Q23	Congenital malformations of aortic and mitral valves	8	6	2
Q24	Other congenital malformations of heart	19	10	9
Q25	Congenital malformations of great arteries	1	0	1
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>4</u>	<u>4</u>	<u>0</u>
Q33	Congenital malformations of lung	4	4	0
<u>Q35-Q37</u>	<u>Cleft lip and cleft palate</u>	<u>1</u>	<u>0</u>	<u>1</u>
Q37	Cleft palate with cleft lip	1	0	1
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>3</u>	<u>0</u>
Q43	Other congenital malformations of intestine	3	3	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>15</u>	<u>10</u>	<u>5</u>
Q60	Renal agenesis and other reduction defects of kidney	5	4	1
Q61	Cystic kidney disease	8	4	4
Q64	Other congenital malformations of urinary system	2	2	0
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>8</u>	<u>7</u>	<u>1</u>
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	3	2	1
Q78	Other osteochondrodysplasias	1	1	0
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	4	4	0
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>24</u>	<u>12</u>	<u>12</u>
Q81	Epidermolysis bullosa	1	0	1
Q82	Other congenital malformations of skin	1	1	0
Q85	Phakomatoses, not elsewhere classified	1	0	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	4	3	1

Table 10B - Page 16
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Q89	Other congenital malformations, not elsewhere classified	17	8	9
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>25</u>	<u>12</u>	<u>13</u>
Q90	Down's syndrome	9	5	4
Q91	Edwards' syndrome and Patau's syndrome	11	3	8
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	1	1	0
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	2	2	0
Q99	Other chromosome abnormalities, not elsewhere classified	2	1	1
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>550</u>	<u>371</u>	<u>179</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>47</u>	<u>30</u>	<u>17</u>
R00	Abnormalities of heart beat	1	1	0
R02	Gangrene, not elsewhere classified	2	2	0
R06	Abnormalities of breathing	6	5	1
R07	Pain in throat and chest	1	1	0
R09	Other symptoms and signs involving the circulatory and respiratory systems	37	21	16
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>4</u>	<u>3</u>	<u>1</u>
R10	Abdominal and pelvic pain	2	2	0
R18	Ascites	2	1	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>295</u>	<u>224</u>	<u>71</u>
R50	Fever of unknown origin	1	1	0
R53	Malaise and fatigue	76	60	16
R54	Senility	32	25	7
R56	Convulsions, not elsewhere classified	17	6	11
R57	Shock, not elsewhere classified	11	7	4
R58	Hemorrhage, not elsewhere classified	4	2	2
R62	Lack of expected normal physiological development	137	109	28
R63	Symptoms and signs concerning food and fluid intake	2	1	1
R68	Other general symptoms and signs	15	13	2
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>1</u>	<u>0</u>	<u>1</u>
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	0	1
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>2</u>	<u>2</u>	<u>0</u>
R90	Abnormal findings on diagnostic imaging of central nervous system	1	1	0
R91	Abnormal findings on diagnostic imaging of lung	1	1	0
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>201</u>	<u>112</u>	<u>89</u>
R95	Sudden infant death syndrome	46	21	25
R96	Other sudden death, cause unknown	1	1	0
R99	Other ill-defined and unspecified causes of mortality	154	90	64
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,380</u>	<u>1,625</u>	<u>755</u>

Table 10B - Page 17
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>74</u>	<u>34</u>	<u>40</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	48	17	31
V04	Pedestrian injured in collision with heavy transport vehicle or bus	6	3	3
V05	Pedestrian injured in collision with railway train or railway vehicle	4	3	1
V09	Pedestrian injured in other and unspecified transport accidents	16	11	5
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>12</u>	<u>6</u>	<u>6</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	10	5	5
V18	Pedal cyclist injured in noncollision transport accident	1	0	1
V19	Pedal cyclist injured in other and unspecified transport accidents	1	1	0
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>51</u>	<u>43</u>	<u>8</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	2	1	1
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	2	2	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	20	17	3
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	4	3	1
V27	Motorcycle rider injured in collision with fixed or stationary object	8	7	1
V28	Motorcycle rider injured in noncollision transport accident	7	5	2
V29	Motorcycle rider injured in other and unspecified transport accidents	8	8	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>372</u>	<u>205</u>	<u>167</u>
V42	Car occupant injured in collision with two- or three-wheeled motor vehicle	1	0	1
V43	Car occupant injured in collision with car, pickup truck, or van	107	58	49
V44	Car occupant injured in collision with heavy transport vehicle or bus	39	29	10
V45	Car occupant injured in collision with railway train or railway vehicle	7	0	7
V46	Car occupant injured in collision with other nonmotor vehicle	3	0	3
V47	Car occupant injured in collision with fixed or stationary object	106	55	51
V48	Car occupant injured in noncollision transport accident	103	60	43
V49	Car occupant injured in other and unspecified transport accidents	6	3	3
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>130</u>	<u>92</u>	<u>38</u>

Table 10B - Page 18
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	24	17	7
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	6	6	0
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	50	39	11
V58	Occupant of pickup truck or van injured in noncollision transport accident	48	28	20
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	2	2	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>5</u>	<u>1</u>	<u>4</u>
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	1	0	1
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	1	0
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	1	0	1
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	2	0	2
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>98</u>	<u>74</u>	<u>24</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	1	1	0
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	10	7	3
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	19	14	5
V87	Traffic accident of specified type but victim's mode of transport unknown	9	8	1
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	59	44	15
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>19</u>	<u>11</u>	<u>8</u>
V90	Accident to watercraft causing drowning and submersion	8	6	2
V92	Water-transport-related drowning and submersion without accident to watercraft	10	4	6
V94	Other and unspecified water transport accidents	1	1	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>7</u>	<u>7</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	7	7	0
<u>W00-W19</u>	<u>Falls</u>	<u>239</u>	<u>215</u>	<u>24</u>
W01	Fall on same level from slipping, tripping, and stumbling	13	11	2
W05	Fall involving wheelchair	6	6	0
W06	Fall involving bed	15	13	2
W07	Fall involving chair	4	4	0
W08	Fall involving other furniture	4	3	1
W10	Fall on and from stairs and steps	11	11	0
W11	Fall on and from ladder	4	4	0
W12	Fall on and from scaffolding	1	1	0

Table 10B - Page 19
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W13	Fall from, out of, or through building or structure	8	8	0
W14	Fall from tree	3	3	0
W17	Other fall from one level to another	4	2	2
W18	Other fall on same level	68	60	8
W19	Unspecified fall	98	89	9
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>45</u>	<u>31</u>	<u>14</u>
W20	Struck by thrown, projected, or falling object	11	8	3
W22	Striking against or struck by other objects	4	3	1
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	3	0	3
W28	Contact with powered lawn mower	1	1	0
W29	Contact with other powered hand tools and household machinery	1	1	0
W30	Contact with agricultural machinery	2	2	0
W31	Contact with other and unspecified machinery	2	2	0
W32	Handgun discharge	7	6	1
W33	Rifle, shotgun, and larger firearm discharge	3	1	2
W34	Discharge from other and unspecified firearms	6	4	2
W38	Explosion and rupture of other specified pressurized devices	2	2	0
W44	Foreign body entering into or through eye or natural orifice	1	0	1
W45	Foreign body or object entering through skin	1	0	1
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>1</u>	<u>0</u>	<u>1</u>
W54	Bitten or struck by dog	1	0	1
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>54</u>	<u>34</u>	<u>20</u>
W65	Drowning and submersion while in bathtub	6	4	2
W66	Drowning and submersion following fall into bathtub	1	1	0
W67	Drowning and submersion while in swimming pool	7	3	4
W68	Drowning and submersion following fall into swimming pool	5	3	2
W69	Drowning and submersion while in natural water	24	17	7
W70	Drowning and submersion following fall into natural water	7	4	3
W74	Unspecified drowning and submersion	4	2	2
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>97</u>	<u>60</u>	<u>37</u>
W75	Accidental suffocation and strangulation in bed	18	7	11
W76	Other accidental hanging and strangulation	1	1	0
W78	Inhalation of gastric contents	4	3	1
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	9	8	1
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	61	38	23
W83	Other specified threats to breathing	2	2	0
W84	Unspecified threat to breathing	2	1	1
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>3</u>	<u>3</u>	<u>0</u>
W85	Exposure to electric transmission lines	1	1	0
W92	Exposure to excessive heat of man-made origin	1	1	0
W94	Exposure to high and low air pressure and changes in air pressure	1	1	0

Table 10B - Page 20
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>79</u>	<u>41</u>	<u>38</u>
X00	Exposure to uncontrolled fire in building or structure	69	34	35
X01	Exposure to uncontrolled fire, not in building or structure	3	3	0
X02	Exposure to controlled fire in building or structure	1	1	0
X04	Exposure to ignition of highly flammable material	1	1	0
X09	Exposure to unspecified smoke, fire, and flames	5	2	3
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>3</u>	<u>0</u>	<u>3</u>
X11	Contact with hot tap water	1	0	1
X12	Contact with other hot fluids	1	0	1
X16	Contact with hot heating appliances, radiators, and pipes	1	0	1
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>14</u>	<u>7</u>	<u>7</u>
X30	Exposure to excessive natural heat	8	4	4
X31	Exposure to excessive natural cold	5	2	3
X33	Victim of lightning	1	1	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>270</u>	<u>242</u>	<u>28</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	6	5	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	8	8	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	61	45	16
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	178	170	8
X45	Accidental poisoning by and exposure to alcohol	8	5	3
X47	Accidental poisoning by and exposure to other gases and vapors	9	9	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>40</u>	<u>32</u>	<u>8</u>
X58	Exposure to other specified factors	4	4	0
X59	Exposure to unspecified factor	36	28	8
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>373</u>	<u>320</u>	<u>53</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	1	1	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	7	5	2
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	17	16	1
X65	Intentional self-poisoning (suicide) by and exposure to alcohol	1	1	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	7	7	0

Table 10B - Page 21
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X68	Intentional self-poisoning (suicide) by and exposure to pesticides	2	1	1
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	58	49	9
X71	Intentional self harm (suicide) by drowning and submersion	2	1	1
X72	Intentional self harm (suicide) by handgun discharge	78	66	12
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	51	47	4
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	137	117	20
X78	Intentional self harm (suicide) by sharp object	4	4	0
X80	Intentional self harm (suicide) by jumping from a high place	1	1	0
X81	Intentional self harm (suicide) by jumping or lying before moving object	3	2	1
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	0	1
X83	Intentional self harm (suicide) by other specified means	2	1	1
<u>X85-Y09</u>	<u>Assault</u>	<u>267</u>	<u>84</u>	<u>183</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	1	0
X91	Assault (homicide) by hanging, strangulation, and suffocation	6	3	3
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	44	11	33
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	14	5	9
X95	Assault (homicide) by other and unspecified firearm discharge	133	33	100
X97	Assault (homicide) by smoke, fire, and flames	2	2	0
X99	Assault (homicide) by sharp object	36	11	25
Y00	Assault (homicide) by blunt object	8	7	1
Y06	Neglect and abandonment	1	0	1
Y07	Other maltreatment syndromes	1	0	1
Y08	Assault (homicide) by other specified means	3	2	1
Y09	Assault (homicide) by unspecified means	17	9	8
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>49</u>	<u>36</u>	<u>13</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	1	1
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	10	9	1
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	21	18	3
Y20	Hanging, strangulation, and suffocation, undetermined intent	1	0	1
Y21	Drowning and submersion, undetermined intent	3	3	0
Y22	Handgun discharge, undetermined intent	1	1	0
Y24	Other and unspecified firearm discharge, undetermined intent	2	0	2

Table 10B - Page 22
Deaths - Mississippi - 2009

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y26	Exposure to smoke, fire, and flames, undetermined intent	3	1	2
Y32	Crashing of motor vehicle, undetermined intent	1	1	0
Y33	Other specified events, undetermined intent	4	1	3
Y34	Unspecified event, undetermined intent	1	1	0
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>3</u>	<u>2</u>	<u>1</u>
Y35	Legal intervention	3	2	1
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances</u>			
	<u>causing adverse effects in therapeutic use</u>	<u>2</u>	<u>2</u>	<u>0</u>
Y49	Psychotropic drugs, not elsewhere classified	1	1	0
Y56	Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological, and dental drugs	1	1	0
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>3</u>	<u>1</u>	<u>2</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	2	1	1
Y65	Other misadventures during surgical and medical care	1	0	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>45</u>	<u>27</u>	<u>18</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	37	21	16
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	8	6	2
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>25</u>	<u>15</u>	<u>10</u>
Y85	Sequelae of transport accidents	13	9	4
Y86	Sequelae of other accidents	9	5	4
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	2	0	2
Y88	Sequelae with surgical and medical care as external cause	1	1	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								NO.	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-	65	UNKNOWN	
		1	4							9	14	24	34	44	54	64	AND OVER				
001-358	ALL CAUSES	28,164	9.5	W	18,946	M	9,606	92	24	14	14	171	208	382	906	1,432	6,356	7			
							F	9,340	67	23	6	13	60	123	210	483	935	7,420	0		
							NW	9,218	M	4,734	159	19	10	12	144	203	286	677	979	2,243	2
									F	4,484	109	33	8	9	67	107	210	473	643	2,825	0
001-055	INFECTIOUS AND PARASITIC DISEASES	882	29.9	W	495	M	244	0	2	0	0	5	12	36	44	145	0				
							F	251	2	0	0	1	3	6	12	40	187	0			
							NW	387	M	215	11	1	0	0	2	21	40	44	36	60	0
									F	172	8	0	0	0	3	7	27	25	25	77	0
009,010	TUBERCULOSIS	3	0.1	W	2	M	1	0	0	0	0	0	0	0	0	1	0				
							F	1	0	0	0	0	0	0	0	0	1	0			
							NW	1	M	1	0	0	0	0	1	0	0	0	0	0	0
									F	0	0	0	0	0	0	0	0	0	0	0	0
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	155	5.2	W	27	M	23	0	0	0	0	1	6	10	5	1	0				
							F	4	0	0	0	0	2	0	2	0	0	0			
							NW	128	M	83	0	0	0	2	14	32	21	12	2	0	
									F	45	0	0	0	1	6	20	11	4	3	0	
056-108	MALIGNANT NEOPLASMS	6,093	206.4	W	4,132	M	2,327	1	0	2	2	10	7	45	203	458	1,599	0			
							F	1,805	0	2	1	1	3	13	41	131	334	1,279	0		
							NW	1,961	M	1,063	0	1	2	0	5	7	25	143	283	596	1
									F	898	0	0	1	1	5	12	36	136	196	511	0
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	101	3.4	W	73	M	34	0	0	0	0	0	0	1	6	27	0				
							F	39	0	0	0	0	0	1	2	6	30	0			
							NW	28	M	13	0	0	0	0	0	0	3	1	9	0	
									F	15	0	0	0	0	0	0	1	0	0	14	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										UNKNOWN	
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER		
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	149	5.0	W	71	M	28	0	0	0	0	0	0	0	2	5	21	0	
							43	0	2	0	0	0	1	0	2	4	34	0	
				NW	78	M	39	1	0	0	1	2	4	7	5	6	13	0	
							39	0	1	0	0	3	0	7	4	9	15	0	
116-119	ANEMIAS	73	2.5	W	35	M	17	0	0	0	0	0	0	0	1	3	13	0	
							18	0	1	0	0	0	1	0	0	0	16	0	
				NW	38	M	16	0	0	0	1	1	3	3	3	2	3	0	
							22	0	0	0	0	3	0	3	1	5	10	0	
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,192	40.4	W	611	M	277	0	0	2	0	1	5	11	30	51	177	0	
							334	0	1	0	1	0	1	9	27	40	255	0	
				NW	581	M	240	0	0	0	0	4	9	16	36	59	116	0	
							341	0	0	1	0	1	2	15	39	59	224	0	
124	DIABETES MELLITUS	897	30.4	W	434	M	205	0	0	1	0	1	1	6	21	39	136	0	
							229	0	0	0	0	0	0	5	19	32	173	0	
				NW	463	M	181	0	0	0	0	0	3	12	25	46	95	0	
							282	0	0	0	0	0	1	7	31	50	193	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	27	0.9	W	14	M	5	0	0	0	0	0	0	1	0	1	3	0	
							9	0	0	0	0	0	0	0	0	1	8	0	
				NW	13	M	7	0	0	0	0	0	0	0	0	1	0	6	0
							6	0	0	0	0	0	0	0	1	0	5	0	
136-144	MENTAL AND BEHAVIORAL DISORDERS	789	26.7	W	591	M	205	0	0	0	1	0	2	6	13	21	162	0	
							386	0	0	0	0	2	1	3	8	7	365	0	
				NW	198	M	92	0	0	0	0	1	0	2	9	12	68	0	
							106	0	0	0	0	0	0	2	5	4	95	0	
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	62	2.1	W	36	M	28	0	0	0	0	0	0	3	10	11	4	0	
							8	0	0	0	0	0	1	0	2	3	2	0	
				NW	26	M	21	0	0	0	0	1	0	1	5	11	3	0	
							5	0	0	0	0	0	0	1	2	1	1	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
145-153	<u>DISEASES OF THE NERVOUS SYSTEM</u>	1,389	47.0	W	1,093	M	426	2	2	0	2	7	2	11	24	18	358	0
						F	667	0	1	0	1	2	5	5	14	21	618	0
				NW	296	M	112	0	3	0	1	0	6	3	14	24	61	0
						F	184	0	3	2	1	1	4	6	11	16	140	0
145	MENINGITIS	8	0.3	W	5	M	3	0	0	0	1	0	0	0	0	0	2	0
						F	2	0	0	0	1	0	0	0	0	0	1	0
				NW	3	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	2	0	0	1	0	0	1	0	0	0	0	0
147	PARKINSONS DISEASE	161	5.4	W	149	M	89	0	0	0	0	0	0	0	0	3	86	0
						F	60	0	0	0	0	0	0	0	0	1	59	0
				NW	12	M	9	0	0	0	0	0	0	0	1	0	8	0
						F	3	0	0	0	0	0	0	0	0	0	3	0
148	ALZHEIMERS DISEASE	896	30.4	W	737	M	224	0	0	0	0	0	0	0	0	2	222	0
						F	513	0	0	0	0	0	0	0	0	2	511	0
				NW	159	M	40	0	0	0	0	0	0	0	0	0	40	0
						F	119	0	0	0	0	0	0	0	1	1	117	0
150	EPILEPSY	18	0.6	W	10	M	6	0	1	0	0	0	0	2	3	0	0	0
						F	4	0	0	0	0	0	2	0	0	2	0	0
				NW	8	M	6	0	1	0	0	0	1	0	3	1	0	0
						F	2	0	0	0	0	0	1	0	0	0	1	0
154	<u>DISEASES OF THE EYE AND ADNEXA</u>	1	**	W	1	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	
155	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
156-191	DISEASES OF THE CIRCULATORY SYSTEM	9,642	326.6	W	6,419	M	3,135	0	1	0	0	4	21	70	261	467	2,307	4	
						F	3,284	1	0	0	0	3	15	30	103	230	2,902	0	
					NW	3,223	M	1,569	4	0	1	0	7	27	88	235	366	841	0
							F	1,654	2	1	0	1	5	31	54	152	228	1,180	0
156-189	MAJOR CARDIO-VASCULAR DISEASES	9,591	324.9	W	6,392	M	3,124	0	1	0	0	4	21	68	258	466	2,302	4	
						F	3,268	1	0	0	0	3	15	29	102	227	2,891	0	
					NW	3,199	M	1,556	4	0	1	0	7	27	86	232	364	835	0
							F	1,643	1	1	0	1	5	30	54	151	227	1,173	0
156-160, 162, 164-181	HEART DISEASES	7,487	253.6	W	5,098	M	2,583	0	1	0	0	3	18	60	218	387	1,892	4	
						F	2,515	1	0	0	0	2	13	26	80	180	2,213	0	
					NW	2,389	M	1,184	2	0	1	0	5	20	65	190	272	629	0
							F	1,205	0	1	0	1	4	22	33	100	168	876	0
161,163	HYPERTENSION	463	15.7	W	229	M	101	0	0	0	0	2	2	10	19	68	0		
						F	128	0	0	0	0	0	2	3	7	116	0		
					NW	234	M	109	0	0	0	0	1	7	17	30	54	0	
							F	125	0	0	0	0	4	4	12	15	90	0	
182-186	CEREBROVASCULAR DISEASES	1,422	48.2	W	927	M	369	0	0	0	1	1	5	26	45	291	0		
						F	558	0	0	0	0	2	1	16	34	505	0		
					NW	495	M	219	2	0	0	0	2	2	10	22	54	127	0
							F	276	0	0	0	0	1	3	15	36	40	181	0
187	ATHEROSCLEROSIS	28	0.9	W	19	M	9	0	0	0	0	0	0	1	1	7	0		
						F	10	0	0	0	0	0	0	0	1	9	0		
					NW	9	M	4	0	0	0	0	0	0	0	1	3	0	
							F	5	0	0	0	0	0	0	0	0	5	0	
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,731	92.5	W	2,116	M	1,001	1	1	0	0	1	5	8	40	119	826	0	
						F	1,115	2	3	1	2	2	8	16	45	106	930	0	
					NW	615	M	317	6	1	2	0	4	3	3	28	46	224	0
							F	298	7	5	0	1	5	3	13	17	26	221	0

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN			
		NO.	RATE#																		
195	INFLUENZA	25	0.8	W	19	M	5	0	0	0	0	1	1	0	0	1	2	0			
						F	14	0	0	1	1	2	4	4	1	0					
					NW	6	M	2	0	0	1	0	0	0	0	0	0	0	1	0	0
							F	4	1	0	0	0	0	0	0	1	2	0	0		
196-198	PNEUMONIA	553	18.7	W	382	M	174	1	1	0	0	0	3	4	12	14	139	0			
						F	208	0	1	1	0	1	2	5	17	180	0				
					NW	171	M	84	2	0	0	0	1	0	1	5	12	63	0	0	
							F	87	0	2	0	0	2	1	5	1	3	73	0		
204	EMPHYSEMA	75	2.5	W	64	M	35	0	0	0	0	0	0	0	3	6	26	0			
						F	29	0	0	0	0	0	0	1	2	26	0				
					NW	11	M	9	0	0	0	0	0	0	0	0	4	5	0	0	
							F	2	0	0	0	0	0	0	0	0	0	0	2	0	
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>879</u>	<u>29.8</u>	<u>W</u>	<u>639</u>	<u>M</u>	<u>337</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>19</u>	<u>67</u>	<u>83</u>	<u>163</u>	<u>0</u>			
						<u>F</u>	<u>302</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>21</u>	<u>26</u>	<u>41</u>	<u>209</u>	<u>0</u>				
					<u>NW</u>	<u>240</u>	<u>M</u>	<u>128</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>13</u>	<u>40</u>	<u>28</u>	<u>38</u>	<u>0</u>		
							<u>F</u>	<u>112</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>14</u>	<u>18</u>	<u>21</u>	<u>54</u>	<u>0</u>			
217-220	PEPTIC ULCER	20	0.7	W	16	M	10	0	0	0	0	0	0	3	1	6	0				
						F	6	0	0	0	0	0	0	1	5	0					
					NW	4	M	4	0	0	0	0	0	0	3	0	1	0			
							F	0	0	0	0	0	0	0	0	0	0	0			
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	285	9.6	W	217	M	145	0	0	0	0	0	16	41	50	38	0				
						F	72	0	1	0	0	2	9	16	18	26	0				
					NW	68	M	49	0	0	0	0	2	8	19	16	4	0			
							F	19	0	0	0	0	0	6	9	2	2	0			
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>65</u>	<u>2.2</u>	<u>W</u>	<u>19</u>	<u>M</u>	<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>0</u>				
						<u>F</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>6</u>	<u>0</u>					
					<u>NW</u>	<u>46</u>	<u>M</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>11</u>	<u>0</u>			
							<u>F</u>	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>21</u>	<u>0</u>			

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>107</u>	<u>3.6</u>	<u>W</u>	<u>63</u>	<u>M</u>	<u>31</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>22</u>	<u>0</u>			
							<u>32</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>23</u>	<u>0</u>				
							<u>NW</u>	<u>44</u>	<u>M</u>	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>7</u>	<u>0</u>	
								<u>F</u>	<u>29</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>8</u>	<u>4</u>	<u>7</u>	<u>0</u>		
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>869</u>	<u>29.4</u>	<u>W</u>	<u>479</u>	<u>M</u>	<u>222</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>8</u>	<u>26</u>	<u>182</u>	<u>0</u>			
							<u>257</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>10</u>	<u>24</u>	<u>216</u>	<u>0</u>				
							<u>NW</u>	<u>390</u>	<u>M</u>	<u>177</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>15</u>	<u>36</u>	<u>114</u>	<u>0</u>
								<u>F</u>	<u>213</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>5</u>	<u>17</u>	<u>22</u>	<u>162</u>	<u>0</u>	
<u>247-249</u>	<u>NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS</u>	<u>698</u>	<u>23.6</u>	<u>W</u>	<u>367</u>	<u>M</u>	<u>184</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>7</u>	<u>23</u>	<u>148</u>	<u>0</u>			
							<u>183</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>8</u>	<u>20</u>	<u>148</u>	<u>0</u>				
							<u>NW</u>	<u>331</u>	<u>M</u>	<u>153</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>14</u>	<u>31</u>	<u>97</u>	<u>0</u>
								<u>F</u>	<u>178</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>16</u>	<u>21</u>	<u>130</u>	<u>0</u>	
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>13</u>	<u>30.4</u>	<u>W</u>	<u>6</u>	<u>M</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							<u>NW</u>	<u>7</u>	<u>M</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
								<u>F</u>	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>		
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>192</u>	<u>4.5</u>	<u>W</u>	<u>56</u>	<u>M</u>	<u>36</u>	<u>36</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							<u>20</u>	<u>19</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							<u>NW</u>	<u>136</u>	<u>M</u>	<u>81</u>	<u>79</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
								<u>F</u>	<u>55</u>	<u>55</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES</u>	<u>140</u>	<u>4.7</u>	<u>W</u>	<u>86</u>	<u>M</u>	<u>48</u>	<u>28</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>4</u>	<u>4</u>	<u>0</u>			
							<u>38</u>	<u>24</u>	<u>4</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>0</u>			
							<u>NW</u>	<u>54</u>	<u>M</u>	<u>30</u>	<u>20</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>1</u>		
								<u>F</u>	<u>24</u>	<u>15</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>1</u>		
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>550</u>	<u>18.6</u>	<u>W</u>	<u>371</u>	<u>M</u>	<u>152</u>	<u>18</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>13</u>	<u>14</u>	<u>12</u>	<u>89</u>	<u>0</u>			
							<u>219</u>	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>13</u>	<u>181</u>	<u>0</u>			
							<u>NW</u>	<u>179</u>	<u>M</u>	<u>94</u>	<u>27</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>11</u>	<u>12</u>		
								<u>F</u>	<u>85</u>	<u>13</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>5</u>	<u>6</u>	<u>49</u>		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2009

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
295-358	ALL EXTERNAL CAUSES	2,380	80.6	W	1,625	M	1,093	5	14	8	9	143	153	176	204	113	265	3	
						F	532	7	8	2	6	40	65	68	93	60	183	0	
					NW	755	M	531	8	9	5	7	112	109	74	88	61	57	1
							F	224	8	15	4	4	39	29	19	29	23	54	0
296-306	MOTOR VEHICLE ACCIDENTS	733	24.8	W	448	M	325	0	5	4	5	71	54	41	55	31	58	1	
						F	123	0	3	1	4	28	19	21	15	12	20	0	
					NW	285	M	191	0	2	1	3	47	40	31	31	18	18	0
							F	94	1	4	3	4	27	15	8	8	10	14	0
295, 307-330	ALL OTHER ACCIDENTS	902	30.6	W	704	M	417	4	8	4	3	34	50	65	72	37	138	2	
						F	287	6	2	1	2	4	25	28	54	27	138	0	
					NW	198	M	123	6	6	4	2	12	14	9	22	20	28	0
							F	75	6	8	1	0	5	3	3	8	11	30	0
331-337	SUICIDE	373	12.6	W	320	M	257	0	0	0	1	26	37	51	58	33	51	0	
						F	63	0	0	0	0	6	11	14	10	13	9	0	
					NW	53	M	46	0	0	0	0	10	8	10	9	5	3	1
							F	7	0	0	0	0	1	1	1	2	0	2	0
338-346	HOMICIDE	267	9.0	W	84	M	60	1	0	0	0	10	7	15	11	7	9	0	
						F	24	1	2	0	0	1	6	3	6	2	3	0	
					NW	183	M	151	1	1	0	1	41	47	23	20	12	5	0
							F	32	0	3	0	0	6	9	6	6	1	1	0
353,354	LEGAL INTERVENTION	3	0.1	W	2	M	2	0	0	0	0	0	0	0	2	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
					NW	1	M	1	0	0	0	0	1	0	0	0	0	0	0
							F	0	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

**TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2009**

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>427</u>	<u>159</u>	<u>268</u>	<u>263</u>	<u>97</u>	<u>166</u>	<u>164</u>	<u>62</u>	<u>102</u>
ADAMS	5	0	5	3	0	3	2	0	2
ALCORN	6	5	1	3	2	1	3	3	0
AMITE	1	0	1	1	0	1	0	0	0
ATTALA	7	1	6	6	1	5	1	0	1
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	8	1	7	3	0	3	5	1	4
CALHOUN	3	1	2	1	0	1	2	1	1
CARROLL	1	1	0	0	0	0	1	1	0
CHICKASAW	3	3	0	2	2	0	1	1	0
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAIBORNE	1	0	1	1	0	1	0	0	0
CLARKE	3	0	3	3	0	3	0	0	0
CLAY	2	1	1	0	0	0	2	1	1
COAHOMA	4	2	2	3	2	1	1	0	1
COPIAH	3	2	1	0	0	0	3	2	1
COVINGTON	2	1	1	2	1	1	0	0	0
DESOTO	19	13	6	17	12	5	2	1	1
FORREST	15	8	7	10	4	6	5	4	1
FRANKLIN	1	0	1	0	0	0	1	0	1
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	3	0	3	0	0	0	3	0	3
HANCOCK	2	2	0	2	2	0	0	0	0
HARRISON	18	10	8	11	5	6	7	5	2
HINDS	41	7	34	24	3	21	17	4	13
HOLMES	5	0	5	3	0	3	2	0	2
HUMPHREYS	2	0	2	0	0	0	2	0	2
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	5	4	1	1	1	0	4	3	1
JACKSON	27	15	12	18	11	7	9	4	5
JASPER	1	0	1	1	0	1	0	0	0
JEFFERSON	3	0	3	3	0	3	0	0	0
JEFF DAVIS	2	0	2	2	0	2	0	0	0
JONES	13	3	10	5	2	3	8	1	7
KEMPER	1	0	1	0	0	0	1	0	1
LAFAYETTE	2	1	1	2	1	1	0	0	0
LAMAR	1	1	0	1	1	0	0	0	0
LAUDERDALE	12	4	8	5	1	4	7	3	4
LAWRENCE	2	0	2	2	0	2	0	0	0
LEAKE	2	0	2	1	0	1	1	0	1
LEE	10	2	8	7	1	6	3	1	2
LEFLORE	7	1	6	3	0	3	4	1	3

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2009

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	5	1	6	5	1	0	0	0
LOWNDES	10	2	8	7	0	7	3	2	1
MADISON	4	2	2	3	2	1	1	0	1
MARION	5	2	3	4	1	3	1	1	0
MARSHALL	5	2	3	3	1	2	2	1	1
MONROE	5	4	1	2	2	0	3	2	1
MONTGOMERY	7	1	6	5	1	4	2	0	2
NESHOBA	5	0	5	1	0	1	4	0	4
NEWTON	4	0	4	3	0	3	1	0	1
NOXUBEE	0	0	0	0	0	0	0	0	0
OKTIBBEHA	7	2	5	6	2	4	1	0	1
PANOLA	5	0	5	2	0	2	3	0	3
PEARL RIVER	10	7	3	9	6	3	1	1	0
PERRY	1	1	0	1	1	0	0	0	0
PIKE	11	3	8	8	2	6	3	1	2
PONTOTOC	6	5	1	3	3	0	3	2	1
PRENTISS	2	2	0	1	1	0	1	1	0
QUITMAN	2	0	2	0	0	0	2	0	2
RANKIN	17	11	6	9	7	2	8	4	4
SCOTT	5	2	3	5	2	3	0	0	0
SHARKEY	2	0	2	0	0	0	2	0	2
SIMPSON	5	1	4	3	0	3	2	1	1
SMITH	2	2	0	1	1	0	1	1	0
STONE	4	4	0	2	2	0	2	2	0
SUNFLOWER	8	2	6	4	2	2	4	0	4
TALLAHATCHIE	2	1	1	1	0	1	1	1	0
TATE	4	1	3	4	1	3	0	0	0
TIPPAH	0	0	0	0	0	0	0	0	0
TISHOMINGO	1	1	0	0	0	0	1	1	0
TUNICA	2	0	2	0	0	0	2	0	2
UNION	2	1	1	1	0	1	1	1	0
WALTHALL	4	0	4	4	0	4	0	0	0
WARREN	3	1	2	2	1	1	1	0	1
WASHINGTON	10	1	9	6	1	5	4	0	4
WAYNE	1	0	1	1	0	1	0	0	0
WEBSTER	6	1	5	4	0	4	2	1	1
WILKINSON	2	1	1	1	0	1	1	1	0
WINSTON	3	1	2	2	1	1	1	0	1
YALOBUSHA	2	0	2	1	0	1	1	0	1
YAZOO	3	1	2	1	0	1	2	1	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2005-2009 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.4</u>	<u>6.9</u>	<u>14.3</u>	<u>6.2</u>	<u>3.8</u>	<u>8.8</u>	<u>4.2</u>	<u>3.1</u>	<u>5.5</u>
ADAMS	12.4	3.9	17.0	6.4	-	9.9	6.0	3.9	7.1
ALCORN	8.7	7.3	16.1	3.7	2.4	10.7	5.0	4.9	5.4
AMITE	7.2	2.5	11.4	6.0	2.5	9.2	1.2	-	2.3
ATTALA	8.4	4.3	11.8	4.5	1.4	7.1	3.9	2.8	4.7
BENTON	8.6	8.6	8.6	5.2	5.8	4.3	3.5	2.9	4.3
BOLIVAR	14.2	6.4	16.8	7.7	1.3	9.9	6.4	5.1	6.9
CALHOUN	11.6	6.0	21.3	6.8	1.5	16.0	4.8	4.5	5.3
CARROLL	10.0	10.7	8.9	3.4	2.7	4.5	6.7	8.0	4.5
CHICKASAW	12.6	9.5	16.0	10.5	8.1	13.1	2.1	1.4	2.9
CHOCTAW	10.2	3.2	18.0	6.8	3.2	10.8	3.4	-	7.2
CLAIBORNE	9.2	-	9.8	6.6	-	7.0	2.6	-	2.8
CLARKE	12.3	6.4	19.4	7.9	-	17.5	4.4	6.4	1.9
CLAY	11.3	6.1	13.8	6.6	-	9.8	4.6	6.1	3.9
COAHOMA	13.5	13.8	13.5	8.9	11.1	8.5	4.6	2.8	4.9
COPIAH	10.1	7.8	11.5	3.8	1.1	5.4	6.3	6.6	6.1
COVINGTON	10.7	10.0	11.4	5.6	4.5	7.2	5.0	5.6	4.3
DESOTO	7.7	6.5	11.6	5.2	4.2	8.5	2.5	2.3	3.1
FORREST	12.8	9.0	17.6	8.7	4.8	13.6	4.1	4.2	4.0
FRANKLIN	8.5	6.7	10.4	3.4	3.4	3.5	5.1	3.4	6.9
GEORGE	5.3	5.8	-	1.6	1.7	-	3.7	4.0	-
GREENE	3.8	3.3	5.6	3.8	3.3	5.6	-	-	-
GRENADA	13.2	1.3	24.1	9.0	1.3	16.1	4.2	-	8.0
HANCOCK	6.1	5.3	14.9	4.1	3.6	10.0	2.0	1.8	5.0
HARRISON	8.6	7.2	11.8	4.5	3.8	6.2	4.1	3.5	5.6
HINDS	13.2	7.3	14.9	8.3	4.3	9.4	4.9	3.0	5.4
HOLMES	12.3	5.7	13.0	8.2	5.7	8.4	4.1	-	4.5
HUMPHREYS	12.1	7.6	12.7	7.4	7.6	7.4	4.6	-	5.3
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	13.2	12.8	18.9	4.9	4.5	9.4	8.4	8.3	9.4
JACKSON	9.6	8.2	13.0	5.8	4.7	8.6	3.8	3.5	4.5
JASPER	12.6	10.3	14.0	8.6	8.2	8.9	3.9	2.1	5.1
JEFFERSON	16.6	-	17.5	11.6	-	12.3	5.0	-	5.3
JEFF DAVIS	9.8	11.0	9.3	7.6	7.4	7.8	2.2	3.7	1.6
JONES	9.6	6.6	15.4	5.5	4.7	7.2	4.1	1.9	8.2
KEMPER	11.2	5.8	13.3	6.4	-	8.9	4.8	5.8	4.4
LAFAYETTE	9.7	4.3	19.1	5.4	3.6	8.5	4.2	0.6	10.6
LAMAR	6.6	4.0	15.1	4.1	3.0	7.6	2.5	1.0	7.6
LAUDERDALE	9.6	7.0	12.0	5.8	4.2	7.2	3.8	2.8	4.7
LAWRENCE	13.3	9.8	19.2	9.2	4.9	16.4	4.1	4.9	2.7
LEAKE	11.0	5.1	16.8	3.5	2.0	5.0	7.5	3.0	11.9
LEE	11.2	6.1	20.6	7.5	3.2	15.6	3.7	2.9	5.0
LEFLORE	11.6	11.6	11.6	7.6	10.0	7.0	4.0	1.6	4.5

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2005-2009 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	10.6	11.4	9.3	6.8	7.2	6.2	3.8	4.2	3.1
LOWNDES	9.2	4.2	14.1	5.2	2.3	7.9	4.1	1.8	6.2
MADISON	7.8	2.7	13.7	5.6	2.1	9.5	2.3	0.5	4.3
MARION	12.3	9.9	16.3	6.6	3.8	11.3	5.7	6.1	5.0
MARSHALL	8.6	4.7	12.2	5.2	1.6	8.6	3.4	3.2	3.6
MONROE	11.0	8.7	14.7	6.1	4.3	8.8	4.9	4.3	5.9
MONTGOMERY	17.0	9.5	21.6	9.7	6.3	11.8	7.3	3.2	9.8
NESHOPA	10.1	4.1	15.3	6.0	4.1	7.7	4.1	-	7.7
NEWTON	11.2	-	24.0	7.3	-	15.6	3.9	-	8.4
NOXUBEE	14.0	-	17.8	9.0	-	11.5	5.0	-	6.4
OKTIBBEHA	11.1	7.1	14.6	7.7	4.2	10.8	3.4	2.8	3.8
PANOLA	8.9	1.7	13.9	5.8	0.8	9.2	3.1	0.8	4.6
PEARL RIVER	9.9	9.1	14.2	5.7	5.0	9.5	4.2	4.1	4.7
PERRY	6.6	7.4	4.1	3.3	3.0	4.1	3.3	4.4	-
PIKE	11.1	5.4	14.6	6.4	2.3	9.0	4.7	3.1	5.7
PONTOTOC	10.7	10.3	12.6	6.7	6.7	6.3	4.0	3.6	6.3
PRENTISS	8.9	8.5	10.9	3.6	2.8	7.3	5.3	5.7	3.6
QUITMAN	10.3	-	12.5	5.9	-	7.1	4.4	-	5.4
RANKIN	8.1	7.4	10.6	4.4	3.8	6.4	3.7	3.6	4.1
SCOTT	11.5	6.6	18.5	8.1	3.9	13.9	3.4	2.6	4.6
SHARKEY	14.3	-	17.3	4.1	-	5.0	10.2	-	12.4
SIMPSON	10.2	6.6	15.2	6.8	3.3	11.7	3.4	3.3	3.5
SMITH	13.9	13.3	15.2	7.4	8.0	6.1	6.5	5.3	9.1
STONE	13.8	9.3	30.0	7.3	4.7	17.2	6.4	4.7	12.9
SUNFLOWER	14.9	20.8	13.8	10.0	18.2	8.4	5.0	2.6	5.4
TALLAHATCHIE	13.6	12.4	14.0	11.8	8.3	12.8	1.8	4.1	1.2
TATE	8.6	8.3	9.1	5.6	5.0	6.5	3.0	3.3	2.6
TIPPAH	6.2	6.7	3.6	3.1	3.7	-	3.1	3.0	3.6
TISHOMINGO	6.2	5.5	35.7	1.8	1.8	-	4.4	3.6	35.7
TUNICA	20.2	18.0	20.6	10.6	18.0	9.3	9.7	-	11.4
UNION	7.5	5.3	19.2	4.0	2.9	9.6	3.5	2.4	9.6
WALTHALL	10.0	5.7	13.9	6.3	3.8	8.7	3.6	1.9	5.2
WARREN	9.8	6.6	12.0	4.0	4.6	3.6	5.8	2.0	8.4
WASHINGTON	12.5	10.2	13.2	5.9	6.1	5.9	6.6	4.1	7.2
WAYNE	12.8	6.2	20.0	8.4	3.7	13.3	4.5	2.5	6.7
WEBSTER	14.8	8.3	31.2	10.4	4.1	26.0	4.4	4.1	5.2
WILKINSON	7.1	7.6	7.0	1.4	-	1.7	5.7	7.6	5.2
WINSTON	11.4	4.0	15.5	8.6	4.0	11.1	2.8	-	4.4
YALOBUSHA	10.2	3.7	18.3	6.2	1.8	11.4	4.1	1.8	6.9
YAZOO	8.8	4.6	10.5	4.0	1.5	4.9	4.8	3.1	5.6

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2009

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>427</u>	<u>10.0</u>	<u>W</u>	<u>159</u>	<u>97</u>	<u>52</u>	<u>18</u>	<u>10</u>	<u>11</u>	<u>6</u>	<u>62</u>
			<u>NW</u>	<u>268</u>	<u>166</u>	<u>95</u>	<u>33</u>	<u>18</u>	<u>12</u>	<u>8</u>	<u>102</u>
DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	13	0.3	W	1	0	0	0	0	0	0	1
			NW	12	0	0	0	0	0	0	12
SEPTICEMIA (008)	6	0.1	W	1	0	0	0	0	0	0	1
			NW	5	1	0	0	0	1	0	4
MALIGNANT NEOPLASMS (021-023)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	0	1	0
INFANTILE CEREBRAL PALSY (035)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	7	0.2	W	1	1	0	0	1	0	0	0
			NW	6	3	1	1	0	1	0	3
INFLUENZA AND PNEUMONIA (046,047)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	1	0	0	0	0	1	2
ACUTE BRONCHITIS AND ACUTE BRONCHIOLITIS (048)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	4	0.1	W	1	1	0	1	0	0	0	0
			NW	3	2	0	0	2	0	0	1
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	3	0	0	0	0	0
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	2	##	W	2	1	0	0	1	0	0	1
			NW	0	0	0	0	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2009

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-	< 1	1-	7-	14-	21-	
					AL	DAY	6	13	20	27	
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	13	0.3	W	2	2	2	0	0	0	0	0
			NW	11	11	7	4	0	0	0	
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	3	1	0	0	0	
NEWBORN AFFECTED BY NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK (069)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	73	1.7	W	21	20	18	2	0	0	0	1
			NW	52	52	45	5	2	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
RESPIRATORY DISTRESS OF NEWBORN (077)	11	0.2	W	2	2	0	2	0	0	0	0
			NW	9	9	2	5	2	0	0	0
CONGENITAL PNEUMONIA (078)	2	##	W	1	1	0	0	1	0	0	0
			NW	1	1	0	0	0	1	0	0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	5	0	5	0	0	0	0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	3	0.1	W	1	0	0	0	0	0	0	1
			NW	2	0	0	0	0	0	0	0
ATELECTASIS (083)	6	0.1	W	3	3	2	1	0	0	0	0
			NW	3	3	3	0	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	11	0.2	W	4	4	0	1	0	3	0	0
			NW	7	7	0	0	5	1	1	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2009

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
OMPHALITIS OF NEWBORN WITH OR WITHOUT MILD HEMORRHAGE (086)	1	##	W	1	1	0	0	0	1	0	0
			NW	0	0	0	0	0	0	0	0
NEONATAL HEMORRHAGE (088)	8	0.2	W	3	3	0	2	1	0	0	0
			NW	5	5	1	2	1	0	1	0
HEMATOLOGICAL DISORDERS (091)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	11	0.2	W	4	4	0	0	2	2	0	0
			NW	7	5	0	0	2	1	2	2
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	0	1	0	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	87	2.0	W	52	38	24	7	3	4	0	14
			NW	35	24	14	5	1	3	1	11
SUDDEN INFANT DEATH SYNDROME (111)	46	1.1	W	21	4	0	1	0	0	3	17
			NW	25	2	0	0	0	2	0	23
ACCIDENTS (114-124)	23	0.5	W	10	2	0	0	0	1	1	8
			NW	13	0	0	0	0	0	0	13
ASSAULT (HOMICIDE)	3	0.1	W	2	0	0	0	0	0	0	2
			NW	1	1	0	1	0	0	0	0
ALL OTHER CAUSES	66	1.5	W	18	7	3	1	1	0	2	11
			NW	48	22	16	2	2	1	1	26

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2009**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,621</u>	<u>743</u>	<u>42</u>	<u>277</u>	<u>235</u>	<u>74</u>	<u>51</u>	<u>16</u>	<u>183</u>
ADAMS	13	8	0	3	0	0	0	0	2
ALCORN	31	12	0	6	6	1	1	0	5
AMITE	8	5	0	3	0	0	0	0	0
ATTALA	8	3	0	1	1	1	0	0	2
BENTON	4	3	0	1	0	0	0	0	0
BOLIVAR	18	6	1	0	1	1	1	1	7
CALHOUN	8	4	0	1	1	0	1	0	1
CARROLL	2	1	0	1	0	0	0	0	0
CHICKASAW	11	6	0	1	1	1	0	0	2
CHOCTAW	3	1	0	0	2	0	0	0	0
CLAIBORNE	4	3	0	0	0	0	0	0	1
CLARKE	4	1	0	1	0	0	0	0	2
CLAY	7	2	0	0	2	0	0	1	2
COAHOMA	17	10	1	2	1	0	0	0	3
COPIAH	18	11	2	2	0	1	0	0	2
COVINGTON	16	12	1	0	1	0	1	0	1
DESOTO	56	31	1	14	2	3	4	0	1
FORREST	74	41	0	9	15	0	1	1	7
FRANKLIN	2	2	0	0	0	0	0	0	0
GEORGE	16	10	0	3	0	0	0	1	2
GREENE	5	2	0	0	1	1	0	0	1
GRENADA	11	8	0	1	0	2	0	0	0
HANCOCK	30	9	1	12	2	2	2	0	2
HARRISON	88	26	3	31	11	2	4	1	10
HINDS	203	107	5	7	43	5	5	3	28
HOLMES	8	6	0	2	0	0	0	0	0
HUMPHREYS	12	7	0	0	1	1	0	0	3
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	14	8	0	1	0	0	0	0	5
JACKSON	110	24	4	45	18	3	5	0	11
JASPER	9	5	0	1	1	0	0	0	2
JEFFERSON	6	3	0	0	1	1	0	0	1
JEFF DAVIS	10	8	0	0	0	1	1	0	0
JONES	32	15	1	9	2	0	0	0	5
KEMPER	5	2	0	1	1	0	1	0	0
LAFAYETTE	21	7	0	4	7	0	1	0	2
LAMAR	22	7	2	3	3	2	1	0	4
LAUDERDALE	50	17	2	5	11	2	2	1	10
LAWRENCE	4	3	0	0	0	1	0	0	0
LEAKE	11	9	0	0	1	0	1	0	0
LEE	86	25	0	9	43	0	1	0	8
LEFLORE	22	10	0	1	3	0	0	0	8

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2009

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	11	9	1	0	0	0	0	0	1
LOWNDES	26	9	0	6	2	3	2	0	4
MADISON	17	8	1	0	7	0	0	0	1
MARION	16	5	0	3	1	2	1	0	4
MARSHALL	20	13	0	4	1	1	0	1	0
MONROE	11	5	0	1	1	1	2	0	1
MONTGOMERY	8	6	0	2	0	0	0	0	0
NESHOBA	15	10	1	2	1	1	0	0	0
NEWTON	11	7	0	1	3	0	0	0	0
NOXUBEE	4	3	0	0	0	0	0	0	1
OKTIBBEHA	30	5	2	1	7	11	0	0	4
PANOLA	22	15	1	2	0	1	1	1	1
PEARL RIVER	25	10	1	9	1	1	1	1	1
PERRY	2	1	0	1	0	0	0	0	0
PIKE	23	10	0	5	3	1	1	0	3
PONTOTOC	13	3	0	6	2	0	0	1	1
PRENTISS	6	2	1	2	0	1	0	0	0
QUITMAN	7	2	0	0	2	3	0	0	0
RANKIN	48	16	2	16	4	2	4	1	3
SCOTT	15	11	0	4	0	0	0	0	0
SHARKEY	3	2	0	1	0	0	0	0	0
SIMPSON	17	11	1	2	2	0	0	0	1
SMITH	7	1	0	3	0	2	0	0	1
STONE	8	3	0	3	0	1	0	0	1
SUNFLOWER	7	3	0	2	0	1	0	0	1
TALLAHATCHIE	6	4	0	0	0	1	0	0	1
TATE	17	14	1	0	1	0	0	0	1
TIPPAH	8	4	0	2	0	1	0	0	1
TISHOMINGO	17	6	0	4	4	1	2	0	0
TUNICA	4	4	0	0	0	0	0	0	0
UNION	10	6	1	0	0	2	0	0	1
WALTHALL	9	3	0	5	0	0	0	1	0
WARREN	25	14	2	1	2	2	1	0	3
WASHINGTON	34	18	0	3	6	3	1	1	2
WAYNE	8	5	0	3	0	0	0	0	0
WEBSTER	6	1	0	1	2	0	0	0	2
WILKINSON	6	4	0	0	1	0	1	0	0
WINSTON	5	1	2	1	0	0	0	0	1
YALOBUSHA	4	4	0	0	0	0	0	0	0
YAZOO	11	5	1	1	0	1	1	0	2

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2009**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>14,110</u>	<u>9,894</u>	<u>4,216</u>	<u>14,110</u>	<u>9,894</u>	<u>4,216</u>	<u>13,202</u>	<u>9,215</u>	<u>3,987</u>
ADAMS	244	146	98	286	189	97	179	87	92
ALCORN	144	133	11	136	124	12	128	120	8
AMITE	77	51	26	77	53	24	67	39	28
ATTALA	125	90	35	108	77	31	113	79	34
BENTON	25	21	4	24	19	5	30	25	5
BOLIVAR	136	61	75	134	54	80	128	57	71
CALHOUN	65	55	10	70	54	16	67	55	12
CARROLL	31	20	11	34	24	10	38	24	14
CHICKASAW	96	60	36	94	65	29	87	57	30
CHOCTAW	32	27	5	47	39	8	41	34	7
CLAIBORNE	47	6	41	46	9	37	46	3	43
CLARKE	65	48	17	72	52	20	67	46	21
CLAY	110	52	58	122	55	67	99	40	59
COAHOMA	64	31	33	75	41	34	57	27	30
COPIAH	150	75	75	155	88	67	152	70	82
COVINGTON	127	80	47	129	88	41	127	77	50
DESOTO	618	498	120	509	414	95	523	423	100
FORREST	559	378	181	511	347	164	432	294	138
FRANKLIN	40	25	15	51	32	19	49	33	16
GEORGE	163	159	4	141	134	7	143	140	3
GREENE	58	40	18	68	49	19	46	44	2
GRENADA	118	77	41	114	72	42	101	68	33
HANCOCK	244	234	10	228	218	10	209	200	9
HARRISON	1,191	898	293	1,244	949	295	1,003	750	253
HINDS	388	184	204	622	338	284	462	222	240
HOLMES	64	7	57	74	13	61	61	4	57
HUMPHREYS	29	7	22	44	18	26	28	9	19
ISSAQUENA	11	3	8	11	3	8	4	2	2
ITAWAMBA	101	98	3	101	98	3	98	93	5
JACKSON	639	533	106	678	577	101	660	547	113
JASPER	66	41	25	70	42	28	63	38	25
JEFFERSON	46	3	43	52	8	44	33	5	28
JEFF DAVIS	64	29	35	74	37	37	60	23	37
JONES	386	294	92	377	281	96	384	291	93
KEMPER	57	21	36	61	26	35	39	20	19
LAFAYETTE	222	173	49	246	190	56	190	143	47
LAMAR	255	233	22	258	237	21	327	282	45
LAUDERDALE	368	240	128	339	215	124	332	209	123
LAWRENCE	97	66	31	113	74	39	109	74	35
LEAKE	59	33	26	72	42	30	70	47	23
LEE	467	358	109	456	355	101	416	320	96
LEFLORE	124	52	72	118	50	68	94	39	55

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2009

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	253	182	71	224	157	67	237	176	61
LOWNDES	226	149	77	238	160	78	216	131	85
MADISON	408	263	145	344	220	124	395	256	139
MARION	170	113	57	169	115	54	154	104	50
MARSHALL	110	63	47	131	82	49	108	66	42
MONROE	130	94	36	146	108	38	123	86	37
MONTGOMERY	55	33	22	65	40	25	55	34	21
NESHOBA	183	113	70	208	130	78	180	107	73
NEWTON	120	84	36	126	89	37	122	89	33
NOXUBEE	45	18	27	52	20	32	36	15	21
OKTIBBEHA	248	168	80	209	138	71	230	146	84
PANOLA	173	108	65	153	100	53	167	101	66
PEARL RIVER	293	258	35	290	254	36	286	254	32
PERRY	57	48	9	53	45	8	60	50	10
PIKE	293	148	145	288	141	147	268	132	136
PONTOTOC	141	128	13	135	124	11	149	137	12
PRENTISS	97	87	10	96	85	11	98	86	12
QUITMAN	36	16	20	37	15	22	28	12	16
RANKIN	930	766	164	667	547	120	883	735	148
SCOTT	162	104	58	174	118	56	158	104	54
SHARKEY	8	4	4	10	3	7	10	4	6
SIMPSON	174	118	56	164	109	55	158	107	51
SMITH	75	65	10	93	77	16	95	74	21
STONE	143	116	27	132	105	27	129	105	24
SUNFLOWER	103	31	72	102	32	70	90	26	64
TALLAHATCHIE	42	27	15	49	29	20	38	24	14
TATE	111	81	30	143	109	34	118	87	31
TIPPAH	91	82	9	94	86	8	95	87	8
TISHOMINGO	96	94	2	99	98	1	71	70	1
TUNICA	37	14	23	45	19	26	27	8	19
UNION	122	117	5	121	114	7	121	112	9
WALTHALL	84	44	40	85	44	41	81	43	38
WARREN	319	188	131	314	189	125	280	164	116
WASHINGTON	126	48	78	140	61	79	119	42	77
WAYNE	90	61	29	83	55	28	87	56	31
WEBSTER	67	57	10	58	52	6	72	64	8
WILKINSON	57	14	43	59	16	43	40	10	30
WINSTON	90	49	41	95	53	42	75	46	29
YALOBUSHA	51	37	14	54	39	15	70	48	22
YAZOO	122	64	58	124	66	58	111	57	54
OUT OF STATE	*	*	*	*	*	*	895	671	224

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2009**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,223</u>	<u>7,206</u>	<u>2,698</u>	<u>2,319</u>					
ADAMS	108	48	41	19	LINCOLN	173	119	37	17
ALCORN	227	208	10	9	LOWNDES	186	94	80	12
AMITE	51	37	14	0	MADISON	312	224	84	4
ATTALA	72	34	15	23	MARION	116	75	26	15
BENTON	20	15	5	0	MARSHALL	114	66	36	12
BOLIVAR	144	51	71	22	MONROE	176	140	28	8
CALHOUN	36	29	6	1	MONTGOMERY	43	28	15	0
CARROLL	42	32	9	1	NESHOBA	118	91	24	3
CHICKASAW	70	42	24	4	NEWTON	94	72	22	0
CHOCTAW	43	25	9	9	NOXUBEE	15	3	12	0
CLAIBORNE	30	2	28	0	OKTIBBEHA	135	47	43	45
CLARKE	91	64	23	4	PANOLA	185	128	50	7
CLAY	46	27	9	10	PEARL RIVER	275	251	21	3
COAHOMA	85	32	47	6	PERRY	60	53	3	4
COPIAH	109	52	37	20	PIKE	226	112	97	17
COVINGTON	90	54	14	22	PONTOTOC	0	0	0	0
DESOTO	791	532	95	164	PRENTISS	130	89	9	32
FORREST	306	165	63	78	QUITMAN	26	13	13	0
FRANKLIN	33	23	10	0	RANKIN	801	703	94	4
GEORGE	141	136	5	0	SCOTT	137	99	36	2
GREENE	0	0	0	0	SHARKEY	6	4	2	0
GRENADA	109	83	26	0	SIMPSON	118	87	31	0
HANCOCK	186	111	3	72	SMITH	44	33	10	1
HARRISON	962	411	57	494	STONE	94	66	14	14
HINDS	853	198	497	158	SUNFLOWER	0	0	0	0
HOLMES	50	11	39	0	TALLAHATCHIE	33	17	16	0
HUMPHREYS	20	7	13	0	TATE	130	93	26	11
ISSAQUENA	4	2	2	0	TIPPAH	128	98	15	15
ITAWAMBA	163	147	2	14	TISHOMINGO	111	106	2	3
JACKSON	748	0	0	748	TUNICA	18	7	9	2
JASPER	73	43	29	1	UNION	155	114	17	24
JEFFERSON	0	0	0	0	WALTHALL	62	46	16	0
JEFF DAVIS	8	3	5	0	WARREN	73	37	25	11
JONES	381	282	91	8	WASHINGTON	99	29	68	2
KEMPER	0	0	0	0	WAYNE	136	97	34	5
LAFAYETTE	153	105	29	19	WEBSTER	54	47	6	1
LAMAR	262	219	27	16	WILKINSON	0	0	0	0
LAUDERDALE	350	237	104	9	WINSTON	51	29	22	0
LAWRENCE	66	54	12	0	YALOBUSHA	74	51	23	0
LEAKE	59	42	10	7	YAZOO	69	42	19	8
LEE	334	188	50	96					
LEFLORE	130	45	82	3					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2009**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,374</u>	<u>501</u>	<u>1,870</u>	<u>3</u>					
ADAMS	38	10	28	0	LINCOLN	18	2	16	0
ALCORN	0	0	0	0	LOWNDES	1	0	1	0
AMITE	3	2	1	0	MADISON	209	38	171	0
ATTALA	32	3	29	0	MARION	20	6	14	0
BENTON	1	1	0	0	MARSHALL	0	0	0	0
BOLIVAR	10	4	6	0	MONROE	0	0	0	0
CALHOUN	1	0	1	0	MONTGOMERY	7	5	2	0
CARROLL	6	4	2	0	NESHOBA	24	12	12	0
CHICKASAW	2	2	0	0	NEWTON	11	6	5	0
CHOCTAW	5	3	2	0	NOXUBEE	0	0	0	0
CLAIBORNE	23	0	23	0	OKTIBBEHA	17	13	4	0
CLARKE	4	1	3	0	PANOLA	1	1	0	0
CLAY	1	0	1	0	PEARL RIVER	4	3	1	0
COAHOMA	2	1	1	0	PERRY	2	0	2	0
COPIAH	43	6	37	0	PIKE	53	9	44	0
COVINGTON	14	3	11	0	PONTOTOC	0	0	0	0
DESOTO	0	0	0	0	PRENTISS	0	0	0	0
FORREST	97	35	61	1	QUITMAN	0	0	0	0
FRANKLIN	7	4	3	0	RANKIN	198	99	99	0
GEORGE	0	0	0	0	SCOTT	36	11	25	0
GREENE	3	2	1	0	SHARKEY	15	0	15	0
GRENADA	5	1	4	0	SIMPSON	34	13	21	0
HANCOCK	0	0	0	0	SMITH	10	5	5	0
HARRISON	26	17	9	0	STONE	1	0	1	0
HINDS	865	72	791	2	SUNFLOWER	11	3	8	0
HOLMES	52	0	52	0	TALLAHATCHIE	0	0	0	0
HUMPHREYS	20	3	17	0	TATE	1	0	1	0
ISSAQUENA	1	0	1	0	TIPPAH	0	0	0	0
ITAWAMBA	0	0	0	0	TISHOMINGO	0	0	0	0
JACKSON	8	5	3	0	TUNICA	0	0	0	0
JASPER	12	1	11	0	UNION	1	0	1	0
JEFFERSON	10	0	10	0	WALTHALL	9	1	8	0
JEFF DAVIS	18	1	17	0	WARREN	117	24	93	0
JONES	30	11	19	0	WASHINGTON	25	8	17	0
KEMPER	3	1	2	0	WAYNE	15	5	10	0
LAFAYETTE	1	1	0	0	WEBSTER	1	1	0	0
LAMAR	46	19	27	0	WILKINSON	3	0	3	0
LAUDERDALE	16	4	12	0	WINSTON	7	1	6	0
LAWRENCE	9	2	7	0	YALOBUSHA	2	2	0	0
LEAKE	31	7	24	0	YAZOO	51	5	46	0
LEE	1	0	1	0					
LEFLORE	24	2	22	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>8,112</u>	<u>190</u>	<u>7,922</u>	<u>3,215</u>	<u>37</u>	<u>3,178</u>	<u>4,894</u>	<u>153</u>	<u>4,741</u>
ADAMS	93	2	91	21	0	21	72	2	70
ALCORN	88	0	88	68	0	68	20	0	20
AMITE	21	0	21	6	0	6	15	0	15
ATTALA	59	1	58	16	0	16	43	1	42
BENTON	19	2	17	11	1	10	8	1	7
BOLIVAR	138	4	134	20	0	20	118	4	114
CALHOUN	47	1	46	18	0	18	29	1	28
CARROLL	14	1	13	6	0	6	8	1	7
CHICKASAW	63	1	62	23	1	22	40	0	40
CHOCTAW	24	1	23	11	0	11	13	1	12
CLAIBORNE	39	1	38	0	0	0	39	1	38
CLARKE	42	0	42	24	0	24	18	0	18
CLAY	46	1	45	11	0	11	35	1	34
COAHOMA	136	3	133	12	0	12	123	3	120
COPIAH	106	3	103	29	2	27	77	1	76
COVINGTON	58	1	57	34	0	34	24	1	23
DESOTO	315	5	310	187	0	187	126	5	121
FORREST	208	5	203	82	2	80	126	3	123
FRANKLIN	23	0	23	7	0	7	16	0	16
GEORGE	78	3	75	68	0	68	10	3	7
GREENE	32	1	31	28	1	27	4	0	4
GRENADA	67	2	65	21	0	21	46	2	44
HANCOCK	79	1	78	75	1	74	4	0	4
HARRISON	425	11	414	256	6	250	169	5	164
HINDS	777	23	754	63	0	63	714	23	691
HOLMES	96	5	91	1	0	1	95	5	90
HUMPHREYS	51	3	48	4	1	3	47	2	45
ISSAQUENA	3	0	3	0	0	0	3	0	3
ITAWAMBA	57	3	54	52	2	50	5	1	4
JACKSON	323	5	318	196	2	194	127	3	124
JASPER	54	2	52	19	1	18	35	1	34
JEFFERSON	26	1	25	0	0	0	26	1	25
JEFF DAVIS	33	1	32	7	0	7	26	1	25
JONES	206	7	199	95	1	94	111	6	105
KEMPER	14	0	14	5	0	5	9	0	9
LAFAYETTE	77	0	77	34	0	34	43	0	43
LAMAR	82	1	81	57	1	56	25	0	25
LAUDERDALE	206	3	203	67	0	67	139	3	136
LAWRENCE	32	1	31	18	0	18	14	1	13
LEAKE	73	1	72	29	0	29	44	1	43
LEE	231	7	224	117	2	115	114	5	109
LEFLORE	148	8	140	15	1	14	133	7	126

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2009

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	93	0	93	46	0	46	47	0	47
LOWNDES	175	4	171	58	1	57	117	3	114
MADISON	206	10	196	55	2	53	151	8	143
MARION	102	2	100	57	1	56	45	1	44
MARSHALL	106	2	104	38	0	38	68	2	66
MONROE	75	0	75	46	0	46	29	0	29
MONTGOMERY	46	1	45	22	0	22	24	1	23
NESHOBA	111	4	107	42	1	41	69	3	66
NEWTON	50	1	49	23	0	23	27	1	26
NOXUBEE	40	0	40	1	0	1	39	0	39
OKTIBBEHA	69	0	69	20	0	20	49	0	49
PANOLA	163	2	161	43	0	43	120	2	118
PEARL RIVER	113	2	111	91	1	90	22	1	21
PERRY	35	0	35	29	0	29	6	0	6
PIKE	140	7	133	33	1	32	107	6	101
PONTOTOC	80	1	79	66	1	65	14	0	14
PRENTISS	73	1	72	60	0	60	13	1	12
QUITMAN	38	1	37	2	0	2	36	1	35
RANKIN	244	4	240	174	1	173	70	3	67
SCOTT	103	3	100	44	0	44	59	3	56
SHARKEY	30	3	27	1	0	1	29	3	26
SIMPSON	88	0	88	41	0	41	47	0	47
SMITH	39	0	39	25	0	25	14	0	14
STONE	41	1	40	32	1	31	9	0	9
SUNFLOWER	121	3	118	4	0	4	117	3	114
TALLAHATCHIE	48	1	47	3	0	3	45	1	44
TATE	76	0	76	30	0	30	46	0	46
TIPPAH	59	0	59	53	0	53	6	0	6
TISHOMINGO	33	0	33	32	0	32	1	0	1
TUNICA	42	1	41	5	0	5	37	1	36
UNION	65	1	64	46	1	45	19	0	19
WALTHALL	31	0	31	14	0	14	17	0	17
WARREN	160	2	158	41	1	40	119	1	118
WASHINGTON	215	5	210	26	0	26	189	5	184
WAYNE	52	0	52	31	0	31	21	0	21
WEBSTER	17	1	16	9	0	9	8	1	7
WILKINSON	25	1	24	4	0	4	21	1	20
WINSTON	50	1	49	19	0	19	31	1	30
YALOBUSHA	43	1	42	19	0	19	24	1	23
YAZOO	106	3	103	17	0	17	89	3	86

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2009

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>39.0</u>	<u>1.9</u>	<u>73.2</u>	<u>29.6</u>	<u>0.7</u>	<u>57.0</u>	<u>49.1</u>	<u>3.2</u>	<u>90.3</u>
ADAMS	44.7	2.0	82.9	31.2	-	58.2	51.1	3.0	95.0
ALCORN	40.0	-	82.0	37.0	-	77.1	55.4	-	104.7
AMITE	28.0	-	51.5	16.9	-	31.9	38.1	-	68.2
ATTALA	47.1	1.6	90.5	26.3	-	54.6	66.8	3.4	120.7
BENTON	35.7	7.8	61.6	38.5	6.7	73.0	32.5	9.3	50.4
BOLIVAR	52.8	3.5	91.3	32.2	-	53.2	59.2	4.4	104.5
CALHOUN	52.1	2.1	105.5	32.2	-	69.8	84.3	6.0	157.3
CARROLL	26.1	4.0	45.3	19.0	-	37.7	36.0	10.6	54.7
CHICKASAW	48.1	1.5	96.6	33.6	2.7	71.0	64.0	-	120.5
CHOCTAW	35.4	3.0	67.0	25.8	-	49.8	51.8	7.8	98.4
CLAIBORNE	40.0	3.0	59.6	-	-	-	42.8	3.3	62.9
CLARKE	35.9	-	72.8	34.7	-	70.2	37.6	-	76.6
CLAY	31.4	1.4	59.7	24.6	-	50.2	34.4	2.1	63.6
COAHOMA	61.4	2.8	118.1	40.8	-	69.0	64.1	3.1	126.0
COPIAH	49.6	3.2	85.1	35.4	5.0	64.3	58.4	1.9	96.2
COVINGTON	37.6	1.3	72.6	41.0	-	80.2	33.7	2.8	63.7
DESOTO	26.6	0.8	56.5	23.4	-	50.4	32.5	2.4	68.1
FORREST	33.9	2.1	54.3	25.6	1.6	40.2	42.9	2.5	70.4
FRANKLIN	44.7	-	86.5	26.6	-	49.0	63.7	-	130.1
GEORGE	47.4	3.5	95.8	47.7	-	100.3	45.2	25.9	66.7
GREENE	38.4	2.3	76.4	41.8	2.8	86.0	24.4	-	43.5
GRENADA	39.6	2.4	75.0	25.2	-	51.5	53.7	5.0	96.1
HANCOCK	30.3	0.8	59.5	32.7	0.9	64.1	12.7	-	25.6
HARRISON	35.6	1.9	67.1	34.2	1.6	65.0	37.9	2.3	70.6
HINDS	41.2	2.6	75.2	14.6	-	25.0	49.1	3.3	92.1
HOLMES	57.3	6.9	95.2	4.2	-	6.0	65.9	7.6	114.2
HUMPHREYS	79.2	10.6	132.6	36.7	20.0	50.8	87.8	8.6	148.5
ISSAQUENA	31.9	-	58.8	-	-	-	43.5	-	78.9
ITAWAMBA	32.7	4.1	53.3	33.9	3.0	57.6	23.8	15.4	27.6
JACKSON	35.1	1.1	68.2	31.6	0.7	61.0	42.3	2.0	83.7
JASPER	41.8	3.0	82.4	38.7	3.8	78.9	43.8	2.5	84.4
JEFFERSON	43.8	3.3	84.7	-	-	-	47.4	3.7	89.9
JEFF DAVIS	39.6	2.5	72.7	27.4	-	55.6	44.9	3.8	79.6
JONES	46.8	3.3	86.0	35.3	0.8	67.3	64.9	7.6	114.2
KEMPER	18.8	-	34.6	23.6	-	40.3	16.8	-	32.1
LAFAYETTE	23.1	-	33.2	14.5	-	19.7	43.6	-	72.5
LAMAR	22.6	0.6	44.8	20.5	0.7	40.2	29.6	-	60.1
LAUDERDALE	38.5	1.2	72.6	27.4	-	53.5	47.8	2.2	88.0
LAWRENCE	32.9	2.0	63.6	31.7	-	64.5	34.6	5.1	62.5
LEAKE	41.8	1.2	80.9	36.6	-	76.5	46.1	2.2	84.1
LEE	41.7	2.5	82.9	33.8	1.1	69.4	54.9	4.8	104.1
LEFLORE	56.3	6.6	98.9	33.6	4.7	60.1	60.9	7.0	106.6

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2009

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	39.3	-	77.9	32.0	-	64.6	50.4	-	97.5
LOWNDES	41.5	2.0	78.4	30.4	1.0	59.5	50.6	2.8	93.1
MADISON	30.3	2.9	59.0	15.7	1.1	32.4	45.9	5.0	84.8
MARION	55.4	2.1	110.6	56.0	1.9	115.9	54.7	2.5	104.5
MARSHALL	42.8	1.7	81.2	36.2	-	76.3	47.6	3.1	84.3
MONROE	29.4	-	57.3	29.5	-	57.6	29.1	-	56.9
MONTGOMERY	60.0	2.9	107.9	66.5	-	132.5	55.2	5.4	91.6
NESHOBA	49.7	3.6	96.4	36.6	1.6	76.8	63.5	5.9	114.6
NEWTON	30.6	1.4	54.6	25.4	-	46.0	37.1	3.0	65.3
NOXUBEE	47.2	-	87.7	6.0	-	11.5	57.3	-	105.7
OKTIBBEHA	19.7	-	28.8	10.6	-	14.7	30.5	-	47.4
PANOLA	65.7	1.6	128.3	43.0	-	90.5	81.0	2.8	151.3
PEARL RIVER	28.2	1.0	55.3	28.3	0.6	56.6	27.8	2.7	50.2
PERRY	41.2	-	80.6	49.4	-	100.3	22.9	-	41.4
PIKE	48.8	5.1	88.5	28.2	1.7	53.6	63.1	7.6	111.5
PONTOTOC	38.9	0.9	81.2	39.1	1.1	82.6	38.2	-	75.3
PRENTISS	40.0	1.2	69.8	41.0	-	73.4	35.9	6.8	55.8
QUITMAN	60.3	3.3	111.8	15.4	-	31.7	72.0	4.3	130.6
RANKIN	27.2	0.8	57.0	26.4	0.3	55.7	29.5	2.4	60.6
SCOTT	51.7	3.1	97.5	44.1	-	87.0	59.4	6.3	107.7
SHARKEY	71.2	14.9	122.7	11.6	-	19.2	86.6	18.0	154.8
SIMPSON	45.6	-	91.5	38.6	-	81.0	54.1	-	103.1
SMITH	32.8	-	67.7	33.0	-	66.8	32.5	-	69.3
STONE	33.4	1.9	57.2	35.4	2.4	62.4	28.0	-	44.6
SUNFLOWER	59.8	3.3	104.8	9.6	-	16.9	72.7	4.2	128.1
TALLAHATCHIE	49.7	2.3	88.0	11.0	-	21.9	65.0	3.4	110.8
TATE	37.0	-	65.9	23.8	-	44.2	57.7	-	97.0
TIPPAH	42.8	-	80.0	50.4	-	93.8	18.4	-	34.9
TISHOMINGO	27.9	-	56.7	28.3	-	57.1	18.5	-	45.4
TUNICA	56.0	2.6	113.9	45.4	-	128.2	57.8	3.1	112.2
UNION	36.4	1.1	74.4	32.8	1.4	66.4	49.7	-	104.4
WALTHALL	31.4	-	61.8	33.1	-	71.4	30.1	-	55.6
WARREN	44.0	1.1	85.9	27.0	1.3	52.8	56.2	1.0	109.0
WASHINGTON	53.3	2.5	101.8	33.5	-	60.0	58.0	3.1	112.9
WAYNE	33.3	-	69.8	37.8	-	82.0	28.3	-	57.2
WEBSTER	28.3	3.2	55.6	20.4	-	42.0	50.3	11.8	94.6
WILKINSON	39.4	3.5	69.4	30.1	-	65.6	41.9	4.6	70.2
WINSTON	39.5	1.6	78.9	33.0	-	70.1	45.0	3.0	85.7
YALOBUSHA	49.6	2.5	90.1	46.1	-	94.5	52.9	5.3	86.8
YAZOO	58.8	3.4	111.4	32.3	-	66.4	69.8	5.0	128.6

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	394	191	203	12.8	14.7	11.4	430	383	47	12.0	12.3	10.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	3	9	39.1	23.1	50.8	11	11	0	30.7	35.3	-
HIV DISEASE (039-043)	2	0	2	6.5	-	11.3	1	1	0	2.8	3.2	-
MALIGNANT NEOPLASMS (056-108)	77	39	38	250.6	300.0	214.4	81	68	13	226.1	218.1	279.8
DIABETES MELLITUS (124)	10	2	8	32.6	15.4	45.1	4	3	1	11.2	9.6	21.5
ALZHEIMERS DISEASE (148)	10	8	2	32.6	61.5	11.3	18	18	0	50.2	57.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	124	69	55	403.6	530.8	310.3	153	140	13	427.1	449.1	279.8
HEART DISEASES (156-160,162, 164-181)	102	59	43	332.0	453.9	242.6	123	111	12	343.4	356.0	258.3
HYPERTENSION (161,163)	3	1	2	9.8	7.7	11.3	3	3	0	8.4	9.6	-
CEREBROVASCULAR DISEASES (182-186)	16	7	9	52.1	53.8	50.8	25	24	1	69.8	77.0	21.5
ATHEROSCLEROSIS (187)	1	0	1	3.2	-	5.6	2	2	0	5.6	6.4	-
INFLUENZA AND PNEUMONIA (195-198)	18	8	10	58.6	61.5	56.4	11	11	0	30.7	35.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	12	6	58.6	92.3	33.8	27	25	2	75.4	80.2	43.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	9.8	7.7	11.3	3	2	1	8.4	6.4	21.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	3	14	55.3	23.1	79.0	16	9	7	44.7	28.9	150.7
MATERNAL CAUSES (261-273)	1	0	1	228.8	-	347.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.9	-	10.4	4	2	2	8.8	5.3	27.4
CONGENITAL MALFORMATIONS (282-290)	2	0	2	6.5	-	11.3	2	2	0	5.6	6.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.3	-	3.5	0	0	0	-	-	-
ACCIDENTS (295-330)	17	6	11	55.3	46.2	62.1	32	30	2	89.3	96.2	43.0
MOTOR VEHICLE ACCIDENTS# (296-306)	12	4	8	39.1	30.8	45.1	10	8	2	27.9	25.7	43.0
SUICIDE (331-337)	2	1	1	6.5	7.7	5.6	7	7	0	19.5	22.4	-
HOMICIDE (338-346)	4	1	3	13.0	7.7	16.9	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	147	88	59	11.3	12.2	10.1	274	189	85	13.9	16.7	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	23.0	27.8	17.1	7	4	3	35.4	35.4	35.5
HIV DISEASE (039-043)	1	0	1	7.7	-	17.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	36	22	14	276.1	305.9	239.4	51	35	16	258.2	309.9	189.1
DIABETES MELLITUS (124)	2	1	1	15.3	13.9	17.1	18	10	8	91.1	88.5	94.6
ALZHEIMERS DISEASE (148)	9	7	2	69.0	97.3	34.2	21	20	1	106.3	177.1	11.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	49	32	17	375.8	445.0	290.7	96	63	33	486.0	557.8	390.1
HEART DISEASES (156-160,162, 164-181)	37	24	13	283.8	333.8	222.3	71	49	22	359.4	433.8	260.0
HYPERTENSION (161,163)	2	1	1	15.3	13.9	17.1	5	2	3	25.3	17.7	35.5
CEREBROVASCULAR DISEASES (182-186)	9	6	3	69.0	83.4	51.3	15	9	6	75.9	79.7	70.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.1	8.8	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	7.7	-	17.1	5	4	1	25.3	35.4	11.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	4	0	30.7	55.6	-	10	8	2	50.6	70.8	23.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.7	13.9	-	1	1	0	5.1	8.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	23.0	27.8	17.1	3	2	1	15.2	17.7	11.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.1	-	12.2	4	0	4	13.0	-	23.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.1	-	11.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	5	3	61.4	69.5	51.3	11	5	6	55.7	44.3	70.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	30.7	27.8	34.2	6	3	3	30.4	26.6	35.5
SUICIDE (331-337)	1	0	1	7.7	-	17.1	2	2	0	10.1	17.7	-
HOMICIDE (338-346)	4	2	2	30.7	27.8	34.2	3	1	2	15.2	8.8	23.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	94	65	29	11.8	12.8	10.0	421	155	266	11.4	12.7	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	10	4	6	27.2	32.9	24.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.7	-	4.1
MALIGNANT NEOPLASMS (056-108)	22	10	12	275.6	197.0	412.9	86	25	61	233.9	205.6	247.9
DIABETES MELLITUS (124)	5	4	1	62.6	78.8	34.4	26	4	22	70.7	32.9	89.4
ALZHEIMERS DISEASE (148)	3	2	1	37.6	39.4	34.4	7	7	0	19.0	57.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	32	10	526.2	630.5	344.1	157	56	101	427.0	460.5	410.5
HEART DISEASES (156-160,162, 164-181)	35	26	9	438.5	512.3	309.7	104	39	65	282.9	320.7	264.2
HYPERTENSION (161,163)	4	3	1	50.1	59.1	34.4	14	5	9	38.1	41.1	36.6
CEREBROVASCULAR DISEASES (182-186)	3	3	0	37.6	59.1	-	29	9	20	78.9	74.0	81.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	1	2	8.2	8.2	8.1
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	14	8	6	38.1	65.8	24.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	37.6	59.1	-	20	13	7	54.4	106.9	28.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	12.5	19.7	-	6	1	5	16.3	8.2	20.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	4	1	3	10.9	8.2	12.2
MATERNAL CAUSES (261-273)	1	1	0	917.4	1,470.6	-	1	1	0	165.6	689.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	5.0	-	6.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	8.2	8.2	8.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	4	2	75.2	78.8	68.8	20	10	10	54.4	82.2	40.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	50.1	39.4	68.8	9	5	4	24.5	41.1	16.2
SUICIDE (331-337)	1	1	0	12.5	19.7	-	4	4	0	10.9	32.9	-
HOMICIDE (338-346)	0	0	0	-	-	-	7	0	7	19.0	-	28.4

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	185	139	46	12.8	13.8	10.6	109	72	37	10.6	10.7	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	13.9	9.9	23.1	1	1	0	9.7	14.8	-
HIV DISEASE (039-043)	1	1	0	6.9	9.9	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	44	28	16	305.1	277.3	369.9	25	18	7	243.2	267.0	198.0
DIABETES MELLITUS (124)	1	1	0	6.9	9.9	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	11	11	0	76.3	108.9	-	1	1	0	9.7	14.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	76	60	16	527.0	594.2	369.9	43	23	20	418.4	341.1	565.6
HEART DISEASES (156-160,162, 164-181)	60	48	12	416.0	475.4	277.4	31	17	14	301.6	252.2	395.9
HYPERTENSION (161,163)	2	1	1	13.9	9.9	23.1	3	1	2	29.2	14.8	56.6
CEREBROVASCULAR DISEASES (182-186)	13	11	2	90.1	108.9	46.2	9	5	4	87.6	74.2	113.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	6.9	9.9	-	1	0	1	9.7	-	28.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	48.5	69.3	-	10	9	1	97.3	133.5	28.3
PEPTIC ULCER (217-220)	1	1	0	6.9	9.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.9	9.9	-	2	2	0	19.4	29.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	20.8	19.8	23.1	2	1	1	19.4	14.8	28.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.9	-	23.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	4.8	-	12.8	1	1	0	11.5	18.9	-
ACCIDENTS (295-330)	14	11	3	97.1	108.9	69.4	7	5	2	68.1	74.2	56.6
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	48.5	39.6	69.4	4	4	0	38.9	59.3	-
SUICIDE (331-337)	1	1	0	6.9	9.9	-	1	1	0	9.7	14.8	-
HOMICIDE (338-346)	1	1	0	6.9	9.9	-	1	0	1	9.7	-	28.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	178	118	60	9.5	11.0	7.5	109	76	33	12.1	12.5	11.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	16.0	18.7	12.5	2	1	1	22.2	16.4	34.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	11.1	-	34.0
MALIGNANT NEOPLASMS (056-108)	47	27	20	251.6	252.1	250.8	22	17	5	243.8	279.3	170.2
DIABETES MELLITUS (124)	3	2	1	16.0	18.7	12.5	2	0	2	22.2	-	68.1
ALZHEIMERS DISEASE (148)	2	2	0	10.7	18.7	-	5	4	1	55.4	65.7	34.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	65	43	22	347.9	401.6	275.9	43	33	10	476.6	542.2	340.5
HEART DISEASES (156-160,162, 164-181)	57	37	20	305.1	345.5	250.8	39	30	9	432.2	492.9	306.4
HYPERTENSION (161,163)	2	2	0	10.7	18.7	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	5	3	2	26.8	28.0	25.1	4	3	1	44.3	49.3	34.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	10.7	18.7	-	1	1	0	11.1	16.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	7	1	42.8	65.4	12.5	5	3	2	55.4	49.3	68.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.4	-	12.5	1	0	1	11.1	-	34.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	32.1	28.0	37.6	5	3	2	55.4	49.3	68.1
MATERNAL CAUSES (261-273)	1	1	0	365.0	694.4	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	7.3	13.9	-	1	0	1	9.0	-	19.6
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.4	9.3	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	7	5	64.2	65.4	62.7	5	4	1	55.4	65.7	34.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	1	4	26.8	9.3	50.2	2	1	1	22.2	16.4	34.0
SUICIDE (331-337)	2	2	0	10.7	18.7	-	1	1	0	11.1	16.4	-
HOMICIDE (338-346)	1	1	0	5.4	9.3	-	1	0	1	11.1	-	34.0

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	102	25	77	9.5	15.9	8.4	186	134	52	10.8	12.2	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	0	3	27.9	-	32.7	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	2	2	0	11.6	18.2	-
MALIGNANT NEOPLASMS (056-108)	21	4	17	195.2	254.3	185.1	36	27	9	209.2	245.2	145.2
DIABETES MELLITUS (124)	2	1	1	18.6	63.6	10.9	6	4	2	34.9	36.3	32.3
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	7	5	2	40.7	45.4	32.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	9	31	371.9	572.2	337.6	77	58	19	447.5	526.7	306.6
HEART DISEASES (156-160,162, 164-181)	33	9	24	306.8	572.2	261.4	67	50	17	389.4	454.1	274.4
HYPERTENSION (161,163)	1	0	1	9.3	-	10.9	1	1	0	5.8	9.1	-
CEREBROVASCULAR DISEASES (182-186)	6	0	6	55.8	-	65.3	9	7	2	52.3	63.6	32.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	9.3	-	10.9	7	4	3	40.7	36.3	48.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	3	5	74.4	190.7	54.4	9	6	3	52.3	54.5	48.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.3	63.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	27.9	63.6	21.8	3	1	2	17.4	9.1	32.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	13.6	-	35.3
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.3	-	10.9	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	1	3	37.2	63.6	32.7	13	10	3	75.6	90.8	48.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	27.9	-	32.7	8	7	1	46.5	63.6	16.1
SUICIDE (331-337)	2	1	1	18.6	63.6	10.9	2	2	0	11.6	18.2	-
HOMICIDE (338-346)	4	0	4	37.2	-	43.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	211	94	117	10.2	10.8	9.8	279	83	196	10.4	13.1	9.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	0	5	24.1	-	41.7	5	0	5	18.6	-	24.3
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	11.1	-	14.6
MALIGNANT NEOPLASMS (056-108)	46	20	26	222.0	229.3	216.7	60	17	43	222.8	267.9	208.8
DIABETES MELLITUS (124)	6	2	4	29.0	22.9	33.3	26	7	19	96.5	110.3	92.3
ALZHEIMERS DISEASE (148)	4	4	0	19.3	45.9	-	6	4	2	22.3	63.0	9.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	85	39	46	410.2	447.1	383.3	93	26	67	345.3	409.8	325.4
HEART DISEASES (156-160,162, 164-181)	57	24	33	275.1	275.2	275.0	66	24	42	245.0	378.2	204.0
HYPERTENSION (161,163)	6	4	2	29.0	45.9	16.7	10	1	9	37.1	15.8	43.7
CEREBROVASCULAR DISEASES (182-186)	21	10	11	101.3	114.6	91.7	14	1	13	52.0	15.8	63.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	3	5	38.6	34.4	41.7	2	0	2	7.4	-	9.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	24.1	34.4	16.7	13	8	5	48.3	126.1	24.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	0	3	14.5	-	25.0	1	0	1	3.7	-	4.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	3	6	43.4	34.4	50.0	2	0	2	7.4	-	9.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	3.9	29.4	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	3.9	-	4.5
ACCIDENTS (295-330)	10	4	6	48.2	45.9	50.0	16	8	8	59.4	126.1	38.8
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	9.6	-	16.7	7	2	5	26.0	31.5	24.3
SUICIDE (331-337)	2	2	0	9.6	22.9	-	1	1	0	3.7	15.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	10	1	9	37.1	15.8	43.7

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	290	168	122	10.0	12.2	8.0	207	154	53	10.1	12.0	6.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	13.7	14.5	13.1	4	4	0	19.5	31.2	-
HIV DISEASE (039-043)	1	0	1	3.4	-	6.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	58	30	28	199.4	217.3	183.2	55	44	11	267.7	343.5	142.2
DIABETES MELLITUS (124)	10	4	6	34.4	29.0	39.2	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	15	13	2	51.6	94.1	13.1	13	9	4	63.3	70.2	51.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	84	43	41	288.7	311.4	268.2	66	49	17	321.3	382.5	219.8
HEART DISEASES (156-160,162, 164-181)	60	30	30	206.2	217.3	196.2	51	37	14	248.2	288.8	181.0
HYPERTENSION (161,163)	3	2	1	10.3	14.5	6.5	1	0	1	4.9	-	12.9
CEREBROVASCULAR DISEASES (182-186)	15	10	5	51.6	72.4	32.7	14	12	2	68.1	93.7	25.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	13.7	29.0	-	3	3	0	14.6	23.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	11	3	48.1	79.7	19.6	12	7	5	58.4	54.6	64.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	13.7	14.5	13.1	1	1	0	4.9	7.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	5	4	30.9	36.2	26.2	6	4	2	29.2	31.2	25.9
MATERNAL CAUSES (261-273)	1	0	1	225.7	-	375.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	3.2	5.4	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.4	7.2	-	2	1	1	9.7	7.8	12.9
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	4.5	5.6	3.8	0	0	0	-	-	-
ACCIDENTS (295-330)	22	17	5	75.6	123.1	32.7	12	8	4	58.4	62.4	51.7
MOTOR VEHICLE ACCIDENTS# (296-306)	10	5	5	34.4	36.2	32.7	9	6	3	43.8	46.8	38.8
SUICIDE (331-337)	9	8	1	30.9	57.9	6.5	2	1	1	9.7	7.8	12.9
HOMICIDE (338-346)	3	2	1	10.3	14.5	6.5	1	0	1	4.9	-	12.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,056	918	138	6.6	7.7	3.5	676	501	175	8.3	10.0	5.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	11	1	7.6	9.2	2.5	21	13	8	25.9	25.9	25.8
HIV DISEASE (039-043)	4	1	3	2.5	0.8	7.6	4	2	2	4.9	4.0	6.4
MALIGNANT NEOPLASMS (056-108)	251	217	34	158.1	181.6	86.6	144	102	42	177.6	203.6	135.6
DIABETES MELLITUS (124)	75	62	13	47.2	51.9	33.1	27	14	13	33.3	27.9	42.0
ALZHEIMERS DISEASE (148)	27	25	2	17.0	20.9	5.1	35	32	3	43.2	63.9	9.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	355	312	43	223.7	261.2	109.5	205	163	42	252.8	325.3	135.6
HEART DISEASES (156-160,162, 164-181)	306	271	35	192.8	226.8	89.2	167	134	33	206.0	267.5	106.5
HYPERTENSION (161,163)	7	7	0	4.4	5.8	-	10	9	1	12.3	18.0	3.2
CEREBROVASCULAR DISEASES (182-186)	35	27	8	22.0	22.6	20.4	25	17	8	30.8	33.9	25.8
ATHEROSCLEROSIS (187)	1	1	0	0.6	0.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	14	0	8.8	11.7	-	19	13	6	23.4	25.9	19.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	76	72	4	47.9	60.3	10.2	47	44	3	58.0	87.8	9.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	9	9	0	5.7	7.5	-	8	7	1	9.9	14.0	3.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	6.9	7.5	5.1	11	8	3	13.6	16.0	9.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	9	7	2	4.1	4.4	3.4	7	2	5	6.0	3.1	9.4
CONGENITAL MALFORMATIONS (282-290)	9	5	4	5.7	4.2	10.2	5	3	2	6.2	6.0	6.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.5	0.6	-	1	1	0	0.8	1.6	-
ACCIDENTS (295-330)	61	55	6	38.4	46.0	15.3	32	19	13	39.5	37.9	42.0
MOTOR VEHICLE ACCIDENTS# (296-306)	31	26	5	19.5	21.8	12.7	16	5	11	19.7	10.0	35.5
SUICIDE (331-337)	23	22	1	14.5	18.4	2.5	12	11	1	14.8	22.0	3.2
HOMICIDE (338-346)	5	1	4	3.2	0.8	10.2	9	4	5	11.1	8.0	16.1

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	80	63	17	9.6	12.2	5.3	225	208	17	9.9	10.3	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	48.0	38.9	62.8	6	5	1	26.4	24.7	40.4
HIV DISEASE (039-043)	1	0	1	12.0	-	31.4	1	0	1	4.4	-	40.4
MALIGNANT NEOPLASMS (056-108)	17	14	3	204.2	272.3	94.2	39	38	1	172.0	188.1	40.4
DIABETES MELLITUS (124)	1	1	0	12.0	19.4	-	20	17	3	88.2	84.1	121.1
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	9	8	1	39.7	39.6	40.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	28	21	7	336.4	408.5	219.9	65	62	3	286.6	306.9	121.1
HEART DISEASES (156-160,162, 164-181)	25	20	5	300.3	389.0	157.1	46	44	2	202.8	217.8	80.7
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	4.4	5.0	-
CEREBROVASCULAR DISEASES (182-186)	3	1	2	36.0	19.4	62.8	15	14	1	66.1	69.3	40.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	24.0	38.9	-	4	3	1	17.6	14.8	40.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	24.0	38.9	-	23	21	2	101.4	103.9	80.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	8.8	9.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	12.0	19.4	-	2	2	0	8.8	9.9	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	5	0	60.1	97.2	-	20	18	2	88.2	89.1	80.7
MOTOR VEHICLE ACCIDENTS# (296-306)	4	4	0	48.0	77.8	-	12	11	1	52.9	54.4	40.4
SUICIDE (331-337)	0	0	0	-	-	-	4	4	0	17.6	19.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	4.4	5.0	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	128	111	17	8.9	11.1	3.9	250	150	100	10.8	11.5	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	13.9	20.1	-	9	5	4	39.0	38.4	39.9
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	8.7	-	20.0
MALIGNANT NEOPLASMS (056-108)	22	19	3	153.3	190.7	68.4	54	35	19	234.3	268.7	189.6
DIABETES MELLITUS (124)	4	2	2	27.9	20.1	45.6	3	2	1	13.0	15.4	10.0
ALZHEIMERS DISEASE (148)	3	3	0	20.9	30.1	-	6	4	2	26.0	30.7	20.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	49	46	3	341.4	461.7	68.4	83	41	42	360.1	314.8	419.1
HEART DISEASES (156-160,162, 164-181)	37	36	1	257.8	361.3	22.8	71	36	35	308.1	276.4	349.3
HYPERTENSION (161,163)	0	0	0	-	-	-	2	0	2	8.7	-	20.0
CEREBROVASCULAR DISEASES (182-186)	12	10	2	83.6	100.4	45.6	10	5	5	43.4	38.4	49.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	13.9	20.1	-	7	5	2	30.4	38.4	20.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	48.8	70.2	-	3	3	0	13.0	23.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	4.3	7.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	13.9	10.0	22.8	4	3	1	17.4	23.0	10.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	34.8	20.1	68.4	4	2	2	17.4	15.4	20.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.3	-	6.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.0	10.0	-	2	1	1	8.7	7.7	10.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	5	2	48.8	50.2	45.6	16	12	4	69.4	92.1	39.9
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	13.9	20.1	-	10	8	2	43.4	61.4	20.0
SUICIDE (331-337)	3	3	0	20.9	30.1	-	1	1	0	4.3	7.7	-
HOMICIDE (338-346)	1	1	0	7.0	10.0	-	8	4	4	34.7	30.7	39.9

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	378	355	23	9.2	9.7	5.3	1,523	1,218	305	8.4	9.5	5.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	5	1	14.6	13.6	23.0	49	37	12	27.0	28.8	22.8
HIV DISEASE (039-043)	2	2	0	4.9	5.5	-	8	3	5	4.4	2.3	9.5
MALIGNANT NEOPLASMS (056-108)	94	87	7	229.5	237.6	160.8	342	280	62	188.8	217.8	117.8
DIABETES MELLITUS (124)	3	2	1	7.3	5.5	23.0	10	8	2	5.5	6.2	3.8
ALZHEIMERS DISEASE (148)	11	11	0	26.8	30.0	-	35	30	5	19.3	23.3	9.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	107	100	7	261.2	273.1	160.8	517	405	112	285.3	315.0	212.8
HEART DISEASES (156-160,162, 164-181)	85	80	5	207.5	218.5	114.9	417	330	87	230.1	256.7	165.3
HYPERTENSION (161,163)	1	0	1	2.4	-	23.0	3	2	1	1.6	1.6	1.9
CEREBROVASCULAR DISEASES (182-186)	17	17	0	41.5	46.4	-	86	64	22	47.5	49.8	41.8
ATHEROSCLEROSIS (187)	1	1	0	2.4	2.7	-	2	1	1	1.1	0.8	1.9
INFLUENZA AND PNEUMONIA (195-198)	11	10	1	26.8	27.3	23.0	28	22	6	15.4	17.1	11.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	36	35	1	87.9	95.6	23.0	80	72	8	44.2	56.0	15.2
PEPTIC ULCER (217-220)	1	1	0	2.4	2.7	-	1	1	0	0.6	0.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	12.2	13.6	-	24	23	1	13.2	17.9	1.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	7.3	8.2	-	51	40	11	28.1	31.1	20.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	2	0	2	70.7	-	228.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.0	2.2	-	10	6	4	3.5	3.1	4.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	7	3	4	3.9	2.3	7.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	0.7	1.0	-
ACCIDENTS (295-330)	36	35	1	87.9	95.6	23.0	86	74	12	47.5	57.6	22.8
MOTOR VEHICLE ACCIDENTS# (296-306)	11	11	0	26.8	30.0	-	26	20	6	14.3	15.6	11.4
SUICIDE (331-337)	13	13	0	31.7	35.5	-	20	17	3	11.0	13.2	5.7
HOMICIDE (338-346)	3	3	0	7.3	8.2	-	11	5	6	6.1	3.9	11.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,946	789	1,157	7.8	10.1	6.8	230	71	159	11.3	19.4	9.6
TUBERCULOSIS (009,010)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
SEPTICEMIA (018)	43	20	23	17.4	25.6	13.6	2	0	2	9.8	-	12.0
HIV DISEASE (039-043)	28	2	26	11.3	2.6	15.3	3	0	3	14.8	-	18.0
MALIGNANT NEOPLASMS (056-108)	396	161	235	159.9	206.5	138.5	50	17	33	246.4	464.6	198.4
DIABETES MELLITUS (124)	45	12	33	18.2	15.4	19.4	5	2	3	24.6	54.7	18.0
ALZHEIMERS DISEASE (148)	37	24	13	14.9	30.8	7.7	6	4	2	29.6	109.3	12.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	709	276	433	286.3	353.9	255.2	98	30	68	483.0	819.9	408.9
HEART DISEASES (156-160,162, 164-181)	521	216	305	210.4	277.0	179.8	55	17	38	271.1	464.6	228.5
HYPERTENSION (161,163)	63	13	50	25.4	16.7	29.5	25	7	18	123.2	191.3	108.2
CEREBROVASCULAR DISEASES (182-186)	110	43	67	44.4	55.1	39.5	17	5	12	83.8	136.6	72.2
ATHEROSCLEROSIS (187)	1	1	0	0.4	1.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	37	18	19	14.9	23.1	11.2	4	2	2	19.7	54.7	12.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	89	58	31	35.9	74.4	18.3	9	3	6	44.4	82.0	36.1
PEPTIC ULCER (217-220)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	14	8	6	5.6	10.2	3.5	2	0	2	9.8	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	43	8	35	17.4	10.2	20.6	4	1	3	19.7	27.3	18.0
MATERNAL CAUSES (261-273)	1	0	1	27.0	-	33.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	21	2	19	5.7	2.7	6.4	2	0	2	5.7	-	6.1
CONGENITAL MALFORMATIONS (282-290)	8	5	3	3.2	6.4	1.8	2	0	2	9.8	-	12.0
SUDDEN INFANT DEATH SYNDROME# (292)	4	0	4	1.1	-	1.4	0	0	0	-	-	-
ACCIDENTS (295-330)	90	34	56	36.3	43.6	33.0	12	1	11	59.1	27.3	66.1
MOTOR VEHICLE ACCIDENTS# (296-306)	46	14	32	18.6	18.0	18.9	7	0	7	34.5	-	42.1
SUICIDE (331-337)	15	6	9	6.0	7.7	5.3	0	0	0	-	-	-
HOMICIDE (338-346)	42	7	35	17.0	9.0	20.6	3	0	3	14.8	-	18.0

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	123	30	93	12.5	12.1	12.7	21	5	16	13.0	8.0	16.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	0	3	30.6	-	40.9	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	20.4	-	27.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	24	9	15	244.7	364.4	204.4	12	2	10	744.4	321.0	1,011.1
DIABETES MELLITUS (124)	2	0	2	20.4	-	27.2	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	3	2	1	30.6	81.0	13.6	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	16	39	560.7	647.8	531.4	4	2	2	248.1	321.0	202.2
HEART DISEASES (156-160,162, 164-181)	46	14	32	469.0	566.8	436.0	4	2	2	248.1	321.0	202.2
HYPERTENSION (161,163)	1	0	1	10.2	-	13.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	2	6	81.6	81.0	81.8	0	0	0	-	-	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	10.2	-	13.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	20.4	40.5	13.6	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	10.2	-	13.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	20.4	40.5	13.6	1	0	1	62.0	-	101.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	1	13	142.7	40.5	177.1	2	1	1	124.1	160.5	101.1
MOTOR VEHICLE ACCIDENTS# (296-306)	9	1	8	91.8	40.5	109.0	2	1	1	124.1	160.5	101.1
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	20.4	-	27.2	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	244	228	16	10.6	10.8	8.8	1,196	964	232	9.0	9.8	6.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	17.4	18.9	-	31	26	5	23.3	26.5	14.4
HIV DISEASE (039-043)	1	0	1	4.3	-	54.8	3	3	0	2.2	3.0	-
MALIGNANT NEOPLASMS (056-108)	54	51	3	234.8	240.8	164.5	286	238	48	215.2	242.4	138.2
DIABETES MELLITUS (124)	5	5	0	21.7	23.6	-	10	6	4	7.5	6.1	11.5
ALZHEIMERS DISEASE (148)	9	8	1	39.1	37.8	54.8	30	25	5	22.6	25.4	14.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	77	70	7	334.8	330.6	383.8	337	258	79	253.5	262.7	227.5
HEART DISEASES (156-160,162, 164-181)	58	54	4	252.2	255.0	219.3	270	210	60	203.1	213.8	172.8
HYPERTENSION (161,163)	4	2	2	17.4	9.4	109.6	22	14	8	16.6	14.2	23.0
CEREBROVASCULAR DISEASES (182-186)	11	11	0	47.8	51.9	-	34	28	6	25.6	28.5	17.3
ATHEROSCLEROSIS (187)	1	1	0	4.3	4.7	-	3	2	1	2.2	2.0	2.9
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	8.7	9.4	-	34	28	6	25.6	28.5	17.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	11	0	47.8	51.9	-	63	54	9	47.4	55.0	25.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	2	0	1.5	2.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	17.4	18.9	-	19	17	2	14.3	17.3	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	21.7	23.6	-	23	15	8	17.3	15.3	23.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	56.0	79.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	10	5	5	5.6	3.9	9.6
CONGENITAL MALFORMATIONS (282-290)	3	3	0	13.0	14.2	-	9	7	2	6.8	7.1	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.6	3.8	-	6	2	4	3.4	1.6	7.7
ACCIDENTS (295-330)	21	20	1	91.3	94.4	54.8	110	98	12	82.8	99.8	34.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	9	1	43.5	42.5	54.8	29	25	4	21.8	25.4	11.5
SUICIDE (331-337)	6	6	0	26.1	28.3	-	25	22	3	18.8	22.4	8.6
HOMICIDE (338-346)	1	1	0	4.3	4.7	-	11	5	6	8.3	5.1	17.3

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	160	88	72	8.9	10.4	7.6	73	11	62	8.2	9.4	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	4	4	44.6	47.2	42.2	3	0	3	33.6	-	38.6
HIV DISEASE (039-043)	2	0	2	11.1	-	21.1	1	0	1	11.2	-	12.9
MALIGNANT NEOPLASMS (056-108)	37	19	18	206.2	224.3	190.0	17	2	15	190.4	171.8	193.2
DIABETES MELLITUS (124)	9	6	3	50.2	70.8	31.7	4	2	2	44.8	171.8	25.8
ALZHEIMERS DISEASE (148)	7	5	2	39.0	59.0	21.1	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	29	26	306.6	342.4	274.5	24	3	21	268.8	257.7	270.5
HEART DISEASES (156-160,162, 164-181)	39	20	19	217.4	236.2	200.6	21	2	19	235.2	171.8	244.7
HYPERTENSION (161,163)	4	3	1	22.3	35.4	10.6	1	0	1	11.2	-	12.9
CEREBROVASCULAR DISEASES (182-186)	12	6	6	66.9	70.8	63.4	1	1	0	11.2	85.9	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	2	3	27.9	23.6	31.7	1	0	1	11.2	-	12.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	11.2	85.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	16.7	23.6	10.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	5.6	-	10.6	2	0	2	22.4	-	25.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.1	-	6.6	3	0	3	28.6	-	30.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	8	2	55.7	94.5	21.1	4	1	3	44.8	85.9	38.6
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	27.9	47.2	10.6	1	0	1	11.2	-	12.9
SUICIDE (331-337)	1	1	0	5.6	11.8	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	147	76	71	11.7	14.6	9.7	718	551	167	10.6	11.4	8.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	23.9	19.2	27.3	14	10	4	20.6	20.8	20.3
HIV DISEASE (039-043)	2	0	2	15.9	-	27.3	6	1	5	8.8	2.1	25.4
MALIGNANT NEOPLASMS (056-108)	35	22	13	279.0	422.0	177.4	162	138	24	239.0	286.9	121.9
DIABETES MELLITUS (124)	1	1	0	8.0	19.2	-	9	3	6	13.3	6.2	30.5
ALZHEIMERS DISEASE (148)	3	2	1	23.9	38.4	13.6	32	29	3	47.2	60.3	15.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	23	25	382.7	441.2	341.1	237	176	61	349.7	366.0	309.9
HEART DISEASES (156-160,162, 164-181)	43	23	20	342.8	441.2	272.8	186	135	51	274.4	280.7	259.1
HYPERTENSION (161,163)	3	0	3	23.9	-	40.9	5	3	2	7.4	6.2	10.2
CEREBROVASCULAR DISEASES (182-186)	2	0	2	15.9	-	27.3	42	35	7	62.0	72.8	35.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	32	24	8	47.2	49.9	40.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	8	2	79.7	153.5	27.3	33	28	5	48.7	58.2	25.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	2	2	5.9	4.2	10.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	39.9	38.4	40.9	23	17	6	33.9	35.3	30.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	12.4	-	18.3	4	1	3	3.7	1.5	7.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	3.0	2.1	5.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	1.8	1.5	2.5
ACCIDENTS (295-330)	10	4	6	79.7	76.7	81.8	40	36	4	59.0	74.8	20.3
MOTOR VEHICLE ACCIDENTS# (296-306)	8	3	5	63.8	57.5	68.2	17	15	2	25.1	31.2	10.2
SUICIDE (331-337)	1	1	0	8.0	19.2	-	9	7	2	13.3	14.6	10.2
HOMICIDE (338-346)	6	2	4	47.8	38.4	54.6	4	0	4	5.9	-	20.3

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	114	48	66	11.6	13.2	10.6	350	275	75	8.0	8.6	6.2
TUBERCULOSIS (009,010)	1	1	0	10.2	27.5	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	20.3	-	32.3	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	28	13	15	284.8	357.3	242.1	59	50	9	134.2	156.7	74.6
DIABETES MELLITUS (124)	3	0	3	30.5	-	48.4	18	8	10	40.9	25.1	82.9
ALZHEIMERS DISEASE (148)	3	1	2	30.5	27.5	32.3	28	26	2	63.7	81.5	16.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	16	25	417.0	439.8	403.6	121	87	34	275.2	272.6	281.8
HEART DISEASES (156-160,162, 164-181)	35	14	21	355.9	384.8	339.0	97	70	27	220.6	219.4	223.8
HYPERTENSION (161,163)	0	0	0	-	-	-	6	4	2	13.6	12.5	16.6
CEREBROVASCULAR DISEASES (182-186)	6	2	4	61.0	55.0	64.6	14	9	5	31.8	28.2	41.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	81.4	137.4	48.4	4	4	0	9.1	12.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	2	1	30.5	55.0	16.1	22	20	2	50.0	62.7	16.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	20.3	27.5	16.1	5	5	0	11.4	15.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	40.7	82.5	16.1	7	6	1	15.9	18.8	8.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.0	3.1	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.3	3.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	10.4	-	15.2	0	0	0	-	-	-
ACCIDENTS (295-330)	5	3	2	50.8	82.5	32.3	17	14	3	38.6	43.9	24.9
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	20.3	-	32.3	5	3	2	11.4	9.4	16.6
SUICIDE (331-337)	1	1	0	10.2	27.5	-	6	6	0	13.6	18.8	-
HOMICIDE (338-346)	1	0	1	10.2	-	16.1	5	2	3	11.4	6.3	24.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	317	287	30	6.3	7.0	3.3	801	525	276	10.1	11.7	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	5	1	12.0	12.2	10.9	12	6	6	15.2	13.4	17.4
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	6.3	-	14.5
MALIGNANT NEOPLASMS (056-108)	71	63	8	142.0	154.4	87.1	142	94	48	179.5	210.2	139.6
DIABETES MELLITUS (124)	7	7	0	14.0	17.2	-	8	1	7	10.1	2.2	20.4
ALZHEIMERS DISEASE (148)	12	12	0	24.0	29.4	-	37	31	6	46.8	69.3	17.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	110	98	12	220.1	240.2	130.7	254	154	100	321.1	344.3	290.9
HEART DISEASES (156-160,162, 164-181)	87	78	9	174.1	191.2	98.0	206	127	79	260.4	284.0	229.8
HYPERTENSION (161,163)	7	4	3	14.0	9.8	32.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	14	14	0	28.0	34.3	-	44	24	20	55.6	53.7	58.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	10.0	9.8	10.9	18	9	9	22.8	20.1	26.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	20	1	42.0	49.0	10.9	46	38	8	58.2	85.0	23.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	10.0	12.2	-	3	2	1	3.8	4.5	2.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	22.0	22.1	21.8	26	16	10	32.9	35.8	29.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.3	1.8	-	4	0	4	3.5	-	6.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	3.8	4.5	2.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	5	3	2	4.4	5.7	3.3
ACCIDENTS (295-330)	26	24	2	52.0	58.8	21.8	35	25	10	44.2	55.9	29.1
MOTOR VEHICLE ACCIDENTS# (296-306)	9	8	1	18.0	19.6	10.9	8	2	6	10.1	4.5	17.4
SUICIDE (331-337)	6	6	0	12.0	14.7	-	8	6	2	10.1	13.4	5.8
HOMICIDE (338-346)	3	2	1	6.0	4.9	10.9	5	2	3	6.3	4.5	8.7

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	141	96	45	10.6	10.8	10.2	283	194	89	12.2	15.3	8.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	15.0	11.2	22.7	4	1	3	17.3	7.9	28.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	30	21	9	225.4	236.0	204.1	67	44	23	289.6	348.0	219.3
DIABETES MELLITUS (124)	6	1	5	45.1	11.2	113.4	9	4	5	38.9	31.6	47.7
ALZHEIMERS DISEASE (148)	4	4	0	30.0	45.0	-	10	10	0	43.2	79.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	40	14	405.8	449.5	317.5	81	59	22	350.2	466.6	209.8
HEART DISEASES (156-160,162, 164-181)	43	32	11	323.1	359.6	249.4	67	50	17	289.6	395.4	162.1
HYPERTENSION (161,163)	0	0	0	-	-	-	2	2	0	8.6	15.8	-
CEREBROVASCULAR DISEASES (182-186)	9	7	2	67.6	78.7	45.4	12	7	5	51.9	55.4	47.7
ATHEROSCLEROSIS (187)	1	0	1	7.5	-	22.7	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.0	22.5	-	8	6	2	34.6	47.4	19.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	30.0	22.5	45.4	25	21	4	108.1	166.1	38.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	6	4	2	25.9	31.6	19.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	30.0	11.2	68.0	8	3	5	34.6	23.7	47.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	10.4	-	29.4	1	0	1	2.8	-	5.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	3	6	67.6	33.7	136.0	8	3	5	34.6	23.7	47.7
MOTOR VEHICLE ACCIDENTS# (296-306)	7	2	5	52.6	22.5	113.4	4	0	4	17.3	-	38.1
SUICIDE (331-337)	3	3	0	22.5	33.7	-	4	4	0	17.3	31.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	1	2	13.0	7.9	19.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	908	735	173	11.1	12.5	7.4	358	140	218	10.4	15.1	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	10	2	14.6	17.1	8.6	4	1	3	11.6	10.8	11.9
HIV DISEASE (039-043)	4	1	3	4.9	1.7	12.8	4	0	4	11.6	-	15.8
MALIGNANT NEOPLASMS (056-108)	250	203	47	305.2	346.5	201.4	74	35	39	214.1	376.6	154.3
DIABETES MELLITUS (124)	22	14	8	26.8	23.9	34.3	13	6	7	37.6	64.6	27.7
ALZHEIMERS DISEASE (148)	38	30	8	46.4	51.2	34.3	5	3	2	14.5	32.3	7.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	263	219	44	321.1	373.8	188.6	144	58	86	416.6	624.0	340.3
HEART DISEASES (156-160,162, 164-181)	196	167	29	239.3	285.1	124.3	110	48	62	318.2	516.5	245.4
HYPERTENSION (161,163)	12	10	2	14.6	17.1	8.6	4	0	4	11.6	-	15.8
CEREBROVASCULAR DISEASES (182-186)	51	42	9	62.3	71.7	38.6	27	7	20	78.1	75.3	79.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	2.9	10.8	-
INFLUENZA AND PNEUMONIA (195-198)	11	7	4	13.4	11.9	17.1	9	3	6	26.0	32.3	23.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	57	52	5	69.6	88.8	21.4	18	12	6	52.1	129.1	23.7
PEPTIC ULCER (217-220)	1	1	0	1.2	1.7	-	1	0	1	2.9	-	4.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	15	13	2	18.3	22.2	8.6	4	1	3	11.6	10.8	11.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	24	17	7	29.3	29.0	30.0	11	1	10	31.8	10.8	39.6
MATERNAL CAUSES (261-273)	1	1	0	82.2	127.9	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	1	6	5.8	1.3	13.8	4	0	4	6.8	-	8.2
CONGENITAL MALFORMATIONS (282-290)	2	1	1	2.4	1.7	4.3	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.7	-	2.0
ACCIDENTS (295-330)	35	26	9	42.7	44.4	38.6	17	5	12	49.2	53.8	47.5
MOTOR VEHICLE ACCIDENTS# (296-306)	12	8	4	14.6	13.6	17.1	7	1	6	20.2	10.8	23.7
SUICIDE (331-337)	10	7	3	12.2	11.9	12.8	5	2	3	14.5	21.5	11.9
HOMICIDE (338-346)	3	2	1	3.7	3.4	4.3	5	0	5	14.5	-	19.8

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	357	252	105	10.2	10.6	9.4	532	345	187	8.9	10.5	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	3	5	23.0	12.6	45.0	8	3	5	13.4	9.2	18.6
HIV DISEASE (039-043)	1	1	0	2.9	4.2	-	2	0	2	3.4	-	7.4
MALIGNANT NEOPLASMS (056-108)	81	55	26	232.6	231.9	234.0	109	66	43	182.7	201.8	159.6
DIABETES MELLITUS (124)	18	9	9	51.7	37.9	81.0	5	1	4	8.4	3.0	14.8
ALZHEIMERS DISEASE (148)	11	8	3	31.6	33.7	27.0	15	12	3	25.1	36.7	11.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	121	89	32	347.4	375.2	288.0	201	129	72	336.9	394.3	267.2
HEART DISEASES (156-160,162, 164-181)	87	63	24	249.8	265.6	216.0	154	100	54	258.1	305.7	200.4
HYPERTENSION (161,163)	7	5	2	20.1	21.1	18.0	4	2	2	6.7	6.1	7.4
CEREBROVASCULAR DISEASES (182-186)	23	17	6	66.0	71.7	54.0	39	25	14	65.4	76.4	52.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	5.7	8.4	-	11	8	3	18.4	24.4	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	23	2	71.8	97.0	18.0	32	28	4	53.6	85.6	14.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	8.6	4.2	18.0	6	4	2	10.0	12.2	7.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	3	7	28.7	12.6	63.0	9	4	5	15.1	12.2	18.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	7.8	8.7	5.9	7	1	6	8.2	2.4	14.1
CONGENITAL MALFORMATIONS (282-290)	2	2	0	5.7	8.4	-	1	0	1	1.7	-	3.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	11	5	45.9	46.4	45.0	27	17	10	45.2	52.0	37.1
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	31.6	33.7	27.0	9	4	5	15.1	12.2	18.6
SUICIDE (331-337)	2	2	0	5.7	8.4	-	5	4	1	8.4	12.2	3.7
HOMICIDE (338-346)	2	1	1	5.7	4.2	9.0	3	1	2	5.0	3.0	7.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	999	684	315	10.7	12.2	8.5	326	221	105	12.7	13.1	11.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	10	8	19.3	17.8	21.6	4	4	0	15.5	23.7	-
HIV DISEASE (039-043)	14	4	10	15.0	7.1	27.0	1	0	1	3.9	-	11.3
MALIGNANT NEOPLASMS (056-108)	297	193	104	319.0	344.4	280.6	59	42	17	229.3	249.0	191.8
DIABETES MELLITUS (124)	40	21	19	43.0	37.5	51.3	3	3	0	11.6	17.8	-
ALZHEIMERS DISEASE (148)	29	27	2	31.2	48.2	5.4	13	9	4	50.5	53.4	45.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	278	183	95	298.6	326.6	256.3	124	90	34	481.9	533.6	383.6
HEART DISEASES (156-160,162, 164-181)	216	138	78	232.0	246.3	210.4	95	68	27	369.2	403.1	304.6
HYPERTENSION (161,163)	9	5	4	9.7	8.9	10.8	3	2	1	11.6	11.8	11.3
CEREBROVASCULAR DISEASES (182-186)	48	37	11	51.6	66.0	29.7	21	17	4	81.6	100.8	45.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	6	3	9.7	10.7	8.1	8	5	3	31.1	29.6	33.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	48	45	3	51.6	80.3	8.1	9	8	1	35.0	47.4	11.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	5	3	8.6	8.9	8.1	4	3	1	15.5	17.8	11.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	23	13	10	24.7	23.2	27.0	9	0	9	35.0	-	101.5
MATERNAL CAUSES (261-273)	1	1	0	70.9	137.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	0.7	-	1.5	3	1	2	6.9	3.6	12.5
CONGENITAL MALFORMATIONS (282-290)	5	4	1	5.4	7.1	2.7	2	1	1	7.8	5.9	11.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	33	26	7	35.4	46.4	18.9	24	20	4	93.3	118.6	45.1
MOTOR VEHICLE ACCIDENTS# (296-306)	15	11	4	16.1	19.6	10.8	8	5	3	31.1	29.6	33.8
SUICIDE (331-337)	14	13	1	15.0	23.2	2.7	2	1	1	7.8	5.9	11.3
HOMICIDE (338-346)	4	1	3	4.3	1.8	8.1	4	0	4	15.5	-	45.1

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	388	235	153	10.5	12.5	8.4	371	265	106	10.0	10.6	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	3	3	16.3	16.0	16.5	9	5	4	24.4	19.9	33.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	91	60	31	246.6	319.9	170.8	55	36	19	149.0	143.4	160.9
DIABETES MELLITUS (124)	26	11	15	70.5	58.6	82.7	8	4	4	21.7	15.9	33.9
ALZHEIMERS DISEASE (148)	8	5	3	21.7	26.6	16.5	25	14	11	67.7	55.8	93.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	83	55	374.0	442.5	303.1	150	111	39	406.4	442.3	330.3
HEART DISEASES (156-160,162, 164-181)	73	43	30	197.8	229.3	165.3	106	84	22	287.2	334.7	186.3
HYPERTENSION (161,163)	47	32	15	127.4	170.6	82.7	12	7	5	32.5	27.9	42.3
CEREBROVASCULAR DISEASES (182-186)	16	7	9	43.4	37.3	49.6	29	19	10	78.6	75.7	84.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	8.1	5.3	11.0	9	7	2	24.4	27.9	16.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	17	6	62.3	90.6	33.1	23	20	3	62.3	79.7	25.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	10.8	16.0	5.5	3	2	1	8.1	8.0	8.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	6	4	27.1	32.0	22.0	12	8	4	32.5	31.9	33.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.0	-	3.8	1	1	0	2.1	3.2	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.7	4.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.1	3.2	-
ACCIDENTS (295-330)	21	15	6	56.9	80.0	33.1	19	16	3	51.5	63.8	25.4
MOTOR VEHICLE ACCIDENTS# (296-306)	13	8	5	35.2	42.6	27.6	5	4	1	13.5	15.9	8.5
SUICIDE (331-337)	4	2	2	10.8	10.7	11.0	1	1	0	2.7	4.0	-
HOMICIDE (338-346)	4	4	0	10.8	21.3	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	141	79	62	12.7	13.3	11.9	321	213	108	10.6	11.3	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	18.0	33.8	-	8	7	1	26.4	37.2	8.7
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	13	12	224.6	219.6	230.4	57	37	20	188.1	196.8	173.9
DIABETES MELLITUS (124)	4	2	2	35.9	33.8	38.4	12	2	10	39.6	10.6	86.9
ALZHEIMERS DISEASE (148)	4	4	0	35.9	67.6	-	7	6	1	23.1	31.9	8.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	27	20	422.3	456.0	384.0	114	76	38	376.2	404.3	330.3
HEART DISEASES (156-160,162, 164-181)	40	23	17	359.4	388.4	326.4	92	61	31	303.6	324.5	269.5
HYPERTENSION (161,163)	0	0	0	-	-	-	4	3	1	13.2	16.0	8.7
CEREBROVASCULAR DISEASES (182-186)	6	3	3	53.9	50.7	57.6	15	11	4	49.5	58.5	34.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	44.9	33.8	57.6	14	12	2	46.2	63.8	17.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	6	2	71.9	101.3	38.4	15	15	0	49.5	79.8	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	18.0	16.9	19.2	4	0	4	13.2	-	34.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	4	5	80.9	67.6	96.0	13	6	7	42.9	31.9	60.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	19.4	-	33.3	1	0	1	1.8	-	3.3
CONGENITAL MALFORMATIONS (282-290)	1	1	0	9.0	16.9	-	1	0	1	3.3	-	8.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	6	5	98.8	101.3	96.0	23	20	3	75.9	106.4	26.1
MOTOR VEHICLE ACCIDENTS# (296-306)	8	3	5	71.9	50.7	96.0	12	9	3	39.6	47.9	26.1
SUICIDE (331-337)	1	0	1	9.0	-	19.2	1	1	0	3.3	5.3	-
HOMICIDE (338-346)	2	0	2	18.0	-	38.4	1	0	1	3.3	-	8.7

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	286	197	89	12.7	13.5	11.1	128	41	87	11.0	12.3	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	13.3	13.7	12.5	5	1	4	43.0	30.1	48.1
HIV DISEASE (039-043)	1	0	1	4.4	-	12.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	53	35	18	234.8	240.5	224.6	25	5	20	214.9	150.6	240.7
DIABETES MELLITUS (124)	8	2	6	35.4	13.7	74.9	4	2	2	34.4	60.2	24.1
ALZHEIMERS DISEASE (148)	17	16	1	75.3	109.9	12.5	2	0	2	17.2	-	24.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	119	79	40	527.3	542.8	499.2	64	25	39	550.2	752.8	469.3
HEART DISEASES (156-160,162, 164-181)	103	70	33	456.4	480.9	411.8	56	21	35	481.5	632.3	421.2
HYPERTENSION (161,163)	6	3	3	26.6	20.6	37.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	5	2	31.0	34.4	25.0	5	3	2	43.0	90.3	24.1
ATHEROSCLEROSIS (187)	1	1	0	4.4	6.9	-	1	0	1	8.6	-	12.0
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	17.7	20.6	12.5	1	1	0	8.6	30.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	15	1	70.9	103.0	12.5	2	0	2	17.2	-	24.1
PEPTIC ULCER (217-220)	1	0	1	4.4	-	12.5	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	13.3	20.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	26.6	20.6	37.4	3	1	2	25.8	30.1	24.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	9.0	-	19.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	10	4	62.0	68.7	49.9	3	1	2	25.8	30.1	24.1
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	31.0	27.5	37.4	3	1	2	25.8	30.1	24.1
SUICIDE (331-337)	3	3	0	13.3	20.6	-	1	0	1	8.6	-	12.0
HOMICIDE (338-346)	2	2	0	8.9	13.7	-	2	0	2	17.2	-	24.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	296	167	129	6.6	6.3	7.2	385	231	154	10.9	12.8	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	2.2	3.8	-	2	1	1	5.7	5.5	5.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	52	30	22	116.7	112.9	122.4	85	49	36	241.2	271.1	209.6
DIABETES MELLITUS (124)	8	4	4	18.0	15.0	22.2	12	5	7	34.0	27.7	40.8
ALZHEIMERS DISEASE (148)	14	10	4	31.4	37.6	22.2	20	13	7	56.7	71.9	40.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	101	48	53	226.7	180.6	294.9	148	84	64	419.9	464.8	372.7
HEART DISEASES (156-160,162, 164-181)	77	34	43	172.9	128.0	239.2	122	70	52	346.1	387.3	302.8
HYPERTENSION (161,163)	2	1	1	4.5	3.8	5.6	8	2	6	22.7	11.1	34.9
CEREBROVASCULAR DISEASES (182-186)	18	10	8	40.4	37.6	44.5	15	9	6	42.6	49.8	34.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	11.2	15.0	5.6	7	5	2	19.9	27.7	11.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	13	3	35.9	48.9	16.7	24	21	3	68.1	116.2	17.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	4.5	7.5	-	3	3	0	8.5	16.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	11.2	7.5	16.7	6	2	4	17.0	11.1	23.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	2	3	9.0	8.0	9.9	1	0	1	1.7	-	2.9
CONGENITAL MALFORMATIONS (282-290)	2	0	2	4.5	-	11.1	2	1	1	5.7	5.5	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.7	-	2.9
ACCIDENTS (295-330)	33	14	19	74.1	52.7	105.7	28	18	10	79.4	99.6	58.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	20.2	18.8	22.2	18	9	9	51.1	49.8	52.4
SUICIDE (331-337)	7	7	0	15.7	26.3	-	5	5	0	14.2	27.7	-
HOMICIDE (338-346)	1	1	0	2.2	3.8	-	2	1	1	5.7	5.5	5.8

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	562	502	60	9.7	10.2	6.9	122	99	23	10.1	10.7	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	9	0	15.6	18.3	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	8.3	-	35.4
MALIGNANT NEOPLASMS (056-108)	146	134	12	252.3	272.5	138.3	23	18	5	191.1	195.4	177.2
DIABETES MELLITUS (124)	12	11	1	20.7	22.4	11.5	5	2	3	41.5	21.7	106.3
ALZHEIMERS DISEASE (148)	25	25	0	43.2	50.8	-	2	1	1	16.6	10.8	35.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	174	149	25	300.7	303.0	288.0	43	38	5	357.3	412.4	177.2
HEART DISEASES (156-160,162, 164-181)	144	126	18	248.9	256.2	207.4	37	32	5	307.4	347.3	177.2
HYPERTENSION (161,163)	4	2	2	6.9	4.1	23.0	1	1	0	8.3	10.8	-
CEREBROVASCULAR DISEASES (182-186)	23	18	5	39.8	36.6	57.6	3	3	0	24.9	32.6	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	11	2	22.5	22.4	23.0	3	3	0	24.9	32.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	27	0	46.7	54.9	-	9	9	0	74.8	97.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	8.3	10.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	6.9	8.1	-	2	1	1	16.6	10.8	35.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	14	5	32.8	28.5	57.6	1	0	1	8.3	-	35.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	3	2	6.8	4.9	16.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	7	6	1	12.1	12.2	11.5	2	2	0	16.6	21.7	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	41	39	2	70.9	79.3	23.0	3	3	0	24.9	32.6	-
MOTOR VEHICLE ACCIDENTS# (296-306)	22	20	2	38.0	40.7	23.0	0	0	0	-	-	-
SUICIDE (331-337)	10	9	1	17.3	18.3	11.5	1	1	0	8.3	10.8	-
HOMICIDE (338-346)	4	3	1	6.9	6.1	11.5	1	0	1	8.3	-	35.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	488	291	197	12.2	14.8	9.8	245	225	20	8.4	9.1	4.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	25.1	25.4	24.8	7	6	1	23.9	24.4	21.5
HIV DISEASE (039-043)	6	0	6	15.1	-	29.8	1	1	0	3.4	4.1	-
MALIGNANT NEOPLASMS (056-108)	115	71	44	288.7	360.8	218.3	51	46	5	174.4	187.0	107.4
DIABETES MELLITUS (124)	44	21	23	110.4	106.7	114.1	6	5	1	20.5	20.3	21.5
ALZHEIMERS DISEASE (148)	4	4	0	10.0	20.3	-	7	7	0	23.9	28.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	147	92	55	369.0	467.6	272.8	73	69	4	249.6	280.5	86.0
HEART DISEASES (156-160,162, 164-181)	100	65	35	251.0	330.3	173.6	57	54	3	194.9	219.6	64.5
HYPERTENSION (161,163)	12	10	2	30.1	50.8	9.9	1	1	0	3.4	4.1	-
CEREBROVASCULAR DISEASES (182-186)	30	14	16	75.3	71.1	79.4	14	13	1	47.9	52.8	21.5
ATHEROSCLEROSIS (187)	1	0	1	2.5	-	5.0	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	4	5	22.6	20.3	24.8	5	5	0	17.1	20.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	20	7	67.8	101.6	34.7	21	21	0	71.8	85.4	-
PEPTIC ULCER (217-220)	1	1	0	2.5	5.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	7.5	15.2	-	1	1	0	3.4	4.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	9	4	32.6	45.7	19.8	6	4	2	20.5	16.3	43.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	5.9	-	9.3	2	2	0	4.5	5.3	-
CONGENITAL MALFORMATIONS (282-290)	7	3	4	17.6	15.2	19.8	3	3	0	10.2	12.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.0	4.0	2.3	0	0	0	-	-	-
ACCIDENTS (295-330)	23	12	11	57.7	61.0	54.6	16	15	1	54.7	61.0	21.5
MOTOR VEHICLE ACCIDENTS# (296-306)	9	2	7	22.6	10.2	34.7	4	4	0	13.7	16.3	-
SUICIDE (331-337)	2	2	0	5.0	10.2	-	6	5	1	20.5	20.3	21.5
HOMICIDE (338-346)	4	1	3	10.0	5.1	14.9	2	2	0	6.8	8.1	-

CAUSE AND GROUP NUMBER	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	227	209	18	8.8	9.6	4.5	112	50	62	13.3	20.3	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	15.6	18.4	-	2	2	0	23.8	81.3	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	43	36	7	167.2	165.7	175.8	21	9	12	250.3	366.0	202.3
DIABETES MELLITUS (124)	5	5	0	19.4	23.0	-	7	4	3	83.4	162.7	50.6
ALZHEIMERS DISEASE (148)	12	12	0	46.7	55.2	-	6	5	1	71.5	203.3	16.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	76	69	7	295.6	317.6	175.8	41	17	24	488.6	691.3	404.6
HEART DISEASES (156-160,162, 164-181)	64	58	6	248.9	266.9	150.7	32	14	18	381.4	569.3	303.4
HYPERTENSION (161,163)	1	1	0	3.9	4.6	-	3	1	2	35.8	40.7	33.7
CEREBROVASCULAR DISEASES (182-186)	10	9	1	38.9	41.4	25.1	5	2	3	59.6	81.3	50.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	27.2	32.2	-	1	0	1	11.9	-	16.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	25	1	101.1	115.1	25.1	4	2	2	47.7	81.3	33.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.9	4.6	-	4	4	0	47.7	162.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	4	1	19.4	18.4	25.1	3	0	3	35.8	-	50.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	3.0	3.6	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.9	4.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	6.9	-	8.7
ACCIDENTS (295-330)	12	12	0	46.7	55.2	-	12	3	9	143.0	122.0	151.7
MOTOR VEHICLE ACCIDENTS# (296-306)	6	6	0	23.3	27.6	-	5	0	5	59.6	-	84.3
SUICIDE (331-337)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	951	792	159	6.6	7.1	5.0	278	175	103	9.5	9.9	8.8
TUBERCULOSIS (009,010)	1	1	0	0.7	0.9	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	16	2	12.6	14.3	6.3	5	3	2	17.0	16.9	17.2
HIV DISEASE (039-043)	4	0	4	2.8	-	12.7	1	1	0	3.4	5.6	-
MALIGNANT NEOPLASMS (056-108)	207	173	34	144.6	155.0	107.8	50	33	17	170.4	186.3	146.2
DIABETES MELLITUS (124)	16	8	8	11.2	7.2	25.4	6	4	2	20.4	22.6	17.2
ALZHEIMERS DISEASE (148)	17	15	2	11.9	13.4	6.3	1	1	0	3.4	5.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	314	271	43	219.4	242.9	136.3	99	60	39	337.4	338.8	335.4
HEART DISEASES (156-160,162, 164-181)	269	233	36	187.9	208.8	114.1	85	51	34	289.7	287.9	292.4
HYPERTENSION (161,163)	9	6	3	6.3	5.4	9.5	2	1	1	6.8	5.6	8.6
CEREBROVASCULAR DISEASES (182-186)	33	30	3	23.0	26.9	9.5	11	7	4	37.5	39.5	34.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	17	12	5	11.9	10.8	15.8	8	3	5	27.3	16.9	43.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	64	62	2	44.7	55.6	6.3	11	8	3	37.5	45.2	25.8
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	1	1	0	3.4	5.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	6	1	4.9	5.4	3.2	3	1	2	10.2	5.6	17.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	20	12	8	14.0	10.8	25.4	18	11	7	61.3	62.1	60.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	2.0	1.3	4.6	3	1	2	5.8	3.3	9.3
CONGENITAL MALFORMATIONS (282-290)	11	9	2	7.7	8.1	6.3	2	1	1	6.8	5.6	8.6
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.0	0.6	2.3	0	0	0	-	-	-
ACCIDENTS (295-330)	65	53	12	45.4	47.5	38.0	19	15	4	64.8	84.7	34.4
MOTOR VEHICLE ACCIDENTS# (296-306)	20	14	6	14.0	12.5	19.0	13	10	3	44.3	56.4	25.8
SUICIDE (331-337)	22	22	0	15.4	19.7	-	4	3	1	13.6	16.9	8.6
HOMICIDE (338-346)	6	3	3	4.2	2.7	9.5	3	1	2	10.2	5.6	17.2

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	64	26	38	11.8	16.6	9.9	268	190	78	9.6	10.6	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	18.4	-	26.0	3	1	2	10.7	5.6	19.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	14	4	10	258.3	254.8	259.7	46	31	15	164.8	173.7	148.9
DIABETES MELLITUS (124)	2	1	1	36.9	63.7	26.0	5	4	1	17.9	22.4	9.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	3	1	2	10.7	5.6	19.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	23	10	13	424.4	636.9	337.7	105	84	21	376.1	470.7	208.4
HEART DISEASES (156-160,162, 164-181)	18	9	9	332.1	573.2	233.8	85	68	17	304.4	381.0	168.7
HYPERTENSION (161,163)	1	0	1	18.4	-	26.0	2	1	1	7.2	5.6	9.9
CEREBROVASCULAR DISEASES (182-186)	4	1	3	73.8	63.7	77.9	14	12	2	50.1	67.2	19.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	10	8	2	35.8	44.8	19.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	36.9	127.4	-	18	14	4	64.5	78.4	39.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	36.9	127.4	-	1	1	0	3.6	5.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	36.9	127.4	-	6	3	3	21.5	16.8	29.8
MATERNAL CAUSES (261-273)	1	0	1	1,219.5	-	1,428.6	1	0	1	241.5	-	602.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	12.2	-	14.3	3	0	3	7.2	-	18.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	18.4	-	26.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	3	0	3	55.4	-	77.9	20	10	10	71.6	56.0	99.2
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	55.4	-	77.9	12	5	7	43.0	28.0	69.5
SUICIDE (331-337)	1	1	0	18.4	63.7	-	4	3	1	14.3	16.8	9.9
HOMICIDE (338-346)	3	0	3	55.4	-	77.9	3	2	1	10.7	11.2	9.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	162	129	33	10.2	10.9	8.2	153	128	25	9.2	9.7	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	6.3	8.5	-	5	4	1	30.1	30.4	29.0
HIV DISEASE (039-043)	1	0	1	6.3	-	25.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	42	33	9	265.4	279.2	224.6	36	33	3	216.6	250.5	87.0
DIABETES MELLITUS (124)	0	0	0	-	-	-	4	3	1	24.1	22.8	29.0
ALZHEIMERS DISEASE (148)	7	5	2	44.2	42.3	49.9	3	2	1	18.0	15.2	29.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	53	43	10	334.9	363.8	249.6	50	39	11	300.9	296.1	319.1
HEART DISEASES (156-160,162, 164-181)	45	37	8	284.3	313.0	199.6	38	29	9	228.6	220.2	261.1
HYPERTENSION (161,163)	2	1	1	12.6	8.5	25.0	2	2	0	12.0	15.2	-
CEREBROVASCULAR DISEASES (182-186)	6	5	1	37.9	42.3	25.0	10	8	2	60.2	60.7	58.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	25.3	33.8	-	6	6	0	36.1	45.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	13	1	88.5	110.0	25.0	10	10	0	60.2	75.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.3	8.5	-	1	1	0	6.0	7.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	4	2	37.9	33.8	49.9	2	1	1	12.0	7.6	29.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.8	6.9	-	1	1	0	4.7	5.9	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	6.0	7.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.8	6.9	-	2	2	0	9.3	11.8	-
ACCIDENTS (295-330)	4	3	1	25.3	25.4	25.0	9	8	1	54.2	60.7	29.0
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	19.0	16.9	25.0	2	2	0	12.0	15.2	-
SUICIDE (331-337)	3	3	0	19.0	25.4	-	1	0	1	6.0	-	29.0
HOMICIDE (338-346)	2	0	2	12.6	-	49.9	1	0	1	6.0	-	29.0

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	286	108	178	9.6	14.0	8.1	148	76	72	11.7	15.8	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	1	6	23.6	12.9	27.4	3	1	2	23.7	20.8	25.5
HIV DISEASE (039-043)	4	0	4	13.5	-	18.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	60	24	36	202.6	310.6	164.5	31	16	15	245.3	333.2	191.4
DIABETES MELLITUS (124)	25	4	21	84.4	51.8	96.0	9	5	4	71.2	104.1	51.0
ALZHEIMERS DISEASE (148)	5	4	1	16.9	51.8	4.6	3	1	2	23.7	20.8	25.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	84	34	50	283.7	440.0	228.5	58	35	23	458.9	728.9	293.5
HEART DISEASES (156-160,162, 164-181)	61	24	37	206.0	310.6	169.1	41	28	13	324.4	583.1	165.9
HYPERTENSION (161,163)	5	1	4	16.9	12.9	18.3	9	4	5	71.2	83.3	63.8
CEREBROVASCULAR DISEASES (182-186)	15	8	7	50.6	103.5	32.0	8	3	5	63.3	62.5	63.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	27.0	51.8	18.3	6	5	1	47.5	104.1	12.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	8	8	54.0	103.5	36.6	2	2	0	15.8	41.6	-
PEPTIC ULCER (217-220)	1	0	1	3.4	-	4.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	13.5	25.9	9.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	2	8	33.8	25.9	36.6	5	0	5	39.6	-	63.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	9.7	33.9	5.7	1	0	1	4.8	-	6.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	7	8	50.6	90.6	36.6	9	0	9	71.2	-	114.8
MOTOR VEHICLE ACCIDENTS# (296-306)	10	6	4	33.8	77.6	18.3	5	0	5	39.6	-	63.8
SUICIDE (331-337)	8	5	3	27.0	64.7	13.7	0	0	0	-	-	-
HOMICIDE (338-346)	3	0	3	10.1	-	13.7	1	0	1	7.9	-	12.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	266	189	77	9.7	10.2	8.7	231	214	17	10.7	12.2	4.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	14.6	10.8	22.5	4	3	1	18.5	17.1	24.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	62	48	14	226.8	260.0	157.8	41	36	5	189.3	205.0	122.0
DIABETES MELLITUS (124)	6	3	3	21.9	16.2	33.8	7	5	2	32.3	28.5	48.8
ALZHEIMERS DISEASE (148)	5	3	2	18.3	16.2	22.5	5	4	1	23.1	22.8	24.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	105	75	30	384.1	406.2	338.1	82	79	3	378.6	449.8	73.2
HEART DISEASES (156-160,162, 164-181)	89	63	26	325.6	341.2	293.0	58	55	3	267.8	313.2	73.2
HYPERTENSION (161,163)	3	1	2	11.0	5.4	22.5	3	3	0	13.8	17.1	-
CEREBROVASCULAR DISEASES (182-186)	10	8	2	36.6	43.3	22.5	20	20	0	92.3	113.9	-
ATHEROSCLEROSIS (187)	1	1	0	3.6	5.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	11.0	10.8	11.3	5	4	1	23.1	22.8	24.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	24	21	3	87.8	113.7	33.8	22	21	1	101.6	119.6	24.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	3	2	18.3	16.2	22.5	2	2	0	9.2	11.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	7.3	10.8	-	9	7	2	41.5	39.8	48.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.6	-	6.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	4	2	2	14.6	10.8	22.5	2	2	0	9.2	11.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	10	11	76.8	54.2	124.0	15	14	1	69.2	79.7	24.4
MOTOR VEHICLE ACCIDENTS# (296-306)	13	8	5	47.6	43.3	56.4	9	9	0	41.5	51.2	-
SUICIDE (331-337)	1	1	0	3.6	5.4	-	5	5	0	23.1	28.5	-
HOMICIDE (338-346)	5	3	2	18.3	16.2	22.5	2	2	0	9.2	11.4	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	283	277	6	14.9	15.3	6.8	89	38	51	8.5	13.9	6.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.8	16.5	-	1	1	0	9.6	36.6	-
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	19.2	-	25.9
MALIGNANT NEOPLASMS (056-108)	49	48	1	257.4	264.5	112.9	14	8	6	134.2	293.2	77.8
DIABETES MELLITUS (124)	11	10	1	57.8	55.1	112.9	3	1	2	28.7	36.6	25.9
ALZHEIMERS DISEASE (148)	11	11	0	57.8	60.6	-	1	1	0	9.6	36.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	108	107	1	567.4	589.6	112.9	38	16	22	364.1	586.5	285.4
HEART DISEASES (156-160,162, 164-181)	89	88	1	467.6	484.9	112.9	31	16	15	297.0	586.5	194.6
HYPERTENSION (161,163)	4	4	0	21.0	22.0	-	3	0	3	28.7	-	38.9
CEREBROVASCULAR DISEASES (182-186)	12	12	0	63.0	66.1	-	3	0	3	28.7	-	38.9
ATHEROSCLEROSIS (187)	2	2	0	10.5	11.0	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	36.8	38.6	-	1	0	1	9.6	-	13.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	19	19	0	99.8	104.7	-	5	4	1	47.9	146.6	13.0
PEPTIC ULCER (217-220)	2	2	0	10.5	11.0	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	21.0	22.0	-	1	1	0	9.6	36.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	26.3	27.6	-	3	0	3	28.7	-	38.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.2	5.5	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	5.2	5.5	-	2	0	2	11.0	-	13.2
ACCIDENTS (295-330)	19	19	0	99.8	104.7	-	3	1	2	28.7	36.6	25.9
MOTOR VEHICLE ACCIDENTS# (296-306)	7	7	0	36.8	38.6	-	3	1	2	28.7	36.6	25.9
SUICIDE (331-337)	4	4	0	21.0	22.0	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	5.2	5.5	-	1	0	1	9.6	-	13.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	255	219	36	9.4	9.7	7.8	173	102	71	11.3	12.3	10.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	5	2	25.7	22.1	43.3	5	3	2	32.7	36.3	28.5
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	13.1	-	28.5
MALIGNANT NEOPLASMS (056-108)	44	39	5	161.4	172.2	108.4	39	24	15	255.0	290.4	213.5
DIABETES MELLITUS (124)	6	5	1	22.0	22.1	21.7	3	2	1	19.6	24.2	14.2
ALZHEIMERS DISEASE (148)	3	3	0	11.0	13.2	-	5	4	1	32.7	48.4	14.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	102	85	17	374.1	375.3	368.4	60	36	24	392.4	435.6	341.5
HEART DISEASES (156-160,162, 164-181)	90	76	14	330.1	335.6	303.4	47	30	17	307.4	363.0	241.9
HYPERTENSION (161,163)	1	1	0	3.7	4.4	-	4	1	3	26.2	12.1	42.7
CEREBROVASCULAR DISEASES (182-186)	10	7	3	36.7	30.9	65.0	9	5	4	58.8	60.5	56.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	11.0	13.2	-	2	0	2	13.1	-	28.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	13	2	55.0	57.4	43.3	7	3	4	45.8	36.3	56.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.3	8.8	-	3	3	0	19.6	36.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	3.7	4.4	-	6	3	3	39.2	36.3	42.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	0	4	19.8	-	41.7
CONGENITAL MALFORMATIONS (282-290)	2	1	1	7.3	4.4	21.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	16	1	62.4	70.6	21.7	12	8	4	78.5	96.8	56.9
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	29.3	35.3	-	4	3	1	26.2	36.3	14.2
SUICIDE (331-337)	5	5	0	18.3	22.1	-	2	2	0	13.1	24.2	-
HOMICIDE (338-346)	1	1	0	3.7	4.4	-	1	0	1	6.5	-	14.2

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	477	298	179	9.9	12.2	7.5	632	253	379	11.6	15.4	9.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	4	5	18.7	16.4	21.0	7	2	5	12.8	12.2	13.1
HIV DISEASE (039-043)	9	0	9	18.7	-	37.9	2	0	2	3.7	-	5.2
MALIGNANT NEOPLASMS (056-108)	102	66	36	211.7	270.3	151.5	116	44	72	212.4	267.5	188.6
DIABETES MELLITUS (124)	8	4	4	16.6	16.4	16.8	60	10	50	109.8	60.8	131.0
ALZHEIMERS DISEASE (148)	11	5	6	22.8	20.5	25.2	27	17	10	49.4	103.4	26.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	185	116	69	384.0	475.0	290.5	169	75	94	309.4	456.0	246.3
HEART DISEASES (156-160,162, 164-181)	144	86	58	298.9	352.2	244.2	108	51	57	197.7	310.1	149.3
HYPERTENSION (161,163)	7	4	3	14.5	16.4	12.6	29	10	19	53.1	60.8	49.8
CEREBROVASCULAR DISEASES (182-186)	25	19	6	51.9	77.8	25.2	25	12	13	45.8	73.0	34.1
ATHEROSCLEROSIS (187)	2	1	1	4.2	4.1	4.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	14.5	16.4	12.6	14	6	8	25.6	36.5	21.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	18	8	54.0	73.7	33.7	34	19	15	62.2	115.5	39.3
PEPTIC ULCER (217-220)	2	2	0	4.2	8.2	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	6.2	8.2	4.2	6	5	1	11.0	30.4	2.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	10.4	8.2	12.6	28	6	22	51.3	36.5	57.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	0	5	5.9	-	7.4
CONGENITAL MALFORMATIONS (282-290)	2	2	0	4.2	8.2	-	3	2	1	5.5	12.2	2.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	23	18	5	47.7	73.7	21.0	34	17	17	62.2	103.4	44.5
MOTOR VEHICLE ACCIDENTS# (296-306)	15	11	4	31.1	45.0	16.8	14	6	8	25.6	36.5	21.0
SUICIDE (331-337)	8	7	1	16.6	28.7	4.2	9	6	3	16.5	36.5	7.9
HOMICIDE (338-346)	5	1	4	10.4	4.1	16.8	10	0	10	18.3	-	26.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	179	134	45	8.7	10.7	5.5	153	118	35	15.5	15.3	16.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	19.4	32.0	-	1	1	0	10.2	13.0	-
HIV DISEASE (039-043)	1	0	1	4.8	-	12.2	1	0	1	10.2	-	46.9
MALIGNANT NEOPLASMS (056-108)	41	35	6	198.5	280.1	73.5	30	23	7	304.5	297.9	328.5
DIABETES MELLITUS (124)	0	0	0	-	-	-	3	1	2	30.4	13.0	93.8
ALZHEIMERS DISEASE (148)	3	3	0	14.5	24.0	-	6	6	0	60.9	77.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	41	19	290.5	328.1	232.9	60	46	14	609.0	595.8	657.0
HEART DISEASES (156-160,162, 164-181)	51	34	17	246.9	272.1	208.4	49	38	11	497.4	492.2	516.2
HYPERTENSION (161,163)	1	0	1	4.8	-	12.2	1	0	1	10.2	-	46.9
CEREBROVASCULAR DISEASES (182-186)	5	4	1	24.2	32.0	12.2	7	5	2	71.0	64.8	93.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	14.5	24.0	-	4	4	0	40.6	51.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	7	3	48.4	56.0	36.8	8	7	1	81.2	90.7	46.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.8	8.0	-	1	1	0	10.2	13.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	19.4	16.0	24.5	4	3	1	40.6	38.8	46.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.7	-	9.0	3	0	3	22.4	-	78.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.8	-	12.2	2	1	1	20.3	13.0	46.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	7.5	10.4	-
ACCIDENTS (295-330)	13	8	5	62.9	64.0	61.3	7	5	2	71.0	64.8	93.8
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	38.7	40.0	36.8	3	3	0	30.4	38.8	-
SUICIDE (331-337)	2	2	0	9.7	16.0	-	1	1	0	10.2	13.0	-
HOMICIDE (338-346)	1	0	1	4.8	-	12.2	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	131	40	91	12.9	13.4	12.7	223	128	95	11.5	12.4	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	29.6	66.8	14.0	2	2	0	10.4	19.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	23	5	18	226.8	167.0	251.8	44	22	22	227.9	214.0	243.6
DIABETES MELLITUS (124)	7	1	6	69.0	33.4	83.9	12	4	8	62.1	38.9	88.6
ALZHEIMERS DISEASE (148)	2	1	1	19.7	33.4	14.0	20	18	2	103.6	175.1	22.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	15	36	502.8	501.0	503.6	71	39	32	367.7	379.4	354.3
HEART DISEASES (156-160,162, 164-181)	36	10	26	354.9	334.0	363.7	61	33	28	315.9	321.1	310.0
HYPERTENSION (161,163)	2	1	1	19.7	33.4	14.0	1	1	0	5.2	9.7	-
CEREBROVASCULAR DISEASES (182-186)	12	4	8	118.3	133.6	111.9	6	3	3	31.1	29.2	33.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.2	9.7	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	39.4	66.8	28.0	3	1	2	15.5	9.7	22.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	0	3	29.6	-	42.0	8	5	3	41.4	48.6	33.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	3	0	15.5	29.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	49.3	100.2	28.0	6	2	4	31.1	19.4	44.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.5	-	9.4	2	1	1	7.5	10.1	5.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.8	-	14.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	3.7	-	5.9
ACCIDENTS (295-330)	3	1	2	29.6	33.4	28.0	11	7	4	57.0	68.1	44.3
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	19.7	33.4	14.0	4	2	2	20.7	19.4	22.1
SUICIDE (331-337)	1	1	0	9.8	33.4	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	19.7	-	28.0	2	0	2	10.4	-	22.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2009**

CAUSE AND GROUP NUMBER	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	169	121	48	12.3	14.7	8.7	245	114	131	8.8	9.3	8.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	14.5	12.1	18.1	2	1	1	7.1	8.2	6.4
HIV DISEASE (039-043)	0	0	0	-	-	-	5	1	4	17.9	8.2	25.4
MALIGNANT NEOPLASMS (056-108)	36	27	9	261.4	327.1	163.1	54	20	34	193.0	163.2	216.2
DIABETES MELLITUS (124)	3	2	1	21.8	24.2	18.1	34	12	22	121.5	97.9	139.9
ALZHEIMERS DISEASE (148)	7	6	1	50.8	72.7	18.1	8	4	4	28.6	32.6	25.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	73	53	20	530.0	642.1	362.4	68	36	32	243.0	293.8	203.4
HEART DISEASES (156-160,162, 164-181)	59	44	15	428.4	533.1	271.8	47	27	20	168.0	220.4	127.2
HYPERTENSION (161,163)	1	0	1	7.3	-	18.1	4	1	3	14.3	8.2	19.1
CEREBROVASCULAR DISEASES (182-186)	12	8	4	87.1	96.9	72.5	14	6	8	50.0	49.0	50.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	14.5	12.1	18.1	4	2	2	14.3	16.3	12.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	50.8	84.8	-	7	5	2	25.0	40.8	12.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	14.5	24.2	-	5	5	0	17.9	40.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	21.8	12.1	36.2	3	0	3	10.7	-	19.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.3	-	18.1	1	0	1	3.6	-	6.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	3	1	29.0	36.3	18.1	13	6	7	46.5	49.0	44.5
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	29.0	36.3	18.1	5	2	3	17.9	16.3	19.1
SUICIDE (331-337)	3	3	0	21.8	36.3	-	6	4	2	21.4	32.6	12.7
HOMICIDE (338-346)	3	1	2	21.8	12.1	36.2	1	0	1	3.6	-	6.4

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	28,164	18,946	9,218	9.5	10.6	7.9
TUBERCULOSIS (009,010)	3	2	1	0.1	0.1	0.1
SEPTICEMIA (018)	537	333	204	18.2	18.7	17.5
HIV DISEASE (039-043)	155	27	128	5.2	1.5	11.0
MALIGNANT NEOPLASMS (056-108)	6,093	4,132	1,961	206.4	231.5	168.0
DIABETES MELLITUS (124)	897	434	463	30.4	24.3	39.7
ALZHEIMERS DISEASE (148)	896	737	159	30.4	41.3	13.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	9,591	6,392	3,199	324.9	358.2	274.0
HEART DISEASES (156-160,162, 164-181)	7,487	5,098	2,389	253.6	285.7	204.6
HYPERTENSION (161,163)	463	229	234	15.7	12.8	20.0
CEREBROVASCULAR DISEASES (182-186)	1,422	927	495	48.2	51.9	42.4
ATHEROSCLEROSIS (187)	28	19	9	0.9	1.1	0.8
INFLUENZA AND PNEUMONIA (195-198)	578	401	177	19.6	22.5	15.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,553	1,300	253	52.6	72.8	21.7
PEPTIC ULCER (217-220)	20	16	4	0.7	0.9	0.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	285	217	68	9.6	12.2	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	698	367	331	23.6	20.6	28.4
MATERNAL CAUSES (261-273)	13	6	7	30.4	26.3	35.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	192	56	136	4.5	2.4	6.8
CONGENITAL MALFORMATIONS (282-290)	140	86	54	4.7	4.8	4.6
SUDDEN INFANT DEATH SYNDROME# (292)	46	21	25	1.1	0.9	1.2
ACCIDENTS (295-330)	1,635	1,152	483	55.4	64.6	41.4
MOTOR VEHICLE ACCIDENTS# (296-306)	733	448	285	24.8	25.1	24.4
SUICIDE (331-337)	373	320	53	12.6	17.9	4.5
HOMICIDE (338-346)	267	84	183	9.0	4.7	15.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2009
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2009)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2009

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0
2006**	46,046	24,195	21,851	15.8	13.7	19.2
2007**	46,455	24,783	21,672	15.9	14.0	18.9
2008**	44,904	24,229	20,675	15.3	13.6	17.8
2009**	42,809	22,846	19,963	14.5	12.8	17.1

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2009
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2009)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2009

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4
2006	28,343	18,859	9,484	9.7	10.6	8.3
2007	27,994	18,705	9,289	9.6	10.6	8.1
2008	28,867	19,434	9,433	9.8	10.9	8.1
2009	28,164	18,946	9,218	9.5	10.6	7.9

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2009
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2009)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2009

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8
2006	14	3	11	30.4	12.4	50.3
2007	10	3	7	21.5	12.1	32.3
2008	14	3	11	31.2	12.4	53.2
2009	13	6	7	30.4	26.3	35.1

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2009
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2009)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2009

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0
2006	483	168	315	10.5	6.9	14.4
2007	469	164	305	10.1	6.6	14.1
2008	446	180	266	9.9	7.4	12.9
2009	427	159	268	10.0	7.0	13.4

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2009
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2009)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2009

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0
2006	300	102	198	6.5	4.2	9.1
2007	272	94	178	5.8	3.8	8.2
2008	256	96	160	5.7	4.0	7.7
2009	263	97	166	6.1	4.2	8.3

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2009
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2009)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2009

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0
2006	183	66	117	4.0	2.7	5.4
2007	197	70	127	4.2	2.8	5.9
2008	190	84	106	4.2	3.5	5.1
2009	164	62	102	3.8	2.7	5.1

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2009

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2009

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053
2006	16,550	11,071	5,479	13,891**	8,858	3,138
2007	15,827	11,093	4,734	13,060**	8,362	2,961
2008	15,057	10,549	4,508	12,597**	8,388	3,084
2009	14,110	9,894	4,216	12,223**	7,206	2,698

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2009

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6
2008	2,772	654	2,116	2	61.7	27.0	102.3
2009	2,438	529	1,906	3	57.0	23.2	95.5

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2009

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8
2008#	8,528	3,449	5,069	40.6	31.4	50.4
2009#	8,112	3,215	4,894	39.0	29.6	49.1

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78

Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J09-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J09-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J09-J18</u>
046	Influenza	J09-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2009

District	Jan-09	Feb-09	Mar-09	Apr-09	May-09	Jun-09	Jul-09	Aug-09	Sep-09	Oct-09	Nov-09	Dec-09	TOTAL
1	6	9	10	20	10	11	9	12	8	12	13	16	136
2	1	1	0	3	3	0	2	5	3	2	2	1	23
3	4	3	4	7	1	6	10	4	7	5	17	5	73
4	0	1	3	1	2	1	4	4	0	1	9	2	28
5	7	13	2	8	10	7	6	13	10	10	12	11	109
6	3	3	4	8	2	3	7	2	2	5	1	4	44
7	3	6	9	5	7	3	2	4	1	10	4	9	63
8	13	16	27	28	25	19	30	20	17	29	29	13	266
9	0	2	2	2	9	6	3	8	7	2	3	1	45
10	14	21	26	19	16	10	13	16	25	28	23	7	218
11	2	1	3	2	0	1	2	1	0	0	1	0	13
12	8	11	6	4	5	8	1	5	2	4	3	4	61
13	1	0	0	1	2	0	0	0	1	1	0	1	7
14	1	2	8	4	3	2	3	2	2	3	4	0	34
15	1	0	1	1	1	1	1	0	2	4	0	2	14
16	6	4	11	2	10	18	3	10	9	3	2	4	82
17	0	4	9	0	3	3	0	3	2	4	0	5	33
18	1	2	4	3	1	2	2	2	1	3	2	5	28
19	1	5	4	2	3	2	1	1	2	3	0	0	24
20	1	5	8	8	1	2	6	6	1	5	2	2	47
TOTAL	73	109	141	128	114	105	105	118	102	134	127	92	1,348

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf