

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	394	191	203	12.8	14.7	11.4
HEART DISEASES	102	59	43	332.0	453.9	242.6
MALIGNANT NEOPLASMS	77	39	38	250.6	300.0	214.4
INFLUENZA AND PNEUMONIA	18	8	10	58.6	61.5	56.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	12	6	58.6	92.3	33.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	3	14	55.3	23.1	79.0
ACCIDENTS	17	6	11	55.3	46.2	62.1
CEREBROVASCULAR DISEASE	16	7	9	52.1	53.8	50.8
SEPTICEMIA	12	3	9	39.1	23.1	50.8
DIABETES MELLITUS	10	2	8	32.6	15.4	45.1
ALZHEIMERS DISEASE	10	8	2	32.6	61.5	11.3
HOMICIDE	4	1	3	13.0	7.7	16.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	9.8	7.7	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	9.8	7.7	11.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	6.9	0.0	10.4
HIV DISEASE	2	0	2	6.5	0.0	11.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	6.5	0.0	11.3
PARKINSONS DISEASE	2	2	0	6.5	15.4	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	6.5	15.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	6.5	7.7	5.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.5	0.0	11.3
SUICIDE	2	1	1	6.5	7.7	5.6
VIRAL HEPATITIS	1	1	0	3.2	7.7	0.0
ANEMIAS	1	0	1	3.2	0.0	5.6
ATHEROSCLEROSIS	1	0	1	3.2	0.0	5.6
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	3.2	0.0	5.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.2	7.7	0.0
MATERNAL CAUSES	1	0	1	228.8	0.0	347.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.2	0.0	5.6

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	20	8	12	65.1	61.5	67.7
ALL OTHER CAUSES	43	25	18	140.0	192.3	101.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	394	191	203	197	97	100	197	94	103
UNDER 1	5	0	5	3	0	3	2	0	2
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	1	0	1	1	0	1
25-34	8	4	4	4	3	1	4	1	3
35-44	14	5	9	8	4	4	6	1	5
45-54	39	12	27	16	6	10	23	6	17
55-64	47	17	30	34	12	22	13	5	8
65-74	59	31	28	34	18	16	25	13	12
75-84	107	54	53	62	31	31	45	23	22
85 AND OVER	110	68	42	34	23	11	76	45	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 30,722
 WHITE 12,999
 NONWHITE 17,723

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	430	383	47	12.0	12.3	10.1
HEART DISEASES	123	111	12	343.4	356.0	258.3
MALIGNANT NEOPLASMS	81	68	13	226.1	218.1	279.8
ACCIDENTS	32	30	2	89.3	96.2	43.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	25	2	75.4	80.2	43.0
CEREBROVASCULAR DISEASE	25	24	1	69.8	77.0	21.5
ALZHEIMERS DISEASE	18	18	0	50.2	57.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	16	9	7	44.7	28.9	150.7
SEPTICEMIA	11	11	0	30.7	35.3	0.0
INFLUENZA AND PNEUMONIA	11	11	0	30.7	35.3	0.0
SUICIDE	7	7	0	19.5	22.4	0.0
DIABETES MELLITUS	4	3	1	11.2	9.6	21.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	8.8	5.3	27.4
VIRAL HEPATITIS	3	3	0	8.4	9.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	8.4	9.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	8.4	9.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.4	6.4	21.5
ATHEROSCLEROSIS	2	2	0	5.6	6.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	5.6	6.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	5.6	3.2	21.5
HIV DISEASE	1	1	0	2.8	3.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.8	0.0	21.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.8	3.2	0.0
HYPERPLASIA OF PROSTATE	1	1	0	2.8	3.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	12	0	33.5	38.5	0.0
ALL OTHER CAUSES	37	33	4	103.3	105.8	86.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	430	383	47	228	200	28	202	183	19
UNDER 1	6	5	1	2	2	0	4	3	1
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	3	3	0	0	0	0	3	3	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	11	9	2	7	6	1	4	3	1
35-44	18	14	4	12	10	2	6	4	2
45-54	26	18	8	17	11	6	9	7	2
55-64	61	53	8	44	36	8	17	17	0
65-74	83	73	10	55	50	5	28	23	5
75-84	107	100	7	49	46	3	58	54	4
85 AND OVER	111	105	6	36	34	2	75	71	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 35,822
 WHITE 31,176
 NONWHITE 4,646

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	147	88	59	11.3	12.2	10.1
HEART DISEASES	37	24	13	283.8	333.8	222.3
MALIGNANT NEOPLASMS	36	22	14	276.1	305.9	239.4
ALZHEIMERS DISEASE	9	7	2	69.0	97.3	34.2
CEREBROVASCULAR DISEASE	9	6	3	69.0	83.4	51.3
ACCIDENTS	8	5	3	61.4	69.5	51.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	30.7	55.6	0.0
HOMICIDE	4	2	2	30.7	27.8	34.2
SEPTICEMIA	3	2	1	23.0	27.8	17.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	23.0	27.8	17.1
DIABETES MELLITUS	2	1	1	15.3	13.9	17.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	15.3	13.9	17.1
HIV DISEASE	1	0	1	7.7	0.0	17.1
ANEMIAS	1	0	1	7.7	0.0	17.1
INFLUENZA AND PNEUMONIA	1	0	1	7.7	0.0	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.7	13.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.1	0.0	12.2
SUICIDE	1	0	1	7.7	0.0	17.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.7	0.0	17.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	23	11	12	176.4	153.0	205.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	147	88	59	76	48	28	71	40	31
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	2	1	1	1	1	0	1	0	1
35-44	6	3	3	4	3	1	2	0	2
45-54	14	7	7	9	5	4	5	2	3
55-64	30	10	20	14	5	9	16	5	11
65-74	23	11	12	10	5	5	13	6	7
75-84	43	33	10	23	17	6	20	16	4
85 AND OVER	25	21	4	12	11	1	13	10	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 13,038
 WHITE 7,191
 NONWHITE 5,847

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	274	189	85	13.9	16.7	10.0
HEART DISEASES	71	49	22	359.4	433.8	260.0
MALIGNANT NEOPLASMS	51	35	16	258.2	309.9	189.1
ALZHEIMERS DISEASE	21	20	1	106.3	177.1	11.8
DIABETES MELLITUS	18	10	8	91.1	88.5	94.6
CEREBROVASCULAR DISEASE	15	9	6	75.9	79.7	70.9
ACCIDENTS	11	5	6	55.7	44.3	70.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	50.6	70.8	23.6
SEPTICEMIA	7	4	3	35.4	35.4	35.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	25.3	17.7	35.5
INFLUENZA AND PNEUMONIA	5	4	1	25.3	35.4	11.8
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	13.0	0.0	23.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	15.2	17.7	11.8
HOMICIDE	3	1	2	15.2	8.8	23.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	10.1	17.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	10.1	8.8	11.8
SUICIDE	2	2	0	10.1	17.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	10.1	17.7	0.0
ATHEROSCLEROSIS	1	1	0	5.1	8.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.1	8.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	8.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.1	0.0	11.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	15.2	17.7	11.8
ALL OTHER CAUSES	35	28	7	177.2	247.9	82.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	274	189	85	148	103	45	126	86	40
UNDER 1	7	1	6	3	1	2	4	0	4
(NEONATAL)	6	1	5	3	1	2	3	0	3
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	4	4	7	3	4	1	1	0
25-34	2	0	2	1	0	1	1	0	1
35-44	7	3	4	3	1	2	4	2	2
45-54	12	4	8	7	3	4	5	1	4
55-64	17	11	6	4	2	2	13	9	4
65-74	48	27	21	28	12	16	20	15	5
75-84	95	80	15	53	46	7	42	34	8
85 AND OVER	77	59	18	42	35	7	35	24	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	19,755
WHITE	11,295
NONWHITE	8,460

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	94	65	29	11.8	12.8	10.0
HEART DISEASES	35	26	9	438.5	512.3	309.7
MALIGNANT NEOPLASMS	22	10	12	275.6	197.0	412.9
ACCIDENTS	6	4	2	75.2	78.8	68.8
DIABETES MELLITUS	5	4	1	62.6	78.8	34.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	50.1	59.1	34.4
ALZHEIMERS DISEASE	3	2	1	37.6	39.4	34.4
CEREBROVASCULAR DISEASE	3	3	0	37.6	59.1	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	37.6	59.1	0.0
PARKINSONS DISEASE	1	1	0	12.5	19.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	12.5	19.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	12.5	19.7	0.0
MATERNAL CAUSES	1	1	0	917.4	1470.6	0.0
SUICIDE	1	1	0	12.5	19.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	12.5	19.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	7	4	3	87.7	78.8	103.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	94	65	29	45	28	17	49	37	12
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	3	1	2	1	0	1	2	1	1
35-44	1	0	1	1	0	1	0	0	0
45-54	8	5	3	5	2	3	3	3	0
55-64	10	3	7	7	2	5	3	1	2
65-74	19	16	3	9	6	3	10	10	0
75-84	24	17	7	10	8	2	14	9	5
85 AND OVER	27	22	5	11	9	2	16	13	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	7,981
WHITE	5,075
NONWHITE	2,906

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	421	155	266	11.4	12.7	10.8
HEART DISEASES	104	39	65	282.9	320.7	264.2
MALIGNANT NEOPLASMS	86	25	61	233.9	205.6	247.9
CEREBROVASCULAR DISEASE	29	9	20	78.9	74.0	81.3
DIABETES MELLITUS	26	4	22	70.7	32.9	89.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	13	7	54.4	106.9	28.4
ACCIDENTS	20	10	10	54.4	82.2	40.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	14	5	9	38.1	41.1	36.6
INFLUENZA AND PNEUMONIA	14	8	6	38.1	65.8	24.4
SEPTICEMIA	10	4	6	27.2	32.9	24.4
ALZHEIMERS DISEASE	7	7	0	19.0	57.6	0.0
HOMICIDE	7	0	7	19.0	0.0	28.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	1	5	16.3	8.2	20.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	1	3	10.9	8.2	12.2
SUICIDE	4	4	0	10.9	32.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	0	3	8.2	0.0	12.2
ANEMIAS	3	0	3	8.2	0.0	12.2
ATHEROSCLEROSIS	3	1	2	8.2	8.2	8.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	8.2	24.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.0	0.0	6.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	8.2	8.2	8.1
PARKINSONS DISEASE	2	0	2	5.4	0.0	8.1
AORTIC ANEURYSM AND DISSECTION	2	0	2	5.4	0.0	8.1
HIV DISEASE	1	0	1	2.7	0.0	4.1
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.7	0.0	4.1
MATERNAL CAUSES	1	1	0	165.6	689.6	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	16.3	41.1	4.1
ALL OTHER CAUSES	39	14	25	106.1	115.1	101.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	421	155	266	228	78	150	193	77	116
UNDER 1	8	1	7	6	1	5	2	0	2
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	5	1	4	4	1	3	1	0	1
1-4	4	1	3	2	1	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	11	1	10	9	0	9	2	1	1
35-44	22	6	16	13	4	9	9	2	7
45-54	44	13	31	30	8	22	14	5	9
55-64	79	14	65	48	9	39	31	5	26
65-74	68	27	41	41	15	26	27	12	15
75-84	84	44	40	39	21	18	45	23	22
85 AND OVER	95	47	48	35	18	17	60	29	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	36,766
WHITE	12,160
NONWHITE	24,606

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	185	139	46	12.8	13.8	10.6
HEART DISEASES	60	48	12	416.0	475.4	277.4
MALIGNANT NEOPLASMS	44	28	16	305.1	277.3	369.9
ACCIDENTS	14	11	3	97.1	108.9	69.4
CEREBROVASCULAR DISEASE	13	11	2	90.1	108.9	46.2
ALZHEIMERS DISEASE	11	11	0	76.3	108.9	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	48.5	69.3	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	20.8	19.8	23.1
SEPTICEMIA	2	1	1	13.9	9.9	23.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	13.9	9.9	23.1
VIRAL HEPATITIS	1	0	1	6.9	0.0	23.1
HIV DISEASE	1	1	0	6.9	9.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.9	9.9	0.0
ANEMIAS	1	1	0	6.9	9.9	0.0
DIABETES MELLITUS	1	1	0	6.9	9.9	0.0
INFLUENZA AND PNEUMONIA	1	1	0	6.9	9.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	6.9	0.0	23.1
PEPTIC ULCER	1	1	0	6.9	9.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.9	9.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.9	0.0	23.1
SUICIDE	1	1	0	6.9	9.9	0.0
HOMICIDE	1	1	0	6.9	9.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	27.7	19.8	46.2
ALL OTHER CAUSES	13	8	5	90.1	79.2	115.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	185	139	46	91	69	22	94	70	24
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	3	3	0	1	1	0	2	2	0
45-54	17	11	6	14	9	5	3	2	1
55-64	23	15	8	14	12	2	9	3	6
65-74	27	20	7	14	10	4	13	10	3
75-84	54	41	13	22	19	3	32	22	10
85 AND OVER	51	43	8	17	13	4	34	30	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	14,422
WHITE	10,097
NONWHITE	4,325

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	109	72	37	10.6	10.7	10.5
HEART DISEASES	31	17	14	301.6	252.2	395.9
MALIGNANT NEOPLASMS	25	18	7	243.2	267.0	198.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	9	1	97.3	133.5	28.3
CEREBROVASCULAR DISEASE	9	5	4	87.6	74.2	113.1
ACCIDENTS	7	5	2	68.1	74.2	56.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	29.2	14.8	56.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	19.4	29.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	19.4	14.8	28.3
SEPTICEMIA	1	1	0	9.7	14.8	0.0
PARKINSONS DISEASE	1	1	0	9.7	14.8	0.0
ALZHEIMERS DISEASE	1	1	0	9.7	14.8	0.0
INFLUENZA AND PNEUMONIA	1	0	1	9.7	0.0	28.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.7	14.8	0.0
SUICIDE	1	1	0	9.7	14.8	0.0
HOMICIDE	1	0	1	9.7	0.0	28.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	29.2	29.7	28.3
ALL OTHER CAUSES	10	7	3	97.3	103.8	84.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	109	72	37	51	36	15	58	36	22
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	2	1	2	2	0	1	0	1
35-44	7	4	3	5	4	1	2	0	2
45-54	6	5	1	4	3	1	2	2	0
55-64	15	9	6	8	5	3	7	4	3
65-74	21	15	6	10	6	4	11	9	2
75-84	31	20	11	14	10	4	17	10	7
85 AND OVER	23	14	9	6	4	2	17	10	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	10,278
WHITE	6,742
NONWHITE	3,536

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	178	118	60	9.5	11.0	7.5
HEART DISEASES	57	37	20	305.1	345.5	250.8
MALIGNANT NEOPLASMS	47	27	20	251.6	252.1	250.8
ACCIDENTS	12	7	5	64.2	65.4	62.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	42.8	65.4	12.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	32.1	28.0	37.6
CEREBROVASCULAR DISEASE	5	3	2	26.8	28.0	25.1
SEPTICEMIA	3	2	1	16.0	18.7	12.5
DIABETES MELLITUS	3	2	1	16.0	18.7	12.5
ALZHEIMERS DISEASE	2	2	0	10.7	18.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	10.7	18.7	0.0
INFLUENZA AND PNEUMONIA	2	2	0	10.7	18.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	10.7	9.3	12.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	7.3	13.9	0.0
SUICIDE	2	2	0	10.7	18.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.4	9.3	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.4	9.3	0.0
PARKINSONS DISEASE	1	1	0	5.4	9.3	0.0
HERNIA	1	1	0	5.4	9.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.4	0.0	12.5
MATERNAL CAUSES	1	1	0	365.0	694.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.4	9.3	0.0
HOMICIDE	1	1	0	5.4	9.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.4	9.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.4	9.3	0.0
ALL OTHER CAUSES	15	10	5	80.3	93.4	62.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	178	118	60	92	60	32	86	58	28
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	2	1	1	0	0	0	2	1	1
35-44	7	3	4	3	1	2	4	2	2
45-54	11	5	6	8	5	3	3	0	3
55-64	30	18	12	18	11	7	12	7	5
65-74	37	23	14	27	18	9	10	5	5
75-84	34	25	9	15	11	4	19	14	5
85 AND OVER	48	38	10	14	11	3	34	27	7
UNKNOWN	1	0	1	1	0	1	0	0	0

2009 POPULATION:

TOTAL 18,683
 WHITE 10,708
 NONWHITE 7,975

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	109	76	33	12.1	12.5	11.2
HEART DISEASES	39	30	9	432.2	492.9	306.4
MALIGNANT NEOPLASMS	22	17	5	243.8	279.3	170.2
ALZHEIMERS DISEASE	5	4	1	55.4	65.7	34.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	55.4	49.3	68.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	55.4	49.3	68.1
ACCIDENTS	5	4	1	55.4	65.7	34.0
CEREBROVASCULAR DISEASE	4	3	1	44.3	49.3	34.0
SEPTICEMIA	2	1	1	22.2	16.4	34.0
DIABETES MELLITUS	2	0	2	22.2	0.0	68.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	22.2	16.4	34.0
VIRAL HEPATITIS	1	1	0	11.1	16.4	0.0
HIV DISEASE	1	0	1	11.1	0.0	34.0
ANEMIAS	1	0	1	11.1	0.0	34.0
INFLUENZA AND PNEUMONIA	1	1	0	11.1	16.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.1	0.0	34.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	9.0	0.0	19.6
SUICIDE	1	1	0	11.1	16.4	0.0
HOMICIDE	1	0	1	11.1	0.0	34.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	11.1	0.0	34.0
ALL OTHER CAUSES	9	7	2	99.7	115.0	68.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	109	76	33	60	38	22	49	38	11
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	7	4	3	4	2	2	3	2	1
55-64	18	12	6	9	5	4	9	7	2
65-74	24	17	7	16	12	4	8	5	3
75-84	30	22	8	20	14	6	10	8	2
85 AND OVER	25	20	5	9	5	4	16	15	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 9,023
 WHITE 6,086
 NONWHITE 2,937

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	102	25	77	9.5	15.9	8.4
HEART DISEASES	33	9	24	306.8	572.2	261.4
MALIGNANT NEOPLASMS	21	4	17	195.2	254.3	185.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	3	5	74.4	190.7	54.4
CEREBROVASCULAR DISEASE	6	0	6	55.8	0.0	65.3
ACCIDENTS	4	1	3	37.2	63.6	32.7
HOMICIDE	4	0	4	37.2	0.0	43.6
SEPTICEMIA	3	0	3	27.9	0.0	32.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	27.9	63.6	21.8
DIABETES MELLITUS	2	1	1	18.6	63.6	10.9
PARKINSONS DISEASE	2	1	1	18.6	63.6	10.9
SUICIDE	2	1	1	18.6	63.6	10.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.3	0.0	10.9
INFLUENZA AND PNEUMONIA	1	0	1	9.3	0.0	10.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	0	1	9.3	0.0	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.3	63.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.3	0.0	10.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.3	0.0	10.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	18.6	0.0	21.8
ALL OTHER CAUSES	6	3	3	55.8	190.7	32.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	102	25	77	53	13	40	49	12	37
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	5	0	5	3	0	3	2	0	2
35-44	4	0	4	2	0	2	2	0	2
45-54	7	2	5	5	1	4	2	1	1
55-64	16	2	14	10	2	8	6	0	6
65-74	20	5	15	12	2	10	8	3	5
75-84	17	7	10	10	6	4	7	1	6
85 AND OVER	28	9	19	8	2	6	20	7	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 10,755
WHITE 1,573
NONWHITE 9,182

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	186	134	52	10.8	12.2	8.4
HEART DISEASES	67	50	17	389.4	454.1	274.4
MALIGNANT NEOPLASMS	36	27	9	209.2	245.2	145.2
ACCIDENTS	13	10	3	75.6	90.8	48.4
CEREBROVASCULAR DISEASE	9	7	2	52.3	63.6	32.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	6	3	52.3	54.5	48.4
ALZHEIMERS DISEASE	7	5	2	40.7	45.4	32.3
INFLUENZA AND PNEUMONIA	7	4	3	40.7	36.3	48.4
DIABETES MELLITUS	6	4	2	34.9	36.3	32.3
PARKINSONS DISEASE	3	3	0	17.4	27.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	17.4	9.1	32.3
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	13.6	0.0	35.3
HIV DISEASE	2	2	0	11.6	18.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	11.6	18.2	0.0
SUICIDE	2	2	0	11.6	18.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.8	9.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	23.2	9.1	48.4
ALL OTHER CAUSES	12	9	3	69.7	81.7	48.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	186	134	52	112	84	28	74	50	24
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	5	0	3	3	0	2	2	0
25-34	6	4	2	5	4	1	1	0	1
35-44	2	2	0	2	2	0	0	0	0
45-54	14	12	2	9	8	1	5	4	1
55-64	24	17	7	16	11	5	8	6	2
65-74	31	22	9	25	18	7	6	4	2
75-84	54	44	10	32	29	3	22	15	7
85 AND OVER	46	27	19	18	8	10	28	19	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	17,207
WHITE	11,011
NONWHITE	6,196

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	211	94	117	10.2	10.8	9.8
HEART DISEASES	57	24	33	275.1	275.2	275.0
MALIGNANT NEOPLASMS	46	20	26	222.0	229.3	216.7
CEREBROVASCULAR DISEASE	21	10	11	101.3	114.6	91.7
ACCIDENTS	10	4	6	48.2	45.9	50.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	3	6	43.4	34.4	50.0
INFLUENZA AND PNEUMONIA	8	3	5	38.6	34.4	41.7
DIABETES MELLITUS	6	2	4	29.0	22.9	33.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	29.0	45.9	16.7
SEPTICEMIA	5	0	5	24.1	0.0	41.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	24.1	34.4	16.7
ALZHEIMERS DISEASE	4	4	0	19.3	45.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	14.5	0.0	25.0
PARKINSONS DISEASE	2	2	0	9.6	22.9	0.0
SUICIDE	2	2	0	9.6	22.9	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.8	0.0	8.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.8	0.0	8.3
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.8	11.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.8	11.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	24.1	34.4	16.7
ALL OTHER CAUSES	18	8	10	86.9	91.7	83.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	211	94	117	104	41	63	107	53	54
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	2	1	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	7	1	6	4	1	3	3	0	3
45-54	19	5	14	12	3	9	7	2	5
55-64	32	8	24	20	4	16	12	4	8
65-74	37	17	20	18	10	8	19	7	12
75-84	48	25	23	27	14	13	21	11	10
85 AND OVER	60	35	25	17	6	11	43	29	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	20,722
WHITE	8,722
NONWHITE	12,000

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	279	83	196	10.4	13.1	9.5
HEART DISEASES	66	24	42	245.0	378.2	204.0
MALIGNANT NEOPLASMS	60	17	43	222.8	267.9	208.8
DIABETES MELLITUS	26	7	19	96.5	110.3	92.3
ACCIDENTS	16	8	8	59.4	126.1	38.8
CEREBROVASCULAR DISEASE	14	1	13	52.0	15.8	63.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	8	5	48.3	126.1	24.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	1	9	37.1	15.8	43.7
HOMICIDE	10	1	9	37.1	15.8	43.7
ALZHEIMERS DISEASE	6	4	2	22.3	63.0	9.7
SEPTICEMIA	5	0	5	18.6	0.0	24.3
HIV DISEASE	3	0	3	11.1	0.0	14.6
ANEMIAS	2	0	2	7.4	0.0	9.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	7.4	0.0	9.7
AORTIC ANEURYSM AND DISSECTION	2	0	2	7.4	0.0	9.7
INFLUENZA AND PNEUMONIA	2	0	2	7.4	0.0	9.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	7.4	15.8	4.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	7.4	0.0	9.7
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	3.9	29.4	0.0
SYPHILIS	1	0	1	3.7	0.0	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.7	0.0	4.8
SUICIDE	1	1	0	3.7	15.8	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.7	0.0	4.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	2	6	29.7	31.5	29.1
ALL OTHER CAUSES	24	6	18	89.1	94.6	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	279	83	196	125	33	92	154	50	104
UNDER 1	4	2	2	4	2	2	0	0	0
(NEONATAL)	3	2	1	3	2	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	2	8	9	2	7	1	0	1
25-34	6	0	6	6	0	6	0	0	0
35-44	21	3	18	13	2	11	8	1	7
45-54	22	2	20	12	1	11	10	1	9
55-64	46	7	39	16	2	14	30	5	25
65-74	51	19	32	22	8	14	29	11	18
75-84	60	24	36	28	9	19	32	15	17
85 AND OVER	58	24	34	15	7	8	43	17	26
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	26,936
WHITE	6,345
NONWHITE	20,591

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	290	168	122	10.0	12.2	8.0
HEART DISEASES	60	30	30	206.2	217.3	196.2
MALIGNANT NEOPLASMS	58	30	28	199.4	217.3	183.2
ACCIDENTS	22	17	5	75.6	123.1	32.7
ALZHEIMERS DISEASE	15	13	2	51.6	94.1	13.1
CEREBROVASCULAR DISEASE	15	10	5	51.6	72.4	32.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	11	3	48.1	79.7	19.6
DIABETES MELLITUS	10	4	6	34.4	29.0	39.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	5	4	30.9	36.2	26.2
SUICIDE	9	8	1	30.9	57.9	6.5
SEPTICEMIA	4	2	2	13.7	14.5	13.1
INFLUENZA AND PNEUMONIA	4	4	0	13.7	29.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	13.7	14.5	13.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	10.3	14.5	6.5
AORTIC ANEURYSM AND DISSECTION	3	0	3	10.3	0.0	19.6
HOMICIDE	3	2	1	10.3	14.5	6.5
VIRAL HEPATITIS	2	0	2	6.9	0.0	13.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	6.9	7.2	6.5
HIV DISEASE	1	0	1	3.4	0.0	6.5
MATERNAL CAUSES	1	0	1	225.7	0.0	375.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.4	7.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	20.6	21.7	19.6
ALL OTHER CAUSES	44	23	21	151.2	166.6	137.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	290	168	122	143	84	59	147	84	63
UNDER 1	3	2	1	2	2	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	5	3	2	3	0	3
25-34	5	3	2	3	3	0	2	0	2
35-44	12	8	4	8	6	2	4	2	2
45-54	33	17	16	21	12	9	12	5	7
55-64	53	26	27	28	11	17	25	15	10
65-74	45	23	22	20	9	11	25	14	11
75-84	69	42	27	35	21	14	34	21	13
85 AND OVER	60	42	18	20	16	4	40	26	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	29,094
WHITE	13,808
NONWHITE	15,286

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	207	154	53	10.1	12.0	6.8
MALIGNANT NEOPLASMS	55	44	11	267.7	343.5	142.2
HEART DISEASES	51	37	14	248.2	288.8	181.0
CEREBROVASCULAR DISEASE	14	12	2	68.1	93.7	25.9
ALZHEIMERS DISEASE	13	9	4	63.3	70.2	51.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	7	5	58.4	54.6	64.6
ACCIDENTS	12	8	4	58.4	62.4	51.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	29.2	31.2	25.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	24.3	39.0	0.0
SEPTICEMIA	4	4	0	19.5	31.2	0.0
INFLUENZA AND PNEUMONIA	3	3	0	14.6	23.4	0.0
INFECTIONS OF KIDNEY	2	0	2	9.7	0.0	25.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	9.7	7.8	12.9
SUICIDE	2	1	1	9.7	7.8	12.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.9	7.8	0.0
MENINGITIS	1	1	0	4.9	7.8	0.0
PARKINSONS DISEASE	1	1	0	4.9	7.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.9	0.0	12.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.9	7.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.9	7.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.2	5.4	0.0
HOMICIDE	1	0	1	4.9	0.0	12.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.9	0.0	12.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.7	7.8	12.9
ALL OTHER CAUSES	15	12	3	73.0	93.7	38.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	207	154	53	115	86	29	92	68	24
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	1	1	0	3	1	2
25-34	6	3	3	4	2	2	2	1	1
35-44	9	6	3	5	3	2	4	3	1
45-54	15	9	6	6	4	2	9	5	4
55-64	29	20	9	23	15	8	6	5	1
65-74	32	23	9	17	12	5	15	11	4
75-84	58	48	10	34	29	5	24	19	5
85 AND OVER	51	42	9	23	19	4	28	23	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	20,544
WHITE	12,810
NONWHITE	7,734

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,056	918	138	6.6	7.7	3.5
HEART DISEASES	306	271	35	192.8	226.8	89.2
MALIGNANT NEOPLASMS	251	217	34	158.1	181.6	86.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	76	72	4	47.9	60.3	10.2
DIABETES MELLITUS	75	62	13	47.2	51.9	33.1
ACCIDENTS	61	55	6	38.4	46.0	15.3
CEREBROVASCULAR DISEASE	35	27	8	22.0	22.6	20.4
ALZHEIMERS DISEASE	27	25	2	17.0	20.9	5.1
SUICIDE	23	22	1	14.5	18.4	2.5
INFLUENZA AND PNEUMONIA	14	14	0	8.8	11.7	0.0
SEPTICEMIA	12	11	1	7.6	9.2	2.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	9	2	6.9	7.5	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	9	0	5.7	7.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	9	7	2	4.1	4.4	3.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	5	4	5.7	4.2	10.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	7	0	4.4	5.8	0.0
PARKINSONS DISEASE	5	5	0	3.2	4.2	0.0
AORTIC ANEURYSM AND DISSECTION	5	5	0	3.2	4.2	0.0
HOMICIDE	5	1	4	3.2	0.8	10.2
HIV DISEASE	4	1	3	2.5	0.8	7.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	1.9	2.5	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	3	2	1	1.9	1.7	2.5
NEOPLASMS	2	2	0	1.3	1.7	0.0
ANEMIAS	2	1	1	1.3	0.8	2.5
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.3	1.7	0.0
VIRAL HEPATITIS	1	1	0	0.6	0.8	0.0
MENINGITIS	1	1	0	0.6	0.8	0.0
ATHEROSCLEROSIS	1	1	0	0.6	0.8	0.0
DISEASES OF APPENDIX	1	1	0	0.6	0.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	17	5	13.9	14.2	12.7
ALL OTHER CAUSES	74	62	12	46.6	51.9	30.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,056	918	138	544	470	74	512	448	64
UNDER 1	19	13	6	10	8	2	9	5	4
(NEONATAL)	17	12	5	10	8	2	7	4	3
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	20	16	4	16	12	4	4	4	0
25-34	21	15	6	12	9	3	9	6	3
35-44	53	49	4	35	33	2	18	16	2
45-54	107	89	18	65	53	12	42	36	6
55-64	152	126	26	91	75	16	61	51	10
65-74	208	185	23	111	100	11	97	85	12
75-84	262	232	30	134	118	16	128	114	14
85 AND OVER	212	191	21	68	60	8	144	131	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	158,719
WHITE	119,466
NONWHITE	39,253

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	676	501	175	8.3	10.0	5.6
HEART DISEASES	167	134	33	206.0	267.5	106.5
MALIGNANT NEOPLASMS	144	102	42	177.6	203.6	135.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	47	44	3	58.0	87.8	9.7
ALZHEIMERS DISEASE	35	32	3	43.2	63.9	9.7
ACCIDENTS	32	19	13	39.5	37.9	42.0
DIABETES MELLITUS	27	14	13	33.3	27.9	42.0
CEREBROVASCULAR DISEASE	25	17	8	30.8	33.9	25.8
SEPTICEMIA	21	13	8	25.9	25.9	25.8
INFLUENZA AND PNEUMONIA	19	13	6	23.4	25.9	19.4
SUICIDE	12	11	1	14.8	22.0	3.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	8	3	13.6	16.0	9.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	9	1	12.3	18.0	3.2
HOMICIDE	9	4	5	11.1	8.0	16.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	9.9	14.0	3.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	3	4	8.6	6.0	12.9
CONDITIONS ORIG IN PERINATAL PERIOD	7	2	5	6.0	3.1	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	6.2	6.0	6.4
HIV DISEASE	4	2	2	4.9	4.0	6.4
PARKINSONS DISEASE	3	2	1	3.7	4.0	3.2
AORTIC ANEURYSM AND DISSECTION	3	3	0	3.7	6.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY IN SITU, BENIGN & UNSPECIFIED	2	2	0	2.5	4.0	0.0
NEOPLASMS	1	1	0	1.2	2.0	0.0
HERNIA	1	0	1	1.2	0.0	3.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.2	2.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	12	2	17.3	24.0	6.4
ALL OTHER CAUSES	61	43	18	75.2	85.8	58.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	676	501	175	328	246	82	348	255	93
UNDER 1	15	8	7	7	6	1	8	2	6
(NEONATAL)	10	4	6	4	3	1	6	1	5
(POSTNEONATAL)	5	4	1	3	3	0	2	1	1
1-4	2	1	1	2	1	1	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	2	0	2	0	0	0	2	0	2
15-24	16	12	4	12	10	2	4	2	2
25-34	17	10	7	13	7	6	4	3	1
35-44	33	17	16	18	11	7	15	6	9
45-54	46	29	17	28	19	9	18	10	8
55-64	106	63	43	64	38	26	42	25	17
65-74	119	90	29	58	44	14	61	46	15
75-84	144	121	23	63	55	8	81	66	15
85 AND OVER	173	149	24	61	54	7	112	95	17
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL 81,078
 WHITE 50,101
 NONWHITE 30,977

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	80	63	17	9.6	12.2	5.3
HEART DISEASES	25	20	5	300.3	389.0	157.1
MALIGNANT NEOPLASMS	17	14	3	204.2	272.3	94.2
ACCIDENTS	5	5	0	60.1	97.2	0.0
SEPTICEMIA	4	2	2	48.0	38.9	62.8
CEREBROVASCULAR DISEASE	3	1	2	36.0	19.4	62.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	24.0	38.9	0.0
INFLUENZA AND PNEUMONIA	2	2	0	24.0	38.9	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	24.0	38.9	0.0
HIV DISEASE	1	0	1	12.0	0.0	31.4
DIABETES MELLITUS	1	1	0	12.0	19.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	12.0	19.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	12.0	19.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	12.0	0.0	31.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.0	19.4	0.0
ALL OTHER CAUSES	14	11	3	168.2	214.0	94.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	80	63	17	31	22	9	49	41	8
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	3	2	1	1	1	0	2	1	1
45-54	5	3	2	3	1	2	2	2	0
55-64	12	9	3	5	3	2	7	6	1
65-74	18	12	6	7	6	1	11	6	5
75-84	16	15	1	7	6	1	9	9	0
85 AND OVER	22	20	2	5	4	1	17	16	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	8,324
WHITE	5,141
NONWHITE	3,183

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	225	208	17	9.9	10.3	6.9
HEART DISEASES	46	44	2	202.8	217.8	80.7
MALIGNANT NEOPLASMS	39	38	1	172.0	188.1	40.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	21	2	101.4	103.9	80.7
DIABETES MELLITUS	20	17	3	88.2	84.1	121.1
ACCIDENTS	20	18	2	88.2	89.1	80.7
CEREBROVASCULAR DISEASE	15	14	1	66.1	69.3	40.4
ALZHEIMERS DISEASE	9	8	1	39.7	39.6	40.4
SEPTICEMIA	6	5	1	26.4	24.7	40.4
INFLUENZA AND PNEUMONIA	4	3	1	17.6	14.8	40.4
SUICIDE	4	4	0	17.6	19.8	0.0
VIRAL HEPATITIS	2	2	0	8.8	9.9	0.0
PARKINSONS DISEASE	2	2	0	8.8	9.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.8	9.9	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	8.8	9.9	0.0
HIV DISEASE	1	0	1	4.4	0.0	40.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.4	5.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.4	5.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.4	5.0	0.0
HOMICIDE	1	1	0	4.4	5.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.4	5.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.4	5.0	0.0
ALL OTHER CAUSES	24	22	2	105.8	108.9	80.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	225	208	17	121	113	8	104	95	9
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	6	5	1	2	1	1	4	4	0
35-44	7	7	0	5	5	0	2	2	0
45-54	17	15	2	11	10	1	6	5	1
55-64	31	29	2	20	18	2	11	11	0
65-74	54	47	7	33	29	4	21	18	3
75-84	61	60	1	32	32	0	29	28	1
85 AND OVER	46	42	4	16	16	0	30	26	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	22,681
WHITE	20,203
NONWHITE	2,478

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	128	111	17	8.9	11.1	3.9
HEART DISEASES	37	36	1	257.8	361.3	22.8
MALIGNANT NEOPLASMS	22	19	3	153.3	190.7	68.4
CEREBROVASCULAR DISEASE	12	10	2	83.6	100.4	45.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	48.8	70.2	0.0
ACCIDENTS	7	5	2	48.8	50.2	45.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	34.8	20.1	68.4
DIABETES MELLITUS	4	2	2	27.9	20.1	45.6
ALZHEIMERS DISEASE	3	3	0	20.9	30.1	0.0
SUICIDE	3	3	0	20.9	30.1	0.0
SEPTICEMIA	2	2	0	13.9	20.1	0.0
ANEMIAS	2	2	0	13.9	20.1	0.0
INFLUENZA AND PNEUMONIA	2	2	0	13.9	20.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	13.9	10.0	22.8
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	7.0	10.0	0.0
HYPERPLASIA OF PROSTATE	1	1	0	7.0	10.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.0	10.0	0.0
HOMICIDE	1	1	0	7.0	10.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	20.9	20.1	22.8
ALL OTHER CAUSES	13	11	2	90.6	110.4	45.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	128	111	17	70	60	10	58	51	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	3	2	1	1	1	0	2	1	1
45-54	14	11	3	8	6	2	6	5	1
55-64	19	16	3	11	9	2	8	7	1
65-74	34	30	4	22	20	2	12	10	2
75-84	32	30	2	18	16	2	14	14	0
85 AND OVER	21	17	4	8	6	2	13	11	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 14,352
 WHITE 9,964
 NONWHITE 4,388

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	250	150	100	10.8	11.5	10.0
HEART DISEASES	71	36	35	308.1	276.4	349.3
MALIGNANT NEOPLASMS	54	35	19	234.3	268.7	189.6
ACCIDENTS	16	12	4	69.4	92.1	39.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	11	8	3	47.7	61.4	29.9
CEREBROVASCULAR DISEASE	10	5	5	43.4	38.4	49.9
SEPTICEMIA	9	5	4	39.0	38.4	39.9
HOMICIDE	8	4	4	34.7	30.7	39.9
INFLUENZA AND PNEUMONIA	7	5	2	30.4	38.4	20.0
ALZHEIMERS DISEASE	6	4	2	26.0	30.7	20.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	17.4	23.0	10.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	17.4	15.4	20.0
DIABETES MELLITUS	3	2	1	13.0	15.4	10.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	13.0	23.0	0.0
HIV DISEASE	2	0	2	8.7	0.0	20.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	8.7	0.0	20.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	8.7	7.7	10.0
PARKINSONS DISEASE	1	0	1	4.3	0.0	10.0
PEPTIC ULCER	1	1	0	4.3	7.7	0.0
HERNIA	1	1	0	4.3	7.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.3	7.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.3	0.0	6.5
SUICIDE	1	1	0	4.3	7.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	21.7	15.4	29.9
ALL OTHER CAUSES	27	19	8	117.2	145.9	79.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	250	150	100	123	73	50	127	77	50
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	2	0	1	1	0	1	1	0
15-24	2	2	0	1	1	0	1	1	0
25-34	3	1	2	1	0	1	2	1	1
35-44	8	3	5	4	0	4	4	3	1
45-54	28	12	16	20	9	11	8	3	5
55-64	37	20	17	20	12	8	17	8	9
65-74	43	28	15	29	20	9	14	8	6
75-84	51	32	19	22	12	10	29	20	9
85 AND OVER	72	50	22	23	18	5	49	32	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 23,046
 WHITE 13,025
 NONWHITE 10,021

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	378	355	23	9.2	9.7	5.3
MALIGNANT NEOPLASMS	94	87	7	229.5	237.6	160.8
HEART DISEASES	85	80	5	207.5	218.5	114.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	36	35	1	87.9	95.6	23.0
ACCIDENTS	36	35	1	87.9	95.6	23.0
CEREBROVASCULAR DISEASE	17	17	0	41.5	46.4	0.0
SUICIDE	13	13	0	31.7	35.5	0.0
ALZHEIMERS DISEASE	11	11	0	26.8	30.0	0.0
INFLUENZA AND PNEUMONIA	11	10	1	26.8	27.3	23.0
SEPTICEMIA	6	5	1	14.6	13.6	23.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	12.2	13.6	0.0
PARKINSONS DISEASE	4	4	0	9.8	10.9	0.0
DIABETES MELLITUS	3	2	1	7.3	5.5	23.0
AORTIC ANEURYSM AND DISSECTION	3	2	1	7.3	5.5	23.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	7.3	8.2	0.0
HOMICIDE	3	3	0	7.3	8.2	0.0
VIRAL HEPATITIS	2	2	0	4.9	5.5	0.0
HIV DISEASE	2	2	0	4.9	5.5	0.0
ANEMIAS	1	0	1	2.4	0.0	23.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.4	2.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.4	0.0	23.0
ATHEROSCLEROSIS	1	1	0	2.4	2.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.4	2.7	0.0
PEPTIC ULCER	1	1	0	2.4	2.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.0	2.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	12.2	13.6	0.0
ALL OTHER CAUSES	32	29	3	78.1	79.2	68.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	378	355	23	221	206	15	157	149	8
UNDER 1	2	2	0	0	0	0	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	1	1	0	2	2	0
15-24	7	7	0	6	6	0	1	1	0
25-34	7	6	1	5	4	1	2	2	0
35-44	19	17	2	12	10	2	7	7	0
45-54	37	33	4	26	23	3	11	10	1
55-64	53	48	5	38	36	2	15	12	3
65-74	72	70	2	44	42	2	28	28	0
75-84	103	97	6	57	54	3	46	43	3
85 AND OVER	73	70	3	32	30	2	41	40	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	40,962
WHITE	36,610
NONWHITE	4,352

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,523	1,218	305	8.4	9.5	5.8
HEART DISEASES	417	330	87	230.1	256.7	165.3
MALIGNANT NEOPLASMS	342	280	62	188.8	217.8	117.8
CEREBROVASCULAR DISEASE	86	64	22	47.5	49.8	41.8
ACCIDENTS	86	74	12	47.5	57.6	22.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	80	72	8	44.2	56.0	15.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	51	40	11	28.1	31.1	20.9
SEPTICEMIA	49	37	12	27.0	28.8	22.8
ALZHEIMERS DISEASE	35	30	5	19.3	23.3	9.5
INFLUENZA AND PNEUMONIA	28	22	6	15.4	17.1	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	24	23	1	13.2	17.9	1.9
SUICIDE	20	17	3	11.0	13.2	5.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	9	6	8.3	7.0	11.4
HOMICIDE	11	5	6	6.1	3.9	11.4
DIABETES MELLITUS	10	8	2	5.5	6.2	3.8
PARKINSONS DISEASE	10	10	0	5.5	7.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	10	6	4	3.5	3.1	4.6
HIV DISEASE	8	3	5	4.4	2.3	9.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	4	3	3.9	3.1	5.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	3	4	3.9	2.3	7.6
AORTIC ANEURYSM AND DISSECTION	6	5	1	3.3	3.9	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE	5	3	2	2.8	2.3	3.8
VIRAL HEPATITIS	4	3	1	2.2	2.3	1.9
ANEMIAS	3	3	0	1.6	2.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	1.6	1.6	1.9
ATHEROSCLEROSIS	2	1	1	1.1	0.8	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.1	1.6	0.0
MATERNAL CAUSES	2	0	2	70.7	0.0	228.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.6	0.8	0.0
PEPTIC ULCER	1	1	0	0.6	0.8	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	34	31	3	18.8	24.1	5.7
ALL OTHER CAUSES	164	129	35	90.5	100.3	66.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,523	1,218	305	805	635	170	718	583	135
UNDER 1	18	10	8	13	7	6	5	3	2
(NEONATAL)	11	5	6	8	4	4	3	1	2
(POSTNEONATAL)	7	5	2	5	3	2	2	2	0
1-4	6	6	0	2	2	0	4	4	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	20	14	6	15	10	5	5	4	1
25-34	35	25	10	22	16	6	13	9	4
35-44	61	39	22	33	20	13	28	19	9
45-54	141	103	38	86	61	25	55	42	13
55-64	246	190	56	145	108	37	101	82	19
65-74	289	228	61	171	138	33	118	90	28
75-84	398	333	65	187	159	28	211	174	37
85 AND OVER	308	269	39	131	114	17	177	155	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 181,191
 WHITE 128,553
 NONWHITE 52,638

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,946	789	1,157	7.8	10.1	6.8
HEART DISEASES	521	216	305	210.4	277.0	179.8
MALIGNANT NEOPLASMS	396	161	235	159.9	206.5	138.5
CEREBROVASCULAR DISEASE	110	43	67	44.4	55.1	39.5
ACCIDENTS	90	34	56	36.3	43.6	33.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	89	58	31	35.9	74.4	18.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	63	13	50	25.4	16.7	29.5
DIABETES MELLITUS	45	12	33	18.2	15.4	19.4
SEPTICEMIA	43	20	23	17.4	25.6	13.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	43	8	35	17.4	10.2	20.6
HOMICIDE	42	7	35	17.0	9.0	20.6
ALZHEIMERS DISEASE	37	24	13	14.9	30.8	7.7
INFLUENZA AND PNEUMONIA	37	18	19	14.9	23.1	11.2
HIV DISEASE	28	2	26	11.3	2.6	15.3
CONDITIONS ORIG IN PERINATAL PERIOD	21	2	19	5.7	2.7	6.4
SUICIDE	15	6	9	6.0	7.7	5.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	14	7	7	5.6	9.0	4.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	8	6	5.6	10.2	3.5
PARKINSONS DISEASE	10	8	2	4.0	10.2	1.2
AORTIC ANEURYSM AND DISSECTION	8	1	7	3.2	1.3	4.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	5	3	3.2	6.4	1.8
ANEMIAS	6	1	5	2.4	1.3	2.9
COMPLICATIONS MEDICAL/SURGICAL CARE	4	3	1	1.6	3.8	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.2	3.8	0.0
VIRAL HEPATITIS	2	0	2	0.8	0.0	1.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	0.8	1.3	0.6
TUBERCULOSIS	1	0	1	0.4	0.0	0.6
MENINGITIS	1	0	1	0.4	0.0	0.6
ATHEROSCLEROSIS	1	1	0	0.4	1.3	0.0
PEPTIC ULCER	1	0	1	0.4	0.0	0.6
HERNIA	1	0	1	0.4	0.0	0.6
MATERNAL CAUSES	1	0	1	27.0	0.0	33.8
LEGAL INTERVENTION	1	0	1	0.4	0.0	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	30	13	17	12.1	16.7	10.0
ALL OTHER CAUSES	258	114	144	104.2	146.2	84.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,946	789	1,157	981	390	591	965	399	566
UNDER 1	41	7	34	20	4	16	21	3	18
(NEONATAL)	24	3	21	14	2	12	10	1	9
(POSTNEONATAL)	17	4	13	6	2	4	11	2	9
1-4	7	1	6	1	0	1	6	1	5
5-9	4	2	2	2	2	0	2	0	2
10-14	8	1	7	5	0	5	3	1	2
15-24	41	5	36	29	4	25	12	1	11
25-34	49	8	41	33	5	28	16	3	13
35-44	92	19	73	56	11	45	36	8	28
45-54	211	51	160	125	33	92	86	18	68
55-64	298	82	216	166	49	117	132	33	99
65-74	320	143	177	172	76	96	148	67	81
75-84	442	232	210	217	120	97	225	112	113
85 AND OVER	432	237	195	154	85	69	278	152	126
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL 247,631
 WHITE 77,981
 NONWHITE 169,650

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	71	159	11.3	19.4	9.6
HEART DISEASES	55	17	38	271.1	464.6	228.5
MALIGNANT NEOPLASMS	50	17	33	246.4	464.6	198.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	7	18	123.2	191.3	108.2
CEREBROVASCULAR DISEASE	17	5	12	83.8	136.6	72.2
ACCIDENTS	12	1	11	59.1	27.3	66.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	3	6	44.4	82.0	36.1
ALZHEIMERS DISEASE	6	4	2	29.6	109.3	12.0
DIABETES MELLITUS	5	2	3	24.6	54.7	18.0
INFLUENZA AND PNEUMONIA	4	2	2	19.7	54.7	12.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	19.7	27.3	18.0
HIV DISEASE	3	0	3	14.8	0.0	18.0
HOMICIDE	3	0	3	14.8	0.0	18.0
SEPTICEMIA	2	0	2	9.8	0.0	12.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	9.8	0.0	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	9.8	0.0	12.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.7	0.0	6.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.8	0.0	12.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.9	27.3	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.9	27.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.9	0.0	6.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.9	0.0	6.0
ALL OTHER CAUSES	23	10	13	113.4	273.3	78.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	71	159	112	31	81	118	40	78
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	3	0	3	0	0	0	3	0	3
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	7	0	7	5	0	5	2	0	2
35-44	7	0	7	3	0	3	4	0	4
45-54	32	6	26	19	4	15	13	2	11
55-64	40	9	31	26	7	19	14	2	12
65-74	34	11	23	22	7	15	12	4	8
75-84	43	17	26	19	9	10	24	8	16
85 AND OVER	55	27	28	11	4	7	44	23	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 20,290
WHITE 3,659
NONWHITE 16,631

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	123	30	93	12.5	12.1	12.7
HEART DISEASES	46	14	32	469.0	566.8	436.0
MALIGNANT NEOPLASMS	24	9	15	244.7	364.4	204.4
ACCIDENTS	14	1	13	142.7	40.5	177.1
CEREBROVASCULAR DISEASE	8	2	6	81.6	81.0	81.8
SEPTICEMIA	3	0	3	30.6	0.0	40.9
ALZHEIMERS DISEASE	3	2	1	30.6	81.0	13.6
HIV DISEASE	2	0	2	20.4	0.0	27.2
DIABETES MELLITUS	2	0	2	20.4	0.0	27.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	20.4	40.5	13.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	20.4	40.5	13.6
HOMICIDE	2	0	2	20.4	0.0	27.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.2	0.0	13.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.2	0.0	13.6
INFLUENZA AND PNEUMONIA	1	0	1	10.2	0.0	13.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	10.2	0.0	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.2	0.0	13.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	10.2	0.0	13.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	20.4	0.0	27.2
ALL OTHER CAUSES	7	0	7	71.4	0.0	95.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	123	30	93	64	19	45	59	11	48
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	4	0	4	2	0	2	2	0	2
35-44	9	1	8	6	1	5	3	0	3
45-54	16	3	13	11	3	8	5	0	5
55-64	24	4	20	15	3	12	9	1	8
65-74	12	4	8	9	3	6	3	1	2
75-84	22	8	14	8	4	4	14	4	10
85 AND OVER	28	10	18	9	5	4	19	5	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 9,809
 WHITE 2,470
 NONWHITE 7,339

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	21	5	16	13.0	8.0	16.2
MALIGNANT NEOPLASMS	12	2	10	744.4	321.0	1011.1
HEART DISEASES	4	2	2	248.1	321.0	202.2
ACCIDENTS	2	1	1	124.1	160.5	101.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	62.0	0.0	101.1

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	2	0	2	124.1	0.0	202.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	21	5	16	13	3	10	8	2	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	4	1	3	1	0	1	3	1	2
55-64	3	0	3	3	0	3	0	0	0
65-74	4	1	3	1	1	0	3	0	3
75-84	5	1	4	4	0	4	1	1	0
85 AND OVER	3	2	1	2	2	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	1,612
WHITE	623
NONWHITE	989

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	228	16	10.6	10.8	8.8
HEART DISEASES	58	54	4	252.2	255.0	219.3
MALIGNANT NEOPLASMS	54	51	3	234.8	240.8	164.5
ACCIDENTS	21	20	1	91.3	94.4	54.8
CEREBROVASCULAR DISEASE	11	11	0	47.8	51.9	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	47.8	51.9	0.0
ALZHEIMERS DISEASE	9	8	1	39.1	37.8	54.8
SUICIDE	6	6	0	26.1	28.3	0.0
DIABETES MELLITUS	5	5	0	21.7	23.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	5	0	21.7	23.6	0.0
SEPTICEMIA	4	4	0	17.4	18.9	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	17.4	9.4	109.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	17.4	18.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	13.0	14.2	0.0
INFLUENZA AND PNEUMONIA	2	2	0	8.7	9.4	0.0
HIV DISEASE	1	0	1	4.3	0.0	54.8
ANEMIAS	1	1	0	4.3	4.7	0.0
ATHEROSCLEROSIS	1	1	0	4.3	4.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.3	4.7	0.0
HOMICIDE	1	1	0	4.3	4.7	0.0
LEGAL INTERVENTION	1	1	0	4.3	4.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	4.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	6	1	30.4	28.3	54.8
ALL OTHER CAUSES	33	30	3	143.5	141.7	164.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	228	16	131	122	9	113	106	7
UNDER 1	5	4	1	4	3	1	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	4	3	1	3	2	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	6	6	0	3	3	0	3	3	0
35-44	5	5	0	4	4	0	1	1	0
45-54	24	22	2	12	12	0	12	10	2
55-64	32	28	4	19	16	3	13	12	1
65-74	51	48	3	37	34	3	14	14	0
75-84	70	66	4	31	30	1	39	36	3
85 AND OVER	48	46	2	18	17	1	30	29	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	23,000
WHITE	21,176
NONWHITE	1,824

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,196	964	232	9.0	9.8	6.7
MALIGNANT NEOPLASMS	286	238	48	215.2	242.4	138.2
HEART DISEASES	270	210	60	203.1	213.8	172.8
ACCIDENTS	110	98	12	82.8	99.8	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	63	54	9	47.4	55.0	25.9
CEREBROVASCULAR DISEASE	34	28	6	25.6	28.5	17.3
INFLUENZA AND PNEUMONIA	34	28	6	25.6	28.5	17.3
SEPTICEMIA	31	26	5	23.3	26.5	14.4
ALZHEIMERS DISEASE	30	25	5	22.6	25.4	14.4
SUICIDE	25	22	3	18.8	22.4	8.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	23	15	8	17.3	15.3	23.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	22	14	8	16.6	14.2	23.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	17	2	14.3	17.3	5.8
PARKINSONS DISEASE	11	11	0	8.3	11.2	0.0
HOMICIDE	11	5	6	8.3	5.1	17.3
DIABETES MELLITUS	10	6	4	7.5	6.1	11.5
CONDITIONS ORIG IN PERINATAL PERIOD	10	5	5	5.6	3.9	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	7	2	6.8	7.1	5.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	7	1	6.0	7.1	2.9
AORTIC ANEURYSM AND DISSECTION	5	4	1	3.8	4.1	2.9
VIRAL HEPATITIS	4	3	1	3.0	3.0	2.9
HIV DISEASE	3	3	0	2.2	3.0	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	2.2	3.0	0.0
ATHEROSCLEROSIS	3	2	1	2.2	2.0	2.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	3	3	0	2.2	3.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	2.2	3.0	0.0
PEPTIC ULCER	2	2	0	1.5	2.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	1.5	2.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	0.8	0.0	2.9
MATERNAL CAUSES	1	1	0	56.0	79.0	0.0
LEGAL INTERVENTION	1	1	0	0.8	1.0	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	14	4	13.5	14.2	11.5
ALL OTHER CAUSES	141	107	34	106.1	109.0	97.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,196	964	232	635	522	113	561	442	119
UNDER 1	27	15	12	16	10	6	11	5	6
(NEONATAL)	18	11	7	10	7	3	8	4	4
(POSTNEONATAL)	9	4	5	6	3	3	3	1	2
1-4	4	3	1	1	1	0	3	2	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	15	11	4	10	7	3	5	4	1
25-34	33	26	7	21	16	5	12	10	2
35-44	53	48	5	37	34	3	16	14	2
45-54	112	81	31	70	52	18	42	29	13
55-64	198	152	46	112	85	27	86	67	19
65-74	263	214	49	151	123	28	112	91	21
75-84	271	228	43	143	130	13	128	98	30
85 AND OVER	218	185	33	72	63	9	146	122	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 132,922
 WHITE 98,203
 NONWHITE 34,719

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	160	88	72	8.9	10.4	7.6
HEART DISEASES	39	20	19	217.4	236.2	200.6
MALIGNANT NEOPLASMS	37	19	18	206.2	224.3	190.0
CEREBROVASCULAR DISEASE	12	6	6	66.9	70.8	63.4
ACCIDENTS	10	8	2	55.7	94.5	21.1
DIABETES MELLITUS	9	6	3	50.2	70.8	31.7
SEPTICEMIA	8	4	4	44.6	47.2	42.2
ALZHEIMERS DISEASE	7	5	2	39.0	59.0	21.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	2	3	27.9	23.6	31.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	22.3	35.4	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	16.7	23.6	10.6
HIV DISEASE	2	0	2	11.1	0.0	21.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.6	11.8	0.0
ANEMIAS	1	0	1	5.6	0.0	10.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.6	11.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	5.6	0.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.1	0.0	6.6
SUICIDE	1	1	0	5.6	11.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	18	10	8	100.3	118.1	84.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	160	88	72	79	45	34	81	43	38
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	8	5	3	7	4	3	1	1	0
35-44	8	4	4	5	3	2	3	1	2
45-54	15	6	9	8	3	5	7	3	4
55-64	22	10	12	11	5	6	11	5	6
65-74	28	16	12	20	13	7	8	3	5
75-84	39	22	17	14	9	5	25	13	12
85 AND OVER	36	23	13	10	6	4	26	17	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 17,940
 WHITE 8,469
 NONWHITE 9,471

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	73	11	62	8.2	9.4	8.0
HEART DISEASES	21	2	19	235.2	171.8	244.7
MALIGNANT NEOPLASMS	17	2	15	190.4	171.8	193.2
DIABETES MELLITUS	4	2	2	44.8	171.8	25.8
ACCIDENTS	4	1	3	44.8	85.9	38.6
SEPTICEMIA	3	0	3	33.6	0.0	38.6
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	28.6	0.0	30.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	22.4	0.0	25.8
HIV DISEASE	1	0	1	11.2	0.0	12.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	11.2	0.0	12.9
CEREBROVASCULAR DISEASE	1	1	0	11.2	85.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	11.2	0.0	12.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	11.2	0.0	12.9
PEPTIC ULCER	1	1	0	11.2	85.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	11.2	0.0	12.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	12	2	10	134.4	171.8	128.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	73	11	62	43	6	37	30	5	25
UNDER 1	3	0	3	3	0	3	0	0	0
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	0	0	0	2	0	2
35-44	2	0	2	1	0	1	1	0	1
45-54	10	0	10	6	0	6	4	0	4
55-64	13	1	12	8	1	7	5	0	5
65-74	17	5	12	10	3	7	7	2	5
75-84	16	1	15	10	0	10	6	1	5
85 AND OVER	10	4	6	5	2	3	5	2	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	8,928
WHITE	1,164
NONWHITE	7,764

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	147	76	71	11.7	14.6	9.7
HEART DISEASES	43	23	20	342.8	441.2	272.8
MALIGNANT NEOPLASMS	35	22	13	279.0	422.0	177.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	8	2	79.7	153.5	27.3
ACCIDENTS	10	4	6	79.7	76.7	81.8
HOMICIDE	6	2	4	47.8	38.4	54.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	39.9	38.4	40.9
SEPTICEMIA	3	1	2	23.9	19.2	27.3
ALZHEIMERS DISEASE	3	2	1	23.9	38.4	13.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	23.9	0.0	40.9
HIV DISEASE	2	0	2	15.9	0.0	27.3
CEREBROVASCULAR DISEASE	2	0	2	15.9	0.0	27.3
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	0	2	12.4	0.0	18.3
NEOPLASMS	1	1	0	8.0	19.2	0.0
DIABETES MELLITUS	1	1	0	8.0	19.2	0.0
SUICIDE	1	1	0	8.0	19.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	31.9	38.4	27.3
ALL OTHER CAUSES	16	7	9	127.6	134.3	122.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	147	76	71	81	46	35	66	30	36
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	4	2	2	4	2	2	0	0	0
35-44	8	5	3	7	5	2	1	0	1
45-54	12	3	9	10	3	7	2	0	2
55-64	28	10	18	16	6	10	12	4	8
65-74	26	14	12	15	10	5	11	4	7
75-84	35	25	10	18	14	4	17	11	6
85 AND OVER	29	17	12	9	6	3	20	11	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	12,543
WHITE	5,213
NONWHITE	7,330

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	718	551	167	10.6	11.4	8.5
HEART DISEASES	186	135	51	274.4	280.7	259.1
MALIGNANT NEOPLASMS	162	138	24	239.0	286.9	121.9
CEREBROVASCULAR DISEASE	42	35	7	62.0	72.8	35.6
ACCIDENTS	40	36	4	59.0	74.8	20.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	33	28	5	48.7	58.2	25.4
ALZHEIMERS DISEASE	32	29	3	47.2	60.3	15.2
INFLUENZA AND PNEUMONIA	32	24	8	47.2	49.9	40.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	23	17	6	33.9	35.3	30.5
SEPTICEMIA	14	10	4	20.6	20.8	20.3
DIABETES MELLITUS	9	3	6	13.3	6.2	30.5
SUICIDE	9	7	2	13.3	14.6	10.2
PARKINSONS DISEASE	7	7	0	10.3	14.6	0.0
HIV DISEASE	6	1	5	8.8	2.1	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	5	3	2	7.4	6.2	10.2
NEOPLASMS	4	2	2	5.9	4.2	10.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	5.9	6.2	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	5.9	4.2	10.2
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	3.7	1.5	7.6
HOMICIDE	4	0	4	5.9	0.0	20.3
AORTIC ANEURYSM AND DISSECTION	3	3	0	4.4	6.2	0.0
ANEMIAS	2	1	1	3.0	2.1	5.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	3.0	4.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	3.0	2.1	5.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.5	2.1	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	15	7	32.5	31.2	35.6
ALL OTHER CAUSES	66	47	19	97.4	97.7	96.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	718	551	167	330	251	79	388	300	88
UNDER 1	13	3	10	6	1	5	7	2	5
(NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	8	1	7	4	0	4	4	1	3
1-4	3	2	1	0	0	0	3	2	1
5-9	1	1	0	1	1	0	0	0	0
10-14	2	2	0	0	0	0	2	2	0
15-24	12	10	2	9	8	1	3	2	1
25-34	13	7	6	9	5	4	4	2	2
35-44	24	18	6	16	12	4	8	6	2
45-54	57	34	23	26	14	12	31	20	11
55-64	94	63	31	55	35	20	39	28	11
65-74	128	102	26	69	55	14	59	47	12
75-84	198	167	31	86	75	11	112	92	20
85 AND OVER	173	142	31	53	45	8	120	97	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	67,776
WHITE	48,093
NONWHITE	19,683

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	114	48	66	11.6	13.2	10.6
HEART DISEASES	35	14	21	355.9	384.8	339.0
MALIGNANT NEOPLASMS	28	13	15	284.8	357.3	242.1
INFLUENZA AND PNEUMONIA	8	5	3	81.4	137.4	48.4
CEREBROVASCULAR DISEASE	6	2	4	61.0	55.0	64.6
ACCIDENTS	5	3	2	50.8	82.5	32.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	40.7	82.5	16.1
DIABETES MELLITUS	3	0	3	30.5	0.0	48.4
ALZHEIMERS DISEASE	3	1	2	30.5	27.5	32.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	30.5	55.0	16.1
SEPTICEMIA	2	0	2	20.3	0.0	32.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	20.3	27.5	16.1
TUBERCULOSIS	1	1	0	10.2	27.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.2	0.0	16.1
ANEMIAS	1	0	1	10.2	0.0	16.1
HYPERPLASIA OF PROSTATE	1	0	1	10.2	0.0	16.1
SUICIDE	1	1	0	10.2	27.5	0.0
HOMICIDE	1	0	1	10.2	0.0	16.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	20.3	27.5	16.1
ALL OTHER CAUSES	7	1	6	71.2	27.5	96.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	114	48	66	52	21	31	62	27	35
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	3	1	2	1	1	0	2	0	2
45-54	9	1	8	4	0	4	5	1	4
55-64	15	5	10	10	4	6	5	1	4
65-74	23	5	18	10	3	7	13	2	11
75-84	26	16	10	15	9	6	11	7	4
85 AND OVER	35	20	15	10	4	6	25	16	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 9,833
 WHITE 3,638
 NONWHITE 6,195

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	350	275	75	8.0	8.6	6.2
HEART DISEASES	97	70	27	220.6	219.4	223.8
MALIGNANT NEOPLASMS	59	50	9	134.2	156.7	74.6
ALZHEIMERS DISEASE	28	26	2	63.7	81.5	16.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	20	2	50.0	62.7	16.6
DIABETES MELLITUS	18	8	10	40.9	25.1	82.9
ACCIDENTS	17	14	3	38.6	43.9	24.9
CEREBROVASCULAR DISEASE	14	9	5	31.8	28.2	41.4
PARKINSONS DISEASE	8	8	0	18.2	25.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	15.9	18.8	8.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	13.6	12.5	16.6
SUICIDE	6	6	0	13.6	18.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	11.4	15.7	0.0
HOMICIDE	5	2	3	11.4	6.3	24.9
INFLUENZA AND PNEUMONIA	4	4	0	9.1	12.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	4.5	3.1	8.3
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.5	6.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.5	3.1	8.3
VIRAL HEPATITIS	1	1	0	2.3	3.1	0.0
ANEMIAS	1	1	0	2.3	3.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.0	3.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.3	3.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.3	0.0	8.3

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	18.2	18.8	16.6
ALL OTHER CAUSES	35	29	6	79.6	90.9	49.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	350	275	75	223	183	40	127	92	35
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	8	7	1	6	5	1	2	2	0
35-44	19	11	8	10	6	4	9	5	4
45-54	23	13	10	20	12	8	3	1	2
55-64	37	31	6	24	21	3	13	10	3
65-74	53	37	16	34	24	10	19	13	6
75-84	87	73	14	59	55	4	28	18	10
85 AND OVER	116	100	16	64	57	7	52	43	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	43,975
WHITE	31,909
NONWHITE	12,066

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	317	287	30	6.3	7.0	3.3
HEART DISEASES	87	78	9	174.1	191.2	98.0
MALIGNANT NEOPLASMS	71	63	8	142.0	154.4	87.1
ACCIDENTS	26	24	2	52.0	58.8	21.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	20	1	42.0	49.0	10.9
CEREBROVASCULAR DISEASE	14	14	0	28.0	34.3	0.0
ALZHEIMERS DISEASE	12	12	0	24.0	29.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	9	2	22.0	22.1	21.8
DIABETES MELLITUS	7	7	0	14.0	17.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3	14.0	9.8	32.7
SEPTICEMIA	6	5	1	12.0	12.2	10.9
SUICIDE	6	6	0	12.0	14.7	0.0
INFLUENZA AND PNEUMONIA	5	4	1	10.0	9.8	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	10.0	12.2	0.0
PARKINSONS DISEASE	3	3	0	6.0	7.4	0.0
HOMICIDE	3	2	1	6.0	4.9	10.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.0	2.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.0	2.4	0.0
HERNIA	1	1	0	2.0	2.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.3	1.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	8.0	9.8	0.0
ALL OTHER CAUSES	25	23	2	50.0	56.4	21.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	317	287	30	172	158	14	145	129	16
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	6	0	5	5	0	1	1	0
25-34	11	9	2	8	7	1	3	2	1
35-44	13	11	2	6	4	2	7	7	0
45-54	25	20	5	19	16	3	6	4	2
55-64	42	37	5	25	24	1	17	13	4
65-74	66	62	4	39	38	1	27	24	3
75-84	81	76	5	41	39	2	40	37	3
85 AND OVER	70	63	7	26	22	4	44	41	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	49,980
WHITE	40,797
NONWHITE	9,183

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	801	525	276	10.1	11.7	8.0
HEART DISEASES	206	127	79	260.4	284.0	229.8
MALIGNANT NEOPLASMS	142	94	48	179.5	210.2	139.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	46	38	8	58.2	85.0	23.3
CEREBROVASCULAR DISEASE	44	24	20	55.6	53.7	58.2
ALZHEIMERS DISEASE	37	31	6	46.8	69.3	17.4
ACCIDENTS	35	25	10	44.2	55.9	29.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	26	16	10	32.9	35.8	29.1
INFLUENZA AND PNEUMONIA	18	9	9	22.8	20.1	26.2
SEPTICEMIA	12	6	6	15.2	13.4	17.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	6	2	10.1	13.4	5.8
DIABETES MELLITUS	8	1	7	10.1	2.2	20.4
SUICIDE	8	6	2	10.1	13.4	5.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	3	4	8.8	6.7	11.6
PARKINSONS DISEASE	6	6	0	7.6	13.4	0.0
HIV DISEASE	5	0	5	6.3	0.0	14.5
HOMICIDE	5	2	3	6.3	4.5	8.7
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	5.0	8.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	3.5	0.0	6.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	3.8	4.5	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	3.8	4.5	2.9
AORTIC ANEURYSM AND DISSECTION	2	2	0	2.5	4.5	0.0
VIRAL HEPATITIS	1	1	0	1.3	2.2	0.0
ANEMIAS	1	0	1	1.3	0.0	2.9
ATHEROSCLEROSIS	1	1	0	1.3	2.2	0.0
INFECTIONS OF KIDNEY	1	1	0	1.3	2.2	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	48	33	15	60.7	73.8	43.6
ALL OTHER CAUSES	120	85	35	151.7	190.0	101.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	801	525	276	389	253	136	412	272	140
UNDER 1	12	4	8	8	1	7	4	3	1
(NEONATAL)	5	1	4	4	0	4	1	1	0
(POSTNEONATAL)	7	3	4	4	1	3	3	2	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	7	3	4	5	3	2	2	0	2
25-34	15	6	9	11	5	6	4	1	3
35-44	23	12	11	17	7	10	6	5	1
45-54	50	29	21	32	20	12	18	9	9
55-64	108	70	38	68	45	23	40	25	15
65-74	167	98	69	84	52	32	83	46	37
75-84	201	139	62	99	72	27	102	67	35
85 AND OVER	216	163	53	64	47	17	152	116	36
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL	79,099
WHITE	44,726
NONWHITE	34,373

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	141	96	45	10.6	10.8	10.2
HEART DISEASES	43	32	11	323.1	359.6	249.4
MALIGNANT NEOPLASMS	30	21	9	225.4	236.0	204.1
CEREBROVASCULAR DISEASE	9	7	2	67.6	78.7	45.4
ACCIDENTS	9	3	6	67.6	33.7	136.0
DIABETES MELLITUS	6	1	5	45.1	11.2	113.4
ALZHEIMERS DISEASE	4	4	0	30.0	45.0	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	30.0	22.5	45.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	30.0	11.2	68.0
SUICIDE	3	3	0	22.5	33.7	0.0
SEPTICEMIA	2	1	1	15.0	11.2	22.7
PARKINSONS DISEASE	2	2	0	15.0	22.5	0.0
INFLUENZA AND PNEUMONIA	2	2	0	15.0	22.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	10.4	0.0	29.4
ATHEROSCLEROSIS	1	0	1	7.5	0.0	22.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.5	0.0	22.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.5	0.0	22.7
ALL OTHER CAUSES	18	17	1	135.2	191.0	22.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	141	96	45	67	49	18	74	47	27
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	4	2	2	1	0	1	3	2	1
35-44	4	2	2	3	1	2	1	1	0
45-54	11	6	5	5	3	2	6	3	3
55-64	18	14	4	10	9	1	8	5	3
65-74	30	20	10	17	14	3	13	6	7
75-84	33	27	6	16	14	2	17	13	4
85 AND OVER	34	23	11	10	6	4	24	17	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	13,308
WHITE	8,898
NONWHITE	4,410

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	283	194	89	12.2	15.3	8.5
MALIGNANT NEOPLASMS	67	44	23	289.6	348.0	219.3
HEART DISEASES	67	50	17	289.6	395.4	162.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	21	4	108.1	166.1	38.1
CEREBROVASCULAR DISEASE	12	7	5	51.9	55.4	47.7
ALZHEIMERS DISEASE	10	10	0	43.2	79.1	0.0
DIABETES MELLITUS	9	4	5	38.9	31.6	47.7
INFLUENZA AND PNEUMONIA	8	6	2	34.6	47.4	19.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	3	5	34.6	23.7	47.7
ACCIDENTS	8	3	5	34.6	23.7	47.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	25.9	31.6	19.1
SEPTICEMIA	4	1	3	17.3	7.9	28.6
CHOLELITHIASIS/GALLBLADDER DISORDER	4	3	1	17.3	23.7	9.5
SUICIDE	4	4	0	17.3	31.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	13.0	15.8	9.5
HOMICIDE	3	1	2	13.0	7.9	19.1
ANEMIAS	2	1	1	8.6	7.9	9.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	8.6	15.8	0.0
PARKINSONS DISEASE	1	1	0	4.3	7.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.3	0.0	9.5
INFECTIONS OF KIDNEY	1	1	0	4.3	7.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	0.0	5.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	25.9	23.7	28.6
ALL OTHER CAUSES	31	23	8	134.0	181.9	76.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	283	194	89	137	93	44	146	101	45
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	12	4	8	8	3	5	4	1	3
45-54	25	12	13	12	7	5	13	5	8
55-64	34	19	15	19	12	7	15	7	8
65-74	56	37	19	28	20	8	28	17	11
75-84	78	63	15	42	34	8	36	29	7
85 AND OVER	70	58	12	22	16	6	48	42	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 23,132
 WHITE 12,645
 NONWHITE 10,487

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	908	735	173	11.1	12.5	7.4
MALIGNANT NEOPLASMS	250	203	47	305.2	346.5	201.4
HEART DISEASES	196	167	29	239.3	285.1	124.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	57	52	5	69.6	88.8	21.4
CEREBROVASCULAR DISEASE	51	42	9	62.3	71.7	38.6
ALZHEIMERS DISEASE	38	30	8	46.4	51.2	34.3
ACCIDENTS	35	26	9	42.7	44.4	38.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	24	17	7	29.3	29.0	30.0
DIABETES MELLITUS	22	14	8	26.8	23.9	34.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	15	13	2	18.3	22.2	8.6
SEPTICEMIA	12	10	2	14.6	17.1	8.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	10	2	14.6	17.1	8.6
INFLUENZA AND PNEUMONIA	11	7	4	13.4	11.9	17.1
SUICIDE	10	7	3	12.2	11.9	12.8
PARKINSONS DISEASE	7	6	1	8.5	10.2	4.3
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	5.8	1.3	13.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	3	3	7.3	5.1	12.8
HIV DISEASE	4	1	3	4.9	1.7	12.8
ANEMIAS	4	4	0	4.9	6.8	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	3.7	5.1	0.0
HOMICIDE	3	2	1	3.7	3.4	4.3
AORTIC ANEURYSM AND DISSECTION	2	0	2	2.4	0.0	8.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.4	1.7	4.3
VIRAL HEPATITIS	1	1	0	1.2	1.7	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.2	1.7	0.0
PEPTIC ULCER	1	1	0	1.2	1.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.2	1.7	0.0
INFECTIONS OF KIDNEY	1	1	0	1.2	1.7	0.0
MATERNAL CAUSES	1	1	0	82.2	127.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	10	0	12.2	17.1	0.0
ALL OTHER CAUSES	121	100	21	147.7	170.7	90.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	908	735	173	446	349	97	462	386	76
UNDER 1	10	2	8	7	2	5	3	0	3
(NEONATAL)	7	1	6	5	1	4	2	0	2
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	7	5	9	5	4	3	2	1
25-34	24	17	7	12	7	5	12	10	2
35-44	23	13	10	14	7	7	9	6	3
45-54	68	52	16	44	35	9	24	17	7
55-64	110	86	24	66	47	19	44	39	5
65-74	175	141	34	97	79	18	78	62	16
75-84	222	185	37	111	91	20	111	94	17
85 AND OVER	264	232	32	86	76	10	178	156	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 81,913
WHITE 58,581
NONWHITE 23,332

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	358	140	218	10.4	15.1	8.6
HEART DISEASES	110	48	62	318.2	516.5	245.4
MALIGNANT NEOPLASMS	74	35	39	214.1	376.6	154.3
CEREBROVASCULAR DISEASE	27	7	20	78.1	75.3	79.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	12	6	52.1	129.1	23.7
ACCIDENTS	17	5	12	49.2	53.8	47.5
DIABETES MELLITUS	13	6	7	37.6	64.6	27.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	1	10	31.8	10.8	39.6
INFLUENZA AND PNEUMONIA	9	3	6	26.0	32.3	23.7
ALZHEIMERS DISEASE	5	3	2	14.5	32.3	7.9
SUICIDE	5	2	3	14.5	21.5	11.9
HOMICIDE	5	0	5	14.5	0.0	19.8
SEPTICEMIA	4	1	3	11.6	10.8	11.9
HIV DISEASE	4	0	4	11.6	0.0	15.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	11.6	0.0	15.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	11.6	10.8	11.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	6.8	0.0	8.2
ANEMIAS	2	0	2	5.8	0.0	7.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	2	0	2	5.8	0.0	7.9
NEOPLASMS	1	1	0	2.9	10.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.9	0.0	4.0
PARKINSONS DISEASE	1	1	0	2.9	10.8	0.0
ATHEROSCLEROSIS	1	1	0	2.9	10.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.9	10.8	0.0
PEPTIC ULCER	1	0	1	2.9	0.0	4.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	11.6	10.8	11.9
ALL OTHER CAUSES	30	11	19	86.8	118.4	75.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	358	140	218	178	74	104	180	66	114
UNDER 1	7	1	6	2	0	2	5	1	4
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	4	1	3	1	0	1	3	1	2
1-4	1	0	1	1	0	1	0	0	0
5-9	3	0	3	1	0	1	2	0	2
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	8	2	6	3	0	3	5	2	3
35-44	15	2	13	10	1	9	5	1	4
45-54	47	16	31	32	14	18	15	2	13
55-64	47	18	29	29	11	18	18	7	11
65-74	66	25	41	35	20	15	31	5	26
75-84	72	28	44	32	13	19	40	15	25
85 AND OVER	86	47	39	28	14	14	58	33	25
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	34,563
WHITE	9,294
NONWHITE	25,269

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	357	252	105	10.2	10.6	9.4
HEART DISEASES	87	63	24	249.8	265.6	216.0
MALIGNANT NEOPLASMS	81	55	26	232.6	231.9	234.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	23	2	71.8	97.0	18.0
CEREBROVASCULAR DISEASE	23	17	6	66.0	71.7	54.0
DIABETES MELLITUS	18	9	9	51.7	37.9	81.0
ACCIDENTS	16	11	5	45.9	46.4	45.0
ALZHEIMERS DISEASE	11	8	3	31.6	33.7	27.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	3	7	28.7	12.6	63.0
SEPTICEMIA	8	3	5	23.0	12.6	45.0
PARKINSONS DISEASE	7	7	0	20.1	29.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	20.1	21.1	18.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	7.8	8.7	5.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	8.6	4.2	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	8.6	4.2	18.0
VIRAL HEPATITIS	2	2	0	5.7	8.4	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.7	8.4	0.0
INFLUENZA AND PNEUMONIA	2	2	0	5.7	8.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	5.7	8.4	0.0
SUICIDE	2	2	0	5.7	8.4	0.0
HOMICIDE	2	1	1	5.7	4.2	9.0
HIV DISEASE	1	1	0	2.9	4.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.9	4.2	0.0
ANEMIAS	1	0	1	2.9	0.0	9.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.6	4.2	18.0
ALL OTHER CAUSES	36	29	7	103.4	122.3	63.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	357	252	105	191	130	61	166	122	44
UNDER 1	6	5	1	4	3	1	2	2	0
(NEONATAL)	6	5	1	4	3	1	2	2	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	2	0	2	3	3	0
25-34	4	3	1	2	1	1	2	2	0
35-44	9	6	3	6	4	2	3	2	1
45-54	33	18	15	23	12	11	10	6	4
55-64	43	21	22	32	18	14	11	3	8
65-74	70	54	16	44	36	8	26	18	8
75-84	88	64	24	51	37	14	37	27	10
85 AND OVER	98	77	21	26	18	8	72	59	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 34,830
 WHITE 23,718
 NONWHITE 11,112

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	532	345	187	8.9	10.5	6.9
HEART DISEASES	154	100	54	258.1	305.7	200.4
MALIGNANT NEOPLASMS	109	66	43	182.7	201.8	159.6
CEREBROVASCULAR DISEASE	39	25	14	65.4	76.4	52.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	28	4	53.6	85.6	14.8
ACCIDENTS	27	17	10	45.2	52.0	37.1
ALZHEIMERS DISEASE	15	12	3	25.1	36.7	11.1
INFLUENZA AND PNEUMONIA	11	8	3	18.4	24.4	11.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	15.1	12.2	18.6
SEPTICEMIA	8	3	5	13.4	9.2	18.6
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	8.2	2.4	14.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	10.0	12.2	7.4
DIABETES MELLITUS	5	1	4	8.4	3.0	14.8
SUICIDE	5	4	1	8.4	12.2	3.7
PARKINSONS DISEASE	4	4	0	6.7	12.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	6.7	6.1	7.4
AORTIC ANEURYSM AND DISSECTION	3	1	2	5.0	3.0	7.4
HOMICIDE	3	1	2	5.0	3.0	7.4
HIV DISEASE	2	0	2	3.4	0.0	7.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	3.4	6.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	3.4	3.0	3.7
MENINGITIS	1	1	0	1.7	3.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.7	0.0	3.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	15	11	4	25.1	33.6	14.8
ALL OTHER CAUSES	68	49	19	114.0	149.8	70.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	532	345	187	265	169	96	267	176	91
UNDER 1	10	2	8	6	1	5	4	1	3
(NEONATAL)	7	0	7	4	0	4	3	0	3
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	3	1	2	1	1	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	7	4	3	4	3	1	3	1	2
25-34	9	3	6	7	3	4	2	0	2
35-44	21	10	11	13	8	5	8	2	6
45-54	44	25	19	31	18	13	13	7	6
55-64	69	34	35	46	23	23	23	11	12
65-74	84	61	23	55	38	17	29	23	6
75-84	122	77	45	56	39	17	66	38	28
85 AND OVER	161	127	34	46	35	11	115	92	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	59,658
WHITE	32,713
NONWHITE	26,945

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	999	684	315	10.7	12.2	8.5
MALIGNANT NEOPLASMS	297	193	104	319.0	344.4	280.6
HEART DISEASES	216	138	78	232.0	246.3	210.4
CEREBROVASCULAR DISEASE	48	37	11	51.6	66.0	29.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	48	45	3	51.6	80.3	8.1
DIABETES MELLITUS	40	21	19	43.0	37.5	51.3
ACCIDENTS	33	26	7	35.4	46.4	18.9
ALZHEIMERS DISEASE	29	27	2	31.2	48.2	5.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	23	13	10	24.7	23.2	27.0
SEPTICEMIA	18	10	8	19.3	17.8	21.6
HIV DISEASE	14	4	10	15.0	7.1	27.0
SUICIDE	14	13	1	15.0	23.2	2.7
PARKINSONS DISEASE	12	11	1	12.9	19.6	2.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	5	4	9.7	8.9	10.8
INFLUENZA AND PNEUMONIA	9	6	3	9.7	10.7	8.1
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	8	5	3	8.6	8.9	8.1
NEOPLASMS	5	4	1	5.4	7.1	2.7
AORTIC ANEURYSM AND DISSECTION	5	3	2	5.4	5.4	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	4	1	5.4	7.1	2.7
HOMICIDE	4	1	3	4.3	1.8	8.1
VIRAL HEPATITIS	2	2	0	2.1	3.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	2.1	3.6	0.0
ANEMIAS	1	1	0	1.1	1.8	0.0
MENINGITIS	1	0	1	1.1	0.0	2.7
HERNIA	1	0	1	1.1	0.0	2.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.1	0.0	2.7
MATERNAL CAUSES	1	1	0	70.9	137.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	0.7	0.0	1.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	17	12	5	18.3	21.4	13.5
ALL OTHER CAUSES	135	100	35	145.0	178.5	94.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	999	684	315	467	308	159	532	376	156
UNDER 1	4	2	2	1	0	1	3	2	1
(NEONATAL)	3	2	1	1	0	1	2	2	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	5	4	1	2	1	1
25-34	11	4	7	5	2	3	6	2	4
35-44	21	7	14	13	5	8	8	2	6
45-54	70	31	39	40	19	21	30	12	18
55-64	129	73	56	79	45	34	50	28	22
65-74	150	88	62	74	46	28	76	42	34
75-84	277	200	77	137	96	41	140	104	36
85 AND OVER	329	273	56	112	90	22	217	183	34
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL 93,097
WHITE 56,033
NONWHITE 37,064

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	326	221	105	12.7	13.1	11.8
HEART DISEASES	95	68	27	369.2	403.1	304.6
MALIGNANT NEOPLASMS	59	42	17	229.3	249.0	191.8
ACCIDENTS	24	20	4	93.3	118.6	45.1
CEREBROVASCULAR DISEASE	21	17	4	81.6	100.8	45.1
ALZHEIMERS DISEASE	13	9	4	50.5	53.4	45.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	35.0	47.4	11.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	0	9	35.0	0.0	101.5
INFLUENZA AND PNEUMONIA	8	5	3	31.1	29.6	33.8
SEPTICEMIA	4	4	0	15.5	23.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	15.5	17.8	11.3
HOMICIDE	4	0	4	15.5	0.0	45.1
ANEMIAS	3	2	1	11.6	11.8	11.3
DIABETES MELLITUS	3	3	0	11.6	17.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	11.6	11.8	11.3
AORTIC ANEURYSM AND DISSECTION	3	2	1	11.6	11.8	11.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	0	3	11.6	0.0	33.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.9	3.6	12.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.8	5.9	11.3
SUICIDE	2	1	1	7.8	5.9	11.3
HIV DISEASE	1	0	1	3.9	0.0	11.3
PARKINSONS DISEASE	1	1	0	3.9	5.9	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	5.9	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	9	7	2	35.0	41.5	22.6
ALL OTHER CAUSES	42	24	18	163.2	142.3	203.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	326	221	105	162	111	51	164	110	54
UNDER 1	5	2	3	2	1	1	3	1	2
(NEONATAL)	4	1	3	1	0	1	3	1	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	9	4	5	7	4	3	2	0	2
25-34	10	6	4	6	3	3	4	3	1
35-44	13	9	4	6	5	1	7	4	3
45-54	25	13	12	13	7	6	12	6	6
55-64	44	28	16	30	20	10	14	8	6
65-74	51	34	17	31	22	9	20	12	8
75-84	88	67	21	43	34	9	45	33	12
85 AND OVER	80	57	23	23	14	9	57	43	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	25,732
WHITE	16,868
NONWHITE	8,864

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	388	235	153	10.5	12.5	8.4
MALIGNANT NEOPLASMS	91	60	31	246.6	319.9	170.8
HEART DISEASES	73	43	30	197.8	229.3	165.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	47	32	15	127.4	170.6	82.7
DIABETES MELLITUS	26	11	15	70.5	58.6	82.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	17	6	62.3	90.6	33.1
ACCIDENTS	21	15	6	56.9	80.0	33.1
CEREBROVASCULAR DISEASE	16	7	9	43.4	37.3	49.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	6	4	27.1	32.0	22.0
ALZHEIMERS DISEASE	8	5	3	21.7	26.6	16.5
SEPTICEMIA	6	3	3	16.3	16.0	16.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.8	16.0	5.5
SUICIDE	4	2	2	10.8	10.7	11.0
HOMICIDE	4	4	0	10.8	21.3	0.0
INFLUENZA AND PNEUMONIA	3	1	2	8.1	5.3	11.0
VIRAL HEPATITIS	2	2	0	5.4	10.7	0.0
ANEMIAS	1	0	1	2.7	0.0	5.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.7	0.0	5.5
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.7	5.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.7	5.3	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.7	5.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.0	0.0	3.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.7	5.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	13.6	10.7	16.5
ALL OTHER CAUSES	38	18	20	103.0	96.0	110.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	388	235	153	201	125	76	187	110	77
UNDER 1	5	2	3	2	1	1	3	1	2
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	3	0	1	0	1
25-34	7	3	4	1	0	1	6	3	3
35-44	14	7	7	9	5	4	5	2	3
45-54	38	16	22	21	11	10	17	5	12
55-64	65	36	29	37	21	16	28	15	13
65-74	86	53	33	55	31	24	31	22	9
75-84	83	60	23	43	35	8	40	25	15
85 AND OVER	83	55	28	28	18	10	55	37	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	36,900
WHITE	18,756
NONWHITE	18,144

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	371	265	106	10.0	10.6	9.0
HEART DISEASES	106	84	22	287.2	334.7	186.3
MALIGNANT NEOPLASMS	55	36	19	149.0	143.4	160.9
CEREBROVASCULAR DISEASE	29	19	10	78.6	75.7	84.7
ALZHEIMERS DISEASE	25	14	11	67.7	55.8	93.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	20	3	62.3	79.7	25.4
ACCIDENTS	19	16	3	51.5	63.8	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	7	5	32.5	27.9	42.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	8	4	32.5	31.9	33.9
SEPTICEMIA	9	5	4	24.4	19.9	33.9
INFLUENZA AND PNEUMONIA	9	7	2	24.4	27.9	16.9
DIABETES MELLITUS	8	4	4	21.7	15.9	33.9
ANEMIAS	4	3	1	10.8	12.0	8.5
PARKINSONS DISEASE	4	4	0	10.8	15.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.1	8.0	8.5
VIRAL HEPATITIS	1	1	0	2.7	4.0	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.7	4.0	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	2.7	0.0	8.5
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.7	4.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.7	4.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.1	3.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.7	4.0	0.0
SUICIDE	1	1	0	2.7	4.0	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.1	4.0	16.9
ALL OTHER CAUSES	42	28	14	113.8	111.6	118.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	371	265	106	188	131	57	183	134	49
UNDER 1	5	4	1	4	3	1	1	1	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	4	2	2	2	1	1	2	1	1
35-44	12	5	7	8	3	5	4	2	2
45-54	21	11	10	10	6	4	11	5	6
55-64	40	23	17	27	16	11	13	7	6
65-74	68	49	19	41	30	11	27	19	8
75-84	103	83	20	55	44	11	48	39	9
85 AND OVER	114	84	30	37	24	13	77	60	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	36,905
WHITE	25,097
NONWHITE	11,808

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	141	79	62	12.7	13.3	11.9
HEART DISEASES	40	23	17	359.4	388.4	326.4
MALIGNANT NEOPLASMS	25	13	12	224.6	219.6	230.4
ACCIDENTS	11	6	5	98.8	101.3	96.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	80.9	67.6	96.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	71.9	101.3	38.4
CEREBROVASCULAR DISEASE	6	3	3	53.9	50.7	57.6
INFLUENZA AND PNEUMONIA	5	2	3	44.9	33.8	57.6
DIABETES MELLITUS	4	2	2	35.9	33.8	38.4
ALZHEIMERS DISEASE	4	4	0	35.9	67.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	19.4	0.0	33.3
SEPTICEMIA	2	2	0	18.0	33.8	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	18.0	16.9	19.2
HOMICIDE	2	0	2	18.0	0.0	38.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	9.0	16.9	0.0
SUICIDE	1	0	1	9.0	0.0	19.2

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	18.0	16.9	19.2
ALL OTHER CAUSES	16	11	5	143.8	185.8	96.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	141	79	62	63	35	28	78	44	34
UNDER 1	7	1	6	5	1	4	2	0	2
(NEONATAL)	5	1	4	3	1	2	2	0	2
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	5	2	3	2	0	2	3	2	1
45-54	11	5	6	7	3	4	4	2	2
55-64	13	7	6	5	2	3	8	5	3
65-74	17	9	8	6	5	1	11	4	7
75-84	36	27	9	18	14	4	18	13	5
85 AND OVER	45	26	19	15	8	7	30	18	12
UNKNOWN	1	0	1	1	0	1	0	0	0

2009 POPULATION:

TOTAL	11,129
WHITE	5,921
NONWHITE	5,208

COUNTY: NESHOBA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOBA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	321	213	108	10.6	11.3	9.4
HEART DISEASES	92	61	31	303.6	324.5	269.5
MALIGNANT NEOPLASMS	57	37	20	188.1	196.8	173.9
ACCIDENTS	23	20	3	75.9	106.4	26.1
CEREBROVASCULAR DISEASE	15	11	4	49.5	58.5	34.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	49.5	79.8	0.0
INFLUENZA AND PNEUMONIA	14	12	2	46.2	63.8	17.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	6	7	42.9	31.9	60.8
DIABETES MELLITUS	12	2	10	39.6	10.6	86.9
SEPTICEMIA	8	7	1	26.4	37.2	8.7
ALZHEIMERS DISEASE	7	6	1	23.1	31.9	8.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	13.2	16.0	8.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	13.2	21.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	4	13.2	0.0	34.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.3	0.0	8.7
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.3	0.0	8.7
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	0	1	3.3	0.0	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.8	0.0	3.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.3	0.0	8.7
SUICIDE	1	1	0	3.3	5.3	0.0
HOMICIDE	1	0	1	3.3	0.0	8.7

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	18	15	3	59.4	79.8	26.1
ALL OTHER CAUSES	28	13	15	92.4	69.2	130.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	321	213	108	160	100	60	161	113	48
UNDER 1	5	0	5	5	0	5	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	4	0	4	4	0	4	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	2	1	1	0	1
25-34	11	8	3	8	5	3	3	3	0
35-44	13	3	10	10	1	9	3	2	1
45-54	33	17	16	24	14	10	9	3	6
55-64	44	21	23	21	10	11	23	11	12
65-74	68	40	28	39	26	13	29	14	15
75-84	73	60	13	33	28	5	40	32	8
85 AND OVER	69	62	7	17	14	3	52	48	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	30,302
WHITE	18,799
NONWHITE	11,503

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	286	197	89	12.7	13.5	11.1
HEART DISEASES	103	70	33	456.4	480.9	411.8
MALIGNANT NEOPLASMS	53	35	18	234.8	240.5	224.6
ALZHEIMERS DISEASE	17	16	1	75.3	109.9	12.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	70.9	103.0	12.5
ACCIDENTS	14	10	4	62.0	68.7	49.9
DIABETES MELLITUS	8	2	6	35.4	13.7	74.9
CEREBROVASCULAR DISEASE	7	5	2	31.0	34.4	25.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	26.6	20.6	37.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	3	3	26.6	20.6	37.4
INFLUENZA AND PNEUMONIA	4	3	1	17.7	20.6	12.5
SEPTICEMIA	3	2	1	13.3	13.7	12.5
ANEMIAS	3	2	1	13.3	13.7	12.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.3	20.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	9.0	0.0	19.0
SUICIDE	3	3	0	13.3	20.6	0.0
HOMICIDE	2	2	0	8.9	13.7	0.0
HIV DISEASE	1	0	1	4.4	0.0	12.5
PARKINSONS DISEASE	1	1	0	4.4	6.9	0.0
ATHEROSCLEROSIS	1	1	0	4.4	6.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.4	0.0	12.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.4	6.9	0.0
PEPTIC ULCER	1	0	1	4.4	0.0	12.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.4	6.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.4	6.9	0.0

--- NOT INCLUDED IN RANKING ---

SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	13.3	13.7	12.5
ALL OTHER CAUSES	24	16	8	106.3	109.9	99.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	286	197	89	153	105	48	133	92	41
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	5	3	2	3	2	1	2	1	1
35-44	6	4	2	2	2	0	4	2	2
45-54	21	8	13	13	4	9	8	4	4
55-64	37	22	15	25	15	10	12	7	5
65-74	59	42	17	45	32	13	14	10	4
75-84	66	54	12	28	24	4	38	30	8
85 AND OVER	84	62	22	31	25	6	53	37	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	22,568
WHITE	14,555
NONWHITE	8,013

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE

TOTAL OF ALL CAUSES	128	41	87	11.0	12.3	10.5
HEART DISEASES	56	21	35	481.5	632.3	421.2
MALIGNANT NEOPLASMS	25	5	20	214.9	150.6	240.7
SEPTICEMIA	5	1	4	43.0	30.1	48.1
CEREBROVASCULAR DISEASE	5	3	2	43.0	90.3	24.1
DIABETES MELLITUS	4	2	2	34.4	60.2	24.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	25.8	30.1	24.1
ACCIDENTS	3	1	2	25.8	30.1	24.1
ALZHEIMERS DISEASE	2	0	2	17.2	0.0	24.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	0	2	17.2	0.0	24.1
HOMICIDE	2	0	2	17.2	0.0	24.1
ANEMIAS	1	1	0	8.6	30.1	0.0
ATHEROSCLEROSIS	1	0	1	8.6	0.0	12.0
INFLUENZA AND PNEUMONIA	1	1	0	8.6	30.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.6	0.0	12.0
SUICIDE	1	0	1	8.6	0.0	12.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	25.8	30.1	24.1
ALL OTHER CAUSES	13	4	9	111.8	120.4	108.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE

TOTAL	128	41	87	66	19	47	62	22	40
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	1	0	1	1	0	1	0	0	0
45-54	11	2	9	8	2	6	3	0	3
55-64	17	3	14	10	1	9	7	2	5
65-74	21	4	17	11	0	11	10	4	6
75-84	33	12	21	18	9	9	15	3	12
85 AND OVER	43	20	23	17	7	10	26	13	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	11,631
WHITE	3,321
NONWHITE	8,310

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	296	167	129	6.6	6.3	7.2
HEART DISEASES	77	34	43	172.9	128.0	239.2
MALIGNANT NEOPLASMS	52	30	22	116.7	112.9	122.4
ACCIDENTS	33	14	19	74.1	52.7	105.7
CEREBROVASCULAR DISEASE	18	10	8	40.4	37.6	44.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	13	3	35.9	48.9	16.7
ALZHEIMERS DISEASE	14	10	4	31.4	37.6	22.2
DIABETES MELLITUS	8	4	4	18.0	15.0	22.2
SUICIDE	7	7	0	15.7	26.3	0.0
INFLUENZA AND PNEUMONIA	5	4	1	11.2	15.0	5.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	11.2	7.5	16.7
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	9.0	8.0	9.9
AORTIC ANEURYSM AND DISSECTION	4	3	1	9.0	11.3	5.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	4.5	3.8	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	4.5	0.0	11.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	4.5	7.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	4.5	0.0	11.1
SEPTICEMIA	1	1	0	2.2	3.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.2	0.0	5.6
PARKINSONS DISEASE	1	1	0	2.2	3.8	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.2	3.8	0.0
INFECTIONS OF KIDNEY	1	0	1	2.2	0.0	5.6
HOMICIDE	1	1	0	2.2	3.8	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	4.5	7.5	0.0
ALL OTHER CAUSES	36	25	11	80.8	94.1	61.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	296	167	129	155	77	78	141	90	51
UNDER 1	7	2	5	2	0	2	5	2	3
(NEONATAL)	6	2	4	2	0	2	4	2	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	6	2	4	4	1	3	2	1	1
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	3	0	3	4	2	2
25-34	11	6	5	8	4	4	3	2	1
35-44	12	4	8	11	4	7	1	0	1
45-54	34	20	14	20	12	8	14	8	6
55-64	33	15	18	20	8	12	13	7	6
65-74	50	28	22	30	19	11	20	9	11
75-84	59	34	25	26	12	14	33	22	11
85 AND OVER	75	54	21	29	17	12	46	37	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 44,544
 WHITE 26,571
 NONWHITE 17,973

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	385	231	154	10.9	12.8	9.0
HEART DISEASES	122	70	52	346.1	387.3	302.8
MALIGNANT NEOPLASMS	85	49	36	241.2	271.1	209.6
ACCIDENTS	28	18	10	79.4	99.6	58.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	21	3	68.1	116.2	17.5
ALZHEIMERS DISEASE	20	13	7	56.7	71.9	40.8
CEREBROVASCULAR DISEASE	15	9	6	42.6	49.8	34.9
DIABETES MELLITUS	12	5	7	34.0	27.7	40.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	2	6	22.7	11.1	34.9
INFLUENZA AND PNEUMONIA	7	5	2	19.9	27.7	11.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	17.0	11.1	23.3
SUICIDE	5	5	0	14.2	27.7	0.0
ANEMIAS	3	0	3	8.5	0.0	17.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	8.5	16.6	0.0
SEPTICEMIA	2	1	1	5.7	5.5	5.8
VIRAL HEPATITIS	2	1	1	5.7	5.5	5.8
PARKINSONS DISEASE	2	1	1	5.7	5.5	5.8
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.7	11.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.7	5.5	5.8
HOMICIDE	2	1	1	5.7	5.5	5.8
HERNIA	1	1	0	2.8	5.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.7	0.0	2.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	8.5	0.0	17.5
ALL OTHER CAUSES	30	21	9	85.1	116.2	52.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	385	231	154	198	112	86	187	119	68
UNDER 1	5	0	5	5	0	5	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	6	4	8	5	3	2	1	1
25-34	7	2	5	5	2	3	2	0	2
35-44	19	11	8	12	6	6	7	5	2
45-54	36	18	18	20	12	8	16	6	10
55-64	54	27	27	31	15	16	23	12	11
65-74	78	49	29	51	32	19	27	17	10
75-84	90	59	31	44	26	18	46	33	13
85 AND OVER	85	58	27	21	13	8	64	45	19
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL	35,245
WHITE	18,072
NONWHITE	17,173

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	562	502	60	9.7	10.2	6.9
MALIGNANT NEOPLASMS	146	134	12	252.3	272.5	138.3
HEART DISEASES	144	126	18	248.9	256.2	207.4
ACCIDENTS	41	39	2	70.9	79.3	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	27	0	46.7	54.9	0.0
ALZHEIMERS DISEASE	25	25	0	43.2	50.8	0.0
CEREBROVASCULAR DISEASE	23	18	5	39.8	36.6	57.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	14	5	32.8	28.5	57.6
INFLUENZA AND PNEUMONIA	13	11	2	22.5	22.4	23.0
DIABETES MELLITUS	12	11	1	20.7	22.4	11.5
SUICIDE	10	9	1	17.3	18.3	11.5
SEPTICEMIA	9	9	0	15.6	18.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	6	1	12.1	12.2	11.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	6.8	4.9	16.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	6.9	4.1	23.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	6.9	8.1	0.0
HOMICIDE	4	3	1	6.9	6.1	11.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	5.2	6.1	0.0
PARKINSONS DISEASE	3	3	0	5.2	6.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	3.4	4.1	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	3.4	4.1	0.0
VIRAL HEPATITIS	1	1	0	1.7	2.0	0.0
ANEMIAS	1	1	0	1.7	2.0	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	8	2	17.3	16.3	23.0
ALL OTHER CAUSES	47	41	6	81.2	83.4	69.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	562	502	60	306	272	34	256	230	26
UNDER 1	10	7	3	9	6	3	1	1	0
(NEONATAL)	9	6	3	8	5	3	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	3	3	0	2	2	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	7	1	7	6	1	1	1	0
25-34	15	12	3	11	8	3	4	4	0
35-44	23	20	3	15	15	0	8	5	3
45-54	44	37	7	33	29	4	11	8	3
55-64	84	73	11	48	41	7	36	32	4
65-74	122	107	15	66	61	5	56	46	10
75-84	136	127	9	68	61	7	68	66	2
85 AND OVER	116	108	8	46	42	4	70	66	4
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL	57,860
WHITE	49,181
NONWHITE	8,679

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	122	99	23	10.1	10.7	8.2
HEART DISEASES	37	32	5	307.4	347.3	177.2
MALIGNANT NEOPLASMS	23	18	5	191.1	195.4	177.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	74.8	97.7	0.0
DIABETES MELLITUS	5	2	3	41.5	21.7	106.3
VIRAL HEPATITIS	3	3	0	24.9	32.6	0.0
CEREBROVASCULAR DISEASE	3	3	0	24.9	32.6	0.0
INFLUENZA AND PNEUMONIA	3	3	0	24.9	32.6	0.0
ACCIDENTS	3	3	0	24.9	32.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	16.6	21.7	0.0
ALZHEIMERS DISEASE	2	1	1	16.6	10.8	35.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	16.6	10.8	35.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	16.6	21.7	0.0
HIV DISEASE	1	0	1	8.3	0.0	35.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	8.3	10.8	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.3	10.8	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	8.3	10.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.3	10.8	0.0
PEPTIC ULCER	1	1	0	8.3	10.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	8.3	0.0	35.4
SUICIDE	1	1	0	8.3	10.8	0.0
HOMICIDE	1	0	1	8.3	0.0	35.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	24.9	10.8	70.9
ALL OTHER CAUSES	16	13	3	132.9	141.1	106.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	122	99	23	66	55	11	56	44	12
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	4	1	2	1	1	3	3	0
35-44	7	6	1	4	3	1	3	3	0
45-54	20	16	4	14	11	3	6	5	1
55-64	13	8	5	9	6	3	4	2	2
65-74	25	21	4	14	12	2	11	9	2
75-84	33	29	4	17	16	1	16	13	3
85 AND OVER	17	14	3	6	6	0	11	8	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	12,035
WHITE	9,214
NONWHITE	2,821

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	488	291	197	12.2	14.8	9.8
MALIGNANT NEOPLASMS	115	71	44	288.7	360.8	218.3
HEART DISEASES	100	65	35	251.0	330.3	173.6
DIABETES MELLITUS	44	21	23	110.4	106.7	114.1
CEREBROVASCULAR DISEASE	30	14	16	75.3	71.1	79.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	20	7	67.8	101.6	34.7
ACCIDENTS	23	12	11	57.7	61.0	54.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	9	4	32.6	45.7	19.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	10	2	30.1	50.8	9.9
SEPTICEMIA	10	5	5	25.1	25.4	24.8
INFLUENZA AND PNEUMONIA	9	4	5	22.6	20.3	24.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	3	4	17.6	15.2	19.8
HIV DISEASE	6	0	6	15.1	0.0	29.8
ALZHEIMERS DISEASE	4	4	0	10.0	20.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	5.9	0.0	9.3
HOMICIDE	4	1	3	10.0	5.1	14.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	7.5	15.2	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	3	2	1	7.5	10.2	5.0
NEOPLASMS	2	1	1	5.0	5.1	5.0
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.0	5.1	5.0
SUICIDE	2	2	0	5.0	10.2	0.0
VIRAL HEPATITIS	1	1	0	2.5	5.1	0.0
ANEMIAS	1	1	0	2.5	5.1	0.0
PARKINSONS DISEASE	1	1	0	2.5	5.1	0.0
ATHEROSCLEROSIS	1	0	1	2.5	0.0	5.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.5	5.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.5	0.0	5.0
PEPTIC ULCER	1	1	0	2.5	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	20.1	30.5	9.9
ALL OTHER CAUSES	53	32	21	133.0	162.6	104.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	488	291	197	239	138	101	249	153	96
UNDER 1	11	3	8	7	2	5	4	1	3
(NEONATAL)	8	2	6	6	2	4	2	0	2
(POSTNEONATAL)	3	1	2	1	0	1	2	1	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	2	5	2	0	2	5	2	3
25-34	13	7	6	9	4	5	4	3	1
35-44	15	7	8	10	6	4	5	1	4
45-54	49	22	27	28	15	13	21	7	14
55-64	71	40	31	42	24	18	29	16	13
65-74	78	45	33	43	26	17	35	19	16
75-84	128	85	43	61	36	25	67	49	18
85 AND OVER	113	80	33	35	25	10	78	55	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	39,834
WHITE	19,677
NONWHITE	20,157

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	245	225	20	8.4	9.1	4.3
HEART DISEASES	57	54	3	194.9	219.6	64.5
MALIGNANT NEOPLASMS	51	46	5	174.4	187.0	107.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	21	0	71.8	85.4	0.0
ACCIDENTS	16	15	1	54.7	61.0	21.5
CEREBROVASCULAR DISEASE	14	13	1	47.9	52.8	21.5
SEPTICEMIA	7	6	1	23.9	24.4	21.5
ALZHEIMERS DISEASE	7	7	0	23.9	28.5	0.0
DIABETES MELLITUS	6	5	1	20.5	20.3	21.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	20.5	16.3	43.0
SUICIDE	6	5	1	20.5	20.3	21.5
INFLUENZA AND PNEUMONIA	5	5	0	17.1	20.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	13.7	16.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	10.2	12.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	4.5	5.3	0.0
HOMICIDE	2	2	0	6.8	8.1	0.0
VIRAL HEPATITIS	1	1	0	3.4	4.1	0.0
HIV DISEASE	1	1	0	3.4	4.1	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.4	0.0	21.5
ANEMIAS	1	0	1	3.4	0.0	21.5
PARKINSONS DISEASE	1	1	0	3.4	4.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.4	4.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.4	4.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.4	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.4	4.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.4	4.1	0.0
ALL OTHER CAUSES	28	25	3	95.7	101.6	64.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	245	225	20	123	116	7	122	109	13
UNDER 1	6	5	1	4	3	1	2	2	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	3	2	1	1	0	1	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	3	0	1	1	0	2	2	0
35-44	7	6	1	5	4	1	2	2	0
45-54	17	16	1	12	12	0	5	4	1
55-64	31	28	3	22	19	3	9	9	0
65-74	42	38	4	27	26	1	15	12	3
75-84	69	63	6	34	33	1	35	30	5
85 AND OVER	67	63	4	15	15	0	52	48	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	29,248
WHITE	24,595
NONWHITE	4,653

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	227	209	18	8.8	9.6	4.5
HEART DISEASES	64	58	6	248.9	266.9	150.7
MALIGNANT NEOPLASMS	43	36	7	167.2	165.7	175.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	25	1	101.1	115.1	25.1
ALZHEIMERS DISEASE	12	12	0	46.7	55.2	0.0
ACCIDENTS	12	12	0	46.7	55.2	0.0
CEREBROVASCULAR DISEASE	10	9	1	38.9	41.4	25.1
INFLUENZA AND PNEUMONIA	7	7	0	27.2	32.2	0.0
DIABETES MELLITUS	5	5	0	19.4	23.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	19.4	18.4	25.1
SEPTICEMIA	4	4	0	15.6	18.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	7.8	9.2	0.0
ANEMIAS	2	2	0	7.8	9.2	0.0
SUICIDE	2	2	0	7.8	9.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.9	4.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	4.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.9	0.0	25.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	4.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	4.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.0	3.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.9	4.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.9	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	19.4	23.0	0.0
ALL OTHER CAUSES	20	19	1	77.8	87.4	25.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	227	209	18	116	109	7	111	100	11
UNDER 1	2	2	0	0	0	0	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	3	3	0	2	2	0	1	1	0
35-44	5	4	1	3	3	0	2	1	1
45-54	18	15	3	10	9	1	8	6	2
55-64	30	27	3	19	16	3	11	11	0
65-74	46	44	2	32	32	0	14	12	2
75-84	64	57	7	29	28	1	35	29	6
85 AND OVER	53	51	2	17	15	2	36	36	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 25,709
 WHITE 21,727
 NONWHITE 3,982

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	112	50	62	13.3	20.3	10.4
HEART DISEASES	32	14	18	381.4	569.3	303.4
MALIGNANT NEOPLASMS	21	9	12	250.3	366.0	202.3
ACCIDENTS	12	3	9	143.0	122.0	151.7
DIABETES MELLITUS	7	4	3	83.4	162.7	50.6
ALZHEIMERS DISEASE	6	5	1	71.5	203.3	16.8
CEREBROVASCULAR DISEASE	5	2	3	59.6	81.3	50.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	47.7	81.3	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	47.7	162.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	35.8	40.7	33.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	35.8	0.0	50.6
SEPTICEMIA	2	2	0	23.8	81.3	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	23.8	40.7	16.8
INFLUENZA AND PNEUMONIA	1	0	1	11.9	0.0	16.8
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	0	1	11.9	0.0	16.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	47.7	81.3	33.7
ALL OTHER CAUSES	5	1	4	59.6	40.7	67.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	112	50	62	63	29	34	49	21	28
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	4	0	4	2	0	2	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	7	3	4	4	3	1	3	0	3
45-54	12	6	6	8	5	3	4	1	3
55-64	20	3	17	15	3	12	5	0	5
65-74	22	12	10	15	8	7	7	4	3
75-84	20	14	6	11	9	2	9	5	4
85 AND OVER	20	12	8	3	1	2	17	11	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	8,391
WHITE	2,459
NONWHITE	5,932

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	951	792	159	6.6	7.1	5.0
HEART DISEASES	269	233	36	187.9	208.8	114.1
MALIGNANT NEOPLASMS	207	173	34	144.6	155.0	107.8
ACCIDENTS	65	53	12	45.4	47.5	38.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	64	62	2	44.7	55.6	6.3
CEREBROVASCULAR DISEASE	33	30	3	23.0	26.9	9.5
SUICIDE	22	22	0	15.4	19.7	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	20	12	8	14.0	10.8	25.4
SEPTICEMIA	18	16	2	12.6	14.3	6.3
ALZHEIMERS DISEASE	17	15	2	11.9	13.4	6.3
INFLUENZA AND PNEUMONIA	17	12	5	11.9	10.8	15.8
DIABETES MELLITUS	16	8	8	11.2	7.2	25.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	9	2	7.7	8.1	6.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	6	3	6.3	5.4	9.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	5	3	5.6	4.5	9.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	4.9	5.4	3.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	6	0	4.2	5.4	0.0
HOMICIDE	6	3	3	4.2	2.7	9.5
PARKINSONS DISEASE	5	5	0	3.5	4.5	0.0
HIV DISEASE	4	0	4	2.8	0.0	12.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	2.0	1.3	4.6
VIRAL HEPATITIS	3	3	0	2.1	2.7	0.0
ANEMIAS	3	3	0	2.1	2.7	0.0
AORTIC ANEURYSM AND DISSECTION	3	2	1	2.1	1.8	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	1.4	0.0	6.3
TUBERCULOSIS	1	1	0	0.7	0.9	0.0
MENINGITIS	1	1	0	0.7	0.9	0.0
PEPTIC ULCER	1	1	0	0.7	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	20	15	5	14.0	13.4	15.8
ALL OTHER CAUSES	109	88	21	76.2	78.9	66.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	951	792	159	481	397	84	470	395	75
UNDER 1	17	11	6	9	5	4	8	6	2
(NEONATAL)	9	7	2	5	3	2	4	4	0
(POSTNEONATAL)	8	4	4	4	2	2	4	2	2
1-4	5	1	4	2	1	1	3	0	3
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	15	11	4	10	8	2	5	3	2
25-34	32	24	8	24	18	6	8	6	2
35-44	40	30	10	18	14	4	22	16	6
45-54	95	69	26	63	46	17	32	23	9
55-64	132	110	22	82	70	12	50	40	10
65-74	182	153	29	99	81	18	83	72	11
75-84	240	209	31	112	99	13	128	110	18
85 AND OVER	191	172	19	61	54	7	130	118	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 143,124
 WHITE 111,585
 NONWHITE 31,539

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	278	175	103	9.5	9.9	8.8
HEART DISEASES	85	51	34	289.7	287.9	292.4
MALIGNANT NEOPLASMS	50	33	17	170.4	186.3	146.2
ACCIDENTS	19	15	4	64.8	84.7	34.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	11	7	61.3	62.1	60.2
CEREBROVASCULAR DISEASE	11	7	4	37.5	39.5	34.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	8	3	37.5	45.2	25.8
INFLUENZA AND PNEUMONIA	8	3	5	27.3	16.9	43.0
DIABETES MELLITUS	6	4	2	20.4	22.6	17.2
SEPTICEMIA	5	3	2	17.0	16.9	17.2
SUICIDE	4	3	1	13.6	16.9	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	10.2	5.6	17.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	5.8	3.3	9.3
HOMICIDE	3	1	2	10.2	5.6	17.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	6.8	5.6	8.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.8	5.6	8.6
VIRAL HEPATITIS	1	1	0	3.4	5.6	0.0
HIV DISEASE	1	1	0	3.4	5.6	0.0
PARKINSONS DISEASE	1	1	0	3.4	5.6	0.0
ALZHEIMERS DISEASE	1	1	0	3.4	5.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.4	0.0	8.6
PEPTIC ULCER	1	1	0	3.4	5.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.4	0.0	8.6

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	17.0	22.6	8.6
ALL OTHER CAUSES	36	23	13	122.7	129.8	111.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	278	175	103	135	87	48	143	88	55
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	5	2	3	3	1	2	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	0	0	0	3	1	2
15-24	8	3	5	5	2	3	3	1	2
25-34	6	4	2	3	2	1	3	2	1
35-44	14	8	6	8	5	3	6	3	3
45-54	28	17	11	15	12	3	13	5	8
55-64	41	20	21	30	16	14	11	4	7
65-74	54	34	20	30	20	10	24	14	10
75-84	49	30	19	21	13	8	28	17	11
85 AND OVER	70	56	14	20	16	4	50	40	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	29,341
WHITE	17,712
NONWHITE	11,629

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	64	26	38	11.8	16.6	9.9
HEART DISEASES	18	9	9	332.1	573.2	233.8
MALIGNANT NEOPLASMS	14	4	10	258.3	254.8	259.7
CEREBROVASCULAR DISEASE	4	1	3	73.8	63.7	77.9
ACCIDENTS	3	0	3	55.4	0.0	77.9
HOMICIDE	3	0	3	55.4	0.0	77.9
DIABETES MELLITUS	2	1	1	36.9	63.7	26.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	36.9	127.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	36.9	127.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	36.9	127.4	0.0
SEPTICEMIA	1	0	1	18.4	0.0	26.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	18.4	0.0	26.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	18.4	0.0	26.0
MATERNAL CAUSES	1	0	1	1219.5	0.0	1428.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	12.2	0.0	14.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	18.4	0.0	26.0
SUICIDE	1	1	0	18.4	63.7	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	7	4	3	129.2	254.8	77.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	64	26	38	34	14	20	30	12	18
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	2	0	2	0	0	0	2	0	2
45-54	5	1	4	2	0	2	3	1	2
55-64	12	3	9	8	2	6	4	1	3
65-74	11	5	6	7	3	4	4	2	2
75-84	18	10	8	8	5	3	10	5	5
85 AND OVER	9	7	2	5	4	1	4	3	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	5,420
WHITE	1,570
NONWHITE	3,850

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	268	190	78	9.6	10.6	7.7
HEART DISEASES	85	68	17	304.4	381.0	168.7
MALIGNANT NEOPLASMS	46	31	15	164.8	173.7	148.9
ACCIDENTS	20	10	10	71.6	56.0	99.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	64.5	78.4	39.7
CEREBROVASCULAR DISEASE	14	12	2	50.1	67.2	19.8
INFLUENZA AND PNEUMONIA	10	8	2	35.8	44.8	19.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	21.5	16.8	29.8
DIABETES MELLITUS	5	4	1	17.9	22.4	9.9
SUICIDE	4	3	1	14.3	16.8	9.9
SEPTICEMIA	3	1	2	10.7	5.6	19.8
ALZHEIMERS DISEASE	3	1	2	10.7	5.6	19.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.2	0.0	18.1
HOMICIDE	3	2	1	10.7	11.2	9.9
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	2	1	1	7.2	5.6	9.9
NEOPLASMS	1	1	0	3.6	5.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	5.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	5.6	0.0
MATERNAL CAUSES	1	0	1	241.5	0.0	602.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	25.1	22.4	29.8
ALL OTHER CAUSES	35	25	10	125.4	140.1	99.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	268	190	78	132	90	42	136	100	36
UNDER 1	5	1	4	3	0	3	2	1	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	4	2	2	2	1	1	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	3	2	2	0	2	3	3	0
25-34	3	1	2	1	1	0	2	0	2
35-44	16	9	7	9	7	2	7	2	5
45-54	26	15	11	18	9	9	8	6	2
55-64	39	25	14	27	18	9	12	7	5
65-74	49	40	9	28	22	6	21	18	3
75-84	63	52	11	26	22	4	37	30	7
85 AND OVER	57	41	16	15	9	6	42	32	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	27,920
WHITE	17,845
NONWHITE	10,075

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	162	129	33	10.2	10.9	8.2
HEART DISEASES	45	37	8	284.3	313.0	199.6
MALIGNANT NEOPLASMS	42	33	9	265.4	279.2	224.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	13	1	88.5	110.0	25.0
ALZHEIMERS DISEASE	7	5	2	44.2	42.3	49.9
CEREBROVASCULAR DISEASE	6	5	1	37.9	42.3	25.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	37.9	33.8	49.9
INFLUENZA AND PNEUMONIA	4	4	0	25.3	33.8	0.0
ACCIDENTS	4	3	1	25.3	25.4	25.0
SUICIDE	3	3	0	19.0	25.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	12.6	8.5	25.0
HOMICIDE	2	0	2	12.6	0.0	49.9
SEPTICEMIA	1	1	0	6.3	8.5	0.0
VIRAL HEPATITIS	1	1	0	6.3	8.5	0.0
HIV DISEASE	1	0	1	6.3	0.0	25.0
MENINGITIS	1	1	0	6.3	8.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.3	8.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.3	8.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.8	6.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.3	8.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	19.0	16.9	25.0
ALL OTHER CAUSES	16	12	4	101.1	101.5	99.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	162	129	33	91	76	15	71	53	18
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	4	1	3	4	1	3	0	0	0
45-54	14	12	2	8	6	2	6	6	0
55-64	19	17	2	14	13	1	5	4	1
65-74	29	23	6	19	16	3	10	7	3
75-84	51	42	9	31	26	5	20	16	4
85 AND OVER	38	30	8	12	12	0	26	18	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	15,826
WHITE	11,819
NONWHITE	4,007

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	153	128	25	9.2	9.7	7.2
HEART DISEASES	38	29	9	228.6	220.2	261.1
MALIGNANT NEOPLASMS	36	33	3	216.6	250.5	87.0
CEREBROVASCULAR DISEASE	10	8	2	60.2	60.7	58.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	60.2	75.9	0.0
ACCIDENTS	9	8	1	54.2	60.7	29.0
INFLUENZA AND PNEUMONIA	6	6	0	36.1	45.6	0.0
SEPTICEMIA	5	4	1	30.1	30.4	29.0
DIABETES MELLITUS	4	3	1	24.1	22.8	29.0
ALZHEIMERS DISEASE	3	2	1	18.0	15.2	29.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	12.0	7.6	29.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	12.0	15.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	12.0	7.6	29.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	6.0	7.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.0	7.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.7	5.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.0	7.6	0.0
SUICIDE	1	0	1	6.0	0.0	29.0
HOMICIDE	1	0	1	6.0	0.0	29.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	30.1	38.0	0.0
ALL OTHER CAUSES	15	12	3	90.2	91.1	87.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	153	128	25	91	75	16	62	53	9
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	7	3	4	3	0	3	4	3	1
45-54	15	14	1	14	14	0	1	0	1
55-64	18	15	3	12	9	3	6	6	0
65-74	30	27	3	22	20	2	8	7	1
75-84	31	24	7	17	14	3	14	10	4
85 AND OVER	41	37	4	14	12	2	27	25	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	16,619
WHITE	13,172
NONWHITE	3,447

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	286	108	178	9.6	14.0	8.1
HEART DISEASES	61	24	37	206.0	310.6	169.1
MALIGNANT NEOPLASMS	60	24	36	202.6	310.6	164.5
DIABETES MELLITUS	25	4	21	84.4	51.8	96.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	8	8	54.0	103.5	36.6
CEREBROVASCULAR DISEASE	15	8	7	50.6	103.5	32.0
ACCIDENTS	15	7	8	50.6	90.6	36.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	2	8	33.8	25.9	36.6
INFLUENZA AND PNEUMONIA	8	4	4	27.0	51.8	18.3
SUICIDE	8	5	3	27.0	64.7	13.7
SEPTICEMIA	7	1	6	23.6	12.9	27.4
ALZHEIMERS DISEASE	5	4	1	16.9	51.8	4.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	16.9	12.9	18.3
HIV DISEASE	4	0	4	13.5	0.0	18.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	13.5	25.9	9.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	9.7	33.9	5.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	0	3	10.1	0.0	13.7
HOMICIDE	3	0	3	10.1	0.0	13.7
ANEMIAS	1	0	1	3.4	0.0	4.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.4	12.9	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.4	12.9	0.0
PEPTIC ULCER	1	0	1	3.4	0.0	4.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	23.6	38.8	18.3
ALL OTHER CAUSES	22	7	15	74.3	90.6	68.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	286	108	178	147	57	90	139	51	88
UNDER 1	8	2	6	4	1	3	4	1	3
(NEONATAL)	4	2	2	1	1	0	3	1	2
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	8	3	5	6	3	3	2	0	2
25-34	6	1	5	4	1	3	2	0	2
35-44	15	4	11	10	3	7	5	1	4
45-54	43	10	33	31	8	23	12	2	10
55-64	40	15	25	32	11	21	8	4	4
65-74	40	15	25	13	6	7	27	9	18
75-84	60	26	34	25	13	12	35	13	22
85 AND OVER	64	30	34	21	10	11	43	20	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	29,610
WHITE	7,727
NONWHITE	21,883

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	148	76	72	11.7	15.8	9.2
HEART DISEASES	41	28	13	324.4	583.1	165.9
MALIGNANT NEOPLASMS	31	16	15	245.3	333.2	191.4
DIABETES MELLITUS	9	5	4	71.2	104.1	51.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	4	5	71.2	83.3	63.8
ACCIDENTS	9	0	9	71.2	0.0	114.8
CEREBROVASCULAR DISEASE	8	3	5	63.3	62.5	63.8
INFLUENZA AND PNEUMONIA	6	5	1	47.5	104.1	12.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	0	5	39.6	0.0	63.8
SEPTICEMIA	3	1	2	23.7	20.8	25.5
ALZHEIMERS DISEASE	3	1	2	23.7	20.8	25.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	15.8	41.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.9	20.8	0.0
PARKINSONS DISEASE	1	0	1	7.9	0.0	12.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.8	0.0	6.2
HOMICIDE	1	0	1	7.9	0.0	12.8

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	15.8	0.0	25.5
ALL OTHER CAUSES	16	10	6	126.6	208.2	76.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	148	76	72	74	37	37	74	39	35
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	3	0	3	2	0	2	1	0	1
35-44	8	1	7	6	1	5	2	0	2
45-54	12	2	10	8	1	7	4	1	3
55-64	21	12	9	12	9	3	9	3	6
65-74	30	18	12	20	12	8	10	6	4
75-84	29	15	14	14	8	6	15	7	8
85 AND OVER	40	26	14	8	5	3	32	21	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	12,638
WHITE	4,802
NONWHITE	7,836

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	266	189	77	9.7	10.2	8.7
HEART DISEASES	89	63	26	325.6	341.2	293.0
MALIGNANT NEOPLASMS	62	48	14	226.8	260.0	157.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	21	3	87.8	113.7	33.8
ACCIDENTS	21	10	11	76.8	54.2	124.0
CEREBROVASCULAR DISEASE	10	8	2	36.6	43.3	22.5
DIABETES MELLITUS	6	3	3	21.9	16.2	33.8
ALZHEIMERS DISEASE	5	3	2	18.3	16.2	22.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	18.3	16.2	22.5
HOMICIDE	5	3	2	18.3	16.2	22.5
SEPTICEMIA	4	2	2	14.6	10.8	22.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	14.6	10.8	22.5
PARKINSONS DISEASE	3	2	1	11.0	10.8	11.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	11.0	5.4	22.5
INFLUENZA AND PNEUMONIA	3	2	1	11.0	10.8	11.3
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.3	10.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	2	2	0	7.3	10.8	0.0
NEOPLASMS	1	1	0	3.6	5.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.6	5.4	0.0
ATHEROSCLEROSIS	1	1	0	3.6	5.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.6	0.0	6.5
SUICIDE	1	1	0	3.6	5.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.6	5.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	11.0	16.2	0.0
ALL OTHER CAUSES	9	6	3	32.9	32.5	33.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	266	189	77	153	107	46	113	82	31
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	5	3	2	4	2	2	1	1	0
25-34	8	3	5	6	1	5	2	2	0
35-44	12	7	5	9	6	3	3	1	2
45-54	34	21	13	19	10	9	15	11	4
55-64	44	30	14	28	22	6	16	8	8
65-74	50	42	8	33	28	5	17	14	3
75-84	53	41	12	29	23	6	24	18	6
85 AND OVER	54	39	15	22	14	8	32	25	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	27,337
WHITE	18,464
NONWHITE	8,873

COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	231	214	17	10.7	12.2	4.1
HEART DISEASES	58	55	3	267.8	313.2	73.2
MALIGNANT NEOPLASMS	41	36	5	189.3	205.0	122.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	21	1	101.6	119.6	24.4
CEREBROVASCULAR DISEASE	20	20	0	92.3	113.9	0.0
ACCIDENTS	15	14	1	69.2	79.7	24.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	7	2	41.5	39.8	48.8
DIABETES MELLITUS	7	5	2	32.3	28.5	48.8
ALZHEIMERS DISEASE	5	4	1	23.1	22.8	24.4
INFLUENZA AND PNEUMONIA	5	4	1	23.1	22.8	24.4
SUICIDE	5	5	0	23.1	28.5	0.0
SEPTICEMIA	4	3	1	18.5	17.1	24.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	13.8	17.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	13.8	17.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	13.8	17.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.2	11.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	9.2	11.4	0.0
HOMICIDE	2	2	0	9.2	11.4	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.6	5.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.6	5.7	0.0
INFECTIONS OF KIDNEY	1	1	0	4.6	5.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.2	11.4	0.0
ALL OTHER CAUSES	20	20	0	92.3	113.9	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	231	214	17	113	103	10	118	111	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	3	3	0	1	1	0
25-34	4	4	0	4	4	0	0	0	0
35-44	12	11	1	8	8	0	4	3	1
45-54	21	19	2	14	13	1	7	6	1
55-64	22	21	1	10	9	1	12	12	0
65-74	38	34	4	22	19	3	16	15	1
75-84	60	55	5	32	30	2	28	25	3
85 AND OVER	68	64	4	19	16	3	49	48	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 21,661
 WHITE 17,562
 NONWHITE 4,099

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	283	277	6	14.9	15.3	6.8
HEART DISEASES	89	88	1	467.6	484.9	112.9
MALIGNANT NEOPLASMS	49	48	1	257.4	264.5	112.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	19	0	99.8	104.7	0.0
ACCIDENTS	19	19	0	99.8	104.7	0.0
CEREBROVASCULAR DISEASE	12	12	0	63.0	66.1	0.0
DIABETES MELLITUS	11	10	1	57.8	55.1	112.9
ALZHEIMERS DISEASE	11	11	0	57.8	60.6	0.0
INFLUENZA AND PNEUMONIA	7	7	0	36.8	38.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	5	0	26.3	27.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	21.0	22.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	21.0	22.0	0.0
SUICIDE	4	4	0	21.0	22.0	0.0
SEPTICEMIA	3	3	0	15.8	16.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	10.5	5.5	112.9
PARKINSONS DISEASE	2	2	0	10.5	11.0	0.0
ATHEROSCLEROSIS	2	2	0	10.5	11.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.5	11.0	0.0
PEPTIC ULCER	2	2	0	10.5	11.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.2	5.5	0.0
HOMICIDE	1	1	0	5.2	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.5	11.0	0.0
ALL OTHER CAUSES	32	30	2	168.1	165.3	225.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	283	277	6	133	130	3	150	147	3
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	2	0	0	0	0	2	2	0
35-44	12	12	0	10	10	0	2	2	0
45-54	24	23	1	17	16	1	7	7	0
55-64	21	20	1	11	10	1	10	10	0
65-74	55	55	0	37	37	0	18	18	0
75-84	82	79	3	39	38	1	43	41	2
85 AND OVER	82	81	1	16	16	0	66	65	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	19,034
WHITE	18,148
NONWHITE	886

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	89	38	51	8.5	13.9	6.6
HEART DISEASES	31	16	15	297.0	586.5	194.6
MALIGNANT NEOPLASMS	14	8	6	134.2	293.2	77.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	47.9	146.6	13.0
DIABETES MELLITUS	3	1	2	28.7	36.6	25.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	28.7	0.0	38.9
CEREBROVASCULAR DISEASE	3	0	3	28.7	0.0	38.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	28.7	0.0	38.9
ACCIDENTS	3	1	2	28.7	36.6	25.9
HIV DISEASE	2	0	2	19.2	0.0	25.9
SEPTICEMIA	1	1	0	9.6	36.6	0.0
ALZHEIMERS DISEASE	1	1	0	9.6	36.6	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	9.6	0.0	13.0
INFLUENZA AND PNEUMONIA	1	0	1	9.6	0.0	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.6	36.6	0.0
HOMICIDE	1	0	1	9.6	0.0	13.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	47.9	36.6	51.9
ALL OTHER CAUSES	11	4	7	105.4	146.6	90.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	89	38	51	50	26	24	39	12	27
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	4	0	4	1	0	1	3	0	3
35-44	5	0	5	1	0	1	4	0	4
45-54	11	5	6	6	5	1	5	0	5
55-64	15	8	7	9	4	5	6	4	2
65-74	14	6	8	9	4	5	5	2	3
75-84	18	11	7	13	8	5	5	3	2
85 AND OVER	17	7	10	6	4	2	11	3	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	10,436
WHITE	2,728
NONWHITE	7,708

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	255	219	36	9.4	9.7	7.8
HEART DISEASES	90	76	14	330.1	335.6	303.4
MALIGNANT NEOPLASMS	44	39	5	161.4	172.2	108.4
ACCIDENTS	17	16	1	62.4	70.6	21.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	13	2	55.0	57.4	43.3
CEREBROVASCULAR DISEASE	10	7	3	36.7	30.9	65.0
SEPTICEMIA	7	5	2	25.7	22.1	43.3
DIABETES MELLITUS	6	5	1	22.0	22.1	21.7
SUICIDE	5	5	0	18.3	22.1	0.0
ALZHEIMERS DISEASE	3	3	0	11.0	13.2	0.0
INFLUENZA AND PNEUMONIA	3	3	0	11.0	13.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	7.3	4.4	21.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.3	8.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.3	4.4	21.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.7	4.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.7	4.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.7	4.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	3.7	4.4	0.0
HOMICIDE	1	1	0	3.7	4.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.7	4.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	9	1	36.7	39.7	21.7
ALL OTHER CAUSES	33	28	5	121.0	123.6	108.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	255	219	36	124	104	20	131	115	16
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	3	2	1	1	1	0	2	1	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	9	7	2	5	5	0	4	2	2
35-44	7	7	0	4	4	0	3	3	0
45-54	11	10	1	8	8	0	3	2	1
55-64	35	27	8	20	14	6	15	13	2
65-74	35	30	5	18	14	4	17	16	1
75-84	75	67	8	39	34	5	36	33	3
85 AND OVER	73	65	8	24	21	3	49	44	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	27,263
WHITE	22,649
NONWHITE	4,614

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	173	102	71	11.3	12.3	10.1
HEART DISEASES	47	30	17	307.4	363.0	241.9
MALIGNANT NEOPLASMS	39	24	15	255.0	290.4	213.5
ACCIDENTS	12	8	4	78.5	96.8	56.9
CEREBROVASCULAR DISEASE	9	5	4	58.8	60.5	56.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	3	4	45.8	36.3	56.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	39.2	36.3	42.7
SEPTICEMIA	5	3	2	32.7	36.3	28.5
ALZHEIMERS DISEASE	5	4	1	32.7	48.4	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	26.2	12.1	42.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	19.8	0.0	41.7
DIABETES MELLITUS	3	2	1	19.6	24.2	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	19.6	36.3	0.0
HIV DISEASE	2	0	2	13.1	0.0	28.5
PARKINSONS DISEASE	2	2	0	13.1	24.2	0.0
INFLUENZA AND PNEUMONIA	2	0	2	13.1	0.0	28.5
SUICIDE	2	2	0	13.1	24.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.5	12.1	0.0
ANEMIAS	1	1	0	6.5	12.1	0.0
HOMICIDE	1	0	1	6.5	0.0	14.2

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	26.2	48.4	0.0
ALL OTHER CAUSES	14	6	8	91.6	72.6	113.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	173	102	71	88	55	33	85	47	38
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	1	3	1	0	1	3	1	2
35-44	5	3	2	3	3	0	2	0	2
45-54	19	9	10	14	7	7	5	2	3
55-64	22	12	10	13	8	5	9	4	5
65-74	40	26	14	29	19	10	11	7	4
75-84	33	22	11	13	9	4	20	13	7
85 AND OVER	44	28	16	11	8	3	33	20	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	15,291
WHITE	8,264
NONWHITE	7,027

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	477	298	179	9.9	12.2	7.5
HEART DISEASES	144	86	58	298.9	352.2	244.2
MALIGNANT NEOPLASMS	102	66	36	211.7	270.3	151.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	18	8	54.0	73.7	33.7
CEREBROVASCULAR DISEASE	25	19	6	51.9	77.8	25.2
ACCIDENTS	23	18	5	47.7	73.7	21.0
ALZHEIMERS DISEASE	11	5	6	22.8	20.5	25.2
SEPTICEMIA	9	4	5	18.7	16.4	21.0
HIV DISEASE	9	0	9	18.7	0.0	37.9
DIABETES MELLITUS	8	4	4	16.6	16.4	16.8
SUICIDE	8	7	1	16.6	28.7	4.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3	14.5	16.4	12.6
INFLUENZA AND PNEUMONIA	7	4	3	14.5	16.4	12.6
AORTIC ANEURYSM AND DISSECTION	5	4	1	10.4	16.4	4.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	10.4	8.2	12.6
HOMICIDE	5	1	4	10.4	4.1	16.8
PARKINSONS DISEASE	4	4	0	8.3	16.4	0.0
ANEMIAS	3	1	2	6.2	4.1	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	6.2	8.2	4.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	4.2	4.1	4.2
ATHEROSCLEROSIS	2	1	1	4.2	4.1	4.2
PEPTIC ULCER	2	2	0	4.2	8.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	4.2	8.2	0.0
VIRAL HEPATITIS	1	1	0	2.1	4.1	0.0
MENINGITIS	1	0	1	2.1	0.0	4.2
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	2.1	0.0	4.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.1	4.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.1	0.0	4.2
HERNIA	1	0	1	2.1	0.0	4.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.1	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.1	4.1	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	8.3	12.3	4.2
ALL OTHER CAUSES	53	36	17	110.0	147.4	71.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	477	298	179	226	152	74	251	146	105
UNDER 1	3	1	2	3	1	2	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	3	1	2	1	0	1	2	1	1
10-14	2	2	0	0	0	0	2	2	0
15-24	14	5	9	9	4	5	5	1	4
25-34	13	6	7	9	5	4	4	1	3
35-44	15	6	9	6	3	3	9	3	6
45-54	51	28	23	33	19	14	18	9	9
55-64	68	39	29	39	24	15	29	15	14
65-74	80	52	28	38	31	7	42	21	21
75-84	123	83	40	49	33	16	74	50	24
85 AND OVER	103	73	30	37	30	7	66	43	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 48,175
 WHITE 24,420
 NONWHITE 23,755

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	632	253	379	11.6	15.4	9.9
MALIGNANT NEOPLASMS	116	44	72	212.4	267.5	188.6
HEART DISEASES	108	51	57	197.7	310.1	149.3
DIABETES MELLITUS	60	10	50	109.8	60.8	131.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	34	19	15	62.2	115.5	39.3
ACCIDENTS	34	17	17	62.2	103.4	44.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	10	19	53.1	60.8	49.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	28	6	22	51.3	36.5	57.6
ALZHEIMERS DISEASE	27	17	10	49.4	103.4	26.2
CEREBROVASCULAR DISEASE	25	12	13	45.8	73.0	34.1
INFLUENZA AND PNEUMONIA	14	6	8	25.6	36.5	21.0
HOMICIDE	10	0	10	18.3	0.0	26.2
SUICIDE	9	6	3	16.5	36.5	7.9
SEPTICEMIA	7	2	5	12.8	12.2	13.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	11.0	30.4	2.6
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	5	0	5	5.9	0.0	7.4
NEOPLASMS	4	2	2	7.3	12.2	5.2
ANEMIAS	4	1	3	7.3	6.1	7.9
PARKINSONS DISEASE	3	3	0	5.5	18.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	5.5	12.2	2.6
VIRAL HEPATITIS	2	2	0	3.7	12.2	0.0
HIV DISEASE	2	0	2	3.7	0.0	5.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	3.7	6.1	2.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	3.7	12.2	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	0	2	3.7	0.0	5.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	8	6	25.6	48.6	15.7
ALL OTHER CAUSES	82	27	55	150.1	164.2	144.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	632	253	379	323	126	197	309	127	182
UNDER 1	10	1	9	6	0	6	4	1	3
(NEONATAL)	6	1	5	5	0	5	1	1	0
(POSTNEONATAL)	4	0	4	1	0	1	3	0	3
1-4	4	1	3	3	1	2	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	3	9	7	2	5	5	1	4
25-34	20	6	14	15	6	9	5	0	5
35-44	20	6	14	14	4	10	6	2	4
45-54	63	16	47	37	10	27	26	6	20
55-64	94	34	60	61	22	39	33	12	21
65-74	119	45	74	71	29	42	48	16	32
75-84	145	71	74	62	30	32	83	41	42
85 AND OVER	144	69	75	47	22	25	97	47	50
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	54,616
WHITE	16,448
NONWHITE	38,168

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	179	134	45	8.7	10.7	5.5
HEART DISEASES	51	34	17	246.9	272.1	208.4
MALIGNANT NEOPLASMS	41	35	6	198.5	280.1	73.5
ACCIDENTS	13	8	5	62.9	64.0	61.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	48.4	56.0	36.8
CEREBROVASCULAR DISEASE	5	4	1	24.2	32.0	12.2
SEPTICEMIA	4	4	0	19.4	32.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	19.4	16.0	24.5
ALZHEIMERS DISEASE	3	3	0	14.5	24.0	0.0
INFLUENZA AND PNEUMONIA	3	3	0	14.5	24.0	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.7	16.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	9.7	16.0	0.0
SUICIDE	2	2	0	9.7	16.0	0.0
VIRAL HEPATITIS	1	1	0	4.8	8.0	0.0
HIV DISEASE	1	0	1	4.8	0.0	12.2
PARKINSONS DISEASE	1	1	0	4.8	8.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.8	0.0	12.2
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	4.8	8.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.8	8.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.7	0.0	9.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.8	0.0	12.2
HOMICIDE	1	0	1	4.8	0.0	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	14.5	24.0	0.0
ALL OTHER CAUSES	27	21	6	130.7	168.1	73.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	179	134	45	92	64	28	87	70	17
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	2	1	1	2	1	1
25-34	0	0	0	0	0	0	0	0	0
35-44	9	4	5	8	4	4	1	0	1
45-54	12	7	5	10	6	4	2	1	1
55-64	30	19	11	19	10	9	11	9	2
65-74	37	31	6	21	17	4	16	14	2
75-84	39	30	9	17	13	4	22	17	5
85 AND OVER	45	40	5	14	13	1	31	27	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL 20,654
 WHITE 12,495
 NONWHITE 8,159

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	153	118	35	15.5	15.3	16.4
HEART DISEASES	49	38	11	497.4	492.2	516.2
MALIGNANT NEOPLASMS	30	23	7	304.5	297.9	328.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	81.2	90.7	46.9
CEREBROVASCULAR DISEASE	7	5	2	71.0	64.8	93.8
ACCIDENTS	7	5	2	71.0	64.8	93.8
ALZHEIMERS DISEASE	6	6	0	60.9	77.7	0.0
INFLUENZA AND PNEUMONIA	4	4	0	40.6	51.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	40.6	38.8	46.9
DIABETES MELLITUS	3	1	2	30.4	13.0	93.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	22.4	0.0	78.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	20.3	13.0	46.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	20.3	25.9	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	20.3	13.0	46.9
SEPTICEMIA	1	1	0	10.2	13.0	0.0
VIRAL HEPATITIS	1	1	0	10.2	13.0	0.0
HIV DISEASE	1	0	1	10.2	0.0	46.9
PARKINSONS DISEASE	1	1	0	10.2	13.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.2	0.0	46.9
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.2	13.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.2	13.0	0.0
SUICIDE	1	1	0	10.2	13.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	10.2	0.0	46.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	10.2	13.0	0.0
ALL OTHER CAUSES	16	15	1	162.4	194.3	46.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	153	118	35	70	55	15	83	63	20
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	3	1	2	2	0	2	1	1
45-54	7	4	3	5	3	2	2	1	1
55-64	20	16	4	10	7	3	10	9	1
65-74	33	28	5	19	17	2	14	11	3
75-84	43	34	9	19	17	2	24	17	7
85 AND OVER	38	30	8	12	9	3	26	21	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	9,852
WHITE	7,721
NONWHITE	2,131

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	131	40	91	12.9	13.4	12.7
HEART DISEASES	36	10	26	354.9	334.0	363.7
MALIGNANT NEOPLASMS	23	5	18	226.8	167.0	251.8
CEREBROVASCULAR DISEASE	12	4	8	118.3	133.6	111.9
DIABETES MELLITUS	7	1	6	69.0	33.4	83.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	49.3	100.2	28.0
INFLUENZA AND PNEUMONIA	4	2	2	39.4	66.8	28.0
SEPTICEMIA	3	2	1	29.6	66.8	14.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	29.6	66.8	14.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	29.6	0.0	42.0
ACCIDENTS	3	1	2	29.6	33.4	28.0
ALZHEIMERS DISEASE	2	1	1	19.7	33.4	14.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	19.7	33.4	14.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	19.7	0.0	28.0
HOMICIDE	2	0	2	19.7	0.0	28.0
PARKINSONS DISEASE	1	1	0	9.8	33.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.5	0.0	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.8	0.0	14.0
SUICIDE	1	1	0	9.8	33.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.8	0.0	14.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	39.4	33.4	42.0
ALL OTHER CAUSES	15	5	10	147.9	167.0	139.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	131	40	91	67	22	45	64	18	46
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	0	4	4	0	4	0	0	0
35-44	3	1	2	1	1	0	2	0	2
45-54	9	3	6	6	2	4	3	1	2
55-64	23	5	18	18	5	13	5	0	5
65-74	28	8	20	9	1	8	19	7	12
75-84	29	9	20	11	3	8	18	6	12
85 AND OVER	31	13	18	15	9	6	16	4	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	10,143
WHITE	2,994
NONWHITE	7,149

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	223	128	95	11.5	12.4	10.5
HEART DISEASES	61	33	28	315.9	321.1	310.0
MALIGNANT NEOPLASMS	44	22	22	227.9	214.0	243.6
ALZHEIMERS DISEASE	20	18	2	103.6	175.1	22.1
DIABETES MELLITUS	12	4	8	62.1	38.9	88.6
ACCIDENTS	11	7	4	57.0	68.1	44.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	41.4	48.6	33.2
CEREBROVASCULAR DISEASE	6	3	3	31.1	29.2	33.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	31.1	19.4	44.3
INFLUENZA AND PNEUMONIA	3	1	2	15.5	9.7	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	15.5	29.2	0.0
SEPTICEMIA	2	2	0	10.4	19.4	0.0
PARKINSONS DISEASE	2	2	0	10.4	19.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	10.4	0.0	22.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	7.5	10.1	5.9
HOMICIDE	2	0	2	10.4	0.0	22.1
VIRAL HEPATITIS	1	1	0	5.2	9.7	0.0
ANEMIAS	1	0	1	5.2	0.0	11.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.2	9.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	9.7	0.0
ATHEROSCLEROSIS	1	1	0	5.2	9.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.2	9.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	15.5	19.4	11.1
ALL OTHER CAUSES	30	18	12	155.4	175.1	132.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	223	128	95	93	53	40	130	75	55
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	7	1	6	5	0	5	2	1	1
35-44	4	3	1	2	2	0	2	1	1
45-54	17	6	11	10	5	5	7	1	6
55-64	26	12	14	15	7	8	11	5	6
65-74	33	20	13	20	10	10	13	10	3
75-84	54	34	20	26	19	7	28	15	13
85 AND OVER	76	51	25	13	10	3	63	41	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	19,309
WHITE	10,278
NONWHITE	9,031

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	169	121	48	12.3	14.7	8.7
HEART DISEASES	59	44	15	428.4	533.1	271.8
MALIGNANT NEOPLASMS	36	27	9	261.4	327.1	163.1
CEREBROVASCULAR DISEASE	12	8	4	87.1	96.9	72.5
ALZHEIMERS DISEASE	7	6	1	50.8	72.7	18.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	50.8	84.8	0.0
ACCIDENTS	4	3	1	29.0	36.3	18.1
DIABETES MELLITUS	3	2	1	21.8	24.2	18.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	21.8	12.1	36.2
SUICIDE	3	3	0	21.8	36.3	0.0
HOMICIDE	3	1	2	21.8	12.1	36.2
SEPTICEMIA	2	1	1	14.5	12.1	18.1
INFLUENZA AND PNEUMONIA	2	1	1	14.5	12.1	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	14.5	24.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.3	12.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.3	0.0	18.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.3	12.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.3	0.0	18.1

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	14.5	0.0	36.2
ALL OTHER CAUSES	20	13	7	145.2	157.5	126.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	169	121	48	66	39	27	103	82	21
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	4	3	1	2	1	1	2	2	0
45-54	17	9	8	9	2	7	8	7	1
55-64	21	18	3	9	7	2	12	11	1
65-74	35	26	9	13	7	6	22	19	3
75-84	30	22	8	15	12	3	15	10	5
85 AND OVER	55	39	16	13	8	5	42	31	11
UNKNOWN	1	1	0	1	1	0	0	0	0

2009 POPULATION:

TOTAL	13,773
WHITE	8,254
NONWHITE	5,519

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2009

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	245	114	131	8.8	9.3	8.3
MALIGNANT NEOPLASMS	54	20	34	193.0	163.2	216.2
HEART DISEASES	47	27	20	168.0	220.4	127.2
DIABETES MELLITUS	34	12	22	121.5	97.9	139.9
CEREBROVASCULAR DISEASE	14	6	8	50.0	49.0	50.9
ACCIDENTS	13	6	7	46.5	49.0	44.5
ALZHEIMERS DISEASE	8	4	4	28.6	32.6	25.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	25.0	40.8	12.7
SUICIDE	6	4	2	21.4	32.6	12.7
HIV DISEASE	5	1	4	17.9	8.2	25.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	17.9	40.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	14.3	8.2	19.1
INFLUENZA AND PNEUMONIA	4	2	2	14.3	16.3	12.7
AORTIC ANEURYSM AND DISSECTION	3	2	1	10.7	16.3	6.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	10.7	0.0	19.1
SEPTICEMIA	2	1	1	7.1	8.2	6.4
PARKINSONS DISEASE	2	2	0	7.1	16.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	2	2	0	7.1	16.3	0.0
NEOPLASMS	1	0	1	3.6	0.0	6.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.6	0.0	6.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.6	0.0	6.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.6	0.0	6.4
HOMICIDE	1	0	1	3.6	0.0	6.4

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.6	0.0	6.4
ALL OTHER CAUSES	26	14	12	92.9	114.2	76.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2009 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	245	114	131	131	58	73	114	56	58
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	10	4	6	7	2	5	3	2	1
35-44	10	3	7	7	3	4	3	0	3
45-54	28	11	17	19	7	12	9	4	5
55-64	40	18	22	25	9	16	15	9	6
65-74	51	24	27	29	13	16	22	11	11
75-84	56	30	26	26	17	9	30	13	17
85 AND OVER	44	22	22	14	6	8	30	16	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2009 POPULATION:

TOTAL	27,981
WHITE	12,253
NONWHITE	15,728