

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	3
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2011	
 POPULATION	
Table P1. 2011 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2011	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother . .	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2009-2011	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1986, 1991, 1996, 2001, 2006, 2011	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2011	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2011

POPULATION

Table I. 2011 Estimated Population and Percent Change From 2010 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2011	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2011	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2011	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2011	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2011	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2011	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2011	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2011	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2011	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2011	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2011	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2011	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2011	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2011	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2011	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2011	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2011	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2011	114
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2011	121
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2007-2011 (5-Year Average) . .	123
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2011	125
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2011	128
 MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2011	130
 DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2011	132
 INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2011	133
 TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2011	134
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2011	136
 DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order)	139
The State	159

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2011, (Occurrence Data 1913-1943, Residence Data 1944-2011)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2011, (Occurrence Data 1913-1943, Residence Data 1944-2011)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2011, (Occurrence Data 1913-1943, Residence Data 1944-2011)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2011, (Occurrence Data 1917-1943, Residence Data 1944-2011)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2011, (Occurrence Data 1924-1944, Residence Data 1945-2011)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2011, (Occurrence Data 1924-1943, Residence Data 1944-2011)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2011	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2011	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2011	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2011	204

VITAL STATISTICS MISSISSIPPI, 2011

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2011; the second part contains major statistical tables for 2011. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2011 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2011 is presented in Appendix D.

Internet site

This publication and additional tabulations can be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2011 CENSUS POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,978,512	1,446,544	1,531,968	1,787,924	884,088	903,836	1,190,588	562,456	628,132
0-4	209,250	107,153	102,097	106,714	54,771	51,943	102,536	52,382	50,154
(Under 1)	40,028	20,515	19,513	19,859	10,169	9,690	20,169	10,346	9,823
(1-4)	169,222	86,638	82,584	86,855	44,602	42,253	82,367	42,036	40,331
5-9	205,102	104,584	100,518	108,711	55,808	52,903	96,391	48,776	47,615
10-14	209,229	107,131	102,098	110,408	56,852	53,556	98,821	50,279	48,542
15-19	217,722	110,900	106,822	112,995	58,297	54,698	104,727	52,603	52,124
20-24	218,511	109,367	109,144	120,263	61,609	58,654	98,248	47,758	50,490
25-29	196,616	97,036	99,580	111,263	56,834	54,429	85,353	40,202	45,151
30-34	192,991	94,892	98,099	110,096	56,564	53,532	82,895	38,328	44,567
35-39	181,381	88,379	93,002	107,614	54,771	52,843	73,767	33,608	40,159
40-44	188,555	91,662	96,893	115,652	58,764	56,888	72,903	32,898	40,005
45-49	201,421	97,967	103,454	125,352	63,089	62,263	76,069	34,878	41,191
50-54	209,187	101,021	108,166	131,164	65,339	65,825	78,023	35,682	42,341
55-59	190,959	91,260	99,699	122,485	59,832	62,653	68,474	31,428	37,046
60-64	169,517	81,116	88,401	116,719	56,896	59,823	52,798	24,220	28,578
65-69	123,017	57,600	65,417	89,439	42,556	46,883	33,578	15,044	18,534
70-74	96,159	43,269	52,890	71,190	32,798	38,392	24,969	10,471	14,498
75-79	71,118	29,772	41,346	53,692	23,167	30,525	17,426	6,605	10,821
80-84	52,339	19,893	32,446	40,161	15,767	24,394	12,178	4,126	8,052
85+	45,438	13,542	31,896	34,006	10,374	23,632	11,432	3,168	8,264
UNDER 15	623,581	318,868	304,713	325,833	167,431	158,402	297,748	151,437	146,311
15-64	1,966,860	963,600	1,003,260	1,173,603	591,995	581,608	793,257	371,605	421,652
65 & OVER	388,071	164,076	223,995	288,488	124,662	163,826	99,583	39,414	60,169
MEDIAN AGE	36.1	34.6	37.6	40.3	38.8	41.7	30.6	28.7	32.2

* POPULATION WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2011**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>39,825</u>	<u>109</u>			
JANUARY	3,275	106	JULY	3,445	111
FEBRUARY	3,039	108	AUGUST	3,650	118
MARCH	3,239	104	SEPTEMBER	3,506	117
APRIL	2,991	100	OCTOBER	3,319	107
MAY	3,114	100	NOVEMBER	3,400	113
JUNE	3,229	108	DECEMBER	3,618	117

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2011**

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1990#	99.6	99.6	99.6
1950	46.1	83.3	18.9	1991#	99.6	99.6	99.6
1960	73.2	99.0	51.3	1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
1970#	90.0	99.7	79.7	1994#	99.7	99.7	99.7
1971#	92.2	99.6	84.2	1995#	99.7	99.7	99.6
1972#	95.2	99.8	90.4	1996#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1997#	99.7	99.8	99.7
1974#	97.4	99.7	94.8	1998#	99.6	99.7	99.6
1975#	97.9	99.6	96.0	1999#	99.7	99.7	99.7
1976#	98.5	99.7	97.3				
1977#	98.9	99.7	98.1	2000#	99.7	99.7	99.7
1978#	99.1	99.7	98.4	2001#	99.7	99.7	99.7
1979#	99.3	99.7	98.9	2002#	99.7	99.7	99.8
				2003#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2004#	99.7	99.7	99.8
1981#	99.3	99.6	99.0	2005#	99.7	99.7	99.8
1982#	99.4	99.6	99.2	2006#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2007#	99.7	99.7	99.8
1984#	99.5	99.6	99.4	2008#	99.8	99.7	99.8
1985#	99.6	99.7	99.4	2009#	99.7	99.6	99.8
1986#	99.6	99.7	99.5	2010#	99.7	99.6	99.8
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6	2011#	99.7	99.6	99.8
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2011**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>39,825</u>	<u>38,710</u>	<u>886</u>	<u>54</u>	<u>150</u>	<u>24</u>	<u>100.0</u>	<u>97.2</u>	<u>2.2</u>	<u>0.1</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	39,700	38,708	885	0	88	19	99.7	97.2	2.2	-	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	106	2	1	51	50	2	0.3	*	*	0.1	0.1	*
UNKNOWN PLACE	17	0	0	3	12	2	*	-	-	*	*	*
	1	0	0	0	0	1	*	-	-	-	-	*
<u>WHITE</u>	<u>21,756</u>	<u>21,211</u>	<u>406</u>	<u>54</u>	<u>68</u>	<u>16</u>	<u>100.0</u>	<u>97.5</u>	<u>1.9</u>	<u>0.2</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,665	21,209	405	0	38	13	99.6	97.5	1.9	-	0.2	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	79	2	1	51	24	1	0.4	*	*	0.2	0.1	*
UNKNOWN PLACE	10	0	0	3	6	1	*	-	-	*	*	*
	1	0	0	0	0	1	*	-	-	-	-	*
<u>NONWHITE</u>	<u>18,069</u>	<u>17,499</u>	<u>480</u>	<u>0</u>	<u>82</u>	<u>8</u>	<u>100.0</u>	<u>96.8</u>	<u>2.6</u>	<u>-</u>	<u>0.4</u>	<u>-</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	18,035	17,499	480	0	50	6	99.8	96.8	2.6	-	0.3	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	27	0	0	0	26	1	0.1	-	-	-	0.1	*
UNKNOWN PLACE	7	0	0	0	6	1	*	-	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2011**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.0</u>	<u>65.7</u>	<u>66.3</u>
UNDER 15	97	17	80	0.2	0.1	0.4	1.0	0.3	1.6
15-19	5,362	2,279	3,083	13.5	10.5	17.1	50.2	41.7	59.1
20-24	13,118	6,355	6,763	32.9	29.2	37.4	120.2	108.3	133.9
25-29	11,385	6,809	4,576	28.6	31.3	25.3	114.3	125.1	101.3
30-34	6,851	4,368	2,483	17.2	20.1	13.7	69.8	81.6	55.7
35-39	2,464	1,581	883	6.2	7.3	4.9	26.5	29.9	22.0
40-44	515	325	190	1.3	1.5	1.0	5.3	5.7	4.7
45-49	28	19	9	0.1	0.1	**	0.3	0.3	0.2
UNKNOWN	5	3	2	**	**	**			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2011**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	489	414	75	1.2	2.0	0.4	1.2	2.0	0.4
7-9 YEARS	2,278	1,276	1,002	5.8	6.0	5.6	7.1	8.0	6.0
10,11 YEARS	5,049	2,021	3,028	12.9	9.6	16.9	20.0	17.6	22.9
12 YEARS	11,828	5,545	6,283	30.3	26.2	35.1	50.3	43.8	58.0
1-3 YEARS COLLEGE	10,971	5,766	5,205	28.1	27.3	29.1	78.4	71.1	87.1
4 OR MORE YEARS OF COLLEGE	8,415	6,102	2,313	21.6	28.9	12.9	100.0	100.0	100.0
UNKNOWN	795	632	163						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2011**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>21,658</u>	<u>7,207</u>	<u>14,451</u>	<u>54.4</u>	<u>33.1</u>	<u>80.0</u>
UNDER 15	97	17	80	100.0	100.0	100.0
15-19	4,826	1,778	3,048	90.0	78.0	98.9
20-24	9,126	2,942	6,184	69.6	46.3	91.4
25-29	4,811	1519	3,292	42.2	22.3	71.9
30-34	1,986	642	1344	29.0	14.7	54.1
35-39	661	246	415	26.8	15.6	47.0
40-44	145	61	84	28.2	18.8	44.2
45-49	4	2	2	14.3	10.5	22.2
UNKNOWN	2	0	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2011**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.0</u>	<u>65.7</u>	<u>66.3</u>	<u>25</u>	<u>26</u>	<u>24</u>
FIRST	13,721	7,656	6,065	34.4	35.2	33.6	22.7	23.1	22.2	22	23	20
SECOND	11,728	6,779	4,949	29.4	31.2	27.4	19.4	20.5	18.2	25	26	23
THIRD	7,307	3,970	3,337	18.3	18.2	18.5	12.1	12.0	12.2	27	28	26
FOURTH	3,716	1,841	1,875	9.3	8.5	10.4	6.2	5.6	6.9	28	29	27
FIFTH	1,744	822	922	4.4	3.8	5.1	2.9	2.5	3.4	29	29	28
SIXTH	822	341	481	2.1	1.6	2.7	1.4	1.0	1.8	30	31	29
SEVENTH	361	148	213	0.9	0.7	1.2	0.6	0.4	0.8	30	32	30
EIGHTH	196	72	124	0.5	0.3	0.7	0.3	0.2	0.4	32	33	31
NINTH	96	46	50	0.2	0.2	0.3	0.2	0.1	0.2	33	34	33
TENTH & OVER	92	47	45	0.2	0.2	0.2	0.2	0.1	0.2	33	33	33
UNKNOWN	42	34	8	0.1	0.2	#	0.1	0.1	#			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2011**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	417	164	253	1.0	0.8	1.4
<u>SOME PRENATAL CARE</u>	<u>39,287</u>	<u>21,505</u>	<u>17,782</u>	<u>98.6</u>	<u>98.8</u>	<u>98.4</u>
FIRST TRIMESTER	33,459	19,063	14,396	84.0	87.6	79.7
SECOND TRIMESTER	4,846	1,946	2,900	12.2	8.9	16.0
THIRD TRIMESTER	693	284	409	1.7	1.3	2.3
UNKNOWN MONTH	289	212	77	0.7	1.0	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	121	87	34	0.3	0.4	0.2

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2011**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,880	775	1,105	4.7	3.6	6.1
PREMATURE ONLY**	3,757	1,807	1,950	9.4	8.3	10.8
BOTH IMMATURE AND PREMATURE	2,825	1,138	1,687	7.1	5.2	9.3
TOTAL IMMATURE	4,705	1,913	2,792	11.8	8.8	15.4
TOTAL PREMATURE	6,582	2,945	3,637	16.5	13.5	20.1
TOTAL IMMATURE AND/OR PREMATURE	8,462	3,720	4,742	21.2	17.1	26.2
NEITHER IMMATURE NOR PREMATURE**	31,363	18,036	13,327	78.8	82.9	73.8

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2011**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>383</u>	<u>185</u>	<u>198</u>
ANENCEPHALUS	10	7	3
SPINA BIFIDA / MENINGOCELE	5	2	3
HYDROCEPHALUS	5	3	2
MICROCEPHALUS	4	2	2
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	6	3	3
HEART MALFORMATIONS	27	13	14
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	21	13	8
RECTAL ATRESIA / STENOSIS	8	5	3
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	2	1	1
OMPHALOCELE / GASTROSCHISIS	18	12	6
OTHER GASTROINTESTINAL ANOMALIES	6	2	4
MALFORMED GENITALIA	23	14	9
RENAL AGENESIS	6	2	4
OTHER UROGENITAL ANOMALIES	13	6	7
CLEFT LIP / PALATE	23	15	8
POLYDACTYLY / SYNDACTYLY / ADACTYLY	63	10	53
CLUB FOOT	20	13	7
DIAPHRAGMATIC HERNIA	3	1	2
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	63	29	34
DOWN'S SYNDROME	17	10	7
OTHER CHROMOSOMAL ANOMALIES	8	4	4
OTHER	32	18	14

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2011**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>13,155</u>	<u>6,262</u>	<u>6,893</u>
ANEMIA (HCT. < 30/HGB. < 10)	1,078	423	655
CARDIAC DISEASE	107	75	32
ACUTE OR CHRONIC LUNG DISEASE	385	176	209
DIABETES	1,499	848	651
GENITAL HERPES	308	139	169
HYDRAMNIOS/OLIGOHYDRAMNIOS	436	238	198
HEMOGLOBINOPATHY	106	6	100
HYPERTENSION, CHRONIC	1,094	375	719
HYPERTENSION, PREGNANCY-ASSOCIATED	1,883	964	919
ECLAMPSIA	178	107	71
INCOMPETENT CERVIX	96	40	56
PREVIOUS INFANT 4000+ GRAMS	73	53	20
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	434	212	222
RENAL DISEASE	51	36	15
RH SENSITIZATION	379	271	108
UTERINE BLEEDING	87	55	32
OTHER	4,961	2,244	2,717

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2011**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	35,378	18,502	16,876	88.8	85.0	93.4
<u>SOME</u>	<u>4,410</u>	<u>3,234</u>	<u>1,176</u>	<u>11.1</u>	<u>14.9</u>	<u>6.5</u>
1-9 CIGARETTES PER DAY	2,272	1,478	794	5.7	6.8	4.4
10-19 CIGARETTES PER DAY	1,640	1,372	268	4.1	6.3	1.5
20-29 CIGARETTES PER DAY	387	299	88	1.0	1.4	0.5
30-39 CIGARETTES PER DAY	4	4	0	*	*	-
40-49 CIGARETTES PER DAY	8	7	1	*	*	*
50-59 CIGARETTES PER DAY	1	0	1	*	-	*
60 OR MORE PER DAY	1	1	0	*	*	-
UNKNOWN AMOUNT	97	73	24	0.2	0.3	0.1
NOT STATED	37	20	17	0.1	0.1	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	38,031	20,361	17,670	95.5	93.6	97.8
<u>SOME</u>	<u>104</u>	<u>51</u>	<u>53</u>	<u>0.3</u>	<u>0.2</u>	<u>0.3</u>
1 DRINK PER WEEK	39	20	19	0.1	0.1	0.1
2 DRINKS PER WEEK	31	14	17	0.1	0.1	0.1
3 DRINKS PER WEEK	10	6	4	*	*	*
4 DRINKS PER WEEK	2	0	2	*	-	*
5 DRINKS PER WEEK	6	4	2	*	*	*
6 OR MORE PER WEEK	10	5	5	*	*	*
UNKNOWN AMOUNT	6	2	4	*	*	*
NOT STATED	1,690	1,344	346	4.2	6.2	1.9
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	2,185	952	1,233	5.5	4.4	6.8
1-4 POUNDS	544	265	279	1.4	1.2	1.5
5-9 POUNDS	1,203	511	692	3.0	2.3	3.8
10-14 POUNDS	2,632	1,183	1,449	6.6	5.4	8.0
15-19 POUNDS	3,141	1,567	1,574	7.9	7.2	8.7
20-24 POUNDS	5,368	2,715	2,653	13.5	12.5	14.7
25-29 POUNDS	4,796	2,763	2,033	12.0	12.7	11.2
30-34 POUNDS	6,082	3,504	2,578	15.3	16.1	14.3
35-39 POUNDS	3,716	2,354	1,362	9.3	10.8	7.5
40-44 POUNDS	3,663	2,220	1,443	9.2	10.2	8.0
45 OR MORE POUNDS	5,517	3,384	2,133	13.8	15.6	11.8
UNKNOWN AMOUNT	978	338	640	2.4	1.6	3.5
MEDIAN WEIGHT GAIN (LBS)**	29	30	25			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2011**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>9,582</u>	<u>5,411</u>	<u>4,171</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	138	54	84
MECONIUM, MODERATE / HEAVY	806	393	413
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	526	273	253
ABRUPTIO PLACENTA	197	89	108
PLACENTA PREVIA	87	49	38
OTHER EXCESSIVE BLEEDING	81	50	31
SEIZURES DURING LABOR	9	6	3
PRECIPITOUS LABOR (< 3 HOURS)	428	209	219
PROLONGED LABOR (> 20 HOURS)	122	81	41
DYSFUNCTIONAL LABOR	903	495	408
BREECH / MALPRESENTATION	1,458	912	546
CEPHALOPELVIC DISPROPORTION	499	307	192
CORD PROLAPSE	45	25	20
ANESTHETIC COMPLICATIONS	13	12	1
FETAL DISTRESS	1,935	984	951
OTHER	2,335	1,472	863

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2011**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>41,107</u>	<u>22,519</u>	<u>18,588</u>
VAGINAL	24,352	13,325	11,027
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	199	92	107
PRIMARY C-SECTION	8,243	4,569	3,674
REPEAT C-SECTION	7,012	3,756	3,256
FORCEPS	311	206	105
VACUUM	990	571	419

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2011**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>64,716</u>	<u>35,559</u>	<u>29,157</u>
AMNIOCENTESIS	91	48	43
ELECTRONIC FETAL MONITORING	30,706	16,496	14,210
INDUCTION OF LABOR	8,201	4,896	3,305
STIMULATION OF LABOR	3,264	1,808	1,456
TOCOLYSIS	346	186	160
ULTRASOUND	21,989	12,040	9,949
OTHER	119	85	34

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2011**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,414</u>	<u>1,245</u>	<u>1,169</u>
ANEMIA (HCT. < 39 / HGB. < 13)	28	7	21
BIRTH INJURY	140	105	35
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	408	208	200
MECONIUM ASPIRATION SYNDROME	35	21	14
ASSISTED VENTILATION < 30 MINUTES	82	41	41
ASSISTED VENTILATION 30 MINUTES OR MORE	444	233	211
SEIZURES	8	3	5
OTHER	1,269	627	642

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2011

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>404</u>	<u>386</u>	<u>5</u>	<u>0</u>	<u>13</u>	<u>0</u>	<u>100.0</u>	<u>95.5</u>	<u>1.2</u>	-	<u>3.2</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	400	384	5	0	11	0	99.0	95.0	1.2	-	2.7	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	3	1	0	0	2	0	0.7	0.2	-	-	0.5	-
	1	1	0	0	0	0	0.2	0.2	-	-	-	-
<u>WHITE</u>	<u>115</u>	<u>109</u>	<u>3</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>100.0</u>	<u>94.8</u>	<u>2.6</u>	-	<u>2.6</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	114	109	3	0	2	0	99.1	94.8	2.6	-	1.7	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	1	0	0	0	1	0	0.9	-	-	-	0.9	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>289</u>	<u>277</u>	<u>2</u>	<u>0</u>	<u>10</u>	<u>0</u>	<u>100.0</u>	<u>95.8</u>	<u>0.7</u>	-	<u>3.5</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	286	275	2	0	9	0	99.0	95.2	0.7	-	3.1	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	2	1	0	0	1	0	0.7	0.3	-	-	0.3	-
	1	1	0	0	0	0	0.3	0.3	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2011**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>404</u>	<u>115</u>	<u>289</u>	<u>10.1</u>	<u>5.3</u>	<u>16.0</u>
UNDER 15	2	1	1	#	#	#
15-19	50	6	44	9.3	2.6	14.3
20-24	142	28	114	10.8	4.4	16.8
25-29	100	39	61	8.8	5.7	13.3
30-34	74	27	47	10.8	6.2	18.9
35-39	28	11	17	11.4	7.0	19.2
40-44	8	3	5	15.5	9.2	26.3
45-49	0	0	0	-	-	-
50 & OVER	0	0	0	-	-	-
UNKNOWN	0	0	0	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2011**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.8	1.4	8.7	7.8	9.0
SOME CARE	97.9	97.9	98.0	80.2	82.6	79.2
UNKNOWN WHETHER ANY CARE	1.0	1.4	0.6	11.1	9.6	11.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2009-2011**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2009	2010	2011	2009	2010	2011	2009	2010	2011
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>403</u>	<u>417</u>	<u>404</u>	<u>145</u>	<u>144</u>	<u>115</u>	<u>258</u>	<u>273</u>	<u>289</u>
UNDER 20	8	7	9	2	3	0	6	4	9
<u>20 AND OVER</u>	<u>253</u>	<u>292</u>	<u>261</u>	<u>105</u>	<u>110</u>	<u>87</u>	<u>148</u>	<u>182</u>	<u>174</u>
20-22	68	74	65	26	21	23	42	53	42
23-27	61	58	66	20	18	19	41	40	47
28-36	87	104	91	38	46	29	49	58	62
37 AND OVER	37	56	39	21	25	16	16	31	23
UNKNOWN	142	118	134	38	31	28	104	87	106
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.4</u>	<u>10.4</u>	<u>10.1</u>	<u>6.3</u>	<u>6.6</u>	<u>5.3</u>	<u>12.9</u>	<u>14.9</u>	<u>16.0</u>
UNDER 20	0.2	0.2	0.2	0.1	0.1	-	0.3	0.2	0.5
<u>20 AND OVER</u>	<u>5.9</u>	<u>7.3</u>	<u>6.6</u>	<u>4.6</u>	<u>5.1</u>	<u>4.0</u>	<u>7.4</u>	<u>10.0</u>	<u>9.6</u>
20-22	1.6	1.8	1.6	1.1	1.0	1.0	2.1	2.9	2.3
23-27	1.4	1.4	1.6	0.9	0.8	0.9	2.0	2.2	2.6
28-36	2.0	2.6	2.3	1.7	2.1	1.3	2.4	3.2	3.4
37 AND OVER	0.9	1.4	1.0	0.9	1.2	0.7	0.8	1.7	1.3
UNKNOWN	3.3	3.0	3.4	1.7	1.4	1.3	5.2	4.8	5.9

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2011**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>29,219</u>	<u>80</u>			
JANUARY	2,761	89	JULY	2,308	74
FEBRUARY	2,499	89	AUGUST	2,446	79
MARCH	2,459	79	SEPTEMBER	2,336	78
APRIL	2,443	81	OCTOBER	2,367	76
MAY	2,433	78	NOVEMBER	2,313	77
JUNE	2,231	74	DECEMBER	2,623	85

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2011**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>29,219</u>	<u>19,986</u>	<u>9,233</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.8</u>	<u>11.2</u>	<u>7.8</u>
UNDER 1	373	142	231	1.3	0.7	2.5	9.3	7.2	11.4
1-4	79	27	52	0.3	0.1	0.6	0.5	0.3	0.6
5-9	39	19	20	0.1	0.1	0.2	0.2	0.2	0.2
10-14	54	31	23	0.2	0.2	0.2	0.2	0.3	0.2
15-24	418	230	188	1.4	1.2	2.0	1.0	1.0	0.9
25-34	657	342	315	2.2	1.7	3.4	1.7	1.5	1.9
35-44	1,073	595	478	3.7	3.0	5.2	2.9	2.7	3.2
45-54	2,634	1,485	1,149	9.0	7.4	12.4	6.4	5.8	7.4
55-64	4,369	2,657	1,712	15.0	13.3	18.5	12.1	11.1	14.1
65-74	5,398	3,711	1,687	18.5	18.6	18.3	24.6	23.1	28.8
75 AND OVER	14,118	10,742	3,376	48.3	53.7	36.6	83.6	84.0	82.3
UNKNOWN	7	5	2	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2011**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,858</u>	<u>14,361</u>	<u>1.03</u>	<u>10,107</u>	<u>9,879</u>	<u>1.02</u>	<u>4,751</u>	<u>4,482</u>	<u>1.06</u>
UNDER 1	204	169	1.21	87	55	1.58	117	114	1.03
1-4	39	40	0.98	10	17	0.59	29	23	1.26
5-9	15	24	0.62	8	11	0.73	7	13	0.54
10-14	41	13	3.15	24	7	3.43	17	6	2.83
15-24	294	124	2.37	165	65	2.54	129	59	2.19
25-34	428	229	1.87	218	124	1.76	210	105	2.00
35-44	627	446	1.40	349	246	1.42	278	200	1.39
45-54	1,568	1,066	1.47	909	576	1.58	659	490	1.34
55-64	2,649	1,720	1.54	1,604	1,053	1.52	1,045	667	1.57
65-74	3,106	2,292	1.36	2,183	1,528	1.43	923	764	1.21
75-84	3,520	3,538	0.99	2,715	2,610	1.04	805	928	0.87
85 AND OVER	2,360	4,700	0.50	1,830	3,587	0.51	530	1,113	0.48
UNKNOWN	7	0		5	0		2	0	
MEDIAN AGE	70	78		72	80		63	72	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2011**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.3</u>	<u>9.4</u>	<u>11.4</u>	<u>10.9</u>	<u>8.4</u>	<u>7.1</u>
UNDER 1	9.9	8.7	8.6	5.7	11.3	11.6
1-4	0.4	0.5	0.2	0.4	0.7	0.6
5-9	0.1	0.2	0.1	0.2	0.1	0.3
10-14	0.4	0.1	0.4	0.1	0.3	0.1
15-24	1.3	0.6	1.4	0.6	1.3	0.6
25-34	2.2	1.2	1.9	1.1	2.7	1.2
35-44	3.5	2.3	3.1	2.2	4.2	2.5
45-54	7.9	5.0	7.1	4.5	9.3	5.9
55-64	15.4	9.1	13.7	8.6	18.8	10.2
65-74	30.8	19.4	29.0	17.9	36.2	23.1
75 AND OVER	93.0	77.9	92.2	78.9	96.0	75.2

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,300</u>	<u>15,405</u>	<u>6,895</u>	<u>7.5</u>	<u>8.6</u>	<u>5.8</u>	<u>76.3</u>	<u>77.1</u>	<u>74.7</u>
1. HEART DISEASES (156-160,162,164-181)	7,324	5,031	2,293	245.9	281.4	192.6	25.1	25.2	24.8
2. MALIGNANT NEOPLASMS (056-108)	6,242	4,214	2,028	209.6	235.7	170.3	21.4	21.1	22.0
3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,689	1,422	267	56.7	79.5	22.4	5.8	7.1	2.9
4. ACCIDENTS (295-330)	1,687	1,235	452	56.6	69.1	38.0	5.8	6.2	4.9
5. CEREBROVASCULAR DISEASE (182-186)	1,539	1,013	526	51.7	56.6	44.2	5.3	5.1	5.7
6. DIABETES MELLITUS (124)	993	526	467	33.3	29.4	39.2	3.4	2.6	5.0
7. ALZHEIMERS DISEASE (148)	974	782	192	32.7	43.7	16.1	3.3	3.9	2.1
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	669	378	291	22.5	21.1	24.4	2.3	1.9	3.2
9. INFLUENZA AND PNEUMONIA (195-198)	610	449	161	20.5	25.1	13.5	2.1	2.2	1.7
10. SEPTICEMIA (018)	573	355	218	19.2	19.8	18.3	2.0	1.8	2.4

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2011**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>79</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (295-330)	32	40.5	18.9
	2. HOMICIDE (338-346)	7	8.9	4.1
	3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	6.3	3.0
	T4. MALIGNANT NEOPLASMS (056-108)	3	3.8	1.8
	T4. HEART DISEASES (156-160,162,164-181)	3	3.8	1.8
5-14	<u>ALL CAUSES</u>	<u>93</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	44	47.3	10.6
	2. SUICIDE (331-337)	6	6.4	1.4
	3. MALIGNANT NEOPLASMS (056-108)	5	5.4	1.2
	T4. HEART DISEASES (156-160,162,164-181)	4	4.3	1.0
	T4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	4.3	1.0
	T4. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	4	4.3	1.0
15-24	<u>ALL CAUSES</u>	<u>418</u>	<u>100.0</u>	<u>1.0</u>
	1. ACCIDENTS (295-330)	198	47.4	45.4
	2. HOMICIDE (338-346)	72	17.2	16.5
	3. SUICIDE (331-337)	39	9.3	8.9
	4. MALIGNANT NEOPLASMS (056-108)	20	4.8	4.6
	5. HEART DISEASES (156-160,162,164-181)	18	4.3	4.1
25-44	<u>ALL CAUSES</u>	<u>1,730</u>	<u>100.0</u>	<u>2.3</u>
	1. ACCIDENTS (295-330)	428	24.7	56.4
	2. HEART DISEASES (156-160,162,164-181)	261	15.1	34.4
	3. MALIGNANT NEOPLASMS (056-108)	189	10.9	24.9
	4. HOMICIDE (338-346)	145	8.4	19.1
	5. SUICIDE (331-337)	132	7.6	17.4
45-64	<u>ALL CAUSES</u>	<u>7,003</u>	<u>100.0</u>	<u>9.1</u>
	1. MALIGNANT NEOPLASMS (056-108)	2,085	29.8	270.4
	2. HEART DISEASES (156-160,162,164-181)	1,631	23.3	211.5
	3. ACCIDENTS (295-330)	463	6.6	60.0
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	297	4.2	38.5
	5. DIABETES MELLITUS (124)	296	4.2	38.4
65 & OVER	<u>ALL CAUSES</u>	<u>19,516</u>	<u>100.0</u>	<u>50.3</u>
	1. HEART DISEASES (156-160,162,164-181)	5,399	27.7	1,391.2
	2. MALIGNANT NEOPLASMS (056-108)	3,940	20.2	1,015.3
	3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,367	7.0	352.2
	4. CEREBROVASCULAR DISEASE (182-186)	1,197	6.1	308.4
	5. ALZHEIMER'S DISEASE (148)	962	4.9	247.9

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2011**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	<u>2,362</u>	<u>1,139</u>	<u>1,852</u>	<u>889</u>	<u>267.2</u>	<u>202.5</u>	<u>204.9</u>	<u>141.5</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	861	352	578	185	97.4	62.6	64.0	29.5
2. DIGESTIVE ORGANS (060-070)	550	332	409	259	62.2	59.0	45.3	41.2
3. GENITAL ORGANS (083-091)	159	162	167	98	18.0	28.8	18.5	15.6
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	208	81	144	71	23.5	14.4	15.9	11.3
5. BREAST (082)	1	3	236	165	0.1	0.5	26.1	26.3
6. URINARY TRACT (092-094)	124	49	52	27	14.0	8.7	5.8	4.3
7. BRAIN (096)	75	8	49	14	8.5	1.4	5.4	2.2
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	56	48	29	9	6.3	8.5	3.2	1.4
9. SKIN (077,078)	77	6	30	3	8.7	1.1	3.3	0.5
10. BONE AND ARTICULAR CARTILAGE (076)	12	5	14	6	1.4	0.9	1.5	1.0
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	239	93	144	52	27.0	16.5	15.9	8.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1986, 1991, 1996, 2001, 2006, 2011**

DISEASE*	1986	1991	1996	2001	2006	2011
TUBERCULOSIS OF RESPIRATORY SYSTEM	24	8	19	9	4	7
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,458	1,635	1,790	1,951	2,049	1,976
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,404	1,586	1,736	1,901	1,992	1,920
CHRONIC AND UNQUALIFIED BRONCHITIS	29	50	40	13	10	9
EMPHYSEMA	92	125	135	132	86	76
ASTHMA	45	45	60	50	46	52

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2011**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,398</u>	<u>1,036</u>	<u>362</u>	<u>82.9</u>	<u>83.9</u>	<u>80.1</u>
1. MOTOR VEHICLE (296-306)	706	483	223	41.8	39.1	49.3
2. FALLS (312-314)	277	238	39	16.4	19.3	8.6
3. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	257	230	27	15.2	18.6	6.0
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	81	37	44	4.8	3.0	9.7
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	77	48	29	4.6	3.9	6.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2011**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,687</u>	<u>1,031</u>	<u>656</u>	<u>17</u>	<u>32</u>	<u>44</u>	<u>198</u>	<u>209</u>	<u>219</u>	<u>463</u>	<u>504</u>	<u>1</u>
MOTOR VEHICLE (296-306)	706	483	223	4	16	25	140	121	96	205	98	1
OTHER LAND TRANSPORT (295,307-308)	9	8	1	0	0	1	2	1	1	4	0	0
WATER TRANSPORT (309)	14	13	1	0	0	1	1	4	0	6	2	0
AIR AND SPACE TRANSPORT (310)	4	2	2	0	0	0	1	1	0	1	1	0
FALLS (312-314)	277	124	153	1	0	0	0	0	5	28	243	0
DISCHARGE OF FIREARMS (315)	31	23	8	0	1	5	11	4	4	5	1	0
EXPLOSION (316)	3	3	0	0	0	0	0	0	1	2	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	57	48	9	0	4	5	12	12	5	13	6	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRU- TION OF RESPIRATORY TRACT (318)	77	32	45	4	0	0	2	5	3	16	47	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	9	5	4	6	0	0	0	1	0	1	1	0
EXPOSURE TO ELECTRIC CURRENT (320)	4	4	0	0	0	0	1	2	1	0	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	81	49	32	0	8	6	3	4	5	29	26	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	3	1	2	0	0	0	0	0	0	1	2	0
<u>POISONING (327-329)</u>	<u>257</u>	<u>136</u>	<u>121</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>16</u>	<u>45</u>	<u>83</u>	<u>102</u>	<u>11</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	232	116	116	0	0	0	15	43	75	90	9	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	25	20	5	0	0	0	1	2	8	12	2	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	155	100	55	2	3	1	9	9	15	50	66	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN
MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT
DEATHS OF MISSISSIPPI RESIDENTS AND RATES,
BY YEAR, 1950,1955, 1960, 1965, 1970-2011**

YEAR	OCCURRENCE DATA		RESIDENCE DATA		YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*		NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6					
1955	568	**	541	24.8					
1960	676	9.3	620	28.5					
1965	748	8.4	742	31.8					
1970	960	8.2	937	42.3	2000	948	2.7	935	32.9
1971	1,011	8.2	984	44.4	2001	804	2.2	816	28.7
1972	1,019	7.8	989	43.8	2002	898	2.5	875	30.5
1973	956	7.0	954	41.2	2003	895	2.4	890	30.9
1974	711	5.2	717	30.7	2004	932	2.4	907	31.2
1975	671	4.7	681	29.1	2005	956	2.3	956	32.7
1976	725	4.7	696	29.4	2006	969	2.3	960	33.0
1977	763	4.8	771	32.3	2007	898	2.1	894	30.6
1978	884	5.2	877	36.5	2008	773	1.8	768	26.1
1979	801	4.7	783	32.5	2009	743	1.8	733	24.8
1980	796	4.8	743	29.5	2010	675	1.7	674	22.7
1981	792	4.7	793	31.5	2011	713	#	706	23.7
1982	777	4.5	755	29.6					
1983	744	4.2	725	28.0					
1984	707	3.8	697	26.9					
1985	691	4.0	683	25.7					
1986	785	5.7	782	29.4					
1987	802	4.0	804	29.6					
1988	791	3.6	776	28.2					
1989	806	3.5	797	28.7					
1990	863	3.5	854	33.2					
1991	811	3.3	810	31.5					
1992	838	3.2	826	32.1					
1993	897	3.3	868	33.7					
1994	854	3.0	844	32.8					
1995	904	3.0	898	33.3					
1996	851	2.8	868	32.2					
1997	896	2.9	868	32.2					
1998	983	2.9	957	34.8					
1999	943	2.7	954	34.4					

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2011 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2011**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	373	142	231	100.0	100.0	100.0	9.4	6.5	12.8
NEONATAL (UNDER 28 DAYS)	227	83	144	60.8	58.4	62.3	5.7	3.8	8.0
HEBDOMADAL (UNDER 7 DAYS)	168	58	110	45.0	40.8	47.6	4.2	2.7	6.1
UNDER 1 DAY	105	39	66	28.2	27.5	28.6	2.6	1.8	3.6
1-6 DAYS	63	19	44	16.9	13.4	19.0	1.6	0.9	2.4
7-27 DAYS	59	25	34	15.8	17.6	14.7	1.5	1.1	1.9
POSTNEONATAL (28 DAYS TO 1 YEAR)	146	59	87	39.1	41.5	37.7	3.7	2.7	4.8

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>373</u>	<u>142</u>	<u>231</u>	<u>9.4</u>	<u>6.5</u>	<u>12.8</u>
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	69	29	40	1.7	1.3	2.2
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	47	9	38	1.2	0.4	2.1
3. SUDDEN INFANT DEATH SYNDROME (111)	43	21	22	1.1	1.0	1.2
T4. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	17	7	10	0.4	0.3	0.6
T4. ACCIDENTS (114-124)	17	6	11	0.4	0.3	0.6
T6. RESPIRATORY DISTRESS OF NEWBORN (077)	15	4	11	0.4	0.2	0.6
T6. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	15	5	10	0.4	0.2	0.6
T8. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	8	2	6	0.2	0.1	0.3
T8. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	8	5	3	0.2	0.2	0.2
T10. DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	7	2	5	0.2	0.1	0.3
T10. NEONATAL HEMORRHAGE (088)	7	3	4	0.2	0.1	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>290,579</u>	<u>10,342.3</u>
HEART DISEASES (156-160,162,164-181)	48,878	1,739.7
ISCHEMIC HEART DISEASE (165-168)	27,227	969.1
CEREBROVASCULAR DISEASES (182-186)	8,578	305.3
MALIGNANT NEOPLASMS (056-108)	55,702	1,982.5
RESPIRATORY SYSTEM (071-075)	16,392	583.4
COLORECTAL (063,064)	5,457	194.2
PROSTATE (089)#	1,213	87.7
BREAST (082)##	4,717	330.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	8,673	308.7
PNEMONIA AND INFLUENZA (195-198)	2,769	98.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5,145	183.1
DIABETES MELLITUS (124)	8,991	320.0
HIV INFECTION (039-043)	3,619	128.8
UNINTENTIONAL INJURIES (295-330)	44,945	1,599.7
MOTOR VEHICLE CRASHES (296-306)	24,192	861.0
SUICIDE (331-337)	10,835	385.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	12,356	439.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>98,548</u>	<u>11,805.3</u>
HEART DISEASES (156-160,162,164-181)	17,903	2,144.6
ISCHEMIC HEART DISEASE (165-168)	11,633	1,393.5
CEREBROVASCULAR DISEASES (182-186)	2,448	293.2
MALIGNANT NEOPLASMS (056-108)	18,058	2,163.2
RESPIRATORY SYSTEM (071-075)	6,080	728.3
COLORECTAL (063,064)	1,779	213.1
PROSTATE (089)	415	49.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	3,247	389.0
PNEMONIA AND INFLUENZA (195-198)	837	100.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,760	330.6
DIABETES MELLITUS (124)	2,641	316.4
HIV INFECTION (039-043)	347	41.6
UNINTENTIONAL INJURIES (295-330)	19,803	2,372.2
MOTOR VEHICLE CRASHES (296-306)	10,365	1,241.6
SUICIDE (331-337)	7,157	857.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,681	201.4
<u>WHITE FEMALES - ALL CAUSES</u>	<u>62,515</u>	<u>7,575.0</u>
HEART DISEASES (156-160,162,164-181)	8,658	1,049.1
ISCHEMIC HEART DISEASE (165-168)	4,493	544.4
CEREBROVASCULAR DISEASES (182-186)	1,517	183.8
MALIGNANT NEOPLASMS (056-108)	14,787	1,791.7
RESPIRATORY SYSTEM (071-075)	4,679	567.0
COLORECTAL (063,064)	1,020	123.6
BREAST (082)	2,241	271.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	3,292	398.9
PNEMONIA AND INFLUENZA (195-198)	877	106.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,037	125.6
DIABETES MELLITUS (124)	1,619	196.2
HIV INFECTION (039-043)	125	15.1
UNINTENTIONAL INJURIES (295-330)	10,675	1,293.5
MOTOR VEHICLE CRASHES (296-306)	5,191	629.0
SUICIDE (331-337)	1,896	229.7
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	862	104.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>76,372</u>	<u>13,922.3</u>
HEART DISEASES (156-160,162,164-181)	13,870	2,528.4
ISCHEMIC HEART DISEASE (165-168)	7,298	1,330.4
CEREBROVASCULAR DISEASES (182-186)	2,630	479.4
MALIGNANT NEOPLASMS (056-108)	12,719	2,318.6
RESPIRATORY SYSTEM (071-075)	3,829	698.0
COLORECTAL (063,064)	1,497	272.9
PROSTATE (089)	798	145.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,326	241.7
PNEMONIA AND INFLUENZA (195-198)	422	76.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	991	180.6
DIABETES MELLITUS (124)	2,603	474.5
HIV INFECTION (039-043)	2,094	381.7
UNINTENTIONAL INJURIES (295-330)	9,298	1,695.0
MOTOR VEHICLE CRASHES (296-306)	5,204	948.7
SUICIDE (331-337)	1,537	280.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	8,439	1,538.4
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>53,144</u>	<u>8,842.7</u>
HEART DISEASES (156-160,162,164-181)	8,447	1,405.5
ISCHEMIC HEART DISEASE (165-168)	3,803	632.8
CEREBROVASCULAR DISEASES (182-186)	1,983	330.0
MALIGNANT NEOPLASMS (056-108)	10,138	1,686.9
RESPIRATORY SYSTEM (071-075)	1,804	300.2
COLORECTAL (063,064)	1,161	193.2
BREAST (082)	2,456	408.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	808	134.4
PNEMONIA AND INFLUENZA (195-198)	633	105.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	357	59.4
DIABETES MELLITUS (124)	2,128	354.1
HIV INFECTION (039-043)	1,053	175.2
UNINTENTIONAL INJURIES (295-330)	5,169	860.1
MOTOR VEHICLE CRASHES (296-306)	3,432	571.0
SUICIDE (331-337)	245	40.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,374	228.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2011**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>14,515</u>	<u>40</u>			
JANUARY	601	19	JULY	1,365	44
FEBRUARY	800	28	AUGUST	942	30
MARCH	1,276	41	SEPTEMBER	1,168	39
APRIL	1,392	46	OCTOBER	1,416	46
MAY	1,602	52	NOVEMBER	1,226	41
JUNE	1,631	54	DECEMBER	1,096	35

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2011**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	<u>14,515</u>	<u>10,082</u>	<u>4,433</u>	<u>14,515</u>	<u>9,979</u>	<u>4,536</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER 20	<u>763</u>	<u>698</u>	<u>65</u>	<u>291</u>	<u>268</u>	<u>23</u>	<u>5.2</u>	<u>6.9</u>	<u>1.5</u>	<u>2.0</u>	<u>2.7</u>	<u>0.5</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	0	0	0	0	0	0	-	-	-	-	-	-
15	14	13	1	1	1	0	0.1	0.1	*	*	*	-
16	27	25	2	5	4	1	0.2	0.2	*	*	*	*
17	101	99	2	23	23	0	0.7	1.0	*	0.2	0.2	-
18	238	224	14	86	78	8	1.6	2.2	0.3	0.6	0.8	0.2
19	383	337	46	176	162	14	2.6	3.3	1.0	1.2	1.6	0.3
20-24	3,832	3,104	728	2,874	2,346	528	26.4	30.8	16.4	19.8	23.5	11.6
25-34	5,223	3,299	1,924	5,747	3,831	1,916	36.0	32.7	43.4	39.6	38.4	42.2
35-44	2,470	1,482	988	2,723	1,678	1,045	17.0	14.7	22.3	18.8	16.8	23.0
45-54	1,470	946	524	1,650	1,022	628	10.1	9.4	11.8	11.4	10.2	13.8
55-64	522	361	161	823	530	293	3.6	3.6	3.6	5.7	5.3	6.4
65-74	185	147	38	298	216	82	1.3	1.4	0.8	2.0	2.2	1.8
75 & OVER	50	45	5	109	88	21	0.3	0.4	0.1	0.8	0.9	0.5
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2011**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	28	27	31	31	29	33
FIRST MARRIAGES	25	23	28	26	25	29

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2011**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>14,515</u>	<u>10,082</u>	<u>4,433</u>	<u>14,515</u>	<u>9,979</u>	<u>4,536</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	8,857	5,860	2,997	8,673	5,813	2,860	61.0	58.1	67.6	59.8	58.2	63.0
<u>REMARRIAGE</u>	<u>5,658</u>	<u>4,222</u>	<u>1,436</u>	<u>5,842</u>	<u>4,166</u>	<u>1,676</u>	<u>39.0</u>	<u>41.9</u>	<u>32.4</u>	<u>40.2</u>	<u>41.7</u>	<u>36.9</u>
SECOND	3,705	2,607	1,098	3,873	2,623	1,250	25.5	25.8	24.8	26.7	26.3	27.6
<u>OVER TWO</u>	<u>1,953</u>	<u>1,615</u>	<u>338</u>	<u>1,968</u>	<u>1,543</u>	<u>425</u>	<u>13.4</u>	<u>16.0</u>	<u>7.6</u>	<u>13.6</u>	<u>15.5</u>	<u>9.4</u>
THIRD	1,375	1,101	274	1,422	1,091	331	9.5	10.9	6.2	9.8	10.9	7.3
FOURTH	422	369	53	408	330	78	2.9	3.7	1.2	2.8	3.3	1.7
FIFTH	117	111	6	101	90	11	0.8	1.1	0.1	0.7	0.9	0.2
SIXTH	28	26	2	24	20	4	0.2	0.2	#	0.2	0.2	0.1
SEVENTH	10	7	3	11	10	1	0.1	0.1	0.1	0.1	0.1	#
EIGHTH	1	1	0	1	1	0	#	#	-	#	#	-
NINTH	0	0	0	1	1	0	-	-	-	#	#	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	1	0	1	-	-	-	#	-	#
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2011**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>14,515</u>	<u>10,082</u>	<u>4,433</u>	<u>14,515</u>	<u>9,979</u>	<u>4,536</u>
NOT PREVIOUSLY MARRIED	8,857	5,860	2,997	8,673	5,813	2,860
<u>REMARRIAGES</u>	<u>5,658</u>	<u>4,222</u>	<u>1,436</u>	<u>5,842</u>	<u>4,166</u>	<u>1,676</u>
WIDOWED	534	404	130	516	377	139
DIVORCED*	5,123	3,818	1,305	5,326	3,789	1,537
UNKNOWN**	1	0	1	0	0	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	61.0	58.1	67.6	59.8	58.2	63.0
<u>REMARRIAGES</u>	<u>39.0</u>	<u>41.9</u>	<u>32.4</u>	<u>40.2</u>	<u>41.7</u>	<u>36.9</u>
WIDOWED	3.7	4.0	2.9	3.6	3.8	3.1
DIVORCED*	35.3	37.9	29.4	36.7	38.0	33.9
UNKNOWN**	##	-	##	-	-	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2011**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>14,515</u>	<u>13,619</u>	<u>879</u>	<u>17</u>	<u>10,082</u>	<u>9,386</u>	<u>686</u>	<u>10</u>	<u>4,433</u>	<u>4,233</u>	<u>193</u>	<u>7</u>
MISSISSIPPI	13,439	13,226	201	12	9,225	9,086	132	7	4,214	4,140	69	5
OTHER	1,060	384	675	1	849	296	552	1	211	88	123	0
UNKNOWN	16	9	3	4	8	4	2	2	8	5	1	2
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.8</u>	<u>6.0</u>	<u>0.1</u>	<u>100.0</u>	<u>93.1</u>	<u>6.8</u>	<u>0.1</u>	<u>100.0</u>	<u>95.5</u>	<u>4.4</u>	<u>0.2</u>
MISSISSIPPI	92.6	91.1	1.4	0.1	91.5	90.1	1.3	0.1	95.1	93.4	1.6	0.1
OTHER	7.3	2.6	4.6	*	8.4	2.9	5.5	*	4.8	2.0	2.8	-
UNKNOWN	0.1	0.1	*	*	0.1	*	*	*	0.2	0.1	*	*

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2011**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,043</u>	<u>6,854</u>	<u>2,568</u>	<u>2,621</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,164	6,471	2,297	2396	92.7	94.4	89.4	91.4
CRUEL AND INHUMAN TREATMENT	299	124	89	86	2.5	1.8	3.5	3.3
DESERTION	254	81	101	72	2.1	1.2	3.9	2.7
ADULTERY	190	109	45	36	1.6	1.6	1.8	1.4
DRUNKENNESS	56	29	11	16	0.5	0.4	0.4	0.6
PENITENTIARY	60	28	21	11	0.5	0.4	0.8	0.4
ANNULMENT	17	10	3	4	0.1	0.1	0.1	0.2
BIGAMY	2	1	1	0	#	#	#	-
MISCELLANEOUS AND OTHER	1	1	0	0	#	#	-	-
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2011**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,043</u>	<u>6,854</u>	<u>2,568</u>	<u>2,621</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,316	3,464	1,452	1400	52.4	50.5	56.5	53.4
ONE	2,798	1,632	559	607	23.2	23.8	21.8	23.2
TWO	2,114	1,282	367	465	17.6	18.7	14.3	17.7
THREE OR MORE	815	476	190	149	6.8	6.9	7.4	5.7
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2011**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,043</u>	<u>6,854</u>	<u>2,568</u>	<u>2,621</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,051</u>	<u>2,416</u>	<u>739</u>	<u>896</u>	<u>33.6</u>	<u>35.2</u>	<u>28.8</u>	<u>34.2</u>
<u>UNDER ONE</u>	416	283	50	83	3.4	4.1	1.9	3.2
<u>ONE</u>	865	518	143	204	7.2	7.6	5.6	7.8
<u>TWO</u>	975	574	174	227	8.1	8.4	6.8	8.7
<u>THREE</u>	910	527	190	193	7.6	7.7	7.4	7.4
<u>FOUR</u>	885	514	182	189	7.3	7.5	7.1	7.2
<u>FIVE-NINE</u>	<u>3,245</u>	<u>1,767</u>	<u>749</u>	<u>729</u>	<u>26.9</u>	<u>25.8</u>	<u>29.2</u>	<u>27.8</u>
<u>TEN-NINETEEN</u>	<u>3,161</u>	<u>1,742</u>	<u>747</u>	<u>672</u>	<u>26.2</u>	<u>25.4</u>	<u>29.1</u>	<u>25.6</u>
<u>TWENTY AND OVER</u>	<u>1,581</u>	<u>926</u>	<u>332</u>	<u>323</u>	<u>13.1</u>	<u>13.5</u>	<u>12.9</u>	<u>12.3</u>
<u>UNKNOWN</u>	<u>5</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>#</u>	<u>#</u>	<u>#</u>	<u>#</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2011**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,224</u>	<u>414</u>	<u>1,757</u>	<u>53</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>55.8</u>	<u>19.0</u>	<u>97.2</u>
UNDER 15	22	2	18	2	1.0	0.5	1.0	226.8	117.6	225.0
15-19	289	39	239	11	13.0	9.4	13.6	53.9	17.1	77.5
20-24	801	147	642	12	36.0	35.5	36.5	61.1	23.1	94.9
25-29	584	117	451	16	26.2	28.3	25.7	51.3	17.2	98.6
30-34	336	64	264	8	15.1	15.4	15.0	49.0	14.6	106.3
35-39	146	33	109	4	6.6	8.0	6.2	59.2	20.9	123.4
40-44	41	10	31	0	1.8	2.4	1.8	79.6	30.8	163.2
45-49	1	0	1	0	**	-	**	35.7	-	111.1
UNKNOWN	4	2	2	0	0.2	0.5	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2011**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,224</u>	<u>414</u>	<u>1,757</u>	<u>53</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,180	404	1,723	53	98.0	97.6	98.1
<u>NONRESIDENT</u>	<u>44</u>	<u>10</u>	<u>34</u>	<u>0</u>	<u>2.0</u>	<u>2.4</u>	<u>1.9</u>
BORDER STATE	35	9	26	0	1.6	2.2	1.5
OTHER STATE	9	1	8	0	0.4	0.2	0.4
<u>MARITAL STATUS</u>							
MARRIED	179	61	115	3	8.0	14.7	6.5
NOT MARRIED	2,043	352	1,641	50	91.9	85.0	93.4
UNKNOWN	2	1	1	0	0.1	0.2	*
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	5	2	2	1	0.2	0.5	0.1
7-9 YEARS	61	13	46	2	2.7	3.1	2.6
10, 11 YEARS	196	52	138	6	8.8	12.6	7.8
12 YEARS	866	160	688	18	38.9	38.6	39.2
1-3 YEARS COLLEGE	751	128	604	19	33.8	30.9	34.4
4 OR MORE YEARS COLLEGE	332	55	270	7	14.9	13.3	15.4
UNKNOWN	13	4	9	0	0.6	1.0	0.5
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	791	158	616	17	35.6	38.2	35.1
ONE	652	136	502	14	29.3	32.8	28.6
TWO	485	80	394	11	21.8	19.3	22.4
THREE	187	28	152	7	8.4	6.8	8.6
FOUR	60	7	50	3	2.7	1.7	2.8
FIVE OR MORE	36	5	31	0	1.6	1.2	1.8
UNKNOWN	13	0	12	1	0.6	-	0.7
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,388	299	1,058	31	62.4	72.2	60.2
ONE	559	81	462	16	25.1	19.6	26.3
TWO	190	25	161	4	8.5	6.0	9.2
THREE OR MORE	70	9	60	1	3.1	2.2	3.4
UNKNOWN	17	0	16	1	0.8	-	0.9

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2011

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,224</u>	<u>414</u>	<u>1,757</u>	<u>53</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	992	204	764	24	44.6	49.3	43.5
9, 10	347	53	288	6	15.6	12.8	16.4
11, 12	229	36	189	4	10.3	8.7	10.8
13-15	102	17	80	5	4.6	4.1	4.6
16-20	24	5	18	1	1.1	1.2	1.0
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	529	99	417	13	23.8	23.9	23.7
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,220	413	1,754	53	99.8	99.8	99.8
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	4	1	3	0	0.2	0.2	0.2
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2011

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	0	1	0
30-39	1	1	0	0
40-49	1	0	1	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	3	1	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	2	0	2	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	1	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY. COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE I
2011 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2010 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2010		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,978,512</u>	<u>1,787,924</u>	<u>1,190,588</u>	<u>0.4</u>	<u>1.9</u>	<u>-1.8</u>
ADAMS	32,067	14,206	17,861	-0.7	3.0	-3.5
ALCORN	37,052	32,045	5,007	*	1.2	-7.3
AMITE	13,064	7,494	5,570	-0.5	-1.1	0.2
ATTALA	19,466	11,003	8,463	-0.5	*	-1.2
BENTON	8,732	5,370	3,362	*	1.6	-2.4
BOLIVAR	33,771	11,614	22,157	-1.1	1.5	-2.4
CALHOUN	14,917	10,491	4,426	-0.3	3.9	-9.0
CARROLL	10,373	6,796	3,577	-2.1	-2.3	-1.8
CHICKASAW	17,124	9,511	7,613	-1.5	1.3	-4.9
CHOCTAW	8,412	5,699	2,713	-1.6	-2.5	0.4
CLAIBORNE	9,585	1,393	8,192	-0.2	1.9	-0.6
CLARKE	16,743	10,739	6,004	0.1	*	0.2
CLAY	20,456	8,293	12,163	-0.9	-0.7	-1.0
COAHOMA	25,913	6,136	19,777	-0.9	2.5	-1.9
COPIAH	29,247	13,878	15,369	-0.7	1.8	-2.9
COVINGTON	19,629	12,375	7,254	0.3	0.5	0.1
DESOTO	164,053	121,513	42,540	1.7	4.4	-5.1
FORREST	75,842	46,278	29,564	1.2	3.5	-2.1
FRANKLIN	8,017	5,134	2,883	-1.2	-2.3	0.8
GEORGE	22,889	20,580	2,309	1.4	1.6	-0.1
GREENE	14,338	10,311	4,027	-0.4	-1.3	1.7
GRENADA	21,706	12,324	9,382	-0.9	-1.1	-0.6
HANCOCK	44,649	39,440	5,209	1.6	1.5	2.4
HARRISON	191,040	135,597	55,443	2.1	4.0	-2.3
HINDS	248,184	71,959	176,225	1.2	3.1	0.4
HOLMES	18,818	3,092	15,726	-2.0	3.0	-2.9
HUMPHREYS	9,312	2,260	7,052	-0.7	2.6	-1.7
ISSAQUENA	1,392	489	903	-1.0	0.6	-1.9
ITAWAMBA	23,332	21,458	1,874	-0.3	-0.8	5.4
JACKSON	139,901	102,900	37,001	0.2	2.2	-5.0
JASPER	16,777	7,733	9,044	-1.7	-2.0	-1.4
JEFFERSON	7,605	1,101	6,504	-1.6	3.9	-2.4
JEFF DAVIS	12,118	4,768	7,350	-3.0	-1.4	-4.0
JONES	68,075	47,282	20,793	0.5	3.9	-6.5
KEMPER	10,146	3,596	6,550	-3.0	-2.5	-3.2
LAFAYETTE	48,472	34,995	13,477	2.4	3.0	0.8
LAMAR	57,422	44,123	13,299	3.2	2.6	5.2
LAUDERDALE	80,475	44,286	36,189	0.3	0.8	-0.3
LAWRENCE	12,687	8,543	4,144	-1.9	-0.9	-3.7
LEAKE	23,572	12,022	11,550	-1.0	1.9	-3.9
LEE	84,156	58,913	25,243	1.5	2.5	-0.7
LEFLORE	31,861	8,224	23,637	-1.4	2.3	-2.6

TABLE I - PAGE 2
 2011 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2010		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,889	23,774	11,115	0.1	-0.4	1.0
LOWNDES	59,671	32,386	27,285	-0.2	0.4	-0.9
MADISON	96,941	56,259	40,682	1.8	3.7	-0.6
MARION	26,809	17,658	9,151	-1.0	-0.9	-1.2
MARSHALL	36,786	18,890	17,896	-1.0	1.5	-3.4
MONROE	36,626	24,879	11,747	-1.0	-0.6	-1.7
MONTGOMERY	10,872	5,763	5,109	-0.5	-0.5	-0.5
NESHOBA	29,818	18,176	11,642	0.5	1.1	-0.5
NEWTON	21,499	13,550	7,949	-1.0	-1.3	-0.5
NOXUBEE	11,351	3,115	8,236	-1.7	-0.6	-2.1
OKTIBBEHA	47,741	28,224	19,517	0.2	0.0	0.4
PANOLA	34,602	17,188	17,414	-0.3	0.2	-0.8
PEARL RIVER	55,718	47,032	8,686	-0.2	0.2	-2.5
PERRY	12,164	9,475	2,689	-0.7	-1.0	0.5
PIKE	40,406	18,757	21,649	0.0	0.1	*
PONTOTOC	29,900	24,839	5,061	-0.2	3.6	-15.3
PRENTISS	25,330	21,308	4,022	0.2	*	1.5
QUITMAN	8,134	2,372	5,762	-1.1	-0.4	-1.4
RANKIN	143,702	111,787	31,915	1.5	2.1	-0.6
SCOTT	28,388	16,746	11,642	0.4	11.3	-11.9
SHARKEY	4,892	1,383	3,509	-0.5	1.0	-1.0
SIMPSON	27,320	17,201	10,119	-0.7	-0.3	-1.2
SMITH	16,442	12,430	4,012	-0.3	-0.6	0.6
STONE	17,822	13,948	3,874	0.2	-0.2	1.8
SUNFLOWER	29,296	7,735	21,561	-0.5	3.2	-1.8
TALLAHATCHIE	15,318	6,295	9,023	-0.4	5.1	-3.9
TATE	28,719	19,440	9,279	-0.6	0.7	-3.1
TIPPAH	22,143	18,116	4,027	-0.4	1.9	-9.6
TISHOMINGO	19,603	18,712	891	*	1.1	-17.8
TUNICA	10,628	2,694	7,934	-1.4	5.5	-3.5
UNION	27,340	22,752	4,588	0.8	3.6	-11.1
WALTHALL	15,406	8,240	7,166	-0.2	-0.1	-0.4
WARREN	48,346	24,672	23,674	-0.9	0.5	-2.3
WASHINGTON	50,406	13,882	36,524	-1.4	0.7	-2.2
WAYNE	20,589	12,280	8,309	-0.8	-0.2	-1.6
WEBSTER	10,319	8,081	2,238	0.6	0.2	2.3
WILKINSON	9,679	2,841	6,838	-2.0	0.3	-2.9
WINSTON	19,069	9,977	9,092	-0.7	*	-1.5
YALOBUSHA	12,552	7,623	4,929	-1.0	-0.6	-1.6
YAZOO	27,886	11,480	16,406	-0.6	2.4	-2.7

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2011**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>38,939</u>	<u>20,762</u>	<u>18,177</u>	<u>39,825</u>	<u>21,756</u>	<u>18,069</u>	<u>13.4</u>	<u>12.2</u>	<u>15.2</u>
ADAMS	1,004	367	637	409	152	257	12.8	10.7	14.4
ALCORN	542	473	69	444	384	60	12.0	12.0	12.0
AMITE	0	0	0	167	77	90	12.8	10.3	16.2
ATTALA	1	0	1	254	127	127	13.0	11.5	15.0
BENTON	0	0	0	99	59	40	11.3	11.0	11.9
BOLIVAR	459	94	365	574	141	433	17.0	12.1	19.5
CALHOUN	1	0	1	173	114	59	11.6	10.9	13.3
CARROLL	0	0	0	91	48	43	8.8	7.1	12.0
CHICKASAW	1	0	1	246	128	118	14.4	13.4	15.5
CHOCTAW	0	0	0	81	57	24	9.6	10.0	8.8
CLAIBORNE	0	0	0	115	7	108	12.0	5.0	13.2
CLARKE	0	0	0	181	115	66	10.8	10.7	11.0
CLAY	385	167	218	247	74	173	12.1	8.9	14.2
COAHOMA	882	156	726	468	65	403	18.1	10.6	20.4
COPIAH	3	0	3	445	198	247	15.2	14.3	16.1
COVINGTON	2	2	0	258	148	110	13.1	12.0	15.2
DESOTO	2,032	1,139	893	2,049	1,532	517	12.5	12.6	12.2
FORREST	2,345	1,661	684	1,077	585	492	14.2	12.6	16.6
FRANKLIN	1	1	0	98	61	37	12.2	11.9	12.8
GEORGE	58	51	7	365	330	35	15.9	16.0	15.2
GREENE	0	0	0	125	101	24	8.7	9.8	6.0
GRENADA	471	179	292	305	151	154	14.0	12.2	16.4
HANCOCK	198	168	30	472	428	44	10.6	10.8	8.4
HARRISON	3,253	2,281	972	2,836	1,924	912	14.8	14.2	16.4
HINDS	5,782	2,038	3,744	3,433	706	2,727	13.8	9.8	15.5
HOLMES	2	0	2	305	17	288	16.2	5.5	18.3
HUMPHREYS	1	0	1	141	14	127	15.1	6.2	18.0
ISSAQUENA	0	0	0	14	1	13	10.0	2.0	14.4
ITAWAMBA	0	0	0	273	255	18	11.7	11.9	9.6
JACKSON	1,647	1,246	401	1,670	1,222	448	11.9	11.9	12.1
JASPER	0	0	0	229	93	136	13.6	12.0	15.0
JEFFERSON	1	0	1	112	5	107	14.7	4.5	16.4
JEFF DAVIS	0	0	0	145	44	101	12.0	9.2	13.7
JONES	802	325	477	969	628	341	14.2	13.3	16.4
KEMPER	1	0	1	105	34	71	10.3	9.4	10.8
LAFAYETTE	910	546	364	547	343	204	11.3	9.8	15.1
LAMAR	1,507	976	531	763	544	219	13.3	12.3	16.5
LAUDERDALE	2,324	1,093	1,231	1,040	499	541	12.9	11.3	14.9
LAWRENCE	3	0	3	171	103	68	13.5	12.0	16.4
LEAKE	4	1	3	296	142	154	12.6	11.8	13.3
LEE	2,114	1,525	589	1,176	759	417	14.0	12.9	16.5
LEFLORE	693	107	586	541	107	434	17.0	13.0	18.4

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2011

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	650	379	271	464	299	165	13.3	12.6	14.8
LOWNDES	904	433	471	775	414	361	13.0	12.8	13.2
MADISON	307	15	292	1,269	705	564	13.1	12.5	13.9
MARION	1	1	0	339	220	119	12.6	12.4	13.0
MARSHALL	0	0	0	457	211	246	12.4	11.2	13.7
MONROE	489	366	123	413	277	136	11.3	11.1	11.6
MONTGOMERY	1	0	1	118	51	67	10.8	8.8	13.1
NESHOBA	1	0	1	427	183	244	14.3	10.1	21.0
NEWTON	0	0	0	314	174	140	14.6	12.8	17.6
NOXUBEE	1	1	0	140	36	104	12.3	11.6	12.6
OKTIBBEHA	925	454	471	575	282	293	12.0	10.0	15.0
PANOLA	179	55	124	495	198	297	14.3	11.5	17.0
PEARL RIVER	269	199	70	706	611	95	12.7	13.0	10.9
PERRY	0	0	0	163	135	28	13.4	14.2	10.4
PIKE	967	424	543	604	220	384	14.9	11.7	17.7
PONTOTOC	9	9	0	407	352	55	13.6	14.2	10.9
PRETISS	1	1	0	354	307	47	14.0	14.4	11.7
QUITMAN	0	0	0	112	19	93	13.8	8.0	16.1
RANKIN	3,358	2,301	1,057	2,012	1,616	396	14.0	14.4	12.4
SCOTT	2	0	2	458	267	191	16.1	15.9	16.4
SHARKEY	0	0	0	91	7	84	18.6	5.1	23.9
SIMPSON	259	128	131	355	210	145	13.0	12.2	14.3
SMITH	1	1	0	183	128	55	11.1	10.3	13.7
STONE	0	0	0	227	183	44	12.7	13.1	11.4
SUNFLOWER	227	36	191	361	58	303	12.3	7.5	14.0
TALLAHATCHIE	0	0	0	162	37	125	10.6	5.9	13.8
TATE	4	1	3	348	220	128	12.1	11.3	13.8
TIPPAH	1	1	0	284	225	59	12.8	12.4	14.6
TISHOMINGO	0	0	0	211	207	4	10.8	11.1	4.5
TUNICA	0	0	0	188	31	157	17.7	11.5	19.8
UNION	1,132	895	237	346	286	60	12.6	12.6	13.1
WALTHALL	2	1	1	207	98	109	13.4	11.9	15.2
WARREN	707	217	490	608	268	340	12.6	10.9	14.4
WASHINGTON	874	137	737	839	148	691	16.6	10.7	18.9
WAYNE	227	110	117	297	158	139	14.4	12.9	16.7
WEBSTER	1	1	0	118	87	31	11.4	10.8	13.8
WILKINSON	0	0	0	122	25	97	12.6	8.8	14.2
WINSTON	1	0	1	227	103	124	11.9	10.3	13.6
YALOBUSHA	0	0	0	147	72	75	11.7	9.4	15.2
YAZOO	10	0	10	393	106	287	14.1	9.2	17.5
OUT OF STATE	1,963	1,575	388	1,077	581	496			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2011

TOWN**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
BILOXI	705	495	210	16.0	16.4	15.1
BRANDON	459	353	106	21.1	20.2	25.2
BROOKHAVEN	175	62	113	14.0	11.3	16.1
BYRAM	163	45	118	14.2	8.6	18.9
CANTON	285	52	233	21.6	20.2	21.9
CLARKSDALE	368	49	319	20.5	14.0	22.0
CLEVELAND	240	81	159	19.4	13.8	24.6
CLINTON	293	164	129	11.6	10.8	12.8
COLUMBUS	365	150	215	15.4	17.0	14.5
CORINTH	208	154	54	14.3	14.8	13.0
GAUTIER	190	115	75	10.2	10.1	10.4
GREENVILLE	598	65	533	17.4	9.3	19.4
GREENWOOD	339	69	270	22.3	14.8	25.6
GRENADA	193	71	122	14.7	12.1	16.9
GULFPORT	1,189	653	536	17.5	16.9	18.3
HATTIESBURG	836	310	526	18.2	16.1	19.7
HERNANDO	232	205	27	16.5	17.8	10.4
HORN LAKE	384	247	137	14.7	16.1	12.8
INDIANOLA	147	14	133	13.8	7.0	15.3
JACKSON	2,653	355	2,298	15.3	11.1	16.2
LAUREL	379	149	230	20.4	24.8	18.4
LONG BEACH	166	134	32	11.2	10.6	14.9
MADISON	312	270	42	12.9	13.1	12.0
MCCOMB	245	54	191	19.2	13.5	21.7
MERIDIAN	624	172	452	15.2	11.7	17.1
MOSS POINT	223	94	129	16.3	28.6	12.4
NATCHEZ	238	74	164	15.1	11.8	17.2
OCEAN SPRINGS	308	253	55	17.6	17.0	21.6
OLIVE BRANCH	430	320	110	12.8	13.4	11.5
OXFORD	256	147	109	13.5	10.8	20.8
PASCAGOULA	286	172	114	12.8	13.1	12.4
PEARL	407	302	105	16.2	17.2	13.9
PETAL	139	120	19	13.3	13.3	13.0
PICAYUNE	199	131	68	18.3	20.3	15.4
RIDGELAND	290	141	149	12.1	9.8	15.3
SOUTHAVEN	628	470	158	12.8	13.5	11.1
STARKVILLE	390	170	220	16.3	11.9	22.8
TUPELO	539	263	276	15.6	13.0	19.4
VICKSBURG	362	105	257	15.2	14.0	15.7
WEST POINT	157	45	112	13.9	10.6	15.9
YAZOO CITY	266	31	235	23.3	16.8	24.6

* BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>66.0</u>	<u>65.7</u>	<u>66.3</u>				
ADAMS	75.7	82.6	72.2	LINCOLN	69.6	70.9	67.2
ALCORN	64.5	65.8	57.3	LOWNDES	62.6	69.6	56.1
AMITE	79.6	72.7	86.7	MADISON	62.6	68.8	56.4
ATTALA	71.5	72.6	70.4	MARION	67.0	70.0	61.9
BENTON	59.2	60.6	57.3	MARSHALL	65.9	69.3	63.3
BOLIVAR	79.6	63.6	86.7	MONROE	60.0	62.4	55.5
CALHOUN	62.6	62.8	62.4	MONTGOMERY	60.1	56.4	63.3
CARROLL	53.2	46.5	63.3	NESHOBA	74.0	57.8	93.8
CHICKASAW	75.3	79.2	71.5	NEWTON	73.2	70.4	77.0
CHOCTAW	54.9	61.4	43.8	NOXUBEE	64.8	79.1	61.0
CLAIBORNE	53.3	50.4	53.5	OKTIBBEHA	43.5	35.6	55.4
CLARKE	58.6	62.5	52.9	PANOLA	71.7	68.9	73.6
CLAY	62.4	59.2	63.8	PEARL RIVER	68.1	71.7	51.6
COAHOMA	85.3	69.8	88.4	PERRY	71.1	78.2	49.5
COPIAH	79.0	85.0	74.7	PIKE	77.8	72.1	81.5
COVINGTON	67.2	67.9	66.4	PONTOTOC	70.4	74.0	53.8
DESOTO	58.6	64.0	46.9	PRENTISS	73.3	78.1	52.4
FORREST	58.4	56.6	60.7	QUITMAN	71.2	62.7	73.2
FRANKLIN	70.3	75.2	63.5	RANKIN	65.8	71.0	50.6
GEORGE	85.2	84.5	92.6	SCOTT	81.7	87.8	74.5
GREENE	57.4	57.3	57.7	SHARKEY	100.3	42.2	113.4
GRENADA	71.2	68.3	74.3	SIMPSON	69.9	71.1	68.3
HANCOCK	59.4	61.4	44.8	SMITH	60.6	60.1	61.7
HARRISON	72.9	73.9	71.0	STONE	63.3	68.7	47.9
HINDS	61.4	55.4	63.2	SUNFLOWER	66.8	54.8	69.8
HOLMES	77.8	37.7	83.0	TALLAHATCHIE	61.1	46.5	67.3
HUMPHREYS	75.6	40.5	83.6	TATE	59.4	59.4	59.3
ISSAQUENA	70.7	18.2	90.9	TIPPAH	67.7	67.0	70.8
ITAWAMBA	59.4	61.2	41.8	TISHOMINGO	60.0	61.3	29.2
JACKSON	60.4	63.3	53.7	TUNICA	82.2	81.8	82.2
JASPER	76.2	79.6	74.2	UNION	65.8	66.7	61.9
JEFFERSON	79.0	43.1	82.2	WALTHALL	73.6	71.0	76.1
JEFF DAVIS	66.1	68.0	65.3	WARREN	64.9	65.8	64.3
JONES	74.8	74.6	75.2	WASHINGTON	82.2	72.3	84.6
KEMPER	56.4	68.4	52.0	WAYNE	72.9	72.9	72.8
LAFAYETTE	41.9	36.5	55.9	WEBSTER	64.9	62.4	73.1
LAMAR	59.1	59.8	57.4	WILKINSON	82.6	72.5	85.8
LAUDERDALE	65.2	65.0	65.4	WINSTON	66.4	65.9	66.8
LAWRENCE	75.4	71.9	81.2	YALOBUSHA	64.2	58.7	70.6
LEAKE	69.3	70.6	68.1	YAZOO	85.0	69.8	92.5
LEE	68.7	68.7	68.6				
LEFLORE	81.1	88.1	79.5				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2011

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>39,825</u>	<u>21,755</u>	<u>21,665</u>	<u>2</u>	<u>88</u>	<u>18,069</u>	<u>18,035</u>	<u>0</u>	<u>34</u>	<u>20,197</u>	<u>19,628</u>
ADAMS	409	152	152	0	0	257	257	0	0	215	194
ALCORN	444	384	383	0	1	60	60	0	0	212	232
AMITE	167	77	77	0	0	90	90	0	0	77	90
ATTALA	254	127	127	0	0	127	127	0	0	127	127
BENTON	99	59	59	0	0	40	40	0	0	51	48
BOLIVAR	574	141	141	0	0	433	430	0	3	282	292
CALHOUN	173	114	114	0	0	59	58	0	1	92	81
CARROLL	91	48	48	0	0	43	42	0	1	47	44
CHICKASAW	246	128	128	0	0	118	118	0	0	140	106
CHOCTAW	81	57	57	0	0	24	24	0	0	46	35
CLAIBORNE	115	7	7	0	0	108	108	0	0	48	67
CLARKE	181	115	115	0	0	66	66	0	0	88	93
CLAY	247	74	72	0	2	173	173	0	0	124	123
COAHOMA	468	65	65	0	0	403	403	0	0	228	240
COPIAH	445	198	198	0	0	247	247	0	0	241	204
COVINGTON	257	147	146	0	1	110	110	0	0	127	131
DESOTO	2,049	1,532	1,527	0	5	517	516	0	1	1,061	988
FORREST	1,077	585	583	0	2	492	491	0	1	571	506
FRANKLIN	98	61	60	0	1	37	37	0	0	51	47
GEORGE	365	330	330	0	0	35	35	0	0	184	181
GREENE	125	101	101	0	0	24	24	0	0	71	54
GRENADA	305	151	151	0	0	154	154	0	0	149	156
HANCOCK	472	428	428	0	0	44	44	0	0	246	226
HARRISON	2,836	1,924	1,920	0	4	912	910	0	2	1,450	1,386

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2011

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,433	706	693	0	13	2,727	2,723	0	4	1,731	1,702
HOLMES	305	17	17	0	0	288	288	0	0	134	171
HUMPHREYS	141	14	14	0	0	127	126	0	1	73	68
ISSAQUENA	14	1	1	0	0	13	13	0	0	5	9
ITAWAMBA	273	255	255	0	0	18	18	0	0	153	120
JACKSON	1,670	1,222	1,211	0	11	448	447	0	1	870	800
JASPER	229	93	93	0	0	136	136	0	0	116	113
JEFFERSON	112	5	5	0	0	107	106	0	1	61	51
JEFF DAVIS	145	44	44	0	0	101	101	0	0	74	71
JONES	969	628	628	0	0	341	341	0	0	500	469
KEMPER	105	34	34	0	0	71	70	0	1	52	53
LAFAYETTE	547	343	340	0	3	204	204	0	0	274	273
LAMAR	763	544	543	0	1	219	218	0	1	388	375
LAUDERDALE	1,040	499	497	0	2	541	541	0	0	525	515
LAWRENCE	171	103	103	0	0	68	66	0	2	81	90
LEAKE	296	142	142	0	0	154	154	0	0	164	132
LEE	1,176	759	758	1	0	417	417	0	0	598	578
LEFLORE	541	107	106	1	0	434	432	0	2	262	279
LINCOLN	464	299	299	0	0	165	165	0	0	224	240
LOWNDES	775	414	412	0	2	361	361	0	0	388	387
MADISON	1,269	705	704	0	1	564	563	0	1	641	628
MARION	339	220	220	0	0	119	119	0	0	158	181
MARSHALL	457	211	211	0	0	246	246	0	0	230	227
MONROE	413	277	276	0	1	136	133	0	3	217	196
MONTGOMERY	118	51	51	0	0	67	67	0	0	66	52
NESHOBA	427	183	183	0	0	244	244	0	0	211	216
NEWTON	314	174	174	0	0	140	140	0	0	156	158
NOXUBEE	140	36	35	0	1	104	104	0	0	76	64
OKTIBBEHA	575	282	282	0	0	293	293	0	0	303	272
PANOLA	495	198	195	0	3	297	297	0	0	256	239

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2011

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	706	611	609	0	2	95	94	0	1	333	373
PERRY	163	135	134	0	1	28	28	0	0	74	89
PIKE	604	220	219	0	1	384	384	0	0	300	304
PONTOTOC	407	352	343	0	9	55	55	0	0	199	208
PRENTISS	354	307	306	0	1	47	47	0	0	187	167
QUITMAN	112	19	19	0	0	93	93	0	0	50	62
RANKIN	2,012	1,616	1,609	0	7	396	396	0	0	1,022	990
SCOTT	458	267	267	0	0	191	190	0	1	233	225
SHARKEY	91	7	7	0	0	84	84	0	0	47	44
SIMPSON	355	210	209	0	1	145	144	0	1	190	165
SMITH	183	128	127	0	1	55	55	0	0	98	85
STONE	227	183	183	0	0	44	44	0	0	130	97
SUNFLOWER	361	58	58	0	0	303	303	0	0	181	180
TALLAHATCHIE	162	37	37	0	0	125	125	0	0	84	78
TATE	348	220	219	0	1	128	127	0	1	190	158
TIPPAH	284	225	224	0	1	59	59	0	0	142	142
TISHOMINGO	211	207	207	0	0	4	4	0	0	114	97
TUNICA	188	31	31	0	0	157	157	0	0	89	99
UNION	346	286	286	0	0	60	60	0	0	165	181
WALTHALL	207	98	95	0	3	109	108	0	1	102	105
WARREN	608	268	265	0	3	340	339	0	1	281	327
WASHINGTON	839	148	148	0	0	691	690	0	1	426	413
WAYNE	297	158	157	0	1	139	139	0	0	139	158
WEBSTER	118	87	86	0	1	31	31	0	0	64	54
WILKINSON	122	25	24	0	1	97	97	0	0	60	62
WINSTON	227	103	103	0	0	124	124	0	0	116	111
YALOBUSHA	147	72	72	0	0	75	75	0	0	73	74
YAZOO	393	106	106	0	0	287	286	0	1	193	200

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>39,825</u>	<u>97</u>	<u>5,362</u>	<u>13,118</u>	<u>11,385</u>	<u>6,851</u>	<u>2,464</u>	<u>515</u>	<u>28</u>	<u>5</u>
ADAMS	409	0	52	149	112	62	22	11	1	0
ALCORN	444	2	79	142	126	65	26	4	0	0
AMITE	167	0	28	60	46	28	4	1	0	0
ATTALA	254	0	23	90	80	36	20	3	2	0
BENTON	99	1	17	37	27	12	2	3	0	0
BOLIVAR	574	1	93	209	151	92	25	3	0	0
CALHOUN	173	0	30	53	57	20	12	1	0	0
CARROLL	91	0	11	26	31	16	5	2	0	0
CHICKASAW	246	1	47	83	72	28	13	2	0	0
CHOCTAW	81	0	7	29	24	14	5	2	0	0
CLAIBORNE	115	0	19	37	33	20	4	2	0	0
CLARKE	181	0	19	64	58	27	10	3	0	0
CLAY	247	1	40	78	70	44	12	2	0	0
COAHOMA	468	1	89	182	110	62	21	3	0	0
COPIAH	445	2	74	162	119	65	15	8	0	0
COVINGTON	258	0	44	107	64	28	13	2	0	0
DESOTO	2,049	1	193	518	606	489	200	40	2	0
FORREST	1,077	3	126	347	353	169	69	9	1	0
FRANKLIN	98	0	12	25	34	18	9	0	0	0
GEORGE	365	1	64	134	100	49	12	5	0	0
GREENE	125	0	17	54	29	19	6	0	0	0
GRENADA	305	1	44	110	82	46	20	2	0	0
HANCOCK	472	0	49	166	138	81	29	6	3	0
HARRISON	2,836	3	321	929	852	511	171	46	2	1
HINDS	3,433	18	496	1,163	907	588	204	51	5	1
HOLMES	305	0	56	134	70	35	6	4	0	0
HUMPHREYS	141	0	27	58	38	10	7	1	0	0
ISSAQUENA	14	0	5	4	2	2	1	0	0	0
ITAWAMBA	273	2	47	89	74	48	9	4	0	0
JACKSON	1,670	3	210	557	445	319	105	30	1	0
JASPER	229	0	37	83	67	29	11	2	0	0
JEFFERSON	112	1	16	40	36	15	3	1	0	0
JEFF DAVIS	145	0	24	57	39	18	5	2	0	0
JONES	969	4	133	340	306	131	43	12	0	0
KEMPER	105	0	8	31	37	21	7	1	0	0
LAFAYETTE	547	2	46	143	167	131	50	8	0	0
LAMAR	763	1	56	215	279	146	57	7	1	1
LAUDERDALE	1,040	2	144	334	295	182	72	10	0	1
LAWRENCE	171	1	22	65	49	24	8	2	0	0
LEAKE	296	1	42	103	75	50	23	2	0	0
LEE	1,176	3	169	360	321	217	92	14	0	0
LEFLORE	541	3	82	228	129	73	19	7	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	464	2	54	163	132	85	25	3	0	0
LOWNDES	775	1	105	265	215	133	48	8	0	0
MADISON	1,269	1	86	268	369	377	141	27	0	0
MARION	339	0	50	134	92	52	10	1	0	0
MARSHALL	457	0	73	158	137	64	20	4	1	0
MONROE	413	1	61	134	124	59	30	4	0	0
MONTGOMERY	118	0	9	39	33	21	13	3	0	0
NESHOBA	427	5	75	145	103	64	27	7	1	0
NEWTON	314	0	51	88	92	52	22	9	0	0
NOXUBEE	140	0	23	52	35	15	14	1	0	0
OKTIBBEHA	575	1	47	146	203	121	50	5	2	0
PANOLA	495	4	90	167	138	67	20	9	0	0
PEARL RIVER	706	0	97	241	204	109	45	10	0	0
PERRY	163	0	25	61	45	26	4	2	0	0
PIKE	604	2	99	226	151	81	39	4	1	1
PONTOTOC	407	0	64	137	125	55	23	3	0	0
PRENTISS	354	0	51	144	97	48	10	3	1	0
QUITMAN	112	0	26	46	22	10	7	1	0	0
RANKIN	2,012	1	165	460	687	497	168	33	1	0
SCOTT	458	2	67	163	128	58	33	7	0	0
SHARKEY	91	1	15	35	22	14	4	0	0	0
SIMPSON	355	1	66	137	93	41	14	2	1	0
SMITH	183	0	37	56	47	28	13	2	0	0
STONE	227	1	28	76	61	46	11	4	0	0
SUNFLOWER	361	3	64	145	95	40	12	2	0	0
TALLAHATCHIE	162	0	31	60	50	15	6	0	0	0
TATE	348	0	45	124	103	52	19	5	0	0
TIPPAH	284	3	36	101	81	48	10	5	0	0
TISHOMINGO	211	0	34	66	69	28	11	3	0	0
TUNICA	188	0	37	66	50	21	12	1	1	0
UNION	346	0	40	136	82	68	18	2	0	0
WALTHALL	207	0	28	74	55	33	15	2	0	0
WARREN	608	3	102	189	170	103	36	5	0	0
WASHINGTON	839	2	143	349	198	109	33	5	0	0
WAYNE	297	1	59	108	79	33	13	3	1	0
WEBSTER	118	0	11	48	40	13	3	3	0	0
WILKINSON	122	0	20	47	30	23	2	0	0	0
WINSTON	227	0	28	74	73	38	11	3	0	0
YALOBUSHA	147	0	26	54	41	15	10	1	0	0
YAZOO	393	3	76	141	104	49	15	5	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,756</u>	<u>17</u>	<u>2,279</u>	<u>6,355</u>	<u>6,809</u>	<u>4,368</u>	<u>1,581</u>	<u>325</u>	<u>19</u>	<u>3</u>
ADAMS	152	0	20	35	47	29	12	9	0	0
ALCORN	384	1	65	128	108	56	24	2	0	0
AMITE	77	0	7	26	23	19	1	1	0	0
ATTALA	127	0	5	39	50	21	9	2	1	0
BENTON	59	0	9	20	17	8	2	3	0	0
BOLIVAR	141	0	13	35	47	32	13	1	0	0
CALHOUN	114	0	14	33	40	18	9	0	0	0
CARROLL	48	0	6	11	17	9	4	1	0	0
CHICKASAW	128	1	23	43	39	13	8	1	0	0
CHOCTAW	57	0	6	19	19	8	4	1	0	0
CLAIBORNE	7	0	1	1	4	1	0	0	0	0
CLARKE	115	0	11	43	37	15	7	2	0	0
CLAY	74	0	8	17	21	20	8	0	0	0
COAHOMA	65	0	5	22	19	10	9	0	0	0
COPIAH	198	1	24	60	68	35	5	5	0	0
COVINGTON	148	0	19	66	33	20	9	1	0	0
DESOTO	1,532	0	135	375	477	373	142	28	2	0
FORREST	585	1	45	157	216	107	51	8	0	0
FRANKLIN	61	0	5	14	24	12	6	0	0	0
GEORGE	330	0	58	120	92	44	11	5	0	0
GREENE	101	0	15	43	22	17	4	0	0	0
GRENADA	151	0	13	52	49	24	13	0	0	0
HANCOCK	428	0	43	149	126	74	27	6	3	0
HARRISON	1,924	1	186	613	598	370	120	35	0	1
HINDS	706	0	47	141	221	195	74	22	5	1
HOLMES	17	0	1	7	4	5	0	0	0	0
HUMPHREYS	14	0	1	2	8	3	0	0	0	0
ISSAQUENA	1	0	0	1	0	0	0	0	0	0
ITAWAMBA	255	1	43	82	71	45	9	4	0	0
JACKSON	1,222	0	135	399	324	257	81	25	1	0
JASPER	93	0	16	31	24	14	7	1	0	0
JEFFERSON	5	0	0	2	3	0	0	0	0	0
JEFF DAVIS	44	0	9	17	12	4	1	1	0	0
JONES	628	2	69	206	222	86	34	9	0	0
KEMPER	34	0	0	6	15	11	2	0	0	0
LAFAYETTE	343	1	20	78	100	98	39	7	0	0
LAMAR	544	0	37	137	210	109	45	5	1	0
LAUDERDALE	499	0	44	137	169	98	46	4	0	1
LAWRENCE	103	0	10	38	32	18	4	1	0	0
LEAKE	142	0	21	49	38	21	12	1	0	0
LEE	759	2	87	216	215	154	75	10	0	0
LEFLORE	107	0	3	38	32	26	5	3	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	299	0	27	98	95	56	20	3	0	0
LOWNDES	414	0	39	133	130	82	24	6	0	0
MADISON	705	0	20	77	222	276	94	16	0	0
MARION	220	0	31	79	66	39	5	0	0	0
MARSHALL	211	0	30	69	67	31	10	3	1	0
MONROE	277	1	39	83	86	41	25	2	0	0
MONTGOMERY	51	0	4	12	19	9	6	1	0	0
NESHOBA	183	1	28	55	52	34	10	3	0	0
NEWTON	174	0	24	41	59	35	11	4	0	0
NOXUBEE	36	0	1	8	15	5	7	0	0	0
OKTIBBEHA	282	0	10	48	107	78	36	3	0	0
PANOLA	198	0	32	51	66	33	12	4	0	0
PEARL RIVER	611	0	82	202	178	100	41	8	0	0
PERRY	135	0	21	48	36	24	4	2	0	0
PIKE	220	1	26	77	56	44	16	0	0	0
PONTOTOC	352	0	58	112	109	48	22	3	0	0
PRENTISS	307	0	38	129	87	41	9	2	1	0
QUITMAN	19	0	3	5	4	4	2	1	0	0
RANKIN	1,616	0	119	354	578	412	127	25	1	0
SCOTT	267	0	37	89	77	37	22	5	0	0
SHARKEY	7	0	0	2	3	2	0	0	0	0
SIMPSON	210	0	34	78	54	30	11	2	1	0
SMITH	128	0	25	40	32	21	8	2	0	0
STONE	183	1	18	64	55	33	9	3	0	0
SUNFLOWER	58	0	4	18	20	12	4	0	0	0
TALLAHATCHIE	37	0	8	6	15	5	3	0	0	0
TATE	220	0	22	73	71	39	13	2	0	0
TIPPAH	225	2	27	82	62	41	7	4	0	0
TISHOMINGO	207	0	33	66	67	27	11	3	0	0
TUNICA	31	0	3	7	6	7	6	1	1	0
UNION	286	0	28	112	71	57	16	2	0	0
WALTHALL	98	0	7	30	31	20	9	1	0	0
WARREN	268	0	29	77	89	52	19	2	0	0
WASHINGTON	148	0	14	46	54	27	6	1	0	0
WAYNE	158	0	29	58	45	19	4	2	1	0
WEBSTER	87	0	8	35	30	10	1	3	0	0
WILKINSON	25	0	2	8	9	5	1	0	0	0
WINSTON	103	0	15	26	37	18	7	0	0	0
YALOBUSHA	72	0	12	21	21	12	6	0	0	0
YAZOO	106	0	13	28	35	23	5	2	0	0

**TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>18,069</u>	<u>80</u>	<u>3,083</u>	<u>6,763</u>	<u>4,576</u>	<u>2,483</u>	<u>883</u>	<u>190</u>	<u>9</u>	<u>2</u>
ADAMS	257	0	32	114	65	33	10	2	1	0
ALCORN	60	1	14	14	18	9	2	2	0	0
AMITE	90	0	21	34	23	9	3	0	0	0
ATTALA	127	0	18	51	30	15	11	1	1	0
BENTON	40	1	8	17	10	4	0	0	0	0
BOLIVAR	433	1	80	174	104	60	12	2	0	0
CALHOUN	59	0	16	20	17	2	3	1	0	0
CARROLL	43	0	5	15	14	7	1	1	0	0
CHICKASAW	118	0	24	40	33	15	5	1	0	0
CHOCTAW	24	0	1	10	5	6	1	1	0	0
CLAIBORNE	108	0	18	36	29	19	4	2	0	0
CLARKE	66	0	8	21	21	12	3	1	0	0
CLAY	173	1	32	61	49	24	4	2	0	0
COAHOMA	403	1	84	160	91	52	12	3	0	0
COPIAH	247	1	50	102	51	30	10	3	0	0
COVINGTON	110	0	25	41	31	8	4	1	0	0
DESOTO	517	1	58	143	129	116	58	12	0	0
FORREST	492	2	81	190	137	62	18	1	1	0
FRANKLIN	37	0	7	11	10	6	3	0	0	0
GEORGE	35	1	6	14	8	5	1	0	0	0
GREENE	24	0	2	11	7	2	2	0	0	0
GRENADA	154	1	31	58	33	22	7	2	0	0
HANCOCK	44	0	6	17	12	7	2	0	0	0
HARRISON	912	2	135	316	254	141	51	11	2	0
HINDS	2,727	18	449	1,022	686	393	130	29	0	0
HOLMES	288	0	55	127	66	30	6	4	0	0
HUMPHREYS	127	0	26	56	30	7	7	1	0	0
ISSAQUENA	13	0	5	3	2	2	1	0	0	0
ITAWAMBA	18	1	4	7	3	3	0	0	0	0
JACKSON	448	3	75	158	121	62	24	5	0	0
JASPER	136	0	21	52	43	15	4	1	0	0
JEFFERSON	107	1	16	38	33	15	3	1	0	0
JEFF DAVIS	101	0	15	40	27	14	4	1	0	0
JONES	341	2	64	134	84	45	9	3	0	0
KEMPER	71	0	8	25	22	10	5	1	0	0
LAFAYETTE	204	1	26	65	67	33	11	1	0	0
LAMAR	219	1	19	78	69	37	12	2	0	1
LAUDERDALE	541	2	100	197	126	84	26	6	0	0
LAWRENCE	68	1	12	27	17	6	4	1	0	0
LEAKE	154	1	21	54	37	29	11	1	0	0
LEE	417	1	82	144	106	63	17	4	0	0
LEFLORE	434	3	79	190	97	47	14	4	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	165	2	27	65	37	29	5	0	0	0
LOWNDES	361	1	66	132	85	51	24	2	0	0
MADISON	564	1	66	191	147	101	47	11	0	0
MARION	119	0	19	55	26	13	5	1	0	0
MARSHALL	246	0	43	89	70	33	10	1	0	0
MONROE	136	0	22	51	38	18	5	2	0	0
MONTGOMERY	67	0	5	27	14	12	7	2	0	0
NESHOBA	244	4	47	90	51	30	17	4	1	0
NEWTON	140	0	27	47	33	17	11	5	0	0
NOXUBEE	104	0	22	44	20	10	7	1	0	0
OKTIBBEHA	293	1	37	98	96	43	14	2	2	0
PANOLA	297	4	58	116	72	34	8	5	0	0
PEARL RIVER	95	0	15	39	26	9	4	2	0	0
PERRY	28	0	4	13	9	2	0	0	0	0
PIKE	384	1	73	149	95	37	23	4	1	1
PONTOTOC	55	0	6	25	16	7	1	0	0	0
PRENTISS	47	0	13	15	10	7	1	1	0	0
QUITMAN	93	0	23	41	18	6	5	0	0	0
RANKIN	396	1	46	106	109	85	41	8	0	0
SCOTT	191	2	30	74	51	21	11	2	0	0
SHARKEY	84	1	15	33	19	12	4	0	0	0
SIMPSON	145	1	32	59	39	11	3	0	0	0
SMITH	55	0	12	16	15	7	5	0	0	0
STONE	44	0	10	12	6	13	2	1	0	0
SUNFLOWER	303	3	60	127	75	28	8	2	0	0
TALLAHATCHIE	125	0	23	54	35	10	3	0	0	0
TATE	128	0	23	51	32	13	6	3	0	0
TIPPAH	59	1	9	19	19	7	3	1	0	0
TISHOMINGO	4	0	1	0	2	1	0	0	0	0
TUNICA	157	0	34	59	44	14	6	0	0	0
UNION	60	0	12	24	11	11	2	0	0	0
WALTHALL	109	0	21	44	24	13	6	1	0	0
WARREN	340	3	73	112	81	51	17	3	0	0
WASHINGTON	691	2	129	303	144	82	27	4	0	0
WAYNE	139	1	30	50	34	14	9	1	0	0
WEBSTER	31	0	3	13	10	3	2	0	0	0
WILKINSON	97	0	18	39	21	18	1	0	0	0
WINSTON	124	0	13	48	36	20	4	3	0	0
YALOBUSHA	75	0	14	33	20	3	4	1	0	0
YAZOO	287	3	63	113	69	26	10	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>21,658</u>	<u>7,207</u>	<u>14,451</u>	<u>54.4</u>	<u>33.1</u>	<u>80.0</u>
ADAMS	267	43	224	65.3	28.3	87.2
ALCORN	202	158	44	45.5	41.1	73.3
AMITE	102	25	77	61.1	32.5	85.6
ATTALA	139	42	97	54.7	33.1	76.4
BENTON	52	19	33	52.5	32.2	82.5
BOLIVAR	426	51	375	74.2	36.2	86.6
CALHOUN	101	49	52	58.4	43.0	88.1
CARROLL	48	12	36	52.7	25.0	83.7
CHICKASAW	157	58	99	63.8	45.3	83.9
CHOCTAW	44	22	22	54.3	38.6	91.7
CLAIBORNE	95	2	93	82.6	28.6	86.1
CLARKE	84	33	51	46.4	28.7	77.3
CLAY	155	24	131	62.8	32.4	75.7
COAHOMA	372	23	349	79.5	35.4	86.6
COPIAH	284	74	210	63.8	37.4	85.0
COVINGTON	156	59	97	60.5	39.9	88.2
DESOTO	766	482	284	37.4	31.5	54.9
FORREST	571	186	385	53.0	31.8	78.2
FRANKLIN	46	16	30	46.9	26.2	81.1
GEORGE	145	117	28	39.7	35.4	80.0
GREENE	49	29	20	39.2	28.7	83.3
GRENADA	185	55	130	60.6	36.4	84.4
HANCOCK	219	185	34	46.4	43.2	77.3
HARRISON	1,412	743	669	49.8	38.6	73.4
HINDS	2,412	194	2,218	70.2	27.5	81.3
HOLMES	262	5	257	85.9	29.4	89.2
HUMPHREYS	122	4	118	86.5	28.6	92.9
ISSAQUENA	13	1	12	92.8	100.0	92.3
ITAWAMBA	100	87	13	36.6	34.1	72.2
JACKSON	848	497	351	50.8	40.7	78.3
JASPER	140	30	110	61.1	32.2	80.9
JEFFERSON	91	1	90	81.2	20.0	84.1
JEFF DAVIS	95	11	84	65.5	25.0	83.2
JONES	513	247	266	52.9	39.3	78.0
KEMPER	64	5	59	61.0	14.7	83.1
LAFAYETTE	219	79	140	40.0	23.0	68.6
LAMAR	268	126	142	35.1	23.2	64.8
LAUDERDALE	583	137	446	56.0	27.4	82.4
LAWRENCE	77	24	53	45.0	23.3	77.9
LEAKE	162	53	109	54.7	37.3	70.8
LEE	551	235	316	46.8	31.0	75.8
LEFLORE	405	28	377	74.9	26.2	86.9

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	212	85	127	45.7	28.4	77.0
LOWNDES	406	114	292	52.4	27.5	80.9
MADISON	501	108	393	39.5	15.3	69.7
MARION	185	84	101	54.6	38.2	84.9
MARSHALL	288	89	199	63.0	42.2	80.9
MONROE	211	101	110	51.1	36.5	80.9
MONTGOMERY	65	11	54	55.1	21.6	80.6
NESHOPA	259	61	198	60.6	33.3	81.1
NEWTON	152	52	100	48.4	29.9	71.4
NOXUBEE	96	3	93	68.6	8.3	89.4
OKTIBBEHA	266	48	218	46.3	17.0	74.4
PANOLA	321	70	251	64.8	35.4	84.5
PEARL RIVER	327	250	77	46.3	40.9	81.0
PERRY	77	55	22	47.2	40.7	78.6
PIKE	397	95	302	65.7	43.2	78.6
PONTOTOC	179	137	42	44.0	38.9	76.4
PRENTISS	154	121	33	43.5	39.4	70.2
QUITMAN	90	10	80	80.4	52.6	86.0
RANKIN	661	422	239	32.8	26.1	60.4
SCOTT	290	135	155	63.3	50.6	81.2
SHARKEY	82	1	81	90.1	14.3	96.4
SIMPSON	200	76	124	56.3	36.2	85.5
SMITH	81	35	46	44.3	27.3	83.6
STONE	92	60	32	40.5	32.8	72.7
SUNFLOWER	284	18	266	78.7	31.0	87.8
TALLAHATCHIE	131	14	117	80.9	37.8	93.6
TATE	186	80	106	53.4	36.4	82.8
TIPPAH	117	74	43	41.2	32.9	72.9
TISHOMINGO	67	65	2	31.8	31.4	50.0
TUNICA	155	12	143	82.4	38.7	91.1
UNION	134	94	40	38.7	32.9	66.7
WALTHALL	103	20	83	49.8	20.4	76.1
WARREN	388	106	282	63.8	39.6	82.9
WASHINGTON	673	55	618	80.2	37.2	89.4
WAYNE	160	47	113	53.9	29.7	81.3
WEBSTER	43	19	24	36.4	21.8	77.4
WILKINSON	97	10	87	79.5	40.0	89.7
WINSTON	135	34	101	59.5	33.0	81.4
YALOBUSHA	92	27	65	62.6	37.5	86.7
YAZOO	299	38	261	76.1	35.8	90.9

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>21,658</u>	<u>97</u>	<u>4,826</u>	<u>9,126</u>	<u>4,811</u>	<u>1,986</u>	<u>661</u>	<u>145</u>	<u>4</u>	<u>2</u>
ADAMS	267	0	46	124	59	28	7	2	1	0
ALCORN	202	2	64	80	40	12	4	0	0	0
AMITE	102	0	28	44	18	10	1	1	0	0
ATTALA	139	0	22	64	35	12	4	2	0	0
BENTON	52	1	16	24	8	3	0	0	0	0
BOLIVAR	426	1	90	187	91	45	11	1	0	0
CALHOUN	101	0	29	34	28	6	4	0	0	0
CARROLL	48	0	7	18	14	7	2	0	0	0
CHICKASAW	157	1	46	55	37	13	4	1	0	0
CHOCTAW	44	0	6	20	8	6	3	1	0	0
CLAIBORNE	95	0	18	34	27	12	3	1	0	0
CLARKE	84	0	14	32	24	11	3	0	0	0
CLAY	155	1	39	63	37	12	3	0	0	0
COAHOMA	372	1	86	162	78	37	5	3	0	0
COPIAH	284	2	70	121	58	22	9	2	0	0
COVINGTON	156	0	39	67	38	8	4	0	0	0
DESOTO	766	1	168	320	149	81	37	9	1	0
FORREST	571	3	122	242	140	45	16	2	1	0
FRANKLIN	46	0	12	16	9	6	3	0	0	0
GEORGE	145	1	48	58	23	13	0	2	0	0
GREENE	49	0	13	19	9	5	3	0	0	0
GRENADA	185	1	42	80	41	17	3	1	0	0
HANCOCK	219	0	41	99	42	25	11	1	0	0
HARRISON	1,412	3	276	554	344	158	64	13	0	0
HINDS	2,412	18	484	1,019	572	244	63	12	0	0
HOLMES	262	0	56	125	54	17	6	4	0	0
HUMPHREYS	122	0	26	57	28	5	5	1	0	0
ISSAQUENA	13	0	5	4	2	2	0	0	0	0
ITAWAMBA	100	2	39	35	15	8	1	0	0	0
JACKSON	848	3	183	367	186	73	24	12	0	0
JASPER	140	0	33	56	38	7	5	1	0	0
JEFFERSON	91	1	16	37	22	11	3	1	0	0
JEFF DAVIS	95	0	19	42	25	6	1	2	0	0
JONES	513	4	120	220	108	42	14	5	0	0
KEMPER	64	0	8	26	19	8	2	1	0	0
LAFAYETTE	219	2	43	92	52	19	11	0	0	0
LAMAR	268	1	46	126	61	24	7	2	0	1
LAUDERDALE	583	2	129	238	133	55	22	4	0	0
LAWRENCE	77	1	18	30	18	4	5	1	0	0
LEAKE	162	1	37	65	36	16	5	2	0	0
LEE	551	3	151	209	114	55	16	3	0	0
LEFLORE	405	3	80	197	82	30	11	2	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	212	2	45	95	48	18	4	0	0	0
LOWNDES	406	1	96	165	87	40	14	3	0	0
MADISON	501	1	82	207	130	59	19	3	0	0
MARION	185	0	46	88	33	17	1	0	0	0
MARSHALL	288	0	66	122	61	30	8	1	0	0
MONROE	211	1	53	79	54	16	7	1	0	0
MONTGOMERY	65	0	7	29	13	11	4	1	0	0
NESHOBA	259	5	67	101	55	18	11	2	0	0
NEWTON	152	0	50	56	23	14	8	1	0	0
NOXUBEE	96	0	23	44	17	8	4	0	0	0
OKTIBBEHA	266	1	46	109	77	22	9	2	0	0
PANOLA	321	4	81	125	72	31	6	2	0	0
PEARL RIVER	327	0	83	142	63	29	6	4	0	0
PERRY	77	0	18	39	12	5	2	1	0	0
PIKE	397	2	96	179	73	27	18	1	0	1
PONTOTOC	179	0	54	70	42	11	2	0	0	0
PRENTISS	154	0	42	77	29	5	1	0	0	0
QUITMAN	90	0	26	42	13	6	3	0	0	0
RANKIN	661	1	137	261	156	71	26	8	1	0
SCOTT	290	2	59	118	70	30	9	2	0	0
SHARKEY	82	1	15	33	19	10	4	0	0	0
SIMPSON	200	1	49	93	45	9	3	0	0	0
SMITH	81	0	29	23	16	9	3	1	0	0
STONE	92	1	24	40	18	9	0	0	0	0
SUNFLOWER	284	3	62	134	66	15	3	1	0	0
TALLAHATCHIE	131	0	30	56	33	10	2	0	0	0
TATE	186	0	42	81	39	14	7	3	0	0
TIPPAH	117	3	28	50	25	6	4	1	0	0
TISHOMINGO	67	0	19	25	14	6	3	0	0	0
TUNICA	155	0	36	63	38	12	6	0	0	0
UNION	134	0	30	66	26	10	2	0	0	0
WALTHALL	103	0	25	45	18	9	4	2	0	0
WARREN	388	3	98	145	80	43	15	4	0	0
WASHINGTON	673	2	138	306	135	70	20	2	0	0
WAYNE	160	1	44	66	33	11	5	0	0	0
WEBSTER	43	0	7	21	12	2	1	0	0	0
WILKINSON	97	0	20	42	19	15	1	0	0	0
WINSTON	135	0	23	58	34	15	3	2	0	0
YALOBUSHA	92	0	22	43	19	5	2	1	0	0
YAZOO	299	3	73	126	72	18	6	1	0	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>7,207</u>	<u>17</u>	<u>1,778</u>	<u>2,942</u>	<u>1,519</u>	<u>642</u>	<u>246</u>	<u>61</u>	<u>2</u>	<u>0</u>
ADAMS	43	0	15	14	8	3	2	1	0	0
ALCORN	158	1	51	67	27	9	3	0	0	0
AMITE	25	0	7	11	2	4	0	1	0	0
ATTALA	42	0	4	16	15	4	1	2	0	0
BENTON	19	0	8	9	2	0	0	0	0	0
BOLIVAR	51	0	11	22	11	7	0	0	0	0
CALHOUN	49	0	13	15	14	5	2	0	0	0
CARROLL	12	0	2	6	2	1	1	0	0	0
CHICKASAW	58	1	22	18	11	4	2	0	0	0
CHOCTAW	22	0	5	10	4	1	2	0	0	0
CLAIBORNE	2	0	1	0	1	0	0	0	0	0
CLARKE	33	0	6	13	8	3	3	0	0	0
CLAY	24	0	7	9	4	2	2	0	0	0
COAHOMA	23	0	3	11	6	2	1	0	0	0
COPIAH	74	1	20	26	18	6	2	1	0	0
COVINGTON	59	0	14	27	16	1	1	0	0	0
DESOTO	482	0	111	212	85	46	23	4	1	0
FORREST	186	1	41	76	46	14	6	2	0	0
FRANKLIN	16	0	5	5	3	2	1	0	0	0
GEORGE	117	0	42	44	18	11	0	2	0	0
GREENE	29	0	11	10	4	3	1	0	0	0
GRENADA	55	0	12	25	15	2	1	0	0	0
HANCOCK	185	0	35	84	34	22	9	1	0	0
HARRISON	743	1	147	288	175	87	36	9	0	0
HINDS	194	0	38	73	56	20	6	1	0	0
HOLMES	5	0	1	3	1	0	0	0	0	0
HUMPHREYS	4	0	0	1	3	0	0	0	0	0
ISSAQUENA	1	0	0	1	0	0	0	0	0	0
ITAWAMBA	87	1	35	28	14	8	1	0	0	0
JACKSON	497	0	110	223	96	44	15	9	0	0
JASPER	30	0	12	7	9	0	2	0	0	0
JEFFERSON	1	0	0	0	1	0	0	0	0	0
JEFF DAVIS	11	0	4	4	2	0	0	1	0	0
JONES	247	2	56	103	55	16	12	3	0	0
KEMPER	5	0	0	2	2	1	0	0	0	0
LAFAYETTE	79	1	17	33	16	7	5	0	0	0
LAMAR	126	0	27	57	28	8	4	2	0	0
LAUDERDALE	137	0	31	56	33	11	6	0	0	0
LAWRENCE	24	0	6	10	5	2	1	0	0	0
LEAKE	53	0	16	18	11	5	2	1	0	0
LEE	235	2	72	82	40	26	11	2	0	0
LEFLORE	28	0	1	18	5	2	1	1	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	85	0	18	36	23	5	3	0	0	0
LOWNDES	114	0	32	47	22	10	1	2	0	0
MADISON	108	0	16	33	29	22	7	1	0	0
MARION	84	0	27	35	15	7	0	0	0	0
MARSHALL	89	0	23	39	17	7	2	1	0	0
MONROE	101	1	31	36	23	6	4	0	0	0
MONTGOMERY	11	0	2	5	2	2	0	0	0	0
NESHOBA	61	1	21	24	10	4	1	0	0	0
NEWTON	52	0	23	16	6	3	3	1	0	0
NOXUBEE	3	0	1	2	0	0	0	0	0	0
OKTIBBEHA	48	0	9	20	8	6	4	1	0	0
PANOLA	70	0	24	23	17	5	1	0	0	0
PEARL RIVER	250	0	68	107	45	24	4	2	0	0
PERRY	55	0	14	29	6	3	2	1	0	0
PIKE	95	1	23	43	16	8	4	0	0	0
PONTOTOC	137	0	48	50	31	6	2	0	0	0
PRENTISS	121	0	31	62	23	4	1	0	0	0
QUITMAN	10	0	3	4	0	2	1	0	0	0
RANKIN	422	0	92	167	100	42	16	4	1	0
SCOTT	135	0	29	46	38	17	4	1	0	0
SHARKEY	1	0	0	1	0	0	0	0	0	0
SIMPSON	76	0	18	36	15	5	2	0	0	0
SMITH	35	0	17	9	4	3	1	1	0	0
STONE	60	1	14	28	14	3	0	0	0	0
SUNFLOWER	18	0	3	11	4	0	0	0	0	0
TALLAHATCHIE	14	0	7	3	2	2	0	0	0	0
TATE	80	0	19	33	16	7	4	1	0	0
TIPPAH	74	2	19	33	15	4	1	0	0	0
TISHOMINGO	65	0	18	25	14	5	3	0	0	0
TUNICA	12	0	2	5	2	2	1	0	0	0
UNION	94	0	19	48	20	6	1	0	0	0
WALTHALL	20	0	4	7	4	3	1	1	0	0
WARREN	106	0	25	42	23	11	4	1	0	0
WASHINGTON	55	0	9	21	15	8	2	0	0	0
WAYNE	47	0	15	23	7	2	0	0	0	0
WEBSTER	19	0	4	10	5	0	0	0	0	0
WILKINSON	10	0	2	4	2	2	0	0	0	0
WINSTON	34	0	10	14	8	1	1	0	0	0
YALOBUSHA	27	0	8	10	5	4	0	0	0	0
YAZOO	38	0	11	18	7	2	0	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>14,451</u>	<u>80</u>	<u>3,048</u>	<u>6,184</u>	<u>3,292</u>	<u>1,344</u>	<u>415</u>	<u>84</u>	<u>2</u>	<u>2</u>
ADAMS	224	0	31	110	51	25	5	1	1	0
ALCORN	44	1	13	13	13	3	1	0	0	0
AMITE	77	0	21	33	16	6	1	0	0	0
ATTALA	97	0	18	48	20	8	3	0	0	0
BENTON	33	1	8	15	6	3	0	0	0	0
BOLIVAR	375	1	79	165	80	38	11	1	0	0
CALHOUN	52	0	16	19	14	1	2	0	0	0
CARROLL	36	0	5	12	12	6	1	0	0	0
CHICKASAW	99	0	24	37	26	9	2	1	0	0
CHOCTAW	22	0	1	10	4	5	1	1	0	0
CLAIBORNE	93	0	17	34	26	12	3	1	0	0
CLARKE	51	0	8	19	16	8	0	0	0	0
CLAY	131	1	32	54	33	10	1	0	0	0
COAHOMA	349	1	83	151	72	35	4	3	0	0
COPIAH	210	1	50	95	40	16	7	1	0	0
COVINGTON	97	0	25	40	22	7	3	0	0	0
DESOTO	284	1	57	108	64	35	14	5	0	0
FORREST	385	2	81	166	94	31	10	0	1	0
FRANKLIN	30	0	7	11	6	4	2	0	0	0
GEORGE	28	1	6	14	5	2	0	0	0	0
GREENE	20	0	2	9	5	2	2	0	0	0
GRENADA	130	1	30	55	26	15	2	1	0	0
HANCOCK	34	0	6	15	8	3	2	0	0	0
HARRISON	669	2	129	266	169	71	28	4	0	0
HINDS	2,218	18	446	946	516	224	57	11	0	0
HOLMES	257	0	55	122	53	17	6	4	0	0
HUMPHREYS	118	0	26	56	25	5	5	1	0	0
ISSAQUENA	12	0	5	3	2	2	0	0	0	0
ITAWAMBA	13	1	4	7	1	0	0	0	0	0
JACKSON	351	3	73	144	90	29	9	3	0	0
JASPER	110	0	21	49	29	7	3	1	0	0
JEFFERSON	90	1	16	37	21	11	3	1	0	0
JEFF DAVIS	84	0	15	38	23	6	1	1	0	0
JONES	266	2	64	117	53	26	2	2	0	0
KEMPER	59	0	8	24	17	7	2	1	0	0
LAFAYETTE	140	1	26	59	36	12	6	0	0	0
LAMAR	142	1	19	69	33	16	3	0	0	1
LAUDERDALE	446	2	98	182	100	44	16	4	0	0
LAWRENCE	53	1	12	20	13	2	4	1	0	0
LEAKE	109	1	21	47	25	11	3	1	0	0
LEE	316	1	79	127	74	29	5	1	0	0
LEFLORE	377	3	79	179	77	28	10	1	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2011

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	127	2	27	59	25	13	1	0	0	0
LOWNDES	292	1	64	118	65	30	13	1	0	0
MADISON	393	1	66	174	101	37	12	2	0	0
MARION	101	0	19	53	18	10	1	0	0	0
MARSHALL	199	0	43	83	44	23	6	0	0	0
MONROE	110	0	22	43	31	10	3	1	0	0
MONTGOMERY	54	0	5	24	11	9	4	1	0	0
NESHOBA	198	4	46	77	45	14	10	2	0	0
NEWTON	100	0	27	40	17	11	5	0	0	0
NOXUBEE	93	0	22	42	17	8	4	0	0	0
OKTIBBEHA	218	1	37	89	69	16	5	1	0	0
PANOLA	251	4	57	102	55	26	5	2	0	0
PEARL RIVER	77	0	15	35	18	5	2	2	0	0
PERRY	22	0	4	10	6	2	0	0	0	0
PIKE	302	1	73	136	57	19	14	1	0	1
PONTOTOC	42	0	6	20	11	5	0	0	0	0
PRENTISS	33	0	11	15	6	1	0	0	0	0
QUITMAN	80	0	23	38	13	4	2	0	0	0
RANKIN	239	1	45	94	56	29	10	4	0	0
SCOTT	155	2	30	72	32	13	5	1	0	0
SHARKEY	81	1	15	32	19	10	4	0	0	0
SIMPSON	124	1	31	57	30	4	1	0	0	0
SMITH	46	0	12	14	12	6	2	0	0	0
STONE	32	0	10	12	4	6	0	0	0	0
SUNFLOWER	266	3	59	123	62	15	3	1	0	0
TALLAHATCHIE	117	0	23	53	31	8	2	0	0	0
TATE	106	0	23	48	23	7	3	2	0	0
TIPPAH	43	1	9	17	10	2	3	1	0	0
TISHOMINGO	2	0	1	0	0	1	0	0	0	0
TUNICA	143	0	34	58	36	10	5	0	0	0
UNION	40	0	11	18	6	4	1	0	0	0
WALTHALL	83	0	21	38	14	6	3	1	0	0
WARREN	282	3	73	103	57	32	11	3	0	0
WASHINGTON	618	2	129	285	120	62	18	2	0	0
WAYNE	113	1	29	43	26	9	5	0	0	0
WEBSTER	24	0	3	11	7	2	1	0	0	0
WILKINSON	87	0	18	38	17	13	1	0	0	0
WINSTON	101	0	13	44	26	14	2	2	0	0
YALOBUSHA	65	0	14	33	14	1	2	1	0	0
YAZOO	261	3	62	108	65	16	6	1	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>4,705</u>	<u>1,913</u>	<u>2,792</u>	<u>11.8</u>	<u>8.8</u>	<u>15.4</u>
ADAMS	59	15	44	14.4	9.9	17.1
ALCORN	51	36	15	11.5	9.4	25.0
AMITE	20	8	12	12.0	10.4	13.3
ATTALA	28	11	17	11.0	8.7	13.4
BENTON	13	7	6	13.1	11.9	15.0
BOLIVAR	83	14	69	14.5	9.9	15.9
CALHOUN	16	7	9	9.2	6.1	15.2
CARROLL	9	3	6	9.9	6.2	14.0
CHICKASAW	31	12	19	12.6	9.4	16.1
CHOCTAW	7	3	4	8.6	5.3	16.7
CLAIBORNE	16	0	16	13.9	-	14.8
CLARKE	17	9	8	9.4	7.8	12.1
CLAY	33	10	23	13.4	13.5	13.3
COAHOMA	88	6	82	18.8	9.2	20.3
COPIAH	67	16	51	15.0	8.1	20.6
COVINGTON	25	7	18	9.7	4.7	16.4
DESOTO	174	112	62	8.5	7.3	12.0
FORREST	111	47	64	10.3	8.0	13.0
FRANKLIN	9	8	1	9.2	13.1	2.7
GEORGE	37	32	5	10.1	9.7	14.3
GREENE	15	11	4	12.0	10.9	16.7
GRENADA	28	15	13	9.2	9.9	8.4
HANCOCK	38	33	5	8.0	7.7	11.4
HARRISON	263	162	101	9.3	8.4	11.1
HINDS	561	66	495	16.3	9.3	18.2
HOLMES	47	4	43	15.4	23.5	14.9
HUMPHREYS	18	2	16	12.8	14.3	12.6
ISSAQUENA	3	0	3	21.4	-	23.1
ITAWAMBA	17	13	4	6.2	5.1	22.2
JACKSON	165	104	61	9.9	8.5	13.6
JASPER	19	4	15	8.3	4.3	11.0
JEFFERSON	20	1	19	17.8	20.0	17.8
JEFF DAVIS	21	4	17	14.5	9.1	16.8
JONES	91	39	52	9.4	6.2	15.2
KEMPER	21	4	17	20.0	11.8	23.9
LAFAYETTE	43	26	17	7.9	7.6	8.3
LAMAR	73	49	24	9.6	9.0	11.0
LAUDERDALE	134	42	92	12.9	8.4	17.0
LAWRENCE	23	13	10	13.4	12.6	14.7
LEAKE	44	19	25	14.9	13.4	16.2
LEE	125	63	62	10.6	8.3	14.9
LEFLORE	86	9	77	15.9	8.4	17.7

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	57	29	28	12.3	9.7	17.0
LOWNDES	81	36	45	10.4	8.7	12.5
MADISON	138	50	88	10.9	7.1	15.6
MARION	42	26	16	12.4	11.8	13.4
MARSHALL	55	19	36	12.0	9.0	14.6
MONROE	61	35	26	14.8	12.6	19.1
MONTGOMERY	20	6	14	16.9	11.8	20.9
NESHOBA	47	24	23	11.0	13.1	9.4
NEWTON	32	13	19	10.2	7.5	13.6
NOXUBEE	17	0	17	12.1	-	16.3
OKTIBBEHA	68	20	48	11.8	7.1	16.4
PANOLA	55	11	44	11.1	5.6	14.8
PEARL RIVER	78	59	19	11.0	9.6	20.0
PERRY	22	15	7	13.5	11.1	25.0
PIKE	87	23	64	14.4	10.4	16.7
PONTOTOC	44	34	10	10.8	9.6	18.2
PRENTISS	42	36	6	11.9	11.7	12.8
QUITMAN	22	3	19	19.6	15.8	20.4
RANKIN	194	135	59	9.6	8.4	14.9
SCOTT	46	19	27	10.0	7.1	14.1
SHARKEY	7	0	7	7.7	-	8.3
SIMPSON	44	23	21	12.4	11.0	14.5
SMITH	15	8	7	8.2	6.2	12.7
STONE	21	11	10	9.2	6.0	22.7
SUNFLOWER	46	6	40	12.7	10.3	13.2
TALLAHATCHIE	26	4	22	16.0	10.8	17.6
TATE	51	21	30	14.6	9.5	23.4
TIPPAH	45	31	14	15.8	13.8	23.7
TISHOMINGO	23	23	0	10.9	11.1	-
TUNICA	28	5	23	14.9	16.1	14.6
UNION	43	32	11	12.4	11.2	18.3
WALTHALL	33	14	19	15.9	14.3	17.4
WARREN	73	31	42	12.0	11.6	12.4
WASHINGTON	135	13	122	16.1	8.8	17.6
WAYNE	35	16	19	11.8	10.1	13.7
WEBSTER	9	5	4	7.6	5.7	12.9
WILKINSON	11	2	9	9.0	8.0	9.3
WINSTON	31	11	20	13.6	10.7	16.1
YALOBUSHA	11	4	7	7.5	5.6	9.3
YAZOO	61	14	47	15.5	13.2	16.4

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>872</u>	<u>306</u>	<u>566</u>	<u>2.2</u>	<u>1.4</u>	<u>3.1</u>
ADAMS	10	2	8	2.4	1.3	3.1
ALCORN	7	3	4	1.6	0.8	6.7
AMITE	2	0	2	1.2	-	2.2
ATTALA	5	1	4	2.0	0.8	3.2
BENTON	1	1	0	1.0	1.7	-
BOLIVAR	14	4	10	2.4	2.8	2.3
CALHOUN	3	1	2	1.7	0.9	3.4
CARROLL	0	0	0	-	-	-
CHICKASAW	6	2	4	2.4	1.6	3.4
CHOCTAW	1	0	1	1.2	-	4.2
CLAIBORNE	4	0	4	3.5	-	3.7
CLARKE	3	0	3	1.6	-	4.5
CLAY	6	1	5	2.4	1.4	2.9
COAHOMA	11	1	10	2.4	1.5	2.5
COPIAH	15	1	14	3.4	0.5	5.7
COVINGTON	4	3	1	1.6	2.0	0.9
DESOTO	28	12	16	1.4	0.8	3.1
FORREST	24	11	13	2.2	1.9	2.6
FRANKLIN	2	2	0	2.0	3.3	-
GEORGE	6	6	0	1.6	1.8	-
GREENE	4	2	2	3.2	2.0	8.3
GRENADA	5	3	2	1.6	2.0	1.3
HANCOCK	3	3	0	0.6	0.7	-
HARRISON	42	26	16	1.5	1.4	1.8
HINDS	99	7	92	2.9	1.0	3.4
HOLMES	13	1	12	4.3	5.9	4.2
HUMPHREYS	7	2	5	5.0	14.3	3.9
ISSAQUENA	1	0	1	7.1	-	7.7
ITAWAMBA	2	1	1	0.7	0.4	5.6
JACKSON	29	16	13	1.7	1.3	2.9
JASPER	2	1	1	0.9	1.1	0.7
JEFFERSON	6	0	6	5.4	-	5.6
JEFF DAVIS	2	2	0	1.4	4.5	-
JONES	14	4	10	1.4	0.6	2.9
KEMPER	5	0	5	4.8	-	7.0
LAFAYETTE	12	7	5	2.2	2.0	2.4
LAMAR	11	6	5	1.4	1.1	2.3
LAUDERDALE	28	5	23	2.7	1.0	4.2
LAWRENCE	6	4	2	3.5	3.9	2.9
LEAKE	5	2	3	1.7	1.4	1.9
LEE	30	15	15	2.6	2.0	3.6
LEFLORE	20	1	19	3.7	0.9	4.4

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	10	4	6	2.2	1.3	3.6
LOWNDES	18	7	11	2.3	1.7	3.0
MADISON	28	7	21	2.2	1.0	3.7
MARION	10	8	2	3.0	3.6	1.7
MARSHALL	9	1	8	2.0	0.5	3.2
MONROE	19	11	8	4.6	4.0	5.9
MONTGOMERY	9	0	9	7.6	-	13.4
NESHOBA	7	1	6	1.6	0.5	2.4
NEWTON	5	2	3	1.6	1.1	2.1
NOXUBEE	6	0	6	4.3	-	5.8
OKTIBBEHA	12	4	8	2.1	1.4	2.7
PANOLA	9	1	8	1.8	0.5	2.7
PEARL RIVER	13	12	1	1.8	2.0	1.0
PERRY	5	4	1	3.1	3.0	3.6
PIKE	16	4	12	2.6	1.8	3.1
PONTOTOC	6	5	1	1.5	1.4	1.8
PRENTISS	6	5	1	1.7	1.6	2.1
QUITMAN	4	0	4	3.6	-	4.3
RANKIN	29	20	9	1.4	1.2	2.3
SCOTT	6	3	3	1.3	1.1	1.6
SHARKEY	1	0	1	1.1	-	1.2
SIMPSON	14	6	8	3.9	2.8	5.5
SMITH	4	3	1	2.2	2.3	1.8
STONE	2	0	2	0.9	-	4.5
SUNFLOWER	6	0	6	1.7	-	2.0
TALLAHATCHIE	4	0	4	2.5	-	3.2
TATE	9	5	4	2.6	2.3	3.1
TIPPAH	2	1	1	0.7	0.4	1.7
TISHOMINGO	1	1	0	0.5	0.5	-
TUNICA	5	2	3	2.7	6.4	1.9
UNION	7	7	0	2.0	2.4	-
WALTHALL	7	2	5	3.4	2.0	4.6
WARREN	16	6	10	2.6	2.2	2.9
WASHINGTON	34	5	29	4.0	3.4	4.2
WAYNE	5	2	3	1.7	1.3	2.2
WEBSTER	4	2	2	3.4	2.3	6.4
WILKINSON	3	0	3	2.4	-	3.1
WINSTON	8	3	5	3.5	2.9	4.0
YALOBUSHA	4	2	2	2.7	2.8	2.7
YAZOO	11	1	10	2.8	0.9	3.5

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>6,582</u>	<u>2,945</u>	<u>3,637</u>	<u>16.5</u>	<u>13.5</u>	<u>20.1</u>
ADAMS	79	23	56	19.3	15.1	21.8
ALCORN	93	71	22	20.9	18.5	36.7
AMITE	26	8	18	15.6	10.4	20.0
ATTALA	44	21	23	17.3	16.5	18.1
BENTON	14	10	4	14.1	16.9	10.0
BOLIVAR	131	26	105	22.8	18.4	24.2
CALHOUN	19	10	9	11.0	8.8	15.2
CARROLL	14	5	9	15.4	10.4	20.9
CHICKASAW	35	16	19	14.2	12.5	16.1
CHOCTAW	5	2	3	6.2	3.5	12.5
CLAIBORNE	21	1	20	18.3	14.3	18.5
CLARKE	27	14	13	14.9	12.2	19.7
CLAY	53	12	41	21.4	16.2	23.7
COAHOMA	135	12	123	28.8	18.5	30.5
COPIAH	91	28	63	20.4	14.1	25.5
COVINGTON	38	15	23	14.7	10.1	20.9
DESOTO	236	164	72	11.5	10.7	13.9
FORREST	161	75	86	14.9	12.8	17.5
FRANKLIN	12	8	4	12.2	13.1	10.8
GEORGE	54	49	5	14.8	14.8	14.3
GREENE	18	14	4	14.4	13.9	16.7
GRENADA	56	27	29	18.4	17.9	18.8
HANCOCK	77	66	11	16.3	15.4	25.0
HARRISON	434	271	163	15.3	14.1	17.9
HINDS	719	109	610	20.9	15.4	22.4
HOLMES	59	4	55	19.3	23.5	19.1
HUMPHREYS	27	3	24	19.1	21.4	18.9
ISSAQUENA	5	1	4	35.7	100.0	30.8
ITAWAMBA	24	20	4	8.8	7.8	22.2
JACKSON	227	135	92	13.6	11.0	20.5
JASPER	23	10	13	10.0	10.8	9.6
JEFFERSON	28	1	27	25.0	20.0	25.2
JEFF DAVIS	23	6	17	15.9	13.6	16.8
JONES	117	64	53	12.1	10.2	15.5
KEMPER	21	3	18	20.0	8.8	25.4
LAFAYETTE	53	29	24	9.7	8.4	11.8
LAMAR	90	59	31	11.8	10.8	14.2
LAUDERDALE	185	82	103	17.8	16.4	19.0
LAWRENCE	32	17	15	18.7	16.5	22.0
LEAKE	59	28	31	19.9	19.7	20.1
LEE	160	94	66	13.6	12.4	15.8
LEFLORE	101	20	81	18.7	18.7	18.7

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2011

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	80	43	37	17.2	14.4	22.4
LOWNDES	111	49	62	14.3	11.8	17.2
MADISON	208	105	103	16.4	14.9	18.3
MARION	61	41	20	18.0	18.6	16.8
MARSHALL	64	21	43	14.0	10.0	17.5
MONROE	74	46	28	17.9	16.6	20.6
MONTGOMERY	30	11	19	25.4	21.6	28.4
NESHOBA	79	36	43	18.5	19.7	17.6
NEWTON	49	22	27	15.6	12.6	19.3
NOXUBEE	23	0	23	16.4	-	22.1
OKTIBBEHA	89	28	61	15.5	9.9	20.8
PANOLA	76	16	60	15.4	8.1	20.2
PEARL RIVER	110	89	21	15.6	14.6	22.1
PERRY	23	17	6	14.1	12.6	21.4
PIKE	88	22	66	14.6	10.0	17.2
PONTOTOC	56	45	11	13.8	12.8	20.0
PRENTISS	49	43	6	13.8	14.0	12.8
QUITMAN	34	4	30	30.4	21.0	32.2
RANKIN	320	234	86	15.9	14.5	21.7
SCOTT	69	36	33	15.1	13.5	17.3
SHARKEY	18	1	17	19.8	14.3	20.2
SIMPSON	59	35	24	16.6	16.7	16.6
SMITH	29	18	11	15.8	14.1	20.0
STONE	42	31	11	18.5	16.9	25.0
SUNFLOWER	78	10	68	21.6	17.2	22.4
TALLAHATCHIE	30	5	25	18.5	13.5	20.0
TATE	47	24	23	13.5	10.9	18.0
TIPPAH	53	40	13	18.7	17.8	22.0
TISHOMINGO	41	40	1	19.4	19.3	25.0
TUNICA	38	9	29	20.2	29.0	18.5
UNION	59	45	14	17.0	15.7	23.3
WALTHALL	44	16	28	21.2	16.3	25.7
WARREN	103	40	63	16.9	14.9	18.5
WASHINGTON	182	19	163	21.7	12.8	23.6
WAYNE	48	21	27	16.2	13.3	19.4
WEBSTER	17	10	7	14.4	11.5	22.6
WILKINSON	18	1	17	14.8	4.0	17.5
WINSTON	51	18	33	22.5	17.5	26.6
YALOBUSHA	18	6	12	12.2	8.3	16.0
YAZOO	88	15	73	22.4	14.2	25.4

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2011

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>400</u>	<u>117</u>	<u>283</u>	<u>404</u>	<u>115</u>	<u>289</u>	<u>10.1</u>	<u>5.3</u>	<u>16.0</u>
ADAMS	13	3	10	5	1	4	12.2	6.6	15.6
ALCORN	1	1	0	4	4	0	9.0	10.4	-
AMITE	0	0	0	1	0	1	6.0	-	11.1
ATTALA	0	0	0	4	1	3	15.7	7.9	23.6
BENTON	0	0	0	2	0	2	20.2	-	50.0
BOLIVAR	7	0	7	8	3	5	13.9	21.3	11.5
CALHOUN	0	0	0	1	0	1	5.8	-	16.9
CARROLL	0	0	0	1	0	1	11.0	-	23.2
CHICKASAW	0	0	0	2	0	2	8.1	-	16.9
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	0	0	0	-	-	-
CLARKE	0	0	0	5	3	2	27.6	26.1	30.3
CLAY	7	0	7	5	1	4	20.2	13.5	23.1
COAHOMA	10	2	8	8	0	8	17.1	-	19.8
COPIAH	0	0	0	4	0	4	9.0	-	16.2
COVINGTON	0	0	0	4	1	3	15.5	6.8	27.3
DESOTO	14	5	9	14	5	9	6.8	3.3	17.4
FORREST	11	6	5	6	1	5	5.6	1.7	10.2
FRANKLIN	0	0	0	2	0	2	20.4	-	54.0
GEORGE	1	1	0	1	1	0	2.7	3.0	-
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	2	0	2	0	0	0	-	-	-
HANCOCK	1	1	0	5	4	1	10.6	9.3	22.7
HARRISON	30	17	13	33	15	18	11.6	7.8	19.7
HINDS	111	17	94	40	1	39	11.6	1.4	14.3
HOLMES	0	0	0	2	0	2	6.6	-	6.9
HUMPHREYS	0	0	0	5	0	5	35.5	-	39.4
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.7	3.9	-
JACKSON	14	7	7	18	9	9	10.8	7.4	20.1
JASPER	0	0	0	4	0	4	17.5	-	29.4
JEFFERSON	1	0	1	4	0	4	35.7	-	37.4
JEFF DAVIS	0	0	0	2	0	2	13.8	-	19.8
JONES	15	3	12	10	3	7	10.3	4.8	20.5
KEMPER	0	0	0	2	0	2	19.0	-	28.2
LAFAYETTE	9	5	4	6	3	3	11.0	8.7	14.7
LAMAR	6	3	3	3	2	1	3.9	3.7	4.6
LAUDERDALE	27	9	18	18	6	12	17.3	12.0	22.2
LAWRENCE	0	0	0	1	0	1	5.8	-	14.7
LEAKE	0	0	0	0	0	0	-	-	-
LEE	20	13	7	8	3	5	6.8	4.0	12.0
LEFLORE	9	1	8	10	1	9	18.5	9.3	20.7

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2011

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	1	5	1	0	1	2.2	-	6.1
LOWNDES	16	5	11	12	5	7	15.5	12.1	19.4
MADISON	3	0	3	14	6	8	11.0	8.5	14.2
MARION	0	0	0	4	3	1	11.8	13.6	8.4
MARSHALL	1	0	1	5	0	5	10.9	-	20.3
MONROE	1	0	1	2	0	2	4.8	-	14.7
MONTGOMERY	0	0	0	1	1	0	8.5	19.6	-
NESHOBA	1	0	1	4	0	4	9.4	-	16.4
NEWTON	0	0	0	2	1	1	6.4	5.7	7.1
NOXUBEE	0	0	0	4	0	4	28.6	-	38.5
OKTIBBEHA	7	3	4	8	2	6	13.9	7.1	20.5
PANOLA	3	1	2	4	1	3	8.1	5.0	10.1
PEARL RIVER	3	2	1	4	3	1	5.7	4.9	10.5
PERRY	0	0	0	0	0	0	-	-	-
PIKE	5	0	5	3	0	3	5.0	-	7.8
PONTOTOC	0	0	0	6	3	3	14.7	8.5	54.5
PRENTISS	0	0	0	0	0	0	-	-	-
QUITMAN	0	0	0	1	0	1	8.9	-	10.8
RANKIN	13	5	8	11	3	8	5.5	1.8	20.2
SCOTT	0	0	0	2	0	2	4.4	-	10.5
SHARKEY	0	0	0	2	0	2	22.0	-	23.8
SIMPSON	2	1	1	2	1	1	5.6	4.8	6.9
SMITH	0	0	0	1	1	0	5.5	7.8	-
STONE	0	0	0	1	1	0	4.4	5.5	-
SUNFLOWER	4	0	4	10	0	10	27.7	-	33.0
TALLAHATCHIE	0	0	0	6	0	6	37.0	-	48.0
TATE	0	0	0	3	1	2	8.6	4.5	15.6
TIPPAH	0	0	0	1	0	1	3.5	-	16.9
TISHOMINGO	0	0	0	2	2	0	9.5	9.7	-
TUNICA	0	0	0	1	0	1	5.3	-	6.4
UNION	9	4	5	5	5	0	14.4	17.5	-
WALTHALL	0	0	0	2	1	1	9.7	10.2	9.2
WARREN	5	0	5	7	3	4	11.5	11.2	11.8
WASHINGTON	11	0	11	10	0	10	11.9	-	14.5
WAYNE	1	1	0	2	1	1	6.7	6.3	7.2
WEBSTER	0	0	0	1	1	0	8.5	11.5	-
WILKINSON	0	0	0	1	0	1	8.2	-	10.3
WINSTON	0	0	0	3	0	3	13.2	-	24.2
YALOBUSHA	0	0	0	1	1	0	6.8	13.9	-
YAZOO	0	0	0	6	0	6	15.3	-	20.9
OUT OF STATE	14	2	12	10	4	6			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2011

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>28,612</u>	<u>19,502</u>	<u>9,110</u>	<u>29,219</u>	<u>19,986</u>	<u>9,233</u>	<u>9.8</u>	<u>11.2</u>	<u>7.8</u>
ADAMS	415	210	205	415	204	211	12.9	14.4	11.8
ALCORN	497	445	52	441	396	45	11.9	12.4	9.0
AMITE	90	60	30	147	90	57	11.2	12.0	10.2
ATTALA	198	151	47	258	184	74	13.2	16.7	8.7
BENTON	35	27	8	78	59	19	8.9	11.0	5.6
BOLIVAR	340	143	197	436	182	254	12.9	15.7	11.5
CALHOUN	132	113	19	190	153	37	12.7	14.6	8.4
CARROLL	48	36	12	103	68	35	9.9	10.0	9.8
CHICKASAW	105	72	33	179	116	63	10.4	12.2	8.3
CHOCTAW	47	32	15	71	49	22	8.4	8.6	8.1
CLAIBORNE	60	15	45	90	18	72	9.4	12.9	8.8
CLARKE	126	98	28	214	159	55	12.8	14.8	9.2
CLAY	156	95	61	208	116	92	10.2	14.0	7.6
COAHOMA	276	74	202	294	79	215	11.3	12.9	10.9
COPIAH	198	125	73	326	186	140	11.1	13.4	9.1
COVINGTON	191	154	37	261	201	60	13.3	16.2	8.3
DESOTO	1,079	834	245	1,110	940	170	6.8	7.7	4.0
FORREST	1,164	861	303	659	491	168	8.7	10.6	5.7
FRANKLIN	109	70	39	99	68	31	12.3	13.2	10.8
GEORGE	175	168	7	221	205	16	9.6	10.0	6.9
GREENE	82	62	20	128	103	25	8.9	10.0	6.2
GRENADA	239	157	82	282	181	101	13.0	14.7	10.8
HANCOCK	310	287	23	420	396	24	9.4	10.0	4.6
HARRISON	1,908	1,538	370	1,751	1,406	345	9.2	10.4	6.2
HINDS	3,782	1,909	1,873	2,001	835	1,166	8.1	11.6	6.6
HOLMES	106	30	76	188	45	143	10.0	14.6	9.1
HUMPHREYS	51	18	33	88	27	61	9.4	11.9	8.6
ISSAQUENA	3	2	1	11	4	7	7.9	8.2	7.8
ITAWAMBA	152	148	4	269	253	16	11.5	11.8	8.5
JACKSON	1,236	1,021	215	1,259	1,044	215	9.0	10.1	5.8
JASPER	105	66	39	192	112	80	11.4	14.5	8.8
JEFFERSON	42	9	33	83	10	73	10.9	9.1	11.2
JEFF DAVIS	112	61	51	172	89	83	14.2	18.7	11.3
JONES	618	473	145	687	543	144	10.1	11.5	6.9
KEMPER	56	34	22	99	49	50	9.8	13.6	7.6
LAFAYETTE	498	364	134	348	270	78	7.2	7.7	5.8
LAMAR	417	353	64	386	338	48	6.7	7.7	3.6
LAUDERDALE	1,318	857	461	858	609	249	10.7	13.8	6.9
LAWRENCE	97	69	28	141	99	42	11.1	11.6	10.1
LEAKE	178	123	55	224	146	78	9.5	12.1	6.8
LEE	1,528	1,196	332	856	676	180	10.2	11.5	7.1
LEFLORE	503	185	318	393	149	244	12.3	18.1	10.3

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2011

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	339	250	89	402	301	101	11.5	12.7	9.1
LOWNDES	586	374	212	587	366	221	9.8	11.3	8.1
MADISON	912	632	280	952	636	316	9.8	11.3	7.8
MARION	232	181	51	337	249	88	12.6	14.1	9.6
MARSHALL	222	127	95	387	233	154	10.5	12.3	8.6
MONROE	349	275	74	428	325	103	11.7	13.1	8.8
MONTGOMERY	121	67	54	164	93	71	15.1	16.1	13.9
NESHOBA	226	157	69	327	219	108	11.0	12.0	9.3
NEWTON	142	99	43	227	154	73	10.6	11.4	9.2
NOXUBEE	67	29	38	111	38	73	9.8	12.2	8.9
OKTIBBEHA	269	153	116	296	164	132	6.2	5.8	6.8
PANOLA	299	187	112	409	252	157	11.8	14.7	9.0
PEARL RIVER	423	377	46	589	516	73	10.6	11.0	8.4
PERRY	77	68	9	109	96	13	9.0	10.1	4.8
PIKE	486	289	197	490	285	205	12.1	15.2	9.5
PONTOTOC	187	173	14	279	250	29	9.3	10.1	5.7
PRENTISS	214	193	21	282	254	28	11.1	11.9	7.0
QUITMAN	80	32	48	118	44	74	14.5	18.6	12.8
RANKIN	724	578	146	1,094	922	172	7.6	8.2	5.4
SCOTT	182	129	53	283	184	99	10.0	11.0	8.5
SHARKEY	47	21	26	64	26	38	13.1	18.8	10.8
SIMPSON	223	171	52	292	219	73	10.7	12.7	7.2
SMITH	87	70	17	157	123	34	9.5	9.9	8.5
STONE	119	108	11	195	169	26	10.9	12.1	6.7
SUNFLOWER	211	98	113	283	120	163	9.7	15.5	7.6
TALLAHATCHIE	91	51	40	141	69	72	9.2	11.0	8.0
TATE	166	134	32	267	206	61	9.3	10.6	6.6
TIPPAH	190	163	27	267	229	38	12.0	12.6	9.4
TISHOMINGO	201	199	2	287	280	7	14.6	15.0	7.8
TUNICA	73	35	38	114	46	68	10.7	17.1	8.6
UNION	210	187	23	264	227	37	9.6	10.0	8.1
WALTHALL	121	73	48	169	100	69	11.0	12.1	9.6
WARREN	547	315	232	494	313	181	10.2	12.7	7.6
WASHINGTON	541	194	347	577	211	366	11.4	15.2	10.0
WAYNE	197	146	51	230	161	69	11.2	13.1	8.3
WEBSTER	106	86	20	127	99	28	12.3	12.2	12.5
WILKINSON	107	44	63	121	40	81	12.5	14.1	11.8
WINSTON	159	111	48	232	158	74	12.2	15.8	8.1
YALOBUSHA	117	94	23	171	130	41	13.6	17.0	8.3
YAZOO	180	87	93	260	131	129	9.3	11.4	7.9
OUT OF STATE	1,506	1,085	421	899	601	298			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2011

TOWN**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
BILOXI	419	348	71	9.5	11.6	5.1
BRANDON	260	234	26	12.0	13.4	6.2
BROOKHAVEN	205	130	75	16.4	23.7	10.7
BYRAM	54	41	13	4.7	7.8	2.1
CANTON	110	32	78	8.3	12.4	7.3
CLARKSDALE	203	53	150	11.3	15.2	10.4
CLEVELAND	178	107	71	14.4	18.3	11.0
CLINTON	207	155	52	8.2	10.2	5.2
COLUMBUS	344	186	158	14.6	21.0	10.7
CORINTH	254	215	39	17.4	20.6	9.4
GAUTIER	127	105	22	6.8	9.2	3.0
GREENVILLE	419	141	278	12.2	20.2	10.1
GREENWOOD	199	79	120	13.1	16.9	11.4
GRENADA	191	115	76	14.6	19.6	10.5
GULFPORT	700	483	217	10.3	12.5	7.4
HATTIESBURG	449	280	169	9.8	14.5	6.3
HERNANDO	95	83	12	6.7	7.2	4.6
HORN LAKE	168	138	30	6.4	9.0	2.8
INDIANOLA	103	45	58	9.6	22.5	6.7
JACKSON	1,425	456	969	8.2	14.3	6.8
LAUREL	255	161	94	13.8	26.8	7.5
LONG BEACH	120	111	9	8.1	8.8	4.2
MADISON	207	193	14	8.6	9.3	4.0
MCCOMB	222	120	102	17.4	30.0	11.6
MERIDIAN	505	297	208	12.3	20.2	7.9
MOSS POINT	192	86	106	14.0	26.2	10.2
NATCHEZ	267	130	137	16.9	20.8	14.4
OCEAN SPRINGS	241	221	20	13.8	14.8	7.9
OLIVE BRANCH	261	229	32	7.8	9.6	3.4
OXFORD	191	150	41	10.1	11.0	7.8
PASCAGOULA	229	178	51	10.2	13.5	5.5
PEARL	192	158	34	7.6	9.0	4.5
PETAL	105	100	5	10.0	11.1	3.4
PICAYUNE	153	104	49	14.1	16.1	11.1
RIDGELAND	475	344	131	19.8	24.0	13.4
SOUTHAVEN	326	281	45	6.6	8.1	3.2
STARKVILLE	169	103	66	7.1	7.2	6.8
TUPELO	422	321	101	12.2	15.8	7.1
VICKSBURG	296	155	141	12.4	20.8	8.6
WEST POINT	131	70	61	11.6	16.5	8.6
YAZOO CITY	137	45	92	12.0	24.4	9.6

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>29,219</u>	<u>19,986</u>	<u>9,233</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>903</u>	<u>517</u>	<u>386</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>56</u>	<u>40</u>	<u>16</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>28</u>	<u>24</u>	<u>4</u>
003	Paratyphoid fevers and other salmonella infections	3	0	3
007	Intestinal infections due to other specified organisms	25	24	1
008	Diarrhea and gastroenteritis of presumed infectious origin	28	16	12
<u>009-010</u>	<u>Tuberculosis</u>	<u>7</u>	<u>4</u>	<u>3</u>
009	Respiratory tuberculosis	7	4	3
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>598</u>	<u>375</u>	<u>223</u>
018	Septicemia	573	355	218
019	Other zoonotic and bacterial diseases	25	20	5
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
022	Other and unspecified syphilis	1	0	1
<u>028-044</u>	<u>Viral diseases</u>	<u>215</u>	<u>83</u>	<u>132</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	3	2	1
033	Herpesviral (herpes simplex) infections	1	1	0
034	Zoster (herpes zoster)	1	1	0
038	Viral hepatitis	63	48	15
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>135</u>	<u>22</u>	<u>113</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	44	7	37
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	5	2	3
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	13	3	10
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	35	5	30
043	Unspecified human immunodeficiency virus (HIV) disease	38	5	33
044	All other and unspecified viral diseases	12	9	3
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>26</u>	<u>15</u>	<u>11</u>
045	Mycoses	17	7	10
<u>046-050</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
049	Pneumocystosis	2	1	1
053	Sequelae of tuberculosis	1	1	0
054	Sequelae of poliomyelitis	1	1	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	5	5	0
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,370</u>	<u>4,314</u>	<u>2,056</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,242</u>	<u>4,214</u>	<u>2,028</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>142</u>	<u>85</u>	<u>57</u>
056	Malignant neoplasms of lip	2	2	0

Table 10A - Page 2
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
057	Malignant neoplasms of tongue	23	16	7
058	Malignant neoplasms of pharynx	85	42	43
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	32	25	7
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,550</u>	<u>959</u>	<u>591</u>
060	Malignant neoplasms of esophagus	132	84	48
061	Malignant neoplasms of stomach	115	54	61
062	Malignant neoplasms of small intestine	9	7	2
063	Malignant neoplasms of colon	525	311	214
064	Malignant neoplasms of rectosigmoid junction and rectum	95	59	36
065	Malignant neoplasms of anus and anal canal	6	5	1
066	Malignant neoplasms of liver	216	154	62
067	Intrahepatic bile duct carcinoma	17	8	9
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	35	24	11
069	Malignant neoplasms of pancreas	380	244	136
070	Malignant neoplasms of other and ill-defined digestive organs	20	9	11
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,976</u>	<u>1,439</u>	<u>537</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	6	4	2
072	Malignant neoplasms of larynx	42	23	19
073	Malignant neoplasms of trachea, bronchus and lung	1,920	1,406	514
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	4	2	2
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	4	4	0
076	Malignant neoplasms of bone and articular cartilage	37	26	11
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>116</u>	<u>107</u>	<u>9</u>
077	Malignant melanoma of skin	73	68	5
078	Other malignant neoplasms of skin	43	39	4
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>58</u>	<u>43</u>	<u>15</u>
079	Mesothelioma	18	17	1
080	Kaposi's sarcoma	1	0	1
081	Malignant neoplasms of other mesothelial and soft tissue	39	26	13
082	Malignant neoplasm of breast	405	237	168
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>265</u>	<u>167</u>	<u>98</u>
083	Malignant neoplasms of vulva and vagina	20	17	3
084	Malignant neoplasms of cervix uteri	44	21	23
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	73	34	39
086	Malignant neoplasms of ovary	126	93	33
087	Malignant neoplasms of other and unspecified female genital organs	2	2	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>321</u>	<u>159</u>	<u>162</u>
089	Malignant neoplasms of prostate	318	157	161
090	Malignant neoplasms of testis	3	2	1
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>252</u>	<u>176</u>	<u>76</u>
092	Malignant neoplasms of kidney and renal pelvis	145	96	49
093	Malignant neoplasms of bladder	105	79	26
094	Malignant neoplasms of other and unspecified sites within the urinary tract	2	1	1
095	Malignant neoplasm of eye and adnexa	1	1	0

Table 10A - Page 3
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>148</u>	<u>126</u>	<u>22</u>
096	Malignant neoplasms of brain	146	124	22
097	Malignant neoplasms of other parts of central nervous system	2	2	0
098	Malignant neoplasms of thyroid and other endocrine glands	15	11	4
099	Other malignant neoplasms of other and unspecified sites	452	326	126
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>504</u>	<u>352</u>	<u>152</u>
100	Hodgkin's disease	11	7	4
101	Non-Hodgkin's lymphoma	159	122	37
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	1	1	0
103	Malignant immunoproliferative diseases	5	2	3
104	Multiple myeloma and malignant plasma cell neoplasms	99	57	42
<u>105-108</u>	<u>Leukemia</u>	<u>229</u>	<u>163</u>	<u>66</u>
105	Lymphoid leukemia	58	36	22
106	Myeloid leukemia	81	58	23
107	Monocytic leukemia	1	1	0
108	Other and unspecified leukemia	89	68	21
110	Carcinoma in situ of other and unspecified sites	1	1	0
<u>111-113</u>	<u>Benign neoplasms</u>	<u>14</u>	<u>10</u>	<u>4</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	4	2	2
113	Benign neoplasms of other and unspecified sites	10	8	2
114	Neoplasms of uncertain or unknown behavior of specified sites	106	84	22
115	Neoplasm of uncertain or unknown behavior of unspecified sites	7	5	2
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>137</u>	<u>65</u>	<u>72</u>
<u>116-119</u>	<u>Anemias</u>	<u>74</u>	<u>36</u>	<u>38</u>
116	Nutritional anemias	5	4	1
117	Hemolytic anemias	14	1	13
118	Aplastic anemias	17	11	6
119	Acute posthemorrhagic and other anemias	38	20	18
120	Coagulation defects, purpura and other hemorrhagic conditions	29	17	12
121	Other diseases of blood and blood-forming organs	10	6	4
122	Certain disorders involving the immune mechanism	24	6	18
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,303</u>	<u>710</u>	<u>593</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>1,041</u>	<u>558</u>	<u>483</u>
123	Disorders of thyroid gland	23	14	9
124	Diabetes mellitus	993	526	467
125	Disorders of pituitary gland	1	1	0
126	Disorders of adrenal glands	5	5	0
128	Other endocrine diseases	19	12	7
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>33</u>	<u>19</u>	<u>14</u>

Table 10A - Page 4
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>129-130</u>	<u>Malnutrition</u>	<u>33</u>	<u>19</u>	<u>14</u>
130	Other and unspecified malnutrition	33	19	14
132	Obesity and other hyperalimentation	84	46	38
<u>133-135</u>	<u>Metabolic disorders</u>	<u>145</u>	<u>87</u>	<u>58</u>
133	Cystic fibrosis	8	6	2
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	63	37	26
135	Other metabolic disorders	74	44	30
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>1,032</u>	<u>788</u>	<u>244</u>
136	Organic dementia	908	705	203
137	Other and unspecified organic mental disorders	22	16	6
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>73</u>	<u>48</u>	<u>25</u>
138	Mental and behavioral disorders due to use of alcohol	51	34	17
139	Mental and behavioral disorders due to other psychoactive substance use	22	14	8
140	Schizophrenia, schizotypal and delusional disorders	5	2	3
141	Mood (affective) disorders	10	8	2
142	Neurotic, stress-related and somatoform disorders	1	0	1
143	Mental retardation	8	5	3
144	Other and unspecified mental and behavioral disorders	5	4	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,498</u>	<u>1,147</u>	<u>351</u>
145	Meningitis	7	3	4
146	Other inflammatory diseases of central nervous system	5	2	3
147	Parkinson's disease	160	147	13
148	Alzheimer's disease	974	782	192
149	Multiple sclerosis	22	14	8
150	Epilepsy	27	11	16
151	Transient cerebral ischemic attacks and related syndromes	3	2	1
152	Infantile cerebral palsy	22	9	13
153	All other diseases of nervous system	278	177	101
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,576</u>	<u>6,465</u>	<u>3,111</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>9,538</u>	<u>6,438</u>	<u>3,100</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>17</u>	<u>6</u>
157	Rheumatic mitral valve diseases	13	11	2
158	Rheumatic aortic valve diseases	1	1	0
159	Disorders of both mitral and aortic valves	6	2	4
160	Other chronic rheumatic heart diseases	3	3	0
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,193</u>	<u>639</u>	<u>554</u>
161	Essential (primary) hypertension	388	222	166
162	Hypertensive heart disease	632	340	292
163	Hypertensive renal disease	109	51	58

Table 10A - Page 5
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
164	Hypertensive heart and renal disease	64	26	38
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>3,690</u>	<u>2,591</u>	<u>1,099</u>
165	Acute myocardial infarction	1,905	1,271	634
166	Other acute ischemic heart diseases	26	19	7
167	Atherosclerotic cardiovascular disease, so described	401	287	114
168	All other forms of chronic ischemic heart disease	1,358	1,014	344
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>193</u>	<u>124</u>	<u>69</u>
169	Pulmonary embolism	119	76	43
170	Other pulmonary heart disease and diseases of pulmonary circulation	74	48	26
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,722</u>	<u>1,933</u>	<u>789</u>
171	Acute and subacute endocarditis	8	4	4
172	Diseases of pericardium and acute myocarditis	11	7	4
173	Nonrheumatic mitral valve disorders	15	12	3
174	Nonrheumatic aortic valve disorders	72	53	19
175	All other diseases of endocardium	38	26	12
176	Cardiomyopathy	241	149	92
177	Conduction disorders and cardiac dysrhythmias	777	535	242
178	Congestive heart failure	1,135	846	289
179	Other and unspecified heart failure	172	131	41
180	Myocarditis, unspecified and myocardial degeneration	9	5	4
181	All other and ill-defined forms of heart disease	244	165	79
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,539</u>	<u>1,013</u>	<u>526</u>
182	Subarachnoid hemorrhage	48	27	21
183	Intracerebral and other intracranial hemorrhage	356	226	130
184	Cerebral infarction	63	37	26
185	Stroke, not specified as hemorrhage or infarction	899	612	287
186	Other cerebrovascular diseases and their sequelae	173	111	62
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>178</u>	<u>121</u>	<u>57</u>
187	Atherosclerosis	11	8	3
188	Aortic aneurysm and dissection	91	63	28
189	Other diseases of arteries, arterioles and capillaries	76	50	26
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>38</u>	<u>27</u>	<u>11</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	29	21	8
191	All other and unspecified disorders of circulatory system	9	6	3
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,949</u>	<u>2,358</u>	<u>591</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
194	Other and unspecified acute upper respiratory infections	2	2	0
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,947</u>	<u>2,356</u>	<u>591</u>
195	Influenza	8	7	1
<u>196-198</u>	<u>Pneumonia</u>	<u>602</u>	<u>442</u>	<u>160</u>
196	Viral pneumonia, not elsewhere classified	1	0	1
197	Bacterial pneumonia	33	26	7
198	Pneumonia due to other or unspecified organisms	568	416	152
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
199	Acute bronchitis and bronchiolitis	4	3	1
201	Other diseases of upper respiratory tract	7	4	3
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,689</u>	<u>1,422</u>	<u>267</u>
202	Bronchitis, not specified as acute or chronic	6	5	1

Table 10A - Page 6
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
203	Chronic bronchitis	3	3	0
204	Emphysema	76	55	21
205	Other chronic obstructive pulmonary disease	1,545	1,332	213
206	Asthma	52	21	31
207	Bronchiectasis	7	6	1
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>214</u>	<u>160</u>	<u>54</u>
208	Pneumoconioses and chemical effects	15	11	4
209	Pneumonitis due to food and vomit	198	148	50
211	Other lung diseases due to external agents	1	1	0
212	Suppurative and necrotic conditions of lower respiratory tract	3	3	0
213	Pleural effusion and plaque	19	17	2
214	All other diseases of respiratory system	401	298	103
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>993</u>	<u>723</u>	<u>270</u>
215	Diseases of oral cavity, salivary glands and jaws	2	1	1
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>991</u>	<u>722</u>	<u>269</u>
216	Diseases of esophagus	25	19	6
<u>217-220</u>	<u>Peptic ulcer</u>	<u>22</u>	<u>16</u>	<u>6</u>
217	Gastric ulcer	3	2	1
218	Duodenal ulcer	17	13	4
219	Peptic ulcer, site unspecified	2	1	1
221	Gastritis and duodenitis	2	1	1
222	Dyspepsia and other diseases of stomach and duodenum	8	7	1
223	Diseases of appendix	5	2	3
224	Hernia	19	13	6
225	Crohn's disease and ulcerative colitis	5	5	0
226	Vascular disorders and obstruction of intestine without hernia	137	95	42
227	Diverticular disease of intestine	20	16	4
228	Other diseases of intestines and peritoneum	50	38	12
229	Diseases of peritoneum	26	19	7
<u>230-233</u>	<u>Diseases of liver</u>	<u>471</u>	<u>366</u>	<u>105</u>
230	Alcoholic liver disease	90	63	27
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	247	202	45
233	Other diseases of liver	133	100	33
234	Cholelithiasis and other disorders of gallbladder	36	24	12
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>48</u>	<u>30</u>	<u>18</u>
235	Pancreatitis	42	26	16
236	Other disorders of biliary tract and pancreas	6	4	2
237	All other diseases of digestive system	117	71	46
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>52</u>	<u>30</u>	<u>22</u>
238	Infections of skin and subcutaneous tissue	18	14	4
239	Other and unspecified diseases of skin and subcutaneous tissue	34	16	18
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>111</u>	<u>63</u>	<u>48</u>

Table 10A - Page 7
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
240	Rheumatoid arthritis and related inflammatory polyarthropathies	17	12	5
241	Systemic lupus erythematosus	24	8	16
242	Other arthropathies and related disorders	31	17	14
243	Dorsopathies	15	11	4
244	Soft tissue disorders	11	8	3
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>13</u>	<u>7</u>	<u>6</u>
245	Osteoporosis	3	3	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	10	4	6
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>853</u>	<u>506</u>	<u>347</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>843</u>	<u>499</u>	<u>344</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>55</u>	<u>38</u>	<u>17</u>
247	Acute and rapidly progressive nephritic syndrome	2	2	0
249	Other and unspecified glomerular diseases	53	36	17
250	Renal tubulo-interstitial diseases	11	9	2
251	Renal failure	614	340	274
252	Urolithiasis	1	1	0
254	Urinary tract infection, site not specified	133	95	38
255	Other diseases of urinary system	29	16	13
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>5</u>	<u>1</u>
256	Hyperplasia of prostate	1	1	0
257	Other diseases of male genital organs	5	4	1
258	Disorders of breast	1	0	1
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>3</u>	<u>2</u>	<u>1</u>
259	Inflammatory diseases of female pelvic organs	1	1	0
260	Noninflammatory disorders of female genital tract	2	1	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>19</u>	<u>7</u>	<u>12</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>6</u>	<u>3</u>	<u>3</u>
266	Eclampsia and pre-eclampsia	4	3	1
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
268	Obstetric embolism	1	0	1
269	Other complications predominately related to the puerperium	1	0	1
270	All other direct obstetric causes	1	0	1
272	Other deaths related to pregnancy, childbirth and the puerperium	12	4	8
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>160</u>	<u>52</u>	<u>108</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	28	13	15
275	Disorders related to short gestation and low birth weight, not elsewhere classified	47	9	38
277	Intrauterine hypoxia and birth asphyxia	5	1	4
278	Respiratory distress of newborn	15	4	11

Table 10A - Page 8
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
279	Other respiratory conditions originating in the perinatal period	14	3	11
280	Infections specific to the perinatal period	9	5	4
281	Other and unspecified conditions originating in the perinatal period	42	17	25
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>114</u>	<u>55</u>	<u>59</u>
282	Anencephaly and similar malformations	8	4	4
283	Spina bifida	3	1	2
284	All other congenital malformations of nervous system	7	3	4
285	Congenital malformations of heart	23	11	12
286	Other congenital malformations of circulatory system	6	4	2
287	Congenital malformations of respiratory system	6	2	4
288	Other congenital malformations and deformations	41	18	23
289	Down's syndrome	7	2	5
290	All other chromosomal abnormalities, not elsewhere classified	13	10	3
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>639</u>	<u>453</u>	<u>186</u>
291	Senility	33	21	12
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>202</u>	<u>112</u>	<u>90</u>
292	Sudden infant death syndrome	43	21	22
293	Other ill-defined and unknown causes of mortality	159	91	68
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	404	320	84
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,507</u>	<u>1,732</u>	<u>775</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,687</u>	<u>1,235</u>	<u>452</u>
295	Railway accidents	4	3	1
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>706</u>	<u>483</u>	<u>223</u>
296	Pedestrian involved in collision with motor vehicle	52	27	25
297	Pedal cyclist involved in collision with motor vehicle	5	3	2
298	Motorcyclist involved in any accident except collision with railway train	59	52	7
300	Other motor vehicle accident involving collision with railway train	1	0	1
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	165	111	54
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	189	127	62
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	8	7	1
304	Occupant of motor vehicle involved in noncollision accident	134	93	41
305	Occupant of special-use motor vehicle involved in any accident	19	15	4

Table 10A - Page 9
Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
306	Other and unspecified motor vehicle accidents	74	48	26
308	Other and unspecified land transport accidents	5	2	3
309	Water transport accidents	14	8	6
310	Air and space transport accidents	4	4	0
311	Other and unspecified transport accidents and their sequelae	15	11	4
<u>312-314</u>	<u>Falls</u>	<u>277</u>	<u>238</u>	<u>39</u>
312	Fall on same level	163	138	25
313	Fall from one level to another	18	17	1
314	Unspecified fall	96	83	13
315	Accidental discharge of firearms	31	26	5
316	Accidental explosion	3	1	2
317	Accidental drowning and submersion	57	30	27
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	77	48	29
319	Other accidental and unspecified threats to breathing	9	6	3
320	Accidental exposure to electric current	4	4	0
322	Accidental exposure to smoke, fire and flames	81	37	44
323	Accidental contact with heat and hot substances	3	1	2
324	Lightning	1	1	0
326	Cataclysmic storm and flood	33	27	6
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>257</u>	<u>230</u>	<u>27</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	232	209	23
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	20	17	3
329	Accidental poisoning by and exposure to other gases and vapors	5	4	1
330	All other and unspecified accidents and their sequelae	106	75	31
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>382</u>	<u>333</u>	<u>49</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	30	26	4
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	2	1	1
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	76	59	17
335	Intentional self-harm (suicide) by discharge of firearms	266	242	24
336	Intentional self-harm (suicide) by jumping from a high place	1	0	1
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	7	5	2
<u>338-346</u>	<u>Assault (homicide)</u>	<u>306</u>	<u>78</u>	<u>228</u>
339	Assault (homicide) by hanging, strangulation and suffocation	7	3	4
340	Assault (homicide) by discharge of firearms	216	50	166
341	Assault (homicide) by sharp object	42	8	34
342	Assault (homicide) by blunt object	4	3	1
345	Neglect, abandonment and other maltreatment syndromes	3	0	3
346	Assault (homicide) by all other and unspecified means and their sequelae	34	14	20
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>41</u>	<u>30</u>	<u>11</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	17	16	1
350	Discharge of firearms, undetermined intent	9	6	3
352	All other and unspecified events of undetermined intent and their sequelae	15	8	7

Table 10A - Page 10
 Deaths - Mississippi - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>353-354</u>	<u>Legal intervention</u>	<u>6</u>	<u>4</u>	<u>2</u>
353	Legal execution	2	1	1
354	Other legal intervention and their sequelae	4	3	1
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>85</u>	<u>52</u>	<u>33</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	22	17	5
357	Misadventures to patients during medical and surgical care and their sequelae	1	1	0
358	Other complications of medical and surgical care and their sequelae	62	34	28

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2011**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>29,219</u>	<u>19,986</u>	<u>9,233</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>903</u>	<u>517</u>	<u>386</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>56</u>	<u>40</u>	<u>16</u>
A02	Other salmonella infections	3	0	3
A04	Other bacterial intestinal infections	24	23	1
A08	Viral and other specified intestinal infections	1	1	0
A09	Diarrhea and gastroenteritis of presumed infectious origin	28	16	12
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>7</u>	<u>4</u>	<u>3</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	7	4	3
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>598</u>	<u>375</u>	<u>223</u>
A31	Infection due to other mycobacteria	2	2	0
A40	Streptococcal septicemia	9	5	4
A41	Other septicemia	564	350	214
A43	Nocardiosis	2	2	0
A49	Bacterial infection of unspecified site	21	16	5
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>A50-A53</u>	<u>Syphilis</u>	<u>1</u>	<u>0</u>	<u>1</u>
A53	Other and unspecified syphilis	1	0	1
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>8</u>	<u>7</u>	<u>1</u>
A81	Atypical virus infections of central nervous system	6	6	0
A86	Unspecified viral encephalitis	1	0	1
A89	Unspecified viral infection of central nervous system	1	1	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>3</u>	<u>2</u>	<u>1</u>
A92	Other mosquito-borne viral fevers	3	2	1
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>3</u>	<u>3</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	1	1	0
B01	Varicella [chickenpox]	1	1	0
B02	Zoster [herpes zoster]	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>63</u>	<u>48</u>	<u>15</u>
B16	Acute hepatitis B	5	4	1
B17	Other acute viral hepatitis	2	2	0
B18	Chronic viral hepatitis	56	42	14
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>135</u>	<u>22</u>	<u>113</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	44	7	37
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	5	2	3
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	13	3	10
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	35	5	30
B24	Unspecified human immunodeficiency virus [HIV] disease	38	5	33

Table 10B - Page 2
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>3</u>	<u>1</u>	<u>2</u>
B25	Cytomegaloviral disease	2	1	1
B34	Viral infection of unspecified site	1	0	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>17</u>	<u>7</u>	<u>10</u>
B36	Other superficial mycoses	1	1	0
B37	Candidiasis	6	2	4
B38	Coccidioidomycosis	1	1	0
B39	Histoplasmosis	2	1	1
B44	Aspergillosis	1	1	0
B45	Cryptococcosis	3	0	3
B49	Unspecified mycosis	3	1	2
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
B59	Pneumocystosis	2	1	1
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>7</u>	<u>7</u>	<u>0</u>
B90	Sequelae of tuberculosis	1	1	0
B91	Sequelae of poliomyelitis	1	1	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	5	5	0
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,370</u>	<u>4,314</u>	<u>2,056</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,242</u>	<u>4,214</u>	<u>2,028</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>142</u>	<u>85</u>	<u>57</u>
C00	Malignant neoplasm of lip	2	2	0
C01	Malignant neoplasm of base of tongue	4	4	0
C02	Malignant neoplasm of other and unspecified parts of tongue	19	12	7
C03	Malignant neoplasm of gum	1	1	0
C05	Malignant neoplasm of palate	2	1	1
C06	Malignant neoplasm of other and unspecified parts of mouth	12	11	1
C07	Malignant neoplasm of parotid gland	6	4	2
C09	Malignant neoplasm of tonsil	11	8	3
C10	Malignant neoplasm of oropharynx	5	2	3
C11	Malignant neoplasm of nasopharynx	5	3	2
C13	Malignant neoplasm of hypopharynx	2	0	2
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	73	37	36
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,550</u>	<u>959</u>	<u>591</u>
C15	Malignant neoplasm of esophagus	132	84	48
C16	Malignant neoplasm of stomach	115	54	61
C17	Malignant neoplasm of small intestine	9	7	2
C18	Malignant neoplasm of colon	525	311	214
C19	Malignant neoplasm of rectosigmoid junction	34	17	17
C20	Malignant neoplasm of rectum	61	42	19
C21	Malignant neoplasm of anus and anal canal	6	5	1
C22	Malignant neoplasm of liver and intrahepatic bile ducts	233	162	71
C23	Malignant neoplasm of gallbladder	22	12	10
C24	Malignant neoplasm of other and unspecified parts of biliary tract	13	12	1

Table 10B - Page 3
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C25	Malignant neoplasm of pancreas	380	244	136
C26	Malignant neoplasm of other and ill-defined digestive organs	20	9	11
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,976</u>	<u>1,439</u>	<u>537</u>
C31	Malignant neoplasm of accessory sinuses	6	4	2
C32	Malignant neoplasm of larynx	42	23	19
C33	Malignant neoplasm of trachea	1	1	0
C34	Malignant neoplasm of bronchus and lung	1,919	1,405	514
C37	Malignant neoplasm of thymus	1	0	1
C38	Malignant neoplasm of heart, mediastinum, and pleura	3	2	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	4	4	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>37</u>	<u>26</u>	<u>11</u>
C40	Malignant neoplasm of bone and articular cartilage of limbs	1	0	1
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	36	26	10
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>116</u>	<u>107</u>	<u>9</u>
C43	Malignant melanoma of skin	73	68	5
C44	Other malignant neoplasms of skin	43	39	4
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>58</u>	<u>43</u>	<u>15</u>
C45	Mesothelioma	18	17	1
C46	Kaposi's sarcoma	1	0	1
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	1	0	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	14	14	0
C49	Malignant neoplasm of other connective and soft tissue	24	12	12
C50	Malignant neoplasm of breast	405	237	168
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>265</u>	<u>167</u>	<u>98</u>
C51	Malignant neoplasm of vulva	13	11	2
C52	Malignant neoplasm of vagina	7	6	1
C53	Malignant neoplasm of cervix uteri	44	21	23
C54	Malignant neoplasm of corpus uteri	23	11	12
C55	Malignant neoplasm of uterus, part unspecified	50	23	27
C56	Malignant neoplasm of ovary	126	93	33
C57	Malignant neoplasm of other and unspecified female genital organs	2	2	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>321</u>	<u>159</u>	<u>162</u>
C61	Malignant neoplasm of prostate	318	157	161
C62	Malignant neoplasm of testis	3	2	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>252</u>	<u>176</u>	<u>76</u>
C64	Malignant neoplasm of kidney, except renal pelvis	145	96	49
C67	Malignant neoplasm of bladder	105	79	26
C68	Malignant neoplasm of other and unspecified urinary organs	2	1	1
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>149</u>	<u>127</u>	<u>22</u>
C69	Malignant neoplasm of eye and adnexa	1	1	0
C71	Malignant neoplasm of brain	146	124	22
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	2	2	0

Table 10B - Page 4
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>15</u>	<u>11</u>	<u>4</u>
C73	Malignant neoplasm of thyroid gland	11	8	3
C74	Malignant neoplasm of adrenal gland	4	3	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>388</u>	<u>282</u>	<u>106</u>
C76	Malignant neoplasm of other and ill-defined sites	35	27	8
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	0	1
C78	Secondary malignant neoplasm of respiratory and digestive organs	28	18	10
C79	Secondary malignant neoplasm of other sites	61	42	19
C80	Malignant neoplasm without specification of site	263	195	68
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>504</u>	<u>352</u>	<u>152</u>
C81	Hodgkin's disease	11	7	4
C82	Follicular [nodular] non-Hodgkin's lymphoma	4	4	0
C83	Diffuse non-Hodgkin's lymphoma	25	19	6
C84	Peripheral and cutaneous T-cell lymphomas	14	10	4
C85	Other and unspecified types of non-Hodgkin's lymphoma	116	89	27
C88	Malignant immunoproliferative diseases	5	2	3
C90	Multiple myeloma and malignant plasma cell neoplasms	99	57	42
C91	Lymphoid leukemia	58	36	22
C92	Myeloid leukemia	81	58	23
C93	Monocytic leukemia	1	1	0
C95	Leukemia of unspecified cell type	89	68	21
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	1	0
C97	Malignant neoplasms of independent (primary) multiple sites	64	44	20
<u>D00-D09</u>	<u>In situ neoplasms</u>	<u>1</u>	<u>1</u>	<u>0</u>
D09	Carcinoma in situ of other and unspecified sites	1	1	0
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>14</u>	<u>10</u>	<u>4</u>
D12	Benign neoplasm of colon, rectum, anus, and anal canal	1	1	0
D13	Benign neoplasm of other and ill-defined parts of digestive system	1	0	1
D15	Benign neoplasm of other and unspecified intrathoracic organs	1	1	0
D18	Hemangioma and lymphangioma, any site	1	1	0
D21	Other benign neoplasms of connective and other soft tissue	1	1	0
D32	Benign neoplasm of meninges	3	2	1
D33	Benign neoplasm of brain and other parts of central nervous system	1	0	1
D35	Benign neoplasm of other and unspecified endocrine glands	5	4	1
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>113</u>	<u>89</u>	<u>24</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	3	3	0
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	8	7	1
D39	Neoplasm of uncertain or unknown behavior of female genital organs	2	2	0

Table 10B - Page 5
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D41	Neoplasm of uncertain or unknown behavior of urinary organs	1	1	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	36	26	10
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	1	1	0
D45	Polycythemia vera	2	1	1
D46	Myelodysplastic syndromes	43	35	8
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	10	8	2
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	7	5	2
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>137</u>	<u>65</u>	<u>72</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>5</u>	<u>4</u>	<u>1</u>
D50	Iron deficiency anemia	2	1	1
D52	Folate deficiency anemia	1	1	0
D53	Other nutritional anemias	2	2	0
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>14</u>	<u>1</u>	<u>13</u>
D57	Sickle-cell disorders	12	0	12
D58	Other hereditary hemolytic anemias	2	1	1
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>55</u>	<u>31</u>	<u>24</u>
D60	Acquired pure red cell aplasia [erythroblastopenia]	1	0	1
D61	Other aplastic anemias	16	11	5
D62	Acute posthemorrhagic anemia	2	2	0
D64	Other anemias	36	18	18
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>29</u>	<u>17</u>	<u>12</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	7	4	3
D68	Other coagulation defects	10	8	2
D69	Purpura and other hemorrhagic conditions	12	5	7
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>10</u>	<u>6</u>	<u>4</u>
D70	Agranulocytosis	4	2	2
D72	Other disorders of white blood cells	5	3	2
D75	Other diseases of blood and blood-forming organs	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>24</u>	<u>6</u>	<u>18</u>
D80	Immunodeficiency with predominantly antibody defects	1	1	0
D84	Other immunodeficiencies	1	1	0
D86	Sarcoidosis	19	2	17
D89	Other disorders involving the immune mechanism, not elsewhere classified	3	2	1
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,303</u>	<u>710</u>	<u>593</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>23</u>	<u>14</u>	<u>9</u>

Table 10B - Page 6
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E03	Other hypothyroidism	15	11	4
E04	Other nontoxic goiter	1	1	0
E05	Thyrotoxicosis [hyperthyroidism]	4	0	4
E07	Other disorders of thyroid	3	2	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>993</u>	<u>526</u>	<u>467</u>
E10	Insulin-dependent diabetes mellitus	30	16	14
E11	Noninsulin-dependent diabetes mellitus	99	55	44
E14	Unspecified diabetes mellitus	864	455	409
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>17</u>	<u>10</u>	<u>7</u>
E15	Nondiabetic hypoglycemic coma	2	1	1
E16	Other disorders of pancreatic internal secretion	15	9	6
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>8</u>	<u>8</u>	<u>0</u>
E22	Hyperfunction of pituitary gland	1	1	0
E27	Other disorders of adrenal gland	5	5	0
E34	Other endocrine disorders	2	2	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>33</u>	<u>19</u>	<u>14</u>
E43	Unspecified severe protein-energy malnutrition	10	7	3
E46	Unspecified protein-energy malnutrition	23	12	11
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>84</u>	<u>46</u>	<u>38</u>
E66	Obesity	84	46	38
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>145</u>	<u>87</u>	<u>58</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	2	0	2
E72	Other disorders of amino-acid metabolism	1	1	0
E74	Other disorders of carbohydrate metabolism	2	2	0
E78	Disorders of lipoprotein metabolism and other lipidemias	40	25	15
E83	Disorders of mineral metabolism	5	3	2
E84	Cystic fibrosis	8	6	2
E85	Amyloidosis	5	3	2
E86	Volume depletion	22	16	6
E87	Other disorders of fluid, electrolyte, and acid-base balance	41	21	20
E88	Other metabolic disorders	19	10	9
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>1,032</u>	<u>788</u>	<u>244</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>930</u>	<u>721</u>	<u>209</u>
F01	Vascular dementia	41	29	12
F03	Unspecified dementia	867	676	191
F05	Delirium, not induced by alcohol and other psychoactive substances	14	11	3
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	8	5	3
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>73</u>	<u>48</u>	<u>25</u>
F10	Mental and behavioral disorders due to use of alcohol	51	34	17
F11	Mental and behavioral disorders due to use of opioids	1	1	0
F14	Mental and behavioral disorders due to use of cocaine	4	0	4

Table 10B - Page 7
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F17	Mental and behavioral disorders due to use of tobacco	1	0	1
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	16	13	3
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>5</u>	<u>2</u>	<u>3</u>
F20	Schizophrenia	2	0	2
F23	Acute and transient psychotic disorders	1	0	1
F25	Schizoaffective disorders	1	1	0
F29	Unspecified nonorganic psychosis	1	1	0
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>10</u>	<u>8</u>	<u>2</u>
F31	Bipolar affective disorder	3	2	1
F32	Depressive episode	6	5	1
F34	Persistent mood [affective] disorders	1	1	0
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>
F41	Other anxiety disorders	1	0	1
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>4</u>	<u>3</u>	<u>1</u>
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	4	3	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>8</u>	<u>5</u>	<u>3</u>
F70	Mild mental retardation	1	1	0
F73	Profound mental retardation	2	1	1
F79	Unspecified mental retardation	5	3	2
F99	Mental disorder, not otherwise specified	1	1	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,498</u>	<u>1,147</u>	<u>351</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>12</u>	<u>5</u>	<u>7</u>
G00	Bacterial meningitis, not elsewhere classified	4	2	2
G03	Meningitis due to other and unspecified causes	3	1	2
G04	Encephalitis, myelitis, and encephalomyelitis	2	1	1
G06	Intracranial and intraspinal abscess and granuloma	1	1	0
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	1	0	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>64</u>	<u>46</u>	<u>18</u>
G10	Huntington's disease	16	10	6
G11	Hereditary ataxia	3	1	2
G12	Spinal muscular atrophy and related syndromes	45	35	10
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>163</u>	<u>150</u>	<u>13</u>
G20	Parkinson's disease	160	147	13
G23	Other degenerative diseases of basal ganglia	1	1	0
G25	Other extrapyramidal and movement disorders	2	2	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>985</u>	<u>792</u>	<u>193</u>
G30	Alzheimer's disease	974	782	192
G31	Other degenerative diseases of nervous system, not elsewhere classified	11	10	1
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>23</u>	<u>15</u>	<u>8</u>
G35	Multiple sclerosis	22	14	8

Table 10B - Page 8
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G37	Other demyelinating diseases of central nervous system	1	1	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>39</u>	<u>19</u>	<u>20</u>
G40	Epilepsy	13	5	8
G41	Status epilepticus	14	6	8
G45	Transient cerebral ischemic attacks and related syndromes	3	2	1
G47	Sleep disorders	9	6	3
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>8</u>	<u>7</u>	<u>1</u>
G61	Inflammatory polyneuropathy	4	3	1
G62	Other polyneuropathies	4	4	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>19</u>	<u>15</u>	<u>4</u>
G70	Myasthenia gravis and other myoneural disorders	7	6	1
G71	Primary disorders of muscles	12	9	3
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>37</u>	<u>18</u>	<u>19</u>
G80	Infantile cerebral palsy	22	9	13
G82	Paraplegia and tetraplegia	14	8	6
G83	Other paralytic syndromes	1	1	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>148</u>	<u>80</u>	<u>68</u>
G90	Disorders of autonomic nervous system	2	2	0
G91	Hydrocephalus	6	3	3
G93	Other disorders of brain	140	75	65
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u>H65-H75</u>	<u>Diseases of middle ear and mastoid</u>	<u>3</u>	<u>1</u>	<u>2</u>
H66	Suppurative and unspecified otitis media	1	0	1
H70	Mastoiditis and related conditions	1	1	0
H73	Other disorders of tympanic membrane	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,576</u>	<u>6,465</u>	<u>3,111</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>17</u>	<u>6</u>
I05	Rheumatic mitral valve diseases	13	11	2
I06	Rheumatic aortic valve diseases	1	1	0
I07	Rheumatic tricuspid valve diseases	2	2	0
I08	Multiple valve diseases	7	3	4
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,193</u>	<u>639</u>	<u>554</u>
I10	Essential (primary) hypertension	388	222	166
I11	Hypertensive heart disease	632	340	292
I12	Hypertensive renal disease	109	51	58
I13	Hypertensive heart and renal disease	64	26	38
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>3,690</u>	<u>2,591</u>	<u>1,099</u>
I20	Angina pectoris	4	3	1
I21	Acute myocardial infarction	1,905	1,271	634
I24	Other acute ischemic heart diseases	26	19	7

Table 10B - Page 9
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I25	Chronic ischemic heart disease	1,755	1,298	457
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>193</u>	<u>124</u>	<u>69</u>
I26	Pulmonary embolism	119	76	43
I27	Other pulmonary heart diseases	74	48	26
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,722</u>	<u>1,933</u>	<u>789</u>
I30	Acute pericarditis	2	2	0
I31	Other diseases of pericardium	8	5	3
I33	Acute and subacute endocarditis	8	4	4
I34	Nonrheumatic mitral valve disorders	15	12	3
I35	Nonrheumatic aortic valve disorders	72	53	19
I38	Endocarditis, valve unspecified	38	26	12
I40	Acute myocarditis	1	0	1
I42	Cardiomyopathy	241	149	92
I44	Atrioventricular and left bundle-branch block	6	4	2
I45	Other conduction disorders	5	3	2
I46	Cardiac arrest	532	346	186
I47	Paroxysmal tachycardia	7	4	3
I48	Atrial fibrillation and flutter	151	124	27
I49	Other cardiac arrhythmias	76	54	22
I50	Heart failure	1,307	977	330
I51	Complications and ill-defined descriptions of heart disease	253	170	83
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,539</u>	<u>1,013</u>	<u>526</u>
I60	Subarachnoid hemorrhage	48	27	21
I61	Intracerebral hemorrhage	211	128	83
I62	Other nontraumatic intracranial hemorrhage	145	98	47
I63	Cerebral infarction	63	37	26
I64	Stroke, not specified as hemorrhage or infarction	899	612	287
I67	Other cerebrovascular diseases	72	49	23
I69	Sequelae of cerebrovascular disease	101	62	39
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>178</u>	<u>121</u>	<u>57</u>
I70	Atherosclerosis	11	8	3
I71	Aortic aneurysm and dissection	91	63	28
I72	Other aneurysm	6	3	3
I73	Other peripheral vascular diseases	46	30	16
I74	Arterial embolism and thrombosis	10	10	0
I77	Other disorders of arteries and arterioles	12	6	6
I78	Diseases of capillaries	2	1	1
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>34</u>	<u>24</u>	<u>10</u>
I80	Phlebitis and thrombophlebitis	26	20	6
I82	Other venous embolism and thrombosis	3	1	2
I83	Varicose veins of lower extremities	1	0	1
I85	Esophageal varices	1	1	0
I87	Other disorders of veins	3	2	1
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>4</u>	<u>3</u>	<u>1</u>
I95	Hypotension	2	1	1
I99	Other and unspecified disorders of circulatory system	2	2	0

Table 10B - Page 10
 Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,949</u>	<u>2,358</u>	<u>591</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
J05	Acute obstructive laryngitis [croup] and epiglottitis	1	1	0
J06	Acute upper respiratory infections of multiple and unspecified sites	1	1	0
<u>J09-J18</u>	<u>Influenza and pneumonia</u>	<u>610</u>	<u>449</u>	<u>161</u>
J10	Influenza due to identified influenza virus	1	1	0
J11	Influenza, virus not identified	7	6	1
J12	Viral pneumonia, not elsewhere classified	1	0	1
J15	Bacterial pneumonia, not elsewhere classified	33	26	7
J18	Pneumonia, organism unspecified	568	416	152
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
J20	Acute bronchitis	3	3	0
J21	Acute bronchiolitis	1	0	1
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>7</u>	<u>4</u>	<u>3</u>
J32	Chronic sinusitis	2	1	1
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	1	0
J39	Other diseases of upper respiratory tract	4	2	2
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,689</u>	<u>1,422</u>	<u>267</u>
J40	Bronchitis, not specified as acute or chronic	6	5	1
J42	Unspecified chronic bronchitis	3	3	0
J43	Emphysema	76	55	21
J44	Other chronic obstructive pulmonary disease	1,545	1,332	213
J45	Asthma	49	19	30
J46	Status asthmaticus	3	2	1
J47	Bronchiectasis	7	6	1
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>214</u>	<u>160</u>	<u>54</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	12	10	2
J62	Pneumoconiosis due to dust containing silica	2	1	1
J68	Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors	1	0	1
J69	Pneumonitis due to solids and liquids	198	148	50
J70	Respiratory conditions due to other external agents	1	1	0
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>181</u>	<u>142</u>	<u>39</u>
J80	Adult respiratory distress syndrome	24	17	7
J81	Pulmonary edema	16	12	4
J82	Pulmonary eosinophilia, not elsewhere classified	6	2	4
J84	Other interstitial pulmonary diseases	135	111	24
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>3</u>	<u>3</u>	<u>0</u>
J86	Pyothorax	3	3	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>23</u>	<u>21</u>	<u>2</u>
J90	Pleural effusion, not elsewhere classified	19	17	2
J93	Pneumothorax	3	3	0
J94	Other pleural conditions	1	1	0

Table 10B - Page 11
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>216</u>	<u>152</u>	<u>64</u>
J96	Respiratory failure, not elsewhere classified	155	107	48
J98	Other respiratory disorders	61	45	16
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>993</u>	<u>723</u>	<u>270</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>1</u>	<u>1</u>
K08	Other disorders of the teeth and supporting structures	1	1	0
K10	Other diseases of jaws	1	0	1
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>57</u>	<u>43</u>	<u>14</u>
K20	Esophagitis	1	1	0
K21	Gastroesophageal reflux disease	9	7	2
K22	Other diseases of esophagus	15	11	4
K25	Gastric ulcer	3	2	1
K26	Duodenal ulcer	17	13	4
K27	Peptic ulcer, site unspecified	2	1	1
K29	Gastritis and duodenitis	2	1	1
K31	Other diseases of stomach and duodenum	8	7	1
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>5</u>	<u>2</u>	<u>3</u>
K35	Acute appendicitis	4	2	2
K37	Unspecified appendicitis	1	0	1
<u>K40-K46</u>	<u>Hernia</u>	<u>19</u>	<u>13</u>	<u>6</u>
K40	Inguinal hernia	4	1	3
K42	Umbilical hernia	1	1	0
K43	Ventral hernia	3	0	3
K44	Diaphragmatic hernia	4	4	0
K46	Unspecified abdominal hernia	7	7	0
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>8</u>	<u>6</u>	<u>2</u>
K50	Crohn's disease [regional enteritis]	3	3	0
K51	Ulcerative colitis	2	2	0
K52	Other noninfective gastroenteritis and colitis	3	1	2
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>204</u>	<u>148</u>	<u>56</u>
K55	Vascular disorders of intestine	68	47	21
K56	Paralytic ileus and intestinal obstruction without hernia	69	48	21
K57	Diverticular disease of intestine	20	16	4
K59	Other functional intestinal disorders	5	4	1
K61	Abscess of anal and rectal regions	1	1	0
K62	Other diseases of anus and rectum	5	4	1
K63	Other diseases of intestine	36	28	8
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>26</u>	<u>19</u>	<u>7</u>
K65	Peritonitis	22	17	5
K66	Other disorders of peritoneum	4	2	2
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>471</u>	<u>366</u>	<u>105</u>
K70	Alcoholic liver disease	90	63	27
K72	Hepatic failure, not elsewhere classified	47	31	16
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	247	202	45
K75	Other inflammatory liver diseases	8	5	3

Table 10B - Page 12
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K76	Other diseases of liver	78	64	14
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>84</u>	<u>54</u>	<u>30</u>
K80	Cholelithiasis	8	6	2
K81	Cholecystitis	23	15	8
K82	Other diseases of gallbladder	5	3	2
K83	Other diseases of biliary tract	2	1	1
K85	Acute pancreatitis	38	23	15
K86	Other diseases of pancreas	8	6	2
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>117</u>	<u>71</u>	<u>46</u>
K90	Intestinal malabsorption	1	0	1
K92	Other diseases of the digestive system	116	71	45
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>52</u>	<u>30</u>	<u>22</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>18</u>	<u>14</u>	<u>4</u>
L02	Cutaneous abscess, furuncle, and carbuncle	4	4	0
L03	Cellulitis	10	9	1
L08	Other local infections of skin and subcutaneous tissue	4	1	3
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>2</u>	<u>1</u>	<u>1</u>
L51	Erythema multiforme	1	1	0
L53	Other erythematous conditions	1	0	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>32</u>	<u>15</u>	<u>17</u>
L88	Pyoderma gangrenosum	1	1	0
L89	Decubitus ulcer	21	10	11
L93	Lupus erythematosus	4	0	4
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	6	4	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>111</u>	<u>63</u>	<u>48</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>25</u>	<u>15</u>	<u>10</u>
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>22</u>	<u>14</u>	<u>8</u>
M05	Seropositive rheumatoid arthritis	3	1	2
M06	Other rheumatoid arthritis	13	11	2
M08	Juvenile arthritis	1	0	1
M10	Gout	2	0	2
M13	Other arthritis	3	2	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>1</u>	<u>0</u>	<u>1</u>
M19	Other arthrosis	1	0	1
<u>M20-M25</u>	<u>Other joint disorders</u>	<u>2</u>	<u>1</u>	<u>1</u>
M25	Other joint disorders, not elsewhere classified	2	1	1
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>47</u>	<u>22</u>	<u>25</u>
M30	Polyarteritis nodosa and related conditions	1	0	1
M31	Other necrotizing vasculopathies	7	5	2
M32	Systemic lupus erythematosus	24	8	16
M34	Systemic sclerosis	10	5	5
M35	Other systemic involvement of connective tissue	5	4	1

Table 10B - Page 13
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>15</u>	<u>11</u>	<u>4</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>6</u>	<u>5</u>	<u>1</u>
M40	Kyphosis and lordosis	1	1	0
M41	Scoliosis	4	4	0
M43	Other deforming dorsopathies	1	0	1
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>9</u>	<u>6</u>	<u>3</u>
M46	Other inflammatory spondylopathies	6	3	3
M47	Spondylosis	3	3	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>11</u>	<u>8</u>	<u>3</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>5</u>	<u>3</u>	<u>2</u>
M60	Myositis	1	0	1
M62	Other disorders of muscle	4	3	1
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>6</u>	<u>5</u>	<u>1</u>
M72	Fibroblastic disorders	6	5	1
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>13</u>	<u>7</u>	<u>6</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>3</u>	<u>3</u>	<u>0</u>
M81	Osteoporosis without pathological fracture	3	3	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>10</u>	<u>4</u>	<u>6</u>
M86	Osteomyelitis	10	4	6
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>853</u>	<u>506</u>	<u>347</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>55</u>	<u>38</u>	<u>17</u>
N00	Acute nephritic syndrome	2	2	0
N03	Chronic nephritic syndrome	52	35	17
N05	Unspecified nephritic syndrome	1	1	0
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>11</u>	<u>9</u>	<u>2</u>
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	5	3	2
N13	Obstructive and reflux uropathy	4	4	0
N15	Other renal tubulo-interstitial diseases	2	2	0
<u>N17-N19</u>	<u>Renal failure</u>	<u>614</u>	<u>340</u>	<u>274</u>
N17	Acute renal failure	95	62	33
N18	Chronic renal failure	288	128	160
N19	Unspecified renal failure	231	150	81
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>1</u>	<u>1</u>	<u>0</u>
N21	Calculus of lower urinary tract	1	1	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>27</u>	<u>16</u>	<u>11</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	27	16	11
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>135</u>	<u>95</u>	<u>40</u>
N30	Cystitis	1	0	1
N32	Other disorders of bladder	1	0	1
N39	Other disorders of urinary system	133	95	38
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>5</u>	<u>1</u>
N40	Hyperplasia of prostate	1	1	0
N42	Other disorders of prostate	1	1	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	4	3	1

Table 10B - Page 14
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>N60-N64</u>	<u>Disorders of breast</u>	<u>1</u>	<u>0</u>	<u>1</u>
N61	Inflammatory disorders of breast	1	0	1
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>1</u>	<u>1</u>	<u>0</u>
N73	Other female pelvic inflammatory diseases	1	1	0
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>2</u>	<u>1</u>	<u>1</u>
N80	Endometriosis	1	0	1
N82	Fistulae involving female genital tract	1	1	0
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>19</u>	<u>7</u>	<u>12</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>7</u>	<u>3</u>	<u>4</u>
<u>O10-O16</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>4</u>	<u>3</u>	<u>1</u>
O14	Gestational [pregnancy-induced] hypertension with significant proteinuria	3	2	1
O15	Eclampsia	1	1	0
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
O26	Maternal care for other conditions predominantly related to pregnancy	1	0	1
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
O88	Obstetric embolism	1	0	1
O90	Complications of the puerperium, not elsewhere classified	1	0	1
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>12</u>	<u>4</u>	<u>8</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	12	4	8
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>160</u>	<u>52</u>	<u>108</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>28</u>	<u>13</u>	<u>15</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	2	0	2
P01	Newborn affected by maternal complications of pregnancy	17	7	10
P02	Newborn affected by complications of placenta, cord, and membranes	8	5	3
P04	Newborn affected by noxious influences transmitted via placenta or breast milk	1	1	0
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>48</u>	<u>9</u>	<u>39</u>
P05	Slow fetal growth and fetal malnutrition	1	0	1
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	47	9	38
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>46</u>	<u>15</u>	<u>31</u>
P20	Intrauterine hypoxia	1	0	1
P21	Birth asphyxia	4	1	3
P22	Respiratory distress of newborn	15	4	11
P23	Congenital pneumonia	1	0	1

Table 10B - Page 15
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P24	Neonatal aspiration syndromes	1	0	1
P25	Interstitial emphysema and related conditions originating in the perinatal period	2	1	1
P26	Pulmonary hemorrhage originating in the perinatal period	5	1	4
P28	Other respiratory conditions originating in the perinatal period	5	1	4
P29	Cardiovascular disorders originating in the perinatal period	12	7	5
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>9</u>	<u>5</u>	<u>4</u>
P35	Congenital viral diseases	2	1	1
P36	Bacterial sepsis of newborn	6	3	3
P37	Other congenital infectious and parasitic diseases	1	1	0
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>9</u>	<u>3</u>	<u>6</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	6	2	4
P54	Other neonatal hemorrhages	1	1	0
P61	Other perinatal hematological disorders	2	0	2
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>15</u>	<u>5</u>	<u>10</u>
P77	Necrotizing enterocolitis of newborn	15	5	10
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>5</u>	<u>2</u>	<u>3</u>
P91	Other disturbances of cerebral status of newborn	2	1	1
P96	Other conditions originating in the perinatal period	3	1	2
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>114</u>	<u>55</u>	<u>59</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>18</u>	<u>8</u>	<u>10</u>
Q00	Anencephaly and similar malformations	8	4	4
Q03	Congenital hydrocephalus	3	1	2
Q04	Other congenital malformations of brain	4	2	2
Q05	Spina bifida	3	1	2
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>29</u>	<u>15</u>	<u>14</u>
Q20	Congenital malformations of cardiac chambers and connections	1	1	0
Q21	Congenital malformations of cardiac septa	4	3	1
Q22	Congenital malformations of pulmonary and tricuspid valves	1	0	1
Q23	Congenital malformations of aortic and mitral valves	3	1	2
Q24	Other congenital malformations of heart	14	6	8
Q25	Congenital malformations of great arteries	1	0	1
Q27	Other congenital malformations of peripheral vascular system	3	2	1
Q28	Other congenital malformations of circulatory system	2	2	0
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>6</u>	<u>2</u>	<u>4</u>
Q33	Congenital malformations of lung	5	2	3
Q34	Other congenital malformations of respiratory system	1	0	1
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>0</u>	<u>3</u>
Q40	Other congenital malformations of upper alimentary tract	1	0	1
Q42	Congenital absence, atresia, and stenosis of large intestine	1	0	1
Q43	Other congenital malformations of intestine	1	0	1
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>10</u>	<u>4</u>	<u>6</u>
Q60	Renal agenesis and other reduction defects of kidney	4	2	2
Q61	Cystic kidney disease	6	2	4

Table 10B - Page 16
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>7</u>	<u>5</u>	<u>2</u>
Q68	Other congenital musculoskeletal deformities	1	1	0
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	0	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	5	4	1
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>21</u>	<u>9</u>	<u>12</u>
Q82	Other congenital malformations of skin	1	1	0
Q85	Phakomatoses, not elsewhere classified	4	2	2
Q87	Other specified congenital malformation syndromes affecting multiple systems	5	4	1
Q89	Other congenital malformations, not elsewhere classified	11	2	9
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>20</u>	<u>12</u>	<u>8</u>
Q90	Down's syndrome	7	2	5
Q91	Edwards' syndrome and Patau's syndrome	9	6	3
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	2	2	0
Q99	Other chromosome abnormalities, not elsewhere classified	2	2	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>639</u>	<u>453</u>	<u>186</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>53</u>	<u>38</u>	<u>15</u>
R00	Abnormalities of heart beat	2	1	1
R02	Gangrene, not elsewhere classified	1	1	0
R04	Hemorrhage from respiratory passages	1	1	0
R06	Abnormalities of breathing	5	4	1
R07	Pain in throat and chest	1	1	0
R09	Other symptoms and signs involving the circulatory and respiratory systems	43	30	13
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>3</u>	<u>3</u>	<u>0</u>
R13	Dysphagia	1	1	0
R19	Other symptoms and signs involving the digestive system and abdomen	2	2	0
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>373</u>	<u>295</u>	<u>78</u>
R53	Malaise and fatigue	103	79	24
R54	Senility	33	21	12
R55	Syncope and collapse	1	1	0
R56	Convulsions, not elsewhere classified	14	5	9
R57	Shock, not elsewhere classified	8	4	4
R58	Hemorrhage, not elsewhere classified	1	0	1
R62	Lack of expected normal physiological development	198	172	26
R64	Cachexia	1	1	0
R68	Other general symptoms and signs	14	12	2

Table 10B - Page 17
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
R73	Elevated blood glucose level	2	2	0
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	0	1
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>5</u>	<u>3</u>	<u>2</u>
R91	Abnormal findings on diagnostic imaging of lung	4	3	1
R94	Abnormal results of function studies	1	0	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>202</u>	<u>112</u>	<u>90</u>
R95	Sudden infant death syndrome	43	21	22
R96	Other sudden death, cause unknown	5	2	3
R99	Other ill-defined and unspecified causes of mortality	154	89	65
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,507</u>	<u>1,732</u>	<u>775</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>63</u>	<u>34</u>	<u>29</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	47	26	21
V04	Pedestrian injured in collision with heavy transport vehicle or bus	5	1	4
V05	Pedestrian injured in collision with railway train or railway vehicle	3	2	1
V09	Pedestrian injured in other and unspecified transport accidents	8	5	3
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>8</u>	<u>5</u>	<u>3</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	5	3	2
V15	Pedal cyclist injured in collision with railway train or railway vehicle	1	1	0
V17	Pedal cyclist injured in collision with fixed or stationary object	1	1	0
V19	Pedal cyclist injured in other and unspecified transport accidents	1	0	1
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>58</u>	<u>51</u>	<u>7</u>
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	1	0	1
V23	Motorcycle rider injured in collision with car, pickup truck, or van	29	26	3
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	2	2	0
V27	Motorcycle rider injured in collision with fixed or stationary object	7	6	1
V28	Motorcycle rider injured in noncollision transport accident	12	10	2
V29	Motorcycle rider injured in other and unspecified transport accidents	7	7	0
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	1	0

Table 10B - Page 18
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>343</u>	<u>218</u>	<u>125</u>
V43	Car occupant injured in collision with car, pickup truck, or van	87	56	31
V44	Car occupant injured in collision with heavy transport vehicle or bus	35	22	13
V45	Car occupant injured in collision with railway train or railway vehicle	1	0	1
V47	Car occupant injured in collision with fixed or stationary object	111	72	39
V48	Car occupant injured in noncollision transport accident	93	59	34
V49	Car occupant injured in other and unspecified transport accidents	16	9	7
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>142</u>	<u>111</u>	<u>31</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	38	31	7
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	10	8	2
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	50	37	13
V58	Occupant of pickup truck or van injured in noncollision transport accident	41	34	7
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	3	1	2
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>10</u>	<u>8</u>	<u>2</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	1	1	0
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	4	4	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	4	2	2
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	1	1	0
<u>V70-V79</u>	<u>Bus occupant injured in transport accident</u>	<u>2</u>	<u>1</u>	<u>1</u>
V74	Bus occupant injured in collision with heavy transport vehicle or bus	2	1	1
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>88</u>	<u>59</u>	<u>29</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	2	1	1
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	4	2	2
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	15	13	2
V87	Traffic accident of specified type but victim's mode of transport unknown	9	6	3
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	58	37	21

Table 10B - Page 19
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>14</u>	<u>8</u>	<u>6</u>
V90	Accident to watercraft causing drowning and submersion	3	2	1
V91	Accident to watercraft causing other injury	2	1	1
V92	Water-transport-related drowning and submersion without accident to watercraft	6	2	4
V94	Other and unspecified water transport accidents	3	3	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>4</u>	<u>4</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	4	4	0
<u>W00-W19</u>	<u>Falls</u>	<u>277</u>	<u>238</u>	<u>39</u>
W01	Fall on same level from slipping, tripping, and stumbling	20	19	1
W04	Fall while being carried or supported by other persons	2	0	2
W05	Fall involving wheelchair	6	6	0
W06	Fall involving bed	24	19	5
W07	Fall involving chair	11	9	2
W08	Fall involving other furniture	8	8	0
W10	Fall on and from stairs and steps	5	5	0
W11	Fall on and from ladder	4	4	0
W13	Fall from, out of, or through building or structure	4	4	0
W14	Fall from tree	2	1	1
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	2	2	0
W18	Other fall on same level	92	77	15
W19	Unspecified fall	96	83	13
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>58</u>	<u>47</u>	<u>11</u>
W20	Struck by thrown, projected, or falling object	14	10	4
W22	Striking against or struck by other objects	1	1	0
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	1	1	0
W28	Contact with powered lawn mower	2	2	0
W29	Contact with other powered hand tools and household machinery	1	1	0
W30	Contact with agricultural machinery	1	1	0
W31	Contact with other and unspecified machinery	2	2	0
W32	Handgun discharge	6	6	0
W33	Rifle, shotgun, and larger firearm discharge	5	4	1
W34	Discharge from other and unspecified firearms	20	16	4
W40	Explosion of other materials	3	1	2
W45	Foreign body or object entering through skin	1	1	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>1</u>	<u>1</u>	<u>0</u>
W54	Bitten or struck by dog	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>57</u>	<u>30</u>	<u>27</u>
W65	Drowning and submersion while in bathtub	2	2	0
W67	Drowning and submersion while in swimming pool	10	4	6
W68	Drowning and submersion following fall into swimming pool	1	1	0
W69	Drowning and submersion while in natural water	31	16	15
W70	Drowning and submersion following fall into natural water	4	1	3

Table 10B - Page 20
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W73	Other specified drowning and submersion	1	1	0
W74	Unspecified drowning and submersion	8	5	3
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>86</u>	<u>54</u>	<u>32</u>
W75	Accidental suffocation and strangulation in bed	5	3	2
W76	Other accidental hanging and strangulation	2	2	0
W78	Inhalation of gastric contents	14	8	6
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	14	9	5
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	49	31	18
W84	Unspecified threat to breathing	2	1	1
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>4</u>	<u>4</u>	<u>0</u>
W86	Exposure to other specified electric current	2	2	0
W87	Exposure to unspecified electric current	2	2	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>81</u>	<u>37</u>	<u>44</u>
X00	Exposure to uncontrolled fire in building or structure	69	32	37
X01	Exposure to uncontrolled fire, not in building or structure	3	0	3
X04	Exposure to ignition of highly flammable material	1	0	1
X06	Exposure to ignition or melting of other clothing and apparel	4	3	1
X08	Exposure to other specified smoke, fire, and flames	2	1	1
X09	Exposure to unspecified smoke, fire, and flames	2	1	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>3</u>	<u>1</u>	<u>2</u>
X11	Contact with hot tap water	2	1	1
X16	Contact with hot heating appliances, radiators, and pipes	1	0	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>1</u>	<u>1</u>	<u>0</u>
X25	Contact with other specified venomous arthropods	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>53</u>	<u>37</u>	<u>16</u>
X30	Exposure to excessive natural heat	15	7	8
X31	Exposure to excessive natural cold	4	2	2
X33	Victim of lightning	1	1	0
X37	Victim of cataclysmic storm	33	27	6
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>257</u>	<u>230</u>	<u>27</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	11	11	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	38	30	8
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	182	167	15
X45	Accidental poisoning by and exposure to alcohol	16	14	2
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0

Table 10B - Page 21
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X47	Accidental poisoning by and exposure to other gases and vapors	5	4	1
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	3	2	1
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>54</u>	<u>39</u>	<u>15</u>
X58	Exposure to other specified factors	1	1	0
X59	Exposure to unspecified factor	53	38	15
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>382</u>	<u>333</u>	<u>49</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	2	2	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	4	4	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	2	2	0
X63	Intentional self-poisoning (suicide) by and exposure to other drugs acting on the autonomic nervous system	1	0	1
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	21	18	3
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	2	1	1
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	76	59	17
X71	Intentional self harm (suicide) by drowning and submersion	3	2	1
X72	Intentional self harm (suicide) by handgun discharge	101	92	9
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	40	36	4
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	125	114	11
X76	Intentional self harm (suicide) by smoke, fire, and flames	1	1	0
X78	Intentional self harm (suicide) by sharp object	1	1	0
X80	Intentional self harm (suicide) by jumping from a high place	1	0	1
X81	Intentional self harm (suicide) by jumping or lying before moving object	1	1	0
X83	Intentional self harm (suicide) by other specified means	1	0	1
<u>X85-Y09</u>	<u>Assault</u>	<u>304</u>	<u>78</u>	<u>226</u>
X91	Assault (homicide) by hanging, strangulation, and suffocation	7	3	4
X93	Assault (homicide) by handgun discharge	56	9	47
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	10	6	4
X95	Assault (homicide) by other and unspecified firearm discharge	150	35	115
X97	Assault (homicide) by smoke, fire, and flames	1	0	1
X99	Assault (homicide) by sharp object	42	8	34
Y00	Assault (homicide) by blunt object	4	3	1

Table 10B - Page 22
Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y01	Assault (homicide) by pushing from high place	1	0	1
Y03	Assault (homicide) by crashing of motor vehicle	1	1	0
Y07	Other maltreatment syndromes	3	0	3
Y08	Assault (homicide) by other specified means	7	3	4
Y09	Assault (homicide) by unspecified means	22	10	12
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>41</u>	<u>30</u>	<u>11</u>
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent	1	1	0
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	3	3	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	5	4	1
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	8	8	0
Y20	Hanging, strangulation, and suffocation, undetermined intent	2	1	1
Y21	Drowning and submersion, undetermined intent	2	1	1
Y22	Handgun discharge, undetermined intent	2	2	0
Y24	Other and unspecified firearm discharge, undetermined intent	7	4	3
Y26	Exposure to smoke, fire, and flames, undetermined intent	5	2	3
Y33	Other specified events, undetermined intent	1	1	0
Y34	Unspecified event, undetermined intent	5	3	2
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>6</u>	<u>4</u>	<u>2</u>
Y35	Legal intervention	6	4	2
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>22</u>	<u>17</u>	<u>5</u>
Y40	Systemic antibiotics	1	0	1
Y42	Hormones and their synthetic substitutes and antagonists, not elsewhere classified	4	1	3
Y44	Agents primarily affecting blood constituents	1	1	0
Y52	Agents primarily affecting the cardiovascular system	1	1	0
Y57	Other and unspecified drugs and medicaments	15	14	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>1</u>	<u>1</u>	<u>0</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	1	1	0
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>60</u>	<u>33</u>	<u>27</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	49	25	24
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	11	8	3

Table 10B - Page 23
 Deaths - Mississippi - 2011

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>26</u>	<u>17</u>	<u>9</u>
Y85	Sequelae of transport accidents	15	11	4
Y86	Sequelae of other accidents	7	5	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	2	0	2
Y88	Sequelae with surgical and medical care as external cause	2	1	1

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											UNKNOW	
								NO.	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-		65
		1	4							9	14	24	34	44	54	64	AND OVER			
001-358	ALL CAUSES	29,219	9.8	W	19,986	M	10,107	87	10	8	24	165	218	349	909	1,604	6,728	5		
							F	9,879	55	17	11	7	65	124	246	576	1,053	7,725	0	
							NW	M	4,751	117	29	7	17	129	210	278	659	1,045	2,258	2
								F	4,482	114	23	13	6	59	105	200	490	667	2,805	0
001-055	INFECTIOUS AND PARASITIC DISEASES	903	30.3	W	517	M	256	2	0	0	1	0	3	9	32	54	155	0		
							F	261	2	1	1	1	0	1	10	25	41	179	0	
							NW	M	206	7	0	1	0	1	13	16	49	44	75	0
								F	180	4	0	0	0	3	9	15	28	29	92	0
009,010	TUBERCULOSIS	7	0.2	W	4	M	3	0	0	0	0	0	0	0	0	1	2	0		
							F	1	0	0	0	0	1	0	0	0	0	0	0	
							NW	M	2	0	0	0	0	0	0	1	1	0	0	0
								F	1	0	0	0	0	0	0	1	0	0	0	0
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	135	4.5	W	22	M	18	0	0	0	0	1	2	3	7	5	0			
							F	4	0	0	1	0	1	1	0	1	0			
							NW	M	79	0	0	0	1	10	14	33	17	4	0	
								F	34	0	0	0	1	7	8	11	6	1	0	
056-108	MALIGNANT NEOPLASMS	6,242	209.6	W	4,214	M	2,362	0	1	0	1	5	12	37	186	499	1,621	0		
							F	1,852	0	0	2	0	5	15	46	174	355	1,255	0	
							NW	M	1,139	0	0	0	1	6	13	26	163	336	594	0
								F	889	0	2	1	0	4	8	32	159	213	470	0
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	128	4.3	W	100	M	55	1	0	0	0	0	1	0	4	2	47	0		
							F	45	0	0	0	0	1	1	4	4	35	0		
							NW	M	12	0	0	0	0	0	1	4	7	0		
								F	16	0	0	0	0	2	0	1	4	9	0	

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN		
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	137	4.6	W	65	M	29	0	0	0	0	0	0	1	4	1	23	0			
							F	36	0	0	0	0	0	1	0	2	5	28	0		
							NW	M	24	0	0	0	0	2	2	5	6	9	0		
								F	48	0	0	0	0	2	5	10	9	22	0		
116-119	ANEMIAS	74	2.5	W	36	M	12	0	0	0	0	0	0	0	0	1	11	0			
							F	24	0	0	0	0	1	0	1	2	20	0			
							NW	M	12	0	0	0	0	1	1	2	1	7	0		
								F	26	0	0	0	0	1	4	4	3	14	0		
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,303	43.7	W	710	M	356	0	0	0	2	11	14	53	69	207	0				
							F	354	0	1	1	0	5	6	10	21	48	262	0		
							NW	M	277	0	1	0	1	4	9	17	38	70	137	0	
								F	316	1	1	0	0	0	8	20	35	48	203	0	
124	DIABETES MELLITUS	993	33.3	W	526	M	277	0	0	0	0	1	6	9	37	52	172	0			
							F	249	0	0	0	0	2	1	7	12	42	185	0		
							NW	M	219	0	0	0	0	2	3	9	34	61	110	0	
								F	248	0	0	0	0	0	5	13	23	35	172	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	33	1.1	W	19	M	5	0	0	0	0	0	0	0	0	1	4	0			
							F	14	0	0	0	0	0	1	0	0	0	13	0		
							NW	M	8	0	0	0	0	0	0	0	0	0	0	8	0
								F	6	0	0	0	0	0	0	1	1	0	4	0	
136-144	MENTAL AND BEHAVIORAL DISORDERS	1,032	34.6	W	788	M	306	0	0	0	0	3	1	3	12	19	268	0			
							F	482	0	0	0	0	0	0	5	3	8	466	0		
							NW	M	117	0	0	0	0	0	3	5	7	7	95	0	
								F	127	0	0	0	0	0	0	1	2	2	122	0	
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	51	1.7	W	34	M	28	0	0	0	0	0	0	2	9	9	8	0			
							F	6	0	0	0	0	0	0	1	1	4	0	0		
							NW	M	15	0	0	0	0	0	0	4	3	4	4	0	
								F	2	0	0	0	0	0	0	0	1	1	0	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,498</u>	<u>50.3</u>	<u>W</u>	<u>1,147</u>	<u>M</u>	<u>436</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>6</u>	<u>17</u>	<u>29</u>	<u>375</u>	<u>0</u>	
						<u>F</u>		<u>711</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>5</u>	<u>20</u>	<u>25</u>	<u>650</u>	<u>0</u>
				<u>NW</u>	<u>351</u>	<u>M</u>	<u>145</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>5</u>	<u>13</u>	<u>22</u>	<u>93</u>	<u>0</u>	
						<u>F</u>		<u>206</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>3</u>	<u>5</u>	<u>14</u>	<u>14</u>	<u>161</u>	<u>0</u>
145	MENINGITIS	7	0.2	<u>W</u>	<u>3</u>	<u>M</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	
						<u>F</u>		<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	
				<u>NW</u>	<u>4</u>	<u>M</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	
						<u>F</u>		<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	
147	PARKINSONS DISEASE	160	5.4	<u>W</u>	<u>147</u>	<u>M</u>	<u>79</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>75</u>	<u>0</u>	
						<u>F</u>		<u>68</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>66</u>	<u>0</u>	
				<u>NW</u>	<u>13</u>	<u>M</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>0</u>	
						<u>F</u>		<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>0</u>	
148	ALZHEIMERS DISEASE	974	32.7	<u>W</u>	<u>782</u>	<u>M</u>	<u>249</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>245</u>	<u>0</u>	
						<u>F</u>		<u>533</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>528</u>	<u>0</u>	
				<u>NW</u>	<u>192</u>	<u>M</u>	<u>61</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>60</u>	<u>0</u>	
						<u>F</u>		<u>131</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>129</u>	<u>0</u>	
150	EPILEPSY	27	0.9	<u>W</u>	<u>11</u>	<u>M</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>0</u>	<u>0</u>	
						<u>F</u>		<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	
				<u>NW</u>	<u>16</u>	<u>M</u>	<u>11</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>0</u>	
						<u>F</u>		<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>-</u>	<u>W</u>	<u>0</u>	<u>M</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
						<u>F</u>		<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				<u>NW</u>	<u>0</u>	<u>M</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
						<u>F</u>		<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>3</u>	<u>0.1</u>	<u>W</u>	<u>1</u>	<u>M</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	
						<u>F</u>		<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				<u>NW</u>	<u>2</u>	<u>M</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>
						<u>F</u>		<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN			
		NO.	RATE#																		
156-191	DISEASES OF THE CIRCULATORY SYSTEM	9,576	321.5	W	6,465	M	3,157	1	1	0	1	8	19	82	264	504	2,276	1			
							F	3,308	1	1	0	0	2	9	37	128	271	2,859	0		
							NW	3,111	M	1,521	4	3	0	2	8	23	92	237	344	807	1
							F	1,590	F	1,590	2	0	2	0	4	20	60	140	206	1,156	0
156-189	MAJOR CARDIO-VASCULAR DISEASES	9,538	320.2	W	6,438	M	3,145	1	1	0	1	8	19	81	262	500	2,271	1			
							F	3,293	1	1	0	0	2	9	36	127	267	2,850	0		
							NW	3,100	M	1,516	4	3	0	2	8	23	92	236	344	803	1
							F	1,584	F	1,584	2	0	2	0	4	19	60	139	205	1,153	0
156-160, 162, 164-181	HEART DISEASES	7,324	245.9	W	5,031	M	2,572	1	0	0	1	6	17	65	213	415	1,854	0			
							F	2,459	1	0	0	0	2	8	25	104	215	2,104	0		
							NW	2,293	M	1,121	3	3	0	1	7	20	65	179	264	578	1
							F	1,172	F	1,172	2	0	2	0	3	18	43	101	140	863	0
161,163	HYPERTENSION	497	16.7	W	273	M	109	0	0	0	0	0	0	2	19	21	67	0			
							F	164	0	0	0	0	0	1	2	8	13	140	0		
							NW	224	M	113	0	0	0	0	0	1	10	19	17	66	0
							F	111	F	111	0	0	0	0	0	0	4	6	21	80	0
182-186	CEREBROVASCULAR DISEASES	1,539	51.7	W	1,013	M	404	0	1	0	0	2	2	9	28	56	306	0			
							F	609	0	1	0	0	0	0	8	13	35	552	0		
							NW	526	M	249	0	0	0	1	1	2	9	37	57	142	0
							F	277	F	277	0	0	0	0	1	1	13	27	38	197	0
187	ATHEROSCLEROSIS	11	0.4	W	8	M	2	0	0	0	0	0	0	0	0	0	2	0			
							F	6	0	0	0	0	0	0	0	0	0	0	6	0	
							NW	3	M	0	0	0	0	0	0	0	0	0	0	0	0
							F	3	F	3	0	0	0	0	0	0	0	0	0	2	1
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,949	99.0	W	2,358	M	1,184	2	2	0	1	1	6	10	49	139	973	1			
							F	1,174	2	4	2	0	4	10	51	110	991	0			
							NW	591	M	300	1	1	2	1	2	10	21	54	207	0	
							F	291	F	291	4	0	0	0	1	3	4	27	44	208	0

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN			
		NO.	RATE#																		
195	INFLUENZA	8	0.3	W	7	M	5	0	0	0	1	0	1	1	1	0	1	0			
						F	2	0	0	0	0	0	0	0	1	1	0				
					NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0
							F	1	0	0	0	0	0	0	0	0	1	0	0	0	
196-198	PNEUMONIA	602	20.2	W	442	M	210	0	1	0	0	0	1	2	3	18	185	0			
						F	232	0	1	1	0	0	2	2	8	16	202	0			
					NW	160	M	62	0	0	0	0	0	1	3	4	7	47	0		
							F	98	0	0	0	0	1	1	2	8	9	77	0		
204	EMPHYSEMA	76	2.6	W	55	M	29	0	0	0	0	0	1	1	4	23	0				
						F	26	0	0	0	0	0	1	4	3	18	0				
					NW	21	M	17	0	0	0	0	0	0	4	3	10	0			
							F	4	0	0	0	0	0	0	0	0	4	0			
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>993</u>	<u>33.3</u>	<u>W</u>	<u>723</u>	<u>M</u>	<u>368</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>20</u>	<u>73</u>	<u>93</u>	<u>175</u>	<u>0</u>			
						<u>F</u>	<u>355</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>11</u>	<u>37</u>	<u>62</u>	<u>239</u>	<u>0</u>				
					<u>NW</u>	<u>270</u>	<u>M</u>	<u>130</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>8</u>	<u>30</u>	<u>35</u>	<u>52</u>	<u>0</u>		
							<u>F</u>	<u>140</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>12</u>	<u>21</u>	<u>20</u>	<u>77</u>	<u>0</u>		
217-220	PEPTIC ULCER	22	0.7	W	16	M	8	0	0	0	0	0	0	0	1	7	0				
						F	8	0	0	0	0	0	1	1	1	5	0				
					NW	6	M	2	0	0	0	0	0	0	1	1	1	0			
							F	4	0	0	0	0	0	1	1	1	1	0			
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	338	11.3	W	266	M	163	0	0	0	1	3	13	50	43	53	0				
						F	103	0	0	0	0	0	2	17	25	59	0				
					NW	72	M	53	0	0	0	0	2	5	17	17	12	0			
							F	19	0	0	0	0	0	4	5	7	3	0			
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>52</u>	<u>1.7</u>	<u>W</u>	<u>30</u>	<u>M</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>9</u>	<u>0</u>				
						<u>F</u>	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>15</u>	<u>0</u>				
					<u>NW</u>	<u>22</u>	<u>M</u>	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>0</u>			
							<u>F</u>	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>6</u>			

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN		
		NO.	RATE#																	
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	111	3.7	W	63	M	16	0	0	0	0	0	0	0	2	5	9	0		
						F	47	0	0	0	0	0	3	4	10	30	0			
					NW	48	M	12	0	0	0	0	0	0	0	3	6	3	0	
							F	36	0	1	0	1	2	4	6	5	6	11	0	
247-260	DISEASES OF THE GENITOURINARY SYSTEM	853	28.6	W	506	M	236	1	0	0	0	0	2	3	9	22	199	0		
						F	270	0	0	0	0	0	4	5	18	243	0			
					NW	347	M	141	0	0	0	0	0	1	5	10	37	88	0	
							F	206	2	0	0	0	0	3	7	16	37	141	0	
247-249	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	669	22.5	W	378	M	182	1	0	0	0	0	2	3	8	19	149	0		
						F	196	0	0	0	0	0	1	4	13	178	0			
					NW	291	M	121	0	0	0	0	0	1	4	9	35	72	0	
							F	170	2	0	0	0	0	3	6	15	33	111	0	
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	19	47.7	W	7	M	0	0	0	0	0	0	0	0	0	0	0	0		
						F	7	0	0	0	0	2	4	1	0	0	0	0		
					NW	12	M	0	0	0	0	0	0	0	0	0	0	0	0	0
							F	12	0	0	0	0	3	6	2	1	0	0	0	
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	160	4.0	W	52	M	33	33	0	0	0	0	0	0	0	0	0	0		
						F	19	19	0	0	0	0	0	0	0	0	0	0		
					NW	108	M	59	57	2	0	0	0	0	0	0	0	0	0	
							F	49	49	0	0	0	0	0	0	0	0	0	0	
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	114	3.8	W	55	M	29	20	0	1	0	1	0	1	3	1	2	0		
						F	26	9	1	0	2	2	1	2	1	3	5	0		
					NW	59	M	31	20	3	0	0	0	0	0	2	3	2	1	0
							F	28	20	1	1	0	2	0	0	1	1	2	0	
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	639	21.4	W	453	M	170	23	0	0	1	3	3	7	10	16	106	1		
						F	283	18	1	0	0	2	4	6	7	14	231	0		
					NW	186	M	81	18	4	0	1	3	10	7	7	6	24	1	
							F	105	23	4	0	1	2	3	3	4	2	63	0	

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2011

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
295-358	ALL EXTERNAL CAUSES	2,507	84.2	W	1,732	M	1,100	4	5	6	17	137	153	156	190	147	283	2	
						F	632	3	7	3	4	47	65	95	94	77	237	0	
					NW	775	M	548	10	13	4	9	101	125	83	70	72	61	0
							F	227	5	14	6	3	30	29	27	23	28	62	0
296-306	MOTOR VEHICLE ACCIDENTS	706	23.7	W	483	M	334	0	0	2	5	71	50	41	59	46	59	1	
						F	149	0	4	3	4	29	26	22	19	19	23	0	
				NW	223	M	149	3	3	3	4	20	26	28	20	29	13	0	
						F	74	1	9	2	2	20	19	5	7	6	3	0	
295, 307-330	ALL OTHER ACCIDENTS	981	32.9	W	752	M	405	3	5	4	7	27	50	55	61	47	146	0	
						F	347	3	2	0	0	13	20	46	44	34	185	0	
				NW	229	M	143	4	6	1	3	16	14	15	26	24	34	0	
						F	86	3	3	4	0	2	4	7	6	16	41	0	
331-337	SUICIDE	382	12.8	W	333	M	263	0	0	0	4	30	41	42	46	38	62	0	
						F	70	0	0	0	0	2	12	13	19	15	9	0	
				NW	49	M	42	0	0	0	2	6	12	8	6	5	3	0	
						F	7	0	0	0	0	1	2	2	1	0	1	0	
338-346	HOMICIDE	306	10.3	W	78	M	50	1	0	0	1	6	8	8	15	6	5	0	
						F	28	0	1	0	0	2	5	9	3	3	5	0	
				NW	228	M	192	1	4	0	0	57	72	27	17	11	3	0	
						F	36	0	2	0	1	7	4	12	6	1	3	0	
353,354	LEGAL INTERVENTION	6	0.2	W	4	M	4	0	0	0	0	0	0	2	2	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
				NW	2	M	2	0	0	0	0	0	0	2	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2011

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>373</u>	<u>142</u>	<u>231</u>	<u>227</u>	<u>83</u>	<u>144</u>	<u>146</u>	<u>59</u>	<u>87</u>
ADAMS	7	1	6	4	1	3	3	0	3
ALCORN	0	0	0	0	0	0	0	0	0
AMITE	2	0	2	0	0	0	2	0	2
ATTALA	1	1	0	0	0	0	1	1	0
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	5	1	4	5	1	4	0	0	0
CALHOUN	2	1	1	2	1	1	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	2	1	1	0	0	0	2	1	1
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	1	0	1	1	0	1	0	0	0
CLARKE	4	1	3	2	0	2	2	1	1
CLAY	4	1	3	3	1	2	1	0	1
COAHOMA	3	0	3	2	0	2	1	0	1
COPIAH	3	0	3	2	0	2	1	0	1
COVINGTON	1	1	0	1	1	0	0	0	0
DESOTO	15	8	7	9	4	5	6	4	2
FORREST	9	4	5	7	3	4	2	1	1
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	1	1	0	1	1	0	0	0	0
GREENE	2	1	1	2	1	1	0	0	0
GRENADA	1	1	0	0	0	0	1	1	0
HANCOCK	2	2	0	1	1	0	1	1	0
HARRISON	18	13	5	12	8	4	6	5	1
HINDS	53	4	49	34	1	33	19	3	16
HOLMES	3	0	3	3	0	3	0	0	0
HUMPHREYS	2	1	1	2	1	1	0	0	0
ISSAQUENA	1	0	1	0	0	0	1	0	1
ITAWAMBA	4	4	0	3	3	0	1	1	0
JACKSON	9	4	5	4	1	3	5	3	2
JASPER	1	0	1	1	0	1	0	0	0
JEFFERSON	3	0	3	2	0	2	1	0	1
JEFF DAVIS	2	1	1	1	1	0	1	0	1
JONES	6	3	3	3	1	2	3	2	1
KEMPER	1	0	1	1	0	1	0	0	0
LAFAYETTE	7	4	3	5	3	2	2	1	1
LAMAR	6	5	1	4	3	1	2	2	0
LAUDERDALE	6	0	6	4	0	4	2	0	2
LAWRENCE	2	1	1	1	0	1	1	1	0
LEAKE	3	2	1	0	0	0	3	2	1
LEE	9	5	4	6	4	2	3	1	2
LEFLORE	5	0	5	3	0	3	2	0	2

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2011

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7	2	5	4	2	2	3	0	3
LOWNDES	3	1	2	1	1	0	2	0	2
MADISON	9	3	6	6	3	3	3	0	3
MARION	6	5	1	6	5	1	0	0	0
MARSHALL	2	0	2	2	0	2	0	0	0
MONROE	7	5	2	5	4	1	2	1	1
MONTGOMERY	7	1	6	6	1	5	1	0	1
NESHOBA	3	1	2	0	0	0	3	1	2
NEWTON	2	0	2	1	0	1	1	0	1
NOXUBEE	3	0	3	2	0	2	1	0	1
OKTIBBEHA	9	2	7	6	2	4	3	0	3
PANOLA	3	1	2	1	0	1	2	1	1
PEARL RIVER	8	7	1	6	5	1	2	2	0
PERRY	1	1	0	0	0	0	1	1	0
PIKE	11	3	8	6	1	5	5	2	3
PONTOTOC	3	2	1	1	1	0	2	1	1
PRENTISS	4	4	0	1	1	0	3	3	0
QUITMAN	3	1	2	2	1	1	1	0	1
RANKIN	12	8	4	6	4	2	6	4	2
SCOTT	7	3	4	3	0	3	4	3	1
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	7	3	4	1	0	1	6	3	3
SMITH	2	1	1	1	1	0	1	0	1
STONE	4	2	2	3	2	1	1	0	1
SUNFLOWER	1	0	1	0	0	0	1	0	1
TALLAHATCHIE	2	0	2	2	0	2	0	0	0
TATE	2	1	1	1	1	0	1	0	1
TIPPAH	3	3	0	1	1	0	2	2	0
TISHOMINGO	2	2	0	1	1	0	1	1	0
TUNICA	5	1	4	4	1	3	1	0	1
UNION	1	0	1	1	0	1	0	0	0
WALTHALL	2	1	1	2	1	1	0	0	0
WARREN	3	1	2	1	0	1	2	1	1
WASHINGTON	12	2	10	9	2	7	3	0	3
WAYNE	0	0	0	0	0	0	0	0	0
WEBSTER	1	0	1	1	0	1	0	0	0
WILKINSON	1	0	1	0	0	0	1	0	1
WINSTON	1	0	1	1	0	1	0	0	0
YALOBUSHA	3	2	1	1	1	0	2	1	1
YAZOO	4	1	3	0	0	0	4	1	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2007-2011 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>9.8</u>	<u>6.8</u>	<u>13.3</u>	<u>5.8</u>	<u>3.8</u>	<u>8.0</u>	<u>4.0</u>	<u>3.0</u>	<u>5.3</u>
ADAMS	13.9	4.0	19.3	8.2	2.7	11.2	5.8	1.4	8.2
ALCORN	6.9	6.1	11.3	3.0	1.5	11.3	3.9	4.6	-
AMITE	7.6	-	14.8	3.8	-	7.4	3.8	-	7.4
ATTALA	9.4	8.8	10.0	6.1	2.9	8.8	3.4	5.9	1.2
BENTON	3.8	3.2	4.6	3.8	3.2	4.6	-	-	-
BOLIVAR	12.9	6.8	14.8	7.3	2.7	8.7	5.6	4.1	6.1
CALHOUN	11.1	6.3	19.8	9.1	4.7	17.0	2.0	1.6	2.8
CARROLL	7.1	8.9	4.4	3.6	3.0	4.4	3.6	5.9	-
CHICKASAW	4.4	5.5	3.1	2.2	2.8	1.5	2.2	2.8	1.5
CHOCTAW	18.0	3.2	36.9	12.6	3.2	24.6	5.4	-	12.3
CLAIBORNE	7.1	-	7.5	5.6	-	6.0	1.4	-	1.5
CLARKE	12.4	4.8	23.8	8.6	-	21.4	3.8	4.8	2.4
CLAY	10.9	7.0	12.6	5.8	2.3	7.4	5.1	4.7	5.3
COAHOMA	11.2	5.6	12.1	7.2	5.6	7.4	4.0	-	4.6
COPIAH	10.1	6.9	12.2	3.7	1.1	5.3	6.4	5.7	6.9
COVINGTON	6.7	5.8	8.0	4.7	4.6	4.8	2.0	1.2	3.2
DESOTO	7.2	6.6	9.1	4.8	4.3	6.2	2.4	2.2	2.9
FORREST	11.9	7.6	17.1	8.7	4.9	13.4	3.2	2.7	3.7
FRANKLIN	7.4	3.4	12.0	3.7	3.4	4.0	3.7	-	8.0
GEORGE	5.2	5.7	-	2.6	2.9	-	2.6	2.9	-
GREENE	5.4	3.4	12.8	5.4	3.4	12.8	-	-	-
GRENADA	8.4	1.4	14.9	4.5	-	8.7	3.9	1.4	6.2
HANCOCK	5.3	4.5	14.9	3.3	2.7	10.0	2.0	1.8	5.0
HARRISON	7.4	6.6	9.2	4.3	3.6	5.8	3.1	2.9	3.4
HINDS	11.7	7.0	13.0	7.0	3.2	8.0	4.7	3.7	5.0
HOLMES	12.6	7.3	13.0	8.6	7.3	8.7	4.0	-	4.3
HUMPHREYS	9.6	19.6	8.4	6.4	19.6	4.8	3.2	-	3.6
ISSAQUENA	12.0	-	14.7	-	-	-	12.0	-	14.7
ITAWAMBA	10.7	9.8	25.3	5.0	4.5	12.6	5.7	5.3	12.6
JACKSON	9.1	7.1	14.2	5.4	4.5	7.9	3.7	2.6	6.3
JASPER	8.2	6.5	9.2	7.4	6.5	7.9	0.8	-	1.3
JEFFERSON	19.3	-	20.5	12.2	-	13.0	7.0	-	7.4
JEFF DAVIS	8.2	3.8	10.2	7.0	3.8	8.5	1.2	-	1.7
JONES	8.6	5.8	13.7	4.7	3.5	6.8	3.9	2.3	6.8
KEMPER	10.7	-	15.3	7.1	-	10.2	3.6	-	5.1
LAFAYETTE	9.2	4.7	17.4	5.0	3.6	7.6	4.2	1.2	9.8
LAMAR	6.6	6.1	7.9	4.6	4.8	4.0	2.0	1.4	4.0
LAUDERDALE	9.6	5.9	12.8	4.7	2.2	6.9	4.9	3.7	5.9
LAWRENCE	15.5	13.2	19.2	9.3	6.6	13.7	6.2	6.6	5.5
LEAKE	11.0	6.7	15.2	5.0	2.2	7.6	6.1	4.5	7.6
LEE	9.6	5.5	16.8	6.2	3.5	10.9	3.4	2.0	5.9
LEFLORE	10.7	12.1	10.4	6.6	8.6	6.0	4.2	3.4	4.3

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2007-2011 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	12.0	9.8	15.6	7.3	6.2	9.3	4.6	3.7	6.2
LOWNDES	9.2	4.6	13.9	4.7	2.8	6.7	4.5	1.9	7.2
MADISON	6.3	2.5	10.6	3.8	1.9	5.9	2.5	0.6	4.7
MARION	13.5	10.4	18.4	9.0	6.4	13.2	4.5	4.0	5.3
MARSHALL	8.2	4.1	11.8	5.1	1.6	8.1	3.1	2.5	3.7
MONROE	13.5	11.3	17.3	8.4	7.3	10.4	5.0	4.0	6.9
MONTGOMERY	29.2	10.6	41.2	20.8	10.6	27.5	8.3	-	13.7
NESHOPA	9.4	2.7	14.7	3.7	0.9	5.9	5.7	1.8	8.8
NEWTON	9.6	1.1	19.6	7.2	1.1	14.4	2.4	-	5.2
NOXUBEE	13.3	-	17.2	7.8	-	10.0	5.6	-	7.2
OKTIBBEHA	9.9	7.0	12.8	6.5	4.9	8.1	3.4	2.1	4.7
PANOLA	7.8	5.2	9.7	4.3	0.9	6.6	3.6	4.3	3.0
PEARL RIVER	11.0	10.3	14.7	6.2	5.8	8.2	4.8	4.5	6.5
PERRY	11.6	10.7	14.4	3.5	3.0	4.8	8.1	7.6	9.6
PIKE	16.9	9.1	21.4	10.1	5.0	13.2	6.8	4.1	8.3
PONTOTOC	10.4	9.4	17.2	5.4	5.2	6.9	5.0	4.2	10.3
PRENTISS	8.0	8.8	3.8	2.9	3.4	-	5.2	5.4	3.8
QUITMAN	14.5	17.8	13.7	9.6	17.8	7.8	4.8	-	5.9
RANKIN	7.4	6.9	9.3	4.0	3.6	5.6	3.4	3.2	3.7
SCOTT	10.5	8.9	12.7	6.1	4.1	8.8	4.4	4.8	3.9
SHARKEY	13.5	-	15.7	4.5	-	5.2	9.0	-	10.5
SIMPSON	14.7	9.2	23.0	8.6	4.2	15.3	6.1	5.0	7.7
SMITH	15.1	12.3	21.3	8.5	6.8	12.2	6.6	5.5	9.1
STONE	14.0	12.0	22.0	8.8	7.6	13.2	5.2	4.4	8.8
SUNFLOWER	13.6	17.8	12.8	8.9	17.8	7.2	4.7	-	5.6
TALLAHATCHIE	9.5	8.8	9.6	7.6	4.4	8.4	1.9	4.4	1.2
TATE	8.0	8.6	7.0	5.3	5.2	5.6	2.6	3.4	1.4
TIPPAH	6.1	5.8	7.3	3.4	3.3	3.6	2.7	2.5	3.6
TISHOMINGO	8.5	7.7	40.0	2.8	2.9	-	5.7	4.8	40.0
TUNICA	22.9	32.0	21.3	12.4	25.6	10.1	10.5	6.4	11.2
UNION	7.0	4.5	18.9	3.2	1.3	12.6	3.7	3.2	6.3
WALTHALL	15.1	7.7	22.1	12.3	5.8	18.4	2.8	1.9	3.7
WARREN	8.7	7.6	9.4	3.2	4.9	2.0	5.5	2.8	7.4
WASHINGTON	12.6	10.5	13.1	7.4	4.6	8.1	5.2	5.8	5.0
WAYNE	7.3	6.2	8.6	4.0	2.5	5.7	3.3	3.7	2.8
WEBSTER	15.3	6.3	38.9	9.2	2.1	27.8	6.1	4.2	11.1
WILKINSON	13.4	15.4	12.9	4.5	7.7	3.7	8.9	7.7	9.2
WINSTON	10.1	4.2	13.6	6.2	2.1	8.6	3.9	2.1	4.9
YALOBUSHA	10.5	6.4	15.5	4.7	4.3	5.2	5.8	2.1	10.3
YAZOO	8.4	3.3	10.4	3.2	-	4.5	5.1	3.3	5.8

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2011

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>373</u>	<u>9.4</u>	<u>W</u>	<u>142</u>	<u>83</u>	<u>39</u>	<u>19</u>	<u>5</u>	<u>16</u>	<u>4</u>	<u>59</u>
			<u>NW</u>	<u>231</u>	<u>144</u>	<u>66</u>	<u>44</u>	<u>13</u>	<u>13</u>	<u>8</u>	<u>87</u>
DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	7	0.2	W	2	0	0	0	0	0	0	2
			NW	5	0	0	0	0	0	0	5
SEPTICEMIA (008)	6	0.2	W	2	0	0	0	0	0	0	2
			NW	4	0	0	0	0	0	0	4
CANDIDIASIS (017)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
MENINGITIS (033)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	8	0.2	W	2	1	1	0	0	0	0	1
			NW	6	2	0	0	0	1	1	4
BRONCHITIS, CHRONIC AND UNSPECIFIED (049)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	1	0	1	0	0	0	1
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	17	0.4	W	7	7	7	0	0	0	0	0
			NW	10	9	8	1	0	0	0	1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2011

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO-TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	8	0.2	W	5	4	3	1	0	0	0	1
			NW	3	3	0	0	0	0	0	
NEWBORN AFFECTED BY NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK (069)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	1	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	47	1.2	W	9	9	9	0	0	0	0	0
			NW	38	38	30	7	1	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	4	0.1	W	1	1	1	0	0	0	0	0
			NW	3	3	0	3	0	0	0	0
RESPIRATORY DISTRESS OF NEWBORN (077)	15	0.4	W	4	4	1	2	1	0	0	0
			NW	11	11	1	6	4	0	0	0
CONGENITAL PNEUMONIA (078)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	0	1	0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	2	##	W	1	1	0	1	0	0	0	0
			NW	1	1	0	0	0	0	1	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	5	0.1	W	1	1	0	1	0	0	0	0
			NW	4	4	0	4	0	0	0	0
ATELECTASIS (083)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	1	1	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	6	0.2	W	3	3	0	0	0	3	0	0
			NW	3	3	0	2	1	0	0	0
NEONATAL HEMORRHAGE (088)	7	0.2	W	3	3	0	2	0	0	1	0
			NW	4	4	0	4	0	0	0	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2011

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
HEMATOLOGICAL DISORDERS (091)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	1	0	1	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	15	0.4	W	5	4	0	0	0	4	0	1
			NW	10	10	0	0	2	4	4	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	69	1.7	W	29	23	12	7	2	1	1	6
			NW	40	28	16	7	2	3	0	12
SUDDEN INFANT DEATH SYNDROME (111)	43	1.1	W	21	3	0	0	0	3	0	18
			NW	22	3	0	1	0	1	1	19
ACCIDENTS (114-124)	17	0.4	W	6	3	0	0	0	2	1	3
			NW	11	0	0	0	0	0	0	11
ASSAULT (HOMICIDE) (125-128)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
ALL OTHER CAUSES	77	1.9	W	37	14	4	4	2	3	1	23
			NW	40	16	4	7	1	4	0	24

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2011**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,651</u>	<u>713</u>	<u>41</u>	<u>255</u>	<u>265</u>	<u>73</u>	<u>55</u>	<u>31</u>	<u>218</u>
ADAMS	11	3	0	2	5	0	0	0	1
ALCORN	24	9	0	6	3	0	1	1	4
AMITE	4	4	0	0	0	0	0	0	0
ATTALA	5	3	0	0	0	0	1	0	1
BENTON	3	1	0	1	0	0	1	0	0
BOLIVAR	26	15	3	1	2	1	0	0	4
CALHOUN	12	6	0	1	1	1	0	1	2
CARROLL	5	3	0	1	0	0	1	0	0
CHICKASAW	12	1	0	1	0	1	0	0	9
CHOCTAW	3	1	0	0	1	0	0	0	1
CLAIBORNE	5	2	0	0	0	0	0	0	3
CLARKE	14	6	0	2	0	0	1	0	5
CLAY	4	1	0	0	3	0	0	0	0
COAHOMA	10	4	0	1	0	0	0	0	5
COPIAH	15	9	0	1	1	2	1	0	1
COVINGTON	10	7	0	2	0	0	1	0	0
DESOTO	31	13	0	9	3	0	0	3	3
FORREST	85	42	2	6	25	4	1	0	5
FRANKLIN	7	2	1	0	1	0	2	0	1
GEORGE	11	8	0	3	0	0	0	0	0
GREENE	8	5	0	0	0	2	0	0	1
GRENADA	10	5	0	0	2	0	0	1	2
HANCOCK	27	10	2	7	3	1	3	1	0
HARRISON	117	41	6	32	15	4	8	0	11
HINDS	186	91	2	9	43	8	5	4	24
HOLMES	10	6	0	1	0	3	0	0	0
HUMPHREYS	5	4	0	0	0	1	0	0	0
ISSAQUENA	2	1	1	0	0	0	0	0	0
ITAWAMBA	8	3	0	2	1	0	0	0	2
JACKSON	101	23	2	33	33	3	1	0	6
JASPER	6	4	0	0	0	0	0	0	2
JEFFERSON	6	3	1	1	0	1	0	0	0
JEFF DAVIS	10	6	0	0	1	1	0	0	2
JONES	41	25	0	4	3	0	1	0	8
KEMPER	6	2	0	1	0	0	0	0	3
LAFAYETTE	23	8	0	3	7	1	0	0	4
LAMAR	11	4	0	2	0	0	0	1	4
LAUDERDALE	52	24	2	5	9	3	1	1	7
LAWRENCE	7	2	0	2	2	1	0	0	0
LEAKE	16	9	0	2	1	0	2	0	2
LEE	96	43	4	6	31	2	0	0	10
LEFLORE	20	2	2	2	5	2	0	1	6

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2011

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	26	15	2	3	1	0	0	0	5
LOWNDES	29	8	1	5	8	2	1	0	4
MADISON	20	6	1	4	6	0	1	0	2
MARION	22	8	0	5	2	3	0	0	4
MARSHALL	13	9	0	1	0	1	1	0	1
MONROE	28	8	0	5	2	0	0	0	13
MONTGOMERY	6	2	0	1	0	2	0	0	1
NESHOBA	23	14	0	1	3	1	0	3	1
NEWTON	11	9	1	0	0	1	0	0	0
NOXUBEE	2	0	0	0	0	0	0	0	2
OKTIBBEHA	21	3	0	1	13	1	2	0	1
PANOLA	31	15	1	2	4	5	2	0	2
PEARL RIVER	36	18	0	8	1	3	0	0	6
PERRY	4	3	0	1	0	0	0	0	0
PIKE	23	12	3	2	3	0	1	0	2
PONTOTOC	16	10	0	3	1	0	0	0	2
PRENTISS	5	3	0	1	1	0	0	0	0
QUITMAN	4	1	0	0	0	0	0	1	2
RANKIN	61	15	2	28	3	4	4	0	5
SCOTT	11	4	1	3	1	1	1	0	0
SHARKEY	4	2	0	0	1	1	0	0	0
SIMPSON	17	7	0	3	0	2	1	4	0
SMITH	9	4	0	1	0	0	1	2	1
STONE	6	1	1	2	0	0	1	0	1
SUNFLOWER	10	5	0	1	1	0	0	1	2
TALLAHATCHIE	8	7	0	1	0	0	0	0	0
TATE	13	6	0	5	0	0	0	0	2
TIPPAH	8	6	0	0	1	1	0	0	0
TISHOMINGO	13	5	0	3	1	0	2	0	2
TUNICA	6	4	0	0	0	0	0	0	2
UNION	5	3	0	1	0	0	0	1	0
WALTHALL	6	1	0	2	0	0	1	1	1
WARREN	25	10	0	4	0	1	2	4	4
WASHINGTON	18	8	0	0	6	0	2	0	2
WAYNE	13	3	0	7	1	0	1	0	1
WEBSTER	4	3	0	0	0	0	0	0	1
WILKINSON	3	1	0	0	0	1	0	0	1
WINSTON	8	4	0	1	2	0	0	0	1
YALOBUSHA	6	3	0	0	1	0	0	0	2
YAZOO	12	6	0	1	1	1	0	0	3

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2011**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>14,515</u>	<u>10,082</u>	<u>4,433</u>	<u>14,515</u>	<u>10,082</u>	<u>4,433</u>	<u>13,619</u>	<u>9,386</u>	<u>4,233</u>
ADAMS	196	115	81	249	162	87	114	47	67
ALCORN	161	147	14	163	150	13	147	134	13
AMITE	78	60	18	85	64	21	72	54	18
ATTALA	102	54	48	103	57	46	95	48	47
BENTON	21	18	3	30	26	4	29	24	5
BOLIVAR	123	53	70	119	49	70	113	52	61
CALHOUN	63	47	16	79	59	20	69	49	20
CARROLL	32	22	10	38	30	8	28	19	9
CHICKASAW	90	57	33	83	54	29	76	52	24
CHOCTAW	46	32	14	45	34	11	45	32	13
CLAIBORNE	37	5	32	42	11	31	36	4	32
CLARKE	79	64	15	89	72	17	83	68	15
CLAY	109	52	57	128	62	66	117	54	63
COAHOMA	79	33	46	77	33	44	66	23	43
COPIAH	140	59	81	161	67	94	160	69	91
COVINGTON	127	93	34	126	90	36	146	104	42
DESOTO	614	494	120	522	420	102	524	418	106
FORREST	525	339	186	450	293	157	409	263	146
FRANKLIN	41	31	10	36	28	8	42	30	12
GEORGE	141	129	12	128	114	14	110	103	7
GREENE	55	38	17	59	41	18	37	36	1
GRENADA	151	103	48	140	90	50	134	91	43
HANCOCK	220	209	11	220	211	9	191	184	7
HARRISON	1,156	887	269	1,245	977	268	992	753	239
HINDS	1,012	395	617	1,095	505	590	908	356	552
HOLMES	78	13	65	79	16	63	83	17	66
HUMPHREYS	34	7	27	41	11	30	31	9	22
ISSAQUENA	3	1	2	3	1	2	1	0	1
ITAWAMBA	97	95	2	99	97	2	99	96	3
JACKSON	650	519	131	671	542	129	677	545	132
JASPER	83	50	33	71	41	30	86	53	33
JEFFERSON	45	3	42	55	6	49	34	1	33
JEFF DAVIS	57	25	32	66	34	32	57	26	31
JONES	366	290	76	387	304	83	346	277	69
KEMPER	33	12	21	43	21	22	29	11	18
LAFAYETTE	256	207	49	261	211	50	222	173	49
LAMAR	228	207	21	249	226	23	304	249	55
LAUDERDALE	373	243	130	356	231	125	333	213	120
LAWRENCE	100	78	22	94	74	20	97	72	25
LEAKE	0	0	0	30	21	9	32	25	7
LEE	475	366	109	443	344	99	424	328	96
LEFLORE	115	46	69	128	48	80	86	39	47

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2011

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	225	164	61	207	146	61	214	155	59
LOWNDES	229	151	78	227	133	94	194	117	77
MADISON	419	267	152	407	260	147	468	293	175
MARION	183	133	50	182	120	62	159	124	35
MARSHALL	149	66	83	164	84	80	125	60	65
MONROE	161	128	33	183	149	34	180	141	39
MONTGOMERY	58	36	22	66	44	22	65	42	23
NESHOBA	193	135	58	194	135	59	192	135	57
NEWTON	115	77	38	111	74	37	108	68	40
NOXUBEE	38	8	30	39	16	23	36	5	31
OKTIBBEHA	266	173	93	226	138	88	247	150	97
PANOLA	148	90	58	151	89	62	145	89	56
PEARL RIVER	290	265	25	270	244	26	279	251	28
PERRY	76	65	11	58	50	8	67	55	12
PIKE	264	147	117	269	157	112	233	121	112
PONTOTOC	176	158	18	175	159	16	184	165	19
PRENTISS	109	101	8	102	94	8	102	94	8
QUITMAN	20	8	12	21	7	14	20	7	13
RANKIN	954	813	141	723	582	141	941	793	148
SCOTT	184	124	60	197	133	64	196	131	65
SHARKEY	9	3	6	15	7	8	12	4	8
SIMPSON	161	123	38	156	120	36	144	111	33
SMITH	70	61	9	91	76	15	90	72	18
STONE	124	114	10	117	104	13	110	99	11
SUNFLOWER	89	25	64	97	28	69	74	17	57
TALLAHATCHIE	27	16	11	37	25	12	35	21	14
TATE	124	96	28	142	116	26	113	84	29
TIPPAH	108	97	11	95	84	11	104	93	11
TISHOMINGO	84	81	3	101	97	4	63	62	1
TUNICA	44	15	29	46	20	26	43	16	27
UNION	138	127	11	145	129	16	137	122	15
WALTHALL	74	44	30	65	40	25	73	41	32
WARREN	277	157	120	297	175	122	249	131	118
WASHINGTON	157	72	85	154	68	86	156	73	83
WAYNE	96	74	22	85	59	26	86	64	22
WEBSTER	51	43	8	46	39	7	55	47	8
WILKINSON	32	12	20	41	17	24	26	6	20
WINSTON	74	40	34	78	47	31	76	45	31
YALOBUSHA	48	34	14	58	42	16	58	42	16
YAZOO	80	41	39	89	48	41	76	39	37
OUT OF STATE	*	*	*	*	*	*	879	686	193

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2011**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,043</u>	<u>6,854</u>	<u>2,568</u>	<u>2,621</u>					
ADAMS	99	50	45	4	LINCOLN	178	89	35	54
ALCORN	200	180	10	10	LOWNDES	284	162	103	19
AMITE	3	2	1	0	MADISON	306	211	88	7
ATTALA	83	36	26	21	MARION	133	91	28	14
BENTON	38	27	11	0	MARSHALL	104	56	27	21
BOLIVAR	108	33	57	18	MONROE	198	154	40	4
CALHOUN	73	61	9	3	MONTGOMERY	51	30	20	1
CARROLL	31	24	7	0	NESHOBA	157	122	33	2
CHICKASAW	86	63	16	7	NEWTON	97	74	16	7
CHOCTAW	44	34	2	8	NOXUBEE	22	4	18	0
CLAIBORNE	17	5	12	0	OKTIBBEHA	117	59	43	15
CLARKE	87	60	14	13	PANOLA	160	107	47	6
CLAY	78	31	42	5	PEARL RIVER	264	222	20	22
COAHOMA	67	21	43	3	PERRY	61	50	7	4
COPIAH	99	48	31	20	PIKE	206	118	67	21
COVINGTON	76	52	16	8	PONTOTOC	0	0	0	0
DESOTO	876	504	134	238	PRENTISS	160	102	11	47
FORREST	323	174	76	73	QUITMAN	13	5	8	0
FRANKLIN	43	32	11	0	RANKIN	778	686	87	5
GEORGE	57	4	0	53	SCOTT	133	82	39	12
GREENE	0	0	0	0	SHARKEY	6	4	2	0
GRENADA	116	79	36	1	SIMPSON	120	90	27	3
HANCOCK	191	122	5	64	SMITH	65	54	10	1
HARRISON	834	263	51	520	STONE	77	60	5	12
HINDS	799	175	432	192	SUNFLOWER	36	10	18	8
HOLMES	44	10	34	0	TALLAHATCHIE	24	12	12	0
HUMPHREYS	15	2	10	3	TATE	134	116	10	8
ISSAQUENA	2	1	1	0	TIPPAH	117	96	15	6
ITAWAMBA	119	97	6	16	TISHOMINGO	100	99	1	0
JACKSON	807	0	0	807	TUNICA	35	6	23	6
JASPER	50	23	25	2	UNION	159	123	12	24
JEFFERSON	0	0	0	0	WALTHALL	72	50	19	3
JEFF DAVIS	31	18	13	0	WARREN	0	0	0	0
JONES	388	299	81	8	WASHINGTON	0	0	0	0
KEMPER	0	0	0	0	WAYNE	125	84	38	3
LAFAYETTE	152	102	23	27	WEBSTER	47	34	6	7
LAMAR	283	226	34	23	WILKINSON	0	0	0	0
LAUDERDALE	361	180	91	90	WINSTON	42	24	18	0
LAWRENCE	49	36	13	0	YALOBUSHA	48	43	5	0
LEAKE	30	23	7	0	YAZOO	26	15	4	7
LEE	540	387	132	21					
LEFLORE	89	26	49	14					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2011**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,180</u>	<u>404</u>	<u>1,723</u>	<u>53</u>					
ADAMS	39	6	32	1	LINCOLN	38	9	28	1
ALCORN	0	0	0	0	LOWNDES	0	0	0	0
AMITE	9	1	8	0	MADISON	217	39	172	6
ATTALA	17	2	14	1	MARION	20	7	12	1
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	7	1	6	0	MONROE	1	0	1	0
CALHOUN	1	0	1	0	MONTGOMERY	5	1	4	0
CARROLL	2	2	0	0	NESHOBA	18	6	12	0
CHICKASAW	1	0	1	0	NEWTON	8	3	5	0
CHOCTAW	1	1	0	0	NOXUBEE	1	0	1	0
CLAIBORNE	20	0	18	2	OKTIBBEHA	19	7	12	0
CLARKE	2	1	1	0	PANOLA	1	1	0	0
CLAY	0	0	0	0	PEARL RIVER	3	1	2	0
COAHOMA	1	0	0	1	PERRY	5	2	3	0
COPIAH	54	4	50	0	PIKE	46	12	32	2
COVINGTON	9	1	7	1	PONTOTOC	0	0	0	0
DESOTO	1	0	1	0	PRENTISS	0	0	0	0
FORREST	92	19	70	3	QUITMAN	0	0	0	0
FRANKLIN	5	1	4	0	RANKIN	199	89	108	2
GEORGE	0	0	0	0	SCOTT	23	6	17	0
GREENE	2	1	1	0	SHARKEY	8	2	6	0
GRENADA	8	8	0	0	SIMPSON	19	9	10	0
HANCOCK	4	1	3	0	SMITH	8	4	4	0
HARRISON	11	6	5	0	STONE	3	1	2	0
HINDS	778	60	697	21	SUNFLOWER	7	0	7	0
HOLMES	47	2	45	0	TALLAHATCHIE	1	1	0	0
HUMPHREYS	13	0	12	1	TATE	1	1	0	0
ISSAQUENA	0	0	0	0	TIPPAH	1	1	0	0
ITAWAMBA	1	0	1	0	TISHOMINGO	1	0	1	0
JACKSON	11	6	5	0	TUNICA	0	0	0	0
JASPER	23	0	21	2	UNION	2	2	0	0
JEFFERSON	16	0	15	1	WALTHALL	7	2	4	1
JEFF DAVIS	14	1	13	0	WARREN	84	22	61	1
JONES	30	11	19	0	WASHINGTON	25	8	16	1
KEMPER	0	0	0	0	WAYNE	10	3	7	0
LAFAYETTE	6	1	5	0	WEBSTER	2	1	1	0
LAMAR	33	8	25	0	WILKINSON	3	0	3	0
LAUDERDALE	27	7	19	1	WINSTON	12	1	11	0
LAWRENCE	7	2	5	0	YALOBUSHA	0	0	0	0
LEAKE	20	3	17	0	YAZOO	51	3	45	3
LEE	3	1	2	0					
LEFLORE	16	3	13	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>6,291</u>	<u>135</u>	<u>6,156</u>	<u>2,481</u>	<u>22</u>	<u>2,459</u>	<u>3,793</u>	<u>111</u>	<u>3,682</u>
ADAMS	60	0	60	23	0	23	37	0	37
ALCORN	87	2	85	68	1	67	19	1	18
AMITE	29	1	28	7	0	7	22	1	21
ATTALA	27	0	27	6	0	6	21	0	21
BENTON	19	1	18	9	0	9	10	1	9
BOLIVAR	105	1	104	14	0	14	91	1	90
CALHOUN	31	0	31	14	0	14	17	0	17
CARROLL	12	0	12	6	0	6	6	0	6
CHICKASAW	58	2	56	26	1	25	32	1	31
CHOCTAW	9	0	9	6	0	6	3	0	3
CLAIBORNE	21	1	20	1	0	1	20	1	19
CLARKE	22	0	22	12	0	12	10	0	10
CLAY	46	1	45	9	0	9	37	1	36
COAHOMA	107	2	105	7	0	7	99	2	97
COPIAH	82	2	80	25	1	24	57	1	56
COVINGTON	45	0	45	19	0	19	26	0	26
DESOTO	280	5	275	171	1	170	109	4	105
FORREST	147	3	144	51	1	50	95	2	93
FRANKLIN	15	0	15	6	0	6	9	0	9
GEORGE	68	1	67	60	0	60	8	1	7
GREENE	20	0	20	16	0	16	4	0	4
GRENADA	56	2	54	17	0	17	39	2	37
HANCOCK	53	0	53	45	0	45	8	0	8
HARRISON	342	3	339	197	1	196	143	2	141
HINDS	643	25	618	51	0	51	590	25	565
HOLMES	66	0	66	1	0	1	65	0	65
HUMPHREYS	32	0	32	1	0	1	30	0	30
ISSAQUENA	5	0	5	0	0	0	5	0	5
ITAWAMBA	51	2	49	46	1	45	5	1	4
JACKSON	238	4	234	146	0	146	92	4	88
JASPER	46	1	45	16	0	16	28	0	28
JEFFERSON	19	1	18	0	0	0	19	1	18
JEFF DAVIS	27	0	27	9	0	9	18	0	18
JONES	142	4	138	72	2	70	70	2	68
KEMPER	10	0	10	0	0	0	10	0	10
LAFAYETTE	65	2	63	28	1	27	37	1	36
LAMAR	64	1	63	40	0	40	24	1	23
LAUDERDALE	168	3	165	48	0	48	120	3	117
LAWRENCE	25	1	24	10	0	10	15	1	14
LEAKE	45	1	44	21	0	21	24	1	23
LEE	197	4	193	101	2	99	95	2	93
LEFLORE	102	4	98	3	0	3	99	4	95

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2011

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	62	2	60	29	0	29	33	2	31
LOWNDES	131	4	127	44	0	44	87	4	83
MADISON	126	2	124	26	0	26	99	2	97
MARION	51	0	51	32	0	32	19	0	19
MARSHALL	101	1	100	35	1	34	66	0	66
MONROE	71	1	70	42	1	41	29	0	29
MONTGOMERY	9	0	9	4	0	4	5	0	5
NESHOBA	83	5	78	30	1	29	53	4	49
NEWTON	54	0	54	24	0	24	30	0	30
NOXUBEE	30	0	30	1	0	1	29	0	29
OKTIBBEHA	65	1	64	14	0	14	51	1	50
PANOLA	105	5	100	35	0	35	70	5	65
PEARL RIVER	101	0	101	84	0	84	17	0	17
PERRY	27	0	27	21	0	21	6	0	6
PIKE	108	2	106	28	1	27	79	1	78
PONTOTOC	68	0	68	60	0	60	8	0	8
PRENTISS	52	0	52	39	0	39	13	0	13
QUITMAN	30	0	30	3	0	3	27	0	27
RANKIN	195	4	191	129	1	128	65	3	62
SCOTT	74	3	71	38	0	38	36	3	33
SHARKEY	17	1	16	0	0	0	17	1	16
SIMPSON	71	1	70	36	0	36	35	1	34
SMITH	39	1	38	26	1	25	13	0	13
STONE	30	1	29	19	1	18	11	0	11
SUNFLOWER	78	4	74	4	0	4	74	4	70
TALLAHATCHIE	36	0	36	8	0	8	28	0	28
TATE	54	0	54	25	0	25	29	0	29
TIPPAH	43	3	40	30	2	28	13	1	12
TISHOMINGO	35	0	35	34	0	34	1	0	1
TUNICA	42	0	42	4	0	4	38	0	38
UNION	44	0	44	30	0	30	13	0	13
WALTHALL	30	0	30	8	0	8	22	0	22
WARREN	121	5	116	35	1	34	86	4	82
WASHINGTON	175	4	171	14	0	14	161	4	157
WAYNE	66	1	65	31	0	31	35	1	34
WEBSTER	12	0	12	9	0	9	3	0	3
WILKINSON	21	0	21	2	0	2	19	0	19
WINSTON	31	0	31	15	0	15	16	0	16
YALOBUSHA	28	0	28	12	0	12	16	0	16
YAZOO	89	4	85	13	0	13	73	3	70

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2011

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>30.1</u>	<u>1.3</u>	<u>57.6</u>	<u>22.9</u>	<u>0.4</u>	<u>45.0</u>	<u>37.7</u>	<u>2.3</u>	<u>70.6</u>
ADAMS	31.2	-	60.9	38.3	-	77.4	28.0	-	53.8
ALCORN	36.9	1.6	74.9	35.0	1.0	72.4	45.4	4.8	86.1
AMITE	40.6	2.9	76.3	19.5	-	41.2	61.8	6.3	106.6
ATTALA	21.2	-	43.5	9.4	-	19.5	33.2	-	67.3
BENTON	31.9	3.3	61.6	28.1	-	55.2	36.2	6.8	69.8
BOLIVAR	42.5	0.8	81.4	20.7	-	39.3	50.8	1.1	97.7
CALHOUN	30.8	-	63.6	22.6	-	47.1	43.9	-	89.5
CARROLL	20.8	-	37.2	19.1	-	36.4	22.9	-	38.0
CHICKASAW	48.2	3.5	89.4	42.6	3.4	78.6	53.9	3.5	100.6
CHOCTAW	16.0	-	31.5	17.1	-	35.5	14.2	-	25.6
CLAIBORNE	25.5	3.0	41.2	15.2	-	37.0	26.4	3.4	41.4
CLARKE	19.1	-	40.1	18.9	-	39.6	19.4	-	40.6
CLAY	30.5	1.3	59.8	21.7	-	44.3	33.9	1.8	65.6
COAHOMA	49.6	1.9	95.9	23.1	-	44.3	53.4	2.2	103.5
COPIAH	39.6	2.2	69.5	30.7	2.8	52.4	45.4	1.8	80.8
COVINGTON	32.4	-	61.7	26.0	-	50.8	39.4	-	73.2
DESOTO	22.6	0.7	48.8	20.7	0.2	45.0	26.2	1.7	56.6
FORREST	25.2	1.3	41.2	16.6	0.8	27.4	34.4	1.8	55.6
FRANKLIN	28.7	-	60.7	21.9	-	45.4	36.1	-	78.3
GEORGE	41.2	1.1	85.8	40.8	-	86.4	44.2	10.6	80.5
GREENE	23.2	-	47.6	23.3	-	46.9	23.0	-	50.6
GRENADA	37.7	2.8	71.0	22.2	-	45.7	54.3	6.1	95.1
HANCOCK	18.3	-	36.9	18.5	-	36.7	16.9	-	37.7
HARRISON	28.4	0.5	55.6	25.8	0.3	51.1	32.4	0.9	62.5
HINDS	33.8	2.8	60.4	13.2	-	23.4	39.0	3.5	70.2
HOLMES	41.3	-	75.4	4.7	-	7.7	46.9	-	87.2
HUMPHREYS	49.5	-	92.2	8.7	-	16.4	56.5	-	104.9
ISSAQUENA	71.4	-	113.6	-	-	-	92.6	-	138.9
ITAWAMBA	30.3	2.6	52.6	31.0	1.5	56.3	24.9	14.5	30.3
JACKSON	25.0	0.8	50.2	22.9	-	46.3	29.0	2.4	58.4
JASPER	39.5	1.6	83.8	39.6	-	88.9	36.8	-	78.4
JEFFERSON	38.9	4.4	69.5	-	-	-	42.8	4.9	75.0
JEFF DAVIS	34.0	-	65.2	46.4	-	92.8	30.0	-	56.8
JONES	30.4	1.7	60.2	25.3	1.4	49.8	38.3	2.1	76.4
KEMPER	14.1	-	26.4	-	-	-	18.3	-	34.4
LAFAYETTE	16.5	1.7	23.0	10.2	1.4	13.4	31.0	2.2	49.0
LAMAR	15.9	0.5	31.0	13.9	-	27.9	20.9	1.8	38.4
LAUDERDALE	30.5	1.1	57.7	19.6	-	39.3	39.2	2.1	71.4
LAWRENCE	30.3	2.4	57.6	21.0	-	42.0	42.8	5.8	78.2
LEAKE	29.8	1.3	59.6	31.5	-	68.2	28.5	2.4	53.5
LEE	33.3	1.3	68.6	27.6	1.0	57.7	41.9	1.7	84.8
LEFLORE	42.9	3.6	77.5	8.5	-	20.1	48.9	4.4	85.2

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2011

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	24.7	1.5	49.8	18.4	-	39.0	35.4	4.3	67.1
LOWNDES	30.9	1.9	59.0	23.7	-	48.4	36.5	3.5	66.8
MADISON	17.9	0.6	36.2	7.3	-	15.7	28.4	1.2	54.9
MARION	29.1	-	59.1	31.3	-	66.0	26.0	-	50.3
MARSHALL	39.5	0.8	75.0	35.8	1.9	73.9	41.7	-	75.6
MONROE	29.8	0.8	57.6	28.1	1.3	54.8	32.5	-	62.0
MONTGOMERY	12.7	-	24.6	12.8	-	24.1	12.6	-	25.1
NESHOBA	37.5	4.3	73.9	26.0	1.7	51.5	49.9	7.0	99.4
NEWTON	34.9	-	64.2	28.7	-	54.0	42.2	-	75.6
NOXUBEE	36.1	-	74.6	5.6	-	11.8	44.4	-	91.5
OKTIBBEHA	17.4	0.9	24.3	6.8	-	8.6	30.2	1.5	49.6
PANOLA	41.3	4.0	77.6	37.2	-	76.6	43.7	6.5	78.1
PEARL RIVER	27.2	-	53.3	28.4	-	56.5	22.5	-	41.6
PERRY	33.4	-	67.0	35.9	-	71.9	27.0	-	54.0
PIKE	37.0	1.4	71.8	25.2	1.8	49.5	43.7	1.1	83.7
PONTOTOC	32.6	-	67.5	35.7	-	74.5	19.6	-	39.4
PRENTISS	30.9	-	59.7	29.4	-	58.5	36.8	-	63.7
QUITMAN	49.8	-	98.7	31.6	-	66.7	53.2	-	104.2
RANKIN	21.1	0.8	43.9	19.1	0.3	40.8	25.9	2.3	51.1
SCOTT	38.0	3.1	73.4	40.1	-	84.8	36.0	6.2	63.6
SHARKEY	47.5	5.5	90.4	-	-	-	57.2	7.0	103.9
SIMPSON	39.3	1.1	80.4	36.8	-	78.8	42.2	2.4	82.1
SMITH	34.9	1.7	70.4	35.5	2.6	72.9	33.8	-	66.0
STONE	21.3	1.6	37.1	18.9	2.2	33.0	27.4	-	46.4
SUNFLOWER	41.2	4.5	74.1	10.9	-	18.3	48.5	5.4	89.6
TALLAHATCHIE	37.8	-	69.6	31.1	-	60.6	40.3	-	72.7
TATE	23.9	-	44.3	18.4	-	34.4	32.2	-	58.8
TIPPAH	28.6	3.8	55.3	25.9	3.3	50.4	37.7	5.6	71.4
TISHOMINGO	27.5	-	55.0	27.8	-	56.0	20.4	-	34.5
TUNICA	52.2	-	122.1	33.0	-	83.3	55.6	-	128.4
UNION	24.3	-	50.6	20.8	-	44.0	34.9	-	68.8
WALTHALL	28.8	-	61.6	17.8	-	41.2	37.2	-	75.1
WARREN	35.6	2.8	70.7	25.1	1.4	51.0	42.8	3.9	84.2
WASHINGTON	45.4	2.1	89.0	21.6	-	46.2	50.2	2.5	97.0
WAYNE	44.6	1.4	86.8	41.0	-	78.9	48.4	2.7	95.5
WEBSTER	18.6	-	41.8	18.7	-	43.5	18.4	-	37.5
WILKINSON	38.2	-	79.2	16.7	-	32.8	44.2	-	93.1
WINSTON	25.5	-	51.3	28.5	-	57.0	23.3	-	46.9
YALOBUSHA	35.8	-	70.7	30.0	-	60.6	41.8	-	80.8
YAZOO	50.2	4.4	97.7	25.5	-	59.1	57.8	4.9	107.7

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	415	204	211	12.9	14.4	11.8	441	396	45	11.9	12.4	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.7	3.1	-
SEPTICEMIA (018)	16	3	13	49.9	21.1	72.8	6	6	0	16.2	18.7	-
HIV DISEASE (039-043)	4	2	2	12.5	14.1	11.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	82	38	44	255.7	267.5	246.3	82	72	10	221.3	224.7	199.7
DIABETES MELLITUS (124)	14	7	7	43.6	49.3	39.2	9	6	3	24.3	18.7	59.9
ALZHEIMERS DISEASE (148)	12	9	3	37.4	63.4	16.8	16	15	1	43.2	46.8	20.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	130	67	63	405.4	471.6	352.7	159	140	19	429.1	436.9	379.5
HEART DISEASES (156-160,162, 164-181)	106	56	50	330.6	394.2	279.9	123	110	13	332.0	343.3	259.6
HYPERTENSION (161,163)	0	0	0	-	-	-	4	3	1	10.8	9.4	20.0
CEREBROVASCULAR DISEASES (182-186)	22	10	12	68.6	70.4	67.2	29	26	3	78.3	81.1	59.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	2.7	-	20.0
INFLUENZA AND PNEUMONIA (195-198)	14	8	6	43.6	56.3	33.6	9	9	0	24.3	28.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	9	7	49.9	63.4	39.2	33	33	0	89.1	103.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	12.5	21.1	5.6	7	7	0	18.9	21.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	5	9	43.6	35.2	50.4	13	11	2	35.1	34.3	39.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	12.2	6.6	15.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.1	-	5.6	1	1	0	2.7	3.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	12	6	56.1	84.5	33.6	25	25	0	67.5	78.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	18.7	28.2	11.2	6	6	0	16.2	18.7	-
SUICIDE (331-337)	10	7	3	31.2	49.3	16.8	8	7	1	21.6	21.8	20.0
HOMICIDE (338-346)	6	0	6	18.7	-	33.6	1	0	1	2.7	-	20.0

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	147	90	57	11.2	12.0	10.2	258	184	74	13.2	16.7	8.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	23.0	40.0	-	4	2	2	20.5	18.2	23.6
HIV DISEASE (039-043)	2	0	2	15.3	-	35.9	2	0	2	10.3	-	23.6
MALIGNANT NEOPLASMS (056-108)	32	22	10	244.9	293.6	179.5	50	37	13	256.8	336.3	153.6
DIABETES MELLITUS (124)	6	2	4	45.9	26.7	71.8	10	4	6	51.4	36.4	70.9
ALZHEIMERS DISEASE (148)	7	7	0	53.6	93.4	-	22	18	4	113.0	163.6	47.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	32	24	428.6	427.0	430.9	72	54	18	369.9	490.8	212.7
HEART DISEASES (156-160,162, 164-181)	49	27	22	375.1	360.3	395.0	50	38	12	256.8	345.4	141.8
HYPERTENSION (161,163)	1	1	0	7.6	13.3	-	4	4	0	20.5	36.4	-
CEREBROVASCULAR DISEASES (182-186)	6	4	2	45.9	53.4	35.9	16	11	5	82.2	100.0	59.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	23.0	13.3	35.9	13	10	3	66.8	90.9	35.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	5	0	38.3	66.7	-	14	12	2	71.9	109.1	23.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	5.1	9.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	23.0	26.7	18.0	1	1	0	5.1	9.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	45.9	26.7	71.8	4	3	1	20.5	27.3	11.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.0	-	11.1	1	1	0	3.9	7.9	-
ACCIDENTS (295-330)	4	3	1	30.6	40.0	18.0	8	6	2	41.1	54.5	23.6
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	7.6	13.3	-	5	3	2	25.7	27.3	23.6
SUICIDE (331-337)	1	1	0	7.6	13.3	-	1	1	0	5.1	9.1	-
HOMICIDE (338-346)	3	2	1	23.0	26.7	18.0	1	0	1	5.1	-	11.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	78	59	19	8.9	11.0	5.6	436	182	254	12.9	15.7	11.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	22.9	37.2	-	14	5	9	41.4	43.0	40.6
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	8.9	-	13.5
MALIGNANT NEOPLASMS (056-108)	16	11	5	183.2	204.8	148.7	89	32	57	263.5	275.5	257.2
DIABETES MELLITUS (124)	3	2	1	34.4	37.2	29.7	27	11	16	80.0	94.7	72.2
ALZHEIMERS DISEASE (148)	4	3	1	45.8	55.9	29.7	9	5	4	26.6	43.0	18.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	21	15	6	240.5	279.3	178.5	132	55	77	390.9	473.6	347.5
HEART DISEASES (156-160,162, 164-181)	18	14	4	206.1	260.7	119.0	86	37	49	254.6	318.6	221.1
HYPERTENSION (161,163)	0	0	0	-	-	-	12	2	10	35.5	17.2	45.1
CEREBROVASCULAR DISEASES (182-186)	3	1	2	34.4	18.6	59.5	31	14	17	91.8	120.5	76.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.0	8.6	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	8	3	5	23.7	25.8	22.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	80.2	111.7	29.7	18	11	7	53.3	94.7	31.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	6	4	2	17.8	34.4	9.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	45.8	37.2	59.5	10	4	6	29.6	34.4	27.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	1.7	-	2.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	8.9	8.6	9.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	4	1	57.3	74.5	29.7	30	13	17	88.8	111.9	76.7
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	11.4	-	29.7	13	5	8	38.5	43.0	36.1
SUICIDE (331-337)	1	1	0	11.4	18.6	-	2	2	0	5.9	17.2	-
HOMICIDE (338-346)	1	1	0	11.4	18.6	-	6	1	5	17.8	8.6	22.6

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	190	153	37	12.7	14.6	8.4	103	68	35	9.9	10.0	9.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	6.7	9.5	-	4	2	2	38.6	29.4	55.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	46	33	13	308.4	314.6	293.7	31	21	10	298.8	309.0	279.6
DIABETES MELLITUS (124)	5	3	2	33.5	28.6	45.2	3	1	2	28.9	14.7	55.9
ALZHEIMERS DISEASE (148)	13	12	1	87.1	114.4	22.6	1	1	0	9.6	14.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	70	58	12	469.3	552.8	271.1	33	20	13	318.1	294.3	363.4
HEART DISEASES (156-160,162, 164-181)	56	45	11	375.4	428.9	248.5	29	16	13	279.6	235.4	363.4
HYPERTENSION (161,163)	3	3	0	20.1	28.6	-	1	1	0	9.6	14.7	-
CEREBROVASCULAR DISEASES (182-186)	11	10	1	73.7	95.3	22.6	1	1	0	9.6	14.7	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	1	0	1	9.6	-	28.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	17	0	114.0	162.0	-	5	3	2	48.2	44.1	55.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	13.4	19.1	-	2	2	0	19.3	29.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	13.4	19.1	-	1	1	0	9.6	14.7	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	11.6	8.8	16.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	9	3	80.4	85.8	67.8	9	9	0	86.8	132.4	-
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	33.5	47.7	-	3	3	0	28.9	44.1	-
SUICIDE (331-337)	2	2	0	13.4	19.1	-	3	2	1	28.9	29.4	28.0
HOMICIDE (338-346)	1	0	1	6.7	-	22.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	179	116	63	10.4	12.2	8.3	71	49	22	8.4	8.6	8.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	5.8	10.5	-	1	1	0	11.9	17.5	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	26	15	239.4	273.4	197.0	15	9	6	178.3	157.9	221.2
DIABETES MELLITUS (124)	4	3	1	23.4	31.5	13.1	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	6	5	1	35.0	52.6	13.1	5	4	1	59.4	70.2	36.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	29	22	297.8	304.9	289.0	26	16	10	309.1	280.8	368.6
HEART DISEASES (156-160,162, 164-181)	43	25	18	251.1	262.8	236.4	17	11	6	202.1	193.0	221.2
HYPERTENSION (161,163)	1	0	1	5.8	-	13.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	4	3	40.9	42.0	39.4	8	5	3	95.1	87.7	110.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	35.0	31.5	39.4	1	1	0	11.9	17.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	11	5	93.4	115.6	65.7	3	2	1	35.7	35.1	36.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.8	-	13.1	1	1	0	11.9	17.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	23.4	42.0	-	5	4	1	59.4	70.2	36.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	16	5	122.6	168.2	65.7	3	3	0	35.7	52.6	-
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	35.0	52.6	13.1	2	2	0	23.8	35.1	-
SUICIDE (331-337)	2	2	0	11.7	21.0	-	3	2	1	35.7	35.1	36.9
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	90	18	72	9.4	12.9	8.8	214	159	55	12.8	14.8	9.2
TUBERCULOSIS (009,010)	1	0	1	10.4	-	12.2	1	1	0	6.0	9.3	-
SEPTICEMIA (018)	1	0	1	10.4	-	12.2	3	3	0	17.9	27.9	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	6.0	-	16.6
MALIGNANT NEOPLASMS (056-108)	16	3	13	166.9	215.4	158.7	44	39	5	262.8	363.2	83.3
DIABETES MELLITUS (124)	0	0	0	-	-	-	1	1	0	6.0	9.3	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	9	5	4	53.8	46.6	66.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	6	34	417.3	430.7	415.0	75	56	19	447.9	521.5	316.4
HEART DISEASES (156-160,162, 164-181)	37	6	31	386.0	430.7	378.4	59	47	12	352.4	437.6	199.9
HYPERTENSION (161,163)	1	0	1	10.4	-	12.2	5	2	3	29.9	18.6	50.0
CEREBROVASCULAR DISEASES (182-186)	2	0	2	20.9	-	24.4	9	7	2	53.8	65.2	33.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	20.9	71.8	12.2	5	1	4	29.9	9.3	66.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	31.3	71.8	24.4	13	12	1	77.6	111.7	16.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	6.0	9.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	41.7	71.8	36.6	13	8	5	77.6	74.5	83.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	11.0	-	30.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	6.0	-	16.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	5.5	8.7	-
ACCIDENTS (295-330)	5	1	4	52.2	71.8	48.8	10	7	3	59.7	65.2	50.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	20.9	-	24.4	3	1	2	17.9	9.3	33.3
SUICIDE (331-337)	2	1	1	20.9	71.8	12.2	5	5	0	29.9	46.6	-
HOMICIDE (338-346)	2	0	2	20.9	-	24.4	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	208	116	92	10.2	14.0	7.6	294	79	215	11.3	12.9	10.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	34.2	36.2	32.9	1	1	0	3.8	16.3	-
HIV DISEASE (039-043)	3	1	2	14.7	12.0	16.4	5	0	5	19.3	-	25.3
MALIGNANT NEOPLASMS (056-108)	48	25	23	234.6	301.4	189.1	70	17	53	270.1	277.0	268.0
DIABETES MELLITUS (124)	6	4	2	29.3	48.2	16.4	24	0	24	92.6	-	121.4
ALZHEIMERS DISEASE (148)	3	2	1	14.7	24.1	8.2	5	2	3	19.3	32.6	15.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	78	43	35	381.3	518.5	287.8	89	25	64	343.4	407.4	323.6
HEART DISEASES (156-160,162, 164-181)	56	34	22	273.8	410.0	180.9	60	18	42	231.5	293.4	212.4
HYPERTENSION (161,163)	9	4	5	44.0	48.2	41.1	10	1	9	38.6	16.3	45.5
CEREBROVASCULAR DISEASES (182-186)	10	5	5	48.9	60.3	41.1	18	6	12	69.5	97.8	60.7
ATHEROSCLEROSIS (187)	1	0	1	4.9	-	8.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	2	4	29.3	24.1	32.9	4	2	2	15.4	32.6	10.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	7	1	39.1	84.4	8.2	19	4	15	73.3	65.2	75.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	19.6	24.1	16.4	4	1	3	15.4	16.3	15.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	9.8	12.0	8.2	5	2	3	19.3	32.6	15.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.0	-	5.8	1	0	1	2.1	-	2.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.9	12.0	-	3	0	3	11.6	-	15.2
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	8.1	-	11.6	0	0	0	-	-	-
ACCIDENTS (295-330)	12	9	3	58.7	108.5	24.7	16	9	7	61.7	146.7	35.4
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	24.4	36.2	16.4	6	3	3	23.2	48.9	15.2
SUICIDE (331-337)	1	1	0	4.9	12.0	-	2	2	0	7.7	32.6	-
HOMICIDE (338-346)	2	1	1	9.8	12.0	8.2	13	0	13	50.2	-	65.7

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	326	186	140	11.1	13.4	9.1	261	201	60	13.3	16.2	8.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	20.5	14.4	26.0	2	0	2	10.2	-	27.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	67	36	31	229.1	259.4	201.7	52	38	14	264.9	307.1	193.0
DIABETES MELLITUS (124)	16	6	10	54.7	43.2	65.1	3	3	0	15.3	24.2	-
ALZHEIMERS DISEASE (148)	6	5	1	20.5	36.0	6.5	19	15	4	96.8	121.2	55.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	114	63	51	389.8	454.0	331.8	100	78	22	509.4	630.3	303.3
HEART DISEASES (156-160,162, 164-181)	82	47	35	280.4	338.7	227.7	75	58	17	382.1	468.7	234.4
HYPERTENSION (161,163)	4	3	1	13.7	21.6	6.5	1	1	0	5.1	8.1	-
CEREBROVASCULAR DISEASES (182-186)	26	13	13	88.9	93.7	84.6	21	17	4	107.0	137.4	55.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	17.1	36.0	-	8	3	5	40.8	24.2	68.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	8	3	37.6	57.6	19.5	11	11	0	56.0	88.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	13.7	21.6	6.5	4	3	1	20.4	24.2	13.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	13.7	28.8	-	7	5	2	35.7	40.4	27.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	4.5	-	8.1	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.4	-	6.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	27	19	8	92.3	136.9	52.0	15	9	6	76.4	72.7	82.7
MOTOR VEHICLE ACCIDENTS# (296-306)	19	14	5	65.0	100.9	32.5	10	6	4	50.9	48.5	55.1
SUICIDE (331-337)	3	3	0	10.2	21.6	-	4	4	0	20.4	32.3	-
HOMICIDE (338-346)	5	2	3	17.1	14.4	19.5	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,110	940	170	6.8	7.7	4.0	659	491	168	8.7	10.6	5.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	17	13	4	10.4	10.7	9.4	15	8	7	19.8	17.3	23.7
HIV DISEASE (039-043)	1	1	0	0.6	0.8	-	1	1	0	1.3	2.2	-
MALIGNANT NEOPLASMS (056-108)	263	229	34	160.3	188.4	79.9	146	107	39	192.5	231.2	131.9
DIABETES MELLITUS (124)	79	59	20	48.2	48.6	47.0	23	14	9	30.3	30.2	30.4
ALZHEIMERS DISEASE (148)	40	39	1	24.4	32.1	2.4	35	31	4	46.1	67.0	13.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	331	274	57	201.8	225.5	134.0	173	126	47	228.1	272.3	159.0
HEART DISEASES (156-160,162, 164-181)	266	220	46	162.1	181.0	108.1	126	89	37	166.1	192.3	125.2
HYPERTENSION (161,163)	8	8	0	4.9	6.6	-	12	8	4	15.8	17.3	13.5
CEREBROVASCULAR DISEASES (182-186)	50	40	10	30.5	32.9	23.5	28	22	6	36.9	47.5	20.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
INFLUENZA AND PNEUMONIA (195-198)	12	11	1	7.3	9.0	2.4	24	23	1	31.6	49.7	3.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	62	55	7	37.8	45.3	16.4	56	48	8	73.8	103.7	27.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	15	15	0	9.1	12.3	-	3	3	0	4.0	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	12	7	11.6	9.9	16.4	11	5	6	14.5	10.8	20.3
MATERNAL CAUSES (261-273)	1	0	1	48.8	-	193.4	1	0	1	92.8	-	203.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	2.0	0.6	5.8	5	2	3	4.6	3.4	6.1
CONGENITAL MALFORMATIONS (282-290)	6	4	2	3.6	3.3	4.7	3	0	3	4.0	-	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.5	0.6	-	0	0	0	-	-	-
ACCIDENTS (295-330)	66	55	11	40.2	45.3	25.8	32	27	5	42.2	58.3	16.9
MOTOR VEHICLE ACCIDENTS# (296-306)	32	25	7	19.5	20.6	16.4	11	11	0	14.5	23.8	-
SUICIDE (331-337)	22	20	2	13.4	16.4	4.7	13	11	2	17.1	23.8	6.8
HOMICIDE (338-346)	6	3	3	3.6	2.5	7.0	9	1	8	11.9	2.2	27.1

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	99	68	31	12.3	13.2	10.8	221	205	16	9.6	10.0	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	1	1	0	4.4	4.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	4.4	4.8	-
MALIGNANT NEOPLASMS (056-108)	13	8	5	162.2	155.8	173.4	43	43	0	187.9	208.9	-
DIABETES MELLITUS (124)	1	1	0	12.5	19.5	-	20	19	1	87.4	92.3	43.3
ALZHEIMERS DISEASE (148)	1	1	0	12.5	19.5	-	14	13	1	61.2	63.2	43.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	36	28	8	449.0	545.4	277.5	52	42	10	227.2	204.1	433.1
HEART DISEASES (156-160,162, 164-181)	33	26	7	411.6	506.4	242.8	32	24	8	139.8	116.6	346.5
HYPERTENSION (161,163)	0	0	0	-	-	-	5	5	0	21.8	24.3	-
CEREBROVASCULAR DISEASES (182-186)	3	2	1	37.4	39.0	34.7	13	11	2	56.8	53.4	86.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	12.5	19.5	-	3	3	0	13.1	14.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	62.4	77.9	34.7	17	17	0	74.3	82.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	4.4	4.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	37.4	58.4	-	6	6	0	26.2	29.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	87.3	77.9	104.0	3	3	0	13.1	14.6	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	274.0	303.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	10.2	-	27.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	12.5	19.5	-	1	1	0	4.4	4.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	87.3	77.9	104.0	18	17	1	78.6	82.6	43.3
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	12.5	19.5	-	9	8	1	39.3	38.9	43.3
SUICIDE (331-337)	1	1	0	12.5	19.5	-	2	2	0	8.7	9.7	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	128	103	25	8.9	10.0	6.2	282	181	101	13.0	14.7	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	27.9	9.7	74.5	6	1	5	27.6	8.1	53.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	26	24	2	181.3	232.8	49.7	54	32	22	248.8	259.6	234.5
DIABETES MELLITUS (124)	3	3	0	20.9	29.1	-	6	2	4	27.6	16.2	42.6
ALZHEIMERS DISEASE (148)	7	6	1	48.8	58.2	24.8	21	16	5	96.7	129.8	53.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	44	12	390.6	426.7	298.0	104	68	36	479.1	551.8	383.7
HEART DISEASES (156-160,162, 164-181)	52	40	12	362.7	387.9	298.0	82	51	31	377.8	413.8	330.4
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	4.6	8.1	-
CEREBROVASCULAR DISEASES (182-186)	4	4	0	27.9	38.8	-	20	15	5	92.1	121.7	53.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	20.9	29.1	-	10	10	0	46.1	81.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	13.9	19.4	-	9	6	3	41.5	48.7	32.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	3	0	13.8	24.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	27.9	19.4	49.7	7	3	4	32.2	24.3	42.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	327.9	662.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	16.0	9.9	41.7	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	6	2	55.8	58.2	49.7	11	9	2	50.7	73.0	21.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	27.9	29.1	24.8	3	3	0	13.8	24.3	-
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	13.8	24.3	-
HOMICIDE (338-346)	0	0	0	-	-	-	4	0	4	18.4	-	42.6

CAUSE AND GROUP NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	420	396	24	9.4	10.0	4.6	1,751	1,406	345	9.2	10.4	6.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	8	0	17.9	20.3	-	38	29	9	19.9	21.4	16.2
HIV DISEASE (039-043)	3	1	2	6.7	2.5	38.4	5	3	2	2.6	2.2	3.6
MALIGNANT NEOPLASMS (056-108)	95	90	5	212.8	228.2	96.0	388	320	68	203.1	236.0	122.6
DIABETES MELLITUS (124)	2	0	2	4.5	-	38.4	15	9	6	7.8	6.6	10.8
ALZHEIMERS DISEASE (148)	11	8	3	24.6	20.3	57.6	34	30	4	17.8	22.1	7.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	132	6	309.1	334.7	115.2	550	432	118	287.9	318.6	212.8
HEART DISEASES (156-160,162, 164-181)	127	122	5	284.4	309.3	96.0	451	354	97	236.1	261.1	175.0
HYPERTENSION (161,163)	1	1	0	2.2	2.5	-	4	2	2	2.1	1.5	3.6
CEREBROVASCULAR DISEASES (182-186)	9	8	1	20.2	20.3	19.2	82	66	16	42.9	48.7	28.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	0.5	0.7	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	11.2	12.7	-	35	30	5	18.3	22.1	9.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	47	47	0	105.3	119.2	-	103	88	15	53.9	64.9	27.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	3	2	1	1.6	1.5	1.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	11	0	24.6	27.9	-	22	19	3	11.5	14.0	5.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	4.5	2.5	19.2	51	40	11	26.7	29.5	19.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	35.3	52.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.1	2.3	-	8	5	3	2.8	2.6	3.3
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.2	2.5	-	8	6	2	4.2	4.4	3.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	1.0	1.0	1.1
ACCIDENTS (295-330)	32	30	2	71.7	76.1	38.4	94	76	18	49.2	56.0	32.5
MOTOR VEHICLE ACCIDENTS# (296-306)	12	12	0	26.9	30.4	-	27	22	5	14.1	16.2	9.0
SUICIDE (331-337)	6	6	0	13.4	15.2	-	39	33	6	20.4	24.3	10.8
HOMICIDE (338-346)	0	0	0	-	-	-	24	8	16	12.6	5.9	28.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,001	835	1,166	8.1	11.6	6.6	188	45	143	10.0	14.6	9.1
TUBERCULOSIS (009,010)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
SEPTICEMIA (018)	42	14	28	16.9	19.4	15.9	3	1	2	15.9	32.3	12.7
HIV DISEASE (039-043)	22	1	21	8.9	1.4	11.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	392	182	210	157.9	252.9	119.2	45	12	33	239.1	388.1	209.8
DIABETES MELLITUS (124)	69	12	57	27.8	16.7	32.3	5	0	5	26.6	-	31.8
ALZHEIMERS DISEASE (148)	41	25	16	16.5	34.7	9.1	3	0	3	15.9	-	19.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	706	277	429	284.5	384.9	243.4	65	12	53	345.4	388.1	337.0
HEART DISEASES (156-160,162, 164-181)	512	198	314	206.3	275.2	178.2	44	7	37	233.8	226.4	235.3
HYPERTENSION (161,163)	61	22	39	24.6	30.6	22.1	12	3	9	63.8	97.0	57.2
CEREBROVASCULAR DISEASES (182-186)	120	51	69	48.4	70.9	39.2	8	2	6	42.5	64.7	38.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	38	18	20	15.3	25.0	11.3	2	0	2	10.6	-	12.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	71	53	18	28.6	73.6	10.2	15	8	7	79.7	258.7	44.5
PEPTIC ULCER (217-220)	2	1	1	0.8	1.4	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	19	11	8	7.6	15.3	4.5	3	1	2	15.9	32.3	12.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	41	14	27	16.5	19.4	15.3	9	1	8	47.8	32.3	50.9
MATERNAL CAUSES (261-273)	3	0	3	87.4	-	110.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	27	1	26	7.9	1.4	9.5	2	0	2	6.6	-	6.9
CONGENITAL MALFORMATIONS (282-290)	11	1	10	4.4	1.4	5.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	0.6	-	0.7	0	0	0	-	-	-
ACCIDENTS (295-330)	82	37	45	33.0	51.4	25.5	7	1	6	37.2	32.3	38.2
MOTOR VEHICLE ACCIDENTS# (296-306)	39	17	22	15.7	23.6	12.5	3	0	3	15.9	-	19.1
SUICIDE (331-337)	19	11	8	7.6	15.3	4.5	2	1	1	10.6	32.3	6.4
HOMICIDE (338-346)	57	2	55	23.0	2.8	31.2	3	0	3	15.9	-	19.1

CAUSE AND GROUP NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	88	27	61	9.4	11.9	8.6	11	4	7	7.9	8.2	7.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	0	3	32.2	-	42.5	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	10.7	-	14.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	14	3	11	150.3	132.7	156.0	2	1	1	143.7	204.5	110.7
DIABETES MELLITUS (124)	4	0	4	43.0	-	56.7	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	2	1	1	21.5	44.2	14.2	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	9	31	429.6	398.2	439.6	5	1	4	359.2	204.5	443.0
HEART DISEASES (156-160,162, 164-181)	32	9	23	343.6	398.2	326.1	4	1	3	287.4	204.5	332.2
HYPERTENSION (161,163)	1	0	1	10.7	-	14.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	0	7	75.2	-	99.3	1	0	1	71.8	-	110.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	21.5	88.5	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	21.5	44.2	14.2	1	1	0	71.8	204.5	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	71.8	204.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	21.5	88.5	-	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	14.2	71.4	7.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	10.7	44.2	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	71.4	-	76.9
ACCIDENTS (295-330)	7	3	4	75.2	132.7	56.7	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	10.7	44.2	-	0	0	0	-	-	-
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	10.7	-	14.2	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	269	253	16	11.5	11.8	8.5	1,259	1,044	215	9.0	10.1	5.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	4	2	25.7	18.6	106.7	34	26	8	24.3	25.3	21.6
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	1.4	1.0	2.7
MALIGNANT NEOPLASMS (056-108)	59	53	6	252.9	247.0	320.2	291	233	58	208.0	226.4	156.8
DIABETES MELLITUS (124)	7	7	0	30.0	32.6	-	28	20	8	20.0	19.4	21.6
ALZHEIMERS DISEASE (148)	12	11	1	51.4	51.3	53.4	46	42	4	32.9	40.8	10.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	83	79	4	355.7	368.2	213.4	375	317	58	268.0	308.1	156.8
HEART DISEASES (156-160,162, 164-181)	64	60	4	274.3	279.6	213.4	291	250	41	208.0	243.0	110.8
HYPERTENSION (161,163)	5	5	0	21.4	23.3	-	18	13	5	12.9	12.6	13.5
CEREBROVASCULAR DISEASES (182-186)	14	14	0	60.0	65.2	-	56	47	9	40.0	45.7	24.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	0.7	-	2.7
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	17.1	18.6	-	30	23	7	21.4	22.4	18.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	14	0	60.0	65.2	-	66	59	7	47.2	57.3	18.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	20	19	1	14.3	18.5	2.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	8	1	38.6	37.3	53.4	26	20	6	18.6	19.4	16.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	11.0	11.8	-	3	1	2	1.8	0.8	4.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	2.1	-	8.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	1.2	0.8	2.2
ACCIDENTS (295-330)	19	18	1	81.4	83.9	53.4	104	88	16	74.3	85.5	43.2
MOTOR VEHICLE ACCIDENTS# (296-306)	10	10	0	42.9	46.6	-	23	19	4	16.4	18.5	10.8
SUICIDE (331-337)	4	4	0	17.1	18.6	-	25	23	2	17.9	22.4	5.4
HOMICIDE (338-346)	2	2	0	8.6	9.3	-	5	4	1	3.6	3.9	2.7

CAUSE AND GROUP NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	192	112	80	11.4	14.5	8.8	83	10	73	10.9	9.1	11.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	17.9	12.9	22.1	3	0	3	39.4	-	46.1
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	13.1	-	15.4
MALIGNANT NEOPLASMS (056-108)	45	25	20	268.2	323.3	221.1	17	2	15	223.5	181.6	230.6
DIABETES MELLITUS (124)	9	1	8	53.6	12.9	88.4	1	0	1	13.1	-	15.4
ALZHEIMERS DISEASE (148)	3	3	0	17.9	38.8	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	78	50	28	464.9	646.6	309.6	30	3	27	394.5	272.5	415.1
HEART DISEASES (156-160,162, 164-181)	63	43	20	375.5	556.0	221.1	23	3	20	302.4	272.5	307.5
HYPERTENSION (161,163)	5	1	4	29.8	12.9	44.2	3	0	3	39.4	-	46.1
CEREBROVASCULAR DISEASES (182-186)	9	6	3	53.6	77.6	33.2	4	0	4	52.6	-	61.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	35.8	38.8	33.2	6	1	5	78.9	90.8	76.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	2	3	29.8	25.9	33.2	1	1	0	13.1	90.8	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	11.9	25.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	23.8	38.8	11.0	5	2	3	65.7	181.6	46.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	17.8	-	18.7
CONGENITAL MALFORMATIONS (282-290)	2	1	1	11.9	12.9	11.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	8.9	-	9.3
ACCIDENTS (295-330)	11	5	6	65.6	64.6	66.3	4	0	4	52.6	-	61.5
MOTOR VEHICLE ACCIDENTS# (296-306)	6	2	4	35.8	25.9	44.2	1	0	1	13.1	-	15.4
SUICIDE (331-337)	1	1	0	6.0	12.9	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	11.9	-	22.1	3	0	3	39.4	-	46.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	172	89	83	14.2	18.7	11.3	687	543	144	10.1	11.5	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	24.8	41.9	13.6	15	12	3	22.0	25.4	14.4
HIV DISEASE (039-043)	0	0	0	-	-	-	4	1	3	5.9	2.1	14.4
MALIGNANT NEOPLASMS (056-108)	39	22	17	321.8	461.4	231.3	129	102	27	189.5	215.7	129.8
DIABETES MELLITUS (124)	3	1	2	24.8	21.0	27.2	13	10	3	19.1	21.2	14.4
ALZHEIMERS DISEASE (148)	4	3	1	33.0	62.9	13.6	37	34	3	54.4	71.9	14.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	67	35	32	552.9	734.1	435.4	211	161	50	310.0	340.5	240.5
HEART DISEASES (156-160,162, 164-181)	61	31	30	503.4	650.2	408.2	163	125	38	239.4	264.4	182.8
HYPERTENSION (161,163)	2	1	1	16.5	21.0	13.6	7	5	2	10.3	10.6	9.6
CEREBROVASCULAR DISEASES (182-186)	4	3	1	33.0	62.9	13.6	28	20	8	41.1	42.3	38.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	41.3	41.9	40.8	27	18	9	39.7	38.1	43.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	57.8	125.8	13.6	40	34	6	58.8	71.9	28.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	8.2	21.0	-	7	6	1	10.3	12.7	4.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	8.2	-	13.6	14	7	7	20.6	14.8	33.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	6.9	22.7	-	2	0	2	2.1	-	5.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.2	-	13.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	1.0	1.6	-
ACCIDENTS (295-330)	12	3	9	99.0	62.9	122.4	47	41	6	69.0	86.7	28.8
MOTOR VEHICLE ACCIDENTS# (296-306)	7	1	6	57.8	21.0	81.6	28	24	4	41.1	50.8	19.2
SUICIDE (331-337)	2	2	0	16.5	41.9	-	11	11	0	16.2	23.3	-
HOMICIDE (338-346)	1	0	1	8.2	-	13.6	3	3	0	4.4	6.3	-

CAUSE AND GROUP NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	99	49	50	9.8	13.6	7.6	348	270	78	7.2	7.7	5.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	9.8	27.8	-	4	2	2	8.2	5.7	14.8
HIV DISEASE (039-043)	0	0	0	-	-	-	4	1	3	8.2	2.8	22.3
MALIGNANT NEOPLASMS (056-108)	24	12	12	236.5	333.7	183.2	66	51	15	136.2	145.7	111.3
DIABETES MELLITUS (124)	3	2	1	29.6	55.6	15.3	6	4	2	12.4	11.4	14.8
ALZHEIMERS DISEASE (148)	3	2	1	29.6	55.6	15.3	30	28	2	61.9	80.0	14.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	36	15	21	354.8	417.1	320.6	109	83	26	224.9	237.2	192.9
HEART DISEASES (156-160,162, 164-181)	30	13	17	295.7	361.5	259.5	78	61	17	160.9	174.3	126.1
HYPERTENSION (161,163)	0	0	0	-	-	-	1	0	1	2.1	-	7.4
CEREBROVASCULAR DISEASES (182-186)	6	2	4	59.1	55.6	61.1	28	21	7	57.8	60.0	51.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	39.4	55.6	30.5	8	7	1	16.5	20.0	7.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	4	2	59.1	111.2	30.5	18	16	2	37.1	45.7	14.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.1	2.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	4.1	5.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	9.8	-	15.3	6	4	2	12.4	11.4	14.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	9.5	-	14.1	4	3	1	7.3	8.7	4.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	2.1	-	7.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	1.8	2.9	-
ACCIDENTS (295-330)	6	3	3	59.1	83.4	45.8	25	20	5	51.6	57.2	37.1
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	9.8	-	15.3	11	7	4	22.7	20.0	29.7
SUICIDE (331-337)	0	0	0	-	-	-	5	5	0	10.3	14.3	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	386	338	48	6.7	7.7	3.6	858	609	249	10.7	13.8	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	8	0	13.9	18.1	-	13	8	5	16.2	18.1	13.8
HIV DISEASE (039-043)	2	1	1	3.5	2.3	7.5	5	1	4	6.2	2.2	11.0
MALIGNANT NEOPLASMS (056-108)	75	60	15	130.6	136.0	112.8	156	110	46	193.8	248.4	127.1
DIABETES MELLITUS (124)	12	9	3	20.9	20.4	22.6	7	5	2	8.7	11.3	5.5
ALZHEIMERS DISEASE (148)	15	15	0	26.1	34.0	-	39	32	7	48.5	72.2	19.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	133	116	17	231.6	262.9	127.8	304	217	87	377.8	490.0	240.4
HEART DISEASES (156-160,162, 164-181)	95	88	7	165.4	199.4	52.6	249	175	74	309.4	395.2	204.5
HYPERTENSION (161,163)	11	7	4	19.2	15.9	30.1	2	1	1	2.5	2.2	2.8
CEREBROVASCULAR DISEASES (182-186)	22	17	5	38.3	38.5	37.6	49	38	11	60.9	85.8	30.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	13.9	18.1	-	28	20	8	34.8	45.2	22.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	24	1	43.5	54.4	7.5	37	34	3	46.0	76.8	8.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.2	2.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	3.5	4.5	-	8	8	0	9.9	18.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	8.7	11.3	-	26	13	13	32.3	29.4	35.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	3.9	3.7	4.6	3	0	3	2.9	-	5.5
CONGENITAL MALFORMATIONS (282-290)	3	3	0	5.2	6.8	-	4	3	1	5.0	6.8	2.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.3	1.8	-	1	0	1	1.0	-	1.8
ACCIDENTS (295-330)	20	19	1	34.8	43.1	7.5	37	26	11	46.0	58.7	30.4
MOTOR VEHICLE ACCIDENTS# (296-306)	10	9	1	17.4	20.4	7.5	14	11	3	17.4	24.8	8.3
SUICIDE (331-337)	5	5	0	8.7	11.3	-	11	7	4	13.7	15.8	11.0
HOMICIDE (338-346)	6	3	3	10.4	6.8	22.6	4	0	4	5.0	-	11.0

CAUSE AND GROUP NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	141	99	42	11.1	11.6	10.1	224	146	78	9.5	12.1	6.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	7.9	11.7	-	3	0	3	12.7	-	26.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	4.2	-	8.6
MALIGNANT NEOPLASMS (056-108)	37	28	9	291.6	327.8	217.2	50	34	16	212.1	282.8	138.5
DIABETES MELLITUS (124)	4	3	1	31.5	35.1	24.1	6	4	2	25.4	33.3	17.3
ALZHEIMERS DISEASE (148)	1	0	1	7.9	-	24.1	3	2	1	12.7	16.6	8.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	35	16	402.0	409.7	386.1	98	64	34	415.7	532.4	294.4
HEART DISEASES (156-160,162, 164-181)	38	26	12	299.5	304.3	289.6	64	42	22	271.5	349.4	190.5
HYPERTENSION (161,163)	0	0	0	-	-	-	18	8	10	76.4	66.5	86.6
CEREBROVASCULAR DISEASES (182-186)	13	9	4	102.5	105.3	96.5	15	13	2	63.6	108.1	17.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.9	11.7	-	10	7	3	42.4	58.2	26.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	31.5	35.1	24.1	7	6	1	29.7	49.9	8.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	4.2	-	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.9	11.7	-	2	2	0	8.5	16.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	39.4	11.7	96.5	2	1	1	8.5	8.3	8.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	337.8	-	649.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	3.4	7.0	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	15.8	11.7	24.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	5.8	9.7	-	1	0	1	3.4	-	6.5
ACCIDENTS (295-330)	12	10	2	94.6	117.0	48.3	12	9	3	50.9	74.9	26.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	39.4	58.5	-	6	4	2	25.4	33.3	17.3
SUICIDE (331-337)	1	1	0	7.9	11.7	-	3	3	0	12.7	25.0	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	4.2	-	8.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	856	676	180	10.2	11.5	7.1	393	149	244	12.3	18.1	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	3.1	-	4.2
SEPTICEMIA (018)	21	18	3	25.0	30.6	11.9	7	2	5	22.0	24.3	21.2
HIV DISEASE (039-043)	3	1	2	3.6	1.7	7.9	4	0	4	12.6	-	16.9
MALIGNANT NEOPLASMS (056-108)	221	175	46	262.6	297.0	182.2	90	25	65	282.5	304.0	275.0
DIABETES MELLITUS (124)	24	19	5	28.5	32.2	19.8	18	6	12	56.5	73.0	50.8
ALZHEIMERS DISEASE (148)	27	21	6	32.1	35.6	23.8	10	8	2	31.4	97.3	8.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	253	197	56	300.6	334.4	221.8	136	47	89	426.8	571.5	376.5
HEART DISEASES (156-160,162, 164-181)	181	146	35	215.1	247.8	138.6	103	38	65	323.3	462.1	275.0
HYPERTENSION (161,163)	16	14	2	19.0	23.8	7.9	6	3	3	18.8	36.5	12.7
CEREBROVASCULAR DISEASES (182-186)	54	35	19	64.2	59.4	75.3	25	6	19	78.5	73.0	80.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	7.1	8.5	4.0	9	5	4	28.2	60.8	16.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	56	51	5	66.5	86.6	19.8	23	18	5	72.2	218.9	21.2
PEPTIC ULCER (217-220)	1	1	0	1.2	1.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	8	3	13.1	13.6	11.9	1	0	1	3.1	-	4.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	10	4	16.6	17.0	15.8	6	1	5	18.8	12.2	21.2
MATERNAL CAUSES (261-273)	1	1	0	85.0	131.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	3	3	5.1	4.0	7.2	4	0	4	7.4	-	9.2
CONGENITAL MALFORMATIONS (282-290)	3	2	1	3.6	3.4	4.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	2	1	2.6	2.6	2.4	0	0	0	-	-	-
ACCIDENTS (295-330)	39	33	6	46.3	56.0	23.8	18	12	6	56.5	145.9	25.4
MOTOR VEHICLE ACCIDENTS# (296-306)	19	13	6	22.6	22.1	23.8	4	3	1	12.6	36.5	4.2
SUICIDE (331-337)	5	4	1	5.9	6.8	4.0	2	0	2	6.3	-	8.5
HOMICIDE (338-346)	7	3	4	8.3	5.1	15.8	8	1	7	25.1	12.2	29.6

CAUSE AND GROUP NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	402	301	101	11.5	12.7	9.1	587	366	221	9.8	11.3	8.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	11.5	12.6	9.0	9	4	5	15.1	12.4	18.3
HIV DISEASE (039-043)	1	1	0	2.9	4.2	-	4	1	3	6.7	3.1	11.0
MALIGNANT NEOPLASMS (056-108)	83	60	23	237.9	252.4	206.9	125	74	51	209.5	228.5	186.9
DIABETES MELLITUS (124)	19	12	7	54.4	50.5	63.0	13	6	7	21.8	18.5	25.6
ALZHEIMERS DISEASE (148)	7	6	1	20.1	25.2	9.0	26	18	8	43.6	55.6	29.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	126	92	34	361.1	387.0	305.9	185	125	60	310.0	386.0	219.9
HEART DISEASES (156-160,162, 164-181)	97	72	25	278.0	302.8	224.9	136	90	46	227.9	277.9	168.6
HYPERTENSION (161,163)	5	2	3	14.3	8.4	27.0	7	6	1	11.7	18.5	3.7
CEREBROVASCULAR DISEASES (182-186)	21	16	5	60.2	67.3	45.0	37	26	11	62.0	80.3	40.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	11	0	31.5	46.3	-	12	8	4	20.1	24.7	14.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	21	4	71.6	88.3	36.0	39	26	13	65.4	80.3	47.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	5.7	8.4	-	6	6	0	10.0	18.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	15	11	4	43.0	46.3	36.0	21	6	15	35.2	18.5	55.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	129.0	-	277.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.2	-	6.1	1	1	0	1.3	2.4	-
CONGENITAL MALFORMATIONS (282-290)	4	3	1	11.5	12.6	9.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.3	-	2.8
ACCIDENTS (295-330)	25	24	1	71.6	101.0	9.0	26	11	15	43.6	34.0	55.0
MOTOR VEHICLE ACCIDENTS# (296-306)	12	12	0	34.4	50.5	-	8	3	5	13.4	9.3	18.3
SUICIDE (331-337)	7	7	0	20.1	29.4	-	6	6	0	10.0	18.5	-
HOMICIDE (338-346)	1	0	1	2.9	-	9.0	10	3	7	16.8	9.3	25.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	952	636	316	9.8	11.3	7.8	337	249	88	12.6	14.1	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	5	3	8.2	8.9	7.4	11	7	4	41.0	39.6	43.7
HIV DISEASE (039-043)	7	0	7	7.2	-	17.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	249	144	105	256.8	256.0	258.1	67	51	16	249.9	288.8	174.8
DIABETES MELLITUS (124)	31	18	13	32.0	32.0	32.0	3	2	1	11.2	11.3	10.9
ALZHEIMERS DISEASE (148)	33	29	4	34.0	51.5	9.8	16	13	3	59.7	73.6	32.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	256	182	74	264.1	323.5	181.9	102	71	31	380.5	402.1	338.8
HEART DISEASES (156-160,162, 164-181)	195	140	55	201.2	248.8	135.2	81	55	26	302.1	311.5	284.1
HYPERTENSION (161,163)	8	7	1	8.2	12.4	2.4	4	3	1	14.9	17.0	10.9
CEREBROVASCULAR DISEASES (182-186)	49	31	18	50.5	55.1	44.2	16	12	4	59.7	68.0	43.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	17	12	5	17.5	21.3	12.3	8	7	1	29.8	39.6	10.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	55	43	12	56.7	76.4	29.5	22	17	5	82.1	96.3	54.6
PEPTIC ULCER (217-220)	2	1	1	2.1	1.8	2.4	1	1	0	3.7	5.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	11	5	16.5	19.6	12.3	4	3	1	14.9	17.0	10.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	6	8	14.4	10.7	19.7	10	3	7	37.3	17.0	76.5
MATERNAL CAUSES (261-273)	1	0	1	78.8	-	177.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	3.2	1.4	5.3	5	4	1	14.7	18.2	8.4
CONGENITAL MALFORMATIONS (282-290)	4	2	2	4.1	3.6	4.9	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.8	-	1.8	0	0	0	-	-	-
ACCIDENTS (295-330)	32	23	9	33.0	40.9	22.1	27	22	5	100.7	124.6	54.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	7	3	10.3	12.4	7.4	11	7	4	41.0	39.6	43.7
SUICIDE (331-337)	13	12	1	13.4	21.3	2.4	5	5	0	18.6	28.3	-
HOMICIDE (338-346)	9	2	7	9.3	3.6	17.2	4	3	1	14.9	17.0	10.9

CAUSE AND GROUP NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	387	233	154	10.5	12.3	8.6	428	325	103	11.7	13.1	8.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	7	2	24.5	37.0	11.2	6	5	1	16.4	20.1	8.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	76	48	28	206.6	254.1	156.5	91	62	29	248.4	249.2	246.9
DIABETES MELLITUS (124)	43	19	24	116.9	100.6	134.1	15	10	5	41.0	40.2	42.6
ALZHEIMERS DISEASE (148)	4	4	0	10.9	21.2	-	26	17	9	71.0	68.3	76.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	139	81	58	377.9	428.8	324.1	149	116	33	406.8	466.2	280.9
HEART DISEASES (156-160,162, 164-181)	78	47	31	212.0	248.8	173.2	106	84	22	289.4	337.6	187.3
HYPERTENSION (161,163)	35	20	15	95.1	105.9	83.8	7	3	4	19.1	12.0	34.0
CEREBROVASCULAR DISEASES (182-186)	22	13	9	59.8	68.8	50.3	32	25	7	87.4	100.5	59.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	8.2	15.9	-	5	2	3	13.6	8.0	25.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	12	2	38.0	63.5	11.2	24	22	2	65.5	88.4	17.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	10.9	21.2	-	5	3	2	13.6	12.0	17.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	5	2	19.0	26.5	11.2	3	2	1	8.2	8.0	8.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	4.4	-	8.1	5	4	1	12.1	14.4	7.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.4	3.6	-
ACCIDENTS (295-330)	18	8	10	48.9	42.4	55.9	36	34	2	98.3	136.7	17.0
MOTOR VEHICLE ACCIDENTS# (296-306)	12	4	8	32.6	21.2	44.7	10	10	0	27.3	40.2	-
SUICIDE (331-337)	6	5	1	16.3	26.5	5.6	4	4	0	10.9	16.1	-
HOMICIDE (338-346)	7	0	7	19.0	-	39.1	2	1	1	5.5	4.0	8.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	MONTGOMERY COUNTY						NESHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	164	93	71	15.1	16.1	13.9	327	219	108	11.0	12.0	9.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	55.2	34.7	78.3	5	4	1	16.8	22.0	8.6
HIV DISEASE (039-043)	1	0	1	9.2	-	19.6	1	0	1	3.4	-	8.6
MALIGNANT NEOPLASMS (056-108)	25	17	8	229.9	295.0	156.6	54	40	14	181.1	220.1	120.2
DIABETES MELLITUS (124)	2	0	2	18.4	-	39.1	17	7	10	57.0	38.5	85.9
ALZHEIMERS DISEASE (148)	7	6	1	64.4	104.1	19.6	7	5	2	23.5	27.5	17.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	61	27	34	561.1	468.5	665.5	102	70	32	342.1	385.1	274.9
HEART DISEASES (156-160,162, 164-181)	42	18	24	386.3	312.3	469.8	87	60	27	291.8	330.1	231.9
HYPERTENSION (161,163)	8	3	5	73.6	52.0	97.9	3	2	1	10.1	11.0	8.6
CEREBROVASCULAR DISEASES (182-186)	10	5	5	92.0	86.8	97.9	10	7	3	33.5	38.5	25.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	27.6	34.7	19.6	8	7	1	26.8	38.5	8.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	5	4	82.8	86.8	78.3	17	16	1	57.0	88.0	8.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.2	17.4	-	5	1	4	16.8	5.5	34.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	6	3	82.8	104.1	58.7	10	6	4	33.5	33.0	34.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	42.4	19.6	59.7	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.2	-	19.6	1	0	1	3.4	-	8.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	6	1	64.4	104.1	19.6	29	14	15	97.2	77.0	128.8
MOTOR VEHICLE ACCIDENTS# (296-306)	0	0	0	-	-	-	16	4	12	53.6	22.0	103.1
SUICIDE (331-337)	2	1	1	18.4	17.4	19.6	4	4	0	13.4	22.0	-
HOMICIDE (338-346)	2	2	0	18.4	34.7	-	2	0	2	6.7	-	17.2

CAUSE AND GROUP NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	227	154	73	10.6	11.4	9.2	111	38	73	9.8	12.2	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	14.0	7.4	25.2	2	2	0	17.6	64.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	35	24	11	162.8	177.1	138.4	28	6	22	246.7	192.6	267.1
DIABETES MELLITUS (124)	6	4	2	27.9	29.5	25.2	4	2	2	35.2	64.2	24.3
ALZHEIMERS DISEASE (148)	10	9	1	46.5	66.4	12.6	3	2	1	26.4	64.2	12.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	76	53	23	353.5	391.1	289.3	43	19	24	378.8	610.0	291.4
HEART DISEASES (156-160,162, 164-181)	62	42	20	288.4	310.0	251.6	36	18	18	317.2	577.8	218.6
HYPERTENSION (161,163)	5	4	1	23.2	29.5	12.6	1	0	1	8.8	-	12.1
CEREBROVASCULAR DISEASES (182-186)	8	6	2	37.2	44.3	25.2	6	1	5	52.8	32.1	60.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	7	1	37.2	51.7	12.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	8	3	51.2	59.0	37.7	1	1	0	8.8	32.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.3	7.4	12.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	3	4	32.6	22.1	50.3	5	1	4	44.0	32.1	48.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.2	-	7.1	2	0	2	14.3	-	19.2
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.6	7.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.2	-	7.1	0	0	0	-	-	-
ACCIDENTS (295-330)	17	11	6	79.1	81.2	75.5	3	1	2	26.4	32.1	24.3
MOTOR VEHICLE ACCIDENTS# (296-306)	10	6	4	46.5	44.3	50.3	1	0	1	8.8	-	12.1
SUICIDE (331-337)	4	4	0	18.6	29.5	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	4.6	-	12.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	296	164	132	6.2	5.8	6.8	409	252	157	11.8	14.7	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	8.4	7.1	10.2	5	2	3	14.4	11.6	17.2
HIV DISEASE (039-043)	1	0	1	2.1	-	5.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	58	26	32	121.5	92.1	164.0	93	56	37	268.8	325.8	212.5
DIABETES MELLITUS (124)	17	3	14	35.6	10.6	71.7	6	2	4	17.3	11.6	23.0
ALZHEIMERS DISEASE (148)	16	12	4	33.5	42.5	20.5	19	10	9	54.9	58.2	51.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	84	42	42	175.9	148.8	215.2	145	89	56	419.0	517.8	321.6
HEART DISEASES (156-160,162, 164-181)	59	32	27	123.6	113.4	138.3	125	72	53	361.2	418.9	304.4
HYPERTENSION (161,163)	1	0	1	2.1	-	5.1	6	5	1	17.3	29.1	5.7
CEREBROVASCULAR DISEASES (182-186)	24	10	14	50.3	35.4	71.7	13	11	2	37.6	64.0	11.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	10.5	17.7	-	2	1	1	5.8	5.8	5.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	11	1	25.1	39.0	5.1	27	25	2	78.0	145.4	11.5
PEPTIC ULCER (217-220)	1	1	0	2.1	3.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	4.2	7.1	-	3	2	1	8.7	11.6	5.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	4	4	16.8	14.2	20.5	2	1	1	5.8	5.8	5.7
MATERNAL CAUSES (261-273)	1	0	1	173.9	-	341.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	5.2	3.5	6.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	3	1	2	6.3	3.5	10.2	2	0	2	5.8	-	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	3.5	-	6.8	1	1	0	2.0	5.0	-
ACCIDENTS (295-330)	22	13	9	46.1	46.1	46.1	31	17	14	89.6	98.9	80.4
MOTOR VEHICLE ACCIDENTS# (296-306)	5	1	4	10.5	3.5	20.5	18	10	8	52.0	58.2	45.9
SUICIDE (331-337)	2	2	0	4.2	7.1	-	8	8	0	23.1	46.5	-
HOMICIDE (338-346)	1	0	1	2.1	-	5.1	4	0	4	11.6	-	23.0

CAUSE AND GROUP NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	589	516	73	10.6	11.0	8.4	109	96	13	9.0	10.1	4.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	15	13	2	26.9	27.6	23.0	5	3	2	41.1	31.7	74.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	8.2	-	37.2
MALIGNANT NEOPLASMS (056-108)	140	122	18	251.3	259.4	207.2	26	24	2	213.7	253.3	74.4
DIABETES MELLITUS (124)	14	9	5	25.1	19.1	57.6	3	3	0	24.7	31.7	-
ALZHEIMERS DISEASE (148)	19	15	4	34.1	31.9	46.0	2	1	1	16.4	10.6	37.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	166	146	20	297.9	310.4	230.2	35	31	4	287.7	327.2	148.8
HEART DISEASES (156-160,162, 164-181)	141	125	16	253.1	265.8	184.2	28	24	4	230.2	253.3	148.8
HYPERTENSION (161,163)	2	2	0	3.6	4.2	-	2	2	0	16.4	21.1	-
CEREBROVASCULAR DISEASES (182-186)	21	17	4	37.7	36.1	46.0	5	5	0	41.1	52.8	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	11	1	21.5	23.4	11.5	1	1	0	8.2	10.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	39	37	2	70.0	78.7	23.0	9	9	0	74.0	95.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	8.2	10.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	12	10	2	21.5	21.3	23.0	3	2	1	24.7	21.1	37.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	15	2	30.5	31.9	23.0	2	2	0	16.4	21.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	2.8	3.3	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	3	2	1	5.4	4.2	11.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.4	1.6	-	0	0	0	-	-	-
ACCIDENTS (295-330)	47	43	4	84.4	91.4	46.0	4	4	0	32.9	42.2	-
MOTOR VEHICLE ACCIDENTS# (296-306)	25	23	2	44.9	48.9	23.0	2	2	0	16.4	21.1	-
SUICIDE (331-337)	4	4	0	7.2	8.5	-	1	1	0	8.2	10.6	-
HOMICIDE (338-346)	7	3	4	12.6	6.4	46.0	2	1	1	16.4	10.6	37.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	490	285	205	12.1	15.2	9.5	279	250	29	9.3	10.1	5.7
TUBERCULOSIS (009,010)	2	2	0	5.0	10.7	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	7	3	24.7	37.3	13.8	6	6	0	20.1	24.2	-
HIV DISEASE (039-043)	7	0	7	17.3	-	32.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	97	55	42	240.1	293.2	194.0	52	45	7	173.9	181.2	138.3
DIABETES MELLITUS (124)	47	22	25	116.3	117.3	115.5	13	12	1	43.5	48.3	19.8
ALZHEIMERS DISEASE (148)	15	11	4	37.1	58.6	18.5	13	13	0	43.5	52.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	136	79	57	336.6	421.2	263.3	83	69	14	277.6	277.8	276.6
HEART DISEASES (156-160,162, 164-181)	88	57	31	217.8	303.9	143.2	64	53	11	214.0	213.4	217.3
HYPERTENSION (161,163)	19	8	11	47.0	42.6	50.8	1	1	0	3.3	4.0	-
CEREBROVASCULAR DISEASES (182-186)	25	12	13	61.9	64.0	60.0	17	14	3	56.8	56.4	59.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	7	3	24.7	37.3	13.8	3	3	0	10.0	12.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	20	5	61.9	106.6	23.1	31	30	1	103.7	120.8	19.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.3	4.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	5.0	5.3	4.6	5	4	1	16.7	16.1	19.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	6	8	34.6	32.0	37.0	4	3	1	13.4	12.1	19.8
MATERNAL CAUSES (261-273)	1	0	1	165.6	-	260.4	3	2	1	737.1	568.2	1,818.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	0	5	8.3	-	13.0	1	1	0	2.4	2.8	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	5.0	10.7	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.6	4.5	-	1	1	0	2.4	2.8	-
ACCIDENTS (295-330)	28	16	12	69.3	85.3	55.4	17	17	0	56.8	68.4	-
MOTOR VEHICLE ACCIDENTS# (296-306)	14	5	9	34.6	26.6	41.6	7	7	0	23.4	28.2	-
SUICIDE (331-337)	5	4	1	12.4	21.3	4.6	3	3	0	10.0	12.1	-
HOMICIDE (338-346)	7	2	5	17.3	10.7	23.1	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	282	254	28	11.1	11.9	7.0	118	44	74	14.5	18.6	12.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	7.9	9.4	-	2	1	1	24.6	42.2	17.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	12.3	-	17.4
MALIGNANT NEOPLASMS (056-108)	62	57	5	244.8	267.5	124.3	27	10	17	331.9	421.6	295.0
DIABETES MELLITUS (124)	18	16	2	71.1	75.1	49.7	2	1	1	24.6	42.2	17.4
ALZHEIMERS DISEASE (148)	10	10	0	39.5	46.9	-	4	3	1	49.2	126.5	17.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	88	79	9	347.4	370.8	223.8	41	13	28	504.0	548.1	485.9
HEART DISEASES (156-160,162, 164-181)	65	57	8	256.6	267.5	198.9	34	10	24	418.0	421.6	416.5
HYPERTENSION (161,163)	8	8	0	31.6	37.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	12	1	51.3	56.3	24.9	7	3	4	86.0	126.5	69.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	7	2	35.5	32.8	49.7	4	0	4	49.2	-	69.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	31	28	3	122.4	131.4	74.6	7	4	3	86.0	168.6	52.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.9	9.4	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	19.7	23.5	-	3	2	1	36.9	84.3	17.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	1	1	17.8	52.6	10.8
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.9	9.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	7	1	31.6	32.8	24.9	8	4	4	98.4	168.6	69.4
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	15.8	14.1	24.9	3	3	0	36.9	126.5	-
SUICIDE (331-337)	7	7	0	27.6	32.8	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	2	0	7.9	9.4	-	4	0	4	49.2	-	69.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,094	922	172	7.6	8.2	5.4	283	184	99	10.0	11.0	8.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	16	13	3	11.1	11.6	9.4	7	3	4	24.6	17.9	34.4
HIV DISEASE (039-043)	6	0	6	4.2	-	18.8	1	0	1	3.5	-	8.6
MALIGNANT NEOPLASMS (056-108)	246	206	40	171.2	184.3	125.3	68	43	25	239.5	256.8	214.7
DIABETES MELLITUS (124)	29	24	5	20.2	21.5	15.7	4	1	3	14.1	6.0	25.8
ALZHEIMERS DISEASE (148)	15	13	2	10.4	11.6	6.3	2	1	1	7.0	6.0	8.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	356	300	56	247.7	268.4	175.5	94	63	31	331.1	376.2	266.3
HEART DISEASES (156-160,162, 164-181)	291	246	45	202.5	220.1	141.0	75	51	24	264.2	304.6	206.2
HYPERTENSION (161,163)	13	11	2	9.0	9.8	6.3	4	4	0	14.1	23.9	-
CEREBROVASCULAR DISEASES (182-186)	50	42	8	34.8	37.6	25.1	11	5	6	38.7	29.8	51.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.5	6.0	-
INFLUENZA AND PNEUMONIA (195-198)	24	21	3	16.7	18.8	9.4	8	6	2	28.2	35.8	17.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	78	76	2	54.3	68.0	6.3	17	13	4	59.9	77.6	34.4
PEPTIC ULCER (217-220)	1	0	1	0.7	-	3.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	19	17	2	13.2	15.2	6.3	5	1	4	17.6	6.0	34.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	10	4	9.7	8.9	12.5	8	7	1	28.2	41.8	8.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	1.5	1.2	2.5	2	0	2	4.4	-	10.5
CONGENITAL MALFORMATIONS (282-290)	4	2	2	2.8	1.8	6.3	2	0	2	7.0	-	17.2
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.0	0.6	2.5	1	1	0	2.2	3.7	-
ACCIDENTS (295-330)	74	62	12	51.5	55.5	37.6	13	11	2	45.8	65.7	17.2
MOTOR VEHICLE ACCIDENTS# (296-306)	24	16	8	16.7	14.3	25.1	4	4	0	14.1	23.9	-
SUICIDE (331-337)	15	15	0	10.4	13.4	-	3	3	0	10.6	17.9	-
HOMICIDE (338-346)	5	4	1	3.5	3.6	3.1	5	1	4	17.6	6.0	34.4

CAUSE AND GROUP NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	64	26	38	13.1	18.8	10.8	292	219	73	10.7	12.7	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	20.4	72.3	-	6	5	1	22.0	29.1	9.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	10	5	5	204.4	361.5	142.5	59	47	12	216.0	273.2	118.6
DIABETES MELLITUS (124)	5	1	4	102.2	72.3	114.0	5	1	4	18.3	5.8	39.5
ALZHEIMERS DISEASE (148)	1	0	1	20.4	-	28.5	6	5	1	22.0	29.1	9.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	19	8	11	388.4	578.4	313.5	114	88	26	417.3	511.6	256.9
HEART DISEASES (156-160,162, 164-181)	18	8	10	367.9	578.4	285.0	95	72	23	347.7	418.6	227.3
HYPERTENSION (161,163)	1	0	1	20.4	-	28.5	6	5	1	22.0	29.1	9.9
CEREBROVASCULAR DISEASES (182-186)	0	0	0	-	-	-	12	10	2	43.9	58.1	19.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	40.9	-	57.0	7	5	2	25.6	29.1	19.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	81.8	216.9	28.5	25	21	4	91.5	122.1	39.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	20.4	-	28.5	6	4	2	22.0	23.2	19.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	102.2	144.6	85.5	2	0	2	7.3	-	19.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	2.8	-	6.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	0	7	143.1	-	199.5	16	12	4	58.6	69.8	39.5
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	61.3	-	85.5	6	4	2	22.0	23.2	19.8
SUICIDE (331-337)	0	0	0	-	-	-	3	2	1	11.0	11.6	9.9
HOMICIDE (338-346)	1	0	1	20.4	-	28.5	2	1	1	7.3	5.8	9.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	157	123	34	9.5	9.9	8.5	195	169	26	10.9	12.1	6.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	18.2	24.1	-	7	4	3	39.3	28.7	77.4
HIV DISEASE (039-043)	1	0	1	6.1	-	24.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	37	27	10	225.0	217.2	249.2	37	31	6	207.6	222.2	154.9
DIABETES MELLITUS (124)	0	0	0	-	-	-	3	3	0	16.8	21.5	-
ALZHEIMERS DISEASE (148)	3	3	0	18.2	24.1	-	9	8	1	50.5	57.4	25.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	43	12	334.5	345.9	299.1	59	54	5	331.0	387.2	129.1
HEART DISEASES (156-160,162, 164-181)	50	41	9	304.1	329.8	224.3	48	45	3	269.3	322.6	77.4
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	5.6	7.2	-
CEREBROVASCULAR DISEASES (182-186)	5	2	3	30.4	16.1	74.8	9	7	2	50.5	50.2	51.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	30.4	24.1	49.8	7	7	0	39.3	50.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	36.5	48.3	-	14	12	2	78.6	86.0	51.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.1	8.0	-	6	4	2	33.7	28.7	51.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	18.2	24.1	-	4	2	2	22.4	14.3	51.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.5	7.8	-	1	0	1	4.4	-	22.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	3	0	16.8	21.5	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	12	4	97.3	96.5	99.7	10	9	1	56.1	64.5	25.8
MOTOR VEHICLE ACCIDENTS# (296-306)	8	7	1	48.6	56.3	24.9	5	4	1	28.0	28.7	25.8
SUICIDE (331-337)	1	1	0	6.1	8.0	-	1	1	0	5.6	7.2	-
HOMICIDE (338-346)	3	3	0	18.2	24.1	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	283	120	163	9.7	15.5	7.6	141	69	72	9.2	11.0	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	23.9	38.8	18.6	2	0	2	13.0	-	22.2
HIV DISEASE (039-043)	4	0	4	13.6	-	18.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	55	25	30	187.7	323.2	139.1	33	14	19	215.4	222.4	210.6
DIABETES MELLITUS (124)	21	6	15	71.7	77.6	69.6	10	7	3	65.3	111.2	33.2
ALZHEIMERS DISEASE (148)	6	3	3	20.5	38.8	13.9	6	6	0	39.2	95.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	92	41	51	314.0	530.0	236.5	48	26	22	313.4	413.0	243.8
HEART DISEASES (156-160,162, 164-181)	65	28	37	221.9	362.0	171.6	30	17	13	195.8	270.0	144.1
HYPERTENSION (161,163)	11	5	6	37.5	64.6	27.8	8	5	3	52.2	79.4	33.2
CEREBROVASCULAR DISEASES (182-186)	14	6	8	47.8	77.6	37.1	9	4	5	58.8	63.5	55.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	10.2	25.8	4.6	3	2	1	19.6	31.8	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	13	2	51.2	168.1	9.3	6	3	3	39.2	47.6	33.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	6.8	12.9	4.6	1	0	1	6.5	-	11.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	4	5	30.7	51.7	23.2	2	2	0	13.0	31.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.4	-	4.6	2	0	2	13.0	-	22.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	4	13	58.0	51.7	60.3	10	2	8	65.3	31.8	88.7
MOTOR VEHICLE ACCIDENTS# (296-306)	12	2	10	41.0	25.8	46.4	7	1	6	45.7	15.9	66.5
SUICIDE (331-337)	3	1	2	10.2	12.9	9.3	1	0	1	6.5	-	11.1
HOMICIDE (338-346)	6	0	6	20.5	-	27.8	1	0	1	6.5	-	11.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	267	206	61	9.3	10.6	6.6	267	229	38	12.0	12.6	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	7	0	24.4	36.0	-	13	11	2	58.7	60.7	49.7
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	4.5	5.5	-
MALIGNANT NEOPLASMS (056-108)	58	44	14	202.0	226.3	150.9	41	33	8	185.2	182.2	198.6
DIABETES MELLITUS (124)	8	6	2	27.8	30.9	21.6	16	11	5	72.2	60.7	124.2
ALZHEIMERS DISEASE (148)	12	11	1	41.8	56.6	10.8	7	7	0	31.6	38.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	96	68	28	334.3	349.8	301.8	97	82	15	438.1	452.6	372.5
HEART DISEASES (156-160,162, 164-181)	80	62	18	278.6	318.9	194.0	66	58	8	298.1	320.2	198.6
HYPERTENSION (161,163)	2	0	2	7.0	-	21.6	12	11	1	54.2	60.7	24.8
CEREBROVASCULAR DISEASES (182-186)	12	4	8	41.8	20.6	86.2	17	12	5	76.8	66.2	124.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	10.4	15.4	-	2	2	0	9.0	11.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	24	1	87.0	123.4	10.8	19	17	2	85.8	93.8	49.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	4.5	5.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.0	10.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	5	2	24.4	25.7	21.6	6	5	1	27.1	27.6	24.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.9	4.5	-	1	1	0	3.5	4.4	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	7.0	8.9	-
ACCIDENTS (295-330)	13	11	2	45.3	56.6	21.6	16	16	0	72.2	88.3	-
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	13.9	15.4	10.8	10	10	0	45.2	55.2	-
SUICIDE (331-337)	2	2	0	7.0	10.3	-	9	9	0	40.6	49.7	-
HOMICIDE (338-346)	3	1	2	10.4	5.1	21.6	2	2	0	9.0	11.0	-

CAUSE AND GROUP NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	287	280	7	14.6	15.0	7.8	114	46	68	10.7	17.1	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	4	2	30.6	21.4	224.5	3	0	3	28.2	-	37.8
HIV DISEASE (039-043)	2	2	0	10.2	10.7	-	2	0	2	18.8	-	25.2
MALIGNANT NEOPLASMS (056-108)	53	52	1	270.4	277.9	112.2	22	9	13	207.0	334.1	163.8
DIABETES MELLITUS (124)	7	6	1	35.7	32.1	112.2	9	3	6	84.7	111.4	75.6
ALZHEIMERS DISEASE (148)	5	5	0	25.5	26.7	-	2	0	2	18.8	-	25.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	124	122	2	632.6	652.0	224.5	45	18	27	423.4	668.2	340.3
HEART DISEASES (156-160,162, 164-181)	96	94	2	489.7	502.4	224.5	39	16	23	367.0	593.9	289.9
HYPERTENSION (161,163)	2	2	0	10.2	10.7	-	2	0	2	18.8	-	25.2
CEREBROVASCULAR DISEASES (182-186)	24	24	0	122.4	128.3	-	4	2	2	37.6	74.2	25.2
ATHEROSCLEROSIS (187)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	30.6	32.1	-	1	0	1	9.4	-	12.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	21	0	107.1	112.2	-	6	4	2	56.4	148.5	25.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.1	5.3	-	2	2	0	18.8	74.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	25.5	26.7	-	4	1	3	37.6	37.1	37.8
MATERNAL CAUSES (261-273)	1	1	0	473.9	483.1	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	1	2	16.0	32.2	12.7
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.1	5.3	-	1	0	1	9.4	-	12.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	16	0	81.6	85.5	-	3	2	1	28.2	74.2	12.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	40.8	42.8	-	0	0	0	-	-	-
SUICIDE (331-337)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	264	227	37	9.6	10.0	8.1	169	100	69	11.0	12.1	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.0	13.2	-	3	1	2	19.5	12.1	27.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	45	35	10	164.6	153.8	218.0	41	25	16	266.1	303.4	223.3
DIABETES MELLITUS (124)	6	6	0	21.9	26.4	-	12	5	7	77.9	60.7	97.7
ALZHEIMERS DISEASE (148)	7	6	1	25.6	26.4	21.8	6	3	3	38.9	36.4	41.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	90	78	12	329.2	342.8	261.6	65	41	24	421.9	497.6	334.9
HEART DISEASES (156-160,162, 164-181)	72	62	10	263.4	272.5	218.0	51	33	18	331.0	400.5	251.2
HYPERTENSION (161,163)	1	1	0	3.6	4.4	-	3	1	2	19.5	12.1	27.9
CEREBROVASCULAR DISEASES (182-186)	15	14	1	54.9	61.5	21.8	11	7	4	71.4	85.0	55.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	18.3	22.0	-	3	1	2	19.5	12.1	27.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	20	0	73.2	87.9	-	7	5	2	45.4	60.7	27.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	11.0	8.8	21.8	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	4	2	21.9	17.6	43.6	3	3	0	19.5	36.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.8	-	9.2
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.3	8.8	-	1	1	0	6.5	12.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	7	3	36.6	30.8	65.4	8	6	2	51.9	72.8	27.9
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	29.3	22.0	65.4	2	2	0	13.0	24.3	-
SUICIDE (331-337)	8	8	0	29.3	35.2	-	1	1	0	6.5	12.1	-
HOMICIDE (338-346)	1	1	0	3.6	4.4	-	1	1	0	6.5	12.1	-

CAUSE AND GROUP NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	494	313	181	10.2	12.7	7.6	577	211	366	11.4	15.2	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	6	5	22.8	24.3	21.1	10	4	6	19.8	28.8	16.4
HIV DISEASE (039-043)	1	0	1	2.1	-	4.2	7	0	7	13.9	-	19.2
MALIGNANT NEOPLASMS (056-108)	95	53	42	196.5	214.8	177.4	123	47	76	244.0	338.6	208.1
DIABETES MELLITUS (124)	7	3	4	14.5	12.2	16.9	26	8	18	51.6	57.6	49.3
ALZHEIMERS DISEASE (148)	13	10	3	26.9	40.5	12.7	13	5	8	25.8	36.0	21.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	178	109	69	368.2	441.8	291.4	168	63	105	333.3	453.8	287.5
HEART DISEASES (156-160,162, 164-181)	128	84	44	264.8	340.5	185.8	115	42	73	228.1	302.6	199.9
HYPERTENSION (161,163)	16	6	10	33.1	24.3	42.2	25	6	19	49.6	43.2	52.0
CEREBROVASCULAR DISEASES (182-186)	32	18	14	66.2	73.0	59.1	24	11	13	47.6	79.2	35.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	2.0	7.2	-
INFLUENZA AND PNEUMONIA (195-198)	10	10	0	20.7	40.5	-	4	2	2	7.9	14.4	5.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	39	31	8	80.7	125.6	33.8	39	20	19	77.4	144.1	52.0
PEPTIC ULCER (217-220)	1	0	1	2.1	-	4.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	6.2	12.2	-	8	4	4	15.9	28.8	11.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	1	6	14.5	4.0	25.3	24	2	22	47.6	14.4	60.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	119.2	-	144.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.6	-	2.9	4	1	3	4.8	6.8	4.3
CONGENITAL MALFORMATIONS (282-290)	4	1	3	8.3	4.0	12.7	4	2	2	7.9	14.4	5.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.6	-	2.9	0	0	0	-	-	-
ACCIDENTS (295-330)	29	22	7	60.0	89.2	29.6	22	9	13	43.6	64.8	35.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	9	4	26.9	36.5	16.9	10	3	7	19.8	21.6	19.2
SUICIDE (331-337)	6	4	2	12.4	16.2	8.4	2	2	0	4.0	14.4	-
HOMICIDE (338-346)	8	3	5	16.5	12.2	21.1	12	3	9	23.8	21.6	24.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	230	161	69	11.2	13.1	8.3	127	99	28	12.3	12.2	12.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	24.3	24.4	24.1	3	1	2	29.1	12.4	89.4
HIV DISEASE (039-043)	1	0	1	4.8	-	12.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	52	34	18	252.6	276.9	216.6	29	20	9	281.0	247.5	402.1
DIABETES MELLITUS (124)	8	4	4	38.8	32.6	48.1	4	4	0	38.8	49.5	-
ALZHEIMERS DISEASE (148)	8	4	4	38.8	32.6	48.1	7	7	0	67.8	86.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	69	48	21	335.1	390.9	252.7	48	35	13	465.2	433.1	580.9
HEART DISEASES (156-160,162, 164-181)	58	43	15	281.7	350.2	180.5	35	27	8	339.2	334.1	357.5
HYPERTENSION (161,163)	2	0	2	9.7	-	24.1	1	0	1	9.7	-	44.7
CEREBROVASCULAR DISEASES (182-186)	8	5	3	38.8	40.7	36.1	9	7	2	87.2	86.6	89.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	29.1	40.7	12.0	2	2	0	19.4	24.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	13	2	72.8	105.9	24.1	5	5	0	48.4	61.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	9.7	12.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.7	16.3	-	2	1	1	19.4	12.4	44.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	14.6	24.4	-	4	3	1	38.8	37.1	44.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	8.5	-	32.2
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.8	8.1	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	16	5	102.0	130.3	60.2	5	5	0	48.4	61.9	-
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	29.1	40.7	12.0	3	3	0	29.1	37.1	-
SUICIDE (331-337)	2	2	0	9.7	16.3	-	1	1	0	9.7	12.4	-
HOMICIDE (338-346)	1	1	0	4.8	8.1	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	121	40	81	12.5	14.1	11.8	232	158	74	12.2	15.8	8.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	10.3	-	14.6	10	6	4	52.4	60.1	44.0
HIV DISEASE (039-043)	1	0	1	10.3	-	14.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	36	12	24	371.9	422.4	351.0	56	33	23	293.7	330.8	253.0
DIABETES MELLITUS (124)	6	0	6	62.0	-	87.7	9	7	2	47.2	70.2	22.0
ALZHEIMERS DISEASE (148)	5	3	2	51.6	105.6	29.2	18	15	3	94.4	150.3	33.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	35	14	21	361.6	492.8	307.1	65	43	22	340.9	431.0	242.0
HEART DISEASES (156-160,162, 164-181)	27	10	17	279.0	352.0	248.6	57	40	17	298.9	400.9	187.0
HYPERTENSION (161,163)	1	1	0	10.3	35.2	-	1	0	1	5.2	-	11.0
CEREBROVASCULAR DISEASES (182-186)	7	3	4	72.3	105.6	58.5	7	3	4	36.7	30.1	44.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	10.3	35.2	-	8	6	2	42.0	60.1	22.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	1	3	41.3	35.2	43.9	9	7	2	47.2	70.2	22.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	5	4	1	26.2	40.1	11.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	62.0	105.6	43.9	2	1	1	10.5	10.0	11.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.4	-	8.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	8.2	-	10.3	0	0	0	-	-	-
ACCIDENTS (295-330)	3	1	2	31.0	35.2	29.2	13	10	3	68.2	100.2	33.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	20.7	35.2	14.6	6	5	1	31.5	50.1	11.0
SUICIDE (331-337)	0	0	0	-	-	-	3	1	2	15.7	10.0	22.0
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2011**

CAUSE AND GROUP NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	171	130	41	13.6	17.0	8.3	260	131	129	9.3	11.4	7.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	23.9	39.4	-	3	2	1	10.8	17.4	6.1
HIV DISEASE (039-043)	0	0	0	-	-	-	4	0	4	14.3	-	24.4
MALIGNANT NEOPLASMS (056-108)	39	30	9	310.7	393.5	182.6	58	26	32	208.0	226.5	195.0
DIABETES MELLITUS (124)	6	4	2	47.8	52.5	40.6	20	5	15	71.7	43.6	91.4
ALZHEIMERS DISEASE (148)	3	3	0	23.9	39.4	-	7	1	6	25.1	8.7	36.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	43	17	478.0	564.1	344.9	78	46	32	279.7	400.7	195.0
HEART DISEASES (156-160,162, 164-181)	44	33	11	350.5	432.9	223.2	50	32	18	179.3	278.7	109.7
HYPERTENSION (161,163)	5	3	2	39.8	39.4	40.6	3	2	1	10.8	17.4	6.1
CEREBROVASCULAR DISEASES (182-186)	9	5	4	71.7	65.6	81.2	22	10	12	78.9	87.1	73.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.6	8.7	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	23.9	39.4	-	4	2	2	14.3	17.4	12.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	71.7	104.9	20.3	10	10	0	35.9	87.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	39.8	52.5	20.3	3	2	1	10.8	17.4	6.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	39.8	26.2	60.9	6	2	4	21.5	17.4	24.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	6.8	13.9	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.0	-	20.3	2	1	1	7.2	8.7	6.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.8	-	13.3	1	0	1	2.5	-	3.5
ACCIDENTS (295-330)	13	10	3	103.6	131.2	60.9	17	11	6	61.0	95.8	36.6
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	55.8	65.6	40.6	10	7	3	35.9	61.0	18.3
SUICIDE (331-337)	2	2	0	15.9	26.2	-	5	3	2	17.9	26.1	12.2
HOMICIDE (338-346)	2	1	1	15.9	13.1	20.3	1	0	1	3.6	-	6.1

CAUSE AND GROUP NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	29,219	19,986	9,233	9.8	11.2	7.8
TUBERCULOSIS (009,010)	7	4	3	0.2	0.2	0.2
SEPTICEMIA (018)	573	355	218	19.2	19.8	18.3
HIV DISEASE (039-043)	135	22	113	4.5	1.2	9.5
MALIGNANT NEOPLASMS (056-108)	6,242	4,214	2,028	209.6	235.7	170.3
DIABETES MELLITUS (124)	993	526	467	33.3	29.4	39.2
ALZHEIMERS DISEASE (148)	974	782	192	32.7	43.7	16.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	9,538	6,438	3,100	320.2	360.1	260.4
HEART DISEASES (156-160,162, 164-181)	7,324	5,031	2,293	245.9	281.4	192.6
HYPERTENSION (161,163)	497	273	224	16.7	15.3	18.8
CEREBROVASCULAR DISEASES (182-186)	1,539	1,013	526	51.7	56.6	44.2
ATHEROSCLEROSIS (187)	11	8	3	0.4	0.4	0.2
INFLUENZA AND PNEUMONIA (195-198)	610	449	161	20.5	25.1	13.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,689	1,422	267	56.7	79.5	22.4
PEPTIC ULCER (217-220)	22	16	6	0.7	0.9	0.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	338	266	72	11.3	14.9	6.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	669	378	291	22.5	21.1	24.4
MATERNAL CAUSES (261-273)	19	7	12	47.7	32.2	66.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	160	52	108	4.0	2.4	6.0
CONGENITAL MALFORMATIONS (282-290)	114	55	59	3.8	3.1	5.0
SUDDEN INFANT DEATH SYNDROME# (292)	43	21	22	1.1	1.0	1.2
ACCIDENTS (295-330)	1,687	1,235	452	56.6	69.1	38.0
MOTOR VEHICLE ACCIDENTS# (296-306)	706	483	223	23.7	27.0	18.7
SUICIDE (331-337)	382	333	49	12.8	18.6	4.1
HOMICIDE (338-346)	306	78	228	10.3	4.4	19.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2011
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2011)

YEAR	NUMBER			RATE*			YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	52,526	23,084	29,442	24.0	20.9	27.3
							1941	54,561	24,167	30,394	24.7	21.6	28.0
							1942	56,521	25,306	31,215	25.4	22.4	28.6
1913	41,103	21,874	19,229	21.9	26.6	18.2	1943	59,408	27,611	31,797	28.9	26.4	31.6
1914	40,623	21,360	19,263	21.4	25.7	18.0	1944	56,586	25,647	30,939	28.3	25.2	31.6
1915	39,484	20,999	18,485	20.5	23.8	17.1	1945	53,540	23,426	30,114	26.9	23.1	30.9
1916	39,033	20,130	18,903	20.0	23.6	17.2	1946	61,430	29,715	31,715	26.8	25.4	28.2
1917	37,141	19,056	18,085	18.8	22.0	16.3	1947	66,291	32,423	33,868	28.6	27.5	29.9
1918	39,391	20,005	19,386	19.7	22.8	17.2	1948	65,291	29,666	35,625	28.0	24.9	31.2
1919	42,491	22,028	20,463	21.0	24.9	18.0	1949	66,128	28,786	37,342	28.1	24.0	32.5
							1950	64,427	27,188	37,239	29.6	22.9	37.6
1920	43,743	22,438	21,305	24.4	26.3	22.7	1951	65,512	27,798	37,714	30.1	23.4	38.1
1921	46,482	23,703	22,779	25.6	27.3	24.1	1952	64,509	28,073	36,436	29.6	23.6	36.8
1922	43,723	21,286	22,437	23.8	24.1	23.6	1953	64,061	28,312	35,749	29.4	23.8	36.1
1923	43,266	21,140	22,126	23.3	23.6	23.1	1954	64,748	28,781	35,967	29.7	24.2	36.3
1924	43,960	22,180	21,780	23.4	24.3	22.5	1955	63,244	27,546	35,698	29.0	23.2	36.0
1925	45,563	22,265	23,298	24.0	24.1	23.9	1956	62,178	27,278	34,900	29.5	23.8	36.2
1926	50,449	24,600	25,849	26.2	26.2	26.3	1957	60,712	26,804	33,908	28.8	23.4	35.2
1927	49,204	24,163	25,041	25.3	25.3	25.3	1958	59,189	26,812	32,377	27.1	20.9	35.9
1928	48,126	23,642	24,484	24.5	24.4	24.5	1959	60,562	27,979	32,583	27.2	20.9	36.6
1929	45,570	22,105	23,465	22.9	22.5	23.3							
1930	47,982	23,192	24,790	23.8	23.2	24.0	1960	59,210	27,198	32,012	27.2	21.6	34.8
1931	45,123	21,637	23,486	22.2	21.4	22.9	1961	59,523	27,435	32,088	27.3	21.8	34.8
1932	46,481	21,883	24,598	22.6	21.4	23.9	1962	58,921	27,512	31,409	26.1	20.8	33.5
1933	44,184	20,407	23,777	21.3	19.7	22.9	1963	57,316	26,823	30,493	25.0	19.9	32.4
1934	47,905	22,342	25,563	23.0	21.4	24.6	1964	56,650	25,942	30,708	24.5	18.9	32.5
1935	48,291	21,972	26,319	23.0	20.8	25.1	1965	51,171	23,369	27,802	22.0	17.4	28.2
1936	49,261	22,194	27,067	23.3	20.8	25.7	1966	48,230	22,736	25,494	20.4	16.5	25.9
1937	52,170	23,285	28,885	24.4	21.6	27.3	1967	46,594	22,675	23,919	19.7	15.9	25.6
1938	53,729	24,046	29,683	25.0	22.1	27.8	1968	45,719	22,807	22,912	19.4	15.7	25.4
1939	52,288	23,505	28,783	24.1	21.4	26.8	1969	47,120	24,025	23,095	21.2	17.2	28.0

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2011

YEAR	NUMBER			RATE*			YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	48,141	24,893	23,248	21.7	17.9	28.2	2000**	44,075	23,540	20,535	15.5	13.5	18.7
1971	48,601	25,199	23,402	21.9	18.1	28.4	2001**	42,277	22,798	19,479	14.9	13.0	17.7
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE		2002**	41,511	22,620	18,891	14.4	12.8	17.0
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE		2003**	42,321	23,118	19,203	14.7	13.1	17.2
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE		2004**	42,809	23,524	19,285	14.8	13.2	17.2
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE		2005**	42,327	23,015	19,312	14.5	12.9	17.0
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE		2006**	46,046	24,195	21,851	15.8	13.7	19.2
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE		2007**	46,455	24,783	21,672	15.9	14.0	18.9
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE		2008**	44,904	24,229	20,675	15.3	13.6	17.8
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE		2009**	42,809	22,846	19,963	14.5	12.8	17.1
1980	47,821	24,687	23,134	19.0	15.3	25.5	2010**	39,984	21,696	18,288	13.5	12.4	15.1
1981	46,228	23,777	22,451	18.3	14.7	24.8	2011**	39,825	21,756	18,069	13.4	12.2	15.2
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE								
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE								
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE								
1985	43,432	22,943	20,489	16.3	13.5	21.5							
1986	41,868	22,060	19,808	15.8	13.0	20.8							
1987	41,279	21,576	19,703	15.2	12.4	20.2							
1988	42,040	21,685	20,355	15.3	12.3	20.6							
1989**	43,026	22,069	20,957	15.5	12.4	20.9							
1990**	43,547	22,280	21,267	16.9	13.6	22.6							
1991**	43,184	21,908	21,276	16.8	13.4	22.6							
1992**	42,676	21,700	20,976	16.6	13.3	22.3							
1993**	42,134	21,246	20,888	16.4	13.0	22.2							
1994**	41,938	21,536	20,402	16.3	13.2	21.7							
1995**	41,332	21,571	19,761	15.3	12.7	19.8							
1996**	40,978	21,447	19,531	15.2	12.7	19.5							
1997**	41,527	22,021	19,506	15.4	13.0	19.5							
1998**	42,917	22,950	19,967	15.6	13.3	19.3							
1999**	42,678	22,652	20,026	15.4	13.1	19.2							

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2011
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2011)

YEAR	NUMBER			RATE*			YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	23,185	9,565	13,620	10.6	8.6	12.6
							1941	22,573	9,442	13,131	10.2	8.4	12.1
							1942	20,693	8,750	11,943	9.3	7.7	10.9
1913	21,305	7,643	13,662	11.4	9.3	13.0	1943	20,850	9,139	11,711	10.2	8.7	11.6
1914	21,485	7,442	14,043	11.3	8.9	13.1	1944	20,199	8,830	11,369	10.1	8.7	11.6
1915	24,001	8,088	15,913	12.5	9.6	14.7	1945	19,024	8,452	10,572	9.6	8.3	10.8
1916	21,794	7,588	14,206	11.2	8.9	13.0	1946	19,321	8,995	10,326	8.4	7.7	9.2
1917	23,579	8,048	15,531	11.9	9.3	14.0	1947	20,007	9,238	10,769	8.6	7.8	9.5
1918	30,437	10,177	20,260	15.2	11.6	18.0	1948	20,183	9,216	10,967	8.6	7.7	9.6
1919	22,667	8,142	14,525	12.7	9.5	15.5	1949	20,489	9,233	11,256	8.7	7.7	9.8
1920	22,072	7,916	14,156	12.3	9.3	15.1	1950	20,567	9,466	11,101	9.4	8.0	11.2
1921	19,991	7,308	12,683	11.0	8.4	13.4	1951	21,007	9,593	11,414	9.6	8.1	11.5
1922	19,278	7,312	11,966	10.5	8.3	12.6	1952	20,657	9,387	11,270	9.5	7.9	11.4
1923	20,363	7,688	12,675	11.0	8.6	13.2	1953	20,492	9,495	10,997	9.4	8.0	11.1
1924	21,155	7,809	13,346	11.3	8.6	13.8	1954	19,353	9,453	9,900	8.9	8.0	10.0
1925	22,229	8,143	14,086	11.7	8.8	14.4	1955	19,403	9,501	9,902	8.9	8.0	10.0
1926	23,929	9,133	14,796	12.5	9.7	15.1	1956	19,780	9,969	9,811	9.4	8.7	10.2
1927	23,257	8,765	14,492	12.0	9.2	14.6	1957	20,476	10,339	10,137	9.7	9.0	10.5
1928	25,965	10,111	15,854	13.2	10.4	15.9	1958	21,541	10,811	10,730	9.9	8.4	11.9
1929	25,868	10,048	15,820	13.0	10.2	15.7	1959	20,890	10,742	10,148	9.4	8.0	11.4
1930	24,098	9,072	15,026	11.9	9.0	14.8	1960	21,713	11,204	10,509	10.0	8.9	11.4
1931	22,007	8,641	13,366	10.8	8.5	13.0	1961	21,232	11,063	10,169	9.7	8.8	11.0
1932	20,322	8,295	12,027	9.9	8.1	11.6	1962	22,713	11,868	10,845	10.0	9.0	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2	1963	23,339	12,118	11,221	10.2	9.0	11.9
1934	21,786	9,350	12,436	10.5	9.0	12.0	1964	22,559	12,039	10,520	9.7	8.8	11.1
1935	21,285	9,186	12,099	10.1	8.7	11.6	1965	22,652	12,376	10,276	9.7	9.2	10.4
1936	24,127	10,367	13,760	11.4	9.7	13.1	1966	23,350	12,976	10,374	9.9	9.4	10.5
1937	24,005	10,055	13,950	11.2	9.3	13.2	1967	22,609	12,816	9,793	9.6	9.0	10.5
1938	22,814	9,471	13,343	10.6	8.7	12.5	1968	23,986	13,468	10,518	10.2	9.3	11.7
1939	22,701	9,464	13,237	10.5	8.6	12.3	1969	23,865	13,873	9,992	10.8	10.0	12.1

TABLE 21 - PAGE 2
 DEATHS - MISSISSIPPI - 1913-2011

YEAR	NUMBER			RATE*			YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	23,305	13,623	9,682	10.5	9.8	11.8	2000	28,529	19,189	9,340	10.0	11.0	8.5
1971	23,426	13,980	9,446	10.6	10.0	11.5	2001	28,134	18,774	9,360	9.9	10.8	8.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE		2002	28,765	19,168	9,597	10.0	10.9	8.6
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE		2003	28,333	19,013	9,320	9.8	10.8	8.3
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE		2004	27,748	18,689	9,059	9.6	10.5	8.1
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE		2005	29,047	19,524	9,523	9.9	10.9	8.4
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE		2006	28,343	18,859	9,484	9.7	10.6	8.3
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE		2007	27,994	18,705	9,289	9.6	10.6	8.1
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE		2008	28,867	19,434	9,433	9.8	10.9	8.1
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE		2009	28,164	18,946	9,218	9.5	10.6	7.9
1980	23,576	14,531	9,045	9.4	9.0	10.0	2010	28,950	19,730	9,220	9.8	11.2	7.6
1981	23,405	14,876	8,529	9.3	9.2	9.4	2011	29,219	19,986	9,233	9.8	11.2	7.8
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE								
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE								
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE								
1985	24,568	15,803	8,765	9.2	9.3	9.2							
1986	24,341	15,694	8,647	9.2	9.2	9.1							
1987	24,525	15,835	8,690	9.0	9.1	8.9							
1988	24,706	16,034	8,672	9.0	9.1	8.8							
1989	25,273	16,386	8,887	9.1	9.2	8.9							
1990	24,994	16,088	8,906	9.7	9.8	9.5							
1991	25,503	16,393	9,110	9.9	10.0	9.7							
1992	25,163	16,417	8,746	9.8	10.0	9.3							
1993	26,271	17,003	9,268	10.2	10.4	9.9							
1994	26,657	17,210	9,447	10.4	10.5	10.0							
1995	26,910	17,729	9,181	10.0	10.5	9.2							
1996	26,566	17,488	9,078	9.9	10.3	9.1							
1997	27,380	18,034	9,346	10.2	10.6	9.3							
1998	27,737	18,343	9,394	10.1	10.7	9.1							
1999	28,090	18,693	9,397	10.1	10.8	9.0							

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2011
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2011)

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	327	106	221	622.5	459.2	750.6
							1941	293	93	200	537.0	384.8	658.0
							1942	248	77	171	438.8	304.3	547.8
1913	447	162	285	1,087.5	740.6	1,482.1	1943	233	66	167	392.2	239.0	525.2
1914	413	124	289	1,016.7	580.5	1,500.3	1944	225	72	153	397.6	280.7	494.5
1915	289	88	201	731.9	419.1	1,087.4	1945	216	64	152	403.4	273.2	504.7
1916	326	102	224	835.2	506.7	1,185.0	1946	199	67	132	323.9	225.5	416.2
1917	297	105	192	799.6	551.0	1,061.6	1947	175	50	125	264.0	154.2	369.1
1918	302	82	220	766.7	409.9	1,134.8	1948	177	38	139	271.1	128.1	390.2
1919	407	173	234	957.8	785.4	1,143.5	1949	147	32	115	222.3	111.2	308.0
1920	393	127	266	898.4	566.0	1,248.5	1950	165	30	135	256.1	110.3	362.5
1921	391	145	246	841.2	611.7	1,079.9	1951	143	28	115	218.3	100.7	304.9
1922	313	110	203	715.9	516.8	904.8	1952	119	15	104	184.5	53.4	285.4
1923	321	108	213	741.9	510.9	962.7	1953	119	24	95	185.8	84.8	265.7
1924	413	137	276	939.5	617.7	1,267.2	1954	104	11	93	160.6	38.2	258.6
1925	435	143	292	954.7	642.3	1,253.3	1955	76	12	64	120.2	43.6	179.3
1926	388	153	235	769.1	622.0	909.1	1956	74	12	62	119.0	44.0	177.6
1927	409	134	275	831.2	554.6	1,098.2	1957	75	14	61	123.5	52.2	179.9
1928	421	161	260	874.8	681.0	1,061.9	1958	53	10	43	89.5	37.3	132.8
1929	410	152	258	899.7	687.6	1,099.5	1959	55	9	46	90.8	32.2	141.2
1930	489	171	318	1,019.1	737.3	1,282.8	1960	59	8	51	99.6	29.4	159.3
1931	352	131	221	780.1	605.4	941.0	1961	49	9	40	82.3	32.8	124.6
1932	279	103	176	600.2	470.7	715.5	1962	55	7	48	93.3	25.4	152.8
1933	315	116	199	712.9	568.4	836.9	1963	44	9	35	76.8	33.6	114.8
1934	306	116	190	638.8	519.2	743.3	1964	57	9	48	100.6	34.7	156.3
1935	334	137	197	691.6	623.5	748.5	1965	40	3	37	78.2	12.8	133.1
1936	358	134	224	726.7	603.8	827.6	1966	27	6	21	56.0	26.4	82.4
1937	370	150	220	709.2	644.2	761.6	1967	36	10	26	77.3	44.1	108.7
1938	333	116	217	619.8	482.4	731.0	1968	21	3	18	45.9	13.2	78.6
1939	311	97	214	594.8	412.7	743.5	1969	23	3	20	48.8	12.5	86.6

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2011

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	34	5	29	70.6	20.1	124.7	2000	8	2	6	18.2	8.5	29.2
1971	21	5	16	43.2	19.8	68.4	2001	12	4	8	28.4	17.5	41.1
1972	24	5	19	52.3	21.0	85.7	2002	9	2	7	21.7	8.8	37.0
1973	12	4	8	26.9	17.3	37.2	2003	7	3	4	16.5	13.0	20.8
1974	12	4	8	27.2	17.4	38.1	2004	11	4	7	25.7	17.0	36.3
1975	6	0	6	13.8	-	28.9	2005	12	2	10	28.4	8.7	51.8
1976	8	4	4	18.6	17.7	19.6	2006	14	3	11	30.4	12.4	50.3
1977	10	2	8	22.0	8.6	36.1	2007	10	3	7	21.5	12.1	32.3
1978	6	1	5	13.5	4.4	23.0	2008	14	3	11	31.2	12.4	53.2
1979	10	3	7	21.8	12.8	31.2	2009	13	6	7	30.4	26.3	35.1
1980	2	1	1	4.2	4.0	4.3	2010	12	6	6	30.0	27.6	32.8
1981	7	5	2	15.1	21.0	8.9	2011	19	7	12	47.7	32.2	66.4
1982	1	1	0	2.2	4.2	-							
1983	1	0	1	2.3	-	4.7							
1984	3	1	2	6.8	4.4	9.5							
1985	3	2	1	6.9	8.7	4.9							
1986	3	0	3	7.2	-	15.1							
1987	4	2	2	9.7	9.3	10.2							
1988	7	2	5	16.6	9.2	24.6							
1989	6	1	5	13.9	4.5	23.8							
1990	6	0	6	13.8	-	28.2							
1991	3	2	1	6.9	9.1	4.7							
1992	4	1	3	9.4	4.6	14.3							
1993	11	2	9	26.1	9.4	43.1							
1994	4	1	3	9.5	4.6	14.7							
1995	5	0	5	12.1	-	25.3							
1996	1	0	1	2.4	-	5.1							
1997	11	4	7	26.5	18.2	35.9							
1998	4	2	2	9.3	8.7	10.0							
1999	6	2	4	14.0	8.8	20.0							

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1917-2011
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2011)

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	2,864	1,070	1,794	54.5	46.4	60.9
							1941	2,969	1,113	1,856	54.4	46.1	61.1
							1942	2,654	957	1,697	47.0	37.8	54.4
							1943	2,774	1,137	1,637	46.7	41.2	51.5
							1944	2,481	965	1,516	43.6	37.1	49.0
							1945	2,192	846	1,346	40.9	36.1	44.7
							1946	2,298	1,005	1,293	37.4	33.8	40.8
1917	3,689	1,296	2,393	99.3	68.0	132.3	1947	2,428	1,009	1,419	36.6	31.1	41.9
1918	#	#	#	#	#	#	1948	2,470	988	1,482	37.8	33.3	41.6
1919	3,554	#	#	83.6	#	#	1949	2,612	900	1,712	39.5	31.3	45.8
1920	3,499	1,344	2,155	80.0	59.9	101.1	1950	2,348	763	1,585	36.4	28.1	42.6
1921	3,157	1,243	1,914	67.9	52.4	84.0	1951	2,589	814	1,775	39.5	29.3	47.1
1922	2,826	1,067	1,759	64.6	50.1	78.4	1952	2,592	760	1,832	40.2	27.1	50.3
1923	2,908	1,104	1,804	67.2	52.2	81.5	1953	2,534	807	1,727	39.6	28.5	48.3
1924	3,137	1,188	1,949	71.4	53.6	89.5	1954	2,360	744	1,616	36.4	25.8	44.9
1925	3,176	1,179	1,997	69.7	53.0	85.7	1955	2,338	680	1,658	37.0	24.7	46.4
1926	3,578	1,447	2,131	70.9	58.8	82.4	1956	2,353	734	1,619	37.8	26.9	46.4
1927	3,291	1,303	1,988	66.9	54.0	79.4	1957	2,257	694	1,563	37.2	25.9	46.1
1928	3,567	1,416	2,151	74.1	59.9	87.9	1958	2,424	706	1,718	41.0	26.3	53.1
1929	3,275	1,268	2,007	71.9	57.4	85.5	1959	2,355	677	1,678	38.9	24.2	51.5
1930	3,276	1,182	2,094	68.3	51.0	84.5	1960	2,457	714	1,743	41.5	26.2	54.4
1931	2,547	961	1,586	56.4	44.4	67.5	1961	2,250	645	1,605	37.8	23.5	50.0
1932	2,482	965	1,517	53.4	44.1	61.7	1962	2,353	705	1,648	39.9	25.6	52.5
1933	2,800	1,035	1,765	63.4	50.7	74.2	1963	2,372	610	1,762	41.4	22.7	57.8
1934	3,070	1,199	1,871	64.1	53.7	73.2	1964	2,230	599	1,631	39.4	23.1	53.1
1935	2,587	1,044	1,543	53.6	47.5	58.6	1965	2,126	593	1,533	41.5	25.4	55.1
1936	2,883	1,105	1,778	58.5	49.8	65.7	1966	1,856	520	1,336	38.5	22.9	52.4
1937	3,098	1,174	1,924	59.4	50.4	66.6	1967	1,645	512	1,133	35.3	22.6	47.4
1938	3,051	1,205	1,846	56.8	50.1	62.2	1968	1,613	517	1,096	35.3	22.7	47.8
1939	2,908	1,135	1,773	55.6	48.3	61.6	1969	1,513	530	983	32.1	22.1	42.6

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2011

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	1,403	480	923	29.1	19.3	39.7	2000	468	157	311	10.6	6.7	15.1
1971	1,311	460	851	27.0	18.2	36.4	2001	443	157	286	10.5	6.9	14.7
1972	1,187	459	728	25.8	19.3	32.8	2002	428	155	273	10.3	6.8	14.4
1973	1,154	392	762	25.8	17.0	35.4	2003	453	158	295	10.7	6.8	15.4
1974	1,024	356	668	23.2	15.5	31.8	2004	417	144	273	9.7	6.1	14.2
1975	975	356	619	22.5	15.8	29.8	2005	481	153	328	11.4	6.6	17.0
1976	927	331	596	21.6	14.6	29.2	2006	483	168	315	10.5	6.9	14.4
1977	834	285	549	18.3	12.2	24.8	2007	469	164	305	10.1	6.6	14.1
1978	846	266	580	19.1	11.8	26.7	2008	446	180	266	9.9	7.4	12.9
1979	809	280	529	17.6	11.9	23.6	2009	427	159	268	10.0	7.0	13.4
1980	812	272	540	17.0	11.0	23.3	2010	386	140	246	9.6	6.4	13.4
1981	711	248	463	15.4	10.4	20.6	2011	373	142	231	9.4	6.5	12.8
1982	706	249	457	15.4	10.4	20.9							
1983	664	240	424	15.1	10.6	19.9							
1984	629	224	405	14.4	9.9	19.2							
1985	596	213	383	13.7	9.3	18.7							
1986	517	197	320	12.3	8.9	16.2							
1987	565	212	353	13.7	9.8	17.9							
1988	516	189	327	12.3	8.7	16.1							
1989	498	190	308	11.6	8.6	14.7							
1990	528	189	339	12.1	8.5	15.9							
1991	493	163	330	11.4	7.4	15.5							
1992	508	170	338	11.9	7.8	16.1							
1993	482	178	304	11.4	8.4	14.6							
1994	459	158	301	10.9	7.3	14.8							
1995	435	149	286	10.5	6.9	14.5							
1996	451	169	282	11.0	7.9	14.4							
1997	440	156	284	10.6	7.1	14.6							
1998	436	146	290	10.2	6.4	14.5							
1999	435	152	283	10.2	6.7	14.1							

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1924-2011
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2011)

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	1,613	680	933	30.7	29.4	31.7
							1941	1,663	734	929	30.5	30.4	30.6
							1942	1,544	638	906	27.3	25.2	29.0
							1943	1,652	791	861	27.8	28.6	27.1
							1944	1,436	661	775	25.2	25.4	25.1
							1945	1,351	624	727	25.2	26.6	24.1
							1946	1,561	794	767	25.4	26.7	24.2
							1947	1,595	750	845	24.1	23.1	24.9
							1948	1,674	773	901	25.6	26.0	25.3
							1949	1,594	661	933	24.1	23.0	25.0
							1950	1,446	560	886	22.4	20.6	23.8
							1951	1,679	626	1,053	25.6	22.5	27.9
							1952	1,658	581	1,077	25.7	20.7	29.6
							1953	1,630	635	995	25.4	22.4	27.8
1924	1,598	730	868	36.4	32.9	39.8	1954	1,521	601	920	23.5	20.9	25.6
1925	1,639	701	938	36.0	31.5	40.3	1955	1,440	527	913	22.8	19.1	25.6
1926	1,731	823	908	34.3	33.4	35.1	1956	1,451	581	870	23.3	21.3	24.9
1927	1,644	786	858	33.4	32.5	34.3	1957	1,425	540	885	23.5	20.1	26.1
1928	1,788	804	984	37.2	34.0	40.2	1958	1,475	540	935	24.9	20.1	28.9
1929	1,662	773	889	36.5	35.0	37.9	1959	1,450	515	935	23.9	18.4	28.7
1930	1,692	715	977	35.3	30.8	39.4	1960	1,497	550	947	25.3	20.2	29.6
1931	1,339	590	749	29.7	27.3	31.9	1961	1,401	509	892	23.5	18.6	27.8
1932	1,361	572	789	29.3	26.1	32.1	1962	1,456	550	906	24.7	20.0	28.8
1933	1,540	636	904	34.8	31.2	38.0	1963	1,449	470	979	25.3	17.5	32.1
1934	1,505	644	861	31.4	28.8	33.7	1964	1,372	460	912	24.2	17.7	29.7
1935	1,446	642	804	29.9	29.2	30.5	1965	1,283	470	813	25.1	20.1	29.2
1936	1,494	676	818	30.3	30.4	30.2	1966	1,123	386	737	23.3	17.0	28.9
1937	1,678	755	923	32.2	32.4	32.0	1967	1,053	388	665	22.6	17.1	27.8
1938	1,688	747	941	31.4	31.1	31.7	1968	1,116	424	692	24.4	18.6	30.2
1939	1,637	735	902	31.3	31.3	31.3	1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2011

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2	2000	289	91	198	6.6	3.9	9.6
1971	940	382	558	19.3	15.2	23.8	2001	277	96	181	6.6	4.2	9.3
1972	837	362	475	18.2	15.2	21.4	2002	281	100	181	6.8	4.4	9.6
1973	793	301	492	17.8	13.0	22.9	2003	246	78	168	5.8	3.4	8.7
1974	710	276	434	16.1	12.0	20.6	2004	256	82	174	6.0	3.5	9.0
1975	677	257	420	15.6	11.4	20.2	2005	283	70	213	6.7	3.0	11.0
1976	626	243	383	14.6	10.7	18.8	2006	300	102	198	6.5	4.2	9.1
1977	588	222	366	12.9	9.5	16.5	2007	272	94	178	5.8	3.8	8.2
1978	559	191	368	12.6	8.4	16.9	2008	256	96	160	5.7	4.0	7.7
1979	514	191	323	11.2	8.1	14.4	2009	263	97	166	6.1	4.2	8.3
1980	523	189	334	10.9	7.6	14.4	2010	220	73	147	5.5	3.4	8.0
1981	486	166	320	10.5	7.0	14.2	2011	227	83	144	5.7	3.8	8.0
1982	467	166	301	10.2	6.9	13.7							
1983	410	160	250	9.3	7.1	11.7							
1984	395	158	237	9.0	7.0	11.2							
1985	368	127	241	8.5	5.5	11.8							
1986	323	133	190	7.7	6.0	9.6							
1987	363	128	235	8.8	5.9	11.9							
1988	318	118	200	7.6	5.4	9.8							
1989	309	132	177	7.2	6.0	8.4							
1990	332	111	221	7.6	5.0	10.4							
1991	303	95	208	7.0	4.3	9.8							
1992	320	97	223	7.5	4.5	10.6							
1993	298	111	187	7.1	5.2	9.0							
1994	273	93	180	6.5	4.3	8.8							
1995	254	88	166	6.1	4.1	8.4							
1996	294	103	191	7.2	4.8	9.8							
1997	269	96	173	6.5	4.4	8.9							
1998	265	76	189	6.2	3.3	9.5							
1999	267	91	176	6.2	4.0	8.8							

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1924-2011
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2011)

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	1,251	390	861	23.8	16.9	29.2
							1941	1,306	379	927	23.9	15.7	30.5
							1942	1,110	319	791	19.6	12.6	25.3
							1943	1,122	346	776	18.9	12.5	24.4
							1944	1,045	304	741	18.4	11.7	24.0
							1945	841	222	619	15.7	9.5	20.6
							1946	737	211	526	12.0	7.1	16.6
							1947	833	259	574	12.6	8.0	16.9
							1948	796	215	581	12.2	7.2	16.3
							1949	1,018	239	779	15.4	8.3	20.9
							1950	902	203	699	14.0	7.5	18.8
							1951	910	188	722	13.9	6.8	19.1
							1952	934	179	755	14.5	6.4	20.7
							1953	904	172	732	14.1	6.1	20.5
1924	1,539	458	1,081	35.0	20.6	49.6	1954	839	143	696	13.0	5.0	19.4
1925	1,537	478	1,059	33.7	21.5	45.4	1955	898	153	745	14.2	5.6	20.9
1926	1,847	624	1,223	36.6	25.4	47.3	1956	902	153	749	14.5	5.6	21.5
1927	1,647	517	1,130	33.5	21.4	45.1	1957	832	154	678	13.7	5.7	20.0
1928	1,779	612	1,167	37.0	25.9	47.7	1958	949	166	783	16.0	6.2	24.2
1929	1,613	495	1,118	35.4	22.4	47.6	1959	905	162	743	14.9	5.8	22.8
1930	1,584	467	1,117	33.0	20.1	45.0	1960	960	164	796	16.2	6.0	24.9
1931	1,208	371	837	26.8	17.1	35.6	1961	849	136	713	14.3	5.0	22.2
1932	1,121	393	728	24.1	18.0	29.6	1962	897	155	742	15.2	5.6	23.6
1933	1,260	399	861	28.5	19.6	36.2	1963	923	140	783	16.1	5.2	25.7
1934	1,565	555	1,010	32.7	24.8	39.5	1964	858	139	719	15.1	5.4	23.4
1935	1,141	402	739	23.6	18.3	28.1	1965	843	123	720	16.5	5.3	25.9
1936	1,389	429	960	28.2	19.3	35.5	1966	733	134	599	15.2	5.9	23.5
1937	1,420	419	1,001	27.2	18.0	34.6	1967	592	124	468	12.7	5.5	19.6
1938	1,363	458	905	25.4	19.0	30.5	1968	497	93	404	10.9	4.1	17.6
1939	1,271	400	871	24.3	17.0	30.3	1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-2011

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5	2000	179	66	113	4.1	2.8	5.5
1971	371	78	293	7.6	3.1	12.5	2001	166	61	105	3.9	2.7	5.4
1972	350	97	253	7.6	4.1	11.4	2002	147	55	92	3.5	2.4	4.9
1973	361	91	270	8.1	3.9	12.5	2003	207	80	127	4.9	3.5	6.6
1974	314	80	234	7.1	3.5	11.1	2004	161	62	99	3.8	2.6	5.1
1975	298	99	199	6.9	4.4	9.6	2005	198	83	115	4.7	3.6	6.0
1976	301	88	213	7.0	3.9	10.4	2006	183	66	117	4.0	2.7	5.4
1977	246	63	183	5.4	2.7	8.2	2007	197	70	127	4.2	2.8	5.9
1978	287	75	212	6.5	3.3	9.8	2008	190	84	106	4.2	3.5	5.1
1979	295	89	206	6.4	3.8	9.2	2009	164	62	102	3.8	2.7	5.1
1980	289	83	206	6.0	3.4	8.9	2010	166	67	99	4.2	3.1	5.4
1981	225	82	143	4.9	3.4	6.4	2011	146	59	87	3.7	2.7	4.8
1982	239	83	156	5.2	3.4	7.1							
1983	254	80	174	5.8	3.5	8.2							
1984	234	66	168	5.4	2.9	8.0							
1985	228	86	142	5.2	3.7	6.9							
1986	194	64	130	4.6	2.9	6.6							
1987	202	84	118	4.9	3.9	6.0							
1988	198	71	127	4.7	3.3	6.2							
1989	189	58	131	4.4	2.6	6.2							
1990	196	78	118	4.5	3.5	5.5							
1991	190	68	122	4.4	3.1	5.7							
1992	188	73	115	4.4	3.4	5.5							
1993	184	67	117	4.4	3.2	5.6							
1994	186	65	121	4.4	3.0	5.9							
1995	181	61	120	4.4	2.8	6.1							
1996	157	66	91	3.8	3.1	4.6							
1997	171	60	111	4.1	2.7	5.7							
1998	171	70	101	4.0	3.0	5.0							
1999	168	61	107	3.9	2.7	5.3							

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

**TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2011**

YEAR	MARRIAGES			DIVORCES			YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1950	56,738	37,871	18,867	6,065	3,711	2,354
							1951	57,321	37,857	19,464	5,464	3,601	1,863
							1952	58,116	39,162	18,954	5,419	3,607	1,812
							1953	61,751	42,961	18,790	5,204	3,515	1,689
							1954	61,381	43,268	18,113	5,001	3,424	1,577
							1955	66,423	47,618	18,805	4,845	3,372	1,473
1926	28,712	#	#	2,766	#	#	1956	66,223	48,140	18,083	5,027	3,452	1,575
1927	29,048*	11,402	17,383	2,895	#	#	1957	62,495	46,868	15,627	4,974	3,350	1,624
1928	30,231*	11,662	18,257	3,009	1,435	1,574	1958	36,402	26,998	9,404	5,016	3,485	1,531
1929	31,495*	12,864	18,388	3,172	1,598	1,574	1959	20,447	13,547	6,900	5,108	3,557	1,551
1930	25,728*	10,815	14,751	2,743	1,487	1,256	1960	21,233	14,029	7,204	5,260	3,553	1,707
1931	21,589*	9,952	11,629	2,015	1,308	707	1961	21,610	14,438	7,172	5,213	3,545	1,668
1932	22,688*	10,147	12,453	1,918	1,308	610	1962	22,007	14,432	7,575	5,467	3,827	1,640
1933	27,567*	12,201	15,300	1,955	1,396	559	1963	22,140	14,508	7,632	5,452	3,930	1,522
1934	30,149*	13,497	16,541	2,446	1,704	742	1964	22,784	15,159	7,625	5,631	4,077	1,554
1935	28,722*	12,955	15,635	2,425	1,681	744	1965	23,343	15,613	7,730	5,730	4,220	1,510
1936	32,480*	14,120	18,196	2,520	1,690	830	1966	23,476	15,860	7,616	6,306	4,650	1,656
1937	32,055*	14,802	17,246	2,977	1,984	993	1967	23,535	15,752	7,783	6,455	4,704	1,751
1938	31,495	14,224	17,271	2,916	2,069	847	1968	25,355	17,142	8,213	7,020	5,202	1,818
1939	31,956	15,370	16,586	3,034	2,166	868	1969	25,956	17,582	8,374	7,506	5,616	1,890
1940	34,088	16,834	17,254	3,251	2,295	956	1970	26,328	17,883	8,445	8,211	6,227	1,984
1941	42,142	21,611	20,531	3,831	2,444	1,387	1971	27,597	18,668	8,929	8,936	6,705	2,231
1942	49,565	27,227	22,338	4,326	2,606	1,720	1972	28,703	19,178	9,525	10,097	7,510	2,587
1943	46,030	23,445	22,585	5,851	3,062	2,789	1973	28,513	19,276	9,237	10,787	8,138	2,649
1944	41,559	21,173	20,386	6,742	3,425	3,317	1974	27,613	19,236	8,377	11,866	9,203	2,663
1945	44,871	24,738	20,133	6,727	3,919	2,808	1975	26,279	18,602	7,677	12,303	9,570	2,733
1946	64,204	37,099	27,105	9,495	5,867	3,628	1976	26,772	18,969	7,803	12,243	9,399	2,844
1947	53,584	30,514	23,070	7,004	4,323	2,681	1977	26,843	19,200	7,643	12,759	9,921	2,838
1948	53,645	31,504	22,141	6,697	3,864	2,833	1978	27,280	19,762	7,518	13,313	10,339	2,974
1949	52,765	32,191	20,574	6,285	3,621	2,664	1979	27,279	19,843	7,436	13,628	10,402	3,226

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2011

YEAR	MARRIAGES			DIVORCES			YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1980	27,908	20,620	7,288	13,846	10,760	3,086	2010	14,575	9,964	4,611	12,703*	7,462	2,770
1981	28,002	20,877	7,125	14,182*	10,403	2,795	2011	14,515	10,082	4,433	12,043*	6,854	2,568
1982	27,584	20,547	7,037	12,861*	10,239	2,570							
1983	26,921	19,950	6,971	13,436*	10,709	2,674							
1984	26,025	19,255	6,770	12,911*	10,205	2,664							
1985	24,750	18,241	6,509	12,535*	9,766	2,662							
1986	24,283	17,729	6,554	12,871*	10,155	2,630							
1987	23,729	17,286	6,443	12,142*	9,542	2,420							
1988	24,919	18,335	6,584	12,097*	9,454	2,473							
1989	24,240	17,735	6,505	12,945*	9,823	2,755							
1990	24,348	17,766	6,582	12,735*	9,498	2,804							
1991	23,446	17,235	6,211	13,027*	9,926	2,689							
1992	22,995	16,776	6,219	12,758*	9,785	2,667							
1993	23,271	17,066	6,205	13,860*	10,513	2,940							
1994	22,872	16,479	6,393	13,302*	10,110	2,890							
1995	22,150	15,714	6,436	13,182*	10,073	2,850							
1996	21,550	15,219	6,331	14,263*	10,658	3,180							
1997	21,338	14,630	6,708	13,860*	10,376	3,101							
1998	20,911	14,222	6,689	13,748*	10,310	3,004							
1999	21,828	14,436	7,392	14,056*	10,625	3,221							
2000	19,879	13,232	6,647	14,177*	10,666	3,312							
2001	18,605	12,483	6,122	14,198*	10,683	3,370							
2002	18,447	12,451	5,996	14,196*	10,548	3,466							
2003	17,827	12,081	5,746	13,330*	9,737	3,325							
2004	17,705	12,055	5,650	13,003*	8,876	3,123							
2005	16,862	11,318	5,544	12,798*	8,305	3,053							
2006	16,550	11,071	5,479	13,891*	8,858	3,138							
2007	15,827	11,093	4,734	13,060*	8,362	2,961							
2008	15,057	10,549	4,508	12,597*	8,388	3,084							
2009	14,110	9,894	4,216	12,223*	7,206	2,698							

MARRIAGES FOR 1926 AND DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2011

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6
2008	2,772	654	2,116	2	61.7	27.0	102.3
2009	2,438	529	1,906	3	57.0	23.2	95.5
2010	2,297	451	1,845	1	57.4	20.8	100.9
2011	2,224	414	1,757	53	55.8	19.0	97.2

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2011

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8
2008#	8,528	3,449	5,069	40.6	31.4	50.4
2009#	8,112	3,215	4,894	39.0	29.6	49.1
2010#	7,095	2,820	4,270	33.4	26.1	41.0
2011#	6,291	2,481	3,793	30.1	22.9	37.7

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78

Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J09-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J09-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J09-J18</u>
046	Influenza	J09-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2011

District	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	TOTAL
1	5	5	9	12	6	11	8	18	10	16	12	27	139
2	1	2	2	2	1	2	1	3	4	2	1	6	27
3	2	5	6	11	6	5	4	9	4	0	2	0	54
4	1	3	1	3	5	2	2	2	1	1	5	2	28
5	3	0	5	1	6	5	3	16	3	0	4	14	60
6	2	3	2	2	1	0	1	0	4	2	3	1	21
7	1	0	2	4	4	1	2	6	3	2	3	3	31
8	10	11	12	7	25	26	13	23	8	7	26	6	174
9	0	0	4	0	0	1	0	3	4	1	2	1	16
10	7	2	13	4	13	14	12	12	8	3	15	7	110
11	0	0	1	0	0	0	0	0	0	0	0	0	1
12	2	2	5	8	2	2	3	1	3	4	6	4	42
13	1	1	0	0	2	2	1	3	1	0	1	0	12
14	1	3	3	4	1	1	1	6	2	4	1	1	28
15	2	14	5	3	1	2	2	1	16	0	2	1	49
16	6	8	6	9	8	3	4	3	4	3	18	5	77
17	0	1	0	2	3	1	1	3	5	2	4	1	23
18	2	0	1	4	1	4	2	4	3	1	7	2	31
19	0	1	4	2	2	3	1	6	3	5	1	4	32
20	1	6	2	4	6	3	1	3	12	3	5	7	53
TOTAL	47	67	83	82	93	88	62	122	98	56	118	92	1,008

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf

Note: The following counties did not report any finalized adoptions for 2011: Amite, Calhoun, Greene, Holmes, Humphreys, Issaquena, Jefferson, Jefferson Davis, Madison, Montgomery, Noxubee, Pontotoc, Sharkey, Simpson, Smith, Tate, Tunica, Wilkinson, Yazoo