COUNTY: ADAMS

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 32,122 | 1,867 | 951 | 9 | 16 | 343 | | | | | | | | |
| WHITE | | 565 | 294 | | 71 | 116 | | | | | | | | |
| NONWHITE | , | 1,302 | 657 | | 45 | 227 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 49 | 1 | 12 | 36 | 13 | 0 | 4 | 9 | 36 | 1 | 8 | 27 |
| TEENAGE IM | MATURE BIRTHS | | 9 | 0 | 1 | 8 | 3 | 0 | 0 | 3 | 6 | 0 | 1 | 5 |
| TEENAGE PR | EMATURE BIRTHS | | 8 | 1 | 0 | 7 | 0 | 0 | 0 | 0 | 8 | 1 | 0 | 7 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 47 | 1 | 12 | 34 | 12 | 0 | 4 | 8 | 35 | 1 | 8 | 26 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 14 | 0 | 1 | 13 | 4 | 0 | 1 | 3 | 10 | 0 | 0 | 10 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 16 | 0 | 2 | 14 | 5 | 0 | 1 | 4 | 11 | 0 | 1 | 10 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 7 | 0 | 1 | 6 | 1 | 0 | 0 | 1 | 6 | 0 | 1 | 5 |
| TEENAGE FE | RTILITY RATE | | 26.2 | 1.0 | 52.4 | (15-19) | 23.0 | 0.0 | 48.0 | (15-19) | 27.6 | 1.5 | 54.3 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | TAL DEATH RATIO | | 20.4 | 0.0 | 0.0 | 27.8 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 0.0 | 0.0 | 37.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 6 | 0 | 2 | 4 | 1 | 0 | 0 | 1 | 5 | 0 | 2 | 3 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 122.4 | 0.0 | 166.7 | 111.1 | 76.9 | 0.0 | 0.0 | 111.1 | 138.9 | 0.0 | 250.0 | 111.1 |
| TEENAGE PR | EGNANCIES# | | 56 | 1 | 14 | 41 | 14 | 0 | 4 | 10 | 42 | 1 | 10 | 31 |
| TEENAGE PR | EGNANCY RATE | | 30.0 | 1.0 | 60.0 | (15-19) | 24.8 | 0.0 | 51.7 | (15-19) | 32.2 | 1.5 | 63.6 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS

0.0

0 0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: ALCORN

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 37,164 | 2,359 | 1,273 | 1,086 | 447 |
| WHITE | 32,076 | 1,931 | 1,052 | 879 | 369 |
| NONWHITE | 5,088 | 428 | 221 | 207 | 78 |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | 15-17 | |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 67 | 3 | 17 | 47 | 55 | 1 | 14 | 40 | 12 | 2 | 3 | 7 |
| TEENAGE IMMATURE BIRTHS | 9 | 0 | 4 | 5 | 6 | 0 | 2 | 4 | 3 | 0 | 2 | 1 |
| TEENAGE PREMATURE BIRTHS | 13 | 0 | 4 | 9 | 9 | 0 | 3 | 6 | 4 | 0 | 1 | 3 |
| TEENAGE ILLEGITIMATE BIRTHS | 56 | 3 | 15 | 38 | 44 | 1 | 12 | 31 | 12 | 2 | 3 | 7 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 13 | 0 | 2 | 11 | 11 | 0 | 2 | 9 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 17 | 0 | 3 | 14 | 14 | 0 | 3 | 11 | 3 | 0 | 0 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 7 | 0 | 3 | 4 | 5 | 0 | 2 | 3 | 2 | 0 | 1 | 1 |
| TEENAGE FERTILITY RATE | 28.4 | 2.4 | 58.9 | (15-19) | 28.5 | 1.0 | 61.4 | (15-19) | 28.0 | 9.0 | 48.3 | (15-19) |
| TEENAGE FETAL DEATHS** | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 14.9 | 0.0 | 58.8 | 0.0 | 18.2 | 0.0 | 71.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 29.8 | 0.0 | 0.0 | 42.6 | 36.4 | 0.0 | 0.0 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 70 | 3 | 18 | 49 | 58 | 1 | 15 | 42 | 12 | 2 | 3 | 7 |
| TEENAGE PREGNANCY RATE | 29.7 | 2.4 | 61.7 | (15-19) | 30.0 | 1.0 | 64.8 | (15-19) | 28.0 | 9.0 | 48.3 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 14.9 | 0.0 | 58.8 | 0.0 | 18.2 | 0.0 | 71.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: AMITE

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|--------------------|-----------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 12,957 | 716 | 370 | | | 131 | | | | | | | | |
| WHITE | 7,454 | 344 | 184 | 1 | 60 | 62 | | | | | | | | |
| NONWHITE | 5,503 | 372 | 186 | 1 | 86 | 69 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 21 | 0 | 7 | 14 | 8 | 0 | 4 | 4 | 13 | 0 | 3 | 10 |
| TEENAGE IM | MATURE BIRTHS | | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE PR | EMATURE BIRTHS | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | | 1 | 0 | 0 | 1 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 18 | 0 | 6 | 12 | 5 | 0 | 3 | | 13 | 0 | 3 | 10 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE FE | RTILITY RATE | | 29.3 | 0.0 | 60.7 | (15-19) | 23.2 | 0.0 | 50.0 | (15-19) | 34.9 | 0.0 | 69.9 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | NS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

7 14

0

0.0

60.7 (15-19)

0

0.0

8

23.2

0

0.0

13

34.9

0

0.0

4

0.0 50.0 (15-19)

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

3

0

0.0

69.9 (15-19)

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS
INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

21

0

0.0

29.3

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: ATTALA

| | TOTAL POPULATION ALL AGES | 10-19 | | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|---|--|-------|--------------------|-----------------------|----------------------------|-------------------------|--------------|-----------------------|---------------|-----------------------|------------------------------------|-----------------------|----------------------------|---------------|
| TOTAL WHITE | 19,157 10,854 | 1,244 | 654 337 317 | 5 | 90 | 252 115 137 | | | | | | | | |
| | | | ALL TEENS | | AGES 15-17 | AGES 18-19 | ALL TEENS | | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE IM TEENAGE PRI TEENAGE ILI TEENS WHO I | TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE | | 31 6 6 30 | 0 0 0 0 0 | 9 2 3 9 1 1 | 22 4 3 21 7 | 9 1 0 | 0 0 0 0 0 | 4 1 0 | 5 0 0 4 0 | 22 5 6 22 8 10 3 | 0 0 0 0 0 | 5 1 3 5 1 1 | 17 4 3 |
| TEENAGE FE | RTILITY RATE | | 24.9 | 0.0 | 52.5 | (15-19) | 14.2 | 0.0 | 30.2 | (15-19) | 36.1 | 0.0 | 75.3 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 2 64.5 | 0.0 | 1 111.1 | | 0.0 | 0.0 | 0.0 | | 2 90.9 | 0.0 | 1 200.0 | |
| TEENAGE PRI | EGNANCIES# EGNANCY RATE | | 33 26.5 | 0.0 | 10 55.9 | 23 (15-19) | 9 14.2 | 0.0 | 4 30.2 | 5 (15-19) | 24 39.4 | 0.0 | 6 82.2 | 18 (15-19) |
| | THS TO TEENAGE I | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: BENTON

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 8,730 | 596 | 321 | | 75 | 80 | | | | | | | | |
| WHITE | | 332 | 168 | 1 | | 42 | | | | | | | | |
| NONWHITE | 3,378 | 264 | 153 | 1 | 11 | 38 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 8 | 0 | 2 | 6 | 4 | 0 | 1 | 3 | 4 | 0 | 1 | 3 |
| TEENAGE IM | MATURE BIRTHS | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | LEGITIMATE BIRT | | 8 | 0 | 2 | 6 | 4 | 0 | 1 | 3 | 4 | 0 | 1 | 3 |
| | HAD PREVIOUS LIV | | 2 | 0 | 0 | 2 | 1 | 0 | 0 | | 1 | 0 | 0 | 1 |
| | HAD PREVIOUS PR | | 4 | 0 | 0 | 4 | 2 | 0 | 0 | | 2 | 0 | 0 | 2 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 13.4 | 0.0 | 29.1 | (15-19) | 12.0 | 0.0 | 24.4 | (15-19) | 15.2 | 0.0 | 36.0 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE IN | DUCED TERMINATION | Oltan nc | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

2

0

0.0 166.7

6

29.1 (15-19) 12.0

1

0

0

0.0

4

0

0.0

1 3

0

0.0

0.0 24.4 (15-19)

0

0.0

0

0

0.0

0.0 36.0 (15-19)

0

0.0 333.3

15.2

250.0

1

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

8

13.4

1

125.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: BOLIVAR

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------|---|-----------|--------------------------|--------------------|--------------|-------------------------|-------------|-------------|-------------|--------------|----------------|-------------|--------------|----------------|
| TOTAL WHITE NONWHITE | 33,904 11,433 | 2 446 | 1,201 303 898 | | 45 | 561 153 408 | | | | | | | | |
| | | | ALL | ALL F | ACES | AGES | ALL | WHI AGES | TE | | ALL | NONWH | IITE AGES | AGES |
| | | | TEENS | | 15-17 | 18-19 | TEENS | | | 18-19 | TEENS | 10-14 | 15-17 | |
| - | MATURE BIRTHS | | 76 14 22 | 0 0 0 | 20 3 8 | 56 11 14 | 5 0 1 | 0 0 | 1 0 0 | 0 | 71 14 21 | 0 0 0 | 19 3 8 | 52 11 13 |
| TEENAGE IL | EMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LIVE | VE BIRTHS | 75 15 | 0 0 | 20 4 | 55 11 | 5 0 | 0 0 | 1 0 0 | 4 0 | 70 15 | 0 | 19 4 4 | 51 11 |
| | HAD PREVIOUS PRI INADEQUATE* PRI | | 18 1 | 0 | 4 | 14 1 | 0 | 0 | 0 | 0 | 18 1 | 0 | 0 | 14 1 |
| TEENAGE FE | RTILITY RATE | | 31.1 | 0.0 | 61.0 | (15-19) | 7.8 | 0.0 | 14.8 | (15-19) | 39.3 | 0.0 | 78.3 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 3 39.5 | 0.0 | 0.0 | 3 53.6 | 1 200.0 | 0.0 | 0.0 | | 2 28.2 | 0.0 | 0.0 | 2 38.5 |
| - | DUCED TERMINATION | | 10 131.6 | - 3 | 2 100.0 | 5 89.3 | 0.0 | 0.0 | 0.0 | | 10 140.8 | - 3 | 2 105.3 | 5 96.2 |
| TEENAGE PR | EGNANCIES# EGNANCY RATE | | 89 36.4 | 3 2.5 | 22 69.1 | 64 (15-19) | 6 9.4 | 0.0 | 1 17.8 | 5 (15-19) | 83 46.0 | 3 3.3 | 21 88.2 | 59 (15-19) |
| | THS TO TEENAGE I | | 2 26.3 | 0.0 | 2 | 0.0 | 0.0 | 0.0 | 0.0 | | 2 28.2 | 0.0 | 2 105.3 | 0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CALHOUN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 14,843 | 973 | 487 | 4 | .86 | 172 | | | | | | | | |
| WHITE | , | 599 | 308 | | 91 | 124 | | | | | | | | |
| NONWHITE | 4,435 | 374 | 179 | 1 | .95 | 48 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 20 | 1 | 8 | 11 | 15 | 1 | 6 | 8 | 5 | 0 | 2 | 3 |
| TEENAGE IM | MATURE BIRTHS | | 4 | 0 | 3 | 1 | 4 | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE PR | REMATURE BIRTHS | | 5 | 0 | 3 | 2 | 4 | 0 | 3 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE II | LEGITIMATE BIRT | HS | 20 | 1 | 8 | 11 | 15 | 1 | 6 | 8 | 5 | 0 | 2 | 3 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 5 | 0 | 1 | 4 | 5 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 5 | 0 | 1 | 4 | 5 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ERTILITY RATE | | 20.6 | 2.0 | 39.1 | (15-19) | 25.0 | 3.2 | 48.1 | (15-19) | 13.4 | 0.0 | 25.6 | (15-19) |
| | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | CTAL DEATH RATIO | | 50.0 | 0.0 | 0.0 | 90.9 | 0.0 | 0.0 | 0.0 | 0.0 | 200.0 | 0.0 | 0.0 | 333.3 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 5 | 0 | 2 | 3 | 2 | 0 | 1 | 1 | 3 | 0 | 1 | 2 |
| | DUCED TERMINATION | | 250.0 | 0.0 | 250.0 | 272.7 | 133.3 | | 166.7 | 125.0 | 600.0 | 0.0 | 500.0 | 666.7 |
| TEENAGE PR | REGNANCIES# | | 26 | 1 | 10 | 15 | 17 | 1 | 7 | 9 | 9 | 0 | 3 | 6 |

Ω

0.0

46.2 (15-19)

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCY RATE

26.7

1

50.0

2.0

0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

51.4 (15-19)

1

0.0 125.0

0

0.0

28.4

1

66.7

3.2 55.0 (15-19)

1

0.0 166.7

0

24.1

0

0.0

0

0.0

0.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CARROLL

| | | | | FEMAL AG 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------------|-------------|--------------|--------------------|-----------|-------------------------|--------------|---------------|------|---------|--------------|---------------|------|---------|
| TOTAL | 10,423 | 552 | 287 | 2 | 265 | 82 | | | | | | | | |
| | 6,805 3,618 | | 178 109 | 1 1 | | 53 29 | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | ALL R | | | | WHI | | | | NONWH | | |
| | | | ALL TEENS | AGES 10-14 | | 18-19 | ALL TEENS | AGES 10-14 | | 18-19 | ALL TEENS | AGES 10-14 | | 18-19 |
| TEENAGE BI | тртис | | 12 | 0 | 1 | | | 0 | | | 3 | 0 | 1 | |
| _ | MATURE BIRTHS | | 2 | 0 | 0 | | 9 2 | 0 | 0 | - | 0 | 0 | 0 | 0 |
| | REMATURE BIRTHS | | 3 | 0 | 0 | | 3 | 0 | 0 | | 0 | 0 | 0 | 0 |
| | LEGITIMATE BIRT | HS | 10 | 0 | 1 | 9 | 7 | 0 | 0 | 7 | 3 | 0 | 1 | 2 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 3 | 0 | 0 | | 2 | | 0 | | 1 | 0 | 0 | _ |
| TEENS WHO | HAD PREVIOUS PRI I INADEQUATE* PRI | EGNANCIES | 5 | 0 | 0 | - | 3 | 0 | 0 | | 2 | 0 | 0 | 2 |
| TEENS WITH | H INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ERTILITY RATE | | 21.7 | 0.0 | 45.3 | (15-19) | 29.7 | 0.0 | 72.0 | (15-19) | 12.0 | 0.0 | 21.4 | (15-19) |
| TEENAGE FE | ETAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ETAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | NDUCED TERMINATION | ONS# | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE IN | NDUCED TERMINATION | ON RATIO | 83.3 | 0.0 | 0.0 | 90.9 | 0.0 | 0.0 | 0.0 | 0.0 | 333.3 | 0.0 | 0.0 | 500.0 |
| TEENAGE PR | REGNANCIES# | | 13 | 0 | 1 | 12 | 9 | 0 | 0 | 9 | 4 | 0 | 1 | 3 |
| TEENAGE PR | REGNANCY RATE | | 23.6 | 0.0 | 49.0 | (15-19) | | 0.0 | 72.0 | (15-19) | 16.1 | 0.0 | 28.6 | (15-19) |
| INFANT DEA | ATHS TO TEENAGE I | MOTHERS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFANT MOR | RTALITY RATE, TE | EN MOMS | 83.3 | 0.0 | 0.0 | 90.9 | 111.1 | 0.0 | 0.0 | 111.1 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CHICKASAW

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | SES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|---------------------------------|--------------------------|--------------------------|--------------------|------------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL WHITE | | 1,181 599 | 578 295 | | 503 804 | 248 123 | | | | | | | | |
| NONWHITE | 7,806 | 582 | 283 | 2 | 299 | 125 | | | | | | | | |
| | | | | ALL R | RACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 32 | 0 | 12 | 20 | 20 | 0 | 9 | 11 | 12 | 0 | 3 | 9 |
| TEENAGE IM | MATURE BIRTHS | | 4 | 0 | 3 | 1 | 3 | 0 | 3 | | 1 | 0 | 0 | 1 |
| TEENAGE PR | EMATURE BIRTHS | | 8 | 0 | 4 | 4 | 4 | 0 | 3 | 1 | 4 | 0 | 1 3 | 3 |
| _ | LEGITIMATE BIRT | | 29 | 0 | 11 | 18 | 17 | 0 | 8 | | 12 | 0 | | 9 |
| | HAD PREVIOUS LIV | | 11 | 0 | 4 | 7 | 8 | 0 | 4 | | 3 | 0 | 0 | 3 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 12 | 0 | 4 | 8 | 9 | 0 | 4 | | 3 | 0 | 0 | 3 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FE | RTILITY RATE | | 27.1 | 0.0 | 53.1 | (15-19) | 33.4 | 0.0 | 65.8 | (15-19) | 20.6 | 0.0 | 40.1 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 8 | 0 | 4 | 4 | 2 | 0 | 1 | 1 | 6 | 0 | 3 | 3 |

0.0 333.3 200.0 100.0

66.3 (15-19)

24

0

0.0

22

36.7

0

0.0

16

0

0.0

0.0 111.1 90.9

10

0.0 72.4 (15-19)

0.0

0

12

0

0.0

0

0

0.0

500.0

18

0

0.0

30.9

Ω

0.0

0.0 1000.0 333.3

0

0.0

6

60.2 (15-19)

0

0.0

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

0

0.0

0

0.0

250.0

40

33.9

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CHOCTAW

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 8,346 | 542 | 278 | | 64 | 80 | | | | | | | | |
| WHITE | 5,681 | 357 | 193 | 1 | 64 | 57 | | | | | | | | |
| NONWHITE | 2,665 | 185 | 85 | 1 | 00 | 23 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | | | |
| TEENAGE BI | | | 8 | 0 | 1 | 7 | 6 | 0 | 1 | 5 | 2 | 0 | 0 | 2 |
| - | MATURE BIRTHS | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | EMATURE BIRTHS | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | LEGITIMATE BIRT | | 6 | 0 | 1 | 5 | 4 | 0 | 0 | 3 | 2 | 0 | 0 | 2 0 |
| | HAD PREVIOUS LITHAD PREVIOUS PR | | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 |
| | I INADEQUATE* PR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 14.8 | 0.0 | 30.3 | (15-19) | 16.8 | 0.0 | 36.6 | (15-19) | 10.8 | 0.0 | 20.0 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | IDUCED TERMINATION | ONS# | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 125.0 | - | 0.0 | 0.0 | 166.7 | - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PR | EGNANCIES# | | 9 | 1 | 1 | 7 | 7 | 1 | 1 | 5 | 2 | 0 | 0 | 2 |
| TEENAGE PR | EGNANCY RATE | | 16.6 | 3.6 | 30.3 | (15-19) | 19.6 | 5.2 | 36.6 | (15-19) | 10.8 | 0.0 | 20.0 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

1 0 1

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

125.0 0.0 1000.0 0.0 166.7

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

1

0 1

0.0 1000.0

0

0.0

0

0.0

0

0.0

0

0.0

0.0

0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CLAIBORNE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 9,349 | 780 | 306 | | 74 | 108 | | | | | | | | |
| WHITE | | 62 | 38 | , | | 1 | | | | | | | | |
| NONWHITE | 7,975 | 718 | 268 | 4 | :50 | 107 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | IRTHS | | 18 | 0 | 6 | 12 | 0 | 0 | 0 | 0 | 18 | 0 | 6 | 12 |
| TEENAGE IM | MATURE BIRTHS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| _ | REMATURE BIRTHS | | 4 | 0 | 1 | 3 | 0 | 0 | 0 | | 4 | 0 | 1 | 3 |
| _ | LEGITIMATE BIRT | | 18 | 0 | 6 | 12 | 0 | 0 | 0 | 0 | 18 | 0 | 6 | 12 |
| | HAD PREVIOUS LIV | | 5 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 5 | 0 | 1 | 4 |
| | HAD PREVIOUS PRI | | 7 | 0 | 1 | 6 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 6 |
| TEENS WITH | H INADEQUATE* PRI | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ERTILITY RATE | | 23.1 | 0.0 | 38.0 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) | 25.1 | 0.0 | 40.0 | (15-19) |
| | ETAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ETAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | NDUCED TERMINATION | ONS# | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |

0.0 166.7

42.2 (15-19)

14

0

0.0

6

0

0.0

0.0

0

0.0

0

0.0

0.0

0.0

0

0.0

0.0

0

0

0.0

0.0 (15-19)

0.0

0

0

0.0

111.1

20

0

0.0

27.8

0.0

0

0.0

0

0.0

0.0 166.7

44.4 (15-19)

14

Ω

0.0

6

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

0.0

0

0.0

0

0.0

111.1

20

25.6

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CLARKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------|
| TOTAL | 16,556 | 1,133 | 616 | | 17 | 187 | | | | | | | | |
| WHITE NONWHITE | 10,643 5,913 | 615 518 | 328 288 | | 187 130 | 115 72 | | | | | | | | |
| | | | | | | | | WHI | | | | 21021112 | | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | |
| TEENAGE BI | RTHS | | 20 | 3 | 3 | 14 | 15 | 3 | 2 | 10 | 5 | 0 | 1 | 4 |
| TEENAGE IM | MATURE BIRTHS | | 4 | 1 | 1 | 2 | 2 | 1 | 1 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 3 | 1 | 0 | 2 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 2 |
| | LEGITIMATE BIRT | | 18 | 3 | 3 | 12 | 13 | 3 | 2 | 8 | 5 | 0 | 1 | 4 |
| | HAD PREVIOUS LI | | 3 | 1 | 0 | 2 | 3 | 1 | 0 | 2 | 0 | 0 | 0 | 0 |
| | HAD PREVIOUS PR | | 4 | 1 | 0 | 3 | 3 | 1 | 0 | 2 | 1 | 0 | 0 | 1 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 17.6 | 4.9 | 32.9 | (15-19) | 24.4 | 9.1 | 41.8 | (15-19) | 9.6 | 0.0 | 21.7 | (15-19) |
| | TAL DEATHS** | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | |
| TEENAGE FE | TAL DEATH RATIO | | 100.0 | 0.0 | 0.0 | 142.8 | 0.0 | 0.0 | 0.0 | 0.0 | 400.0 | 0.0 | 0.0 | 500.0 |

7

23

0

0.0

1

4 52.2 (15-19)

0

0.0

0.0 333.3 500.0 133.3

2

17

27.6

0

0.0

0

0.0

3

9.1

0

0.0

2

0.0 200.0 1200.0

12

0

0.0

0

2

0

0.0

48.8 (15-19)

0

0

0

0.0

1

2

Ω

0.0

0.0 1000.0 1250.0

0.0 56.5 (15-19)

0

0.0

6

13

0

0.0

25.1

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATIONS#

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

0

3

4.9

0

0.0

8

400.0

30

26.5

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: CLAY

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|---|--|------------------------|------------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-----------------------|----------------------------|--------------|------------------------------|-----------------------|-----------------------|------------------------------|
| TOTAL WHITE NONWHITE | 20,427 8,190 | 1,434 405 1,029 | 747 214 533 | | 87 91 | 235 80 155 | | | | | | | | |
| | | | ALL TEENS | | AGES 15-17 | AGES 18-19 | ALL TEENS | WHI AGES 10-14 | TE AGES 15-17 | AGES | ALL TEENS | AGES 10-14 | ITE AGES 15-17 | AGES 18-19 |
| TEENAGE PRI TEENAGE ILI TEENS WHO I | RTHS MATURE BIRTHS EMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LIV AND PREVIOUS PRIVIONE PRI | VE BIRTHS EGNANCIES | 34 9 8 33 2 5 | 0 0 0 0 0 | 12 4 4 12 0 0 | 22 5 4 21 2 5 | 7 0 1 6 0 | 0 0 0 0 0 | 3 0 1 3 0 0 | 0 | 27 9 7 27 2 4 | 0 0 0 0 0 | 9 4 3 9 0 | 18 5 4 18 2 4 |
| | RTILITY RATE | ENATAL CARE | 23.7 | 0.0 | ŭ | (15-19) | 17.3 | 0.0 | ŭ | (15-19) | · · | 0.0 | 54.4 | (15-19) |
| - | FAL DEATHS** FAL DEATH RATIO | | 1 29.4 | 0.0 | 0.0 | 1 45.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1 37.0 | 0.0 | 0.0 | 1 55.6 |
| | OUCED TERMINATION | 11 | 6 176.5 | 0.0 | 5 416.7 | 1 45.4 | 0.0 | 0.0 | 0.0 | 0.0 | 6 222.2 | 0.0 | 5 555.6 | 1 55.6 |
| TEENAGE PRI | EGNANCIES# EGNANCY RATE | | 41 28.6 | 0.0 | 17 59.7 | 24 (15-19) | 7 17.3 | 0.0 | 3 36.6 | 4 (15-19) | 34 33.0 | 0.0 | 14 68.5 | 20 (15-19) |
| | THS TO TEENAGE I | | 0 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: COAHOMA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|--------------------------------------|--------------------------|--------------------------|--------------------|------------|-------------------------|-------|-------|-------|---------|-------------|---------------|------------|---------|
| TOTAL WHITE | 25,709 6,034 | 2,081 290 | | 1,0 1 | 64 | 416 68 | | | | | | | | |
| NONWHITE | | 1,791 | 879 | 9 | | 348 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | | | |
| TEENAGE BIR | RTHS | | 88 | 4 | 27 | 57 | 8 | 0 | 1 | 7 | 80 | 4 | 26 | 50 |
| TEENAGE IMM | MATURE BIRTHS | | 16 | 1 | 5 | 10 | 1 | 0 | 0 | 1 | 15 | 1 | 5 | 9 |
| TEENAGE PRE | EMATURE BIRTHS | | 27 | 0 | 7 | 20 | 3 | 0 | 0 | 3 | 24 | 0 | 7 | 17 |
| TEENAGE ILI | LEGITIMATE BIRT | HS | 88 | 4 | 27 | 57 | 8 | 0 | 1 | 7 | 80 | 4 | 26 | 50 |
| TEENS WHO H | HAD PREVIOUS LI | VE BIRTHS | 22 | 0 | 5 | 17 | 3 | 0 | 0 | _ | 19 | 0 | 5 | 14 |
| TEENS WHO H | HAD PREVIOUS PR | EGNANCIES | 26 | 0 | 6 | 20 | 4 | 0 | 1 | 3 | 22 | 0 | 5 | 17 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 4 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| TEENAGE FEF | RTILITY RATE | | 42.3 | 3.9 | 78.9 | (15-19) | 27.6 | 0.0 | 52.6 | (15-19) | 44.7 | 4.6 | 83.3 | (15-19) |
| TEENAGE FET | TAL DEATHS** | | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| - | TAL DEATH RATIO | | 34.1 | 0.0 | 37.0 | 35.1 | 0.0 | 0.0 | 0.0 | | 37.5 | 0.0 | 38.5 | 40.0 |
| MDENAGE TAI | NIGED MEDMINAMI | OMG# | 1.5 | 1 | _ | 0 | 0 | 0 | 0 | 0 | 1.5 | 1 | _ | 0 |
| | DUCED TERMINATIO DUCED TERMINATIO | | 15 170.4 | 250 0 | 5 185.2 | 9 157 0 | 0.0 | 0.0 | 0.0 | | 15 187.5 | 250 0 | 5 192.3 | 180.0 |
| IEENAGE INL | DUCED IERMINAII | JN KALLU | 170.4 | ∠50.0 | 105.2 | 157.9 | 0.0 | 0.0 | 0.0 | 0.0 | 10/.5 | ∠ 50.0 | 192.3 | 100.0 |
| TEENAGE PRE | EGNANCIES# | | 106 | 5 | 33 | 68 | 8 | 0 | 1 | 7 | 98 | 5 | 32 | 61 |
| TEENAGE PRE | EGNANCY RATE | | 50.9 | 4.9 | 94.9 | (15-19) | 27.6 | 0.0 | 52.6 | (15-19) | 54.7 | 5.7 | 102.0 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0.0

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: COPIAH

| RACE | TOTAL POPULATION ALL AGES | | | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|-------|--------------------|----------|-------------------------|-------|-------|-------|---------|--------|--------|-------|---------|
| | 28,955 13,739 | | 950 | 1,0 | 67 | 355 | | | | | | | | |
| WHITE | 13,739 | 802 | 373 | 4 | 29 | 154 | | | | | | | | |
| NONWHITE | 15,216 | 1,215 | 577 | 6 | | 201 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 36 | 1 | 12 | 23 | 11 | 0 | 5 | 6 | 25 | 1 | 7 | 17 |
| TEENAGE IM | MATURE BIRTHS | | 7 | 1 | 3 | 3 | 0 | | 0 | 0 | 7 | 1 | 3 | 3 |
| TEENAGE PR | EMATURE BIRTHS | | 6 | | 1 | | 1 | | 0 | 1 | 5 | 0 | 1 | |
| TEENAGE IL | LEGITIMATE BIRT | HS | 33 | 1 | 11 | 21 | 8 | 0 | | 4 | 25 | 1 | 7 | |
| TEENS WHO | HAD PREVIOUS LITHAD PREVIOUS PR | VE BIRTHS | 7 | 0 | 0 | • | | 0 | | 1 | 6 7 | 0 | 0 | |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 8 | 0 | | | 1 | 0 | 0 | 1 | 7 | 0 | 0 | 7 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 5 | 0 | 2 | 3 | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 |
| TEENAGE FE | RTILITY RATE | | 17.8 | 1.0 | 32.8 | (15-19) | 13.7 | 0.0 | 25.6 | (15-19) | 20.6 | 1.7 | 37.6 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | | | | - | | | | 1 | | 1 | - | |
| TEENAGE IN | DUCED TERMINATION | | | | | 217.4 | 181.8 | 0.0 | 200.0 | 166.7 | 200.0 | 1000.0 | 0.0 | 235.3 |
| TEENAGE PR | EGNANCIES# | | 43 | 2 | 13 | 28 | | 0 | | 7 | | | | |
| TEENAGE PR | EGNANCY RATE | | 21.3 | 2.1 | 38.4 | (15-19) | 16.2 | 0.0 | 30.3 | (15-19) | 24.7 | 3.5 | 43.9 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS 2 1 0 1 0 INFANT MORTALITY RATE, TEEN MOMS 55.6 1000.0 0.0 43.5 0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0 1 0

0

0.0

0

0.0

0

0.0

2

0

80.0 1000.0 0.0 58.8

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: COVINGTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | SES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------------|---------------------------------|--------------------------|--------------------------|--------------------|-------------------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL WHITE NONWHITE | 19,607 12,345 7,262 | 1,362 740 622 | 680 378 302 | 3 | 582 862 320 | 290 169 121 | | | | | | | | |
| | | | | ALL R | PACES | | | WHI | TR | | | NONWH | TTE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 54 | 0 | 15 | 39 | 25 | 0 | 6 | 19 | 29 | 0 | 9 | 20 |
| _ | MATURE BIRTHS | | 12 | 0 | 3 | 9 | 3 | 0 | 1 | | 9 | 0 | 2 | 7 |
| TEENAGE PR | EMATURE BIRTHS | | 11 | 0 | 3 | 8 | 5 | 0 | 2 | 3 | 6 | 0 | 1 | 5 |
| | LEGITIMATE BIRT | HS | 45 | 0 | 15 | 30 | 17 | 0 | 6 | 11 | 28 | 0 | 9 | 19 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 9 | 0 | 2 | 7 | 4 | 0 | 1 | 3 | 5 | 0 | 1 | 4 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 12 | 0 | 3 | 9 | 6 | 0 | 1 | 5 | 6 | 0 | 2 | 4 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 39.6 | 0.0 | 79.2 | (15-19) | 33.8 | 0.0 | 69.1 | (15-19) | 46.6 | 0.0 | 90.6 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 5 | 0 | 3 | 2 | 0 | 0 | 0 | | 5 | 0 | 3 | 2 |
| TEENAGE IN | DUCED TERMINATI | ON RATIO | 92.6 | 0.0 | 200.0 | 51.3 | 0.0 | 0.0 | 0.0 | 0.0 | 172.4 | 0.0 | 333.3 | 100.0 |
| TEENAGE PR | EGNANCIES# | | 59 | 0 | 18 | 41 | 25 | 0 | 6 | 19 | 34 | 0 | 12 | 22 |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCY RATE

2

37.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

43.3 0.0 86.5 (15-19) 33.8 0.0 69.1 (15-19) 54.7

0

0.0

0

0.0

0

0.0

0

0.0

2

69.0

2

0.0 106.2 (15-19)

0

0.0 100.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0 51.3

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: DESOTO

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|--------------------------|---|-----------------|--------------------------|---------------|---------------|--|-----------------|---------------|---------------|----------------|--------------|---------------|---------------|---------------|
| TOTAL WHITE NONWHITE | 122,077 | 12,594 8,283 | 6,814 4,447 | 5,7 | '80 336 | 2,065 | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | |
| TEENAGE BI | RTHS MATURE BIRTHS | | 185 16 | 4 2 | 45 2 | 136 12 | 123 13 | 4 2 | 26 0 | 93 11 | 62 3 | 0 | 19 2 | 43 1 |
| TEENAGE IL | EMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LI | | 18 170 23 | 2 4 0 | 4 42 1 | 12 124 22 | 13 109 17 | 2 4 0 | 1 23 0 | 82 | 5 61 6 | 0 0 0 | 3 19 1 | 2 42 5 |
| TEENS WHO | HAD PREVIOUS PRI INADEQUATE* PRI | EGNANCIES | 29 10 | 0 | 1 0 | 28 9 | 20 | 0 | 0 | | 9 | 0 | 1 0 | |
| TEENAGE FE | RTILITY RATE | | 14.7 | 0.6 | 31.3 | (15-19) | 14.8 | 0.9 | 31.0 | (15-19) | 14.4 | 0.0 | 31.9 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 1 5.4 | 0.0 | 0.0 | $\begin{smallmatrix}1\\7.4\end{smallmatrix}$ | 8.1 | 0.0 | 0.0 | 1 10.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 76 410.8 | 4 1000.0 | 26 577.8 | 46 338.2 | 39 317.1 | 1 250.0 | 12 461.5 | 26 279.6 | 36 580.6 | 3 - | 14 736.8 | 19 441.9 |
| TEENAGE PR TEENAGE PR | EGNANCIES# EGNANCY RATE | | 262 20.8 | 8 1.2 | 71 43.9 | 183 (15-19) | 163 19.7 | 5 1.1 | 38 41.2 | 120 (15-19) | 98 22.7 | 3 1.3 | 33 48.9 | 62 (15-19) |
| | THS TO TEENAGE I | | 1 5.4 | 0.0 | 0.0 | 1 7.4 | 1 8.1 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: FORREST

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-----------|-------|---------|-------|-----------|-----------|---------|
| TOTAL | 76,894 | 5,619 | 2,296 | 3,3 | 323 | 1,061 | | | | | | | | |
| WHITE NONWHITE | 46,645 30,249 | | | 1,7 | 717 | 583 478 | | | | | | | | |
| NOIWITTE | 30,219 | 2,000 | 1,007 | 1,0 | 700 | 170 | | | | | | | | |
| | | | | ALL F | RACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 116 | 0 | 34 | 82 | 50 | 0 | 12 | 38 | 66 | 0 | 22 | 44 |
| TEENAGE IM | MATURE BIRTHS | | 18 | 0 | 3 | 15 | 6 | 0 | 1 | 5 | 12 | 0 | 2 | 10 |
| _ | EMATURE BIRTHS | | 22 | 0 | 5 | 17 | 9 | 0 | 2 | | 13 | 0 | 3 | 10 |
| - | LEGITIMATE BIRT | | 106 | 0 | 33 | 73 | 41 | 0 | 11 | 30 | 65 | 0 | 22 | 43 |
| | HAD PREVIOUS LI | | 21 | 0 | | | 9 | 0 | 1 | | 12 | 0 | 0 | 12 |
| | HAD PREVIOUS PR | | 28 | 0 | 2 | | 14 | 0 | 1 | | 14 | 0 | 1 | 13 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 8 | 0 | 2 | 6 | 3 | 0 | 0 | 3 | 5 | 0 | 2 | 3 |
| TEENAGE FE | RTILITY RATE | | 20.6 | 0.0 | 34.9 | (15-19) | 17.1 | 0.0 | 29.1 | (15-19) | 24.5 | 0.0 | 41.1 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 2 | 0 | 1 | | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 17.2 | 0.0 | 29.4 | 12.2 | 0.0 | 0.0 | 0.0 | 0.0 | 30.3 | 0.0 | 45.4 | 22.7 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 19 | 2 | 2 | | 5 | 0 | 1 | 4 | 14 | 2 | 1 | 11 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 163.8 | - | 58.8 | 182.9 | 100.0 | 0.0 | 83.3 | 105.3 | 212.1 | - | 45.4 | 250.0 |
| TEENAGE PR | EGNANCIES# | | 137 | 2 | 37 | | 55 | 0 | | | | 2 | 24 | |
| TEENAGE PR | EGNANCY RATE | | 24.4 | 0.9 | 40.6 | (15-19) | 18.8 | 0.0 | 32.0 | (15-19) | 30.4 | 1.8 | 49.8 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

2

17.2

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0 24.4

2

1

20.0

0

0.0

0

0.0 26.3

1

0

0.0

1

15.2

0

0.0 22.7

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: FRANKLIN

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------|---------------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 7,918 | 510 | 280 | | 30 | 93 | | | | | | | | |
| WHITE | 5,049 | 279 | 155 | 1 | 24 | 58 | | | | | | | | |
| NONWHITE | | 231 | 125 | 1 | 06 | 35 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BII | RTHS | | 13 | 0 | 5 | 8 | 9 | 0 | 3 | 6 | 4 | 0 | 2 | 2 |
| TEENAGE IM | MATURE BIRTHS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE PRI | EMATURE BIRTHS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 12 | 0 | 4 | 8 | 8 | 0 | 2 | 6 | 4 | 0 | 2 | 2 |
| TEENS WHO I | HAD PREVIOUS LIV | VE BIRTHS | 3 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| TEENS WHO I | HAD PREVIOUS PR | EGNANCIES | 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 25.5 | 0.0 | 56.5 | (15-19) | 32.2 | 0.0 | 72.6 | (15-19) | 17.3 | 0.0 | 37.7 | (15-19) |
| _ | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | NS# | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 230.8 | 0.0 | 600.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 750.0 | 0.0 | 1500.0 | 0.0 |

8

0

0.0

69.6 (15-19)

8

0

0.0

9

0

0.0

32.2

0

0

0.0

3

0.0 72.6 (15-19)

0

0.0

6

0

0.0

30.3

0

0.0

Ω

0.0

0

0

0.0

0.0

5

0

0.0

66.0 (15-19)

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

16

31.4

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: GEORGE

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 22,930 | 1,602 | 882 | 720 | 349 |
| WHITE | 20,664 | 1,453 | 793 | 660 | 323 |
| NONWHITE | 2,266 | 149 | 89 | 60 | 26 |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 52 | 2 | 11 | 39 | 47 | 1 | 10 | 36 | 5 | 1 | 1 | 3 |
| TEENAGE IMMATURE BIRTHS | 9 | 1 | 1 | 7 | 7 | 1 | 0 | 6 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 11 | 2 2 | 1 | 8 | 9 | 1 | 1 | 7 | 2 | 1 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 36 | 2 | 9 | 25 | 31 | 1 | 8 | 22 | 5 | 1 | 1 | 3 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 11 | 0 | 0 | 11 | 11 | 0 | 0 | 11 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 14 | 0 | 2 | 12 | 14 | 0 | 2 | 12 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 32.4 | 2.3 | 69.4 | (15-19) | 32.3 | 1.3 | 69.7 | (15-19) | 33.6 | 11.2 | 66.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 19.2 | 0.0 | 0.0 | 25.6 | 21.3 | 0.0 | 0.0 | 27.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 38.5 | 0.0 | 0.0 | 51.3 | 42.6 | 0.0 | 0.0 | 55.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 55 | 2 | 11 | 42 | 50 | 1 | 10 | 39 | 5 | 1 | 1 | 3 |
| TEENAGE PREGNANCY RATE | 34.3 | 2.3 | 73.6 | (15-19) | 34.4 | 1.3 | | (15-19) | | 11.2 | 66.7 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: GREENE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|---------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 14,311 | 833 | 423 | 4 | 10 | 125 | | | | | | | | |
| WHITE NONWHITE | 10,264 4,047 | 658 175 | 333 90 | 3 | 85 85 | 96 29 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BIF | RTHS | | 21 | 0 | 8 | 13 | 17 | 0 | 8 | 9 | 4 | 0 | 0 | 4 |
| TEENAGE IMM | MATURE BIRTHS | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE PRE | EMATURE BIRTHS | | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE ILI | LEGITIMATE BIRT | HS | 16 | 0 | 8 | 8 | 12 | 0 | 8 | 4 | 4 | 0 | 0 | 4 |
| TEENS WHO H | HAD PREVIOUS LI | VE BIRTHS | 5 | 0 | 1 | 4 | 5 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| TEENS WHO H | HAD PREVIOUS PR | EGNANCIES | 6 | 0 | 1 | 5 | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FER | RTILITY RATE | | 25.2 | 0.0 | 51.2 | (15-19) | 25.8 | 0.0 | 52.3 | (15-19) | 22.8 | 0.0 | 47.0 | (15-19) |
| TEENAGE FET | TAL DEATHS** | | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FET | TAL DEATH RATIO | | 47.6 | 0.0 | 125.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 250.0 | 0.0 | _ | 0.0 |

0

9

0

0.0

56.1 (15-19)

0.0

1

14

0

0.0

76.9

0

0.0

17

0

0.0

25.8

0

0.0

0

0.0

0

0.0

0

9

0

0.0

0.0

0

0

0

0.0

0.0

0.0

1

6

0

0.0

250.0

34.3

0

0

0.0

0.0 250.0

70.6 (15-19)

Ω

0.0

0

8

0

0.0

52.3 (15-19)

0.0

TEENAGE INDUCED TERMINATIONS#

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

1

47.6

23

27.6

0

0.0

0

0.0

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: GRENADA

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | | 1,427 | 720 | | 07 | 246 | | | | | | | | |
| WHITE | | | 384 | 3 | 64 | 131 | | | | | | | | |
| NONWHITE | 9,448 | 679 | 336 | 3 | 43 | 115 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | TTE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | |
| | | | TEENS | | 15-17 | | TEENS | 10-14 | | 18-19 | TEENS | | 15-17 | |
| TEENAGE BI | RTHS | | 28 | 0 | 9 | 19 | 11 | 0 | 4 | 7 | 17 | 0 | 5 | 12 |
| | MATURE BIRTHS | | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PR | EMATURE BIRTHS | | 4 | 0 | 1 | 3 | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 25 | 0 | 9 | 16 | 9 | 0 | 4 | 5 | 16 | 0 | 5 | 11 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 6 | 0 | 0 | 6 | 1 | 0 | 0 | 1 | 5 | 0 | 0 | 5 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 8 1 | 0 | 0 | 8 | 2 | 0 | 0 | 2 | 6 | 0 | 0 | 6 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 19.6 | 0.0 | 39.6 | (15-19) | 14.7 | 0.0 | 30.2 | (15-19) | 25.0 | 0.0 | 49.6 | (15-19) |
| | TAL DEATHS** | | 1 | 0 | 1 | | 1 | | 1 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 35.7 | 0.0 | 111.1 | 0.0 | 90.9 | 0.0 | 250.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | | 10 | 1 | 4 | 5 | 3 | 0 | 2 | 1 | 7 | 1 | 2 | 4 |
| | DUCED TERMINATION | | 357.1 | _ | | 263.2 | 272.7 | | | 142.8 | 411.8 | _ | 400.0 | 333.3 |
| TEENAGE PR | EGNANCIES# | | 39 | 1 | 14 | 24 | 15 | 0 | 7 | 8 | 24 | 1 | 7 | 16 |

Ω

0.0

67.0 (15-19)

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS
INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCY RATE

1.4

0

0.0

27.3

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

53.7 (15-19)

0

0.0

0

0.0

20.0

0

0.0

0.0

0

0.0

41.2 (15-19)

0

0.0

0

0.0

35.3

0

0.0

3.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: HANCOCK

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 45,255 | 2,908 | 1,505 | 1,403 | 452 |
| WHITE | 40,063 | 2,457 | 1,268 | 1,189 | 408 |
| NONWHITE | 5,192 | 451 | 237 | 214 | 44 |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 45 | 1 | 8 | 36 | 38 | 1 | 7 | 30 | 7 | 0 | 1 | 6 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 2 | 5 | 6 | 0 | 1 | 5 | 1 | 0 | 1 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 42 | 1 | 8 | 33 | 35 | 1 | 7 | 27 | 7 | 0 | 1 | 6 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 0 | 4 | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 4 | 0 | 0 | 4 | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 4 | 0 | 1 | 3 | 3 | 0 | 1 | 2 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 15.5 | 0.7 | 31.4 | (15-19) | 15.5 | 0.8 | 31.1 | (15-19) | 15.5 | 0.0 | 32.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 22.2 | 0.0 | 0.0 | 27.8 | 0.0 | 0.0 | 0.0 | 0.0 | 142.8 | 0.0 | 0.0 | 166.7 |
| TEENAGE PREGNANCIES# | 46 | 1 | 8 | 37 | 38 | 1 | 7 | 30 | 8 | 0 | 1 | 7 |
| TEENAGE PREGNANCY RATE | 15.8 | 0.7 | 32.1 | (15-19) | 15.5 | 0.8 | 31.1 | (15-19) | 17.7 | 0.0 | 37.4 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 44.4 | 0.0 | 0.0 | 55.6 | 52.6 | 0.0 | 0.0 | 66.7 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: HARRISON

| RACE | | FEMALES AGES 10-19 | | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|-----------------------------------|--------------------------|--------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 194,029 | 12,074 | 6.182 | 5.8 | 92 | 2.744 | | | | | | | | |
| WHITE NONWHITE | 137,013 57,016 | 7,527 4,547 | 3,860 | 3,6 2,2 | 67 25 | 1,857 887 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 293 | 6 | 79 | 208 | 172 | 2 | 45 | 125 | 121 | 4 | 34 | 83 |
| TEENAGE IM | MATURE BIRTHS | | 28 | 1 | 8 | 19 | 16 | 0 | 4 | 12 | 12 | 1 | 4 | 7 |
| - | EMATURE BIRTHS | | 59 | 2 | | 43 | 30 | 0 | 7 | | 29 | 2 | 7 | 20 |
| _ | LEGITIMATE BIRT | | 267 | 6 | 76 | 185 | 150 | 2 | | | 117 | 4 | 33 | 80 |
| | HAD PREVIOUS LI | VE BIRTHS | 59 75 | 0 | _ | | 31 | 0 | 3 | | 28 | 0 | 1 | 27 |
| | HAD PREVIOUS PR INADEQUATE* PR | EGNANCIES ENATAL CARE | 75 30 | 0 1 | 5 7 | 70 22 | 39 14 | 0 0 | 3 2 | | 36 16 | 0 1 | 2 5 | 34 10 |
| TEENAGE FE | RTILITY RATE | | 24.3 | 1.0 | 48.7 | (15-19) | 22.8 | 0.5 | 46.4 | (15-19) | 26.6 | 1.7 | 52.6 | (15-19) |
| | TAL DEATHS** | | 4 | 0 | 0 | 4 | 3 | 0 | 0 | | 1 | 0 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 13.6 | 0.0 | 0.0 | 19.2 | 17.4 | 0.0 | 0.0 | 24.0 | 8.3 | 0.0 | 0.0 | 12.0 |
| | DUCED TERMINATI | | 20 | 1 | 8 | | 11 | 1 | | | 9 | 0 | 3 | 6 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 68.2 | 166.7 | 101.3 | 52.9 | 64.0 | 500.0 | 111.1 | 40.0 | 74.4 | 0.0 | 88.2 | 72.3 |
| TEENAGE PR | EGNANCIES# | | 317 | | 87 | | 186 | 3 | | 133 | | | 37 | 90 |
| TEENAGE PR | EGNANCY RATE | | 26.2 | 1.1 | 52.6 | (15-19) | 24.7 | 0.8 | 49.9 | (15-19) | 28.8 | 1.7 | 57.1 | (15-19) |

 $2 \qquad \qquad 0 \qquad \qquad 1 \qquad \qquad 1 \qquad \qquad 1$

0 1 0

0.0

5.8 0.0 22.2

1

8.3

0

0.0 0.0 12.0

0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

INFANT DEATHS TO TEENAGE MOTHERS 2 0 1 1
INFANT MORTALITY RATE, TEEN MOMS 6.8 0.0 12.7 4.8

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: HINDS

| | | 10-19 | | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|--|---|------------------|---|------------------------------|--|--|------------------------------------|----------------------------|------------------------|---------------|----------------|-----------------------------------|---|-----------------|
| TOTAL WHITE | 248,643 70,212 178,431 | 18,903 3,662 | | 10,2 2,1 | .08 | 3,345 744 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL TEENS | AGES 10-14 | AGES | AGES 18-19 | ALL TEENS | AGES | AGES | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES |
| TEENAGE PR TEENAGE IL TEENS WHO TEENS WHO TEENS WITH | RTHS MATURE BIRTHS LEMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LIV HAD PREVIOUS PRI INADEQUATE* PRI | OF BIRTHS | 432 73 90 425 79 103 31 | 14 6 6 14 0 3 | 131 22 29 128 12 18 10 | 287 45 55 283 67 85 18 | 51 5 7 45 5 10 3 | 1 0 0 1 0 0 | 1 13 0 2 1 | 6 31 5 | 74 93 28 | 13 6 6 13 0 0 3 | 115 21 28 115 12 16 9 | 49 252 62 |
| TEENAGE FE | TAL DEATHS** TAL DEATH RATIO | | 5 11.6 | 0 | 1 7.6 | , | 0 | 0.0 | 0 0.0 | , | 5 13.1 | 0 | 1 8.7 | 4 15.8 |
| - | DUCED TERMINATION | ONS# ON RATIO | 113 261.6 | 9 642.8 | 37 282.4 | 67 233.4 | 10 196.1 | 0.0 | | 5 147.0 | 103 270.3 | 9 692.3 | 32 278.3 | |
| TEENAGE PR TEENAGE PR | EGNANCIES# EGNANCY RATE | | 550 29.1 | 23 2.6 | 169 51.6 | 358 (15-19) | 61 16.6 | 1 0.6 | 21 28.5 | 39 (15-19) | 489 32.1 | 22 3.1 | 148 57.7 | 319 (15-19) |
| | THS TO TEENAGE I | | 5 11.6 | 1 71.4 | 0.0 | 4 13.9 | 1 19.6 | 0.0 | 0.0 | | 4 10.5 | 1 76.9 | 0.0 | 3 11.9 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: HOLMES

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|--|---|--------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------------------|----------------------------|-----------------------|-----------------------|----------------------------|------------------------------|----------------------------|------------------------------|-----------------------------------|
| TOTAL WHITE NONWHITE | 18,796 3,043 15,753 | 1,514 185 1,329 | 704 69 635 | 1 | 10 16 94 | 271 22 249 | | | | | | | | |
| | | | ALL TEENS | ALL R AGES 10-14 | ACES AGES 15-17 | AGES | ALL TEENS | WHI AGES 10-14 | TE AGES 15-17 | AGES 18-19 | ALL TEENS | NONWH AGES 10-14 | ITE AGES 15-17 | AGES 18-19 |
| TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE | | | 40 3 8 39 7 9 2 | 1 0 1 1 0 0 | 11 2 1 11 0 1 | 28 1 6 27 7 8 1 | 1 0 0 0 0 0 | 0 0 0 0 0 | 0 0 0 0 0 | 1 0 0 0 0 0 | 39 3 8 39 7 9 | 1 0 1 1 0 0 | 11 2 1 11 0 1 | 27 1 6 27 7 8 1 |
| | RTILITY RATE | | 26.4 | 1.4 | 48.1 | (15-19) | 5.4 | 0.0 | 0 | (15-19) | 29.3 | 1.6 | 54.8 1 | (15-19) |
| TEENAGE INI | TEENAGE FETAL DEATHS** TEENAGE FETAL DEATH RATIO TEENAGE INDUCED TERMINATIONS# TEENAGE INDUCED TERMINATION RATIO | | 25.0 8 200.0 | 0.0 | 90.9 3 272.7 | 0.0 5 178.6 | 0.0 | 0.0 | 0.0 | 0.0 | 25.6 7 179.5 | 0.0 | 90.9 | 0.0 5 185.2 |

15

0

0.0

33

59.2 (15-19) 10.8

0

0.0

2

0

0.0

0

0

0.0

1 1

0

0.0

0.0 17.2 (15-19)

0

0.0

47

0

0.0

35.4

1

1.6

0

0.0

14

0

0.0

66.3 (15-19)

32

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS

1

1.4

0

0.0

49

32.4

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: HUMPHREYS

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------|---------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | | 637 | 325 | | 12 | 131 | | | | | | | | |
| WHITE | , | 101 | 52 | | 49 | 18 | | | | | | | | |
| NONWHITE | , | 536 | 273 | | 63 | 113 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BIR | THS | | 28 | 0 | 9 | 19 | 3 | 0 | 0 | 3 | 25 | 0 | 9 | 16 |
| TEENAGE IMM | MATURE BIRTHS | | 7 | 0 | 2 | 5 | 0 | 0 | 0 | 0 | 7 | 0 | 2 | 5 |
| TEENAGE PRE | MATURE BIRTHS | | 10 | 0 | 3 | 7 | 2 | 0 | 0 | 2 | 8 | 0 | 3 | 5 |
| TEENAGE ILI | EGITIMATE BIRT | HS | 27 | 0 | 9 | 18 | 2 | 0 | 0 | 2 | 25 | 0 | 9 | 16 |
| TEENS WHO H | AD PREVIOUS LI | VE BIRTHS | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENS WHO H | AD PREVIOUS PRI | EGNANCIES | 8 | 0 | 1 | 7 | 1 | 0 | 0 | 1 | 7 | 0 | 1 | 6 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FER | TILITY RATE | | 44.0 | 0.0 | 89.7 | (15-19) | 29.7 | 0.0 | 61.2 | (15-19) | 46.6 | 0.0 | 95.0 | (15-19) |
| TEENAGE FET | AL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 'AL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IND | UCED TERMINATION | ONS# | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE IND | OUCED TERMINATION | ON RATIO | 71.4 | 0.0 | 0.0 | 105.3 | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 0.0 | 0.0 | 125.0 |
| TEENAGE PRE | GNANCIES# | | 30 | 0 | 9 | 21 | 3 | 0 | 0 | 3 | 27 | 0 | 9 | 18 |
| TEENAGE PRE | GNANCY RATE | | 47.1 | 0.0 | 96.2 | (15-19) | 29.7 | 0.0 | 61.2 | (15-19) | 50.4 | 0.0 | 102.7 | (15-19) |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0 2 0

0

80.0

0.0

0

0.0

0

0.0 125.0

0

0.0

0.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

INFANT DEATHS TO TEENAGE MOTHERS 2 0 0 2
INFANT MORTALITY RATE, TEEN MOMS 71.4 0.0 0.0 105.3

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: ISSAQUENA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|--------------|---------------------------------|--------------------------|--------------------------|--------------------|-----------|-------------------------|-------|-------|-----------|-------|-------|----------|-----------|-------|
| TOTAL | 1,386 | 57 | 27 | | 30 | 14 | | | | | | | | |
| WHITE | 480 | 14 | 7 | | 7 | 2 | | | | | | | | |
| NONWHITE | 906 | 43 | 20 | | 23 | 12 | | | | | | | | |
| | | | | 3.1.1 D | a ana | | | | | | | MONTH | T | |
| | | | | | ACES | | | | TE | | | 21021112 | | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TERMACE DIDT | TIC TIC | | 4 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 1 | 2 |

| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | \mathtt{ALL} | AGES | AGES | AGES |
|---|-------|-------|-------|---------|-------|-------|-------|---------|----------------|-------|-------|---------|
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |
| TEENAGE IMMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | Ü | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 70.2 | 0.0 | 133.3 | (15-19) | 71.4 | 0.0 | 142.8 | (15-19) | 69.8 | 0.0 | 130.4 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATIONS# TEENAGE INDUCED TERMINATION RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATION RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |
| TEENAGE PREGNANCY RATE | 70.2 | 0.0 | 133.3 | (15-19) | 71.4 | 0.0 | 142.8 | (15-19) | 69.8 | 0.0 | 130.4 | (15-19) |
| | | | | | | | | | | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| , | | | | | | | | | | | | |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: ITAWAMBA

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 23,340 | 1,653 | 731 | 922 | 288 |
| WHITE | 21,583 | 1,477 | 679 | 798 | 273 |
| NONWHITE | 1,757 | 176 | 52 | 124 | 15 |

| | ALL RACES | | | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 50 | 2 | 13 | 35 | 47 | 2 | 12 | 33 | 3 | 0 | 1 | 2 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 0 | 4 | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 1 | 6 | 7 | 0 | 1 | 6 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 41 | 2 | 11 | 28 | 38 | 2 | 10 | 26 | 3 | 0 | 1 | 2 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 9 | 0 | 2 | 7 | 9 | 0 | 2 | 7 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 10 | 0 | 2 | 8 | 10 | 0 | 2 | 8 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 30.2 | 2.7 | 52.1 | (15-19) | 31.8 | 2.9 | 56.4 | (15-19) | 17.0 | 0.0 | 24.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 20.0 | 0.0 | 76.9 | 0.0 | 21.3 | 0.0 | 83.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 51 | 2 | 14 | 35 | 48 | 2 | 13 | 33 | 3 | 0 | 1 | 2 |
| TEENAGE PREGNANCY RATE | 30.8 | 2.7 | | (15-19) | 32.5 | 2.9 | | (15-19) | | 0.0 | 24.2 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: JACKSON

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------|---------------------------------|----------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------|--------------|---------------|---------------|---------------|
| TOTAL WHITE NONWHITE | 140,298 103,149 37,149 | 9,510 6,397 | 4,918 3,279 | | 92 .18 | 1,520 | | | | | | | | |
| | | | | ALL R | | | | WHI | | | | NONWH | | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 164 | 2 | 51 | 111 | 101 | 2 | 25 | 74 | 63 | 0 | 26 | 37 |
| _ | MATURE BIRTHS | | 19 | 1 | 3 | 15 | 11 | 1 | 1 | | 8 | 0 | 2 | 6 |
| TEENAGE PR | REMATURE BIRTHS | | 27 | 0 | 9 | 18 | 15 | 0 | 4 | | 12 | 0 | 5 | 7 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 150 | 2 | 51 | 97 | 88 | 2 | 25 | 61 | 62 | 0 | 26 | 36 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 18 | 0 | 1 | 17 | 9 | 0 | 1 | 8 | 9 | 0 | 0 | 9 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 26 | 0 | 1 | 25 | 15 | 0 | 1 | | 11 | 0 | 0 | 11 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE FE | CRTILITY RATE | | 17.2 | 0.4 | 35.3 | (15-19) | 15.8 | 0.6 | 31.8 | (15-19) | 20.2 | 0.0 | 42.7 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 12.2 | 500.0 | 19.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.7 | - | 38.5 | 0.0 |
| TEENAGE IN | IDUCED TERMINATION | ONS# | 23 | 1 | 4 | 18 | 7 | 0 | 3 | 4 | 16 | 1 | 1 | 14 |
| TEENAGE IN | IDUCED TERMINATIO | ON RATIO | 140.2 | 500.0 | 78.4 | 162.2 | 69.3 | 0.0 | 120.0 | 54.0 | 254.0 | - | 38.5 | 378.4 |
| TEENAGE PR | REGNANCIES# | | 189 | 4 | 56 | 129 | 108 | 2 | 28 | 78 | 81 | 2 | 28 | 51 |
| TEENAGE PR | REGNANCY RATE | | 19.9 | 0.8 | 40.3 | (15-19) | 16.9 | 0.6 | 34.0 | (15-19) | 26.0 | 1.2 | 53.6 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS 3 0 1 2 1 INFANT MORTALITY RATE, TEEN MOMS 18.3 0.0 19.6 18.0 9.9

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

9.9 0.0 0.0 13.5

0

1

31.7

0

1

0.0 38.5 27.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: JASPER

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|--|-------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------|--------------|---------------|---------------|---------------|
| TOTAL WHITE | 16,523 7,693 | | 583 221 | 5 | 45 92 | 262 109 | | | | | | | | |
| NONWHITE | 8,830 | 715 | 362 | | 53 | 153 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| _ | TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS | | | 2 | 7 | 21 | 12 | 0 | 1 | | 18 | 2 | 6 | 10 |
| | - | | 2 2 | 1 | 0 | 1 | 1 | 0 | 0 | | 1 | 1 | 0 | 0 |
| | EMATURE BIRTHS LEGITIMATE BIRTI | пс | 25 | 2 | 1 7 | 0 16 | 0 8 | 0 0 | 0 | 0 7 | 2 17 | 1 2 | 1 6 | 0 9 |
| | HAD PREVIOUS LI | | 5 | 0 | 2 | 3 | 2 | 0 | 0 | 2 | 3 | 0 | 2 | 1 |
| TEENS WHO H | HAD PREVIOUS PRI | EGNANCIES | 6 | 0 | 2 | 4 | 3 | 0 | 0 | 3 | 3 | 0 | 2 | 1 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 4 | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 3 | 1 | 2 | 0 |
| TEENAGE FER | RTILITY RATE | | 26.6 | 3.4 | 51.4 | (15-19) | 29.0 | 0.0 | 62.5 | (15-19) | 25.2 | 5.5 | 45.3 | (15-19) |
| | | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | CENAGE FETAL DEATHS** CENAGE FETAL DEATH RATIO CENAGE INDUCED TERMINATIONS# CENAGE INDUCED TERMINATION RATIO | | 4 133.3 | 0.0 | 0.0 | 4 190.5 | 0.0 | 0.0 | 0.0 | 0.0 | 4 222.2 | 0.0 | 0.0 | 4 400.0 |

7 25

58.7 (15-19)

0

0.0

0

0.0

12

29.0

0

0.0

0

0.0

0

0.0

1 11

62.5 (15-19)

0

0.0

0

0.0

22

30.8

0

0.0

2

5.5

0

0.0

6

0

0.0

56.6 (15-19)

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

2

3.4

0

0.0

34

30.1

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: JEFFERSON

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 7,638 | 484 | 228 | | 56 | 130 | | | | | | | | |
| WHITE | | 38 | 18 | | | 9 | | | | | | | | |
| NONWHITE | 6,580 | 446 | 210 | | 36 | 121 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 20 | 1 | 6 | 13 | 0 | 0 | 0 | 0 | 20 | 1 | 6 | 13 |
| | MATURE BIRTHS | | 2 | 0 | 1 | 1 | 0 | 0 | 0 | | 2 | 0 | 1 | 1 |
| | EMATURE BIRTHS | | 4 | 0 | 2 | 2 | 0 | 0 | 0 | | 4 | 0 | 2 | 2 |
| | LEGITIMATE BIRT | | 20 | 1 | 6 | 13 | 0 | 0 | 0 | | 20 | 1 | 6 | 13 |
| | HAD PREVIOUS LI | - | 3 | 0 | 0 | 3 | 0 | 0 | 0 | | 3 | 0 | 0 | 3 |
| | HAD PREVIOUS PR | | 6 | 0 | 0 | 6 | 0 | 0 | 0 | | 6 | 0 | 0 | 6 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 3 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 |
| TEENAGE FE | RTILITY RATE | | 41.3 | 4.4 | 74.2 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) | 44.8 | 4.8 | 80.5 | (15-19) |
| | TAL DEATHS** | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |

0.0

6

0

0.0

74.2 (15-19)

0.0

13

0

0.0

0.0

0

0.0

0

0.0

0.0

0

0.0

0

0.0

0.0

0

0

0.0

0.0 (15-19)

0.0

0

0

0.0

0.0

20

0

0.0

44.8

0.0

1

4.8

0

0.0

0.0

6

0

0.0

80.5 (15-19)

0.0

13

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

1

4.4

0

0.0

0.0 0.0

20

41.3

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: JEFF DAVIS

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|-------------|--------------------------|-------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 12,032 | 722 | 339 | 3 | 83 | 142 | | | | | | | | |
| WHITE NONWHITE | 4,713 7,319 | 171 551 | 87 252 | 2 | | 51 91 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | TTF: | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 25 | 0 | 7 | 18 | 5 | 0 | 1 | 4 | 20 | 0 | 6 | 14 |
| | MATURE BIRTHS | | 3 | 0 | 1 | 2 | 1 | 0 | 0 | | 2 | 0 | 1 | 1 |
| | EMATURE BIRTHS | | 5 | 0 | 3 | 2 | 2 | 0 | 1 | 1 | 3 | 0 | 2 | 1 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 23 | 0 | 7 | 16 | 3 | 0 | 1 | 2 | 20 | 0 | 6 | 14 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 7 | 0 | 0 | 7 | 3 | 0 | 0 | 3 | 4 | 0 | 0 | 4 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 8 | 0 | 0 | 8 | 3 | 0 | 0 | 3 | 5 | 0 | 0 | 5 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 34.6 | 0.0 | 65.3 | (15-19) | 29.2 | 0.0 | 59.5 | (15-19) | 36.3 | 0.0 | 66.9 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 160.0 | 0.0 | 142.8 | 166.7 | 0.0 | 0.0 | 0.0 | 0.0 | 200.0 | 0.0 | 166.7 | 214.3 |
| TEENAGE PR | EGNANCIES# | | 29 | 0 | 8 | 21 | 5 | 0 | 1 | 4 | 24 | 0 | 7 | 17 |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCY RATE

40.2

0

0.0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

75.7 (15-19)

0

0.0

0

0.0

29.2

0

0.0

0.0

0

0.0

59.5 (15-19)

0

0.0

0

0.0

43.6

0

0.0

0.0

0

0.0

80.3 (15-19)

Ω

0.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: JONES

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAI AG 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|-------------------------------------|-------------|--------------------------|--------------------|------------|-------------------------|----------|-------|------|---------|----------|-------|-------|---------|
| | 68,641 47,463 21,178 | | 2,400 1,435 965 | 2 2 | 262 396 | 995 | | | | | | | | |
| | | | | ALL F | RACES - | | | WHI | TE | | | NONWH | HITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | |
| | | | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | | 18-19 |
| TEENAGE BIRTHS | | | 152 | 1 | 39 | | 89 | 0 | | | 63 | | 20 | |
| - | TEENAGE IMMATURE BIRTHS | | | 1 | 3 | | 9 | 0 | 0 | 9 | 14 | 1 | 3 | 10 |
| | REMATURE BIRTHS | | 21 | 0 | 5 | 16 | 9 | 0 | 1 | | 12 | 0 | 4 | 8 |
| | LEGITIMATE BIRT | | | | 36 | 86 | 60 | 0 | | | 63 | 1 | 20 | |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 30 | 0 | 2 2 | | 16 19 | 0 | 1 | | 14 16 | 0 | 1 | |
| TEENS WHO | HAD PREVIOUS PR H INADEQUATE* PR | ENATAL CARE | 23 | 0 | 8 | 15 | 11 | 0 | 5 | | 12 | 0 | 3 | |
| | ERTILITY RATE | | 32.6 | 0.4 | 66.8 | (15-19) | 31.4 | 0.0 | 63.8 | (15-19) | 34.4 | 1.0 | 71.6 | (15-19) |
| TEENAGE FE | ETAL DEATHS** | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | ETAL DEATH RATIO | | 6.6 | 0.0 | 25.6 | 0.0 | 11.2 | 0.0 | 52.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | NDUCED TERMINATION | ONS# | 10 | 0 | 3 | 7 | 3 | 0 | 0 | 3 | 7 | 0 | 3 | 4 |
| TEENAGE IN | NDUCED TERMINATION | ON RATIO | 65.8 | 0.0 | 76.9 | 62.5 | 33.7 | 0.0 | 0.0 | 42.8 | 111.1 | 0.0 | 150.0 | 95.2 |
| TEENAGE PR | REGNANCIES# | | 163 | 1 | 43 | | 93 | 0 | 20 | | 70 | 1 | 23 | |
| TEENAGE PR | REGNANCY RATE | | 35.0 | 0.4 | 71.6 | (15-19) | 32.8 | 0.0 | 66.6 | (15-19) | 38.2 | 1.0 | 79.7 | (15-19) |
| INFANT DEA | ATHS TO TEENAGE | MOTHERS | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| INFANT MOR | RTALITY RATE, TE | EN MOMS | 13.2 | 0.0 | 0.0 | 17.9 | 11.2 | 0.0 | 0.0 | 14.3 | 15.9 | 0.0 | 0.0 | 23.8 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: KEMPER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 10,335 | 725 | 324 | 4 | :01 | 82 | | | | | | | | |
| WHITE | 3,631 | 178 | 71 | 1 | .07 | 25 | | | | | | | | |
| NONWHITE | 6,704 | 547 | 253 | 2 | 194 | 57 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 14 | 0 | 3 | 11 | 3 | 0 | 0 | 3 | 11 | 0 | 3 | 8 |
| TEENAGE IM | MATURE BIRTHS | | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE PR | EMATURE BIRTHS | | 3 | 0 | 1 3 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 3 | 2 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 14 | 0 | 3 | 11 | 3 | 0 | 0 | 3 | 11 | 0 | 3 | 8 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FE | RTILITY RATE | | 19.3 | 0.0 | 34.9 | (15-19) | 16.8 | 0.0 | 28.0 | (15-19) | 20.1 | 0.0 | 37.4 | (15-19) |
| - | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |

0.0

3

0

0.0

34.9 (15-19)

0.0

11

0

0.0

0.0

3

16.8

0

0.0

0.0

0

0.0

0

0.0

0.0

0

0

0.0

28.0 (15-19)

0.0

3

0

0.0

90.9

12

0

0.0

21.9

0.0

3

0

0.0

37.4(15-19)

1

4.0

0

0.0

0.0

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

1

3.1

0

0.0

15

20.7

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TEENAGE INDUCED TERMINATION RATIO 71.4 -

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LAFAYETTE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|---------------------------|---------------------------------|--------------------------|--------------------------|--------------------|----------|-------------------------|-------|-------|----------|---------|-------|-------|-------|---------|
| TOTAL | 49,495 | | 1,212 | 2,6 | | 583 | | | | | | | | |
| WHITE | 35,680 | 2,661 | 758 | 1,9 | | 393 | | | | | | | | |
| NONWHITE | 13,815 | 1,166 | 454 | 7 | | 190 | | | | | | | | |
| | | | | | | WHI | TE | | NONWHITE | | | | | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | TEENAGE BIRTHS | | 45 | 1 | 12 | 32 | 27 | 1 | 6 | 20 | 18 | 0 | 6 | 12 |
| _ | MATURE BIRTHS | | 4 | 0 | 1 | 3 | 0 | 0 | 0 | | 4 | 0 | 1 | 3 |
| | EMATURE BIRTHS | | 3 | 0 | 0 | 3 | 2 | 0 | 0 | | 1 | 0 | 0 | 1 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 39 | 1 | 12 | 26 | 21 | 1 | 6 | 14 | 18 | 0 | 6 | 12 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 5 | 0 | 1 | 4 | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 4 | 0 | 1 | 3 | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE FE | RTILITY RATE | | 11.8 | 0.8 | 16.8 | (15-19) | 10.1 | 1.3 | 13.7 | (15-19) | 15.4 | 0.0 | 25.3 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | DUCED TERMINATION | | 15 | 0 | 3 | 12 | 8 | 0 | 1 | 7 | 6 | 0 | 2 | 4 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 333.3 | 0.0 | 250.0 | 375.0 | 296.3 | 0.0 | 166.7 | 350.0 | 333.3 | 0.0 | 333.3 | 333.3 |
| TEENAGE PR | EGNANCIES# | | 60 | 1 | 15 | 44 | 35 | 1 | 7 | 27 | 24 | 0 | 8 | 16 |
| TEENAGE PR | EGNANCY RATE | | 15.7 | 0.8 | 22.6 | (15-19) | 13.2 | 1.3 | 17.9 | (15-19) | 20.6 | 0.0 | 33.7 | (15-19) |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

Ω

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

INFANT DEATHS TO TEENAGE MOTHERS 0 0 0 1 INFANT MORTALITY RATE, TEEN MOMS 0.0 0.0 0.0

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LAMAR

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|-------|-----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 57,786 | 3,998 | 2,048 | 1,9 | | 838 | | | | | | | | |
| WHITE | 44,601 | 2,870 | 1,504 | 1,3 | 366 | 602 | | | | | | | | |
| NONWHITE | 13,185 | 1,128 | 544 | 5 | 584 | 236 | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 89 | 0 | 23 | 66 | 61 | 0 | 16 | 45 | 28 | 0 | 7 | 21 |
| TEENAGE IM | MATURE BIRTHS | | 11 | 0 | 4 | 7 | 4 | 0 | 2 | 2 | 7 | 0 | 2 | 5 |
| TEENAGE PR | REMATURE BIRTHS | | 15 | 0 | 4 | 11 | 9 | 0 | 2 | 7 | 6 | 0 | 2 | 4 |
| - | LEGITIMATE BIRT | | 75 | 0 | 22 | 53 | 48 | 0 | 15 | 33 | 27 | 0 | 7 | 20 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 12 | 0 | 1 | 11 | 7 | 0 | 0 | 7 | 5 | 0 | 1 | 4 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 18 | 0 | 2 | 16 | 13 | 0 | 1 | 12 | 5 | 0 | 1 | 4 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 4 | 0 | 3 | 1 | 1 | 0 | 0 | 1 | 3 | 0 | 3 | 0 |
| TEENAGE FE | ERTILITY RATE | | 22.3 | 0.0 | 45.6 | (15-19) | 21.2 | 0.0 | 44.6 | (15-19) | 24.8 | 0.0 | 47.9 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATI | ONS# | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |

0.0

0

0.0

0

0.0

0.0

16

0

0.0

45.4 (15-19)

22.2

46

0

0.0

16.4

62

21.6

0

0.0

107.1

31

0

0.0

27.5

0.0 142.8

8

0.0 53.1 (15-19)

0

0.0

Ω

0.0

0

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS
INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

44.9 0.0 43.5 45.4

24

0

0.0

69

0

0.0

47.7 (15-19)

0

0.0

0

0.0

93

23.3

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LAUDERDALE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|-------------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 80,220 | 5,320 | 2,565 | 2,7 | | 1,032 | | | | | | | | |
| WHITE NONWHITE | 44,086 36,134 | 2,361 2,959 | 1,153 1,412 | 1,2 1,5 | | 520 512 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 99 | 3 | 26 | 70 | 27 | 0 | 6 | 21 | 72 | 3 | 20 | 49 |
| _ | MATURE BIRTHS | | 12 | 0 | 1 | 11 | 2 | 0 | 0 | 2 | 10 | 0 | 1 | 9 |
| _ | EMATURE BIRTHS | | 17 | 0 | 1 | 16 | 2 | 0 | 0 | 2 | 15 | 0 | 1 | 14 |
| _ | LEGITIMATE BIRT | | 92 | 3 | 24 | 65 | 22 | 0 | 5 | 17 | 70 | 3 | 19 | 48 |
| | HAD PREVIOUS LIV | | 21 | 0 | 1 | 20 | 6 | 0 | 1 | 5 | 15 | 0 | 0 | 15 |
| | HAD PREVIOUS PRI INADEQUATE* PRI | | 24 4 | 0 | 0 | 23 4 | 6 1 | 0 | 0 | 5 1 | 18 3 | 0 | 0 | 18 3 |
| TEENAGE FE | RTILITY RATE | | 18.6 | 1.2 | 34.8 | (15-19) | 11.4 | 0.0 | 22.4 | (15-19) | 24.3 | 2.1 | 44.6 | (15-19) |
| _ | TAL DEATHS** TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

5

31

0

41.0 (15-19)

0.0 14.3

12

82

1

6

33

0

0.0

14.0

222.2

0

0

0.0

0

0.0

2

8

0

0.0

27.3 (15-19)

0.0 333.3 190.5

4

25

0

0.0

11

83

1

28.0

13.9

152.8

56

1

20.4

3

23

0

0.0

51.1 (15-19)

333.3 150.0 142.8

1

4

0

2.8

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATIONS#

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

18

117

22.0

1

10.1

1

4

1.6

0

0.0

181.8 333.3 192.3 171.4

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LAWRENCE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|---------------------------------|--------------------------|--------------------------|--------------------|-------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL WHITE | 12,551 8,491 | 817 487 | 406 252 | 4 2 | 11 | 141 93 | | | | | | | | |
| NONWHITE | , | 330 | | 1 | | 48 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | | 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 23 | 0 | 3 | | 13 | 0 | 1 | | 10 | 0 | 2 | 8 |
| _ | MATURE BIRTHS | | 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| _ | EMATURE BIRTHS | | 6 | 0 | 1 3 0 | 5 | 3 | 0 | 0 | 3 | 3 | 0 | 1 2 | 2 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 19 | 0 | 3 | 16 | 9 | 0 | 1 | 8 | 10 | 0 | 2 | 8 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 5 | 0 | 0 | 5 | 2 | 0 | 0 | 2 | 3 | 0 | 0 | 3 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 6 | 0 | 0 | 6 | 3 | 0 | 0 | 3 | 3 | 0 | 0 | 3 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 28.2 | 0.0 | 56.0 | (15-19) | 26.7 | 0.0 | 55.3 | (15-19) | 30.3 | 0.0 | 56.8 | (15-19) |

0

0

3

0

0.0

56.0 (15-19)

0.0

0.0

0

0.0

0

20

0

0.0

0.0

0

0.0

0

0.0

13

26.7

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

1

0

0.0

55.3 (15-19)

0

0

0.0

12

0

0.0

0.0

0

0.0

0

0.0

10

0

0.0

30.3

0

0

0

0.0

0

0.0

0.0

0.0

0

0

2

0

0.0

56.8 (15-19)

0.0

0.0

0

0

Ω

0.0

0.0

0.0

| * | ACCORDING | TΩ | THE | RECOMED | TNDFY |
|---|-----------|----|-----|---------|-------|
| | | | | | |

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

23

28.2

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LEAKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL WHITE | 23,297 11,862 | 1,467 656 | 767 356 | | 00 | 288 145 | | | | | | | | |
| NONWHITE | | 811 | 411 | | 00 | 143 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | | | 41 | 2 | 10 | 29 | 17 | 0 | 5 | 12 | 24 | 2 | 5 | 17 |
| | MATURE BIRTHS | | 2 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |
| | EMATURE BIRTHS | | 4 | 0 | 0 | 4 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 |
| | LEGITIMATE BIRT | | 38 | 2 | 9 | 27 | 14 | 0 | 4 | 10 | 24 | 2 | 5 | 17 |
| | HAD PREVIOUS LIV | | 8 | 0 | 1 | 7 | 3 | 0 | 1 | 2 | 5 | 0 | 0 | 5 |
| | HAD PREVIOUS PRI | | 8 | 0 | 1 | 7 | 3 | 0 | 1 | 2 | 5 | 0 | 0 | 5 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 27.9 | 2.6 | 55.7 | (15-19) | 25.9 | 0.0 | 56.7 | (15-19) | 29.6 | 4.9 | 55.0 | (15-19) |

0

2

12

0

0.0

64.3 (15-19)

34.5

3

33

0

0.0

0.0

0

2

19

0

0.0

29.0

0.0

0

0

0.0

0

0.0

0.0 200.0

0.0

1

6

0

0.0

63.3 (15-19)

0.0

117.6

0

1

13

0

0.0

83.3

0.0

0

2

4

0

9.7

0.0

208.3 1000.0 200.0 117.6

0.0

5

30

0

0.0

37.0

0

1

6

0

0.0

65.0 (15-19)

0.0

58.8

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

0

2

4

5.2

0

0.0

170.7 1000.0 200.0 103.4

0.0

1

7

49

0

0.0

33.4

24.4

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LEE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 85,042 | 5,806 | 3,059 | 2,7 | | 1,138 | | | | | | | | |
| WHITE | 59,222 | 3,595 | 1,932 | 1,6 | 63 | 726 | | | | | | | | |
| NONWHITE | 25,820 | 2,211 | 1,127 | 1,0 | 84 | 412 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 160 | 2 | 44 | 114 | 83 | 1 | 23 | 59 | 77 | 1 | 21 | 55 |
| TEENAGE IM | MATURE BIRTHS | | 25 | 2 | 7 | 16 | 9 | 1 | 4 | 4 | 16 | 1 | 3 | 12 |
| TEENAGE PR | REMATURE BIRTHS | | 43 | 0 | 10 | 33 | 20 | 0 | 7 | 13 | 23 | 0 | 3 | 20 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 137 | 2 | 42 | 93 | 64 | 1 | 21 | 42 | 73 | 1 | 21 | 51 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 28 | 0 | 4 | 24 | 13 | 0 | 1 | 12 | 15 | 0 | 3 | 12 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 38 | 0 | 5 | 33 | 19 | 0 | 1 | 18 | 19 | 0 | 4 | 15 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 7 | 0 | 2 | 5 | 6 | 0 | 2 | 4 | 1 | 0 | 0 | 1 |
| TEENAGE FE | CRTILITY RATE | | 27.6 | 0.6 | 57.5 | (15-19) | 23.1 | 0.5 | 49.3 | (15-19) | 34.8 | 0.9 | 70.1 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |

0.0

78.9

123

2

9

0.0

9

92

25.6

0

0.0

108.4

0.0

0

1

0.5

0

0.0

0.0 260.9

0.0

6

29

0

0.0

54.7 (15-19)

0.0

50.8

3

62

0

0.0

26.0

1.3

92

2

41.6

26.0

168.8

0.0

0

1

0.9

0

0.0

95.2

7

30

0

83.9 (15-19)

0.0 36.4

0.0 333.3 109.1

0.0

61

TEENAGE FETAL DEATH RATIO

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATIONS#

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

12.5

22

184

31.7

2

12.5

137.5

0.0 45.4

0.0 295.4

13

59

0

66.2 (15-19)

0.0 17.5

0

2

0.6

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LEFLORE

| RACE | | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|------------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 30,948 | 2,342 | 1,078 | 1,2 | 64 | 460 | | | | | | | | |
| WHITE NONWHITE | 7,957 22,991 | 1,983 | 190 888 | 1 1,0 | | 113 347 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | |
| TEENAGE BIF | RTHS | | 56 | 4 | 15 | 37 | 6 | 0 | 1 | 5 | 50 | 4 | 14 | 32 |
| - | MATURE BIRTHS | | 8 6 | 0 | 3 | 5 | 0 | 0 | 0 | - | 8 | 0 | 3 | 5 3 |
| | EMATURE BIRTHS LEGITIMATE BIRTH | 46 | 56 | 4 | 3 15 | 3 37 | 6 | 0 | 0 1 | 0 5 | 50 | 0 4 | 3 14 | 3 32 |
| | HAD PREVIOUS LIV | | 9 | 0 | 4 | 5 | 2 | 0 | 1 | 1 | 7 | 0 | 3 | 4 |
| TEENS WHO H | HAD PREVIOUS PRI | EGNANCIES | 13 | 0 | 4 | 9 | 3 | 0 | 1 | 2 | 10 | 0 | 3 | 7 |
| TEENS WITH | INADEQUATE* PRE | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FEF | RTILITY RATE | | 23.9 | 3.7 | 41.1 | (15-19) | 16.7 | 0.0 | 35.5 | (15-19) | 25.2 | 4.5 | 42.0 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 1 17.8 | 0.0 | 1 66.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1 20.0 | 0.0 | 1 71.4 | 0.0 |
| - | DUCED TERMINATIO | ONS# ON RATIO | 12 214.3 | 2 500.0 | 5 333.3 | 5 135.1 | 1 166.7 | 0.0 | 0.0 | 1 200.0 | 11 220.0 | 2 500.0 | 5 357.1 | 4 125.0 |
| TEENAGE PRE | EGNANCIES# EGNANCY RATE | | 69 29.5 | 6 5.6 | 21 49.8 | 42 (15-19) | 7 19.5 | 0.0 | 1 41.4 | 6 (15-19) | 62 31.3 | 6 6.8 | 20 51.1 | 36 (15-19) |

Ω

0.0

0

0.0

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS

0.0

0.0

0 0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LINCOLN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAI AG 15- | EES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|------------|-------------------------|-------|-------|-------|---------|-------|--------|-------|---------|
| TOTAL | | | | 1,1 | | 457 | | | | | | | | |
| WHITE | | | 840 | . 7 | | 284 | | | | | | | | |
| NONWHITE | 11,161 | 904 | 461 | 4 | 143 | 173 | | | | | | | | |
| | | | | ALL F | RACES | | | WHI | TE | | | NONWE | HITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | 15-17 | |
| TEENAGE BI | RTHS | | 44 | 1 | 11 | 32 | 20 | 0 | 3 | 17 | 24 | 1 | 8 | 15 |
| TEENAGE IM | MATURE BIRTHS | | 5 | 0 | 1 | 4 | 1 | 0 | 0 | | 4 | 0 | 1 | 3 |
| TEENAGE PR | EMATURE BIRTHS | | 7 | 0 | 2 | 5 | 2 | 0 | 0 | 2 | 5 | 0 | 2 | 3 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 39 | 1 | 11 | 27 | 15 | 0 | 3 | 12 | 24 | 1 | 8 | 15 |
| TEENS WHO | HAD PREVIOUS LIV | /E BIRTHS | 9 | 0 | 1 | 8 | 2 | 0 | 0 | 2 | 7 | 0 | 1 | 6 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 11 | 0 | 1 | 10 | 2 | 0 | 0 | 2 | 9 | 0 | 1 | 8 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 5 | 0 | 1 | 4 | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 17.9 | 0.8 | 37.0 | (15-19) | 12.8 | 0.0 | 27.8 | (15-19) | 26.5 | 2.2 | 51.9 | (15-19) |
| | TAL DEATHS** | | 2 | 0 | 1 | | 1 | 0 | 0 | | 1 | 0 | 1 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 45.4 | 0.0 | 90.9 | 31.2 | 50.0 | 0.0 | 0.0 | 58.8 | 41.7 | 0.0 | 125.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 6 | 1 | 2 | 3 | 2 | 0 | 1 | 1 | 4 | 1 | 1 | 2 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 136.4 | 1000.0 | 181.8 | 93.8 | 100.0 | 0.0 | 333.3 | | 166.7 | 1000.0 | 125.0 | 133.3 |
| TEENAGE PR | EGNANCIES# | | 52 | 2 | 14 | 36 | 23 | 0 | 4 | 19 | 29 | 2 | 10 | 17 |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCY RATE

1

22.7

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

21.1 1.5 43.1 (15-19) 14.8

0

0.0 31.3

1

1

50.0

0.0 32.0 (15-19) 32.1

0.0 58.8

1

0

0.0

0

0

0.0

4.3 60.9 (15-19)

0

0.0

Ω

0.0

0

0.0

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: LOWNDES

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|-------------|--------------------------|-------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 59,670 | 4,145 | 2,023 | 2,1 | | 829 | | | | | | | | |
| WHITE | 32,223 | 1,839 | 894 | 9 | 45 | 440 | | | | | | | | |
| NONWHITE | 27,447 | | 1,129 | 1,1 | .77 | 389 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 87 | 1 | 24 | 62 | 17 | 0 | 4 | 13 | 70 | 1 | 20 | 49 |
| TEENAGE IM | MATURE BIRTHS | | 10 | 0 | 4 | 6 | 2 | 0 | 1 | 1 | 8 | 0 | 3 | 5 |
| TEENAGE PR | EMATURE BIRTHS | | 10 | 0 | 5 | 5 | 2 | 0 | 1 | 1 | 8 | 0 | 4 | 4 |
| TEENAGE IL | LEGITIMATE BIRTH | HS | 85 | 1 | 23 | 61 | 16 | 0 | 3 | 13 | 69 | 1 | 20 | 48 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 13 | 0 | 3 | 10 | 3 | 0 | 1 | 2 | 10 | 0 | 2 | 8 |
| TEENS WHO | HAD PREVIOUS PRE | EGNANCIES | 19 | 0 | 3 | 16 | 4 | 0 | 1 | 3 | 15 | 0 | 2 | 13 |
| TEENS WITH | I INADEQUATE* PRE | ENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FE | RTILITY RATE | | 21.0 | 0.5 | 40.5 | (15-19) | 9.2 | 0.0 | 18.0 | (15-19) | 30.4 | 0.9 | 58.6 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 16 | 0 | 5 | | 4 | 0 | 0 | 4 | 12 | 0 | 5 | 7 |
| TEENAGE IN | IDUCED TERMINATIO | ON RATIO | 183.9 | 0.0 | 208.3 | 177.4 | 235.3 | 0.0 | 0.0 | 307.7 | 171.4 | 0.0 | 250.0 | 142.8 |

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS

103

24.8

0

0.0

1

0.5

0

0.0

29

0

0.0

48.1 (15-19)

73

0

0.0

11.4

0

0.0

0

0

0.0

4 17

0

0.0

0.0 22.2 (15-19)

0

0.0

82

35.6

0

0.0

1

0.9

0

0.0

25

0

0.0

68.8 (15-19)

56

Ω

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: MADISON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 98,468 | 7,090 | 3,659 | 3,4 | | 1,282 | | | | | | | | |
| WHITE | 57,056 | | 1,901 | 1,7 | | 725 | | | | | | | | |
| NONWHITE | 41,412 | 3,489 | 1,758 | 1,7 | | 557 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 92 | 2 | 28 | 62 | 29 | 0 | 12 | 17 | 63 | 2 | 16 | 45 |
| - | MATURE BIRTHS | | 8 | 1 | 1 | 6 | 0 | 0 | 0 | 0 | 8 | 1 | 1 | 6 |
| | EMATURE BIRTHS | | 18 | 0 | 6 | 12 | 4 | 0 | 2 | 2 | 14 | 0 | 4 | 10 |
| | LEGITIMATE BIRT | HS | 89 | 2 | 27 | 60 | 26 | 0 | 11 | 15 | 63 | 2 | 16 | 45 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 22 | 1 | 3 | 18 | 5 | 0 | 2 | 3 | 17 | 1 | 1 | 15 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 26 | 1 | 5 | 20 | 6 | 0 | 3 | 3 | 20 | 1 | 2 | 17 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE FE | RTILITY RATE | | 13.0 | 0.5 | 26.2 | (15-19) | 8.0 | 0.0 | 17.0 | (15-19) | 18.0 | 1.1 | 35.2 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 10.9 | 0.0 | 0.0 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 15.9 | 0.0 | 0.0 | 22.2 |
| | DUCED TERMINATION | | 20 | 0 | 8 | 12 | 3 | 0 | 3 | 0 | 17 | 0 | 5 | 12 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 217.4 | 0.0 | 285.7 | 193.5 | 103.4 | 0.0 | 250.0 | 0.0 | 269.8 | 0.0 | 312.5 | 266.7 |
| TEENAGE PR | EGNANCIES# | | 113 | 2 | 36 | 75 | 32 | 0 | 15 | 17 | 81 | 2 | 21 | 58 |
| TEENAGE PR | EGNANCY RATE | | 15.9 | 0.5 | 32.4 | (15-19) | 8.9 | 0.0 | 18.8 | (15-19) | 23.2 | 1.1 | 45.6 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS 2 0 1 1 0 INFANT MORTALITY RATE, TEEN MOMS 21.7 0.0 35.7 16.1 0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

31.7

0.0

0

1

0.0 62.5 22.2

0

0.0 0.0

0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: MARION

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS | | | |
|----------------------------|---------------------------------|--------------------------|--------------------------|--------------------------------|-------------------------|--------------|-----------------------|--|
| TOTAL WHITE NONWHITE | 26,442 17,433 9,009 | 1,673 999 674 | 872 519 353 | 801 480 321 | 337 219 118 | | | |
| | | | ALL TEENS | ALL RACES AGES AGES 10-14 15-1 | S AGES | ALL TEENS | WHIT AGES 10-14 | |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 54 | 0 | 16 | 38 | 34 | 0 | 9 | 25 | 20 | 0 | 7 | 13 |
| TEENAGE IMMATURE BIRTHS | 12 | 0 | 4 | 8 | 6 | 0 | 2 | 4 | 6 | 0 | 2 | 4 |
| TEENAGE PREMATURE BIRTHS | 15 | 0 | 5 | 10 | 7 | 0 | 3 | 4 | 8 | 0 | 2 | 6 |
| TEENAGE ILLEGITIMATE BIRTHS | 46 | 0 | 14 | 32 | 26 | 0 | 7 | 19 | 20 | 0 | 7 | 13 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 14 | 0 | 1 | 13 | 11 | 0 | 1 | 10 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 17 | 0 | 2 | 15 | 14 | 0 | 2 | 12 | 3 | 0 | 0 | 3 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 32.3 | 0.0 | 67.4 | (15-19) | 34.0 | 0.0 | 70.8 | (15-19) | 29.7 | 0.0 | 62.3 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE INDUCED TERMINATION RATIO | 37.0 | 0.0 | 0.0 | 52.6 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 153.8 |
| TEENAGE PREGNANCIES# | 56 | 0 | 16 | 40 | 34 | 0 | 9 | 25 | 22 | 0 | 7 | 15 |
| TEENAGE PREGNANCY RATE | 33.5 | 0.0 | 69.9 | (15-19) | 34.0 | 0.0 | | (15-19) | 32.6 | 0.0 | 68.5 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 55.6 | 0.0 | 0.0 | 78.9 | 29.4 | 0.0 | 0.0 | 40.0 | 100.0 | 0.0 | 0.0 | 153.8 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: MARSHALL

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------|--------------------------|--------------------|----------|-------------------------|-------|-----------|-------|---------|-------|-----------|-------|---------|
| TOTAL | 36,612 | 2,532 | | 1,3 | 10 | 447 | | | | | | | | |
| WHITE NONWHITE | • | 998 1,534 | 518 704 | 4 8 | | 226 221 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 63 | 0 | 15 | 48 | 32 | 0 | 5 | 27 | 31 | 0 | 10 | 21 |
| TEENAGE IM | MATURE BIRTHS | | 9 | 0 | 4 | 5 | 3 | 0 | 1 | 2 | 6 | 0 | 3 | 3 |
| TEENAGE PR | EMATURE BIRTHS | | 10 | 0 | 5 | 5 | 4 | 0 | 1 | 3 | 6 | 0 | 4 | 2 |
| | LEGITIMATE BIRT | | 51 | 0 | 13 | 38 | 22 | 0 | 3 | | 29 | 0 | 10 | 19 |
| | HAD PREVIOUS LIV | | 10 | 0 | 1 | 9 | 8 | 0 | 1 | 7 | 2 | 0 | 0 | 2 |
| | HAD PREVIOUS PR | | 12 | 0 | 2 | 10 | 9 | 0 | 1 | | 3 | 0 | 1 | 2 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENAGE FE | RTILITY RATE | | 24.9 | 0.0 | 48.1 | (15-19) | 32.1 | 0.0 | 66.7 | (15-19) | 20.2 | 0.0 | 37.3 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 14 | 1 | 4 | 9 | 3 | 0 | 0 | 3 | 11 | 1 | 4 | 6 |

93.8

35

35.1

0

0.0

0.0

0

0.0

0

0.0

0.0 111.1

72.9 (15-19)

30

0

0.0

5

0

0.0

354.8

42

0

0.0

27.4

1

1.4

0

0.0

27

Ω

0.0

400.0 285.7

49.4 (15-19)

14

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

77

30.4

0

0.0

222.2 - 266.7 187.5

19

0

0.0

58.0 (15-19)

57

0

0.0

1

0.8

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: MONROE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|--------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 36,421 | 2,357 | 1,230 | 1,1 | .27 | 442 | | | | | | | | |
| WHITE | 24,750 | 1,500 | 789 | 7 | 11 | 287 | | | | | | | | |
| NONWHITE | 11,671 | 857 | 441 | 4 | 16 | 155 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 63 | 0 | 17 | 46 | 43 | 0 | 11 | 32 | 20 | 0 | 6 | 14 |
| TEENAGE IM | MATURE BIRTHS | | 6 | 0 | 2 | 4 | 4 | 0 | 2 | 2 | 2 | 0 | 0 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 17 | 0 | 5 | 12 | 14 | 0 | 3 | 11 | 3 | 0 | 2 | 1 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 54 | 0 | 16 | 38 | 34 | 0 | 10 | 24 | 20 | 0 | 6 | 14 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 10 | 0 | 0 | 10 | 7 | 0 | 0 | 7 | 3 | 0 | 0 | 3 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 12 | 0 | 1 | 11 | 9 | 0 | 1 | 8 | 3 | 0 | 0 | 3 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 3 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 |
| TEENAGE FE | RTILITY RATE | | 26.7 | 0.0 | 55.9 | (15-19) | 28.7 | 0.0 | 60.5 | (15-19) | 23.3 | 0.0 | 48.1 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | | | | | | | | | | | | | | |

1

58.8

18

0

0.0

60.3 (15-19)

4

50

0

0.0

87.0

3

69.8

46

0

0.0

30.7

0

0.0

0

0.0

0

0.0

0

11

0

0.0

64.7 (15-19)

3

0.0 93.8 150.0

35

0

0.0

3

23

0

0.0

26.8

1

1

0

0.0

1

- 166.7 71.4

2.3 52.9 (15-19)

0

0.0

Ω

0.0

7

TEENAGE INDUCED TERMINATIONS#

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

1

1

0.8

0

0.0

6

69

29.3

0

0.0

95.2 -

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEMATE C

COUNTY: MONTGOMERY

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|--------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 10,614 | 649 | 324 | 3 | 25 | 148 | | | | | | | | |
| WHITE | 5,637 | 305 | 149 | 1 | 56 | 70 | | | | | | | | |
| NONWHITE | 4,977 | 344 | 175 | 1 | 69 | 78 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 21 | 1 | 7 | 13 | 8 | 0 | 2 | 6 | 13 | 1 | 5 | 7 |
| TEENAGE IM | MATURE BIRTHS | | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE PR | EMATURE BIRTHS | | 6 | 1 | 2 | 3 | 0 | 0 | 0 | 0 | 6 | 1 | 2 | 3 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 18 | 1 | 7 | 10 | 5 | 0 | 2 | 3 | 13 | 1 | 5 | 7 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 6 | 0 | 2 | 4 | 2 | 0 | 1 | 1 | 4 | 0 | 1 | 3 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FE | RTILITY RATE | | 32.4 | 3.1 | 61.5 | (15-19) | 26.2 | 0.0 | 51.3 | (15-19) | 37.8 | 5.7 | 71.0 | (15-19) |

0

1

8

0

0.0

70.8 (15-19)

0.0

0.0 142.8 153.8

0

0.0

2

15

0

0.0

0

0.0

0

0.0

8

26.2

0

0.0

0

0.0

0

0

0.0

0

0.0

0.0

0

0.0

0

0

0.0

51.3 (15-19)

0.0

0

0

6

0

0.0

0.0

0.0

0

3

16

0

0.0

46.5

0.0

230.8

0

0

1

0

0.0

5.7

0.0

0

1

6

0

0.0

88.8 (15-19)

0.0 200.0 285.7

0.0

0

2

Ω

0.0

0.0

| * | ACCORDING | TΟ | THE | KESSNER | TNDEX |
|---|-----------|----|-----|---------|-------|
| | | | | | |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

DEMATEC

0

0

1

3.1

0

0.0

0.0

0

0.0

3

142.8

24

37.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: NESHOBA

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------------|--|----------------|--------------------------|---------------|---------------|-------------------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | 29,785 18,074 11,711 | 2,193 1,132 | 1,129 564 565 | 1,0 |)64 568 | | | | | | | | | |
| | | | | ALL R | RACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | MATURE BIRTHS | | 59 3 | 0 | 20 | 39 | 24 | 0 | 6 | 18 | 35 | 0 | 14 | |
| TEENAGE IL TEENS WHO | EMATURE BIRTHS LEGITIMATE BIRT HAD PREVIOUS LI | VE BIRTHS | 13 53 8 | 0 0 0 | 3 18 0 | 10 35 8 | 3 20 4 | 0 0 0 | 0 5 0 | 15 4 | 10 33 4 | 0 0 0 | 3 13 0 | 20 4 |
| | HAD PREVIOUS PRE INADEQUATE* PRE | | 10 | 0 | 0 | 8 | 6 0 | 0 | 0 | 4 0 | 4 | 0 | 0 | 4 |
| TEENAGE FE | RTILITY RATE | | 26.9 | 0.0 | 55.4 | (15-19) | 21.2 | 0.0 | 42.2 | (15-19) | 33.0 | 0.0 | 70.6 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 1 16.9 | 0.0 | 0.0 | | 1 41.7 | 0.0 | 0.0 | 1 55.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 1 16.9 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 1 28.6 | 0.0 | 0.0 | 1 47.6 |
| TEENAGE PR | EGNANCIES# EGNANCY RATE | | 61 27.8 | 0.0 | 20 57.3 | 41 (15-19) | 25 22.1 | 0.0 | 6 44.0 | 19 (15-19) | 36 33.9 | 0.0 | 14 72.6 | 22 (15-19) |
| | THS TO TEENAGE I | | 1 16.9 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 1 28.6 | 0.0 | 0.0 | 1 47.6 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: NEWTON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | |
|-------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|------|-------|
| TOTAL | 21,601 | 1,489 | 716 | 7 | 73 | 258 | | | |
| WHITE | 13,727 | 816 | 413 | 4 | 103 | 138 | | | |
| NONWHITE | 7,874 | 673 | 303 | 3 | 370 | 120 | | | |
| | | | | ATJ. R | RACES | | | WHI | TE |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES |
| | | | TEENS | 10-14 | | 18-19 | TEENS | | 15-17 |
| TEENAGE BIF | PTHS | | 41 | 0 | 11 | 30 | 18 | 0 | 2 |

| | ALL RACES | | | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 41 | 0 | 11 | 30 | 18 | 0 | 2 | 16 | 23 | 0 | 9 | 14 |
| TEENAGE IMMATURE BIRTHS | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 3 |
| TEENAGE PREMATURE BIRTHS | 7 | 0 | 3 | 4 | 3 | 0 | 1 | 2 | 4 | 0 | 2 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 36 | 0 | 11 | 25 | 13 | 0 | 2 | 11 | 23 | 0 | 9 | 14 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 9 | 0 | 1 | 8 | 3 | 0 | 0 | 3 | 6 | 0 | 1 | 5 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 1 | 3 |
| TEENAGE FERTILITY RATE | 27.5 | 0.0 | 53.0 | (15-19) | 22.0 | 0.0 | 44.7 | (15-19) | 34.2 | 0.0 | 62.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 5 | 0 | 1 | 4 | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 4 |
| TEENAGE INDUCED TERMINATION RATIO | 122.0 | 0.0 | 90.9 | 133.3 | 55.6 | 0.0 | 500.0 | 0.0 | 173.9 | 0.0 | 0.0 | 285.7 |
| TEENAGE PREGNANCIES# | 46 | 0 | 12 | 34 | 19 | 0 | 3 | 16 | 27 | 0 | 9 | 18 |
| TEENAGE PREGNANCY RATE | 30.9 | 0.0 | 59.5 | (15-19) | 23.3 | 0.0 | 47.1 | (15-19) | 40.1 | 0.0 | 73.0 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: NOXUBEE

| | | 10-19 | | 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|---|---|------------------|-----------------------------------|----------------------------|----------------------------|-------------------------|----------------------------|-----------------------|-----------------------|------------------|-----------------------------------|----------------------------|----------------------------|-------------------------|
| TOTAL WHITE | 11,218 3,028 8,190 | 812 163 | 402 84 | 4 | 110 79 | 158 43 115 | | | | | | | | |
| | | | ALL TEENS | ALL F AGES 10-14 | AGES | AGES 18-19 | ALL TEENS | WHI AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | NONWH AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE IM TEENAGE PR TEENAGE IL TEENS WHO | EENAGE BIRTHS EENAGE IMMATURE BIRTHS EENAGE PREMATURE BIRTHS EENAGE ILLEGITIMATE BIRTHS EENS WHO HAD PREVIOUS LIVE BIRTHS EENS WHO HAD PREVIOUS PREGNANCIES EENS WITH INADEQUATE* PRENATAL CARE | | 22 1 3 22 4 4 0 | 1 0 1 1 0 0 | 5 0 0 5 0 0 | 2 16 4 | 2 0 0 2 0 0 | 0 0 0 0 0 | 0 0 0 0 0 | 2 0 0 2 | 20 1 3 20 4 4 0 | 1 0 1 1 0 0 | 5 0 0 5 0 0 | 14 1 2 14 4 |
| TEENAGE FE | RTILITY RATE | | 27.1 | 2.5 | 51.2 | (15-19) | 12.3 | 0.0 | 25.3 | (15-19) | 30.8 | 3.1 | 57.4 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 1 45.4 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | | 1 50.0 | 0.0 | 0.0 | |
| | DUCED TERMINATION | ONS# ON RATIO | 6 272.7 | 1 1000.0 | 1 200.0 | 4 250.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6 300.0 | 11000.0 | 1 200.0 | 4 285.7 |
| TEENAGE PR | EGNANCIES# EGNANCY RATE | | 29 35.7 | 2 5.0 | 6 65.8 | 21 (15-19) | 2 12.3 | 0.0 | 0 25.3 | 2 (15-19) | 27 41.6 | 2 6.3 | 6 75.5 | 19 (15-19) |
| | THS TO TEENAGE I | | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: OKTIBBEHA

| RACE | | | | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|-------------------|-------------|-------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| | | | 1,095 | | 41 | 567 | | | | | | | | |
| WHITE | 28,438 | 1,865 | 402 | 1,4 | 63 | 290 | | | | | | | | |
| NONWHITE | | 1,671 | 693 | 9 | 78 | 277 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 38 | 0 | 8 | 30 | 11 | 0 | 1 | 10 | 27 | 0 | 7 | 20 |
| | MATURE BIRTHS | | 2 | 0 | 0 | 2 | 1 | 0 | | | 1 | 0 | 0 | 1 |
| | EMATURE BIRTHS | | 4 | 0 | 1 | | 1 | 0 | | 1 | 3 | 0 | 1 | 2 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 34 | 0 | 8 | 26 | 8 | 0 | 1 | 7 | 26 | 0 | 7 | 19 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 6 | 0 | 0 | 6 | 2 | 0 | 0 | 2 | 4 | 0 | 0 | 4 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 6 | 0 | 0 | 6 | 2 | 0 | 0 | 2 | 4 | 0 | 0 | 4 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 10.7 | 0.0 | 15.6 | (15-19) | 5.9 | 0.0 | 7.5 | (15-19) | 16.2 | 0.0 | 27.6 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 26.3 | 0.0 | 0.0 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 | 37.0 | 0.0 | 0.0 | 50.0 |
| | DUCED TERMINATION | | | 0 | 1 | | 3 | 0 | 0 | 3 | 12 | 0 | 1 | 11 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 394.7 | 0.0 | 125.0 | 466.7 | 272.7 | 0.0 | 0.0 | 300.0 | 444.4 | 0.0 | 142.8 | 550.0 |
| TEENAGE PR | | | 54 | 0 | 9 | | | 0 | | 13 | | 0 | 8 | |
| TEENAGE PR | EGNANCY RATE | | 15.3 | 0.0 | 22.1 | (15-19) | 7.5 | 0.0 | 9.6 | (15-19) | 23.9 | 0.0 | 40.9 | (15-19) |

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PANOLA

| RACE | TOTAL POPULATION ALL AGES | | | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|-------------------------------------|--------------|--------------|--------------------|----------|-------------------------|---------|-------|------|---------|---------|-------|---------|-----------|
| TOTAL WHITE | 34,473 16,933 17,540 | 2,421 887 | 1,213 457 | | 08 | 512 193 319 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | | ALL | AGES | | | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | | |
| | | | | | | | | | | | | | | |
| TEENAGE BI | RTHS MATURE BIRTHS | | 88 11 | 0 | 30 6 | 58 5 | 27 4 | 0 | 8 2 | | 61 7 | 0 | 22 4 | 39 3 |
| | EMATURE BIRTHS | | 16 | 0 | 6 | 10 | 5 | 0 | 0 | | 11 | 0 | 6 | 5 |
| | LEGITIMATE BIRTH | HS. | 79 | 0 | 28 | 51 | 19 | 0 | 6 | | 60 | 0 | 22 | |
| | HAD PREVIOUS LIV | | 17 | 0 | 3 | 14 | 2 | 0 | 0 | | 15 | 0 | 3 | 12 |
| | HAD PREVIOUS PRE | | 21 | 0 | 3 | 18 | 4 | 0 | 0 | | 17 | 0 | 3 | 14 |
| | INADEQUATE* PRE | | 8 | 0 | 4 | 4 | 2 | 0 | 0 | 2 | 6 | 0 | 4 | 2 |
| TEENAGE FE | RTILITY RATE | | 36.3 | 0.0 | 72.8 | (15-19) | 30.4 | 0.0 | 62.8 | (15-19) | 39.8 | 0.0 | 78.4 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | NS# | 12 | 0 | 5 | 7 | 3 | 0 | 1 | 2 | 9 | 0 | 4 | 5 |
| | DUCED TERMINATION | ON RATIO | 12 136.4 | - | _ | 120.7 | 111.1 | - | _ | 105.3 | 147.5 | - | 181.8 | - |
| TEENAGE PR | FCMANCIES# | | 100 | 0 | 35 | 65 | 30 | 0 | ٥ | 21 | 70 | 0 | 26 | 44 |
| | EGNANCY RATE | | 41.3 | 0.0 | | (15-19) | 33.8 | | | (15-19) | | 0.0 | | (15-19) |
| | | MOTHED C | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| | THS TO TEENAGE N TALITY RATE, TE | | 22.7 | 0.0 | 0.0 | | 37.0 | 0.0 | 0.0 | | 16.4 | 0.0 | 0.0 | 1 25.6 |
| INFANT MOR | TAULII NAIE, IEI | 314 1:101:15 | 22.7 | 0.0 | 0.0 | 51.5 | 37.0 | 0.0 | 0.0 | 32.0 | 10.1 | 0.0 | 0.0 | 23.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PEARL RIVER

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 55,295 | 3,617 | 1,771 | 1,846 | 637 |
| WHITE | 46,783 | 2,906 | 1,429 | 1,477 | 561 |
| NONWHITE | 8,512 | 711 | 342 | 369 | 76 |

| | ALL RACES | | | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 85 | 0 | 16 | 69 | 67 | 0 | 9 | 58 | 18 | 0 | 7 | 11 |
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 1 | 5 | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 10 | 0 | 2 | 8 | 8 | 0 | 1 | 7 | 2 | 0 | 1 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 74 | 0 | 14 | 60 | 56 | 0 | 7 | 49 | 18 | 0 | 7 | 11 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 18 | 0 | 1 | 17 | 13 | 0 | 0 | 13 | 5 | 0 | 1 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 20 | 0 | 2 | 18 | 14 | 0 | 1 | 13 | 6 | 0 | 1 | 5 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 5 | 0 | 2 | 3 | 4 | 0 | 1 | 3 | 1 | 0 | 1 | 0 |
| TEENAGE FERTILITY RATE | 23.5 | 0.0 | 46.0 | (15-19) | 23.0 | 0.0 | 45.4 | (15-19) | 25.3 | 0.0 | 48.8 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 23.5 | 0.0 | 0.0 | 29.0 | 14.9 | 0.0 | 0.0 | 17.2 | 55.6 | 0.0 | 0.0 | 90.9 |
| TEENAGE PREGNANCIES# | 87 | 0 | 16 | 71 | 68 | 0 | 9 | 59 | 19 | 0 | 7 | 12 |
| TEENAGE PREGNANCY RATE | 24.0 | 0.0 | 47.1 | (15-19) | 23.4 | 0.0 | 46.0 | (15-19) | 26.7 | 0.0 | 51.5 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PERRY

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 12,086 | 776 | 383 | 393 | 158 |
| WHITE | 9,469 | 564 | 284 | 280 | 117 |
| NONWHITE | 2,617 | 212 | 99 | 113 | 41 |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 18 | 0 | 3 | 15 | 14 | 0 | 2 | 12 | 4 | 0 | 1 | 3 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| TEENAGE PREMATURE BIRTHS | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 15 | 0 | 2 | 13 | 11 | 0 | 1 | 10 | 4 | 0 | 1 | 3 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 23.2 | 0.0 | 45.8 | (15-19) | 24.8 | 0.0 | 50.0 | (15-19) | 18.9 | 0.0 | 35.4 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 55.6 | 0.0 | 0.0 | 66.7 | 0.0 | 0.0 | 0.0 | 0.0 | 250.0 | 0.0 | 0.0 | 333.3 |
| TEENAGE PREGNANCIES# | 19 | 0 | 3 | 16 | 14 | 0 | 2 | 12 | 5 | 0 | 1 | 4 |
| TEENAGE PREGNANCY RATE | 24.5 | 0.0 | 48.3 | (15-19) | 24.8 | 0.0 | | (15-19) | 23.6 | 0.0 | 44.2 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PIKE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 40,100 | 2,854 | 1,438 | 1,4 | 16 | 558 | | | | | | | | |
| WHITE | 18,377 | | 556 | 5 | 29 | 216 | | | | | | | | |
| NONWHITE | 21,723 | 1,769 | 882 | 8 | 87 | 342 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 96 | 3 | 34 | 59 | 24 | 1 | 8 | 15 | 72 | 2 | 26 | 44 |
| TEENAGE IM | MATURE BIRTHS | | 14 | 0 | 8 | 6 | 1 | 0 | 1 | 0 | 13 | 0 | 7 | 6 |
| TEENAGE PR | EMATURE BIRTHS | | 21 | 0 | 9 | 12 | 6 | 0 | 1 | 5 | 15 | 0 | 8 | 7 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 91 | 3 | 33 | 55 | 20 | 1 | 7 | 12 | 71 | 2 | 26 | 43 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 18 | 0 | 3 | 15 | 6 | 0 | 0 | 6 | 12 | 0 | 3 | 9 |
| | HAD PREVIOUS PRI | | 21 | 0 | 5 | 16 | 6 | 0 | 0 | 6 | 15 | 0 | 5 | 10 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 8 | 1 | 2 | 5 | 2 | 1 | 0 | 1 | 6 | 0 | 2 | 4 |
| TEENAGE FE | RTILITY RATE | | 33.6 | 2.1 | 65.7 | (15-19) | 22.1 | 1.8 | 43.5 | (15-19) | 40.7 | 2.3 | 78.9 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 20.8 | 333.3 | 0.0 | 16.9 | 0.0 | 0.0 | 0.0 | 0.0 | 27.8 | 500.0 | 0.0 | 22.7 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 9 | 0 | 2 | 7 | 1 | 0 | 0 | 1 | 8 | 0 | 2 | 6 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 93.8 | 0.0 | 58.8 | 118.6 | 41.7 | 0.0 | 0.0 | 66.7 | 111.1 | 0.0 | 76.9 | 136.4 |
| TEENAGE PR | EGNANCIES# | | 107 | 4 | 36 | 67 | 25 | 1 | | 16 | 82 | 3 | 28 | 51 |
| TEENAGE PR | EGNANCY RATE | | 37.5 | 2.8 | 72.7 | (15-19) | 23.0 | 1.8 | 45.4 | (15-19) | 46.4 | 3.4 | 89.1 | (15-19) |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

2

0

0.0

0

0.0

0

0.0

0

0.0

2

27.8

0

0.0 45.5

0

0.0

2

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

INFANT DEATHS TO TEENAGE MOTHERS 2 0 0 2 INFANT MORTALITY RATE, TEEN MOMS 20.8 0.0 0.0 33.9

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PONTOTOC

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------|--------------|---------------|---------------|---------------|
| TOTAL | 30,594 | | 1,130 | 1,0 | | 460 | | | | | | | | |
| WHITE NONWHITE | 25,332 5,262 | 1,738 418 | 914 216 | | 24 02 | 408 52 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| MDENIAGE DI | DIIII | | | | 1.0 | 40 | 57 | 1 | 1.6 | 40 | | | | |
| TEENAGE BI | MATURE BIRTHS | | 63 9 | ∠ 1 | 19 2 | 42 | 5 / 6 | 1 0 | 16 | 40 5 | 6 | 1 | 3 | ∠ 1 |
| _ | EMATURE BIRTHS | | 12 | 1 | 5 | 6 6 | 9 | 0 | 4 | 5 | 3 | 1 | 1 | 1 |
| _ | LEGITIMATE BIRTI | AS. | 50 | 2 | 15 | 33 | 44 | 1 | 12 | 31 | 5 6 | 1 | 3 | 2 |
| | HAD PREVIOUS LIV | | 13 | 0 | 1 | 12 | 13 | 0 | 1 | 12 | 0 | 0 | 0 | 0 |
| | HAD PREVIOUS PRI | | 14 | 0 | 1 | 13 | 14 | 0 | 1 | 13 | 0 | 0 | 0 | 0 |
| TEENS WITH | INADEQUATE* PRI | ENATAL CARE | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 29.2 | 1.8 | 59.4 | (15-19) | 32.8 | 1.1 | 68.0 | (15-19) | 14.4 | 4.6 | 24.8 | (15-19) |
| _ | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 15.9 | 0.0 | 0.0 | 23.8 | 0.0 | 0.0 | 0.0 | 0.0 | 166.7 | 0.0 | 0.0 | 500.0 |

3

60

0

0.0

34.5

0

1

0

0.0

2

18

1.1 71.6 (15-19)

0.0

0

1

41

0

0.0

0.0 125.0 25.0 333.3 1000.0

2

21.5

0

0.0

1

2

9.2

0

0.0

0

3

0

0.0

34.6 (15-19)

0.0 500.0

2

45

0

0.0

2

21

0

0.0

64.3 (15-19)

79.4 500.0 105.3 47.6 52.6

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATIONS#

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

1

3

2.6

0

0.0

5

69

32.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: PRENTISS

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL | 25,390 | 1,634 | 780 | 854 | 328 |
| WHITE | 21,366 | 1,287 | 627 | 660 | 284 |
| NONWHITE | 4,024 | 347 | 153 | 194 | 44 |

| | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 49 | 1 | 8 | 40 | 41 | 1 | 7 | 33 | 8 | 0 | 1 | 7 |
| TEENAGE IMMATURE BIRTHS | 8 | 0 | 2 | 6 | 7 | 0 | 2 | 5 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 16 | 0 | 4 | 12 | 14 | 0 | 4 | 10 | 2 | 0 | 0 | 2 |
| TEENAGE ILLEGITIMATE BIRTHS | 30 | 1 | 8 | 21 | 22 | 1 | 7 | 14 | 8 | 0 | 1 | 7 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 11 | 0 | 1 | 10 | 9 | 0 | 1 | 8 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 15 | 0 | 1 | 14 | 13 | 0 | 1 | 12 | 2 | 0 | 0 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 3 | 0 | 2 | 1 | 2 | 0 | 2 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 30.0 | 1.3 | 56.2 | (15-19) | 31.8 | 1.6 | 60.6 | (15-19) | 23.0 | 0.0 | 41.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 20.4 | 0.0 | 125.0 | 0.0 | 24.4 | 0.0 | 142.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 50 | 1 | 9 | 40 | 42 | 1 | 8 | 33 | 8 | 0 | 1 | 7 |
| TEENAGE PREGNANCY RATE | 30.6 | 1.3 | 57.4 | (15-19) | 32.6 | 1.6 | 62.1 | (15-19) | 23.0 | 0.0 | 41.2 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 40.8 | 0.0 | 0.0 | 50.0 | 48.8 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: OUITMAN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | SES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|---------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 7,798 | 560 | 283 | 2 | 277 | 108 | | | | | | | | |
| WHITE | 2,291 | 108 | 55 | | 53 | 17 | | | | | | | | |
| NONWHITE | 5,507 | 452 | 228 | 2 | 224 | 91 | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | HITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 24 | 1 | 6 | 17 | 2 | 0 | 1 | 1 | 22 | 1 | 5 | 16 |
| TEENAGE IM | MATURE BIRTHS | | 7 | 1 | 1 | 5 | 0 | 0 | 0 | 0 | 7 | 1 | 1 | 5 |
| TEENAGE PR | REMATURE BIRTHS | | 8 | 1 | 2 | 5 | 0 | 0 | 0 | 0 | 8 | 1 | 2 | 5 |
| TEENAGE II | LEGITIMATE BIRT | HS | 23 | 1 | 5 | 17 | 1 | 0 | 0 | 1 | 22 | 1 | 5 | 16 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENS WHO | HAD PREVIOUS PR | EGNANCIES | 5 | 0 | 1 | 4 | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 4 |
| TEENS WITH | H INADEQUATE* PR | ENATAL CARE | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FE | CRTILITY RATE | | 42.8 | 3.5 | 83.0 | (15-19) | 18.5 | 0.0 | 37.7 | (15-19) | 48.7 | 4.4 | 93.8 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

0

6

0

0.0

0.0 58.8

86.6 (15-19)

1

18

0

0.0

0

0.0

2

0

0.0

18.5

0

0

0.0

0

0.0

0.0

0

0

0.0

0.0

0

0

0.0

37.7 (15-19)

0.0

1

23

0

0.0

45.4

50.9

0

0.0

1

0

0.0

4.4

0

0

0.0

0.0 62.5

5

98.2 (15-19)

Ω

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATIONS#

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

0

0.0

1

3.5

0

0.0

1

25

44.6

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TEENAGE INDUCED TERMINATIONS# 1
TEENAGE INDUCED TERMINATION RATIO 41.7

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: RANKIN

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | 15- | ES -19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------|------------------------------|--------------------------|--------------------------|-------|------------|-------------------------|--------------|-------|-------|---------------|--------------|-------|-------|---------|
| TOTAL WHITE NONWHITE | 145,165 113,079 32,086 | 9,454 6,946 | 5,076 3,809 | | 378 .37 | 1,871 | | | | | | | | |
| | | | | ALL R | RACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES 18-19 | ALL TEENS | AGES | AGES | AGES 18-19 | ALL TEENS | AGES | AGES | AGES |
| | | | TEENS | 10-14 | | | | 10-14 | | | | 10-14 | | 18-19 |
| TEENAGE BI | RTHS | | 178 | 2 | 43 | 133 | 127 | 1 | 32 | 94 | 51 | 1 | 11 | 39 |
| TEENAGE IM | MATURE BIRTHS | | 20 | 0 | 4 | 16 | 13 | 0 | 3 | 10 | 7 | 0 | 1 | 6 |
| | EMATURE BIRTHS | | 35 | 1 | 9 | | 20 | 1 | 4 | | 15 | 0 | 5 | 10 |
| | LEGITIMATE BIRT | | 131 | 2 | 41 | | 105 | 1 | 30 | | 49 | 1 | 11 | 37 |
| | HAD PREVIOUS LI | | | 0 | 3 | | 25 | 0 | 3 | | 9 | 0 | 0 | - |
| | HAD PREVIOUS PR | EGNANCIES | 43 6 | 0 | 4 | | 31 | 0 | 3 | | 12 | 0 | 1 | 11 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 6 | 0 | 2 | 4 | 2 | 0 | 0 | 2 | 4 | 0 | 2 | 2 |
| TEENAGE FE | RTILITY RATE | | 18.8 | 0.4 | 40.2 | (15-19) | 18.3 | 0.3 | 40.2 | (15-19) | 20.3 | 0.8 | 40.3 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 5.6 | 0.0 | 0.0 | 7.5 | 7.9 | 0.0 | 0.0 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 38 | 0 | 18 | 20 | 17 | 0 | 9 | 8 | 21 | 0 | 9 | 12 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 213.5 | 0.0 | 418.6 | 150.4 | 133.8 | 0.0 | 281.2 | 85.1 | 411.8 | 0.0 | 818.2 | 307.7 |
| TEENAGE PR | EGNANCIES# | | 217 | 2 | 61 | 154 | 145 | 1 | 41 | 103 | 72 | 1 | 20 | 51 |
| TEENAGE PR | EGNANCY RATE | | 23.0 | 0.4 | 49.1 | (15-19) | 20.9 | 0.3 | 45.9 | (15-19) | 28.7 | 0.8 | 57.2 | (15-19) |
| INFANT DEA | THS TO TEENAGE I | MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MOR | TALITY RATE, TE | EN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: SCOTT

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------|---------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | | 1,939 | 980 | | 59 | 450 | | | | | | | | |
| WHITE | 16,725 | 990 | 506 | 4 | 84 | 274 | | | | | | | | |
| NONWHITE | 11,525 | 949 | 474 | 4 | :75 | 176 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | | | |
| TEENAGE BIF | RTHS | | 71 | 0 | 15 | 56 | 35 | 0 | 6 | 29 | 36 | 0 | 9 | 27 |
| TEENAGE IMM | MATURE BIRTHS | | 8 | 0 | 0 | 8 | 3 | 0 | 0 | 3 | 5 | 0 | 0 | 5 |
| TEENAGE PRE | EMATURE BIRTHS | | 18 | 0 | 2 | 16 | 8 | 0 | 0 | | 10 | 0 | 2 | 8 |
| TEENAGE ILI | LEGITIMATE BIRT | HS | 59 | 0 | 14 | 45 | 24 | 0 | 5 | | 35 | 0 | 9 | 26 |
| TEENS WHO H | HAD PREVIOUS LI | VE BIRTHS | 15 | 0 | 0 | 15 | 8 | 0 | 0 | | 7 | 0 | 0 | 7 |
| TEENS WHO H | HAD PREVIOUS PR | EGNANCIES | 17 | 0 | 1 | 16 | 9 | 0 | 0 | | 8 | 0 | 1 | 7 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 4 | 0 | 2 | 2 | 2 | 0 | 1 | 1 | 2 | 0 | 1 | 1 |
| TEENAGE FER | RTILITY RATE | | 36.6 | 0.0 | 74.0 | (15-19) | 35.4 | 0.0 | 72.3 | (15-19) | 37.9 | 0.0 | 75.8 | (15-19) |
| TEENAGE FET | FAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FET | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INI | OUCED TERMINATION | ONS# | 5 | 0 | 2 | 3 | 2 | 0 | 1 | 1 | 3 | 0 | 1 | 2 |
| TEENAGE INI | OUCED TERMINATION | ON RATIO | 70.4 | 0.0 | 133.3 | 53.6 | 57.1 | 0.0 | 166.7 | 34.5 | 83.3 | 0.0 | 111.1 | 74.1 |
| TEENAGE PRI | EGNANCIES# | | 76 | 0 | 17 | 59 | 37 | 0 | 7 | 30 | 39 | 0 | 10 | 29 |
| TEENAGE PRI | EGNANCY RATE | | 39.2 | 0.0 | 79.2 | (15-19) | 37.4 | 0.0 | 76.4 | (15-19) | 41.1 | 0.0 | 82.1 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

Ω

0.0

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: SHARKEY

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | | 333 | 177 | | .56 | 69 | | | | | | | | |
| WHITE NONWHITE | 1,364 3,435 | 60 273 | 40 137 | | 20 .36 | 16 53 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | | | | | | | | | | | | | | |
| TEENAGE BI | RTHS | | 14 | 0 | 4 | 10 | 0 | 0 | 0 | 0 | 14 | 0 | 4 | 10 |
| TEENAGE IM | MATURE BIRTHS | | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| | EMATURE BIRTHS | | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| | LEGITIMATE BIRT | | 14 | 0 | 4 | 10 | 0 | 0 | 0 | 0 | 14 | 0 | 4 | 10 |
| | HAD PREVIOUS LIV | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| | HAD PREVIOUS PRI | | 2 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENS WITH | I INADEQUATE* PRI | ENATAL CARE | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE FE | RTILITY RATE | | 42.0 | 0.0 | 89.7 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) | 51.3 | 0.0 | 102.9 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PR | EGNANCIES# | | 14 | 0 | 4 | 10 | 0 | 0 | 0 | 0 | 14 | 0 | 4 | 10 |
| TEENAGE PR | EGNANCY RATE | | 42.0 | 0.0 | 89.7 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) | 51.3 | 0.0 | 102.9 | (15-19) |

0 0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

INFANT DEATHS TO TEENAGE MOTHERS 0
INFANT MORTALITY RATE, TEEN MOMS 0.0

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0 0.0

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

Ω

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: SIMPSON

| RACE | | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|-------------------|--------------------------|--------------------------|--------------------|----------|-------------------------|-------|-------|-------|---------|-------|-------|-----------|---------|
| TOTAL | 27,374 | 1,799 | 965 | | 34 | 324 | | | | | | | | |
| WHITE | 17,211 | 967 | 552 | 4 | :15 | 199 | | | | | | | | |
| NONWHITE | 10,163 | 832 | 413 | 4 | :19 | 125 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 52 | 1 | 11 | 40 | 30 | 1 | 7 | 22 | 22 | 0 | 4 | 18 |
| TEENAGE IM | MATURE BIRTHS | | 9 | 0 | 3 | 6 | 4 | 0 | 0 | 4 | 5 | 0 | 3 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 10 | 1 | 1 | 8 | 3 | 1 | 1 | 1 | 7 | 0 | 0 | 7 |
| | LEGITIMATE BIRT | | 42 | 1 | 9 | 32 | 21 | 1 | 5 | | 21 | 0 | 4 | 17 |
| | HAD PREVIOUS LI | | 8 | 0 | 0 | 8 | 3 | 0 | 0 | - | 5 | 0 | 0 | 5 |
| | HAD PREVIOUS PR | | 9 | 0 | 0 | 9 | 3 | 0 | 0 | | 6 | 0 | 0 | 6 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 28.9 | 1.0 | 61.2 | (15-19) | 31.0 | 1.8 | 69.9 | (15-19) | 26.4 | 0.0 | 52.5 | (15-19) |
| | TAL DEATHS** | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | | 2 | 0 | 0 | 2 |
| TEENAGE FE | TAL DEATH RATIO | | 38.5 | 0.0 | 0.0 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 90.9 | 0.0 | 0.0 | 111.1 |
| | DUCED TERMINATION | | 6 | 0 | 2 | 4 | 4 | 0 | 2 | | 2 | 0 | 0 | 2 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 115.4 | 0.0 | 181.8 | 100.0 | 133.3 | 0.0 | 285.7 | 90.9 | 90.9 | 0.0 | 0.0 | 111.1 |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

1

1.0

0

0.0

13

1

34

35.2

0

0.0

46

1

70.7 (15-19)

90.9 25.0

1

1.8

0

0.0

9

0

0.0

79.5 (15-19)

24

0

0.0

26

31.2

90.9

2

0

0.0

0

22

4

1

0.0 250.0 55.6

62.0 (15-19)

60

2

38.5

33.4

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: SMITH

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|------|---------------|--------------|---------------|---------------|---------------|
| TOTAL WHITE | 16,345 12,363 | 1,094 741 | 603 414 | | 91 27 | 194 135 | | | | | | | | |
| NONWHITE | 3,982 | 353 | 189 | | 64 | 59 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | | | 29 | 0 | 3 | 26 | 20 | 0 | 3 | 17 | 9 | 0 | 0 | 9 |
| | MATURE BIRTHS | | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| | EMATURE BIRTHS | | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| | LEGITIMATE BIRT | | 24 | 0 | 2 | 22 | 15 | 0 | 2 | 13 | 9 | 0 | 0 | 9 |
| | HAD PREVIOUS LIV | | 5 | 0 | 1 | 4 | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 2 |
| | HAD PREVIOUS PRI | | 6 | 0 | 1 | 5 | 4 | 0 | 1 | 3 | 2 | 0 | 0 | 2 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 26.5 | 0.0 | 59.1 | (15-19) | 27.0 | 0.0 | 61.2 | (15-19) | 25.5 | 0.0 | 54.9 | (15-19) |

0

0

3

0

0.0

0.0 115.4

65.2 (15-19)

0.0

0

3

29

0

0.0

0.0

0

2

22

0

0.0

29.7

0.0

0

0

0

0.0

0.0

0.0

0.0

0

3

0

0.0

0.0 117.6

67.3 (15-19)

0.0

100.0

0

2

19

0

0.0

0.0

111.1

1

10

0

0.0

28.3

0.0

0

0

0

0

0.0

0.0

0.0

0.0

0

0

0

0.0

0.0 111.1

61.0 (15-19)

0.0

0

Ω

0.0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

0

0

0

0.0

0

0.0

0.0

0.0

0

0.0

3

103.4

32

29.2

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

0

0

Ω

0.0

0.0

0.0

0

Λ

4

0

0.0

26.2 (15-19)

0.0

0.0

26.2 (15-19)

6.4

0

0

0.0

0.0

1

0

6.4

0.0

18.2

0

0.0

0

0.0

7

0

0.0

18.2

0

1

66.7

16

0

0.0

0.0

COUNTY: STONE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | SES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------|---------------------------|--------------------------|--------------------------|--------------------|----------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL WHITE | 18,028 14,112 | 1,388 1,004 | 620 465 | | 168 539 | 193 152 | | | | | | | | |
| NONWHITE | 3,916 | 384 | 155 | | 229 | 41 | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 25 | 1 | 7 | 17 | 18 | 0 | 3 | 15 | 7 | 1 | 4 | 2 |
| TEENAGE IM | MATURE BIRTHS | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE PR | EMATURE BIRTHS | | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE IL | LEGITIMATE BIRT | HS | 22 | 1 | 7 | 14 | 15 | 0 | 3 | 12 | 7 | 1 | 4 | 2 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 3 | 0 | 0 | 3 | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| TEENS WHO | HAD PREVIOUS PRE | EGNANCIES | 5 | 0 | 0 | 5 | 5 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| TEENS WITH | INADEQUATE* PRE | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

1.6 31.2 (15-19)

1

0

8

0

0.0

33.8 (15-19)

0.0

0

1

18

0

0.0

58.8

0.0

DEMATE C

| * | ACCORDING | TΩ | ਧਾਹਾ | KECCMED | TMDEA |
|---|-----------|----|------|---------|-------|
| ~ | ACCORDING | TO | THE | KESSNER | TNDEX |

TEENAGE FERTILITY RATE

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

18.0

1

40.0

1

27

0

0.0

40.0

19.4

0

0

1

1.6

0

0.0

0.0

0.0 142.8

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

DEMATE O

THE MARKET

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

17.9

55.6

1

20

55.6

19.9

0

0.0

1

0.0 33.4 (15-19)

Ω

4

0

0.0

37.1 (15-19)

0.0

0

0

0.0

0

0.0

0

0.0

0.0 333.3

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: SUNFLOWER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------|-----------------------------------|--------------------------|--------------|---------------|---------------|-------------------------|--------------|---------------|--------|---------------|--------------|---------------|---------------|---------|
| TOTAL WHITE NONWHITE | 28,431 7,449 | 1.835 | 916 162 | | 19 19 | 335 55 280 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | |
| TEENAGE BI | | | 52 | 2 | 19 | 31 | 4 | 0 | 1 | | 48 | 2 | 18 | 28 |
| | ENAGE IMMATURE BIRTHS | | 11 17 | 0 1 | 5 7 | 6 9 | 0 1 | 0 | 0 1 | | 11 16 | 0 1 | 5 6 | |
| - | EMATURE BIRTHS LEGITIMATE BIRT | пс | 52 | 2 | | 31 | 4 | 0 | | 3 | 16 48 | 2 | 18 | - |
| | HAD PREVIOUS LI | | | | 2 | | 0 | 0 | 0 | | 10 | 0 | 2 | |
| | HAD PREVIOUS PR | | 10 | 0 | 2 | | 0 | 0 | 0 | - | 10 | 0 | 2 | |
| | INADEQUATE* PR | ENATAL CARE | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 |
| TEENAGE FE | RTILITY RATE | | 28.3 | 2.2 | 54.4 | (15-19) | 10.5 | 0.0 | 18.3 | (15-19) | 33.0 | 2.6 | 65.7 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 19.2 | 0.0 | 0.0 | 32.2 | 250.0 | 0.0 | 0.0 | 333.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | ONS# | 10 192.3 | 0 | 3 | | 1 | 0 | 0 | | 9 | 0 | 3 | 6 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 192.3 | 0.0 | 157.9 | 225.8 | 250.0 | 0.0 | 0.0 | 333.3 | 187.5 | 0.0 | 166.7 | 214.3 |
| TEENAGE PR | | | 63 | 2 | 22 | | 6 | 0 | 1 | _ | 57 | 2 | 21 | |
| TEENAGE PR | EGNANCY RATE | | 34.3 | 2.2 | 66.4 | (15-19) | 15.7 | 0.0 | 27.4 | (15-19) | 39.2 | 2.6 | 78.6 | (15-19) |
| | THS TO TEENAGE I | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | | 2 | 0 | 0 | |
| INFANT MOR | TALITY RATE, TE | EN MOMS | 38.5 | 0.0 | 0.0 | 64.5 | 0.0 | 0.0 | 0.0 | 0.0 | 41.7 | 0.0 | 0.0 | 71.4 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: TALLAHATCHIE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMALES AGES 15-19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------|---------------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL | 15,111 | 915 | 455 | 460 | 139 | | | | | | | | |
| WHITE | 6,250 | 268 | 137 | 131 | 37 | | | | | | | | |
| NONWHITE | 8,861 | 647 | 318 | 329 | 102 | | | | | | | | |
| | | | | ALL RACES | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL | AGES AG | ES AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 15- | 17 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | _ | | _ | | | _ | | | | |

| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
|--------------------------------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 25 | 0 | 6 | 19 | 7 | 0 | 2 | 5 | 18 | 0 | 4 | 14 |
| TEENAGE IMMATURE BIRTHS | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE PREMATURE BIRTHS | 3 | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 23 | 0 | 6 | 17 | 5 | 0 | 2 | 3 | 18 | 0 | 4 | 14 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 6 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 1 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FERTILITY RATE | 27.3 | 0.0 | 54.3 | (15-19) | 26.1 | 0.0 | 53.4 | (15-19) | 27.8 | 0.0 | 54.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 3 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 2 | 1 | 0 | 1 |
| TEENAGE INDUCED TERMINATION RATIO | 120.0 | - | 166.7 | | 142.8 | 0.0 | 500.0 | 0.0 | 111.1 | _ | 0.0 | 71.4 |
| TEENAGE PREGNANCIES# | 28 | 1 | 7 | 20 | 8 | 0 | 3 | 5 | 20 | 1 | 4 | 15 |
| TEENAGE PREGNANCY RATE | 30.6 | 2.2 | 58.7 | (15-19) | 29.8 | 0.0 | 61.1 | (15-19) | 30.9 | 3.1 | 57.8 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: TATE

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 28,490 | 2,223 | 1,008 | 1,215 | 330 |
| | 19,260 | 1,343 | 622 | 721 | 203 |
| | 9,230 | 880 | 386 | 494 | 127 |

| | ALL RACES | | | | | | | | | NONWH | ITE | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 37 | 2 | 12 | 23 | 23 | 2 | 7 | 14 | 14 | 0 | 5 | 9 |
| TEENAGE IMMATURE BIRTHS | 7 | 0 | 4 | 3 | 1 | 0 | 0 | 1 | 6 | 0 | 4 | 2 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 3 | 2 | 1 | 0 | 0 | 1 | 4 | 0 | 3 | 1 |
| TEENAGE ILLEGITIMATE BIRTHS | 35 | 2 | 12 | 21 | 21 | 2 | 7 | 12 | 14 | 0 | 5 | 9 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 5 | 0 | 2 | 3 | 2 | 0 | 1 | 1 | 3 | 0 | 1 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 6 | 0 | 2 | 4 | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FERTILITY RATE | 16.6 | 2.0 | 28.8 | (15-19) | 17.1 | 3.2 | 29.1 | (15-19) | 15.9 | 0.0 | 28.3 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 17 | 0 | 5 | 12 | 8 | 0 | 1 | 7 | 9 | 0 | 4 | 5 |
| TEENAGE INDUCED TERMINATION RATIO | 459.4 | 0.0 | 416.7 | 521.7 | 347.8 | 0.0 | 142.8 | 500.0 | 642.8 | 0.0 | 800.0 | 555.6 |
| TEENAGE PREGNANCIES# | 54 | 2 | 17 | 35 | 31 | 2 | 8 | 21 | 23 | 0 | 9 | 14 |
| TEENAGE PREGNANCY RATE | 24.3 | 2.0 | 42.8 | (15-19) | 23.1 | 3.2 | 40.2 | (15-19) | 26.1 | 0.0 | 46.6 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: TIPPAH

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 22,025 | 1,469 | 755 | | 14 | 245 | | | | | | | | |
| WHITE NONWHITE | 18,066 3,959 | 1,121 348 | 581 174 | | 74 .74 | 210 35 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | EENAGE BIRTHS | | 30 | 0 | 12 | 18 | 23 | 0 | 10 | 13 | 7 | 0 | 2 | 5 |
| _ | MATURE BIRTHS | | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 8 | 0 | 5 | 3 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 2 |
| | LEGITIMATE BIRT | | 21 | 0 | 10 | 11 | 15 | 0 | 8 | 7 | 6 | 0 | 2 | 4 |
| TEENS WHO | HAD PREVIOUS LI | VE BIRTHS | 3 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| | HAD PREVIOUS PR | | 6 | 0 | 1 | 5 | 5 | 0 | 1 | 4 | 1 | 0 | 0 | 1 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 20.4 | 0.0 | 42.0 | (15-19) | 20.5 | 0.0 | 42.6 | (15-19) | 20.1 | 0.0 | 40.2 | (15-19) |
| | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

1

19

0

0.0

2

25

22.3

0

0.0

87.0

0

0

0.0

0

0.0

0.0 200.0

0

0.0

13

0

0.0

2

12

0

0.0

46.3 (15-19)

0

0

0.0

0

0.0

1

0.0 500.0 200.0

3

0

0.0

51.7 (15-19)

Ω

0.0

2

285.7

25.9

0

0.0

3

0.0 250.0 55.6

15

0

0.0

47.6 (15-19)

TEENAGE INDUCED TERMINATIONS#

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

0

0

0.0

0

0.0

4

34

23.1

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TEENAGE INDUCED TERMINATION RATIO 133.3

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: TISHOMINGO

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 19,591 | 1,244 | 615 | 629 | 191 |
| | 18,766 | 1,192 | 595 | 597 | 188 |
| | 825 | 52 | 20 | 32 | 3 |

| | ALL RACES | | | | | WHI | TE | | | NONWH | ITE | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 21 | 0 | 3 | 18 | 21 | 0 | 3 | 18 | 0 | 0 | 0 | 0 |
| TEENAGE IMMATURE BIRTHS | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 5 | 0 | 0 | 5 | 5 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 13 | 0 | 2 | 11 | 13 | 0 | 2 | 11 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 4 | 0 | 0 | 4 | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 5 | 0 | 1 | 4 | 5 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 16.9 | 0.0 | 33.4 | (15-19) | 17.6 | 0.0 | 35.2 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 95.2 | 0.0 | 0.0 | 111.1 | 95.2 | 0.0 | 0.0 | 111.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 23 | 0 | 3 | 20 | 23 | 0 | 3 | 20 | 0 | 0 | 0 | 0 |
| TEENAGE PREGNANCY RATE | 18.5 | 0.0 | 36.6 | (15-19) | 19.3 | 0.0 | 38.5 | (15-19) | 0.0 | 0.0 | 0.0 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: TUNICA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|------------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------|--------------|---------------|---------------|---------------|
| TOTAL | 10,475 | 829 | 456 | | 73 | 211 | | | | | | | | |
| WHITE NONWHITE | 2,494 7,981 | 103 726 | 53 403 | | 50 23 | 41 170 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | | | 38 | 0 | 16 | 22 | 4 | 0 | 1 | 3 | 34 | 0 | 15 | 19 |
| | MATURE BIRTHS | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | EMATURE BIRTHS LEGITIMATE BIRTI | u.a | 7 36 | 0 | 6 16 | 1 20 | 1 2 | 0 | 1 | 0 | 6 34 | 0 | 5 15 | 1 19 |
| _ | HAD PREVIOUS LI | | 10 | 0 | 1.0 | 10 | ∠ | 0 | 0 | 1 | 9 | 0 | 12 | 9 |
| | HAD PREVIOUS PR | | 11 | 0 | 0 | 11 | 1 | 0 | 0 | 1 | 10 | 0 | 0 | 10 |
| | INADEQUATE* PR | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | RTILITY RATE | | 45.8 | 0.0 | 101.9 | (15-19) | 38.8 | 0.0 | 80.0 | (15-19) | 46.8 | 0.0 | 105.3 | (15-19) |
| | TAL DEATHS** TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0 | | 0.0 | 0.0 | 0.0 | 0 |
| | | | | | | | | | 0.0 | | | | | |
| TEENAGE INI | DUCED TERMINATION | NS# | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 |

0.0 181.8

26

0

0.0

16

0.0 112.6 (15-19)

0

0.0

0.0

4

38.8

0

0.0

0.0

0

0

0.0

0.0

1

0

0.0

80.0 (15-19)

0.0 117.6

38

0

0.0

52.3

3

0

0.0

0.0

0

0

0.0

0.0

Ω

0.0

0.0 210.5

15

0.0 117.6 (15-19)

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE INDUCED TERMINATION RATIO

0.0

0

0

0.0

105.3

42

50.7

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: UNION

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------|---------------------------------|--------------------------|--------------------------|--------------------|-------------------|-------------------------|---------|-------------|------------|----------|---------|-------|-------------|-------|
| TOTAL WHITE NONWHITE | 27,414 22,852 4,562 | 1,832 1,441 391 | 986 789 197 | 6 | 346 552 .94 | 374 310 64 | | | | | | | | |
| | | | ALL | ALL R AGES | ACES AGES | AGES | ALL | WHI AGES | TE AGES | AGES | ALL | NONWH | ITE AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | | 15-17 | 18-19 |
| TEENAGE BI | RTHS MATURE BIRTHS | | 54 6 | 0 | 15 4 | 39 2 | 43 4 | 0 | 12 | 31 1 | 11 2 | 0 | 3 | 8 |

| TEENAGE BIRTHS | 54 | 0 | 15 | 39 | 43 | 0 | 12 | 31 | 11 | 0 | 3 | 8 |
|--------------------------------------|------|-----|------|---------|------|-----|------|---------|------|-----|-------|---------|
| TEENAGE IMMATURE BIRTHS | 6 | 0 | 4 | 2 | 4 | 0 | 3 | 1 | 2 | 0 | 1 | 1 |
| TEENAGE PREMATURE BIRTHS | 17 | 0 | 6 | 11 | 10 | 0 | 4 | 6 | 7 | 0 | 2 | 5 |
| TEENAGE ILLEGITIMATE BIRTHS | 44 | 0 | 14 | 30 | 33 | 0 | 11 | 22 | 11 | 0 | 3 | 8 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 7 | 0 | 2 | 5 | 5 | 0 | 2 | 3 | 2 | 0 | 0 | 2 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 13 | 0 | 2 | 11 | 9 | 0 | 2 | 7 | 4 | 0 | 0 | 4 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| TEENAGE FERTILITY RATE | 29.5 | 0.0 | 63.8 | (15-19) | 29.8 | 0.0 | 66.0 | (15-19) | 28.1 | 0.0 | 56.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 18.5 | 0.0 | 0.0 | 25.6 | 23.2 | 0.0 | 0.0 | 32.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 37.0 | 0.0 | 66.7 | 25.6 | 23.2 | 0.0 | 0.0 | 32.2 | 90.9 | 0.0 | 333.3 | 0.0 |
| TEENAGE PREGNANCIES# | 57 | 0 | 16 | 41 | 45 | 0 | 12 | 33 | 12 | 0 | 4 | 8 |
| TEENAGE PREGNANCY RATE | 31.1 | 0.0 | 67.4 | (15-19) | 31.2 | 0.0 | 69.0 | (15-19) | 30.7 | 0.0 | 61.8 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | | | | | | | | | | | | |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WALTHALL

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-----------------|-------|-------|---------|
| TOTAL | | 1,015 | 542 | 4 | .73 | 165 | | | | | | | | |
| WHITE | 8,110 | 432 | 242 | 1 | .90 | 67 | | | | | | | | |
| NONWHITE | 6,990 | 583 | 300 | 2 | 183 | 98 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 22 | 0 | 5 | 17 | 8 | 0 | 2 | 6 | 14 | 0 | 3 | 11 |
| - | MATURE BIRTHS | | 2 | 0 | 0 | 2 | 0 | 0 | 0 | | 2 | 0 | 0 | 2 |
| | EMATURE BIRTHS | | 2 | 0 | 0 | 2 | 1 | 0 | 0 | | 1 | 0 | 0 | 1 |
| | LEGITIMATE BIRT | HS | 20 | 0 | 4 | 16 | 6 | 0 | 1 | 5 | $1\overline{4}$ | 0 | 3 | 11 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| TEENAGE FE | RTILITY RATE | | 21.7 | 0.0 | 46.5 | (15-19) | 18.5 | 0.0 | 42.1 | (15-19) | 24.0 | 0.0 | 49.5 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | DUCED TERMINATION | | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 90.9 | 0.0 | 400.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 142.8 | 0.0 | 666.7 | 0.0 |
| TEENAGE PR | EGNANCIES# | | 24 | 0 | 7 | 17 | 8 | 0 | 2 | 6 | 16 | 0 | 5 | 11 |
| TEENAGE PR | EGNANCY RATE | | 23.6 | 0.0 | 50.7 | (15-19) | 18.5 | 0.0 | 42.1 | (15-19) | 27.4 | 0.0 | 56.5 | (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

Ω

0.0

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WARREN

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | FEMAI AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------|-------------|--------------------------|--------------------|----------|-------------------------|-------|------|-------|---------|-------|-------|-------|---------|
| | 48,084 | | 1,711 | | | 632 | | | | | | | | |
| WHITE | 24,215 | 1,324 | 695 | . 6 | 29 | 270 | | | | | | | | |
| NONWHITE | 23,869 | 1,947 | 1,016 | 9 | 31 | 362 | | | | | | | | |
| | | | | ALL F | ACES | | | WHI | TE | | | NONWE | IITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | | 15-17 | 18-19 | TEENS | | 15-17 | 18-19 | TEENS | | 15-17 | |
| TEENAGE BI | RTHS | | 90 | 1 | 29 | 60 | 25 | 1 | 4 | 20 | 65 | 0 | 25 | 40 |
| TEENAGE IM | MATURE BIRTHS | | 6 | 0 | 2 | 4 | 1 | 0 | 0 | 1 | 5 | 0 | 2 | 3 |
| TEENAGE PR | REMATURE BIRTHS | | 12 | 1 | 3 | 8 | 2 | 1 | 0 | 1 | 10 | 0 | 3 | 7 |
| TEENAGE II | LEGITIMATE BIRT | HS | 86 | 1 | 29 | 56 | 21 | 1 | 4 | 16 | 65 | 0 | 25 | 40 |
| TEENS WHO | HAD PREVIOUS LIV | VE BIRTHS | 13 | 0 | 2 | 11 | 1 | 0 | 0 | 1 | 12 | 0 | 2 | 10 |
| TEENS WHO | HAD PREVIOUS PRI | EGNANCIES | 22 | 0 | 2 | 20 | 7 | 0 | 0 | 7 | 15 | 0 | 2 | 13 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE FE | ERTILITY RATE | | 27.5 | 0.6 | 57.0 | (15-19) | 18.9 | 1.4 | 38.2 | (15-19) | 33.4 | 0.0 | 69.8 | (15-19) |
| | TAL DEATHS** | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | CTAL DEATH RATIO | | 11.1 | 0.0 | 34.5 | 0.0 | 40.0 | 0.0 | 250.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE IN | DUCED TERMINATION | ONS# | 9 | | 4 | 3 | 1 | 0 | 1 | 0 | 8 | 2 | 3 | 3 |
| TEENAGE IN | IDUCED TERMINATION | ON RATIO | 100.0 | 2000.0 | 137.9 | 50.0 | 40.0 | 0.0 | 250.0 | 0.0 | 123.1 | - | 120.0 | 75.0 |

34

0

0.0

62.2 (15-19)

63

0

0.0

27

20.4

0

0.0

1

1.4

0

0.0

6

0

0.0

41.3 (15-19)

20

0

0.0

73

37.5

0

0.0

2

2.0

0

0.0

28

0

0.0

76.3 (15-19)

43

0

0.0

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

3

1.8

0

0.0

100

30.6

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WASHINGTON

TEENAGE FETAL DEATHS**

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE FETAL DEATH RATIO

TEENAGE INDUCED TERMINATIONS#

TEENAGE INDUCED TERMINATION RATIO

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|--|--|--------------------------|------------------------------------|----------------------------|-------------------------------|----------------------------------|-----------------------------|-----------------------|----------------------------|----------------------------|--|----------------------------|------------------------------------|---------------------------------------|
| TOTAL WHITE NONWHITE | 49,750 13,546 36,204 | 3,752 618 3,134 | 1,890 312 1,578 | 1,8 3 1,5 | 06 | 780 168 612 | | | | | | | | |
| | | | ALL TEENS | ALL R AGES 10-14 | ACES AGES 15-17 | AGES | ALL TEENS | WHI AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | NONWH AGES 10-14 | ITE AGES 15-17 | AGES 18-19 |
| TEENAGE PRITEENAGE ILITEENS WHO ITEENS WHO I | RTHS MATURE BIRTHS EMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LI' HAD PREVIOUS PRI INADEQUATE* PRI | VE BIRTHS EGNANCIES | 142 15 28 138 34 43 | 6 1 2 6 0 0 | 45 3 12 43 7 9 | 91 11 14 89 27 34 | 11 0 3 9 1 1 | 0 0 0 0 0 | 2 0 1 2 0 0 | 9 0 2 7 1 1 | 131 15 25 129 33 42 15 | 6 1 2 6 0 0 | 43 3 11 41 7 9 7 | 82 11 12 82 26 33 8 |
| TEENAGE FE | RTILITY RATE | | 37.8 | 3.2 | 73.0 | (15-19) | 17.8 | 0.0 | 35.9 | (15-19) | 41.8 | 3.8 | 80.3 | (15-19) |

1

4

50

0

0.0

88.9 120.9

81.6 (15-19)

22.2

0

0.0

11

102

0

0.0

0

0.0

1

90.9

12

19.4

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0

0.0

0.0 111.1

39.2 (15-19)

0

1

10

0

0.0

0.0

1

7.6

14

146

46.6

0

0.0

106.9

0

0.0

0

0.0

6

3.8

0

0.0

1

4

48

0

0.0

93.0 122.0

90.0 (15-19)

23.2

0

0.0

10

0

0.0

| * | ACCORDING | TΟ | יחדדים | KECCMED | TATIONEY |
|---|-----------|----|--------|---------|----------|
| ~ | ACCORDING | TO | THE | KESSNER | TNDEX. |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

1

7.0

15

105.6

158

42.1

0

0.0

0

0.0

0

0.0

6

3.2

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WAYNE

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| TOTAL | 20,661 | 1,471 | 743 | | 28 | 266 | | | | | | | | |
| WHITE NONWHITE | 12,360 8,301 | 764 707 | 378 365 | | 86 42 | 132 134 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| TEENAGE BI | RTHS | | 51 | 0 | 15 | 36 | 20 | 0 | 5 | 15 | 31 | 0 | 10 | 21 |
| TEENAGE IM | MATURE BIRTHS | | 11 | 0 | 8 | 3 | 1 | 0 | 1 | 0 | 10 | 0 | 7 | 3 |
| | EMATURE BIRTHS | | 9 | 0 | 4 | 5 | 2 | 0 | 0 | 2 | 7 | 0 | 4 | 3 |
| | LEGITIMATE BIRT | | 41 | 0 | 14 | 27 | 11 | 0 | 4 | 7 | 30 | 0 | 10 | 20 |
| | HAD PREVIOUS LIV | | 12 | 0 | 2 | 10 | 4 | 0 | 1 | 3 | 8 | 0 | 1 | 7 |
| | HAD PREVIOUS PRI | | 14 | 0 | 2 | 12 | 5 | 0 | 1 | 4 | 9 | 0 | 1 | 8 |
| TEENS WITH | I INADEQUATE* PR | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 34.7 | 0.0 | 70.0 | (15-19) | 26.2 | 0.0 | 51.8 | (15-19) | 43.8 | 0.0 | 90.6 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

0

15

0

0.0 55.6

72.8 (15-19)

0.0 27.8

2

38

1

0

0.0

20

26.2

1

50.0

0

0.0

0

0.0

0

0.0

0

0.0

15

1

0

5

0

51.8 (15-19)

0.0 66.7

0.0

2

64.5

46.7

33

0

0.0

0

0

0.0

0

0.0

0.0

0

0.0

10

0

0.0

96.5 (15-19)

2

23

Ω

0.0

95.2

TEENAGE INDUCED TERMINATIONS#

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

TEENAGE INDUCED TERMINATION RATIO

0

0.0

0

0.0

0

0.0

2

39.2

53

36.0

19.6

1

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WEBSTER

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | SES | TOTAL LIVE BIRTHS | | | | | | | | | |
|-------------------|---------------------------------|--------------------------|--------------------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|--|
| TOTAL | 10,039 | 652 | 358 | | 294 | 132 | | | | | | | | | |
| WHITE NONWHITE | 7,900 2,139 | 503 149 | 290 68 | | 213 81 | 100 32 | | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | ITE | | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | |
| TEENAGE BI | RTHS | | 10 | 0 | 0 | 10 | 7 | 0 | 0 | 7 | 3 | 0 | 0 | 3 | |
| TEENAGE IM | MATURE BIRTHS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| TEENAGE PR | EMATURE BIRTHS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| יים אוא מיים דד | TOTOTANADO DIDO | TTO | 0 | 0 | 0 | 0 | | 0 | 0 | | 2 | 0 | 0 | 2 | |

| TEENAGE BIRTHS | 10 | 0 | 0 | 10 | 7 | 0 | 0 | 7 | 3 | 0 | 0 | 3 |
|--------------------------------------|-------|-----|------|---------|-------|-----|------|---------|------|-----|------|---------|
| TEENAGE IMMATURE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE PREMATURE BIRTHS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE ILLEGITIMATE BIRTHS | 8 | 0 | 0 | 8 | 5 | 0 | 0 | 5 | 3 | 0 | 0 | 3 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FERTILITY RATE | 15.3 | 0.0 | 34.0 | (15-19) | 13.9 | 0.0 | 32.9 | (15-19) | 20.1 | 0.0 | 37.0 | (15-19) |
| TEENAGE FETAL DEATHS** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FETAL DEATH RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INDUCED TERMINATIONS# | 3 | 0 | 1 | 2 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| TEENAGE INDUCED TERMINATION RATIO | 300.0 | 0.0 | _ | 200.0 | 428.6 | 0.0 | - | 285.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PREGNANCIES# | 13 | 0 | 1 | 12 | 10 | 0 | 1 | 9 | 3 | 0 | 0 | 3 |
| TEENAGE PREGNANCY RATE | 19.9 | 0.0 | 44.2 | (15-19) | 19.9 | 0.0 | 46.9 | (15-19) | 20.1 | 0.0 | 37.0 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFANT MORTALITY RATE, TEEN MOMS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | | | | | | | | | | | | |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WILKINSON

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------|---------------------------------|--------------------------|--------------------------|--------------------|-----------------|-------------------------|-------|---------------|---------------|---------|-------|---------------|-------|---------|
| TOTAL | 9,432 | 514 | 268 | | 46 | 116 | | | | | | | | |
| WHITE | | 115 | 50 | - | | 14 | | | | | | | | |
| NONWHITE | | 399 | 218 | 1 | | 102 | | | | | | | | |
| | | | | אדד דס | ACEC | | | WHI | mp. | | | NONWH | TOD | |
| | | | ALL | | ACES =- AGES | AGES | | | | | ALL | NONWH AGES | AGES | AGES |
| | | | TEENS | AGES 10-14 | 15-17 | 18-19 | ALL | AGES 10-14 | AGES 15-17 | | | 10-14 | 15-17 | 18-19 |
| | | | | 10-14 | | | TEENS | 10-14 | | | TEENS | 10-14 | | |
| | | | | | | | | | | | | | | |
| TEENAGE BIR | RTHS | | 18 | 1 | 5 | 12 | 2 | 0 | 0 | 2 | 16 | 1 | 5 | 10 |
| TEENAGE IMM | MATURE BIRTHS | | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TEENAGE PRI | EMATURE BIRTHS | | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| TEENAGE ILI | LEGITIMATE BIRT | HS | 18 | 1 | 5 | 12 | 2 | 0 | 0 | 2 | 16 | 1 | 5 | 10 |
| TEENS WHO H | HAD PREVIOUS LIV | VE BIRTHS | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENS WHO H | HAD PREVIOUS PRI | EGNANCIES | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TEENS WITH | INADEQUATE* PR | ENATAL CARE | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| TEENAGE FER | RTILITY RATE | | 35.0 | 3.7 | 69.1 | (15-19) | 17.4 | 0.0 | 30.8 | (15-19) | 40.1 | 4.6 | 82.9 | (15-19) |
| TEENAGE FET | TAL DEATHS** | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FET | TAL DEATH RATIO | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE INI | DUCED TERMINATION | ONS# | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE INI | DUCED TERMINATION | ON RATIO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Ω

0.0

5

0

0.0

82.9 (15-19)

INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS 1

3.7

0

0.0

18

35.0

0

0.0

DEFINITIONS:

TEENAGE PREGNANCIES#

TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

5 12

0

0.0

69.1 (15-19) 17.4

0.0

0

2

0

0.0

0

0

0.0

2

0

0.0

0

0.0 30.8 (15-19)

0

0.0

16

40.1

0

0.0

1

4.6

0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: WINSTON

| RACE | | | | FEMAL AG 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|-------------------|------------------------------------|---------|--------------|--------------------|---------------|-------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------|
| TOTAL | 19,029 | 1,157 | 621 | 5 | 36 | 178 | | | | | | | | |
| WHITE NONWHITE | 9,871 9,158 | | 248 373 | | | 79 99 | | | | | | | | |
| | | | | ALL R | ACES - | | | WHI | TE | | | NONWH | IITE | |
| | | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | |
| TEENAGE BI | RTHS | | 26 | 0 | 6 | 20 | 12 | 0 | | 8 | 14 | 0 | 2 | 12 |
| | MATURE BIRTHS | | 5 | 0 | 0 | | 2 | 0 | | _ | 3 | 0 | 0 | 3 |
| | EMATURE BIRTHS LEGITIMATE BIRTI | u.a | 4 24 | 0 | 1 6 | 3 18 | 1 10 | 0 | | | 3 14 | 0 | 0 2 | |
| | LEGITIMATE BIRT HAD PREVIOUS LI | | 4 | 0 | 0 | 18 4 | 10 | 0 | 0 | | 3 | 0 | 0 | 3 |
| | HAD PREVIOUS PRI | | 5 | 0 | 0 | 5 | 1 | 0 | 0 | 1 | 4 | 0 | 0 | 4 |
| | INADEQUATE* PRI | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 22.5 | 0.0 | 48.5 | (15-19) | 24.3 | 0.0 | 49.0 | (15-19) | 21.1 | 0.0 | 48.1 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TEENAGE FE | TAL DEATH RATIO | | 38.5 | 0.0 | 0.0 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.4 | 0.0 | 0.0 | 83.3 |
| TEENAGE IN | DUCED TERMINATION | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE IN | DUCED TERMINATION | | 38.5 | | 166.7 | 0.0 | 83.3 | 0.0 | 250.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TEENAGE PR | EGNANCIES# | | 28 24.2 | 0 | 7 | 21 | 13 | 0 | 5 | 8 | 15 | 0 | 2 | 13 |
| TEENAGE PR | EGNANCY RATE | | 24.2 | 0.0 | 52.2 | (15-19) | 26.4 | 0.0 | 53.1 | (15-19) | 22.6 | 0.0 | 51.5 | (15-19) |
| INFANT DEA | THS TO TEENAGE I | MOTHERS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

INFANT MORTALITY RATE, TEEN MOMS 0.0 0.0 0.0 0.0 0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

0.0

0.0

0.0

0.0

0.0

0.0

0.0

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: YALOBUSHA

| RACE | TOTAL POPULATION ALL AGES | FEMALES AGES 10-19 | FEMALES AGES 10-14 | FEMAL AG 15- | ES | TOTAL LIVE BIRTHS | | | | | | | | |
|------------|---------------------------------|--------------------------|--------------------------|--------------------|-------|-------------------------|-------|-------|-------|---------|-------|-------|-------|---------|
| TOTAL | 12,401 | 746 | 395 | 3 | 51 | 144 | | | | | | | | |
| WHITE | 7,514 | 397 | 208 | 1 | | 72 | | | | | | | | |
| NONWHITE | 4,887 | 349 | 187 | 1 | 62 | 72 | | | | | | | | |
| | | | | ALL R | ACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | 15-17 | 18-19 |
| TEENAGE BI | RTHS | | 27 | 0 | 13 | 14 | 14 | 0 | 7 | 7 | 13 | 0 | 6 | 7 |
| TEENAGE IM | MATURE BIRTHS | | 8 | 0 | 2 | 6 | 4 | 0 | 0 | 4 | 4 | 0 | 2 | 2 |
| TEENAGE PR | EMATURE BIRTHS | | 8 | 0 | 3 | 5 | 4 | 0 | 1 | 3 | 4 | 0 | 2 | 2 |
| TEENAGE IL | LEGITIMATE BIRT | IS | 24 | 0 | 13 | 11 | 11 | 0 | 7 | 4 | 13 | 0 | 6 | 7 |
| TEENS WHO | HAD PREVIOUS LIV | /E BIRTHS | 4 | 0 | 1 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 2 |
| TEENS WHO | HAD PREVIOUS PRE | EGNANCIES | 7 | 0 | 2 | 5 | 3 | 0 | 1 | 2 | 4 | 0 | 1 | 3 |
| TEENS WITH | I INADEQUATE* PRI | ENATAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TEENAGE FE | RTILITY RATE | | 36.2 | 0.0 | 76.9 | (15-19) | 35.3 | 0.0 | 74.1 | (15-19) | 37.2 | 0.0 | 80.2 | (15-19) |
| | TAL DEATHS** | | 1 | 0 | 1 | | 0 | 0 | 0 | | 1 | 0 | 1 | 0 |
| TEENAGE FE | TAL DEATH RATIO | | 37.0 | 0.0 | 76.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.9 | 0.0 | 166.7 | 0.0 |
| | DUCED TERMINATIO | | 5 | 0 | 3 | 2 | 2 | 0 | 0 | | 3 | 0 | 3 | 0 |
| TEENAGE IN | DUCED TERMINATION | ON RATIO | 185.2 | 0.0 | 230.8 | 142.8 | 142.8 | 0.0 | 0.0 | 285.7 | 230.8 | 0.0 | 500.0 | 0.0 |

INFANT DEATHS TO TEENAGE MOTHERS
INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

17

0

0.0

16

0

0.0

94.0 (15-19)

16

40.3

0

0.0

0

0.0

0

0.0

7

0

0.0

84.6 (15-19)

9

0

0.0

17

0

0.0

48.7

0

0

0.0

10

0.0 104.9 (15-19)

0

0.0

Ω

0.0

33

0

0.0

44.2

DEFINITIONS:

TEENAGE PREGNANCIES#
TEENAGE PREGNANCY RATE

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

COUNTY: YAZOO

| RACE | TOTAL POPULATION ALL AGES | | FEMALES AGES 10-14 | 15- | ES 19 | TOTAL LIVE BIRTHS | | | | | | | | |
|----------------------------|------------------------------------|-----------------------|--------------------------|-----------|-------------------|-------------------------|-----------|-------|-----------|--------------|-------------|-----------|------------|---------------|
| TOTAL WHITE NONWHITE | | 1,699 518 1,181 | 873 287 586 | 8 | 326 331 395 | 385 116 269 | | | | | | | | |
| | | | | ALL R | RACES | | | WHI | TE | | | NONWH | ITE | |
| | | | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES | ALL | AGES | AGES | AGES |
| | | | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | | | |
| TEENAGE BI | | | 50 10 | 0 | 13 | 37 | 6 1 | 0 | 0 | 6 1 | 44 9 | 0 | 13 2 | 31 |
| | MATURE BIRTHS EMATURE BIRTHS | | 10 16 | 0 | 2 | 8 13 | 1 | 0 | 0 | 1 | 9 15 | 0 | 3 | 7 12 |
| | EMATURE BIRTAS LEGITIMATE BIRTA | по | 50 | 0 | 13 | 37 | 6 | 0 | 0 | 6 | 44 | 0 | 13 | 31 |
| | HAD PREVIOUS LI | | 12 | 0 | 1 | 11 | 2 | 0 | 0 | 2 | 10 | 0 | 1 | 9 |
| | HAD PREVIOUS PRI | | 15 | 0 | 2 | 13 | 2 | 0 | 0 | 2 | 13 | 0 | 2 | 11 |
| | INADEQUATE* PRI | | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 |
| TEENAGE FE | RTILITY RATE | | 29.4 | 0.0 | 60.5 | (15-19) | 11.6 | 0.0 | 26.0 | (15-19) | 37.2 | 0.0 | 74.0 | (15-19) |
| TEENAGE FE | TAL DEATHS** | | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | TAL DEATH RATIO | | 20.0 | 0.0 | 0.0 | 27.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.7 | 0.0 | 0.0 | 32.2 |
| | DUCED TERMINATION | | 10 200.0 | _1 | 3 230.8 | 6 162.2 | 0.0 | 0.0 | 0.0 | 0.0 | 10 227.3 | _1 | 3 230.8 | 6 193.5 |
| TEENAGE PR TEENAGE PR | EGNANCIES# EGNANCY RATE | | 61 35.9 | 1 1.1 | 16 72.6 | 44 (15-19) | 6 11.6 | 0.0 | 0 26.0 | 6 (15-19) | 55 46.6 | 1 1.7 | 16 90.8 | 38 (15-19) |

INFANT DEATHS TO TEENAGE MOTHERS

INFANT MORTALITY RATE, TEEN MOMS

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

0

0.0

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{*} ACCORDING TO THE KESSNER INDEX.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.