

Selected Death Statistics, Residents of Abbeville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		3	1	2
1	Malignant Neoplasms	1	0	1
1	Heart Diseases	1	0	1
1	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	2	0	2	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	1	0	1	1	1	0
65-74	1	0	1	1	0	1	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Aberdeen, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	91	44	47
1	Heart Diseases	23	12	11
2	Malignant Neoplasms	18	10	8
3	Cerebrovascular Disease	8	4	4
4	Alzheimer's Disease	7	2	5
5	Emphysema and Other Chronic Lower Resp. Diseases	5	2	3
6	Hypertension/Hypertensive Renal Disease	3	2	1
6	Influenza and Pneumonia	3	3	0
6	Chronic Liver Disease And Cirrhosis	3	1	2
9	Diabetes Mellitus	2	1	1
9	Accidents	2	1	1
11	Septicemia	1	0	1
11	In Situ, Benign and Unspecified Neoplasms	1	0	1
11	Anemias	1	1	0
11	Aortic Aneurysm and Dissection	1	0	1
11	Suicide	1	1	0
11	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	11	4	7

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	91	44	47	47	21	26	44	23	21
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	5	2	3	3	1	2	2	1	1
45-54	6	4	2	4	2	2	2	2	0
55-64	9	1	8	5	0	5	4	1	3
65-74	23	12	11	13	7	6	10	5	5
75-84	19	9	10	13	6	7	6	3	3
85 and over	26	16	10	7	5	2	19	11	8
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ackerman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	25	19	6
1	Heart Diseases	13	10	3
2	Pneumonitis Due to Solids and Liquids	2	2	0
3	Malignant Neoplasms	1	1	0
3	In Situ, Benign and Unspecified Neoplasms	1	1	0
3	Diabetes Mellitus	1	0	1
3	Parkinson's Disease	1	1	0
3	Aortic Aneurysm and Dissection	1	1	0
3	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
3	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	25	19	6	15	13	2	10	6	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	1	2	2	0	2	1	1	0
55-64	6	5	1	5	5	0	1	0	1
65-74	3	2	1	2	2	0	1	0	1
75-84	6	6	0	4	4	0	2	2	0
85 and over	7	5	2	2	2	0	5	3	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Alligator, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	1	0	1	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Amory, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	139	118	21
1	Heart Diseases	33	29	4
2	Malignant Neoplasms	22	17	5
3	Alzheimer's Disease	15	11	4
3	Cerebrovascular Disease	15	12	3
5	Emphysema and Other Chronic Lower Resp. Diseases	12	11	1
6	Diabetes Mellitus	7	7	0
7	Accidents	6	5	1
8	Hypertension/Hypertensive Renal Disease	4	2	2
9	Parkinson's Disease	2	2	0
9	Pneumonitis Due to Solids and Liquids	2	2	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
12	Septicemia	1	0	1
12	Malnutrition/Nutritional Deficiency	1	1	0
12	Influenza and Pneumonia	1	1	0
12	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	15	15	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	139	118	21	62	54	8	77	64	13
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	3	0	2	2	0	1	1	0
55-64	11	10	1	7	6	1	4	4	0
65-74	26	22	4	17	15	2	9	7	2
75-84	43	31	12	20	16	4	23	15	8
85 and over	54	50	4	14	13	1	40	37	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Anguilla, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	1	2
1	Heart Diseases	2	1	1
2	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	2	0	2	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Arcola, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	0	8
1	Malignant Neoplasms	3	0	3
2	Heart Diseases	2	0	2
3	Aortic Aneurysm and Dissection	1	0	1
3	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	0	8	6	0	6	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	2	0	2	0	0	0
65-74	2	0	2	1	0	1	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	2	0	2	1	0	1	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Artesia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	1	1
1	Malignant Neoplasms	2	1	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	1	1	1	0	1	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Ashland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	24	18	6
1	Heart Diseases	7	5	2
2	Malignant Neoplasms	5	4	1
3	Septicemia	2	2	0
3	Alzheimer's Disease	2	1	1
3	Cerebrovascular Disease	2	2	0
6	Diabetes Mellitus	1	0	1
6	Parkinson's Disease	1	0	1
6	Hypertension/Hypertensive Renal Disease	1	1	0
6	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
6	Pneumonitis Due to Solids and Liquids	1	1	0
6	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	24	18	6	15	10	5	9	8	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	2	1	2	1	1	1	1	0
55-64	2	2	0	1	1	0	1	1	0
65-74	4	2	2	4	2	2	0	0	0
75-84	8	8	0	3	3	0	5	5	0
85 and over	7	4	3	5	3	2	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Baldwin, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	57	38	19
1	Malignant Neoplasms	13	8	5
2	Heart Diseases	10	8	2
3	Cerebrovascular Disease	8	5	3
4	Emphysema and Other Chronic Lower Resp. Diseases	7	4	3
5	Accidents	3	3	0
6	Alzheimer's Disease	2	2	0
6	Influenza and Pneumonia	2	1	1
8	Septicemia	1	0	1
8	Parkinson's Disease	1	0	1
8	Cholelithiasis/Gallbladder Disorder	1	0	1
8	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	7	5	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	57	38	19	25	12	13	32	26	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	1	2	1	0	1	2	1	1
55-64	7	3	4	5	2	3	2	1	1
65-74	7	5	2	5	3	2	2	2	0
75-84	13	9	4	7	5	2	6	4	2
85 and over	26	19	7	7	2	5	19	17	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Bassfield, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	6	3
1	Malignant Neoplasms	4	3	1
2	Heart Diseases	2	1	1
3	Aortic Aneurysm and Dissection	1	1	0
3	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	6	3	7	5	2	2	1	1
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	2	1	1	2	1	1	0	0	0
75-84	3	2	1	3	2	1	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Batesville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	86	52	33
1	Heart Diseases	27	18	9
2	Malignant Neoplasms	23	11	12
3	Cerebrovascular Disease	4	3	1
3	Influenza and Pneumonia	4	2	2
5	Septicemia	3	1	2
5	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	3	0	3
8	Chronic Liver Disease And Cirrhosis	2	2	0
8	Accidents	2	2	0
10	Diabetes Mellitus	1	0	1
10	Parkinson's Disease	1	1	0
10	Alzheimer's Disease	1	1	0
10	Hypertension/Hypertensive Renal Disease	1	1	0
10	Pneumonitis Due to Solids and Liquids	1	1	0
10	Conditions Originating in the Perinatal Period	1	0	1
10	Suicide	1	0	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	8	6	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	86	52	33	41	22	18	45	30	15
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	0	0	0	2	0	2
35-44	3	0	2	2	0	1	1	0	1
45-54	7	4	3	3	1	2	4	3	1
55-64	12	7	5	8	4	4	4	3	1
65-74	21	12	9	11	5	6	10	7	3
75-84	17	12	5	9	5	4	8	7	1
85 and over	23	17	6	8	7	1	15	10	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Bay Springs, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	47	37	10
1	Heart Diseases	21	15	6
2	Malignant Neoplasms	7	6	1
3	Alzheimer's Disease	3	2	1
3	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
5	Diabetes Mellitus	2	2	0
5	Cerebrovascular Disease	2	2	0
7	Septicemia	1	1	0
7	Influenza and Pneumonia	1	1	0
7	Pneumonitis Due to Solids and Liquids	1	0	1
7	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
7	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	47	37	10	12	8	4	35	29	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	2	1	1	1	0	2	1	1
55-64	2	2	0	1	1	0	1	1	0
65-74	5	3	2	3	2	1	2	1	1
75-84	16	11	5	5	2	3	11	9	2
85 and over	21	19	2	2	2	0	19	17	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Bay St Louis, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	119	101	18
1	Malignant Neoplasms	32	26	6
2	Heart Diseases	26	21	5
3	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0
4	Septicemia	6	4	2
4	Cerebrovascular Disease	6	6	0
4	Accidents	6	6	0
7	Suicide	5	5	0
8	Alzheimer's Disease	4	4	0
9	Influenza and Pneumonia	3	3	0
10	Chronic Liver Disease And Cirrhosis	2	2	0
11	Diabetes Mellitus	1	0	1
11	Malnutrition/Nutritional Deficiency	1	1	0
11	Hypertension/Hypertensive Renal Disease	1	0	1
11	Aortic Aneurysm and Dissection	1	1	0
11	Pneumonitis Due to Solids and Liquids	1	1	0
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	15	12	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	119	101	18	52	45	7	67	56	11
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	1	1	0	0	0	0	1	1	0
45-54	13	12	1	6	6	0	7	6	1
55-64	19	16	3	9	7	2	10	9	1
65-74	24	21	3	16	14	2	8	7	1
75-84	36	30	6	14	13	1	22	17	5
85 and over	23	19	4	5	3	2	18	16	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Beaumont, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	3	1
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	3	1	3	2	1	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Belmont, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	14	14	0
1	Malignant Neoplasms	3	3	0
1	Heart Diseases	3	3	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Septicemia	1	1	0
4	Cerebrovascular Disease	1	1	0
4	Influenza and Pneumonia	1	1	0
4	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	14	14	0	7	7	0	7	7	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	3	3	0	1	1	0	2	2	0
55-64	1	1	0	1	1	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	4	4	0	1	1	0	3	3	0
85 and over	4	4	0	2	2	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Belzoni, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	36	15	21
1	Heart Diseases	11	2	9
2	Malignant Neoplasms	9	5	4
3	Septicemia	2	1	1
3	Conditions Originating in the Perinatal Period	2	0	2
3	Homicide	2	0	2
6	HIV Disease	1	0	1
6	Diabetes Mellitus	1	1	0
6	Alzheimer's Disease	1	1	0
6	Influenza and Pneumonia	1	0	1
6	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	5	4	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	36	15	21	15	7	8	21	8	13
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	0	3	1	0	1	2	0	2
45-54	2	0	2	0	0	0	2	0	2
55-64	6	3	3	2	1	1	4	2	2
65-74	10	5	5	7	3	4	3	2	1
75-84	7	5	2	5	3	2	2	2	0
85 and over	5	2	3	0	0	0	5	2	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Benoit, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	2	2
1	Hypertension/Hypertensive Renal Disease	2	2	0
2	Heart Diseases	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	2	2	3	1	2	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Bentonina, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	2	2
1	Heart Diseases	2	1	1
2	HIV Disease	1	0	1
2	Malignant Neoplasms	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	2	2	2	0	2	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	1	1	1	0	1	1	1	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Beulah, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	0	3
1	Heart Diseases	2	0	2
2	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	0	3	2	0	2	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Big Creek, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		4	4	0
1	Malignant Neoplasms	2	2	0
2	Heart Diseases	1	1	0
2	Accidents	1	1	0
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	4	0	2	2	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	2	2	0	1	1	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Biloxi, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	452	376	65
1	Heart Diseases	120	100	18
2	Malignant Neoplasms	107	86	16
3	Accidents	30	24	5
4	Emphysema and Other Chronic Lower Resp. Diseases	21	21	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	14	12	2
6	Alzheimer's Disease	13	12	1
6	Cerebrovascular Disease	13	9	4
8	Septicemia	8	4	4
8	Influenza and Pneumonia	8	7	1
10	Suicide	6	5	1
11	Pneumonitis Due to Solids and Liquids	4	4	0
11	Chronic Liver Disease And Cirrhosis	4	4	0
13	HIV Disease	3	1	2
13	Diabetes Mellitus	3	3	0
13	Parkinson's Disease	3	3	0
13	Peptic Ulcer	3	3	0
13	Homicide	3	3	0
18	Viral Hepatitis	2	2	0
18	In Situ, Benign and Unspecified Neoplasms	2	2	0
18	Cholelithiasis/Gallbladder Disorder	2	2	0
21	Anemias	1	1	0
21	Malnutrition/Nutritional Deficiency	1	0	1
21	Hypertension/Hypertensive Renal Disease	1	1	0
21	Aortic Aneurysm and Dissection	1	1	0
21	Pneumoconioses and Chemical Effects	1	1	0
21	Maternal Causes	1	1	0
21	Conditions Originating in the Perinatal Period	1	0	1
21	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	10	10	0
	All Other Causes	65	53	9

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	452	376	65	262	215	44	190	161	21
Under 1	3	2	1	2	1	1	1	1	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	5	1	4	3	0	3	2	1
35-44	12	11	1	5	4	1	7	7	0
45-54	36	31	5	25	21	4	11	10	1
55-64	84	63	20	64	47	17	20	16	3
65-74	84	69	12	50	40	9	34	29	3
75-84	111	96	14	66	57	9	45	39	5
85 and over	114	98	11	45	41	3	69	57	8
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Blue Mountain, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	4	0
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	1	0
1	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	4	0	2	2	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Blue Springs, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
2	Heart Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	1	1	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	1	1	0	0	0	0	1	1	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Bolton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	18	3	15
1	Heart Diseases	4	0	4
2	Emphysema and Other Chronic Lower Resp. Diseases	3	2	1
3	Hypertension/Hypertensive Renal Disease	2	1	1
3	Accidents	2	0	2
5	Diabetes Mellitus	1	0	1
5	Cerebrovascular Disease	1	0	1
5	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	0	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	18	3	15	8	3	5	10	0	10
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	3	0	3	1	0	1	2	0	2
65-74	4	1	3	3	1	2	1	0	1
75-84	6	2	4	3	2	1	3	0	3
85 and over	2	0	2	0	0	0	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Booneville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	135	122	13
1	Malignant Neoplasms	29	26	3
2	Heart Diseases	28	27	1
3	Emphysema and Other Chronic Lower Resp. Diseases	16	15	1
4	Alzheimer's Disease	9	9	0
5	Accidents	7	6	1
6	Influenza and Pneumonia	6	5	1
7	Septicemia	4	4	0
7	Diabetes Mellitus	4	3	1
9	Cerebrovascular Disease	3	2	1
9	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1
11	Suicide	2	2	0
12	Parkinson's Disease	1	1	0
12	Hypertension/Hypertensive Renal Disease	1	1	0
12	Pneumonitis Due to Solids and Liquids	1	1	0
12	Chronic Liver Disease And Cirrhosis	1	1	0
12	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	19	16	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	135	122	13	56	50	6	79	72	7
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	12	10	2	7	7	0	5	3	2
55-64	12	9	3	11	9	2	1	0	1
65-74	25	22	3	12	11	1	13	11	2
75-84	24	20	4	10	7	3	14	13	1
85 and over	55	55	0	13	13	0	42	42	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Boyle, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	5	1
1	Diabetes Mellitus	2	2	0
2	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	5	1	2	1	1	4	4	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 and over	3	2	1	1	0	1	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Brandon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	254	223	29
1	Heart Diseases	68	57	10
2	Malignant Neoplasms	46	40	6
3	Cerebrovascular Disease	12	12	0
3	Emphysema and Other Chronic Lower Resp. Diseases	12	12	0
5	Accidents	11	9	2
6	Nephritis, Nephrotic Syndrome And Nephrosis	9	7	2
7	Diabetes Mellitus	6	3	2
8	Influenza and Pneumonia	5	5	0
8	Suicide	5	5	0
10	Parkinson's Disease	4	4	0
11	Septicemia	3	2	1
11	Chronic Liver Disease And Cirrhosis	3	3	0
11	Homicide	3	0	3
14	Alzheimer's Disease	2	2	0
14	Hypertension/Hypertensive Renal Disease	2	1	1
14	Aortic Aneurysm and Dissection	2	2	0
14	Pneumonitis Due to Solids and Liquids	2	2	0
14	Complications Medical/Surgical Care	2	2	0
19	In Situ, Benign and Unspecified Neoplasms	1	1	0
19	Diseases of Appendix	1	1	0
19	Conditions Originating in the Perinatal Period	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	8	8	0
	All Other Causes	46	44	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	254	223	29	102	88	13	152	135	16
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	4	3	1	3	3	0	1	0	1
35-44	9	7	1	7	5	1	2	2	0
45-54	10	8	2	5	4	1	5	4	1
55-64	22	21	1	9	9	0	13	12	1
65-74	55	48	7	30	27	3	25	21	4
75-84	65	55	9	25	21	4	40	34	5
85 and over	83	78	5	19	18	1	64	60	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Braxton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Malignant Neoplasms	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	1	1	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Brookhaven, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	198	120	78
1	Heart Diseases	50	35	15
2	Malignant Neoplasms	32	19	13
3	Emphysema and Other Chronic Lower Resp. Diseases	13	10	3
4	Diabetes Mellitus	12	6	6
4	Cerebrovascular Disease	12	7	5
6	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	6
7	Hypertension/Hypertensive Renal Disease	7	2	5
8	Alzheimer's Disease	5	4	1
9	Influenza and Pneumonia	4	1	3
10	Accidents	3	2	1
11	HIV Disease	2	1	1
11	Chronic Liver Disease And Cirrhosis	2	1	1
11	Suicide	2	2	0
14	Pneumonitis Due to Solids and Liquids	1	1	0
14	Congenital Malformations and Chrom. Abnormalities	1	0	1
14	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	41	25	16

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	198	120	78	76	42	34	122	78	44
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	3	2	1	1	1	0	2	1	1
35-44	6	2	4	2	1	1	4	1	3
45-54	11	6	5	7	4	3	4	2	2
55-64	24	11	13	14	6	8	10	5	5
65-74	34	14	20	17	8	9	17	6	11
75-84	54	37	17	15	10	5	39	27	12
85 and over	62	47	15	18	12	6	44	35	9
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Brooksville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	1	6
1	Heart Diseases	3	0	3
2	Malignant Neoplasms	2	0	2
3	Pneumonitis Due to Solids and Liquids	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	1	6	3	1	2	4	0	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	0	3	1	0	1	2	0	2
65-74	2	0	2	1	0	1	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	2	1	1	1	1	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Bruce, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	26	19	6
1	Heart Diseases	11	8	3
2	Malignant Neoplasms	4	2	1
3	Diabetes Mellitus	3	2	1
3	Alzheimer's Disease	3	3	0
5	Cerebrovascular Disease	2	1	1
6	HIV Disease	1	1	0
6	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	26	19	6	10	6	4	16	13	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	2	2	2	1	1	2	1	1
55-64	2	1	1	1	0	1	1	1	0
65-74	5	3	1	3	2	1	2	1	0
75-84	7	6	1	2	2	0	5	4	1
85 and over	8	7	1	2	1	1	6	6	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Bude, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	3	5
1	Heart Diseases	6	1	5
2	Malignant Neoplasms	2	2	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	3	5	4	1	3	4	2	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	1	2	2	1	1	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	3	1	2	1	0	1	2	1	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Burnsville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	17	17	0
1	Heart Diseases	7	7	0
2	Malignant Neoplasms	3	3	0
2	Cerebrovascular Disease	3	3	0
2	Accidents	3	3	0
5	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	17	17	0	12	12	0	5	5	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	1	1	0	1	1	0	0	0	0
55-64	9	9	0	8	8	0	1	1	0
65-74	4	4	0	2	2	0	2	2	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Byhalia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	58	46	12
1	Diabetes Mellitus	9	4	5
1	Heart Diseases	9	8	1
3	Hypertension/Hypertensive Renal Disease	8	8	0
4	Malignant Neoplasms	6	5	1
4	Accidents	6	5	1
6	Cerebrovascular Disease	3	2	1
7	In Situ, Benign and Unspecified Neoplasms	2	2	0
7	Influenza and Pneumonia	2	1	1
7	Suicide	2	2	0
10	Parkinson's Disease	1	1	0
10	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
10	Chronic Liver Disease And Cirrhosis	1	0	1
10	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	5	4	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	58	46	12	27	20	7	31	26	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	4	3	1	3	2	1	1	1	0
45-54	6	5	1	5	4	1	1	1	0
55-64	11	7	4	8	5	3	3	2	1
65-74	4	3	1	1	1	0	3	2	1
75-84	10	6	4	4	2	2	6	4	2
85 and over	20	19	1	5	5	0	15	14	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Byram, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	68	40	26
1	Heart Diseases	18	10	8
2	Malignant Neoplasms	11	5	6
3	Emphysema and Other Chronic Lower Resp. Diseases	5	4	1
4	Septicemia	4	3	1
5	Alzheimer's Disease	3	3	0
5	Cerebrovascular Disease	3	1	2
5	Conditions Originating in the Perinatal Period	3	1	1
5	Accidents	3	3	0
9	Congenital Malformations and Chrom. Abnormalities	2	0	2
10	HIV Disease	1	0	1
10	Anemias	1	1	0
10	Diabetes Mellitus	1	0	1
10	Parkinson's Disease	1	0	1
10	Hypertension/Hypertensive Renal Disease	1	1	0
10	Aortic Aneurysm and Dissection	1	1	0
10	Pneumonitis Due to Solids and Liquids	1	1	0
10	Peptic Ulcer	1	1	0
10	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	7	4	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	68	40	26	23	15	8	45	25	18
Under 1	5	1	3	1	0	1	4	1	2
(Neonatal)	5	1	3	1	0	1	4	1	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	0	4	1	0	1	3	0	3
45-54	4	3	1	1	1	0	3	2	1
55-64	9	5	4	7	4	3	2	1	1
65-74	8	4	4	0	0	0	8	4	4
75-84	19	12	7	7	5	2	12	7	5
85 and over	18	14	3	6	5	1	12	9	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Caledonia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	7	1
1	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
2	Cerebrovascular Disease	2	1	1
3	Malignant Neoplasms	1	1	0
3	Heart Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	7	1	6	5	1	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	4	3	1	3	2	1	1	1	0
75-84	3	3	0	2	2	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Calhoun City, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	47	34	13
1	Heart Diseases	17	9	8
2	Alzheimer's Disease	7	7	0
3	Malignant Neoplasms	5	5	0
4	Septicemia	2	1	1
4	Cerebrovascular Disease	2	1	1
4	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
7	Diabetes Mellitus	1	0	1
7	Hypertension/Hypertensive Renal Disease	1	1	0
7	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
7	Conditions Originating in the Perinatal Period	1	0	1
7	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	5	5	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	47	34	13	20	11	9	27	23	4
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	5	4	1	4	3	1	1	1	0
65-74	8	6	2	3	2	1	5	4	1
75-84	13	10	3	6	3	3	7	7	0
85 and over	18	14	4	5	3	2	13	11	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Canton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	131	41	90
1	Heart Diseases	30	10	20
2	Malignant Neoplasms	20	5	15
3	Emphysema and Other Chronic Lower Resp. Diseases	10	5	5
4	Diabetes Mellitus	9	2	7
5	Cerebrovascular Disease	5	2	3
6	Septicemia	4	1	3
6	Accidents	4	2	2
8	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
9	HIV Disease	2	0	2
9	Aortic Aneurysm and Dissection	2	0	2
9	Influenza and Pneumonia	2	2	0
9	Chronic Liver Disease And Cirrhosis	2	1	1
9	Suicide	2	2	0
9	Homicide	2	0	2
15	In Situ, Benign and Unspecified Neoplasms	1	0	1
15	Alzheimer's Disease	1	0	1
15	Hypertension/Hypertensive Renal Disease	1	0	1
15	Pneumonitis Due to Solids and Liquids	1	0	1
15	Maternal Causes	1	0	1
15	Conditions Originating in the Perinatal Period	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	5	0	5
	All Other Causes	23	8	15

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	131	41	90	60	21	39	71	20	51
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	1	3	1	1	0
25-34	8	0	8	5	0	5	3	0	3
35-44	4	0	4	3	0	3	1	0	1
45-54	13	2	11	6	1	5	7	1	6
55-64	22	9	13	13	5	8	9	4	5
65-74	23	8	15	10	4	6	13	4	9
75-84	17	6	11	11	5	6	6	1	5
85 and over	36	14	22	7	5	2	29	9	20
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Carrollton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	0	0	0	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Carthage, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	81	62	18
1	Heart Diseases	21	14	6
2	Malignant Neoplasms	14	9	5
3	Alzheimer's Disease	9	5	4
4	Emphysema and Other Chronic Lower Resp. Diseases	5	5	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	5	5	0
6	Hypertension/Hypertensive Renal Disease	4	4	0
6	Accidents	4	4	0
8	Cerebrovascular Disease	3	1	2
9	Diabetes Mellitus	2	2	0
9	Influenza and Pneumonia	2	2	0
9	Suicide	2	2	0
12	Chronic Liver Disease And Cirrhosis	1	1	0
12	Cholelithiasis/Gallbladder Disorder	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	8	7	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	81	62	18	39	32	6	42	30	12
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	2	2	0	1	1	0	1	1	0
45-54	6	5	1	2	2	0	4	3	1
55-64	10	6	4	5	4	1	5	2	3
65-74	14	12	1	9	7	1	5	5	0
75-84	20	17	3	10	9	1	10	8	2
85 and over	24	18	6	9	7	2	15	11	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Cary, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	3	3
1	Heart Diseases	3	1	1
2	Malignant Neoplasms	1	1	0
2	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	3	3	5	3	1	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	3	1	2	2	1	1	1	0	1
75-84	2	1	0	2	1	0	0	0	0
85 and over	2	1	1	1	1	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Centreville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		23	13	10
1	Malignant Neoplasms	4	2	2
1	Alzheimer's Disease	4	2	2
1	Heart Diseases	4	3	1
4	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
5	Parkinson's Disease	1	1	0
5	Hypertension/Hypertensive Renal Disease	1	1	0
5	Cerebrovascular Disease	1	0	1
5	Pneumonitis Due to Solids and Liquids	1	0	1
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
5	Accidents	1	1	0
5	Homicide	1	0	1
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	23	13	10	12	7	5	11	6	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	3	1	3	3	0	1	0	1
65-74	5	2	3	3	1	2	2	1	1
75-84	5	3	2	3	1	2	2	2	0
85 and over	8	5	3	2	2	0	6	3	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Charleston, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	56	25	31
1	Malignant Neoplasms	15	5	10
2	Hypertension/Hypertensive Renal Disease	8	5	3
3	Heart Diseases	7	3	4
3	Accidents	7	1	6
5	Cerebrovascular Disease	4	3	1
5	Emphysema and Other Chronic Lower Resp. Diseases	4	2	2
7	Diabetes Mellitus	2	1	1
7	Conditions Originating in the Perinatal Period	2	0	2
9	Septicemia	1	0	1
9	Parkinson's Disease	1	1	0
9	Alzheimer's Disease	1	1	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
9	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	56	25	31	22	6	16	34	19	15
Under 1	3	0	3	3	0	3	0	0	0
(Neonatal)	3	0	3	3	0	3	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	2	1	1	0	0	0	2	1	1
45-54	7	1	6	4	1	3	3	0	3
55-64	5	1	4	3	0	3	2	1	1
65-74	8	6	2	3	1	2	5	5	0
75-84	13	7	6	5	3	2	8	4	4
85 and over	15	9	6	2	1	1	13	8	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Chunky, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	2	2	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Clarksdale, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	190	68	120
1	Malignant Neoplasms	43	19	24
2	Heart Diseases	42	16	25
3	Accidents	14	8	6
4	Diabetes Mellitus	13	3	10
5	Emphysema and Other Chronic Lower Resp. Diseases	11	3	8
6	Hypertension/Hypertensive Renal Disease	9	1	8
7	Septicemia	6	2	4
7	Homicide	6	0	5
9	Cerebrovascular Disease	4	2	2
10	Alzheimer's Disease	3	2	1
10	Influenza and Pneumonia	3	1	2
10	Pneumonitis Due to Solids and Liquids	3	1	2
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
14	Chronic Liver Disease And Cirrhosis	2	0	2
15	Viral Hepatitis	1	0	1
15	In Situ, Benign and Unspecified Neoplasms	1	0	1
15	Malnutrition/Nutritional Deficiency	1	1	0
15	Atherosclerosis	1	0	1
15	Conditions Originating in the Perinatal Period	1	0	1
15	Suicide	1	0	1
15	Complications Medical/Surgical Care	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	20	8	12

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	190	68	120	93	32	60	97	36	60
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	1	3	2	0	2	2	1	1
25-34	5	1	4	4	0	4	1	1	0
35-44	13	3	10	7	3	4	6	0	6
45-54	16	3	13	9	2	7	7	1	6
55-64	34	8	25	22	6	15	12	2	10
65-74	27	8	19	13	4	9	14	4	10
75-84	33	19	14	17	6	11	16	13	3
85 and over	54	24	29	16	10	6	38	14	23
Unknown	1	1	0	1	1	0	0	0	0

Selected Death Statistics, Residents of Cleveland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	167	80	86
1	Heart Diseases	34	24	10
2	Malignant Neoplasms	23	10	13
3	Diabetes Mellitus	14	4	10
4	Hypertension/Hypertensive Renal Disease	12	6	6
5	Emphysema and Other Chronic Lower Resp. Diseases	11	7	4
6	Alzheimer's Disease	8	6	2
7	Accidents	6	1	5
7	Homicide	6	0	6
9	Septicemia	5	2	3
	Cerebrovascular Disease	5	2	3
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3
12	Influenza and Pneumonia	4	1	3
13	Conditions Originating in the Perinatal Period	3	1	2
13	Suicide	3	2	1
15	Chronic Liver Disease And Cirrhosis	2	1	1
16	HIV Disease	1	0	1
16	Atherosclerosis	1	1	0
16	Aortic Aneurysm and Dissection	1	1	0
16	Pneumonitis Due to Solids and Liquids	1	0	1
16	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	21	9	11

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	167	80	86	71	27	43	96	53	43
Under 1	5	1	3	3	0	2	2	1	1
(Neonatal)	4	1	3	2	0	2	2	1	1
(Postneonatal)	1	0	0	1	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	8	1	7	4	0	4	4	1	3
35-44	7	0	7	4	0	4	3	0	3
45-54	10	2	8	5	1	4	5	1	4
55-64	22	6	16	9	2	7	13	4	9
65-74	23	14	9	14	8	6	9	6	3
75-84	31	15	16	14	5	9	17	10	7
85 and over	55	40	15	13	10	3	42	30	12
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Clinton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	232	155	72
1	Heart Diseases	47	31	16
2	Malignant Neoplasms	45	29	13
3	Cerebrovascular Disease	20	12	7
4	Influenza and Pneumonia	11	10	1
5	Diabetes Mellitus	8	6	2
5	Emphysema and Other Chronic Lower Resp. Diseases	8	7	1
7	Alzheimer's Disease	6	4	2
7	Hypertension/Hypertensive Renal Disease	6	4	2
7	Homicide	6	3	2
10	Septicemia	5	0	5
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3
10	Accidents	5	3	2
13	Parkinson's Disease	3	2	1
14	HIV Disease	2	1	1
14	Pneumonitis Due to Solids and Liquids	2	1	1
14	Suicide	2	2	0
17	Malnutrition/Nutritional Deficiency	1	1	0
17	Aortic Aneurysm and Dissection	1	0	1
17	Conditions Originating in the Perinatal Period	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	48	37	11

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	232	155	72	116	79	36	116	76	36
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	2	0	1	1	0	1	1	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	4	2	2	4	2	2	0	0	0
35-44	6	2	4	4	2	2	2	0	2
45-54	18	7	9	10	3	7	8	4	2
55-64	32	19	12	19	10	8	13	9	4
65-74	46	30	15	28	19	9	18	11	6
75-84	43	34	9	20	18	2	23	16	7
85 and over	77	61	16	29	25	4	48	36	12
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Coahoma, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	1	4
1	Malignant Neoplasms	3	0	2
2	Diabetes Mellitus	1	0	1
2	Heart Diseases	1	1	0
2	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	1	4	4	1	3	2	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	2	1	0	1	1	0	1	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Coffeeville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	2	5
1	Heart Diseases	3	1	2
2	Malignant Neoplasms	1	1	0
2	Pneumonitis Due to Solids and Liquids	1	0	1
2	Chronic Liver Disease And Cirrhosis	1	0	1
2	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	2	5	3	0	3	4	2	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	2	1	1	1	0	1	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	2	0	2	1	0	1	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Coldwater, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	23	9	14
1	Malignant Neoplasms	8	4	4
2	Heart Diseases	5	3	2
3	Influenza and Pneumonia	2	0	2
4	Septicemia	1	0	1
4	Diabetes Mellitus	1	0	1
4	Alzheimer's Disease	1	1	0
4	Hypertension/Hypertensive Renal Disease	1	0	1
4	Congenital Malformations and Chrom. Abnormalities	1	0	1
4	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	23	9	14	11	6	5	12	3	9
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	1	0	2	0	2
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	7	4	3	5	4	1	2	0	2
65-74	3	1	2	2	1	1	1	0	1
75-84	5	1	4	2	0	2	3	1	2
85 and over	3	1	2	0	0	0	3	1	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Collins, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	122	100	22
1	Heart Diseases	49	45	4
2	Malignant Neoplasms	12	9	3
3	Emphysema and Other Chronic Lower Resp. Diseases	11	9	2
4	Alzheimer's Disease	6	5	1
5	Influenza and Pneumonia	5	5	0
6	Parkinson's Disease	4	4	0
7	Cerebrovascular Disease	3	2	1
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1
9	Diabetes Mellitus	2	1	1
9	Accidents	2	0	2
11	HIV Disease	1	0	1
11	Hypertension/Hypertensive Renal Disease	1	1	0
11	Aortic Aneurysm and Dissection	1	1	0
11	Pneumonitis Due to Solids and Liquids	1	1	0
11	Suicide	1	1	0
11	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	18	13	5

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	122	100	22	82	72	10	40	28	12
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	3	1	2	0	0	0	3	1	2
55-64	10	7	3	6	4	2	4	3	1
65-74	6	4	2	2	2	0	4	2	2
75-84	40	35	5	27	25	2	13	10	3
85 and over	59	52	7	44	40	4	15	12	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Columbia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	137	95	41
1	Heart Diseases	39	27	11
2	Malignant Neoplasms	17	12	5
3	Cerebrovascular Disease	12	7	5
4	Alzheimer's Disease	9	6	3
5	Emphysema and Other Chronic Lower Resp. Diseases	7	6	1
6	Accidents	6	4	2
7	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3
8	Diabetes Mellitus	4	3	1
9	Septicemia	3	2	1
9	Influenza and Pneumonia	3	2	1
11	Homicide	2	0	2
12	Parkinson's Disease	1	1	0
12	Pneumonitis Due to Solids and Liquids	1	1	0
12	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	3	0
	All Other Causes	24	18	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	137	95	41	56	33	23	81	62	18
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	7	5	2	4	4	0	3	1	2
45-54	11	5	6	9	4	5	2	1	1
55-64	21	16	5	10	7	3	11	9	2
65-74	21	10	11	13	5	8	8	5	3
75-84	26	21	5	8	5	3	18	16	2
85 and over	50	38	11	11	8	3	39	30	8
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Columbus, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	319	174	144
1	Malignant Neoplasms	72	31	41
2	Heart Diseases	68	42	26
3	Cerebrovascular Disease	23	11	12
4	Emphysema and Other Chronic Lower Resp. Diseases	20	17	3
5	Alzheimer's Disease	19	16	3
6	Nephritis, Nephrotic Syndrome And Nephrosis	12	4	8
7	Diabetes Mellitus	9	1	8
8	Influenza and Pneumonia	8	6	2
9	Parkinson's Disease	6	5	1
10	Accidents	5	5	0
11	Conditions Originating in the Perinatal Period	4	0	4
12	Pneumonitis Due to Solids and Liquids	3	1	2
12	Chronic Liver Disease And Cirrhosis	3	2	1
12	Homicide	3	0	3
15	Septicemia	2	0	2
15	Hypertension/Hypertensive Renal Disease	2	1	1
15	Suicide	2	2	0
18	HIV Disease	1	0	1
18	In Situ, Benign and Unspecified Neoplasms	1	1	0
18	Congenital Malformations and Chrom. Abnormalities	1	0	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	0	2
	All Other Causes	53	29	24

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	319	174	144	130	62	67	189	112	77
Under 1	6	0	5	4	0	3	2	0	2
(Neonatal)	5	0	4	3	0	2	2	0	2
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	1	3	3	1	2	1	0	1
35-44	9	4	5	7	3	4	2	1	1
45-54	19	5	14	10	2	8	9	3	6
55-64	41	11	30	24	7	17	17	4	13
65-74	61	26	35	29	15	14	32	11	21
75-84	67	46	21	19	13	6	48	33	15
85 and over	112	81	31	34	21	13	78	60	18
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Como, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	10	2	8
1	Malignant Neoplasms	4	1	3
2	Heart Diseases	2	0	2
3	Influenza and Pneumonia	1	0	1
3	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	10	2	8	6	0	6	4	2	2
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	4	2	2	2	0	2	2	2	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Corinth, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	225	183	41
1	Heart Diseases	53	44	9
2	Malignant Neoplasms	39	30	8
3	Emphysema and Other Chronic Lower Resp. Diseases	12	11	1
3	Accidents	12	12	0
5	Cerebrovascular Disease	10	9	1
6	Influenza and Pneumonia	7	5	2
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	5	2
8	Diabetes Mellitus	6	2	4
8	Alzheimer's Disease	6	6	0
8	Pneumonitis Due to Solids and Liquids	6	6	0
11	Septicemia	4	4	0
12	Hypertension/Hypertensive Renal Disease	3	2	1
13	Suicide	2	1	1
14	Tuberculosis	1	0	1
14	In Situ, Benign and Unspecified Neoplasms	1	1	0
14	Chronic Liver Disease And Cirrhosis	1	1	0
14	Conditions Originating in the Perinatal Period	1	0	1
14	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	16	13	3
	All Other Causes	37	30	7

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	225	183	41	107	85	22	118	98	19
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	3	1	2	3	1	2	0	0	0
35-44	6	6	0	3	3	0	3	3	0
45-54	17	12	4	9	8	1	8	4	3
55-64	29	22	7	15	13	2	14	9	5
65-74	41	30	11	21	15	6	20	15	5
75-84	53	45	8	32	26	6	21	19	2
85 and over	72	66	6	22	19	3	50	47	3
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Courtland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	4	0
1	Heart Diseases	2	2	0
2	Alzheimer's Disease	1	1	0
2	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	4	0	4	4	0	0	0	0
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Crawford, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	1	3
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	1	3	2	0	2	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Crenshaw, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	16	4	12
1	Heart Diseases	7	3	4
2	Malignant Neoplasms	4	1	3
3	Aortic Aneurysm and Dissection	1	0	1
3	Influenza and Pneumonia	1	0	1
3	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	16	4	12	7	1	6	9	3	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	4	1	3	3	0	3	1	1	0
65-74	2	1	1	1	0	1	1	1	0
75-84	3	0	3	0	0	0	3	0	3
85 and over	3	2	1	1	1	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Crosby, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	1	5
1	Malignant Neoplasms	2	0	2
2	Alzheimer's Disease	1	0	1
2	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
2	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	1	5	4	0	4	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	4	1	3	3	0	3	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Crowder, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	10	7	3
1	Malignant Neoplasms	4	4	0
2	Septicemia	1	1	0
2	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
2	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	1	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	10	7	3	6	5	1	4	2	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	4	3	1	2	2	0	2	1	1
75-84	2	2	0	2	2	0	0	0	0
85 and over	3	1	2	1	0	1	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Cruger, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	1	4
1	Heart Diseases	2	0	2
2	Malignant Neoplasms	1	1	0
2	Diabetes Mellitus	1	0	1
2	Cholelithiasis/Gallbladder Disorder	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	1	4	4	1	3	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	2	0	2	2	0	2	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Crystal Springs, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	53	38	15
1	Heart Diseases	17	14	3
2	Malignant Neoplasms	9	5	4
3	Alzheimer's Disease	4	2	2
3	Accidents	4	3	1
5	Chronic Liver Disease And Cirrhosis	3	2	1
6	Cerebrovascular Disease	2	2	0
7	Septicemia	1	1	0
7	HIV Disease	1	0	1
7	Diabetes Mellitus	1	1	0
7	Hypertension/Hypertensive Renal Disease	1	0	1
7	Influenza and Pneumonia	1	0	1
7	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
7	Pneumonitis Due to Solids and Liquids	1	1	0
7	Cholelithiasis/Gallbladder Disorder	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	6	5	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	53	38	15	30	19	11	23	19	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	2	1	1	1	0	1	1	1	0
45-54	5	3	2	5	3	2	0	0	0
55-64	8	5	3	6	3	3	2	2	0
65-74	9	7	2	4	4	0	5	3	2
75-84	12	8	4	5	2	3	7	6	1
85 and over	14	12	2	7	6	1	7	6	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of D Iberville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	73	63	8
1	Malignant Neoplasms	19	14	5
2	Heart Diseases	15	14	0
3	Cerebrovascular Disease	6	5	1
3	Emphysema and Other Chronic Lower Resp. Diseases	6	5	0
5	Accidents	5	5	0
6	Septicemia	3	3	0
7	Alzheimer's Disease	2	2	0
8	Pneumonitis Due to Solids and Liquids	1	1	0
8	Chronic Liver Disease And Cirrhosis	1	0	1
8	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
8	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	3	0
	All Other Causes	10	9	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	73	63	8	38	31	6	35	32	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	3	1	2	2	0	2	1	1
55-64	17	12	5	10	6	4	7	6	1
65-74	12	10	1	7	6	1	5	4	0
75-84	22	21	1	13	12	1	9	9	0
85 and over	15	14	0	5	4	0	10	10	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of D Lo, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Malignant Neoplasms	3	3	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	3	3	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Decatur, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	10	3
1	Malignant Neoplasms	4	3	1
2	Heart Diseases	3	1	2
3	Diabetes Mellitus	1	1	0
3	Parkinson's Disease	1	1	0
3	Influenza and Pneumonia	1	1	0
3	Pneumonitis Due to Solids and Liquids	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	10	3	10	8	2	3	2	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	4	4	0	4	4	0	0	0	0
75-84	4	3	1	3	2	1	1	1	0
85 and over	3	2	1	1	1	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Dekalb, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	16	8	8
1	Malignant Neoplasms	3	0	3
1	Heart Diseases	3	2	1
3	Cerebrovascular Disease	2	0	2
4	Influenza and Pneumonia	1	0	1
4	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	4	4	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	16	8	8	8	2	6	8	6	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	5	1	4	3	0	3	2	1	1
75-84	6	3	3	3	1	2	3	2	1
85 and over	4	4	0	1	1	0	3	3	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Derma, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		6	3	3
1	Malignant Neoplasms	3	2	1
2	Heart Diseases	2	0	2
3	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	3	3	1	1	0	5	2	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	1	2	1	1	0	2	0	2
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	0	0	0	2	1	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Doddsville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	1	2
1	Malignant Neoplasms	1	0	1
1	Influenza and Pneumonia	1	0	1
1	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	1	0	1	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	1	0	1	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Drew, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	30	9	21
1	Heart Diseases	9	5	4
2	Malignant Neoplasms	6	2	4
3	Diabetes Mellitus	3	0	3
4	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
5	Septicemia	1	0	1
5	HIV Disease	1	0	1
5	Hypertension/Hypertensive Renal Disease	1	0	1
5	Cerebrovascular Disease	1	0	1
5	Influenza and Pneumonia	1	0	1
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
5	Accidents	1	0	1
5	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	30	9	21	20	7	13	10	2	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	1	2	2	1	1	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	13	2	11	8	2	6	5	0	5
65-74	8	3	5	7	2	5	1	1	0
75-84	3	1	2	2	1	1	1	0	1
85 and over	3	2	1	1	1	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Duck Hill, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	0	9
1	Heart Diseases	3	0	3
2	Alzheimer's Disease	1	0	1
2	Hypertension/Hypertensive Renal Disease	1	0	1
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
2	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	0	9	7	0	7	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	2	0	2	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	3	0	3	3	0	3	0	0	0
85 and over	2	0	2	1	0	1	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Dumas, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Duncan, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		5	2	3
1	Diabetes Mellitus	1	0	1
1	Influenza and Pneumonia	1	0	1
1	Accidents	1	0	1
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	2	3	4	1	3	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	2	0	2	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	2	1	1	1	0	1	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Durant, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	22	6	16
1	Heart Diseases	4	1	3
2	Malignant Neoplasms	3	1	2
3	Hypertension/Hypertensive Renal Disease	2	1	1
3	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
5	Influenza and Pneumonia	1	0	1
5	Chronic Liver Disease And Cirrhosis	1	1	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
5	Congenital Malformations and Chrom. Abnormalities	1	0	1
5	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	5	0	5

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	22	6	16	10	4	6	12	2	10
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	4	0	4	2	0	2	2	0	2
75-84	3	2	1	1	1	0	2	1	1
85 and over	7	1	6	1	0	1	6	1	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ecrú, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	11	10	1
1	Heart Diseases	3	2	1
2	Cerebrovascular Disease	2	2	0
2	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Malignant Neoplasms	1	1	0
4	Influenza and Pneumonia	1	1	0
4	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	11	10	1	4	4	0	7	6	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	4	3	1	1	1	0	3	2	1
75-84	2	2	0	0	0	0	2	2	0
85 and over	3	3	0	1	1	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Edwards, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	3	10
1	Malignant Neoplasms	4	1	3
2	Heart Diseases	2	1	1
2	Emphysema and Other Chronic Lower Resp. Diseases	2	0	2
4	Influenza and Pneumonia	1	0	1
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	1	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	3	10	7	1	6	6	2	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	1	3	4	1	3	0	0	0
65-74	2	0	2	2	0	2	0	0	0
75-84	4	2	2	0	0	0	4	2	2
85 and over	3	0	3	1	0	1	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ellisville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	54	37	17
1	Heart Diseases	12	9	3
2	Malignant Neoplasms	7	6	1
3	Influenza and Pneumonia	5	4	1
4	Septicemia	3	1	2
4	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2
4	Chronic Liver Disease And Cirrhosis	3	3	0
4	Accidents	3	3	0
8	Alzheimer's Disease	2	1	1
9	In Situ, Benign and Unspecified Neoplasms	1	1	0
9	Anemias	1	0	1
9	Diabetes Mellitus	1	1	0
9	Hypertension/Hypertensive Renal Disease	1	0	1
9	Cerebrovascular Disease	1	1	0
9	Aortic Aneurysm and Dissection	1	0	1
9	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	5	5	0
	All Other Causes	4	1	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	54	37	17	30	21	9	24	16	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	2	1	1	0	0	0	2	1	1
45-54	9	7	2	5	5	0	4	2	2
55-64	5	2	3	2	1	1	3	1	2
65-74	3	2	1	2	1	1	1	1	0
75-84	14	9	5	9	6	3	5	3	2
85 and over	18	14	4	9	6	3	9	8	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Enterprise, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	4	1
1	Cerebrovascular Disease	2	1	1
2	Malignant Neoplasms	1	1	0
2	Heart Diseases	1	1	0
2	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	4	1	3	2	1	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	3	2	1	2	1	1	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ethel, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	2	0
1	Heart Diseases	2	2	0
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	2	0	1	1	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Eupora, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	80	59	21
1	Heart Diseases	29	18	11
2	Malignant Neoplasms	12	6	6
3	Septicemia	6	4	2
4	Alzheimer's Disease	5	5	0
5	Cerebrovascular Disease	3	3	0
5	Influenza and Pneumonia	3	3	0
7	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
7	Accidents	2	2	0
9	Viral Hepatitis	1	1	0
9	Diabetes Mellitus	1	0	1
9	Parkinson's Disease	1	1	0
9	Pneumonitis Due to Solids and Liquids	1	1	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	13	13	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	80	59	21	29	15	14	51	44	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	1	1	0	1	1	0	0	0	0
55-64	10	3	7	7	1	6	3	2	1
65-74	13	9	4	5	2	3	8	7	1
75-84	29	25	4	10	7	3	19	18	1
85 and over	25	21	4	5	4	1	20	17	3
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Falcon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	0	2
1	Heart Diseases	1	0	1
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	0	2	1	0	1	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Falkner, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	5	0
1	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	5	0	4	4	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	2	2	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Fayette, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	25	1	24
1	Heart Diseases	11	1	10
2	Malignant Neoplasms	5	0	5
3	Diabetes Mellitus	3	0	3
4	Cerebrovascular Disease	1	0	1
4	Acute Bronchitis and Bronchiolitis	1	0	1
4	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
4	Chronic Liver Disease And Cirrhosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	25	1	24	13	1	12	12	0	12
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	2	0	2	1	0	1	1	0	1
55-64	2	0	2	1	0	1	1	0	1
65-74	5	0	5	5	0	5	0	0	0
75-84	5	0	5	2	0	2	3	0	3
85 and over	7	1	6	2	1	1	5	0	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Flora, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	26	16	10
1	Heart Diseases	8	6	2
2	Malignant Neoplasms	7	3	4
3	Septicemia	1	1	0
3	Anemias	1	0	1
3	Diabetes Mellitus	1	1	0
3	Hypertension/Hypertensive Renal Disease	1	0	1
3	Cerebrovascular Disease	1	0	1
3	Atherosclerosis	1	1	0
3	Chronic Liver Disease And Cirrhosis	1	0	1
3	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	26	16	10	17	10	7	9	6	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	10	3	7	8	3	5	2	0	2
65-74	6	4	2	2	1	1	4	3	1
75-84	2	2	0	1	1	0	1	1	0
85 and over	6	6	0	4	4	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Florence, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	55	49	6
1	Heart Diseases	20	18	2
2	Malignant Neoplasms	9	8	1
3	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
4	Diabetes Mellitus	3	3	0
5	Hypertension/Hypertensive Renal Disease	2	1	1
5	Cerebrovascular Disease	2	2	0
5	Pneumonitis Due to Solids and Liquids	2	1	1
5	Accidents	2	2	0
9	Alzheimer's Disease	1	1	0
9	Aortic Aneurysm and Dissection	1	1	0
9	Influenza and Pneumonia	1	1	0
9	Chronic Liver Disease And Cirrhosis	1	1	0
9	Congenital Malformations and Chrom. Abnormalities	1	1	0
9	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	5	5	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	55	49	6	27	24	3	28	25	3
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	4	0	4	4	0	0	0	0
45-54	4	4	0	4	4	0	0	0	0
55-64	15	12	3	8	6	2	7	6	1
65-74	4	4	0	3	3	0	1	1	0
75-84	11	9	2	3	2	1	8	7	1
85 and over	16	15	1	4	4	0	12	11	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Flowood, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	27	19	8
1	Malignant Neoplasms	8	5	3
1	Heart Diseases	8	5	3
3	Cerebrovascular Disease	2	2	0
3	Accidents	2	2	0
3	Suicide	2	2	0
6	Diabetes Mellitus	1	1	0
6	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
6	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	27	19	8	14	10	4	13	9	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	1	1	0	0	0	0	1	1	0
35-44	3	2	1	3	2	1	0	0	0
45-54	2	1	1	0	0	0	2	1	1
55-64	2	2	0	1	1	0	1	1	0
65-74	7	6	1	5	4	1	2	2	0
75-84	8	4	4	3	2	1	5	2	3
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Forest, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	54	26	28
1	Malignant Neoplasms	17	4	13
2	Heart Diseases	9	5	4
3	Cerebrovascular Disease	4	2	2
4	Accidents	3	2	1
5	Septicemia	2	2	0
5	Diabetes Mellitus	2	2	0
5	Influenza and Pneumonia	2	2	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
5	Congenital Malformations and Chrom. Abnormalities	2	1	1
10	Malnutrition/Nutritional Deficiency	1	1	0
10	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
10	Pneumonitis Due to Solids and Liquids	1	0	1
10	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	6	2	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	54	26	28	34	14	20	20	12	8
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	1	2	1	0	1	2	1	1
45-54	4	3	1	3	2	1	1	1	0
55-64	12	2	10	9	2	7	3	0	3
65-74	9	3	6	5	2	3	4	1	3
75-84	10	7	3	4	2	2	6	5	1
85 and over	11	8	3	7	4	3	4	4	0
Unknown	1	0	1	1	0	1	0	0	0

Selected Death Statistics, Residents of Friars Point, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	12	1	11
1	Heart Diseases	5	1	4
2	Malignant Neoplasms	4	0	4
3	Alzheimer's Disease	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
3	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	12	1	11	5	1	4	7	0	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	4	1	3	2	1	1	2	0	2
65-74	0	0	0	0	0	0	0	0	0
75-84	2	0	2	0	0	0	2	0	2
85 and over	3	0	3	1	0	1	2	0	2
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Fulton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	79	76	3
1	Heart Diseases	13	13	0
2	Malignant Neoplasms	12	11	1
3	Cerebrovascular Disease	10	9	1
4	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0
5	Alzheimer's Disease	5	5	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	3	3	0
7	Diabetes Mellitus	2	2	0
7	Hypertension/Hypertensive Renal Disease	2	1	1
7	Influenza and Pneumonia	2	2	0
10	Parkinson's Disease	1	1	0
10	Pneumonitis Due to Solids and Liquids	1	1	0
10	Peptic Ulcer	1	1	0
10	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	4	4	0
	All Other Causes	16	16	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	79	76	3	24	23	1	55	53	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	3	0	1	1	0	2	2	0
55-64	4	4	0	3	3	0	1	1	0
65-74	15	14	1	6	5	1	9	9	0
75-84	22	22	0	8	8	0	14	14	0
85 and over	34	32	2	5	5	0	29	27	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Gattman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Cerebrovascular Disease	1	1	0
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	1	1	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Gautier, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	137	111	25
1	Malignant Neoplasms	34	26	8
1	Heart Diseases	34	27	7
3	Emphysema and Other Chronic Lower Resp. Diseases	11	11	0
4	Accidents	10	7	3
5	Cerebrovascular Disease	5	4	0
6	Parkinson's Disease	4	3	1
7	Septicemia	3	2	1
7	Diabetes Mellitus	3	2	1
7	Influenza and Pneumonia	3	3	0
10	Alzheimer's Disease	2	2	0
10	Hypertension/Hypertensive Renal Disease	2	2	0
10	Chronic Liver Disease And Cirrhosis	2	2	0
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
14	Anemias	1	1	0
14	Acute Bronchitis and Bronchiolitis	1	0	1
14	Pneumonitis Due to Solids and Liquids	1	1	0
14	Conditions Originating in the Perinatal Period	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	16	15	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	137	111	25	79	67	12	58	44	13
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	6	4	2	5	4	1	1	0	1
45-54	14	9	5	8	7	1	6	2	4
55-64	17	12	5	12	8	4	5	4	1
65-74	38	31	6	25	21	4	13	10	2
75-84	32	30	2	17	16	1	15	14	1
85 and over	27	25	2	12	11	1	15	14	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Georgetown, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	0	0	0	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Glen, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Heart Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Glendora, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	0	3
1	Conditions Originating in the Perinatal Period	2	0	2
2	Malignant Neoplasms	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	0	3	2	0	2	1	0	1
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Gloster, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	6	7
1	Heart Diseases	4	2	2
2	Malignant Neoplasms	2	2	0
3	HIV Disease	1	0	1
3	Alzheimer's Disease	1	0	1
3	Hypertension/Hypertensive Renal Disease	1	0	1
3	Chronic Liver Disease And Cirrhosis	1	1	0
3	Accidents	1	0	1
3	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	6	7	7	3	4	6	3	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	3	3	0	2	2	0	1	1	0
75-84	3	2	1	2	1	1	1	1	0
85 and over	2	1	1	0	0	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Golden, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	16	16	0
1	Heart Diseases	6	6	0
2	Alzheimer's Disease	3	3	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Malignant Neoplasms	1	1	0
4	Cerebrovascular Disease	1	1	0
4	Influenza and Pneumonia	1	1	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	16	16	0	6	6	0	10	10	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	4	4	0	0	0	0	4	4	0
85 and over	11	11	0	6	6	0	5	5	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Goodman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	0	6
1	Malignant Neoplasms	2	0	2
1	Heart Diseases	2	0	2
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	0	6	1	0	1	5	0	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	2	0	2	0	0	0	2	0	2
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Greenville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	478	164	313
1	Malignant Neoplasms	91	24	66
2	Heart Diseases	80	30	50
3	Diabetes Mellitus	36	8	28
4	Emphysema and Other Chronic Lower Resp. Diseases	28	14	14
5	Hypertension/Hypertensive Renal Disease	23	3	20
6	Nephritis, Nephrotic Syndrome And Nephrosis	19	2	17
7	Accidents	16	7	9
8	Cerebrovascular Disease	14	4	10
9	Alzheimer's Disease	12	7	5
10	Influenza and Pneumonia	10	5	5
11	Homicide	9	1	8
12	Conditions Originating in the Perinatal Period	6	0	6
13	Septicemia	5	3	2
13	HIV Disease	5	1	4
15	Parkinson's Disease	4	2	2
16	Chronic Liver Disease And Cirrhosis	3	1	2
17	Pneumonitis Due to Solids and Liquids	2	0	2
18	Anemias	1	0	1
18	Malnutrition/Nutritional Deficiency	1	1	0
18	Diseases of Appendix	1	0	1
18	Maternal Causes	1	0	1
18	Suicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	13	7	6
	All Other Causes	97	44	53

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	478	164	313	233	70	163	245	94	150
Under 1	6	0	6	2	0	2	4	0	4
(Neonatal)	5	0	5	2	0	2	3	0	3
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	9	0	9	6	0	6	3	0	3
35-44	21	3	18	13	2	11	8	1	7
45-54	38	11	27	21	5	16	17	6	11
55-64	65	15	49	45	8	37	20	7	12
65-74	99	26	73	56	18	38	43	8	35
75-84	106	50	56	49	21	28	57	29	28
85 and over	127	59	68	36	16	20	91	43	48
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Greenwood, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	209	88	119
1	Heart Diseases	52	24	27
2	Malignant Neoplasms	39	14	25
3	Cerebrovascular Disease	17	8	9
4	Accidents	11	10	1
5	Diabetes Mellitus	10	2	8
6	Emphysema and Other Chronic Lower Resp. Diseases	7	4	3
7	Hypertension/Hypertensive Renal Disease	6	4	2
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4
9	Alzheimer's Disease	5	4	1
9	Chronic Liver Disease And Cirrhosis	5	1	4
11	Septicemia	4	0	4
11	HIV Disease	4	0	4
11	Influenza and Pneumonia	4	2	2
11	Homicide	4	0	4
15	Parkinson's Disease	3	2	1
16	Conditions Originating in the Perinatal Period	2	0	2
17	In Situ, Benign and Unspecified Neoplasms	1	0	1
17	Pneumonitis Due to Solids and Liquids	1	1	0
17	Infections of Kidney	1	0	1
17	Congenital Malformations and Chrom. Abnormalities	1	0	1
17	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	24	8	15

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	209	88	119	104	45	58	105	43	61
Under 1	3	0	3	3	0	3	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	2	3	4	1	3	1	1	0
25-34	1	0	1	1	0	1	0	0	0
35-44	6	0	6	4	0	4	2	0	2
45-54	21	5	16	13	3	10	8	2	6
55-64	34	8	26	21	6	15	13	2	11
65-74	45	19	26	25	15	10	20	4	16
75-84	37	17	19	13	7	6	24	10	13
85 and over	56	37	18	20	13	6	36	24	12
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Grenada, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	249	136	112
1	Heart Diseases	67	38	28
2	Malignant Neoplasms	58	33	25
3	Cerebrovascular Disease	15	10	5
4	Septicemia	11	5	6
4	Emphysema and Other Chronic Lower Resp. Diseases	11	8	3
6	Alzheimer's Disease	8	7	1
7	Influenza and Pneumonia	7	5	2
8	Accidents	6	1	5
9	Pneumonitis Due to Solids and Liquids	5	2	3
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3
10	Homicide	4	0	4
12	HIV Disease	3	0	3
12	Diabetes Mellitus	3	2	1
12	Hypertension/Hypertensive Renal Disease	3	1	2
12	Suicide	3	2	1
16	Chronic Liver Disease And Cirrhosis	2	0	2
17	Anemias	1	0	1
17	Malnutrition/Nutritional Deficiency	1	0	1
17	Parkinson's Disease	1	1	0
17	Aortic Aneurysm and Dissection	1	1	0
17	Cholelithiasis/Gallbladder Disorder	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	32	17	15

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	249	136	112	118	60	57	131	76	55
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	5	1	4	3	1	2	2	0	2
35-44	3	1	2	2	0	2	1	1	0
45-54	27	12	15	18	8	10	9	4	5
55-64	39	17	21	17	8	8	22	9	13
65-74	46	23	23	23	12	11	23	11	12
75-84	50	36	14	24	18	6	26	18	8
85 and over	73	46	27	26	13	13	47	33	14
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Gulfport, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	723	519	197
1	Heart Diseases	206	146	59
2	Malignant Neoplasms	153	103	46
3	Accidents	53	43	9
4	Emphysema and Other Chronic Lower Resp. Diseases	35	29	5
5	Cerebrovascular Disease	26	13	13
6	Septicemia	18	13	5
7	Nephritis, Nephrotic Syndrome And Nephrosis	17	13	4
8	Influenza and Pneumonia	14	11	3
9	Alzheimer's Disease	10	9	1
10	Suicide	9	6	3
11	Pneumonitis Due to Solids and Liquids	7	5	2
11	Chronic Liver Disease And Cirrhosis	7	5	2
13	Homicide	6	3	3
14	Congenital Malformations and Chrom. Abnormalities	4	2	2
15	Diabetes Mellitus	3	2	1
15	Hypertension/Hypertensive Renal Disease	3	2	1
15	Conditions Originating in the Perinatal Period	3	3	0
15	Complications Medical/Surgical Care	3	3	0
19	In Situ, Benign and Unspecified Neoplasms	2	2	0
19	Aortic Aneurysm and Dissection	2	2	0
21	Viral Hepatitis	1	1	0
21	HIV Disease	1	1	0
21	Parkinson's Disease	1	0	1
21	Peptic Ulcer	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	30	18	12
	All Other Causes	108	84	24

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	723	519	197	401	294	104	322	225	93
Under 1	10	7	3	9	7	2	1	0	1
(Neonatal)	5	4	1	4	4	0	1	0	1
(Postneonatal)	5	3	2	5	3	2	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	0	2	0	0	0	2	0	2
15-24	8	5	3	6	4	2	2	1	1
25-34	13	5	8	7	5	2	6	0	6
35-44	22	18	3	12	10	2	10	8	1
45-54	76	50	25	42	29	12	34	21	13
55-64	101	62	38	63	39	23	38	23	15
65-74	133	89	43	83	56	27	50	33	16
75-84	158	123	35	82	65	17	76	58	18
85 and over	198	160	35	96	79	16	102	81	19
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Gunnison, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	10	3	7
1	Malignant Neoplasms	4	1	3
2	Accidents	2	0	2
3	Heart Diseases	1	0	1
3	Cerebrovascular Disease	1	1	0
3	Atherosclerosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	10	3	7	7	2	5	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	2	0	2	2	0	2	0	0	0
65-74	2	0	2	1	0	1	1	0	1
75-84	3	2	1	2	1	1	1	1	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Guntown, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	15	12	3
1	Malignant Neoplasms	5	3	2
2	Heart Diseases	3	2	1
3	Cerebrovascular Disease	2	2	0
4	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
4	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	15	12	3	6	5	1	9	7	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	3	3	0	2	2	0	1	1	0
55-64	3	2	1	0	0	0	3	2	1
65-74	1	1	0	1	1	0	0	0	0
75-84	4	3	1	0	0	0	4	3	1
85 and over	3	2	1	3	2	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Hattiesburg, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	471	267	203
1	Heart Diseases	112	70	42
2	Malignant Neoplasms	85	37	48
3	Emphysema and Other Chronic Lower Resp. Diseases	26	21	5
4	Diabetes Mellitus	25	5	20
5	Cerebrovascular Disease	21	12	9
6	Septicemia	16	3	13
7	Alzheimer's Disease	15	15	0
8	Influenza and Pneumonia	14	12	2
8	Nephritis, Nephrotic Syndrome And Nephrosis	14	7	7
10	Accidents	12	5	7
11	Hypertension/Hypertensive Renal Disease	6	3	3
12	HIV Disease	5	1	4
12	Conditions Originating in the Perinatal Period	5	2	3
12	Congenital Malformations and Chrom. Abnormalities	5	4	1
12	Suicide	5	5	0
16	Parkinson's Disease	4	4	0
16	Homicide	4	1	3
18	Chronic Liver Disease And Cirrhosis	3	2	1
18	Cholelithiasis/Gallbladder Disorder	3	2	1
20	Aortic Aneurysm and Dissection	2	1	1
20	Pneumonitis Due to Solids and Liquids	2	1	1
22	Tuberculosis	1	1	0
22	In Situ, Benign and Unspecified Neoplasms	1	1	0
22	Anemias	1	1	0
22	Complications Medical/Surgical Care	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	10	7	3
	All Other Causes	73	44	28

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	471	267	203	225	123	101	246	144	102
Under 1	10	5	5	6	5	1	4	0	4
(Neonatal)	7	4	3	5	4	1	2	0	2
(Postneonatal)	3	1	2	1	1	0	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	12	4	8	8	2	6	4	2	2
35-44	18	5	13	10	4	6	8	1	7
45-54	36	10	26	21	6	15	15	4	11
55-64	69	16	53	37	11	26	32	5	27
65-74	84	47	37	47	27	20	37	20	17
75-84	107	75	31	50	32	17	57	43	14
85 and over	130	103	27	43	35	8	87	68	19
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Hazlehurst, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	60	28	32
1	Heart Diseases	21	11	10
2	Malignant Neoplasms	6	1	5
3	Cerebrovascular Disease	3	1	2
4	Septicemia	2	1	1
4	Diabetes Mellitus	2	0	2
4	Influenza and Pneumonia	2	1	1
4	Emphysema and Other Chronic Lower Resp. Diseases	2	0	2
4	Conditions Originating in the Perinatal Period	2	0	2
9	Viral Hepatitis	1	0	1
9	Parkinson's Disease	1	1	0
9	Alzheimer's Disease	1	1	0
9	Hypertension/Hypertensive Renal Disease	1	1	0
9	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	15	9	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	60	28	32	16	4	12	44	24	20
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	1	1	1	1	0	1	0	1
45-54	3	2	1	1	0	1	2	2	0
55-64	9	0	9	4	0	4	5	0	5
65-74	7	2	5	1	0	1	6	2	4
75-84	13	7	6	3	1	2	10	6	4
85 and over	23	16	7	4	2	2	19	14	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Heidelberg, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	0	6
1	Heart Diseases	3	0	3
2	Hypertension/Hypertensive Renal Disease	1	0	1
2	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	0	6	3	0	3	3	0	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	0	0	0	1	0	1
75-84	3	0	3	3	0	3	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Hernando, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	133	118	14
1	Heart Diseases	46	42	4
2	Malignant Neoplasms	35	30	5
3	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0
4	Cerebrovascular Disease	8	8	0
5	Accidents	4	4	0
6	Diabetes Mellitus	3	2	1
6	Parkinson's Disease	3	2	0
6	Alzheimer's Disease	3	2	1
6	Nephritis, Nephrotic Syndrome And Nephrosis	3	3	0
10	In Situ, Benign and Unspecified Neoplasms	2	2	0
10	Hypertension/Hypertensive Renal Disease	2	2	0
10	Aortic Aneurysm and Dissection	2	2	0
10	Influenza and Pneumonia	2	2	0
10	Pneumonitis Due to Solids and Liquids	2	1	1
15	Cholelithiasis/Gallbladder Disorder	1	1	0
15	Suicide	1	1	0
15	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	133	118	14	69	64	5	64	54	9
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	7	6	1	4	4	0	3	2	1
45-54	9	7	2	8	7	1	1	0	1
55-64	13	13	0	4	4	0	9	9	0
65-74	22	18	4	13	10	3	9	8	1
75-84	35	34	1	24	24	0	11	10	1
85 and over	42	37	4	12	12	0	30	25	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Hickory, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	11	4	7
1	Malignant Neoplasms	3	1	2
2	Accidents	2	0	2
3	Diabetes Mellitus	1	1	0
3	Heart Diseases	1	0	1
3	Aortic Aneurysm and Dissection	1	0	1
3	Influenza and Pneumonia	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	11	4	7	8	3	5	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	3	1	2	3	1	2	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	3	1	2	1	0	1	2	1	1
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Hickory Flat, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	7	0
1	Malignant Neoplasms	3	3	0
2	Cerebrovascular Disease	2	2	0
3	Septicemia	1	1	0
3	Parkinson's Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	7	0	3	3	0	4	4	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	3	3	0	1	1	0	2	2	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	1	1	0	2	2	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Hollandale, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	35	11	24
1	Heart Diseases	10	4	6
2	Malignant Neoplasms	5	3	2
3	Diabetes Mellitus	4	0	4
3	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
5	Cerebrovascular Disease	2	0	2
6	HIV Disease	1	0	1
6	Influenza and Pneumonia	1	0	1
6	Pneumonitis Due to Solids and Liquids	1	0	1
6	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
6	Congenital Malformations and Chrom. Abnormalities	1	0	1
6	Accidents	1	0	1
6	Suicide	1	0	1
6	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	35	11	24	21	7	14	14	4	10
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	7	2	5	5	1	4	2	1	1
55-64	6	1	5	3	1	2	3	0	3
65-74	10	2	8	4	1	3	6	1	5
75-84	5	4	1	5	4	1	0	0	0
85 and over	4	2	2	1	0	1	3	2	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Holly Springs, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	101	46	55
1	Malignant Neoplasms	18	7	11
1	Heart Diseases	18	10	8
3	Hypertension/Hypertensive Renal Disease	9	4	5
4	Diabetes Mellitus	6	3	3
4	Alzheimer's Disease	6	4	2
4	Cerebrovascular Disease	6	3	3
7	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
8	Septicemia	3	1	2
8	Influenza and Pneumonia	3	2	1
8	Accidents	3	1	2
11	HIV Disease	2	0	2
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1
11	Conditions Originating in the Perinatal Period	2	0	2
11	Suicide	2	0	2
15	Chronic Liver Disease And Cirrhosis	1	0	1
15	Maternal Causes	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	1	2
	All Other Causes	12	6	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	101	46	55	53	22	31	48	24	24
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	3	0	3	3	0	3	0	0	0
35-44	3	1	2	2	0	2	1	1	0
45-54	3	1	2	2	1	1	1	0	1
55-64	15	4	11	12	3	9	3	1	2
65-74	19	5	14	12	4	8	7	1	6
75-84	25	14	11	9	5	4	16	9	7
85 and over	30	21	9	12	9	3	18	12	6
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Horn Lake, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	167	138	29
1	Heart Diseases	49	41	8
2	Malignant Neoplasms	41	35	6
3	Emphysema and Other Chronic Lower Resp. Diseases	14	14	0
4	Diabetes Mellitus	13	11	2
5	Cerebrovascular Disease	9	7	2
6	Accidents	6	6	0
7	Hypertension/Hypertensive Renal Disease	5	4	1
7	Suicide	5	3	2
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2
10	Influenza and Pneumonia	3	3	0
11	Conditions Originating in the Perinatal Period	2	1	1
12	Viral Hepatitis	1	0	1
12	Parkinson's Disease	1	1	0
12	Alzheimer's Disease	1	0	1
12	Cholelithiasis/Gallbladder Disorder	1	1	0
12	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	9	6	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	167	138	29	81	66	15	86	72	14
Under 1	3	2	1	2	2	0	1	0	1
(Neonatal)	3	2	1	2	2	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	6	5	1	4	3	1	2	2	0
35-44	7	5	2	6	5	1	1	0	1
45-54	23	19	4	11	8	3	12	11	1
55-64	29	25	4	15	12	3	14	13	1
65-74	39	34	5	16	13	3	23	21	2
75-84	34	25	9	16	13	3	18	12	6
85 and over	24	22	2	10	10	0	14	12	2
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Houlka, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	5	0
1	Malignant Neoplasms	2	2	0
1	Heart Diseases	2	2	0
3	Pneumonitis Due to Solids and Liquids	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	5	0	1	1	0	4	4	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	0	0	0	2	2	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Houston, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	45	31	14
1	Heart Diseases	18	14	4
2	Malignant Neoplasms	7	2	5
3	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0
4	Accidents	3	2	1
5	Diabetes Mellitus	2	2	0
5	Cerebrovascular Disease	2	1	1
7	Septicemia	1	0	1
7	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	6	5	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	45	31	14	16	9	7	29	22	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	3	2	1	0	0	0	3	2	1
55-64	6	4	2	2	1	1	4	3	1
65-74	8	4	4	4	1	3	4	3	1
75-84	8	6	2	5	3	2	3	3	0
85 and over	19	14	5	4	3	1	15	11	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Indianola, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	116	39	75
1	Heart Diseases	31	12	19
2	Malignant Neoplasms	26	9	16
3	Diabetes Mellitus	10	1	9
4	Cerebrovascular Disease	4	3	1
5	Septicemia	3	0	3
5	Influenza and Pneumonia	3	1	2
5	Emphysema and Other Chronic Lower Resp. Diseases	3	1	1
5	Conditions Originating in the Perinatal Period	3	0	3
5	Accidents	3	1	2
10	Alzheimer's Disease	2	1	1
10	Hypertension/Hypertensive Renal Disease	2	1	1
10	Pneumonitis Due to Solids and Liquids	2	0	2
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2
14	Maternal Causes	1	0	1
14	Suicide	1	0	1
14	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	18	9	9

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	116	39	75	54	18	35	62	21	40
Under 1	5	0	5	4	0	4	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	4	0	3	2	0	1	2	0	2
45-54	10	2	8	4	0	4	6	2	4
55-64	25	10	15	17	8	9	8	2	6
65-74	25	6	19	11	3	8	14	3	11
75-84	23	10	12	8	3	5	15	7	7
85 and over	18	11	7	4	4	0	14	7	7
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Inverness, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	19	11	8
1	Malignant Neoplasms	5	4	1
2	Diabetes Mellitus	3	1	2
3	Heart Diseases	2	2	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
5	Anemias	1	0	1
5	Malnutrition/Nutritional Deficiency	1	0	1
5	Alzheimer's Disease	1	1	0
5	Hypertension/Hypertensive Renal Disease	1	1	0
5	Cerebrovascular Disease	1	0	1
5	Influenza and Pneumonia	1	1	0
5	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	19	11	8	13	7	6	6	4	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	5	2	3	4	2	2	1	0	1
75-84	8	5	3	6	4	2	2	1	1
85 and over	2	2	0	0	0	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Isola, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	0	4
1	Heart Diseases	2	0	2
2	Pneumonitis Due to Solids and Liquids	1	0	1
2	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	0	4	1	0	1	3	0	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	0	3	0	0	0	3	0	3
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Itta Bena, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	21	1	20
1	Heart Diseases	8	1	7
2	Cerebrovascular Disease	3	0	3
3	Malignant Neoplasms	2	0	2
3	Pneumonitis Due to Solids and Liquids	2	0	2
5	Hypertension/Hypertensive Renal Disease	1	0	1
5	Chronic Liver Disease And Cirrhosis	1	0	1
5	Accidents	1	0	1
5	Suicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	21	1	20	12	0	12	9	1	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	7	0	7	5	0	5	2	0	2
55-64	2	0	2	2	0	2	0	0	0
65-74	2	0	2	1	0	1	1	0	1
75-84	7	1	6	1	0	1	6	1	5
85 and over	1	0	1	1	0	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Iuka, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	106	105	1
1	Heart Diseases	40	39	1
2	Alzheimer's Disease	8	8	0
2	Cerebrovascular Disease	8	8	0
2	Emphysema and Other Chronic Lower Resp. Diseases	8	8	0
5	Malignant Neoplasms	7	7	0
6	Influenza and Pneumonia	4	4	0
7	Diabetes Mellitus	3	3	0
7	Pneumonitis Due to Solids and Liquids	3	3	0
9	Parkinson's Disease	2	2	0
9	Accidents	2	2	0
11	Septicemia	1	1	0
11	In Situ, Benign and Unspecified Neoplasms	1	1	0
11	Malnutrition/Nutritional Deficiency	1	1	0
11	Aortic Aneurysm and Dissection	1	1	0
11	Chronic Liver Disease And Cirrhosis	1	1	0
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	14	14	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	106	105	1	42	42	0	64	63	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	3	0	1	1	0	2	2	0
45-54	4	4	0	4	4	0	0	0	0
55-64	4	4	0	3	3	0	1	1	0
65-74	13	12	1	9	9	0	4	3	1
75-84	33	33	0	13	13	0	20	20	0
85 and over	49	49	0	12	12	0	37	37	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Jackson, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1,504	472	1,029
1	Heart Diseases	387	109	278
2	Malignant Neoplasms	325	94	230
3	Cerebrovascular Disease	75	22	53
4	Diabetes Mellitus	61	11	50
5	Emphysema and Other Chronic Lower Resp. Diseases	53	21	32
6	Accidents	50	15	35
7	Homicide	49	4	45
8	Nephritis, Nephrotic Syndrome And Nephrosis	39	5	34
9	Septicemia	38	8	30
10	Influenza and Pneumonia	33	11	22
11	Alzheimer's Disease	32	19	13
12	Hypertension/Hypertensive Renal Disease	27	8	19
13	HIV Disease	17	1	16
14	Chronic Liver Disease And Cirrhosis	14	5	9
15	Suicide	13	7	6
16	Pneumonitis Due to Solids and Liquids	12	5	7
17	Conditions Originating in the Perinatal Period	10	0	10
18	Parkinson's Disease	6	5	1
19	Viral Hepatitis	5	2	3
20	In Situ, Benign and Unspecified Neoplasms	4	1	3
20	Aortic Aneurysm and Dissection	4	3	1
22	Anemias	3	1	2
22	Congenital Malformations and Chrom. Abnormalities	3	0	3
22	Complications Medical/Surgical Care	3	1	2
25	Atherosclerosis	2	2	0
25	Peptic Ulcer	2	2	0
27	Tuberculosis	1	0	1
27	Malnutrition/Nutritional Deficiency	1	0	1
27	Pneumoconioses and Chemical Effects	1	1	0
27	Hernia	1	1	0
27	Cholelithiasis/Gallbladder Disorder	1	0	1
27	Infections of Kidney	1	0	1
27	Maternal Causes	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	25	8	16
	All Other Causes	205	100	104

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,504	472	1,029	776	234	542	728	238	487
Under 1	26	2	24	8	0	8	18	2	16
(Neonatal)	13	1	12	2	0	2	11	1	10
(Postneonatal)	13	1	12	6	0	6	7	1	6
1-4	5	1	4	3	1	2	2	0	2
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	27	1	26	20	1	19	7	0	7
25-34	41	4	37	26	2	24	15	2	13
35-44	53	8	45	39	7	32	14	1	13
45-54	151	21	129	81	10	71	70	11	58
55-64	272	43	229	168	27	141	104	16	88
65-74	238	67	171	140	36	104	98	31	67
75-84	304	122	181	138	60	78	166	62	103
85 and over	384	202	181	151	89	62	233	113	119
Unknown	1	1	0	1	1	0	0	0	0



Selected Death Statistics, Residents of Jonestown, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	0	13
1	Heart Diseases	4	0	4
2	Emphysema and Other Chronic Lower Resp. Diseases	3	0	3
3	Diabetes Mellitus	2	0	2
4	Malignant Neoplasms	1	0	1
4	Cerebrovascular Disease	1	0	1
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	0	13	8	0	8	5	0	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	5	0	5	3	0	3	2	0	2
65-74	3	0	3	1	0	1	2	0	2
75-84	0	0	0	0	0	0	0	0	0
85 and over	4	0	4	3	0	3	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Jumpertown, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Diabetes Mellitus	1	1	0
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Kilmichael, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		8	4	4
1	Heart Diseases	4	3	1
2	Cerebrovascular Disease	1	1	0
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
2	Accidents	1	0	1
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	4	4	3	2	1	5	2	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	0	0	0	2	0	2
65-74	1	1	0	1	1	0	0	0	0
75-84	2	2	0	0	0	0	2	2	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Kosciusko, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	152	110	41
1	Heart Diseases	34	24	10
2	Malignant Neoplasms	18	12	6
3	Alzheimer's Disease	16	14	2
4	Cerebrovascular Disease	9	7	2
5	Septicemia	7	4	3
5	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0
7	Influenza and Pneumonia	5	4	1
7	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3
9	Diabetes Mellitus	4	2	2
10	Pneumonitis Due to Solids and Liquids	2	2	0
11	Syphilis	1	0	1
11	HIV Disease	1	0	1
11	Hypertension/Hypertensive Renal Disease	1	1	0
11	Chronic Liver Disease And Cirrhosis	1	1	0
11	Congenital Malformations and Chrom. Abnormalities	1	1	0
11	Suicide	1	1	0
11	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	37	28	8

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	152	110	41	86	62	24	66	48	17
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	1	1	2	1	1	0	0	0
45-54	7	4	3	2	2	0	5	2	3
55-64	10	4	6	5	1	4	5	3	2
65-74	20	12	8	12	7	5	8	5	3
75-84	40	32	8	24	20	4	16	12	4
85 and over	70	57	12	38	31	7	32	26	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lake, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
1	Heart Diseases	1	0	1
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	0	0	0	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lambert, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	14	3	11
1	Heart Diseases	4	0	4
2	Malignant Neoplasms	3	2	1
3	Diabetes Mellitus	1	0	1
3	Hypertension/Hypertensive Renal Disease	1	1	0
3	Cerebrovascular Disease	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
3	Accidents	1	0	1
3	Homicide	1	0	1
3	Complications Medical/Surgical Care	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	14	3	11	9	2	7	5	1	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	0	3	3	0	3	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	2	0	2	1	0	1	1	0	1
75-84	5	2	3	3	1	2	2	1	1
85 and over	3	0	3	1	0	1	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Laurel, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	243	145	98
1	Heart Diseases	65	41	24
2	Malignant Neoplasms	39	25	14
3	Septicemia	13	5	8
4	Diabetes Mellitus	11	2	9
4	Cerebrovascular Disease	11	10	1
6	Influenza and Pneumonia	8	7	1
6	Accidents	8	6	2
8	Hypertension/Hypertensive Renal Disease	7	2	5
8	Emphysema and Other Chronic Lower Resp. Diseases	7	4	3
10	Alzheimer's Disease	6	5	1
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4
12	Pneumonitis Due to Solids and Liquids	4	3	1
12	Chronic Liver Disease And Cirrhosis	4	1	3
12	Conditions Originating in the Perinatal Period	4	1	3
15	HIV Disease	2	0	2
15	In Situ, Benign and Unspecified Neoplasms	2	2	0
15	Parkinson's Disease	2	2	0
15	Suicide	2	1	1
15	Homicide	2	0	2
20	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	9	9	0
	All Other Causes	30	17	13

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	243	145	98	99	56	43	144	89	55
Under 1	6	2	4	3	1	2	3	1	2
(Neonatal)	4	1	3	3	1	2	1	0	1
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	4	0	4	3	0	3	1	0	1
35-44	7	3	4	3	2	1	4	1	3
45-54	18	6	12	7	3	4	11	3	8
55-64	33	12	21	18	7	11	15	5	10
65-74	33	22	11	13	9	4	20	13	7
75-84	69	47	22	28	18	10	41	29	12
85 and over	69	53	16	21	16	5	48	37	11
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Leakesville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	26	25	1
1	Heart Diseases	5	4	1
2	Malignant Neoplasms	2	2	0
2	Parkinson's Disease	2	2	0
2	Alzheimer's Disease	2	2	0
5	Septicemia	1	1	0
5	Cerebrovascular Disease	1	1	0
5	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
5	Chronic Liver Disease And Cirrhosis	1	1	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
5	Maternal Causes	1	1	0
5	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	8	8	0

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	26	25	1	9	8	1	17	17	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	5	5	0	1	1	0	4	4	0
75-84	9	9	0	4	4	0	5	5	0
85 and over	7	7	0	1	1	0	6	6	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Leland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	36	13	23
1	Malignant Neoplasms	13	6	7
2	Heart Diseases	7	2	5
3	Diabetes Mellitus	2	0	2
3	Hypertension/Hypertensive Renal Disease	2	1	1
5	Cerebrovascular Disease	1	0	1
5	Influenza and Pneumonia	1	1	0
5	Pneumonitis Due to Solids and Liquids	1	1	0
5	Chronic Liver Disease And Cirrhosis	1	0	1
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
5	Accidents	1	1	0
5	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	5	1	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	36	13	23	15	8	7	21	5	16
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	1	2	3	1	2	0	0	0
55-64	4	1	3	3	1	2	1	0	1
65-74	7	1	6	1	1	0	6	0	6
75-84	10	3	7	2	1	1	8	2	6
85 and over	10	6	4	4	3	1	6	3	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lena, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	2	1
1	Malignant Neoplasms	1	1	0
1	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	2	1	1	1	0	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lexington, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	25	10	14
1	Heart Diseases	8	3	5
2	Malignant Neoplasms	7	3	3
3	Diabetes Mellitus	2	0	2
4	Septicemia	1	0	1
4	Alzheimer's Disease	1	1	0
4	Hypertension/Hypertensive Renal Disease	1	1	0
4	Cerebrovascular Disease	1	0	1
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
4	Conditions Originating in the Perinatal Period	1	0	1
4	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	25	10	14	13	5	8	12	5	6
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	2	1	2	1	1	1	1	0
65-74	5	0	4	2	0	2	3	0	2
75-84	7	4	3	4	2	2	3	2	1
85 and over	7	4	3	2	2	0	5	2	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Liberty, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	9	4
1	Alzheimer's Disease	4	4	0
2	Malignant Neoplasms	3	2	1
2	Heart Diseases	3	1	2
4	Septicemia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	9	4	6	4	2	7	5	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	1	1	0	1	0	1
55-64	1	1	0	0	0	0	1	1	0
65-74	1	1	0	0	0	0	1	1	0
75-84	4	3	1	2	1	1	2	2	0
85 and over	5	3	2	3	2	1	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Long Beach, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	142	135	7
1	Heart Diseases	41	41	0
2	Malignant Neoplasms	28	25	3
3	Accidents	9	8	1
4	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0
5	Influenza and Pneumonia	6	6	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	6	6	0
7	Septicemia	5	4	1
8	Suicide	4	3	1
9	Diabetes Mellitus	2	2	0
9	Alzheimer's Disease	2	2	0
9	Chronic Liver Disease And Cirrhosis	2	2	0
9	Congenital Malformations and Chrom. Abnormalities	2	2	0
9	Homicide	2	2	0
14	Anemias	1	1	0
14	Parkinson's Disease	1	1	0
14	Cerebrovascular Disease	1	1	0
14	Conditions Originating in the Perinatal Period	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	4	4	0
	All Other Causes	18	17	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	142	135	7	80	74	6	62	61	1
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	2	1	2	2	0
25-34	4	4	0	3	3	0	1	1	0
35-44	8	7	1	6	5	1	2	2	0
45-54	14	12	2	8	6	2	6	6	0
55-64	19	19	0	10	10	0	9	9	0
65-74	22	20	2	13	11	2	9	9	0
75-84	37	37	0	23	23	0	14	14	0
85 and over	32	31	1	13	13	0	19	18	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Louin, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Malignant Neoplasms	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Louise, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	1	2
1	Malignant Neoplasms	2	0	2
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	0	0	0	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Louisville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	102	63	39
1	Heart Diseases	25	16	9
2	Malignant Neoplasms	11	5	6
2	Alzheimer's Disease	11	11	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	8	1	7
5	Accidents	5	4	1
6	Cerebrovascular Disease	4	2	2
6	Influenza and Pneumonia	4	2	2
8	Pneumonitis Due to Solids and Liquids	3	2	1
9	Diabetes Mellitus	2	0	2
9	Hypertension/Hypertensive Renal Disease	2	0	2
11	Atherosclerosis	1	1	0
11	Aortic Aneurysm and Dissection	1	1	0
11	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
11	Chronic Liver Disease And Cirrhosis	1	1	0
11	Cholelithiasis/Gallbladder Disorder	1	0	1
11	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	20	14	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	102	63	39	47	28	19	55	35	20
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	0	0	0	2	0	2
45-54	5	2	3	3	2	1	2	0	2
55-64	8	4	4	4	2	2	4	2	2
65-74	11	3	8	10	3	7	1	0	1
75-84	32	19	13	16	11	5	16	8	8
85 and over	44	35	9	14	10	4	30	25	5
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Lucedale, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	52	50	1
1	Malignant Neoplasms	17	17	0
2	Heart Diseases	10	9	1
3	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0
4	Accidents	3	3	0
5	Parkinson's Disease	2	2	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
7	Diabetes Mellitus	1	1	0
7	Cerebrovascular Disease	1	1	0
7	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	8	7	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	52	50	1	19	18	0	33	32	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	0	1	0	0	0	0	0
35-44	3	3	0	2	2	0	1	1	0
45-54	5	5	0	1	1	0	4	4	0
55-64	7	7	0	4	4	0	3	3	0
65-74	11	11	0	6	6	0	5	5	0
75-84	16	15	1	3	3	0	13	12	1
85 and over	9	9	0	2	2	0	7	7	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lula, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		5	2	3
1	Malignant Neoplasms	3	2	1
2	Diabetes Mellitus	1	0	1
2	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	2	3	4	2	2	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	1	2	2	1	1	1	0	1
85 and over	1	0	1	1	0	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lumberton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	21	14	7
1	Heart Diseases	7	3	4
2	Malignant Neoplasms	6	4	2
3	Cerebrovascular Disease	2	2	0
4	Alzheimer's Disease	1	1	0
4	Influenza and Pneumonia	1	1	0
4	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
4	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	21	14	7	9	6	3	12	8	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	5	2	3	3	1	2	2	1	1
65-74	4	3	1	0	0	0	4	3	1
75-84	6	5	1	4	3	1	2	2	0
85 and over	5	4	1	2	2	0	3	2	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Lyon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	8	1
1	Malignant Neoplasms	2	2	0
1	Diabetes Mellitus	2	2	0
1	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Hypertension/Hypertensive Renal Disease	1	0	1
4	Cerebrovascular Disease	1	1	0
4	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	8	1	2	2	0	7	6	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	3	3	0	1	1	0	2	2	0
85 and over	5	4	1	0	0	0	5	4	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Maben, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	14	10	4
1	Heart Diseases	4	1	3
2	Malignant Neoplasms	2	2	0
2	Diabetes Mellitus	2	1	1
2	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
5	Cerebrovascular Disease	1	1	0
5	Chronic Liver Disease And Cirrhosis	1	1	0
5	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	14	10	4	7	7	0	7	3	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	0	0	0	3	2	1
65-74	7	4	3	4	4	0	3	0	3
75-84	1	1	0	1	1	0	0	0	0
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Macon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	39	11	28
1	Heart Diseases	18	2	16
2	Malignant Neoplasms	9	5	4
3	Septicemia	1	1	0
3	Influenza and Pneumonia	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
3	Congenital Malformations and Chrom. Abnormalities	1	0	1
3	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	5	2	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	39	11	28	15	3	12	24	8	16
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	4	1	3	2	1	1	2	0	2
55-64	4	0	4	4	0	4	0	0	0
65-74	4	2	2	2	0	2	2	2	0
75-84	5	0	5	1	0	1	4	0	4
85 and over	19	8	11	3	2	1	16	6	10
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Madison, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	185	161	19
1	Heart Diseases	42	36	4
2	Malignant Neoplasms	33	28	3
3	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0
4	Diabetes Mellitus	8	6	2
4	Cerebrovascular Disease	8	7	1
4	Influenza and Pneumonia	8	8	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	6	1
8	Suicide	5	5	0
9	Septicemia	4	2	2
9	Alzheimer's Disease	4	4	0
9	Accidents	4	3	1
12	Parkinson's Disease	3	3	0
12	Aortic Aneurysm and Dissection	3	3	0
14	In Situ, Benign and Unspecified Neoplasms	2	1	0
14	Pneumonitis Due to Solids and Liquids	2	2	0
14	Chronic Liver Disease And Cirrhosis	2	2	0
14	Congenital Malformations and Chrom. Abnormalities	2	2	0
18	Anemias	1	1	0
18	Hypertension/Hypertensive Renal Disease	1	1	0
18	Diseases of Appendix	1	1	0
18	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	32	29	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	185	161	19	97	83	11	88	78	8
Under 1	2	2	0	2	2	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	4	0	3	3	0	1	1	0
25-34	2	1	1	0	0	0	2	1	1
35-44	2	2	0	2	2	0	0	0	0
45-54	7	5	2	6	4	2	1	1	0
55-64	18	13	4	10	7	3	8	6	1
65-74	18	12	6	8	5	3	10	7	3
75-84	51	45	4	32	28	3	19	17	1
85 and over	80	76	2	33	31	0	47	45	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Magee, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	64	48	16
1	Heart Diseases	15	12	3
2	Malignant Neoplasms	11	5	6
3	Cerebrovascular Disease	4	4	0
4	Influenza and Pneumonia	3	3	0
4	Accidents	3	2	1
6	Septicemia	2	2	0
6	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
8	Diabetes Mellitus	1	1	0
8	Alzheimer's Disease	1	0	1
8	Pneumonitis Due to Solids and Liquids	1	0	1
8	Hernia	1	1	0
8	Homicide	1	1	0
8	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	6	4	2
	All Other Causes	12	10	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	64	48	16	25	16	9	39	32	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	4	2	4	2	2	2	2	0
55-64	7	5	2	3	2	1	4	3	1
65-74	11	8	3	6	4	2	5	4	1
75-84	9	7	2	3	2	1	6	5	1
85 and over	29	22	7	8	5	3	21	17	4
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Magnolia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	20	10	10
1	Heart Diseases	7	4	3
2	Malignant Neoplasms	5	2	3
3	Hypertension/Hypertensive Renal Disease	3	3	0
4	Septicemia	1	0	1
4	Anemias	1	0	1
4	Diabetes Mellitus	1	0	1
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	20	10	10	10	3	7	10	7	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	1	3	2	0	2	2	1	1
65-74	3	1	2	2	0	2	1	1	0
75-84	5	3	2	1	1	0	4	2	2
85 and over	7	4	3	4	1	3	3	3	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mantachie, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	19	19	0
1	Heart Diseases	5	5	0
2	Malignant Neoplasms	3	3	0
2	Alzheimer's Disease	3	3	0
4	Cerebrovascular Disease	1	1	0
4	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
4	Accidents	1	1	0
4	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	19	19	0	5	5	0	14	14	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	7	7	0	4	4	0	3	3	0
85 and over	10	10	0	1	1	0	9	9	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mantee, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Pneumonitis Due to Solids and Liquids	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Marion, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	38	31	7
1	Malignant Neoplasms	7	7	0
2	Alzheimer's Disease	6	6	0
3	Cerebrovascular Disease	5	4	1
4	Septicemia	4	3	1
4	Heart Diseases	4	3	1
6	Accidents	2	0	2
7	In Situ, Benign and Unspecified Neoplasms	1	1	0
7	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
7	Pneumonitis Due to Solids and Liquids	1	0	1
7	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	4	3	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	38	31	7	17	11	6	21	20	1
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	5	1	4	3	1	2	2	0
55-64	2	1	1	2	1	1	0	0	0
65-74	4	3	1	2	1	1	2	2	0
75-84	10	9	1	3	3	0	7	6	1
85 and over	13	13	0	3	3	0	10	10	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Marks, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	26	10	15
1	Heart Diseases	9	2	6
2	Alzheimer's Disease	4	2	2
3	Malignant Neoplasms	3	3	0
4	Accidents	2	0	2
5	Septicemia	1	1	0
5	Cerebrovascular Disease	1	0	1
5	Aortic Aneurysm and Dissection	1	0	1
5	Chronic Liver Disease And Cirrhosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	3	1	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	26	10	15	16	8	8	10	2	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	4	2	2	4	2	2	0	0	0
65-74	8	2	6	6	2	4	2	0	2
75-84	4	3	1	2	2	0	2	1	1
85 and over	8	3	4	2	2	0	6	1	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mathiston, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	7	0
1	Heart Diseases	3	3	0
2	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
3	Malignant Neoplasms	1	1	0
3	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	7	0	4	4	0	3	3	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	2	2	0	1	1	0	1	1	0
75-84	2	2	0	1	1	0	1	1	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mayersville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	0	5
1	Alzheimer's Disease	1	0	1
1	Heart Diseases	1	0	1
1	Conditions Originating in the Perinatal Period	1	0	1
1	Suicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	0	5	4	0	4	1	0	1
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	1	0	1	1	0	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mccomb, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	222	108	114
1	Malignant Neoplasms	41	14	27
2	Heart Diseases	32	17	15
3	Hypertension/Hypertensive Renal Disease	28	19	9
4	Diabetes Mellitus	22	8	14
5	Cerebrovascular Disease	14	4	10
6	Emphysema and Other Chronic Lower Resp. Diseases	12	6	6
7	Homicide	5	0	5
8	Viral Hepatitis	3	2	1
8	Influenza and Pneumonia	3	2	1
8	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
8	Accidents	3	2	1
12	Septicemia	2	2	0
12	Anemias	2	0	2
12	Parkinson's Disease	2	1	1
12	Congenital Malformations and Chrom. Abnormalities	2	1	1
16	HIV Disease	1	0	1
16	In Situ, Benign and Unspecified Neoplasms	1	1	0
16	Alzheimer's Disease	1	1	0
16	Aortic Aneurysm and Dissection	1	1	0
16	Chronic Liver Disease And Cirrhosis	1	0	1
16	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	41	24	17

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	222	108	114	99	43	56	123	65	58
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	0	5	1	0	1	4	0	4
35-44	3	0	3	1	0	1	2	0	2
45-54	15	4	11	10	3	7	5	1	4
55-64	34	9	25	15	4	11	19	5	14
65-74	51	19	32	33	12	21	18	7	11
75-84	45	26	19	22	12	10	23	14	9
85 and over	68	49	19	17	12	5	51	37	14
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Mclain, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	1	2
1	Heart Diseases	3	1	2
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	2	1	1	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Meadville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	18	14	4
1	Heart Diseases	8	7	1
2	Alzheimer's Disease	4	3	1
3	Malignant Neoplasms	1	1	0
3	Cerebrovascular Disease	1	1	0
3	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
3	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	18	14	4	7	4	3	11	10	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	0	0	0	2	2	0
75-84	5	3	2	4	2	2	1	1	0
85 and over	11	9	2	3	2	1	8	7	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mendenhall, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	38	28	10
1	Heart Diseases	10	4	6
2	Malignant Neoplasms	6	5	1
3	Cerebrovascular Disease	4	2	2
4	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1
5	Accidents	2	2	0
7	Septicemia	1	1	0
7	Diabetes Mellitus	1	1	0
7	Alzheimer's Disease	1	1	0
7	Influenza and Pneumonia	1	1	0
7	Pneumonitis Due to Solids and Liquids	1	1	0
7	Hernia	1	1	0
7	Suicide	1	1	0
7	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	38	28	10	16	11	5	22	17	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	2	0	1	1	0	1	1	0
55-64	4	2	2	1	1	0	3	1	2
65-74	8	5	3	4	2	2	4	3	1
75-84	11	10	1	6	5	1	5	5	0
85 and over	11	8	3	2	1	1	9	7	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Meridian, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	514	254	259
1	Heart Diseases	175	82	93
2	Malignant Neoplasms	73	29	44
3	Alzheimer's Disease	26	19	7
4	Accidents	24	14	10
5	Influenza and Pneumonia	19	8	11
6	Nephritis, Nephrotic Syndrome And Nephrosis	18	9	8
7	Septicemia	17	10	7
7	Cerebrovascular Disease	17	7	10
9	Emphysema and Other Chronic Lower Resp. Diseases	11	6	5
10	Homicide	7	1	6
11	Pneumonitis Due to Solids and Liquids	5	3	2
12	Chronic Liver Disease And Cirrhosis	4	1	3
12	Suicide	4	3	1
14	Diabetes Mellitus	3	0	3
14	Parkinson's Disease	3	3	0
16	HIV Disease	2	0	2
16	In Situ, Benign and Unspecified Neoplasms	2	1	1
16	Aortic Aneurysm and Dissection	2	1	1
19	Anemias	1	0	1
19	Malnutrition/Nutritional Deficiency	1	1	0
19	Conditions Originating in the Perinatal Period	1	0	1
19	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	24	15	9
	All Other Causes	74	40	34

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	514	254	259	245	120	125	269	134	134
Under 1	7	1	6	4	1	3	3	0	3
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	6	1	5	4	1	3	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	1	4	4	1	3	1	0	1
25-34	11	1	10	6	0	6	5	1	4
35-44	20	7	13	12	6	6	8	1	7
45-54	38	9	28	24	7	17	14	2	11
55-64	68	15	53	42	9	33	26	6	20
65-74	78	38	40	40	17	23	38	21	17
75-84	117	68	49	57	37	20	60	31	29
85 and over	168	114	54	55	42	13	113	72	41
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Merigold, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	4	3
1	Influenza and Pneumonia	2	1	1
2	Malignant Neoplasms	1	0	1
2	Alzheimer's Disease	1	1	0
2	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
2	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	4	3	1	1	0	6	3	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	0	1	0	0	0	1	0	1
75-84	3	2	1	0	0	0	3	2	1
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Metcalf, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		5	0	5
1	Malignant Neoplasms	1	0	1
1	Hypertension/Hypertensive Renal Disease	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	0	5	4	0	4	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	0	3	3	0	3	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mize, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	0	0	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Monticello, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	28	21	7
1	Heart Diseases	10	7	3
2	Malignant Neoplasms	5	3	2
3	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
4	Diabetes Mellitus	2	2	0
4	Accidents	2	2	0
6	Viral Hepatitis	1	1	0
6	Cerebrovascular Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	2	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	28	21	7	15	10	5	13	11	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	3	3	0	2	2	0	1	1	0
65-74	7	3	4	5	3	2	2	0	2
75-84	10	8	2	5	3	2	5	5	0
85 and over	6	6	0	1	1	0	5	5	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Montrose, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Malignant Neoplasms	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	1	1	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Moorehead, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	15	3	12
1	Malignant Neoplasms	5	0	5
2	Diabetes Mellitus	4	1	3
3	Heart Diseases	3	1	2
4	Accidents	2	0	2
5	Alzheimer's Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	15	3	12	7	2	5	8	1	7
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	0	0	0	2	0	2
55-64	3	0	3	2	0	2	1	0	1
65-74	3	0	3	2	0	2	1	0	1
75-84	3	1	2	1	1	0	2	0	2
85 and over	4	2	2	2	1	1	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Morgan City, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	0	2
1	Malignant Neoplasms	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	0	2	1	0	1	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Morton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	51	42	9
1	Heart Diseases	15	12	3
2	Malignant Neoplasms	8	7	1
3	Cerebrovascular Disease	4	3	1
4	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
5	Alzheimer's Disease	2	2	0
5	Accidents	2	2	0
7	Diabetes Mellitus	1	1	0
7	Chronic Liver Disease And Cirrhosis	1	0	1
7	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
7	Conditions Originating in the Perinatal Period	1	0	1
7	Congenital Malformations and Chrom. Abnormalities	1	1	0
7	Homicide	1	0	1
7	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	10	9	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	51	42	9	21	14	7	30	28	2
Under 1	2	1	1	1	0	1	1	1	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	4	1	3	2	0	2	2	1	1
45-54	3	3	0	2	2	0	1	1	0
55-64	4	2	2	4	2	2	0	0	0
65-74	5	4	1	2	2	0	3	2	1
75-84	13	12	1	6	5	1	7	7	0
85 and over	19	19	0	3	3	0	16	16	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Moss Point, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	199	97	102
1	Malignant Neoplasms	47	27	20
2	Heart Diseases	37	18	19
3	Accidents	10	3	7
4	Emphysema and Other Chronic Lower Resp. Diseases	9	4	5
5	Hypertension/Hypertensive Renal Disease	8	2	6
5	Cerebrovascular Disease	8	4	4
7	Septicemia	7	3	4
7	Alzheimer's Disease	7	3	4
9	Diabetes Mellitus	6	2	4
10	Parkinson's Disease	4	4	0
10	Influenza and Pneumonia	4	3	1
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1
13	Homicide	3	0	3
14	Anemias	2	1	1
14	Chronic Liver Disease And Cirrhosis	2	2	0
14	Suicide	2	2	0
17	Pneumonitis Due to Solids and Liquids	1	1	0
17	Hernia	1	0	1
17	Congenital Malformations and Chrom. Abnormalities	1	1	0
17	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	34	13	21

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	199	97	102	110	50	60	89	47	42
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	5	2	3	3	1	2	2	1	1
35-44	6	2	4	4	2	2	2	0	2
45-54	16	6	10	10	4	6	6	2	4
55-64	33	13	20	21	9	12	12	4	8
65-74	39	20	19	27	11	16	12	9	3
75-84	59	34	25	28	16	12	31	18	13
85 and over	38	20	18	14	7	7	24	13	11
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mound Bayou, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	27	0	27
1	Malignant Neoplasms	8	0	8
2	Heart Diseases	6	0	6
3	Influenza and Pneumonia	3	0	3
4	Diabetes Mellitus	2	0	2
4	Cerebrovascular Disease	2	0	2
4	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2
7	HIV Disease	1	0	1
7	Hypertension/Hypertensive Renal Disease	1	0	1
7	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
7	Pneumonitis Due to Solids and Liquids	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	27	0	27	15	0	15	12	0	12
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	3	0	3	1	0	1	2	0	2
65-74	5	0	5	5	0	5	0	0	0
75-84	7	0	7	3	0	3	4	0	4
85 and over	8	0	8	3	0	3	5	0	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Mount Olive, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	5	8
1	Malignant Neoplasms	6	3	3
2	Heart Diseases	2	1	1
3	Septicemia	1	0	1
3	Anemias	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	5	8	5	2	3	8	3	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	0	0	0	0	0	0	0	0	0
55-64	4	2	2	2	1	1	2	1	1
65-74	5	2	3	3	1	2	2	1	1
75-84	3	1	2	0	0	0	3	1	2
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Myrtle, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	11	9	2
1	Heart Diseases	4	3	1
2	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
3	Septicemia	1	1	0
3	Malignant Neoplasms	1	1	0
3	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	11	9	2	4	4	0	7	5	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	1	1	1	1	0	1	0	1
65-74	3	2	1	2	2	0	1	0	1
75-84	1	1	0	0	0	0	1	1	0
85 and over	5	5	0	1	1	0	4	4	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Natchez, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	271	130	140
1	Heart Diseases	59	22	37
2	Malignant Neoplasms	58	34	24
3	Cerebrovascular Disease	18	7	10
4	Diabetes Mellitus	15	4	11
5	Emphysema and Other Chronic Lower Resp. Diseases	12	10	2
6	Alzheimer's Disease	10	8	2
6	Influenza and Pneumonia	10	4	6
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	0	9
9	Accidents	8	5	3
10	Hypertension/Hypertensive Renal Disease	6	3	3
11	Septicemia	3	1	2
11	Homicide	3	2	1
13	HIV Disease	2	2	0
13	Parkinson's Disease	2	2	0
13	Chronic Liver Disease And Cirrhosis	2	1	1
13	Suicide	2	1	1
17	Tuberculosis	1	0	1
17	Viral Hepatitis	1	0	1
17	In Situ, Benign and Unspecified Neoplasms	1	1	0
17	Aortic Aneurysm and Dissection	1	0	1
17	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	12	5	7
	All Other Causes	35	17	18

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	271	130	140	127	57	70	144	73	70
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	9	4	5	3	2	1	6	2	4
45-54	26	11	15	16	5	11	10	6	4
55-64	33	13	19	19	8	11	14	5	8
65-74	56	21	35	29	10	19	27	11	16
75-84	57	26	31	23	10	13	34	16	18
85 and over	84	53	31	34	21	13	50	32	18
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Nettleton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	19	15	4
1	Heart Diseases	6	5	1
2	Malignant Neoplasms	4	2	2
3	Influenza and Pneumonia	2	2	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
3	Accidents	2	2	0
6	Septicemia	1	0	1
6	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	19	15	4	10	8	2	9	7	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	3	2	1	3	2	1	0	0	0
55-64	3	2	1	2	2	0	1	0	1
65-74	5	4	1	2	1	1	3	3	0
75-84	3	3	0	1	1	0	2	2	0
85 and over	3	2	1	1	1	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of New Albany, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	110	92	18
1	Heart Diseases	26	18	8
2	Malignant Neoplasms	10	7	3
	Cerebrovascular Disease	10	10	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	7	7	0
5	Influenza and Pneumonia	6	6	0
6	Alzheimer's Disease	5	4	1
6	Accidents	5	3	2
8	Septicemia	4	4	0
9	Diabetes Mellitus	2	1	1
9	Hypertension/Hypertensive Renal Disease	2	2	0
9	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	10	9	1
	All Other Causes	21	19	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	110	92	18	32	26	6	78	66	12
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	8	6	2	3	3	0	5	3	2
55-64	3	2	1	0	0	0	3	2	1
65-74	13	9	4	5	3	2	8	6	2
75-84	36	33	3	10	8	2	26	25	1
85 and over	44	38	6	10	9	1	34	29	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of New Augusta, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	1	2
1	Heart Diseases	2	1	1
2	Influenza and Pneumonia	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	1	2	3	1	2	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	0	1	1	0	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Newton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	69	44	25
1	Heart Diseases	17	9	8
2	Malignant Neoplasms	11	8	3
3	Hypertension/Hypertensive Renal Disease	6	4	2
4	Diabetes Mellitus	4	3	1
4	Accidents	4	1	3
6	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
7	Septicemia	2	2	0
7	Alzheimer's Disease	2	1	1
7	Cerebrovascular Disease	2	1	1
7	Pneumonitis Due to Solids and Liquids	2	2	0
11	In Situ, Benign and Unspecified Neoplasms	1	1	0
11	Atherosclerosis	1	0	1
11	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	0	2
	All Other Causes	11	8	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	69	44	25	29	19	10	40	25	15
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	0	0	0	3	0	3
35-44	0	0	0	0	0	0	0	0	0
45-54	3	1	2	2	0	2	1	1	0
55-64	11	5	6	7	4	3	4	1	3
65-74	8	6	2	4	3	1	4	3	1
75-84	19	11	8	8	5	3	11	6	5
85 and over	24	21	3	7	7	0	17	14	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of North Carrollton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	4	1
1	Malignant Neoplasms	2	1	1
1	Heart Diseases	2	2	0
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	4	1	4	3	1	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	2	2	0	1	1	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Noxapater, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	6	2
1	Malignant Neoplasms	2	2	0
1	Cerebrovascular Disease	2	2	0
3	Diabetes Mellitus	1	0	1
3	Heart Diseases	1	1	0
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
3	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	6	2	5	5	0	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	1	1	0	1	0	1
55-64	1	0	1	0	0	0	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	3	3	0	2	2	0	1	1	0
85 and over	2	2	0	2	2	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Oakland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	1	3
1	Malignant Neoplasms	1	0	1
1	Heart Diseases	1	0	1
1	Cerebrovascular Disease	1	0	1
1	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	1	3	2	1	1	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	2	0	2	0	0	0	2	0	2
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Ocean Springs, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	245	226	15
1	Malignant Neoplasms	56	51	4
1	Heart Diseases	56	53	2
3	Emphysema and Other Chronic Lower Resp. Diseases	20	19	1
4	Cerebrovascular Disease	16	13	1
5	Accidents	9	9	0
6	Septicemia	8	8	0
7	Alzheimer's Disease	6	6	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1
9	Diabetes Mellitus	4	4	0
10	Parkinson's Disease	3	3	0
10	Hypertension/Hypertensive Renal Disease	3	1	2
10	Influenza and Pneumonia	3	3	0
10	Complications Medical/Surgical Care	3	3	0
14	Chronic Liver Disease And Cirrhosis	2	2	0
14	Suicide	2	2	0
16	Viral Hepatitis	1	1	0
16	Atherosclerosis	1	1	0
16	Pneumonitis Due to Solids and Liquids	1	1	0
16	Conditions Originating in the Perinatal Period	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	42	38	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	245	226	15	130	121	7	115	105	8
Under 1	2	2	0	2	2	0	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	3	0	0	0	0	3	3	0
35-44	3	3	0	3	3	0	0	0	0
45-54	22	18	2	12	10	2	10	8	0
55-64	34	31	2	25	23	1	9	8	1
65-74	43	38	4	34	31	2	9	7	2
75-84	61	60	1	33	32	1	28	28	0
85 and over	77	71	6	21	20	1	56	51	5
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Okolona, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	36	20	16
1	Heart Diseases	11	5	6
2	Malignant Neoplasms	4	3	1
3	Influenza and Pneumonia	3	2	1
3	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
5	Cerebrovascular Disease	2	0	2
5	Conditions Originating in the Perinatal Period	2	0	2
7	Pneumonitis Due to Solids and Liquids	1	1	0
7	Cholelithiasis/Gallbladder Disorder	1	0	1
7	Congenital Malformations and Chrom. Abnormalities	1	0	1
7	Suicide	1	1	0
7	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	5	4	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	36	20	16	16	7	9	20	13	7
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	1	2	2	1	1	1	0	1
45-54	3	3	0	1	1	0	2	2	0
55-64	3	0	3	2	0	2	1	0	1
65-74	8	4	4	2	0	2	6	4	2
75-84	5	4	1	3	3	0	2	1	1
85 and over	10	8	2	3	2	1	7	6	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Olive Branch, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	304	252	49
1	Heart Diseases	79	64	15
2	Malignant Neoplasms	75	63	10
3	Emphysema and Other Chronic Lower Resp. Diseases	15	11	4
4	Cerebrovascular Disease	13	11	2
4	Accidents	13	11	2
6	Diabetes Mellitus	12	9	3
7	Chronic Liver Disease And Cirrhosis	10	7	3
8	Alzheimer's Disease	9	6	3
9	Septicemia	7	7	0
10	Influenza and Pneumonia	6	5	1
11	Parkinson's Disease	5	5	0
12	Suicide	4	4	0
13	Hypertension/Hypertensive Renal Disease	3	2	1
13	Nephritis, Nephrotic Syndrome And Nephrosis	3	3	0
15	Peptic Ulcer	2	2	0
15	Congenital Malformations and Chrom. Abnormalities	2	2	0
17	Tuberculosis	1	1	0
17	Viral Hepatitis	1	1	0
17	HIV Disease	1	1	0
17	Conditions Originating in the Perinatal Period	1	1	0
17	Homicide	1	0	1
17	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	3	0
	All Other Causes	37	32	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	304	252	49	160	128	31	144	124	18
Under 1	2	2	0	1	1	0	1	1	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	3	3	0	2	2	0
25-34	4	1	3	1	0	1	3	1	2
35-44	9	5	4	8	4	4	1	1	0
45-54	23	17	6	17	13	4	6	4	2
55-64	46	32	13	29	17	12	17	15	1
65-74	56	48	8	27	23	4	29	25	4
75-84	84	75	7	39	34	4	45	41	3
85 and over	75	67	8	35	33	2	40	34	6
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Osyka, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	5	2
1	Heart Diseases	4	3	1
2	Diabetes Mellitus	1	0	1
2	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	5	2	6	4	2	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	2	1	1	0	0	0
75-84	4	3	1	3	2	1	1	1	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Oxford, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	211	171	40
1	Heart Diseases	49	38	11
2	Malignant Neoplasms	36	29	7
3	Cerebrovascular Disease	17	15	2
4	Accidents	14	13	1
5	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1
6	Septicemia	9	5	4
7	Influenza and Pneumonia	6	5	1
8	Alzheimer's Disease	5	5	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3
10	Parkinson's Disease	3	3	0
10	Chronic Liver Disease And Cirrhosis	3	3	0
12	Diabetes Mellitus	2	0	2
12	Pneumonitis Due to Solids and Liquids	2	2	0
12	Suicide	2	2	0
15	Hypertension/Hypertensive Renal Disease	1	1	0
15	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	4	4	0
	All Other Causes	43	36	7

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	211	171	40	102	83	19	109	88	21
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	4	2	2	3	2	1	1	0	1
35-44	3	1	2	1	0	1	2	1	1
45-54	12	7	5	7	4	3	5	3	2
55-64	27	14	13	14	8	6	13	6	7
65-74	25	18	7	10	7	3	15	11	4
75-84	51	47	4	24	22	2	27	25	2
85 and over	85	78	7	41	38	3	44	40	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pace, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	0	9
1	Cerebrovascular Disease	2	0	2
1	Accidents	2	0	2
3	Septicemia	1	0	1
3	Malignant Neoplasms	1	0	1
3	Heart Diseases	1	0	1
3	Influenza and Pneumonia	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	0	9	3	0	3	6	0	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	5	0	5	1	0	1	4	0	4
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pachuta, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	2	1
1	Alzheimer's Disease	1	1	0
1	Heart Diseases	1	0	1
1	Cerebrovascular Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	2	1	1	0	1	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pascagoula, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	220	158	61
1	Heart Diseases	53	45	8
2	Malignant Neoplasms	39	24	14
3	Accidents	21	13	8
4	Emphysema and Other Chronic Lower Resp. Diseases	15	11	4
5	Cerebrovascular Disease	9	5	4
6	Nephritis, Nephrotic Syndrome And Nephrosis	8	6	2
7	Septicemia	6	4	2
7	Influenza and Pneumonia	6	5	1
7	Suicide	6	6	0
10	Chronic Liver Disease And Cirrhosis	5	3	2
10	Congenital Malformations and Chrom. Abnormalities	5	2	3
12	Alzheimer's Disease	4	3	1
12	Hypertension/Hypertensive Renal Disease	4	2	2
14	Peptic Ulcer	2	2	0
14	Conditions Originating in the Perinatal Period	2	0	2
16	Tuberculosis	1	1	0
16	Anemias	1	1	0
16	Aortic Aneurysm and Dissection	1	1	0
16	Pneumonitis Due to Solids and Liquids	1	1	0
16	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	30	22	8

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	220	158	61	118	91	26	102	67	35
Under 1	3	1	2	2	1	1	1	0	1
(Neonatal)	3	1	2	2	1	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	6	5	1	1	0	1
25-34	9	6	3	8	5	3	1	1	0
35-44	11	5	6	5	4	1	6	1	5
45-54	19	13	6	11	7	4	8	6	2
55-64	30	20	10	21	15	6	9	5	4
65-74	34	22	11	19	12	6	15	10	5
75-84	62	52	10	31	27	4	31	25	6
85 and over	44	33	11	14	14	0	30	19	11
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Pass Christian, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	65	47	17
1	Heart Diseases	19	15	4
2	Malignant Neoplasms	14	8	5
3	Accidents	9	7	2
4	Septicemia	2	2	0
4	Alzheimer's Disease	2	2	0
4	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1
8	Hypertension/Hypertensive Renal Disease	1	0	1
8	Cerebrovascular Disease	1	1	0
8	Influenza and Pneumonia	1	1	0
8	Chronic Liver Disease And Cirrhosis	1	0	1
8	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	9	6	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	65	47	17	34	24	9	31	23	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	2	1	0	1	0	0	1	1	0
45-54	4	4	0	2	2	0	2	2	0
55-64	9	3	6	7	2	5	2	1	1
65-74	9	6	3	4	4	0	5	2	3
75-84	18	13	5	11	9	2	7	4	3
85 and over	22	19	3	8	6	2	14	13	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pearl, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	169	135	33
1	Heart Diseases	36	30	6
2	Malignant Neoplasms	35	26	8
3	Emphysema and Other Chronic Lower Resp. Diseases	17	16	1
4	Accidents	14	12	2
5	Cerebrovascular Disease	9	5	4
6	Diabetes Mellitus	7	4	3
7	Septicemia	5	5	0
7	Influenza and Pneumonia	5	4	1
9	HIV Disease	2	0	2
9	In Situ, Benign and Unspecified Neoplasms	2	1	1
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
9	Homicide	2	2	0
13	Viral Hepatitis	1	1	0
13	Anemias	1	0	1
13	Alzheimer's Disease	1	1	0
13	Hypertension/Hypertensive Renal Disease	1	1	0
13	Pneumonitis Due to Solids and Liquids	1	1	0
13	Congenital Malformations and Chrom. Abnormalities	1	1	0
13	Suicide	1	1	0
13	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	3	0
	All Other Causes	22	18	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	169	135	33	82	70	11	87	65	22
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	5	4	1	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	10	6	3	6	4	1	4	2	2
45-54	27	22	5	16	12	4	11	10	1
55-64	17	15	2	9	9	0	8	6	2
65-74	30	24	6	16	13	3	14	11	3
75-84	41	36	5	15	15	0	26	21	5
85 and over	33	25	8	12	11	1	21	14	7
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pelahatchie, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	8	5
1	Heart Diseases	4	2	2
2	Malignant Neoplasms	3	1	2
3	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
4	Diabetes Mellitus	1	1	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	8	5	9	6	3	4	2	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	5	3	2	4	2	2	1	1	0
75-84	4	3	1	3	3	0	1	0	1
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Petal, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	108	97	11
1	Heart Diseases	30	28	2
2	Malignant Neoplasms	23	17	6
3	Influenza and Pneumonia	9	9	0
4	Cerebrovascular Disease	6	4	2
5	Diabetes Mellitus	5	5	0
6	Septicemia	4	4	0
6	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
6	Accidents	4	4	0
9	Alzheimer's Disease	2	2	0
9	Hypertension/Hypertensive Renal Disease	2	2	0
9	Chronic Liver Disease And Cirrhosis	2	2	0
9	Suicide	2	2	0
13	HIV Disease	1	1	0
13	Pneumonitis Due to Solids and Liquids	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	11	11	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	108	97	11	59	52	7	49	45	4
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	4	3	1	1	1	0	3	2	1
45-54	11	8	3	9	7	2	2	1	1
55-64	20	18	2	14	12	2	6	6	0
65-74	14	12	2	10	9	1	4	3	1
75-84	23	21	2	12	10	2	11	11	0
85 and over	31	30	1	9	9	0	22	21	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Philadelphia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	121	90	31
1	Heart Diseases	46	34	12
2	Malignant Neoplasms	17	13	4
3	Accidents	8	6	2
4	Alzheimer's Disease	6	5	1
4	Emphysema and Other Chronic Lower Resp. Diseases	6	4	2
6	Influenza and Pneumonia	4	1	3
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
8	Septicemia	2	1	1
8	In Situ, Benign and Unspecified Neoplasms	2	2	0
8	Cerebrovascular Disease	2	2	0
11	Diabetes Mellitus	1	1	0
11	Hypertension/Hypertensive Renal Disease	1	1	0
11	Peptic Ulcer	1	0	1
11	Chronic Liver Disease And Cirrhosis	1	1	0
11	Congenital Malformations and Chrom. Abnormalities	1	1	0
11	Suicide	1	1	0
11	Homicide	1	0	1
11	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	5	4	1
	All Other Causes	12	11	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	121	90	31	54	37	17	67	53	14
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	2	2	2	2	0	2	0	2
35-44	6	3	3	3	2	1	3	1	2
45-54	5	3	2	3	2	1	2	1	1
55-64	15	8	7	9	4	5	6	4	2
65-74	17	11	6	10	7	3	7	4	3
75-84	34	30	4	12	10	2	22	20	2
85 and over	38	32	6	14	10	4	24	22	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Picayune, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	164	121	40
1	Malignant Neoplasms	37	28	9
2	Heart Diseases	36	25	9
3	Emphysema and Other Chronic Lower Resp. Diseases	16	12	4
4	Accidents	9	8	1
5	Cerebrovascular Disease	8	8	0
5	Influenza and Pneumonia	8	5	3
7	Diabetes Mellitus	5	5	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1
9	Alzheimer's Disease	4	3	1
10	Pneumonitis Due to Solids and Liquids	3	1	2
10	Suicide	3	3	0
12	Chronic Liver Disease And Cirrhosis	2	0	1
13	Malnutrition/Nutritional Deficiency	1	1	0
13	Congenital Malformations and Chrom. Abnormalities	1	0	1
13	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	2	1
	All Other Causes	22	16	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	164	121	40	84	61	21	80	60	19
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	2	1	1	0	0	0	2	1	1
35-44	5	3	2	4	2	2	1	1	0
45-54	11	6	5	7	4	3	4	2	2
55-64	20	11	6	12	6	4	8	5	2
65-74	29	23	6	16	14	2	13	9	4
75-84	48	38	10	23	19	4	25	19	6
85 and over	44	37	7	20	16	4	24	21	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pickens, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	13	2	11
1	Malignant Neoplasms	6	0	6
2	Septicemia	1	1	0
2	Diabetes Mellitus	1	0	1
2	Heart Diseases	1	1	0
2	Cerebrovascular Disease	1	0	1
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	13	2	11	8	1	7	5	1	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	3	0	3	2	0	2	1	0	1
65-74	5	2	3	3	1	2	2	1	1
75-84	2	0	2	2	0	2	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pittsboro, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	2	1
1	Malignant Neoplasms	1	0	1
1	Heart Diseases	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	2	1	2	1	1	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Plantersville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	4	4
1	Heart Diseases	3	1	2
2	Malignant Neoplasms	1	1	0
2	Cerebrovascular Disease	1	1	0
2	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	0	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	4	4	5	3	2	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	2	1	1	1	0	1	1	1	0
75-84	2	2	0	2	2	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Polkville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	2	0
1	Heart Diseases	1	1	0
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	2	0	0	0	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	0	0	0	1	1	0
65-74	1	1	0	0	0	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pontotoc, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	95	83	10
1	Heart Diseases	27	22	4
2	Malignant Neoplasms	22	21	1
3	Cerebrovascular Disease	8	7	1
4	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0
5	Parkinson's Disease	3	3	0
5	Alzheimer's Disease	3	3	0
7	Diabetes Mellitus	2	2	0
7	Influenza and Pneumonia	2	2	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1
7	Accidents	2	2	0
11	Viral Hepatitis	1	0	1
11	In Situ, Benign and Unspecified Neoplasms	1	1	0
11	Anemias	1	1	0
11	Conditions Originating in the Perinatal Period	1	1	0
11	Congenital Malformations and Chrom. Abnormalities	1	0	0
11	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	10	8	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	95	83	10	37	30	6	58	53	4
Under 1	2	1	0	2	1	0	0	0	0
(Neonatal)	2	1	0	2	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	2	1	1	0	0	0
45-54	6	6	0	4	4	0	2	2	0
55-64	9	9	0	4	4	0	5	5	0
65-74	22	18	4	10	8	2	12	10	2
75-84	22	16	5	9	6	3	13	10	2
85 and over	32	32	0	6	6	0	26	26	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Pope, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	4	0
1	Heart Diseases	2	2	0
2	Malignant Neoplasms	1	1	0
2	Chronic Liver Disease And Cirrhosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	4	0	2	2	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Poplarville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	51	44	7
1	Heart Diseases	10	9	1
2	Malignant Neoplasms	5	3	2
	Emphysema and Other Chronic Lower Resp. Diseases	5	4	1
4	Influenza and Pneumonia	4	4	0
5	Alzheimer's Disease	3	3	0
6	Cerebrovascular Disease	2	2	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1
8	Septicemia	1	1	0
8	Parkinson's Disease	1	1	0
8	Hypertension/Hypertensive Renal Disease	1	1	0
8	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	15	13	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	51	44	7	21	18	3	30	26	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	1	1	0	1	1	0	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	8	5	3	5	2	3	3	3	0
75-84	13	10	3	6	6	0	7	4	3
85 and over	24	23	1	6	6	0	18	17	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Port Gibson, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	25	5	20
1	Heart Diseases	9	3	6
2	Septicemia	2	0	2
2	Malignant Neoplasms	2	1	1
2	In Situ, Benign and Unspecified Neoplasms	2	0	2
2	Cerebrovascular Disease	2	0	2
6	Parkinson's Disease	1	1	0
6	Alzheimer's Disease	1	0	1
6	Influenza and Pneumonia	1	0	1
6	Accidents	1	0	1
6	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	0	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	25	5	20	15	4	11	10	1	9
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	5	0	5	4	0	4	1	0	1
65-74	9	2	7	6	2	4	3	0	3
75-84	5	2	3	2	1	1	3	1	2
85 and over	4	1	3	2	1	1	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Potts Camp, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	3	2
1	Malignant Neoplasms	3	2	1
2	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
2	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	3	2	4	3	1	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Prentiss, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	23	15	8
1	Heart Diseases	10	9	1
2	Malignant Neoplasms	3	2	1
3	HIV Disease	1	0	1
3	Anemias	1	0	1
3	Diabetes Mellitus	1	0	1
3	Parkinson's Disease	1	1	0
3	Cerebrovascular Disease	1	1	0
3	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	1	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	23	15	8	10	7	3	13	8	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	3	1	1	0	1	3	3	0
65-74	2	1	1	1	1	0	1	0	1
75-84	8	6	2	4	3	1	4	3	1
85 and over	8	5	3	3	3	0	5	2	3
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Purvis, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	32	27	5
1	Malignant Neoplasms	13	11	2
2	Heart Diseases	4	3	1
3	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
4	Cerebrovascular Disease	2	1	1
4	Accidents	2	2	0
4	Suicide	2	2	0
4	Homicide	2	1	1
8	Septicemia	1	1	0
8	Viral Hepatitis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	32	27	5	18	17	1	14	10	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	3	3	0	3	3	0	0	0	0
45-54	6	5	1	2	2	0	4	3	1
55-64	5	4	1	3	3	0	2	1	1
65-74	5	5	0	4	4	0	1	1	0
75-84	9	7	2	4	4	0	5	3	2
85 and over	2	2	0	0	0	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Quitman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	45	37	8
1	Heart Diseases	14	13	1
2	Malignant Neoplasms	7	4	3
3	Septicemia	3	3	0
3	Diabetes Mellitus	3	2	1
3	Alzheimer's Disease	3	3	0
6	Cerebrovascular Disease	2	0	2
6	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
6	Accidents	2	1	1
9	Pneumonitis Due to Solids and Liquids	1	1	0
9	Chronic Liver Disease And Cirrhosis	1	1	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	3	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	45	37	8	27	23	4	18	14	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	1	0	1	0	0	0	1	0	1
55-64	5	5	0	3	3	0	2	2	0
65-74	7	6	1	6	6	0	1	0	1
75-84	13	10	3	9	6	3	4	4	0
85 and over	17	15	2	8	7	1	9	8	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Raleigh, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	34	26	8
1	Heart Diseases	11	11	0
2	Alzheimer's Disease	7	5	2
3	Malignant Neoplasms	4	1	3
4	Cerebrovascular Disease	2	2	0
4	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
6	Parkinson's Disease	1	1	0
6	Pneumonitis Due to Solids and Liquids	1	1	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	5	3	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	34	26	8	14	11	3	20	15	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	7	4	3	4	3	1	3	1	2
65-74	7	5	2	4	3	1	3	2	1
75-84	14	11	3	3	2	1	11	9	2
85 and over	5	5	0	2	2	0	3	3	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Raymond, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		27	16	11
1	Malignant Neoplasms	7	4	3
2	Diabetes Mellitus	4	2	2
3	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0
4	Heart Diseases	2	0	2
4	Influenza and Pneumonia	2	1	1
6	Anemias	1	0	1
6	Alzheimer's Disease	1	1	0
6	Cerebrovascular Disease	1	1	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
6	Suicide	1	1	0
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		4	3	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	27	16	11	14	9	5	13	7	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	4	2	2	2	1	1	2	1	1
65-74	5	2	3	3	1	2	2	1	1
75-84	5	2	3	0	0	0	5	2	3
85 and over	9	8	1	5	5	0	4	3	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Renova, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	0	3
1	Diabetes Mellitus	1	0	1
1	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	0	3	1	0	1	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Richland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	35	32	1
1	Heart Diseases	14	12	1
2	Malignant Neoplasms	7	7	0
3	Septicemia	2	2	0
3	Cerebrovascular Disease	2	2	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
6	Diseases of Appendix	1	1	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
6	Congenital Malformations and Chrom. Abnormalities	1	1	0
6	Accidents	1	1	0
6	Suicide	1	1	0
6	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	35	32	1	16	16	0	19	16	1
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	2	0	2	2	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	10	10	0	6	6	0	4	4	0
65-74	8	7	0	4	4	0	4	3	0
75-84	8	8	0	3	3	0	5	5	0
85 and over	4	3	0	1	1	0	3	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Richton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	45	35	10
1	Heart Diseases	10	8	2
2	Malignant Neoplasms	8	6	2
3	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0
4	Accidents	3	3	0
5	Diabetes Mellitus	2	0	2
5	Alzheimer's Disease	2	1	1
5	Cerebrovascular Disease	2	2	0
8	Influenza and Pneumonia	1	1	0
8	Acute Bronchitis and Bronchiolitis	1	0	1
8	Cholelithiasis/Gallbladder Disorder	1	1	0
8	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	7	6	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	45	35	10	17	12	5	28	23	5
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	1	1	0	1	0	1
55-64	7	5	2	4	2	2	3	3	0
65-74	9	8	1	4	3	1	5	5	0
75-84	8	7	1	1	1	0	7	6	1
85 and over	17	13	4	5	4	1	12	9	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ridgeland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	455	367	86
1	Malignant Neoplasms	131	90	40
2	Heart Diseases	72	64	8
3	Alzheimer's Disease	25	22	3
4	Cerebrovascular Disease	23	18	5
5	Emphysema and Other Chronic Lower Resp. Diseases	18	17	1
6	Diabetes Mellitus	14	14	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	11	9	1
8	Septicemia	9	7	2
8	Chronic Liver Disease And Cirrhosis	9	7	2
10	Influenza and Pneumonia	8	7	1
11	Accidents	7	6	1
12	Pneumonitis Due to Solids and Liquids	6	6	0
13	Parkinson's Disease	5	5	0
13	Suicide	5	5	0
15	HIV Disease	4	2	2
15	In Situ, Benign and Unspecified Neoplasms	4	3	1
15	Hypertension/Hypertensive Renal Disease	4	2	2
15	Congenital Malformations and Chrom. Abnormalities	4	1	3
19	Conditions Originating in the Perinatal Period	2	1	1
20	Viral Hepatitis	1	1	0
20	Anemias	1	0	1
20	Maternal Causes	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	2	0
	All Other Causes	89	78	11

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	455	367	86	191	151	39	264	216	47
Under 1	3	1	2	3	1	2	0	0	0
(Neonatal)	3	1	2	3	1	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	2	1	1	3	0	3
25-34	2	1	1	2	1	1	0	0	0
35-44	9	4	5	6	3	3	3	1	2
45-54	20	11	8	13	7	6	7	4	2
55-64	43	27	15	29	18	10	14	9	5
65-74	76	55	21	42	31	11	34	24	10
75-84	106	88	18	37	33	4	69	55	14
85 and over	191	179	12	57	56	1	134	123	11
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Rienzi, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	4	2
1	Malignant Neoplasms	1	1	0
1	Diabetes Mellitus	1	0	1
1	Alzheimer's Disease	1	1	0
1	Heart Diseases	1	1	0
1	Chronic Liver Disease And Cirrhosis	1	1	0
1	Conditions Originating in the Perinatal Period	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	4	2	4	2	2	2	2	0
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	2	1	1	1	0	1	1	1	0
75-84	2	2	0	1	1	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ripley, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	101	83	18
1	Heart Diseases	23	19	4
2	Malignant Neoplasms	14	11	3
3	Alzheimer's Disease	5	3	2
3	Emphysema and Other Chronic Lower Resp. Diseases	5	5	0
5	Cerebrovascular Disease	4	4	0
6	Influenza and Pneumonia	3	2	1
6	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1
8	Accidents	2	2	0
8	Suicide	2	2	0
10	Septicemia	1	0	1
10	Anemias	1	1	0
10	Diabetes Mellitus	1	0	1
10	Hypertension/Hypertensive Renal Disease	1	1	0
10	Aortic Aneurysm and Dissection	1	1	0
10	Pneumonitis Due to Solids and Liquids	1	1	0
10	Chronic Liver Disease And Cirrhosis	1	0	1
10	Cholelithiasis/Gallbladder Disorder	1	1	0
10	Conditions Originating in the Perinatal Period	1	1	0
10	Homicide	1	1	0
10	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	5	4	1
	All Other Causes	24	21	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	101	83	18	37	28	9	64	55	9
Under 1	2	2	0	1	1	0	1	1	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	4	2	2	2	2	0	2	0	2
45-54	11	8	3	5	3	2	6	5	1
55-64	11	9	2	6	4	2	5	5	0
65-74	16	12	4	6	4	2	10	8	2
75-84	31	27	4	14	11	3	17	16	1
85 and over	25	22	3	3	3	0	22	19	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Rolling Fork, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	40	19	21
1	Heart Diseases	9	3	6
2	Malignant Neoplasms	7	2	5
3	Alzheimer's Disease	4	4	0
4	Cerebrovascular Disease	3	1	2
4	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1
6	Acute Bronchitis and Bronchiolitis	2	2	0
6	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
8	Diabetes Mellitus	1	0	1
8	Influenza and Pneumonia	1	1	0
8	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	6	2	4

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	40	19	21	16	4	12	24	15	9
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	2	0	2	2	0	2	0	0	0
55-64	6	2	4	2	1	1	4	1	3
65-74	9	6	3	4	1	3	5	5	0
75-84	12	6	6	5	1	4	7	5	2
85 and over	7	5	2	1	1	0	6	4	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Rosedale, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	15	4	11
1	Heart Diseases	4	2	2
2	Malignant Neoplasms	3	1	2
2	Nephritis, Nephrotic Syndrome And Nephrosis	3	0	3
4	Diabetes Mellitus	2	0	2
4	Hypertension/Hypertensive Renal Disease	2	0	2
6	Septicemia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	15	4	11	8	3	5	7	1	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	3	1	2	2	0	2	1	1	0
55-64	3	0	3	2	0	2	1	0	1
65-74	4	0	4	1	0	1	3	0	3
75-84	2	2	0	2	2	0	0	0	0
85 and over	2	1	1	1	1	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Roxie, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	1	6
1	Septicemia	1	0	1
1	Malignant Neoplasms	1	1	0
1	Diabetes Mellitus	1	0	1
1	Heart Diseases	1	0	1
1	Cerebrovascular Disease	1	0	1
1	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
1	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	1	6	3	0	3	4	1	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	1	1	0	0	0	2	1	1
75-84	1	0	1	0	0	0	1	0	1
85 and over	2	0	2	1	0	1	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Ruleville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	50	21	29
1	Heart Diseases	11	4	7
2	Diabetes Mellitus	7	2	5
3	Malignant Neoplasms	6	2	4
4	Cerebrovascular Disease	4	2	2
4	Influenza and Pneumonia	4	3	1
4	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	4	0	4
8	Pneumonitis Due to Solids and Liquids	2	1	1
8	Accidents	2	1	1
10	Septicemia	1	0	1
10	Alzheimer's Disease	1	1	0
10	Acute Bronchitis and Bronchiolitis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	1	2

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	50	21	29	29	10	19	21	11	10
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	0	3	2	0	2	1	0	1
45-54	2	1	1	2	1	1	0	0	0
55-64	10	3	7	4	1	3	6	2	4
65-74	10	3	7	8	2	6	2	1	1
75-84	16	7	9	9	3	6	7	4	3
85 and over	8	6	2	3	2	1	5	4	1
Unknown	1	1	0	1	1	0	0	0	0

Selected Death Statistics, Residents of Sallis, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	2	1
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	2	1	2	1	1	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Saltillo, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	42	40	1
1	Malignant Neoplasms	10	9	1
2	Heart Diseases	8	8	0
3	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0
3	Accidents	4	4	0
5	Septicemia	2	2	0
5	Alzheimer's Disease	2	2	0
5	Cerebrovascular Disease	2	1	0
8	Viral Hepatitis	1	1	0
8	Diabetes Mellitus	1	1	0
8	Influenza and Pneumonia	1	1	0
8	Chronic Liver Disease And Cirrhosis	1	1	0
8	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	5	5	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	42	40	1	21	19	1	21	21	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	2	2	0	2	2	0	0	0	0
45-54	7	7	0	5	5	0	2	2	0
55-64	8	7	0	5	4	0	3	3	0
65-74	9	8	1	5	4	1	4	4	0
75-84	8	8	0	2	2	0	6	6	0
85 and over	7	7	0	1	1	0	6	6	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Sandersville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	9	0
1	Malignant Neoplasms	3	3	0
1	Heart Diseases	3	3	0
3	Alzheimer's Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	2	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	9	0	4	4	0	5	5	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	2	0	0	0	0	2	2	0
65-74	3	3	0	2	2	0	1	1	0
75-84	2	2	0	2	2	0	0	0	0
85 and over	2	2	0	0	0	0	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sardis, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	38	21	17
1	Heart Diseases	14	9	5
2	Malignant Neoplasms	7	2	5
3	Alzheimer's Disease	3	3	0
3	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2
5	Anemias	1	1	0
5	Hypertension/Hypertensive Renal Disease	1	1	0
5	Cerebrovascular Disease	1	1	0
5	Influenza and Pneumonia	1	1	0
5	Cholelithiasis/Gallbladder Disorder	1	0	1
5	Conditions Originating in the Perinatal Period	1	0	1
5	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	3	2	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	38	21	17	19	10	9	19	11	8
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	3	2	1	2	2	0	1	0	1
55-64	3	3	0	3	3	0	0	0	0
65-74	4	1	3	2	1	1	2	0	2
75-84	12	7	5	7	3	4	5	4	1
85 and over	10	8	2	2	1	1	8	7	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Schlater, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	2	2
1	Heart Diseases	2	0	2
2	Diabetes Mellitus	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	2	2	2	0	2	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	1	0	1	1	1	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Scooba, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Malignant Neoplasms	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	1	1	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sebastopol, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
1	Heart Diseases	1	0	1
	--- Not Included in Ranking --- Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	1	0	1	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Seminary, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	5	0
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	1	0
1	Aortic Aneurysm and Dissection	1	1	0
1	Influenza and Pneumonia	1	1	0
1	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	5	0	4	4	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	2	2	0	1	1	0	1	1	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Senatobia, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	104	89	15
1	Heart Diseases	38	32	6
2	Malignant Neoplasms	17	14	3
3	Diabetes Mellitus	8	6	2
4	Alzheimer's Disease	6	6	0
4	Emphysema and Other Chronic Lower Resp. Diseases	6	5	1
6	Cerebrovascular Disease	4	3	1
6	Accidents	4	4	0
8	Parkinson's Disease	2	2	0
8	Hypertension/Hypertensive Renal Disease	2	2	0
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
11	Septicemia	1	1	0
11	Viral Hepatitis	1	1	0
11	HIV Disease	1	0	1
11	Chronic Liver Disease And Cirrhosis	1	1	0
11	Cholelithiasis/Gallbladder Disorder	1	1	0
11	Conditions Originating in the Perinatal Period	1	0	1
11	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	7	7	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	104	89	15	46	35	11	58	54	4
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	7	5	2	6	4	2	1	1	0
55-64	12	10	2	7	6	1	5	4	1
65-74	17	13	4	11	7	4	6	6	0
75-84	31	28	3	10	9	1	21	19	2
85 and over	34	32	2	9	8	1	25	24	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Shannon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	14	5	9
1	Malignant Neoplasms	6	2	4
2	Heart Diseases	2	1	1
2	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
4	Alzheimer's Disease	1	1	0
4	Pneumonitis Due to Solids and Liquids	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	14	5	9	9	4	5	5	1	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	2	0	2	1	0	1	1	0	1
55-64	3	1	2	2	0	2	1	1	0
65-74	4	2	2	3	2	1	1	0	1
75-84	2	0	2	1	0	1	1	0	1
85 and over	2	2	0	2	2	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Shaw, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	36	5	31
1	Malignant Neoplasms	13	3	10
2	Heart Diseases	5	0	5
3	Diabetes Mellitus	3	0	3
4	Septicemia	2	1	1
4	In Situ, Benign and Unspecified Neoplasms	2	0	2
4	Hypertension/Hypertensive Renal Disease	2	0	2
4	Cerebrovascular Disease	2	0	2
4	Emphysema and Other Chronic Lower Resp. Diseases	2	0	2
9	Influenza and Pneumonia	1	0	1
9	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	1	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	36	5	31	21	4	17	15	1	14
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	4	0	4	2	0	2	2	0	2
45-54	4	0	4	3	0	3	1	0	1
55-64	6	0	6	2	0	2	4	0	4
65-74	8	2	6	4	2	2	4	0	4
75-84	5	1	4	4	0	4	1	1	0
85 and over	6	2	4	5	2	3	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Shelby, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	29	4	25
1	Heart Diseases	9	1	8
2	Malignant Neoplasms	8	1	7
3	Cerebrovascular Disease	2	0	2
4	Accidents	1	0	1
4	Legal Intervention	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	7	2	5

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	29	4	25	12	2	10	17	2	15
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	2	1	1	1	1	0	1	0	1
45-54	1	0	1	0	0	0	1	0	1
55-64	3	1	2	1	1	0	2	0	2
65-74	7	1	6	3	0	3	4	1	3
75-84	8	1	7	3	0	3	5	1	4
85 and over	5	0	5	3	0	3	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sherman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Septicemia	1	1	0
1	Alzheimer's Disease	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	1	1	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	2	0	1	1	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Shubuta, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	0	4
1	Heart Diseases	2	0	2
2	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	0	4	4	0	4	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	0	2	2	0	2	0	0	0
75-84	1	0	1	1	0	1	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Shuqualak, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	2	3
1	Heart Diseases	3	2	1
2	Diabetes Mellitus	1	0	1
2	Alzheimer's Disease	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	2	3	1	0	1	4	2	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	0	1	1	0	1	0	0	0
75-84	2	1	1	0	0	0	2	1	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sidon, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	1	6
1	Heart Diseases	3	1	2
2	Accidents	2	0	2
3	Malignant Neoplasms	1	0	1
3	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	1	6	4	1	3	3	0	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	2	0	2	1	0	1	1	0	1
45-54	1	1	0	1	1	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Silver City, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		4	2	2
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	0	1
1	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	2	2	1	1	0	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	2	1	1	1	1	0	1	0	1
85 and over	2	1	1	0	0	0	2	1	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Silver Creek, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Malignant Neoplasms	1	1	0
1	Heart Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	3	3	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Sledge, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	3	4
1	Heart Diseases	2	1	1
2	Malignant Neoplasms	1	0	1
2	Influenza and Pneumonia	1	0	1
2	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	2	1	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	3	4	4	2	2	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	3	1	2	2	1	1	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Smithville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	5	0
1	Heart Diseases	4	4	0
2	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	5	0	2	2	0	3	3	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	3	3	0	1	1	0	2	2	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Southaven, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	370	320	47
1	Heart Diseases	106	91	15
2	Malignant Neoplasms	72	61	11
3	Emphysema and Other Chronic Lower Resp. Diseases	29	29	0
4	Diabetes Mellitus	27	22	5
5	Alzheimer's Disease	20	20	0
6	Cerebrovascular Disease	17	14	2
7	Hypertension/Hypertensive Renal Disease	15	13	2
8	Accidents	13	9	3
9	Influenza and Pneumonia	9	9	0
10	Septicemia	4	4	0
11	Parkinson's Disease	3	3	0
11	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1
11	Suicide	3	2	1
14	Pneumonitis Due to Solids and Liquids	2	2	0
14	Chronic Liver Disease And Cirrhosis	2	2	0
16	Viral Hepatitis	1	1	0
16	HIV Disease	1	0	1
16	In Situ, Benign and Unspecified Neoplasms	1	1	0
16	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	8	7	0
	All Other Causes	33	28	5

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	370	320	47	167	136	28	203	184	19
Under 1	3	2	0	1	0	0	2	2	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	3	2	0	1	0	0	2	2	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	7	5	2	4	3	1	3	2	1
35-44	7	5	1	3	1	1	4	4	0
45-54	28	20	8	15	10	5	13	10	3
55-64	55	44	11	30	21	9	25	23	2
65-74	65	59	6	36	31	5	29	28	1
75-84	95	85	10	38	34	4	57	51	6
85 and over	104	94	9	36	32	3	68	62	6
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Starkville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	158	90	68
1	Malignant Neoplasms	33	19	14
2	Heart Diseases	29	14	15
3	Diabetes Mellitus	14	5	9
4	Alzheimer's Disease	11	9	2
5	Cerebrovascular Disease	8	6	2
5	Nephritis, Nephrotic Syndrome And Nephrosis	8	3	5
7	Accidents	6	5	1
8	Influenza and Pneumonia	5	4	1
9	Parkinson's Disease	3	3	0
9	Emphysema and Other Chronic Lower Resp. Diseases	3	2	1
11	Viral Hepatitis	2	2	0
11	Hypertension/Hypertensive Renal Disease	2	1	1
11	Suicide	2	2	0
14	Septicemia	1	1	0
14	HIV Disease	1	0	1
14	Cholelithiasis/Gallbladder Disorder	1	0	1
14	Conditions Originating in the Perinatal Period	1	0	1
14	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	26	14	12

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	158	90	68	81	47	34	77	43	34
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	2	1	1	0	1
25-34	5	2	3	3	2	1	2	0	2
35-44	4	2	2	2	1	1	2	1	1
45-54	6	3	3	4	2	2	2	1	1
55-64	21	5	16	12	2	10	9	3	6
65-74	34	20	14	21	12	9	13	8	5
75-84	40	28	12	16	13	3	24	15	9
85 and over	41	28	13	18	13	5	23	15	8
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of State Line, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	0	4
1	Heart Diseases	2	0	2
2	Alzheimer's Disease	1	0	1
2	Aortic Aneurysm and Dissection	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	0	4	1	0	1	3	0	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	0	1	1	0	1	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	2	0	2	0	0	0	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Stonewall, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	3	4
1	Heart Diseases	3	1	2
2	Cerebrovascular Disease	1	1	0
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
2	Conditions Originating in the Perinatal Period	1	0	1
2	Congenital Malformations and Chrom. Abnormalities	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	3	4	4	1	3	3	2	1
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	0	0	0	2	1	1
75-84	1	1	0	1	1	0	0	0	0
85 and over	2	1	1	1	0	1	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sturgis, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	2	0
1	Malignant Neoplasms	1	1	0
1	Alzheimer's Disease	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	2	0	1	1	0	1	1	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	1	0	0	0	0	1	1	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Summit, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	18	8	10
1	Malignant Neoplasms	5	2	3
2	Heart Diseases	2	0	2
3	Parkinson's Disease	1	0	1
3	Hypertension/Hypertensive Renal Disease	1	1	0
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
3	Pneumonitis Due to Solids and Liquids	1	1	0
3	Conditions Originating in the Perinatal Period	1	0	1
3	Congenital Malformations and Chrom. Abnormalities	1	0	1
3	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	2	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	18	8	10	8	6	2	10	2	8
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	4	1	3	1	1	0	3	0	3
65-74	2	1	1	1	1	0	1	0	1
75-84	3	2	1	3	2	1	0	0	0
85 and over	4	2	2	0	0	0	4	2	2
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Sumner, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	6	2	4
1	Malignant Neoplasms	2	1	1
1	Heart Diseases	2	0	2
3	Cerebrovascular Disease	1	0	1
3	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6	2	4	2	1	1	4	1	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	1	0	1	0	0	0
65-74	2	1	1	1	1	0	1	0	1
75-84	1	0	1	0	0	0	1	0	1
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sumrall, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	25	22	3
1	Malignant Neoplasms	6	6	0
2	Heart Diseases	4	3	1
3	Alzheimer's Disease	2	2	0
3	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
3	Accidents	2	2	0
6	Septicemia	1	1	0
6	Anemias	1	1	0
6	Parkinson's Disease	1	1	0
6	Influenza and Pneumonia	1	0	1
6	Congenital Malformations and Chrom. Abnormalities	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	4	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	25	22	3	11	9	2	14	13	1
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	2	2	0	1	1	0	1	1	0
65-74	5	5	0	2	2	0	3	3	0
75-84	9	9	0	2	2	0	7	7	0
85 and over	4	3	1	2	1	1	2	2	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sunflower, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	1	8
1	Heart Diseases	3	0	3
2	Diabetes Mellitus	2	0	2
3	HIV Disease	1	0	1
3	Malignant Neoplasms	1	0	1
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	1	8	4	1	3	5	0	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	4	0	4	3	0	3	1	0	1
75-84	1	0	1	0	0	0	1	0	1
85 and over	3	0	3	0	0	0	3	0	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Sylvarena, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	1	0
1	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	1	0	1	1	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	1	1	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Taylorsville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	5	3
1	Heart Diseases	4	2	2
2	Cerebrovascular Disease	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	5	3	6	4	2	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	2	1	2	1	1	1	1	0
65-74	3	1	2	2	1	1	1	0	1
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tchula, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	21	1	20
1	Heart Diseases	8	1	7
2	Malignant Neoplasms	4	0	4
3	Septicemia	2	0	2
3	Conditions Originating in the Perinatal Period	2	0	2
5	Hypertension/Hypertensive Renal Disease	1	0	1
5	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
5	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
5	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	21	1	20	12	1	11	9	0	9
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	4	0	4	2	0	2	2	0	2
65-74	2	0	2	1	0	1	1	0	1
75-84	4	0	4	2	0	2	2	0	2
85 and over	4	1	3	2	1	1	2	0	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Terry, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	32	7	25
1	Heart Diseases	9	0	9
2	Malignant Neoplasms	8	3	5
3	Septicemia	4	2	2
4	Cerebrovascular Disease	2	0	2
4	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0
6	Diabetes Mellitus	1	0	1
6	Influenza and Pneumonia	1	0	1
6	Chronic Liver Disease And Cirrhosis	1	0	1
6	Congenital Malformations and Chrom. Abnormalities	1	0	1
6	Accidents	1	0	1
6	Complications Medical/Surgical Care	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	32	7	25	20	3	17	12	4	8
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	7	0	7	6	0	6	1	0	1
65-74	9	2	7	4	0	4	5	2	3
75-84	5	2	3	2	1	1	3	1	2
85 and over	4	2	2	3	1	2	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Thaxton, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	5	0
1	Malignant Neoplasms	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	5	0	2	2	0	3	3	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	2	0	0	0	0	2	2	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Tishomingo, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	3	3	0
1	Malignant Neoplasms	1	1	0
1	Accidents	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	1	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3	3	0	1	1	0	2	2	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	0	0	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tremont, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	2	0
1	Parkinson's Disease	1	1	0
1	Heart Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	2	0	2	2	0	0	0	0
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	1	0	1	1	0	0	0	0
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tunica, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		33	18	14
1	Heart Diseases	12	5	6
2	Malignant Neoplasms	5	5	0
3	Diabetes Mellitus	3	1	2
4	Hypertension/Hypertensive Renal Disease	2	1	1
4	Influenza and Pneumonia	2	2	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
7	Parkinson's Disease	1	0	1
7	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
7	Accidents	1	0	1
--- Not Included in Ranking ---				
Symptoms, Signs, Ill-Defined Conditions		0	0	0
All Other Causes		4	2	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	33	18	14	10	5	4	23	13	10
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	0	0	0	2	1	1
55-64	7	1	5	4	1	2	3	0	3
65-74	4	2	2	2	1	1	2	1	1
75-84	8	4	4	2	1	1	6	3	3
85 and over	12	10	2	2	2	0	10	8	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tupelo, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	406	331	74
1	Malignant Neoplasms	111	91	20
2	Heart Diseases	84	68	16
3	Cerebrovascular Disease	32	27	5
4	Emphysema and Other Chronic Lower Resp. Diseases	31	26	5
5	Alzheimer's Disease	11	8	3
6	Accidents	10	9	1
7	Diabetes Mellitus	9	4	5
8	Septicemia	8	6	2
9	Chronic Liver Disease And Cirrhosis	6	6	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1
11	In Situ, Benign and Unspecified Neoplasms	5	4	1
11	Hypertension/Hypertensive Renal Disease	5	3	1
11	Influenza and Pneumonia	5	5	0
11	Pneumonitis Due to Solids and Liquids	5	5	0
11	Conditions Originating in the Perinatal Period	5	1	4
16	HIV Disease	2	0	2
16	Parkinson's Disease	2	2	0
16	Homicide	2	1	1
19	Viral Hepatitis	1	1	0
19	Congenital Malformations and Chrom. Abnormalities	1	1	0
19	Legal Intervention	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	4	3	1
	All Other Causes	60	54	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	406	331	74	183	135	47	223	196	27
Under 1	6	2	4	3	1	2	3	1	2
(Neonatal)	6	2	4	3	1	2	3	1	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	4	1	3	2	0	2	2	1	1
35-44	8	6	2	4	3	1	4	3	1
45-54	21	14	7	10	6	4	11	8	3
55-64	58	42	16	32	23	9	26	19	7
65-74	66	51	15	38	26	12	28	25	3
75-84	108	93	14	54	43	10	54	50	4
85 and over	131	121	10	36	32	4	95	89	6
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tutwiler, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	8	0	8
1	Malignant Neoplasms	3	0	3
2	Heart Diseases	1	0	1
2	Cerebrovascular Disease	1	0	1
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
2	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	0	8	4	0	4	4	0	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	0	2	1	0	1	1	0	1
55-64	1	0	1	0	0	0	1	0	1
65-74	3	0	3	2	0	2	1	0	1
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Tylertown, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		41	28	13
1	Heart Diseases	13	8	5
2	Malignant Neoplasms	7	4	3
3	Emphysema and Other Chronic Lower Resp. Diseases	6	5	1
4	Alzheimer's Disease	5	5	0
5	Diabetes Mellitus	2	1	1
5	Cerebrovascular Disease	2	1	1
7	Viral Hepatitis	1	1	0
7	Accidents	1	1	0
7	Homicide	1	0	1
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	2	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	41	28	13	18	11	7	23	17	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	0	0	0	1	0	1
55-64	6	4	2	5	3	2	1	1	0
65-74	5	3	2	1	1	0	4	2	2
75-84	10	7	3	6	4	2	4	3	1
85 and over	16	13	3	4	3	1	12	10	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Union, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	57	49	8
1	Heart Diseases	18	17	1
2	Malignant Neoplasms	8	7	1
3	Cerebrovascular Disease	5	4	1
3	Emphysema and Other Chronic Lower Resp. Diseases	5	4	1
5	Alzheimer's Disease	4	4	0
5	Accidents	4	4	0
7	Diabetes Mellitus	1	0	1
7	Influenza and Pneumonia	1	1	0
7	Chronic Liver Disease And Cirrhosis	1	1	0
7	Cholelithiasis/Gallbladder Disorder	1	1	0
7	Homicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	2	1
	All Other Causes	5	3	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	57	49	8	23	19	4	34	30	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	2	2	0	0	0	0	2	2	0
45-54	5	4	1	1	1	0	4	3	1
55-64	3	3	0	1	1	0	2	2	0
65-74	7	5	2	4	2	2	3	3	0
75-84	12	9	3	7	5	2	5	4	1
85 and over	26	24	2	8	8	0	18	16	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Utica, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	9	5	4
1	Heart Diseases	2	1	1
1	Accidents	2	1	1
3	Malignant Neoplasms	1	0	1
3	Cerebrovascular Disease	1	0	1
3	Atherosclerosis	1	1	0
3	Influenza and Pneumonia	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	9	5	4	7	4	3	2	1	1
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	3	1	2	3	1	2	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	1	1	0	1	1	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Vaiden, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	17	8	9
1	Malignant Neoplasms	3	1	2
1	Diabetes Mellitus	3	1	2
3	Heart Diseases	2	1	1
3	Cerebrovascular Disease	2	2	0
5	Hernia	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	5	3	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	17	8	9	5	2	3	12	6	6
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	3	1	2	1	0	1	2	1	1
65-74	4	2	2	1	0	1	3	2	1
75-84	1	1	0	1	1	0	0	0	0
85 and over	7	4	3	1	1	0	6	3	3
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Vardaman, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		14	11	3
1	Accidents	3	3	0
2	Malignant Neoplasms	2	2	0
2	Heart Diseases	2	1	1
4	Diabetes Mellitus	1	1	0
4	Cerebrovascular Disease	1	1	0
4	Influenza and Pneumonia	1	0	1
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	3	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	14	11	3	7	5	2	7	6	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	3	3	0	2	2	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	2	1	1	2	1	1	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	1	1	1	0	1	1	1	0
75-84	3	2	1	2	2	0	1	0	1
85 and over	4	4	0	0	0	0	4	4	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Verona, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	31	22	9
1	Malignant Neoplasms	9	8	1
2	Heart Diseases	8	7	1
3	Cerebrovascular Disease	3	3	0
4	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1
5	In Situ, Benign and Unspecified Neoplasms	1	1	0
5	Diabetes Mellitus	1	0	1
5	Influenza and Pneumonia	1	1	0
5	Chronic Liver Disease And Cirrhosis	1	0	1
5	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	1	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	31	22	9	14	10	4	17	12	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	3	2	1	2	2	0	1	0	1
55-64	4	2	2	2	1	1	2	1	1
65-74	7	6	1	1	1	0	6	5	1
75-84	6	5	1	4	3	1	2	2	0
85 and over	10	7	3	5	3	2	5	4	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Vicksburg, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	315	155	160
1	Heart Diseases	99	52	47
2	Malignant Neoplasms	67	28	39
3	Cerebrovascular Disease	19	13	6
3	Accidents	19	6	13
5	Emphysema and Other Chronic Lower Resp. Diseases	16	9	7
6	Nephritis, Nephrotic Syndrome And Nephrosis	14	5	9
7	Diabetes Mellitus	10	3	7
8	Septicemia	7	2	5
8	Influenza and Pneumonia	7	4	3
10	Hypertension/Hypertensive Renal Disease	6	3	3
11	Alzheimer's Disease	5	4	1
12	Parkinson's Disease	3	2	1
12	Pneumonitis Due to Solids and Liquids	3	3	0
12	Chronic Liver Disease And Cirrhosis	3	2	1
15	Aortic Aneurysm and Dissection	2	0	2
15	Conditions Originating in the Perinatal Period	2	2	0
15	Homicide	2	0	2
18	Anemias	1	0	1
18	Peptic Ulcer	1	1	0
18	Congenital Malformations and Chrom. Abnormalities	1	1	0
18	Suicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	26	15	11

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	315	155	160	147	62	85	168	93	75
Under 1	5	2	3	3	0	3	2	2	0
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	6	1	5	4	0	4	2	1	1
25-34	2	0	2	2	0	2	0	0	0
35-44	6	2	4	1	1	0	5	1	4
45-54	26	7	19	14	5	9	12	2	10
55-64	55	13	42	37	8	29	18	5	13
65-74	51	26	25	29	14	15	22	12	10
75-84	60	38	22	26	18	8	34	20	14
85 and over	99	65	34	28	15	13	71	50	21
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Walnut, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	10	8	2
1	Heart Diseases	8	6	2
2	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	1	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	10	8	2	8	7	1	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	2	0	2	2	0	0	0	0
65-74	4	3	1	2	2	0	2	1	1
75-84	1	1	0	1	1	0	0	0	0
85 and over	2	2	0	2	2	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Walnut Grove, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
Total Of All Causes		8	3	5
1	Malignant Neoplasms	3	2	1
1	Heart Diseases	3	0	3
3	Anemias	1	0	1
3	Diabetes Mellitus	1	1	0
--- Not Included in Ranking ---				
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	3	5	5	2	3	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	4	2	2	3	1	2	1	1	0
65-74	1	1	0	1	1	0	0	0	0
75-84	1	0	1	0	0	0	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Water Valley, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	59	42	17
1	Malignant Neoplasms	14	11	3
1	Heart Diseases	14	8	6
3	Influenza and Pneumonia	4	4	0
3	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0
3	Accidents	4	2	2
6	Suicide	3	2	1
7	Alzheimer's Disease	2	2	0
7	Cerebrovascular Disease	2	1	1
9	Septicemia	1	1	0
9	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
9	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	9	6	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	59	42	17	31	19	12	28	23	5
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	6	2	4	4	2	2	2	0	2
55-64	9	6	3	6	3	3	3	3	0
65-74	10	7	3	7	5	2	3	2	1
75-84	12	11	1	5	4	1	7	7	0
85 and over	19	16	3	7	5	2	12	11	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Waveland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	48	46	2
1	Malignant Neoplasms	11	9	2
2	Heart Diseases	7	7	0
3	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0
4	Accidents	5	5	0
5	Influenza and Pneumonia	3	3	0
6	Septicemia	2	2	0
6	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
6	Suicide	2	2	0
9	Diabetes Mellitus	1	1	0
9	Cerebrovascular Disease	1	1	0
9	Pneumoconioses and Chemical Effects	1	1	0
9	Chronic Liver Disease And Cirrhosis	1	1	0
9	Maternal Causes	1	1	0
9	Conditions Originating in the Perinatal Period	1	1	0
9	Complications Medical/Surgical Care	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	3	3	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	48	46	2	28	28	0	20	18	2
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	7	7	0	4	4	0	3	3	0
55-64	3	3	0	3	3	0	0	0	0
65-74	13	12	1	9	9	0	4	3	1
75-84	14	13	1	7	7	0	7	6	1
85 and over	7	7	0	3	3	0	4	4	0
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Waynesboro, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	65	43	22
1	Heart Diseases	23	18	5
2	Malignant Neoplasms	10	4	6
3	Alzheimer's Disease	4	2	2
4	Septicemia	3	2	1
4	Cerebrovascular Disease	3	3	0
4	Accidents	3	3	0
7	Diabetes Mellitus	2	0	2
7	Influenza and Pneumonia	2	2	0
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2
10	In Situ, Benign and Unspecified Neoplasms	1	0	1
10	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
10	Cholelithiasis/Gallbladder Disorder	1	0	1
10	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	9	7	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	65	43	22	23	16	7	42	27	15
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	2	1	1	1	0	1	1	1	0
55-64	10	4	6	3	0	3	7	4	3
65-74	14	8	6	7	6	1	7	2	5
75-84	13	12	1	6	5	1	7	7	0
85 and over	23	17	6	5	5	0	18	12	6
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Webb, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	7	1	6
1	Diabetes Mellitus	2	1	1
2	Malignant Neoplasms	1	0	1
2	Heart Diseases	1	0	1
2	Cerebrovascular Disease	1	0	1
2	Influenza and Pneumonia	1	0	1
2	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	7	1	6	3	1	2	4	0	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	2	1	1	1	1	0	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	1	0	1	0	0	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Weir, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	5	2	3
1	Heart Diseases	4	1	3
2	Malignant Neoplasms	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5	2	3	3	1	2	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	3	2	1	2	1	1	1	1	0
75-84	2	0	2	1	0	1	1	0	1
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Wesson, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	22	18	3
1	Malignant Neoplasms	10	8	1
2	Heart Diseases	6	4	2
3	Accidents	2	2	0
4	Alzheimer's Disease	1	1	0
4	Cerebrovascular Disease	1	1	0
4	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	22	18	3	9	7	2	13	11	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	0	0	0	2	2	0
35-44	1	1	0	1	1	0	0	0	0
45-54	1	1	0	1	1	0	0	0	0
55-64	3	1	1	2	1	1	1	0	0
65-74	6	5	1	2	1	1	4	4	0
75-84	4	4	0	1	1	0	3	3	0
85 and over	4	3	1	1	1	0	3	2	1
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of West, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	4	0	4
1	Heart Diseases	2	0	2
2	Alzheimer's Disease	1	0	1
2	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4	0	4	1	0	1	3	0	3
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0
65-74	2	0	2	0	0	0	2	0	2
75-84	1	0	1	0	0	0	1	0	1
85 and over	1	0	1	1	0	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of West Point, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	141	68	73
1	Heart Diseases	36	16	20
2	Malignant Neoplasms	22	11	11
3	Emphysema and Other Chronic Lower Resp. Diseases	8	7	1
3	Accidents	8	5	3
5	Cerebrovascular Disease	7	3	4
6	Septicemia	5	3	2
6	Influenza and Pneumonia	5	2	3
8	Diabetes Mellitus	4	2	2
8	Alzheimer's Disease	4	1	3
8	Chronic Liver Disease And Cirrhosis	4	1	3
8	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3
8	Suicide	4	2	2
13	Hypertension/Hypertensive Renal Disease	3	1	2
14	Parkinson's Disease	2	2	0
14	Pneumonitis Due to Solids and Liquids	2	0	2
16	Atherosclerosis	1	0	1
16	Conditions Originating in the Perinatal Period	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	2	1	1
	All Other Causes	19	10	9

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	141	68	73	70	34	36	71	34	37
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	6	2	4	4	2	2	2	0	2
45-54	6	1	5	4	0	4	2	1	1
55-64	28	10	18	15	6	9	13	4	9
65-74	24	14	10	15	8	7	9	6	3
75-84	30	16	14	20	11	9	10	5	5
85 and over	40	24	16	8	6	2	32	18	14
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Wiggins, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	49	36	13
1	Heart Diseases	8	5	3
2	Malignant Neoplasms	7	5	2
2	Cerebrovascular Disease	7	6	1
4	Alzheimer's Disease	5	5	0
5	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0
5	Accidents	2	1	1
7	Septicemia	1	0	1
7	Anemias	1	1	0
7	Diabetes Mellitus	1	0	1
7	Influenza and Pneumonia	1	0	1
7	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0
7	Chronic Liver Disease And Cirrhosis	1	0	1
7	Congenital Malformations and Chrom. Abnormalities	1	1	0
7	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	10	8	2

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	49	36	13	20	16	4	29	20	9
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	2	0	2	0	0	0	2	0	2
55-64	8	4	4	3	3	0	5	1	4
65-74	13	10	3	6	4	2	7	6	1
75-84	14	14	0	7	7	0	7	7	0
85 and over	10	7	3	3	2	1	7	5	2
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Winona, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	83	48	35
1	Heart Diseases	21	14	7
2	Malignant Neoplasms	12	7	5
3	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0
4	Hypertension/Hypertensive Renal Disease	5	2	3
5	Diabetes Mellitus	4	1	3
5	Accidents	4	3	1
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
8	Cerebrovascular Disease	2	0	2
8	Conditions Originating in the Perinatal Period	2	2	0
10	Septicemia	1	0	1
10	HIV Disease	1	0	1
10	In Situ, Benign and Unspecified Neoplasms	1	0	1
10	Influenza and Pneumonia	1	0	1
10	Pneumonitis Due to Solids and Liquids	1	1	0
10	Chronic Liver Disease And Cirrhosis	1	0	1
10	Suicide	1	1	0
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	3	2	1
	All Other Causes	14	8	6

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	83	48	35	37	17	20	46	31	15
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	2	0	2	2	0	0	0	0
35-44	2	1	1	1	0	1	1	1	0
45-54	10	6	4	4	2	2	6	4	2
55-64	12	5	7	9	4	5	3	1	2
65-74	12	5	7	9	3	6	3	2	1
75-84	19	15	4	8	5	3	11	10	1
85 and over	23	12	11	4	1	3	19	11	8
Unknown	0	0	0	0	0	0	0	0	0



Selected Death Statistics, Residents of Winstonville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	2	0	2
1	Malignant Neoplasms	1	0	1
1	Accidents	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	0	0	0

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2	0	2	0	0	0	2	0	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	1	0	1	0	0	0	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Woodland, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	1	0	1

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1	0	1	0	0	0	1	0	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	1	0	1	0	0	0	1	0	1
65-74	0	0	0	0	0	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 and over	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Woodville, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	21	5	16
1	Heart Diseases	6	2	4
2	Malignant Neoplasms	5	1	4
3	Accidents	2	0	2
4	Cerebrovascular Disease	1	1	0
4	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1
4	Chronic Liver Disease And Cirrhosis	1	0	1
4	Homicide	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	0	0	0
	All Other Causes	4	1	3

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	21	5	16	9	1	8	12	4	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	2	0	2	1	0	1	1	0	1
65-74	6	0	6	2	0	2	4	0	4
75-84	4	1	3	1	1	0	3	0	3
85 and over	5	4	1	1	0	1	4	4	0
Unknown	0	0	0	0	0	0	0	0	0

Selected Death Statistics, Residents of Yazoo City, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----		
		Total*	White	Black
	Total Of All Causes	173	65	108
1	Malignant Neoplasms	33	9	24
2	Heart Diseases	31	10	21
3	Diabetes Mellitus	24	7	17
4	Cerebrovascular Disease	17	11	6
5	Alzheimer's Disease	9	5	4
6	Accidents	7	4	3
7	Septicemia	5	3	2
7	HIV Disease	5	1	4
9	Hypertension/Hypertensive Renal Disease	4	2	2
9	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1
11	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2
12	In Situ, Benign and Unspecified Neoplasms	1	0	1
12	Influenza and Pneumonia	1	1	0
12	Pneumonitis Due to Solids and Liquids	1	0	1
12	Chronic Liver Disease And Cirrhosis	1	0	1
12	Congenital Malformations and Chrom. Abnormalities	1	0	1
12	Homicide	1	0	1
12	Complications Medical/Surgical Care	1	0	1
	--- Not Included in Ranking ---			
	Symptoms, Signs, Ill-Defined Conditions	1	0	1
	All Other Causes	23	8	15

\* Total includes races other than white and black.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	173	65	108	87	29	58	86	36	50
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	5	0	5	4	0	4	1	0	1
35-44	7	4	3	5	3	2	2	1	1
45-54	15	1	14	9	0	9	6	1	5
55-64	30	6	24	19	2	17	11	4	7
65-74	32	12	20	20	8	12	12	4	8
75-84	37	18	19	16	9	7	21	9	12
85 and over	40	23	17	10	7	3	30	16	14
Unknown	0	0	0	0	0	0	0	0	0