

Selected Death Statistics, Residents of Adams County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	427	209	217	1,330.6	1,457.8	1,268.8
1	Heart Diseases	98	45	53	305.4	313.9	309.9
2	Malignant Neoplasms	93	50	43	289.8	348.7	251.4
3	Cerebrovascular Disease	28	12	15	87.3	83.7	87.7
4	Diabetes Mellitus	20	8	12	62.3	55.8	70.2
4	Emphysema and Other Chronic Lower Resp. Diseases	20	13	7	62.3	90.7	40.9
6	Influenza and Pneumonia	16	7	9	49.9	48.8	52.6
7	Accidents	14	8	6	43.6	55.8	35.1
7	Alzheimer's Disease	14	11	3	43.6	76.7	17.5
9	Nephritis, Nephrotic Syndrome And Nephrosis	13	2	11	40.5	13.9	64.3
10	Hypertension/Hypertensive Renal Disease	8	3	5	24.9	20.9	29.2
11	Septicemia	6	2	4	18.7	13.9	23.4
12	Parkinson's Disease	4	3	1	12.5	20.9	5.8
12	HIV Disease	4	3	1	12.5	20.9	5.8
14	Homicide	3	2	1	9.3	13.9	5.8
15	Chronic Liver Disease And Cirrhosis	2	1	1	6.2	7.0	5.8
15	Congenital Malformations and Chrom. Abnormalities	2	1	1	6.2	7.0	5.8
15	In Situ, Benign and Unspecified Neoplasms	2	2	0	6.2	13.9	0.0
15	Suicide	2	1	1	6.2	7.0	5.8
15	Viral Hepatitis	2	1	1	6.2	7.0	5.8
20	Tuberculosis	1	0	1	3.1	0.0	5.8
20	Pneumoconioses and Chemical Effects	1	1	0	3.1	7.0	0.0
20	Conditions Originating in the Perinatal Period**	1	0	1	2.7	0.0	3.8
20	Aortic Aneurysm and Dissection	1	0	1	3.1	0.0	5.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	16	7	9	49.9	48.8	52.6
	All Other Causes	56	26	30	174.5	181.3	175.4

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	427	209	217	220	107	113	207	102	104
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	5	4	1	4	3	1	1	1	0
35-44	17	8	9	10	5	5	7	3	4
45-54	44	19	25	27	10	17	17	9	8
55-64	53	20	32	27	12	15	26	8	17
65-74	87	39	48	46	21	25	41	18	23
75-84	98	48	50	48	24	24	50	24	26
85 and over	117	71	46	55	32	23	62	39	23
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	32,090
White	14,337
Black	17,103
Other	650

Selected Death Statistics, Residents of Alcorn County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	453	400	52	1,214.0	1,246.0	1,138.9
1	Heart Diseases	118	109	9	316.2	339.5	197.1
2	Malignant Neoplasms	90	79	10	241.2	246.1	219.0
3	Emphysema and Other Chronic Lower Resp. Diseases	26	25	1	69.7	77.9	21.9
4	Accidents	25	24	1	67.0	74.8	21.9
5	Cerebrovascular Disease	20	17	3	53.6	53.0	65.7
6	Influenza and Pneumonia	14	11	3	37.5	34.3	65.7
7	Septicemia	13	12	1	34.8	37.4	21.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	13	11	2	34.8	34.3	43.8
9	Diabetes Mellitus	12	6	6	32.2	18.7	131.4
10	Suicide	9	8	1	24.1	24.9	21.9
10	Alzheimer's Disease	9	9	0	24.1	28.0	0.0
12	Hypertension/Hypertensive Renal Disease	6	5	1	16.1	15.6	21.9
12	Chronic Liver Disease And Cirrhosis	6	6	0	16.1	18.7	0.0
12	Pneumonitis Due to Solids and Liquids	6	6	0	16.1	18.7	0.0
15	Parkinson's Disease	2	2	0	5.4	6.2	0.0
15	Conditions Originating in the Perinatal Period**	2	0	2	4.5	0.0	27.8
17	Tuberculosis	1	0	1	2.7	0.0	21.9
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.7	3.1	0.0
17	Homicide	1	1	0	2.7	3.1	0.0
17	Atherosclerosis	1	1	0	2.7	3.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	22	19	3	59.0	59.2	65.7
	All Other Causes	56	48	8	150.1	149.5	175.2

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	453	400	52	232	202	30	221	198	22
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	8	6	2	8	6	2	0	0	0
35-44	18	18	0	10	10	0	8	8	0
45-54	39	34	4	23	22	1	16	12	3
55-64	69	57	12	42	35	7	27	22	5
65-74	95	80	15	53	45	8	42	35	7
75-84	108	99	9	58	52	6	50	47	3
85 and over	108	102	6	35	32	3	73	70	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	37,316
White	32,103
Black	4,566
Other	647

Selected Death Statistics, Residents of Amite County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	147	91	56	1,139.6	1,224.4	1,054.0
1	Heart Diseases	43	26	17	333.4	349.8	320.0
2	Malignant Neoplasms	34	24	10	263.6	322.9	188.2
3	Accidents	9	6	3	69.8	80.7	56.5
4	Alzheimer's Disease	8	5	3	62.0	67.3	56.5
5	Cerebrovascular Disease	6	3	3	46.5	40.4	56.5
6	Emphysema and Other Chronic Lower Resp. Diseases	5	2	3	38.8	26.9	56.5
7	Chronic Liver Disease And Cirrhosis	3	2	1	23.3	26.9	18.8
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	23.3	26.9	18.8
7	Hypertension/Hypertensive Renal Disease	3	2	1	23.3	26.9	18.8
7	Influenza and Pneumonia	3	2	1	23.3	26.9	18.8
11	Septicemia	2	2	0	15.5	26.9	0.0
11	Homicide	2	1	1	15.5	13.5	18.8
13	Suicide	1	1	0	7.8	13.5	0.0
13	Cholelithiasis/Gallbladder Disorder	1	1	0	7.8	13.5	0.0
13	Congenital Malformations and Chrom. Abnormalities	1	1	0	7.8	13.5	0.0
13	Pneumonitis Due to Solids and Liquids	1	0	1	7.8	0.0	18.8
13	Parkinson's Disease	1	0	1	7.8	0.0	18.8
13	HIV Disease	1	0	1	7.8	0.0	18.8
13	Diabetes Mellitus	1	1	0	7.8	13.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	23.3	13.5	37.6
	All Other Causes	16	9	7	124.0	121.1	131.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	147	91	56	82	47	35	65	44	21
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	7	2	5	4	1	3	3	1	2
45-54	8	2	6	6	2	4	2	0	2
55-64	23	13	10	14	7	7	9	6	3
65-74	25	21	4	15	12	3	10	9	1
75-84	44	31	13	25	15	10	19	16	3
85 and over	34	18	16	12	6	6	22	12	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	12,899
White	7,432
Black	5,313
Other	154

Selected Death Statistics, Residents of Attala County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	266	197	68	1,377.0	1,802.0	834.3
1	Heart Diseases	62	48	14	321.0	439.1	171.8
2	Malignant Neoplasms	45	33	12	233.0	301.9	147.2
3	Alzheimer's Disease	18	16	2	93.2	146.4	24.5
4	Cerebrovascular Disease	11	9	2	56.9	82.3	24.5
5	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0	51.8	91.5	0.0
5	Septicemia	10	6	4	51.8	54.9	49.1
5	Influenza and Pneumonia	10	8	2	51.8	73.2	24.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	8	5	3	41.4	45.7	36.8
8	Accidents	8	4	4	41.4	36.6	49.1
10	Diabetes Mellitus	5	2	3	25.9	18.3	36.8
11	Pneumonitis Due to Solids and Liquids	2	2	0	10.4	18.3	0.0
11	Suicide	2	2	0	10.4	18.3	0.0
11	HIV Disease	2	0	2	10.4	0.0	24.5
14	Homicide	1	0	1	5.2	0.0	12.3
14	In Situ, Benign and Unspecified Neoplasms	1	1	0	5.2	9.1	0.0
14	Cholelithiasis/Gallbladder Disorder	1	1	0	5.2	9.1	0.0
14	Syphilis	1	0	1	5.2	0.0	12.3
14	Congenital Malformations and Chrom. Abnormalities	1	1	0	5.2	9.1	0.0
14	Chronic Liver Disease And Cirrhosis	1	1	0	5.2	9.1	0.0
14	Hypertension/Hypertensive Renal Disease	1	1	0	5.2	9.1	0.0
14	Aortic Aneurysm and Dissection	1	1	0	5.2	9.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	25.9	27.4	24.5
	All Other Causes	60	43	16	310.6	393.3	196.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	266	197	68	155	117	38	111	80	30
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	3	2	1	2	1	1	1	1	0
35-44	6	4	2	4	2	2	2	2	0
45-54	16	9	7	8	5	3	8	4	4
55-64	22	14	8	15	10	5	7	4	3
65-74	51	37	14	31	24	7	20	13	7
75-84	71	60	11	43	38	5	28	22	6
85 and over	91	70	20	47	37	10	44	33	10
Unknown	1	0	1	1	0	1	0	0	0

2013 Population	
Total	19,317
White	10,932
Black	8,151
Other	234

Selected Death Statistics, Residents of Benton County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	105	72	33	1,225.1	1,359.3	1,048.0
1	Malignant Neoplasms	29	22	7	338.4	415.3	222.3
2	Heart Diseases	24	17	7	280.0	320.9	222.3
3	Cerebrovascular Disease	8	5	3	93.3	94.4	95.3
4	Emphysema and Other Chronic Lower Resp. Diseases	5	4	1	58.3	75.5	31.8
4	Septicemia	5	3	2	58.3	56.6	63.5
6	Accidents	4	3	1	46.7	56.6	31.8
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2	35.0	18.9	63.5
7	Parkinson's Disease	3	2	1	35.0	37.8	31.8
9	Pneumonitis Due to Solids and Liquids	2	1	1	23.3	18.9	31.8
9	Hypertension/Hypertensive Renal Disease	2	2	0	23.3	37.8	0.0
9	Diabetes Mellitus	2	0	2	23.3	0.0	63.5
9	Alzheimer's Disease	2	1	1	23.3	18.9	31.8
13	Congenital Malformations and Chrom. Abnormalities	1	0	1	11.7	0.0	31.8
13	Homicide	1	0	1	11.7	0.0	31.8
13	Infections of Kidney	1	1	0	11.7	18.9	0.0
13	Influenza and Pneumonia	1	1	0	11.7	18.9	0.0
13	Anemias	1	1	0	11.7	18.9	0.0
13	In Situ, Benign and Unspecified Neoplasms	1	0	1	11.7	0.0	31.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	23.3	37.8	0.0
	All Other Causes	8	6	2	93.3	113.3	63.5

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	105	72	33	55	41	14	50	31	19
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	1	0	1	1	0	0	0	0
35-44	2	1	1	1	0	1	1	1	0
45-54	12	9	3	4	2	2	8	7	1
55-64	14	8	6	6	4	2	8	4	4
65-74	22	15	7	15	13	2	7	2	5
75-84	29	24	5	16	13	3	13	11	2
85 and over	22	13	9	12	8	4	10	5	5
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	8,571
White	5,297
Black	3,149
Other	125

Selected Death Statistics, Residents of Bolivar County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	425	159	264	1,248.2	1,383.7	1,198.4
1	Malignant Neoplasms	91	31	60	267.3	269.8	272.4
2	Heart Diseases	90	43	47	264.3	374.2	213.3
3	Diabetes Mellitus	32	7	25	94.0	60.9	113.5
4	Hypertension/Hypertensive Renal Disease	22	9	13	64.6	78.3	59.0
5	Cerebrovascular Disease	21	9	12	61.7	78.3	54.5
6	Emphysema and Other Chronic Lower Resp. Diseases	19	10	8	55.8	87.0	36.3
7	Influenza and Pneumonia	16	4	12	47.0	34.8	54.5
8	Accidents	15	2	13	44.1	17.4	59.0
9	Septicemia	14	7	7	41.1	60.9	31.8
10	Nephritis, Nephrotic Syndrome And Nephrosis	13	2	11	38.2	17.4	49.9
11	Homicide	11	0	11	32.3	0.0	49.9
12	Alzheimer's Disease	9	7	2	26.4	60.9	9.1
13	Suicide	4	3	1	11.7	26.1	4.5
14	Conditions Originating in the Perinatal Period**	3	1	2	5.8	6.2	5.7
14	Chronic Liver Disease And Cirrhosis	3	1	2	8.8	8.7	9.1
16	Pneumonitis Due to Solids and Liquids	2	0	2	5.9	0.0	9.1
16	Congenital Malformations and Chrom. Abnormalities	2	1	1	5.9	8.7	4.5
16	Atherosclerosis	2	1	1	5.9	8.7	4.5
16	In Situ, Benign and Unspecified Neoplasms	2	0	2	5.9	0.0	9.1
16	HIV Disease	2	0	2	5.9	0.0	9.1
21	Legal Intervention	1	0	1	2.9	0.0	4.5
21	Aortic Aneurysm and Dissection	1	1	0	2.9	8.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	5.9	8.7	4.5
	All Other Causes	48	19	28	141.0	165.3	127.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	425	159	264	206	70	134	219	89	130
Under 1	6	2	3	4	1	2	2	1	1
(Neonatal)	5	2	3	3	1	2	2	1	1
(Postneonatal)	1	0	0	1	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	1	8	7	1	6	2	0	2
25-34	16	1	15	8	0	8	8	1	7
35-44	20	3	17	10	3	7	10	0	10
45-54	30	4	26	17	1	16	13	3	10
55-64	69	19	50	32	10	22	37	9	28
65-74	76	30	46	44	16	28	32	14	18
75-84	89	39	49	47	19	27	42	20	22
85 and over	108	60	48	35	19	16	73	41	32
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	34,049
White	11,491
Black	22,030
Other	528

Selected Death Statistics, Residents of Calhoun County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	192	153	37	1,303.1	1,474.4	893.3
1	Heart Diseases	79	59	20	536.2	568.6	482.9
2	Malignant Neoplasms	37	29	7	251.1	279.5	169.0
3	Alzheimer's Disease	12	12	0	81.4	115.6	0.0
4	Diabetes Mellitus	9	7	2	61.1	67.5	48.3
5	Accidents	8	7	1	54.3	67.5	24.1
5	Cerebrovascular Disease	8	6	2	54.3	57.8	48.3
7	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0	40.7	57.8	0.0
8	Suicide	3	2	0	20.4	19.3	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	3	3	0	20.4	28.9	0.0
10	Septicemia	2	1	1	13.6	9.6	24.1
10	Hypertension/Hypertensive Renal Disease	2	2	0	13.6	19.3	0.0
10	Influenza and Pneumonia	2	1	1	13.6	9.6	24.1
13	Parkinson's Disease	1	1	0	6.8	9.6	0.0
13	HIV Disease	1	1	0	6.8	9.6	0.0
13	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.8	9.6	0.0
13	Homicide	1	1	0	6.8	9.6	0.0
13	Conditions Originating in the Perinatal Period**	1	0	1	5.5	0.0	14.7
13	Pneumonitis Due to Solids and Liquids	1	1	0	6.8	9.6	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	13.6	9.6	24.1
	All Other Causes	13	12	1	88.2	115.6	24.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	192	153	37	104	78	25	88	75	12
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	3	3	0	2	2	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	0	1	0	0	0	0	0
25-34	3	2	1	1	1	0	2	1	1
35-44	5	5	0	3	3	0	2	2	0
45-54	18	10	8	14	7	7	4	3	1
55-64	21	15	6	17	13	4	4	2	2
65-74	35	30	4	20	17	3	15	13	1
75-84	50	40	10	27	21	6	23	19	4
85 and over	54	48	6	17	14	3	37	34	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	14,734
White	10,377
Black	4,142
Other	215

Selected Death Statistics, Residents of Carroll County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	107	71	36	1,030.3	1,046.1	1,039.9
1	Heart Diseases	31	26	5	298.5	383.1	144.4
2	Malignant Neoplasms	23	14	9	221.5	206.3	260.0
3	Cerebrovascular Disease	8	6	2	77.0	88.4	57.8
4	Diabetes Mellitus	6	3	3	57.8	44.2	86.7
5	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0	38.5	58.9	0.0
6	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	28.9	29.5	28.9
6	Accidents	3	1	2	28.9	14.7	57.8
6	Alzheimer's Disease	3	1	2	28.9	14.7	57.8
9	Conditions Originating in the Perinatal Period**	2	2	0	20.6	35.1	0.0
9	Septicemia	2	1	1	19.3	14.7	28.9
11	Suicide	1	1	0	9.6	14.7	0.0
11	Pneumonitis Due to Solids and Liquids	1	0	1	9.6	0.0	28.9
11	Influenza and Pneumonia	1	1	0	9.6	14.7	0.0
11	Hypertension/Hypertensive Renal Disease	1	1	0	9.6	14.7	0.0
11	Hernia	1	0	1	9.6	0.0	28.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	9.6	0.0	28.9
	All Other Causes	16	8	8	154.1	117.9	231.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	107	71	36	56	41	15	51	30	21
Under 1	2	2	0	2	2	0	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	9	6	3	7	5	2	2	1	1
55-64	14	9	5	11	8	3	3	1	2
65-74	29	23	6	10	8	2	19	15	4
75-84	19	15	4	11	10	1	8	5	3
85 and over	30	15	15	12	7	5	18	8	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	10,385
White	6,787
Black	3,462
Other	136



Selected Death Statistics, Residents of Chickasaw County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	183	119	63	1,057.1	1,255.0	836.9
1	Heart Diseases	54	36	17	311.9	379.7	225.8
2	Malignant Neoplasms	36	22	14	208.0	232.0	186.0
3	Emphysema and Other Chronic Lower Resp. Diseases	14	13	1	80.9	137.1	13.3
4	Cerebrovascular Disease	12	6	6	69.3	63.3	79.7
5	Accidents	8	5	3	46.2	52.7	39.9
6	Homicide	5	3	2	28.9	31.6	26.6
6	Diabetes Mellitus	5	2	3	28.9	21.1	39.9
8	Conditions Originating in the Perinatal Period**	4	1	3	16.5	7.8	26.8
9	Influenza and Pneumonia	3	2	1	17.3	21.1	13.3
9	Pneumonitis Due to Solids and Liquids	3	3	0	17.3	31.6	0.0
9	Suicide	3	3	0	17.3	31.6	0.0
9	Septicemia	3	2	1	17.3	21.1	13.3
13	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	11.6	10.5	13.3
14	Congenital Malformations and Chrom. Abnormalities	1	0	1	5.8	0.0	13.3
14	HIV Disease	1	0	1	5.8	0.0	13.3
14	Hypertension/Hypertensive Renal Disease	1	0	1	5.8	0.0	13.3
14	Malnutrition/Nutritional Deficiency	1	0	1	5.8	0.0	13.3
14	Alzheimer's Disease	1	1	0	5.8	10.5	0.0
14	Cholelithiasis/Gallbladder Disorder	1	0	1	5.8	0.0	13.3
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	5.8	0.0	13.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	17.3	21.1	13.3
	All Other Causes	21	17	4	121.3	179.3	53.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	183	119	63	83	50	33	100	69	30
Under 1	7	2	5	5	2	3	2	0	2
(Neonatal)	4	1	3	2	1	1	2	0	2
(Postneonatal)	3	1	2	3	1	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	2	1	1	1	0	1	1	1	0
35-44	8	4	4	6	3	3	2	1	1
45-54	10	9	1	3	3	0	7	6	1
55-64	28	17	11	15	8	7	13	9	4
65-74	38	19	19	19	9	10	19	10	9
75-84	39	32	6	20	17	3	19	15	3
85 and over	49	33	16	14	8	6	35	25	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	17,311
White	9,482
Black	7,528
Other	301

Selected Death Statistics, Residents of Choctaw County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	90	63	27	1,075.1	1,107.0	1,065.9
1	Heart Diseases	34	24	10	406.2	421.7	394.8
2	Malignant Neoplasms	13	11	2	155.3	193.3	79.0
3	Accidents	6	5	1	71.7	87.9	39.5
4	Alzheimer's Disease	4	2	2	47.8	35.1	79.0
4	Emphysema and Other Chronic Lower Resp. Diseases	4	3	1	47.8	52.7	39.5
4	Septicemia	4	1	3	47.8	17.6	118.4
7	Conditions Originating in the Perinatal Period**	3	0	3	29.7	0.0	81.1
7	Pneumonitis Due to Solids and Liquids	3	3	0	35.8	52.7	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	23.9	0.0	79.0
9	Influenza and Pneumonia	2	2	0	23.9	35.1	0.0
11	Chronic Liver Disease And Cirrhosis	1	1	0	11.9	17.6	0.0
11	Parkinson's Disease	1	1	0	11.9	17.6	0.0
11	Cerebrovascular Disease	1	1	0	11.9	17.6	0.0
11	Aortic Aneurysm and Dissection	1	1	0	11.9	17.6	0.0
11	Diabetes Mellitus	1	0	1	11.9	0.0	39.5
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	11.9	17.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	35.8	35.1	39.5
	All Other Causes	6	5	1	71.7	87.9	39.5

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	90	63	27	47	34	13	43	29	14
Under 1	4	1	3	1	0	1	3	1	2
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	6	4	2	5	3	2	1	1	0
55-64	19	15	4	11	10	1	8	5	3
65-74	17	12	5	8	5	3	9	7	2
75-84	21	15	6	12	9	3	9	6	3
85 and over	23	16	7	10	7	3	13	9	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	8,371
White	5,691
Black	2,533
Other	147

Selected Death Statistics, Residents of Claiborne County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	92	24	68	994.3	1,856.1	867.8
1	Heart Diseases	30	10	20	324.2	773.4	255.2
2	Malignant Neoplasms	16	5	11	172.9	386.7	140.4
3	Accidents	6	1	5	64.8	77.3	63.8
4	Cerebrovascular Disease	5	1	4	54.0	77.3	51.0
5	Influenza and Pneumonia	3	1	2	32.4	77.3	25.5
5	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2	32.4	77.3	25.5
5	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2	32.4	77.3	25.5
5	Septicemia	3	0	3	32.4	0.0	38.3
9	Homicide	2	0	2	21.6	0.0	25.5
9	In Situ, Benign and Unspecified Neoplasms	2	0	2	21.6	0.0	25.5
11	Congenital Malformations and Chrom. Abnormalities	1	0	1	10.8	0.0	12.8
11	Chronic Liver Disease And Cirrhosis	1	1	0	10.8	77.3	0.0
11	Aortic Aneurysm and Dissection	1	0	1	10.8	0.0	12.8
11	Parkinson's Disease	1	1	0	10.8	77.3	0.0
11	Meningitis	1	0	1	10.8	0.0	12.8
11	Alzheimer's Disease	1	0	1	10.8	0.0	12.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	10.8	0.0	12.8
	All Other Causes	12	2	10	129.7	154.7	127.6

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	92	24	68	54	14	40	38	10	28
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	11	3	8	9	3	6	2	0	2
55-64	19	3	16	14	2	12	5	1	4
65-74	29	8	21	16	3	13	13	5	8
75-84	19	7	12	10	4	6	9	3	6
85 and over	12	3	9	4	2	2	8	1	7
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	9,253
White	1,293
Black	7,836
Other	124

Selected Death Statistics, Residents of Clarke County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	184	120	64	1,120.9	1,136.6	1,132.9
1	Heart Diseases	57	36	21	347.2	341.0	371.7
2	Malignant Neoplasms	35	21	14	213.2	198.9	247.8
3	Accidents	13	9	4	79.2	85.2	70.8
4	Alzheimer's Disease	11	10	1	67.0	94.7	17.7
5	Cerebrovascular Disease	10	5	5	60.9	47.4	88.5
6	Emphysema and Other Chronic Lower Resp. Diseases	9	7	2	54.8	66.3	35.4
7	Septicemia	6	4	2	36.6	37.9	35.4
8	Diabetes Mellitus	5	3	2	30.5	28.4	35.4
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	24.4	18.9	35.4
9	Influenza and Pneumonia	4	1	3	24.4	9.5	53.1
11	Pneumonitis Due to Solids and Liquids	2	2	0	12.2	18.9	0.0
11	Hypertension/Hypertensive Renal Disease	2	2	0	12.2	18.9	0.0
11	Chronic Liver Disease And Cirrhosis	2	2	0	12.2	18.9	0.0
11	Anemias	2	1	1	12.2	9.5	17.7
15	Congenital Malformations and Chrom. Abnormalities	1	0	1	6.1	0.0	17.7
15	Maternal Causes**	1	0	1	591.7	0.0	1,666.7
15	Conditions Originating in the Perinatal Period**	1	0	1	5.9	0.0	16.7
15	Viral Hepatitis	1	1	0	6.1	9.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	24.4	37.9	0.0
	All Other Causes	14	10	4	85.3	94.7	70.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	184	120	64	99	59	40	85	61	24
Under 1	3	1	2	3	1	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	0	0	0	3	1	2
25-34	2	1	1	2	1	1	0	0	0
35-44	8	4	4	4	2	2	4	2	2
45-54	11	7	4	8	5	3	3	2	1
55-64	26	14	12	18	9	9	8	5	3
65-74	36	21	15	20	10	10	16	11	5
75-84	48	36	12	28	18	10	20	18	2
85 and over	47	35	12	16	13	3	31	22	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	16,415
White	10,558
Black	5,649
Other	208

Selected Death Statistics, Residents of Clay County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	247	119	127	1,210.3	1,452.8	1,057.6
1	Heart Diseases	72	32	40	352.8	390.7	333.1
2	Malignant Neoplasms	47	25	22	230.3	305.2	183.2
3	Accidents	16	8	7	78.4	97.7	58.3
4	Emphysema and Other Chronic Lower Resp. Diseases	12	11	1	58.8	134.3	8.3
5	Cerebrovascular Disease	10	5	5	49.0	61.0	41.6
6	Influenza and Pneumonia	9	5	4	44.1	61.0	33.3
7	Diabetes Mellitus	6	2	4	29.4	24.4	33.3
7	Septicemia	6	3	3	29.4	36.6	25.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	24.5	24.4	25.0
9	Hypertension/Hypertensive Renal Disease	5	1	4	24.5	12.2	33.3
11	Chronic Liver Disease And Cirrhosis	4	1	3	19.6	12.2	25.0
11	Suicide	4	2	2	19.6	24.4	16.7
11	Alzheimer's Disease	4	1	3	19.6	12.2	25.0
14	Pneumonitis Due to Solids and Liquids	2	0	2	9.8	0.0	16.7
14	Parkinson's Disease	2	2	0	9.8	24.4	0.0
14	Atherosclerosis	2	0	2	9.8	0.0	16.7
14	Peptic Ulcer	2	1	1	9.8	12.2	8.3
14	In Situ, Benign and Unspecified Neoplasms	2	2	0	9.8	24.4	0.0
19	Complications Medical/Surgical Care	1	1	0	4.9	12.2	0.0
19	Congenital Malformations and Chrom. Abnormalities	1	0	1	4.9	0.0	8.3
19	Conditions Originating in the Perinatal Period**	1	0	1	4.8	0.0	7.0
19	Aortic Aneurysm and Dissection	1	1	0	4.9	12.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	9.8	12.2	8.3
	All Other Causes	31	13	18	151.9	158.7	149.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	247	119	127	123	61	62	124	58	65
Under 1	5	0	5	2	0	2	3	0	3
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	3	0	3	1	0	1	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	1	3	3	1	2	1	0	1
35-44	9	3	6	7	3	4	2	0	2
45-54	13	4	9	5	0	5	8	4	4
55-64	44	18	26	25	11	14	19	7	12
65-74	52	27	24	32	16	16	20	11	8
75-84	62	34	28	33	21	12	29	13	16
85 and over	56	31	25	14	8	6	42	23	19
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	20,408
White	8,191
Black	12,008
Other	209

Selected Death Statistics, Residents of Coahoma County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	298	114	181	1,183.4	1,934.5	956.5
1	Heart Diseases	69	28	40	274.0	475.1	211.4
2	Malignant Neoplasms	68	28	39	270.0	475.1	206.1
3	Accidents	27	15	12	107.2	254.5	63.4
4	Emphysema and Other Chronic Lower Resp. Diseases	20	7	13	79.4	118.8	68.7
4	Diabetes Mellitus	20	6	14	79.4	101.8	74.0
6	Cerebrovascular Disease	11	3	8	43.7	50.9	42.3
7	Hypertension/Hypertensive Renal Disease	10	1	9	39.7	17.0	47.6
8	Septicemia	8	2	6	31.8	33.9	31.7
9	Homicide	7	0	6	27.8	0.0	31.7
10	Alzheimer's Disease	5	3	2	19.9	50.9	10.6
10	Influenza and Pneumonia	5	2	3	19.9	33.9	15.9
12	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	15.9	17.0	15.9
12	Pneumonitis Due to Solids and Liquids	4	2	2	15.9	33.9	10.6
14	Conditions Originating in the Perinatal Period**	3	1	2	6.6	17.5	5.0
14	Chronic Liver Disease And Cirrhosis	3	1	2	11.9	17.0	10.6
16	In Situ, Benign and Unspecified Neoplasms	2	0	2	7.9	0.0	10.6
16	Viral Hepatitis	2	1	1	7.9	17.0	5.3
16	Complications Medical/Surgical Care	2	1	1	7.9	17.0	5.3
19	Malnutrition/Nutritional Deficiency	1	1	0	4.0	17.0	0.0
19	Suicide	1	0	1	4.0	0.0	5.3
19	Atherosclerosis	1	0	1	4.0	0.0	5.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	7.9	0.0	10.6
	All Other Causes	23	11	12	91.3	186.7	63.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	298	114	181	145	51	93	153	63	88
Under 1	4	1	3	2	0	2	2	1	1
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	4	1	3	2	0	2	2	1	1
25-34	7	2	5	5	0	5	2	2	0
35-44	17	3	14	11	3	8	6	0	6
45-54	28	6	22	16	5	11	12	1	11
55-64	56	15	40	34	9	24	22	6	16
65-74	43	18	25	19	8	11	24	10	14
75-84	57	29	28	28	12	16	29	17	12
85 and over	78	38	38	24	13	11	54	25	27
Unknown	1	1	0	1	1	0	0	0	0

2013 Population	
Total	25,182
White	5,893
Black	18,924
Other	365

Selected Death Statistics, Residents of Copiah County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	324	185	138	1,120.3	1,351.5	933.1
1	Heart Diseases	94	58	36	325.0	423.7	243.4
2	Malignant Neoplasms	54	34	19	186.7	248.4	128.5
3	Accidents	18	12	6	62.2	87.7	40.6
4	Emphysema and Other Chronic Lower Resp. Diseases	16	12	4	55.3	87.7	27.0
5	Cerebrovascular Disease	15	7	8	51.9	51.1	54.1
6	Alzheimer's Disease	14	10	4	48.4	73.1	27.0
7	Diabetes Mellitus	12	4	8	41.5	29.2	54.1
8	Septicemia	9	4	5	31.1	29.2	33.8
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	3	5	27.7	21.9	33.8
9	Influenza and Pneumonia	8	3	5	27.7	21.9	33.8
11	Suicide	6	4	2	20.7	29.2	13.5
12	Chronic Liver Disease And Cirrhosis	5	2	3	17.3	14.6	20.3
12	Hypertension/Hypertensive Renal Disease	5	2	3	17.3	14.6	20.3
14	Viral Hepatitis	4	1	3	13.8	7.3	20.3
15	Conditions Originating in the Perinatal Period**	3	0	3	8.2	0.0	13.6
16	Pneumonitis Due to Solids and Liquids	2	1	1	6.9	7.3	6.8
16	Parkinson's Disease	2	1	1	6.9	7.3	6.8
18	Homicide	1	0	1	3.5	0.0	6.8
18	Complications Medical/Surgical Care	1	1	0	3.5	7.3	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	3.5	7.3	0.0
18	Meningitis	1	1	0	3.5	7.3	0.0
18	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.5	0.0	6.8
18	HIV Disease	1	0	1	3.5	0.0	6.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	10.4	7.3	13.5
	All Other Causes	40	23	17	138.3	168.0	114.9

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	324	185	138	162	86	76	162	99	62
Under 1	4	0	4	4	0	4	0	0	0
(Neonatal)	3	0	3	3	0	3	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	5	4	9	5	4	0	0	0
25-34	9	5	4	4	1	3	5	4	1
35-44	14	6	8	9	4	5	5	2	3
45-54	26	13	13	18	9	9	8	4	4
55-64	54	22	31	36	15	21	18	7	10
65-74	55	26	29	26	13	13	29	13	16
75-84	70	51	19	28	19	9	42	32	10
85 and over	83	57	26	28	20	8	55	37	18
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	28,921
White	13,689
Black	14,790
Other	442

Selected Death Statistics, Residents of Covington County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	293	222	71	1,508.5	1,819.1	1,022.6
1	Heart Diseases	91	74	17	468.5	606.4	244.9
2	Malignant Neoplasms	43	34	9	221.4	278.6	129.6
3	Emphysema and Other Chronic Lower Resp. Diseases	32	28	4	164.8	229.4	57.6
4	Accidents	17	11	6	87.5	90.1	86.4
5	Influenza and Pneumonia	10	8	2	51.5	65.6	28.8
6	Cerebrovascular Disease	9	6	3	46.3	49.2	43.2
7	Alzheimer's Disease	8	7	1	41.2	57.4	14.4
8	Septicemia	6	4	2	30.9	32.8	28.8
9	Suicide	5	4	1	25.7	32.8	14.4
9	Parkinson's Disease	5	5	0	25.7	41.0	0.0
11	Homicide	4	0	4	20.6	0.0	57.6
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	20.6	24.6	14.4
13	Diabetes Mellitus	3	2	1	15.4	16.4	14.4
14	Complications Medical/Surgical Care	2	1	1	10.3	8.2	14.4
14	Congenital Malformations and Chrom. Abnormalities	2	1	1	10.3	8.2	14.4
14	Pneumonitis Due to Solids and Liquids	2	1	1	10.3	8.2	14.4
14	Aortic Aneurysm and Dissection	2	2	0	10.3	16.4	0.0
14	Hypertension/Hypertensive Renal Disease	2	1	1	10.3	8.2	14.4
14	Anemias	2	1	1	10.3	8.2	14.4
14	HIV Disease	2	0	2	10.3	0.0	28.8
21	Chronic Liver Disease And Cirrhosis	1	1	0	5.1	8.2	0.0
21	Malnutrition/Nutritional Deficiency	1	1	0	5.1	8.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	25.7	24.6	28.8
	All Other Causes	35	24	11	180.2	196.7	158.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	293	222	71	173	132	41	120	90	30
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	4	2	2	1	1	0
25-34	7	3	4	4	2	2	3	1	2
35-44	7	3	4	5	3	2	2	0	2
45-54	17	8	9	7	3	4	10	5	5
55-64	38	25	13	26	17	9	12	8	4
65-74	40	29	11	20	14	6	20	15	5
75-84	88	74	14	48	40	8	40	34	6
85 and over	87	76	11	56	50	6	31	26	5
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	19,423
White	12,204
Black	6,943
Other	276



Selected Death Statistics, Residents of Desoto County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,276	1,087	181	758.4	888.6	445.8
1	Heart Diseases	341	291	50	202.7	237.9	123.1
2	Malignant Neoplasms	313	267	43	186.0	218.3	105.9
3	Emphysema and Other Chronic Lower Resp. Diseases	83	77	6	49.3	62.9	14.8
4	Diabetes Mellitus	74	59	15	44.0	48.2	36.9
5	Accidents	53	45	7	31.5	36.8	17.2
5	Cerebrovascular Disease	53	43	9	31.5	35.2	22.2
7	Alzheimer's Disease	45	39	6	26.7	31.9	14.8
8	Hypertension/Hypertensive Renal Disease	30	25	5	17.8	20.4	12.3
9	Influenza and Pneumonia	29	26	3	17.2	21.3	7.4
10	Suicide	19	15	4	11.3	12.3	9.9
10	Chronic Liver Disease And Cirrhosis	19	16	3	11.3	13.1	7.4
12	Parkinson's Disease	15	14	0	8.9	11.4	0.0
13	Septicemia	14	14	0	8.3	11.4	0.0
14	Nephritis, Nephrotic Syndrome And Nephrosis	13	10	3	7.7	8.2	7.4
15	Pneumonitis Due to Solids and Liquids	7	6	1	4.2	4.9	2.5
16	Congenital Malformations and Chrom. Abnormalities	5	5	0	3.0	4.1	0.0
17	Homicide	4	0	4	2.4	0.0	9.9
17	Conditions Originating in the Perinatal Period**	4	2	2	2.0	1.4	3.9
19	Viral Hepatitis	3	2	1	1.8	1.6	2.5
19	In Situ, Benign and Unspecified Neoplasms	3	3	0	1.8	2.5	0.0
21	Cholelithiasis/Gallbladder Disorder	2	2	0	1.2	1.6	0.0
21	Peptic Ulcer	2	2	0	1.2	1.6	0.0
21	HIV Disease	2	1	1	1.2	0.8	2.5
21	Aortic Aneurysm and Dissection	2	2	0	1.2	1.6	0.0
21	Tuberculosis	2	2	0	1.2	1.6	0.0
26	Complications Medical/Surgical Care	1	1	0	0.6	0.8	0.0
26	Malnutrition/Nutritional Deficiency	1	1	0	0.6	0.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	22	20	1	13.1	16.3	2.5
	All Other Causes	115	97	17	68.4	79.3	41.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,276	1,087	181	649	545	100	627	542	81
Under 1	13	9	3	8	6	1	5	3	2
(Neonatal)	6	4	2	4	4	0	2	0	2
(Postneonatal)	7	5	1	4	2	1	3	3	0
1-4	2	1	1	2	1	1	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	17	14	3	11	9	2	6	5	1
25-34	25	16	9	13	9	4	12	7	5
35-44	47	37	9	34	26	7	13	11	2
45-54	113	87	26	64	49	15	49	38	11
55-64	186	150	35	104	75	29	82	75	6
65-74	251	219	31	141	121	20	110	98	11
75-84	323	284	37	153	137	15	170	147	22
85 and over	295	266	27	116	109	6	179	157	21
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	168,240
White	122,326
Black	40,603
Other	5,311

Selected Death Statistics, Residents of Forrest County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	738	510	226	957.7	1,097.1	794.8
1	Heart Diseases	164	118	45	212.8	253.8	158.3
2	Malignant Neoplasms	153	95	58	198.5	204.4	204.0
3	Emphysema and Other Chronic Lower Resp. Diseases	37	33	4	48.0	71.0	14.1
4	Diabetes Mellitus	36	16	20	46.7	34.4	70.3
5	Cerebrovascular Disease	34	21	13	44.1	45.2	45.7
6	Accidents	32	25	7	41.5	53.8	24.6
7	Influenza and Pneumonia	29	27	2	37.6	58.1	7.0
8	Septicemia	26	13	13	33.7	28.0	45.7
9	Alzheimer's Disease	19	19	0	24.7	40.9	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	17	9	8	22.1	19.4	28.1
11	Suicide	13	13	0	16.9	28.0	0.0
12	HIV Disease	10	2	8	13.0	4.3	28.1
13	Hypertension/Hypertensive Renal Disease	9	6	3	11.7	12.9	10.6
14	Chronic Liver Disease And Cirrhosis	7	6	1	9.1	12.9	3.5
15	Congenital Malformations and Chrom. Abnormalities	6	5	1	7.8	10.8	3.5
15	Conditions Originating in the Perinatal Period**	6	3	3	5.5	5.3	6.1
17	Homicide	5	1	4	6.5	2.2	14.1
18	Parkinson's Disease	4	4	0	5.2	8.6	0.0
19	Pneumonitis Due to Solids and Liquids	3	2	1	3.9	4.3	3.5
20	Complications Medical/Surgical Care	2	1	1	2.6	2.2	3.5
20	Pneumoconioses and Chemical Effects	2	2	0	2.6	4.3	0.0
20	Cholelithiasis/Gallbladder Disorder	2	1	1	2.6	2.2	3.5
20	Aortic Aneurysm and Dissection	2	1	1	2.6	2.2	3.5
24	Malnutrition/Nutritional Deficiency	1	1	0	1.3	2.2	0.0
24	Anemias	1	1	0	1.3	2.2	0.0
24	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.3	2.2	0.0
24	Tuberculosis	1	1	0	1.3	2.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	19	15	4	24.7	32.3	14.1
	All Other Causes	97	68	28	125.9	146.3	98.5

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	738	510	226	377	259	116	361	251	110
Under 1	17	10	7	11	8	3	6	2	4
(Neonatal)	9	6	3	7	5	2	2	1	1
(Postneonatal)	8	4	4	4	3	1	4	1	3
1-4	1	1	0	0	0	0	1	1	0
5-9	2	1	1	0	0	0	2	1	1
10-14	1	1	0	1	1	0	0	0	0
15-24	6	5	1	4	3	1	2	2	0
25-34	21	12	9	15	8	7	6	4	2
35-44	32	13	19	16	8	8	16	5	11
45-54	63	37	26	38	23	15	25	14	11
55-64	127	68	59	72	41	31	55	27	28
65-74	122	83	38	72	50	21	50	33	17
75-84	169	133	35	84	63	20	85	70	15
85 and over	177	146	31	64	54	10	113	92	21
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	77,059
White	46,486
Black	28,436
Other	2,137

Selected Death Statistics, Residents of Franklin County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	107	74	33	1,349.1	1,472.6	1,172.3
1	Heart Diseases	37	27	10	466.5	537.3	355.2
2	Malignant Neoplasms	15	11	4	189.1	218.9	142.1
3	Emphysema and Other Chronic Lower Resp. Diseases	9	7	2	113.5	139.3	71.0
4	Cerebrovascular Disease	5	3	2	63.0	59.7	71.0
4	Accidents	5	3	2	63.0	59.7	71.0
4	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	63.0	79.6	35.5
4	Alzheimer's Disease	5	3	2	63.0	59.7	71.0
8	Influenza and Pneumonia	3	3	0	37.8	59.7	0.0
8	Conditions Originating in the Perinatal Period**	3	1	2	41.7	29.4	54.1
10	Septicemia	2	0	2	25.2	0.0	71.0
11	Suicide	1	1	0	12.6	19.9	0.0
11	Parkinson's Disease	1	1	0	12.6	19.9	0.0
11	Diabetes Mellitus	1	0	1	12.6	0.0	35.5
11	Homicide	1	1	0	12.6	19.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	14	9	5	176.5	179.1	177.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	107	74	33	53	34	19	54	40	14
Under 1	3	1	2	1	0	1	2	1	1
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	2	1	1	2	1	1	0	0	0
35-44	2	1	1	1	0	1	1	1	0
45-54	4	2	2	4	2	2	0	0	0
55-64	13	8	5	7	5	2	6	3	3
65-74	19	13	6	10	7	3	9	6	3
75-84	31	20	11	18	11	7	13	9	4
85 and over	31	27	4	10	8	2	21	19	2
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	7,931
White	5,025
Black	2,815
Other	91

Selected Death Statistics, Residents of George County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	259	241	16	1,118.4	1,156.8	815.1
1	Malignant Neoplasms	60	56	4	259.1	268.8	203.8
2	Heart Diseases	48	43	5	207.3	206.4	254.7
3	Accidents	25	25	0	107.9	120.0	0.0
4	Emphysema and Other Chronic Lower Resp. Diseases	18	18	0	77.7	86.4	0.0
5	Diabetes Mellitus	15	15	0	64.8	72.0	0.0
6	Cerebrovascular Disease	14	13	1	60.5	62.4	50.9
7	Septicemia	8	8	0	34.5	38.4	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	5	0	21.6	24.0	0.0
8	Alzheimer's Disease	5	5	0	21.6	24.0	0.0
8	Influenza and Pneumonia	5	5	0	21.6	24.0	0.0
11	Suicide	3	3	0	13.0	14.4	0.0
11	Chronic Liver Disease And Cirrhosis	3	3	0	13.0	14.4	0.0
11	Hypertension/Hypertensive Renal Disease	3	3	0	13.0	14.4	0.0
11	Parkinson's Disease	3	3	0	13.0	14.4	0.0
15	Pneumonitis Due to Solids and Liquids	2	2	0	8.6	9.6	0.0
15	In Situ, Benign and Unspecified Neoplasms	2	2	0	8.6	9.6	0.0
17	Homicide	1	0	1	4.3	0.0	50.9
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.3	4.8	0.0
17	Atherosclerosis	1	1	0	4.3	4.8	0.0
17	HIV Disease	1	0	1	4.3	0.0	50.9
17	Viral Hepatitis	1	1	0	4.3	4.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	1	21.6	14.4	50.9
	All Other Causes	30	26	3	129.5	124.8	152.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	259	241	16	132	123	7	127	118	9
Under 1	3	2	1	1	1	0	2	1	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	3	2	1	1	1	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	5	4	1	1	0	1
25-34	5	4	0	4	3	0	1	1	0
35-44	15	13	2	9	7	2	6	6	0
45-54	21	20	1	10	9	1	11	11	0
55-64	40	38	2	24	23	1	16	15	1
65-74	53	51	2	32	32	0	21	19	2
75-84	72	67	5	33	31	2	39	36	3
85 and over	44	42	1	14	13	0	30	29	1
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	23,159
White	20,833
Black	1,963
Other	363

Selected Death Statistics, Residents of Greene County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	125	107	18	877.6	1,049.2	466.0
1	Heart Diseases	31	24	7	217.6	235.3	181.2
2	Malignant Neoplasms	26	23	3	182.5	225.5	77.7
3	Accidents	9	7	2	63.2	68.6	51.8
4	Cerebrovascular Disease	7	7	0	49.1	68.6	0.0
5	Alzheimer's Disease	5	3	2	35.1	29.4	51.8
6	Emphysema and Other Chronic Lower Resp. Diseases	4	4	0	28.1	39.2	0.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	14.0	19.6	0.0
7	Influenza and Pneumonia	2	2	0	14.0	19.6	0.0
7	Parkinson's Disease	2	2	0	14.0	19.6	0.0
7	Diabetes Mellitus	2	2	0	14.0	19.6	0.0
7	Septicemia	2	2	0	14.0	19.6	0.0
12	Homicide	1	1	0	7.0	9.8	0.0
12	Suicide	1	1	0	7.0	9.8	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	1	0	7.0	9.8	0.0
12	Maternal Causes**	1	1	0	769.2	961.5	0.0
12	Chronic Liver Disease And Cirrhosis	1	1	0	7.0	9.8	0.0
12	Aortic Aneurysm and Dissection	1	0	1	7.0	0.0	25.9
12	Conditions Originating in the Perinatal Period**	1	0	1	7.7	0.0	38.5
12	Viral Hepatitis	1	1	0	7.0	9.8	0.0
12	Atherosclerosis	1	1	0	7.0	9.8	0.0
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	7.0	9.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	14.0	19.6	0.0
	All Other Causes	21	19	2	147.4	186.3	51.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	125	107	18	69	59	10	56	48	8
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	6	3	3	3	2	1	3	1	2
45-54	8	8	0	5	5	0	3	3	0
55-64	24	18	6	18	12	6	6	6	0
65-74	33	30	3	18	16	2	15	14	1
75-84	26	26	0	16	16	0	10	10	0
85 and over	20	16	4	4	4	0	16	12	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	14,244
White	10,198
Black	3,863
Other	183

Selected Death Statistics, Residents of Grenada County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	317	185	131	1,466.8	1,521.4	1,435.3
1	Heart Diseases	82	50	31	379.4	411.2	339.7
2	Malignant Neoplasms	75	46	29	347.0	378.3	317.7
3	Cerebrovascular Disease	21	13	8	97.2	106.9	87.7
4	Accidents	15	6	9	69.4	49.3	98.6
4	Emphysema and Other Chronic Lower Resp. Diseases	15	12	3	69.4	98.7	32.9
6	Septicemia	11	5	6	50.9	41.1	65.7
7	Influenza and Pneumonia	8	6	2	37.0	49.3	21.9
7	Alzheimer's Disease	8	7	1	37.0	57.6	11.0
9	Homicide	6	1	5	27.8	8.2	54.8
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	3	3	27.8	24.7	32.9
9	Pneumonitis Due to Solids and Liquids	6	2	4	27.8	16.4	43.8
12	Suicide	4	3	1	18.5	24.7	11.0
12	Chronic Liver Disease And Cirrhosis	4	2	2	18.5	16.4	21.9
14	Hypertension/Hypertensive Renal Disease	3	1	2	13.9	8.2	21.9
14	Diabetes Mellitus	3	2	1	13.9	16.4	11.0
14	HIV Disease	3	0	3	13.9	0.0	32.9
17	Anemias	2	0	2	9.3	0.0	21.9
18	Cholelithiasis/Gallbladder Disorder	1	1	0	4.6	8.2	0.0
18	Aortic Aneurysm and Dissection	1	1	0	4.6	8.2	0.0
18	Parkinson's Disease	1	1	0	4.6	8.2	0.0
18	Malnutrition/Nutritional Deficiency	1	0	1	4.6	0.0	11.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	13.9	8.2	21.9
	All Other Causes	38	22	16	175.8	180.9	175.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	317	185	131	151	83	67	166	102	64
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	6	1	5	4	1	3	2	0	2
35-44	8	3	5	3	0	3	5	3	2
45-54	33	16	17	20	9	11	13	7	6
55-64	61	31	29	28	13	14	33	18	15
65-74	63	39	24	34	23	11	29	16	13
75-84	55	41	14	27	21	6	28	20	8
85 and over	84	54	30	29	16	13	55	38	17
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	21,612
White	12,160
Black	9,127
Other	325

Selected Death Statistics, Residents of Hancock County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	466	437	27	1,022.7	1,087.3	731.7
1	Malignant Neoplasms	106	97	8	232.6	241.4	216.8
2	Heart Diseases	102	94	7	223.9	233.9	189.7
3	Emphysema and Other Chronic Lower Resp. Diseases	39	39	0	85.6	97.0	0.0
4	Accidents	29	28	1	63.6	69.7	27.1
5	Cerebrovascular Disease	21	20	1	46.1	49.8	27.1
6	Septicemia	18	15	3	39.5	37.3	81.3
7	Suicide	15	15	0	32.9	37.3	0.0
8	Influenza and Pneumonia	14	14	0	30.7	34.8	0.0
9	Alzheimer's Disease	13	13	0	28.5	32.3	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	9	9	0	19.8	22.4	0.0
11	Chronic Liver Disease And Cirrhosis	7	7	0	15.4	17.4	0.0
12	Complications Medical/Surgical Care	4	4	0	8.8	10.0	0.0
12	Parkinson's Disease	4	4	0	8.8	10.0	0.0
14	Homicide	2	2	0	4.4	5.0	0.0
14	Conditions Originating in the Perinatal Period**	2	2	0	3.8	4.3	0.0
14	Aortic Aneurysm and Dissection	2	2	0	4.4	5.0	0.0
14	Pneumoconioses and Chemical Effects	2	2	0	4.4	5.0	0.0
14	Hypertension/Hypertensive Renal Disease	2	1	1	4.4	2.5	27.1
14	Diabetes Mellitus	2	1	1	4.4	2.5	27.1
14	HIV Disease	2	2	0	4.4	5.0	0.0
14	Viral Hepatitis	2	2	0	4.4	5.0	0.0
22	Congenital Malformations and Chrom. Abnormalities	1	1	0	2.2	2.5	0.0
22	Maternal Causes**	1	1	0	191.6	212.8	0.0
22	Cholelithiasis/Gallbladder Disorder	1	1	0	2.2	2.5	0.0
22	Hernia	1	1	0	2.2	2.5	0.0
22	Pneumonitis Due to Solids and Liquids	1	1	0	2.2	2.5	0.0
22	Malnutrition/Nutritional Deficiency	1	1	0	2.2	2.5	0.0
22	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.2	2.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	6.6	7.5	0.0
	All Other Causes	59	54	5	129.5	134.4	135.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	466	437	27	250	239	11	216	198	16
Under 1	3	3	0	1	1	0	2	2	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	6	0	3	3	0	3	3	0
25-34	6	5	1	4	4	0	2	1	1
35-44	11	11	0	8	8	0	3	3	0
45-54	44	41	3	27	26	1	17	15	2
55-64	65	59	6	43	39	4	22	20	2
65-74	103	99	4	69	67	2	34	32	2
75-84	132	122	8	61	59	2	71	63	6
85 and over	96	91	5	34	32	2	62	59	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	45,566
White	40,190
Black	3,690
Other	1,686

Selected Death Statistics, Residents of Harrison County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,875	1,522	325	954.2	1,103.1	698.6
1	Heart Diseases	512	419	88	260.6	303.7	189.2
2	Malignant Neoplasms	422	328	80	214.8	237.7	172.0
3	Accidents	151	125	22	76.8	90.6	47.3
4	Emphysema and Other Chronic Lower Resp. Diseases	91	83	6	46.3	60.2	12.9
5	Cerebrovascular Disease	65	46	19	33.1	33.3	40.8
6	Nephritis, Nephrotic Syndrome And Nephrosis	47	40	7	23.9	29.0	15.0
7	Septicemia	42	32	10	21.4	23.2	21.5
8	Influenza and Pneumonia	38	34	4	19.3	24.6	8.6
9	Alzheimer's Disease	36	34	2	18.3	24.6	4.3
10	Suicide	33	26	7	16.8	18.8	15.0
11	Chronic Liver Disease And Cirrhosis	26	20	6	13.2	14.5	12.9
12	Homicide	15	12	3	7.6	8.7	6.4
13	Conditions Originating in the Perinatal Period**	14	12	2	5.1	6.7	2.6
14	Pneumonitis Due to Solids and Liquids	13	11	2	6.6	8.0	4.3
15	Diabetes Mellitus	11	9	2	5.6	6.5	4.3
16	Congenital Malformations and Chrom. Abnormalities	9	6	3	4.6	4.3	6.4
17	Parkinson's Disease	7	6	1	3.6	4.3	2.1
18	Aortic Aneurysm and Dissection	6	6	0	3.1	4.3	0.0
18	Hypertension/Hypertensive Renal Disease	6	4	2	3.1	2.9	4.3
20	Complications Medical/Surgical Care	5	5	0	2.5	3.6	0.0
20	Peptic Ulcer	5	4	1	2.5	2.9	2.1
20	In Situ, Benign and Unspecified Neoplasms	5	5	0	2.5	3.6	0.0
20	HIV Disease	5	3	2	2.5	2.2	4.3
24	Viral Hepatitis	4	4	0	2.0	2.9	0.0
25	Cholelithiasis/Gallbladder Disorder	2	2	0	1.0	1.4	0.0
25	Anemias	2	2	0	1.0	1.4	0.0
27	Maternal Causes**	1	1	0	36.6	55.6	0.0
27	Pneumoconioses and Chemical Effects	1	1	0	0.5	0.7	0.0
27	Malnutrition/Nutritional Deficiency	1	0	1	0.5	0.0	2.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	57	44	13	29.0	31.9	27.9
	All Other Causes	243	198	42	123.7	143.5	90.3

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,875	1,522	325	1,046	845	189	829	677	136
Under 1	26	20	6	18	14	4	8	6	2
(Neonatal)	16	13	3	11	9	2	5	4	1
(Postneonatal)	10	7	3	7	5	2	3	2	1
1-4	3	2	1	1	0	1	2	2	0
5-9	3	1	2	0	0	0	3	1	2
10-14	3	0	3	1	0	1	2	0	2
15-24	18	13	5	13	9	4	5	4	1
25-34	36	26	9	22	19	2	14	7	7
35-44	64	52	8	40	30	7	24	22	1
45-54	181	143	36	107	86	20	74	57	16
55-64	315	234	77	208	151	55	107	83	22
65-74	358	287	65	209	164	43	149	123	22
75-84	430	371	58	240	210	30	190	161	28
85 and over	438	373	55	187	162	22	251	211	33
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	196,500
White	137,980
Black	46,523
Other	11,997



Selected Death Statistics, Residents of Hinds County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,162	867	1,284	882.8	1,275.4	745.5
1	Heart Diseases	535	192	343	218.5	282.4	199.1
2	Malignant Neoplasms	465	177	284	189.9	260.4	164.9
3	Cerebrovascular Disease	112	40	71	45.7	58.8	41.2
4	Emphysema and Other Chronic Lower Resp. Diseases	93	54	39	38.0	79.4	22.6
5	Diabetes Mellitus	81	23	58	33.1	33.8	33.7
5	Accidents	81	35	45	33.1	51.5	26.1
7	Septicemia	59	17	42	24.1	25.0	24.4
7	Homicide	59	8	50	24.1	11.8	29.0
9	Influenza and Pneumonia	54	27	27	22.0	39.7	15.7
10	Nephritis, Nephrotic Syndrome And Nephrosis	53	10	43	21.6	14.7	25.0
11	Alzheimer's Disease	48	33	15	19.6	48.5	8.7
12	Hypertension/Hypertensive Renal Disease	40	15	25	16.3	22.1	14.5
13	HIV Disease	20	2	18	8.2	2.9	10.5
14	Suicide	19	12	7	7.8	17.7	4.1
15	Chronic Liver Disease And Cirrhosis	18	8	10	7.3	11.8	5.8
16	Pneumonitis Due to Solids and Liquids	16	7	9	6.5	10.3	5.2
17	Conditions Originating in the Perinatal Period**	15	1	13	4.5	1.4	5.1
18	Parkinson's Disease	13	9	4	5.3	13.2	2.3
19	Congenital Malformations and Chrom. Abnormalities	7	0	7	2.9	0.0	4.1
19	Aortic Aneurysm and Dissection	7	5	2	2.9	7.4	1.2
21	Anemias	5	2	3	2.0	2.9	1.7
21	In Situ, Benign and Unspecified Neoplasms	5	2	3	2.0	2.9	1.7
21	Viral Hepatitis	5	2	3	2.0	2.9	1.7
24	Complications Medical/Surgical Care	4	1	3	1.6	1.5	1.7
24	Atherosclerosis	4	3	1	1.6	4.4	0.6
26	Malnutrition/Nutritional Deficiency	3	1	2	1.2	1.5	1.2
26	Peptic Ulcer	3	3	0	1.2	4.4	0.0
28	Tuberculosis	1	0	1	0.4	0.0	0.6
28	Maternal Causes**	1	0	1	30.1	0.0	39.3
28	Infections of Kidney	1	0	1	0.4	0.0	0.6
28	Cholelithiasis/Gallbladder Disorder	1	0	1	0.4	0.0	0.6
28	Hernia	1	1	0	0.4	1.5	0.0
28	Pneumoconioses and Chemical Effects	1	1	0	0.4	1.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	28	8	19	11.4	11.8	11.0
	All Other Causes	304	168	134	124.1	247.1	77.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,162	867	1,284	1,130	451	677	1,032	416	607
Under 1	36	4	31	10	0	10	26	4	21
(Neonatal)	20	3	16	3	0	3	17	3	13
(Postneonatal)	16	1	15	7	0	7	9	1	8
1-4	7	1	5	4	1	3	3	0	2
5-9	3	1	2	2	1	1	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	40	5	35	28	3	25	12	2	10
25-34	55	12	43	37	8	29	18	4	14
35-44	70	12	58	50	11	39	20	1	19
45-54	203	45	155	112	24	88	91	21	67
55-64	377	94	282	238	62	175	139	32	107
65-74	369	147	221	220	84	136	149	63	85
75-84	442	216	224	207	113	93	235	103	131
85 and over	558	329	227	220	143	77	338	186	150
Unknown	1	1	0	1	1	0	0	0	0

2013 Population	
Total	244,899
White	67,978
Black	172,244
Other	4,677

Selected Death Statistics, Residents of Holmes County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	189	43	145	1,025.6	1,451.7	949.7
1	Heart Diseases	45	10	35	244.2	337.6	229.2
2	Malignant Neoplasms	44	10	33	238.8	337.6	216.1
3	Accidents	9	2	7	48.8	67.5	45.8
4	Diabetes Mellitus	8	1	7	43.4	33.8	45.8
5	Emphysema and Other Chronic Lower Resp. Diseases	7	2	5	38.0	67.5	32.7
5	Cerebrovascular Disease	7	1	6	38.0	33.8	39.3
5	Hypertension/Hypertensive Renal Disease	7	2	5	38.0	67.5	32.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	32.6	33.8	32.7
9	Septicemia	5	1	4	27.1	33.8	26.2
10	Suicide	4	4	0	21.7	135.0	0.0
11	Homicide	3	0	3	16.3	0.0	19.6
11	Conditions Originating in the Perinatal Period**	3	0	3	11.4	0.0	12.8
11	Pneumonitis Due to Solids and Liquids	3	0	3	16.3	0.0	19.6
14	Congenital Malformations and Chrom. Abnormalities	2	0	2	10.9	0.0	13.1
14	Influenza and Pneumonia	2	0	2	10.9	0.0	13.1
14	Alzheimer's Disease	2	1	1	10.9	33.8	6.5
17	Cholelithiasis/Gallbladder Disorder	1	0	1	5.4	0.0	6.5
17	Chronic Liver Disease And Cirrhosis	1	1	0	5.4	33.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	16.3	67.5	6.5
	All Other Causes	27	5	22	146.5	168.8	144.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	189	43	145	97	23	74	92	20	71
Under 1	5	0	5	4	0	4	1	0	1
(Neonatal)	5	0	5	4	0	4	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	6	0	6	3	0	3	3	0	3
35-44	8	1	7	6	1	5	2	0	2
45-54	16	3	13	10	2	8	6	1	5
55-64	30	6	24	20	5	15	10	1	9
65-74	45	10	34	23	5	18	22	5	16
75-84	33	10	23	16	6	10	17	4	13
85 and over	40	13	27	11	4	7	29	9	20
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	18,428
White	2,962
Black	15,268
Other	198

Selected Death Statistics, Residents of Humphreys County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	111	40	71	1,244.1	1,878.8	1,065.1
1	Heart Diseases	33	10	23	369.9	469.7	345.0
2	Malignant Neoplasms	27	11	16	302.6	516.7	240.0
3	Emphysema and Other Chronic Lower Resp. Diseases	5	3	2	56.0	140.9	30.0
3	Septicemia	5	1	4	56.0	47.0	60.0
5	Accidents	4	0	4	44.8	0.0	60.0
5	Cerebrovascular Disease	4	2	2	44.8	93.9	30.0
7	Homicide	3	0	3	33.6	0.0	45.0
7	Alzheimer's Disease	3	3	0	33.6	140.9	0.0
9	Suicide	2	1	1	22.4	47.0	15.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	22.4	93.9	0.0
9	Influenza and Pneumonia	2	0	2	22.4	0.0	30.0
9	Conditions Originating in the Perinatal Period**	2	0	2	14.8	0.0	17.4
9	HIV Disease	2	0	2	22.4	0.0	30.0
14	Hernia	1	1	0	11.2	47.0	0.0
14	Pneumonitis Due to Solids and Liquids	1	0	1	11.2	0.0	15.0
14	Hypertension/Hypertensive Renal Disease	1	0	1	11.2	0.0	15.0
14	Diabetes Mellitus	1	1	0	11.2	47.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	11.2	47.0	0.0
	All Other Causes	12	4	8	134.5	187.9	120.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	111	40	71	51	19	32	60	21	39
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	6	0	6	3	0	3	3	0	3
45-54	12	2	10	7	2	5	5	0	5
55-64	21	4	17	11	2	9	10	2	8
65-74	17	9	8	7	3	4	10	6	4
75-84	27	14	13	17	10	7	10	4	6
85 and over	23	11	12	4	2	2	19	9	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	8,922
White	2,129
Black	6,666
Other	127

Selected Death Statistics, Residents of Issaquena County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	17	8	9	1,218.6	1,646.1	1,004.5
1	Heart Diseases	4	2	2	286.7	411.5	223.2
2	Conditions Originating in the Perinatal Period**	2	1	1	153.8	200.0	125.0
3	Suicide	1	0	1	71.7	0.0	111.6
3	Accidents	1	1	0	71.7	205.8	0.0
3	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0	71.7	205.8	0.0
3	Cerebrovascular Disease	1	0	1	71.7	0.0	111.6
3	Alzheimer's Disease	1	0	1	71.7	0.0	111.6
3	Malignant Neoplasms	1	1	0	71.7	205.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	5	2	3	358.4	411.5	334.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	17	8	9	12	5	7	5	3	2
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	2	2	3	2	1	1	0	1
55-64	0	0	0	0	0	0	0	0	0
65-74	3	1	2	2	0	2	1	1	0
75-84	3	2	1	3	2	1	0	0	0
85 and over	3	2	1	2	1	1	1	1	0
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	1,395
White	486
Black	896
Other	13

Selected Death Statistics, Residents of Itawamba County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	280	273	7	1,194.8	1,263.7	459.3
1	Heart Diseases	62	60	2	264.6	277.7	131.2
2	Malignant Neoplasms	56	55	1	239.0	254.6	65.6
3	Emphysema and Other Chronic Lower Resp. Diseases	26	26	0	110.9	120.4	0.0
4	Cerebrovascular Disease	23	22	1	98.1	101.8	65.6
5	Accidents	17	16	1	72.5	74.1	65.6
6	Alzheimer's Disease	12	12	0	51.2	55.5	0.0
7	Influenza and Pneumonia	8	8	0	34.1	37.0	0.0
8	Suicide	6	6	0	25.6	27.8	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	5	0	21.3	23.1	0.0
9	Septicemia	5	5	0	21.3	23.1	0.0
11	Hypertension/Hypertensive Renal Disease	3	1	2	12.8	4.6	131.2
11	Parkinson's Disease	3	3	0	12.8	13.9	0.0
11	Diabetes Mellitus	3	3	0	12.8	13.9	0.0
14	In Situ, Benign and Unspecified Neoplasms	2	2	0	8.5	9.3	0.0
15	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.3	4.6	0.0
15	Chronic Liver Disease And Cirrhosis	1	1	0	4.3	4.6	0.0
15	Peptic Ulcer	1	1	0	4.3	4.6	0.0
15	Pneumonitis Due to Solids and Liquids	1	1	0	4.3	4.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	10	10	0	42.7	46.3	0.0
	All Other Causes	35	35	0	149.4	162.0	0.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	280	273	7	131	127	4	149	146	3
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	5	0	2	2	0	3	3	0
25-34	2	2	0	1	1	0	1	1	0
35-44	16	15	1	10	9	1	6	6	0
45-54	27	27	0	17	17	0	10	10	0
55-64	32	32	0	21	21	0	11	11	0
65-74	51	50	1	27	26	1	24	24	0
75-84	67	66	1	34	33	1	33	33	0
85 and over	77	73	4	18	17	1	59	56	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	23,434
White	21,603
Black	1,524
Other	307

Selected Death Statistics, Residents of Jackson County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,272	1,045	217	905.7	1,014.1	702.0
1	Malignant Neoplasms	282	233	47	200.8	226.1	152.0
2	Heart Diseases	268	228	38	190.8	221.3	122.9
3	Emphysema and Other Chronic Lower Resp. Diseases	97	85	11	69.1	82.5	35.6
4	Accidents	86	68	18	61.2	66.0	58.2
5	Cerebrovascular Disease	61	47	11	43.4	45.6	35.6
6	Septicemia	37	29	8	26.3	28.1	25.9
7	Alzheimer's Disease	33	28	5	23.5	27.2	16.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	27	23	4	19.2	22.3	12.9
9	Hypertension/Hypertensive Renal Disease	25	15	10	17.8	14.6	32.3
10	Diabetes Mellitus	22	16	6	15.7	15.5	19.4
11	Influenza and Pneumonia	21	18	2	15.0	17.5	6.5
12	Chronic Liver Disease And Cirrhosis	20	18	2	14.2	17.5	6.5
13	Suicide	17	17	0	12.1	16.5	0.0
14	Parkinson's Disease	16	15	1	11.4	14.6	3.2
15	Congenital Malformations and Chrom. Abnormalities	11	6	5	7.8	5.8	16.2
16	Pneumonitis Due to Solids and Liquids	8	8	0	5.7	7.8	0.0
17	Homicide	6	1	5	4.3	1.0	16.2
18	Conditions Originating in the Perinatal Period**	5	1	4	3.1	0.8	10.6
19	Complications Medical/Surgical Care	4	4	0	2.8	3.9	0.0
19	Anemias	4	3	1	2.8	2.9	3.2
19	In Situ, Benign and Unspecified Neoplasms	4	4	0	2.8	3.9	0.0
19	Viral Hepatitis	4	4	0	2.8	3.9	0.0
23	Pneumoconioses and Chemical Effects	3	3	0	2.1	2.9	0.0
23	Aortic Aneurysm and Dissection	3	3	0	2.1	2.9	0.0
25	Peptic Ulcer	2	2	0	1.4	1.9	0.0
25	Acute Bronchitis and Bronchiolitis	2	1	1	1.4	1.0	3.2
27	Hernia	1	0	1	0.7	0.0	3.2
27	Atherosclerosis	1	1	0	0.7	1.0	0.0
27	Tuberculosis	1	1	0	0.7	1.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	13	10	2	9.3	9.7	6.5
	All Other Causes	188	153	35	133.9	148.5	113.2

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,272	1,045	217	702	584	112	570	461	105
Under 1	12	6	6	8	5	3	4	1	3
(Neonatal)	10	5	5	6	4	2	4	1	3
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	5	5	0	4	4	0	1	1	0
5-9	2	2	0	0	0	0	2	2	0
10-14	2	2	0	0	0	0	2	2	0
15-24	17	11	6	13	9	4	4	2	2
25-34	28	20	7	19	13	5	9	7	2
35-44	38	25	13	24	19	5	14	6	8
45-54	120	91	27	75	61	14	45	30	13
55-64	189	149	38	129	104	23	60	45	15
65-74	257	210	44	168	135	31	89	75	13
75-84	334	293	39	168	149	18	166	144	21
85 and over	268	231	37	94	85	9	174	146	28
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	140,450
White	103,043
Black	30,912
Other	6,495

Selected Death Statistics, Residents of Jasper County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	191	114	76	1,159.7	1,481.1	883.3
1	Heart Diseases	57	33	24	346.1	428.7	278.9
2	Malignant Neoplasms	40	23	16	242.9	298.8	186.0
3	Emphysema and Other Chronic Lower Resp. Diseases	10	7	3	60.7	90.9	34.9
4	Accidents	9	4	5	54.6	52.0	58.1
4	Cerebrovascular Disease	9	7	2	54.6	90.9	23.2
6	Alzheimer's Disease	7	2	5	42.5	26.0	58.1
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	36.4	52.0	23.2
8	Influenza and Pneumonia	5	5	0	30.4	65.0	0.0
8	Diabetes Mellitus	5	4	1	30.4	52.0	11.6
10	Suicide	4	4	0	24.3	52.0	0.0
11	Chronic Liver Disease And Cirrhosis	3	1	2	18.2	13.0	23.2
11	Hypertension/Hypertensive Renal Disease	3	1	2	18.2	13.0	23.2
13	Congenital Malformations and Chrom. Abnormalities	2	2	0	12.1	26.0	0.0
13	Pneumonitis Due to Solids and Liquids	2	0	2	12.1	0.0	23.2
13	Malnutrition/Nutritional Deficiency	2	2	0	12.1	26.0	0.0
16	Septicemia	1	1	0	6.1	13.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	3	5	48.6	39.0	58.1
	All Other Causes	18	11	7	109.3	142.9	81.4

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	191	114	76	90	50	40	101	64	36
Under 1	2	2	0	0	0	0	2	2	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	0	0	0	3	1	2
25-34	4	3	1	3	2	1	1	1	0
35-44	3	1	2	1	0	1	2	1	1
45-54	11	4	7	7	2	5	4	2	2
55-64	32	15	17	21	10	11	11	5	6
65-74	34	21	13	20	14	6	14	7	7
75-84	52	33	18	27	15	12	25	18	6
85 and over	50	34	16	11	7	4	39	27	12
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	16,470
White	7,697
Black	8,604
Other	169

Selected Death Statistics, Residents of Jefferson County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	69	14	55	904.4	1,315.8	845.4
1	Heart Diseases	22	3	19	288.4	282.0	292.0
2	Malignant Neoplasms	13	3	10	170.4	282.0	153.7
3	Diabetes Mellitus	7	0	7	91.8	0.0	107.6
4	Accidents	4	2	2	52.4	188.0	30.7
4	Cerebrovascular Disease	4	1	3	52.4	94.0	46.1
6	Emphysema and Other Chronic Lower Resp. Diseases	3	2	1	39.3	188.0	15.4
7	Chronic Liver Disease And Cirrhosis	2	0	2	26.2	0.0	30.7
8	Homicide	1	0	1	13.1	0.0	15.4
8	Suicide	1	0	1	13.1	0.0	15.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1	13.1	0.0	15.4
8	Acute Bronchitis and Bronchiolitis	1	0	1	13.1	0.0	15.4
8	Influenza and Pneumonia	1	1	0	13.1	94.0	0.0
8	Septicemia	1	0	1	13.1	0.0	15.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	13.1	0.0	15.4
	All Other Causes	7	2	5	91.8	188.0	76.9

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	69	14	55	34	9	25	35	5	30
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	2	0	2	3	1	2
25-34	1	0	1	0	0	0	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	7	0	7	2	0	2	5	0	5
55-64	9	1	8	3	0	3	6	1	5
65-74	12	4	8	11	4	7	1	0	1
75-84	15	5	10	9	4	5	6	1	5
85 and over	16	3	13	5	1	4	11	2	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	7,629
White	1,064
Black	6,506
Other	59



Selected Death Statistics, Residents of Jeff Davis County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	159	62	97	1,330.8	1,336.8	1,358.0
1	Heart Diseases	40	19	21	334.8	409.7	294.0
2	Malignant Neoplasms	36	11	25	301.3	237.2	350.0
3	Accidents	15	6	9	125.5	129.4	126.0
4	Cerebrovascular Disease	10	6	4	83.7	129.4	56.0
5	Emphysema and Other Chronic Lower Resp. Diseases	7	5	2	58.6	107.8	28.0
6	Diabetes Mellitus	5	0	5	41.8	0.0	70.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	4	0	4	33.5	0.0	56.0
7	Influenza and Pneumonia	4	3	1	33.5	64.7	14.0
9	Alzheimer's Disease	3	1	2	25.1	21.6	28.0
9	Septicemia	3	0	3	25.1	0.0	42.0
11	Homicide	2	0	2	16.7	0.0	28.0
11	Suicide	2	2	0	16.7	43.1	0.0
11	Hypertension/Hypertensive Renal Disease	2	1	1	16.7	21.6	14.0
11	HIV Disease	2	0	2	16.7	0.0	28.0
15	Conditions Originating in the Perinatal Period**	1	0	1	6.4	0.0	9.4
15	Pneumonitis Due to Solids and Liquids	1	0	1	8.4	0.0	14.0
15	Aortic Aneurysm and Dissection	1	1	0	8.4	21.6	0.0
15	Parkinson's Disease	1	1	0	8.4	21.6	0.0
15	Anemias	1	0	1	8.4	0.0	14.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	19	6	13	159.0	129.4	182.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	159	62	97	90	38	52	69	24	45
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	3	0	3	3	0	3	0	0	0
35-44	10	1	9	9	1	8	1	0	1
45-54	6	1	5	1	0	1	5	1	4
55-64	32	15	17	21	9	12	11	6	5
65-74	34	12	22	18	7	11	16	5	11
75-84	33	16	17	21	11	10	12	5	7
85 and over	37	16	21	15	9	6	22	7	15
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	11,948
White	4,638
Black	7,143
Other	167

Selected Death Statistics, Residents of Jones County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	722	546	174	1,047.0	1,151.3	862.9
1	Heart Diseases	179	138	40	259.6	291.0	198.4
2	Malignant Neoplasms	141	113	28	204.5	238.3	138.9
3	Accidents	49	44	4	71.1	92.8	19.8
4	Cerebrovascular Disease	31	25	6	45.0	52.7	29.8
4	Septicemia	31	18	13	45.0	38.0	64.5
6	Alzheimer's Disease	27	24	3	39.2	50.6	14.9
7	Emphysema and Other Chronic Lower Resp. Diseases	26	18	8	37.7	38.0	39.7
8	Diabetes Mellitus	21	10	11	30.5	21.1	54.6
9	Nephritis, Nephrotic Syndrome And Nephrosis	18	11	7	26.1	23.2	34.7
9	Influenza and Pneumonia	18	13	5	26.1	27.4	24.8
11	Hypertension/Hypertensive Renal Disease	13	6	7	18.9	12.7	34.7
12	Pneumonitis Due to Solids and Liquids	10	9	1	14.5	19.0	5.0
13	Suicide	9	8	1	13.1	16.9	5.0
13	Chronic Liver Disease And Cirrhosis	9	6	3	13.1	12.7	14.9
15	Aortic Aneurysm and Dissection	5	4	1	7.3	8.4	5.0
15	In Situ, Benign and Unspecified Neoplasms	5	5	0	7.3	10.5	0.0
17	Congenital Malformations and Chrom. Abnormalities	4	3	1	5.8	6.3	5.0
17	Conditions Originating in the Perinatal Period**	4	1	3	4.0	1.5	9.1
17	Parkinson's Disease	4	4	0	5.8	8.4	0.0
20	Homicide	2	0	2	2.9	0.0	9.9
20	HIV Disease	2	0	2	2.9	0.0	9.9
22	Complications Medical/Surgical Care	1	1	0	1.5	2.1	0.0
22	Cholelithiasis/Gallbladder Disorder	1	1	0	1.5	2.1	0.0
22	Peptic Ulcer	1	1	0	1.5	2.1	0.0
22	Malnutrition/Nutritional Deficiency	1	1	0	1.5	2.1	0.0
22	Anemias	1	0	1	1.5	0.0	5.0
22	Viral Hepatitis	1	0	1	1.5	0.0	5.0
22	Tuberculosis	1	1	0	1.5	2.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	23	20	3	33.4	42.2	14.9
	All Other Causes	84	61	23	121.8	128.6	114.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	722	546	174	358	278	80	364	268	94
Under 1	9	5	4	6	4	2	3	1	2
(Neonatal)	7	4	3	6	4	2	1	0	1
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	14	9	5	11	8	3	3	1	2
25-34	13	6	7	9	5	4	4	1	3
35-44	21	16	5	10	9	1	11	7	4
45-54	63	41	22	31	25	6	32	16	16
55-64	111	73	37	67	47	20	44	26	17
65-74	117	93	24	70	56	14	47	37	10
75-84	194	152	42	90	73	17	104	79	25
85 and over	179	151	27	63	51	12	116	100	15
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	68,961
White	47,425
Black	20,164
Other	1,372

Selected Death Statistics, Residents of Kemper County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	104	48	56	1,010.3	1,335.2	899.9
1	Heart Diseases	30	14	16	291.4	389.4	257.1
2	Malignant Neoplasms	25	11	14	242.9	306.0	225.0
3	Cerebrovascular Disease	8	2	6	77.7	55.6	96.4
4	Accidents	4	2	2	38.9	55.6	32.1
4	Emphysema and Other Chronic Lower Resp. Diseases	4	1	3	38.9	27.8	48.2
4	Alzheimer's Disease	4	2	2	38.9	55.6	32.1
7	Hypertension/Hypertensive Renal Disease	3	2	1	29.1	55.6	16.1
7	Diabetes Mellitus	3	0	3	29.1	0.0	48.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	19.4	0.0	32.1
9	Pneumonitis Due to Solids and Liquids	2	2	0	19.4	55.6	0.0
9	Influenza and Pneumonia	2	1	1	19.4	27.8	16.1
12	Homicide	1	0	1	9.7	0.0	16.1
12	Chronic Liver Disease And Cirrhosis	1	1	0	9.7	27.8	0.0
12	Aortic Aneurysm and Dissection	1	0	1	9.7	0.0	16.1
12	Septicemia	1	1	0	9.7	27.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	19.4	55.6	0.0
	All Other Causes	11	7	4	106.9	194.7	64.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	104	48	56	53	23	30	51	25	26
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	4	1	3	3	1	2	1	0	1
45-54	7	1	6	5	1	4	2	0	2
55-64	18	9	9	10	6	4	8	3	5
65-74	29	16	13	14	7	7	15	9	6
75-84	23	8	15	12	3	9	11	5	6
85 and over	20	12	8	7	4	3	13	8	5
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	10,294
White	3,595
Black	6,223
Other	476

Selected Death Statistics, Residents of Lafayette County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	403	303	98	785.3	818.3	802.2
1	Heart Diseases	95	70	25	185.1	189.1	204.6
2	Malignant Neoplasms	81	61	20	157.8	164.7	163.7
3	Accidents	28	23	5	54.6	62.1	40.9
4	Cerebrovascular Disease	25	19	6	48.7	51.3	49.1
5	Emphysema and Other Chronic Lower Resp. Diseases	20	18	2	39.0	48.6	16.4
6	Septicemia	14	7	7	27.3	18.9	57.3
7	Influenza and Pneumonia	10	7	3	19.5	18.9	24.6
8	Suicide	8	7	1	15.6	18.9	8.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	7	2	5	13.6	5.4	40.9
9	Diabetes Mellitus	7	5	2	13.6	13.5	16.4
11	Alzheimer's Disease	6	6	0	11.7	16.2	0.0
12	Homicide	5	0	4	9.7	0.0	32.7
13	Chronic Liver Disease And Cirrhosis	4	4	0	7.8	10.8	0.0
13	Parkinson's Disease	4	4	0	7.8	10.8	0.0
15	Pneumonitis Due to Solids and Liquids	3	2	1	5.8	5.4	8.2
16	In Situ, Benign and Unspecified Neoplasms	2	1	1	3.9	2.7	8.2
16	Viral Hepatitis	2	1	1	3.9	2.7	8.2
18	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.9	2.7	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	1.9	2.7	0.0
18	Aortic Aneurysm and Dissection	1	0	1	1.9	0.0	8.2
18	Hypertension/Hypertensive Renal Disease	1	1	0	1.9	2.7	0.0
18	Meningitis	1	1	0	1.9	2.7	0.0
18	Anemias	1	1	0	1.9	2.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	7.8	10.8	0.0
	All Other Causes	72	57	14	140.3	153.9	114.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	403	303	98	204	150	52	199	153	46
Under 1	4	4	0	1	1	0	3	3	0
(Neonatal)	3	3	0	1	1	0	2	2	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	7	1	7	6	1	1	1	0
25-34	10	3	6	7	3	3	3	0	3
35-44	5	3	2	1	0	1	4	3	1
45-54	30	19	11	19	12	7	11	7	4
55-64	61	33	28	38	21	17	23	12	11
65-74	62	42	19	31	21	9	31	21	10
75-84	93	80	13	42	35	7	51	45	6
85 and over	129	112	17	57	51	6	72	61	11
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	51,318
White	37,027
Black	12,216
Other	2,075

Selected Death Statistics, Residents of Lamar County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	395	354	41	671.8	783.2	342.5
1	Heart Diseases	98	87	11	166.7	192.5	91.9
2	Malignant Neoplasms	88	79	9	149.7	174.8	75.2
3	Accidents	30	28	2	51.0	61.9	16.7
3	Emphysema and Other Chronic Lower Resp. Diseases	30	27	3	51.0	59.7	25.1
5	Cerebrovascular Disease	15	14	1	25.5	31.0	8.4
6	Influenza and Pneumonia	14	13	1	23.8	28.8	8.4
7	Alzheimer's Disease	13	12	1	22.1	26.5	8.4
8	Diabetes Mellitus	9	9	0	15.3	19.9	0.0
9	Suicide	8	6	2	13.6	13.3	16.7
9	Septicemia	8	7	1	13.6	15.5	8.4
11	Parkinson's Disease	7	7	0	11.9	15.5	0.0
12	Chronic Liver Disease And Cirrhosis	6	6	0	10.2	13.3	0.0
13	Congenital Malformations and Chrom. Abnormalities	5	4	1	8.5	8.8	8.4
13	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	8.5	6.6	16.7
15	Conditions Originating in the Perinatal Period**	3	2	1	4.0	3.9	4.7
16	Homicide	2	1	1	3.4	2.2	8.4
16	Anemias	2	2	0	3.4	4.4	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	1.7	2.2	0.0
18	Hypertension/Hypertensive Renal Disease	1	0	1	1.7	0.0	8.4
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.7	2.2	0.0
18	Viral Hepatitis	1	1	0	1.7	2.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	5.1	6.6	0.0
	All Other Causes	45	41	4	76.5	90.7	33.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	395	354	41	207	188	19	188	166	22
Under 1	6	5	1	4	4	0	2	1	1
(Neonatal)	5	4	1	4	4	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	5	1	5	4	1	1	1	0
25-34	11	10	1	9	8	1	2	2	0
35-44	19	13	6	12	9	3	7	4	3
45-54	36	29	7	21	17	4	15	12	3
55-64	49	42	7	31	28	3	18	14	4
65-74	77	72	5	46	45	1	31	27	4
75-84	110	104	6	49	46	3	61	58	3
85 and over	79	73	6	29	27	2	50	46	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	58,801
White	45,198
Black	11,971
Other	1,632

Selected Death Statistics, Residents of Lauderdale County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	917	588	327	1,142.6	1,333.0	950.6
1	Heart Diseases	285	172	113	355.1	389.9	328.5
2	Malignant Neoplasms	153	98	55	190.6	222.2	159.9
3	Alzheimer's Disease	51	43	8	63.5	97.5	23.3
4	Accidents	50	35	15	62.3	79.3	43.6
5	Emphysema and Other Chronic Lower Resp. Diseases	34	26	8	42.4	58.9	23.3
6	Cerebrovascular Disease	33	22	11	41.1	49.9	32.0
7	Influenza and Pneumonia	31	20	11	38.6	45.3	32.0
8	Septicemia	28	17	11	34.9	38.5	32.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	27	16	10	33.6	36.3	29.1
10	Homicide	9	2	7	11.2	4.5	20.3
10	Suicide	9	7	2	11.2	15.9	5.8
12	Chronic Liver Disease And Cirrhosis	8	4	4	10.0	9.1	11.6
12	Pneumonitis Due to Solids and Liquids	8	5	3	10.0	11.3	8.7
12	Diabetes Mellitus	8	2	6	10.0	4.5	17.4
15	In Situ, Benign and Unspecified Neoplasms	5	3	2	6.2	6.8	5.8
16	Parkinson's Disease	4	4	0	5.0	9.1	0.0
17	Conditions Originating in the Perinatal Period**	3	1	2	2.9	2.0	3.8
17	Viral Hepatitis	3	2	1	3.7	4.5	2.9
19	Congenital Malformations and Chrom. Abnormalities	2	2	0	2.5	4.5	0.0
19	Aortic Aneurysm and Dissection	2	1	1	2.5	2.3	2.9
19	HIV Disease	2	0	2	2.5	0.0	5.8
22	Hypertension/Hypertensive Renal Disease	1	0	1	1.2	0.0	2.9
22	Malnutrition/Nutritional Deficiency	1	1	0	1.2	2.3	0.0
22	Anemias	1	0	1	1.2	0.0	2.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	42	32	9	52.3	72.5	26.2
	All Other Causes	117	73	44	145.8	165.5	127.9

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	917	588	327	454	286	168	463	302	159
Under 1	13	4	9	8	2	6	5	2	3
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	10	3	7	7	2	5	3	1	2
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	4	1	3	3	1	2	1	0	1
15-24	8	4	4	6	3	3	2	1	1
25-34	17	7	10	9	3	6	8	4	4
35-44	31	13	18	19	10	9	12	3	9
45-54	75	41	33	42	23	19	33	18	14
55-64	135	69	66	89	47	42	46	22	24
65-74	162	102	60	88	53	35	74	49	25
75-84	212	152	60	102	76	26	110	76	34
85 and over	258	194	63	86	67	19	172	127	44
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	80,254
White	44,110
Black	34,399
Other	1,745

Selected Death Statistics, Residents of Lawrence County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	149	102	47	1,190.7	1,209.8	1,204.5
1	Malignant Neoplasms	37	23	14	295.7	272.8	358.8
2	Heart Diseases	36	22	14	287.7	260.9	358.8
3	Accidents	16	14	2	127.9	166.1	51.3
4	Emphysema and Other Chronic Lower Resp. Diseases	9	7	2	71.9	83.0	51.3
5	Cerebrovascular Disease	7	5	2	55.9	59.3	51.3
6	Diabetes Mellitus	5	2	3	40.0	23.7	76.9
6	Septicemia	5	4	1	40.0	47.4	25.6
8	Alzheimer's Disease	4	4	0	32.0	47.4	0.0
9	Homicide	2	1	1	16.0	11.9	25.6
9	Chronic Liver Disease And Cirrhosis	2	2	0	16.0	23.7	0.0
9	Influenza and Pneumonia	2	1	1	16.0	11.9	25.6
9	Hypertension/Hypertensive Renal Disease	2	1	1	16.0	11.9	25.6
13	Suicide	1	1	0	8.0	11.9	0.0
13	Conditions Originating in the Perinatal Period**	1	0	1	6.4	0.0	17.2
13	Malnutrition/Nutritional Deficiency	1	1	0	8.0	11.9	0.0
13	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.0	11.9	0.0
13	Viral Hepatitis	1	1	0	8.0	11.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	17	12	5	135.8	142.3	128.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	149	102	47	73	51	22	76	51	25
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	3	2	2	2	0	3	1	2
35-44	6	4	2	4	3	1	2	1	1
45-54	16	12	4	7	6	1	9	6	3
55-64	24	12	12	15	7	8	9	5	4
65-74	27	18	9	18	13	5	9	5	4
75-84	45	34	11	17	12	5	28	22	6
85 and over	25	19	6	10	8	2	15	11	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	12,514
White	8,431
Black	3,902
Other	181

Selected Death Statistics, Residents of Leake County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	253	155	86	1,081.7	1,314.9	881.5
1	Heart Diseases	64	40	22	273.6	339.3	225.5
2	Malignant Neoplasms	53	31	18	226.6	263.0	184.5
3	Emphysema and Other Chronic Lower Resp. Diseases	18	13	5	77.0	110.3	51.3
4	Hypertension/Hypertensive Renal Disease	16	11	4	68.4	93.3	41.0
5	Accidents	13	12	1	55.6	101.8	10.3
6	Alzheimer's Disease	12	6	6	51.3	50.9	61.5
6	Diabetes Mellitus	12	4	5	51.3	33.9	51.3
8	Cerebrovascular Disease	10	6	4	42.8	50.9	41.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	9	7	1	38.5	59.4	10.3
10	Influenza and Pneumonia	6	3	3	25.7	25.4	30.8
11	Chronic Liver Disease And Cirrhosis	5	2	2	21.4	17.0	20.5
12	Suicide	3	3	0	12.8	25.4	0.0
13	Cholelithiasis/Gallbladder Disorder	2	1	1	8.6	8.5	10.3
13	Aortic Aneurysm and Dissection	2	1	1	8.6	8.5	10.3
13	In Situ, Benign and Unspecified Neoplasms	2	1	1	8.6	8.5	10.3
13	Septicemia	2	1	1	8.6	8.5	10.3
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.3	8.5	0.0
17	Conditions Originating in the Perinatal Period**	1	0	1	3.1	0.0	7.0
17	Infections of Kidney	1	0	1	4.3	0.0	10.3
17	Anemias	1	0	1	4.3	0.0	10.3
17	HIV Disease	1	0	1	4.3	0.0	10.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	8.6	8.5	10.3
	All Other Causes	17	11	6	72.7	93.3	61.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	253	155	86	131	85	38	122	70	48
Under 1	4	1	3	2	1	1	2	0	2
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	3	1	2	1	1	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	5	3	2	2	1	1	3	2	1
35-44	8	6	2	5	5	0	3	1	2
45-54	32	14	17	19	8	10	13	6	7
55-64	42	18	19	24	10	12	18	8	7
65-74	47	33	10	30	20	6	17	13	4
75-84	55	42	12	26	23	3	29	19	9
85 and over	55	35	19	19	14	4	36	21	15
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	23,389
White	11,788
Black	9,756
Other	1,845



Selected Death Statistics, Residents of Lee County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	891	724	165	1,044.1	1,225.7	677.1
1	Malignant Neoplasms	221	178	43	259.0	301.4	176.5
2	Heart Diseases	169	145	24	198.0	245.5	98.5
3	Emphysema and Other Chronic Lower Resp. Diseases	76	63	13	89.1	106.7	53.3
4	Cerebrovascular Disease	75	60	14	87.9	101.6	57.5
5	Accidents	50	43	7	58.6	72.8	28.7
6	Alzheimer's Disease	25	22	3	29.3	37.2	12.3
7	Influenza and Pneumonia	18	16	2	21.1	27.1	8.2
7	Diabetes Mellitus	18	11	7	21.1	18.6	28.7
7	Septicemia	18	12	6	21.1	20.3	24.6
10	Chronic Liver Disease And Cirrhosis	14	12	2	16.4	20.3	8.2
11	Nephritis, Nephrotic Syndrome And Nephrosis	12	9	3	14.1	15.2	12.3
12	Hypertension/Hypertensive Renal Disease	10	6	3	11.7	10.2	12.3
13	Pneumonitis Due to Solids and Liquids	9	8	1	10.5	13.5	4.1
14	In Situ, Benign and Unspecified Neoplasms	8	7	1	9.4	11.9	4.1
15	Conditions Originating in the Perinatal Period**	7	2	5	5.9	2.7	11.9
15	Parkinson's Disease	7	6	1	8.2	10.2	4.1
17	Suicide	5	4	1	5.9	6.8	4.1
18	Homicide	4	3	1	4.7	5.1	4.1
18	Viral Hepatitis	4	2	2	4.7	3.4	8.2
20	Complications Medical/Surgical Care	2	1	1	2.3	1.7	4.1
20	Cholelithiasis/Gallbladder Disorder	2	1	1	2.3	1.7	4.1
20	HIV Disease	2	0	2	2.3	0.0	8.2
23	Legal Intervention	1	1	0	1.2	1.7	0.0
23	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.2	1.7	0.0
23	Pneumoconioses and Chemical Effects	1	1	0	1.2	1.7	0.0
23	Malnutrition/Nutritional Deficiency	1	1	0	1.2	1.7	0.0
23	Anemias	1	0	1	1.2	0.0	4.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	10	8	2	11.7	13.5	8.2
	All Other Causes	120	101	19	140.6	171.0	78.0

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	891	724	165	434	332	100	457	392	65
Under 1	10	4	6	4	1	3	6	3	3
(Neonatal)	9	4	5	3	1	2	6	3	3
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	7	4	3	5	2	3	2	2	0
25-34	15	6	9	9	4	5	6	2	4
35-44	22	15	7	12	8	4	10	7	3
45-54	62	49	13	38	31	7	24	18	6
55-64	153	113	39	88	65	22	65	48	17
65-74	173	139	34	96	72	24	77	67	10
75-84	215	184	30	110	92	17	105	92	13
85 and over	230	207	23	71	57	14	159	150	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	85,340
White	59,066
Black	24,368
Other	1,906

Selected Death Statistics, Residents of Leflore County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	372	145	225	1,177.0	1,796.1	979.9
1	Heart Diseases	107	44	62	338.5	545.0	270.0
2	Malignant Neoplasms	61	19	42	193.0	235.4	182.9
3	Cerebrovascular Disease	27	11	16	85.4	136.3	69.7
4	Accidents	21	13	8	66.4	161.0	34.8
5	Diabetes Mellitus	20	8	12	63.3	99.1	52.3
6	Emphysema and Other Chronic Lower Resp. Diseases	15	9	6	47.5	111.5	26.1
7	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	6	25.3	24.8	26.1
7	Chronic Liver Disease And Cirrhosis	8	3	5	25.3	37.2	21.8
7	Hypertension/Hypertensive Renal Disease	8	4	4	25.3	49.5	17.4
7	Septicemia	8	1	7	25.3	12.4	30.5
11	Alzheimer's Disease	7	4	3	22.1	49.5	13.1
12	Homicide	6	0	6	19.0	0.0	26.1
13	Pneumonitis Due to Solids and Liquids	5	1	4	15.8	12.4	17.4
13	Influenza and Pneumonia	5	3	2	15.8	37.2	8.7
15	HIV Disease	4	0	4	12.7	0.0	17.4
16	Suicide	3	1	2	9.5	12.4	8.7
16	Parkinson's Disease	3	2	1	9.5	24.8	4.4
18	Congenital Malformations and Chrom. Abnormalities	2	1	1	6.3	12.4	4.4
18	Conditions Originating in the Perinatal Period**	2	0	2	4.5	0.0	5.9
18	In Situ, Benign and Unspecified Neoplasms	2	0	2	6.3	0.0	8.7
21	Infections of Kidney	1	0	1	3.2	0.0	4.4
21	Anemias	1	1	0	3.2	12.4	0.0
21	Viral Hepatitis	1	1	0	3.2	12.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	3.2	12.4	0.0
	All Other Causes	46	16	29	145.5	198.2	126.3

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	372	145	225	178	67	110	194	78	115
Under 1	4	1	3	3	0	3	1	1	0
(Neonatal)	3	1	2	2	0	2	1	1	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	9	3	6	6	2	4	3	1	2
25-34	6	0	6	4	0	4	2	0	2
35-44	13	0	13	7	0	7	6	0	6
45-54	40	9	31	25	5	20	15	4	11
55-64	56	11	45	37	9	28	19	2	17
65-74	71	31	40	42	23	19	29	8	21
75-84	74	34	39	26	13	13	48	21	26
85 and over	98	56	41	28	15	12	70	41	29
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	31,607
White	8,073
Black	22,961
Other	573

Selected Death Statistics, Residents of Lincoln County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	422	299	121	1,212.3	1,265.1	1,131.7
1	Heart Diseases	102	77	25	293.0	325.8	233.8
2	Malignant Neoplasms	82	56	25	235.6	236.9	233.8
3	Emphysema and Other Chronic Lower Resp. Diseases	29	26	3	83.3	110.0	28.1
4	Cerebrovascular Disease	26	15	11	74.7	63.5	102.9
5	Diabetes Mellitus	25	17	8	71.8	71.9	74.8
6	Accidents	15	10	4	43.1	42.3	37.4
7	Nephritis, Nephrotic Syndrome And Nephrosis	14	8	6	40.2	33.8	56.1
8	Hypertension/Hypertensive Renal Disease	10	4	6	28.7	16.9	56.1
8	Alzheimer's Disease	10	9	1	28.7	38.1	9.4
10	Suicide	7	7	0	20.1	29.6	0.0
10	Influenza and Pneumonia	7	4	3	20.1	16.9	28.1
12	Septicemia	5	4	1	14.4	16.9	9.4
13	Parkinson's Disease	4	4	0	11.5	16.9	0.0
14	Homicide	3	0	3	8.6	0.0	28.1
14	Congenital Malformations and Chrom. Abnormalities	3	2	1	8.6	8.5	9.4
14	Chronic Liver Disease And Cirrhosis	3	2	1	8.6	8.5	9.4
17	Pneumonitis Due to Solids and Liquids	2	1	1	5.7	4.2	9.4
17	In Situ, Benign and Unspecified Neoplasms	2	2	0	5.7	8.5	0.0
17	HIV Disease	2	1	1	5.7	4.2	9.4
17	Viral Hepatitis	2	1	1	5.7	4.2	9.4
21	Complications Medical/Surgical Care	1	1	0	2.9	4.2	0.0
21	Peptic Ulcer	1	1	0	2.9	4.2	0.0
21	Anemias	1	1	0	2.9	4.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	11.5	16.9	0.0
	All Other Causes	62	42	20	178.1	177.7	187.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	422	299	121	201	142	59	221	157	62
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	5	2	3	1	1	0
25-34	8	5	3	4	3	1	4	2	2
35-44	16	9	6	8	6	2	8	3	4
45-54	27	15	11	18	10	8	9	5	3
55-64	61	38	23	41	26	15	20	12	8
65-74	72	44	28	44	31	13	28	13	15
75-84	117	92	25	45	36	9	72	56	16
85 and over	111	90	21	34	26	8	77	64	13
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	34,810
White	23,634
Black	10,692
Other	484

Selected Death Statistics, Residents of Lowndes County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	613	393	219	1,023.0	1,212.7	834.6
1	Heart Diseases	146	98	48	243.7	302.4	182.9
2	Malignant Neoplasms	143	87	56	238.6	268.5	213.4
3	Emphysema and Other Chronic Lower Resp. Diseases	44	38	6	73.4	117.3	22.9
4	Cerebrovascular Disease	38	22	16	63.4	67.9	61.0
5	Alzheimer's Disease	27	22	5	45.1	67.9	19.1
6	Accidents	21	17	4	35.0	52.5	15.2
7	Nephritis, Nephrotic Syndrome And Nephrosis	20	8	12	33.4	24.7	45.7
8	Diabetes Mellitus	15	4	11	25.0	12.3	41.9
9	Influenza and Pneumonia	13	11	2	21.7	33.9	7.6
10	Conditions Originating in the Perinatal Period**	9	3	6	11.3	7.9	14.8
11	Parkinson's Disease	7	6	1	11.7	18.5	3.8
12	Suicide	6	6	0	10.0	18.5	0.0
13	Chronic Liver Disease And Cirrhosis	5	3	2	8.3	9.3	7.6
13	Septicemia	5	2	3	8.3	6.2	11.4
15	Homicide	4	0	4	6.7	0.0	15.2
15	Pneumonitis Due to Solids and Liquids	4	2	2	6.7	6.2	7.6
17	Congenital Malformations and Chrom. Abnormalities	3	1	1	5.0	3.1	3.8
17	Hypertension/Hypertensive Renal Disease	3	2	1	5.0	6.2	3.8
17	HIV Disease	3	1	2	5.0	3.1	7.6
20	Anemias	2	1	1	3.3	3.1	3.8
21	Maternal Causes**	1	1	0	125.0	261.8	0.0
21	Cholelithiasis/Gallbladder Disorder	1	1	0	1.7	3.1	0.0
21	Aortic Aneurysm and Dissection	1	1	0	1.7	3.1	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.7	3.1	0.0
21	Viral Hepatitis	1	1	0	1.7	3.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	2	3	8.3	6.2	11.4
	All Other Causes	85	52	33	141.9	160.5	125.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	613	393	219	289	181	107	324	212	112
Under 1	12	4	7	8	3	4	4	1	3
(Neonatal)	10	3	6	7	3	3	3	0	3
(Postneonatal)	2	1	1	1	0	1	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	3	2	1	2	2	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	6	3	3	0	0	0
25-34	14	6	8	7	4	3	7	2	5
35-44	18	9	9	13	6	7	5	3	2
45-54	42	21	21	23	11	12	19	10	9
55-64	96	50	46	56	30	26	40	20	20
65-74	125	77	48	68	46	22	57	31	26
75-84	138	103	35	57	43	14	81	60	21
85 and over	158	117	41	49	33	16	109	84	25
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	59,922
White	32,406
Black	26,239
Other	1,277

Selected Death Statistics, Residents of Madison County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	972	679	285	968.0	1,169.2	736.5
1	Malignant Neoplasms	243	156	84	242.0	268.6	217.1
2	Heart Diseases	189	135	52	188.2	232.5	134.4
3	Emphysema and Other Chronic Lower Resp. Diseases	47	37	10	46.8	63.7	25.8
4	Cerebrovascular Disease	41	30	11	40.8	51.7	28.4
5	Diabetes Mellitus	40	26	14	39.8	44.8	36.2
6	Alzheimer's Disease	31	27	4	30.9	46.5	10.3
7	Nephritis, Nephrotic Syndrome And Nephrosis	28	18	9	27.9	31.0	23.3
8	Accidents	22	14	7	21.9	24.1	18.1
8	Influenza and Pneumonia	22	18	4	21.9	31.0	10.3
10	Septicemia	20	13	7	19.9	22.4	18.1
11	Chronic Liver Disease And Cirrhosis	17	12	5	16.9	20.7	12.9
12	Suicide	13	13	0	12.9	22.4	0.0
13	Pneumonitis Due to Solids and Liquids	11	9	2	11.0	15.5	5.2
14	Hypertension/Hypertensive Renal Disease	9	4	5	9.0	6.9	12.9
15	Parkinson's Disease	8	8	0	8.0	13.8	0.0
16	In Situ, Benign and Unspecified Neoplasms	7	4	2	7.0	6.9	5.2
16	HIV Disease	7	3	4	7.0	5.2	10.3
18	Congenital Malformations and Chrom. Abnormalities	6	3	3	6.0	5.2	7.8
18	Conditions Originating in the Perinatal Period**	6	1	5	4.8	1.4	9.8
20	Aortic Aneurysm and Dissection	5	3	2	5.0	5.2	5.2
21	Homicide	4	1	3	4.0	1.7	7.8
22	Anemias	3	1	2	3.0	1.7	5.2
23	Maternal Causes**	2	0	2	158.4	0.0	390.6
23	Viral Hepatitis	2	1	1	2.0	1.7	2.6
25	Diseases of Appendix	1	1	0	1.0	1.7	0.0
25	Atherosclerosis	1	1	0	1.0	1.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	9	3	6	9.0	5.2	15.5
	All Other Causes	178	137	41	177.3	235.9	106.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	972	679	285	467	318	144	505	361	141
Under 1	11	3	8	8	3	5	3	0	3
(Neonatal)	8	2	6	6	2	4	2	0	2
(Postneonatal)	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	16	8	8	10	6	4	6	2	4
25-34	15	3	12	8	1	7	7	2	5
35-44	23	9	14	16	7	9	7	2	5
45-54	58	28	28	36	17	18	22	11	10
55-64	123	68	53	82	45	36	41	23	17
65-74	167	105	62	89	56	33	78	49	29
75-84	212	156	54	102	76	25	110	80	29
85 and over	346	298	46	115	106	7	231	192	39
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	100,412
White	58,075
Black	38,694
Other	3,643

Selected Death Statistics, Residents of Marion County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	348	242	103	1,329.3	1,399.3	1,209.6
1	Heart Diseases	88	64	23	336.1	370.1	270.1
2	Malignant Neoplasms	67	44	21	255.9	254.4	246.6
3	Cerebrovascular Disease	26	16	10	99.3	92.5	117.4
4	Accidents	24	20	4	91.7	115.6	47.0
5	Emphysema and Other Chronic Lower Resp. Diseases	18	17	1	68.8	98.3	11.7
6	Nephritis, Nephrotic Syndrome And Nephrosis	14	5	9	53.5	28.9	105.7
6	Alzheimer's Disease	14	10	4	53.5	57.8	47.0
8	Septicemia	11	7	4	42.0	40.5	47.0
9	Influenza and Pneumonia	9	6	3	34.4	34.7	35.2
10	Diabetes Mellitus	6	3	3	22.9	17.3	35.2
11	Suicide	4	4	0	15.3	23.1	0.0
12	Homicide	3	1	2	11.5	5.8	23.5
13	Chronic Liver Disease And Cirrhosis	2	2	0	7.6	11.6	0.0
13	Pneumonitis Due to Solids and Liquids	2	1	1	7.6	5.8	11.7
13	Viral Hepatitis	2	2	0	7.6	11.6	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.8	5.8	0.0
16	Conditions Originating in the Perinatal Period**	1	0	1	3.2	0.0	8.9
16	Parkinson's Disease	1	1	0	3.8	5.8	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.8	5.8	0.0
16	HIV Disease	1	0	1	3.8	0.0	11.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	19.1	23.1	11.7
	All Other Causes	48	33	15	183.3	190.8	176.2

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	348	242	103	170	117	53	178	125	50
Under 1	5	1	4	2	1	1	3	0	3
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	3	0	3	1	0	1	2	0	2
1-4	4	4	0	2	2	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	6	1	3	2	1	4	4	0
35-44	20	15	5	12	11	1	8	4	4
45-54	28	19	9	18	12	6	10	7	3
55-64	65	45	20	42	29	13	23	16	7
65-74	61	35	25	33	21	12	28	14	13
75-84	77	56	20	34	22	12	43	34	8
85 and over	80	60	19	23	16	7	57	44	12
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	26,180
White	17,294
Black	8,515
Other	371

Selected Death Statistics, Residents of Marshall County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	431	288	143	1,180.3	1,543.3	826.9
1	Malignant Neoplasms	99	62	37	271.1	332.2	213.9
2	Heart Diseases	78	61	17	213.6	326.9	98.3
3	Diabetes Mellitus	41	21	20	112.3	112.5	115.6
4	Hypertension/Hypertensive Renal Disease	38	27	11	104.1	144.7	63.6
5	Accidents	26	20	6	71.2	107.2	34.7
6	Emphysema and Other Chronic Lower Resp. Diseases	25	22	3	68.5	117.9	17.3
7	Cerebrovascular Disease	18	9	9	49.3	48.2	52.0
8	Alzheimer's Disease	14	10	4	38.3	53.6	23.1
9	Influenza and Pneumonia	8	5	3	21.9	26.8	17.3
10	Suicide	6	3	3	16.4	16.1	17.3
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	16.4	21.4	11.6
12	Chronic Liver Disease And Cirrhosis	4	2	2	11.0	10.7	11.6
12	HIV Disease	4	1	3	11.0	5.4	17.3
14	Congenital Malformations and Chrom. Abnormalities	3	2	1	8.2	10.7	5.8
14	In Situ, Benign and Unspecified Neoplasms	3	3	0	8.2	16.1	0.0
14	Septicemia	3	1	2	8.2	5.4	11.6
17	Conditions Originating in the Perinatal Period**	2	0	2	4.4	0.0	9.1
17	Parkinson's Disease	2	2	0	5.5	10.7	0.0
17	Anemias	2	2	0	5.5	10.7	0.0
20	Homicide	1	0	1	2.7	0.0	5.8
20	Maternal Causes**	1	0	1	220.8	0.0	454.5
20	Pneumonitis Due to Solids and Liquids	1	1	0	2.7	5.4	0.0
20	Aortic Aneurysm and Dissection	1	1	0	2.7	5.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	4	4	21.9	21.4	23.1
	All Other Causes	37	25	12	101.3	134.0	69.4

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	431	288	143	228	149	79	203	139	64
Under 1	4	2	2	2	1	1	2	1	1
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	3	0	1	0	1
25-34	9	4	5	6	2	4	3	2	1
35-44	18	10	8	9	3	6	9	7	2
45-54	43	30	13	27	20	7	16	10	6
55-64	78	41	37	53	27	26	25	14	11
65-74	82	54	28	45	29	16	37	25	12
75-84	92	64	28	40	29	11	52	35	17
85 and over	98	77	21	42	34	8	56	43	13
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	36,515
White	18,661
Black	17,294
Other	560

Selected Death Statistics, Residents of Monroe County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	435	327	108	1,204.5	1,330.2	976.9
1	Heart Diseases	97	77	20	268.6	313.2	180.9
2	Malignant Neoplasms	94	69	25	260.3	280.7	226.1
3	Emphysema and Other Chronic Lower Resp. Diseases	40	32	8	110.8	130.2	72.4
4	Cerebrovascular Disease	32	20	12	88.6	81.4	108.5
5	Alzheimer's Disease	29	20	9	80.3	81.4	81.4
6	Accidents	23	21	2	63.7	85.4	18.1
7	Diabetes Mellitus	17	13	4	47.1	52.9	36.2
8	Hypertension/Hypertensive Renal Disease	7	4	3	19.4	16.3	27.1
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1	16.6	20.3	9.0
9	Chronic Liver Disease And Cirrhosis	6	4	2	16.6	16.3	18.1
9	Influenza and Pneumonia	6	5	1	16.6	20.3	9.0
9	Parkinson's Disease	6	5	1	16.6	20.3	9.0
13	Septicemia	5	3	2	13.8	12.2	18.1
14	Suicide	4	4	0	11.1	16.3	0.0
14	Aortic Aneurysm and Dissection	4	3	1	11.1	12.2	9.0
16	Pneumonitis Due to Solids and Liquids	3	2	1	8.3	8.1	9.0
16	Malnutrition/Nutritional Deficiency	3	2	1	8.3	8.1	9.0
18	Homicide	2	0	2	5.5	0.0	18.1
18	In Situ, Benign and Unspecified Neoplasms	2	1	1	5.5	4.1	9.0
20	Legal Intervention	1	0	1	2.8	0.0	9.0
20	Pneumoconioses and Chemical Effects	1	1	0	2.8	4.1	0.0
20	Meningitis	1	1	0	2.8	4.1	0.0
20	Anemias	1	1	0	2.8	4.1	0.0
20	Viral Hepatitis	1	1	0	2.8	4.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	2.8	0.0	9.0
	All Other Causes	43	33	10	119.1	134.2	90.5

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	435	327	108	227	172	55	208	155	53
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	1	1	2	1	1	0	0	0
25-34	9	5	4	6	3	3	3	2	1
35-44	15	11	4	8	6	2	7	5	2
45-54	20	14	6	13	8	5	7	6	1
55-64	53	37	16	34	24	10	19	13	6
65-74	105	83	22	66	56	10	39	27	12
75-84	107	75	32	55	38	17	52	37	15
85 and over	122	99	23	43	36	7	79	63	16
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	36,116
White	24,582
Black	11,055
Other	479



Selected Death Statistics, Residents of Montgomery County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	150	87	63	1,421.4	1,543.4	1,314.1
1	Heart Diseases	41	24	17	388.5	425.8	354.6
2	Malignant Neoplasms	22	12	10	208.5	212.9	208.6
3	Accidents	9	6	3	85.3	106.4	62.6
3	Emphysema and Other Chronic Lower Resp. Diseases	9	9	0	85.3	159.7	0.0
5	Nephritis, Nephrotic Syndrome And Nephrosis	7	3	4	66.3	53.2	83.4
6	Hypertension/Hypertensive Renal Disease	6	2	4	56.9	35.5	83.4
6	Diabetes Mellitus	6	2	4	56.9	35.5	83.4
6	Cerebrovascular Disease	6	3	3	56.9	53.2	62.6
9	Alzheimer's Disease	3	2	1	28.4	35.5	20.9
9	Conditions Originating in the Perinatal Period**	3	3	0	25.6	63.8	0.0
11	In Situ, Benign and Unspecified Neoplasms	2	1	1	19.0	17.7	20.9
11	Homicide	2	0	2	19.0	0.0	41.7
11	Suicide	2	2	0	19.0	35.5	0.0
14	Malnutrition/Nutritional Deficiency	1	1	0	9.5	17.7	0.0
14	HIV Disease	1	0	1	9.5	0.0	20.9
14	Viral Hepatitis	1	1	0	9.5	17.7	0.0
14	Septicemia	1	0	1	9.5	0.0	20.9
14	Chronic Liver Disease And Cirrhosis	1	0	1	9.5	0.0	20.9
14	Pneumonitis Due to Solids and Liquids	1	1	0	9.5	17.7	0.0
14	Influenza and Pneumonia	1	0	1	9.5	0.0	20.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	37.9	53.2	20.9
	All Other Causes	21	12	9	199.0	212.9	187.7

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	150	87	63	76	38	38	74	49	25
Under 1	2	2	0	0	0	0	2	2	0
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	1	0	2	0	2
25-34	4	3	1	2	2	0	2	1	1
35-44	3	1	2	2	0	2	1	1	0
45-54	18	11	7	9	5	4	9	6	3
55-64	21	7	14	15	6	9	6	1	5
65-74	28	16	12	20	10	10	8	6	2
75-84	35	27	8	16	10	6	19	17	2
85 and over	34	18	16	10	4	6	24	14	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	10,553
White	5,637
Black	4,794
Other	122

Selected Death Statistics, Residents of Neshoba County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	395	276	59	1,338.7	1,550.0	942.6
1	Heart Diseases	133	100	20	450.7	561.6	319.5
2	Malignant Neoplasms	69	51	12	233.8	286.4	191.7
3	Accidents	23	16	3	77.9	89.9	47.9
4	Alzheimer's Disease	18	16	1	61.0	89.9	16.0
5	Influenza and Pneumonia	14	8	4	47.4	44.9	63.9
6	Cerebrovascular Disease	12	10	0	40.7	56.2	0.0
7	Emphysema and Other Chronic Lower Resp. Diseases	11	7	4	37.3	39.3	63.9
8	Diabetes Mellitus	10	2	0	33.9	11.2	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	3	27.1	11.2	47.9
9	Septicemia	8	5	1	27.1	28.1	16.0
11	Suicide	6	4	0	20.3	22.5	0.0
11	Chronic Liver Disease And Cirrhosis	6	4	0	20.3	22.5	0.0
13	Hypertension/Hypertensive Renal Disease	5	3	1	16.9	16.8	16.0
14	Homicide	3	1	2	10.2	5.6	32.0
14	In Situ, Benign and Unspecified Neoplasms	3	3	0	10.2	16.8	0.0
16	Complications Medical/Surgical Care	1	1	0	3.4	5.6	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.4	5.6	0.0
16	Conditions Originating in the Perinatal Period**	1	0	0	2.3	0.0	0.0
16	Peptic Ulcer	1	0	1	3.4	0.0	16.0
16	Pneumonitis Due to Solids and Liquids	1	0	1	3.4	0.0	16.0
16	Aortic Aneurysm and Dissection	1	1	0	3.4	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	21	16	3	71.2	89.9	47.9
	All Other Causes	39	25	3	132.2	140.4	47.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	395	276	59	206	139	32	189	137	27
Under 1	4	1	1	3	0	1	1	1	0
(Neonatal)	1	0	0	1	0	0	0	0	0
(Postneonatal)	3	1	1	2	0	1	1	1	0
1-4	2	1	0	2	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	1	5	3	1	1	0	0
25-34	12	4	4	8	3	2	4	1	2
35-44	17	10	3	9	5	1	8	5	2
45-54	30	19	3	18	12	1	12	7	2
55-64	65	38	13	44	26	10	21	12	3
65-74	76	39	16	42	25	7	34	14	9
75-84	87	74	9	39	34	3	48	40	6
85 and over	96	87	9	36	30	6	60	57	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	29,507
White	17,807
Black	6,259
Other	5,441

Selected Death Statistics, Residents of Newton County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	307	228	72	1,415.5	1,653.6	1,095.9
1	Heart Diseases	72	52	20	332.0	377.1	304.4
2	Malignant Neoplasms	64	52	11	295.1	377.1	167.4
3	Accidents	22	14	6	101.4	101.5	91.3
4	Diabetes Mellitus	20	13	5	92.2	94.3	76.1
5	Emphysema and Other Chronic Lower Resp. Diseases	16	16	0	73.8	116.0	0.0
6	Cerebrovascular Disease	13	10	3	59.9	72.5	45.7
7	Hypertension/Hypertensive Renal Disease	12	8	4	55.3	58.0	60.9
8	Alzheimer's Disease	8	6	2	36.9	43.5	30.4
9	Influenza and Pneumonia	6	4	2	27.7	29.0	30.4
10	Pneumonitis Due to Solids and Liquids	5	4	0	23.1	29.0	0.0
10	Septicemia	5	4	1	23.1	29.0	15.2
12	Parkinson's Disease	3	3	0	13.8	21.8	0.0
13	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	9.2	0.0	30.4
13	Chronic Liver Disease And Cirrhosis	2	2	0	9.2	14.5	0.0
13	In Situ, Benign and Unspecified Neoplasms	2	2	0	9.2	14.5	0.0
16	Homicide	1	1	0	4.6	7.3	0.0
16	Suicide	1	1	0	4.6	7.3	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.6	7.3	0.0
16	Conditions Originating in the Perinatal Period**	1	1	0	3.4	6.6	0.0
16	Cholelithiasis/Gallbladder Disorder	1	1	0	4.6	7.3	0.0
16	Peptic Ulcer	1	1	0	4.6	7.3	0.0
16	Aortic Aneurysm and Dissection	1	0	1	4.6	0.0	15.2
16	Atherosclerosis	1	0	1	4.6	0.0	15.2
16	Anemias	1	1	0	4.6	7.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	9	4	4	41.5	29.0	60.9
	All Other Causes	37	27	10	170.6	195.8	152.2

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	307	228	72	160	122	36	147	106	36
Under 1	4	3	1	4	3	1	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	2	1	0	0	0	0	2	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	1	4	2	1	0	0	0
25-34	9	3	5	5	3	2	4	0	3
35-44	9	7	2	4	4	0	5	3	2
45-54	21	14	6	10	7	3	11	7	3
55-64	51	33	17	33	21	11	18	12	6
65-74	58	49	9	35	30	5	23	19	4
75-84	78	57	20	42	31	11	36	26	9
85 and over	71	59	11	23	21	2	48	38	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	21,689
White	13,788
Black	6,570
Other	1,331

Selected Death Statistics, Residents of Noxubee County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	129	37	92	1,163.3	1,235.0	1,156.7
1	Heart Diseases	38	10	28	342.7	333.8	352.0
2	Malignant Neoplasms	36	13	23	324.6	433.9	289.2
3	Cerebrovascular Disease	7	2	5	63.1	66.8	62.9
4	Accidents	6	1	5	54.1	33.4	62.9
5	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	36.1	33.4	37.7
5	Diabetes Mellitus	4	0	4	36.1	0.0	50.3
7	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2	27.1	33.4	25.1
7	Alzheimer's Disease	3	0	3	27.1	0.0	37.7
9	Homicide	2	0	2	18.0	0.0	25.1
9	Conditions Originating in the Perinatal Period**	2	0	2	12.2	0.0	15.2
9	Chronic Liver Disease And Cirrhosis	2	2	0	18.0	66.8	0.0
9	Influenza and Pneumonia	2	1	1	18.0	33.4	12.6
9	Septicemia	2	1	1	18.0	33.4	12.6
14	Congenital Malformations and Chrom. Abnormalities	1	0	1	9.0	0.0	12.6
14	Pneumonitis Due to Solids and Liquids	1	1	0	9.0	33.4	0.0
14	HIV Disease	1	1	0	9.0	33.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	27.1	33.4	25.1
	All Other Causes	12	2	10	108.2	66.8	125.7

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	129	37	92	60	20	40	69	17	52
Under 1	3	0	3	3	0	3	0	0	0
(Neonatal)	3	0	3	3	0	3	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	2	0	2	1	0	1	1	0	1
45-54	12	4	8	4	2	2	8	2	6
55-64	22	5	17	14	3	11	8	2	6
65-74	24	4	20	16	2	14	8	2	6
75-84	30	9	21	11	6	5	19	3	16
85 and over	31	14	17	8	6	2	23	8	15
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	11,089
White	2,996
Black	7,954
Other	139

Selected Death Statistics, Residents of Oktibbeha County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	289	151	137	589.3	525.1	758.0
1	Heart Diseases	62	26	36	126.4	90.4	199.2
2	Malignant Neoplasms	58	29	28	118.3	100.8	154.9
3	Diabetes Mellitus	26	9	17	53.0	31.3	94.1
4	Cerebrovascular Disease	16	8	8	32.6	27.8	44.3
5	Accidents	15	12	3	30.6	41.7	16.6
6	Alzheimer's Disease	14	11	3	28.5	38.2	16.6
7	Nephritis, Nephrotic Syndrome And Nephrosis	13	6	7	26.5	20.9	38.7
8	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1	20.4	31.3	5.5
9	Influenza and Pneumonia	9	7	2	18.4	24.3	11.1
10	Suicide	4	4	0	8.2	13.9	0.0
11	Conditions Originating in the Perinatal Period**	3	0	3	5.3	0.0	11.4
11	Hypertension/Hypertensive Renal Disease	3	1	2	6.1	3.5	11.1
11	Parkinson's Disease	3	3	0	6.1	10.4	0.0
11	Viral Hepatitis	3	3	0	6.1	10.4	0.0
11	Septicemia	3	1	2	6.1	3.5	11.1
16	Homicide	2	0	2	4.1	0.0	11.1
17	Cholelithiasis/Gallbladder Disorder	1	0	1	2.0	0.0	5.5
17	HIV Disease	1	0	1	2.0	0.0	5.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	2.0	0.0	5.5
	All Other Causes	42	22	20	85.6	76.5	110.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	289	151	137	154	86	68	135	65	69
Under 1	5	0	5	2	0	2	3	0	3
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	6	3	3	1	0	1
25-34	7	3	4	4	3	1	3	0	3
35-44	8	4	4	5	2	3	3	2	1
45-54	20	7	13	14	5	9	6	2	4
55-64	34	12	21	18	7	11	16	5	10
65-74	69	38	31	47	26	21	22	12	10
75-84	67	41	26	30	21	9	37	20	17
85 and over	72	43	29	28	19	9	44	24	20
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	49,043
White	28,759
Black	18,074
Other	2,210

Selected Death Statistics, Residents of Panola County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	374	223	150	1,087.1	1,328.3	878.3
1	Heart Diseases	130	75	55	377.9	446.7	322.0
2	Malignant Neoplasms	87	51	36	252.9	303.8	210.8
3	Accidents	27	20	7	78.5	119.1	41.0
4	Cerebrovascular Disease	11	9	2	32.0	53.6	11.7
5	Emphysema and Other Chronic Lower Resp. Diseases	10	7	3	29.1	41.7	17.6
5	Influenza and Pneumonia	10	5	5	29.1	29.8	29.3
7	Nephritis, Nephrotic Syndrome And Nephrosis	8	0	8	23.3	0.0	46.8
8	Chronic Liver Disease And Cirrhosis	7	5	2	20.3	29.8	11.7
8	Hypertension/Hypertensive Renal Disease	7	4	3	20.3	23.8	17.6
8	Alzheimer's Disease	7	7	0	20.3	41.7	0.0
11	Homicide	6	1	5	17.4	6.0	29.3
12	Suicide	5	3	1	14.5	17.9	5.9
12	Diabetes Mellitus	5	1	4	14.5	6.0	23.4
12	Septicemia	5	3	2	14.5	17.9	11.7
15	Congenital Malformations and Chrom. Abnormalities	3	2	1	8.7	11.9	5.9
16	Conditions Originating in the Perinatal Period**	2	0	2	3.9	0.0	6.5
16	Pneumonitis Due to Solids and Liquids	2	1	1	5.8	6.0	5.9
16	Anemias	2	2	0	5.8	11.9	0.0
16	In Situ, Benign and Unspecified Neoplasms	2	2	0	5.8	11.9	0.0
20	Cholelithiasis/Gallbladder Disorder	1	0	1	2.9	0.0	5.9
20	Parkinson's Disease	1	1	0	2.9	6.0	0.0
20	HIV Disease	1	1	0	2.9	6.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	0	3	8.7	0.0	17.6
	All Other Causes	32	23	9	93.0	137.0	52.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	374	223	150	208	125	82	166	98	68
Under 1	5	2	3	3	2	1	2	0	2
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	1	3	1	1	0
25-34	15	3	12	7	2	5	8	1	7
35-44	13	4	8	11	4	6	2	0	2
45-54	46	24	22	30	17	13	16	7	9
55-64	68	45	23	44	30	14	24	15	9
65-74	82	51	31	48	28	20	34	23	11
75-84	76	51	25	37	23	14	39	28	11
85 and over	62	41	21	24	18	6	38	23	15
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	34,402
White	16,788
Black	17,079
Other	535

Selected Death Statistics, Residents of Pearl River County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	626	558	64	1,136.7	1,198.9	919.9
1	Heart Diseases	147	129	16	266.9	277.2	230.0
2	Malignant Neoplasms	134	122	12	243.3	262.1	172.5
3	Emphysema and Other Chronic Lower Resp. Diseases	47	41	6	85.3	88.1	86.2
4	Accidents	46	44	2	83.5	94.5	28.7
5	Cerebrovascular Disease	27	26	1	49.0	55.9	14.4
6	Influenza and Pneumonia	26	21	5	47.2	45.1	71.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	21	19	2	38.1	40.8	28.7
8	Diabetes Mellitus	16	16	0	29.1	34.4	0.0
9	Alzheimer's Disease	11	9	2	20.0	19.3	28.7
10	Septicemia	10	9	1	18.2	19.3	14.4
11	Suicide	9	9	0	16.3	19.3	0.0
12	Chronic Liver Disease And Cirrhosis	8	6	1	14.5	12.9	14.4
13	Congenital Malformations and Chrom. Abnormalities	5	4	1	9.1	8.6	14.4
14	Pneumonitis Due to Solids and Liquids	4	2	2	7.3	4.3	28.7
14	Hypertension/Hypertensive Renal Disease	4	4	0	7.3	8.6	0.0
14	Parkinson's Disease	4	4	0	7.3	8.6	0.0
17	Cholelithiasis/Gallbladder Disorder	3	3	0	5.4	6.4	0.0
18	Homicide	2	1	1	3.6	2.1	14.4
18	Aortic Aneurysm and Dissection	2	1	1	3.6	2.1	14.4
18	Malnutrition/Nutritional Deficiency	2	2	0	3.6	4.3	0.0
21	Hernia	1	1	0	1.8	2.1	0.0
21	Peptic Ulcer	1	1	0	1.8	2.1	0.0
21	Anemias	1	1	0	1.8	2.1	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.8	2.1	0.0
21	Viral Hepatitis	1	1	0	1.8	2.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	17	16	1	30.9	34.4	14.4
	All Other Causes	76	65	10	138.0	139.7	143.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.

Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	626	558	64	316	280	33	310	278	31
Under 1	8	5	3	2	1	1	6	4	2
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	6	3	3	1	0	1	5	3	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	8	7	1	4	4	0	4	3	1
25-34	16	14	2	9	8	1	7	6	1
35-44	18	16	2	14	12	2	4	4	0
45-54	60	54	6	39	36	3	21	18	3
55-64	80	66	11	49	40	7	31	26	4
65-74	132	121	11	65	59	6	67	62	5
75-84	161	145	16	79	73	6	82	72	10
85 and over	141	129	11	53	46	6	88	83	5
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	55,072
White	46,544
Black	6,957
Other	1,571

Selected Death Statistics, Residents of Perry County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	153	122	31	1,261.2	1,281.4	1,290.6
1	Heart Diseases	36	28	8	296.8	294.1	333.1
2	Malignant Neoplasms	30	27	3	247.3	283.6	124.9
3	Emphysema and Other Chronic Lower Resp. Diseases	16	16	0	131.9	168.0	0.0
4	Accidents	8	7	1	65.9	73.5	41.6
5	Alzheimer's Disease	6	5	1	49.5	52.5	41.6
5	Diabetes Mellitus	6	2	4	49.5	21.0	166.5
7	Influenza and Pneumonia	5	3	2	41.2	31.5	83.3
8	Septicemia	4	3	1	33.0	31.5	41.6
9	Conditions Originating in the Perinatal Period**	3	0	3	20.4	0.0	76.9
9	Cerebrovascular Disease	3	3	0	24.7	31.5	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	16.5	10.5	41.6
12	Suicide	1	1	0	8.2	10.5	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	0	1	8.2	0.0	41.6
12	Cholelithiasis/Gallbladder Disorder	1	1	0	8.2	10.5	0.0
12	Chronic Liver Disease And Cirrhosis	1	1	0	8.2	10.5	0.0
12	Acute Bronchitis and Bronchiolitis	1	0	1	8.2	0.0	41.6
12	Aortic Aneurysm and Dissection	1	1	0	8.2	10.5	0.0
12	Anemias	1	1	0	8.2	10.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	16.5	0.0	83.3
	All Other Causes	25	22	3	206.1	231.1	124.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	153	122	31	73	53	20	80	69	11
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	4	0	4	3	0	3	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	5	4	1	5	4	1	0	0	0
45-54	11	10	1	7	7	0	4	3	1
55-64	24	20	4	15	11	4	9	9	0
65-74	35	26	9	14	8	6	21	18	3
75-84	37	34	3	17	16	1	20	18	2
85 and over	34	26	8	10	6	4	24	20	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	12,131
White	9,521
Black	2,402
Other	208



Selected Death Statistics, Residents of Pike County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	473	269	204	1,182.1	1,467.2	972.9
1	Malignant Neoplasms	102	53	49	254.9	289.1	233.7
2	Heart Diseases	81	49	32	202.4	267.3	152.6
3	Diabetes Mellitus	38	16	22	95.0	87.3	104.9
4	Hypertension/Hypertensive Renal Disease	37	28	9	92.5	152.7	42.9
5	Emphysema and Other Chronic Lower Resp. Diseases	26	18	8	65.0	98.2	38.2
5	Cerebrovascular Disease	26	11	15	65.0	60.0	71.5
7	Accidents	15	12	3	37.5	65.5	14.3
8	Nephritis, Nephrotic Syndrome And Nephrosis	10	4	6	25.0	21.8	28.6
9	Septicemia	9	4	5	22.5	21.8	23.8
10	Homicide	8	1	7	20.0	5.5	33.4
11	Influenza and Pneumonia	6	5	1	15.0	27.3	4.8
11	Viral Hepatitis	6	5	1	15.0	27.3	4.8
13	Parkinson's Disease	5	3	2	12.5	16.4	9.5
14	Suicide	4	4	0	10.0	21.8	0.0
14	Congenital Malformations and Chrom. Abnormalities	4	1	3	10.0	5.5	14.3
16	Chronic Liver Disease And Cirrhosis	3	2	1	7.5	10.9	4.8
16	Alzheimer's Disease	3	2	1	7.5	10.9	4.8
16	Anemias	3	0	3	7.5	0.0	14.3
19	Pneumonitis Due to Solids and Liquids	2	1	1	5.0	5.5	4.8
19	Aortic Aneurysm and Dissection	2	1	1	5.0	5.5	4.8
21	Conditions Originating in the Perinatal Period**	1	0	1	1.9	0.0	2.9
21	Hernia	1	0	1	2.5	0.0	4.8
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.5	5.5	0.0
21	HIV Disease	1	0	1	2.5	0.0	4.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	5	1	15.0	27.3	4.8
	All Other Causes	73	43	30	182.4	234.5	143.1

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	473	269	204	234	129	105	239	140	99
Under 1	4	2	2	2	2	0	2	0	2
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	11	5	6	6	4	2	5	1	4
35-44	8	3	5	3	2	1	5	1	4
45-54	40	18	22	26	12	14	14	6	8
55-64	84	37	47	39	16	23	45	21	24
65-74	99	50	49	63	35	28	36	15	21
75-84	104	67	37	57	35	22	47	32	15
85 and over	117	84	33	35	22	13	82	62	20
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	40,014
White	18,334
Black	20,969
Other	711

Selected Death Statistics, Residents of Pontotoc County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	317	292	22	1,026.0	1,144.2	467.5
1	Malignant Neoplasms	79	77	1	255.7	301.7	21.2
2	Heart Diseases	74	62	11	239.5	243.0	233.7
3	Emphysema and Other Chronic Lower Resp. Diseases	25	24	1	80.9	94.0	21.2
4	Cerebrovascular Disease	18	16	2	58.3	62.7	42.5
5	Accidents	15	15	0	48.5	58.8	0.0
6	Influenza and Pneumonia	13	13	0	42.1	50.9	0.0
7	Alzheimer's Disease	11	11	0	35.6	43.1	0.0
8	Diabetes Mellitus	8	7	1	25.9	27.4	21.2
9	Suicide	6	6	0	19.4	23.5	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1	19.4	19.6	21.2
11	Septicemia	5	5	0	16.2	19.6	0.0
12	Parkinson's Disease	4	4	0	12.9	15.7	0.0
13	Chronic Liver Disease And Cirrhosis	3	3	0	9.7	11.8	0.0
14	Pneumonitis Due to Solids and Liquids	2	2	0	6.5	7.8	0.0
14	Aortic Aneurysm and Dissection	2	2	0	6.5	7.8	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	0	0	3.2	0.0	0.0
16	Conditions Originating in the Perinatal Period**	1	1	0	2.4	2.8	0.0
16	Acute Bronchitis and Bronchiolitis	1	1	0	3.2	3.9	0.0
16	Hypertension/Hypertensive Renal Disease	1	1	0	3.2	3.9	0.0
16	Anemias	1	1	0	3.2	3.9	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.2	3.9	0.0
16	Viral Hepatitis	1	0	1	3.2	0.0	21.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	12.9	15.7	0.0
	All Other Causes	35	31	4	113.3	121.5	85.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	317	292	22	154	143	10	163	149	12
Under 1	2	1	0	2	1	0	0	0	0
(Neonatal)	2	1	0	2	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	3	3	0	1	1	0	2	2	0
35-44	8	7	1	6	5	1	2	2	0
45-54	29	25	3	18	17	1	11	8	2
55-64	38	36	2	25	24	1	13	12	1
65-74	71	65	6	36	33	3	35	32	3
75-84	76	67	8	37	33	4	39	34	4
85 and over	87	85	2	27	27	0	60	58	2
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	30,897
White	25,519
Black	4,706
Other	672

Selected Death Statistics, Residents of Prentiss County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	298	273	25	1,173.8	1,276.3	701.3
1	Malignant Neoplasms	69	65	4	271.8	303.9	112.2
2	Heart Diseases	63	59	4	248.1	275.8	112.2
3	Emphysema and Other Chronic Lower Resp. Diseases	32	30	2	126.0	140.3	56.1
4	Accidents	21	20	1	82.7	93.5	28.1
5	Cerebrovascular Disease	14	9	5	55.1	42.1	140.3
6	Alzheimer's Disease	13	12	1	51.2	56.1	28.1
7	Influenza and Pneumonia	11	9	2	43.3	42.1	56.1
8	Diabetes Mellitus	9	8	1	35.4	37.4	28.1
8	Septicemia	9	8	1	35.4	37.4	28.1
10	Nephritis, Nephrotic Syndrome And Nephrosis	7	6	1	27.6	28.1	28.1
11	Suicide	5	5	0	19.7	23.4	0.0
12	Hypertension/Hypertensive Renal Disease	3	3	0	11.8	14.0	0.0
13	Chronic Liver Disease And Cirrhosis	2	2	0	7.9	9.4	0.0
13	Parkinson's Disease	2	2	0	7.9	9.4	0.0
15	Homicide	1	1	0	3.9	4.7	0.0
15	Conditions Originating in the Perinatal Period**	1	1	0	3.0	3.5	0.0
15	Pneumonitis Due to Solids and Liquids	1	1	0	3.9	4.7	0.0
15	Anemias	1	1	0	3.9	4.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	3.9	4.7	0.0
	All Other Causes	33	30	3	130.0	140.3	84.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	298	273	25	156	144	12	142	129	13
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	4	4	0	3	3	0	1	1	0
25-34	5	5	0	1	1	0	4	4	0
35-44	11	11	0	6	6	0	5	5	0
45-54	19	16	3	12	11	1	7	5	2
55-64	37	31	6	24	20	4	13	11	2
65-74	65	62	3	41	40	1	24	22	2
75-84	70	63	7	43	38	5	27	25	2
85 and over	84	79	5	25	24	1	59	55	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	25,388
White	21,390
Black	3,565
Other	433

Selected Death Statistics, Residents of Quitman County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	99	40	58	1,268.7	1,784.1	1,070.1
1	Heart Diseases	27	7	19	346.0	312.2	350.6
2	Malignant Neoplasms	23	14	9	294.8	624.4	166.1
3	Accidents	7	3	4	89.7	133.8	73.8
4	Alzheimer's Disease	5	3	2	64.1	133.8	36.9
5	Emphysema and Other Chronic Lower Resp. Diseases	4	2	2	51.3	89.2	36.9
6	Septicemia	3	1	2	38.4	44.6	36.9
7	Homicide	2	1	1	25.6	44.6	18.5
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	25.6	0.0	36.9
7	Influenza and Pneumonia	2	0	2	25.6	0.0	36.9
7	Aortic Aneurysm and Dissection	2	0	2	25.6	0.0	36.9
7	Cerebrovascular Disease	2	0	2	25.6	0.0	36.9
7	Diabetes Mellitus	2	1	1	25.6	44.6	18.5
13	Complications Medical/Surgical Care	1	0	1	12.8	0.0	18.5
13	Suicide	1	1	0	12.8	44.6	0.0
13	Chronic Liver Disease And Cirrhosis	1	0	1	12.8	0.0	18.5
13	Hypertension/Hypertensive Renal Disease	1	1	0	12.8	44.6	0.0
13	HIV Disease	1	0	1	12.8	0.0	18.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	12.8	44.6	0.0
	All Other Causes	12	5	7	153.8	223.0	129.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	99	40	58	54	23	31	45	17	27
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	4	1	3	4	1	3	0	0	0
45-54	4	0	4	3	0	3	1	0	1
55-64	18	6	12	15	5	10	3	1	2
65-74	24	9	15	14	6	8	10	3	7
75-84	19	10	9	9	5	4	10	5	5
85 and over	28	13	14	7	5	2	21	8	12
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	7,803
White	2,242
Black	5,420
Other	141

Selected Death Statistics, Residents of Rankin County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,018	832	177	693.6	730.1	607.9
1	Heart Diseases	260	203	54	177.2	178.1	185.4
2	Malignant Neoplasms	214	178	35	145.8	156.2	120.2
3	Emphysema and Other Chronic Lower Resp. Diseases	70	66	3	47.7	57.9	10.3
4	Accidents	53	47	6	36.1	41.2	20.6
5	Cerebrovascular Disease	41	33	8	27.9	29.0	27.5
6	Diabetes Mellitus	31	20	10	21.1	17.6	34.3
7	Suicide	24	23	1	16.4	20.2	3.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	23	20	3	15.7	17.6	10.3
8	Influenza and Pneumonia	23	19	4	15.7	16.7	13.7
10	Septicemia	22	18	4	15.0	15.8	13.7
11	Alzheimer's Disease	15	13	2	10.2	11.4	6.9
12	Pneumonitis Due to Solids and Liquids	11	9	2	7.5	7.9	6.9
13	Hypertension/Hypertensive Renal Disease	10	6	4	6.8	5.3	13.7
14	Homicide	8	4	4	5.5	3.5	13.7
15	Chronic Liver Disease And Cirrhosis	6	6	0	4.1	5.3	0.0
15	Parkinson's Disease	6	6	0	4.1	5.3	0.0
17	Complications Medical/Surgical Care	4	4	0	2.7	3.5	0.0
17	Congenital Malformations and Chrom. Abnormalities	4	4	0	2.7	3.5	0.0
17	Aortic Aneurysm and Dissection	4	4	0	2.7	3.5	0.0
17	In Situ, Benign and Unspecified Neoplasms	4	3	1	2.7	2.6	3.4
17	Viral Hepatitis	4	4	0	2.7	3.5	0.0
22	Diseases of Appendix	3	2	0	2.0	1.8	0.0
22	HIV Disease	3	0	3	2.0	0.0	10.3
24	Conditions Originating in the Perinatal Period**	2	2	0	1.0	1.3	0.0
24	Anemias	2	1	1	1.4	0.9	3.4
26	Hernia	1	1	0	0.7	0.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	19	17	2	12.9	14.9	6.9
	All Other Causes	151	119	30	102.9	104.4	103.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,018	832	177	504	415	84	514	417	93
Under 1	7	5	1	2	1	0	5	4	1
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	5	3	1	2	1	0	3	2	1
1-4	6	4	2	3	3	0	3	1	2
5-9	1	0	1	1	0	1	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	13	9	4	10	6	4	3	3	0
25-34	18	11	7	13	10	3	5	1	4
35-44	51	39	10	40	31	7	11	8	3
45-54	92	78	14	52	42	10	40	36	4
55-64	146	126	19	78	67	11	68	59	8
65-74	218	180	37	125	105	20	93	75	17
75-84	247	197	47	110	88	20	137	109	27
85 and over	217	181	35	68	60	8	149	121	27
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	146,767
White	113,959
Black	29,119
Other	3,689

Selected Death Statistics, Residents of Scott County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	275	174	100	972.7	1,041.2	928.8
1	Heart Diseases	71	48	23	251.1	287.2	213.6
2	Malignant Neoplasms	65	37	28	229.9	221.4	260.1
3	Emphysema and Other Chronic Lower Resp. Diseases	14	12	2	49.5	71.8	18.6
3	Cerebrovascular Disease	14	9	5	49.5	53.9	46.4
5	Accidents	13	8	4	46.0	47.9	37.2
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	5	2	24.8	29.9	18.6
6	Diabetes Mellitus	7	3	4	24.8	18.0	37.2
8	Homicide	5	0	5	17.7	0.0	46.4
8	Congenital Malformations and Chrom. Abnormalities	5	4	1	17.7	23.9	9.3
8	Alzheimer's Disease	5	5	0	17.7	29.9	0.0
11	Chronic Liver Disease And Cirrhosis	4	2	2	14.1	12.0	18.6
11	Influenza and Pneumonia	4	4	0	14.1	23.9	0.0
11	HIV Disease	4	2	2	14.1	12.0	18.6
14	Septicemia	3	2	1	10.6	12.0	9.3
15	Suicide	2	1	1	7.1	6.0	9.3
15	Conditions Originating in the Perinatal Period**	2	0	2	4.8	0.0	13.1
17	Complications Medical/Surgical Care	1	1	0	3.5	6.0	0.0
17	Pneumonitis Due to Solids and Liquids	1	0	1	3.5	0.0	9.3
17	Hypertension/Hypertensive Renal Disease	1	0	1	3.5	0.0	9.3
17	Malnutrition/Nutritional Deficiency	1	1	0	3.5	6.0	0.0
17	Anemias	1	0	1	3.5	0.0	9.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	17.7	18.0	18.6
	All Other Causes	40	27	13	141.5	161.6	120.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	275	174	100	140	79	60	135	95	40
Under 1	7	4	3	4	2	2	3	2	1
(Neonatal)	3	1	2	1	0	1	2	1	1
(Postneonatal)	4	3	1	3	2	1	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	2	5	2	2	1	1	0
25-34	6	1	5	4	1	3	2	0	2
35-44	16	6	10	6	2	4	10	4	6
45-54	25	20	5	12	9	3	13	11	2
55-64	49	25	24	33	14	19	16	11	5
65-74	45	23	22	23	13	10	22	10	12
75-84	61	49	12	29	21	8	32	28	4
85 and over	58	43	15	23	15	8	35	28	7
Unknown	1	0	1	1	0	1	0	0	0

2013 Population	
Total	28,273
White	16,711
Black	10,767
Other	795

Selected Death Statistics, Residents of Sharkey County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	79	35	43	1,678.0	2,625.7	1,294.0
1	Heart Diseases	23	9	13	488.5	675.2	391.2
2	Malignant Neoplasms	17	7	10	361.1	525.1	300.9
3	Cerebrovascular Disease	4	2	2	85.0	150.0	60.2
3	Alzheimer's Disease	4	4	0	85.0	300.1	0.0
5	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	63.7	150.0	30.1
5	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0	63.7	225.1	0.0
7	Acute Bronchitis and Bronchiolitis	2	2	0	42.5	150.0	0.0
7	Influenza and Pneumonia	2	2	0	42.5	150.0	0.0
7	Diabetes Mellitus	2	0	2	42.5	0.0	60.2
7	Septicemia	2	0	2	42.5	0.0	60.2
11	Homicide	1	0	1	21.2	0.0	30.1
11	Accidents	1	0	1	21.2	0.0	30.1
11	Chronic Liver Disease And Cirrhosis	1	1	0	21.2	75.0	0.0
11	Hypertension/Hypertensive Renal Disease	1	0	1	21.2	0.0	30.1
11	In Situ, Benign and Unspecified Neoplasms	1	0	1	21.2	0.0	30.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	42.5	75.0	30.1
	All Other Causes	10	2	8	212.4	150.0	240.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.

Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	79	35	43	38	14	23	41	21	20
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	2	0	2	2	0	2
25-34	0	0	0	0	0	0	0	0	0
35-44	3	0	3	1	0	1	2	0	2
45-54	5	1	4	4	1	3	1	0	1
55-64	13	5	8	8	3	5	5	2	3
65-74	17	10	7	8	3	5	9	7	2
75-84	24	12	11	12	5	6	12	7	5
85 and over	12	7	5	2	2	0	10	5	5
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	4,708
White	1,333
Black	3,323
Other	52

Selected Death Statistics, Residents of Simpson County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	306	235	70	1,112.7	1,362.6	715.5
1	Heart Diseases	76	53	23	276.4	307.3	235.1
2	Malignant Neoplasms	63	46	17	229.1	266.7	173.8
3	Accidents	16	11	5	58.2	63.8	51.1
3	Cerebrovascular Disease	16	13	3	58.2	75.4	30.7
5	Emphysema and Other Chronic Lower Resp. Diseases	13	12	1	47.3	69.6	10.2
5	Influenza and Pneumonia	13	11	2	47.3	63.8	20.4
7	Septicemia	9	8	1	32.7	46.4	10.2
8	Suicide	6	4	1	21.8	23.2	10.2
8	Diabetes Mellitus	6	6	0	21.8	34.8	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	18.2	23.2	10.2
11	Pneumonitis Due to Solids and Liquids	4	2	2	14.5	11.6	20.4
12	Complications Medical/Surgical Care	3	2	1	10.9	11.6	10.2
12	Homicide	3	2	1	10.9	11.6	10.2
12	Hypertension/Hypertensive Renal Disease	3	3	0	10.9	17.4	0.0
15	Hernia	2	2	0	7.3	11.6	0.0
15	Alzheimer's Disease	2	1	1	7.3	5.8	10.2
17	Chronic Liver Disease And Cirrhosis	1	1	0	3.6	5.8	0.0
17	Anemias	1	0	1	3.6	0.0	10.2
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.6	5.8	0.0
17	Viral Hepatitis	1	1	0	3.6	5.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	23	20	3	83.6	116.0	30.7
	All Other Causes	39	32	7	141.8	185.5	71.5

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	306	235	70	151	115	35	155	120	35
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	3	0	2	1	1
25-34	8	5	2	7	4	2	1	1	0
35-44	4	2	2	3	1	2	1	1	0
45-54	26	16	10	15	8	7	11	8	3
55-64	55	40	15	30	24	6	25	16	9
65-74	53	39	14	28	21	7	25	18	7
75-84	75	67	8	38	34	4	37	33	4
85 and over	79	61	18	26	19	7	53	42	11
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	27,500
White	17,247
Black	9,784
Other	469



Selected Death Statistics, Residents of Smith County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	169	138	31	1,041.6	1,124.9	813.9
1	Heart Diseases	47	39	8	289.7	317.9	210.0
2	Malignant Neoplasms	35	26	9	215.7	211.9	236.3
3	Alzheimer's Disease	11	9	2	67.8	73.4	52.5
4	Cerebrovascular Disease	9	6	3	55.5	48.9	78.8
5	Emphysema and Other Chronic Lower Resp. Diseases	8	7	1	49.3	57.1	26.3
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	7	0	43.1	57.1	0.0
7	Accidents	5	4	1	30.8	32.6	26.3
8	Suicide	3	3	0	18.5	24.5	0.0
8	Influenza and Pneumonia	3	3	0	18.5	24.5	0.0
10	Parkinson's Disease	2	2	0	12.3	16.3	0.0
10	Septicemia	2	1	1	12.3	8.2	26.3
12	Homicide	1	1	0	6.2	8.2	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	1	0	6.2	8.2	0.0
12	Chronic Liver Disease And Cirrhosis	1	1	0	6.2	8.2	0.0
12	Pneumonitis Due to Solids and Liquids	1	1	0	6.2	8.2	0.0
12	Diabetes Mellitus	1	1	0	6.2	8.2	0.0
12	Anemias	1	1	0	6.2	8.2	0.0
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.2	8.2	0.0
12	Viral Hepatitis	1	1	0	6.2	8.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	18.5	16.3	26.3
	All Other Causes	26	21	5	160.2	171.2	131.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	169	138	31	94	77	17	75	61	14
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	3	1	2	1	0	1	2	1	1
45-54	7	6	1	5	4	1	2	2	0
55-64	33	27	6	18	14	4	15	13	2
65-74	44	37	7	26	22	4	18	15	3
75-84	51	42	9	29	24	5	22	18	4
85 and over	26	20	6	10	8	2	16	12	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	16,225
White	12,268
Black	3,809
Other	148

Selected Death Statistics, Residents of Stone County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	172	151	20	954.7	1,070.0	564.2
1	Heart Diseases	44	37	6	244.2	262.2	169.3
2	Malignant Neoplasms	31	26	5	172.1	184.2	141.0
3	Accidents	11	10	1	61.1	70.9	28.2
4	Cerebrovascular Disease	10	9	1	55.5	63.8	28.2
5	Emphysema and Other Chronic Lower Resp. Diseases	9	9	0	50.0	63.8	0.0
6	Alzheimer's Disease	8	8	0	44.4	56.7	0.0
7	Influenza and Pneumonia	6	5	1	33.3	35.4	28.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	4	4	0	22.2	28.3	0.0
9	Suicide	2	2	0	11.1	14.2	0.0
9	Conditions Originating in the Perinatal Period**	2	2	0	9.4	11.0	0.0
9	Chronic Liver Disease And Cirrhosis	2	1	1	11.1	7.1	28.2
9	Hypertension/Hypertensive Renal Disease	2	2	0	11.1	14.2	0.0
9	Diabetes Mellitus	2	1	1	11.1	7.1	28.2
9	In Situ, Benign and Unspecified Neoplasms	2	2	0	11.1	14.2	0.0
9	Septicemia	2	1	1	11.1	7.1	28.2
16	Homicide	1	0	1	5.6	0.0	28.2
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	5.6	7.1	0.0
16	Peptic Ulcer	1	1	0	5.6	7.1	0.0
16	Meningitis	1	1	0	5.6	7.1	0.0
16	Anemias	1	1	0	5.6	7.1	0.0
16	Viral Hepatitis	1	1	0	5.6	7.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	11.1	14.2	0.0
	All Other Causes	27	25	2	149.9	177.2	56.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	172	151	20	91	82	8	81	69	12
Under 1	4	4	0	2	2	0	2	2	0
(Neonatal)	4	4	0	2	2	0	2	2	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	8	6	2	4	3	1	4	3	1
45-54	17	13	4	8	7	1	9	6	3
55-64	29	23	6	15	14	1	14	9	5
65-74	38	35	3	25	23	2	13	12	1
75-84	40	39	0	23	22	0	17	17	0
85 and over	31	27	4	10	8	2	21	19	2
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	18,016
White	14,112
Black	3,545
Other	359

Selected Death Statistics, Residents of Sunflower County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	308	124	182	1,100.1	1,703.3	893.2
1	Heart Diseases	80	38	42	285.7	522.0	206.1
2	Malignant Neoplasms	67	28	38	239.3	384.6	186.5
3	Diabetes Mellitus	35	8	27	125.0	109.9	132.5
4	Emphysema and Other Chronic Lower Resp. Diseases	17	12	4	60.7	164.8	19.6
5	Influenza and Pneumonia	12	7	5	42.9	96.2	24.5
6	Nephritis, Nephrotic Syndrome And Nephrosis	10	1	9	35.7	13.7	44.2
6	Cerebrovascular Disease	10	5	5	35.7	68.7	24.5
8	Accidents	9	3	6	32.1	41.2	29.4
9	Septicemia	8	1	7	28.6	13.7	34.4
10	Hypertension/Hypertensive Renal Disease	5	2	3	17.9	27.5	14.7
10	Alzheimer's Disease	5	4	1	17.9	54.9	4.9
12	Homicide	4	0	4	14.3	0.0	19.6
12	Conditions Originating in the Perinatal Period**	4	0	4	12.0	0.0	14.4
12	Pneumonitis Due to Solids and Liquids	4	1	3	14.3	13.7	14.7
15	Chronic Liver Disease And Cirrhosis	2	1	1	7.1	13.7	4.9
15	Aortic Aneurysm and Dissection	2	1	1	7.1	13.7	4.9
15	Anemias	2	0	2	7.1	0.0	9.8
15	HIV Disease	2	0	2	7.1	0.0	9.8
19	Suicide	1	0	1	3.6	0.0	4.9
19	Maternal Causes**	1	0	1	299.4	0.0	359.7
19	Acute Bronchitis and Bronchiolitis	1	0	1	3.6	0.0	4.9
19	Malnutrition/Nutritional Deficiency	1	0	1	3.6	0.0	4.9
19	Viral Hepatitis	1	1	0	3.6	13.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	3.6	0.0	4.9
	All Other Causes	24	11	13	85.7	151.1	63.8

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	308	124	182	173	71	101	135	53	81
Under 1	7	1	6	4	0	4	3	1	2
(Neonatal)	4	0	4	2	0	2	2	0	2
(Postneonatal)	3	1	2	2	0	2	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	6	0	6	4	0	4	2	0	2
35-44	12	2	9	8	2	5	4	0	4
45-54	26	9	17	15	5	10	11	4	7
55-64	67	25	42	43	19	24	24	6	18
65-74	74	26	48	47	16	31	27	10	17
75-84	66	34	31	36	20	16	30	14	15
85 and over	45	26	19	11	8	3	34	18	16
Unknown	1	1	0	1	1	0	0	0	0

2013 Population

Total	27,997
White	7,280
Black	20,376
Other	341

Selected Death Statistics, Residents of Tallahatchie County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	162	82	80	1,074.2	1,318.1	938.5
1	Malignant Neoplasms	45	21	24	298.4	337.6	281.6
2	Heart Diseases	27	11	16	179.0	176.8	187.7
3	Accidents	16	7	9	106.1	112.5	105.6
4	Cerebrovascular Disease	12	7	5	79.6	112.5	58.7
5	Emphysema and Other Chronic Lower Resp. Diseases	9	6	3	59.7	96.4	35.2
5	Hypertension/Hypertensive Renal Disease	9	6	3	59.7	96.4	35.2
5	Diabetes Mellitus	9	4	5	59.7	64.3	58.7
8	Conditions Originating in the Perinatal Period**	4	0	4	25.6	0.0	33.6
8	Influenza and Pneumonia	4	2	2	26.5	32.1	23.5
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	19.9	32.1	11.7
10	Septicemia	3	1	2	19.9	16.1	23.5
12	Suicide	2	2	0	13.3	32.1	0.0
12	Pneumonitis Due to Solids and Liquids	2	2	0	13.3	32.1	0.0
14	Homicide	1	1	0	6.6	16.1	0.0
14	Congenital Malformations and Chrom. Abnormalities	1	0	1	6.6	0.0	11.7
14	Chronic Liver Disease And Cirrhosis	1	1	0	6.6	16.1	0.0
14	Alzheimer's Disease	1	1	0	6.6	16.1	0.0
14	Parkinson's Disease	1	1	0	6.6	16.1	0.0
14	Meningitis	1	0	1	6.6	0.0	11.7
14	Anemias	1	0	1	6.6	0.0	11.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	10	7	3	66.3	112.5	35.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	162	82	80	76	38	38	86	44	42
Under 1	7	2	5	6	2	4	1	0	1
(Neonatal)	5	0	5	4	0	4	1	0	1
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	1	0	1	2	2	0
25-34	5	1	4	2	1	1	3	0	3
35-44	9	6	3	5	3	2	4	3	1
45-54	15	3	12	9	2	7	6	1	5
55-64	28	11	17	15	6	9	13	5	8
65-74	30	18	12	16	10	6	14	8	6
75-84	35	21	14	14	9	5	21	12	9
85 and over	30	18	12	8	5	3	22	13	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	15,081
White	6,221
Black	8,524
Other	336

Selected Death Statistics, Residents of Tate County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	288	226	62	1,015.0	1,185.4	706.2
1	Heart Diseases	98	77	21	345.4	403.9	239.2
2	Malignant Neoplasms	63	49	14	222.0	257.0	159.5
3	Emphysema and Other Chronic Lower Resp. Diseases	17	16	1	59.9	83.9	11.4
3	Diabetes Mellitus	17	12	5	59.9	62.9	56.9
5	Accidents	14	13	1	49.3	68.2	11.4
6	Cerebrovascular Disease	13	9	4	45.8	47.2	45.6
7	Alzheimer's Disease	10	8	2	35.2	42.0	22.8
8	Chronic Liver Disease And Cirrhosis	6	5	1	21.1	26.2	11.4
8	Influenza and Pneumonia	6	3	3	21.1	15.7	34.2
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	17.6	21.0	11.4
11	Septicemia	4	2	2	14.1	10.5	22.8
12	Suicide	3	3	0	10.6	15.7	0.0
12	Hypertension/Hypertensive Renal Disease	3	2	1	10.6	10.5	11.4
14	Homicide	2	1	1	7.0	5.2	11.4
14	Parkinson's Disease	2	2	0	7.0	10.5	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.5	0.0	11.4
16	Conditions Originating in the Perinatal Period**	1	0	1	3.3	0.0	9.7
16	Cholelithiasis/Gallbladder Disorder	1	1	0	3.5	5.2	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.5	5.2	0.0
16	HIV Disease	1	0	1	3.5	0.0	11.4
16	Viral Hepatitis	1	1	0	3.5	5.2	0.0
16	Scarlet Fever and Erysipelas	1	1	0	3.5	5.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	3.5	5.2	0.0
	All Other Causes	17	15	2	59.9	78.7	22.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	288	226	62	153	120	33	135	106	29
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	2	2	0	2	0	2
25-34	6	3	3	5	2	3	1	1	0
35-44	6	3	3	2	1	1	4	2	2
45-54	33	27	6	23	18	5	10	9	1
55-64	42	31	11	28	22	6	14	9	5
65-74	62	48	14	43	32	11	19	16	3
75-84	73	61	12	29	25	4	44	36	8
85 and over	60	51	9	19	18	1	41	33	8
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	28,373
White	19,066
Black	8,780
Other	527

Selected Death Statistics, Residents of Tippah County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	270	235	35	1,222.6	1,303.8	963.7
1	Heart Diseases	73	65	8	330.6	360.6	220.3
2	Malignant Neoplasms	45	36	9	203.8	199.7	247.8
3	Emphysema and Other Chronic Lower Resp. Diseases	22	21	1	99.6	116.5	27.5
4	Alzheimer's Disease	11	9	2	49.8	49.9	55.1
5	Accidents	9	7	2	40.8	38.8	55.1
5	Influenza and Pneumonia	9	8	1	40.8	44.4	27.5
5	Cerebrovascular Disease	9	8	1	40.8	44.4	27.5
8	Suicide	7	7	0	31.7	38.8	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	22.6	22.2	27.5
9	Hypertension/Hypertensive Renal Disease	5	5	0	22.6	27.7	0.0
11	Homicide	2	2	0	9.1	11.1	0.0
11	Cholelithiasis/Gallbladder Disorder	2	2	0	9.1	11.1	0.0
11	Chronic Liver Disease And Cirrhosis	2	0	2	9.1	0.0	55.1
11	Pneumonitis Due to Solids and Liquids	2	2	0	9.1	11.1	0.0
11	Aortic Aneurysm and Dissection	2	2	0	9.1	11.1	0.0
11	Diabetes Mellitus	2	1	1	9.1	5.5	27.5
11	Septicemia	2	1	1	9.1	5.5	27.5
18	Complications Medical/Surgical Care	1	1	0	4.5	5.5	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	3.5	4.2	0.0
18	Parkinson's Disease	1	1	0	4.5	5.5	0.0
18	Anemias	1	1	0	4.5	5.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	6	1	31.7	33.3	27.5
	All Other Causes	50	45	5	226.4	249.7	137.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	270	235	35	139	122	17	131	113	18
Under 1	2	2	0	1	1	0	1	1	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	6	6	0	4	4	0	2	2	0
35-44	8	6	2	4	4	0	4	2	2
45-54	27	21	6	16	11	5	11	10	1
55-64	38	32	6	24	21	3	14	11	3
65-74	56	47	9	31	29	2	25	18	7
75-84	87	79	8	49	43	6	38	36	2
85 and over	44	41	3	8	8	0	36	33	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	22,084
White	18,024
Black	3,632
Other	428

Selected Death Statistics, Residents of Tishomingo County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	301	296	5	1,541.3	1,586.3	889.7
1	Heart Diseases	83	81	2	425.0	434.1	355.9
2	Malignant Neoplasms	48	48	0	245.8	257.2	0.0
3	Emphysema and Other Chronic Lower Resp. Diseases	26	26	0	133.1	139.3	0.0
4	Accidents	23	23	0	117.8	123.3	0.0
5	Cerebrovascular Disease	17	16	1	87.1	85.7	177.9
6	Influenza and Pneumonia	13	13	0	66.6	69.7	0.0
6	Alzheimer's Disease	13	13	0	66.6	69.7	0.0
8	Diabetes Mellitus	6	6	0	30.7	32.2	0.0
9	Pneumonitis Due to Solids and Liquids	5	5	0	25.6	26.8	0.0
9	Septicemia	5	5	0	25.6	26.8	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	4	0	20.5	21.4	0.0
11	Parkinson's Disease	4	4	0	20.5	21.4	0.0
13	Suicide	3	3	0	15.4	16.1	0.0
13	Malnutrition/Nutritional Deficiency	3	3	0	15.4	16.1	0.0
13	In Situ, Benign and Unspecified Neoplasms	3	3	0	15.4	16.1	0.0
16	Aortic Aneurysm and Dissection	2	2	0	10.2	10.7	0.0
17	Chronic Liver Disease And Cirrhosis	1	1	0	5.1	5.4	0.0
17	Hypertension/Hypertensive Renal Disease	1	1	0	5.1	5.4	0.0
17	Viral Hepatitis	1	1	0	5.1	5.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	6	0	30.7	32.2	0.0
	All Other Causes	34	32	2	174.1	171.5	355.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	301	296	5	144	140	4	157	156	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	3	0	1	1	0	2	2	0
35-44	9	9	0	3	3	0	6	6	0
45-54	24	24	0	16	16	0	8	8	0
55-64	37	35	2	26	24	2	11	11	0
65-74	51	48	3	31	29	2	20	19	1
75-84	84	84	0	35	35	0	49	49	0
85 and over	90	90	0	30	30	0	60	60	0
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	19,529
White	18,660
Black	562
Other	307

Selected Death Statistics, Residents of Tunica County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	95	29	65	899.6	1,198.8	819.5
1	Heart Diseases	30	9	20	284.1	372.1	252.1
2	Malignant Neoplasms	19	10	9	179.9	413.4	113.5
3	Diabetes Mellitus	10	1	9	94.7	41.3	113.5
4	Accidents	5	0	5	47.3	0.0	63.0
4	Cerebrovascular Disease	5	0	5	47.3	0.0	63.0
6	Influenza and Pneumonia	3	2	1	28.4	82.7	12.6
6	Hypertension/Hypertensive Renal Disease	3	1	2	28.4	41.3	25.2
8	Homicide	2	0	2	18.9	0.0	25.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	18.9	82.7	0.0
8	Emphysema and Other Chronic Lower Resp. Diseases	2	0	2	18.9	0.0	25.2
11	Chronic Liver Disease And Cirrhosis	1	0	1	9.5	0.0	12.6
11	Alzheimer's Disease	1	0	1	9.5	0.0	12.6
11	Parkinson's Disease	1	0	1	9.5	0.0	12.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	9.5	0.0	12.6
	All Other Causes	10	4	6	94.7	165.4	75.6

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	95	29	65	43	13	29	52	16	36
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	3	0	3	3	0	3	0	0	0
35-44	4	0	4	1	0	1	3	0	3
45-54	14	2	12	7	0	7	7	2	5
55-64	17	3	13	9	2	6	8	1	7
65-74	20	8	12	12	6	6	8	2	6
75-84	20	6	14	6	3	3	14	3	11
85 and over	15	10	5	3	2	1	12	8	4
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	10,560
White	2,419
Black	7,932
Other	209



Selected Death Statistics, Residents of Union County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	274	243	31	987.2	1,054.3	745.4
1	Heart Diseases	74	60	14	266.6	260.3	336.6
2	Malignant Neoplasms	51	45	6	183.8	195.2	144.3
3	Emphysema and Other Chronic Lower Resp. Diseases	19	19	0	68.5	82.4	0.0
4	Accidents	15	12	3	54.0	52.1	72.1
5	Cerebrovascular Disease	12	12	0	43.2	52.1	0.0
6	Nephritis, Nephrotic Syndrome And Nephrosis	11	11	0	39.6	47.7	0.0
7	Septicemia	10	10	0	36.0	43.4	0.0
8	Alzheimer's Disease	9	8	1	32.4	34.7	24.0
9	Influenza and Pneumonia	8	8	0	28.8	34.7	0.0
10	Diabetes Mellitus	3	2	1	10.8	8.7	24.0
11	Hypertension/Hypertensive Renal Disease	2	2	0	7.2	8.7	0.0
11	Parkinson's Disease	2	2	0	7.2	8.7	0.0
13	Complications Medical/Surgical Care	1	1	0	3.6	4.3	0.0
13	Suicide	1	1	0	3.6	4.3	0.0
13	Conditions Originating in the Perinatal Period**	1	1	0	2.5	3.1	0.0
13	Chronic Liver Disease And Cirrhosis	1	1	0	3.6	4.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	17	14	3	61.3	60.7	72.1
	All Other Causes	37	34	3	133.3	147.5	72.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	274	243	31	116	104	12	158	139	19
Under 1	3	3	0	0	0	0	3	3	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	2	0	0	0	0	2	2	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	4	0	4	4	0	0	0	0
35-44	5	4	1	2	2	0	3	2	1
45-54	20	17	3	8	8	0	12	9	3
55-64	34	30	4	15	13	2	19	17	2
65-74	51	45	6	27	24	3	24	21	3
75-84	80	73	7	37	33	4	43	40	3
85 and over	75	66	9	21	19	2	54	47	7
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	27,754
White	23,048
Black	4,159
Other	547

Selected Death Statistics, Residents of Walthall County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	196	120	76	1,312.7	1,478.9	1,163.7
1	Heart Diseases	55	31	24	368.4	382.1	367.5
2	Malignant Neoplasms	42	26	16	281.3	320.4	245.0
3	Emphysema and Other Chronic Lower Resp. Diseases	14	12	2	93.8	147.9	30.6
4	Alzheimer's Disease	12	10	2	80.4	123.2	30.6
5	Accidents	11	5	6	73.7	61.6	91.9
6	Cerebrovascular Disease	10	7	3	67.0	86.3	45.9
7	Diabetes Mellitus	5	2	3	33.5	24.6	45.9
8	Homicide	4	3	1	26.8	37.0	15.3
8	Chronic Liver Disease And Cirrhosis	4	1	3	26.8	12.3	45.9
8	Hypertension/Hypertensive Renal Disease	4	2	2	26.8	24.6	30.6
8	Septicemia	4	3	1	26.8	37.0	15.3
12	Pneumonitis Due to Solids and Liquids	3	3	0	20.1	37.0	0.0
12	Influenza and Pneumonia	3	3	0	20.1	37.0	0.0
14	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	13.4	12.3	15.3
15	Suicide	1	1	0	6.7	12.3	0.0
15	Congenital Malformations and Chrom. Abnormalities	1	1	0	6.7	12.3	0.0
15	Anemias	1	0	1	6.7	0.0	15.3
15	HIV Disease	1	0	1	6.7	0.0	15.3
15	Viral Hepatitis	1	1	0	6.7	12.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	6.7	0.0	15.3
	All Other Causes	17	8	9	113.9	98.6	137.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	196	120	76	103	66	37	93	54	39
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	2	2	2	1	1	2	1	1
35-44	8	3	5	6	2	4	2	1	1
45-54	16	4	12	8	3	5	8	1	7
55-64	34	24	10	21	15	6	13	9	4
65-74	41	22	19	25	15	10	16	7	9
75-84	44	28	16	24	16	8	20	12	8
85 and over	45	35	10	14	12	2	31	23	8
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	14,931
White	8,114
Black	6,531
Other	286

Selected Death Statistics, Residents of Warren County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	508	295	212	1,053.5	1,225.5	917.0
1	Heart Diseases	159	98	61	329.8	407.1	263.9
2	Malignant Neoplasms	110	59	50	228.1	245.1	216.3
3	Accidents	30	14	16	62.2	58.2	69.2
4	Cerebrovascular Disease	29	20	9	60.1	83.1	38.9
5	Emphysema and Other Chronic Lower Resp. Diseases	25	17	8	51.8	70.6	34.6
6	Nephritis, Nephrotic Syndrome And Nephrosis	20	8	12	41.5	33.2	51.9
7	Diabetes Mellitus	14	4	10	29.0	16.6	43.3
8	Hypertension/Hypertensive Renal Disease	12	7	5	24.9	29.1	21.6
9	Influenza and Pneumonia	9	5	4	18.7	20.8	17.3
10	Septicemia	8	3	5	16.6	12.5	21.6
11	Homicide	7	1	6	14.5	4.2	26.0
12	Alzheimer's Disease	6	5	1	12.4	20.8	4.3
13	Suicide	5	4	1	10.4	16.6	4.3
13	Chronic Liver Disease And Cirrhosis	5	4	1	10.4	16.6	4.3
13	Parkinson's Disease	5	3	2	10.4	12.5	8.7
16	Conditions Originating in the Perinatal Period**	3	3	0	4.9	11.6	0.0
16	Pneumonitis Due to Solids and Liquids	3	3	0	6.2	12.5	0.0
18	Aortic Aneurysm and Dissection	2	0	2	4.1	0.0	8.7
18	Anemias	2	0	2	4.1	0.0	8.7
20	Congenital Malformations and Chrom. Abnormalities	1	1	0	2.1	4.2	0.0
20	Peptic Ulcer	1	1	0	2.1	4.2	0.0
20	HIV Disease	1	1	0	2.1	4.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	2.1	0.0	4.3
	All Other Causes	50	34	16	103.7	141.2	69.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	508	295	212	250	140	110	258	155	102
Under 1	6	3	3	4	1	3	2	2	0
(Neonatal)	3	3	0	1	1	0	2	2	0
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	4	1	3	2	0	2	2	1	1
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	10	3	7	8	2	6	2	1	1
25-34	14	7	7	9	5	4	5	2	3
35-44	15	7	8	6	3	3	9	4	5
45-54	39	16	23	23	12	11	16	4	12
55-64	80	32	48	49	17	32	31	15	16
65-74	99	61	38	54	35	19	45	26	19
75-84	110	75	34	55	40	15	55	35	19
85 and over	128	89	39	38	24	14	90	65	25
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	48,218
White	24,071
Black	23,119
Other	1,028

Selected Death Statistics, Residents of Washington County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	644	245	398	1,296.1	1,816.2	1,123.0
1	Malignant Neoplasms	135	49	85	271.7	363.2	239.8
2	Heart Diseases	113	46	67	227.4	341.0	189.0
3	Diabetes Mellitus	50	10	40	100.6	74.1	112.9
4	Emphysema and Other Chronic Lower Resp. Diseases	36	20	16	72.5	148.3	45.1
5	Hypertension/Hypertensive Renal Disease	27	5	22	54.3	37.1	62.1
6	Accidents	26	14	12	52.3	103.8	33.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	23	2	21	46.3	14.8	59.3
8	Cerebrovascular Disease	18	5	13	36.2	37.1	36.7
9	Homicide	12	2	10	24.2	14.8	28.2
9	Influenza and Pneumonia	12	6	6	24.2	44.5	16.9
9	Alzheimer's Disease	12	7	5	24.2	51.9	14.1
12	Chronic Liver Disease And Cirrhosis	7	3	4	14.1	22.2	11.3
13	Conditions Originating in the Perinatal Period**	6	0	6	7.3	0.0	9.5
13	HIV Disease	6	1	5	12.1	7.4	14.1
13	Septicemia	6	4	2	12.1	29.7	5.6
16	Parkinson's Disease	5	2	3	10.1	14.8	8.5
17	Pneumonitis Due to Solids and Liquids	4	1	3	8.1	7.4	8.5
18	Suicide	3	1	2	6.0	7.4	5.6
19	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.0	0.0	2.8
19	Maternal Causes**	1	0	1	122.0	0.0	157.7
19	Cholelithiasis/Gallbladder Disorder	1	0	1	2.0	0.0	2.8
19	Diseases of Appendix	1	0	1	2.0	0.0	2.8
19	Aortic Aneurysm and Dissection	1	0	1	2.0	0.0	2.8
19	Malnutrition/Nutritional Deficiency	1	1	0	2.0	7.4	0.0
19	Anemias	1	0	1	2.0	0.0	2.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	17	9	8	34.2	66.7	22.6
	All Other Causes	119	57	62	239.5	422.5	174.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	644	245	398	323	114	209	321	131	189
Under 1	8	0	8	4	0	4	4	0	4
(Neonatal)	7	0	7	4	0	4	3	0	3
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	3	1	2	2	1	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	0	6	5	0	5	1	0	1
25-34	16	5	11	12	4	8	4	1	3
35-44	28	5	23	18	4	14	10	1	9
45-54	60	21	39	36	10	26	24	11	13
55-64	97	30	66	64	15	49	33	15	17
65-74	136	43	93	74	30	44	62	13	49
75-84	139	67	72	65	30	35	74	37	37
85 and over	151	73	78	43	20	23	108	53	55
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	49,688
White	13,490
Black	35,442
Other	756

Selected Death Statistics, Residents of Wayne County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	205	157	47	998.1	1,276.3	590.5
1	Heart Diseases	61	50	11	297.0	406.5	138.2
2	Malignant Neoplasms	44	34	10	214.2	276.4	125.6
3	Accidents	17	17	0	82.8	138.2	0.0
4	Emphysema and Other Chronic Lower Resp. Diseases	11	10	1	53.6	81.3	12.6
5	Alzheimer's Disease	9	5	4	43.8	40.6	50.3
6	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4	29.2	16.3	50.3
6	Cerebrovascular Disease	6	6	0	29.2	48.8	0.0
8	Homicide	5	2	3	24.3	16.3	37.7
8	Influenza and Pneumonia	5	5	0	24.3	40.6	0.0
10	Septicemia	4	3	1	19.5	24.4	12.6
11	Diabetes Mellitus	3	0	3	14.6	0.0	37.7
12	Suicide	2	2	0	9.7	16.3	0.0
12	Congenital Malformations and Chrom. Abnormalities	2	1	1	9.7	8.1	12.6
12	Cholelithiasis/Gallbladder Disorder	2	1	1	9.7	8.1	12.6
15	Chronic Liver Disease And Cirrhosis	1	1	0	4.9	8.1	0.0
15	Malnutrition/Nutritional Deficiency	1	0	1	4.9	0.0	12.6
15	Anemias	1	0	1	4.9	0.0	12.6
15	In Situ, Benign and Unspecified Neoplasms	1	0	1	4.9	0.0	12.6
15	HIV Disease	1	1	0	4.9	8.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	23	17	5	112.0	138.2	62.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	205	157	47	93	77	16	112	80	31
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	1	1	0	3	2	1
25-34	1	1	0	1	1	0	0	0	0
35-44	11	8	3	5	4	1	6	4	2
45-54	18	13	5	8	5	3	10	8	2
55-64	35	27	8	16	12	4	19	15	4
65-74	47	33	13	29	25	4	18	8	9
75-84	41	35	6	16	14	2	25	21	4
85 and over	47	36	11	16	14	2	31	22	9
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	20,539
White	12,301
Black	7,959
Other	279

Selected Death Statistics, Residents of Webster County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	164	133	31	1,642.1	1,688.5	1,574.4
1	Heart Diseases	61	45	16	610.8	571.3	812.6
2	Malignant Neoplasms	24	16	8	240.3	203.1	406.3
3	Emphysema and Other Chronic Lower Resp. Diseases	9	9	0	90.1	114.3	0.0
3	Septicemia	9	6	3	90.1	76.2	152.4
5	Accidents	8	8	0	80.1	101.6	0.0
6	Influenza and Pneumonia	7	7	0	70.1	88.9	0.0
6	Alzheimer's Disease	7	7	0	70.1	88.9	0.0
8	Cerebrovascular Disease	5	5	0	50.1	63.5	0.0
9	Pneumonitis Due to Solids and Liquids	3	3	0	30.0	38.1	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	20.0	12.7	50.8
10	Parkinson's Disease	2	2	0	20.0	25.4	0.0
10	Diabetes Mellitus	2	0	2	20.0	0.0	101.6
13	Cholelithiasis/Gallbladder Disorder	1	1	0	10.0	12.7	0.0
13	Chronic Liver Disease And Cirrhosis	1	1	0	10.0	12.7	0.0
13	Acute Bronchitis and Bronchiolitis	1	1	0	10.0	12.7	0.0
13	Hypertension/Hypertensive Renal Disease	1	1	0	10.0	12.7	0.0
13	Viral Hepatitis	1	1	0	10.0	12.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	20	19	1	200.3	241.2	50.8

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	164	133	31	73	53	20	91	80	11
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	7	6	1	6	5	1	1	1	0
55-64	21	11	10	13	5	8	8	6	2
65-74	38	31	7	17	13	4	21	18	3
75-84	53	46	7	23	18	5	30	28	2
85 and over	40	36	4	12	11	1	28	25	3
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	9,987
White	7,877
Black	1,969
Other	141

Selected Death Statistics, Residents of Wilkinson County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	106	39	67	1,129.9	1,428.0	1,019.9
1	Heart Diseases	29	11	18	309.1	402.8	274.0
2	Malignant Neoplasms	21	6	15	223.9	219.7	228.3
3	Alzheimer's Disease	8	4	4	85.3	146.5	60.9
4	Accidents	7	3	4	74.6	109.8	60.9
5	Emphysema and Other Chronic Lower Resp. Diseases	6	2	4	64.0	73.2	60.9
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	53.3	73.2	45.7
6	Cerebrovascular Disease	5	3	2	53.3	109.8	30.4
8	Homicide	3	0	3	32.0	0.0	45.7
9	Chronic Liver Disease And Cirrhosis	2	1	1	21.3	36.6	15.2
9	Influenza and Pneumonia	2	1	1	21.3	36.6	15.2
11	Hypertension/Hypertensive Renal Disease	1	1	0	10.7	36.6	0.0
11	Parkinson's Disease	1	1	0	10.7	36.6	0.0
11	Septicemia	1	0	1	10.7	0.0	15.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	32.0	36.6	30.4
	All Other Causes	12	3	9	127.9	109.8	137.0

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	106	39	67	47	17	30	59	22	37
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	1	7	5	0	5	3	1	2
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	7	3	4	5	2	3	2	1	1
55-64	19	8	11	11	6	5	8	2	6
65-74	23	6	17	9	3	6	14	3	11
75-84	21	9	12	9	4	5	12	5	7
85 and over	26	12	14	6	2	4	20	10	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	9,381
White	2,731
Black	6,569
Other	81

Selected Death Statistics, Residents of Winston County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	234	158	73	1,245.5	1,613.9	849.7
1	Heart Diseases	47	34	13	250.2	347.3	151.3
2	Malignant Neoplasms	41	28	13	218.2	286.0	151.3
3	Accidents	21	16	4	111.8	163.4	46.6
4	Alzheimer's Disease	17	15	2	90.5	153.2	23.3
5	Cerebrovascular Disease	14	9	5	74.5	91.9	58.2
6	Nephritis, Nephrotic Syndrome And Nephrosis	13	2	10	69.2	20.4	116.4
7	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1	53.2	91.9	11.6
7	Diabetes Mellitus	10	3	7	53.2	30.6	81.5
9	Influenza and Pneumonia	7	5	2	37.3	51.1	23.3
10	Pneumonitis Due to Solids and Liquids	3	2	1	16.0	20.4	11.6
10	Hypertension/Hypertensive Renal Disease	3	1	2	16.0	10.2	23.3
10	Septicemia	3	1	2	16.0	10.2	23.3
13	Suicide	1	1	0	5.3	10.2	0.0
13	Cholelithiasis/Gallbladder Disorder	1	0	1	5.3	0.0	11.6
13	Chronic Liver Disease And Cirrhosis	1	1	0	5.3	10.2	0.0
13	Aortic Aneurysm and Dissection	1	1	0	5.3	10.2	0.0
13	Atherosclerosis	1	1	0	5.3	10.2	0.0
13	Viral Hepatitis	1	1	0	5.3	10.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	5	1	31.9	51.1	11.6
	All Other Causes	33	23	9	175.6	234.9	104.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	234	158	73	122	87	33	112	71	40
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	2	0	1	2	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	0	0	0	0	1	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	6	3	3	1	1	0	5	2	3
45-54	19	14	5	11	9	2	8	5	3
55-64	31	19	11	18	14	3	13	5	8
65-74	33	19	14	23	13	10	10	6	4
75-84	63	43	20	34	25	9	29	18	11
85 and over	74	57	17	30	23	7	44	34	10
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	18,788
White	9,790
Black	8,591
Other	407



Selected Death Statistics, Residents of Yalobusha County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	158	112	46	1,277.0	1,499.5	977.9
1	Heart Diseases	49	35	14	396.0	468.6	297.6
2	Malignant Neoplasms	38	28	10	307.1	374.9	212.6
3	Emphysema and Other Chronic Lower Resp. Diseases	11	10	1	88.9	133.9	21.3
4	Cerebrovascular Disease	9	7	2	72.7	93.7	42.5
5	Accidents	8	4	4	64.7	53.6	85.0
6	Suicide	6	4	2	48.5	53.6	42.5
7	Influenza and Pneumonia	5	4	1	40.4	53.6	21.3
8	Diabetes Mellitus	4	1	3	32.3	13.4	63.8
9	Conditions Originating in the Perinatal Period**	3	3	0	18.8	31.9	0.0
10	Homicide	2	0	2	16.2	0.0	42.5
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	16.2	26.8	0.0
10	Alzheimer's Disease	2	2	0	16.2	26.8	0.0
13	Chronic Liver Disease And Cirrhosis	1	0	1	8.1	0.0	21.3
13	Peptic Ulcer	1	0	1	8.1	0.0	21.3
13	Pneumonitis Due to Solids and Liquids	1	0	1	8.1	0.0	21.3
13	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.1	13.4	0.0
13	Septicemia	1	1	0	8.1	13.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	14	10	4	113.1	133.9	85.0

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
 Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	158	112	46	91	65	26	67	47	20
Under 1	3	3	0	2	2	0	1	1	0
(Neonatal)	3	3	0	2	2	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	4	2	2	3	2	1	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	14	7	7	8	5	3	6	2	4
55-64	26	19	7	17	11	6	9	8	1
65-74	32	26	6	20	16	4	12	10	2
75-84	35	27	8	18	14	4	17	13	4
85 and over	37	26	11	17	13	4	20	13	7
Unknown	0	0	0	0	0	0	0	0	0

2013 Population

Total	12,373
White	7,469
Black	4,704
Other	200

Selected Death Statistics, Residents of Yazoo County, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	321	170	151	1,151.2	1,488.0	946.5
1	Malignant Neoplasms	73	40	33	261.8	350.1	206.8
2	Heart Diseases	64	30	34	229.5	262.6	213.1
3	Diabetes Mellitus	38	16	22	136.3	140.0	137.9
4	Cerebrovascular Disease	27	18	9	96.8	157.5	56.4
5	Accidents	14	9	5	50.2	78.8	31.3
6	Alzheimer's Disease	13	9	4	46.6	78.8	25.1
7	Emphysema and Other Chronic Lower Resp. Diseases	12	11	1	43.0	96.3	6.3
8	HIV Disease	6	1	5	21.5	8.8	31.3
8	Septicemia	6	3	3	21.5	26.3	18.8
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	17.9	17.5	18.8
10	Influenza and Pneumonia	5	3	2	17.9	26.3	12.5
12	Hypertension/Hypertensive Renal Disease	4	2	2	14.3	17.5	12.5
13	Chronic Liver Disease And Cirrhosis	3	2	1	10.8	17.5	6.3
13	Anemias	3	1	2	10.8	8.8	12.5
15	Homicide	2	1	1	7.2	8.8	6.3
16	Complications Medical/Surgical Care	1	0	1	3.6	0.0	6.3
16	Suicide	1	1	0	3.6	8.8	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.6	0.0	6.3
16	Cholelithiasis/Gallbladder Disorder	1	1	0	3.6	8.8	0.0
16	Pneumonitis Due to Solids and Liquids	1	0	1	3.6	0.0	6.3
16	Parkinson's Disease	1	1	0	3.6	8.8	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.6	0.0	6.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	3.6	0.0	6.3
	All Other Causes	38	19	19	136.3	166.3	119.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	321	170	151	166	84	82	155	86	69
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	7	1	6	4	0	4	3	1	2
35-44	11	6	5	7	4	3	4	2	2
45-54	28	11	17	17	5	12	11	6	5
55-64	53	22	31	34	12	22	19	10	9
65-74	70	39	31	47	25	22	23	14	9
75-84	72	42	30	30	19	11	42	23	19
85 and over	73	48	25	23	19	4	50	29	21
Unknown	0	0	0	0	0	0	0	0	0

2013 Population	
Total	27,883
White	11,425
Black	15,954
Other	504