

Selected Death Statistics, Residents of District I, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,067	2,098	954	947.7	1,078.2	787.8
1	Heart Diseases	853	583	266	263.6	299.6	219.7
2	Malignant Neoplasms	731	514	213	225.9	264.2	175.9
3	Accidents	172	113	58	53.1	58.1	47.9
4	Emphysema and Other Chronic Lower Resp. Diseases	171	137	34	52.8	70.4	28.1
5	Diabetes Mellitus	144	87	57	44.5	44.7	47.1
6	Cerebrovascular Disease	137	91	45	42.3	46.8	37.2
7	Alzheimer's Disease	84	70	14	26.0	36.0	11.6
8	Influenza and Pneumonia	72	50	22	22.2	25.7	18.2
9	Hypertension/Hypertensive Renal Disease	66	41	25	20.4	21.1	20.6
10	Septicemia	49	29	20	15.1	14.9	16.5
11	Nephritis, Nephrotic Syndrome And Nephrosis	45	24	21	13.9	12.3	17.3
12	Chronic Liver Disease And Cirrhosis	43	30	13	13.3	15.4	10.7
13	Suicide	41	31	9	12.7	15.9	7.4
14	Homicide	32	5	26	9.9	2.6	21.5
15	Pneumonitis Due to Solids and Liquids	22	13	9	6.8	6.7	7.4
16	Parkinson's Disease	21	19	1	6.5	9.8	0.8
17	Conditions Originating in the Perinatal Period**	17	6	11	4.1	2.7	5.8
18	Congenital Malformations and Chrom. Abnormalities	10	7	3	3.1	3.6	2.5
19	In Situ, Benign and Unspecified Neoplasms	9	7	2	2.8	3.6	1.7
20	HIV Disease	8	2	6	2.5	1.0	5.0
21	Viral Hepatitis	6	4	2	1.9	2.1	1.7
22	Cholelithiasis/Gallbladder Disorder	5	4	1	1.5	2.1	0.8
22	Anemias	5	2	3	1.5	1.0	2.5
22	Aortic Aneurysm and Dissection	5	3	2	1.5	1.5	1.7
25	Complications Medical/Surgical Care	4	2	2	1.2	1.0	1.7
26	Peptic Ulcer	3	2	1	0.9	1.0	0.8
26	Malnutrition/Nutritional Deficiency	3	2	1	0.9	1.0	0.8
28	Tuberculosis	2	2	0	0.6	1.0	0.0
29	Scarlet Fever and Erysipelas	1	1	0	0.3	0.5	0.0
29	Meningitis	1	0	1	0.3	0.0	0.8
29	Atherosclerosis	1	0	1	0.3	0.0	0.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	33	23	9	10.2	11.8	7.4
	All Other Causes	271	194	76	83.7	99.7	62.8

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,067	2,098	954	1,570	1,063	499	1,497	1,035	455
Under 1	35	17	17	24	12	11	11	5	6
(Neonatal)	23	8	15	15	6	9	8	2	6
(Postneonatal)	12	9	2	9	6	2	3	3	0
1-4	6	1	5	4	1	3	2	0	2
5-9	2	2	0	2	2	0	0	0	0
10-14	5	2	3	4	1	3	1	1	0
15-24	43	22	21	28	13	15	15	9	6
25-34	73	29	44	44	18	26	29	11	18
35-44	111	58	51	74	39	33	37	19	18
45-54	300	172	128	180	105	75	120	67	53
55-64	502	311	187	294	173	118	208	138	69
65-74	607	436	170	347	250	97	260	186	73
75-84	693	530	161	321	249	71	372	281	90
85 and over	689	517	167	247	199	47	442	318	120
Unknown	1	1	0	1	1	0	0	0	0
Mortality Rates***							2013 Population		
Infant	8.3	7.6	9.0				Total	323,626	
Neonatal	5.5	3.6	7.9				White	194,584	
Postneonatal	2.9	4.0	1.1				Black	121,093	
							Other	7,949	
*** Deaths per 1,000 Live Births									

Selected Death Statistics, Residents of District II, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	4,023	3,399	616	1,092.8	1,212.2	772.5
1	Heart Diseases	913	789	123	248.0	281.4	154.2
2	Malignant Neoplasms	868	728	138	235.8	259.6	173.1
3	Emphysema and Other Chronic Lower Resp. Diseases	302	278	24	82.0	99.1	30.1
4	Cerebrovascular Disease	239	193	45	64.9	68.8	56.4
5	Accidents	233	206	27	63.3	73.5	33.9
6	Alzheimer's Disease	125	113	12	34.0	40.3	15.0
7	Influenza and Pneumonia	113	99	14	30.7	35.3	17.6
8	Diabetes Mellitus	111	70	41	30.2	25.0	51.4
9	Septicemia	89	69	20	24.2	24.6	25.1
10	Nephritis, Nephrotic Syndrome And Nephrosis	79	62	17	21.5	22.1	21.3
11	Hypertension/Hypertensive Renal Disease	72	54	17	19.6	19.3	21.3
12	Suicide	56	50	6	15.2	17.8	7.5
13	Chronic Liver Disease And Cirrhosis	38	32	6	10.3	11.4	7.5
14	Parkinson's Disease	34	32	2	9.2	11.4	2.5
15	Pneumonitis Due to Solids and Liquids	32	29	3	8.7	10.3	3.8
16	In Situ, Benign and Unspecified Neoplasms	21	18	3	5.7	6.4	3.8
17	Conditions Originating in the Perinatal Period**	16	7	9	3.5	2.1	8.2
18	Homicide	15	7	7	4.1	2.5	8.8
19	Aortic Aneurysm and Dissection	8	7	1	2.2	2.5	1.3
19	Viral Hepatitis	8	4	4	2.2	1.4	5.0
19	Anemias	8	7	1	2.2	2.5	1.3
19	Congenital Malformations and Chrom. Abnormalities	8	5	2	2.2	1.8	2.5
23	HIV Disease	6	1	5	1.6	0.4	6.3
24	Complications Medical/Surgical Care	4	3	1	1.1	1.1	1.3
24	Cholelithiasis/Gallbladder Disorder	4	3	1	1.1	1.1	1.3
24	Malnutrition/Nutritional Deficiency	4	4	0	1.1	1.4	0.0
27	Maternal Causes**	1	0	1	21.9	0.0	90.6
27	Legal Intervention	1	1	0	0.3	0.4	0.0
27	Peptic Ulcer	1	1	0	0.3	0.4	0.0
27	Pneumoconioses and Chemical Effects	1	1	0	0.3	0.4	0.0
27	Acute Bronchitis and Bronchiolitis	1	1	0	0.3	0.4	0.0
27	Atherosclerosis	1	1	0	0.3	0.4	0.0
27	Infections of Kidney	1	1	0	0.3	0.4	0.0
27	Meningitis	1	1	0	0.3	0.4	0.0
27	Tuberculosis	1	0	1	0.3	0.0	1.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	91	78	13	24.7	27.8	16.3
	All Other Causes	517	444	72	140.4	158.3	90.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4,023	3,399	616	1,993	1,654	334	2,030	1,745	282
Under 1	34	19	14	15	7	7	19	12	7
(Neonatal)	23	12	10	11	5	5	12	7	5
(Postneonatal)	11	7	4	4	2	2	7	5	2
1-4	8	6	2	3	1	2	5	5	0
5-9	5	5	0	2	2	0	3	3	0
10-14	4	3	1	1	0	1	3	3	0
15-24	37	30	7	25	20	5	12	10	2
25-34	66	43	22	43	28	14	23	15	8
35-44	122	99	23	64	50	14	58	49	9
45-54	332	271	59	198	167	31	134	104	28
55-64	591	448	142	362	275	86	229	173	56
65-74	779	647	131	433	361	71	346	286	60
75-84	1,001	883	116	501	436	64	500	447	52
85 and over	1,044	945	99	346	307	39	698	638	60
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	7.4	5.6	12.7
Neonatal	5.0	3.5	9.1
Postneonatal	2.4	2.1	3.6

2013 Population

Total	368,146
White	280,398
Black	79,741
Other	8,007

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District III, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,572	1,111	1,452	1,219.3	1,615.3	1,043.5
1	Heart Diseases	602	289	312	285.4	420.2	224.2
2	Malignant Neoplasms	515	207	305	244.1	301.0	219.2
3	Diabetes Mellitus	163	42	121	77.3	61.1	87.0
4	Emphysema and Other Chronic Lower Resp. Diseases	122	79	41	57.8	114.9	29.5
5	Cerebrovascular Disease	112	51	61	53.1	74.1	43.8
6	Accidents	104	45	59	49.3	65.4	42.4
7	Nephritis, Nephrotic Syndrome And Nephrosis	80	20	60	37.9	29.1	43.1
8	Hypertension/Hypertensive Renal Disease	78	26	52	37.0	37.8	37.4
9	Alzheimer's Disease	62	45	17	29.4	65.4	12.2
10	Influenza and Pneumonia	61	29	32	28.9	42.2	23.0
11	Septicemia	59	22	37	28.0	32.0	26.6
12	Homicide	42	2	40	19.9	2.9	28.7
13	Conditions Originating in the Perinatal Period**	25	6	19	8.4	7.9	8.7
14	Chronic Liver Disease And Cirrhosis	23	10	13	10.9	14.5	9.3
14	Pneumonitis Due to Solids and Liquids	23	6	17	10.9	8.7	12.2
16	Suicide	22	15	7	10.4	21.8	5.0
17	HIV Disease	19	1	18	9.0	1.5	12.9
18	Congenital Malformations and Chrom. Abnormalities	8	3	5	3.8	4.4	3.6
18	Parkinson's Disease	8	4	4	3.8	5.8	2.9
20	In Situ, Benign and Unspecified Neoplasms	7	2	5	3.3	2.9	3.6
21	Aortic Aneurysm and Dissection	5	3	2	2.4	4.4	1.4
22	Anemias	4	1	3	1.9	1.5	2.2
23	Viral Hepatitis	3	3	0	1.4	4.4	0.0
23	Cholelithiasis/Gallbladder Disorder	3	1	2	1.4	1.5	1.4
23	Malnutrition/Nutritional Deficiency	3	2	1	1.4	2.9	0.7
26	Maternal Causes**	2	0	2	67.1	0.0	91.1
26	Hernia	2	1	1	0.9	1.5	0.7
26	Atherosclerosis	2	1	1	0.9	1.5	0.7
29	Infections of Kidney	1	0	1	0.5	0.0	0.7
29	Legal Intervention	1	0	1	0.5	0.0	0.7
29	Diseases of Appendix	1	0	1	0.5	0.0	0.7
29	Acute Bronchitis and Bronchiolitis	1	0	1	0.5	0.0	0.7
29	Syphilis	1	0	1	0.5	0.0	0.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	35	20	15	16.6	29.1	10.8
	All Other Causes	373	175	195	176.8	254.4	140.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,572	1,111	1,452	1,315	560	751	1,257	551	701
Under 1	37	8	28	22	3	18	15	5	10
(Neonatal)	30	7	23	17	3	14	13	4	9
(Postneonatal)	7	1	5	5	0	4	2	1	1
1-4	7	1	6	5	1	4	2	0	2
5-9	3	1	2	2	0	2	1	1	0
10-14	2	0	2	1	0	1	1	0	1
15-24	38	7	31	28	5	23	10	2	8
25-34	61	11	50	38	7	31	23	4	19
35-44	98	16	81	59	12	46	39	4	35
45-54	227	74	153	134	40	94	93	34	59
55-64	397	125	271	248	84	164	149	41	107
65-74	527	225	301	298	135	163	229	90	138
75-84	553	300	250	277	156	120	276	144	130
85 and over	620	342	276	201	116	84	419	226	192
Unknown	2	1	1	2	1	1	0	0	0

Mortality Rates\*\*\*

Infant	12.4	10.5	12.8
Neonatal	10.1	9.2	10.5
Postneonatal	2.3	1.3	2.3

2013 Population

Total	210,946
White	68,781
Black	139,150
Other	3,015

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District IV, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,576	1,653	914	1,048.1	1,179.4	913.2
1	Heart Diseases	690	441	248	280.8	314.7	247.8
2	Malignant Neoplasms	529	329	198	215.2	234.7	197.8
3	Emphysema and Other Chronic Lower Resp. Diseases	152	131	21	61.8	93.5	21.0
4	Cerebrovascular Disease	143	84	59	58.2	59.9	58.9
5	Accidents	132	100	30	53.7	71.4	30.0
6	Alzheimer's Disease	118	91	27	48.0	64.9	27.0
7	Diabetes Mellitus	95	40	55	38.7	28.5	54.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	70	29	40	28.5	20.7	40.0
9	Influenza and Pneumonia	60	46	14	24.4	32.8	14.0
10	Septicemia	42	21	21	17.1	15.0	21.0
11	Hypertension/Hypertensive Renal Disease	25	12	13	10.2	8.6	13.0
11	Suicide	25	22	2	10.2	15.7	2.0
13	Conditions Originating in the Perinatal Period**	23	4	19	7.6	2.7	12.9
13	Pneumonitis Due to Solids and Liquids	23	17	6	9.4	12.1	6.0
15	Parkinson's Disease	22	20	2	9.0	14.3	2.0
16	Chronic Liver Disease And Cirrhosis	20	13	7	8.1	9.3	7.0
17	Homicide	16	4	12	6.5	2.9	12.0
18	Aortic Aneurysm and Dissection	8	7	1	3.3	5.0	1.0
18	In Situ, Benign and Unspecified Neoplasms	8	6	2	3.3	4.3	2.0
20	HIV Disease	7	3	4	2.8	2.1	4.0
20	Viral Hepatitis	7	7	0	2.8	5.0	0.0
22	Congenital Malformations and Chrom. Abnormalities	6	1	4	2.4	0.7	4.0
23	Cholelithiasis/Gallbladder Disorder	5	2	3	2.0	1.4	3.0
24	Malnutrition/Nutritional Deficiency	4	2	2	1.6	1.4	2.0
25	Atherosclerosis	3	1	2	1.2	0.7	2.0
25	Anemias	3	2	1	1.2	1.4	1.0
27	Peptic Ulcer	2	1	1	0.8	0.7	1.0
28	Maternal Causes**	1	1	0	33.1	66.5	0.0
28	Pneumoconioses and Chemical Effects	1	1	0	0.4	0.7	0.0
28	Acute Bronchitis and Bronchiolitis	1	1	0	0.4	0.7	0.0
28	Meningitis	1	1	0	0.4	0.7	0.0
28	Complications Medical/Surgical Care	1	1	0	0.4	0.7	0.0
28	Legal Intervention	1	0	1	0.4	0.0	1.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	26	14	12	10.6	10.0	12.0
	All Other Causes	306	198	107	124.5	141.3	106.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,576	1,653	914	1,282	822	456	1,294	831	458
Under 1	40	10	29	23	6	16	17	4	13
(Neonatal)	27	5	21	16	4	11	11	1	10
(Postneonatal)	13	5	8	7	2	5	6	3	3
1-4	4	1	2	3	0	2	1	1	0
5-9	8	5	3	5	4	1	3	1	2
10-14	2	2	0	1	1	0	1	1	0
15-24	22	12	8	17	9	7	5	3	1
25-34	46	20	26	26	13	13	20	7	13
35-44	73	39	34	45	24	21	28	15	13
45-54	167	93	74	98	53	45	69	40	29
55-64	369	199	168	221	125	95	148	74	73
65-74	536	340	194	316	203	113	220	137	81
75-84	630	438	191	302	219	83	328	219	108
85 and over	679	494	185	225	165	60	454	329	125
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	13.2	6.7	19.8
Neonatal	8.9	3.3	14.3
Postneonatal	4.3	3.3	5.4

2013 Population

Total	245,769
White	140,151
Black	100,093
Other	5,525

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District V, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	5,799	3,330	2,437	906.2	1,075.7	771.8
1	Heart Diseases	1,434	790	638	224.1	255.2	202.1
2	Malignant Neoplasms	1,256	703	543	196.3	227.1	172.0
3	Cerebrovascular Disease	291	164	126	45.5	53.0	39.9
4	Emphysema and Other Chronic Lower Resp. Diseases	283	214	68	44.2	69.1	21.5
5	Accidents	242	144	96	37.8	46.5	30.4
6	Diabetes Mellitus	224	99	124	35.0	32.0	39.3
7	Nephritis, Nephrotic Syndrome And Nephrosis	148	68	79	23.1	22.0	25.0
8	Influenza and Pneumonia	139	89	50	21.7	28.8	15.8
9	Septicemia	138	66	72	21.6	21.3	22.8
10	Alzheimer's Disease	135	102	33	21.1	33.0	10.5
11	Homicide	87	17	69	13.6	5.5	21.9
12	Hypertension/Hypertensive Renal Disease	84	39	45	13.1	12.6	14.3
13	Suicide	75	61	13	11.7	19.7	4.1
14	Chronic Liver Disease And Cirrhosis	57	37	20	8.9	12.0	6.3
15	Pneumonitis Due to Solids and Liquids	48	31	17	7.5	10.0	5.4
16	HIV Disease	38	7	31	5.9	2.3	9.8
17	Parkinson's Disease	36	29	7	5.6	9.4	2.2
18	Conditions Originating in the Perinatal Period**	31	8	22	3.7	2.2	4.8
19	In Situ, Benign and Unspecified Neoplasms	22	10	11	3.4	3.2	3.5
20	Congenital Malformations and Chrom. Abnormalities	20	8	12	3.1	2.6	3.8
21	Aortic Aneurysm and Dissection	19	12	7	3.0	3.9	2.2
22	Anemias	16	5	11	2.5	1.6	3.5
22	Viral Hepatitis	16	9	7	2.5	2.9	2.2
24	Complications Medical/Surgical Care	13	8	5	2.0	2.6	1.6
25	Atherosclerosis	5	4	1	0.8	1.3	0.3
26	Hernia	4	4	0	0.6	1.3	0.0
26	Diseases of Appendix	4	3	0	0.6	1.0	0.0
26	Peptic Ulcer	4	4	0	0.6	1.3	0.0
29	Maternal Causes**	3	0	3	35.9	0.0	66.1
29	Cholelithiasis/Gallbladder Disorder	3	2	1	0.5	0.6	0.3
29	Malnutrition/Nutritional Deficiency	3	1	2	0.5	0.3	0.6
32	Acute Bronchitis and Bronchiolitis	2	2	0	0.3	0.6	0.0
32	Meningitis	2	1	1	0.3	0.3	0.3
34	Infections of Kidney	1	0	1	0.2	0.0	0.3
34	Pneumoconioses and Chemical Effects	1	1	0	0.2	0.3	0.0
34	Tuberculosis	1	0	1	0.2	0.0	0.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	87	50	36	13.6	16.2	11.4
	All Other Causes	827	538	285	129.2	173.8	90.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5,799	3,330	2,437	2,934	1,642	1,278	2,865	1,688	1,159
Under 1	72	16	54	33	5	27	39	11	27
(Neonatal)	39	11	27	13	3	10	26	8	17
(Postneonatal)	33	5	27	20	2	17	13	3	10
1-4	18	7	10	10	5	5	8	2	5
5-9	5	1	4	3	1	2	2	0	2
10-14	6	4	2	6	4	2	0	0	0
15-24	100	35	65	71	25	46	29	10	19
25-34	128	44	83	84	29	54	44	15	29
35-44	192	81	109	132	61	69	60	20	40
45-54	492	213	274	289	123	165	203	90	109
55-64	920	412	503	569	247	320	351	165	183
65-74	1,080	616	462	615	345	270	465	271	192
75-84	1,274	825	440	595	400	190	679	425	250
85 and over	1,511	1,075	431	526	396	128	985	679	303
Unknown	1	1	0	1	1	0	0	0	0

Mortality Rates\*\*\*

Infant	8.6	4.3	11.9
Neonatal	4.7	3.0	5.9
Postneonatal	3.9	1.4	5.9

2013 Population

Total	639,956
White	309,556
Black	315,759
Other	14,641

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VI, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,795	1,841	871	1,152.5	1,331.0	946.4
1	Heart Diseases	816	534	267	336.5	386.1	290.1
2	Malignant Neoplasms	539	350	177	222.3	253.0	192.3
3	Accidents	152	104	41	62.7	75.2	44.5
4	Alzheimer's Disease	127	99	27	52.4	71.6	29.3
5	Emphysema and Other Chronic Lower Resp. Diseases	124	96	28	51.1	69.4	30.4
6	Cerebrovascular Disease	118	77	39	48.7	55.7	42.4
7	Influenza and Pneumonia	75	49	24	30.9	35.4	26.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	72	43	24	29.7	31.1	26.1
9	Diabetes Mellitus	71	32	26	29.3	23.1	28.2
10	Septicemia	56	36	18	23.1	26.0	19.6
11	Hypertension/Hypertensive Renal Disease	43	27	14	17.7	19.5	15.2
12	Chronic Liver Disease And Cirrhosis	32	19	10	13.2	13.7	10.9
13	Suicide	28	23	3	11.5	16.6	3.3
14	Pneumonitis Due to Solids and Liquids	22	14	7	9.1	10.1	7.6
15	Homicide	20	5	15	8.2	3.6	16.3
16	Congenital Malformations and Chrom. Abnormalities	14	12	2	5.8	8.7	2.2
17	In Situ, Benign and Unspecified Neoplasms	13	10	3	5.4	7.2	3.3
18	Conditions Originating in the Perinatal Period**	9	2	6	2.8	1.2	4.5
18	Parkinson's Disease	9	9	0	3.7	6.5	0.0
20	Aortic Aneurysm and Dissection	7	3	4	2.9	2.2	4.3
20	Anemias	7	3	4	2.9	2.2	4.3
20	HIV Disease	7	2	5	2.9	1.4	5.4
23	Viral Hepatitis	5	4	1	2.1	2.9	1.1
24	Malnutrition/Nutritional Deficiency	4	4	0	1.6	2.9	0.0
25	Cholelithiasis/Gallbladder Disorder	3	2	1	1.2	1.4	1.1
26	Complications Medical/Surgical Care	2	2	0	0.8	1.4	0.0
26	Peptic Ulcer	2	1	1	0.8	0.7	1.1
28	Maternal Causes**	1	0	1	31.5	0.0	74.9
28	Infections of Kidney	1	0	1	0.4	0.0	1.1
28	Atherosclerosis	1	0	1	0.4	0.0	1.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	96	67	25	39.6	48.4	27.2
	All Other Causes	319	212	96	131.5	153.3	104.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,795	1,841	871	1,427	920	461	1,368	921	410
Under 1	38	17	19	25	10	13	13	7	6
(Neonatal)	13	5	7	8	2	5	5	3	2
(Postneonatal)	25	12	12	17	8	8	8	4	4
1-4	7	4	1	4	3	0	3	1	1
5-9	3	2	1	3	2	1	0	0	0
10-14	5	2	3	4	2	2	1	0	1
15-24	36	16	16	24	12	9	12	4	7
25-34	57	24	28	35	16	16	22	8	12
35-44	99	49	46	52	29	20	47	20	26
45-54	219	126	82	126	71	49	93	55	33
55-64	451	248	183	290	157	122	161	91	61
65-74	531	341	165	298	194	90	233	147	75
75-84	667	493	167	334	245	87	333	248	80
85 and over	681	519	159	231	179	51	450	340	108
Unknown	1	0	1	1	0	1	0	0	0

Mortality Rates\*\*\*

Infant	12.0	10.5	14.2
Neonatal	4.1	3.1	5.2
Postneonatal	7.9	7.4	9.0

2013 Population

Total	242,516
White	138,322
Black	92,036
Other	12,158

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VII, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,096	1,217	876	1,217.2	1,365.9	1,089.6
1	Heart Diseases	503	291	212	292.1	326.6	263.7
2	Malignant Neoplasms	439	252	186	254.9	282.8	231.3
3	Emphysema and Other Chronic Lower Resp. Diseases	121	89	32	70.3	99.9	39.8
4	Cerebrovascular Disease	117	60	56	67.9	67.3	69.7
5	Diabetes Mellitus	102	46	56	59.2	51.6	69.7
6	Accidents	96	63	32	55.7	70.7	39.8
7	Hypertension/Hypertensive Renal Disease	65	41	24	37.7	46.0	29.9
8	Alzheimer's Disease	64	48	16	37.2	53.9	19.9
9	Nephritis, Nephrotic Syndrome And Nephrosis	53	23	30	30.8	25.8	37.3
10	Influenza and Pneumonia	43	27	16	25.0	30.3	19.9
11	Septicemia	35	19	16	20.3	21.3	19.9
12	Homicide	27	9	18	15.7	10.1	22.4
13	Chronic Liver Disease And Cirrhosis	21	11	10	12.2	12.3	12.4
14	Suicide	18	16	2	10.5	18.0	2.5
15	Parkinson's Disease	16	12	4	9.3	13.5	5.0
16	Viral Hepatitis	12	9	3	7.0	10.1	3.7
17	Congenital Malformations and Chrom. Abnormalities	11	6	5	6.4	6.7	6.2
18	HIV Disease	9	4	5	5.2	4.5	6.2
19	Pneumonitis Due to Solids and Liquids	8	5	3	4.6	5.6	3.7
20	Conditions Originating in the Perinatal Period**	6	1	5	2.8	1.1	4.1
20	In Situ, Benign and Unspecified Neoplasms	6	6	0	3.5	6.7	0.0
22	Anemias	5	1	4	2.9	1.1	5.0
23	Aortic Aneurysm and Dissection	3	1	2	1.7	1.1	2.5
24	Complications Medical/Surgical Care	1	1	0	0.6	1.1	0.0
24	Cholelithiasis/Gallbladder Disorder	1	1	0	0.6	1.1	0.0
24	Hernia	1	0	1	0.6	0.0	1.2
24	Peptic Ulcer	1	1	0	0.6	1.1	0.0
24	Pneumoconioses and Chemical Effects	1	1	0	0.6	1.1	0.0
24	Acute Bronchitis and Bronchiolitis	1	0	1	0.6	0.0	1.2
24	Malnutrition/Nutritional Deficiency	1	1	0	0.6	1.1	0.0
24	Tuberculosis	1	0	1	0.6	0.0	1.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	34	18	16	19.7	20.2	19.9
	All Other Causes	274	154	120	159.1	172.8	149.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,096	1,217	876	1,047	602	445	1,049	615	431
Under 1	15	5	10	7	4	3	8	1	7
(Neonatal)	9	3	6	4	2	2	5	1	4
(Postneonatal)	6	2	4	3	2	1	3	0	3
1-4	5	3	2	1	0	1	4	3	1
5-9	2	1	1	1	1	0	1	0	1
10-14	2	0	2	1	0	1	1	0	1
15-24	30	12	18	20	8	12	10	4	6
25-34	39	20	19	23	14	9	16	6	10
35-44	68	30	37	39	19	20	29	11	17
45-54	169	75	93	103	47	56	66	28	37
55-64	320	161	158	178	94	84	142	67	74
65-74	405	217	188	241	141	100	164	76	88
75-84	519	334	185	252	157	95	267	177	90
85 and over	522	359	163	181	117	64	341	242	99
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	7.0	5.7	8.1
Neonatal	4.2	3.4	4.9
Postneonatal	2.8	2.3	3.2

2013 Population

Total	172,199
White	89,102
Black	80,400
Other	2,697

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VIII, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,138	2,322	808	1,014.6	1,131.2	829.6
1	Heart Diseases	788	602	183	254.8	293.3	187.9
2	Malignant Neoplasms	628	460	166	203.0	224.1	170.4
3	Accidents	201	165	35	65.0	80.4	35.9
4	Emphysema and Other Chronic Lower Resp. Diseases	181	158	23	58.5	77.0	23.6
5	Cerebrovascular Disease	141	104	37	45.6	50.7	38.0
6	Alzheimer's Disease	104	86	18	33.6	41.9	18.5
7	Influenza and Pneumonia	96	80	16	31.0	39.0	16.4
8	Septicemia	95	57	38	30.7	27.8	39.0
9	Diabetes Mellitus	91	44	47	29.4	21.4	48.3
10	Nephritis, Nephrotic Syndrome And Nephrosis	72	36	36	23.3	17.5	37.0
11	Suicide	45	41	4	14.5	20.0	4.1
12	Chronic Liver Disease And Cirrhosis	28	24	4	9.1	11.7	4.1
13	Hypertension/Hypertensive Renal Disease	27	14	13	8.7	6.8	13.3
14	Parkinson's Disease	24	24	0	7.8	11.7	0.0
14	Homicide	24	6	18	7.8	2.9	18.5
16	Congenital Malformations and Chrom. Abnormalities	22	16	6	7.1	7.8	6.2
17	Conditions Originating in the Perinatal Period**	19	6	13	4.6	2.4	8.4
18	Pneumonitis Due to Solids and Liquids	18	13	5	5.8	6.3	5.1
18	HIV Disease	18	3	15	5.8	1.5	15.4
20	Aortic Aneurysm and Dissection	12	9	3	3.9	4.4	3.1
21	In Situ, Benign and Unspecified Neoplasms	10	9	1	3.2	4.4	1.0
22	Anemias	9	5	4	2.9	2.4	4.1
23	Cholelithiasis/Gallbladder Disorder	7	5	2	2.3	2.4	2.1
24	Viral Hepatitis	5	4	1	1.6	1.9	1.0
24	Complications Medical/Surgical Care	5	3	2	1.6	1.5	2.1
26	Malnutrition/Nutritional Deficiency	4	3	1	1.3	1.5	1.0
27	Pneumoconioses and Chemical Effects	2	2	0	0.6	1.0	0.0
27	Tuberculosis	2	2	0	0.6	1.0	0.0
29	Maternal Causes**	1	1	0	24.3	39.9	0.0
29	Peptic Ulcer	1	1	0	0.3	0.5	0.0
29	Acute Bronchitis and Bronchiolitis	1	0	1	0.3	0.0	1.0
29	Atherosclerosis	1	1	0	0.3	0.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	59	47	12	19.1	22.9	12.3
	All Other Causes	397	291	104	128.4	141.8	106.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,138	2,322	808	1,610	1,201	407	1,528	1,121	401
Under 1	46	23	23	28	18	10	18	5	13
(Neonatal)	29	15	14	22	14	8	7	1	6
(Postneonatal)	17	8	9	6	4	2	11	4	7
1-4	12	8	4	8	5	3	4	3	1
5-9	6	4	2	3	2	1	3	2	1
10-14	1	1	0	1	1	0	0	0	0
15-24	39	27	12	27	19	8	12	8	4
25-34	67	41	26	47	28	19	20	13	7
35-44	131	76	55	77	51	26	54	25	29
45-54	250	166	84	136	97	39	114	69	45
55-64	505	333	171	308	206	102	197	127	69
65-74	566	413	150	320	242	77	246	171	73
75-84	775	630	143	375	301	73	400	329	70
85 and over	740	600	138	280	231	49	460	369	89
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	11.2	9.2	14.8
Neonatal	7.0	6.0	9.0
Postneonatal	4.1	3.2	5.8

2013 Population

Total	309,286
White	205,265
Black	97,396
Other	6,625

\*\*\* Deaths per 1,000 Live Births



Selected Death Statistics, Residents of District IX, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	4,670	3,954	669	975.4	1,090.2	714.8
1	Heart Diseases	1,121	950	160	234.1	261.9	171.0
2	Malignant Neoplasms	1,035	862	156	216.2	237.7	166.7
3	Accidents	348	300	44	72.7	82.7	47.0
4	Emphysema and Other Chronic Lower Resp. Diseases	301	275	23	62.9	75.8	24.6
5	Cerebrovascular Disease	198	161	34	41.4	44.4	36.3
6	Septicemia	117	94	23	24.4	25.9	24.6
7	Nephritis, Nephrotic Syndrome And Nephrosis	113	100	13	23.6	27.6	13.9
8	Influenza and Pneumonia	110	97	12	23.0	26.7	12.8
9	Alzheimer's Disease	106	97	9	22.1	26.7	9.6
10	Suicide	79	72	7	16.5	19.9	7.5
11	Diabetes Mellitus	68	58	10	14.2	16.0	10.7
12	Chronic Liver Disease And Cirrhosis	66	55	10	13.8	15.2	10.7
13	Hypertension/Hypertensive Renal Disease	42	29	13	8.8	8.0	13.9
14	Parkinson's Disease	34	32	2	7.1	8.8	2.1
15	Congenital Malformations and Chrom. Abnormalities	28	19	9	5.8	5.2	9.6
15	Pneumonitis Due to Solids and Liquids	28	24	4	5.8	6.6	4.3
17	Homicide	27	16	11	5.6	4.4	11.8
18	Conditions Originating in the Perinatal Period**	23	17	6	3.8	3.8	4.5
19	In Situ, Benign and Unspecified Neoplasms	15	15	0	3.1	4.1	0.0
20	Complications Medical/Surgical Care	13	13	0	2.7	3.6	0.0
20	Aortic Aneurysm and Dissection	13	12	1	2.7	3.3	1.1
20	Viral Hepatitis	13	13	0	2.7	3.6	0.0
23	Peptic Ulcer	9	8	1	1.9	2.2	1.1
24	Anemias	8	7	1	1.7	1.9	1.1
24	HIV Disease	8	5	3	1.7	1.4	3.2
26	Cholelithiasis/Gallbladder Disorder	6	6	0	1.3	1.7	0.0
26	Pneumoconioses and Chemical Effects	6	6	0	1.3	1.7	0.0
28	Malnutrition/Nutritional Deficiency	4	3	1	0.8	0.8	1.1
29	Hernia	3	2	1	0.6	0.6	1.1
30	Maternal Causes**	2	2	0	33.0	44.3	0.0
30	Acute Bronchitis and Bronchiolitis	2	1	1	0.4	0.3	1.1
30	Atherosclerosis	2	2	0	0.4	0.6	0.0
33	Meningitis	1	1	0	0.2	0.3	0.0
33	Tuberculosis	1	1	0	0.2	0.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	97	78	17	20.3	21.5	18.2
	All Other Causes	623	521	97	130.1	143.6	103.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4,670	3,954	669	2,537	2,153	360	2,133	1,801	309
Under 1	56	40	16	32	24	8	24	16	8
(Neonatal)	34	26	8	21	17	4	13	9	4
(Postneonatal)	22	14	8	11	7	4	11	7	4
1-4	9	8	1	6	5	1	3	3	0
5-9	7	4	3	2	1	1	5	3	2
10-14	6	3	3	2	1	1	4	2	2
15-24	55	41	14	38	29	9	17	12	5
25-34	94	71	20	60	48	9	34	23	11
35-44	154	123	27	99	79	17	55	44	10
45-54	443	362	77	266	225	40	177	137	37
55-64	718	569	140	468	371	91	250	198	49
65-74	941	803	129	568	480	84	373	323	45
75-84	1,169	1,037	126	604	544	58	565	493	68
85 and over	1,018	893	113	392	346	41	626	547	72
Unknown	0	0	0	0	0	0	0	0	0
Mortality Rates***							2013 Population		
Infant	9.2	8.9	12.0				Total	478,763	
Neonatal	5.6	5.8	6.0				White	362,702	
Postneonatal	3.6	3.1	6.0				Black	93,590	
							Other	22,471	
*** Deaths per 1,000 Live Births									