

Selected Death Statistics, Residents of Mississippi, 2013

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	30,736	20,925	9,597	1,027.5	1,169.7	857.4
1	Heart Diseases	7,720	5,269	2,409	258.1	294.5	215.2
2	Malignant Neoplasms	6,540	4,405	2,082	218.6	246.2	186.0
3	Emphysema and Other Chronic Lower Resp. Diseases	1,757	1,457	294	58.7	81.4	26.3
4	Accidents	1,680	1,240	422	56.2	69.3	37.7
5	Cerebrovascular Disease	1,496	985	502	50.0	55.1	44.9
6	Diabetes Mellitus	1,069	518	537	35.7	29.0	48.0
7	Alzheimer's Disease	925	751	173	30.9	42.0	15.5
8	Influenza and Pneumonia	769	566	200	25.7	31.6	17.9
9	Nephritis, Nephrotic Syndrome And Nephrosis	732	405	320	24.5	22.6	28.6
10	Septicemia	680	413	265	22.7	23.1	23.7
11	Hypertension/Hypertensive Renal Disease	502	283	216	16.8	15.8	19.3
12	Suicide	389	331	53	13.0	18.5	4.7
13	Chronic Liver Disease And Cirrhosis	328	231	93	11.0	12.9	8.3
14	Homicide	290	71	216	9.7	4.0	19.3
15	Pneumonitis Due to Solids and Liquids	224	152	71	7.5	8.5	6.3
16	Parkinson's Disease	204	181	22	6.8	10.1	2.0
17	Conditions Originating in the Perinatal Period**	169	57	110	4.4	2.7	6.6
18	Congenital Malformations and Chrom. Abnormalities	127	77	48	4.2	4.3	4.3
19	HIV Disease	120	28	92	4.0	1.6	8.2
20	In Situ, Benign and Unspecified Neoplasms	111	83	27	3.7	4.6	2.4
21	Aortic Aneurysm and Dissection	80	57	23	2.7	3.2	2.1
22	Viral Hepatitis	75	57	18	2.5	3.2	1.6
23	Anemias	65	33	32	2.2	1.8	2.9
24	Complications Medical/Surgical Care	43	33	10	1.4	1.8	0.9
25	Cholelithiasis/Gallbladder Disorder	37	26	11	1.2	1.5	1.0
26	Malnutrition/Nutritional Deficiency	30	22	8	1.0	1.2	0.7
27	Peptic Ulcer	23	19	4	0.8	1.1	0.4
28	Atherosclerosis	16	10	6	0.5	0.6	0.5
29	Pneumoconioses and Chemical Effects	12	12	0	0.4	0.7	0.0
30	Maternal Causes**	11	4	7	28.5	19.0	42.0
31	Hernia	10	7	3	0.3	0.4	0.3
32	Acute Bronchitis and Bronchiolitis	9	5	4	0.3	0.3	0.4
33	Tuberculosis	8	5	3	0.3	0.3	0.3
34	Meningitis	6	4	2	0.2	0.2	0.2
35	Diseases of Appendix	5	3	1	0.2	0.2	0.1
36	Infections of Kidney	4	1	3	0.1	0.1	0.3
37	Legal Intervention	3	1	2	0.1	0.1	0.2
38	Scarlet Fever and Erysipelas	1	1	0	#	0.1	0.0
38	Syphilis	1	0	1	#	0.0	0.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	558	395	155	18.7	22.1	13.8
	All Other Causes	3,907	2,727	1,152	130.6	152.4	102.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2013 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	30,736	20,925	9,597	15,715	10,617	4,991	15,021	10,308	4,606
Under 1	373	155	210	209	89	113	164	66	97
(Neonatal)	227	92	131	127	56	68	100	36	63
(Postneonatal)	146	63	79	82	33	45	64	30	34
1-4	76	39	33	44	21	21	32	18	12
5-9	41	25	16	23	15	8	18	10	8
10-14	33	17	16	21	10	11	12	7	5
15-24	400	202	192	278	140	134	122	62	58
25-34	631	303	318	400	201	191	231	102	127
35-44	1,048	571	463	641	364	266	407	207	197
45-54	2,599	1,552	1,024	1,530	928	594	1,069	624	430
55-64	4,773	2,806	1,923	2,938	1,732	1,182	1,835	1,074	741
65-74	5,972	4,038	1,890	3,436	2,351	1,065	2,536	1,687	825
75-84	7,281	5,470	1,779	3,561	2,707	841	3,720	2,763	938
85 and over	7,504	5,744	1,731	2,629	2,056	563	4,875	3,688	1,168
Unknown	5	3	2	5	3	2	0	0	0

Mortality Rates***

Infant	9.7	7.3	12.6
Neonatal	5.9	4.4	7.9
Postneonatal	3.8	3.0	4.7

2013 Population

Total	2,991,207
White	1,788,861
Black	1,119,258
Other	83,088

*** Deaths per 1,000 Live Births