

Selected Death Statistics, Residents of District I, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,016	2,069	933	927.0	1,064.1	760.7
1	Heart Diseases	817	563	251	251.1	289.6	204.6
2	Malignant Neoplasms	730	484	241	224.4	248.9	196.5
3	Emphysema and Other Chronic Lower Resp. Diseases	179	152	27	55.0	78.2	22.0
4	Accidents	158	119	39	48.6	61.2	31.8
5	Diabetes Mellitus	140	84	53	43.0	43.2	43.2
6	Cerebrovascular Disease	122	75	46	37.5	38.6	37.5
7	Alzheimer's Disease	114	100	13	35.0	51.4	10.6
8	Influenza and Pneumonia	76	53	23	23.4	27.3	18.8
9	Hypertension/Hypertensive Renal Disease	67	38	29	20.6	19.5	23.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	61	33	28	18.7	17.0	22.8
11	Suicide	42	36	6	12.9	18.5	4.9
12	Homicide	37	12	25	11.4	6.2	20.4
13	Chronic Liver Disease And Cirrhosis	32	32	0	9.8	16.5	0.0
14	Septicemia	28	18	10	8.6	9.3	8.2
15	Pneumonitis Due to Solids and Liquids	19	13	6	5.8	6.7	4.9
16	Conditions Originating in the Perinatal Period**	12	3	9	2.8	1.3	4.7
16	In Situ, Benign and Unspecified Neoplasms	12	8	4	3.7	4.1	3.3
18	Congenital Malformations and Chrom. Abnormalities	10	4	6	3.1	2.1	4.9
19	Parkinson's Disease	8	8	0	2.5	4.1	0.0
20	HIV Disease	7	1	6	2.2	0.5	4.9
21	Anemias	6	4	2	1.8	2.1	1.6
21	Viral Hepatitis	6	5	1	1.8	2.6	0.8
21	Aortic Aneurysm and Dissection	6	3	3	1.8	1.5	2.4
24	Complications Medical/Surgical Care	5	4	1	1.5	2.1	0.8
25	Cholelithiasis/Gallbladder Disorder	4	4	0	1.2	2.1	0.0
25	Malnutrition/Nutritional Deficiency	4	2	2	1.2	1.0	1.6
27	Legal Intervention	1	1	0	0.3	0.5	0.0
27	Maternal Causes**	1	1	0	23.6	44.8	0.0
27	Atherosclerosis	1	1	0	0.3	0.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	14	10	4	4.3	5.1	3.3
	All Other Causes	297	198	98	91.3	101.8	79.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,016	2,069	933	1,594	1,118	470	1,422	951	463
Under 1	23	6	17	13	2	11	10	4	6
(Neonatal)	17	5	12	9	2	7	8	3	5
(Postneonatal)	6	1	5	4	0	4	2	1	1
1-4	5	4	1	5	4	1	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	4	3	1	3	2	1	1	1	0
15-24	44	24	20	37	21	16	7	3	4
25-34	74	33	41	44	27	17	30	6	24
35-44	108	55	53	53	31	22	55	24	31
45-54	254	151	103	148	93	55	106	58	48
55-64	511	313	195	322	205	116	189	108	79
65-74	614	443	167	351	255	95	263	188	72
75-84	753	561	186	403	305	95	350	256	91
85 and over	624	475	148	213	172	40	411	303	108
Unknown	0	0	0	0	0	0	0	0	0
Mortality Rates***							2014 Population		
Infant	5.4	2.7	8.8				Total	325,347	
Neonatal	4.0	2.2	6.2				White	194,438	
Postneonatal	1.4	0.4	2.6				Black	122,653	
							Other	8,256	
*** Deaths per 1,000 Live Births									

Selected Death Statistics, Residents of District II, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	4,000	3,371	614	1,082.4	1,200.5	763.4
1	Heart Diseases	952	827	122	257.6	294.5	151.7
2	Malignant Neoplasms	843	693	148	228.1	246.8	184.0
3	Emphysema and Other Chronic Lower Resp. Diseases	242	225	17	65.5	80.1	21.1
4	Accidents	235	194	40	63.6	69.1	49.7
5	Cerebrovascular Disease	229	197	31	62.0	70.2	38.5
6	Alzheimer's Disease	173	153	19	46.8	54.5	23.6
7	Diabetes Mellitus	113	71	42	30.6	25.3	52.2
8	Influenza and Pneumonia	96	82	13	26.0	29.2	16.2
8	Septicemia	96	84	12	26.0	29.9	14.9
10	Nephritis, Nephrotic Syndrome And Nephrosis	84	64	19	22.7	22.8	23.6
11	Hypertension/Hypertensive Renal Disease	57	42	15	15.4	15.0	18.6
12	Chronic Liver Disease And Cirrhosis	50	43	7	13.5	15.3	8.7
13	Suicide	37	33	3	10.0	11.8	3.7
14	Parkinson's Disease	31	30	1	8.4	10.7	1.2
15	Pneumonitis Due to Solids and Liquids	28	26	2	7.6	9.3	2.5
16	Homicide	23	11	11	6.2	3.9	13.7
17	Conditions Originating in the Perinatal Period**	17	7	10	3.8	2.1	8.9
18	Congenital Malformations and Chrom. Abnormalities	15	12	3	4.1	4.3	3.7
19	In Situ, Benign and Unspecified Neoplasms	11	11	0	3.0	3.9	0.0
20	Aortic Aneurysm and Dissection	10	10	0	2.7	3.6	0.0
20	HIV Disease	10	5	4	2.7	1.8	5.0
22	Anemias	7	6	1	1.9	2.1	1.2
23	Complications Medical/Surgical Care	5	4	1	1.4	1.4	1.2
23	Malnutrition/Nutritional Deficiency	5	3	2	1.4	1.1	2.5
23	Viral Hepatitis	5	5	0	1.4	1.8	0.0
26	Peptic Ulcer	3	3	0	0.8	1.1	0.0
26	Tuberculosis	3	2	1	0.8	0.7	1.2
28	Infections of Kidney	2	2	0	0.5	0.7	0.0
29	Legal Intervention	1	1	0	0.3	0.4	0.0
29	Cholelithiasis/Gallbladder Disorder	1	1	0	0.3	0.4	0.0
29	Hernia	1	0	1	0.3	0.0	1.2
29	Maternal Causes**	1	1	0	22.2	30.2	0.0
29	Atherosclerosis	1	1	0	0.3	0.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	53	45	8	14.3	16.0	9.9
	All Other Causes	560	477	81	151.5	169.9	100.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4,000	3,371	614	2,043	1,705	328	1,957	1,666	286
Under 1	37	21	16	20	13	7	17	8	9
(Neonatal)	25	11	14	12	5	7	13	6	7
(Postneonatal)	12	10	2	8	8	0	4	2	2
1-4	8	3	5	6	1	5	2	2	0
5-9	2	1	1	1	1	0	1	0	1
10-14	5	2	3	3	1	2	2	1	1
15-24	40	24	16	27	18	9	13	6	7
25-34	66	49	14	48	36	11	18	13	3
35-44	131	96	33	76	53	21	55	43	12
45-54	310	235	71	184	140	41	126	95	30
55-64	567	455	111	365	286	78	202	169	33
65-74	820	701	117	461	397	63	359	304	54
75-84	986	856	128	507	444	61	479	412	67
85 and over	1,028	928	99	345	315	30	683	613	69
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	8.2	6.3	14.2
Neonatal	5.6	3.3	12.4
Postneonatal	2.7	3.0	1.8

2014 Population

Total	369,547
White	280,810
Black	80,433
Other	8,304

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District III, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,482	1,052	1,418	1,189.5	1,551.4	1,029.2
1	Heart Diseases	588	262	322	281.8	386.4	233.7
2	Malignant Neoplasms	524	217	306	251.1	320.0	222.1
3	Diabetes Mellitus	153	45	108	73.3	66.4	78.4
4	Cerebrovascular Disease	136	57	79	65.2	84.1	57.3
5	Accidents	118	51	67	56.6	75.2	48.6
6	Emphysema and Other Chronic Lower Resp. Diseases	112	74	38	53.7	109.1	27.6
7	Hypertension/Hypertensive Renal Disease	82	19	63	39.3	28.0	45.7
8	Alzheimer's Disease	79	55	24	37.9	81.1	17.4
9	Nephritis, Nephrotic Syndrome And Nephrosis	70	18	52	33.5	26.5	37.7
10	Influenza and Pneumonia	47	21	25	22.5	31.0	18.1
11	Septicemia	41	14	26	19.6	20.6	18.9
12	Homicide	30	5	25	14.4	7.4	18.1
13	HIV Disease	20	2	18	9.6	2.9	13.1
14	Suicide	17	10	6	8.1	14.7	4.4
14	Chronic Liver Disease And Cirrhosis	17	5	11	8.1	7.4	8.0
16	Pneumonitis Due to Solids and Liquids	13	8	5	6.2	11.8	3.6
17	Congenital Malformations and Chrom. Abnormalities	11	3	8	5.3	4.4	5.8
17	Conditions Originating in the Perinatal Period**	11	1	9	3.8	1.4	4.1
19	Parkinson's Disease	9	8	1	4.3	11.8	0.7
20	Anemias	8	2	6	3.8	2.9	4.4
21	Aortic Aneurysm and Dissection	7	3	4	3.4	4.4	2.9
22	In Situ, Benign and Unspecified Neoplasms	5	2	3	2.4	2.9	2.2
22	Malnutrition/Nutritional Deficiency	5	2	3	2.4	2.9	2.2
24	Viral Hepatitis	3	1	2	1.4	1.5	1.5
25	Hyperplasia of Prostate	2	1	1	2.0	2.9	1.5
25	Peptic Ulcer	2	1	1	1.0	1.5	0.7
25	Complications Medical/Surgical Care	2	0	2	1.0	0.0	1.5
25	Meningitis	2	0	2	1.0	0.0	1.5
29	Infections of Kidney	1	0	1	0.5	0.0	0.7
29	Cholelithiasis/Gallbladder Disorder	1	0	1	0.5	0.0	0.7
29	Hernia	1	1	0	0.5	1.5	0.0
29	Diseases of Appendix	1	1	0	0.5	1.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	36	16	20	17.3	23.6	14.5
	All Other Causes	328	147	179	157.2	216.8	129.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,482	1,052	1,418	1,269	529	733	1,213	523	685
Under 1	24	3	19	13	2	11	11	1	8
(Neonatal)	16	3	12	10	2	8	6	1	4
(Postneonatal)	8	0	7	3	0	3	5	0	4
1-4	2	0	2	1	0	1	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	3	1	2	3	1	2	0	0	0
15-24	31	8	22	20	2	17	11	6	5
25-34	59	8	51	29	4	25	30	4	26
35-44	102	30	72	60	19	41	42	11	31
45-54	197	53	143	104	27	76	93	26	67
55-64	454	144	307	307	101	203	147	43	104
65-74	503	212	291	289	122	167	214	90	124
75-84	516	263	252	238	130	108	278	133	144
85 and over	589	330	255	204	121	81	385	209	174
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	8.2	4.1	8.8
Neonatal	5.5	4.1	5.5
Postneonatal	2.7	0.0	3.2

2014 Population

Total	208,661
White	67,810
Black	137,773
Other	3,078

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District IV, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,516	1,631	876	1,025.7	1,170.8	873.6
1	Heart Diseases	601	402	198	245.0	288.6	197.5
2	Malignant Neoplasms	563	351	212	229.5	252.0	211.4
3	Cerebrovascular Disease	149	98	51	60.7	70.3	50.9
4	Emphysema and Other Chronic Lower Resp. Diseases	143	116	27	58.3	83.3	26.9
5	Accidents	136	91	43	55.4	65.3	42.9
6	Alzheimer's Disease	122	91	30	49.7	65.3	29.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	77	40	37	31.4	28.7	36.9
8	Diabetes Mellitus	65	31	33	26.5	22.3	32.9
9	Influenza and Pneumonia	56	38	18	22.8	27.3	18.0
10	Septicemia	51	27	23	20.8	19.4	22.9
11	Chronic Liver Disease And Cirrhosis	33	22	10	13.5	15.8	10.0
12	Hypertension/Hypertensive Renal Disease	32	16	16	13.0	11.5	16.0
13	Suicide	29	26	3	11.8	18.7	3.0
14	Pneumonitis Due to Solids and Liquids	21	13	8	8.6	9.3	8.0
15	Homicide	18	5	13	7.3	3.6	13.0
16	Conditions Originating in the Perinatal Period**	16	1	14	5.4	0.7	10.2
17	Aortic Aneurysm and Dissection	10	6	4	4.1	4.3	4.0
17	Parkinson's Disease	10	9	1	4.1	6.5	1.0
19	Congenital Malformations and Chrom. Abnormalities	9	4	5	3.7	2.9	5.0
20	In Situ, Benign and Unspecified Neoplasms	8	6	2	3.3	4.3	2.0
21	HIV Disease	7	1	6	2.9	0.7	6.0
22	Viral Hepatitis	5	3	2	2.0	2.2	2.0
23	Hernia	4	4	0	1.6	2.9	0.0
23	Peptic Ulcer	4	3	1	1.6	2.2	1.0
23	Anemias	4	1	3	1.6	0.7	3.0
26	Cholelithiasis/Gallbladder Disorder	3	3	0	1.2	2.2	0.0
26	Complications Medical/Surgical Care	3	2	1	1.2	1.4	1.0
26	Malnutrition/Nutritional Deficiency	3	2	1	1.2	1.4	1.0
29	Meningitis	2	2	0	0.8	1.4	0.0
30	Infections of Kidney	1	1	0	0.4	0.7	0.0
30	Maternal Causes**	1	1	0	33.9	65.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	24	13	11	9.8	9.3	11.0
	All Other Causes	306	202	103	124.8	145.0	102.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,516	1,631	876	1,253	801	447	1,263	830	429
Under 1	30	7	22	15	5	9	15	2	13
(Neonatal)	17	1	15	8	1	6	9	0	9
(Postneonatal)	13	6	7	7	4	3	6	2	4
1-4	3	1	2	2	1	1	1	0	1
5-9	3	3	0	2	2	0	1	1	0
10-14	4	3	1	2	2	0	2	1	1
15-24	27	15	12	17	10	7	10	5	5
25-34	44	18	25	32	13	18	12	5	7
35-44	67	37	29	44	26	17	23	11	12
45-54	202	100	102	119	60	59	83	40	43
55-64	361	189	171	205	103	101	156	86	70
65-74	481	323	156	287	188	99	194	135	57
75-84	636	449	185	328	235	93	308	214	92
85 and over	658	486	171	200	156	43	458	330	128
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	10.2	4.6	16.1
Neonatal	5.8	0.7	11.0
Postneonatal	4.4	3.9	5.1

2014 Population

Total	245,289
White	139,311
Black	100,278
Other	5,700

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District V, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	5,822	3,321	2,477	908.7	1,075.3	781.5
1	Heart Diseases	1,480	814	659	231.0	263.6	207.9
2	Malignant Neoplasms	1,227	697	522	191.5	225.7	164.7
3	Cerebrovascular Disease	314	162	150	49.0	52.5	47.3
4	Emphysema and Other Chronic Lower Resp. Diseases	309	241	67	48.2	78.0	21.1
5	Accidents	242	143	99	37.8	46.3	31.2
6	Diabetes Mellitus	200	91	108	31.2	29.5	34.1
7	Alzheimer's Disease	171	119	52	26.7	38.5	16.4
8	Influenza and Pneumonia	133	75	58	20.8	24.3	18.3
9	Septicemia	129	63	65	20.1	20.4	20.5
10	Nephritis, Nephrotic Syndrome And Nephrosis	115	47	67	17.9	15.2	21.1
11	Homicide	102	15	87	15.9	4.9	27.4
12	Hypertension/Hypertensive Renal Disease	71	39	32	11.1	12.6	10.1
13	Chronic Liver Disease And Cirrhosis	70	55	14	10.9	17.8	4.4
14	Suicide	64	50	13	10.0	16.2	4.1
15	HIV Disease	48	7	41	7.5	2.3	12.9
16	Parkinson's Disease	45	37	8	7.0	12.0	2.5
17	Pneumonitis Due to Solids and Liquids	32	22	10	5.0	7.1	3.2
18	Conditions Originating in the Perinatal Period**	29	7	22	3.5	1.9	4.8
19	Viral Hepatitis	26	19	7	4.1	6.2	2.2
20	Congenital Malformations and Chrom. Abnormalities	25	11	14	3.9	3.6	4.4
21	In Situ, Benign and Unspecified Neoplasms	18	13	5	2.8	4.2	1.6
22	Anemias	17	6	11	2.7	1.9	3.5
23	Aortic Aneurysm and Dissection	10	5	5	1.6	1.6	1.6
24	Peptic Ulcer	8	4	4	1.2	1.3	1.3
24	Atherosclerosis	8	2	6	1.2	0.6	1.9
26	Malnutrition/Nutritional Deficiency	7	3	4	1.1	1.0	1.3
27	Complications Medical/Surgical Care	4	2	2	0.6	0.6	0.6
28	Tuberculosis	3	1	2	0.5	0.3	0.6
28	Cholelithiasis/Gallbladder Disorder	3	1	2	0.5	0.3	0.6
30	Hernia	2	2	0	0.3	0.6	0.0
31	Legal Intervention	1	1	0	0.2	0.3	0.0
31	Female Pelvic Inflammatory Disease	1	0	1	0.3	0.0	0.6
31	Hyperplasia of Prostate	1	0	1	0.3	0.0	0.7
31	Diseases of Appendix	1	1	0	0.2	0.3	0.0
31	Acute Bronchitis and Bronchiolitis	1	1	0	0.2	0.3	0.0
31	Meningitis	1	0	1	0.2	0.0	0.3
31	Syphilis	1	0	1	0.2	0.0	0.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	63	33	30	9.8	10.7	9.5
	All Other Causes	840	532	307	131.1	172.2	96.9

\* Total includes races other than white and black.  
 \*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.  
 # Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5,822	3,321	2,477	3,002	1,701	1,289	2,820	1,620	1,188
Under 1	71	18	51	36	9	25	35	9	26
(Neonatal)	35	7	28	19	4	15	16	3	13
(Postneonatal)	36	11	23	17	5	10	19	6	13
1-4	11	3	8	5	1	4	6	2	4
5-9	6	4	2	4	3	1	2	1	1
10-14	5	1	4	4	1	3	1	0	1
15-24	97	34	63	69	20	49	28	14	14
25-34	128	47	80	89	35	54	39	12	26
35-44	221	85	135	124	52	72	97	33	63
45-54	498	231	263	293	153	137	205	78	126
55-64	986	457	523	618	288	329	368	169	194
65-74	1,125	640	481	675	386	286	450	254	195
75-84	1,257	795	458	589	369	217	668	426	241
85 and over	1,414	1,005	407	493	383	110	921	622	297
Unknown	3	1	2	3	1	2	0	0	0

Mortality Rates***				2014 Population	
Infant	8.5	5.0	11.1	Total	640,671
Neonatal	4.2	1.9	6.1	White	308,857
Postneonatal	4.3	3.0	5.0	Black	316,950
				Other	14,864

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VI, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,740	1,851	806	1,132.5	1,343.9	877.1
1	Heart Diseases	780	546	213	322.4	396.4	231.8
2	Malignant Neoplasms	540	371	157	223.2	269.4	170.9
3	Accidents	177	119	50	73.2	86.4	54.4
4	Cerebrovascular Disease	145	86	54	59.9	62.4	58.8
5	Emphysema and Other Chronic Lower Resp. Diseases	120	104	15	49.6	75.5	16.3
6	Alzheimer's Disease	116	92	23	47.9	66.8	25.0
7	Influenza and Pneumonia	87	65	21	36.0	47.2	22.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	61	24	34	25.2	17.4	37.0
9	Septicemia	56	30	19	23.1	21.8	20.7
10	Diabetes Mellitus	52	23	24	21.5	16.7	26.1
11	Homicide	34	7	25	14.1	5.1	27.2
12	Hypertension/Hypertensive Renal Disease	31	18	13	12.8	13.1	14.1
13	Suicide	30	23	6	12.4	16.7	6.5
14	Chronic Liver Disease And Cirrhosis	25	15	7	10.3	10.9	7.6
15	Conditions Originating in the Perinatal Period**	17	8	9	5.2	4.9	6.4
15	Parkinson's Disease	17	15	2	7.0	10.9	2.2
17	Pneumonitis Due to Solids and Liquids	15	6	9	6.2	4.4	9.8
18	In Situ, Benign and Unspecified Neoplasms	12	9	3	5.0	6.5	3.3
19	Aortic Aneurysm and Dissection	11	6	5	4.5	4.4	5.4
20	Congenital Malformations and Chrom. Abnormalities	7	4	3	2.9	2.9	3.3
21	Anemias	6	3	3	2.5	2.2	3.3
21	HIV Disease	6	2	3	2.5	1.5	3.3
23	Complications Medical/Surgical Care	4	2	2	1.7	1.5	2.2
24	Legal Intervention	2	0	1	0.8	0.0	1.1
24	Cholelithiasis/Gallbladder Disorder	2	1	1	0.8	0.7	1.1
24	Malnutrition/Nutritional Deficiency	2	2	0	0.8	1.5	0.0
24	Viral Hepatitis	2	2	0	0.8	1.5	0.0
28	Female Pelvic Inflammatory Disease	1	0	0	0.8	0.0	0.0
28	Hernia	1	1	0	0.4	0.7	0.0
28	Peptic Ulcer	1	1	0	0.4	0.7	0.0
28	Pneumoconioses and Chemical Effects	1	1	0	0.4	0.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	65	43	22	26.9	31.2	23.9
	All Other Causes	314	222	82	129.8	161.2	89.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,740	1,851	806	1,414	936	430	1,326	915	376
Under 1	33	16	15	24	12	11	9	4	4
(Neonatal)	25	12	13	18	9	9	7	3	4
(Postneonatal)	8	4	2	6	3	2	2	1	0
1-4	9	3	5	8	3	5	1	0	0
5-9	3	2	1	3	2	1	0	0	0
10-14	6	5	1	5	4	1	1	1	0
15-24	48	21	25	37	15	20	11	6	5
25-34	63	26	33	44	18	25	19	8	8
35-44	88	48	27	54	24	19	34	24	8
45-54	241	129	99	141	75	57	100	54	42
55-64	446	266	162	278	167	97	168	99	65
65-74	535	366	155	308	214	88	227	152	67
75-84	635	495	131	301	236	62	334	259	69
85 and over	633	474	152	211	166	44	422	308	108
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	10.2	9.7	10.7
Neonatal	7.7	7.3	9.3
Postneonatal	2.5	2.4	1.4

2014 Population

Total	241,941
White	137,738
Black	91,891
Other	12,312

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VII, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,184	1,243	937	1,275.8	1,405.2	1,170.5
1	Heart Diseases	487	290	197	284.5	327.8	246.1
2	Malignant Neoplasms	465	244	221	271.6	275.8	276.1
3	Accidents	142	85	57	83.0	96.1	71.2
4	Emphysema and Other Chronic Lower Resp. Diseases	117	87	30	68.3	98.4	37.5
5	Diabetes Mellitus	113	39	73	66.0	44.1	91.2
6	Cerebrovascular Disease	102	51	51	59.6	57.7	63.7
7	Influenza and Pneumonia	78	54	23	45.6	61.0	28.7
8	Alzheimer's Disease	70	56	14	40.9	63.3	17.5
9	Nephritis, Nephrotic Syndrome And Nephrosis	60	22	38	35.1	24.9	47.5
9	Hypertension/Hypertensive Renal Disease	60	38	22	35.1	43.0	27.5
11	Septicemia	47	28	19	27.5	31.7	23.7
12	Suicide	25	22	3	14.6	24.9	3.7
13	Homicide	23	2	20	13.4	2.3	25.0
14	Chronic Liver Disease And Cirrhosis	12	8	4	7.0	9.0	5.0
14	In Situ, Benign and Unspecified Neoplasms	12	5	7	7.0	5.7	8.7
16	Conditions Originating in the Perinatal Period**	10	2	7	4.5	2.0	5.9
17	Congenital Malformations and Chrom. Abnormalities	8	5	3	4.7	5.7	3.7
17	Pneumonitis Due to Solids and Liquids	8	4	4	4.7	4.5	5.0
17	Parkinson's Disease	8	7	1	4.7	7.9	1.2
20	Anemias	7	2	5	4.1	2.3	6.2
21	HIV Disease	6	0	6	3.5	0.0	7.5
22	Complications Medical/Surgical Care	4	1	3	2.3	1.1	3.7
22	Viral Hepatitis	4	3	1	2.3	3.4	1.2
24	Aortic Aneurysm and Dissection	3	2	1	1.8	2.3	1.2
24	Atherosclerosis	3	2	1	1.8	2.3	1.2
26	Cholelithiasis/Gallbladder Disorder	2	2	0	1.2	2.3	0.0
26	Malnutrition/Nutritional Deficiency	2	0	2	1.2	0.0	2.5
28	Maternal Causes**	1	1	0	45.3	99.2	0.0
28	Infections of Kidney	1	1	0	0.6	1.1	0.0
28	Pneumoconioses and Chemical Effects	1	1	0	0.6	1.1	0.0
28	Tuberculosis	1	0	1	0.6	0.0	1.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	25	18	7	14.6	20.3	8.7
	All Other Causes	277	161	116	161.8	182.0	144.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,184	1,243	937	1,103	611	491	1,081	632	446
Under 1	22	7	14	10	3	7	12	4	7
(Neonatal)	15	6	9	9	3	6	6	3	3
(Postneonatal)	7	1	5	1	0	1	6	1	4
1-4	9	5	4	6	2	4	3	3	0
5-9	3	1	2	0	0	0	3	1	2
10-14	2	1	1	2	1	1	0	0	0
15-24	31	14	17	26	10	16	5	4	1
25-34	52	25	27	30	13	17	22	12	10
35-44	71	30	41	42	18	24	29	12	17
45-54	182	77	103	106	42	63	76	35	40
55-64	381	180	201	226	109	117	155	71	84
65-74	429	249	180	248	147	101	181	102	79
75-84	476	292	183	233	142	91	243	150	92
85 and over	526	362	164	174	124	50	352	238	114
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	10.0	6.9	11.9
Neonatal	6.8	6.0	7.6
Postneonatal	3.2	1.0	4.2

2014 Population

Total	171,183
White	88,457
Black	80,048
Other	2,678

\*\*\* Deaths per 1,000 Live Births

Selected Death Statistics, Residents of District VIII, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,046	2,231	809	986.1	1,091.6	829.3
1	Heart Diseases	746	547	196	241.5	267.6	200.9
2	Malignant Neoplasms	571	413	156	184.9	202.1	159.9
3	Accidents	195	141	54	63.1	69.0	55.4
4	Emphysema and Other Chronic Lower Resp. Diseases	193	166	26	62.5	81.2	26.7
5	Cerebrovascular Disease	167	118	49	54.1	57.7	50.2
6	Alzheimer's Disease	119	96	23	38.5	47.0	23.6
7	Diabetes Mellitus	95	62	33	30.8	30.3	33.8
8	Influenza and Pneumonia	88	68	20	28.5	33.3	20.5
9	Septicemia	75	53	22	24.3	25.9	22.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	64	38	26	20.7	18.6	26.7
11	Suicide	46	42	4	14.9	20.5	4.1
12	Homicide	44	14	30	14.2	6.8	30.8
13	Hypertension/Hypertensive Renal Disease	35	23	12	11.3	11.3	12.3
14	Chronic Liver Disease And Cirrhosis	33	28	5	10.7	13.7	5.1
15	Pneumonitis Due to Solids and Liquids	30	23	7	9.7	11.3	7.2
15	Parkinson's Disease	30	29	1	9.7	14.2	1.0
17	Conditions Originating in the Perinatal Period**	15	4	11	3.8	1.6	7.7
18	Aortic Aneurysm and Dissection	13	10	3	4.2	4.9	3.1
19	In Situ, Benign and Unspecified Neoplasms	12	10	2	3.9	4.9	2.1
20	Congenital Malformations and Chrom. Abnormalities	11	8	3	3.6	3.9	3.1
21	HIV Disease	10	2	8	3.2	1.0	8.2
22	Anemias	8	5	3	2.6	2.4	3.1
23	Cholelithiasis/Gallbladder Disorder	6	5	1	1.9	2.4	1.0
23	Viral Hepatitis	6	5	1	1.9	2.4	1.0
25	Complications Medical/Surgical Care	5	1	4	1.6	0.5	4.1
26	Atherosclerosis	4	3	1	1.3	1.5	1.0
27	Hernia	2	1	1	0.6	0.5	1.0
27	Meningitis	2	1	1	0.6	0.5	1.0
29	Peptic Ulcer	1	0	1	0.3	0.0	1.0
29	Pneumoconioses and Chemical Effects	1	1	0	0.3	0.5	0.0
29	Tuberculosis	1	1	0	0.3	0.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	48	33	15	15.5	16.1	15.4
	All Other Causes	370	280	90	119.8	137.0	92.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,046	2,231	809	1,606	1,169	435	1,440	1,062	374
Under 1	32	15	17	20	10	10	12	5	7
(Neonatal)	17	7	10	11	5	6	6	2	4
(Postneonatal)	15	8	7	9	5	4	6	3	3
1-4	9	5	4	2	0	2	7	5	2
5-9	4	1	3	2	1	1	2	0	2
10-14	9	4	5	6	3	3	3	1	2
15-24	57	32	25	40	23	17	17	9	8
25-34	66	34	31	36	22	14	30	12	17
35-44	105	58	47	64	34	30	41	24	17
45-54	252	151	101	153	93	60	99	58	41
55-64	490	312	177	307	192	114	183	120	63
65-74	611	473	136	352	277	74	259	196	62
75-84	701	570	129	370	303	67	331	267	62
85 and over	710	576	134	254	211	43	456	365	91
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	8.0	6.0	11.9
Neonatal	4.3	2.8	7.0
Postneonatal	3.8	3.2	4.9

2014 Population

Total	308,894
White	204,384
Black	97,552
Other	6,958

\*\*\* Deaths per 1,000 Live Births



Selected Death Statistics, Residents of District IX, 2014

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	4,763	4,023	695	987.1	1,104.5	728.8
1	Heart Diseases	1,088	902	179	225.5	247.7	187.7
2	Malignant Neoplasms	1,067	918	135	221.1	252.0	141.6
3	Emphysema and Other Chronic Lower Resp. Diseases	323	300	20	66.9	82.4	21.0
4	Accidents	314	259	52	65.1	71.1	54.5
5	Cerebrovascular Disease	223	172	46	46.2	47.2	48.2
6	Alzheimer's Disease	134	116	15	27.8	31.8	15.7
7	Septicemia	118	96	22	24.5	26.4	23.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	109	83	25	22.6	22.8	26.2
9	Influenza and Pneumonia	102	89	13	21.1	24.4	13.6
10	Suicide	91	81	9	18.9	22.2	9.4
11	Diabetes Mellitus	85	63	22	17.6	17.3	23.1
12	Chronic Liver Disease And Cirrhosis	76	64	12	15.7	17.6	12.6
13	Hypertension/Hypertensive Renal Disease	41	30	10	8.5	8.2	10.5
13	Parkinson's Disease	41	38	2	8.5	10.4	2.1
15	Homicide	26	15	11	5.4	4.1	11.5
15	Pneumonitis Due to Solids and Liquids	26	21	5	5.4	5.8	5.2
17	Conditions Originating in the Perinatal Period**	24	15	8	3.8	3.2	5.8
18	Congenital Malformations and Chrom. Abnormalities	22	17	4	4.6	4.7	4.2
18	Viral Hepatitis	22	22	0	4.6	6.0	0.0
20	Complications Medical/Surgical Care	21	19	2	4.4	5.2	2.1
21	Aortic Aneurysm and Dissection	18	16	2	3.7	4.4	2.1
22	In Situ, Benign and Unspecified Neoplasms	13	13	0	2.7	3.6	0.0
23	HIV Disease	12	4	8	2.5	1.1	8.4
24	Anemias	11	7	4	2.3	1.9	4.2
25	Malnutrition/Nutritional Deficiency	7	6	0	1.5	1.6	0.0
26	Cholelithiasis/Gallbladder Disorder	5	3	2	1.0	0.8	2.1
26	Hernia	5	4	1	1.0	1.1	1.0
26	Pneumoconioses and Chemical Effects	5	5	0	1.0	1.4	0.0
29	Maternal Causes**	3	3	0	47.7	64.7	0.0
29	Peptic Ulcer	3	3	0	0.6	0.8	0.0
31	Diseases of Appendix	2	2	0	0.4	0.5	0.0
32	Legal Intervention	1	0	1	0.2	0.0	1.0
32	Infections of Kidney	1	1	0	0.2	0.3	0.0
32	Acute Bronchitis and Bronchiolitis	1	1	0	0.2	0.3	0.0
32	Meningitis	1	1	0	0.2	0.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	50	44	6	10.4	12.1	6.3
	All Other Causes	672	590	79	139.3	162.0	82.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2014 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4,763	4,023	695	2,540	2,150	364	2,223	1,873	331
Under 1	47	32	14	26	19	6	21	13	8
(Neonatal)	33	23	9	18	13	4	15	10	5
(Postneonatal)	14	9	5	8	6	2	6	3	3
1-4	0	0	0	0	0	0	0	0	0
5-9	5	1	4	3	1	2	2	0	2
10-14	6	5	1	4	3	1	2	2	0
15-24	68	54	14	45	35	10	23	19	4
25-34	107	81	25	76	58	17	31	23	8
35-44	145	108	32	84	65	15	61	43	17
45-54	416	328	82	250	199	47	166	129	35
55-64	795	633	152	472	377	91	323	256	61
65-74	978	842	126	567	487	73	411	355	53
75-84	1,200	1,054	139	621	547	71	579	507	68
85 and over	996	885	106	392	359	31	604	526	75
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates***				2014 Population		
Infant	7.5	6.9	10.2	Total	482,546	
Neonatal	5.3	5.0	6.5	White	364,223	
Postneonatal	2.2	1.9	3.6	Black	95,360	
				Other	22,963	

\*\*\* Deaths per 1,000 Live Births