

Selected Death Statistics, Residents of District I, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,348	2,233	1,086	1,008.4	1,160.3	831.2
1	Heart Diseases	828	568	254	249.4	295.1	194.4
2	Malignant Neoplasms	723	481	234	217.8	249.9	179.1
3	Emphysema and Other Chronic Lower Resp. Diseases	221	169	49	66.6	87.8	37.5
4	Accidents	199	146	50	59.9	75.9	38.3
5	Cerebrovascular Disease	151	97	53	45.5	50.4	40.6
6	Alzheimer's Disease	122	95	27	36.7	49.4	20.7
7	Influenza and Pneumonia	112	81	31	33.7	42.1	23.7
8	Diabetes Mellitus	99	37	62	29.8	19.2	47.5
9	Nephritis, Nephrotic Syndrome And Nephrosis	91	42	47	27.4	21.8	36.0
10	Hypertension/Hypertensive Renal Disease	69	30	38	20.8	15.6	29.1
11	Septicemia	46	35	11	13.9	18.2	8.4
12	Chronic Liver Disease And Cirrhosis	41	37	4	12.3	19.2	3.1
13	Suicide	39	34	4	11.7	17.7	3.1
14	Homicide	36	10	26	10.8	5.2	19.9
15	Parkinson's Disease	30	28	2	9.0	14.5	1.5
16	Pneumonitis Due to Solids and Liquids	26	14	12	7.8	7.3	9.2
17	In Situ, Benign and Unspecified Neoplasms	15	9	6	4.5	4.7	4.6
17	Conditions Originating in the Perinatal Period**	15	5	10	3.6	2.3	5.2
19	HIV Disease	14	3	11	4.2	1.6	8.4
20	Malnutrition/Nutritional Deficiency	13	10	3	3.9	5.2	2.3
21	Aortic Aneurysm and Dissection	11	7	4	3.3	3.6	3.1
21	Anemias	11	4	7	3.3	2.1	5.4
23	Congenital Malformations and Chrom. Abnormalities	10	4	6	3.0	2.1	4.6
24	Complications Medical/Surgical Care	4	3	1	1.2	1.6	0.8
24	Cholelithiasis/Gallbladder Disorder	4	4	0	1.2	2.1	0.0
26	Infections of Kidney	3	2	1	0.9	1.0	0.8
26	Atherosclerosis	3	2	1	0.9	1.0	0.8
28	Maternal Causes**	2	1	1	47.9	46.6	51.5
29	Diseases of Appendix	1	0	1	0.3	0.0	0.8
29	Legal Intervention	1	0	1	0.3	0.0	0.8
29	Viral Hepatitis	1	0	0	0.3	0.0	0.0
29	Peptic Ulcer	1	0	1	0.3	0.0	0.8
29	Tuberculosis	1	0	0	0.3	0.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	50	27	23	15.1	14.0	17.6
	All Other Causes	355	248	105	106.9	128.9	80.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2018 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,348	2,233	1,086	1,680	1,104	560	1,668	1,129	526
Under 1	32	9	23	17	7	10	15	2	13
(Neonatal)	18	6	12	11	5	6	7	1	6
(Postneonatal)	14	3	11	6	2	4	8	1	7
1-4	9	5	4	2	1	1	7	4	3
5-9	2	2	0	2	2	0	0	0	0
10-14	5	2	3	3	1	2	2	1	1
15-24	43	27	15	27	15	11	16	12	4
25-34	94	49	44	61	29	31	33	20	13
35-44	143	72	70	80	45	35	63	27	35
45-54	256	136	117	155	79	74	101	57	43
55-64	540	314	219	327	190	134	213	124	85
65-74	743	491	246	399	268	128	344	223	118
75-84	760	564	189	372	279	88	388	285	101
85 and over	721	562	156	235	188	46	486	374	110
Unknown	0	0	0	0	0	0	0	0	0
-----									
Mortality Rates***						2018 Population			
Infant	7.7	4.2	11.8	Total 331,995					
Neonatal	4.3	2.8	6.2	White 192,447					
Postneonatal	3.4	1.4	5.7	Black 130,661					
						Other 8,887			
-----									
*** Deaths per 1,000 Live Births									

Selected Death Statistics, Residents of District II, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	4,074	3,385	673	1,097.0	1,207.7	822.3
1	Heart Diseases	957	799	155	257.7	285.1	189.4
2	Malignant Neoplasms	813	660	151	218.9	235.5	184.5
3	Emphysema and Other Chronic Lower Resp. Diseases	327	298	28	88.1	106.3	34.2
4	Cerebrovascular Disease	253	213	40	68.1	76.0	48.9
5	Accidents	208	176	29	56.0	62.8	35.4
6	Alzheimer's Disease	207	186	21	55.7	66.4	25.7
7	Influenza and Pneumonia	94	75	19	25.3	26.8	23.2
8	Diabetes Mellitus	91	62	29	24.5	22.1	35.4
9	Nephritis, Nephrotic Syndrome And Nephrosis	74	54	20	19.9	19.3	24.4
10	Chronic Liver Disease And Cirrhosis	69	62	5	18.6	22.1	6.1
11	Suicide	64	59	4	17.2	21.0	4.9
12	Septicemia	62	50	12	16.7	17.8	14.7
13	Hypertension/Hypertensive Renal Disease	51	33	18	13.7	11.8	22.0
14	Parkinson's Disease	38	32	6	10.2	11.4	7.3
15	Pneumonitis Due to Solids and Liquids	31	24	7	8.3	8.6	8.6
16	Homicide	24	14	10	6.5	5.0	12.2
17	Conditions Originating in the Perinatal Period**	15	10	4	3.4	3.1	3.6
17	Complications Medical/Surgical Care	15	14	1	4.0	5.0	1.2
19	Congenital Malformations and Chrom. Abnormalities	12	9	3	3.2	3.2	3.7
19	In Situ, Benign and Unspecified Neoplasms	12	11	1	3.2	3.9	1.2
21	Atherosclerosis	9	6	3	2.4	2.1	3.7
21	Malnutrition/Nutritional Deficiency	9	5	4	2.4	1.8	4.9
23	HIV Disease	8	5	3	2.2	1.8	3.7
24	Aortic Aneurysm and Dissection	6	5	1	1.6	1.8	1.2
25	Viral Hepatitis	5	4	1	1.3	1.4	1.2
25	Anemias	5	4	1	1.3	1.4	1.2
27	Cholelithiasis/Gallbladder Disorder	4	3	1	1.1	1.1	1.2
27	Peptic Ulcer	4	4	0	1.1	1.4	0.0
29	Maternal Causes**	2	1	1	45.2	30.6	91.1
30	Hernia	1	1	0	0.3	0.4	0.0
30	Diseases of Appendix	1	1	0	0.3	0.4	0.0
30	Tuberculosis	1	0	1	0.3	0.0	1.2
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	48	36	11	12.9	12.8	13.4
	All Other Causes	554	469	83	149.2	167.3	101.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2018 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	4,074	3,385	673	2,136	1,761	368	1,938	1,624	305
Under 1	29	20	8	13	10	3	16	10	5
(Neonatal)	22	15	6	11	8	3	11	7	3
(Postneonatal)	7	5	2	2	2	0	5	3	2
1-4	6	5	1	5	4	1	1	1	0
5-9	4	3	1	2	1	1	2	2	0
10-14	5	5	0	4	4	0	1	1	0
15-24	35	23	11	26	19	6	9	4	5
25-34	81	54	26	47	31	15	34	23	11
35-44	127	89	37	73	49	23	54	40	14
45-54	272	214	57	152	112	40	120	102	17
55-64	631	477	150	398	309	88	233	168	62
65-74	840	689	147	495	402	91	345	287	56
75-84	1,049	926	121	551	492	58	498	434	63
85 and over	995	880	114	370	328	42	625	552	72
Unknown	0	0	0	0	0	0	0	0	0
-----									
Mortality Rates***						2018 Population			
Infant	6.6	6.1	7.3	Total 371,362					
Neonatal	5.0	4.6	5.5	White 280,295					
Postneonatal	1.6	1.5	1.8	Black 81,839					
-----						Other 9,228			
*** Deaths per 1,000 Live Births						-----			

Selected Death Statistics, Residents of District III, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,519	987	1,526	1,290.3	1,588.3	1,175.4
1	Heart Diseases	573	228	343	293.5	366.9	264.2
2	Malignant Neoplasms	525	215	309	268.9	346.0	238.0
3	Emphysema and Other Chronic Lower Resp. Diseases	132	86	46	67.6	138.4	35.4
3	Diabetes Mellitus	132	39	93	67.6	62.8	71.6
5	Cerebrovascular Disease	120	35	85	61.5	56.3	65.5
6	Accidents	114	46	67	58.4	74.0	51.6
7	Hypertension/Hypertensive Renal Disease	94	29	65	48.1	46.7	50.1
8	Alzheimer's Disease	92	59	33	47.1	94.9	25.4
9	Nephritis, Nephrotic Syndrome And Nephrosis	67	22	45	34.3	35.4	34.7
10	Influenza and Pneumonia	62	28	34	31.8	45.1	26.2
11	Homicide	50	3	47	25.6	4.8	36.2
12	Septicemia	44	15	29	22.5	24.1	22.3
13	Chronic Liver Disease And Cirrhosis	27	14	13	13.8	22.5	10.0
14	Pneumonitis Due to Solids and Liquids	22	9	13	11.3	14.5	10.0
15	HIV Disease	20	1	19	10.2	1.6	14.6
16	Parkinson's Disease	18	12	6	9.2	19.3	4.6
17	Suicide	15	9	6	7.7	14.5	4.6
18	Congenital Malformations and Chrom. Abnormalities	13	3	10	6.7	4.8	7.7
19	Conditions Originating in the Perinatal Period**	11	1	10	4.5	1.7	5.5
20	Complications Medical/Surgical Care	10	2	7	5.1	3.2	5.4
21	In Situ, Benign and Unspecified Neoplasms	8	2	6	4.1	3.2	4.6
22	Anemias	4	0	4	2.0	0.0	3.1
22	Malnutrition/Nutritional Deficiency	4	1	3	2.0	1.6	2.3
22	Viral Hepatitis	4	2	2	2.0	3.2	1.5
25	Legal Intervention	2	1	1	1.0	1.6	0.8
25	Aortic Aneurysm and Dissection	2	1	1	1.0	1.6	0.8
27	Maternal Causes**	1	0	1	41.2	0.0	54.6
27	Infections of Kidney	1	0	1	0.5	0.0	0.8
27	Hyperplasia of Prostate	1	0	1	1.1	0.0	1.6
27	Cholelithiasis/Gallbladder Disorder	1	0	1	0.5	0.0	0.8
27	Diseases of Appendix	1	1	0	0.5	1.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	52	14	38	26.6	22.5	29.3
	All Other Causes	297	109	187	152.1	175.4	144.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2018 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----			
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black	
Total	2,519	987	1,526	1,344	520	822	1,175	467	704	
Under 1	29	4	25	21	3	18	8	1	7	
(Neonatal)	16	3	13	12	3	9	4	0	4	
(Postneonatal)	13	1	12	9	0	9	4	1	3	
1-4	10	1	9	5	0	5	5	1	4	
5-9	4	1	3	3	0	3	1	1	0	
10-14	1	0	1	1	0	1	0	0	0	
15-24	39	6	33	32	5	27	7	1	6	
25-34	69	13	56	39	7	32	30	6	24	
35-44	86	22	64	48	14	34	38	8	30	
45-54	186	35	151	109	23	86	77	12	65	
55-64	444	136	306	272	88	183	172	48	123	
65-74	602	228	374	356	129	227	246	99	147	
75-84	504	245	256	268	133	134	236	112	122	
85 and over	545	296	248	190	118	72	355	178	176	
Unknown	0	0	0	0	0	0	0	0	0	
-----										
Mortality Rates***							2018 Population			
Infant	12.0	6.9	13.6	Total						195,228
Neonatal	6.6	5.2	7.1	White						62,142
Postneonatal	5.4	1.7	6.6	Black						129,831
-----							Other			3,255
*** Deaths per 1,000 Live Births							-----			

Selected Death Statistics, Residents of District IV, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,656	1,704	943	1,098.2	1,251.3	947.3
1	Heart Diseases	643	396	247	265.9	290.8	248.1
2	Malignant Neoplasms	534	347	185	220.8	254.8	185.9
3	Emphysema and Other Chronic Lower Resp. Diseases	178	148	30	73.6	108.7	30.1
4	Alzheimer's Disease	168	123	45	69.5	90.3	45.2
5	Cerebrovascular Disease	165	98	65	68.2	72.0	65.3
6	Accidents	150	113	37	62.0	83.0	37.2
7	Diabetes Mellitus	82	34	48	33.9	25.0	48.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	65	23	41	26.9	16.9	41.2
9	Influenza and Pneumonia	64	44	19	26.5	32.3	19.1
10	Septicemia	43	23	20	17.8	16.9	20.1
11	Hypertension/Hypertensive Renal Disease	32	15	16	13.2	11.0	16.1
12	Suicide	31	27	3	12.8	19.8	3.0
12	Chronic Liver Disease And Cirrhosis	31	26	4	12.8	19.1	4.0
14	Parkinson's Disease	27	21	6	11.2	15.4	6.0
15	Homicide	21	4	17	8.7	2.9	17.1
16	Conditions Originating in the Perinatal Period**	20	6	14	6.8	3.9	10.3
17	Pneumonitis Due to Solids and Liquids	10	6	4	4.1	4.4	4.0
18	In Situ, Benign and Unspecified Neoplasms	8	6	2	3.3	4.4	2.0
19	Complications Medical/Surgical Care	7	5	2	2.9	3.7	2.0
19	HIV Disease	7	1	6	2.9	0.7	6.0
21	Malnutrition/Nutritional Deficiency	6	5	1	2.5	3.7	1.0
22	Congenital Malformations and Chrom. Abnormalities	4	4	0	1.7	2.9	0.0
22	Aortic Aneurysm and Dissection	4	3	1	1.7	2.2	1.0
22	Viral Hepatitis	4	4	0	1.7	2.9	0.0
22	Cholelithiasis/Gallbladder Disorder	4	0	4	1.7	0.0	4.0
26	Anemias	3	0	3	1.2	0.0	3.0
27	Hernia	2	2	0	0.8	1.5	0.0
28	Peptic Ulcer	1	0	1	0.4	0.0	1.0
28	Acute Bronchitis and Bronchiolitis	1	1	0	0.4	0.7	0.0
28	Atherosclerosis	1	1	0	0.4	0.7	0.0
28	Salmonella Infection	1	1	0	0.4	0.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	35	12	23	14.5	8.8	23.1
	All Other Causes	304	205	99	125.7	150.5	99.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2018 estimates.

# Less than 0.05.

	Total*			Male			Female		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,656	1,704	943	1,365	863	497	1,291	841	446
Under 1	27	10	17	15	6	9	12	4	8
(Neonatal)	20	6	14	13	5	8	7	1	6
(Postneonatal)	7	4	3	2	1	1	5	3	2
1-4	6	3	3	3	2	1	3	1	2
5-9	2	2	0	1	1	0	1	1	0
10-14	4	2	1	3	2	0	1	0	1
15-24	40	21	19	30	17	13	10	4	6
25-34	46	19	27	27	12	15	19	7	12
35-44	71	33	38	45	18	27	26	15	11
45-54	167	87	77	103	48	53	64	39	24
55-64	412	214	196	234	126	107	178	88	89
65-74	567	342	224	341	211	130	226	131	94
75-84	614	435	178	323	229	94	291	206	84
85 and over	700	536	163	240	191	48	460	345	115
Unknown	0	0	0	0	0	0	0	0	0
Mortality Rates***							2018 Population		
Infant	9.2	6.5	12.5						
Neonatal	6.8	3.9	10.3						
Postneonatal	2.4	2.6	2.2						
							Total	241,852	
							White	136,182	
							Black	99,542	
							Other	6,128	
*** Deaths per 1,000 Live Births									

Selected Death Statistics, Residents of District V, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	6,104	3,381	2,697	952.2	1,109.7	841.9
1	Heart Diseases	1,378	731	642	215.0	239.9	200.4
2	Malignant Neoplasms	1,268	690	572	197.8	226.5	178.6
3	Cerebrovascular Disease	350	176	172	54.6	57.8	53.7
4	Emphysema and Other Chronic Lower Resp. Diseases	344	242	102	53.7	79.4	31.8
5	Alzheimer's Disease	322	238	84	50.2	78.1	26.2
6	Accidents	287	161	125	44.8	52.8	39.0
7	Diabetes Mellitus	224	89	134	34.9	29.2	41.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	140	64	76	21.8	21.0	23.7
9	Influenza and Pneumonia	135	76	58	21.1	24.9	18.1
10	Homicide	121	10	109	18.9	3.3	34.0
11	Hypertension/Hypertensive Renal Disease	116	71	43	18.1	23.3	13.4
12	Septicemia	109	56	53	17.0	18.4	16.5
13	Suicide	83	64	19	12.9	21.0	5.9
14	Chronic Liver Disease And Cirrhosis	73	58	15	11.4	19.0	4.7
15	Parkinson's Disease	61	50	11	9.5	16.4	3.4
16	HIV Disease	44	7	37	6.9	2.3	11.5
17	Pneumonitis Due to Solids and Liquids	35	16	18	5.5	5.3	5.6
18	Congenital Malformations and Chrom. Abnormalities	28	12	16	4.4	3.9	5.0
19	Conditions Originating in the Perinatal Period**	25	4	21	3.1	1.1	4.9
20	Aortic Aneurysm and Dissection	15	9	6	2.3	3.0	1.9
20	In Situ, Benign and Unspecified Neoplasms	15	10	5	2.3	3.3	1.6
22	Complications Medical/Surgical Care	14	10	3	2.2	3.3	0.9
23	Anemias	12	7	5	1.9	2.3	1.6
24	Viral Hepatitis	9	3	6	1.4	1.0	1.9
25	Peptic Ulcer	7	3	4	1.1	1.0	1.2
26	Atherosclerosis	6	4	2	0.9	1.3	0.6
26	Malnutrition/Nutritional Deficiency	6	3	3	0.9	1.0	0.9
28	Infections of Kidney	4	2	2	0.6	0.7	0.6
29	Legal Intervention	3	0	3	0.5	0.0	0.9
29	Cholelithiasis/Gallbladder Disorder	3	2	1	0.5	0.7	0.3
31	Maternal Causes**	2	1	1	25.2	28.5	23.5
31	Hernia	2	1	1	0.3	0.3	0.3
31	Meningitis	2	2	0	0.3	0.7	0.0
34	Tuberculosis	1	0	1	0.2	0.0	0.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	92	46	45	14.4	15.1	14.0
	All Other Causes	768	463	302	119.8	152.0	94.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2018 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	6,104	3,381	2,697	3,100	1,671	1,415	3,004	1,710	1,282
Under 1	54	17	36	28	7	20	26	10	16
(Neonatal)	37	10	26	17	3	13	20	7	13
(Postneonatal)	17	7	10	11	4	7	6	3	3
1-4	13	5	8	3	0	3	10	5	5
5-9	9	3	6	4	1	3	5	2	3
10-14	12	5	7	8	3	5	4	2	2
15-24	98	34	64	71	23	48	27	11	16
25-34	154	47	107	109	34	75	45	13	32
35-44	227	79	147	134	41	93	93	38	54
45-54	437	175	258	261	114	143	176	61	115
55-64	990	437	547	582	252	327	408	185	220
65-74	1,225	654	565	700	385	314	525	269	251
75-84	1,367	872	493	674	429	243	693	443	250
85 and over	1,517	1,053	459	525	382	141	992	671	318
Unknown	1	0	0	1	0	0	0	0	0
-----									
Mortality Rates***							2018 Population		
Infant	6.8	4.8	8.5	Total 641,029					
Neonatal	4.7	2.9	6.1	White 304,667					
Postneonatal	2.1	2.0	2.3	Black 320,355					
							Other 16,007		
-----									
*** Deaths per 1,000 Live Births									

Selected Death Statistics, Residents of District VI, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate***-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,766	1,798	876	1,177.0	1,367.2	965.7
1	Heart Diseases	753	480	249	320.4	365.0	274.5
2	Malignant Neoplasms	496	332	154	211.1	252.4	169.8
3	Emphysema and Other Chronic Lower Resp. Diseases	171	140	30	72.8	106.5	33.1
4	Accidents	166	99	58	70.6	75.3	63.9
5	Cerebrovascular Disease	156	108	45	66.4	82.1	49.6
6	Alzheimer's Disease	134	108	25	57.0	82.1	27.6
7	Influenza and Pneumonia	110	72	37	46.8	54.7	40.8
8	Diabetes Mellitus	76	29	31	32.3	22.1	34.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	64	31	30	27.2	23.6	33.1
10	Hypertension/Hypertensive Renal Disease	34	18	15	14.5	13.7	16.5
11	Suicide	32	25	5	13.6	19.0	5.5
11	Septicemia	32	15	15	13.6	11.4	16.5
13	Chronic Liver Disease And Cirrhosis	25	13	8	10.6	9.9	8.8
13	Parkinson's Disease	25	20	5	10.6	15.2	5.5
15	Homicide	23	9	14	9.8	6.8	15.4
16	Malnutrition/Nutritional Deficiency	16	12	4	6.8	9.1	4.4
17	Pneumonitis Due to Solids and Liquids	15	7	7	6.4	5.3	7.7
18	Congenital Malformations and Chrom. Abnormalities	14	7	5	6.0	5.3	5.5
18	Conditions Originating in the Perinatal Period**	14	6	7	4.5	3.8	5.3
20	In Situ, Benign and Unspecified Neoplasms	13	10	3	5.5	7.6	3.3
21	HIV Disease	6	1	5	2.6	0.8	5.5
22	Aortic Aneurysm and Dissection	5	2	3	2.1	1.5	3.3
22	Anemias	5	2	2	2.1	1.5	2.2
24	Complications Medical/Surgical Care	4	1	3	1.7	0.8	3.3
25	Maternal Causes**	2	1	1	64.1	63.0	76.1
25	Infections of Kidney	2	0	2	0.9	0.0	2.2
27	Cholelithiasis/Gallbladder Disorder	1	0	1	0.4	0.0	1.1
27	Peptic Ulcer	1	1	0	0.4	0.8	0.0
27	Atherosclerosis	1	1	0	0.4	0.8	0.0
27	Viral Hepatitis	1	0	1	0.4	0.0	1.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	61	36	23	26.0	27.4	25.4
	All Other Causes	308	212	88	131.1	161.2	97.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2018 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,766	1,798	876	1,419	901	473	1,347	897	403
Under 1	40	19	15	19	10	7	21	9	8
(Neonatal)	20	9	10	11	6	4	9	3	6
(Postneonatal)	20	10	5	8	4	3	12	6	2
1-4	8	4	4	5	2	3	3	2	1
5-9	3	2	1	2	1	1	1	1	0
10-14	6	3	3	4	2	2	2	1	1
15-24	36	14	20	26	11	14	10	3	6
25-34	61	25	32	36	13	21	25	12	11
35-44	99	42	48	73	33	33	26	9	15
45-54	211	118	77	120	67	47	91	51	30
55-64	423	234	170	271	159	101	152	75	69
65-74	575	357	202	353	215	130	222	142	72
75-84	657	481	159	307	228	73	350	253	86
85 and over	647	499	145	203	160	41	444	339	104
Unknown	0	0	0	0	0	0	0	0	0
-----									
Mortality Rates***					2018 Population				
Infant	12.8	12.0	11.4	Total					234,996
Neonatal	6.4	5.7	7.6	White					131,514
Postneonatal	6.4	6.3	3.8	Black					90,714
-----					Other				12,768
*** Deaths per 1,000 Live Births					-----				

Selected Death Statistics, Residents of District VII, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,280	1,298	976	1,358.0	1,501.4	1,245.2
1	Heart Diseases	529	334	194	315.1	386.3	247.5
2	Malignant Neoplasms	416	233	183	247.8	269.5	233.5
3	Emphysema and Other Chronic Lower Resp. Diseases	161	119	42	95.9	137.6	53.6
3	Diabetes Mellitus	161	66	92	95.9	76.3	117.4
5	Cerebrovascular Disease	157	81	75	93.5	93.7	95.7
6	Accidents	92	54	38	54.8	62.5	48.5
7	Hypertension/Hypertensive Renal Disease	84	36	47	50.0	41.6	60.0
8	Alzheimer's Disease	80	56	24	47.6	64.8	30.6
9	Nephritis, Nephrotic Syndrome And Nephrosis	69	30	39	41.1	34.7	49.8
10	Influenza and Pneumonia	61	38	23	36.3	44.0	29.3
11	Homicide	43	12	31	25.6	13.9	39.6
12	Septicemia	32	10	22	19.1	11.6	28.1
13	Chronic Liver Disease And Cirrhosis	25	18	7	14.9	20.8	8.9
14	Suicide	23	16	7	13.7	18.5	8.9
15	Parkinson's Disease	17	16	1	10.1	18.5	1.3
16	In Situ, Benign and Unspecified Neoplasms	12	10	2	7.1	11.6	2.6
17	Congenital Malformations and Chrom. Abnormalities	8	3	5	4.8	3.5	6.4
17	Conditions Originating in the Perinatal Period**	8	2	6	3.9	2.3	5.3
19	Anemias	7	3	4	4.2	3.5	5.1
19	HIV Disease	7	3	4	4.2	3.5	5.1
21	Complications Medical/Surgical Care	6	3	3	3.6	3.5	3.8
21	Pneumonitis Due to Solids and Liquids	6	3	3	3.6	3.5	3.8
21	Viral Hepatitis	6	5	1	3.6	5.8	1.3
24	Aortic Aneurysm and Dissection	4	2	2	2.4	2.3	2.6
24	Malnutrition/Nutritional Deficiency	4	4	0	2.4	4.6	0.0
26	Acute Bronchitis and Bronchiolitis	2	1	1	1.2	1.2	1.3
27	Maternal Causes**	1	1	0	48.8	112.9	0.0
27	Infections of Kidney	1	0	1	0.6	0.0	1.3
27	Hernia	1	0	1	0.6	0.0	1.3
27	Pneumoconioses and Chemical Effects	1	1	0	0.6	1.2	0.0
27	Tuberculosis	1	0	1	0.6	0.0	1.3
27	Salmonella Infection	1	1	0	0.6	1.2	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	18	8	10	10.7	9.3	12.8
	All Other Causes	236	129	107	140.6	149.2	136.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2018 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,280	1,298	976	1,196	679	515	1,084	619	461
Under 1	14	5	9	8	5	3	6	0	6
(Neonatal)	11	4	7	6	4	2	5	0	5
(Postneonatal)	3	1	2	2	1	1	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	4	2	2	1	1	0	3	1	2
10-14	5	0	5	1	0	1	4	0	4
15-24	21	5	16	16	5	11	5	0	5
25-34	53	26	27	36	18	18	17	8	9
35-44	65	23	42	35	14	21	30	9	21
45-54	179	73	105	103	44	59	76	29	46
55-64	335	157	176	208	96	111	127	61	65
65-74	494	269	224	284	158	126	210	111	98
75-84	564	353	210	309	197	111	255	156	99
85 and over	544	385	158	194	141	53	350	244	105
Unknown	0	0	0	0	0	0	0	0	0
-----									
Mortality Rates***					2018 Population				
Infant	6.8	5.6	7.9	Total					167,892
Neonatal	5.4	4.5	6.2	White					86,452
Postneonatal	1.5	1.1	1.8	Black					78,381
-----					Other				3,059
*** Deaths per 1,000 Live Births					-----				

Selected Death Statistics, Residents of District VIII, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	3,303	2,421	871	1,077.4	1,197.7	899.0
1	Heart Diseases	790	609	178	257.7	301.3	183.7
2	Malignant Neoplasms	623	458	164	203.2	226.6	169.3
3	Emphysema and Other Chronic Lower Resp. Diseases	217	183	34	70.8	90.5	35.1
4	Alzheimer's Disease	203	173	30	66.2	85.6	31.0
5	Accidents	186	131	55	60.7	64.8	56.8
6	Cerebrovascular Disease	170	115	54	55.5	56.9	55.7
7	Influenza and Pneumonia	131	99	32	42.7	49.0	33.0
8	Diabetes Mellitus	85	52	32	27.7	25.7	33.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	84	52	31	27.4	25.7	32.0
10	Septicemia	70	48	22	22.8	23.7	22.7
11	Chronic Liver Disease And Cirrhosis	51	39	11	16.6	19.3	11.4
12	Suicide	41	37	4	13.4	18.3	4.1
13	Pneumonitis Due to Solids and Liquids	36	25	11	11.7	12.4	11.4
14	Parkinson's Disease	31	28	3	10.1	13.9	3.1
15	Hypertension/Hypertensive Renal Disease	29	21	8	9.5	10.4	8.3
16	Homicide	27	7	20	8.8	3.5	20.6
17	Congenital Malformations and Chrom. Abnormalities	15	8	7	4.9	4.0	7.2
17	Conditions Originating in the Perinatal Period**	15	2	13	3.7	0.8	8.8
19	Aortic Aneurysm and Dissection	11	6	5	3.6	3.0	5.2
20	In Situ, Benign and Unspecified Neoplasms	10	8	2	3.3	4.0	2.1
21	HIV Disease	9	2	7	2.9	1.0	7.2
21	Complications Medical/Surgical Care	9	5	4	2.9	2.5	4.1
23	Anemias	6	3	3	2.0	1.5	3.1
24	Malnutrition/Nutritional Deficiency	5	4	1	1.6	2.0	1.0
25	Cholelithiasis/Gallbladder Disorder	4	4	0	1.3	2.0	0.0
25	Viral Hepatitis	4	1	2	1.3	0.5	2.1
27	Peptic Ulcer	3	3	0	1.0	1.5	0.0
28	Maternal Causes**	1	0	1	25.0	0.0	67.6
28	Infections of Kidney	1	1	0	0.3	0.5	0.0
28	Hernia	1	0	1	0.3	0.0	1.0
28	Diseases of Appendix	1	0	1	0.3	0.0	1.0
28	Pneumoconioses and Chemical Effects	1	1	0	0.3	0.5	0.0
28	Atherosclerosis	1	0	1	0.3	0.0	1.0
28	Meningitis	1	0	1	0.3	0.0	1.0
28	Legal Intervention	1	1	0	0.3	0.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	53	24	29	17.3	11.9	29.9
	All Other Causes	377	271	104	123.0	134.1	107.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2018 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	3,303	2,421	871	1,724	1,233	485	1,579	1,188	386
Under 1	40	14	26	27	9	18	13	5	8
(Neonatal)	25	8	17	17	5	12	8	3	5
(Postneonatal)	15	6	9	10	4	6	5	2	3
1-4	9	6	3	4	4	0	5	2	3
5-9	2	2	0	1	1	0	1	1	0
10-14	4	2	2	2	1	1	2	1	1
15-24	41	27	14	29	19	10	12	8	4
25-34	60	39	21	43	30	13	17	9	8
35-44	111	55	55	69	33	36	42	22	19
45-54	232	134	96	147	82	63	85	52	33
55-64	498	321	175	296	195	100	202	126	75
65-74	738	528	208	429	306	122	309	222	86
75-84	805	638	163	405	321	82	400	317	81
85 and over	762	655	107	272	232	40	490	423	67
Unknown	1	0	1	0	0	0	1	0	1

Mortality Rates\*\*\*

Infant	10.0	5.7	17.6
Neonatal	6.2	3.3	11.5
Postneonatal	3.7	2.4	6.1

\*\*\* Deaths per 1,000 Live Births

2018 Population

Total	306,561
White	202,135
Black	96,887
Other	7,539



Selected Death Statistics, Residents of District IX, 2018

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	5,268	4,323	867	1,062.9	1,166.9	861.0
1	Heart Diseases	1,302	1,071	214	262.7	289.1	212.5
2	Malignant Neoplasms	1,115	908	190	225.0	245.1	188.7
3	Emphysema and Other Chronic Lower Resp. Diseases	383	338	42	77.3	91.2	41.7
4	Accidents	297	247	41	59.9	66.7	40.7
5	Cerebrovascular Disease	282	214	62	56.9	57.8	61.6
6	Alzheimer's Disease	219	202	16	44.2	54.5	15.9
7	Influenza and Pneumonia	141	121	18	28.4	32.7	17.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	132	96	32	26.6	25.9	31.8
9	Diabetes Mellitus	125	92	29	25.2	24.8	28.8
10	Suicide	94	87	5	19.0	23.5	5.0
11	Chronic Liver Disease And Cirrhosis	90	80	10	18.2	21.6	9.9
12	Septicemia	61	42	19	12.3	11.3	18.9
13	Parkinson's Disease	51	49	2	10.3	13.2	2.0
14	Hypertension/Hypertensive Renal Disease	45	28	15	9.1	7.6	14.9
15	Homicide	37	15	22	7.5	4.0	21.8
16	Pneumonitis Due to Solids and Liquids	33	29	4	6.7	7.8	4.0
17	Congenital Malformations and Chrom. Abnormalities	18	11	7	3.6	3.0	7.0
17	Conditions Originating in the Perinatal Period**	18	8	9	3.0	1.9	6.3
19	Aortic Aneurysm and Dissection	15	14	1	3.0	3.8	1.0
20	Complications Medical/Surgical Care	12	9	2	2.4	2.4	2.0
21	Malnutrition/Nutritional Deficiency	9	9	0	1.8	2.4	0.0
21	HIV Disease	9	6	3	1.8	1.6	3.0
21	Viral Hepatitis	9	9	0	1.8	2.4	0.0
24	Anemias	7	4	2	1.4	1.1	2.0
25	In Situ, Benign and Unspecified Neoplasms	6	6	0	1.2	1.6	0.0
26	Pneumoconioses and Chemical Effects	5	5	0	1.0	1.3	0.0
27	Cholelithiasis/Gallbladder Disorder	4	2	2	0.8	0.5	2.0
27	Peptic Ulcer	4	4	0	0.8	1.1	0.0
27	Meningitis	4	3	1	0.8	0.8	1.0
30	Hernia	3	1	2	0.6	0.3	2.0
31	Diseases of Appendix	2	1	1	0.4	0.3	1.0
31	Tuberculosis	2	1	1	0.4	0.3	1.0
33	Maternal Causes**	1	0	1	16.9	0.0	70.3
33	Female Pelvic Inflammatory Disease	1	1	0	0.4	0.5	0.0
33	Infections of Kidney	1	0	1	0.2	0.0	1.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	44	30	14	8.9	8.1	13.9
	All Other Causes	687	580	99	138.6	156.6	98.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2018 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	5,268	4,323	867	2,823	2,303	477	2,445	2,020	390
Under 1	47	22	24	26	14	11	21	8	13
(Neonatal)	26	13	12	13	8	4	13	5	8
(Postneonatal)	21	9	12	13	6	7	8	3	5
1-4	9	5	3	5	3	1	4	2	2
5-9	7	4	3	4	1	3	3	3	0
10-14	7	4	3	3	3	0	4	1	3
15-24	54	33	18	39	22	14	15	11	4
25-34	101	77	24	70	54	16	31	23	8
35-44	167	123	42	97	75	21	70	48	21
45-54	351	261	82	210	150	55	141	111	27
55-64	902	677	209	531	401	118	371	276	91
65-74	1,191	969	205	693	566	119	498	403	86
75-84	1,314	1,139	162	691	599	87	623	540	75
85 and over	1,118	1,009	92	454	415	32	664	594	60
Unknown	0	0	0	0	0	0	0	0	0

Mortality Rates\*\*\*

Infant	7.9	5.2	16.9
Neonatal	4.4	3.1	8.4
Postneonatal	3.5	2.1	8.4

\*\*\* Deaths per 1,000 Live Births

2018 Population

Total	495,615
White	370,467
Black	100,702
Other	24,446