


VITAL STATISTICS

MISSISSIPPI

1964



Public Health Statistics

Mississippi State Board of Health

Jackson, Mississippi

A. L. Gray, M. D., Executive Officer

VITAL STATISTICS

MISSISSIPPI

1964

MISSISSIPPI STATE BOARD OF HEALTH
JACKSON, MISSISSIPPI

A. L. GRAY, M. D., EXECUTIVE OFFICER

TABLE OF CONTENTS

SYNOPSIS OF VITAL STATISTICS, MISSISSIPPI, 1964	Page
Introduction	I
Live Births	II
Fetal Deaths	V
Deaths	VIII
Marriages	XVII
Divorces	XX
POPULATION	
Table 1. Estimated Population, by County, by Race, Mississippi, July 1, 1964	1
LIVE BIRTHS	
Table 2. By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates, Mississippi, 1964	3
Table 3. By Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1964	6
FETAL DEATHS	
Table 4. By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1964	10
DEATHS	
Table 5. By Cause of Death, by Race, Residence Data, Mississippi, 1964	14
Table 6. By Place of Occurrence, and by Place of Residence, by Race, with Rates, Mississippi, 1964	26
Table 7. By Cause Groups and Certain Selected Causes, by Race, Sex, and Age, with Total Rates, Residence Data, Mississippi, 1964	29
DEATHS UNDER 1 YEAR	
Table 8. By Selected Causes, by Race and Age, with Total Rates, Residence Data, Mississippi, 1964	38

MARRIAGES AND DIVORCES

Table 9. Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride; Divorces by Place of Occurrence, by Race, Mississippi, 1964	42
Table 10. Divorces by Cause of Divorce, by Race, Mississippi, 1964	44
Divorces by Number of Minor Children, by Race, Mississippi, 1964	44
Divorces by Number of Years Married, by Race, Mississippi, 1964	44

SUMMARY TABLES

Table 11. <u>Live Births, Mississippi, 1913-1964</u> , by Year, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1964 ..	45
Table 12. <u>Deaths, Mississippi, 1913-1964</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1964	47
Table 13. <u>Maternal Deaths, Mississippi, 1913-1964</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1964	49
Table 14. <u>Deaths Under 1 Year, Mississippi, 1917-1964</u> , by Year, by Race, with Rates, Occurrence Data 1917-1943, Residence Data 1944-1964	51
Table 15. <u>Deaths Under 1 Month, Mississippi, 1924-1964</u> , by Year, by Race, with Rates, Occurrence Data 1924-1944, Residence Data 1945-1964	53
Table 16. <u>Deaths from Heart Diseases, Vascular Lesions, Malignant Neoplasms, Accidents, and Influenza and Pneumonia, Mississippi, 1955-1964</u> , by Year, by Race, with Rates, Residence Data	54
Table 17. <u>Marriages and Divorces, Mississippi, 1926-1964</u> , by Year, by Race, Occurrence Data	55

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS, AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH, by Place of Occurrence, and by Place of Residence, by Race, with Rates, 1964

County Tables.....	59
State Table	141

SYNOPSIS OF VITAL STATISTICS
MISSISSIPPI, 1964

INTRODUCTION

The 1964 Vital Statistics Bulletin is the twenty-second consecutive issue prepared from data obtained from records of live births, fetal deaths, deaths, marriages, and divorces collected by the Division of Public Health Statistics.

Population (See Table 1.)

Population figures used in this bulletin are estimates as of July 1, 1964, prepared by the Division of Sociology and Rural Life, Mississippi State University. During the four years since the census of 1960, the total population has increased by approximately 138,000 or 6.3 percent. Most of the gain has been in the white population with an increase of about 113,000 or 9.0 percent. The rise in nonwhite population was only about 25,000 or 2.7 percent. Despite such gains, comparison of these figures with the natural increase (births minus deaths) shows that Mississippi is still experiencing out-migration and that the rate accelerated from 1963 to 1964. Study of county data indicates that 59 of the 82 counties have gained population since 1960, 18 have lost, and in 5 the difference was less than 0.6 percent and thus considered as no change.

Rates

Rates for the state and counties by race were calculated using the new population estimates, but no age or sex-specific rates (except the infant and maternal death rates and the fetal death ratios which are all based on live births) and no city rates were calculated because current estimates by age and sex and by city are not available.

Urban-Rural Classification

Incorporated towns with populations of 2,500 or more according to the 1960 census were considered as urban areas. All other areas were classified as rural.

Occurrence and Residence Allocation

Births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

Over 2,300 transcripts were received for events occurring in other states to

Vital Statistics
Mississippi - 1964

residents of this state, and nearly 2,200 such events were recorded here for nonresidents (See Table A.) The transcripts came from 34 states and the District of Columbia, but 86 percent were sent from the four states which border on Mississippi. However, Illinois reported more events to Mississippi residents than the border state of Arkansas.

Table A. Transcripts received, by place of occurrence,
and nonresident certificates

Place of Occurrence	Total Records	Live Births	Fetal Deaths	Deaths
<u>Transcripts</u>	<u>2,318</u>	<u>1,297</u>	<u>36</u>	<u>985</u>
Tennessee	1,215	662	27	526
Louisiana	401	221	5	175
Alabama	335	238	2	95
Illinois	57	19	0	38
Arkansas	47	26	0	21
Texas	46	14	1	31
Missouri	30	22	0	8
Colorado	27	23	0	4
Other places	160	72	1	87
<u>Nonresident certificates</u>	<u>2,161</u>	<u>1,364</u>	<u>77</u>	<u>720</u>

Marriages were classified according to place of issuance of marriage license and also place of residence of bride. Since there is no exchange among the states of transcripts of marriage records for nonresidents, out-of-state marriages of Mississippi brides were not included in the tabulations. Divorces were classified only according to place where the decree was granted.

Classification of Causes of Death

Causes of death were assigned according to the seventh revision (1955) of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Only the underlying cause of death was coded. Since the seventh revision differs only slightly from the sixth revision used from 1949 through 1957, figures for 1949-1964 are comparable, but comparison of data by cause for these years with those for the years prior to 1949 should be made with caution.

LIVE BIRTHS (See Tables 2, 3, 11.)

In Mississippi, as in the United States as a whole, the decline in births continued in 1964. The Mississippi total of 56,650 was the smallest since 1945 and the birth rate of 24.5 per 1,000 population was the lowest since 1940. Births among the white population numbered 25,942 yielding a rate of 18.9 which is the lowest in the 52 years on record in this state. County rates for white residents ranged from 10.5 in Carroll County to 26.8 in Harrison County which is the location of a large Air Force base and, of course, many young married couples. For nonwhites the birth total of 30,708 and the rate of 32.5 were slightly higher than in 1963, but the second lowest number since 1945 and the second lowest rate since 1949. The range of birth rates for nonwhites was from 19.8 in Itawamba County to 42.4 in Smith County.

Vital Statistics
Mississippi - 1964

nresidents
a, but 86
llinois

Urban-Rural Distribution

Urban residents produced 21,234 children and rural residents, 35,416 children in 1964. Although a little less than 38 percent of the total births were to urban residents, nearly 65 percent occurred in urban places. Comparison of the two sets of figures indicates that about 9,000 white mothers and about 6,000 nonwhite mothers from rural areas went to cities and towns for delivery.

Attendant

As shown in Table B, 76 percent of the live births to Mississippi residents occurred in hospitals or physician's offices and clinics which provide in-patient care. Another 2 percent of the deliveries were attended by physicians in places other than hospitals and clinics. For 22 percent there was no medical attendant although most of these were performed by midwives who secure licenses from the State Board of Health. Only 82 white children (0.3 percent) in comparison with 12,435 non-white children (40.5 percent) were delivered without medical attention.

Table B. Live births by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<u>Total</u>	<u>56,650</u>	<u>100.0</u>	<u>25,942</u>	<u>100.0</u>	<u>30,708</u>	<u>100.0</u>
Physician in hospital	43,037	76.0	25,796	99.4	17,241	56.1
Physician in home	1,096	1.9	64	0.2	1,032	3.4
Midwife	12,429	21.9	70	0.3	12,359	40.2
<u>Other</u>	<u>88</u>	<u>0.2</u>	<u>12</u>	<u>*</u>	<u>76</u>	<u>0.2</u>

* Less than 0.06 percent.

Table C indicates the progress made in hospitalization for delivery in the last twenty years in Mississippi. Between 1944 and 1954 the percentage of babies born in hospitals almost doubled, increasing from 31 to 60, and by 1964 it had risen to 76. Although the 1964 figure for nonwhites is lower than that of twenty years ago for whites, the rate of increase has been greater for nonwhites than for whites.

Table C. Percentage of live births in hospitals and clinics,
by race, 1944, 1954, 1960-1964

Year	Total	White	Nonwhite
1944	31.0	60.5	6.6
1954	60.2	94.4	33.0
1960	73.2	99.0	51.3
1961	73.2	99.2	51.0
1962	74.6	99.3	52.9
1963	74.9	99.3	53.4
1964	76.0	99.4	56.1

IV
 Vital Statistics
 Mississippi - 1964

Month

According to the figures in Table D which shows live births by month, the largest number occurred in August, but August and September tied for the highest daily average. April was the month with the smallest total number and May the month with the lowest daily average.

Table D. Live births and average per day, by month

Month	Births	Average per Day	Month	Births	Average per Day
January	5,032	162	July	5,173	167
February	4,528	156	August	5,294	171
March	4,572	147	September	5,143	171
April	4,036	134	October	5,014	162
May	4,078	132	November	4,695	156
June	4,335	144	December	4,750	153

Age of Mother

Data on age of mother are presented in Table E. A little over one-third of the deliveries were to mothers 20-24 years of age, and among whites the concentration was even greater with 39 percent in this group. The groups 15-19 and 25-29 years of age also were large, and 77 percent of all births were to mothers 15-29 years of age. A much larger proportion of nonwhite than of white mothers were either teenagers or 35 and over. Comparison of data on age for 1963 and 1964 reveals that the rate of decline in births among white mothers was considerably greater for those 30 and over (6.4 percent) than for those under 30 (2.5 percent). As previously mentioned, the number of nonwhite births was slightly larger in 1964 than in 1963, and this rise was due primarily to an increase in deliveries to mothers 15-19 years old; differences in all other age groups were relatively small.

Table E. Live births by age of mother and race,
 with percent of total births

Age of Mother	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	56,650	100.0	25,942	100.0	30,708	100.0
10-14	286	0.5	29	0.1	257	0.8
15-19	11,700	20.6	4,624	17.8	7,076	23.0
20-24	19,368	34.2	10,102	38.9	9,266	30.2
25-29	12,383	21.8	6,211	23.9	6,172	20.1
30-34	7,091	12.5	3,003	11.6	4,088	13.3
35-39	4,311	7.6	1,517	5.8	2,794	9.1
40-44	1,331	2.3	418	1.6	913	3.0
45-49	112	0.2	35	0.1	77	0.2
50-54	1	*	0	-	1	*
Unknown	67	0.1	3	*	64	0.2

* Less than 0.06 percent.

Vital Statistics
Mississippi - 1964

Sex

Counts of 29,010 males and 27,640 females yielded a sex ratio of 1,050 males per 1,000 females. For whites the ratio was 1,065 and for nonwhites, 1,037, but the reason for the difference (whites always higher than nonwhites) is unknown.

Plurality (See Plurality in Fetal Death section also.)

Among the 56,717 live births that occurred in Mississippi in 1964, 1,311 or 2.3 percent were from plural deliveries. This total included two sets of triplets. The rate of plurality among nonwhites was higher than among whites, 2.9 percent in comparison with 1.6 percent.

Immaturity

Infants weighing 5 1/2 pounds or less are considered to be immature. Using this definition, 5,525 or 9.7 percent of those born in the state in 1964 were immature. The percentage of white babies that were immature (6.6) was much lower than the percentage for nonwhites (12.4).

Legitimacy

In 1964, 8,964 or 15.8 percent of the children born alive to Mississippi mothers were classified as illegitimate according to the information given on the birth certificate. By race the percentages were 2.1 for whites and 27.4 for nonwhites. The rates for both races have gone up steadily in recent years. Study of these births by age of mother shows that 33 percent of the total born to teenage mothers were illegitimate, 13 percent of those born to mothers 20-24, and 9 to 10 percent of those born to mothers in the older groups.

FETAL DEATHS (See Table 4.)

In Mississippi, according to regulations of the State Board of Health, all fetal deaths are to be registered. Prior to 1952, only the reporting of fetal deaths of 20 or more weeks gestation was required. However, it is known that a sizeable number of both early and late fetal deaths still are not being reported and that, because of this, any or all of the data on fetal deaths presented in this bulletin could give a false picture of the subject.

A total of 2,825 fetal deaths were registered in the state in 1964, and 2,784 certificates for Mississippi residents were received. The fetal death ratio of 49.1 per 1,000 live births is the highest in the 13 years of all-inclusive registration, as are the ratios of 47.0 for whites and 50.9 for nonwhites. The county ratios vary widely from county to county and from year to year. Much of this extreme variation probably can be attributed to differences in completeness of reporting rather than to actual differences. In 1964, ratios for whites ranged from zero in Tunica County to 178.6 in Jefferson County. The range for nonwhites was from 11.5 in Webster County to 150.0 in Itawamba County. If it is assumed that the high ratios for certain counties are not exaggerated, but represent complete reporting, it can be estimated from those ratios that one out of every seven or eight pregnancies terminates in fetal death.

Vital Statistics
Mississippi - 1964

Attendant

Almost 80 percent of the fetal deaths reported in 1964 were attended by physicians in hospitals and clinics. (See Table F.) For 371, 13 percent of the total, there was no medical attendant at delivery. Among whites, over 99 percent of the live births but only 92 percent of the fetal deaths were delivered in hospitals. Among nonwhites the situation was reversed with the proportion of fetal deaths in hospitals (70 percent) higher than the proportion of live births in hospitals (56 percent). The probable underreporting of fetal deaths in the home and the tendency to transfer difficult and premature deliveries to a hospital may account for the difference noted for nonwhites.

Table F. Fetal deaths by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<u>Total</u>	<u>2,784</u>	<u>100.0</u>	<u>1,220</u>	<u>100.0</u>	<u>1,564</u>	<u>100.0</u>
Physician in hospital	2,219	79.7	1,122	92.0	1,097	70.1
Physician in home	194	7.0	93	7.6	101	6.4
Midwife	343	12.3	1	0.1	342	21.9
Other	28	1.0	4	0.3	24	1.5

Table G shows the trend in hospital deliveries of fetal deaths. In the last five years the figures on whites have varied irregularly with no trend established, but the data for nonwhites show a steady gain. The gap between the races is considerably less for hospital deliveries of fetal deaths than for hospital deliveries of live births.

Table G. Percentage of fetal deaths delivered in hospitals and clinics, by race, 1954, 1960-1964

Year	Total	White	Nonwhite
1954	61.6	90.2	44.6
1960	74.2	95.5	59.9
1961	75.2	93.4	61.9
1962	79.5	97.3	64.2
1963	79.0	94.6	65.9
1964	79.7	92.0	70.1

Age of Mother

As may be seen in Table H, fetal death ratios for mothers age 15-24 were lower than any others. Beginning at age 25 the ratios increased in each successive 5-year age group, and in the groups 35 and over were more than double those for ages 15-24. Mothers age 10-14 experienced approximately the same fetal mortality as mothers in their 30's. Differences by race were not large except in the older groups where the numbers are relatively small and more subject to chance variation.

Vital Statistics
Mississippi - 1964

Table H. Fetal deaths by age of mother and race, with fetal death ratios

Age of Mother	Total		White		Nonwhite	
	No.	Ratio*	No.	Ratio*	No.	Ratio*
All Ages	2,784	49.1	1,220	47.0	1,564	50.9
10-14	21	73.4	2	#	19	73.9
15-19	438	37.4	168	36.3	270	38.2
20-24	712	36.8	357	35.3	355	38.3
25-29	619	50.0	290	46.7	329	53.3
30-34	447	63.0	200	66.6	247	60.4
35-39	357	82.8	136	89.6	221	79.1
40-44	151	113.4	57	136.4	94	103.0
45-49	17	151.8	4	#	13	#
Unknown	22		6		16	

* Fetal deaths per 1,000 live births to mothers in specific age-race group.

Ratio not calculated on less than 100 live births.

Sex

The sex was undetermined for 1,124 or 40 percent of the fetal deaths, but a sex ratio of 1,361 males per 1,000 females was calculated from those with sex stated. As usual, this ratio was much higher than that for live births (1,050). The reason for this large difference is not known.

Plurality

Among fetal deaths occurring in Mississippi, 5.4 percent were from plural deliveries. This was more than double the plurality rate among live births (2.3 percent). For white fetal deaths the percentage was only 3.7, but for nonwhites it was 6.8.

Study of the outcome of all plural deliveries in 1964 revealed that there were 730 such deliveries, 726 sets of twins and 4 sets of triplets. In 86 percent of these cases all the babies were live born; in 6.7 percent all were fetal deaths; and in 7.3 percent or 53 instances one twin was born alive and one dead. The triplet sets were either all alive (2) or all dead (2). Comparison of mortality in plural and single deliveries showed that 10.4 percent of the fetuses from plural deliveries but only 4.6 percent of those from single deliveries were born dead. Outcome differences between the races were minor.

Length of Gestation

A gestation period of less than 20 weeks was reported for 1,283 fetal deaths to state residents; for 1,376 it was 20 weeks or more; and for 125 the period of gestation was not given. Two-thirds of the white but less than one-third of the non-white fetal deaths reported had a gestation period of less than 20 weeks. This difference may be due partly to better reporting of early fetal deaths among whites and also to the fact that the late (20 weeks or more) fetal death ratio for nonwhites was nearly 2 1/2 times that for whites.

VIII

Vital Statistics Mississippi - 1964

Legitimacy

The rate of illegitimacy was slightly higher among fetal deaths than among live births, 17.5 percent in comparison with 15.8 percent. For the nonwhites the difference was small, but for whites the percentage was more than double that for live births.

DEATHS (See Tables 5-8, 12-16.)

Both the number of deaths, 22,559, and the rate of 9.7 per 1,000 population in 1964 were less than the corresponding figures for 1963 which was an unusually high year. The decline noted for nonwhites was of greater consequence than that for whites.

The statewide rate for the white population was 8.8 with county rates ranging from 5.3 in Issaquena County to 15.1 in Yalobusha County. The death rate among nonwhites in Mississippi was 11.1, and county rates varied from 7.0 in Rankin County to 16.0 in Issaquena County. Urban residents made up 38 percent of the total, but 55 percent of the deaths occurring in the state took place in urban areas.

Natural Increase (Excess of Birth Rate over Death Rate)

Although the death rate declined in 1964, the continued drop in the birth rate held the rate of natural increase to 14.8 per 1,000 population which was the same as in 1963 and the smallest since 1941. The rate of natural increase for whites was only 10.1, the lowest on record in this state. In three counties of the state (Jefferson, Kemper, and Yalobusha) the number of deaths exceeded the number of births to white residents. For the nonwhite population the rate of natural increase was 21.4, more than double the rate for the white population, and in Smith County the natural increase among nonwhites was an astounding 34.6 per 1,000 population.

Month

January was the month with the largest number of deaths and the highest daily average. (See Table I.) The smallest number occurred in September, but the lowest daily average was in August.

Table I. Deaths and average per day, by month

Month	Deaths	Average per Day	Month	Deaths	Average per Day
January	2,220	72	July	1,766	57
February	1,887	65	August	1,691	54
March	1,927	62	September	1,666	56
April	1,736	58	October	1,904	61
May	1,854	60	November	1,933	64
June	1,881	63	December	2,094	68

Vital Statistics
Mississippi - 1964

Age at Death

Using the figures on age at death presented in Table J, the median age at death in 1964 was calculated to be 67.0 for the total population, 69.9 for whites, and 62.9 for nonwhites. Further study of the data on age shows that the smallest number of deaths occurred in the decade 5-14 years. Among nonwhites the number of deaths in the first year of life was greater than the total for the next 44 years, ages 1-44. Considering the other end of the range, it was determined that 61 percent of the whites but only 47 percent of the nonwhites who died had reached 65, or what is usually thought of as retirement age.

Table J. Deaths by age and race

Age	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	22,559	100.0	12,039	100.0	10,520	100.0
Under 1	2,230	9.9	599	5.0	1,631	15.5
1-4	375	1.7	114	0.9	261	2.5
5-9	172	0.8	77	0.6	95	0.9
10-14	124	0.5	57	0.5	67	0.6
15-24	541	2.4	253	2.1	288	2.7
25-34	537	2.4	248	2.0	289	2.7
35-44	1,013	4.5	513	4.3	500	4.8
45-54	1,905	8.4	1,001	8.3	904	8.6
55-64	3,393	15.0	1,846	15.3	1,547	14.7
65-74	4,825	21.4	2,682	22.3	2,143	20.4
75-84	4,947	21.9	3,137	26.0	1,810	17.2
85 & over	2,490	11.0	1,511	12.6	979	9.3
Unknown	7	*	1	*	6	*

* Less than 0.06 percent.

Leading Causes of Death

The ten leading causes of death in Mississippi in 1964 are shown in Table K. These ten causes accounted for 79 percent of the total. The first eight causes are the same as in 1963 and the first six are in the same order. A rise in the number of deaths due to diabetes and a drop in the number caused by general arteriosclerosis resulted in diabetes moving up to seventh place and general arteriosclerosis down to eighth. Other diseases of the circulatory system which replaced homicide in ninth position is listed as one of the ten leading causes in Mississippi for the first time in 1964. Chronic and unspecified nephritis and other renal sclerosis replaced congenital malformations as the tenth ranking cause.

Vital Statistics
Mississippi - 1964

Table K. Ten leading causes of death by race, with percent of total deaths

<u>Cause and International List Number</u>	<u>Total</u>		<u>White</u>		<u>Nonwhite</u>	
	<u>No.</u>	<u>%</u>	<u>No.</u>	<u>%</u>	<u>No.</u>	<u>%</u>
1. Diseases of heart (400-443)	6,981	30.9	4,313	35.8	2,668	25.4
2. Vascular lesions affecting central nervous system (330-334)	3,077	13.6	1,588	13.2	1,489	14.2
3. Malignant neoplasms (140-205)	2,968	13.2	1,861	15.4	1,107	10.5
4. Accidents (800-962)	1,612	7.1	898	7.4	714	6.8
5. Certain diseases of early infancy (760-776)	1,209	5.4	398	3.3	811	7.7
6. Influenza and pneumonia (480-493)	791	3.5	308	2.6	483	4.6
7. Diabetes mellitus (260)	342	1.5	159	1.3	183	1.7
8. General arteriosclerosis (450)	338	1.5	235	2.0	103	1.0
9. Other diseases of circulatory system (451-468)	283	1.2	184	1.5	99	0.9
10. Chronic and unspecified nephritis and other renal sclerosis (592-594)	262	1.2	90	0.7	172	1.6

Leading Causes by Age

Table L gives the leading causes of death for each age group except infants (see infant mortality section). Each of these lists was different from the others, but certain causes appeared repeatedly. Malignant neoplasms was on all lists and diseases of heart on all except that for children 1-4 years of age. Accidents ranked first in the groups under 45, fourth at 45-64, and sixth at 65 and over. This cause also was the only one which was responsible for over 50 percent of the total deaths in any age group (5-14 and 15-24 years). Influenza and pneumonia was an important cause among the young, 1-4 and 5-14, and the old, 65 and over. For all groups 25 and over vascular lesions affecting the central nervous system appeared on the list.

Ill-defined and Unknown Causes

Many of the death certificates filed in Mississippi have no satisfactory statement of cause of death. In 1964, 2,237 or 10.0 percent of the total were deficient on this vital point, with the percentage for nonwhites (15.4) nearly three times that for whites (5.4). On 651 of these certificates were conditions classified as ill-defined diseases of early infancy; on 33 the only cause was senility; and the remaining 1,553 had other ill-defined conditions or no cause at all. In Carroll and Madison Counties over 20 percent of the deaths reported were without satisfactory statement of cause, and in Benton, Hancock, Holmes, Noxubee, Tunica, and Washington Counties between 15 and 20 percent were in this category.

Deaths attributed to ill-defined conditions (excluding those of early infancy) and unknown causes, if placed on the list of leading causes, would rank in fifth place in the total population and third among nonwhites. If the true cause of death for persons whose certificates lacked this information could be known, the order of the leading causes might not be the same as presently shown and even the causes themselves might be different.

Vital Statistics
Mississippi - 1964

Table L. Five leading causes of death by age group

18

<u>white</u>	<u>Cause of Death</u>	<u>Age Group</u>	<u>No. of Deaths</u>	<u>% of Total</u>	
		<u>1-4 Years</u>			
<u>All Causes</u>					
3 25.4	1. Accidents		375	100.0	
9 14.2	2. Influenza and pneumonia		119	31.7	
7 10.5	3. Gastritis, duodenitis, enteritis, and colitis		64	17.1	
4 6.8	4. Congenital malformations		30	8.0	
L 7.7	5. Malignant neoplasms		28	7.5	
3 4.6			18	4.8	
3 1.7					
3 1.0	<u>5-14 years</u>				
9 0.9	<u>All Causes</u>		296	100.0	
2 1.6	1. Accidents		149	50.3	
	2. Malignant neoplasms		31	10.5	
	3. Influenza and pneumonia		14	4.7	
	4. Diseases of heart		10	3.4	
	4. Congenital malformations		10	3.4	
	<u>15-24 years</u>				
	<u>All Causes</u>		541	100.0	
	1. Accidents		298	55.1	
	2. Homicide		46	8.5	
	3. Malignant neoplasms		27	5.0	
	4. Diseases of heart		24	4.4	
	5. Deliveries and complications of pregnancy, childbirth, and the puerperium		15	2.8	
	<u>25-44 years</u>				
	<u>All Causes</u>		1,550	100.0	
	1. Accidents		333	21.5	
	2. Diseases of heart		250	16.1	
	3. Malignant neoplasms		218	14.1	
	4. Homicide		119	7.7	
	5. Vascular lesions affecting central nervous system		92	5.9	
	<u>45-64 years</u>				
	<u>All Causes</u>		5,298	100.0	
	1. Diseases of heart		1,785	33.7	
	2. Malignant neoplasms		1,101	20.8	
	3. Vascular lesions affecting central nervous system		587	11.1	
	4. Accidents		315	5.9	
	5. Diabetes mellitus		118	2.2	
	<u>65 years and over</u>				
	<u>All Causes</u>		12,262	100.0	
	1. Diseases of heart		4,899	40.0	
	2. Vascular lesions affecting central nervous system		2,378	19.4	
	3. Malignant neoplasms		1,571	12.8	
	4. Influenza and pneumonia		364	3.0	
	5. General arteriosclerosis		314	2.6	

Vital Statistics
Mississippi - 1964

Specific Causes

Heart disease has been the chief cause of death in Mississippi every year from 1925 to the present except 1929. In 1964, even though it was the cause to which nearly one-third of the total deaths in the state were attributed, the actual number (6,981) was 319 less than in 1963, a drop of over 4 percent. As shown by the figures in Table M, arteriosclerotic and degenerative heart disease caused more deaths than all other types combined.

Table M. Deaths from diseases of the heart, by type and race

Cause and International List Number	Total	White	Nonwhite
<u>Diseases of the heart (400-443)</u>	<u>6,981</u>	<u>4,313</u>	<u>2,668</u>
Rheumatic fever (400-402)	6	1	5
Chronic rheumatic heart disease (410-416)	96	59	37
Arteriosclerotic and degenerative heart disease (420-422)	5,070	3,582	1,488
Other diseases of the heart (430-434)	633	310	323
Hypertensive heart disease (440-443)	1,176	361	815

Vascular lesions affecting the central nervous system, second in the list of leading causes, accounted for 3,077 deaths, 13.6 percent of the total but less than half as many as heart disease. The death rate among nonwhites (157.5) was considerably higher than among whites (115.9). Cerebral hemorrhage caused more fatalities than any other type of vascular lesion. (See Table N.)

Table N. Deaths from vascular lesions affecting central nervous system, by type of lesion and race

Cause and International List Number	Total	White	Nonwhite
<u>Vascular lesions affecting central nervous system (330-334)</u>	<u>3,077</u>	<u>1,588</u>	<u>1,489</u>
Subarachnoid hemorrhage (330)	101	49	52
Cerebral hemorrhage (331)	1,939	975	964
Cerebral embolism and thrombosis (332)	693	405	288
Other and ill-defined (333, 334)	344	159	185

Malignant neoplasms was the third leading cause with 2,968 deaths. Table O shows that although cancer is a leading cause of death in all age groups, only 10 percent occurred among persons under 45 years of age. For all four race-sex categories there were more deaths at ages 65-74 than in any other decade. The genito-urinary organs and breast and the digestive organs and peritoneum were the two principal groups of sites of fatal cancers.

Vital Statistics
Mississippi - 1964

Table 0. Deaths from malignant neoplasms, by age, sex, and race

from nearly 1981) Table M types	Age	Number of Deaths					Percent			
		Male		Female		Total	Male		Female	
		Total	White	Non- white	White		White	Non- white	White	Non- white
All Ages	2,968	1,026	531	835	576	100.0	100.0	100.0	100.0	100.0
Under 10	42	20	7	10	5	1.4	1.9	1.3	1.2	0.9
10-14	9	2	2	3	2	0.3	0.2	0.4	0.4	0.3
15-24	27	9	9	5	4	0.9	0.9	1.7	0.6	0.7
25-34	63	17	6	26	14	2.1	1.6	1.1	3.1	2.4
35-44	155	53	17	46	39	5.2	5.2	3.2	5.5	6.8
45-54	412	128	79	114	91	13.9	12.5	14.9	13.6	15.8
55-64	689	251	118	187	133	23.2	24.5	22.2	22.4	23.1
65-74	808	287	151	211	159	27.2	28.0	28.4	25.3	27.6
75-84	603	219	110	179	95	20.3	21.3	20.7	21.4	16.5
85 & over	160	40	32	54	34	5.4	3.9	6.0	6.5	5.9

Chronic respiratory diseases have received increased attention from medical and public health personnel in recent years. In Table P below the most important of these diseases are listed with mortality figures for certain years for which comparable data are available. For respiratory tuberculosis, the only one of these diseases with a downward trend, the decline in mortality has been remarkable. During the 15 years covered in the table, death totals for asthma, bronchiectasis, and other diseases of lung and pleural cavity have varied without showing a trend in either direction.

However, deaths from all the other causes listed have risen. Chief among them is cancer of the respiratory system with an increase of 194 percent in mortality. Deaths from emphysema, now the second most important of these diseases, have risen from 6 to 123 during this period.

Table P. Deaths from chronic respiratory diseases, 1949, 1954, 1959, 1964

Cause and International List Number	1949	1954	1959	1964
Tuberculosis of respiratory system (001-008)	552	210	142	96
Malignant neoplasms of respiratory system (160-165)	161	233	345	474
Malignant neoplasms of lung, bronchus, and trachea (162, 163)	140	206	308	418
Asthma (241)	55	47	52	51
Bronchitis, chronic and unqualified (501, 502)	22	27	34	32
Bronchitis with emphysema (502.0)	0	4	11	12
Other chronic interstitial pneumonia (525)	4	8	17	27
Bronchiectasis (526)	27	26	21	25
Emphysema (527.1)	6	26	79	123
Other diseases of lung and pleural cavity (527.0, 527.2)	9	31	21	22

Vital Statistics
Mississippi - 1964

Influenza and pneumonia, although still ranking as the sixth leading cause, took 322 fewer lives in 1964 than in 1963 which was a record year for recent times. Of the 791 deaths in 1964, 751 were due to pneumonia, 27 to influenza with pneumonia, and only 13 to influenza with no mention of pneumonia. During most of the last 15 years the rate for nonwhites has been double or more than double the rate for whites; in 1964 the rates were 51.1 and 22.5 per 100,000 population respectively.

Accidents took the lives of 1,612 Mississippians in 1964. This was the largest toll on record except for 1936 the year of the tornado at Tupelo. The accidental death rate of 69.6 per 100,000 population was exceeded only in 1936, 1940 when about 200 people died in a fire in Natchez, and 1941 a year with an abnormally high death rate from motor vehicle accidents rather than a single catastrophic event. Accidents ranked as the fourth leading cause of death, and the number of such fatalities averaged 4.4 per day. December was the month with the highest toll from motor vehicle accidents and January the month with the largest number of deaths due to nonmotor accidents.

The five main causes of accidental deaths listed in Table Q are the same ones which have appeared on the list for a number of years. In 1964 they were responsible for 77 percent of the total casualties. Motor vehicle accidents, the most important of these causes, set new records in 1964 in the number of deaths occurring in the state (744), the number of residents who were killed (724), and the death rate among residents (31.3 per 100,000 population). The death toll for residents was 49 more than in 1963, the previous record year.

Table Q. Five leading causes of accidental deaths by race
with percent of total accidental deaths

Type of Accident and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Motor vehicle (810-835)	724	44.9	490	54.6	234	32.8
2. Fire and explosion of combustible material (916)	199	12.3	50	5.6	149	20.9
3. Falls (900-904)	135	8.4	103	11.5	32	4.5
4. Drowning, except in water transport (929)	103	6.4	39	4.3	64	9.0
5. Firearm (919)	78	4.8	45	5.0	33	4.6

Study of the 805 deaths occurring in the state as a result of nontransport accidents (International Codes 870-936) showed that the home far outranked any other location as the place of occurrence with 412 or 51 percent of the total. Fire and explosion of combustible material (177 deaths) and falls (68 deaths) were the two chief types of home accidents with fatal results. Nearly three-fourths of the victims of these fatal home accidents were children under 15 or persons 65 years of age and over.

Suicide and homicide were the causes of death listed on the certificates of 159 and 256 state residents in 1964. Although neither was a leading cause of death in the population as a whole, both were important in certain groups: suicide ranked eleventh among white persons, and homicide ranked seventh among males and seventh among nonwhites. Eighty percent of the suicides and 69 percent of the homicides were accomplished by firearms and explosives. Comparison of deaths from these causes by race shows that the suicide rate for whites was approximately five times that for nonwhites, but that the homicide rate for whites was about one-fifth that for nonwhites. The largest number of both suicides and homicides occurred in the age group 35-44 years.

Vital Statistics
Mississippi - 1964

, took
the
only
e rate
rates

rgest
death
people
motor
e
day.
ary

nes
ble fo
f these
4), th
3 per
revious

er

tims
d over.

f 159
the
enth

-
e
ites,

s.

Maternal deaths (deaths from deliveries and complications of pregnancy, childbirth, and the puerperium) rose from 44 in 1963 to 57 in 1964, and the rate increased from 7.7 to 10.1. Although the rise for the nonwhite mothers was substantial, their total for 1964 was the same as that for 1962. Twenty maternal deaths were caused by toxemia and nine each by sepsis and hemorrhage.

In Table R age and race-specific rates are presented. No deaths occurred among the youngest or the oldest mothers in 1964. There was little variation by age for white mothers, but for nonwhites the rates tripled (approximately) in each successive decade and thus, at ages 25-34 and 35-44, were markedly higher than those for white mothers.

Table R. Maternal deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Ages	57	10.1	9	3.5	48	15.6
10-14	0	-	0	-	0	-
15-24	15	4.8	5	3.4	10	6.1
25-34	21	10.8	3	3.2	18	17.5
35-44	21	37.2	1	5.2	20	54.0
45-54	0	-	0	-	0	-


* Deaths per 10,000 live births to mothers in specific age-race group.

Infant Mortality

In 1964 the number of infant deaths was 2,230 and the rate was 39.4 per 1,000 live births. Although the total for whites was slightly lower than in the previous year, the more rapid drop in the number of births caused the infant death rate to be higher than in 1963. However, the rate of 23.1 for white infants in 1964 was the second lowest on record in Mississippi. Both the number of deaths among nonwhite infants and the death rate were lower in 1964 than in 1963, but the rate of 53.1 was still more than twice as high as that for whites. On the accompanying graph it may be seen that, although the trend for the whites is still downward, it has been less rapid since 1955. The direction of the curve for nonwhites has been upward since 1946.

Comparison of Mississippi's infant mortality rate with those for the rest of the country reveals that in 1963 (latest year for which national data are available) it was 64 percent higher than for the United States as a whole and 25 percent higher than that for the next highest state. (South Carolina and the District of Columbia tied for second place.)

Vital Statistics
Mississippi - 1964



Figures on infant mortality by age and race are given in Table S. For whites the rates for under one day and 1-27 days were nearly equal and the rate for 28 days to one year lower than either of the others. For nonwhites, however, the rates as well as the ratio of nonwhite to white rate increased with age indicating a significant difference in the factors responsible for infant deaths among the two races.

Table S. Infant deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
<u>Total under one year</u>	<u>2,230</u>	<u>39.4</u>	<u>599</u>	<u>23.1</u>	<u>1,631</u>	<u>53.1</u>
Under one day	643	11.4	222	8.6	421	13.7
One to 28 days	729	12.9	238	9.2	491	16.0
<u>28 days to one year</u>	<u>858</u>	<u>15.1</u>	<u>139</u>	<u>5.4</u>	<u>719</u>	<u>23.4</u>

* Deaths per 1,000 live births.

Vital Statistics
Mississippi - 1964

The five leading causes of infant deaths listed in Table T are the same ones which have been the principal causes every year from 1949 to the present except 1963 when accidents replaced birth injuries. In 1964 they accounted for 38 percent of the total infant deaths and 63 percent of the total with a definite cause stated. For two of these causes, influenza and pneumonia and the gastritis group, the ratio of the nonwhite rate to the white rate was eleven to one.

Table T. Leading causes of infant deaths by race, with rates

Cause of Death	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Causes	2,230	39.4	599	23.1	1,631	53.1
1. Postnatal asphyxia and atelectasis	217	3.8	106	4.1	111	3.6
2. Influenza and pneumonia, except pneumonia of newborn	215	3.8	15	0.6	200	6.5
3. Congenital malformations	151	2.7	85	3.3	66	2.1
4. Gastritis, duodenitis, enteritis, & colitis, except diarrhea of newborn	144	2.5	10	0.4	134	4.4
5. Birth injuries	115	2.0	56	2.2	59	1.9

* Deaths per 1,000 live births.

Study of the leading causes by age shows that among the babies who died in the first day of life postnatal asphyxia and atelectasis caused more deaths than the next five ranking causes combined and that birth injuries ranked second. Among those who died at 1-27 days pneumonia of the newborn caused slightly more deaths than postnatal asphyxia and atelectasis, and the toll from congenital malformations in third place was also quite large. Influenza and pneumonia headed the list for children 28 days to one year of age, with the gastritis group in second place.

Many death certificates for infants show immaturity as the cause or as part of the cause. Although this condition is no longer considered a distinct classification in ranking causes of infant deaths, it was noted that 797 deaths, 47 percent of those among white children and 32 percent of those among nonwhites, were attributed to immaturity alone or in combination with another condition.

All data on causes of infant deaths are based on incomplete knowledge, as 890 or 40 percent of the certificates showed ill-defined causes or no cause at all. Therefore, the data previously presented regarding cause could be incorrect. If the true causes of death for this large group of infants could be determined, much better information for planning effective preventive measures would be available.

MARRIAGES (See Tables 9, 17.)

In 1964, for the fifth consecutive year, the number of marriages occurring in the state increased. The total of 22,784 was 644 more than in 1963, with all of the gain among the white population. Counts by race were: 15,159 white couples and 7,625 nonwhite couples.

Vital Statistics
Mississippi - 1964

Month

According to the data in Table U which presents the distribution of marriages by month June was the month with the largest number and also the highest daily average. August and December ranked second and third.

Table U. Marriages and average per day, by month

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>22,784</u>	<u>62</u>			
January	1,617	52	July	2,047	66
February	1,699	58	August	2,320	75
March	1,769	57	September	1,748	58
April	1,511	50	October	1,675	54
May	1,931	62	November	1,767	59
June	2,459	82	December	2,241	72

Officiant

A minister officiated at 71 percent of the marriages in the state. Most of the others were performed by justices of the peace, although judges, mayors, and members of boards of supervisors officiated at a few.

Age of Bride and Groom

Brides under the age of 20 numbered 9,943 (44 percent of the total) and those under 18 years of age, 4,820 (21 percent of the total). (See Table V.) One of these brides was only 11 years old, 22 were 13 years old, and 83 were 14 years old. No grooms were under the age of 15, but 4,010 or 18 percent were teenagers. At the other extreme were 27 brides age 75 or over with the oldest age 85 and 115 grooms in this age group with the oldest age 91. The average ages of white brides and grooms were 24.1 and 27.3 years respectively. Nonwhites were somewhat older; averages were 25.2 years for brides and 29.5 years for grooms.

In general, marriages were between persons of approximately the same age, but in some instances the differences between the ages of the bride and groom were quite large. One couple consisted of a bride 18 years old and a groom 77 years old - age difference, 59 years. The next largest difference, 55 years, was in the marriage of a 16 year-old girl and a 71 year-old man.

Vital Statistics
Mississippi - 1964

Table V. Brides and grooms by age

Age	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>22,784</u>	<u>100.0</u>	<u>22,784</u>	<u>100.0</u>
Under 15	106	0.5	0	-
15	869	3.8	9	*
16	1,531	6.7	77	0.3
17	2,314	10.2	588	2.6
18	2,762	12.1	1,321	5.8
19	2,361	10.4	2,015	8.8
20-24	6,577	28.9	9,585	42.1
25-34	2,782	12.2	4,579	20.1
35-44	1,602	7.0	1,886	8.3
45-54	1,072	4.7	1,247	5.5
55-64	573	2.5	818	3.6
65-74	186	0.8	525	2.3
75 & over	27	0.1	115	0.5
Unknown	22	0.1	19	0.1

* Less than 0.06 percent.

Previous Marriages

In 65 percent of the weddings in 1964 both bride and groom were being married for the first time. Data on number of previous marriages are presented in Table W. Approximately the same percentage of brides and grooms (26.9 and 27.5) had been married before. Most of these persons had only one previous marriage, but 1,418 brides and 1,465 grooms had two or more previous marriages. Two of the brides and one groom had six previous marriages each. Nearly three-fourths of those who had been married before were persons whose last marriages had been terminated by divorce.

Table W. Number of previous marriages of brides and grooms

Previous Marriages	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>22,784</u>	<u>100.0</u>	<u>22,784</u>	<u>100.0</u>
None	16,588	72.8	16,459	72.2
One	4,707	20.6	4,792	21.0
Two	1,157	5.1	1,172	5.1
Three or more	261	1.1	293	1.3
Not stated	71	0.3	68	0.3

Nonresident Brides

Brides from out of state who were married in Mississippi in 1964 numbered 3,652, and 3,097 of them married nonresident grooms. Although these nonresident brides made up approximately one-sixth of the total, this figure was a sharp contrast to the proportion of nonresident brides (two-thirds) reported in 1957 prior to the passage of a stricter marriage law in this state. In 1964, residents of all

Vital Statistics
Mississippi - 1964

except 5 of the other 49 states and of the District of Columbia were included, but 82 percent of these brides came from Alabama, Arkansas, Louisiana, and Tennessee, the 4 states which border on Mississippi. Eighty percent of the licenses issued to nonresident brides were issued in Mississippi counties which border on these states, and 22 percent of the total were issued in DeSoto County which is only a short distance from Memphis, Tennessee.

Out-of-State Use of Mississippi Certificates

In every year since the present marriage record was put into use (July 1, 1956), the more detailed information on this new form has revealed that some Mississippi licenses have been used for marriages performed in other states. Because these marriages are of questionable legality and did not occur in Mississippi they have not been included in the annual tabulations. A special count of those occurring in 1964 showed that there were 121 such marriages. Most of them (95) occurred in Louisiana; 16 occurred in Tennessee; and 10 occurred in other states. Since the majority occurred in Louisiana, it is not surprising that 76 percent of the licenses were issued in counties bordering on Louisiana and over half in Wilkinson (49) and Adams (18) Counties. Either the bride or the groom or both were residents of the state of occurrence of 104 of these marriages. All but one of the other 17 marriages were of persons who were residents of Mississippi but used their license in another state. The other couple were Texas residents who used their Mississippi license in Louisiana.

DIVORCES (See Tables 9, 10, 17.)

Divorces granted in Mississippi in 1964 totaled 5,631, the largest number since 1950. For whites the count was 4,077 and for nonwhites, 1,554. The figure for whites was the third largest on record, exceeded only in the immediate postwar years of 1946 and 1947.

Cause and Complainant

The stated cause of 90 percent of the divorces was either cruel and inhuman treatment or desertion. Cruel and inhuman treatment was the leading cause listed for whites, accounting for 66 percent of the total in that group. For nonwhites, desertion ranked first and was listed on 64 percent of the records. In 70 percent of the cases among white persons the wife was the complainant, but among nonwhites the husband was the complainant in slightly over half of the cases.

Minor Children

Divorces in which no minor children were involved comprised 41 percent of the total for whites and 56 percent for nonwhites. However, there were 2,996 couples with minor children, and the total number of such children was 6,648. Cases involving 5 or more children each numbered 224; 5 of these cases involved 10 children each.

Vital Statistics
Mississippi - 1964

82

4

esi-
22 per-y 1,
ssippi
rriages
ncluded
thereana,
ring
bride
·riages
·ssippi
o usedimber
for
arse
whites
t of
hent of
ples
lving

Duration of Marriage

Length of time married before obtaining a divorce ranged from less than a year to 59 years. Six percent of the couples had been married less than a year and 37 percent less than 5 years. On the other hand, there were 17 couples who had been married 50 years or more. There was a significant difference between the two race groups in the duration of marriage. The average duration of marriage for persons obtaining divorces in 1964 was almost twice as long for nonwhites (16.9 years) as for whites (8.7 years). This difference is illustrated in another way by the fact that 45 percent of the white couples but only 18 percent of the nonwhites had been married less than 5 years.

TABLE 1
ESTIMATED POPULATION*
MISSISSIPPI
JULY 1, 1964

By County, by Race

<u>County</u>	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>
<u>STATE</u>	<u>2,315,900</u>	<u>1,370,400</u>	<u>945,500</u>
Adams	39,390	20,390	19,000
Alcorn	27,740	24,550	3,190
Amite	14,550	6,940	7,610
Attala	22,650	13,050	9,600
Benton	8,370	3,920	4,450
Bolivar	58,430	18,750	39,680
Calhoun	17,480	13,020	4,460
Carroll	13,120	6,480	6,640
Chickasaw	17,670	10,980	6,690
Choctaw	7,860	5,660	2,200
Claiborne	9,790	2,670	7,120
Clarke	16,960	11,250	5,710
Clay	20,360	9,300	11,060
Coahoma	47,780	16,040	31,740
Copiah	27,930	13,450	14,480
Covington	12,880	8,620	4,260
DeSoto	28,310	14,210	14,100
Forrest	57,540	41,840	15,700
Franklin	8,850	5,400	3,450
George	11,460	10,200	1,260
Greene	8,950	6,930	2,020
Grenada	20,520	11,230	9,290
Hancock	15,830	13,450	2,380
Harrison	123,270	102,970	20,300
Hinds	202,350	122,500	79,850
Holmes	30,070	9,140	20,930
Humphreys	18,910	6,070	12,840
Issaquena	3,200	1,140	2,060
Itawamba	18,190	17,180	1,010
Jackson	67,100	54,340	12,760
Jasper	16,740	8,610	8,130
Jefferson	9,100	2,390	6,710
Jeff Davis	14,130	6,270	7,860
Jones	58,390	42,420	15,970
Kemper	12,280	4,270	8,010
Lafayette	22,680	15,240	7,440

Table 1 - Page 2
 Estimated Population - Mississippi - July 1, 1964

County	Total	White	Nonwhite
Lamar	16,140	13,310	2,830
Lauderdale	73,290	48,880	24,410
Lawrence	9,630	6,010	3,620
Leake	18,650	10,260	8,390
Lee	46,360	35,660	10,700
Leflore	52,450	20,140	32,310
Lincoln	26,130	18,870	7,260
Lowndes	49,860	32,860	17,000
Madison	32,190	10,370	21,820
Marion	24,010	15,100	8,910
Marshall	23,600	8,130	15,470
Monroe	35,540	24,870	10,670
Montgomery	13,880	8,690	5,190
Neshoba	21,290	15,770	5,520
Newton	20,850	14,100	6,750
Noxubee	16,480	4,430	12,050
Oktibbeha	27,620	15,440	12,180
Panola	32,470	14,130	18,340
Pearl River	26,990	21,560	5,430
Perry	8,210	5,370	2,840
Pike	37,370	21,670	15,700
Pontotoc	18,980	14,820	4,160
Prentiss	20,520	18,110	2,410
Quitman	23,130	8,780	14,350
Rankin	40,850	25,180	15,670
Scott	23,550	15,270	8,280
Sharkey	10,720	3,330	7,390
Simpson	21,940	15,030	6,910
Smith	15,040	11,690	3,350
Stone	9,100	7,060	2,040
Sunflower	50,490	16,420	34,070
Tallahatchie	25,800	9,340	16,460
Tate	20,280	8,900	11,380
Tippah	15,860	12,980	2,880
Tishomingo	17,120	16,430	690
Tunica	17,950	5,040	12,910
Union	18,950	15,610	3,340
Walthall	13,630	7,150	6,480
Warren	43,340	23,460	19,880
Washington	78,950	35,650	43,300
Wayne	15,500	10,600	4,900
Webster	11,170	8,090	3,080
Wilkinson	12,460	3,710	8,750
Winston	20,580	10,660	9,920
Yalobusha	13,310	7,760	5,550
Yazoo	32,840	12,840	20,000

* Prepared by Division of Sociology and Rural Life,
 Mississippi State University.

TABLE 2
LIVE BIRTHS
MISSISSIPPI
1964

By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number		Non-white	Total	White	Rate*
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>56,717</u>	<u>25,919</u>	<u>30,798</u>	<u>56,650</u>	<u>25,942</u>	<u>30,708</u>	<u>24.5</u>	<u>18.9</u>	<u>32.5</u>
Adams	1,478	662	816	1,021	462	559	25.9	22.6	29.4
Alcorn	570	473	97	522	433	89	18.8	17.6	27.9
Amite	140	0	140	300	89	211	20.6	12.8	27.7
Attala	481	173	308	487	169	318	21.5	13.0	33.1
Benton	112	2	110	190	53	137	22.7	13.5	30.8
Bolivar	1,898	334	1,564	1,773	351	1,422	30.3	18.7	35.8
Calhoun	304	123	181	313	171	142	17.9	13.1	31.8
Carroll	167	13	154	253	68	185	19.3	10.5	27.9
Chickasaw	401	214	187	440	227	213	24.9	20.7	31.8
Choctaw	159	72	87	170	85	85	21.6	15.0	38.6
Claiborne	155	15	140	232	36	196	23.7	13.5	27.5
Clarke	93	46	47	312	152	160	18.4	13.5	28.0
Clay	445	171	274	468	181	287	23.0	19.5	25.9
Coahoma	1,490	370	1,120	1,501	336	1,165	31.4	20.9	36.7
Copiah	774	214	560	636	198	438	22.8	14.7	30.2
Covington	159	116	43	291	151	140	22.6	17.5	32.9
DeSoto	588	56	532	857	343	514	30.3	24.1	36.4
Forrest	1,558	1,126	432	1,282	810	472	22.3	19.4	30.1
Franklin	149	60	89	193	80	113	21.8	14.8	32.8
George	339	284	55	303	256	47	26.4	25.1	37.3
Greene	60	22	38	173	111	62	19.3	16.0	30.7
Grenada	498	169	329	530	202	328	25.8	18.0	35.3
Hancock	198	141	57	338	274	64	21.4	20.4	26.9
Harrison	3,895	3,095	800	3,531	2,759	772	28.6	26.8	38.0
Hinds	5,928	2,889	3,039	5,129	2,347	2,782	25.3	19.2	34.8
Holmes	803	134	669	785	132	653	26.1	14.4	31.2
Humphreys	568	69	499	574	92	482	30.4	15.2	37.5
Issaquena	35	1	34	102	24	78	31.9	21.0	37.9
Itawamba	53	41	12	240	220	20	13.2	12.8	19.8
Jackson	1,453	1,029	424	1,828	1,372	456	27.2	25.2	35.7
Jasper	164	105	59	343	114	229	20.5	13.2	28.2
Jefferson	72	0	72	218	28	190	24.0	11.7	28.3
Jeff Davis	237	105	132	244	84	160	17.3	13.4	20.4
Jones	2,043	911	1,132	1,153	691	462	19.7	16.3	28.9
Kemper	184	37	147	260	49	211	21.2	11.5	26.3
Lafayette	513	269	244	519	253	266	22.9	16.6	35.8

Table 2 - Page 2
Live Births - Mississippi - 1964

County	Place of Occurrence			Place of Residence					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lamar	96	68	28	314	252	62	19.4	18.9	21.9
Lauderdale	2,156	1,133	1,023	1,740	936	804	23.7	19.1	32.9
Lawrence	137	53	84	220	115	105	22.8	19.1	29.0
Leake	258	106	152	348	133	215	18.6	13.0	25.6
Lee	1,361	1,023	338	1,068	741	327	23.0	20.8	30.6
Leflore	1,590	449	1,141	1,537	383	1,154	29.3	19.0	35.7
Lincoln	633	363	270	571	315	256	21.8	16.7	35.3
Lowndes	1,491	860	631	1,462	834	628	29.3	25.4	36.9
Madison	803	133	670	926	177	749	28.8	17.1	34.3
Marion	416	232	184	489	276	213	20.4	18.3	23.9
Marshall	627	74	553	736	152	584	31.2	18.7	37.8
Monroe	799	491	308	760	433	327	21.4	17.4	30.6
Montgomery	384	178	206	310	131	179	22.3	15.1	34.5
Neshoba	407	222	185	392	226	166	18.4	14.3	30.1
Newton	381	216	165	401	200	201	19.2	14.2	29.8
Noxubee	459	69	390	453	72	381	27.5	16.2	31.6
Oktibbeha	702	295	407	660	277	383	23.9	17.9	31.4
Panola	899	246	653	847	238	609	26.1	16.8	33.2
Pearl River	632	487	145	575	416	159	21.3	19.3	29.3
Perry	30	20	10	191	118	73	23.3	22.0	25.7
Pike	772	378	394	759	336	423	20.3	15.5	26.9
Pontotoc	389	280	109	358	256	102	18.9	17.3	24.5
Prentiss	422	341	81	392	313	79	19.1	17.3	32.8
Quitman	791	194	597	688	163	525	29.7	18.6	36.6
Rankin	211	65	146	857	472	385	21.0	18.7	24.6
Scott	505	326	179	524	306	218	22.2	20.0	26.3
Sharkey	196	30	166	333	56	277	31.1	16.8	37.5
Simpson	395	242	153	439	255	184	20.0	17.0	26.6
Smith	26	2	24	316	174	142	21.0	14.9	42.4
Stone	152	100	52	162	104	58	17.8	14.7	28.4
Sunflower	1,265	207	1,058	1,377	244	1,133	27.3	14.8	33.2
Tallahatchie	721	120	601	772	142	630	29.9	15.2	38.3
Tate	309	5	304	557	148	409	27.5	16.6	35.9
Tippah	375	273	102	318	232	86	20.0	17.9	29.9
Tishomingo	187	175	12	290	272	18	16.9	16.6	26.1
Tunica	586	60	526	607	83	524	33.8	16.5	40.6
Union	329	237	92	371	281	90	19.6	18.0	26.9
Walthall	444	246	198	299	114	185	21.9	15.9	28.5
Warren	1,495	560	935	1,038	475	563	24.0	20.2	28.3
Washington	2,369	837	1,532	2,251	766	1,485	28.5	21.5	34.3
Wayne	459	306	153	378	221	157	24.4	20.8	32.0
Webster	114	53	61	204	117	87	18.3	14.5	28.2
Wilkinson	351	129	222	308	61	247	24.7	16.4	28.2
Winston	366	161	205	396	173	223	19.2	16.2	22.5
Yalobusha	243	100	143	261	113	148	19.6	14.6	26.7
Yazoo	820	233	587	884	237	647	26.9	18.4	32.4
Out-of-State	1,297	1,122	175	1,364	1,099	265	-	-	-

Table 2 - Page 3
Live Births - Mississippi - 1964

Non-white	City**	Place of Occurrence			Place of Residence		
		Number		Non-white	Number		Non-white
		Total	White		Total	White	
21.9	Biloxi	2,283	2,023	260	1,280	1,063	217
32.9	Clarksdale	1,025	367	658	638	240	398
29.0	Cleveland	552	260	292	290	125	165
25.6	Columbus	969	528	441	752	372	380
30.6	Corinth	560	473	87	222	168	54
35.7	Greenville	1,392	693	699	1,175	510	665
37.8	Greenwood	936	445	491	691	265	426
30.6	Gulfport	1,510	1,061	449	783	496	287
34.5	Hattiesburg	1,527	1,126	401	819	466	353
30.1	Jackson	5,591	2,889	2,702	3,824	1,885	1,939
29.8	Laurel	2,012	890	1,122	601	277	324
31.6	McComb	580	337	243	301	146	155
31.4	Meridian	2,086	1,123	963	1,225	658	567
33.2	Natchez	1,469	662	807	614	263	351
29.3	Pascagoula	67	3	64	559	404	155
25.7	Tupelo	1,133	895	238	402	295	107
26.9	Vicksburg	1,483	560	923	699	317	382
24.5	Yazoo City	457	233	224	314	103	211
32.8							
36.6							
24.6	Total Urban#	36,619	20,204	16,415	21,234	11,077	10,157
26.3	Total Rural	20,098	5,715	14,383	35,416	14,865	20,551

* Births per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

33.2
38.3
35.9
29.9
26.1
40.6

26.9
28.5
28.3
34.3
32.0
28.2

28.2
22.5
26.7
32.4

TABLE 3
LIVE BIRTHS
MISSISSIPPI
1964

By Place of Residence of Mother, by Race and Attendant, and by Sex

Table 3 - Page 2
Live Births - Mississippi - 1964

County	TOTAL	WHITE			NONWHITE			SEX		
		Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Hinds	5,129	2,347	2,345	2	0	2,782	2,275	60	447	2,630
Holmes	785	132	132	0	0	653	119	10	524	403
Humphreys	574	92	91	1	0	482	112	7	363	286
Issaquena	1,022	24	23	0	1	78	43	1	34	44
Itawamba	240	220	219	1	0	20	20	0	0	117
Jackson	1,828	1,372	1,368	0	4	456	285	59	112	955
Jasper	343	114	114	0	0	229	200	2	27	185
Jefferson	218	28	28	0	0	190	119	1	70	127
Jeff Davis	244	84	84	0	0	160	94	3	63	116
Jones	1,153	691	690	0	1	462	442	4	16	574
Kemper	260	49	48	0	1	211	100	0	111	133
Lafayette	519	253	250	1	2	266	68	13	185	272
Lamar	314	252	251	1	0	62	57	3	2	156
Lauderdale	1,740	936	934	1	1	804	707	12	85	879
Lawrence	220	115	114	0	1	105	57	3	45	119
Leake	348	133	132	1	0	215	107	3	105	163
Lee	1,068	741	738	2	1	327	221	37	69	597
Leflore	1,537	383	379	1	3	1,154	225	10	919	786
Lincoln	571	315	315	0	0	256	230	2	24	307
Lowndes	1,462	834	829	0	5	628	266	1	361	748
Madison	926	177	176	0	1	749	240	14	495	499
Marion	489	275	271	4	1	213	78	49	86	253
Marshall	736	152	149	2	1	584	197	19	368	362
Monroe	760	433	430	0	3	327	193	20	114	396
Montgomery	310	131	131	0	0	179	70	2	107	151
Neshoba	392	226	224	0	2	166	126	3	37	196
Newton	401	200	199	0	1	201	132	61	8	208
Noxubee	453	72	72	0	0	381	126	1	254	226
Oktibbeha	660	277	274	2	1	383	192	6	185	340
Panola	847	238	235	3	0	609	367	75	167	433

Table 3 - Page 3
Live Births - Mississippi - 1964

County	WHITE			NONWHITE			Male	Female	SEX
	Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home		
Pearl River	575	416	416	0	0	159	141	1	286
Perry	191	118	118	0	0	73	66	3	89
Pike	759	336	336	0	0	423	260	2	161
Pontotoc	358	256	256	0	0	102	71	7	409
Prentiss	392	313	313	0	0	79	57	0	185
Quitman	688	163	163	0	0	525	383	9	2213
Rankin	857	472	469	0	3	385	311	4	70
Scott	524	306	302	2	2	218	138	1	79
Sharkey	333	56	56	0	0	277	166	1	110
Simpson	439	255	255	0	0	184	150	0	34
Smith	316	174	173	1	0	142	120	10	218
Stone	162	104	104	0	0	58	23	1	162
Sunflower	1,377	244	236	2	6	1,133	358	110	665
Tallahatchie	772	142	137	1	4	630	114	11	743
Tate	557	148	143	5	0	409	104	51	505
Tippah	318	232	227	5	0	86	61	12	254
Tishomingo	290	272	272	0	0	18	18	0	13
Tunica	607	83	81	2	0	524	213	9	0
Union	371	281	276	2	3	90	24	8	302
Walthall	299	114	111	0	3	185	86	1	398
Warren	1,038	475	474	0	1	563	502	0	275
Washington	2,251	766	763	0	3	1,485	1,020	30	1,167
Wayne	378	221	220	1	0	157	120	1	435
Webster	204	117	117	0	0	87	50	6	36
Wilkinson	308	61	61	0	0	247	83	2	184
Winston	396	173	172	1	0	223	83	1	162
Yalobusha	261	113	113	0	0	148	98	17	139
Yazoo	884	237	237	0	0	647	141	1	200

Table 3 - Page 4
Live Births - Mississippi - 1964

City*	TOTAL	WHITE			NONWHITE			SEX	
		Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Biloxi	1,280	1,063	1,062	1	217	168	8	41	655
Clarksdale	638	240	239	1	398	347	5	46	312
Cleveland	290	125	125	0	165	84	10	71	144
Columbus	752	372	368	0	380	163	1	216	392
Corinth	222	168	168	0	54	38	1	15	121
Greenville	1,175	510	508	0	665	512	15	138	618
Greenwood	691	265	265	0	426	153	0	273	347
Gulfport	783	496	495	0	1	287	184	28	75
Hattiesburg	819	466	466	0	0	353	256	4	93
Jackson	3,824	1,885	1,883	2	0	1,939	1,717	50	172
Laurel	601	277	277	0	0	324	315	2	7
McComb	301	146	146	0	0	155	94	2	59
Meridian	1,225	658	657	0	1	567	534	8	25
Natchez	614	263	263	0	0	351	344	2	5
Pascagoula	559	404	404	0	0	155	89	18	48
Tupelo	402	295	295	0	0	107	84	3	20
Vicksburg	699	317	316	0	1	382	339	0	43
Yazoo City	314	103	103	0	0	211	51	0	160
									147

* Cities having 10,000 population and over according to 1960 census.

TABLE 4
FETAL DEATHS
MISSISSIPPI
1964

By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex

County	Occurrence	Total by Residence	WHITE			NONWHITE			SEX				
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female	Unde-termined
STATE	2,825	2,784	1,220	1,122	93	5	1,564	1,097	101	366	957	703	1,124
Adams	58	38	16	15	1	0	22	20	1	1	19	14	5
Alcorn	9	13	8	8	0	0	5	4	0	1	2	2	1
Amite	5	11	1	1	0	0	10	5	0	5	5	5	1
Attala	27	28	6	6	0	0	22	5	4	13	12	7	9
Benton	2	8	5	5	0	0	3	1	0	2	2	0	6
Bolivar	70	71	15	15	0	0	56	40	5	11	29	31	11
Calhoun	15	16	7	5	2	0	9	8	1	0	4	3	9
Carroll	13	22	5	5	0	0	17	6	0	11	8	9	5
Chickasaw	19	15	5	5	0	0	10	7	0	3	6	5	4
Choctaw	7	8	4	4	0	0	4	4	0	0	3	4	1
Claiborne	4	12	4	4	0	0	8	7	0	1	4	4	4
Clarke	5	12	1	1	0	0	11	8	0	3	7	4	1
Clay	15	18	7	7	0	0	11	10	1	0	13	5	0
Coahoma	70	67	9	9	0	0	58	41	1	16	28	26	13
Copiah	13	20	8	8	0	0	12	10	1	1	7	7	6
Covington	9	19	9	9	0	0	10	10	0	0	4	13	2
DeSoto	16	20	3	3	0	0	17	13	0	4	15	5	0
Forrest	29	26	9	9	0	0	17	12	0	5	14	9	3
Franklin	9	7	2	2	0	0	5	3	0	2	5	0	0
George	4	3	2	2	0	0	1	0	0	1	2	1	0
Greene	3	6	4	4	0	0	2	0	0	0	2	2	2
Grenada	22	18	5	4	4	0	13	5	3	3	9	3	3
Hancock	5	6	4	4	0	0	2	0	0	0	0	0	0
Harrison	213	186	145	145	145	145	37	41	41	41	46	46	115

Table 4 - Page 2
Fetal Deaths - Mississippi - 1964

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX			Unde- termined
			Total in Hosp.	Phys. in Hosp.	Other	Total	Phys. in Hosp.	Phys. in Home	Male	Female		
Winds	590	476	284	244	40	0	192	7	6	87	56	333
Holmes	44	45	5	5	0	0	40	20	18	24	14	7
Humphreys	19	24	2	2	0	0	22	14	0	8	10	2
Issaquena	2	2	1	1	0	0	1	0	0	1	1	0
Itawamba	3	6	3	3	0	0	3	3	0	0	2	0
Jackson	42	59	42	41	1	0	17	15	1	1	29	20
Jasper	14	34	13	13	0	0	21	18	2	1	8	18
Jefferson	5	13	5	5	0	0	8	4	1	3	5	5
Jeff Davis	6	12	6	6	0	0	6	5	1	0	8	2
Jones	128	70	43	36	6	1	27	24	2	1	13	45
Kemper	7	11	1	1	0	0	10	7	0	3	7	2
LaFayette	22	19	2	2	0	0	17	6	0	11	7	3
Lamar	1	8	6	6	0	0	2	2	0	0	5	1
Lauderdale	57	45	14	14	0	0	31	25	2	4	26	14
Lawrence	5	13	5	3	1	1	8	5	0	3	7	3
Leake	4	11	2	2	0	0	9	6	0	3	1	7
Lee	22	21	13	13	0	0	8	8	0	0	13	6
Le Flore	174	162	54	33	20	1	108	48	26	34	40	87
Lincoln	18	23	11	11	0	0	12	9	1	2	8	6
Lowndes	44	47	23	21	0	2	24	19	0	5	18	10
Madison	45	52	15	13	2	0	37	21	0	16	19	19
Marion	16	17	8	8	0	0	9	4	1	4	7	5
Marshall	33	44	5	5	0	0	39	23	2	14	14	8
Monroe	25	24	9	8	1	0	15	11	2	2	12	8
Montgomery	19	20	6	6	0	0	14	8	0	6	5	7
Neshoba	17	18	6	6	0	0	12	7	0	5	5	3
Newton	22	21	12	12	0	0	9	9	0	0	7	5
Noxubee	19	15	4	4	0	0	11	7	0	4	5	4
Oktibbeha	18	16	5	5	0	0	11	5	0	6	9	0
Panola	26	31	5	5	0	0	26	21	0	5	6	0

Table 4 - Page 3
Fetal Deaths - Mississippi - 1964

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Other	Total	Phys. in Hosp.	Other	Male	Female	Undetermined
Pearl River	20	21	14	14	0	0	7	6	1	15	6
Perry	2	8	6	6	0	0	2	2	0	4	1
Pike	24	23	7	7	0	0	16	11	3	11	6
Pontotoc	6	7	4	3	1	0	3	2	0	1	3
Prentiss	16	12	8	8	0	0	4	4	0	5	0
Quitman	33	32	1	1	0	0	31	27	2	16	12
Rankin	10	46	31	24	7	0	15	13	1	9	5
Scott	9	16	5	5	0	0	11	6	4	6	6
Sharkey	6	17	2	2	0	0	15	11	0	4	4
Simpson	16	26	11	7	4	0	15	13	1	5	6
Smith	3	15	7	7	0	0	8	5	3	0	5
Stone	7	7	2	2	0	0	5	3	0	2	2
Sunflower	49	58	12	9	3	0	46	22	5	19	30
Tallahatchie	20	23	2	2	0	0	21	8	1	12	9
Tate	12	21	1	1	0	0	20	8	2	10	14
Tippah	37	29	20	20	0	0	9	7	2	0	7
Tishomingo	3	3	2	2	0	0	1	1	0	0	0
Tunica	21	19	0	0	0	0	19	8	0	11	13
Union	43	38	36	36	0	0	2	2	0	0	6
Walthall	25	14	8	8	0	0	6	2	0	4	8
Warren	102	55	25	25	0	0	30	27	1	2	23
Washington	198	189	95	92	3	0	94	77	8	9	39
Wayne	14	16	2	2	0	0	14	14	0	0	4
Webster	4	4	3	3	0	0	1	1	0	0	1
Wilkinson	6	7	2	2	0	0	5	3	0	2	3
Winston	9	10	8	4	4	0	8	5	0	3	6
Yalobusha	4	51	14	14	0	0	4	2	1	4	2
Yazoo	37	51	14	14	0	0	37	16	1	20	12

Table 4 - Page 4
Fetal Deaths - Mississippi - 1964

City*	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Other	Total	Phys. in Hosp.	Other	Male	Female	Unde-termined
Biloxi	166	112	94	94	0	18	17	0	1	19	7
Clarksdale	55	26	7	7	0	19	17	0	2	11	9
Cleveland	24	14	8	8	0	6	4	1	1	5	5
Columbus	28	26	11	10	0	15	13	0	2	11	11
Corinth	9	5	1	1	0	4	3	0	1	4	1
Greenville	158	131	79	76	3	0	52	43	5	18	27
Greenwood	133	90	44	27	16	1	46	21	14	11	15
Gulfport	45	31	15	15	0	0	16	15	0	1	14
Hattiesburg	29	20	6	6	0	0	14	9	0	5	11
Jackson	578	421	258	224	34	0	163	156	5	2	78
Laurel	123	40	23	19	4	0	17	16	0	1	8
McComb	16	7	2	2	0	0	5	3	1	1	3
Meridian	55	32	10	10	0	0	22	17	2	3	21
Natchez	57	32	13	12	1	0	19	18	0	1	17
Pascagoula	1	16	10	10	0	0	6	5	0	1	10
Tupelo	18	10	6	6	0	0	4	4	0	0	4
Vicksburg	101	36	18	18	0	0	18	16	1	1	13
Yazoo City	24	17	6	6	0	0	11	4	1	6	6

* Cities having 10,000 population and over according to 1960 census.

TABLE 5
DEATHS
MISSISSIPPI
1964

By Cause of Death, by Race, Residence Data

International List Number*	Cause of Death**	Total	White	Non-white
<u>001-999</u>	<u>TOTAL ALL CAUSES</u>	<u>22,559</u>	<u>12,039</u>	<u>10,520</u>
<u>001-019</u>	<u>Tuberculosis, all forms</u>	<u>99</u>	<u>40</u>	<u>59</u>
002	Pulmonary	92	36	56
003	Pleural	4	3	1
010	Meninges and central nervous system	1	0	1
012	Bones and joints, active or unspecified	2	1	1
<u>020-029</u>	<u>Syphilis and its sequelae</u>	<u>28</u>	<u>7</u>	<u>21</u>
020	Congenital syphilis	2	0	2
022	Aneurysm of aorta	13	5	8
023	Other cardiovascular syphilis	11	2	9
025	General paralysis of insane	1	0	1
026	Other syphilis of central nervous system	1	0	1
041	Paratyphoid fever	1	0	1
<u>045-048</u>	<u>Dysentery, all forms</u>	<u>23</u>	<u>3</u>	<u>20</u>
045	Bacillary	11	3	8
046	Amebiasis	5	0	5
048	Unspecified forms	7	0	7
049	Food poisoning (infection and intoxication)	1	0	1
053	Septicemia and pyemia	40	21	19
055	Diphtheria	1	0	1
056	Whooping cough	7	1	6
057	Meningococcal infections	17	11	6
061	Tetanus	7	1	6
064	Other bacterial diseases	1	0	1
072	Leptospirosis	2	0	2
080	Acute poliomyelitis	1	1	0
081	Late effects of acute poliomyelitis	1	0	1
082	Acute infectious encephalitis	3	1	2
083	Late effects of acute infectious encephalitis	1	0	1
085	Measles	25	12	13
087	Chickenpox	1	1	0
088	Herpes zoster	2	2	0
092	Infectious hepatitis	11	7	4
096	Other diseases attributable to viruses	2	2	0
130	Infestation with worms of other, mixed, and unspecified type	3	1	2
134	Other fungus infections	13	5	8
138	Other infective and parasitic diseases	4	2	2
<u>140-205</u>	<u>Malignant neoplasms</u>	<u>2,968</u>	<u>1,861</u>	<u>1,107</u>
<u>140-148</u>	<u>Buccal cavity and pharynx</u>	<u>55</u>	<u>48</u>	<u>7</u>

Table 5 - Page 2
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
140	Lip	3	3	0
141	Tongue	6	5	1
142	Salivary gland	6	5	1
143	Floor of mouth	2	2	0
Non-white	144 Other parts of mouth and mouth unspecified	14	11	3
10,520	145 Oral mesopharynx	3	3	0
146	Nasopharynx	2	2	0
147	Hypopharynx	4	3	1
148	Pharynx, unspecified	15	14	1
59	<u>Digestive organs and peritoneum</u>	<u>892</u>	<u>516</u>	<u>376</u>
56	150 Esophagus	58	37	21
1	151 Stomach	226	86	140
1	152 Small intestine, including duodenum	6	3	3
1	153 Large intestine, except rectum	245	157	88
21	154 Rectum	63	37	26
2	155 Biliary passages and liver (stated to be primary site)	44	30	14
8	156 Liver (secondary and unspecified)	53	32	21
9	157 Pancreas	173	127	46
1	158 Peritoneum	3	2	1
1	159 Unspecified digestive organs	21	5	16
20	<u>Respiratory system</u>	<u>474</u>	<u>345</u>	<u>129</u>
8	160 Nose, nasal cavities, middle ear, and accessory sinuses	3	3	0
5	161 Larynx	21	17	4
7	162 Bronchus and trachea, and lung specified as primary	175	128	47
1	163 Lung, unspecified as to whether primary or secondary	243	178	65
6	164 Mediastinum	5	3	2
6	165 Thoracic organs (secondary)	27	16	11
1	<u>Breast and genito-urinary organs</u>	<u>904</u>	<u>506</u>	<u>398</u>
2	170 Breast	263	160	103
0	171 Cervix uteri	137	64	73
1	172 Corpus uteri	10	5	5
2	174 Uterus, unspecified	66	19	47
1	175 Ovary, Fallopian tube, and broad ligament	72	49	23
13	176 Other and unspecified female genital organs	11	5	6
0	177 Prostate	207	100	107
0	178 Testis	5	3	2
4	179 Other and unspecified male genital organs	4	2	2
0	180 Kidney	47	36	11
2	181 Bladder and other urinary organs	82	63	19
2	<u>Other and unspecified sites</u>	<u>357</u>	<u>237</u>	<u>120</u>
8	190 Melanoma of skin	31	30	1
2	191 Skin, other	39	31	8
1,107				

Table 5 - Page 3
 Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
192	Eye	7	6	1
193	Brain and other parts of nervous system	73	64	9
194	Thyroid gland	10	6	4
195	Other endocrine glands	3	1	2
196	Bone	21	13	8
197	Connective tissue	9	6	3
198	Lymph nodes (secondary and unspecified)	4	3	1
199	Other and unspecified sites	160	77	83
<u>200-205</u>	<u>Lymphatic and hematopoietic tissues</u>	<u>286</u>	<u>209</u>	<u>77</u>
200	Lymphosarcoma and reticulosarcoma	65	51	14
201	Hodgkin's disease	33	27	6
202	Other forms of lymphoma (reticulososis)	7	5	2
203	Multiple myeloma (plasmacytoma)	36	26	10
204	Leukemia and aleukemia	145	100	45
<u>210-229</u>	<u>Benign neoplasms</u>	<u>27</u>	<u>12</u>	<u>15</u>
211	Other parts of digestive system	2	1	1
212	Respiratory system	1	0	1
214	Uterine fibromyoma	3	1	2
215	Uterus, other	1	1	0
216	Ovary	3	2	1
219	Kidney and other urinary organs	1	1	0
223	Brain and other parts of nervous system	10	3	7
224	Endocrine glands	3	2	1
225	Bone and cartilage	2	1	1
227	Muscular and connective tissue, other	1	0	1
<u>230-239</u>	<u>Neoplasms of unspecified nature</u>	<u>20</u>	<u>12</u>	<u>8</u>
230	Digestive organs	1	0	1
231	Respiratory organs	1	0	1
237	Brain and other parts of nervous system	17	12	5
239	Other and unspecified organs	1	0	1
241	Asthma	51	26	25
245	Other allergic disorders	2	2	0
252	Thyrotoxicosis with or without goiter	5	2	3
253	Myxedema and cretinism	3	3	0
260	Diabetes mellitus	342	159	183
270	Disorders of pancreatic internal secretion other than diabetes mellitus	1	1	0
271	Diseases of parathyroid gland	1	1	0
272	Diseases of pituitary gland	3	1	2
274	Diseases of adrenal glands	4	4	0
277	Polyglandular dysfunction and other diseases of endocrine glands	1	1	0
286	Other avitaminoses and nutritional deficiency states	23	13	10
287	Obesity, not specified as of endocrine origin	12	8	4
288	Gout	1	1	0
289	Other metabolic diseases	17	12	5

Table 5 - Page 4
Deaths - Mississippi - 1964

Non-white	International List Number*	Cause of Death**	Total	White	Non-white
1	<u>290-293</u>	<u>Anemias</u>	51	22	29
9	290	Pernicious and other hyperchromic	1	1	0
4	291	Iron deficiency (hypochromic)	2	1	1
2	292	Other specified type	30	14	16
8	293	Unspecified type	18	6	12
3	294	Polycythemia	4	4	0
1	296	Purpura and other hemorrhagic conditions	4	4	0
83	299	Other diseases of blood and blood-forming organs	2	2	0
<u>77</u>	300	Schizophrenic disorders (dementia praecox)	1	0	1
14	304	Senile psychosis	4	3	1
6	305	Presenile psychosis	1	1	0
2	307	Alcoholic psychosis	2	2	0
10	309	Other and unspecified psychoses	3	2	1
45	311	Hysterical reaction without mention of anxiety reaction	1	0	1
15	322	Alcoholism	22	9	13
1	325	Mental deficiency	5	3	2
0	<u>330-334</u>	<u>Vascular lesions affecting central nervous system</u>	3,077	1,588	1,489
1	330	Subarachnoid hemorrhage	101	49	52
0	331	Cerebral hemorrhage	1,939	975	964
7	332	Cerebral embolism and thrombosis	693	405	288
1	334	Other and ill-defined	344	159	185
1	340	Meningitis, except meningococcal and tuberculous	53	14	39
1	342	Intracranial and intraspinal abscess	4	1	3
8	343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	13	6	7
1	344	Late effects of intracranial abscess or pyogenic infection	11	5	6
5	345	Multiple sclerosis	10	7	3
1	350	Paralysis agitans	12	10	2
25	351	Cerebral spastic infantile paralysis	10	5	5
0	352	Other cerebral paralysis	3	1	2
3	353	Epilepsy	21	9	12
0	355	Other diseases of brain	11	8	3
183	356	Motor neurone disease and muscular atrophy	7	6	1
0	357	Other diseases of spinal cord	1	1	0
0	364	Polyneuritis and polyradiculitis	1	1	0
2	368	Other diseases of peripheral nerves except autonomic	1	0	1
0	387	Glaucoma	1	0	1
0	391	Otitis media without mention of mastoiditis	2	1	1
0	393	Mastoiditis without mention of otitis media	1	0	1
10	<u>400-443</u>	<u>Diseases of the heart</u>	6,981	4,313	2,668
4	401	Rheumatic fever with heart involvement	6	1	5
0	410	Diseases of mitral valve	39	24	15
5	411	Diseases of aortic valve specified as rheumatic	7	7	0
414	414	Other endocarditis specified as rheumatic	5	4	1
415	415	Other myocarditis specified as rheumatic	3	2	1

Table 5 - Page 5
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
416	Other heart disease specified as rheumatic	42	22	20
420	Arteriosclerotic heart disease, including coronary disease	4,507	3,261	1,246
421	Chronic endocarditis not specified as rheumatic	47	22	25
422	Other myocardial degeneration	516	299	217
430	Acute and subacute endocarditis	9	4	5
431	Acute myocarditis not specified as rheumatic	7	3	4
433	Functional disease of heart	101	71	30
434	Other and unspecified diseases of heart	516	232	284
441	Essential malignant hypertensive heart disease	12	2	10
442	Hypertensive heart disease with arteriolar nephrosclerosis	170	64	106
443	Other and unspecified hypertensive heart disease	994	295	699
<u>444-447</u>	<u>Other hypertensive disease</u>	<u>230</u>	<u>81</u>	<u>149</u>
444	Essential benign hypertension	70	23	47
445	Essential malignant hypertension	75	11	64
446	Hypertension with arteriolar nephrosclerosis	84	46	38
447	Other hypertensive disease without mention of heart	1	1	0
450	General arteriosclerosis	338	235	103
<u>451-468</u>	<u>Other diseases of circulatory system</u>	<u>283</u>	<u>184</u>	<u>99</u>
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	117	86	31
452	Other aneurysm, except of heart and aorta	3	1	2
453	Peripheral vascular disease	5	3	2
454	Arterial embolism and thrombosis	8	7	1
455	Gangrene of unspecified cause	4	0	4
456	Other disease of arteries	15	11	4
460	Varicose veins of lower extremities	7	4	3
462	Varicose veins of other specified sites	4	4	0
463	Phlebitis and thrombophlebitis of lower extremities	21	10	11
464	Phlebitis and thrombophlebitis of other sites	12	6	6
465	Pulmonary embolism and infarction	39	25	14
466	Other venous embolism and thrombosis	19	16	3
467	Other diseases of circulatory system	28	11	17
468	Certain diseases of lymph nodes and lymph channels	1	0	1
470	Acute nasopharyngitis (common cold)	9	0	9
471	Acute sinusitis	1	0	1
472	Acute pharyngitis	1	0	1
473	Acute tonsillitis	1	0	1
474	Acute laryngitis and tracheitis	1	0	1
475	Acute upper respiratory infection of multiple or unspecified sites	1	1	0
<u>480-483</u>	<u>Influenza</u>	<u>12</u>	<u>2</u>	<u>10</u>
480	With pneumonia	40	11	29
481	With other respiratory manifestations, and influenza unqualified	27	8	19
		11	2	9

Table 5 - Page 6
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white	
20	483				
,246		With nervous manifestations, but without digestive or respiratory symptoms	2	1	1
25	<u>490-493</u>	<u>Pneumonia (excluding pneumonia of newborn)</u>	<u>751</u>	<u>297</u>	<u>454</u>
217	490	Lobar	103	33	70
5	491	Broncho	327	138	189
4	492	Primary atypical	53	14	39
30	493	Other and unspecified	268	112	156
284	<u>500-502</u>	<u>Bronchitis</u>	<u>42</u>	<u>21</u>	<u>21</u>
10	500	Acute	10	4	6
	501	Unqualified	15	3	12
106	502	Chronic	17	14	3
699	510	Hypertrophy of tonsils and adenoids	2	2	0
<u>149</u>	<u>513</u>	<u>Chronic sinusitis</u>	<u>1</u>	<u>0</u>	<u>1</u>
47	517	Other diseases of upper respiratory tract	1	1	0
64	518	Empyema	3	1	2
38	519	Pleurisy	1	0	1
	521	Abscess of lung	10	5	5
0	522	Pulmonary congestion and hypostasis	21	13	8
103	<u>525-527</u>	<u>Other bronchopulmonic diseases</u>	<u>197</u>	<u>165</u>	<u>32</u>
99	525	Other chronic interstitial pneumonia	27	18	9
	526	Bronchiectasis	25	23	2
31	527	Other diseases of lung and pleural cavity	145	124	21
2	532	Other inflammatory diseases of supporting structures of teeth			
2		1	1	0	
1	536	Stomatitis	1	1	0
4	537	Diseases of salivary glands	1	1	0
4	538	Other diseases of buccal cavity	1	0	1
3	539	Diseases of esophagus	3	2	1
0	<u>540,541</u>	<u>Ulcer of stomach and duodenum</u>	<u>79</u>	<u>54</u>	<u>25</u>
	540	Stomach	33	23	10
11	541	Duodenum	46	31	15
6	542	Gastrojejunal ulcer	1	1	0
14	543	Gastritis and duodenitis	7	4	3
3	544	Disorders of function of stomach	3	1	2
17	545	Other diseases of stomach and duodenum	9	5	4
	<u>550-553</u>	<u>Appendicitis</u>	<u>25</u>	<u>13</u>	<u>12</u>
1	550	Acute	25	13	12
9	<u>560,561,570</u>	<u>Hernia and intestinal obstruction</u>	<u>127</u>	<u>62</u>	<u>65</u>
1	560	Hernia of abdominal cavity without mention of obstruction	14	9	5
1	561	Hernia of abdominal cavity with obstruction	23	7	16
0	570	Intestinal obstruction without mention of hernia	90	46	44
10	571	Gastritis and colitis, except ulcerative, age 4 weeks and over	199	30	169
29	572	Chronic enteritis and ulcerative colitis	25	17	8
19	575	Abscess of anal and rectal regions	1	1	0
	576	Peritonitis	11	5	6

Table 5 - Page 7
 Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
577	Peritoneal adhesion	1	0	1
578	Other diseases of intestines and peritoneum	53	36	17
580	Acute and subacute yellow atrophy of liver	5	5	0
581	Cirrhosis of liver	112	87	25
582	Suppurative hepatitis and liver abscess	3	2	1
583	Other disease of liver	8	5	3
<u>584, 585</u>	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	<u>31</u>	<u>26</u>	<u>5</u>
584	Cholelithiasis	17	13	4
585	Cholecystitis and cholangitis, without mention of calculi	14	13	1
586	Other diseases of gallbladder and biliary ducts	14	8	6
587	Diseases of pancreas	22	16	6
<u>590, 591</u>	<u>Acute nephritis and nephritis with edema, including nephrosis</u>	<u>27</u>	<u>2</u>	<u>25</u>
590	Acute	13	1	12
591	With edema, including nephrosis	14	1	13
<u>592-594</u>	<u>Chronic and unspecified nephritis and other renal sclerosis</u>	<u>262</u>	<u>90</u>	<u>172</u>
592	Chronic nephritis	199	68	131
593	Nephritis not specified as acute or chronic	61	21	40
594	Other renal sclerosis	2	1	1
600	Infections of kidney	182	93	89
602	Calculi of kidney and ureter	12	10	2
603	Other diseases of kidney and ureter	7	3	4
604	Calculi of other parts of urinary system	1	1	0
605	Cystitis	6	3	3
606	Other diseases of bladder	5	3	2
608	Stricture of urethra	3	0	3
609	Other diseases of urethra	7	6	1
610	Hyperplasia of prostate	66	24	42
611	Prostatitis	9	6	3
612	Other diseases of prostate	3	2	1
617	Other diseases of male genital organs	3	2	1
624	Salpingitis and oophoritis, unqualified	1	0	1
626	Diseases of parametrium and pelvic peritoneum	3	1	2
630	Infective disease of uterus, vagina, and vulva	1	1	0
633	Other diseases of uterus	3	0	3
<u>640-689</u>	<u>Deliveries and complications of pregnancy, childbirth, and the puerperium</u>	<u>57</u>	<u>9</u>	<u>48</u>
640	Pyelitis and pyelonephritis of pregnancy	2	1	1
641	Other infections of genito-urinary tract during pregnancy	1	0	1
642	Toxemias of pregnancy	20	1	19
645	Ectopic pregnancy	1	0	1
648	Other complications arising from pregnancy	4	1	3
650	Abortion without mention of sepsis or toxemia	1	0	1
651	Abortion with sepsis	3	2	1

Table 5 - Page 8
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
1				
17	670 Delivery complicated by placenta previa or antepartum hemorrhage	4	2	2
0	672 Delivery complicated by other postpartum hemorrhage	5	0	5
25	675 Delivery complicated by prolonged labor of other origin	2	0	2
1	677 Delivery with other trauma	3	0	3
3	678 Delivery with other complications of childbirth	2	1	1
5	681 Sepsis of childbirth and the puerperium	2	0	2
4	682 Puerperal phlebitis and thrombosis	2	0	2
6	684 Puerperal pulmonary embolism	2	0	2
25	687 Cerebral hemorrhage in the puerperium	2	0	2
12	688 Other and unspecified complications of the puerperium	1	1	0
13	690 Boil and carbuncle	1	0	1
172	692 Other cellulitis and abscess without mention of lymphangitis	4	2	2
131	693 Other cellulitis and abscess with lymphangitis	1	1	0
40	695 Impetigo	1	0	1
1	698 Other local infections of skin and subcutaneous tissue	2	0	2
89	703 Other dermatitis	2	2	0
2	704 Pemphigus	4	1	3
4	705 Erythematous conditions	4	1	3
0	710 Other hypertrophic and atrophic conditions of skin	9	7	2
3	715 Chronic ulcer of skin	11	6	5
1	720 Acute arthritis due to pyogenic organisms	1	1	0
42	722 Rheumatoid arthritis and allied conditions	19	18	1
3	723 Osteo-arthritis (arthrosis) and allied conditions	7	4	3
1	725 Arthritis, unspecified	9	6	3
1	726 Muscular rheumatism	1	0	1
1	730 Osteomyelitis and periostitis	6	5	1
2	733 Other diseases of bone	4	4	0
0	735 Displacement of intervertebral disc	1	1	0
3	737 Ankylosis of joint	1	1	0
48	744 Other diseases of muscle, tendon, and fascia	7	6	1
1	745 Curvature of spine	3	3	0
48	749 Other deformities	1	1	0
1	<u>750-759 Congenital malformations</u>	<u>219</u>	<u>124</u>	<u>95</u>
19	750 Monstrosity	4	4	0
1	751 Spina bifida and meningocele	25	19	6
3	752 Congenital hydrocephalus	13	4	9
1	753 Nervous system and sense organs, other	7	4	3
1	754 Circulatory system	108	63	45
1	755 Cleft palate and harelip	4	1	3
1	756 Digestive system	22	11	11

Table 5 - Page 9
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
757	Genito-urinary system	9	8	1
758	Bone and joint	3	2	1
759	Other and unspecified, not elsewhere classified	24	8	16
<u>760-776</u>	<u>Certain diseases of early infancy</u>	<u>1,209</u>	<u>398</u>	<u>811</u>
760	Intracranial and spinal injury at birth	32	13	19
761	Other birth injury	83	43	40
762	Postnatal asphyxia and atelectasis	217	106	111
763	Pneumonia of newborn	99	17	82
764	Diarrhea of newborn	31	2	29
767	Umbilical sepsis	1	0	1
768	Other sepsis of newborn	14	5	9
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	11	2	9
770	Hemolytic disease of newborn (erythroblastosis)	16	12	4
771	Hemorrhagic disease of newborn	11	2	9
772	Nutritional maladjustment	36	4	32
773	Ill-defined diseases peculiar to early infancy	218	87	131
774	Immaturity with mention of any other subsidiary condition	22	5	17
776	Immaturity, unqualified	418	100	318
<u>780-795</u>	<u>Symptoms, senility, and ill-defined conditions</u>	<u>1,564</u>	<u>430</u>	<u>1,134</u>
780	Certain symptoms referable to nervous system and special senses	2	0	2
781	Other symptoms referable to nervous system and special senses	1	1	0
782	Symptoms referable to cardiovascular and lymphatic system	41	20	21
783	Symptoms referable to respiratory system	5	2	3
784	Symptoms referable to upper gastro-intestinal tract	5	3	2
785	Symptoms referable to abdomen and lower gastro-intestinal tract	4	2	2
788	Other general symptoms	10	0	10
790	Nervousness and debility	1	0	1
791	Headache	1	1	0
792	Uremia	24	12	12
794	Senility without mention of psychosis	32	8	24
795	Ill-defined and unknown causes	1,438	381	1,057
<u>800-962</u>	<u>Accidents</u>	<u>1,612</u>	<u>898</u>	<u>714</u>
<u>800-802</u>	<u>Railway</u>	<u>23</u>	<u>12</u>	<u>11</u>
800	Involving railroad employee	2	2	0
802	Involving other and unspecified person	21	10	11
<u>810-835</u>	<u>Motor vehicle</u>	<u>724</u>	<u>490</u>	<u>234</u>
810	Traffic, collision with railway train	31	22	9
812	Traffic, to pedestrian	109	44	65
813	Traffic, to pedal cyclist	7	4	3

Table 5 - Page 10
Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
811	Traffic, to rider or passenger of motorcycle in collision with other motor vehicle	4	4	0
816	Traffic, other involving two or more motor vehicles	278	222	56
819	Traffic, collision with animal or animal-drawn vehicle	4	3	1
821	Traffic, collision with fixed or unspecified object	34	25	9
822	Traffic, to rider of motorcycle without antecedent collision	1	0	1
823	Traffic, overturning in roadway	18	13	5
824	Traffic, running off roadway	155	105	50
825	Traffic, other noncollision	14	9	5
830	Traffic, unspecified nature	33	23	10
833	Nontraffic, to pedestrian	18	7	11
835	Nontraffic, other involving two or more motor vehicles	1	1	0
840-845	Nontraffic, other and unspecified nature	17	8	9
844	<u>Other road vehicle</u>	2	1	1
845	To pedestrian caused by other nonmotor road vehicle	1	1	0
850-858	Other nonmotor	1	0	1
850	<u>Water transport</u>	36	27	9
851	Submersion of occupant of small boat	31	22	9
856	Other injury by submersion	2	2	0
857	Machinery	1	1	0
860-866	Other specified	2	2	0
860	<u>Aircraft</u>	9	9	0
863	To personnel in military aircraft	1	1	0
866	To occupant of other specified aircraft	5	5	0
870-895	Other and unspecified	3	3	0
872	<u>Poisoning</u>	44	18	25
873	Aspirin and salicylates	3	3	0
874	Bromides	1	1	0
878	Other analgesic and soporific drugs	3	2	1
880	Other and unspecified drugs	1	0	1
881	Alcohol	6	1	5
882	Petroleum products	3	0	3
883	Industrial solvents	1	0	1
885	Corrosive aromatics, acids, and caustic alkalis	1	0	1
886	Lead and its compounds	1	0	1
888	Arsenic and antimony, and their compounds	3	2	1
890	Other and unspecified solid and liquid substances	14	5	9
	Utility (illuminating) gas	4	4	0

Table 5 - Page 11
 Deaths - Mississippi - 1964

International List Number*	Cause of Death**	Total	White	Non-white
891	Motor vehicle exhaust gas	2	0	2
894	Other specified gases and vapors	1	0	1
<u>900-904</u>	<u>Falls</u>	<u>135</u>	<u>103</u>	<u>32</u>
900	On stairs	7	5	2
901	From ladders	1	0	1
902	Other, from one level to another	25	19	6
903	On same level	29	22	7
904	Unspecified	73	57	16
910	Blow from falling or projected object or missile	24	11	13
912	Caused by machinery	38	18	20
913	Caused by cutting and piercing instruments	6	0	6
914	Caused by electric current	25	19	6
915	Caused by explosion of pressure vessel	1	1	0
916	Caused by fire and explosion of combustible material	199	50	149
917	Caused by hot substance, corrosive liquid, and steam	3	1	2
919	Caused by firearm	78	45	33
921	Inhalation and ingestion of food causing obstruction or suffocation	25	10	15
922	Inhalation and ingestion of other object causing obstruction or suffocation	5	2	3
923	Foreign body entering other orifice	23	11	12
924	Mechanical suffocation in bed and cradle	31	6	25
925	Mechanical suffocation in other and unspecified circumstances	16	6	10
926	Lack of care of infants under 1 year of age	1	0	1
927	Caused by bites and stings of venomous animals and insects	2	2	0
928	Caused by animals, other	2	2	0
929	Drowning and submersion	103	39	64
931	Excessive heat and insolation	6	0	6
932	Excessive cold	8	1	7
933	Hunger, thirst, and exposure	6	0	6
934	Cataclysm	2	1	1
935	Lightning	5	2	3
936	Other and unspecified	21	8	13
951	Therapeutic misadventure in infusion or transfusion	2	0	2
960	Late effect of motor vehicle accident	1	1	0
962	Late effect of other accidental injury	6	2	4
<u>963, 970-979</u>	<u>Suicide</u>	<u>159</u>	<u>139</u>	<u>20</u>
970	By poisoning with analgesic and soporific substances	8	8	0
971	By poisoning with other solid and liquid substances	7	6	1

Table 5 - Page 12
Deaths - Mississippi - 1964

Non-white	International List Number*	Cause of Death**	Total	White	Non-white
2	973	By poisoning with other gases	4	3	1
1	974	By hanging and strangulation	7	6	1
32	975	By submersion (drowning)	3	3	0
2	976	By firearms and explosives	128	111	17
1	977	By cutting and piercing instruments	1	1	0
6	978	By jumping from high place	1	1	0
7	<u>964, 980-985</u>	<u>Homicide</u>	<u>256</u>	<u>57</u>	<u>199</u>
16	981	Assault by firearm and explosive	176	47	129
	982	Assault by cutting and piercing instruments	46	0	46
13	983	Assault by other means	21	7	14
20	984	Injury by intervention of police	13	3	10

* International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

** When cause of death and International List Number are omitted, no deaths were reported.

TABLE 6
DEATHS
MISSISSIPPI
1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number			Rate*		
	Total	White		Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,294</u>	<u>11,903</u>	<u>10,391</u>	<u>22,559</u>	<u>12,039</u>	<u>10,520</u>	<u>9.7</u>	<u>8.8</u>	<u>11.1</u>
Adams	493	195	298	403	146	257	10.2	7.2	13.5
Alcorn	251	210	41	284	237	47	10.2	9.6	14.7
Amite	82	36	46	137	67	70	9.4	9.6	9.2
Attala	225	139	86	238	152	86	10.5	11.6	9.0
Benton	37	12	25	75	39	36	9.0	9.9	8.1
Bolivar	634	107	527	639	141	498	10.9	7.5	12.6
Calhoun	150	110	40	190	147	43	10.9	11.3	9.6
Carroll	62	24	38	119	58	61	9.1	9.0	9.2
Chickasaw	170	105	65	174	98	76	9.8	8.9	11.4
Choctaw	76	52	24	90	66	24	11.4	11.7	10.9
Claiborne	94	23	71	112	30	82	11.4	11.2	11.5
Clarke	139	94	45	211	144	67	12.4	12.8	11.7
Clay	183	78	105	200	89	111	9.8	9.6	10.0
Coahoma	535	160	375	532	131	401	11.1	8.2	12.6
Copiah	272	136	136	330	177	153	11.8	13.2	10.6
Covington	77	47	30	124	81	43	9.6	9.4	10.1
DeSoto	169	56	113	231	82	149	8.2	5.8	10.6
Forrest	606	417	189	563	354	209	9.8	8.5	13.3
Franklin	73	46	27	93	57	36	10.5	10.6	10.4
George	93	84	9	96	84	12	8.4	8.2	9.5
Greene	51	35	16	93	69	24	10.4	10.0	11.9
Grenada	232	120	112	203	90	113	9.9	8.0	12.2
Hancock	133	111	22	163	138	25	10.3	10.3	10.5
Harrison	1,125	884	241	926	715	211	7.5	6.9	10.4
Hinds	2,434	1,369	1,065	1,628	870	758	8.0	7.1	9.5
Holmes	329	87	242	365	107	258	12.1	11.7	12.3
Humphreys	144	35	109	191	59	132	10.1	9.7	10.3
Issaquena	27	2	25	39	6	33	12.2	5.3	16.0
Itawamba	107	102	5	165	155	10	9.1	9.0	9.9
Jackson	354	246	108	418	299	119	6.2	5.5	9.3
Jasper	114	53	61	175	91	84	10.4	10.6	10.3
Jefferson	67	12	55	117	31	86	12.8	13.0	12.8
Jeff Davis	134	65	69	149	70	79	10.5	11.2	10.0
Jones	710	433	277	584	400	184	10.0	9.4	11.5
Kemper	104	43	61	128	54	74	10.4	12.6	9.2
Lafayette	180	120	60	197	125	72	8.7	8.2	9.7

Table 6 - Page 2
Deaths - Mississippi - 1964

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number		Non-white	Rate*		Non-white
	Total	White		Total	White		Total	White	
Lamar	92	72	20	143	109	34	8.8	8.2	12.0
Lauderdale	964	605	359	755	433	322	10.3	8.8	13.2
Lawrence	88	44	44	118	68	50	12.2	11.3	13.8
Leake	142	91	51	184	117	67	9.9	11.4	8.0
Lee	467	341	126	434	316	118	9.4	8.9	11.0
Leflore	662	279	383	588	202	386	11.2	10.0	11.9
Lincoln	261	169	92	285	179	106	10.9	9.5	14.6
Lowndes	415	220	195	415	221	194	8.3	6.7	11.4
Madison	265	72	193	319	97	222	9.9	9.4	10.2
Marion	221	132	89	254	151	103	10.6	10.0	11.6
Marshall	187	73	114	207	78	129	8.8	9.6	8.5
Monroe	321	210	111	352	230	122	9.9	9.2	11.4
Montgomery	156	102	54	155	103	52	11.2	11.8	10.0
Neshoba	172	125	47	210	151	59	9.9	9.6	10.7
Newton	185	116	69	214	140	74	10.3	9.9	11.0
Noxubee	166	47	119	180	51	129	10.9	11.5	10.7
Oktibbeha	213	93	120	229	101	128	8.3	6.5	10.5
Panola	297	132	165	338	143	195	10.4	10.1	10.6
Pearl River	242	183	59	259	196	63	9.6	9.1	11.6
Perry	35	23	12	76	50	26	9.2	9.3	9.2
Pike	391	213	178	444	246	198	11.9	11.4	12.6
Pontotoc	181	139	42	179	141	38	9.4	9.5	9.1
Prentiss	211	190	21	206	182	24	10.0	10.0	10.0
Quitman	191	40	151	239	72	167	10.3	8.2	11.6
Rankin	395	203	192	293	183	110	7.2	7.3	7.0
Scott	209	128	81	235	140	95	10.0	9.2	11.5
Sharkey	95	18	77	118	32	86	11.0	9.6	11.6
Simpson	259	163	96	222	147	75	10.1	9.8	10.8
Smith	63	49	14	135	109	26	9.0	9.3	7.8
Stone	92	68	24	91	66	25	10.0	9.3	12.2
Sunflower	431	108	323	483	140	343	9.6	8.5	10.1
Tallahatchie	238	73	165	278	104	174	10.8	11.1	10.6
Tate	120	43	77	181	82	99	8.9	9.2	8.7
Tippah	142	114	28	149	123	26	9.4	9.5	9.0
Tishomingo	124	117	7	157	148	9	9.2	9.0	13.0
Tunica	207	33	174	224	46	178	12.5	9.1	13.8
Union	168	124	44	187	140	47	9.9	9.0	14.1
Walthall	124	65	59	120	62	58	8.8	8.7	9.0
Warren	666	259	407	526	217	309	12.1	9.2	15.3
Washington	786	250	536	837	243	594	10.6	6.8	13.7
Wayne	142	96	46	158	101	57	10.2	9.5	11.6
Webster	74	53	21	117	92	25	10.5	11.4	8.1
Wilkinson	138	61	77	146	53	93	11.7	14.3	10.6
Winston	180	113	67	206	133	73	10.0	12.5	7.4
Yalobusha	156	97	59	186	117	69	14.0	15.1	12.4
Yazoo	294	109	185	345	125	220	10.5	9.7	11.0
Out-of-State	985	694	291	720	558	162	-	-	-

Table 6 - Page 3
Deaths - Mississippi - 1964

City**	Place of Occurrence			Place of Residence		
	Number		Non-white	Number		Non-white
	Total	White		Total	White	
Biloxi	321	271	50	264	213	51
Clarksdale	367	138	229	262	93	169
Cleveland	154	65	89	106	51	55
Columbus	305	171	134	255	139	116
Corinth	191	156	35	141	105	36
Greenville	501	203	298	424	155	269
Greenwood	437	198	239	304	129	175
Gulfport	476	350	126	289	209	80
Hattiesburg	513	354	159	363	207	156
Jackson	2,200	1,285	915	1,260	727	533
Laurel	574	322	252	276	144	132
McComb	228	143	85	191	113	78
Meridian	844	527	317	556	307	249
Natchez	442	179	263	287	105	182
Pascagoula	28	18	10	138	105	33
Tupelo	310	219	91	154	98	56
Vicksburg	569	222	347	374	162	212
Yazoo City	169	86	83	165	60	105
Total Urban#	12,349	7,092	5,257	8,486	4,600	3,886
Total Rural	9,945	4,811	5,134	14,073	7,439	6,634

* Deaths per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 7
DEATHS
MISSISSIPPI
1964

By Cause Groups and Certain Selected Causes, by Race, Sex, and Age,
with Total Rates, Residence Data

Inter-national List Number#	Cause of Death	Total		Total by Race and Sex	Age							Unknown		
		Total Number	Rate*		1-4	5-14	15-24	25-34	35-44	45-54	55-64			
001-999	<u>ALL CAUSES</u>	22,559	9.7	W 12,039	M 7,133	364	49	37	191	170	353	690	1,291	3,918
				C 10,520	F 4,906	235	45	20	62	78	160	311	555	3,412
					M 5,664	884	145	44	188	159	254	487	848	2,594
					F 4,856	747	116	38	100	130	246	417	699	2,338
001-138	<u>Infective and parasitic diseases</u>	294	12.7	W 118	M 77	11	9	4	2	1	0	3	18	26
				C 176	F 41	4	4	1	2	2	1	5	6	9
					M 118	17	10	5	2	4	4	9	17	14
					F 58	17	6	0	5	4	4	4	6	11
001-019	Tuberculosis (all forms)	99	4.3	W 40	M 31	0	1	0	0	0	0	2	3	9
				C 59	M 47	0	0	0	0	1	3	6	9	16
				F 12	0	0	0	0	2	3	3	1	0	0
001-008	Tuberculosis (respiratory system)	96	4.1	W 39	M 31	0	1	0	0	0	0	2	3	9
				C 57	M 45	0	0	0	0	1	3	6	9	16
				F 12	0	0	0	0	2	3	3	1	0	0
020-029	Syphilis & sequelae	28	1.2	W 7	M 3	0	0	0	0	0	0	0	0	0
				C 21	M 15	4	0	0	0	0	0	1	4	6
				F 6	1	0	0	0	0	0	0	1	1	0

Table 7 - Page 2
Deaths - Mississippi - 1964

30

Inter-national List Number#	Cause of Death	Total Number	Rate*	Race	Total by Race	Total by Race and Sex	Total by Race and Sex	Age		Unknown Over 65
								Under 1-4	1-4 Under 15	
045-048	Dysentery (all forms)	23	1.0	W	3	M	1	0	0	0
				C	20	F	2	1	0	0
050,051	Scarlet fever and streptococcal sore throat	0	-	W	0	M	0	0	0	0
				C	0	F	0	0	0	0
055	Diphtheria	1	0.04	W	0	M	0	0	0	0
				C	1	F	0	0	0	0
056	Whooping cough	7	0.3	W	1	M	1	0	0	0
				C	6	F	3	3	0	0
057	Meningococcal infections	17	0.7	W	11	M	8	2	4	0
				C	6	F	3	3	0	0
080	Acute poliomyelitis	1	0.04	W	1	M	0	0	0	0
				C	0	F	1	0	0	0
085	Measles	25	1.1	W	12	M	8	4	1	0
				C	13	F	4	2	1	0
							5	3	1	0

Table 7 - Page 3
Deaths - Mississippi - 1964

International List Number	Cause of Death	Total		Total by Race	Total by Sex	Age		Unknown
		Rate*	Number			Under 14	15-64	
140-205	Malignant neoplasms	2.968	128.2	W 1,861	M 1,026	835	546	0
				C 1,107	F 531	576	444	0
210-239	Benign and unspecified neoplasms	4.7	2.0	W 24	M 16	8	128	0
				C 23	F 12	11	114	0
240-289	Allergic, endocrine system, metabolic & nutritional diseases	4.66	20.1	W 234	M 111	2	46	0
				C 232	F 92	1	117	0
241	Asthma	5.1	2.2	W 26	M 15	0	3	0
				C 25	F 9	0	17	0
260	Diabetes mellitus	34.2	14.8	W 159	M 75	0	7	0
				C 183	F 84	1	2	0
290-299	Diseases of the blood and blood-forming organs	6.1	2.6	W 32	M 16	0	1	0
				C 29	F 19	2	4	0

Table 7 - Page 4
Deaths - Mississippi - 1964

Inter-national List Number#	Cause of Death	Total	Total Rate*	Total by Race	Total by Race and Sex														
		Number	Rate*	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
300-326	<u>Mental, psycho-neurotic, & personality disorders</u>	39	1.7	W	20	M	13 7	F	13 6	M	19 12	F	19 12	M	19 12	F	19 12	M	19 12
330-334	<u>Vascular lesions affecting central nervous system</u>	3,077	132.9	W	1,588	M	782 806	F	715 774	M	1,489	F	1,489 75	M	46 29	F	44 38	M	44 38
340-398	<u>Other diseases of the nervous system and sense organs</u>	162	7.0	W	75	M	46 29	F	49 38	M	87	F	87 75	M	7 4	F	19 19	M	7 4
340	<u>Nonmeningococcal meningitis</u>	53	2.3	W	14	M	12 2	F	2 1	M	39	F	23 16	M	5 2	F	15 14	M	5 2
400-468	<u>Diseases of the circulatory system</u>	7,832	338.2	W	4,813	M	2,910 1,903	F	1,553 1,466	M	3,019	F	3,019 1	M	1 1	F	1 1	M	1 1
400-402	Rheumatic fever	6	0.2	W	1	M	0 1	F	0 3	M	5	F	2 3	M	0 0	F	0 0	M	0 0
410-416	Chronic rheumatic heart disease	96	4.1	W	59	M	31 28	F	15 22	M	37	F	37 22	M	0 0	F	0 0	M	0 0

Table 7 - Page 5
Deaths - Mississippi - 1964

Inter- national List Number#	Cause of Death	Total		Total by Race	Sex	Total by Race and Sex	Age												
		Total Number	Rate*				10-14	15-24	25-34	35-44	45-54	55-64	65-74						
420-422	Arteriosclerotic and degenerative heart disease	5,070	218.9	W	3,582	M	2,244	1	0	0	2	10	69	242	459	1,461	0		
				C	1,488	F	1,338	0	0	0	0	0	20	38	143	1,136	0		
					M		790	0	0	0	0	2	19	56	155	555	1		
					F		698	1	1	0	1	4	3	29	54	119	486	0	
430-434	Other diseases of the heart	633	27.3	W	310	M	185	0	1	0	0	1	0	11	24	45	103	0	
				C	323	M	125	1	0	0	0	1	3	0	9	16	41	105	0
					F		200	4	1	1	1	1	3	0	9	19	19	124	0
							123	0	1	1	1	3	2	9	19	19	68	0	
440-443	Hypertensive heart disease	1,176	50.8	W	361	M	152	0	0	0	0	1	1	2	13	17	118	0	
				C	815	M	209	0	0	0	0	0	0	0	3	8	15	183	0
					F		358	0	0	0	0	1	2	12	43	79	221	0	
							457	0	0	0	0	1	6	18	47	77	77	308	0
444-447	Other hypertensive disease	230	9.9	W	81	M	49	0	0	0	0	0	1	2	2	8	36	0	
				C	149	M	32	0	0	0	0	0	1	1	2	1	27	0	
					F		76	0	0	0	0	0	3	10	9	14	40	0	
							73	0	0	0	0	1	6	9	16	11	30	0	
450	General arteriosclerosis	338	14.6	W	235	M	127	0	0	0	0	0	0	0	2	8	117	0	
				C	103	M	108	0	0	0	0	0	0	0	1	1	106	0	
					F		53	0	0	0	0	0	0	0	0	9	43	1	
							50	0	0	0	0	0	0	0	0	2	48	0	
470-527	Diseases of the respiratory system	<u>1,094</u>	<u>47.2</u>	W	<u>519</u>	M	<u>319</u>	<u>14</u>	<u>9</u>	<u>8</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>8</u>	<u>53</u>	<u>210</u>	<u>0</u>	
				C	<u>575</u>	M	<u>200</u>	<u>9</u>	<u>327</u>	<u>125</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>5</u>	<u>8</u>	<u>13</u>	<u>148</u>	<u>0</u>	
					F		<u>248</u>	<u>112</u>	<u>22</u>	<u>35</u>	<u>6</u>	<u>1</u>	<u>5</u>	<u>5</u>	<u>10</u>	<u>30</u>	<u>108</u>	<u>0</u>	
															<u>10</u>	<u>66</u>	<u>0</u>		

Deaths - Mississippi - 1964

Table 7 - Page 7
Deaths - Mississippi - 1964

International List Number#	Cause of Death	Number	Total Rate*	Race	Total by Sex	Total by Race and Sex	Age	Unknown	
								Under 1-4	Over 65
543,571, 572	Gastritis, duodenitis, enteritis, & colitis, except diarrhea of the newborn	231	10.0	W	51	M 24 F 27	6 4	0 0	0 1
				C	180	M 93 F 87	67 67	1 0	0 1
581	Cirrhosis of liver	112	4.8	W	87	M 53 F 34	0 0	0 0	0 1
				C	25	M 17 F 8	0 0	0 0	1 2
590-637	<u>Diseases of the genito-urinary system</u>	601	26.0	W	247	M 156 F 91	0 0	2 1	5 1
				C	354	M 204 F 150	0 0	1 0	4 0
590-594	Nephritis and nephrosis	289	12.5	W	92	M 61 F 31	0 0	2 0	9 4
				C	197	M 91 F 106	0 1	3 0	6 4
610	Hyperplasia of prostate	66	2.8	W	24	M 24 F 0	0 0	0 0	0 0
				C	42	M 42 F 0	0 0	0 0	0 0
640-689	<u>Complications of pregnancy, child- birth, and the puerperium</u>	57	10.1	W	9	M 0 F 48	0 48	0 0	0 0
				C	48	M 0 F 48	0 48	0 0	0 0

Table 7 - Page 8
Deaths - Mississippi - 1964

International List Number#	Cause of Death	Total		Total by Race	Total by Sex	by Race and Sex	Number	Rate*	Race	Age	Unknown											
		Total	Rate*						White	Black	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
690-716	Diseases of the skin and cellular tissue	39	1.7	W	20	M	8															
		C	19	M	12	F	8															
				M	11	F	8															
720-749	Diseases of the bones and organs of movement	60	2.6	W	50	M	22															
		C	10	M	28	F	7															
				M	7	F	3															
750-759	Congenital malformations	219	9.4	W	124	M	74															
		C	95	M	50	F	54															
				M	41	F	30															
760-776	Certain diseases of early infancy	1,209	21.3	W	398	M	240															
		C	811	M	158	F	158															
				M	454	F	357															
780-795	Symptoms, senility, and ill-defined conditions	1,564	67.5	W	430	M	293															
		C	1,134	M	137	F	635															
				M	499	F	100															
800-999	Accidents, poisonings, and violence	2,027	87.5	W	1,094	M	811															
		C	933	M	283	F	668															
				M	265	F	33															
810-835	Motor vehicle accidents	724	31.3	W	490	M	358															
		C	234	M	132	F	188															
				M	46	F	4															
				F	2		2															
					0		0															
					7		7															
					3		3															
					0		0															

Table 7 - Page 9
Deaths - Mississippi - 1964

Inter-national List Number#	Cause of Death	Total		Total by Race and Sex	Total by Race and Sex	Age							Unknown					
		Total Number	Total Rate*			0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
800-802, 840-962	All other accidents	888	38.3	W	408	M	294	12	18	9	18	44	30	34	35	33	61	0
				C	480	M	303	7	9	3	3	4	6	6	7	7	62	0
				F	177	F	177	29	28	18	20	56	26	23	27	30	46	0
963, 970-979	Suicide	159	6.9	W	139	M	112	0	0	0	0	5	13	22	18	28	26	0
				C	20	M	27	0	0	0	0	0	0	3	13	5	4	2
				F	5	F	15	0	0	0	0	4	4	4	1	0	2	0
964, 980-985	Homicide	256	11.0	W	57	M	47	1	0	0	0	3	8	13	11	8	2	1
				C	199	M	10	0	0	0	0	1	1	1	2	3	0	3
				F	37	F	162	1	0	0	1	32	41	39	25	14	8	1
					1		1	0	0	1	0	10	7	8	6	1	3	0

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Total deaths per 1,000 population. Deaths from specific causes per 100,000 population. Deaths from maternal causes per 10,000 live births. Deaths from diseases of early infancy per 1,000 live births.

TABLE 8
DEATHS UNDER 1 YEAR
MISSISSIPPI
1964

By Selected Causes, by Race and Age, with Total Rates, Residence Data

Cause of Death and International List Number#	Total Number	Total Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE									
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8		
<u>ALL CAUSES</u>	<u>2,230</u>	<u>39.4</u>	W C	<u>599</u> <u>1,631</u>	<u>222</u> <u>421</u>	<u>191</u> <u>309</u>	<u>30</u> <u>62</u>	<u>12</u> <u>59</u>	<u>5</u> <u>61</u>	<u>460</u> <u>912</u>	<u>32</u> <u>142</u>	<u>20</u> <u>131</u>	<u>18</u> <u>100</u>	<u>10</u> <u>85</u>	<u>14</u> <u>54</u>	<u>7</u> <u>35</u>	<u>9</u> <u>32</u>	<u>4</u> <u>29</u>	<u>3</u> <u>13</u>
Dysentery, all forms (045-048)	12	0.2	W C	1 11	0 0	0 0	0 0	0 1	0 1	0 1	1 3	0 1	0 1	0 1	0 0	0 0	0 1	0 2	0 1
Septicemia and pyemia (053)	13	0.2	W C	5 8	0 0	0 0	0 0	0 0	0 0	0 1	1 0	0 1	0 2	0 0	0 1	1 1	1 0	1 1	0 0
Whooping cough (056)	6	0.1	W C	0 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 1	0 0
Meningococcal infections (057)	3	0.05	W C	2 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0
Tetanus (061)	1	0.02	W C	0 1	0 0	0 1	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Other infective and parasitic diseases	14	0.2	W C	7 7	0 0	0 0	0 0	0 0	0 0	0 0	0 2	0 2	0 2	0 0	0 0	1 0	1 1	0 0	2 1
Malignant neoplasms (140-205)	2	0.04	W C	2 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0
Benign and unspecified neoplasms (210-239)	0	-	W C	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Diseases of thymus gland (273)	0	-	W C	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0

Table 8 - Page 2
Deaths Under 1 Year - Mississippi - 1964

Cause of Death and International List Number#	Total Number	Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE								
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8	
Meningitis, except meningococcal and tuberculous (340)	36	0.6	W C	7 29	0 0	0 1	3 3	0 0	3 4	1 3	0 2	0 2	1 2	0 2	0 0	1 0	0 0	
Other diseases of nervous system and sense organs (330-334, 341-398)	16	0.3	W C	5 11	0 0	0 0	0 0	0 0	0 0	0 0	2 1	0 2	0 2	0 0	0 0	1 0	0 0	
Acute upper respiratory infections (470-475)	17	0.3	W C	1 16	0 0	0 0	0 0	0 2	2 2	0 2	1 4	0 2	0 1	0 1	0 0	0 0	0 1	
Influenza & pneumonia, except pneumonia of newborn (480-493)	215	3.8	W C	15 200	0 0	0 0	0 0	0 2	2 31	1 32	3 26	4 20	0 17	2 13	1 11	1 8	0 6	
Bronchitis (500-502)	12	0.2	W C	1 11	0 0	0 0	0 0	0 1	0 1	0 3	0 1	0 0	0 1	0 0	0 0	0 0	1 3	
Other diseases of respiratory system (510-522, 525-527)	16	0.3	W C	6 10	0 1	0 1	0 0	0 0	0 2	4 1	1 0	0 2	1 1	0 0	0 0	0 0	0 0	
Hernia & intestinal obstruction (560, 561, 570)	6	0.1	W C	2 4	0 0	2 0	0 0	0 1	0 0	2 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	
Gastritis, duodenitis, enteritis, & colitis, except diarrhea of new- born (543, 571, 572)	144	2.5	W C	10 134	0 0	0 0	0 0	0 0	0 0	2 31	1 25	1 15	1 16	1 10	1 5	0 8	0 7	0 9
Other diseases of digestive system (530- 542, 544-553, 573-587)	7	0.1	W C	2 5	0 0	0 1	2 1	0 1	0 0	2 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	

Table 8 - Page 3
Deaths Under 1 Year - Mississippi - 1964

Cause of Death and International List Number#	Total Number Rate*	Total by Race	Total Under 1 day	DAYS OF AGE								MONTHS OF AGE							
				1-	7-	14-	21-	Under 28 days	1	2	3	4	5	6	7	8	9	10	11
				Under	6	13	20	27	28	days									
Congenital malformations (750-759)	151	2.7	W C	85 66	12	34	8	5	0	59	5	3	2	1	4	2	0	0	0
Birth injuries (760, 761)	115	2.0	W C	56 59	30	24	1	1	0	56	0	0	0	0	0	0	0	0	0
Postnatal asphyxia and atelectasis (762)	217	3.8	W C	106 111	63	36	3	0	1	103	2	0	1	0	0	0	0	0	0
Pneumonia of newborn (763)	99	1.7	W C	17 82	1	8	4	3	1	17	0	0	0	0	0	0	0	0	0
Diarrhea of newborn (764)	31	0.5	W C	2 29	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0
Other infections of newborn (765-768)	15	0.3	W C	5 10	4	1	0	0	0	10	29	0	0	0	0	0	0	0	0
Neonatal disorders arising from certain diseases of mother during pregnancy (769)	11	0.2	W C	2 9	1	1	0	0	0	5	0	0	0	0	0	0	0	0	0
Hemolytic diseases of newborn (erythroblastosis) (770)	16	0.3	W C	12 4	7	4	1	0	0	12	0	0	0	0	0	0	0	0	0
Hemorrhagic disease of newborn (771)	11	0.2	W C	2 9	1	1	0	0	0	4	0	0	0	0	0	0	0	0	0
Nutritional maladjustment (772)	36	0.6	W C	4 32	0	0	0	1	0	1	1	0	2	0	1	0	0	0	0

Table 8 - Page 4
Deaths under 1 year - Mississippi - 1964

Cause of Death and International List Number*	Total Number	Total Rate*	Total by Race	Total by Race	Days of Age												Months of Age					
					Under 1 day	1- 5	6- 13	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8	9	10	11
Ill-defined diseases peculiar to early infancy (773)	218	3.8	W C	87 131	38 70	45 45	3 3	1 2	0 2	87 122	0 1	0 5	0 0	0 0	0 1	0 1	0 1	0 0	0 0	0 0	0 0	
Immaturity with mention of any other subsidiary condition (774)	22	0.4	W C	5 17	1 3	0 9	1 0	0 0	0 1	2 13	0 1	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
Immaturity, unqualified (776)	418	7.4	W C	100 318	62 184	33 78	2 13	0 6	1 8	98 289	0 10	1 7	0 3	0 6	0 2	0 0	0 0	0 1	0 0	0 0	0 0	
Symptoms & ill-defined conditions (780-793, 795)	232	4.1	W C	15 217	1 37	0 30	1 7	0 7	0 6	2 87	1 27	1 23	0 16	1 7	0 8	2 2	1 7	1 7	0 7	0 2	0 1	
All other diseases	26	0.4	W C	7 19	0 2	1 2	0 1	1 2	0 3	0 0	2 8	0 1	1 1	0 0	0 3	2 4	0 0	1 0	0 0	0 2	0 0	
Accidents (800-962)	89	1.6	W C	27 62	1 2	0 7	0 0	0 1	0 3	3 13	4 6	6 1	1 0	3 6	4 5	2 2	1 2	1 4	1 2	0 0	0 0	
Homicide (964, 980-984)	3	0.05	W C	1 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Deaths per 1,000 live births.

TABLE 9
MARRIAGES AND DIVORCES
MISSISSIPPI
1964

Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride
Divorces by Place of Occurrence, by Race.

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride			Total	White	Non-white
	Total	White	Non-white	Total	White	Non-white			
STATE	22,784	15,159	7,625	19,132	12,095	7,037	5,631	4,077	1,554
Adams	396	267	129	305	188	117	127	84	43
Alcorn	518	480	38	257	228	29	86	77	9
Amite	110	57	53	123	71	52	15	10	5
Attala	172	104	68	169	100	69	47	29	18
Benton	67	39	28	65	32	33	12	11	1
Bolivar	505	223	282	476	202	274	80	51	29
Calhoun	148	120	28	137	108	29	35	29	6
Carroll	64	28	36	68	30	38	19	9	10
Chickasaw	191	136	55	161	122	39	36	19	17
Choctaw	82	62	20	52	36	16	17	13	4
Claiborne	86	30	56	80	25	55	29	7	22
Clarke	183	123	60	164	102	62	27	16	11
Clay	145	93	52	129	79	50	32	21	11
Coahoma	383	162	221	331	119	212	109	70	39
Copiah	197	94	103	219	109	110	70	41	29
Covington	147	102	45	158	107	51	21	17	4
DeSoto	1,021	597	424	193	95	98	92	58	34
Forrest	611	464	147	583	430	153	232	171	61
Franklin	62	47	15	62	45	17	15	9	6
George	233	222	11	134	125	9	16	14	2
Greene	75	63	12	63	48	15	11	10	1
Grenada	180	109	71	172	100	72	29	21	8
Hancock	469	443	26	105	93	12	47	43	4
Harrison	1,389	1,199	190	1,132	945	187	600	524	76
Hinds	1,872	1,203	669	1,846	1,200	646	636	469	167
Holmes	205	63	142	229	70	159	36	20	16
Humphreys	173	68	105	175	67	108	23	13	10
Issaquena	6	2	4	14	6	8	5	4	1
Itawamba	155	141	14	92	86	6	48	46	2
Jackson	796	644	152	606	488	118	200	176	24
Jasper	121	76	45	142	89	53	26	19	7
Jefferson	76	36	40	59	20	39	7	1	6
Jeff Davis	137	66	71	108	59	49	13	8	5
Jones	518	415	103	493	404	89	117	94	23
Kemper	80	34	46	70	30	40	20	11	9
Lafayette	159	99	60	138	77	61	37	24	13

Table 9 - Page 2
Marriages and Divorces - Mississippi - 1964

ide	County	Marriages						Divorces		
		Place of Licensure			Residence of Bride			Total	White	Non-white
		Total	White	Non-white	Total	White	Non-white			
Lamar	132	117	15	148	132	16	31	28	3	
Lauderdale	561	365	196	555	361	194	237	175	62	
Lawrence	78	58	20	114	80	34	26	19	7	
Leake	138	76	62	158	90	68	27	20	7	
Lee	351	290	61	412	333	79	127	109	18	
Leflore	513	209	304	516	224	292	108	67	41	
Lincoln	241	188	53	204	152	52	66	54	12	
Lowndes	419	266	153	377	226	151	109	80	29	
Madison	288	112	176	259	89	170	86	32	54	
Marion	235	166	69	202	140	62	54	43	11	
Marshall	294	121	173	216	79	137	54	26	28	
Monroe	275	207	68	262	187	75	93	66	27	
Montgomery	105	69	36	109	72	37	38	25	13	
Neshoba	169	125	44	168	124	44	79	61	18	
Newton	161	111	50	157	110	47	19	14	5	
Noxubee	93	28	65	106	32	74	18	9	9	
Oktibbeha	170	109	61	162	108	54	46	33	13	
Panola	232	120	112	236	119	117	58	34	24	
Pearl River	389	334	55	266	220	46	89	76	13	
Ferry	78	67	11	91	80	11	23	18	5	
Pike	299	185	114	267	151	116	91	60	31	
Pontotoc	178	142	36	149	125	24	49	47	2	
Prentiss	222	208	14	158	148	10	39	34	5	
Quitman	215	97	118	200	84	116	38	20	18	
Rankin	306	218	88	279	198	81	54	44	10	
Scott	236	155	81	235	154	81	48	37	11	
Sharkey	108	41	67	83	30	53	20	6	14	
Simpson	206	157	49	168	123	45	50	40	10	
Smith	102	83	19	112	88	24	29	25	4	
Stone	97	72	25	87	63	24	20	12	8	
Sunflower	318	114	204	334	111	223	50	25	25	
Tallahatchie	226	88	138	207	89	118	36	23	13	
Tate	202	100	102	151	62	89	39	21	18	
Tippah	136	126	10	151	137	14	30	27	3	
Tishomingo	160	148	12	136	135	1	32	30	2	
Tunica	128	42	86	128	32	96	23	8	15	
Union	192	167	25	176	153	23	35	29	6	
Walthall	197	119	78	119	52	67	18	14	4	
Warren	440	278	162	378	224	154	128	73	55	
Washington	909	533	376	715	353	362	238	152	86	
Wayne	146	91	55	110	71	39	50	35	15	
Webster	91	73	18	100	78	22	14	13	1	
Wilkinson	445	356	89	100	30	70	14	3	11	
Winston	159	107	52	132	87	45	40	23	17	
Yalobusha	113	69	44	132	84	48	25	16	9	
Yazoo	299	141	158	297	140	157	61	32	29	
Out-of-State				3,652	3,064	588				

TABLE 10
DIVORCES
MISSISSIPPI
1964

By Cause of Divorce, by Race

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>ALL CAUSES</u>	<u>5,631</u>	<u>4,077</u>	<u>1,554</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	3,146	2,704	442	55.9	66.3	28.4
Desertion	1,923	930	993	34.2	22.8	63.9
Adultery	229	164	65	4.1	4.0	4.2
Drunkenness	227	202	25	4.0	5.0	1.6
Penitentiary	45	35	10	0.8	0.8	0.6
Insanity	5	4	1	0.1	0.1	0.1
Annulment	6	6	0	0.1	0.1	-
Bigamy	15	4	11	0.3	0.1	0.7
Miscellaneous and other	13	10	3	0.2	0.2	0.2
Not stated	22	18	4	0.4	0.4	0.2

By Number of Minor Children, by Race

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>5,631</u>	<u>4,077</u>	<u>1,554</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	2,541	1,665	876	45.1	40.8	56.4
One	1,137	909	228	20.2	22.3	14.7
Two	938	766	172	16.6	18.8	11.1
Three or more	921	683	238	16.4	16.8	15.3
Not stated	94	54	40	1.7	1.3	2.6

By Number of Years Married, by Race

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>5,631</u>	<u>4,077</u>	<u>1,554</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>2,106</u>	<u>1,834</u>	<u>272</u>	<u>37.4</u>	<u>45.0</u>	<u>17.5</u>
Under one	365	343	22	6.5	8.4	1.4
One	528	476	52	9.4	11.7	3.3
Two	488	423	65	8.7	10.4	4.2
Three	397	328	69	7.0	8.0	4.4
Four	328	264	64	5.8	6.5	4.1
Five - nine	1,195	870	325	21.2	21.3	20.9
Ten - nineteen	1,321	885	436	23.4	21.7	28.0
Twenty and over	931	430	501	16.5	10.5	32.2
Not stated	78	58	20	1.4	1.4	1.3

TABLE 11
LIVE BIRTHS
MISSISSIPPI
1913-1964

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.4	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944#	56,586	25,647	30,939	28.3	25.2	31.6
1945#	53,540	23,426	30,114	26.9	23.1	30.9
1946#	61,430	29,715	31,715	26.8	25.4	28.2
1947#	66,291	32,423	33,868	28.6	27.5	29.9
1948#	65,291	29,666	35,625	28.0	24.9	31.2
1949#	66,128	28,786	37,342	28.1	24.0	32.5

Table 11 - Page 2
Live Births - Mississippi - 1913-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	64,427	27,188	37,239	29.6	22.9	37.6
1951#	65,512	27,798	37,714	30.1	23.4	38.1
1952#	64,509	28,073	36,436	29.6	23.6	36.8
1953#	64,061	28,312	35,749	29.4	23.8	36.1
1954#	64,748	28,781	35,967	29.7	24.2	36.3
1955#	63,244	27,546	35,698	29.0	23.2	36.0
1956#	62,178	27,278	34,900	29.5	23.8	36.2
1957#	60,712	26,804	33,908	28.8	23.4	35.2
1958#	59,189	26,812	32,377	27.1	20.9	35.9
1959#	60,562	27,979	32,583	27.2	20.9	36.6
1960#	59,210	27,198	32,012	27.2	21.6	34.8
1961#	59,523	27,435	32,088	27.3	21.8	34.8
1962#	58,921	27,512	31,409	26.1	20.8	33.5
1963#	57,316	26,823	30,493	25.0	19.9	32.4
1964#	56,650	25,942	30,708	24.5	18.9	32.5

* Births per 1,000 population.

1913-1920, population estimates based on U.S. Censuses of 1910 and 1920.

1921-1930, estimates based on U.S. Censuses of 1920 and 1930.

1931-1940, estimates based on U.S. Censuses of 1930 and 1940.

1941 and 1942, projected estimates based on U.S. Censuses of 1930 and 1940.

1943 and 1944, estimates of civilian population obtained from Ration Book Registration.

1945, estimate of civilian population, July 1, 1945, obtained from Bureau of Census Bulletin, Series P-46, No. 3, dated February 12, 1946.

1946-1949, projected estimates as of July 1, each year based on U.S. Censuses of 1930 and 1940.

1950-1955, U.S. Census population of April 1, 1950.

1956 and 1957, estimate as of July 1, 1956, prepared by Dr. Harald A. Pedersen, Sociology Department, Mississippi State University, with adjustments by Statistical Service, Mississippi State Board of Health.

1958, estimate as of January 1, prepared by Dr. George L. Wilber and Mr. Carl T. Robbins, Sociology Department, Mississippi State University.

1959, estimate as of January 1, prepared by Dr. George L. Wilber and Ellen Bryant, Sociology Department, Mississippi State University.

1960 and 1961, U.S. Census population of April 1, 1960.

1962-1964, estimates as of July 1, prepared by the Division of Sociology and Rural Life, Mississippi State University.

On basis of place of residence.

TABLE 12
DEATHS
MISSISSIPPI
1913-1964

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944#	20,199	8,830	11,369	10.1	8.7	11.6
1945#	19,024	8,452	10,572	9.6	8.3	10.8
1946#	19,321	8,995	10,326	8.4	7.7	9.2
1947#	20,007	9,238	10,769	8.6	7.8	9.5
1948#	20,183	9,216	10,967	8.6	7.7	9.6
1949#	20,489	9,233	11,256	8.7	7.7	9.8

Table 12 - Page 2
 Deaths - Mississippi - 1913-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	20,567	9,466	11,101	9.4	8.0	11.2
1951#	21,007	9,593	11,414	9.6	8.1	11.5
1952#	20,657	9,387	11,270	9.5	7.9	11.4
1953#	20,492	9,495	10,997	9.4	8.0	11.1
1954#	19,353	9,453	9,900	8.9	8.0	10.0
1955#	19,403	9,501	9,902	8.9	8.0	10.0
1956#	19,780	9,969	9,811	9.4	8.7	10.2
1957#	20,476	10,339	10,137	9.7	9.0	10.5
1958#	21,541	10,811	10,730	9.9	8.4	11.9
1959#	20,890	10,742	10,148	9.4	8.0	11.4
1960#	21,713	11,204	10,509	10.0	8.9	11.4
1961#	21,232	11,063	10,169	9.7	8.8	11.0
1962#	22,713	11,868	10,845	10.0	9.0	11.6
1963#	23,339	12,118	11,221	10.2	9.0	11.9
1964#	22,559	12,039	10,520	9.7	8.8	11.1

* Deaths per 1,000 population. See footnote on Table 11 for source of population estimates.

On basis of place of residence.

TABLE 13
MATERNAL DEATHS
MISSISSIPPI
1913-1964

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	108.8	74.1	148.2
1914	413	124	289	101.7	58.0	150.0
1915	289	88	201	73.2	41.9	108.7
1916	326	102	224	83.5	50.7	118.5
1917	297	105	192	80.0	55.1	106.2
1918	302	82	220	76.7	41.0	113.5
1919	407	173	234	95.8	78.5	114.4
1920	393	127	266	89.8	56.6	124.8
1921	391	145	246	84.1	61.2	108.0
1922	313	110	203	71.6	51.7	90.5
1923	321	108	213	74.2	51.1	96.3
1924	413	137	276	93.9	61.8	126.7
1925	435	143	292	95.5	64.2	125.3
1926	388	153	235	76.9	62.2	90.9
1927	409	134	275	83.1	55.4	109.8
1928	421	161	260	87.5	68.1	106.2
1929	410	152	258	90.0	68.8	110.0
1930	489	171	318	101.9	73.7	128.3
1931	352	131	221	78.0	60.5	94.1
1932	279	103	176	60.0	47.1	71.6
1933	315	116	199	71.3	56.8	83.7
1934	306	116	190	63.9	51.9	74.3
1935	334	137	197	69.2	62.4	74.8
1936	358	134	224	72.7	60.4	82.8
1937	370	150	220	70.9	64.4	76.2
1938	333	116	217	62.0	48.2	73.1
1939	311	97	214	59.5	41.3	74.3
1940	327	106	221	62.2	45.9	75.1
1941	293	93	200	53.7	38.5	65.8
1942	248	77	171	43.9	30.4	54.8
1943	233	66	167	39.2	23.9	52.5
1944#	225	72	153	39.8	28.1	49.4
1945#	216	64	152	40.3	27.3	50.5
1946#	199	67	132	32.4	22.5	41.6
1947#	175	50	125	26.4	15.4	36.9
1948#	177	38	139	27.1	12.8	39.0
1949#	147	32	115	22.2	11.1	30.8

Table 13 - Page 2
 Maternal Deaths - Mississippi - 1913-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	165	30	135	25.6	11.0	36.2
1951#	143	28	115	21.8	10.1	30.5
1952#	119	15	104	18.4	5.3	28.5
1953#	119	24	95	18.6	8.5	26.6
1954#	104	11	93	16.1	3.8	25.8
1955#	76	12	64	12.0	4.4	17.9
1956#	74	12	62	11.9	4.4	17.8
1957#	75	14	61	12.4	5.2	18.0
1958#	53	10	43	9.0	3.7	13.3
1959#	55	9	46	9.1	3.2	14.1
1960#	59	8	51	10.0	2.9	15.9
1961#	49	9	40	8.2	3.3	12.5
1962#	55	7	48	9.3	2.5	15.3
1963#	44	9	35	7.7	3.4	11.5
1964#	57	9	48	10.1	3.5	15.6

* Deaths per 10,000 live births.

On basis of place of residence.

TABLE 14
DEATHS UNDER 1 YEAR
MISSISSIPPI
1917-1964

By Year, by Race, with Rates, Occurrence Data 1917-1943,
Residence Data 1944-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	**	**	**	**	**	**
1919	3,554	**	**	83.6	**	**
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944#	2,489	974	1,515	44.0	38.0	49.0
1945#	2,192	846	1,346	40.9	36.1	44.7
1946#	2,298	1,005	1,293	37.4	33.8	40.8
1947#	2,428	1,009	1,419	36.6	31.1	41.9
1948#	2,470	988	1,482	37.8	33.3	41.6
1949#	2,612	900	1,712	39.5	31.3	45.8

Table 14 - Page 2
 Deaths Under 1 Year - Mississippi - 1917-1964

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	2,348	763	1,585	36.4	28.1	42.6
1951#	2,589	814	1,775	39.5	29.3	47.1
1952#	2,592	760	1,832	40.2	27.1	50.3
1953#	2,534	807	1,727	39.6	28.5	48.3
1954#	2,360	744	1,616	36.4	25.8	44.9
1955#	2,338	680	1,658	37.0	24.7	46.4
1956#	2,353	734	1,619	37.8	26.9	46.4
1957#	2,257	694	1,563	37.2	25.9	46.1
1958#	2,424	706	1,718	41.0	26.3	53.1
1959#	2,355	677	1,678	38.9	24.2	51.5
1960#	2,457	714	1,743	41.5	26.2	54.4
1961#	2,250	645	1,605	37.8	23.5	50.0
1962#	2,353	705	1,648	39.9	25.6	52.5
1963#	2,372	610	1,762	41.4	22.7	57.8
1964#	2,230	599	1,631	39.4	23.1	53.1

* Deaths per 1,000 live births.

** Not available.

On basis of place of residence.

TABLE 15
DEATHS UNDER 1 MONTH*
MISSISSIPPI
1924-1964

By Year, by Race, with Rates, Occurrence Data 1924-1944,
Residence Data 1945-1964

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945#	1,351	624	727	25.2	26.6	24.1
1946#	1,561	794	767	25.4	26.7	24.2
1947#	1,595	750	845	24.1	23.1	24.9
1948#	1,674	773	901	25.6	26.0	25.3
1949#	1,594	661	933	24.1	23.0	25.0
1950#	1,446	560	886	22.4	20.6	23.8
1951#	1,679	626	1,053	25.6	22.5	27.9
1952#	1,658	581	1,077	25.7	20.7	29.6
1953#	1,630	635	995	25.4	22.4	27.8
1954#	1,521	601	920	23.5	20.9	25.6
1955#	1,440	527	913	22.8	19.1	25.6
1956#	1,451	581	870	23.3	21.3	24.9
1957#	1,425	540	885	23.5	20.1	26.1
1958#	1,475	540	935	24.9	20.1	28.9
1959#	1,450	515	935	23.9	18.4	28.7
1960#	1,497	550	947	25.3	20.2	29.6
1961#	1,401	509	892	23.5	18.6	27.8
1962#	1,456	550	906	24.7	20.0	28.8
1963#	1,449	470	979	25.3	17.5	32.1
1964#	1,372	460	912	24.2	17.7	29.7

* Figures for 1949-1964 include only the deaths under 28 days.

** Deaths per 1,000 live births.

On basis of place of residence.

TABLE 16
DEATHS FROM HEART DISEASES, VASCULAR LESIONS,
MALIGNANT NEOPLASMS, ACCIDENTS, AND INFLUENZA AND PNEUMONIA
MISSISSIPPI
1955-1964

By Year, by Race, with Rates, Residence Data

Year	HEART DISEASES (400-443)		VASCULAR LESIONS (330-334)		MALIGNANT NEOPLASMS (140-205)		ACCIDENTS (800-962)		INFLUENZA & PNEUMONIA (480-493)			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1955 No. Rate*	5,994 275.1	3,525 296.6	2,469 249.3	2,447 112.3	1,169 98.3	1,278 129.0	2,317 106.3	1,402 118.0	915 92.4	1,349 61.9	696 58.6	653 65.9
1956 No. Rate*	6,117 289.9	3,709 323.3	2,408 250.2	2,550 120.9	1,229 107.1	1,321 137.2	2,432 115.3	1,439 125.4	993 103.2	1,302 61.7	700 61.0	602 62.5
1957 No. Rate*	6,378 302.3	3,711 323.5	2,667 277.1	2,800 132.7	1,420 123.8	1,380 143.9	2,496 118.3	1,482 129.2	1,014 105.3	1,302 61.7	707 61.6	595 61.8
1958 No. Rate*	6,528 298.9	3,929 306.3	2,599 288.4	2,867 131.3	1,426 111.2	1,441 159.9	2,525 115.6	1,524 118.8	1,001 111.1	1,379 63.1	729 56.8	650 72.1
1959 No. Rate*	6,233 279.9	3,774 282.5	2,459 276.0	2,683 120.5	1,386 103.7	1,297 145.6	2,600 116.7	1,580 118.3	1,020 114.5	1,501 67.4	837 62.6	664 74.5
1960 No. Rate*	6,321 290.2	3,882 308.7	2,439 264.9	2,960 135.9	1,513 120.3	1,447 157.2	2,635 121.0	1,644 130.7	991 107.6	1,504 69.0	827 65.8	768 73.5
1961 No. Rate*	6,561 301.2	4,022 319.8	2,539 275.8	2,891 132.7	1,464 116.4	1,427 117.5	2,748 126.2	1,732 137.7	1,016 110.4	1,427 65.5	760 60.4	667 72.4
1962 No. Rate*	7,077 313.4	4,206 318.4	2,871 306.4	3,112 137.8	1,552 117.5	1,560 166.5	2,827 125.2	1,793 135.7	1,034 110.4	1,557 69.0	846 64.0	720 75.9
1963 No. Rate*	7,300 318.8	4,396 325.9	2,904 308.5	3,154 137.7	1,650 122.3	1,504 159.8	2,945 128.6	1,859 137.8	1,086 115.4	1,571 68.6	851 63.1	720 76.5
1964 No. Rate*	6,981 301.4	4,313 314.7	2,668 282.2	3,077 132.9	1,588 115.9	1,489 157.5	2,968 128.2	1,861 135.8	1,107 117.1	1,612 69.6	898 65.5	791 75.5

* Deaths per 100,000 population.

TABLE 17
MARRIAGES AND DIVORCES
MISSISSIPPI
1926-1964

By Year, by Race, Occurrence Data

Year	MARRIAGES			DIVORCES		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048#	11,402	17,383	2,895		
1928	30,231#	11,662	18,257	3,009	1,435	1,574
1929	31,495#	12,864	18,388	3,172	1,598	1,574
1930	25,728#	10,815	14,751	2,743	1,487	1,256
1931	21,589#	9,952	11,629	2,015	1,308	707
1932	22,688#	10,147	12,453	1,918	1,308	610
1933	27,567#	12,201	15,300	1,955	1,396	559
1934	30,149#	13,497	16,541	2,446	1,704	742
1935	28,722#	12,955	15,635	2,425	1,681	744
1936	32,480#	14,120	18,196	2,520	1,690	830
1937	32,055#	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,511	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

Includes some records on which the race of the couple was not stated.

BIRTHS, FETAL DEATHS, DEATHS

THE COUNTIES AND THE STATE OF MISSISSIPPI, 1964

Footnotes for Tables on Pages 59-141

* Total births and deaths per 1,000 population. Fetal deaths, deaths under 1 year, deaths under 28 days, and deaths from diseases of early infancy per 1,000 live births. Maternal deaths per 10,000 live births. Deaths from specific causes per 100,000 population.

Pneumonia and diarrhea of the newborn (under 28 days) included in diseases of early infancy.



BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ADAMS COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,478	662	816	1,021	462	559	25.9	22.6	29.4
Fetal deaths	58	23	35	38	16	22	37.2	34.6	39.4
Total deaths	493	195	298	403	146	257	10.2	7.2	13.5
Deaths under 1 year	55	18	37	42	12	30	41.1	26.0	53.7
Deaths under 28 days	40	17	23	30	12	18	29.4	26.0	32.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	2.5	-	5.3
Syphilis (020-029)	1	1	0	2	1	1	5.1	4.9	5.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	1	0	1	2.5	-	5.3
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	2.5	4.9	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	66	31	35	53	18	35	134.6	88.3	184.2
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	2.5	-	5.3
Asthma (241)	2	1	1	2	1	1	5.1	4.9	5.3
Diabetes mellitus (260)	7	0	7	5	0	5	12.7	-	26.3
Anemias (290-293)	2	0	2	1	0	1	2.5	-	5.3
Intracranial lesions (330-334)	66	26	40	59	22	37	149.8	107.9	194.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	165	62	103	130	46	84	330.0	225.6	442.1
Other hypertensive disease (444-447)	4	2	2	3	1	2	7.6	4.9	10.5
General arteriosclerosis (450)	13	7	6	13	7	6	33.0	34.3	31.6
Other circulatory diseases (451-468)	3	2	1	4	3	1	10.2	14.7	5.3
#Influenza & pneumonia (480-493)	19	12	7	20	11	9	50.8	53.9	47.4
Bronchitis (500-502)	1	0	1	1	0	1	2.5	-	5.3
Other bronchopul. diseases (525-527)	5	5	0	3	3	0	7.6	14.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	2	0	2	5.1	-	10.5
#Gastritis, etc. (543, 571, 572)	4	0	4	3	0	3	7.6	-	15.8
Cirrhosis of liver (581)	2	2	0	2	2	0	5.1	9.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	5.1	-	10.5
Infections of kidney (600)	13	0	13	4	0	4	10.2	-	21.0
Hyperplasia of prostate (610)	2	0	2	1	0	1	2.5	-	5.3
Maternal causes (640-689)	1	0	1	1	0	1	9.8	-	17.9
Congenital malformations (750-759)	3	3	0	2	2	0	5.1	9.8	-
Diseases of early infancy (760-776)	36	14	22	27	10	17	26.4	21.6	30.4
Accidents (800-962)	37	17	20	28	11	17	71.1	53.9	89.5
Motor vehicle accidents (810-835)	17	7	10	11	4	7	27.9	19.6	36.8
Suicide (963, 970-979)	1	1	0	1	1	0	2.5	4.9	-
Homicide (964, 980-985)	5	0	5	5	0	5	12.7	-	26.3
Ill-defined (780-795)	17	5	12	15	4	11	38.1	19.6	57.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ALCORN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	570	473	97	522	433	89	18.8	17.6	27.9
Fetal deaths	9	4	5	13	8	5	24.9	18.5	56.2
Total deaths	251	210	41	284	237	47	10.2	9.6	14.7
Deaths under 1 year	17	10	7	17	10	7	32.6	23.1	78.6
Deaths under 28 days	11	7	4	11	7	4	21.1	16.2	44.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	7.2	8.1	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	35	31	4	40	35	5	144.2	142.6	156.7
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	7.2	4.1	31.3
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	3	3	0	10.8	12.2	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	41	34	7	43	36	7	155.0	146.6	219.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	95	80	15	105	87	18	378.5	354.4	564.3
Other hypertensive disease (444-447)	5	4	1	5	4	1	18.0	16.3	31.3
General arteriosclerosis (450)	3	3	0	4	4	0	14.4	16.3	-
Other circulatory diseases (451-468)	0	0	0	2	2	0	7.2	8.1	-
#Influenza & pneumonia (480-493)	5	3	2	5	3	2	18.0	12.2	62.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	2	2	0	7.2	8.1	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	7.2	8.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	3.6	-	31.3
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	3.6	4.1	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	0	0	0	-	-	-
Infections of kidney (600)	2	2	0	3	3	0	10.8	12.2	-
Hyperplasia of prostate (610)	3	3	0	2	2	0	7.2	8.1	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	3	0	4	4	0	14.4	16.3	-
Diseases of early infancy (760-776)	10	6	4	9	5	4	17.2	11.5	44.9
Accidents (800-962)	11	9	2	19	16	3	68.5	65.2	94.0
Motor vehicle accidents (810-835)	7	6	1	12	10	2	43.2	40.7	62.7
Suicide (963, 970-979)	5	5	0	3	3	0	10.8	12.2	-
Homicide (964, 980-985)	2	1	1	2	1	1	7.2	4.1	31.3
III-defined (780-795)	14	10	4	14	10	4	50.5	40.7	125.4

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
AMITE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence				Rate*		
	Total	White	Non-white	Number			Total	White	Non-white	Non-white
				Total	White	Non-white				
Live births	140	0	140	300	89	211	20.6	12.8	27.7	
Fetal deaths	5	0	5	11	1	10	36.7	11.2	47.4	
Total deaths	82	36	46	137	67	70	9.4	9.6	9.2	
Deaths under 1 year	5	1	4	9	2	7	30.0	22.5	33.2	
Deaths under 28 days	1	0	1	5	2	3	16.7	22.5	14.2	
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
Tuberculosis (001-019)	0	0	0	2	1	1	13.7	14.4	13.1	
Syphilis (020-029)	1	0	1	1	0	1	6.9	-	13.1	
Dysentery (045-048)	0	0	0	0	0	0	-	-	-	
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-	
Diphtheria (055)	0	0	0	0	0	0	-	-	-	
Whooping cough (056)	0	0	0	0	0	0	-	-	-	
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-	
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-	
Measles (085)	0	0	0	0	0	0	-	-	-	
Malignant neoplasms (140-205)	9	4	5	20	13	7	137.4	187.3	92.0	
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-	
Asthma (241)	0	0	0	0	0	0	-	-	-	
Diabetes mellitus (260)	1	0	1	1	0	1	6.9	-	13.1	
Anemias (290-293)	0	0	0	0	0	0	-	-	-	
Intracranial lesions (330-334)	9	4	5	14	6	8	96.2	86.4	105.1	
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-	
Heart diseases (400-443)	35	17	18	54	28	26	371.1	403.4	341.6	
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-	
General arteriosclerosis (450)	2	1	1	2	1	1	13.7	14.4	13.1	
Other circulatory diseases (451-468)	1	1	0	3	3	0	20.6	43.2	-	
#Influenza & pneumonia (480-493)	2	1	1	2	1	1	13.7	14.4	13.1	
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-	
Other bronchopul. diseases (525-527)	0	0	0	3	3	0	20.6	43.2	-	
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-	
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	6.9	-	13.1	
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	6.9	-	13.1	
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-	
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-	
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	6.9	14.4	-	
Infections of kidney (600)	0	0	0	3	0	3	20.6	-	39.4	
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-	
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-	
Congenital malformations (750-759)	1	0	1	1	0	1	6.9	-	13.1	
Diseases of early infancy (760-776)	0	0	0	4	2	2	13.3	22.5	9.5	
Accidents (800-962)	6	4	2	5	3	2	34.4	43.2	26.3	
Motor vehicle accidents (810-835)	2	2	0	0	0	0	-	-	-	
Suicide (963, 970-979)	1	1	0	2	1	1	13.7	14.4	13.1	
Homicide (964, 980-985)	1	0	1	1	0	1	6.9	-	13.1	
Ill-defined (780-795)	9	2	7	11	3	8	75.6	43.2	105.1	

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ATTALA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	481	173	308	487	169	318	21.5	13.0	33.1
Fetal deaths	27	6	21	28	6	22	57.5	35.5	69.2
Total deaths	225	139	86	238	152	86	10.5	11.6	9.0
Deaths under 1 year	19	3	16	22	5	17	45.2	29.6	53.4
Deaths under 28 days	9	3	6	13	5	8	26.7	29.6	25.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.4	-	10.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	2	1	1	2	1	1	8.8	7.7	10.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	1	0	1	4.4	-	10.4
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	26	17	9	31	22	9	136.9	168.6	93.8
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.4	7.7	-
Asthma (241)	1	1	0	1	1	0	4.4	7.7	-
Diabetes mellitus (260)	3	1	2	2	1	1	8.8	7.7	10.4
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	37	25	12	33	23	10	145.7	176.2	104.2
Nonmeningocephal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	86	62	24	86	62	24	379.7	475.1	250.0
Other hypertensive disease (444-447)	1	1	0	2	2	0	8.8	15.3	-
General arteriosclerosis (450)	3	2	1	3	2	1	13.2	15.3	10.4
Other circulatory diseases (451-468)	0	0	0	2	1	1	8.8	7.7	10.4
#Influenza & pneumonia (480-493)	16	7	9	14	6	8	61.8	46.0	83.3
Bronchitis (500-502)	2	0	2	2	0	2	8.8	-	20.8
Other bronchopul. diseases (525-527)	3	2	1	3	2	1	13.2	15.3	10.4
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	4.4	7.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	4.4	7.7	-
Infections of kidney (600)	2	1	1	3	2	1	13.2	15.3	10.4
Hyperplasia of prostate (610)	0	0	0	1	1	0	4.4	7.7	-
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	8	3	5	12	5	7	24.6	29.6	22.0
Accidents (800-962)	13	6	7	17	7	10	75.0	53.6	104.2
Motor vehicle accidents (810-835)	5	3	2	6	3	3	26.5	23.0	31.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	3	1	2	3	1	2	13.2	7.7	20.8
Ill-defined (780-795)	13	7	6	14	8	6	61.8	61.3	62.5

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BENTON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*			
	Total	White	Non-white	Number			Total	White	Non-white	
				Total	White	Non-white				
33.1	Live births	112	2	110	190	53	137	22.7	13.5	30.8
69.2	Fetal deaths	2	0	2	8	5	3	42.1	94.3	21.9
9.0	Total deaths	37	12	25	75	39	36	9.0	9.9	8.1
53.4	Deaths under 1 year	2	0	2	8	2	6	42.1	37.7	43.8
25.2	Deaths under 28 days	1	0	1	5	2	3	26.3	37.7	21.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
10.4	Tuberculosis (001-019)	0	0	0	1	0	1	11.9	-	22.5
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
10.4	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
10.4	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
93.8	Malignant neoplasms (140-205)	3	0	3	9	4	5	107.5	102.0	112.4
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	1	0	1	11.9	-	22.5
10.4	Diabetes mellitus (260)	1	0	1	2	1	1	23.9	25.5	22.5
	Anemias (290-293)	0	0	0	0	0	0	-	-	-
04.2	Intracranial lesions (330-334)	6	1	5	9	4	5	107.5	102.0	112.4
	Nonmeningococcal meningitis (340)	0	0	0	1	0	1	11.9	-	22.5
50.0	Heart diseases (400-443)	14	7	7	24	15	9	286.7	382.6	202.2
	Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
10.4	General arteriosclerosis (450)	3	1	2	3	1	2	35.8	25.5	44.9
10.4	Other circulatory diseases (451-468)	0	0	0	2	2	0	23.9	51.0	-
83.3	#Influenza & pneumonia (480-493)	0	0	0	1	1	0	11.9	25.5	-
20.8	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
10.4	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	11.9	25.5	-
	#Castritis, etc. (543, 571, 572)	1	0	1	2	0	2	23.9	-	44.9
	Cirrhosis of liver (581)	0	0	0	1	1	0	11.9	25.5	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
	Chronic nephritis, etc. (592-594)	1	0	1	2	1	1	23.9	25.5	-
10.4	Infections of kidney (600)	0	0	0	0	0	0	-	-	22.5
	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
	Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
22.0	Diseases of early infancy (760-776)	0	0	0	4	2	2	21.0	37.7	14.8
14.2	Accidents (800-962)	2	1	1	5	3	2	59.7	76.5	44.9
31.2	Motor vehicle accidents (810-835)	1	1	0	2	1	1	23.9	25.5	22.5
	Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
20.8	Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
32.5	Ill-defined (780-795)	6	2	4	6	2	4	71.7	51.0	89.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BOLIVAR COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	1,898	334	1,564	1,773	351	1,422	30.3	18.7	35.8
Fetal deaths	70	12	58	71	15	56	40.0	42.7	39.4
Total deaths	634	107	527	639	141	498	10.9	7.5	12.6
Deaths under 1 year	84	4	80	86	6	80	48.5	17.1	56.2
Deaths under 28 days	39	2	37	39	4	35	22.0	11.4	24.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	0	3	2	0	2	3.4	-	5.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	1.7	-	2.5
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	1	0	1	1.7	-	2.5
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	3	0	3	3	0	3	5.1	-	7.6
Malignant neoplasms (140-205)	73	14	59	69	17	52	118.1	90.7	131.0
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	3.4	5.3	2.5
Asthma (241)	1	1	0	1	1	0	1.7	5.3	-
Diabetes mellitus (260)	6	0	6	5	1	4	8.6	5.3	10.1
Anemias (290-293)	1	0	1	1	0	1	1.7	-	2.5
Intracranial lesions (330-334)	114	15	99	108	20	88	184.8	106.7	221.8
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	1.7	5.3	-
Heart diseases (400-443)	175	47	128	178	53	125	304.6	282.7	315.0
Other hypertensive disease (444-447)	4	0	4	4	0	4	6.8	-	10.1
General arteriosclerosis (450)	5	1	4	3	0	3	5.1	-	7.6
Other circulatory diseases (451-468)	7	3	4	9	2	7	15.4	10.7	17.6
#Influenza & pneumonia (480-493)	37	4	33	44	6	38	75.3	32.0	95.8
Bronchitis (500-502)	1	0	1	2	1	1	3.4	5.3	2.5
Other bronchopul. diseases (525-527)	4	1	3	4	2	2	6.8	10.7	5.0
Stomach & duodenal ulcers (540, 541)	1	1	0	2	1	1	3.4	5.3	2.5
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	1.7	5.3	-
#Gastritis, etc. (543, 571, 572)	15	0	15	14	0	14	24.0	-	35.3
Cirrhosis of liver (581)	2	1	1	3	2	1	5.1	10.7	2.5
Acute nephritis (590, 591)	2	0	2	2	0	2	3.4	-	5.0
Chronic nephritis, etc. (592-594)	21	0	21	16	1	15	27.4	5.3	37.8
Infections of kidney (600)	9	3	6	9	3	6	15.4	16.0	15.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	6	1	5	6	1	5	33.8	28.5	35.2
Congenital malformations (750-759)	2	0	2	2	0	2	3.4	-	5.0
Diseases of early infancy (760-776)	34	2	32	33	3	30	18.6	8.5	21.1
Accidents (800-962)	36	3	33	42	9	33	71.9	48.0	83.2
Motor vehicle accidents (810-835)	4	0	4	9	5	4	15.4	26.7	10.1
Suicide (963, 970-979)	1	1	0	2	2	0	3.4	10.7	-
Homicide (964, 980-985)	7	0	7	6	0	6	10.3	-	15.1
III-defined (780-795)	45	4	41	43	5	38	73.6	26.7	95.8

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CALHOUN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
35.	Live births	304	123	181	313	171	142	17.9	13.1	31.8
39.	Fetal deaths	15	7	8	16	7	9	51.1	40.9	63.4
12.	Total deaths	150	110	40	190	147	43	10.9	11.3	9.6
56.	Deaths under 1 year	13	7	6	15	9	6	47.9	52.6	42.2
24.	Deaths under 28 days	8	4	4	9	5	4	28.8	29.2	28.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
5.0	Tuberculosis (001-019)	0	0	0	1	0	1	5.7	-	22.4
2.5	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
2.5	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
2.5	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
2.5	Diphtheria (055)	0	0	0	0	0	0	-	-	-
2.5	Whooping cough (056)	0	0	0	0	0	0	-	-	-
2.5	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
2.5	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
7.6	Measles (085)	2	2	0	2	2	0	11.4	15.4	-
131.0	Malignant neoplasms (140-205)	18	14	4	22	18	4	125.8	138.2	89.7
2.5	Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	5.7	-	22.4
10.1	Asthma (241)	1	1	0	1	1	0	5.7	7.7	-
2.5	Diabetes mellitus (260)	5	4	1	4	3	1	22.9	23.0	22.4
2.5	Anemias (290-293)	0	0	0	0	0	0	-	-	-
221.8	Intracranial lesions (330-334)	17	12	5	25	20	5	143.0	153.6	112.1
315.0	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
10.1	Heart diseases (400-443)	55	43	12	65	54	11	371.8	414.7	246.6
7.6	Other hypertensive disease (444-447)	4	3	1	4	3	1	22.9	23.0	22.4
17.6	General arteriosclerosis (450)	6	5	1	7	6	1	40.0	46.1	22.4
95.8	Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
2.5	#Influenza & pneumonia (480-493)	4	2	2	7	4	3	40.0	30.7	67.3
2.5	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
5.0	Other bronchopul. diseases (525-527)	1	1	0	2	2	0	11.4	15.4	-
2.5	Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.7	7.7	-
35.3	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
2.5	#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	5.7	7.7	-
5.0	Cirrhosis of liver (581)	0	0	0	1	1	0	5.7	7.7	-
37.8	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
15.1	Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	5.7	7.7	-
35.2	Infections of kidney (600)	0	0	0	2	2	0	11.4	15.4	-
5.0	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
21.1	Maternal causes (640-689)	1	1	0	1	1	0	31.9	58.5	-
83.2	Congenital malformations (750-759)	4	3	1	4	3	1	22.9	23.0	22.4
10.1	Diseases of early infancy (760-776)	7	4	3	8	5	3	25.6	29.2	21.1
15.1	Accidents (800-962)	12	7	5	14	8	6	80.1	61.4	134.5
15.1	Motor vehicle accidents (810-835)	9	7	2	9	7	2	51.5	53.8	44.3
15.1	Suicide (963, 970-979)	1	1	0	1	1	0	5.7	7.7	-
95.8	Homicide (964, 980-985)	2	1	1	2	1	1	11.4	7.7	22.4
95.8	Ill-defined (780-795)	5	2	3	7	3	4	40.0	23.0	83.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CARROLL COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	167	13	154	253	68	185	19.3	10.5	27.9
Fetal deaths	13	0	13	22	5	17	87.0	73.5	91.9
Total deaths	62	24	38	119	58	61	9.1	9.0	9.2
Deaths under 1 year	5	0	5	7	1	6	27.7	14.7	32.4
Deaths under 28 days	3	0	3	3	0	3	11.8	-	16.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	7.6	-	15.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	2	1	14	7	7	106.7	108.0	105.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	0	2	15.2	-	30.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	6	4	2	16	8	8	122.0	123.4	120.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	21	11	10	36	25	11	274.4	385.8	165.7
Other hypertensive disease (444-447)	5	1	4	5	1	4	38.1	15.4	60.2
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	1	0	1	7.6	-	15.1
#Influenza & pneumonia (480-493)	1	0	1	3	2	1	22.9	30.9	15.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	2	2	0	15.2	30.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	7.6	15.4	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	7.6	-	15.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	2	0	15.2	30.9	-
Diseases of early infancy (760-776)	1	0	1	2	0	2	7.9	-	10.8
Accidents (800-962)	6	4	2	9	6	3	68.6	92.6	45.2
Motor vehicle accidents (810-835)	2	2	0	5	4	1	38.1	61.7	15.1
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	7.6	-	15.1
III-defined (780-795)	18	2	16	20	2	18	152.4	30.9	271.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 CHICKASAW COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*			
	Total	White	Non-white	Number			Total	White	Non-white	
				Total	White	Non-white				
27.	Live births	401	214	187	440	227	213	24.9	20.7	31.8
91.	Fetal deaths	19	6	13	15	5	10	34.1	22.0	46.9
9.	Total deaths	170	105	65	174	98	76	9.8	8.9	11.4
32.	Deaths under 1 year	11	2	9	15	4	11	34.1	17.6	51.6
16.	Deaths under 28 days	6	2	4	9	4	5	20.4	17.6	23.5
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
15.	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	1	0	1	5.6	-	14.9
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	1	1	0	5.6	9.1	-
05.4	Malignant neoplasms (140-205)	21	17	4	24	17	7	135.8	154.8	104.6
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
30.1	Diabetes mellitus (260)	3	1	2	4	2	2	22.6	18.2	29.9
	Anemias (290-293)	1	0	1	1	0	1	5.6	-	14.9
20.5	Intracranial lesions (330-334)	31	19	12	25	13	12	141.5	118.4	179.4
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
65.7	Heart diseases (400-443)	64	45	19	64	43	21	362.2	391.6	313.9
60.2	Other hypertensive disease (444-447)	3	1	2	5	2	3	28.3	18.2	44.8
	General arteriosclerosis (450)	2	0	2	3	0	3	17.0	-	44.8
15.1	Other circulatory diseases (451-468)	3	1	2	3	1	2	17.0	9.1	29.9
15.1	#Influenza & pneumonia (480-493)	8	5	3	7	4	3	39.6	36.4	44.8
	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
15.1	#Castritis, etc. (543, 571, 572)	2	0	2	4	1	3	22.6	9.1	44.8
	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
	Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
	Infections of kidney (600)	1	1	0	0	0	0	-	-	-
	Hyperplasia of prostate (610)	0	0	0	1	0	1	5.6	-	14.9
	Maternal causes (640-689)	1	0	1	1	0	1	22.7	-	46.9
10.8	Congenital malformations (750-759)	0	0	0	1	0	1	5.6	-	14.9
+5.2	Diseases of early infancy (760-776)	5	2	3	7	4	3	15.9	17.6	14.1
15.1	Accidents (800-962)	10	6	4	9	4	5	50.9	36.4	74.7
	Motor vehicle accidents (810-835)	5	3	2	5	2	3	28.3	18.2	44.8
	Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
15.1	Homicide (964, 980-985)	1	1	0	1	1	0	5.6	9.1	-
71.1	111-defined (780-795)	7	1	6	6	1	5	34.0	9.1	74.7

See page 57 for footnotes.

FIREHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 CHOCTAW COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	159	72	87	170	85	85	21.6	15.0	38.6
Fetal deaths	7	3	4	8	4	4	47.0	47.0	47.0
Total deaths	76	52	24	90	66	24	11.4	11.7	10.9
Deaths under 1 year	2	0	2	1	0	1	5.9	-	11.8
Deaths under 28 days	1	0	1	0	0	0	-	-	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	1	0	1	1	0	12.7	17.7	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	7	2	11	9	2	139.9	159.0	90.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	12.7	17.7	-
Anemias (290-293)	1	1	0	2	2	0	25.4	35.3	-
Intracranial lesions (330-334)	14	7	7	17	10	7	216.3	176.7	318.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	27	22	5	33	27	6	419.8	477.0	272.7
Other hypertensive disease (444-447)	1	0	1	1	0	1	12.7	-	45.4
General arteriosclerosis (450)	4	2	2	4	2	2	50.9	35.3	90.9
Other circulatory diseases (451-468)	1	0	1	3	1	2	38.2	17.7	90.9
#Influenza & pneumonia (480-493)	3	2	1	3	2	1	38.2	35.3	45.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	12.7	-	45.4
Infections of kidney (600)	1	1	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	0	0	0	-	-	-
Accidents (800-962)	3	3	0	4	4	0	50.9	70.7	-
Motor vehicle accidents (810-835)	0	0	0	1	1	0	12.7	17.7	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	1	0	12.7	17.7	-
Ill-defined (780-795)	3	1	2	3	1	2	38.2	17.7	90.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 CLAIBORNE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

ion- hite		Occurrence			Residence					
		Total	White	Non- white	Number			Rate*		
					Total	White	Non- white	Total	White	Non- white
38.6	Live births	155	15	140	232	36	196	23.7	13.5	27.5
47.0	Fetal deaths	4	1	3	12	4	8	51.7	111.1	40.8
10.9	Total deaths	94	23	71	112	30	82	11.4	11.2	11.5
11.8	Deaths under 1 year	3	0	3	4	0	4	17.2	-	20.4
	Deaths under 28 days	2	0	2	3	0	3	12.9	-	15.3
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
90.9	Malignant neoplasms (140-205)	7	1	6	11	3	8	112.4	112.4	112.4
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
	Diabetes mellitus (260)	1	0	1	1	0	1	10.2	-	14.0
	Anemias (290-293)	0	0	0	0	0	0	-	-	-
18.2	Intracranial lesions (330-334)	12	4	8	13	4	9	132.8	149.8	126.4
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
72.7	Heart diseases (400-443)	47	13	34	47	12	35	480.1	449.4	491.6
45.4	Other hypertensive disease (444-447)	3	1	2	4	2	2	40.8	74.9	28.1
90.9	General arteriosclerosis (450)	0	0	0	1	1	0	10.2	37.4	-
90.9	Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
45.4	#Influenza & pneumonia (480-493)	2	1	1	2	1	1	20.4	37.4	14.0
	Pronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	5	1	4	51.1	37.4	56.2
	#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	10.2	37.4	-
	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
45.4	Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	10.2	-	14.0
	Infections of kidney (600)	0	0	0	1	1	0	10.2	37.4	-
	Hyperplasia of prostate (610)	0	0	0	1	0	1	10.2	-	14.0
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
	Congenital malformations (750-759)	0	0	0	1	0	1	10.2	-	-
	Diseases of early infancy (760-776)	1	0	1	2	0	2	8.6	-	14.0
	Accidents (800-962)	10	2	8	7	1	6	71.5	37.4	84.3
	Motor vehicle accidents (810-835)	5	2	3	2	0	2	20.4	-	28.1
	Suicide (963, 970-979)	0	0	0	2	1	1	20.4	37.4	14.0
	Homicide (964, 980-985)	4	0	4	4	0	4	40.8	-	56.2
90.9	Ill-defined (780-795)	6	1	5	8	2	6	81.7	74.9	84.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLARKE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	93	46	47	312	152	160	18.4	13.5	28.0
Fetal deaths	5	1	4	12	1	11	38.5	6.6	68.8
Total deaths	139	94	45	211	144	67	12.4	12.8	11.7
Deaths under 1 year	7	1	6	11	3	8	35.2	19.7	50.0
Deaths under 28 days	3	0	3	8	2	6	25.6	13.2	37.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	5.9	-	17.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	8	6	29	21	8	171.0	186.7	140.1
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	5.9	8.9	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	1	0	5.9	8.9	-
Anemias (290-293)	1	0	1	1	1	0	5.9	-	17.5
Intracranial lesions (330-334)	23	13	10	38	22	16	224.0	195.6	280.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	62	50	12	72	56	16	424.5	497.8	280.2
Other hypertensive disease (444-447)	0	0	0	1	1	0	5.9	8.9	-
General arteriosclerosis (450)	2	1	1	3	1	2	17.7	8.9	35.0
Other circulatory diseases (451-468)	0	0	0	1	1	0	5.9	8.9	-
#Influenza & pneumonia (480-493)	3	2	1	8	5	3	47.2	44.4	52.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.9	8.9	-
#Castritis, etc. (543, 571, 572)	1	0	1	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	5.9	8.9	-
Acute nephritis (590, 591)	0	0	0	1	1	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	1	1	11.8	8.9	17.5
Infections of kidney (600)	1	0	1	4	2	2	23.6	17.8	35.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	2	0	11.8	17.8	-
Diseases of early infancy (760-776)	2	0	2	6	1	5	19.2	6.6	31.2
Accidents (800-962)	15	13	2	20	16	4	117.9	142.2	70.0
Motor vehicle accidents (810-835)	7	7	0	9	8	1	53.1	71.1	17.5
Suicide (963, 970-979)	1	1	0	1	1	0	5.9	8.9	-
Homicide (964, 980-985)	1	1	0	1	1	0	5.9	8.9	-
Ill-defined (780-795)	9	4	5	12	6	6	70.8	53.3	105.1

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 CLAY COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	445	171	274	468	181	287	23.0	19.5	25.9
Fetal deaths	15	7	8	18	7	11	38.5	38.7	38.3
Total deaths	183	78	105	200	89	111	9.8	9.6	10.0
Deaths under 1 year	15	3	12	15	4	11	32.0	22.1	38.3
Deaths under 28 days	7	2	5	8	3	5	17.1	16.6	17.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	14	8	27	16	11	132.6	172.0	99.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	0	2	2	0	2	9.8	-	18.1
Diabetes mellitus (260)	6	3	3	6	3	3	29.5	32.2	27.1
Anemias (290-293)	1	0	1	1	0	1	4.9	-	9.0
Intracranial lesions (330-334)	40	15	25	39	16	23	191.6	172.0	208.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	64	31	33	69	33	36	338.9	354.8	325.5
Other hypertensive disease (444-447)	2	1	1	2	1	1	9.8	10.8	9.0
General arteriosclerosis (450)	1	0	1	1	0	1	4.9	-	9.0
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	3	2	1	2	2	0	9.8	21.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	9.8	21.5	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	4.9	-	9.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	4.9	10.8	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	4.9	-	9.0
Cirrhosis of liver (581)	2	2	0	2	2	0	9.8	21.5	-
Acute nephritis (590, 591)	1	0	1	1	0	1	4.9	-	9.0
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	9.8	10.8	9.0
Infections of kidney (600)	2	1	1	4	2	2	19.6	21.5	18.1
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.9	-	9.0
Maternal causes (640-689)	1	0	1	1	0	1	21.4	-	34.8
Congenital malformations (750-759)	1	1	0	2	2	0	9.8	21.5	-
Diseases of early infancy (760-776)	8	2	6	8	2	6	17.1	11.0	20.9
Accidents (800-962)	9	2	7	14	5	9	68.8	53.8	81.4
Motor vehicle accidents (810-835)	1	0	1	3	2	1	14.7	21.5	9.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	4	0	4	3	0	3	14.7	-	27.1
Ill-defined (780-795)	6	0	6	7	0	7	34.4	-	63.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COAHOMA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,490	370	1,120	1,501	336	1,165	31.4	20.9	36.7
Fetal deaths	70	11	59	67	9	58	44.6	26.8	49.8
Total deaths	535	160	375	532	131	401	11.1	8.2	12.6
Deaths under 1 year	88	9	79	86	6	80	57.3	17.8	68.7
Deaths under 28 days	57	8	49	56	6	50	37.3	17.8	42.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	2.1	-	3.2
Syphilis (020-029)	1	0	1	2	1	1	4.2	6.2	3.2
Dysentery (045-048)	3	0	3	3	0	3	6.3	-	9.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	2.1	-	3.2
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	2.1	-	3.2
Malignant neoplasms (140-205)	54	26	28	54	21	33	113.0	130.9	104.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	2.1	6.2	-
Asthma (241)	1	0	1	1	0	1	2.1	-	3.2
Diabetes mellitus (260)	4	1	3	5	0	5	10.5	-	15.8
Anemias (290-293)	1	0	1	1	0	1	2.1	-	3.2
Intracranial lesions (330-334)	80	26	54	81	24	57	169.5	149.6	179.6
Nonmeningococcal meningitis (340)	1	1	0	0	0	0	-	-	-
Heart diseases (400-443)	143	57	86	147	51	96	307.7	318.0	302.4
Other hypertensive disease (444-447)	6	0	6	7	0	7	14.6	-	22.0
General arteriosclerosis (450)	3	1	2	4	1	3	8.4	6.2	9.4
Other circulatory diseases (451-468)	7	3	4	7	3	4	14.6	18.7	12.6
#Influenza & pneumonia (480-493)	28	0	28	30	0	30	62.8	-	94.5
Bronchitis (500-502)	1	1	0	1	1	0	2.1	6.2	-
Other bronchopul. diseases (525-527)	3	2	1	3	1	2	6.3	6.2	6.3
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.1	6.2	-
Hernia & intestinal obstruction (560, 561, 570)	4	2	2	3	1	2	6.3	6.2	4.3
#Gastritis, etc. (543, 571, 572)	3	0	3	5	0	5	10.5	-	15.8
Cirrhosis of liver (581)	3	2	1	2	1	1	4.2	6.2	3.2
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	0	4	4	0	4	8.4	-	12.6
Infections of kidney (600)	8	0	8	9	0	9	18.8	-	28.4
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	13.3	-	17.2
Congenital malformations (750-759)	3	1	2	3	1	2	6.3	6.2	6.3
Diseases of early infancy (760-776)	56	6	50	54	4	50	36.0	11.9	42.9
Accidents (800-962)	38	17	21	30	12	18	62.8	74.8	56.7
Motor vehicle accidents (810-835)	19	9	10	15	6	9	31.4	37.4	28.4
Suicide (963, 970-979)	1	1	0	1	1	0	2.1	6.2	-
Homicide (964, 980-985)	8	3	5	6	1	5	12.6	6.2	15.8
III-defined (780-795)	36	2	34	37	2	35	77.4	12.5	110.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 COPIAH COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
36.7	Live births	774	214	560	636	198	438	22.8	14.7	30.2
49.8	Fetal deaths	13	3	10	20	8	12	31.4	40.4	27.4
12.6	Total deaths	272	136	136	330	177	153	11.8	13.2	10.6
68.1	Deaths under 1 year	19	3	16	20	3	17	31.4	15.2	38.8
42.9	Deaths under 28 days	11	3	8	12	3	9	18.9	15.2	20.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
3.2	Tuberculosis (001-019)	1	0	1	3	1	2	10.7	7.4	13.8
3.2	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
9.4	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
3.2	Diphtheria (055)	0	0	0	0	0	0	-	-	-
3.2	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
3.2	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
3.2	Measles (085)	0	0	0	0	0	0	-	-	-
104.0	Malignant neoplasms (140-205)	45	28	17	55	36	19	196.9	267.6	131.2
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
3.2	Asthma (241)	0	0	0	1	1	0	3.6	7.4	-
15.8	Diabetes mellitus (260)	4	1	3	4	1	3	14.3	7.4	20.7
3.2	Anemias (290-293)	2	1	1	1	0	1	3.6	-	6.9
179.0	Intracranial lesions (330-334)	37	15	22	40	15	25	143.2	111.5	172.6
	Nonmeningococcal meningitis (340)	1	0	1	1	0	1	3.6	-	6.9
302.4	Heart diseases (400-443)	82	48	34	105	68	37	375.9	505.6	255.5
22.0	Other hypertensive disease (444-447)	2	0	2	3	1	2	10.7	7.4	13.8
9.4	General arteriosclerosis (450)	4	2	2	7	5	2	25.1	37.2	13.8
12.6	Other circulatory diseases (451-468)	4	2	2	7	3	4	25.1	22.3	27.6
94.5	#Influenza & pneumonia (480-493)	12	5	7	14	7	7	50.1	52.0	48.3
6.3	Bronchitis (500-502)	1	1	0	1	1	0	3.6	7.4	-
	Other bronchopul. diseases (525-527)	2	2	0	4	4	0	14.3	29.7	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	3.6	-	6.9
6.3	Hernia & intestinal obstruction (560, 561, 570)	3	1	2	4	1	3	14.3	7.4	20.7
15.8	#Gastritis, etc. (543, 571, 572)	1	0	1	2	1	1	7.2	7.4	6.9
3.2	Cirrhosis of liver (581)	1	0	1	1	0	1	3.6	-	6.9
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
12.6	Chronic nephritis, etc. (592-594)	6	5	1	6	5	1	21.5	37.2	6.9
28.4	Infections of kidney (600)	2	0	2	2	0	2	7.2	-	13.8
	Hyperplasia of prostate (610)	3	1	2	3	1	2	10.7	7.4	13.8
17.2	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
6.3	Congenital malformations (750-759)	1	0	1	1	0	1	3.6	-	-
42.9	Diseases of early infancy (760-776)	11	3	8	10	3	7	15.7	15.2	16.0
56.7	Accidents (800-962)	28	14	14	27	15	12	96.7	111.5	82.9
28.4	Motor vehicle acc. (810-835)	12	7	5	9	5	4	32.2	37.2	27.6
15.8	Suicide (963, 970-979)	3	2	1	3	2	1	10.7	14.9	6.9
110.3	Homicide (964, 980-985)	4	3	1	6	3	3	21.5	22.3	20.7
	Ill-defined (780-795)	9	2	7	12	2	10	43.0	14.9	69.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COVINGTON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	159	116	43	291	151	140	22.6	17.5	32.9
Fetal deaths	9	8	1	19	9	10	65.3	59.6	71.4
Total deaths	77	47	30	124	81	43	9.6	9.4	10.1
Deaths under 1 year	1	0	1	5	2	3	17.2	13.2	21.4
Deaths under 28 days	0	0	0	2	1	1	6.9	6.6	7.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	15.5	11.6	23.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	4	5	19	14	5	147.5	162.4	117.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	7.8	11.6	-
Diabetes mellitus (260)	5	4	1	5	4	1	38.8	46.4	23.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	15	9	6	22	14	8	170.8	162.4	187.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	29	21	8	34	27	7	264.0	313.2	164.3
Other hypertensive disease (444-447)	1	0	1	1	0	1	7.8	-	23.5
General arteriosclerosis (450)	1	0	1	3	2	1	23.3	23.2	23.5
Other circulatory diseases (451-468)	1	1	0	1	1	0	7.8	11.6	-
#Influenza & pneumonia (480-493)	1	0	1	3	1	2	23.3	11.6	46.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	7.8	11.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	7.8	11.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	0	2	15.5	-	46.9
#Gastritis, etc. (543, 571, 572)	1	1	0	4	3	1	31.0	34.8	23.5
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	4	0	4	31.0	-	93.9
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	7.8	11.6	-
Diseases of early infancy (760-776)	0	0	0	1	0	1	3.4	-	7.1
Accidents (800-962)	5	2	3	9	4	5	69.9	46.4	117.4
Motor vehicle acc. (810-835)	2	0	2	6	3	3	46.6	34.8	70.4
Suicide (963, 970-979)	0	0	0	1	0	1	7.8	-	23.5
Homicide (964, 980-985)	1	1	0	2	1	1	15.5	11.6	23.5
Ill-defined (780-795)	1	1	0	2	1	1	15.5	11.6	23.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 DESOTO COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
32.9	Live births	588	56	532	857	343	514	30.3	24.1	36.4
71.4	Fetal deaths	16	3	13	20	3	17	23.3	8.7	33.1
10.1	Total deaths	169	56	113	231	82	149	8.2	5.8	10.6
21.4	Deaths under 1 year	20	0	20	38	4	34	44.3	11.7	66.1
7.1	Deaths under 28 days	8	0	8	21	3	18	24.5	8.7	35.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
23.5	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	2	0	2	2	0	2	7.1	-	14.2
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	1	0	1	3.5	-	7.1
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
117.4	Malignant neoplasms (140-205)	22	8	14	28	11	17	98.9	77.4	120.6
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	1	0	1	1	0	1	3.5	-	7.1
23.5	Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
	Anemias (290-293)	0	0	0	0	0	0	-	-	-
187.8	Intracranial lesions (330-334)	14	3	11	24	9	15	84.8	63.3	106.4
	Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.5	-	7.1
164.3	Heart diseases (400-443)	52	24	28	70	36	34	247.3	253.3	241.1
23.5	Other hypertensive disease (444-447)	4	1	3	5	1	4	17.7	7.0	28.4
23.5	General arteriosclerosis (450)	7	1	6	7	1	6	24.7	7.0	42.6
	Other circulatory diseases (451-468)	0	0	0	2	1	1	7.1	7.0	7.1
46.9	#Influenza & pneumonia (480-493)	8	4	4	11	5	6	38.8	35.2	42.6
	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	1	0	1	3	2	1	10.6	14.1	7.1
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
23.5	#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	3.5	-	7.1
	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
	Acute nephritis (590, 591)	0	0	0	1	0	1	3.5	-	7.1
93.9	Chronic nephritis, etc. (592-594)	2	0	2	3	0	3	10.6	-	21.3
	Infections of kidney (600)	1	0	1	2	1	1	7.1	7.0	7.1
	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
	Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
7.1	Diseases of early infancy (760-776)	11	0	11	23	4	19	26.8	11.7	37.0
117.4	Accidents (800-962)	17	9	8	12	2	10	42.4	14.1	70.9
70.4	Motor vehicle accidents (810-835)	6	5	1	7	2	5	24.7	14.1	35.5
23.5	Suicide (963, 970-979)	2	2	0	3	2	1	10.6	14.1	7.1
23.5	Homicide (964, 980-985)	3	1	2	2	0	2	7.1	-	14.2
23.5	Ill-defined (780-795)	14	2	12	15	3	12	53.0	21.1	85.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
FORREST COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,558	1,126	432	1,282	810	472	22.3	19.4	30.1
Fetal deaths	29	15	14	26	9	17	20.3	11.1	36.0
Total deaths	606	417	189	563	354	209	9.8	8.5	13.3
Deaths under 1 year	42	25	17	38	16	22	29.6	19.8	46.6
Deaths under 28 days	28	17	11	24	9	15	18.7	11.1	31.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	4	2	2	7.0	4.8	12.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	1.7	2.4	-
Malignant neoplasms (140-205)	89	69	20	77	56	21	133.8	133.8	133.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	3	3	6	2	4	10.4	4.8	25.5
Anemias (290-293)	3	2	1	4	2	2	7.0	4.8	12.7
Intracranial lesions (330-334)	69	51	18	60	40	20	104.3	95.6	127.4
Nonmeningococcal meningitis (340)	1	1	0	1	0	1	1.7	-	6.4
Heart diseases (400-443)	207	152	55	187	131	56	325.0	313.1	356.7
Other hypertensive disease (444-447)	6	1	5	7	1	6	12.2	2.4	38.2
General arteriosclerosis (450)	16	10	6	19	14	5	33.0	33.5	31.8
Other circulatory diseases (451-468)	6	5	1	8	6	2	13.9	14.3	12.7
#Influenza & pneumonia (480-493)	14	9	5	12	6	6	20.8	14.3	38.2
Bronchitis (500-502)	1	1	0	1	1	0	1.7	2.4	-
Other bronchopul. diseases (525-527)	8	7	1	8	7	1	13.9	16.7	6.4
Stomach & duodenal ulcers (540, 541)	4	2	2	4	2	2	7.0	4.8	12.7
Hernia & intestinal obstruction (560, 561, 570)	8	5	3	6	3	3	10.4	7.2	19.1
#Castritis, etc. (543, 571, 572)	8	5	3	8	4	4	13.9	9.6	25.5
Cirrhosis of liver (581)	1	1	0	2	2	0	3.5	4.8	-
Acute nephritis (590, 591)	1	0	1	1	0	1	1.7	-	6.4
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	1.7	-	6.4
Infections of kidney (600)	6	1	5	7	2	5	12.2	4.8	31.8
Hyperplasia of prostate (610)	4	3	1	5	3	2	8.7	7.2	12.7
Maternal causes (640-689)	0	0	0	1	0	1	1.7	-	6.4
Congenital malformations (750-759)	1	0	1	2	0	2	15.6	-	42.4
Diseases of early infancy (760-776)	6	4	2	5	4	1	8.7	9.6	6.4
Accidents (800-962)	21	13	8	20	7	13	15.6	8.6	27.5
Motor vehicle accidents (810-835)	53	43	10	46	35	11	79.9	83.6	70.1
Suicide (963, 970-979)	31	28	3	24	21	3	41.7	50.2	19.1
Homicide (964, 980-985)	3	2	1	3	2	1	5.2	4.8	6.4
All-defined (780-795)	8	1	7	8	2	6	13.9	4.8	38.2
	40	14	26	42	15	27	73.0	35.8	172.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
FRANKLIN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white		Occurrence			Residence			Rate*		
		Total	White	Non-white	Number			Total	White	Non-white
					Total	White	Non-white			
30.1	Live births	149	60	89	193	80	113	21.8	14.8	32.8
36.0	Fetal deaths	9	4	5	7	2	5	36.3	25.0	44.2
13.5	Total deaths	73	46	27	93	57	36	10.5	10.6	10.4
46.6	Deaths under 1 year	8	3	5	9	3	6	46.6	37.5	53.1
31.8	Deaths under 28 days	4	2	2	5	2	3	25.9	25.0	26.5
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
12.7	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
133.8	Malignant neoplasms (140-205)	9	7	2	12	9	3	135.6	166.7	87.0
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	1	0	1	0	0	0	-	-	-
25.5	Diabetes mellitus (260)	2	0	2	1	0	1	11.3	-	29.0
12.7	Anemias (290-293)	0	0	0	1	0	1	11.3	-	29.0
127.4	Intracranial lesions (330-334)	8	7	1	8	7	1	90.4	129.6	29.0
6.4	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
356.7	Heart diseases (400-443)	33	22	11	39	26	13	440.7	481.5	376.8
38.2	Other hypertensive disease (444-447)	1	0	1	2	0	2	22.6	-	58.0
31.8	General arteriosclerosis (450)	3	3	0	2	2	0	22.6	37.0	-
12.7	Other circulatory diseases (451-468)	0	0	0	1	1	0	11.3	18.5	-
38.2	#Influenza & pneumonia (480-493)	1	0	1	3	2	1	33.9	37.0	29.0
	Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
6.4	Other bronchopul. diseases (525-527)	1	0	1	1	0	1	11.3	-	29.0
12.7	Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	11.3	18.5	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
25.5	#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
6.4	Acute nephritis (590, 591)	0	0	0	1	1	0	11.3	18.5	-
31.8	Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
12.7	Infections of kidney (600)	1	0	1	1	0	1	11.3	-	29.0
6.4	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
42.4	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
6.4	Congenital malformations (750-759)	1	0	1	1	0	1	11.3	-	29.0
27.5	Diseases of early infancy (760-776)	3	2	1	4	2	2	20.7	25.0	17.7
70.1	Accidents (800-962)	1	0	1	3	1	2	33.9	18.5	58.0
19.1	Motor vehicle accidents (810-835)	0	0	0	0	0	0	-	-	-
6.4	Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
38.2	Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
172.0	III-defined (780-795)	2	1	1	4	1	3	45.2	18.5	87.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GEORGE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	339	284	55	303	256	47	26.4	25.1	37.3
Fetal deaths	4	3	1	3	2	1	9.9	7.8	21.3
Total deaths	93	84	9	96	84	12	8.4	8.2	9.5
Deaths under 1 year	4	3	1	9	7	2	29.7	27.3	42.6
Deaths under 28 days	3	2	1	7	6	1	23.1	23.4	21.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	8.7	9.8	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	8	1	16	15	1	139.6	147.0	79.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	8.7	9.8	-
Diabetes mellitus (260)	2	2	0	2	2	0	17.4	19.6	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	11	2	10	8	2	87.3	78.4	158.7
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	8.7	-	79.4
Heart diseases (400-443)	33	28	5	33	29	4	288.0	284.3	317.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	2	0	2	1	1	17.4	9.8	79.4
#Influenza & pneumonia (480-493)	0	0	0	1	1	0	8.7	9.8	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	8.7	9.8	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	8.7	9.8	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	8.7	9.8	-
Infections of kidney (600)	1	1	0	1	1	0	8.7	9.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	2	2	0	17.4	19.6	-
Diseases of early infancy (760-776)	3	2	1	7	6	1	23.1	23.4	21.3
Accidents (800-962)	16	16	0	8	8	0	69.8	78.4	-
Motor vehicle accidents (810-835)	12	12	0	4	4	0	34.9	39.2	-
Suicide (963, 970-979)	0	0	0	1	1	0	8.7	9.8	-
Homicide (964, 980-985)	2	2	0	3	1	2	26.2	9.8	158.7
Ill-defined (780-795)	1	1	0	1	1	0	8.7	9.8	-

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GREENE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	60	22	38	173	111	62	19.3	16.0	30.7
Fetal deaths	3	0	3	6	4	2	34.7	36.0	32.2
Total deaths	51	35	16	93	69	24	10.4	10.0	11.9
Deaths under 1 year	4	1	3	5	2	3	28.9	18.0	48.4
Deaths under 28 days	2	0	2	3	1	2	17.3	9.0	32.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	11.2	-	49.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	5	4	1	14	11	3	156.4	158.7	148.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	2	0	22.3	28.9	-
Anemias (290-293)	0	0	0	1	0	1	11.2	-	49.5
Intracranial lesions (330-334)	6	6	0	11	10	1	122.9	144.3	49.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	25	17	8	40	30	10	446.9	432.9	495.0
Other hypertensive disease (444-447)	0	0	0	1	0	1	11.2	-	49.5
General arteriosclerosis (450)	1	1	0	3	2	1	33.5	28.9	49.5
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	1	1	0	11.2	14.4	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	11.2	14.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	11.2	14.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	57.8	-	161.3
Congenital malformations (750-759)	2	1	1	2	1	1	22.3	14.4	49.5
Diseases of early infancy (760-776)	1	0	1	2	1	1	11.6	9.0	16.1
Accidents (800-962)	5	2	3	7	5	2	78.2	72.2	99.0
Motor vehicle accidents (810-835)	3	2	1	5	4	1	55.9	57.7	49.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	2	1	1	2	1	1	22.3	14.4	49.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GRENADA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	498	169	329	530	202	328	25.8	18.0	35.3
Fetal deaths	22	7	15	18	5	13	34.0	24.8	39.6
Total deaths	232	120	112	203	90	113	9.9	8.0	12.2
Deaths under 1 year	31	3	28	29	2	27	54.7	9.9	82.3
Deaths under 28 days	20	2	18	21	2	19	39.6	9.9	57.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	1	1	0	4.9	8.9	-
Malignant neoplasms (140-205)	20	15	5	18	12	6	87.7	106.8	64.6
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	4.9	8.9	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	3	2	3	1	2	14.6	8.9	21.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	61	26	35	49	17	32	238.8	151.4	344.4
Normeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	62	42	20	51	31	20	248.5	276.0	215.3
Other hypertensive disease (444-447)	6	3	3	6	3	3	29.2	26.7	32.3
General arteriosclerosis (450)	3	1	2	2	0	2	9.7	-	21.5
Other circulatory diseases (451-468)	1	1	0	1	1	0	4.9	8.9	-
#Influenza & pneumonia (480-493)	10	5	5	6	1	5	29.2	8.9	53.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	9.7	17.8	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	9.7	17.8	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	4.9	8.9	-
#Gastritis, etc. (543, 571, 572)	3	1	2	1	0	1	4.9	-	10.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	1	1	1	0	1	4.9	-	10.8
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	17	2	15	18	2	16	34.0	9.9	48.8
Accidents (800-962)	16	10	6	19	9	10	92.6	80.1	107.6
Motor vehicle accidents (810-835)	7	4	3	9	5	4	43.8	44.5	43.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	4.9	-	-
III-defined (780-795)	16	4	12	15	3	12	73.1	26.7	129.2

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HANCOCK COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
35.1	Live births	198	141	57	338	274	64	21.4	20.4	26.9
39.1	Fetal deaths	5	3	2	6	4	2	17.8	14.6	31.2
12.1	Total deaths	133	111	22	163	138	25	10.3	10.3	10.5
82.1	Deaths under 1 year	10	5	5	11	6	5	32.5	21.9	78.1
57.0	Deaths under 28 days	6	2	4	7	3	4	20.7	10.9	62.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
64.6	Malignant neoplasms (140-205)	15	15	0	24	22	2	151.6	163.6	84.0
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
21.5	Diabetes mellitus (260)	3	1	2	3	1	2	19.0	7.4	84.0
	Anemias (290-293)	0	0	0	0	0	0	-	-	-
44.4	Intracranial lesions (330-334)	19	18	1	23	21	2	145.3	156.1	84.0
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
15.3	Heart diseases (400-443)	43	39	4	54	50	4	341.1	371.7	168.1
32.3	Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
21.5	General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
	Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
53.8	#Influenza & pneumonia (480-493)	1	1	0	1	1	0	6.3	7.4	-
	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	1	1	0	4	4	0	25.3	29.7	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
10.8	#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
	Cirrhosis of liver (581)	1	1	0	3	2	1	19.0	14.9	42.0
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
	Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.3	7.4	-
10.8	Infections of kidney (600)	2	2	0	1	1	0	6.3	7.4	-
	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
	Congenital malformations (750-759)	2	2	0	2	2	0	-	-	-
48.8	Diseases of early infancy (760-776)	5	2	3	6	3	3	17.8	10.9	46.9
07.6	Accidents (800-962)	11	8	3	13	12	1	82.1	89.2	42.0
43.0	Motor vehicle accidents (810-835)	6	6	0	7	7	0	44.2	52.0	-
10.8	Suicide (963, 970-979)	4	4	0	3	3	0	19.0	22.3	-
	Homicide (964, 980-985)	1	1	0	0	0	0	-	-	-
29.2	Ill-defined (780-795)	21	12	9	19	10	9	120.0	74.3	378.2

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 HARRISON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	3,895	3,095	800	3,531	2,759	772	28.6	26.8	38.0
Fetal deaths	213	170	43	186	145	41	52.7	52.6	53.1
Total deaths	1,125	884	241	926	715	211	7.5	6.9	10.4
Deaths under 1 year	104	59	45	95	48	47	26.9	17.4	60.9
Deaths under 28 days	75	49	26	68	42	26	19.2	15.2	33.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	3	2	1	2.4	1.9	4.9
Syphilis (020-029)	1	0	1	1	0	1	0.8	-	4.9
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	3	3	0	2	2	0	1.6	1.9	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	182	147	35	136	113	23	110.3	109.7	113.3
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	0.8	1.0	-
Asthma (241)	1	1	0	1	1	0	0.8	1.0	-
Diabetes mellitus (260)	15	8	7	11	7	4	8.9	6.8	19.7
Anemias (290-293)	2	2	0	1	1	0	0.8	1.0	-
Intracranial lesions (330-334)	114	78	36	95	64	31	77.1	62.2	152.7
Nonmeningococcal meningitis (340)	3	2	1	2	1	1	1.6	1.0	4.9
Heart diseases (400-443)	336	297	39	287	249	38	232.8	241.8	187.2
Other hypertensive disease (444-447)	12	6	6	9	5	4	7.3	4.8	19.7
General arteriosclerosis (450)	14	10	4	12	9	3	9.7	8.7	14.8
Other circulatory diseases (451-468)	23	20	3	18	18	0	14.6	17.5	-
#Influenza & pneumonia (480-493)	43	33	10	25	14	11	20.3	13.6	54.2
Bronchitis (500-502)	8	8	0	4	4	0	3.2	3.9	-
Other bronchopul. diseases (525-527)	18	14	4	9	6	3	7.3	5.8	14.8
Stomach & duodenal ulcers (540, 541)	5	5	0	4	4	0	3.2	3.9	-
Hernia & intestinal obstruction (560, 561, 570)	7	6	1	6	5	1	4.9	4.8	4.9
#Gastritis, etc. (543, 571, 572)	7	3	4	6	3	3	4.9	2.9	14.8
Cirrhosis of liver (581)	12	11	1	7	7	0	5.7	6.8	-
Acute nephritis (590, 591)	1	0	1	1	0	1	0.8	-	4.9
Chronic nephritis, etc. (592-594)	8	3	5	4	0	4	3.2	-	19.7
Infections of kidney (600)	6	6	0	3	2	1	2.4	1.9	4.9
Hyperplasia of prostate (610)	1	1	0	1	1	0	0.8	1.0	-
Maternal causes (640-689)	1	0	1	1	0	1	2.8	-	13.0
Congenital malformations (750-759)	16	13	3	14	10	4	11.4	9.7	19.7
Diseases of early infancy (760-776)	59	40	19	54	35	19	15.3	12.7	24.6
Accidents (800-962)	67	53	14	66	54	12	53.5	52.4	59.1
Motor vehicle acc. (810-835)	31	29	2	36	35	1	29.2	34.0	4.9
Suicide (963, 970-979)	11	10	1	10	9	1	8.1	8.7	4.9
Homicide (964, 980-985)	11	9	2	10	8	2	8.1	7.8	9.8
Ill-defined (780-795)	97	63	34	85	52	33	69.0	50.5	162.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 HINDS COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

on- hite		Occurrence			Residence					
		Total	White	Non- white	Number			Rate*		
					Total	White	Non- white	Total	White	Non- white
38.0	Live births	5,928	2,889	3,039	5,129	2,347	2,782	25.3	19.2	34.8
53.1	Fetal deaths	590	335	255	476	284	192	92.8	121.0	69.0
10.4	Total deaths	2,434	1,369	1,065	1,628	870	758	8.0	7.1	9.5
60.9	Deaths under 1 year	252	83	169	178	53	125	34.7	22.6	44.9
33.7	Deaths under 28 days	170	66	104	121	45	76	23.6	19.2	27.3
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
4.9	Tuberculosis (001-019)	10	7	3	8	2	6	4.0	1.6	7.5
4.9	Syphilis (020-029)	8	1	7	6	1	5	3.0	0.8	6.3
	Dysentery (045-048)	1	0	1	2	0	2	1.0	-	2.5
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	1	1	0	2	1	1	1.0	0.8	1.2
13.3	Malignant neoplasms (140-205)	425	288	137	224	147	77	110.7	120.0	96.4
	Benign & unspec. neoplasms (210-239)	12	3	9	6	2	4	3.0	1.6	5.0
	Asthma (241)	6	3	3	5	3	2	2.5	2.4	2.5
19.7	Diabetes mellitus (260)	39	18	21	22	9	13	10.9	7.3	16.3
	Anemias (290-293)	6	4	2	4	2	2	2.0	1.6	2.5
52.7	Intracranial lesions (330-334)	252	128	124	195	102	93	96.4	83.3	116.5
4.9	Nonmeningococcal meningitis (340)	20	4	16	13	3	10	6.4	2.4	12.5
87.2	Heart diseases (400-443)	599	403	196	469	298	171	231.8	243.3	214.2
19.7	Other hypertensive disease (444-447)	24	9	15	11	4	7	5.4	3.3	8.8
14.8	General arteriosclerosis (450)	25	22	3	15	12	3	7.4	9.8	3.8
	Other circulatory diseases (451-468)	54	35	19	21	11	10	10.4	9.0	12.5
54.2	#Influenza & pneumonia (480-493)	63	24	39	55	19	36	27.2	15.5	45.1
	Bronchitis (500-502)	3	2	1	2	1	1	1.0	0.8	1.2
14.8	Other bronchopul. diseases (525-527)	26	21	5	13	12	1	6.4	9.8	1.2
	Stomach & duodenal ulcers (540, 541)	16	9	7	8	4	4	4.0	3.3	5.0
	Hernia & intestinal obstruction (560, 561, 570)	18	11	7	12	8	4	5.9	6.5	5.0
14.8	#Gastritis, etc. (543, 571, 572)	24	8	16	14	6	8	6.9	4.9	10.0
	Cirrhosis of liver (581)	21	16	5	9	9	0	4.4	7.3	-
4.9	Acute nephritis (590, 591)	8	1	7	5	0	5	2.5	-	6.0
19.7	Chronic nephritis, etc. (592-594)	36	13	23	18	5	13	8.9	4.1	16.3
4.9	Infections of kidney (600)	19	11	8	7	7	0	3.4	5.7	-
	Hyperplasia of prostate (610)	7	3	4	4	2	2	2.0	1.6	2.5
13.0	Maternal causes (640-689)	6	3	3	2	1	1	3.9	4.3	3.6
19.7	Congenital malformations (750-759)	44	23	21	26	13	13	12.8	10.6	16.3
24.6	Diseases of early infancy (760-776)	134	55	79	101	38	63	19.7	16.2	22.6
59.1	Accidents (800-962)	199	123	76	108	61	47	53.4	49.8	58.9
4.9	Motor vehicle accidents (810-835)	94	66	28	50	36	14	24.7	29.4	17.5
4.9	Suicide (963, 970-979)	19	15	4	16	14	2	7.9	11.4	2.5
9.8	Homicide (964, 980-985)	34	2	32	23	2	21	11.4	1.6	26.3
52.6	Ill-defined (780-795)	159	38	121	144	37	107	71.2	30.2	134.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HOLMES COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	803	134	669	785	132	653	26.1	14.4	31.2
Fetal deaths	44	5	39	45	5	40	57.3	37.9	61.2
Total deaths	329	87	242	365	107	258	12.1	11.7	12.3
Deaths under 1 year	33	4	29	34	3	31	43.3	22.7	47.5
Deaths under 28 days	22	4	18	21	3	18	26.8	22.7	27.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	6.6	10.9	4.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	35	14	21	34	12	22	113.1	131.3	105.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	11	1	10	13	3	10	43.2	32.8	47.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	49	16	33	52	16	36	172.9	175.0	172.0
Nonmeningococcal meningitis (340)	1	0	1	2	0	2	6.6	-	9.6
Heart diseases (400-443)	79	32	47	97	44	53	322.6	481.4	253.2
Other hypertensive disease (444-447)	2	1	1	2	1	1	6.6	10.9	4.8
General arteriosclerosis (450)	4	2	2	4	2	2	13.3	21.9	9.6
Other circulatory diseases (451-468)	3	0	3	5	2	3	16.6	21.9	14.3
#Influenza & pneumonia (480-493)	13	0	13	15	0	15	49.9	-	71.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	1	0	1	3.3	-	4.8
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.3	10.9	-
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	6.6	-	9.6
#Gastritis, etc. (543, 571, 572)	5	0	5	5	0	5	16.6	-	23.9
Cirrhosis of liver (581)	0	0	0	1	1	0	3.3	10.9	-
Acute nephritis (590, 591)	0	0	0	1	0	1	3.3	-	4.8
Chronic nephritis, etc. (592-594)	7	1	6	7	1	6	23.3	10.9	28.7
Infections of kidney (600)	2	1	1	3	1	2	10.0	10.9	9.6
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.3	-	4.8
Maternal causes (640-689)	0	0	0	1	0	1	12.7	-	15.3
Congenital malformations (750-759)	1	1	0	1	1	0	3.3	10.9	-
Diseases of early infancy (760-776)	20	4	16	19	3	16	24.2	22.7	24.5
Accidents (800-962)	29	6	23	28	8	20	93.1	87.5	95.6
Motor vehicle accidents (810-835)	10	4	6	8	3	5	26.6	32.8	23.9
Suicide (963, 970-979)	1	1	0	1	1	0	3.3	10.9	-
Homicide (964, 980-985)	4	1	3	4	1	3	13.3	10.9	14.3
Ill-defined (780-795)	50	2	48	49	2	47	163.0	21.9	224.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 HUMPHREYS COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
31.2	Live births	568	69	499	574	92	482	30.4	15.2	37.5
61.2	Fetal deaths	19	1	18	24	2	22	41.8	21.7	45.6
12.3	Total deaths	144	35	109	191	59	132	10.1	9.7	10.3
47.5	Deaths under 1 year	26	2	24	32	2	30	55.7	21.7	62.2
27.6	Deaths under 28 days	15	0	15	17	0	17	29.6	-	35.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
4.8	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
-	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
-	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
-	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
-	Diphtheria (055)	0	0	0	0	0	0	-	-	-
-	Whooping cough (056)	0	0	0	0	0	0	-	-	-
-	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
-	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
-	Measles (085)	0	0	0	0	0	0	-	-	-
105.1	Malignant neoplasms (140-205)	9	4	5	19	8	11	100.5	131.8	85.7
-	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
-	Asthma (241)	0	0	0	0	0	0	-	-	-
47.8	Diabetes mellitus (260)	2	1	1	4	1	3	21.2	16.5	23.4
-	Anemias (290-293)	1	0	1	1	0	1	5.3	-	7.8
172.0	Intracranial lesions (330-334)	27	3	24	27	4	23	142.8	65.9	179.1
9.6	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
253.2	Heart diseases (400-443)	48	14	34	58	21	37	306.7	346.0	288.2
4.8	Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
9.6	General arteriosclerosis (450)	3	0	3	4	2	2	21.2	32.9	15.6
14.3	Other circulatory diseases (451-468)	1	0	1	2	1	1	10.6	16.5	7.8
71.7	#Influenza & pneumonia (480-493)	4	0	4	5	0	5	26.4	-	38.9
-	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
4.8	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
-	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
-	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.3	16.5	-
23.9	#Gastritis, etc. (543, 571, 572)	4	0	4	7	0	7	37.0	-	54.5
-	Cirrhosis of liver (581)	0	0	0	1	1	0	5.3	16.5	-
4.8	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
28.7	Chronic nephritis, etc. (592-594)	4	0	4	4	0	4	21.2	-	31.2
9.6	Infections of kidney (600)	1	1	0	3	2	1	15.9	32.9	7.8
4.8	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
15.3	Maternal causes (640-689)	1	0	1	1	0	1	17.4	-	20.7
-	Congenital malformations (750-759)	2	1	1	3	1	2	15.9	16.5	15.6
24.5	Diseases of early infancy (760-776)	12	0	12	14	0	14	24.4	-	29.0
95.6	Accidents (800-962)	5	2	3	12	7	5	63.4	115.3	38.9
23.9	Motor vehicle accidents (810-835)	0	0	0	4	4	0	21.2	65.9	-
-	Suicide (963, 970-979)	2	2	0	2	2	0	10.6	32.9	-
14.3	Homicide (964, 980-985)	3	2	1	3	1	2	15.9	16.5	15.6
24.6	III-defined (780-795)	9	0	9	12	1	11	63.4	16.5	85.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ISSAQUNA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	35	1	34	102	24	78	31.9	21.0	37.9
Fetal deaths	2	0	2	2	1	1	19.6	41.7	12.8
Total deaths	27	2	25	39	6	33	12.2	5.3	16.0
Deaths under 1 year	1	0	1	4	0	4	39.2	-	51.3
Deaths under 28 days	1	0	1	2	0	2	19.6	-	25.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	31.2	-	48.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	31.2	-	48.5
Malignant neoplasms (140-205)	2	1	1	3	1	2	93.8	87.7	97.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	1	0	1	31.2	-	48.5
Intracranial lesions (330-334)	6	0	6	8	1	7	250.0	87.7	339.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	6	0	6	8	1	7	250.0	87.7	339.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	2	0	2	2	0	2	62.5	-	97.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	31.2	87.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	31.2	-	48.5
#Gastritis, etc. (543, 571, 572)	0	0	0	2	0	2	62.5	-	97.1
Cirrhosis of liver (581)	0	0	0	1	0	1	31.2	-	48.5
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	0	1	31.2	-	48.5
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	2	0	2	19.6	-	25.6
Accidents (800-962)	2	1	1	2	1	1	62.5	87.7	48.5
Motor vehicle accidents (810-835)	0	0	0	0	0	0	-	-	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	0	4	3	0	3	93.8	-	145.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ITAWAMBA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
37.9	Live births	53	41	12	240	220	20	13.2	12.8	19.8
12.8	Fetal deaths	3	1	2	6	3	3	25.0	13.6	150.0
16.0	Total deaths	107	102	5	165	155	10	9.1	9.0	9.9
51.3	Deaths under 1 year	3	2	1	3	2	1	12.5	9.1	50.0
25.6	Deaths under 28 days	2	1	1	2	1	1	8.3	4.5	50.0
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
48.5	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	1	1	0	1	1	0	5.5	5.8	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
48.5	Measles (085)	0	0	0	0	0	0	-	-	-
97.1	Malignant neoplasms (140-205)	14	14	0	23	21	2	126.4	122.2	198.0
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	1	1	0	1	1	0	5.5	5.8	-
	Diabetes mellitus (260)	1	1	0	3	2	1	16.5	11.6	99.0
48.5	Anemias (290-293)	0	0	0	0	0	0	-	-	-
339.8	Intracranial lesions (330-334)	26	23	3	35	32	3	192.4	186.3	297.0
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
339.8	Heart diseases (400-443)	51	50	1	67	66	1	368.3	384.2	99.0
	Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
	General arteriosclerosis (450)	1	1	0	2	2	0	11.0	11.6	-
	Other circulatory diseases (451-468)	0	0	0	4	4	0	22.0	23.3	-
97.1	#Influenza & pneumonia (480-493)	1	1	0	3	3	0	16.5	17.5	-
	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	0	0	0	1	1	0	5.5	5.8	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.5	5.8	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.5	5.8	-
48.5	#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	5.5	5.8	-
97.1	Cirrhosis of liver (581)	0	0	0	1	1	0	5.5	5.8	-
48.5	Acute nephritis (590, 591)	0	0	0	0	0	0	5.5	5.8	-
48.5	Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	5.5	5.8	-
	Infections of kidney (600)	1	1	0	1	1	0	5.5	5.8	-
	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
	Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
25.6	Diseases of early infancy (760-776)	2	1	1	2	1	1	8.3	4.5	50.0
48.5	Accidents (800-962)	1	1	0	8	7	1	44.0	40.7	99.0
	Motor vehicle accidents (810-835)	0	0	0	4	4	0	22.0	23.3	-
	Suicide (963, 970-979)	3	3	0	4	4	0	22.0	23.3	-
	Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
45.6	Ill-defined (780-795)	1	1	0	2	2	0	11.0	11.6	-

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 JACKSON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,453	1,029	424	1,828	1,372	456	27.2	25.2	35.7
Fetal deaths	42	26	16	59	42	17	32.3	30.6	37.3
Total deaths	354	246	108	418	299	119	6.2	5.5	9.3
Deaths under 1 year	49	25	24	58	34	24	31.7	24.8	52.6
Deaths under 28 days	40	21	19	47	28	19	25.7	20.4	41.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	1.5	-	7.8
Syphilis (020-029)	1	0	1	1	0	1	1.5	-	7.8
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	1	1	3	2	1	4.5	3.7	7.8
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	1.5	1.8	-
Malignant neoplasms (140-205)	40	29	11	54	42	12	80.5	77.3	94.0
Benign & unspec. neoplasms (210-239)	0	0	0	2	0	2	3.0	-	15.7
Asthma (241)	0	0	0	1	0	1	1.5	-	7.8
Diabetes mellitus (260)	8	7	1	8	7	1	11.9	12.9	7.8
Anemias (290-293)	0	0	0	1	1	0	1.5	1.8	-
Intracranial lesions (330-334)	44	29	15	49	33	16	73.0	60.7	125.4
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	1.5	1.8	-
Heart diseases (400-443)	77	59	18	93	75	18	138.6	138.0	141.1
Other hypertensive disease (444-447)	2	1	1	2	1	1	3.0	1.8	7.8
General arteriosclerosis (450)	11	10	1	12	10	2	17.9	18.4	15.7
Other circulatory diseases (451-468)	3	3	0	10	8	2	14.9	14.7	15.7
#Influenza & pneumonia (480-493)	9	5	4	12	7	5	17.9	12.9	39.2
Bronchitis (500-502)	1	0	1	2	1	1	3.0	1.8	7.8
Other bronchopul. diseases (525-527)	6	3	3	7	4	3	10.4	7.4	23.5
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	1.5	1.8	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	4	3	1	6.0	5.5	7.8
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	1.5	1.8	-
Cirrhosis of liver (581)	1	1	0	4	4	0	6.0	7.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	6	3	3	5	3	2	7.4	5.5	15.7
Infections of kidney (600)	1	1	0	1	1	0	1.5	1.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	5	4	1	7	6	1	10.4	11.0	7.8
Diseases of early infancy (760-776)	34	17	17	39	22	17	21.3	16.0	37.3
Accidents (800-962)	41	33	8	40	32	8	59.6	58.9	62.7
Motor vehicle acc. (810-835)	22	19	3	16	12	4	23.8	22.1	31.3
Suicide (963, 970-979)	3	3	0	4	4	0	6.0	7.4	-
Homicide (964, 980-985)	7	2	5	7	1	6	10.4	1.8	47.0
Ill-defined (780-795)	37	25	12	32	20	12	47.7	36.8	94.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JASPER COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	164	105	59	343	114	229	20.5	13.2	28.2
Fetal deaths	14	7	7	34	13	21	99.1	114.0	91.7
Total deaths	114	53	61	175	91	84	10.4	10.6	10.3
Deaths under 1 year	3	0	3	12	2	10	35.0	17.5	43.7
Deaths under 28 days	0	0	0	7	2	5	20.4	17.5	21.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	6.0	-	12.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	20	10	10	27	17	10	161.3	197.4	123.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	2	1	1	11.9	11.6	12.3
Diabetes mellitus (260)	2	0	2	3	0	3	17.9	-	36.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	14	5	9	24	14	10	143.4	162.6	123.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	40	22	18	53	30	23	316.6	348.4	282.9
Other hypertensive disease (444-447)	1	1	0	3	2	1	17.9	23.2	12.3
General arteriosclerosis (450)	1	1	0	2	2	0	11.9	23.2	-
Other circulatory diseases (451-468)	2	1	1	5	3	2	29.9	34.8	24.6
#Influenza & pneumonia (480-493)	4	1	3	5	0	5	29.9	-	61.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	4	4	0	23.9	45.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	6.0	-	12.3
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	11.9	-	24.6
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	6.0	11.6	-
Infections of kidney (600)	0	0	0	1	1	0	6.0	11.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	2	0	2	58.3	-	87.3
Congenital malformations (750-759)	1	0	1	4	2	2	23.9	23.2	24.6
Diseases of early infancy (760-776)	1	0	1	7	2	5	20.4	17.5	21.8
Accidents (800-962)	12	6	6	13	5	8	77.6	58.1	98.4
Motor vehicle accidents (810-835)	8	5	3	8	4	4	47.8	46.4	49.2
Suicide (963, 970-979)	2	2	0	1	1	0	6.0	11.6	-
Homicide (964, 980-985)	2	0	2	2	0	2	11.9	-	24.6
Ill-defined (780-795)	3	1	2	3	1	2	17.9	11.6	24.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JEFFERSON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	72	0	72	218	28	190	24.0	11.7	28.3
Fetal deaths	5	1	4	13	5	8	59.6	178.6	42.1
Total deaths	67	12	55	117	31	86	12.8	13.0	12.8
Deaths under 1 year	3	0	3	6	0	6	27.5	-	31.6
Deaths under 28 days	2	0	2	4	0	4	18.3	-	21.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	11.0	-	14.9
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	1	2	10	6	4	109.9	251.0	59.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	11.0	-	14.9
Anemias (290-293)	0	0	0	1	0	1	11.0	-	14.9
Intracranial lesions (330-334)	4	0	4	12	3	9	131.9	125.5	134.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	28	8	20	46	15	31	505.5	627.6	462.0
Other hypertensive disease (444-447)	1	0	1	2	1	1	22.0	41.8	14.9
General arteriosclerosis (450)	1	0	1	2	1	1	22.0	41.8	14.9
Other circulatory diseases (451-468)	2	0	2	2	0	2	22.0	-	29.8
#Influenza & pneumonia (480-493)	3	0	3	5	1	4	54.9	41.8	59.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	11.0	-	14.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	3	0	3	33.0	-	44.7
Infections of kidney (600)	0	0	0	2	0	2	22.0	-	29.8
Hyperplasia of prostate (610)	1	1	0	1	1	0	11.0	41.8	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	11.0	-	14.9
Diseases of early infancy (760-776)	0	0	0	2	0	2	9.2	-	10.5
Accidents (800-962)	11	1	10	14	1	13	153.8	41.8	193.7
Motor vehicle acc. (810-835)	4	1	3	7	1	6	76.9	41.8	89.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	1	0	11.0	41.8	-
<u>Ill-defined (780-795)</u>	6	0	6	9	0	9	98.9	-	134.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JEFF DAVIS COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	237	105	132	244	84	160	17.3	13.4	20.4
Fetal deaths	6	2	4	12	6	6	49.2	71.4	37.5
Total deaths	134	65	69	149	70	79	10.5	11.2	10.0
Deaths under 1 year	8	1	7	8	3	5	32.8	35.7	31.2
Deaths under 28 days	3	1	2	5	3	2	20.5	35.7	12.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	14	8	19	10	9	134.5	159.5	114.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	4	3	8	5	3	56.6	79.7	38.2
Anemias (290-293)	1	1	0	2	2	0	14.2	31.9	-
Intracranial lesions (330-334)	35	15	20	30	11	19	212.3	175.4	241.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	39	20	19	43	21	22	304.3	334.9	279.9
Other hypertensive disease (444-447)	2	0	2	2	0	2	14.2	-	25.4
General arteriosclerosis (450)	1	1	0	1	1	0	7.1	15.9	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	2	1	1	2	1	1	14.2	15.9	12.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	7.1	15.9	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	3	2	1	21.2	31.9	12.7
#Gastritis, etc. (543, 571, 572)	4	0	4	2	0	2	14.2	-	25.4
Cirrhosis of liver (581)	0	0	0	1	1	0	7.1	15.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	0	2	3	1	2	21.2	15.9	25.4
Hyperplasia of prostate (610)	1	0	1	1	0	1	7.1	-	12.7
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	7.1	15.9	-
Diseases of early infancy (760-776)	3	1	2	4	2	2	16.4	23.8	12.5
Accidents (800-962)	5	3	2	13	4	9	92.0	63.8	114.5
Motor vehicle accidents (810-835)	3	2	1	9	3	6	63.7	47.8	76.3
Suicide (963, 970-979)	2	2	0	2	2	0	14.2	31.9	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	1	3	5	1	4	35.4	15.9	50.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JONES COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence				Rate*		
	Total	White	Non-white	Number			Total	White	Non-white	Rate*
				Total	White	Non-white				
Live births	2,043	911	1,132	1,153	691	462	19.7	16.3	28.9	
Fetal deaths	128	55	73	70	43	27	60.7	62.2	58.4	
Total deaths	710	433	277	584	400	184	10.0	9.4	11.5	
Deaths under 1 year	84	24	60	48	19	29	41.6	27.5	62.8	
Deaths under 28 days	61	21	40	34	16	18	29.5	23.2	39.0	
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
Tuberculosis (001-019)	5	3	2	6	3	3	10.3	7.1	18.8	
Syphilis (020-029)	0	0	0	0	0	0	-	-	-	
Dysentery (045-048)	1	0	1	0	0	0	-	-	-	
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-	
Diphtheria (055)	0	0	0	0	0	0	-	-	-	
Whooping cough (056)	0	0	0	0	0	0	-	-	-	
Meningococcal infections (057)	1	1	0	1	1	0	1.7	2.4	-	
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-	
Measles (085)	0	0	0	0	0	0	-	-	-	
Malignant neoplasms (140-205)	85	56	29	79	58	21	135.3	136.7	131.5	
Benign & unspec. neoplasms (210-239)	2	2	0	2	2	0	3.4	4.7	-	
Asthma (241)	5	3	2	3	1	2	5.1	2.4	12.5	
Diabetes mellitus (260)	15	5	10	11	6	5	18.8	14.1	31.3	
Anemias (290-293)	5	1	4	1	0	1	1.7	-	6.3	
Intracranial lesions (330-334)	95	54	41	80	47	33	137.0	110.8	206.6	
Nonmeningococcal meningitis (340)	5	0	5	2	0	2	3.4	-	12.5	
Heart diseases (400-443)	189	149	40	171	137	34	292.8	323.0	212.9	
Other hypertensive disease (444-447)	11	1	10	7	1	6	12.0	2.4	37.6	
General arteriosclerosis (450)	7	7	0	8	8	0	13.7	18.8	-	
Other circulatory diseases (451-468)	7	3	4	8	6	2	13.7	14.1	12.5	
#Influenza & pneumonia (480-493)	29	15	14	21	14	7	36.0	33.0	43.8	
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-	
Other bronchopul. diseases (525-527)	7	7	0	6	6	0	10.3	14.1	-	
Stomach & duodenal ulcers (540, 541)	5	4	1	3	2	1	5.1	4.7	6.3	
Hernia & intestinal obstruction (560, 561, 570)	7	2	5	4	2	2	6.8	4.7	12.5	
#Gastritis, etc. (543, 571, 572)	9	2	7	2	0	2	3.4	-	12.5	
Cirrhosis of liver (581)	13	13	0	10	9	1	17.1	21.2	6.3	
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-	
Chronic nephritis, etc. (592-594)	6	5	1	6	6	0	10.3	14.1	-	
Infections of kidney (600)	6	2	4	2	1	1	3.4	2.4	6.3	
Hyperplasia of prostate (610)	2	1	1	1	1	0	1.7	2.4	-	
Maternal causes (640-689)	6	0	6	1	0	1	8.7	-	21.6	
Congenital malformations (750-759)	13	9	4	10	8	2	17.1	18.8	12.5	
Diseases of early infancy (760-776)	54	18	36	31	13	18	26.9	18.8	39.0	
Accidents (800-962)	43	24	19	42	27	15	71.9	63.9	93.9	
Motor vehicle acc. (810-835)	17	11	6	18	13	5	30.8	30.6	31.3	
Suicide (963, 970-979)	4	4	0	4	4	0	6.8	9.4	-	
Homicide (964, 980-985)	10	1	9	9	1	8	15.4	2.4	50.1	
Ill-defined (780-795)	32	18	14	31	18	13	53.1	42.4	81.4	

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
KEMPER COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	184	37	147	260	49	211	21.2	11.5	26.3
Fetal deaths	7	0	7	11	1	10	42.3	20.4	47.4
Total deaths	104	43	61	128	54	74	10.4	12.6	9.2
Deaths under 1 year	8	0	8	10	1	9	38.5	20.4	42.6
Deaths under 28 days	3	0	3	5	1	4	19.2	20.4	19.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	8	2	6	12	5	7	97.7	117.1	87.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	4	6	15	8	7	122.1	187.4	87.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	57	26	31	63	29	34	513.0	679.2	424.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	1	0	1	8.1	-	12.5
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	0	1	8.1	-	12.5
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	0	1	8.1	-	12.5
Hyperplasia of prostate (610)	1	0	1	2	0	2	16.3	-	25.0
Maternal causes (640-689)	1	0	1	1	0	1	38.5	-	47.4
Congenital malformations (750-759)	1	0	1	1	0	1	8.1	-	12.5
Diseases of early infancy (760-776)	3	0	3	5	1	4	19.2	20.4	19.0
Accidents (800-962)	6	2	4	6	2	4	48.8	46.8	49.9
Motor vehicle accidents (810-835)	1	1	0	0	0	0	-	-	-
Suicide (963, 970-979)	1	1	0	1	1	0	8.1	23.4	-
Homicide (964, 980-985)	2	0	2	3	0	3	24.4	-	37.4
III-defined (780-795)	9	5	4	12	7	5	97.7	163.9	62.4

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAFAYETTE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	513	269	244	519	253	266	22.9	16.6	35.8
Fetal deaths	22	5	17	19	2	17	36.6	7.9	63.9
Total deaths	180	120	60	197	125	72	8.7	8.2	9.7
Deaths under 1 year	25	10	15	23	8	15	44.3	31.6	56.4
Deaths under 28 days	15	5	10	14	4	10	27.0	15.8	37.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	21	6	33	25	8	145.5	164.0	107.5
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	4.4	6.6	-
Asthma (241)	1	1	0	1	1	0	4.4	6.6	-
Diabetes mellitus (260)	6	3	3	6	3	3	26.4	19.7	40.3
Anemias (290-293)	1	1	0	1	1	0	4.4	6.6	-
Intracranial lesions (330-334)	15	10	5	24	17	7	105.8	111.5	94.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	54	43	11	55	39	16	242.5	255.9	215.0
Other hypertensive disease (444-447)	2	2	0	2	2	0	8.8	13.1	-
General arteriosclerosis (450)	3	3	0	2	2	0	8.8	13.1	-
Other circulatory diseases (451-468)	2	2	0	2	2	0	8.8	13.1	-
#Influenza & pneumonia (480-493)	7	1	6	11	4	7	48.5	26.2	94.1
Bronchitis (500-502)	1	1	0	1	1	0	4.4	6.6	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	4.4	6.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	4.4	6.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	3	2	1	3	2	1	13.2	13.1	13.4
Acute nephritis (590, 591)	1	0	1	1	0	1	4.4	-	13.4
Chronic nephritis, etc. (592-594)	4	1	3	6	2	4	26.4	13.1	53.8
Infections of kidney (600)	2	1	1	2	1	1	8.8	6.6	13.4
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	19.3	-	37.6
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	15	6	9	14	5	9	27.0	19.8	33.8
Accidents (800-962)	17	11	6	11	6	5	48.5	39.4	67.2
Motor vehicle acc. (810-835)	8	6	2	4	3	1	17.6	19.7	13.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	3	1	2	4	1	3	17.6	6.6	40.3
Ill-defined (780-795)	7	3	4	8	3	5	35.3	19.7	67.2

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 LAMAR COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	96	68	28	314	252	62	19.4	18.9	21.9
Fetal deaths	1	1	0	8	6	2	25.5	23.8	32.2
Total deaths	92	72	20	143	109	34	8.8	8.2	12.0
Deaths under 1 year	6	5	1	13	9	4	41.4	35.7	64.5
Deaths under 28 days	2	1	1	8	4	4	25.5	15.9	64.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	2	0	12.4	15.0	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	1	1	0	6.2	7.5	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	8	2	20	15	5	123.9	112.7	176.7
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	6.2	-	35.3
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	1	1	12.4	7.5	35.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	20	14	6	32	26	6	198.3	195.3	212.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	32	29	3	37	33	4	229.2	247.9	141.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	2	2	4	2	2	24.8	15.0	70.7
Other circulatory diseases (451-468)	2	2	0	3	2	1	18.6	15.0	35.3
#Influenza & pneumonia (480-493)	3	2	1	6	4	2	37.2	30.0	70.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	6.2	7.5	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	6.2	7.5	-
Cirrhosis of liver (581)	0	0	0	2	2	0	12.4	15.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	1	1	3	1	2	18.6	7.5	70.7
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	1	0	1	31.8	-	161.3
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	1	1	8	4	4	25.5	15.9	64.5
Accidents (800-962)	8	6	2	8	6	2	49.6	45.1	70.7
Motor vehicle accidents (810-835)	3	2	1	5	4	1	31.0	30.0	35.3
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	0	0	0	-	-	-
Ill-defined (780-795)	4	4	0	4	4	0	24.8	30.0	-

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAUDERDALE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	2,156	1,133	1,023	1,740	936	804	23.7	19.1	32.9
Fetal deaths	57	14	43	45	14	31	25.9	15.0	38.6
Total deaths	964	605	359	755	433	322	10.3	8.8	13.2
Deaths under 1 year	94	32	62	65	19	46	37.4	20.3	57.2
Deaths under 28 days	72	26	46	52	16	36	29.9	17.1	44.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	1.4	-	4.1
Syphilis (020-029)	1	0	1	1	0	1	1.4	-	4.1
Dysentery (045-048)	0	0	0	1	0	1	1.4	-	4.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	100	74	26	83	57	26	113.2	116.6	106.5
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	4	3	1	3	2	1	4.1	4.1	4.1
Diabetes mellitus (260)	19	10	9	15	6	9	20.5	12.3	36.9
Anemias (290-293)	2	0	2	1	0	1	1.4	-	4.1
Intracranial lesions (330-334)	139	103	36	88	57	31	120.1	116.6	127.0
Nonmeningococcal meningitis (340)	6	1	5	4	1	3	5.4	2.0	12.3
Heart diseases (400-443)	276	189	87	240	157	83	327.5	321.2	340.0
Other hypertensive disease (444-447)	5	2	3	5	2	3	6.8	4.1	12.3
General arteriosclerosis (450)	20	18	2	14	12	2	19.1	24.5	8.2
Other circulatory diseases (451-468)	16	12	4	8	6	2	10.9	12.3	8.2
#Influenza & pneumonia (480-493)	36	22	14	24	15	9	32.7	30.7	36.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	2.7	4.1	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	2.7	4.1	-
Fernia & intestinal obstruction (560, 561, 570)	8	2	6	6	1	5	8.2	2.0	20.5
#Gastritis, etc. (543, 571, 572)	4	1	3	3	1	2	4.1	2.0	8.2
Cirrhosis of liver (581)	9	7	2	7	4	3	9.6	8.2	12.3
Acute nephritis (590, 591)	2	0	2	1	0	1	1.4	-	4.1
Chronic nephritis, etc. (592-594)	9	6	3	9	4	5	12.3	8.2	20.5
Infections of kidney (600)	10	8	2	6	4	2	8.2	8.2	8.2
Hyperplasia of prostate (610)	5	2	3	4	2	2	5.4	4.1	8.2
Maternal causes (640-689)	3	0	3	2	0	2	11.5	-	24.9
Congenital malformations (750-759)	10	8	2	6	4	2	8.2	8.2	8.2
Diseases of early infancy (760-776)	57	19	38	40	12	28	23.0	12.8	34.8
Accidents (800-962)	72	46	26	55	29	26	75.0	59.3	106.5
Motor vehicle acc. (810-835)	39	33	6	26	19	7	35.5	38.9	28.7
Suicide (963, 970-979)	4	4	0	5	4	1	6.8	8.2	4.1
Homicide (964, 980-985)	11	1	10	10	1	9	13.6	2.0	36.9
Ill-defined (780-795)	99	42	57	92	37	55	125.5	75.7	225.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 LAWRENCE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
32.9	Live births	137	53	84	220	115	105	22.8	19.1	29.0
38.6	Fetal deaths	5	2	3	13	5	8	59.1	43.5	76.2
13.2	Total deaths	88	44	44	118	68	50	12.2	11.3	13.8
57.2	Deaths under 1 year	3	0	3	5	0	5	22.7	-	47.6
44.8	Deaths under 28 days	2	0	2	2	0	2	9.1	-	19.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
4.1	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
4.1	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
4.	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
4.	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
106.5	Diphtheria (055)	0	0	0	0	0	0	-	-	-
4.1	Whooping cough (056)	0	0	0	0	0	0	-	-	-
36.9	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
4.1	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
34.0	Measles (085)	0	0	0	0	0	0	-	-	-
127.0	Malignant neoplasms (140-205)	10	4	6	19	15	4	197.3	249.6	110.5
12.3	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
340.0	Asthma (241)	1	1	0	1	1	0	10.4	16.6	-
12.3	Diabetes mellitus (260)	2	1	1	2	1	1	20.8	16.6	27.6
36.9	Anemias (290-293)	0	0	0	0	0	0	-	-	-
4.1	Intracranial lesions (330-334)	20	11	9	24	13	11	249.2	216.3	303.9
12.3	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
34.0	Heart diseases (400-443)	31	18	13	36	24	12	373.8	399.3	331.5
12.3	Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
8.2	General arteriosclerosis (450)	2	1	1	3	2	1	31.2	33.3	27.6
8.2	Other circulatory diseases (451-468)	3	2	1	2	1	1	20.8	16.6	27.6
36.9	#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
34.8	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
20.5	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
8.2	Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	10.4	16.6	-
12.3	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
20.5	#Gastritis, etc. (543, 571, 572)	0	0	0	2	0	2	20.8	-	55.2
8.2	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
12.3	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
4.1	Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	20.8	16.6	27.6
20.5	Infections of kidney (600)	1	0	1	1	0	1	10.4	-	27.6
8.2	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
8.2	Maternal causes (640-689)	0	0	0	1	0	1	45.4	-	95.2
24.9	Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
8.2	Diseases of early infancy (760-776)	3	0	3	3	0	3	13.6	-	28.6
34.8	Accidents (800-962)	5	3	2	10	6	4	103.8	99.8	110.5
106.5	Motor vehicle accidents (810-835)	3	3	0	3	3	0	31.2	49.9	-
28.7	Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
4.1	Homicide (964, 980-985)	2	0	2	4	1	3	41.5	16.6	82.9
36.9	Ill-defined (780-795)	5	1	4	5	1	4	51.9	16.6	110.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEAKE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	258	106	152	348	133	215	18.6	13.0	25.6
Fetal deaths	4	1	3	11	2	9	31.6	15.0	41.9
Total deaths	142	91	51	184	117	67	9.9	11.4	8.0
Deaths under 1 year	9	1	8	11	3	8	31.6	22.6	37.2
Deaths under 28 days	6	1	5	8	3	5	23.0	22.6	23.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	10.7	-	23.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	13	3	22	17	5	118.0	165.7	59.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	1	1	10.7	9.7	11.9
Anemias (290-293)	0	0	0	1	0	1	5.4	-	11.9
Intracranial lesions (330-334)	28	15	13	32	17	15	171.6	165.7	178.8
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	5.4	-	11.9
Heart diseases (400-443)	52	35	17	66	44	22	353.9	428.8	262.2
Other hypertensive disease (444-447)	1	1	0	2	1	1	10.7	9.7	11.9
General arteriosclerosis (450)	5	5	0	5	5	0	26.8	48.7	-
Other circulatory diseases (451-468)	1	1	0	3	3	0	16.1	29.2	-
#Influenza & pneumonia (480-493)	5	1	4	5	1	4	26.8	9.7	47.7
Bronchitis (500-502)	1	1	0	1	1	0	5.4	9.7	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.4	9.7	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.4	9.7	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	5.4	-	11.9
Diseases of early infancy (760-776)	6	1	5	8	3	5	23.0	22.6	23.2
Accidents (800-962)	9	8	1	13	11	2	69.7	107.2	23.8
Motor vehicle acc. (810-835)	7	6	1	10	8	2	53.6	78.0	23.8
Suicide (963, 970-979)	2	1	1	3	2	1	16.1	19.5	11.9
Homicide (964, 980-985)	1	0	1	1	0	1	5.4	-	11.9
Ill-defined (780-795)	6	4	2	7	5	2	37.5	48.7	23.8

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
25.6	Live births	1,361	1,023	338	1,068	741	327	23.0	20.8	30.6
41.9	Fetal deaths	22	15	7	21	13	8	19.7	17.5	24.5
8.0	Total deaths	467	341	126	434	316	118	9.4	8.9	11.0
37.3	Deaths under 1 year	40	17	23	37	16	21	34.6	21.6	64.2
23.2	Deaths under 28 days	23	14	9	21	13	8	19.7	17.5	24.5
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
23.8	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	2	1	1	2	1	1	4.3	2.8	9.3
	Meningococcal infections (057)	1	0	1	1	0	1	2.2	-	9.3
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	1	0	1	1	0	1	2.2	-	9.3
59.6	Malignant neoplasms (140-205)	71	53	18	68	50	18	146.7	140.2	168.2
	Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	2.2	2.8	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
11.9	Diabetes mellitus (260)	4	2	2	3	3	0	6.5	8.4	-
11.9	Anemias (290-293)	2	2	0	1	1	0	2.2	2.8	-
178.8	Intracranial lesions (330-334)	58	35	23	56	35	21	120.8	98.1	196.3
11.9	Nonmeningococcal meningitis (340)	1	1	0	1	1	0	2.2	2.8	-
262.2	Heart diseases (400-443)	172	139	33	161	131	30	347.3	367.4	280.4
11.9	Other hypertensive disease (444-447)	3	3	0	3	3	0	6.5	8.4	-
	General arteriosclerosis (450)	7	6	1	7	6	1	15.1	16.8	9.3
	Other circulatory diseases (451-468)	7	6	1	5	4	1	10.8	11.2	9.3
47.7	#Influenza & pneumonia (480-493)	26	16	10	27	15	12	58.2	42.1	112.1
	Bronchitis (500-502)	1	0	1	1	0	1	2.2	-	9.3
	Other bronchopul. diseases (525-527)	4	3	1	4	3	1	8.6	8.4	9.3
	Stomach & duodenal ulcers (540, 541)	2	2	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	3	2	1	3	2	1	6.5	5.6	9.3
	#Gastritis, etc. (543, 571, 572)	3	1	2	1	0	1	2.2	-	9.3
	Cirrhosis of liver (581)	2	2	0	1	1	0	2.2	2.8	-
	Acute nephritis (590, 591)	1	0	1	1	0	1	2.2	-	9.3
	Chronic nephritis, etc. (592-594)	2	2	0	3	3	0	6.5	8.4	-
	Infections of kidney (600)	2	2	0	2	2	0	4.3	5.6	-
	Hyperplasia of prostate (610)	3	2	1	3	3	0	6.5	8.4	-
	Maternal causes (640-689)	1	1	0	1	1	0	9.4	13.5	-
11.9	Congenital malformations (750-759)	6	3	3	6	4	2	12.9	11.2	18.7
23.2	Diseases of early infancy (760-776)	17	11	6	15	9	6	14.0	12.1	18.3
23.8	Accidents (800-962)	43	28	15	36	21	15	77.6	58.9	140.2
23.8	Motor vehicle accidents (810-835)	27	21	6	23	16	7	49.6	44.9	65.4
11.9	Suicide (963, 970-979)	3	3	0	3	3	0	6.5	8.4	-
11.9	Homicide (964, 980-985)	5	3	2	5	3	2	10.8	8.4	18.7
23.8	#11-defined (780-795)	5	4	1	3	2	1	6.5	5.6	9.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEFLORE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,590	449	1,141	1,537	383	1,154	29.3	19.0	35.7
Fetal deaths	174	66	108	162	54	108	105.4	141.0	93.6
Total deaths	662	279	383	588	202	386	11.2	10.0	11.9
Deaths under 1 year	93	9	84	90	8	82	58.6	20.9	71.0
Deaths under 28 days	54	9	45	51	8	43	33.2	20.9	37.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	3.8	-	6.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	1.9	-	3.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	0	2	2	0	2	3.8	-	6.2
Malignant neoplasms (140-205)	74	41	33	71	34	37	135.4	168.8	114.5
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	1.9	-	3.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	10	3	7	7	3	4	13.3	14.9	12.4
Anemias (290-293)	1	0	1	2	1	1	3.8	5.0	3.1
Intracranial lesions (330-334)	78	26	52	76	17	59	144.9	84.4	182.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	205	113	92	168	76	92	320.3	377.4	284.7
Other hypertensive disease (444-447)	9	1	8	8	0	8	15.2	-	24.8
General arteriosclerosis (450)	7	7	0	6	4	2	11.4	19.9	6.2
Other circulatory diseases (451-468)	6	4	2	4	3	1	7.6	14.9	3.1
#Influenza & pneumonia (480-493)	28	8	20	25	4	21	47.7	19.9	65.0
Bronchitis (500-502)	1	0	1	1	0	1	1.9	-	3.1
Other bronchopul. diseases (525-527)	2	2	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	4	2	2	2	1	1	3.8	5.0	3.1
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	3.8	9.9	-
#Gastritis, etc. (543, 571, 572)	9	1	8	8	1	7	15.2	5.0	21.7
Cirrhosis of liver (581)	4	1	3	4	1	3	7.6	5.0	9.3
Acute nephritis (590, 591)	2	0	2	3	0	3	5.7	-	9.3
Chronic nephritis, etc. (592-594)	8	3	5	9	3	6	17.2	14.9	18.6
Infections of kidney (600)	9	4	5	6	2	4	11.4	9.9	12.4
Hyperplasia of prostate (610)	6	0	6	7	0	7	13.3	-	21.7
Maternal causes (640-689)	3	1	2	3	1	2	19.5	26.1	17.3
Congenital malformations (750-759)	4	1	3	3	0	3	5.7	-	9.3
Diseases of early infancy (760-776)	53	9	44	49	8	41	31.9	20.9	35.5
Accidents (800-962)	45	24	21	37	17	20	70.5	84.4	61.9
Motor vehicle acc. (810-835)	15	11	4	11	8	3	21.0	39.7	9.3
Suicide (963, 970-979)	4	4	0	3	3	0	5.7	14.9	-
Homicide (964, 980-985)	6	0	6	6	0	6	11.4	-	18.6
Ill-defined (780-795)	58	11	47	56	11	45	106.8	54.6	139.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LINCOLN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	633	363	270	571	315	256	21.8	16.7	35.3
Fetal deaths	18	9	9	23	11	12	40.3	34.9	46.9
Total deaths	261	169	92	285	179	106	10.9	9.5	14.6
Deaths under 1 year	23	4	19	31	9	22	54.3	28.6	85.9
Deaths under 28 days	18	4	14	24	7	17	42.3	22.2	66.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	3.8	5.3	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	15	10	31	19	12	118.6	100.7	165.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	2	0	2	7.6	-	27.5
Diabetes mellitus (260)	3	1	2	3	1	2	11.5	5.3	27.5
Anemias (290-293)	1	0	1	1	0	1	3.8	-	13.3
Intracranial lesions (330-334)	36	24	12	37	25	12	141.6	132.5	165.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	100	82	18	103	79	24	394.2	418.6	330.6
Other hypertensive disease (444-447)	2	0	2	3	1	2	11.5	5.3	27.5
General arteriosclerosis (450)	4	4	0	5	5	0	19.1	26.5	-
Other circulatory diseases (451-468)	2	1	1	2	0	2	7.6	-	27.5
#Influenza & pneumonia (480-493)	7	4	3	7	4	3	26.8	21.2	41.3
Bronchitis (500-502)	0	0	0	2	2	0	7.6	10.6	-
Other bronchopul. diseases (525-527)	4	4	0	5	5	0	19.1	26.5	-
Stomach & duodenal ulcers (540, 541)	3	3	0	3	3	0	11.5	15.9	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	3	1	2	11.5	5.3	27.5
#Gastritis, etc. (543, 571, 572)	3	0	3	4	1	3	15.3	5.3	41.3
Cirrhosis of liver (581)	1	0	1	1	0	1	3.8	-	13.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	1	1	0	3.8	5.3	-
Infections of kidney (600)	5	3	2	6	2	4	23.0	10.6	55.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	1	1	7.6	5.3	13.8
Diseases of early infancy (760-776)	17	4	13	21	6	15	36.8	19.0	58.6
Accidents (800-962)	12	9	3	15	11	4	57.4	58.3	55.1
Motor vehicle accidents (810-835)	7	6	1	8	7	1	30.6	37.1	13.8
Suicide (963, 970-979)	2	2	0	2	2	0	7.6	10.6	-
Homicide (964, 980-985)	5	1	4	4	1	3	15.3	5.3	41.3
Ill-defined (780-795)	12	2	10	12	2	10	45.9	10.6	137.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LOWNDES COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,491	860	631	1,462	834	628	29.3	25.4	36.9
Fetal deaths	44	23	21	47	23	24	32.1	27.6	38.2
Total deaths	415	220	195	415	221	194	8.3	6.7	11.4
Deaths under 1 year	51	19	32	50	20	30	34.2	24.0	47.8
Deaths under 28 days	31	15	16	31	16	15	21.2	19.2	23.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	4.0	-	11.8
Syphilis (020-029)	1	1	0	1	1	0	2.0	3.0	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	70	44	26	67	41	26	134.4	124.8	152.9
Benign & unspec. (210-239)	0	0	0	1	1	0	2.0	3.0	-
Asthma (241)	3	2	1	4	3	1	8.0	9.1	5.9
Diabetes mellitus (260)	7	4	3	6	4	2	12.0	12.2	11.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	57	27	30	62	33	29	124.3	100.4	170.6
Nonmeningococcal meningitis (340)	2	0	2	1	0	1	2.0	-	5.9
Heart diseases (400-443)	108	65	43	106	63	43	212.6	191.7	252.9
Other hypertensive disease (444-447)	6	2	4	7	2	5	14.0	6.1	29.4
General arteriosclerosis (450)	8	8	0	8	8	0	16.0	24.3	-
Other circulatory diseases (451-468)	1	0	1	1	0	1	2.0	-	5.9
#Influenza & pneumonia (480-493)	12	1	11	13	2	11	26.1	6.1	64.7
Bronchitis (500-502)	2	2	0	1	1	0	2.0	3.0	-
Other bronchopul. diseases (525-527)	3	2	1	2	1	1	4.0	3.0	5.9
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	2.0	-	5.9
#Gastritis, etc. (543, 571, 572)	3	1	2	3	1	2	6.0	3.0	11.8
Cirrhosis of liver (581)	3	3	0	3	3	0	6.0	9.1	-
Acute nephritis (590, 591)	0	0	0	1	1	0	2.0	3.0	-
Chronic nephritis, etc. (592-594)	4	1	3	5	2	3	10.0	6.1	17.6
Infections of kidney (600)	2	2	0	3	3	0	6.0	9.1	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	2.0	-	5.9
Maternal causes (640-689)	3	0	3	3	0	3	20.5	-	47.8
Congenital malformations (750-759)	3	2	1	4	3	1	8.0	9.1	5.9
Diseases of early infancy (760-776)	28	14	14	27	14	13	18.5	16.8	20.7
Accidents (800-962)	25	14	11	24	13	11	48.1	39.6	64.7
Motor vehicle acc. (810-835)	10	8	2	7	5	2	14.0	15.2	11.8
Suicide (963, 970-979)	7	7	0	6	6	0	12.0	18.2	-
Homicide (964, 980-985)	1	1	0	2	1	1	4.0	3.0	5.9
Ill-defined (780-795)	36	6	30	33	4	29	66.2	12.2	170.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MADISON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*			
	Total	White	Non-white	Number		Non-white	Total	White	Non-white	
				Total	White					
36.9	Live births	803	133	670	926	177	749	28.8	17.1	34.3
38.2	Fetal deaths	45	15	30	52	15	37	56.2	84.7	49.4
11.4	Total deaths	265	72	193	319	97	222	9.9	9.4	10.2
47.8	Deaths under 1 year	19	1	18	31	3	28	33.5	16.9	37.4
23.9	Deaths under 28 days	13	1	12	23	3	20	24.8	16.9	26.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
11.8	Tuberculosis (001-019)	0	0	0	1	0	1	3.1	-	4.6
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	1	0	1	0	0	0	-	-	-
152.9	Malignant neoplasms (140-205)	37	8	29	45	14	31	139.8	135.0	142.1
	Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.1	-	4.6
5.9	Asthma (241)	0	0	0	0	0	0	-	-	-
11.8	Diabetes mellitus (260)	5	3	2	7	4	3	21.7	38.6	13.7
	Anemias (290-293)	0	0	0	1	1	0	3.1	9.6	-
170.6	Intracranial lesions (330-334)	39	14	25	41	15	26	127.4	144.6	119.2
5.9	Nonmeningococcal meningitis (340)	1	0	1	1	0	1	3.1	-	4.6
252.9	Heart diseases (400-443)	61	20	41	75	28	47	233.0	270.0	215.4
29.4	Other hypertensive disease (444-447)	4	0	4	5	0	5	15.5	-	22.9
	General arteriosclerosis (450)	4	3	1	4	3	1	12.4	28.9	4.6
5.9	Other circulatory diseases (451-468)	4	3	1	5	3	2	15.5	28.9	9.2
64.7	#Influenza & pneumonia (480-493)	7	3	4	10	4	6	31.1	38.6	27.5
5.9	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
	Other bronchopul. diseases (525-527)	1	1	0	3	3	0	9.3	28.9	-
	Stomach & duodenal ulcers (540, 541)	2	0	2	1	0	1	3.1	-	4.6
5.9	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	3.1	9.6	-
11.8	#Gastritis, etc. (543, 571, 572)	1	0	1	3	1	2	9.3	9.6	9.2
	Cirrhosis of liver (581)	1	1	0	0	0	0	-	-	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
17.6	Chronic nephritis, etc. (592-594)	4	1	3	6	2	4	18.6	19.3	18.3
	Infections of kidney (600)	2	0	2	4	1	3	12.4	9.6	13.7
5.9	Hyperplasia of prostate (610)	3	0	3	3	0	3	9.3	-	13.7
47.8	Maternal causes (640-689)	1	0	1	1	0	1	10.8	-	13.4
5.9	Congenital malformations (750-759)	1	0	1	1	0	1	24.8	19.3	27.5
20.7	Diseases of early infancy (760-776)	6	1	5	8	2	6	24.8	19.3	17.4
64.7	Accidents (800-962)	7	0	7	14	1	13	15.1	5.6	32.1
11.8	Motor vehicle accidents (810-835)	12	7	5	15	8	7	46.6	77.1	48.2
5.9	Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
	Homicide (964, 980-985)	4	0	4	5	0	5	15.5	-	22.9
170.6	Ill-defined (780-795)	51	2	49	51	2	49	158.4	19.3	224.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARION COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	416	232	184	489	276	213	20.4	18.3	23.9
Fetal deaths	16	8	8	17	8	9	34.8	29.0	42.2
Total deaths	221	132	89	254	151	103	10.6	10.0	11.6
Deaths under 1 year	15	4	11	17	4	13	34.8	14.5	61.0
Deaths under 28 days	10	3	7	10	3	7	20.4	10.9	32.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	1	2	2	0	2	8.3	-	22.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	29	20	9	34	24	10	141.6	158.9	112.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	4.2	6.6	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	12.5	13.2	11.2
Anemias (290-293)	0	0	0	1	0	1	4.2	-	11.2
Intracranial lesions (330-334)	43	28	15	46	30	16	191.6	198.7	179.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	58	41	17	64	46	18	266.6	304.6	202.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	2	2	4	2	2	16.6	13.2	22.4
Other circulatory diseases (451-468)	1	0	1	2	1	1	8.3	6.6	11.2
#Influenza & pneumonia (480-493)	5	1	4	6	2	4	25.0	13.2	44.9
Bronchitis (500-502)	2	1	1	2	1	1	8.3	6.6	11.2
Other bronchopul. diseases (525-527)	2	2	0	3	3	0	12.5	19.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	3	0	3	12.5	-	33.7
Cirrhosis of liver (581)	0	0	0	1	0	1	4.2	-	11.2
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	2	0	8.3	13.2	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	4.2	-	11.2
Congenital malformations (750-759)	0	0	0	1	0	1	4.2	-	11.2
Diseases of early infancy (760-776)	9	3	6	9	3	6	18.4	10.9	28.2
Accidents (800-962)	21	12	9	25	14	11	104.1	92.7	123.4
Motor vehicle acc. (810-835)	10	7	3	9	7	2	37.5	46.4	22.4
Suicide (963, 970-979)	3	3	0	3	3	0	12.5	19.9	-
Homicide (964, 980-985)	5	1	4	7	1	6	29.2	6.6	67.3
Ill-defined (780-795)	18	5	13	19	6	13	79.1	39.7	145.9

see page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARSHALL COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*			
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
23.9	Live births	627	74	553	736	152	584	31.2	18.7	37.8
42.2	Fetal deaths	33	1	32	44	5	39	59.8	32.9	66.8
11.6	Total deaths	187	73	114	207	78	129	8.8	9.6	8.3
61.0	Deaths under 1 year	25	3	22	27	6	21	36.7	39.5	36.0
32.9	Deaths under 28 days	15	1	14	15	3	12	20.4	19.7	20.5
	SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
22.4	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	0	0	0	0	0	0	-	-	-
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
12.2	Malignant neoplasms (140-205)	18	10	8	29	16	13	122.9	196.8	84.0
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
11.2	Diabetes mellitus (260)	0	0	0	1	0	1	4.2	-	6.5
11.2	Anemias (290-293)	0	0	0	0	0	0	-	-	-
79.6	Intracranial lesions (330-334)	37	8	29	37	10	27	156.8	123.0	174.5
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
02.0	Heart diseases (400-443)	53	23	30	52	18	34	220.3	221.4	219.8
	Other hypertensive disease (444-447)	0	0	0	1	0	1	4.2	-	6.5
22.4	General arteriosclerosis (450)	5	4	1	3	2	1	12.7	24.6	6.5
11.2	Other circulatory diseases (451-468)	1	1	0	1	1	0	4.2	12.3	-
44.9	#Influenza & pneumonia (480-493)	3	2	1	4	2	2	16.9	24.6	12.9
11.2	Bronchitis (500-502)	1	0	1	2	1	1	8.5	12.3	6.5
	Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
33.7	#Gastritis, etc. (543, 571, 572)	5	1	4	5	1	4	21.2	12.3	25.8
11.2	Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
	Chronic nephritis, etc. (592-594)	7	6	1	6	5	1	25.4	61.5	6.5
	Infections of kidney (600)	0	0	0	0	0	0	-	-	-
11.2	Hyperplasia of prostate (610)	0	0	0	2	1	1	8.5	12.3	6.5
	Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
11.2	Congenital malformations (750-759)	1	0	1	1	0	1	4.2	-	6.5
28.2	Diseases of early infancy (760-776)	15	2	13	15	4	11	20.4	26.3	18.8
23.4	Accidents (800-962)	16	9	7	14	5	9	59.3	61.5	58.2
22.4	Motor vehicle accidents (810-835)	10	7	3	6	3	3	25.4	36.9	19.4
67.3	Suicide (963, 970-979)	1	1	0	1	1	0	4.2	12.3	-
45.9	Homicide (964, 980-985)	3	1	2	2	1	1	8.5	12.3	6.5
	111-defined (780-795)	19	3	16	22	4	18	93.2	49.2	116.4

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MONROE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	799	491	308	760	433	327	21.4	17.4	30.6
Fetal deaths	25	12	13	24	9	15	31.6	20.8	45.9
Total deaths	321	210	111	352	230	122	9.9	9.2	11.4
Deaths under 1 year	19	10	9	20	10	10	26.3	23.1	30.6
Deaths under 28 days	12	8	4	11	7	4	14.5	16.2	12.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	3	1	2	8.4	4.0	18.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	46	35	11	54	41	13	151.9	164.8	121.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	5	2	8	5	3	22.5	20.1	28.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	48	28	20	50	29	21	140.7	116.6	196.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	100	69	31	109	76	33	306.7	305.6	309.3
Other hypertensive disease (444-447)	9	6	3	8	5	3	22.5	20.1	28.1
General arteriosclerosis (450)	8	8	0	7	7	0	19.7	28.1	-
Other circulatory diseases (451-468)	4	3	1	5	4	1	14.1	16.1	9.4
#Influenza & pneumonia (480-493)	5	1	4	7	2	5	19.7	8.0	46.9
Bronchitis (500-502)	1	0	1	2	1	1	5.6	4.0	9.4
Other bronchopul. diseases (525-527)	7	6	1	6	5	1	16.9	20.1	9.4
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	5.6	8.0	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	2	2	0	5.6	8.0	-
#Gastritis, etc. (543, 571, 572)	1	1	0	2	1	1	5.6	4.0	9.4
Cirrhosis of liver (581)	3	3	0	2	2	0	5.6	8.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	15	3	12	16	4	12	45.0	16.1	112.5
Infections of kidney (600)	5	5	0	5	3	.2	14.1	12.1	18.7
Hyperplasia of prostate (610)	0	0	0	1	1	0	2.8	4.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	3	0	3	3	0	8.4	12.1	-
Diseases of early infancy (760-776)	13	7	6	13	7	6	17.1	16.2	18.3
Accidents (800-962)	13	10	3	16	13	3	45.0	52.3	28.1
Motor vehicle acc. (810-835)	8	8	0	10	10	0	28.1	40.2	-
Suicide (963, 970-979)	7	6	1	8	7	1	22.5	28.1	9.4
Homicide (964, 980-985)	4	0	4	5	1	4	14.1	4.0	37.5
Ill-defined (780-795)	6	2	4	7	3	4	19.7	12.1	37.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 MONTGOMERY COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*			
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
30.6	Live births	384	178	206	310	131	179	22.3	15.1	34.5
45.6	Fetal deaths	19	6	13	20	6	14	64.5	45.8	78.2
11.2	Total deaths	156	102	54	155	103	52	11.2	11.8	10.0
30.6	Deaths under 1 year	10	2	8	12	4	8	38.7	30.5	44.7
12.2	Deaths under 28 days	4	1	3	6	3	3	19.4	22.9	16.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
18.7	Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
	Dysentery (045-048)	1	0	1	1	0	1	7.2	-	19.3
	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
	Diphtheria (055)	0	0	0	0	0	0	-	-	-
	Whooping cough (056)	1	0	1	1	0	1	7.2	-	19.3
	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
	Measles (085)	0	0	0	0	0	0	-	-	-
121.8	Malignant neoplasms (140-205)	19	12	7	16	11	5	115.3	126.6	96.3
	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
	Asthma (241)	0	0	0	0	0	0	-	-	-
28.1	Diabetes mellitus (260)	2	2	0	3	3	0	21.6	34.5	-
	Anemias (290-293)	0	0	0	1	0	1	7.2	-	19.3
196.8	Intracranial lesions (330-334)	24	13	11	20	13	7	144.1	149.6	134.9
	Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
309.3	Heart diseases (400-443)	60	48	12	65	50	15	468.3	575.4	289.0
28.1	Other hypertensive disease (444-447)	2	2	0	2	2	0	14.4	23.0	-
	General arteriosclerosis (450)	1	0	1	1	0	1	7.2	-	19.3
9.4	Other circulatory diseases (451-468)	3	2	1	3	2	1	21.6	23.0	19.3
46.9	#Influenza & pneumonia (480-493)	2	1	1	3	2	1	21.6	23.0	19.3
9.4	Bronchitis (500-502)	1	0	1	1	0	1	7.2	-	19.3
9.4	Other bronchopul. diseases (525-527)	1	1	0	0	0	0	-	-	-
	Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
	Hernia & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	14.4	-	38.5
9.4	#Gastritis, etc. (543, 571, 572)	2	0	2	3	1	2	21.6	11.5	38.5
	Cirrhosis of liver (581)	1	1	0	1	1	0	7.2	11.5	-
	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
112.5	Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
18.7	Infections of kidney (600)	0	0	0	0	0	0	-	-	-
	Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
	Maternal causes (640-689)	1	0	1	2	0	2	64.5	-	111.7
	Congenital malformations (750-759)	2	1	1	2	1	1	14.4	11.5	19.3
18.3	Diseases of early infancy (760-776)	2	1	1	4	3	1	12.9	22.9	5.6
28.1	Accidents (800-962)	16	12	4	11	8	3	79.2	92.0	57.8
	Motor vehicle accidents (810-835)	9	8	1	2	2	0	14.4	23.0	-
9.4	Suicide (963, 970-979)	1	1	0	1	1	0	7.2	11.5	-
37.5	Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
37.5	III-defined (780-795)	5	1	4	5	1	4	36.0	11.5	77.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NESHOBIA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	407	222	185	392	226	166	18.4	14.3	30.1
Fetal deaths	17	5	12	18	6	12	45.9	26.5	72.3
Total deaths	172	125	47	210	151	59	9.9	9.6	10.7
Deaths under 1 year	19	7	12	23	7	16	58.7	31.0	96.4
Deaths under 28 days	13	5	8	16	5	11	40.8	22.1	66.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	5	4	1	23.5	25.4	18.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	32	24	8	36	28	8	169.1	177.6	144.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	4	2	2	18.8	12.7	36.2
Anemias (290-293)	0	0	0	1	0	1	4.7	-	18.1
Intracranial lesions (330-334)	28	22	6	32	26	6	150.3	164.9	108.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	51	46	5	59	53	6	277.1	336.1	108.7
Other hypertensive disease (444-447)	1	1	0	2	1	1	9.4	6.3	18.1
General arteriosclerosis (450)	2	2	0	1	1	0	4.7	6.3	-
Other circulatory diseases (451-468)	5	5	0	8	8	0	37.6	50.7	-
#Influenza & pneumonia (480-493)	4	0	4	6	0	6	28.2	-	108.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	2	0	2	9.4	-	36.2
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	3	1	2	14.1	6.3	36.2
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	1	0	1	25.5	-	60.2
Congenital malformations (750-759)	4	2	2	4	2	2	18.8	12.7	36.2
Diseases of early infancy (760-776)	10	5	5	13	5	8	33.2	22.1	48.2
Accidents (800-962)	10	6	4	11	9	2	51.7	57.1	36.2
Motor vehicle acc. (810-835)	4	2	2	5	4	1	23.5	25.4	18.1
Suicide (963, 970-979)	1	1	0	1	1	0	4.7	6.3	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	11	3	8	11	2	9	51.7	12.7	163.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 NEWTON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

		Occurrence			Residence					
		Total	White	Non-white	Number			Rate*		
					Total	White	Non-white	Total	White	Non-white
Live births	381	216	165	401	200	201	19.2	14.2	29.8	
Fetal deaths	22	14	8	21	12	9	52.4	60.0	44.8	
Total deaths	185	116	69	214	140	74	10.3	9.9	11.0	
Deaths under 1 year	15	2	13	20	6	14	49.9	30.0	69.6	
Deaths under 28 days	6	1	5	9	4	5	22.4	20.0	24.9	
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-	
Syphilis (020-029)	0	0	0	0	0	0	-	-	-	
Dysentery (045-048)	0	0	0	0	0	0	-	-	-	
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-	
Diphtheria (055)	0	0	0	0	0	0	-	-	-	
Whooping cough (056)	0	0	0	0	0	0	-	-	-	
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-	
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-	
Measles (085)	0	0	0	0	0	0	-	-	-	
Malignant neoplasms (140-205)	26	16	10	27	16	11	129.5	113.5	163.0	
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-	
Asthma (241)	0	0	0	0	0	0	-	-	-	
Diabetes mellitus (260)	3	2	1	6	5	1	28.8	35.5	14.8	
Anemias (290-293)	1	1	0	1	1	0	4.8	7.1	-	
Intracranial lesions (330-334)	33	21	12	37	25	12	177.4	177.3	177.8	
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-	
Heart diseases (400-443)	65	49	16	67	51	16	321.3	361.7	237.0	
Other hypertensive disease (444-447)	2	2	0	2	2	0	9.6	14.2	-	
General arteriosclerosis (450)	2	1	1	2	1	1	9.6	7.1	14.8	
Other circulatory diseases (451-468)	2	2	0	4	2	2	19.2	14.2	29.6	
#Influenza & pneumonia (480-493)	4	1	3	5	2	3	24.0	14.2	44.4	
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-	
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	4.8	7.1	-	
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-	
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	9.6	7.1	14.8	
#Gastritis, etc. (543, 571, 572)	1	1	0	2	1	1	9.6	7.1	14.8	
Cirrhosis of liver (581)	0	0	0	1	1	0	4.8	7.1	-	
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-	
Chronic nephritis, etc. (592-594)	1	1	0	0	0	0	-	-	-	
Infections of kidney (600)	1	1	0	1	1	0	4.8	7.1	-	
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.8	-	14.8	
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-	
Congenital malformations (750-759)	1	0	1	2	1	1	9.6	7.1	14.8	
Diseases of early infancy (760-776)	6	1	5	9	4	5	22.4	20.0	24.9	
Accidents (800-962)	16	2	14	19	7	12	91.1	49.6	177.8	
Motor vehicle accidents (810-835)	6	0	6	8	4	4	38.4	28.4	59.2	
Suicide (963, 970-979)	3	3	0	2	2	0	9.6	14.2	-	
Homicide (964, 980-985)	1	1	0	1	1	0	4.8	7.1	-	
Illi-defined (780-795)	11	7	4	13	8	5	62.4	56.7	74.1	

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NOXUBEE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence				Rate*	
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	459	69	390	453	72	381	27.5	16.2	31.6
Fetal deaths	19	5	14	15	4	11	33.1	55.6	28.9
Total deaths	166	47	119	180	51	129	10.9	11.5	10.7
Deaths under 1 year	20	3	17	21	3	18	46.4	41.7	47.2
Deaths under 28 days	13	2	11	13	2	11	28.7	27.8	28.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	6.1	-	8.3
Dysentery (045-048)	1	0	1	1	0	1	6.1	-	8.3
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	24	13	11	30	15	15	182.0	338.6	124.5
Benign & unspec. neoplasms (210-239)	2	0	2	3	1	2	18.2	22.6	16.6
Asthma (241)	1	0	1	1	0	1	6.1	-	8.3
Diabetes mellitus (260)	1	0	1	2	0	2	12.1	-	16.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	21	6	15	20	4	16	121.4	90.3	132.8
Nonmeningococcal meningitis (340)	1	0	1	2	0	2	12.1	-	16.6
Heart diseases (400-443)	43	13	30	46	15	31	279.1	338.6	257.3
Other hypertensive disease (444-447)	1	0	1	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	12	4	8	12	4	8	72.8	90.3	66.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	3	1	2	18.2	22.6	16.6
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	0	-	-	-
Infections of kidney (600)	2	1	1	2	1	1	12.1	-	16.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	22.1	-	26.2
Congenital malformations (750-759)	1	0	1	1	0	1	6.1	-	8.3
Diseases of early infancy (760-776)	12	2	10	12	2	10	26.5	27.8	26.2
Accidents (800-962)	10	5	5	10	4	6	60.7	90.3	49.8
Motor vehicle acc. (810-835)	5	3	2	5	3	2	30.3	67.7	16.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	2	0	2	12.1	-	16.6
Ill-defined (780-795)	22	2	20	23	2	21	139.6	45.1	174.3

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
OKTIBBEHA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence						
	Total	White	Non-white	Number			Rate*			
				Total	White	Non-white	Total	White	Non-white	
31.	Live births	702	295	407	660	277	383	23.9	17.9	31.4
28.	Fetal deaths	18	3	15	16	5	11	24.2	18.0	28.7
10.	Total deaths	213	93	120	229	101	128	8.3	6.5	10.5
47.	Deaths under 1 year	24	4	20	29	6	23	43.9	21.7	60.0
28.	Deaths under 28 days	16	3	13	17	3	14	25.8	10.8	36.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
8.3	Tuberculosis (001-019)	1	1	0	1	1	0	3.6	6.5	-
8.3	Syphilis (020-029)	0	0	0	0	0	0	-	-	-
8.3	Dysentery (045-048)	0	0	0	0	0	0	-	-	-
24.5	Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
16.6	Diphtheria (055)	0	0	0	0	0	0	-	-	-
8.3	Whooping cough (056)	0	0	0	0	0	0	-	-	-
16.6	Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
24.5	Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
16.6	Measles (085)	0	0	0	0	0	0	-	-	-
24.5	Malignant neoplasms (140-205)	35	14	21	35	14	21	126.7	90.7	172.4
16.6	Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
8.3	Asthma (241)	0	0	0	0	0	0	-	-	-
16.6	Diabetes mellitus (260)	2	0	2	2	0	2	7.2	-	16.4
24.5	Anemias (290-293)	0	0	0	0	0	0	-	-	-
32.8	Intracranial lesions (330-334)	31	16	15	32	17	15	115.8	110.1	123.2
16.6	Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.6	-	8.2
57.3	Heart diseases (400-443)	71	32	39	69	30	39	249.8	194.3	320.2
24.5	Other hypertensive disease (444-447)	1	0	1	2	0	2	7.2	-	16.4
24.5	General arteriosclerosis (450)	2	0	2	2	0	2	7.2	-	16.4
24.5	Other circulatory diseases (451-468)	2	2	0	3	3	0	10.9	19.4	-
56.4	#Influenza & pneumonia (480-493)	5	1	4	6	2	4	21.7	13.0	32.8
24.5	Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
24.5	Other bronchopul. diseases (525-527)	1	1	0	2	2	0	7.2	13.0	-
24.5	Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	3.6	-	8.2
24.5	Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
24.5	#Gastritis, etc. (543, 571, 572)	3	1	2	4	1	3	14.5	6.5	24.6
24.5	Cirrhosis of liver (581)	1	1	0	2	2	0	7.2	13.0	-
24.5	Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
24.5	Chronic nephritis, etc. (592-594)	3	1	2	4	2	2	14.5	13.0	16.4
8.3	Infections of kidney (600)	4	2	2	4	3	1	14.5	19.4	8.2
24.5	Hyperplasia of prostate (610)	1	1	0	1	1	0	3.6	6.5	-
24.5	Maternal causes (640-689)	1	0	1	1	0	1	15.2	-	26.1
8.3	Congenital malformations (750-759)	4	2	2	4	2	2	14.5	13.0	16.4
6.2	Diseases of early infancy (760-776)	11	2	9	11	2	9	16.7	7.2	23.5
9.8	Accidents (800-962)	9	4	5	13	5	8	47.1	32.4	65.7
6.6	Motor vehicle accidents (810-835)	3	2	1	4	2	2	14.5	13.0	16.4
24.5	Suicide (963, 970-979)	4	3	1	4	3	1	14.5	19.4	8.2
6.6	Homicide (964, 980-985)	1	0	1	2	0	2	7.2	-	16.4
4.3	Ill-defined (780-795)	11	2	9	12	2	10	43.4	13.0	82.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PANOLA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	899	246	653	847	238	609	26.1	16.8	33.2
Fetal deaths	26	5	21	31	5	26	36.6	21.0	42.7
Total deaths	297	132	165	338	143	195	10.4	10.1	10.6
Deaths under 1 year	34	7	27	45	7	38	53.1	29.4	62.4
Deaths under 28 days	23	6	17	29	5	24	34.2	21.0	39.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	3.1	-	5.4
Dysentery (045-048)	2	0	2	2	0	2	6.2	-	10.9
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	3.1	-	5.4
Malignant neoplasms (140-205)	30	19	11	38	25	13	117.0	176.9	70.9
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	6.2	14.2	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	9.2	7.1	10.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	54	26	28	56	26	30	172.5	184.0	163.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	97	50	47	102	50	52	314.1	353.8	283.5
Other hypertensive disease (444-447)	2	0	2	2	0	2	6.2	-	10.9
General arteriosclerosis (450)	4	1	3	7	3	4	21.6	21.2	21.8
Other circulatory diseases (451-468)	0	0	0	4	1	3	12.3	7.1	16.4
#Influenza & pneumonia (480-493)	13	2	11	14	3	11	43.1	21.2	60.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	3	3	0	9.2	21.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	6.2	14.2	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	5	2	3	8	2	6	24.6	14.2	32.7
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	1	0	1	3.1	-	5.4
Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	6.2	7.1	5.4
Infections of kidney (600)	1	0	1	3	2	1	9.2	14.2	5.4
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.1	-	5.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	1	3	7	0	7	21.6	-	38.2
Diseases of early infancy (760-776)	19	5	14	23	5	18	27.2	21.0	29.6
Accidents (800-962)	22	13	9	19	9	10	58.5	63.7	54.5
Motor vehicle acc. (810-835)	8	5	3	9	6	3	27.7	42.5	16.4
Suicide (963, 970-979)	1	1	0	1	1	0	3.1	7.1	-
Homicide (964, 980-985)	7	0	7	7	0	7	21.6	-	38.2
III-defined (780-795)	19	2	17	20	2	18	61.6	14.2	98.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 PEARL RIVER COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

Non-white	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	632	487	145	575	416	159	21.3	19.3	29.3
Fetal deaths	20	13	7	21	14	7	36.5	33.6	44.0
Total deaths	242	183	59	259	196	63	9.6	9.1	11.6
Deaths under 1 year	26	18	8	26	18	8	45.2	43.3	50.3
Deaths under 28 days	18	15	3	18	15	3	31.3	36.0	18.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	3.7	-	18.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	2	0	2	2	0	7.4	9.3	-
Malignant neoplasms (140-205)	24	20	4	28	23	5	103.7	106.7	92.1
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.7	-	18.4
Asthma (241)	1	1	0	1	1	0	3.7	4.6	-
Diabetes mellitus (260)	2	2	0	1	1	0	3.7	4.6	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	14	5	21	16	5	77.8	74.2	92.1
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	3.7	4.6	-
Heart diseases (400-443)	93	75	18	93	75	18	344.6	347.9	331.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	7	6	1	5	5	0	18.5	23.2	-
Other circulatory diseases (451-468)	4	3	1	7	5	2	25.9	23.2	36.8
#Influenza & pneumonia (480-493)	14	12	2	14	12	2	51.9	55.6	36.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	1	1	7.4	4.6	18.4
#Gastritis, etc. (543, 571, 572)	3	1	2	3	1	2	11.1	4.6	36.8
Cirrhosis of liver (581)	1	1	0	1	1	0	3.7	4.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	4	1	3	14.8	4.6	55.2
Infections of kidney (600)	0	0	0	1	1	0	3.7	4.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	2	0	-	-	-
Diseases of early infancy (760-776)	16	13	3	15	12	3	26.1	28.8	18.9
Accidents (800-962)	22	13	9	25	15	10	92.6	69.6	184.2
Motor vehicle accidents (810-835)	11	7	4	14	10	4	51.9	46.4	73.7
Suicide (963, 970-979)	1	1	0	1	1	0	3.7	4.6	-
Homicide (964, 980-985)	3	2	1	5	4	1	18.5	18.6	18.4
Ill-defined (780-795)	12	5	7	11	5	6	40.8	23.2	110.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PERRY COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	30	20	10	191	118	73	23.3	22.0	25.7
Fetal deaths	2	1	1	8	6	2	41.9	50.8	27.4
Total deaths	35	23	12	76	50	26	9.2	9.3	9.2
Deaths under 1 year	1	0	1	10	3	7	52.4	25.4	95.9
Deaths under 28 days	0	0	0	6	2	4	31.4	16.9	54.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	12.2	-	35.2
Dysentery (045-048)	0	0	0	1	0	1	12.2	-	35.2
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	6	5	1	11	10	1	134.0	186.2	35.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	4	3	1	48.7	55.9	35.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	5	2	3	10	5	5	121.8	93.1	176.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	13	12	1	19	18	1	231.4	335.2	35.2
Other hypertensive disease (444-447)	1	1	0	1	1	0	12.2	18.6	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	4	1	3	48.7	18.6	105.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	12.2	-	35.2
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	12.2	-	35.2
Infections of kidney (600)	0	0	0	1	1	0	12.2	18.6	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	12.2	-	35.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	1	1	24.4	18.6	35.2
Diseases of early infancy (760-776)	0	0	0	4	2	2	20.9	16.9	27.4
Accidents (800-962)	1	0	1	5	3	2	60.9	55.9	70.4
Motor vehicle acc. (810-835)	0	0	0	0	0	0	-	-	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	0	1	12.2	-	35.2
Ill-defined (780-795)	4	1	3	4	1	3	48.7	18.6	105.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 PIKE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	772	378	394	759	336	423	20.3	15.5	26.9
Fetal deaths	24	10	14	23	7	16	30.3	20.8	37.8
Total deaths	391	213	178	444	246	198	11.9	11.4	12.6
Deaths under 1 year	23	6	17	29	7	22	38.2	20.8	52.0
Deaths under 28 days	14	5	9	17	5	12	22.4	14.9	28.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	2.7	-	6.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	22	12	35	23	12	93.6	106.1	76.4
Benign & unspec. neoplasms (210-239)	1	1	0	2	1	1	5.4	4.6	6.4
Asthma (241)	1	0	1	1	0	1	2.7	-	6.4
Diabetes mellitus (260)	7	4	3	10	6	4	26.8	27.7	25.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	65	41	24	65	44	21	173.9	203.0	133.8
Nonmeningococcal meningitis (340)	2	0	2	3	0	3	8.0	-	19.1
Heart diseases (400-443)	147	86	61	161	95	66	430.8	438.4	420.4
Other hypertensive disease (444-447)	7	3	4	7	3	4	18.7	13.8	25.5
General arteriosclerosis (450)	7	5	2	6	4	2	16.0	18.4	12.7
Other circulatory diseases (451-468)	2	0	2	8	3	5	21.4	13.8	31.8
#Influenza & pneumonia (480-493)	20	10	10	24	13	11	64.2	60.0	70.1
Bronchitis (500-502)	1	0	1	1	0	1	2.7	-	6.4
Other bronchopul. diseases (525-527)	7	6	1	6	5	1	16.0	23.1	6.4
Stomach & duodenal ulcers (540, 541)	4	1	3	4	1	3	10.7	4.6	19.1
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	2	1	1	5.4	4.6	6.4
#Gastritis, etc. (543, 571, 572)	6	2	4	6	2	4	16.0	9.2	25.5
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	5.4	4.6	6.4
Infections of kidney (600)	1	0	1	3	0	3	8.0	-	19.1
Hyperplasia of prostate (610)	1	0	1	1	0	1	2.7	-	6.4
Maternal causes (640-689)	1	1	0	2	2	0	26.4	59.5	-
Congenital malformations (750-759)	0	0	0	1	1	0	2.7	4.6	-
Diseases of early infancy (760-776)	14	5	9	16	5	11	21.1	14.9	25.0
Accidents (800-962)	16	4	12	26	11	15	69.6	50.8	95.5
Motor vehicle accidents (810-835)	5	1	4	11	6	5	29.4	27.7	31.8
Suicide (963, 970-979)	2	2	0	4	3	1	10.7	13.8	6.4
Homicide (964, 980-985)	5	3	2	6	3	3	16.0	13.8	19.1
Ill-defined (780-795)	23	6	17	23	7	16	61.5	32.3	101.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PONTOTOC COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	389	280	109	358	256	102	18.9	17.3	24.5
Fetal deaths	6	3	3	7	4	3	19.6	15.6	29.4
Total deaths	181	139	42	179	141	38	9.4	9.5	9.1
Deaths under 1 year	6	3	3	7	4	3	19.6	15.6	29.4
Deaths under 28 days	5	2	3	6	3	3	16.8	11.7	29.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	5.3	6.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	33	24	9	33	26	7	173.9	175.4	168.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	15.8	13.5	24.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	16	3	24	21	3	126.4	141.7	72.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	81	63	18	74	56	18	389.9	377.9	432.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	1	1	0	5.3	6.7	-
Other circulatory diseases (451-468)	2	1	1	2	1	1	10.5	6.7	24.0
#Influenza & pneumonia (480-493)	1	1	0	1	1	0	5.3	6.7	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	10.5	13.5	-
Stomach & duodenal ulcers (540, 541)	2	1	1	2	1	1	10.5	6.7	24.0
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.3	6.7	-
#Castritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	5.3	-	24.0
Infections of kidney (600)	3	3	0	2	2	0	10.5	13.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	5.3	-	24.0
Diseases of early infancy (760-776)	5	2	3	6	3	3	16.8	11.7	29.4
Accidents (800-962)	11	8	3	13	12	1	68.5	81.0	24.0
Motor vehicle acc. (810-835)	6	3	3	5	5	0	26.3	33.7	-
Suicide (963, 970-979)	2	2	0	2	2	0	10.5	13.5	-
Homicide (964, 980-985)	2	2	0	2	2	0	10.5	13.5	-
Ill-defined (780-795)	2	2	0	2	2	0	10.5	13.5	-

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PRENTISS COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	422	341	81	392	313	79	19.1	17.3	32.8
Fetal deaths	16	12	4	12	8	4	30.6	25.6	50.6
Total deaths	211	190	21	206	182	24	10.0	10.0	10.0
Deaths under 1 year	13	10	3	12	9	3	30.6	28.8	38.0
Deaths under 28 days	11	9	2	11	9	2	28.1	28.8	25.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	1	0	1	1	0	4.9	5.5	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	23	2	24	22	2	117.0	121.5	83.0
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	9.7	11.0	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	2	2	0	9.7	11.0	-
Anemias (290-293)	1	1	0	2	2	0	9.7	11.0	-
Intracranial lesions (330-334)	32	29	3	29	24	5	141.3	132.5	207.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	79	72	7	70	64	6	341.1	353.4	249.0
Other hypertensive disease (444-447)	3	2	1	4	3	1	19.5	16.6	41.5
General arteriosclerosis (450)	6	6	0	6	6	0	29.2	33.1	-
Other circulatory diseases (451-468)	5	5	0	3	3	0	14.6	16.6	-
#Influenza & pneumonia (480-493)	5	4	1	3	2	1	14.6	11.0	41.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	4.9	5.5	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	4.9	5.5	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	2	2	0	9.7	11.0	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	4.9	5.5	-
Cirrhosis of liver (581)	1	1	0	1	1	0	4.9	5.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	2	0	9.7	11.0	-
Infections of kidney (600)	0	0	0	2	1	1	9.7	5.5	41.5
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.9	-	41.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	2	0	9.7	11.0	-
Diseases of early infancy (760-776)	12	10	2	11	9	2	28.1	28.8	25.3
Accidents (800-962)	10	9	1	17	15	2	82.8	82.8	83.0
Motor vehicle accidents (810-835)	2	2	0	6	6	0	29.2	33.1	-
Suicide (963, 970-979)	2	2	0	3	3	0	14.6	16.6	-
Homicide (964, 980-985)	1	1	0	0	0	0	-	-	-
Ill-defined (780-795)	13	10	3	12	9	3	58.5	49.7	124.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
QUITMAN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	791	194	597	688	163	525	29.7	18.6	36.6
Fetal deaths	33	3	30	32	1	31	46.5	6.1	59.0
Total deaths	191	40	151	239	72	167	10.3	8.2	11.6
Deaths under 1 year	33	2	31	33	4	29	48.0	24.5	55.2
Deaths under 28 days	15	1	14	16	3	13	23.2	18.4	24.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	8.6	11.4	7.0
Syphilis (020-029)	1	0	1	1	0	1	4.3	-	7.0
Dysentery (045-048)	0	0	0	1	0	1	4.3	-	7.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	0	2	2	0	2	8.6	-	13.9
Malignant neoplasms (140-205)	17	6	11	24	9	15	103.8	102.5	104.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	13.0	11.4	13.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	16	1	15	25	5	20	108.1	56.9	139.4
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	4.3	-	7.0
Heart diseases (400-443)	66	20	46	78	33	45	337.2	375.8	313.6
Other hypertensive disease (444-447)	2	1	1	2	1	1	8.6	11.4	7.0
General arteriosclerosis (450)	2	2	0	2	2	0	8.6	22.8	-
Other circulatory diseases (451-468)	1	1	0	2	1	1	8.6	11.4	7.0
#Influenza & pneumonia (480-493)	10	1	9	12	3	9	51.9	34.2	62.7
Bronchitis (500-502)	2	0	2	2	0	2	8.6	-	13.9
Other bronchopul. diseases (525-527)	2	2	0	3	3	0	13.0	34.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	4.3	-	7.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	4.3	-	7.0
*Gastritis, etc. (543, 571, 572)	7	0	7	6	0	6	25.9	-	41.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	1	0	1	4.3	-	7.0
Chronic nephritis, etc. (592-594)	3	0	3	3	0	3	13.0	-	20.9
Infections of kidney (600)	1	0	1	1	0	1	4.3	-	7.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	4.3	-	7.0
Diseases of early infancy (760-776)	16	1	15	15	3	12	21.8	18.4	22.8
Accidents (800-962)	22	2	20	29	6	23	125.4	68.3	160.3
Motor vehicle acc. (810-835)	9	2	7	10	3	7	43.2	34.2	48.8
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	4.3	-	7.0
Ill-defined (780-795)	9	1	8	11	1	10	47.6	11.4	69.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
RANKIN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	211	65	146	857	472	385	21.0	18.7	24.6
Fetal deaths	10	8	2	46	31	15	53.7	65.7	39.0
Total deaths	395	203	192	293	183	110	7.2	7.3	7.0
Deaths under 1 year	13	1	12	31	9	22	36.2	19.1	57.1
Deaths under 28 days	3	0	3	17	7	10	19.8	14.8	26.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	0	3	3	2	1	7.3	7.9	6.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	5	1	4	2	1	1	4.9	4.0	6.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	31	18	13	25	19	6	61.2	75.4	38.3
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	2.4	4.0	-
Asthma (241)	3	2	1	1	1	0	2.4	4.0	-
Diabetes mellitus (260)	5	4	1	6	4	2	14.7	15.9	12.8
Anemias (290-293)	1	0	1	1	1	0	2.4	4.0	-
Intracranial lesions (330-334)	64	35	29	44	21	23	107.7	83.4	146.8
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	2.4	-	6.4
Heart diseases (400-443)	91	52	39	76	58	18	186.0	230.3	114.9
Other hypertensive disease (444-447)	2	0	2	2	0	2	4.9	-	12.8
General arteriosclerosis (450)	7	5	2	7	7	0	17.1	27.8	-
Other circulatory diseases (451-468)	17	6	11	6	4	2	14.7	15.9	12.8
#Influenza & pneumonia (480-493)	34	15	19	9	4	5	22.0	15.9	31.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	9	8	1	8	8	0	19.6	31.8	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	1	1	4.9	4.0	6.4
Hernia & intestinal obstruction (560, 561, 570)	3	0	3	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	6	2	4	4	2	2	9.8	7.9	12.8
Cirrhosis of liver (581)	1	1	0	1	1	0	2.4	4.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	1	1	0	2.4	4.0	-
Infections of kidney (600)	3	2	1	2	1	1	4.9	4.0	6.4
Hyperplasia of prostate (610)	1	0	1	1	1	0	2.4	4.0	-
Maternal causes (640-689)	0	0	0	2	1	1	23.3	21.2	26.0
Congenital malformations (750-759)	0	0	0	1	1	0	2.4	4.0	-
Diseases of early infancy (760-776)	3	0	3	15	6	9	17.5	12.7	23.4
Accidents (800-962)	40	17	23	38	21	17	93.0	83.4	108.5
Motor vehicle accidents (810-835)	7	2	5	18	8	10	44.1	31.8	63.8
Suicide (963, 970-979)	4	1	3	2	1	1	4.9	4.0	6.4
Homicide (964, 980-985)	1	0	1	1	0	1	2.4	-	6.4
Ill-defined (780-795)	22	7	15	15	4	11	36.7	15.9	70.2

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SCOTT COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	505	326	179	524	306	218	22.2	20.0	26.3
Fetal deaths	9	0	9	16	5	11	30.5	16.3	50.4
Total deaths	209	128	81	235	140	95	10.0	9.2	11.5
Deaths under 1 year	13	8	5	22	11	11	42.0	35.9	50.4
Deaths under 28 days	11	7	4	17	10	7	32.4	32.7	32.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	4.2	6.5	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	4.2	6.5	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	23	17	6	32	24	8	135.9	157.2	96.6
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	4.2	6.5	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	12.7	6.5	24.2
Anemias (290-293)	2	1	1	2	1	1	8.5	6.5	12.1
Intracranial lesions (330-334)	25	13	12	25	13	12	106.2	85.1	144.9
Nonmeningococcal meningitis (340)	0	0	0	2	1	1	8.5	6.5	12.1
Heart diseases (400-443)	95	58	37	87	51	36	369.4	334.0	434.8
Other hypertensive disease (444-447)	1	0	1	2	0	2	8.5	-	24.2
General arteriosclerosis (450)	3	1	2	5	3	2	21.2	19.6	24.2
Other circulatory diseases (451-468)	1	0	1	1	0	1	4.2	-	12.1
#Influenza & pneumonia (480-493)	7	6	1	9	5	4	38.2	32.7	48.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	5	5	0	4	4	0	17.0	26.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	4.2	6.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	1	0	3	1	2	12.7	6.5	24.2
Cirrhosis of liver (581)	2	2	0	1	1	0	4.2	6.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	4.2	6.5	-
Infections of kidney (600)	0	0	0	1	1	0	4.2	6.5	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.2	-	12.1
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	4	1	3	17.0	6.5	36.2
Diseases of early infancy (760-776)	10	6	4	15	9	6	28.6	29.4	27.5
Accidents (800-962)	14	10	4	18	12	6	76.4	78.6	72.5
Motor vehicle acc. (810-835)	9	6	3	12	7	5	51.0	45.8	60.4
Suicide (963, 970-979)	0	0	0	1	1	0	4.2	6.5	-
Homicide (964, 980-985)	4	0	4	4	0	4	17.0	-	48.3
Ill-defined (780-795)	4	2	2	3	1	2	12.7	6.5	24.2

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SHARKEY COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	196	30	166	333	56	277	31.1	16.8	37.5
Fetal deaths	6	0	6	17	2	15	51.0	35.7	54.2
Total deaths	95	18	77	118	32	86	11.0	9.6	11.6
Deaths under 1 year	9	0	9	12	1	11	36.0	17.8	39.7
Deaths under 28 days	3	0	3	4	1	3	12.0	17.8	10.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	2	7	15	6	9	139.9	180.2	121.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	9.3	-	13.5
Diabetes mellitus (260)	1	0	1	2	1	1	18.6	30.0	13.5
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	12	1	11	11	1	10	102.6	30.0	135.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	34	8	26	33	8	25	307.8	240.2	338.3
Other hypertensive disease (444-447)	1	0	1	1	0	1	9.3	-	13.5
General arteriosclerosis (450)	0	0	0	1	0	1	9.3	-	13.5
Other circulatory diseases (451-468)	0	0	0	1	1	0	9.3	30.0	-
#Influenza & pneumonia (480-493)	7	1	6	8	1	7	74.6	30.0	94.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	9.3	30.0	-
#Gastritis, etc. (543, 571, 572)	3	0	3	2	0	2	18.6	-	27.1
Cirrhosis of liver (581)	2	0	2	1	0	1	9.3	-	13.5
Acute nephritis (590, 591)	1	1	0	1	1	0	9.3	30.0	-
Chronic nephritis, etc. (592-594)	1	0	1	4	0	4	37.3	-	54.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	9.3	-	13.5
Maternal causes (640-689)	2	0	2	2	0	2	60.1	-	72.2
Congenital malformations (750-759)	1	0	1	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	0	2	5	1	4	15.0	17.8	14.4
Accidents (800-962)	7	3	4	14	6	8	130.6	180.2	108.2
Motor vehicle accidents (810-835)	2	1	1	5	3	2	46.6	90.1	27.1
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	9.3	-	13.5
Ill-defined (780-795)	7	2	5	7	2	5	65.3	60.1	67.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SIMPSON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	395	242	153	439	255	184	20.0	17.0	26.6
Fetal deaths	16	9	7	26	11	15	59.2	43.1	81.5
Total deaths	259	163	96	222	147	75	10.1	9.8	10.8
Deaths under 1 year	12	3	9	12	1	11	27.3	3.9	59.8
Deaths under 28 days	8	3	5	7	1	6	15.9	3.9	32.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	31	11	20	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	43	28	15	44	32	12	200.5	212.9	173.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	3	2	5	2	3	22.8	13.3	43.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	23	17	6	19	14	5	86.6	93.1	72.4
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	4.6	-	14.5
Heart diseases (400-443)	70	47	23	71	48	23	323.6	319.4	332.8
Other hypertensive disease (444-447)	1	1	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	2	2	4	2	2	18.2	13.3	28.9
Other circulatory diseases (451-468)	0	0	0	1	1	0	4.6	6.6	-
#Influenza & pneumonia (480-493)	4	3	1	5	3	2	22.8	20.0	28.9
Bronchitis (500-502)	1	0	1	1	0	1	4.6	-	14.5
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	4.6	6.6	-
Stomach & duodenal ulcers (540, 541)	4	4	0	1	1	0	4.6	6.6	-
Bernia & intestinal obstruction (560, 561, 570)	2	1	1	1	1	0	4.6	6.6	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	0	1	4.6	-	14.5
Cirrhosis of liver (581)	1	0	1	2	1	1	9.1	6.6	14.5
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	3	1	3	2	1	13.7	13.3	14.5
Infections of kidney (600)	4	3	1	3	2	1	13.7	13.3	14.5
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	0	0	0	-	-	-
Diseases of early infancy (760-776)	8	3	5	7	1	6	15.9	3.9	32.6
Accidents (800-962)	26	20	6	30	23	7	136.7	153.0	101.3
Motor vehicle acc. (810-835)	14	12	2	14	11	3	63.8	73.2	43.4
Suicide (963, 970-979)	3	3	0	2	2	0	9.1	13.3	-
Homicide (964, 980-985)	1	0	1	2	0	2	9.1	-	28.9
Ill-defined (780-795)	10	6	4	11	5	6	50.1	33.3	86.8

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 SMITH COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	26	2	24	316	174	142	21.0	14.9	42.4
Fetal deaths	3	0	3	15	7	8	47.5	40.2	56.3
Total deaths	63	49	14	135	109	26	9.0	9.3	7.8
Deaths under 1 year	3	0	3	8	2	6	25.3	11.5	42.2
Deaths under 28 days	0	0	0	4	2	2	12.6	11.5	14.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	6.6	-	29.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	9	2	22	18	4	146.3	154.0	119.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	1	1	13.3	8.6	29.8
Anemias (290-293)	0	0	0	1	0	1	6.6	-	29.8
Intracranial lesions (330-334)	12	10	2	22	18	4	146.3	154.0	119.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	26	21	5	38	32	6	252.6	273.7	179.1
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.6	-	29.8
General arteriosclerosis (450)	1	1	0	1	1	0	6.6	8.6	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.6	8.6	-
#Influenza & pneumonia (480-493)	3	1	2	8	5	3	53.2	42.8	89.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	6.6	8.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	13.3	17.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	2	1	1	13.3	8.6	29.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	2	0	13.3	17.1	-
Infections of kidney (600)	0	0	0	1	1	0	6.6	8.6	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	6.6	8.6	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	3	2	1	9.5	11.5	7.0
Accidents (800-962)	3	3	0	14	14	0	93.1	119.8	-
Motor vehicle accidents (810-835)	2	2	0	11	11	0	73.1	94.1	-
Suicide (963, 970-979)	2	2	0	3	3	0	19.9	25.7	-
Homicide (964, 980-985)	2	1	1	1	1	0	6.6	8.6	-
Ill-defined (780-795)	1	0	1	3	2	1	19.9	17.1	29.8

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STONE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	152	100	52	162	104	58	17.8	14.7	28.4
Fetal deaths	7	3	4	7	2	5	43.2	19.2	86.2
Total deaths	92	68	24	91	66	25	10.0	9.3	12.2
Deaths under 1 year	4	2	2	5	2	3	30.9	19.2	51.7
Deaths under 28 days	1	1	0	2	1	1	12.3	9.6	17.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	12	1	13	11	2	142.8	155.8	98.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	3	1	3	2	1	33.0	28.3	49.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	3	6	12	5	7	131.9	70.8	343.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	39	31	8	40	33	7	439.6	467.4	343.1
Other hypertensive disease (444-447)	1	0	1	1	0	1	11.0	-	49.0
General arteriosclerosis (450)	1	1	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	2	2	0	22.0	28.3	-
#Influenza & pneumonia (480-493)	3	0	3	3	0	3	33.0	-	147.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	11.0	14.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	1	1	0	11.0	14.2	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	0	1	1	0	1	11.0	-	49.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	22.0	28.3	-
Infections of kidney (600)	1	0	1	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	1	0	2	1	1	12.3	9.6	17.2
Accidents (800-962)	9	9	0	7	6	1	76.9	85.0	49.0
Motor vehicle acc. (810-835)	7	7	0	2	1	1	22.0	14.2	49.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	2	2	3	2	1	33.0	28.3	49.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 SUNFLOWER COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,265	207	1,058	1,377	244	1,133	27.3	14.8	33.2
Fetal deaths	49	8	41	58	12	46	42.1	49.2	40.6
Total deaths	431	108	323	483	140	343	9.6	8.5	10.1
Deaths under 1 year	63	9	54	63	8	55	45.8	32.8	48.5
Deaths under 28 days	35	8	27	36	7	29	26.1	28.7	25.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	4.0	-	5.9
Syphilis (020-029)	1	0	1	1	0	1	2.0	-	2.9
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	1	1	1	1	0	2.0	6.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	2.0	-	2.9
Malignant neoplasms (140-205)	55	17	38	71	27	44	140.6	164.4	129.1
Benign & unspec. neoplasms (210-239)	1	1	0	2	1	1	4.0	6.1	2.9
Asthma (241)	0	0	0	1	0	1	2.0	-	2.9
Diabetes mellitus (260)	7	2	5	7	3	4	13.9	18.3	11.7
Anemias (290-293)	1	0	1	1	0	1	2.0	-	2.9
Intracranial lesions (330-334)	68	17	51	76	22	54	150.5	134.0	158.5
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	2.0	6.1	-
Heart diseases (400-443)	114	37	77	113	40	73	223.8	243.6	214.3
Other hypertensive disease (444-447)	4	0	4	4	0	4	7.9	-	11.7
General arteriosclerosis (450)	3	1	2	5	3	2	9.9	18.3	5.9
Other circulatory diseases (451-468)	4	0	4	5	1	4	9.9	6.1	11.7
#Influenza & pneumonia (480-493)	25	1	24	27	2	25	53.5	12.2	73.4
Bronchitis (500-502)	1	0	1	1	0	1	2.0	-	2.9
Other bronchopul. diseases (525-527)	4	3	1	3	2	1	5.9	12.2	2.9
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	2.0	-	2.9
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	3	0	3	5.9	-	8.8
#Gastritis, etc. (543, 571, 572)	8	0	8	6	0	6	11.9	-	17.6
Cirrhosis of liver (581)	1	1	0	1	0	1	2.0	-	2.9
Acute nephritis (590, 591)	1	1	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	1	3	6	2	4	11.9	12.2	11.7
Infections of kidney (600)	5	0	5	5	0	5	9.9	-	14.7
Hyperplasia of prostate (610)	1	0	1	2	0	2	4.0	-	5.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	5	0	2	4	0	4	7.9	-	11.7
Diseases of early infancy (760-776)	29	7	22	31	6	25	22.5	24.6	22.1
Accidents (800-962)	28	11	17	36	16	20	71.3	97.4	58.7
Motor vehicle accidents (810-835)	14	7	7	19	8	11	37.6	48.7	32.3
Suicide (963, 970-979)	1	0	1	2	2	0	4.0	12.2	-
Homicide (964, 980-985)	7	0	7	8	0	8	15.8	-	23.5
Ill-defined (780-795)	39	4	35	43	6	37	85.2	36.5	108.6

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TALLAHATCHIE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	721	120	601	772	142	630	29.9	15.2	38.3
Fetal deaths	20	3	17	23	2	21	29.8	14.1	33.3
Total deaths	238	73	165	278	104	174	10.8	11.1	10.6
Deaths under 1 year	39	2	37	43	4	39	55.7	28.2	61.9
Deaths under 28 days	16	2	14	17	3	14	22.0	21.1	22.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	3.9	-	6.1
Syphilis (020-029)	1	0	1	1	0	1	3.9	-	6.1
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	2	0	2	1	0	1	3.9	-	6.1
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	26	14	12	34	19	15	131.8	203.4	91.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	1	1	2	1	1	7.8	10.7	6.1
Diabetes mellitus (260)	4	0	4	4	0	4	15.5	-	24.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	15	2	13	21	12	9	81.4	128.5	54.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	85	34	51	97	46	51	376.0	492.5	309.8
Other hypertensive disease (444-447)	4	0	4	5	0	5	19.4	-	30.4
General arteriosclerosis (450)	5	1	4	6	2	4	23.2	21.4	24.3
Other circulatory diseases (451-468)	1	0	1	1	0	1	3.9	-	6.1
#Influenza & pneumonia (480-493)	5	1	4	5	1	4	19.4	10.7	24.3
Bronchitis (500-502)	2	1	1	2	1	1	7.8	10.7	6.1
Other bronchopul. diseases (525-527)	3	3	0	3	3	0	11.6	32.1	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	0	1	3.9	-	6.1
Pernia & intestinal obstruction (560, 561, 570)	1	0	1	2	0	2	7.8	-	12.2
#Gastritis, etc. (543, 571, 572)	8	0	8	10	0	10	38.8	-	60.8
Cirrhosis of liver (581)	0	0	0	2	2	0	7.8	21.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	5	2	3	6	2	4	23.2	21.4	24.3
Infections of kidney (600)	1	1	0	1	1	0	3.9	10.7	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	3.9	10.7	-
Diseases of early infancy (760-776)	14	2	12	16	3	13	20.7	21.1	20.6
Accidents (800-962)	21	7	14	26	9	17	100.8	96.4	103.3
Motor vehicle acc. (810-835)	9	4	5	13	7	6	50.4	74.9	36.4
Suicide (963, 970-979)	2	2	0	1	1	0	3.9	10.7	-
Homicide (964, 980-985)	4	0	4	3	0	3	11.6	-	18.2
Ill-defined (780-795)	21	0	21	20	0	20	77.5	-	121.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TATE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	309	5	304	557	148	409	27.5	16.6	35.9
Fetal deaths	12	0	12	21	1	20	37.7	6.8	48.9
Total deaths	120	43	77	181	82	99	8.9	9.2	8.7
Deaths under 1 year	9	0	9	14	2	12	25.1	13.5	29.3
Deaths under 28 days	2	0	2	4	2	2	7.2	13.5	4.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	4	6	18	11	7	88.8	123.6	61.5
Benign & unspec. neoplasms (210-239)	1	0	1	2	0	2	9.9	-	17.5
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	2	1	1	9.9	11.2	8.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	7	3	20	12	8	98.6	134.8	70.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	61	24	37	75	34	41	369.8	382.0	360.3
Other hypertensive disease (444-447)	1	0	1	2	1	1	9.9	11.2	8.8
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	4.9	11.2	-
#Influenza & pneumonia (480-493)	3	0	3	11	3	8	54.2	33.7	70.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	3	2	1	14.8	22.5	8.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	14.8	-	26.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	1	1	9.9	11.2	8.8
Infections of kidney (600)	1	0	1	2	1	1	9.9	11.2	8.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	2	0	9.9	22.5	-
Diseases of early infancy (760-776)	3	0	3	5	1	4	9.0	6.8	9.8
Accidents (800-962)	10	5	5	15	9	6	74.0	101.1	52.7
Motor vehicle accidents (810-835)	6	2	4	10	6	4	49.3	67.4	35.1
Suicide (963, 970-979)	2	1	1	3	2	1	14.8	22.5	8.8
Homicide (964, 980-985)	0	0	0	1	0	1	4.9	-	8.8
III-defined (780-795)	9	0	9	9	0	9	44.4	-	79.1

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TIPPAH COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	375	273	102	318	232	86	20.0	17.9	29.9
Fetal deaths	37	26	11	29	20	9	91.2	86.2	104.6
Total deaths	142	114	28	149	123	26	9.4	9.5	9.0
Deaths under 1 year	18	8	10	17	10	7	53.4	43.1	81.4
Deaths under 28 days	10	4	6	9	4	5	28.3	17.2	58.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	12.6	7.7	34.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	2	0	2	2	0	12.6	15.4	-
Malignant neoplasms (140-205)	14	13	1	20	18	2	126.1	138.7	69.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	21	17	4	21	17	4	132.4	131.0	138.9
Nonmeningococcal meningitis (340)	1	0	1	0	0	0	-	-	-
Heart diseases (400-443)	61	54	7	55	49	6	346.8	377.5	208.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	2	2	0	12.6	15.4	-
Other circulatory diseases (451-468)	0	0	0	4	3	1	25.2	23.1	34.7
#Influenza & pneumonia (480-493)	4	3	1	5	4	1	31.5	30.8	34.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	1	0	1	6.3	-	34.7
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	6.3	7.7	-
#Gastritis, etc. (543, 571, 572)	5	3	2	4	3	1	25.2	23.1	34.7
Cirrhosis of liver (581)	1	1	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	6.3	7.7	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	6.3	7.7	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	6.3	7.7	-
Diseases of early infancy (760-776)	10	4	6	11	6	5	34.6	25.9	58.1
Accidents (800-962)	8	8	0	11	11	0	69.4	84.7	-
Motor vehicle acc. (810-835)	2	2	0	4	4	0	25.2	30.8	-
Suicide (963, 970-979)	1	1	0	1	1	0	6.3	7.7	-
Homicide (964, 980-985)	1	0	1	1	0	1	6.3	-	34.7
Ill-defined (780-795)	0	0	0	0	0	0	-	-	-

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 TISHOMINGO COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

		Occurrence			Residence					
		Total	White	Non-white	Number			Rate*		
					Total	White	Non-white	Total	White	Non-white
Live births	187	175	12	290	272	18	16.9	16.6	26.1	
Fetal deaths	3	2	1	3	2	1	10.3	7.4	55.6	
Total deaths	124	117	7	157	148	9	9.2	9.0	13.0	
Deaths under 1 year	4	4	0	13	13	0	44.8	47.8	-	
Deaths under 28 days	2	2	0	7	7	0	24.1	25.7	-	
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.										
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-	
Syphilis (020-029)	0	0	0	0	0	0	-	-	-	
Dysentery (045-048)	0	0	0	0	0	0	-	-	-	
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-	
Diphtheria (055)	0	0	0	0	0	0	-	-	-	
Whooping cough (056)	0	0	0	0	0	0	-	-	-	
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-	
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-	
Measles (085)	0	0	0	0	0	0	-	-	-	
Malignant neoplasms (140-205)	18	16	2	26	22	4	151.9	133.9	579.7	
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-	
Asthma (241)	1	1	0	1	1	0	5.8	6.1	-	
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-	
Anemias (290-293)	0	0	0	0	0	0	-	-	-	
Intracranial lesions (330-334)	29	27	2	31	30	1	181.1	182.6	144.9	
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-	
Heart diseases (400-443)	44	42	2	47	45	2	274.5	273.9	289.8	
Other hypertensive disease (444-447)	1	0	1	1	0	1	5.8	-	144.9	
General arteriosclerosis (450)	1	1	0	2	2	0	11.7	12.2	-	
Other circulatory diseases (451-468)	1	1	0	3	2	1	17.5	12.2	144.9	
#Influenza & pneumonia (480-493)	3	3	0	5	5	0	29.2	30.4	-	
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-	
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.8	6.1	-	
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.8	6.1	-	
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.8	6.1	-	
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	5.8	6.1	-	
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-	
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-	
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-	
Infections of kidney (600)	1	1	0	0	0	0	-	-	-	
Hyperplasia of prostate (610)	0	0	0	2	2	0	11.7	12.2	-	
Maternal causes (640-689)	0	0	0	1	1	0	5.8	6.1	-	
Congenital malformations (750-759)	2	2	0	4	4	0	23.4	24.3	-	
Diseases of early infancy (760-776)	2	2	0	8	8	0	27.6	29.4	-	
Accidents (800-962)	9	9	0	10	10	0	58.4	60.9	-	
Motor vehicle acc. (810-835)	7	7	0	8	8	0	46.7	48.7	-	
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-	
Homicide (964, 980-985)	0	0	0	1	1	0	-	-	-	
III-defined (780-795)	7	7	0	7	7	0	40.9	42.6	-	

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TUNICA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	586	60	526	607	83	524	33.8	16.5	40.6
Fetal deaths	21	0	21	19	0	19	31.3	-	36.2
Total deaths	207	33	174	224	46	178	12.5	9.1	13.8
Deaths under 1 year	42	1	41	42	3	39	69.2	36.1	74.4
Deaths under 28 days	19	1	18	20	3	17	32.9	36.1	32.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	1	2	3	1	2	16.7	19.8	15.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	2	12	23	6	17	128.1	119.0	131.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	5.6	-	7.7
Diabetes mellitus (260)	4	0	4	3	0	3	16.7	-	23.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	16	0	16	20	2	18	111.4	39.7	139.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	65	17	48	73	23	50	406.7	456.3	387.3
Other hypertensive disease (444-447)	3	0	3	4	0	4	22.3	-	31.0
General arteriosclerosis (450)	.3	3	0	3	3	0	16.7	59.5	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	13	0	13	13	0	13	72.4	-	100.7
Bronchitis (500-502)	1	0	1	1	0	1	5.6	-	7.7
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	5.6	19.8	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	11.1	-	15.5
#Gastritis, etc. (543, 571, 572)	7	0	7	6	0	6	33.4	-	46.5
Cirrhosis of liver (581)	1	0	1	1	0	1	5.6	-	7.7
Acute nephritis (590, 591)	4	0	4	2	0	2	11.1	-	15.5
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	5.6	-	7.7
Infections of kidney (600)	2	0	2	3	1	2	16.7	19.8	15.5
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	32.9	-	38.2
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	20	1	19	21	3	18	34.6	36.1	34.4
Accidents (800-962)	20	7	13	14	4	10	78.0	79.4	77.4
Motor vehicle acc. (810-835)	8	4	4	2	1	1	11.1	19.8	7.7
Suicide (963, 970-979)	1	0	1	1	0	1	5.6	-	7.7
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	22	1	21	22	1	21	122.6	19.8	162.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 UNION COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	329	237	92	371	281	90	19.6	18.0	26.9
Fetal deaths	43	40	3	38	36	2	102.4	128.1	22.2
Total deaths	168	124	44	187	140	47	9.9	9.0	14.1
Deaths under 1 year	10	6	4	9	5	4	24.2	17.8	44.4
Deaths under 28 days	5	3	2	5	3	2	13.5	10.7	22.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	4	3	1	21.1	19.2	29.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	11	5	25	19	6	131.9	121.7	179.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	4	2	2	21.1	12.8	59.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	19	7	28	21	7	147.8	134.5	209.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	47	9	64	56	8	337.7	358.7	239.5
Other hypertensive disease (444-447)	1	0	1	2	1	1	10.6	6.4	29.9
General arteriosclerosis (450)	5	4	2	6	4	2	31.7	25.6	59.9
Other circulatory diseases (451-468)	1	1	0	2	2	0	10.6	12.8	-
#Influenza & pneumonia (480-493)	3	2	0	4	3	1	21.1	19.2	29.9
Bronchitis (500-502)	1	1	0	1	1	0	5.3	6.4	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	5.3	6.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	5.3	6.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	1	0	5.3	6.4	-
Hyperplasia of prostate (610)	2	2	0	1	1	0	5.3	6.4	-
Maternal causes (640-689)	1	0	1	1	0	1	27.0	-	111.1
Congenital malformations (750-759)	2	2	0	4	4	0	21.1	25.6	-
Diseases of early infancy (760-776)	6	4	2	4	2	2	10.8	7.1	22.2
Accidents (800-962)	12	7	5	7	2	5	36.9	12.8	149.7
Motor vehicle accidents (810-835)	9	6	3	3	1	2	15.8	6.4	59.9
Suicide (963, 970-979)	3	2	1	3	2	1	15.8	12.8	29.9
Homicide (964, 980-985)	1	0	1	0	1	1	5.3	-	29.9
Ill-defined (780-795)	17	10	7	17	9	8	89.7	57.6	239.5

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WALTHALL COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	444	246	198	299	114	185	21.9	15.9	28.5
Fetal deaths	25	18	7	14	8	6	46.8	70.2	32.4
Total deaths	124	65	59	120	62	58	8.8	8.7	9.0
Deaths under 1 year	16	8	8	14	7	7	46.8	61.4	37.8
Deaths under 28 days	12	7	5	12	7	5	40.1	61.4	27.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	7.3	14.0	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	14	4	17	13	4	124.7	181.8	61.7
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	2	1	1	14.7	14.0	15.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	9	10	20	10	10	146.7	139.9	154.3
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	7.3	14.0	-
Heart diseases (400-443)	41	19	22	38	18	20	278.8	251.7	308.6
Other hypertensive disease (444-447)	2	0	2	3	0	3	22.0	-	46.3
General arteriosclerosis (450)	6	2	4	6	2	4	44.0	28.0	61.7
Other circulatory diseases (451-468)	1	0	1	2	1	1	14.7	14.0	15.4
#Influenza & pneumonia (480-493)	3	2	1	2	1	1	14.7	14.0	15.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	7.3	14.0	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	7.3	14.0	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	1	2	1	0	1	7.3	-	15.4
Cirrhosis of liver (581)	0	0	0	1	0	1	7.3	-	15.4
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	1	2	3	1	2	22.0	14.0	30.9
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	1	0	1	1	0	33.4	87.7	-
Congenital malformations (750-759)	1	1	0	1	1	0	7.3	14.0	-
Diseases of early infancy (760-776)	10	5	5	9	4	5	30.1	35.1	27.0
Accidents (800-962)	3	2	1	6	4	2	44.0	55.9	30.9
Motor vehicle acc. (810-835)	2	1	1	3	2	1	22.0	28.0	15.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	1	1	0	0	0	-	-	-
Ill-defined (780-795)	4	2	2	3	1	2	22.0	14.0	30.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 WARREN COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	1,495	560	935	1,038	475	563	24.0	20.2	28.3
Fetal deaths	102	35	67	55	25	30	53.0	52.6	53.3
Total deaths	666	259	407	526	217	309	12.1	9.2	15.5
Deaths under 1 year	59	12	47	39	13	26	37.6	27.4	46.2
Deaths under 28 days	34	8	26	23	9	14	22.2	18.9	24.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	3	1	2	6.9	4.3	10.1
Syphilis (020-029)	1	0	1	1	0	1	2.3	-	5.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	2.3	4.3	-
Malignant neoplasms (140-205)	95	36	59	73	30	43	168.4	127.9	216.3
Benign & unspec. neoplasms (210-239)	2	0	2	1	0	1	2.3	-	5.0
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	17	4	13	12	2	10	27.7	8.5	50.2
Anemias (290-293)	3	3	0	3	3	0	6.9	12.8	-
Intracranial lesions (330-334)	76	35	41	62	26	36	143.0	110.8	181.1
Nonmeningococcal meningitis (340)	1	0	1	1	1	0	2.3	4.3	-
Heart diseases (400-443)	176	78	98	155	74	81	357.6	315.4	407.4
Other hypertensive disease (444-447)	10	4	6	7	3	4	16.2	12.8	20.1
General arteriosclerosis (450)	11	8	3	8	5	3	18.4	21.3	15.1
Other circulatory diseases (451-468)	8	5	3	8	5	3	18.4	21.3	15.1
#Influenza & pneumonia (480-493)	15	5	10	16	6	10	36.9	25.6	50.3
Bronchitis (500-502)	2	1	1	2	1	1	4.6	4.3	5.0
Other bronchopul. diseases (525-527)	4	4	0	3	3	0	6.9	12.8	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	4.6	8.5	-
Hernia & intestinal obstruction (560, 561, 570)	12	4	8	3	1	2	6.9	4.3	10.1
#Gastritis, etc. (543, 571, 572)	13	2	11	4	1	3	9.2	4.3	15.1
Cirrhosis of liver (581)	8	6	2	3	1	2	6.9	4.3	10.1
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	9	2	7	7	2	5	16.2	8.5	25.2
Infections of kidney (600)	3	3	0	2	2	0	4.6	8.5	-
Hyperplasia of prostate (610)	4	1	3	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	1	0	1	9.6	-	17.8
Congenital malformations (750-759)	4	1	3	4	1	3	9.2	4.3	15.1
Diseases of early infancy (760-776)	31	7	24	18	6	12	17.3	12.6	21.3
Accidents (800-962)	45	19	26	32	17	15	73.8	72.5	75.4
Motor vehicle accidents (810-835)	10	7	3	10	8	2	23.1	34.1	10.1
Suicide (963, 970-979)	5	3	2	4	3	1	9.2	12.8	5.0
Homicide (964, 980-985)	4	1	3	5	1	4	11.5	4.3	20.1
Ill-defined (780-795)	78	15	63	69	12	57	159.2	51.2	286.7

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WASHINGTON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,369	837	1,532	2,251	766	1,485	28.5	21.5	34.3
Fetal deaths	198	107	91	189	95	94	84.0	124.0	63.3
Total deaths	786	250	536	837	243	594	10.6	6.8	13.7
Deaths under 1 year	100	13	87	103	15	88	45.8	19.6	59.2
Deaths under 28 days	59	10	49	59	10	49	26.2	13.0	33.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	1.3	2.8	-
Syphilis (020-029)	2	2	0	1	1	0	1.3	2.8	-
Dysentery (045-048)	1	0	1	1	0	1	1.3	-	2.3
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	1.3	-	2.3
Meningococcal infections (057)	1	1	0	1	1	0	1.3	2.8	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	96	42	54	114	42	72	144.4	117.8	166.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	1	6	10	2	8	12.7	5.6	18.5
Anemias (290-293)	1	0	1	1	0	1	1.3	-	2.3
Intracranial lesions (330-334)	83	15	68	92	17	75	116.5	47.7	173.2
Nonmeningococcal meningitis (340)	1	0	1	2	0	2	2.5	-	4.6
Heart diseases (400-443)	227	79	148	229	74	155	290.0	207.6	358.0
Other hypertensive disease (444-447)	5	0	5	6	0	6	7.6	-	13.8
General arteriosclerosis (450)	5	1	4	4	1	3	5.1	2.8	6.9
Other circulatory diseases (451-468)	10	7	3	9	5	4	11.4	14.0	9.2
#Influenza & pneumonia (480-493)	32	10	22	29	10	19	36.7	28.0	43.9
Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	6	4	2	9	5	4	11.4	14.0	9.2
Stomach & duodenal ulcers (540, 541)	5	2	3	4	2	2	5.1	5.6	4.6
Hernia & intestinal obstruction (560, 561, 570)	5	2	3	6	1	5	7.6	2.8	11.5
#Gastritis, etc. (543, 571, 572)	9	1	8	14	1	13	17.7	2.8	30.0
Cirrhosis of liver (581)	5	3	2	6	5	1	7.6	14.0	2.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis (592-594)	12	2	10	16	1	15	20.3	2.8	34.6
Infections of kidney (600)	6	3	3	7	4	3	8.9	11.2	6.9
Hyperplasia of prostate (610)	1	1	0	2	1	1	2.5	2.8	2.3
Maternal causes (640-689)	1	0	1	2	0	2	8.9	-	13.5
Gonadal malformations (750-759)	4	2	2	7	4	3	8.9	11.2	6.9
Diseases of early infancy (760-776)	58	8	50	57	8	49	25.3	10.4	33.0
Accidents (800-962)	67	32	35	70	32	38	88.7	89.8	87.8
Motor vehicle acc. (810-835)	34	17	17	35	19	16	44.3	53.3	37.0
Suicide (963, 970-979)	5	5	0	3	3	0	3.8	8.4	-
Homicide (964, 980-985)	6	1	5	6	1	5	7.6	2.8	11.5
111-defined (780-795)	100	10	90	101	11	90	127.9	30.8	207.8

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WAYNE COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	459	306	153	378	221	157	24.4	20.8	32.0
Fetal deaths	14	3	11	16	2	14	42.3	9.0	89.2
Total deaths	142	96	46	158	101	57	10.2	9.5	11.6
Deaths under 1 year	16	7	9	16	5	11	42.3	22.6	70.1
Deaths under 28 days	8	3	5	6	1	5	15.9	4.5	31.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	6.4	-	20.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	6.4	9.4	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	17	12	5	17	12	5	109.7	113.2	102.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	4	2	4	2	2	25.8	18.9	40.8
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	24	14	10	25	13	12	161.3	122.6	244.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	32	12	46	35	11	296.8	330.2	224.5
Other hypertensive disease (444-447)	4	4	0	4	4	0	25.8	37.7	-
General arteriosclerosis (450)	3	3	0	3	3	0	19.4	28.3	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	12.9	18.9	-
#Influenza & pneumonia (480-493)	4	3	1	5	4	1	32.2	37.7	20.4
Bronchitis (500-502)	1	0	1	1	0	1	6.4	-	20.4
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	6.4	9.4	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.4	9.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	6.4	9.4	-
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	12.9	-	40.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	6.4	-	20.4
Infections of kidney (600)	1	0	1	2	0	2	12.9	-	40.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	1	0	1	26.4	-	63.7
Congenital malformations (750-759)	3	2	1	4	3	1	25.8	28.3	20.4
Diseases of early infancy (760-776)	8	3	5	7	1	6	18.5	4.5	38.2
Accidents (800-962)	12	8	4	12	6	6	7.7.4	56.6	122.4
Motor vehicle accidents (810-835)	5	5	0	4	4	0	25.8	37.7	-
Suicide (963, 970-979)	2	2	0	3	3	0	19.4	28.3	-
Homicide (964, 980-985)	1	0	1	2	1	1	12.9	9.4	20.4
Ill-defined (780-795)	3	2	1	3	2	1	19.4	18.9	20.4

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 WEBSTER COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	114	53	61	204	117	87	18.3	14.5	28.2
Fetal deaths	4	3	1	4	3	1	19.6	25.6	11.5
Total deaths	74	53	21	117	92	25	10.5	11.4	8.1
Deaths under 1 year	1	0	1	3	1	2	14.7	8.5	23.0
Deaths under 28 days	0	0	0	1	1	0	4.9	8.5	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	17.9	24.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	11	3	25	22	3	223.8	271.9	97.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	9.0	12.4	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	18	13	5	24	20	4	214.9	247.2	129.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	23	18	5	34	26	8	304.4	321.4	259.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	9.0	12.4	-
#Influenza & pneumonia (480-493)	1	1	0	3	2	1	26.8	24.7	32.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	3	2	1	26.8	24.7	32.5
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	9.0	12.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	9.0	12.4	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	9.0	12.4	-
Diseases of early infancy (760-776)	1	0	1	2	1	1	9.8	8.5	11.5
Accidents (800-962)	5	2	3	7	4	3	62.7	49.4	97.4
Motor vehicle acc. (810-835)	3	2	1	2	2	0	17.9	24.7	-
Suicide (963, 970-979)	1	1	0	1	1	0	9.0	12.4	-
Homicide (964, 980-985)	0	0	0	1	0	1	9.0	-	32.5
Ill-defined (780-795)	3	1	2	3	1	2	26.8	12.4	64.9

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WILKINSON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	351	129	222	308	61	247	24.7	16.4	28.2
Fetal deaths	6	2	4	7	2	5	22.7	32.8	20.2
Total deaths	138	61	77	146	53	93	11.7	14.3	10.6
Deaths under 1 year	18	4	14	17	2	15	55.2	32.8	60.7
Deaths under 28 days	12	3	9	10	1	9	32.5	16.4	36.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	9	7	16	6	10	128.4	161.7	114.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	8.0	-	11.4
Diabetes mellitus (260)	3	0	3	3	0	3	24.1	-	34.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	7	3	4	10	5	5	80.2	134.8	57.1
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	8.0	27.0	-
Heart diseases (400-443)	50	25	25	49	21	28	393.2	566.0	320.0
Other hypertensive disease (444-447)	5	1	4	5	1	4	40.1	27.0	45.7
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	4	3	1	4	2	2	32.1	53.9	22.8
#Influenza & pneumonia (480-493)	6	1	5	6	1	5	48.2	27.0	57.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	5	5	0	2	2	0	16.0	53.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	16.0	53.9	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	8.0	-	11.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	16.0	53.9	-
Infections of kidney (600)	0	0	0	1	0	1	8.0	-	11.4
Hyperplasia of prostate (610)	0	0	0	1	0	1	8.0	-	11.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	0	2	16.0	-	22.8
Diseases of early infancy (760-776)	14	3	11	11	1	10	35.7	16.4	40.5
Accidents (800-962)	8	5	3	12	6	6	96.3	161.7	68.6
Motor vehicle accidents (810-835)	2	1	1	8	3	5	64.2	80.9	57.1
Suicide (963, 970-979)	2	1	1	1	0	1	8.0	-	11.4
Homicide (964, 980-985)	2	0	2	3	0	3	24.1	-	34.3
Ill-defined (780-795)	8	0	8	9	1	8	72.2	27.0	91.4

See page 57 for footnotes.

FIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WINSTON COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	366	161	205	396	173	223	19.2	16.2	22.5
Fetal deaths	9	2	7	10	2	8	25.2	11.6	35.9
Total deaths	180	113	67	206	133	73	10.0	12.5	7.4
Deaths under 1 year	14	5	9	15	5	10	37.9	22.9	44.8
Deaths under 28 days	12	4	8	13	4	9	32.8	23.1	40.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Pulerculosis (001-019)	0	0	0	1	0	1	4.8	-	10.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	0	1	4.8	-	10.1
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	17	8	31	22	9	150.6	206.4	90.7
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	4.8	-	10.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	2	2	0	9.7	18.8	-
Anemias (290-293)	1	0	1	1	0	1	4.8	-	10.1
Intracranial lesions (330-334)	37	21	16	29	23	16	189.5	215.8	161.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	42	14	62	47	15	301.3	440.9	151.2
Other hypertensive disease (444-447)	3	2	0	4	4	0	19.4	37.5	-
General arteriosclerosis (450)	2	1	1	3	2	1	14.6	18.8	10.1
Other circulatory diseases (451-468)	3	1	1	3	2	2	14.6	9.4	20.2
#Influenza & pneumonia (480-493)	1	1	0	2	3	0	14.6	28.1	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	4	3	1	4	3	1	19.4	28.1	10.1
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	4.8	9.4	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	0	1	4.8	-	10.1
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	4.8	9.4	-
Acute nephritis (590, 591)	1	0	1	1	0	1	4.8	-	10.1
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	4.8	-	10.1
Infections of kidney (600)	0	0	1	1	0	1	4.8	-	10.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	13	4	9	14	4	10	35.4	23.1	44.8
Accidents (800-962)	6	4	2	7	5	2	34.0	46.9	20.2
Motor vehicle accidents (810-835)	3	2	1	2	1	1	14.6	18.8	10.1
Suicide (963, 970-979)	1	1	0	2	3	0	14.6	28.1	-
Homicide (964, 980-985)	3	0	3	2	1	2	14.6	9.4	20.2
Ill-defined (780-795)	11	6	5	11	6	5	53.4	56.3	50.4

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 YALOBUSHA COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	243	100	143	261	113	148	19.6	14.6	26.7
Fetal deaths	4	0	4	8	4	4	30.6	35.4	27.0
Total deaths	156	97	59	186	117	69	14.0	15.1	12.4
Deaths under 1 year	15	5	10	20	7	13	76.6	61.9	87.8
Deaths under 28 days	6	2	4	8	3	5	30.6	26.5	33.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	7.5	12.9	-
Syphilis (020-029)	1	0	1	1	0	1	7.5	-	18.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	1	0	1	7.5	-	18.0
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	20	16	4	24	19	5	180.3	244.8	90.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	7.5	12.9	-
Diabetes mellitus (260)	0	0	0	1	1	0	7.5	12.9	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	38	20	18	40	21	19	300.5	270.6	342.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	47	33	14	56	42	14	420.7	541.2	252.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	1	1	0	7.5	12.9	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	15.0	25.8	-
#Influenza & pneumonia (480-493)	13	9	4	11	7	4	82.6	90.2	72.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	7.5	12.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	7.5	12.9	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	15.0	-	36.0
Cirrhosis of liver (581)	1	1	0	1	1	0	7.5	12.9	-
Acute nephritis (590, 591)	1	0	1	1	0	1	7.5	-	18.0
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	7.5	-	18.0
Infections of kidney (600)	1	0	1	1	0	1	7.5	-	18.0
Hyperplasia of prostate (610)	4	2	2	4	2	2	30.0	25.8	36.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	15.0	12.9	18.0
Diseases of early infancy (760-776)	6	2	4	8	3	5	30.6	26.5	33.3
Accidents (800-962)	10	6	4	10	5	5	75.1	64.4	90.1
Motor vehicle accidents (810-835)	6	5	1	5	3	2	37.6	38.6	36.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	0	1	7.5	-	18.0
Ill-defined (780-795)	3	2	1	4	2	2	30.0	25.8	36.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
YAZOO COUNTY, MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	820	233	587	884	237	647	26.9	18.4	32.4
Fetal deaths	37	12	25	51	14	37	57.7	59.1	57.2
Total deaths	294	109	185	345	125	220	10.5	9.7	11.0
Deaths under 1 year	27	4	23	35	4	31	39.6	16.9	47.9
Deaths under 28 days	16	4	12	23	4	19	26.0	16.9	29.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	3.0	-	5.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	45	24	21	53	26	27	161.4	202.5	135.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.0	-	5.0
Asthma (241)	2	0	2	2	0	2	6.1	-	10.0
Diabetes mellitus (260)	4	2	2	5	2	4	18.3	15.6	20.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	43	8	35	50	11	39	152.2	85.7	195.0
Nonmeningococcal meningitis (340)	1	1	0	1	0	1	3.0	-	5.0
Heart diseases (400-443)	74	35	39	90	43	47	274.0	334.9	235.0
Other hypertensive disease (444-447)	3	0	3	2	0	2	6.1	-	10.0
General arteriosclerosis (450)	8	6	2	10	8	2	30.4	62.3	10.0
Other circulatory diseases (451-468)	1	1	0	2	2	0	6.1	15.6	-
#Influenza & pneumonia (480-493)	5	1	4	5	2	3	15.2	15.6	15.0
Pronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	6	6	0	6	6	0	18.3	46.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	3.0	-	5.0
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	3	1	2	9.1	7.8	10.0
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	9.1	-	15.0
Cirrhosis of liver (581)	1	1	0	2	1	1	6.1	7.8	5.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	5	0	5	7	0	7	21.3	-	35.0
Infections of kidney (600)	1	1	0	2	1	1	6.1	7.8	5.0
Hyperplasia of prostate (610)	1	0	1	2	0	2	6.1	-	10.0
Maternal causes (640-689)	1	0	1	1	0	1	11.3	-	15.4
Congenital malformations (750-759)	3	2	1	3	2	1	9.1	15.6	5.0
Diseases of early infancy (760-776)	12	1	11	18	2	16	20.4	8.4	24.7
Accidents (800-962)	22	9	13	20	7	13	60.9	54.5	65.0
Motor vehicle accidents (810-835)	8	5	3	6	3	3	18.3	23.4	15.0
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	7	1	6	8	1	7	24.4	7.8	35.0
Ill-defined (780-795)	34	2	32	33	2	31	100.5	15.6	155.0

See page 57 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STATE OF MISSISSIPPI, 1964

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	56717	25919	30798	56650	25942	30708	24.5	18.9	32.5
Fetal deaths	2825	1263	1562	2784	1220	1564	49.1	47.0	50.9
Total deaths	22294	11903	10391	22559	12039	10520	9.7	8.8	11.1
Deaths under 1 year	2190	582	1608	2230	599	1631	39.4	23.1	53.1
Deaths under 28 days	1349	446	903	1372	460	912	24.2	17.7	29.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	89	35	54	99	40	59	4.3	2.9	6.2
Syphilis (020-029)	28	7	21	28	7	21	1.2	0.5	2.2
Dysentery (045-048)	22	3	19	23	3	20	1.0	0.2	2.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	1	0	1	0.04	-	0.1
Whooping cough (056)	7	1	6	7	1	6	0.3	0.1	0.6
Meningococcal infections (057)	15	10	5	17	11	6	0.7	0.8	0.6
Acute poliomyelitis (080)	0	0	0	1	1	0	0.04	0.1	-
Measles (085)	23	10	13	25	12	13	1.1	0.9	1.4
Malignant neoplasms (140-205)	2895	1812	1083	2968	1861	1107	128.2	135.8	117.1
Benign & unspec. neoplasms (210-239)	36	17	19	47	24	23	2.0	1.8	2.1
Asthma (241)	50	26	24	51	26	25	2.2	1.9	2.6
Diabetes mellitus (260)	350	160	190	342	159	183	14.8	11.6	19.4
Anemias (290-293)	49	21	28	51	22	29	2.2	1.6	3.1
Intracranial lesions (330-334)	3054	1562	1492	3077	1588	1489	132.9	115.9	157.5
Nonmeningococcal meningitis (340)	53	14	39	53	14	39	2.3	1.0	4.1
Heart diseases (400-443)	6915	4285	2630	6981	4313	2668	301.4	314.7	282.2
Other hypertensive disease (444-447)	228	80	148	230	81	149	9.9	5.9	15.8
General arteriosclerosis (450)	337	235	102	338	235	103	14.6	17.1	10.9
Other circulatory diseases (451-468)	261	168	93	283	184	99	12.2	13.4	10.5
#Influenza & pneumonia (480-493)	779	314	465	791	308	483	34.2	22.5	51.1
Bronchitis (500-502)	44	23	21	42	21	21	1.8	1.5	2.2
Other bronchopul. diseases (525-527)	200	166	34	197	165	32	8.5	12.0	3.4
Stomach & duodenal ulcers (540, 541)	81	56	25	79	54	25	3.4	3.9	2.6
Hernia & intestinal obstruction (560, 561, 570)	121	58	63	127	62	65	5.5	4.5	6.9
#Gastritis, etc. (543, 571, 572)	229	49	180	231	51	180	10.0	3.7	19.0
Cirrhosis of liver (581)	117	92	25	112	87	25	4.8	6.3	2.6
Acute nephritis (590, 591)	27	3	24	27	2	25	1.2	0.1	2.6
Chronic nephritis, etc. (592-594)	257	88	169	262	90	172	11.3	6.6	18.2
Infections of kidney (600)	177	90	87	182	93	89	7.8	6.8	9.4
Hyperplasia of prostate (610)	61	20	41	66	24	42	2.8	1.8	4.4
Maternal causes (640-689)	57	9	48	57	9	48	10.1	3.5	15.6
Congenital malformations (750-759)	200	112	88	219	124	95	9.4	9.0	10.0
Diseases of early infancy (760-776)	1191	386	805	1209	398	811	21.3	15.3	26.4
Accidents (800-962)	1629	921	708	1612	898	714	69.6	65.5	75.5
Motor vehicle accidents (810-835)	744	516	228	724	490	234	31.3	35.8	24.7
Suicide (963, 970-979)	157	137	20	159	139	20	6.9	10.1	2.1
Homicide (964, 980-985)	255	60	195	256	57	199	11.0	4.2	21.0
Ill-defined (780-795)	1586	447	1139	1564	430	1134	67.5	31.4	119.9

See page 57 for footnotes.