


**VITAL STATISTICS
MISSISSIPPI
1966**



**Public Health Statistics
Mississippi State Board of Health
Jackson, Mississippi**

VITAL STATISTICS

MISSISSIPPI

1966

MISSISSIPPI STATE BOARD OF HEALTH
JACKSON, MISSISSIPPI

TABLE OF CONTENTS

	Page
SYNOPSIS OF VITAL STATISTICS, MISSISSIPPI, 1966	Page
Introduction	I
Live Births	II
Fetal Deaths	VI
Deaths	IX
Marriages	XIX
Divorces	XXII
 POPULATION	
Table 1. Estimated, by County, by Race, Mississippi, July 1, 1966	1
 LIVE BIRTHS	
Table 2. By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates, Mississippi, 1966	3
Table 3. By Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1966	6
 FETAL DEATHS	
Table 4. By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1966	10
 DEATHS	
Table 5. By Cause of Death, by Race, Residence Data, Mississippi	14
Table 6. By Place of Occurrence, and by Place of Residence, by Race, with Rates, Mississippi, 1966	25
Table 7. By Cause Groups and Certain Selected Causes, by Race, Sex, and Age, with Total Rates, Residence Data, Mississippi, 1966	28
 DEATHS UNDER 1 YEAR	
Table 8. By Selected Causes, by Race and Age, with Total Rates, Residence Data, Mississippi, 1966	37

MARRIAGES AND DIVORCES

Table 9. Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride; Divorces by Place of Occurrence, by Race, Mississippi, 1966 41

Table 10. Divorces by Cause of Divorce, by Race, Mississippi, 1966 .. 43

Divorces by Number of Minor Children, by Race, Mississippi, 1966 43

SUMMARY TABLES

Table 11. Live Births, Mississippi, 1913-1966, by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1966 44

Table 12. Deaths, Mississippi, 1913-1966, by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1966 46

Table 13. Maternal Deaths, Mississippi, 1913-1966, by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1966 48

Table 14. Deaths Under 1 Year, Mississippi, 1917-1966, by Year, by Race, with Rates, Occurrence Data 1917-1943, Residence Data 1944-1966 50

Table 15. Deaths Under 1 Month, Mississippi, 1924-1966, by Year, by Race, with Rates, Occurrence Data 1924-1944, Residence Data 1945-1966 52

Table 16. Deaths from Heart Diseases, Vascular Lesions, Malignant Neoplasms, Accidents, and Influenza and Pneumonia, Mississippi, 1957-1966, by Year, by Race, with Rates, Residence Data 53

Table 17. Marriages and Divorces, Mississippi, 1926-1966, by Year, by Race, Occurrence Data 54

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS, AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH, by Place of Occurrence, and by Place of Residence, by Race, with Rates, 1966

County Tables (in alphabetical order) 57

State Table 139

SYNOPSIS OF VITAL STATISTICS
MISSISSIPPI, 1966

INTRODUCTION

The 1966 Vital Statistics Bulletin is the twenty-fourth consecutive issue prepared from data obtained from records of live births, fetal deaths, deaths, marriages, and divorces collected by the Division of Public Health Statistics.

Population (See Table 1)

Population figures used in this bulletin are estimates as of July 1, 1966, prepared by the Division of Sociology and Rural Life, Mississippi State University. The estimated total of 2,359,730 is nearly 182,000 more than the 1960 census figure and represents an increase of 8 percent. The gain for whites amounted to over 9 percent and for the nonwhite population, 7 percent. These figures were compared with figures on natural increase (births minus deaths) to determine the amount of in or out-migration to or from the state. In 1966 there was a small gain through in-migration in contrast to the large losses through out-migration in the previous 45 years. However, only the white population experienced an influx of persons from other states. Study of county data showed that, since the 1960 census, 69 of the 82 counties have gained population, 10 have lost, and in 3 there was considered to be no change because it was less than 0.6 percent.

Rates

Rates for the state and counties by race were calculated using the new population estimates, but no age or sex-specific rates (except the infant and maternal death rates and the fetal death ratios which are all based on live births) and no city rates were calculated because current estimates by age and sex and by city are not available.

Urban-Rural Classification

Incorporated towns with populations of 2,500 or more according to the 1960 census were considered as urban areas. All other areas were classified as rural.

Occurrence and Residence Allocation

Births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

Vital Statistics
Mississippi - 1966

Table A shows the number of transcripts received for events to Mississippi residents in other states and the number of events to nonresidents in this state. Transcripts numbered 2,507 and were received from 38 different states and the District of Columbia. Eighty-eight percent came from the four states (Alabama, Arkansas, Louisiana, and Tennessee) which border on Mississippi. There were 2,136 certificates filed in Mississippi for nonresidents.

Table A. Transcripts received, by place of occurrence,
and certificates filed in Mississippi for nonresidents

Place of Occurrence	Total Records	Live Births	Fetal Deaths	Deaths
<u>Transcripts</u>	<u>2,507</u>	<u>1,257</u>	<u>24</u>	<u>1,226</u>
Tennessee	1,432	753	18	661
Louisiana	402	181	3	218
Alabama	332	212	1	119
Texas	46	9	1	36
Arkansas	45	12	0	33
Illinois	41	9	1	31
Florida	28	5	0	23
Other places	181	76	0	105
Certificates for nonresidents	<u>2,136</u>	<u>1,326</u>	<u>82</u>	<u>728</u>

Marriages were classified according to place of issuance of marriage license and also place of residence of bride. Since there is no exchange among the states of transcripts of marriage records for nonresidents, out-of-state marriages of Mississippi brides were not included in the tabulations. Divorces were classified only according to place where the decree was granted.

Classification of Causes of Death

Causes of death were assigned according to the seventh revision (1955) of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Only the underlying cause of death was coded. Since the seventh revision differs only slightly from the sixth revision used from 1949 through 1957, figures for 1949-1966 are comparable, but comparison of data by cause for these years with those for the years prior to 1949 should be made with caution.

LIVE BIRTHS (See Tables 2, 3, 11)

For several years the number of births and the birth rate in Mississippi and the United States have been declining. In 1966 the Mississippi total of 48,230 births was 2,941 or 5.7 percent less than the total for 1965, a year in which a record drop was noted. The birth rate of 20.4 per 1,000 population in 1966 was 7.3 percent lower than that for the previous year and a significantly larger decrease than the 5.2 percent which the nation as a whole experienced. Comparison of Mississippi's most recent figures with those of past years revealed that the number of live births in 1966 was the smallest since 1934 and the rate was the lowest since 1918. Family planning services offered by county health departments throughout the state admit approximately

Vital Statistics
Mississippi - 1966

12,000 patients a year and provide oral contraceptive pills as well as intra-uterine contraceptive devices. It is believed that this feature of the public health program has played a significant role in lowering the birth rate.

Race

Over half (53 percent) of the live births to Mississippi residents in 1966 occurred among the nonwhite population. Counts and rates per 1,000 population by race were: whites - 22,736, rate 16.5 and nonwhites - 25,494, rate 25.9. The rate for whites was the lowest in the 54 years on record; and, although the birth rate among nonwhites was considerably higher than that for whites, the 25.9 calculated for 1966 was 20 percent lower than the rate only two years earlier and the lowest during the 30-year period 1937-1966. County rates for white residents ranged from 8.0 in Carroll County to 24.6 in Jackson County in 1966. The range for nonwhites was from 17.4 in Claiborne County to 31.6 in Jackson County.

Urban-Rural Distribution

Urban residents produced 18,756 children in 1966 and rural residents, 29,474. Although only 39 percent of the total births were to urbanites, 68 percent occurred in urban places. Comparison of the two sets of figures indicated that about 8,000 white mothers and about 5,500 nonwhite mothers from rural areas went to cities and towns for delivery.

Attendant

The data presented in Table B show that 79 percent of the live births to residents of Mississippi took place in hospitals or physician's offices and clinics which provide in-patient care. One percent of the deliveries were attended by physicians in places other than a hospital or clinic, and for almost 20 percent there was no medical attendant. Most of the nonmedical attendants were midwives who must obtain permits from the State Board of Health. Only 81 white children (0.4 percent) were delivered by persons other than physicians in comparison with 9,347 nonwhite children (36.7 percent).

Table B. Live births by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<u>Total</u>	<u>48,230</u>	<u>100.0</u>	<u>22,736</u>	<u>100.0</u>	<u>25,494</u>	<u>100.0</u>
Physician in hospital	38,253	79.3	22,611	99.4	15,642	61.4
Physician in home	549	1.1	44	0.2	505	2.0
Midwife	9,345	19.4	69	0.3	9,276	36.4
Other	83	0.2	12	*	71	0.3

* Less than 0.06 percent.

Evidence of important gains during the last twenty years in obtaining hospital care at delivery appears in Table C. The percentage of children born in hospitals rose from 39 in 1946 to 66 in 1956 and on up to 79 in 1966. Comparison of the

Vital Statistics
Mississippi - 1966

Mississippi figures with those for the United States shows that, although the rate of improvement for nonwhites in this state has been impressive, the current level is substantially below that for nonwhites in the nation as a whole (latest figure available: 89.8 percent delivered in hospitals in 1965).

Table C. Percentage of live births in hospitals and clinics,
by race, 1946, 1956, 1962-1966

Year	Total	White	Nonwhite
1946	38.7	69.8	9.5
1956	65.7	97.2	41.0
1962	74.6	99.3	52.9
1963	74.9	99.3	53.4
1964	76.0	99.4	56.1
1965	77.3	99.4	58.8
1966	79.3	99.4	61.4

Month

Table D contains figures which give the distribution of births by month of occurrence. According to these counts, August ranked first in actual number, but September had the highest daily average. June was the month with the smallest total, but the lowest daily average was found to be in May.

Table D. Live births and average per day, by month

Month	Births	Average per Day	Month	Births	Average per Day
January	4,081	132	July	4,246	137
February	3,864	138	August	4,516	146
March	4,019	130	September	4,500	150
April	3,562	119	October	4,199	135
May	3,602	116	November	3,926	131
June	3,557	118	December	4,158	134

Age of Mother

Data on age of mother are presented in Table E. One-third of the deliveries were to mothers 20-24 years of age. The next two largest groups were those 15-19 and 25-29 years of age, and the three groups represented by the span 15-29 years accounted for 78 percent of the total. A count of teenage and sub-teenage mothers showed 11,686 in this group which comprised 24 percent of the total; ten of these young mothers were only 12 years of age. Although the median ages of the whites (23.8 years) and nonwhites (23.9) were almost the same, there were proportionately more nonwhite than white mothers who were under 20 or 30 and over. As might be expected when there is a large drop in the total number of births, nearly all race and age groups showed declines from the previous year. Exceptions were nonwhite mothers 45-49 with exactly the same total and white mothers under 20 with a sizeable increase. Comparison of age distributions for

Vital Statistics
Mississippi - 1966

the 12-year period 1955-1966 revealed that, among both whites and nonwhites, the proportion in the ages 15-19 has grown and the proportions in the groups 25-39 have declined. In addition, among white mothers there has also been a rise in the percentage 20-24 and a drop for all groups 40 and over. No trend has been noted for nonwhite mothers in these age groups or for those 10-14 of either race.

Table E. Live births by age of mother and race,
with percent of total births

Age of Mother	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	48,230	100.0	22,736	100.0	25,494	100.0
10-14	272	0.6	25	0.1	247	1.0
15-19	11,414	23.7	4,772	21.0	6,642	26.0
20-24	16,257	33.7	8,724	38.4	7,533	29.5
25-29	9,812	20.3	5,046	22.2	4,766	18.7
30-34	5,757	11.9	2,546	11.2	3,211	12.6
35-39	3,436	7.1	1,254	5.5	2,182	8.6
40-44	1,147	2.4	349	1.5	798	3.1
45-49	83	0.2	13	*	70	0.3
50-54	0	-	0	-	0	-
Unknown	52	0.1	7	*	45	0.2

* Less than 0.06 percent.

Sex

Counts of 24,539 males and 23,691 females yielded a sex ratio of 1,036 males per 1,000 females. The ratio for whites (1,056) was higher than that for nonwhites (1,018), as it usually is.

Plurality (See Plurality in Fetal Death section also)

Live births from plural deliveries numbered 1,200 or 2.5 percent of the total births to Mississippi mothers in 1966. The plurality rate for whites was 1.9 percent and for nonwhites, 3.0 percent. There were 14 triplets, all nonwhite, among the plural deliveries; this number included 4 sets with all members born alive and two other children each of whom was the only liveborn member of a triplet set.

Immaturity

Infants weighing 5 1/2 pounds or less at birth are classified as immature. By this definition, 4,619 or 9.6 percent of those born to Mississippi mothers in 1966 were immature. The percentage of immature nonwhite babies (12.0) far exceeded the percentage among white infants (6.9).

Legitimacy

According to information provided on birth certificates, 8,359 or 17.3 percent of the children born to Mississippi mothers in 1966 were illegitimate. Among the

Vital Statistics
Mississippi - 1966

white population there were 629 and the rate was 2.8 percent; nonwhites numbered 7,730 or a rate of 30.3 percent. The rates for both races have shown an unbroken upward trend for a number of years (whites since 1957 and nonwhites since 1949). By studying age distributions it was found that 84 percent of the births to mothers in the group 10-14 were illegitimate and 33 percent of those to mothers age 15-19. Proportions ranged from 7 to 14 percent in the groups 20 and over.

FETAL DEATHS (See Table 4)

The Mississippi State Board of Health requires that all fetal deaths, regardless of the length of gestation, be registered. This all-inclusive reporting began in 1952; prior to that year the regulations specified that stillbirths of 20 weeks gestation or more were to be reported. Registration of both early and late fetal deaths is still incomplete; and, because of the failure to report what is presumed to be a sizeable number, the data presented in this section could give a false picture in regard to fetal deaths.

Fetal death certificates filed in the state in 1966 numbered 2,340, and 2,282 records for Mississippi residents were received. Both the number of fetal deaths and the fetal death ratio (fetal deaths per 1,000 live births) of 47.3 were smaller than in 1965. However, these reductions were accounted for by a marked decline in fetal deaths (number and ratio) among the nonwhite population only. For whites the numbers were almost the same in 1965 and 1966, but the ratio went up. These shifts brought the ratios for the two races (whites - 46.1 and nonwhites - 48.4) much closer together. The county ratios vary widely from county to county and from year to year. Much of this extreme variation probably can be attributed to differences in completeness of reporting rather than to actual differences. In 1966 ratios for whites ranged from zero in six counties to 200.0 in Issaquena County. The range for nonwhites was from zero in George and Tishomingo Counties to 142.8 in Newton County. If it is assumed that the high ratios for certain counties are not exaggerated, but represent more complete reporting, it can be estimated from these ratios that one out of every eight pregnancies terminates in fetal death.

Attendant

As shown by the data in Table F, nearly 84 percent of the fetal deaths reported in 1966 were attended by physicians in hospitals and clinics. For 277 or 12 percent, there was no medical attendant. Among whites only one mother lacked medical attention at delivery, but among nonwhites 22 percent of the deliveries were performed by midwives and other nonmedical persons. Proportionately more of the fetal deaths than of the live births among nonwhites took place in hospitals and clinics, 72 percent in comparison with 61 percent. The probable underreporting of fetal deaths in the home and the tendency to transfer difficult and premature deliveries to a hospital may account for this difference.

Vital Statistics
Mississippi - 1966

Table F. Fetal deaths by attendant and race

<u>Attendant</u>	<u>Total</u>		<u>White</u>		<u>Nonwhite</u>	
	No.	%	No.	%	No.	%
<u>Total</u>	<u>2,282</u>	<u>100.0</u>	<u>1,049</u>	<u>100.0</u>	<u>1,233</u>	<u>100.0</u>
Physician in hospital	1,910	83.7	1,023	97.5	887	71.9
Physician in home	95	4.2	25	2.4	70	5.7
Midwife	264	11.6	0	-	264	21.4
Other	13	0.6	1	0.1	12	1.0

Table G shows a decided improvement in 1966 in the proportion of deliveries in hospitals. Gains were noted among both race groups, but the figure for nonwhites still compares very unfavorably with that for the whites. However, the gap between the races was considerably less for hospital deliveries of fetal deaths than for hospital deliveries of live births.

Table G. Percentage of fetal deaths delivered in hospitals and clinics, by race, 1956, 1962-1966

<u>Year</u>	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>
1956	67.2	91.0	52.7
1962	79.5	97.3	64.2
1963	79.0	94.6	65.9
1964	79.7	92.0	70.1
1965	79.4	95.8	67.5
1966	83.7	97.5	71.9

Sex

Sex was undetermined for 997 or 44 percent of the fetal deaths, but a ratio of 1,328 males per 1,000 females was calculated from those with sex stated. This ratio was much higher than the 1,036 among live births. Although this relationship always holds, it is unknown whether far more males than females are conceived and the males then suffer excessive mortality rates before and during delivery or whether the large number of fetal deaths of undetermined sex masks a more equitable distribution of males and females.

Age of Mother

The risk of fetal death was lowest among mothers 15-19 years of age and next lowest in the age group 20-24 according to the data presented in Table H. For nonwhites the figures for these two groups were almost the same. Among both races fetal death ratios increased with age except that nonwhites 10-14 years of age had a rate that ranked above that for mothers 30-34 years of age. In each of the groups 30 and over, the ratio for whites was higher than for nonwhites.

Vital Statistics
Mississippi - 1966

Table H. Fetal deaths by age of mother and race, with fetal death ratios

Age of Mother	Total		White		Nonwhite	
	No.	Ratio*	No.	Ratio*	No.	Ratio*
All Ages	2,282	47.3	1,049	46.1	1,233	48.4
10-14	17	62.5	0	-	17	68.8
15-19	405	35.5	152	31.8	253	38.1
20-24	639	39.3	348	39.9	291	38.6
25-29	461	47.0	234	46.4	227	47.6
30-34	338	58.7	157	61.7	181	56.4
35-39	267	77.7	101	80.5	166	76.1
40-44	122	106.4	43	123.2	79	99.0
45-49	12	#	5	#	7	#
Unknown	21		9		12	

* Fetal deaths per 1,000 live births to mothers in specific age-race group.

Ratio not calculated on less than 100 live births.

Plurality

The plurality rate among fetal deaths to Mississippians was 4.2 percent in 1966. This rate was considerably higher than the 2.5 percent reported for live births. There was an even greater contrast by race. For whites the rate was 2.0 percent and almost the same as among white live births. The rate of 6.1 percent for nonwhites was three times that for whites and twice that of nonwhite live births.

Study of the outcome of all plural deliveries in 1966 revealed that there were 645 such deliveries which included 639 sets of twins and 6 sets of triplets. In 90 percent of these cases all members of the set were born alive, in 6 percent there was a combination of live born babies and fetal deaths, and in 4 percent all were born dead. Comparison of mortality among fetuses in plural and single deliveries showed that 7.4 percent from plural deliveries were born dead and only 4.4 percent from single deliveries. In addition, it was found that a larger percentage of the nonwhite (8.9) than of the white (4.6) fetuses from plural deliveries were dead at birth.

Length of Gestation

A gestation period of less than 20 weeks was reported for 1,045 fetal deaths; for 1,164, it was 20 weeks or more; and for 73 the length of gestation was not given. Sixty-four percent of the white but only 30 percent of the nonwhite fetal deaths had a gestation period of less than 20 weeks. This substantial difference probably is due partly to better reporting of early fetal deaths among the white population and also to the fact that the late (20 weeks or more) fetal death ratio for nonwhites was over twice that for whites.

Vital Statistics
Mississippi - 1966

Legitimacy

The rate of illegitimacy was somewhat higher among fetal deaths than among live births, 20.5 percent in comparison with 17.3 percent. This was true for both races, but the difference was relatively greater for the whites than for nonwhites.

DEATHS (See Tables 5-8, 12-16)

In 1966, 23,350 deaths of Mississippi residents were reported; this was almost 700 more than in the previous year. The death rate of 9.9 per 1,000 population was also somewhat higher than in 1965. Numbers and rates for both race groups increased, but the rise among the white population was greater than that noted for nonwhites. In fact, the total of 12,976 for whites was the largest on record.

The statewide rate for the white population was 9.4 with county rates ranging from 4.4 in Issaquena County to 16.9 in Noxubee County. The death rate among nonwhites in the state was 10.5, and county rates varied from 6.7 in Benton County to 14.7 in Tishomingo County. Urban residents made up 39 percent of the total for the state, but 57 percent occurred in urban areas.

Natural Increase (Excess of Birth Rate over Death Rate)

As a result of the continued drop in the birth rate and the rise in the death rate, the rate of natural increase also declined again. The excess of the birth rate over the death rate was only 10.5 per 1,000 population, or the smallest since 1929. For whites the excess was 7.1 and the lowest since 1913, the first full year of record-keeping. The rate of natural increase (15.4) for the nonwhite population was near the level of the whites ten years earlier (1956). In ten counties there were more deaths than births among white residents; these were Attala, Carroll, Claiborne, Franklin, Holmes, Jefferson, Kemper, Leake, Noxubee, and Yalobusha. For both whites and nonwhites the rate of natural increase was greatest in Jackson County.

Month

January was the month with the largest number of deaths and the highest daily average. (See Table I) The smallest number and the lowest daily average were recorded in August.

Table I. Deaths and average per day, by month

Month	Deaths	Average per Day	Month	Deaths	Average per Day
January	2,201	71	July	1,945	63
February	1,972	70	August	1,718	55
March	2,162	70	September	1,749	58
April	1,934	64	October	1,936	62
May	1,878	60	November	1,911	64
June	1,847	62	December	2,097	68

Vital Statistics
Mississippi - 1966

Age at Death

The median age at death, calculated from data presented in Table J, was 68.1 years for the total population, 70.2 years for whites, and 65.4 years for nonwhites. Comparative figures for a ten-year period show that the median age at death has increased and that the gap between the races has diminished. Since 1956 the median for nonwhites has risen by 4.6 years. Figures for both races show that fewer deaths occurred in the decade 5-14 years than in any other. Extremely high mortality among nonwhite infants is illustrated by the fact that 12.9 percent of all deaths of non-white persons were among children under one year of age, whereas, the next 44 years of life (ages 1-44) accounted for only 13.8 percent. Considering the other end of the range, it was determined that 62 percent of the whites but only 51 percent of the non-whites who died had reached 65, or what is usually thought of as retirement age.

Table J. Deaths by age and race

<u>Age</u>	<u>Total</u>		<u>White</u>		<u>Nonwhite</u>	
	<u>No.</u>	<u>%</u>	<u>No.</u>	<u>%</u>	<u>No.</u>	<u>%</u>
<u>All Ages</u>	<u>23,350</u>	<u>100.0</u>	<u>12,976</u>	<u>100.0</u>	<u>10,374</u>	<u>100.0</u>
Under 1	1,856	7.9	520	4.0	1,336	12.9
1-4	342	1.5	105	0.8	237	2.3
5-9	163	0.7	71	0.5	92	0.9
10-14	156	0.7	69	0.5	87	0.8
15-24	586	2.5	301	2.3	285	2.7
25-34	540	2.3	270	2.1	270	2.6
35-44	954	4.1	488	3.8	466	4.5
45-54	1,957	8.4	1,128	8.7	829	8.0
55-64	3,489	14.9	1,987	15.3	1,502	14.5
65-74	5,208	22.3	2,954	22.8	2,254	21.7
75-84	5,220	22.4	3,320	25.6	1,900	18.3
85 & over	2,872	12.3	1,762	13.6	1,110	10.7
Unknown	7	*	1	*	6	*

* Less than 0.06 percent.

Leading Causes of Death

In Table K are listed the ten leading causes of death for 1966. The first nine causes are the same ones that appeared on the list for the previous year, but congenital malformations replaced homicide in tenth place. These ten causes accounted for 80 percent of the total deaths.

Vital Statistics
Mississippi - 1966

Table K. Ten leading causes of death by race, with percent of total deaths

Cause and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Diseases of heart (400-443)	7,468	32.0	4,729	36.4	2,739	26.4
2. Vascular lesions affecting central nervous system (330-334)	3,132	13.4	1,681	13.0	1,451	14.0
3. Malignant neoplasms (140-205)	3,098	13.3	1,990	15.3	1,108	10.7
4. Accidents (800-962)	1,872	8.0	1,072	8.3	800	7.7
5. Certain diseases of early infancy (760-776)	959	4.1	315	2.4	644	6.2
6. Influenza and pneumonia (480-493)	773	3.3	341	2.6	432	4.2
7. General arteriosclerosis (450)	398	1.7	272	2.1	126	1.2
8. Diabetes mellitus (260)	376	1.6	159	1.2	217	2.1
9. Other diseases of circulatory system (451-468)	274	1.2	170	1.3	104	1.0
10. Congenital malformations (750-759)	251	1.1	139	1.1	112	1.1

Leading Causes by Age

Table L gives the leading causes of death for each age group except infants (see infant mortality section). Each of these lists was different from the others, but certain causes appeared repeatedly. Malignant neoplasms and accidents were on all lists; heart diseases appeared on all except the list for children 1-4 years of age and vascular lesions affecting central nervous system on all except those for children 1-4 and 5-14. Influenza and pneumonia were important among the young, 1-4 and 5-14, and the old, 65 and over.

Ill-defined and Unknown Causes

Many of the death certificates filed in Mississippi have no satisfactory statement of cause of death. In 1966, 2,220 or 9.7 percent of the total were deficient in this vital area, with the percentage for nonwhites (15.4) nearly three times that for whites (5.2). On 525 of these certificates were conditions classified as ill-defined diseases of early infancy; on 34 the only cause was senility; and the remaining 1,661 had other ill-defined conditions or no cause at all. In five counties (Issaquena, Madison, Noxubee, Washington, and Yazoo) over 20 percent of the deaths reported were without satisfactory statement of cause, and in five others (Benton, Carroll, Holmes, Tallahatchie, and Warren) between 15 and 20 percent were in this category. If the true cause of death for persons whose certificates lacked this information could be known, the order of the leading causes and even the causes themselves might not be the same as presently shown.

Vital Statistics
Mississippi - 1966

Table L. Five leading causes of death by age group

Cause of Death	Age Group	No. of Deaths	% of Total
1-4 years			
<u>All Causes</u>		342	100.0
1. Accidents		113	33.0
2. Influenza and pneumonia		58	17.0
3. Congenital malformations		34	9.9
4. Gastritis, duodenitis, enteritis and colitis		21	6.1
5. Malignant neoplasms		16	4.7
5-14 years			
<u>All Causes</u>		319	100.0
1. Accidents		168	52.7
2. Malignant neoplasms		36	11.3
3. Diseases of the heart		12	3.8
4. Influenza and pneumonia		11	3.4
4. Congenital malformations		11	3.4
15-24 years			
<u>All Causes</u>		586	100.0
1. Accidents		353	60.2
2. Homicide		41	7.0
3. Malignant neoplasms		32	5.5
4. Diseases of the heart		21	3.6
5. Vascular lesions affecting central nervous system		18	3.1
25-44 years			
<u>All Causes</u>		1,494	100.0
1. Accidents		383	25.6
2. Diseases of the heart		239	16.0
3. Malignant neoplasms		204	13.6
4. Homicide		116	7.8
5. Vascular lesions affecting central nervous system		84	5.6
45-64 years			
<u>All Causes</u>		5,446	100.0
1. Diseases of the heart		1,846	33.9
2. Malignant neoplasms		1,119	20.5
3. Vascular lesions affecting central nervous system		537	9.9
4. Accidents		392	7.2
5. Diabetes mellitus		112	2.0
65 years and over			
<u>All Causes</u>		13,300	100.0
1. Diseases of the heart		5,339	40.1
2. Vascular lesions affecting central nervous system		2,485	18.7
3. Malignant neoplasms		1,691	12.7
4. Influenza and pneumonia		419	3.2
5. Accidents		379	2.8

Vital Statistics
Mississippi - 1966

Specific Causes

Heart disease has been the leading cause of death in Mississippi every year from 1925 to the present except 1929. In 1966 it was the cause to which 32 percent of the total deaths in the state were attributed; the number (7,468) was the highest on record and the rate second only to that for 1963. The rate of 343.8 per 100,000 population for whites in 1966 was considerably higher than the 278.2 calculated for nonwhites. As shown by the figures in Table M, arteriosclerotic and degenerative heart disease caused more deaths than all other types combined.

Table M. Deaths from diseases of the heart, by type and race

Cause and International List Number	Total	White	Nonwhite
Diseases of the heart (400-443)	7,468	4,729	2,739
Rheumatic fever (400-402)	8	2	6
Chronic rheumatic heart disease (410-416)	92	50	42
Arteriosclerotic and degenerative heart disease (420-422)	5,618	3,979	1,639
Other diseases of the heart (430-434)	624	325	299
Hypertensive heart disease (440-443)	1,126	373	753

Vascular lesions affecting the central nervous system, which was second on the list of leading causes, accounted for less than half as many deaths as heart disease. The number reported in 1966 was 3,132 or 13.4 percent of the total. Fatalities from this cause occurred at a higher rate among nonwhites than among whites. Figures in Table N show that deaths from cerebral hemorrhage far outnumbered those from other types of vascular lesions.

Table N. Deaths from vascular lesions affecting central nervous system, by type of lesion and race

Cause and International List Number	Total	White	Nonwhite
Vascular lesions affecting central nervous system (330-334)	3,132	1,681	1,451
Subarachnoid hemorrhage (330)	95	53	42
Cerebral hemorrhage (331)	1,947	971	976
Cerebral embolism and thrombosis (332)	706	451	255
Other and ill-defined (333, 334)	384	206	178

Malignant neoplasms was the third leading cause with 3,098 deaths, or only 34 less than the toll from vascular lesions. As was true for heart disease, the death rate among whites was notably higher than that for nonwhites. In 1966 the total count as well as the rate were the highest ever reported. Although cancer is a leading cause of death in all age groups, the data in Table O show that the numbers occurring among persons under 45 years of age are relatively small and account for only 9 percent of the total. For all four race-sex categories there were more deaths at ages 65-74 than in any other decade. The digestive organs and peritoneum and the

Vital Statistics
Mississippi - 1966

genito-urinary organs and breast were the two principal groups of sites of fatal cancers, accounting for 31 and 29 percent of the total respectively.

Table 0. Deaths from malignant neoplasms, by age, sex, and race

Age	Total	Number of Deaths				Total	Percent				
		Male		Female			Male		Female		
		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
All Ages	3,098	1,112	592	878	516	100.0	100.0	100.0	100.0	100.0	
Under 10	31	14	5	4	8	1.0	1.2	0.8	0.4	1.6	
10-14	21	4	4	7	6	0.7	0.4	0.7	0.8	1.2	
15-24	32	13	6	10	3	1.0	1.2	1.0	1.1	0.6	
25-34	40	17	1	14	8	1.3	1.5	0.2	1.6	1.6	
35-44	164	47	29	51	37	5.3	4.2	4.9	5.8	7.2	
45-54	395	146	56	127	66	12.8	13.1	9.4	14.5	12.8	
55-64	724	269	153	180	122	23.4	24.2	25.8	20.5	23.6	
65-74	845	312	168	225	140	27.3	28.0	28.4	25.6	27.1	
75-84	652	235	128	197	92	21.0	21.1	21.6	22.4	17.8	
85 & over	194	55	42	63	34	6.3	4.9	7.1	7.2	6.6	

Chronic respiratory diseases have frequently been brought to the attention of the general public in recent years and many studies have been made of both morbidity and mortality caused by them. In Table P the most important of these diseases are listed with mortality data for 1966 and for 5, 10, and 15 years earlier. (Comparable figures for 20 or more years earlier are not available because of changes in cause-of-death classification.) For respiratory tuberculosis, the only one of these diseases with a distinctive downward trend, the decline in mortality has been of great importance; however, the count for 1966 was higher than those for 1964 and 1965. Asthma, bronchiectasis, and other diseases of lung and pleural cavity have varied without showing a positive trend in either direction. Deaths from each of the other diseases on the list have increased. Chief among them is cancer of the respiratory system with an increment of 172 percent in 15 years. Deaths from emphysema, now the second most important of these diseases, have risen from 8 to 183 during this period.

Table P. Deaths from chronic respiratory diseases, 1951, 1956, 1961, 1966

Cause and International List Number	1951	1956	1961	1966
Tuberculosis of respiratory system (001-008)	456	176	103	101
Malignant neoplasms of respiratory system (160-165)	190	224	399	517
Malignant neoplasms of lung, bronchus, and trachea (162, 163)	161	200	362	476
Asthma (241)	39	49	52	39
Bronchitis, chronic and unqualified (501, 502)	26	18	35	43
Bronchitis with emphysema (502.0)	5	7	15	25
Other chronic interstitial pneumonia (525)	8	12	16	22
Bronchiectasis (526)	21	25	18	11
Emphysema (527.1)	8	27	67	183
Other diseases of lung and pleural cavity (527.0, 527.2)	11	29	30	28

Vital Statistics
Mississippi - 1966

Influenza and pneumonia, in sixth place on the list of leading causes of death, were responsible for 773 deaths, and this total was close to the same as for the two years prior to 1966. Included in the figure for 1966 were 745 deaths from pneumonia, 15 from influenza with pneumonia, and 13 from influenza without mention of pneumonia. The death rates by race (24.8 per 100,000 population for whites and 43.9 for nonwhites) showed excessive mortality from this cause for the nonwhite population.

Typhoid fever was listed as a cause of death in 1966 for the first time since 1962. One fatal case was reported in a nonwhite female in the age group 10-14 years.

Accidents took the lives of more Mississippians in 1966 than in any other year during the 54 years (1913-1966) for which records are available. The toll of 1,872 was 262 more than in the previous year and 190 more than in 1936 which had been the record year. Although the rate of 79.3 per 100,000 population did not set a record, it lacked only one tenth of a point of equaling the 79.4 for 1936 which is the record high. The enormous increase which took place in 1966 was only partially accounted for by the tornado which struck the central part of the state in March and killed 54 residents. Most of the remainder of the difference was the result of substantial increments in deaths caused by motor vehicle accidents (up 126) and accidental falls (up 46). Accidents ranked as the fourth leading cause of death, and the number of such fatalities averaged 5.1 per day. December was the month with the highest toll from motor vehicle accidents and March the month with the largest number of deaths due to other types of accidents. However, if it had not been for the tornado in March, January would have been the top month for other types.

The five main causes of accidental deaths listed in Table Q are the same ones which have appeared on the list for a number of years. In 1966 they were responsible for 77 percent of the total casualties. Motor vehicle accidents headed this list, and new records were set for all figures related to this category - deaths occurring in the state (883), deaths to residents of the state (868), and death rate (36.8 per 100,000 population). The total for residents was 17 percent greater than in 1965 which was the previous record year, and the rate was 16 percent higher than the peak reached in 1965.

Table Q. Five leading causes of accidental deaths by race,
with percent of total accidental deaths

Type of Accident and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Motor vehicle (810-835)	868	46.4	567	52.9	301	37.6
2. Fire and explosion of combustible material (916)	212	11.3	62	5.8	150	18.8
3. Falls (900-904)	176	9.4	139	13.0	37	4.6
4. Drowning, except in water transport (929)	95	5.1	40	3.7	55	6.9
5. Firearm (919)	93	5.0	45	4.2	48	6.0

Vital Statistics
Mississippi - 1966

Study of the 857 deaths occurring in the state as a result of nontransport accidents (International List Codes 870-936) showed that the home far outranked any other location as the place of occurrence of fatal accident with 475 or 55 percent of the total. Fire and explosion of combustible material (177 deaths), falls (90 deaths), and firearms (55 deaths) were the three chief types of home accidents with fatal results. A high proportion (69 percent) of the victims of home accidents were children under 15 and persons 65 years of age and over. Tabulation of age group and type of accident also revealed information of interest. Mechanical suffocation was the leading type among infants under age one. For children 1-4 years of age, fire was the main cause, but in the next group, 5-9 years, fire and drowning tied for first place. Then drowning alone moved up to top position for persons 10-14 and 15-24 years with firearms ranking second in both of these groups. In the decades 25-34 and 35-44, no one type of accident held great prominence, but for the group 45-64 fires led the list. Among the elderly (65 and over), falls ranked first and fires second.

Suicide and homicide were the causes of death listed on the certificates of 187 and 238 state residents in 1966. Although neither was a leading cause of death in the population as a whole, both were important in certain groups: suicide ranked tenth in the white population, and homicide ranked eighth among nonwhites and ninth among males. Eighty-four percent of the suicides and 71 percent of the homicides were accomplished by firearms and explosives. Comparison of deaths from these causes by race showed suicides occurred among white persons at a rate six times that among nonwhites, but that the rate for homicides was five times higher among nonwhites than among whites.

Maternal deaths (deaths from deliveries and complications of pregnancy, childbirth, and the puerperium) declined to only 27 in 1966. This figure and the rate of 5.6 per 10,000 live births were notably lower than for any previous year recorded in this state. The death rate of 8.2 for nonwhite mothers was more than three times that of 2.6 for white mothers. In Table R age and race-specific rates are presented. No deaths occurred among the youngest mothers (ages 10-14), but there were two deaths among nonwhite women 45-54 years of age. In the groups between these two extremes the death rates increased with age among both races. Eleven maternal deaths were caused by toxemias and 7 by sepsis.

Table R. Maternal deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Ages	27	5.6	6	2.6	21	8.2
10-14	0	-	0	-	0	-
15-24	8	2.9	2	1.5	6	4.2
25-34	9	5.8	3	4.0	6	7.5
35-44	8	17.4	1	6.2	7	23.5
45-54	2	#	0	-	2	#

* Deaths per 10,000 live births to mothers in specific age-race group.


Rate not calculated on less than 100 live births.

Vital Statistics
Mississippi - 1966

Infant Mortality

In 1966 the number of infant deaths was 1,856 and the rate was 38.5 per 1,000 live births. The total number was considerably lower than that for the previous year and the rate also showed a decline. However, part of the drop in number was the result of the decrease in the number of live births, which is the population at risk in infant mortality. In addition, since the rate has been going up one year and down the next for about ten years without any trend in either direction, the decline in 1966 cannot be considered significant in itself. The rate of 22.9 for white infants was less than half the rate of 52.4 for nonwhites. On the accompanying graph it may be seen that trend for the whites was distinctively downward through 1956, but since that time it has almost leveled out. The direction of the curve for nonwhites has been upward since 1946.

Infant Mortality Rates
1920-1966



Vital Statistics
Mississippi - 1966

Comparison of Mississippi's infant mortality rate with those for other areas of the country revealed that in 1965 (latest year for which national data are available) it was the highest in the country, 64 percent higher than for the United States as a whole, and 30 percent higher than in South Carolina which had the next highest rate among southern states.

Figures on infant mortality by age and race are given in Table S. The patterns for the two race groups were exactly opposite; for whites the rates declined with age, but for nonwhites the rates increased with age, indicating an important difference in the factors responsible for infant deaths among the two races. At each age the rate for nonwhites exceeded that for whites, but in the post neonatal period (28 days to one year) the nonwhite rate was nearly four times greater. It is likely that this excess mortality among the older nonwhite infants is largely responsible for the fact that Mississippi's infant death rate is so much higher than the rates in other states.

Table S. Infant deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
Total under one year	1,856	38.5	520	22.9	1,336	52.4
Under one day	552	11.4	215	9.4	337	13.2
One to 28 days	571	11.8	171	7.5	400	15.7
28 days to one year	733	15.2	134	5.9	599	23.5

* Deaths per 1,000 live births.

The five leading causes of infant deaths listed in Table T are the same ones which have been the principal causes every year from 1949 to the present except 1963 when accidents replaced birth injuries. In 1966 these five causes accounted for almost 40 percent of the total infant deaths and for 66 percent of those with a definite cause stated. These leading causes held varying degrees of importance among the two race groups. Congenital malformations appeared at the top of the list for white infants, but influenza and pneumonia ranked first among nonwhites. In addition, the rate for influenza and pneumonia among nonwhites was over seven times that for whites, and deaths from the gastritis group occurred more than eleven times as frequently.

Table T. Leading causes of infant deaths by race, with rates

Cause of Death and International List Number	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Causes	1,856	38.5	520	22.9	1,336	52.4
1. Congenital malformations (750-759)	172	3.6	95	4.2	77	3.0
2. Postnatal asphyxia and atelectasis (762)	168	3.5	87	3.8	81	3.2
3. Influenza and pneumonia, except pneumonia of newborn (480-493)	166	3.4	19	0.8	147	5.8
4. Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	123	2.6	9	0.4	114	4.5
5. Birth injuries (760, 761)	105	2.2	48	2.1	57	2.2

* Deaths per 1,000 live births.

Vital Statistics
Mississippi - 1966

Study of the leading causes by age shows that, among the babies who died in the first day of life, postnatal asphyxia and atelectasis headed the list with birth injuries second. The top-ranking cause among children 1-27 days of age was the same as for those under one day, but congenital malformations appeared in second place. Influenza and pneumonia headed the list for children 28 days to one year of age, with the gastritis group ranking second. Many death certificates for infants show immaturity as the cause or as part of the cause. Although this condition is no longer considered a distinct classification in ranking causes of infant deaths, it was noted that 627 deaths, 40 percent of those among white children and 31 percent of those among nonwhites, were attributed to immaturity alone or in combination with another condition.

All data on causes of infant deaths are based on incomplete knowledge, as 741 or 40 percent of the certificates showed ill-defined causes or no cause at all. Therefore, the data previously presented regarding cause could be incorrect. If the true causes of death for this large group of infants could be determined, much better information for planning effective preventive measures would be available.

MARRIAGES (See Tables 9, 17)

The upward trend in marriages continued in 1966 with 23,476 weddings recorded in the state. This trend has been uninterrupted for seven years, although increases have been small, averaging only a few hundred per year; and it will probably continue as children of the "baby boom" immediately following World War II are reaching marriageable age. Both race groups have shared in the increase, but in 1966 nonwhites registered a decline. Counts by race were: 15,860 white couples and 7,616 nonwhite couples.

Month

As shown by the figures in Table U, June was the month with the largest number of marriages and also the highest daily average. December was the second most popular month.

Table U. Marriages and average per day, by month

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	23,476	64			
January	1,533	49	July	2,421	78
February	1,495	53	August	2,358	76
March	1,593	51	September	1,962	65
April	1,701	57	October	1,709	55
May	1,892	61	November	1,665	56
June	2,681	89	December	2,466	80

Vital Statistics
Mississippi - 1966

Officiant

Ministers performed 71 percent of the marriage ceremonies and justices of the peace officiated at nearly all of the others. Those performed by mayors, judges, and members of boards of supervisors comprised less than one percent of the total.

Age of Bride and Groom

Teenage brides numbered 10,373, or 44 percent of the total, and 4,379 were less than 18 years old. Twelve of these were only 13 and 90 were only 14 years old. (See Table V) Twenty percent of the grooms were teenagers; the youngest were two boys age 14. At the other extreme were 24 brides age 75 or over, with the oldest age 84; grooms in the group 75 years or over numbered 149, with the oldest age 110 (his bride was 74 years old). The median age at marriage for brides was 21.0 years, but for those being married for the first time it was only 19.5 years. Corresponding figures for grooms were 23.7 years and 22.2 years. In general, people chose mates whose ages were not greatly different from their own, but there were several marriages of couples whose ages differed by 40 or more years. The largest difference was 58 years; the bride was 22 and the groom was 80.

Table V. Brides and Grooms by Age

Age	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>23,476</u>	<u>100.0</u>	<u>23,476</u>	<u>100.0</u>
Under 20	10,373	44.2	4,700	20.0
12	0	-	0	-
13	12	*	0	-
14	90	0.4	2	*
15	795	3.4	6	*
16	1,352	5.8	47	0.2
17	2,130	9.1	615	2.6
18	3,112	13.2	1,575	6.7
19	2,882	12.3	2,455	10.4
20-24	6,533	27.8	9,391	40.0
25-34	3,008	12.8	4,708	20.0
35-44	1,617	6.9	1,868	8.0
45-54	1,085	4.6	1,269	5.4
55-64	613	2.6	889	3.8
65-74	206	0.9	491	2.1
75 & over	24	0.1	149	0.6
Unknown	17	0.1	11	*

* Less than 0.06 percent.

Previous Marriages

In 66 percent of the weddings in 1966 both the bride and the groom were being married for the first time. Table W shows the total number of brides and the total number of grooms marrying for the first time and also the number of previous marriages

Vital Statistics
Mississippi - 1966

for those not marrying for the first time. Approximately the same percentage of brides as of grooms (26.4 and 26.8) had been married before, but most of these had only one previous marriage. However, 1,490 brides and 1,519 grooms had two or more previous marriages, and 4 of these brides and 13 of the grooms reported five or more previous marriages. Among the persons who had been married before, the divorced outnumbered the widowed three to one.

Table W. Number of previous marriages of brides and grooms

Previous Marriages	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>23,476</u>	<u>100.0</u>	<u>23,476</u>	<u>100.0</u>
None	17,210	73.3	17,146	73.0
One	4,720	20.1	4,765	20.3
Two	1,228	5.2	1,202	5.1
Three or more	262	1.1	317	1.4
Not stated	56	0.2	46	0.2

Nonresident Brides

Brides from out of the state who came to Mississippi to be married in 1966 numbered 3,738, and 3,062 of them married grooms who were also nonresidents. Although both parties to 13 percent of the marriages and 16 percent of the brides were from out of state in 1966, these proportions are far lower than in the years prior to 1958 when a stricter marriage law went into effect in Mississippi. (In 1957 two-thirds of all brides were from out of the state.) The nonresident brides of 1966 came from 45 of the other 49 states, the District of Columbia, and also from foreign countries (11 brides), but 78 percent were from the border states of Alabama, Arkansas, Louisiana, and Tennessee. Just as the majority of nonresident brides came from bordering states, the majority (74 percent) of licenses for these brides were issued in Mississippi counties along the boundaries of the state. DeSoto County, which is just south of Memphis, Tennessee issued 19 percent of the total.

Out-of-State Use of Mississippi Certificates

Each year some Mississippi marriage licenses are used for weddings performed in other states. Because these marriages are of questionable legality and did not take place in Mississippi they are not included in these annual tabulations. A special count showed that there were 99 such marriages in 1966, with 65 of them occurring in Louisiana. The others took place in Alabama, Arkansas, Illinois, Tennessee, and Texas. Since most of these licenses were used in Louisiana, it is not surprising that the majority were issued in Mississippi counties which border on Louisiana, with Wilkinson County issuing the largest number. Either the bride or the groom or both were residents of the state of occurrence of 77 of the out-of-state marriages. In the other 22 both the bride and the groom were Mississippi residents but went to another state to be married.

Vital Statistics
Mississippi - 1966

DIVORCES (See Tables 9, 10, 17)

A substantial rise in the number of divorces occurred in 1966. The total of 6,306 was 10 percent larger than the total for the previous year and the largest since 1948. Although there has been an upward trend since 1957, the earlier increases were considerably smaller. Both whites and nonwhites experienced rises of approximately 10 percent, and the count of 4,650 for white persons was second only to the record high set in 1946 immediately after World War II.

Cause and Complainant

The stated cause of 90 percent of the divorces was either cruel and inhuman treatment or desertion. Among the white population, cruel and inhuman treatment ranked first and accounted for 67 percent of the total. Desertion ranked first among nonwhites and was listed on 65 percent of the records for this group. In 70 percent of the cases among white persons, but in only 53 percent of those among nonwhites, the wife was the complainant.

Minor Children

Divorces in which no minor children were involved comprised 39.5 percent of the total for whites and 50.5 percent for nonwhites. However, there were 3,489 couples with minor children, and the total number of such children was 7,784. Cases involving 5 or more children each numbered 255; 5 of these cases involved 10 children each and in one case there were 12 children.

Duration of Marriage

Length of time married before obtaining a divorce ranged from less than one year to 58 years. Seven percent of the couples had been married less than a year and almost 40 percent less than 5 years. On the other hand, there were 12 couples who had been married 50 or more years. There was a significant difference between the two race groups in the duration of marriage. The median duration was about 2 1/2 times as long for nonwhites (13.5 years) as for whites (5.6 years). This difference is illustrated in another way by the fact that 46 percent of the white couples but only 20 percent of the nonwhite couples had been married less than 5 years.

Additional Information needed

The statistical record of divorce used in Mississippi is a form which provides only limited information because of the omission of a number of pertinent items and also because of lack of clarity regarding some of the items which do appear on the form. No data at all are available concerning place of marriage, place of residence of the couple at time of separation, their ages at marriage, their ages at divorce, previous marriages, and socio-economic factors. Information which is presently tabulated on minor children, cause of divorce, and complainant probably is erroneous because of

Vital Statistics
Mississippi - 1966

lack of definitions and instructions regarding how such facts should be entered on the form and also because of poor arrangement of the form. These deficiencies seriously hamper meaningful study of the divorce problem on a state level as well as on a national level. Since Mississippi's record does not contain even what is considered minimum information, this state is not eligible to become part of the National Divorce Registration Area. Revision of the statistical record of divorce would be of great help in providing material for analysis of this serious social problem.




TABLE 1
ESTIMATED POPULATION*
MISSISSIPPI
July 1, 1966

By County, by Race

County	Total	White	Nonwhite
<u>STATE</u>	<u>2,359,730</u>	<u>1,375,350</u>	<u>984,380</u>
Adams	39,190	20,230	18,960
Alcorn	27,580	24,080	3,500
Amite	15,620	6,870	8,750
Attala	23,290	13,280	10,010
Benton	8,300	4,710	3,590
Bolivar	59,010	19,790	39,220
Calhoun	16,140	11,820	4,320
Carroll	11,410	5,020	6,390
Chickasaw	19,030	11,400	7,630
Choctaw	8,160	5,730	2,430
Claiborne	10,970	2,640	8,330
Clarke	16,640	10,000	6,640
Clay	19,290	8,690	10,600
Coahoma	47,550	14,800	32,750
Copiah	27,040	12,640	14,400
Covington	15,680	10,400	5,280
DeSoto	33,690	18,060	15,630
Forrest	61,870	45,140	16,730
Franklin	9,520	5,710	3,810
George	11,860	10,430	1,430
Greene	8,970	6,910	2,060
Grenada	21,410	11,410	10,000
Hancock	17,180	14,750	2,430
Harrison	134,630	111,790	22,840
Hinds	207,270	119,670	87,600
Holmes	28,020	8,010	20,010
Humphreys	20,010	5,600	14,410
Issaquena	3,340	1,140	2,200
Itawamba	16,320	15,420	900
Jackson	72,800	59,400	13,400
Jasper	16,180	8,010	8,170
Jefferson	10,420	2,510	7,910
Jeff Davis	14,160	5,860	8,300
Jones	57,990	41,560	16,430
Kemper	12,020	4,560	7,460
Lafayette	23,910	16,060	7,850

Table 1 - Page 2
 Estimated Population - Mississippi - July 1, 1966

County	Total	White	Nonwhite
Lamar	15,280	12,670	2,610
Lauderdale	76,740	51,050	25,690
Lawrence	10,100	6,400	3,700
Leake	19,180	10,860	8,320
Lee	48,040	36,440	11,600
Leflore	53,000	18,870	34,130
Lincoln	27,390	18,550	8,840
Lowndes	54,020	33,690	20,330
Madison	35,120	10,610	24,510
Marion	23,630	15,350	8,280
Marshall	25,180	8,130	17,050
Monroe	35,960	23,900	12,060
Montgomery	15,370	8,820	6,550
Neshoba	22,300	16,580	5,720
Newton	20,480	13,950	6,530
Noxubee	17,190	4,430	12,760
Oktibbeha	30,010	18,210	11,800
Panola	30,530	12,980	17,550
Pearl River	31,040	25,420	5,620
Perry	8,940	5,860	3,080
Pike	34,290	19,080	15,210
Pontotoc	18,320	14,480	3,840
Prentiss	19,920	17,200	2,720
Quitman	21,780	7,550	14,230
Rankin	38,830	24,830	14,000
Scott	23,650	14,620	9,030
Sharkey	10,570	3,210	7,360
Simpson	19,770	13,480	6,290
Smith	14,460	10,800	3,660
Stone	7,660	5,680	1,980
Sunflower	46,180	14,380	31,800
Tallahatchie	24,450	7,880	16,570
Tate	20,540	8,970	11,570
Tippah	16,120	13,080	3,040
Tishomingo	16,350	15,670	680
Tunica	17,280	4,030	13,250
Union	19,280	16,050	3,230
Walthall	14,530	7,910	6,620
Warren	45,990	25,640	20,350
Washington	79,690	32,820	46,870
Wayne	16,410	10,100	6,310
Webster	11,290	8,150	3,140
Wilkinson	12,090	3,270	8,820
Winston	19,060	10,140	8,920
Yalobusha	12,460	6,570	5,890
Yazoo	32,790	12,890	19,900

* Prepared by Division of Sociology and Rural Life,
 Mississippi State University.

TABLE 2
LIVE BIRTHS
MISSISSIPPI
1966

By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates

County	Place of Occurrence			Place of Residence			Rate*		
	Number			Number					
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	48,299	22,797	25,502	48,230	22,736	25,494	20.4	16.5	25.9
Adams	1,261	542	719	867	392	475	22.1	19.4	25.0
Alcorn	461	387	74	491	409	82	17.8	17.0	23.4
Amite	119	3	116	290	86	204	18.6	12.5	23.3
Attala	396	166	230	394	149	245	16.9	11.2	24.5
Benton	75	3	72	162	66	96	19.5	14.0	26.7
Bolivar	1,627	302	1,325	1,504	297	1,207	25.5	15.0	30.8
Calhoun	251	103	148	321	199	122	19.9	16.8	28.2
Carroll	109	5	104	180	40	140	15.8	8.0	21.9
Chickasaw	351	158	193	355	166	189	18.6	14.6	24.8
Choctaw	163	79	84	143	79	64	17.5	13.8	26.3
Claiborne	98	14	84	175	30	145	16.0	11.4	17.4
Clarke	75	42	33	293	135	158	17.6	13.5	23.8
Clay	339	113	226	381	136	245	19.8	15.6	23.1
Coahoma	1,190	300	890	1,152	238	914	24.2	16.1	27.9
Copiah	637	197	440	525	175	350	19.4	13.8	24.3
Covington	181	139	42	314	177	137	20.0	17.0	25.9
DeSoto	387	32	355	761	332	429	22.6	18.4	27.4
Forrest	1,400	998	402	1,160	741	419	18.7	16.4	25.0
Franklin	107	40	67	145	58	87	15.2	10.2	22.8
George	318	266	52	267	225	42	22.5	21.6	29.4
Greene	58	32	26	163	117	46	18.2	16.9	22.3
Grenada	406	140	266	433	171	262	20.2	15.0	26.2
Hancock	180	140	40	300	251	49	17.5	17.0	20.2
Harrison	3,446	2,744	702	3,079	2,401	678	22.9	21.5	29.7
Hinds	5,130	2,481	2,649	4,271	1,939	2,332	20.6	16.2	26.6
Holmes	579	78	501	580	93	487	20.7	11.6	24.3
Humphreys	494	78	416	488	91	397	24.4	16.2	27.6
Issaquena	14	0	14	74	15	59	22.2	13.2	26.8
Itawamba	44	32	12	250	231	19	15.3	15.0	21.1
Jackson	1,452	1,050	402	1,795	1,372	423	24.6	23.1	31.6
Jasper	159	102	57	304	105	199	18.8	13.1	24.4
Jefferson	87	8	79	206	26	180	19.8	10.4	22.8
Jeff Davis	201	86	115	250	75	175	17.6	12.8	21.1
Jones	1,826	883	943	1,006	651	355	17.3	15.7	21.6
Kemper	133	21	112	212	47	165	17.6	10.3	22.1
Lafayette	481	307	174	414	239	175	17.3	14.9	22.3

Table 2 - Page 2

Live Births - Mississippi - 1966

County	Place of Occurrence			Place of Residence					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lamar	88	60	28	293	235	58	19.2	18.5	22.2
Lauderdale	1,960	979	981	1,477	769	708	19.2	15.1	27.6
Lawrence	101	44	57	208	115	93	20.6	18.0	25.1
Leake	214	99	115	310	141	169	16.2	13.0	20.3
Lee	1,244	933	311	963	652	311	20.0	17.9	26.8
Leflore	1,289	364	925	1,220	301	919	23.0	16.0	26.9
Lincoln	533	301	232	486	261	225	17.7	14.1	25.4
Lowndes	1,248	706	542	1,189	642	547	22.0	19.0	26.9
Madison	659	103	556	842	166	676	24.0	15.6	27.6
Marion	347	202	145	442	254	188	18.7	16.5	22.7
Marshall	389	22	367	562	139	423	22.3	17.1	24.8
Monroe	759	481	278	683	399	284	19.0	16.7	23.5
Montgomery	337	150	187	271	115	156	17.6	13.0	23.8
Neshoba	363	208	155	366	208	158	16.4	12.5	27.6
Newton	324	196	128	359	191	168	17.5	13.7	25.7
Noxubee	414	59	355	387	51	336	22.5	11.5	26.3
Oktibbeha	573	235	338	526	218	308	17.5	12.0	26.1
Panola	770	224	546	674	203	471	22.1	15.6	26.8
Pearl River	613	475	138	545	400	145	17.6	15.7	25.8
Perry	80	43	37	180	117	63	20.1	20.0	20.4
Pike	639	318	321	610	266	344	17.8	13.9	22.6
Pontotoc	374	270	104	315	227	88	17.2	15.7	22.9
Prentiss	404	330	74	357	292	65	17.9	17.0	23.9
Quitman	558	143	415	541	139	402	24.8	18.4	28.2
Rankin	148	51	97	726	457	269	18.7	18.4	19.2
Scott	436	282	154	457	249	208	19.3	17.0	23.0
Sharkey	136	17	119	231	44	187	21.8	13.7	25.4
Simpson	336	205	131	360	198	162	18.2	14.7	25.8
Smith	16	1	15	264	149	115	18.2	13.8	31.4
Stone	118	74	44	126	75	51	16.4	13.2	25.8
Sunflower	923	136	787	1,054	183	871	22.8	12.7	27.4
Tallahatchie	546	85	461	603	117	486	24.7	14.8	29.3
Tate	212	1	211	424	118	306	20.6	13.2	26.4
Tippah	362	276	86	287	213	74	17.8	16.3	24.3
Tishomingo	161	152	9	252	240	12	15.4	15.3	17.6
Tunica	404	23	381	422	50	372	24.4	12.4	28.1
Union	288	212	76	345	267	78	17.9	16.6	24.1
Walthall	378	208	170	251	92	159	17.3	11.6	24.0
Warren	1,452	596	856	989	499	490	21.5	19.5	24.1
Washington	1,938	661	1,277	1,892	590	1,302	23.7	18.0	27.8
Wayne	407	258	149	338	186	152	20.6	18.4	24.1
Webster	126	59	67	202	107	95	17.9	13.1	30.2
Wilkinson	260	106	154	242	48	194	20.0	14.7	22.0
Winston	300	118	182	345	129	216	18.1	12.7	24.2
Yalobusha	196	75	121	200	69	131	16.0	10.5	22.2
Yazoo	641	185	456	709	201	508	21.6	15.6	25.5
Out-of-State	1,257	1,012	245	1,326	1,073	253	-	-	-

Table 2 - Page 3
Live Births - Mississippi - 1966

City**	Place of Occurrence			Place of Residence		
	Number			Number		
	Total	White	Non-white	Total	White	Non-white
Biloxi	2,031	1,797	234	1,320	1,121	199
Clarksdale	813	300	513	507	186	321
Cleveland	575	231	344	300	125	175
Columbus	859	474	385	648	313	335
Corinth	23	1	22	209	154	55
Greenville	1,227	560	667	1,038	402	636
Greenwood	839	363	476	560	189	371
Gulfport	1,360	940	420	825	580	245
Hattiesburg	1,373	997	376	733	416	317
Jackson	4,578	2,144	2,434	3,201	1,475	1,726
Laurel	1,814	874	940	476	234	242
McComb	491	288	203	214	113	101
Meridian	1,905	975	930	1,003	519	484
Natchez	1,256	541	715	517	199	318
Pascagoula	1,345	1,043	302	616	483	133
Tupelo	1,080	831	249	374	270	104
Vicksburg	1,445	596	849	592	266	326
Yazoo City	329	185	144	240	84	156
Total Urban#	32,668	18,071	14,597	18,756	9,794	8,962
Total Rural	15,631	4,726	10,905	29,474	12,942	16,532

* Births per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 3
LIVE BIRTHS
MISSISSIPPI
1966

By Place of Residence of Mother, by Race and Attendant, and by Sex

County	STATE	WHITE				NONWHITE				Male	Female	SEX
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other			
TOTAL	48,230	22,736	22,611	44	81	25,494	15,642	505	9,347	24,539	23,691	
Adams	867	392	392	0	0	475	470	2	3	452	415	
Alcorn	491	409	407	0	2	82	51	0	31	236	255	
Amite	290	86	86	0	0	204	95	0	109	137	153	
Attala	394	149	149	0	0	245	79	1	165	222	172	
Benton	162	66	63	3	0	96	23	0	73	80	82	
Bolivar	1,504	297	291	2	4	1,207	693	13	501	742	762	
Calhoun	321	199	198	1	0	122	87	2	33	178	143	
Carroll	180	40	40	0	0	140	48	1	91	88	92	
Chickasaw	355	166	164	1	1	189	120	2	67	184	171	
Choctaw	143	79	79	0	0	64	33	0	31	78	65	
Claiborne	175	30	30	0	0	145	83	0	62	88	87	
Clarke	293	135	134	1	0	158	140	3	15	145	148	
Clay	381	136	135	0	1	245	152	5	88	197	184	
Coahoma	1,152	238	238	0	0	914	504	1	409	569	583	
Copiah	525	175	175	0	0	350	296	6	48	284	241	
Covington	314	177	177	0	0	137	125	0	12	158	156	
DeSoto	761	332	330	1	1	429	275	1	153	379	382	
Forrest	1,160	741	741	0	0	419	293	1	125	584	576	
Franklin	145	58	58	0	0	87	74	1	12	79	66	
George	267	225	224	0	1	42	34	0	8	130	137	
Greene	163	117	117	0	0	46	34	0	12	81	82	
Grenada	433	171	170	1	0	262	108	33	121	220	213	
Hancock	300	251	250	0	1	49	28	1	20	123	177	
Harrison	3,079	2,401	2,385	4	12	678	462	15	201	1,609	1,470	

Table 3 - Page 2
Live Births - Mississippi - 1966

County	TOTAL	WHITE			NONWHITE			SEX		
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Male	Female
Hinds	4,271	1,939	1,937	2	0	2,332	2,079	30	2,191	2,080
Holmes	580	93	93	0	0	487	91	1	309	271
Humphreys	488	91	89	2	0	397	98	0	259	229
Issaquena	74	15	15	0	0	59	45	0	39	35
Itawamba	250	231	229	2	0	19	19	0	0	119
Jackson	1,795	1,372	1,368	1	3	423	293	31	99	899
Jasper	304	105	105	0	0	199	172	2	25	144
Jefferson	206	26	26	0	0	180	118	1	61	113
Jeff Davis	250	75	74	0	1	175	141	3	31	119
Jones	1,006	651	649	1	1	355	349	2	4	489
Kemper	212	47	46	0	1	165	91	2	72	113
Lafayette	414	239	237	0	2	175	60	2	113	212
Lamar	293	235	233	1	1	58	56	0	2	155
Lauderdale	1,477	769	768	1	0	708	638	9	61	760
Lawrence	208	115	115	0	0	93	63	0	30	106
Leake	310	141	137	2	2	169	90	3	76	163
Lee	963	652	651	1	0	311	241	9	61	494
Leflore	1,220	301	300	0	1	919	257	5	657	634
Lincoln	486	261	261	0	0	225	209	0	16	253
Lowndes	1,189	642	638	2	2	547	238	2	307	597
Madison	842	166	166	0	0	676	262	22	392	458
Marion	442	254	252	0	2	188	105	1	82	226
Marshall	562	139	139	0	0	423	174	2	247	285
Monroe	683	399	398	1	0	284	197	15	72	352
Montgomery	271	115	113	2	0	156	80	1	75	126
Neshoba	366	208	207	0	1	158	137	2	19	175
Newton	359	191	190	1	0	168	119	44	5	165
Noxubee	387	51	50	0	1	336	157	0	179	207
Oktibbeha	526	218	218	0	0	308	178	3	127	262
Panola	674	203	202	0	1	471	317	67	87	341

Table 3 - Page 3
Live Births - Mississippi - 1966

County	TOTAL	WHITE			NONWHITE			SEX			
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Pearl River	545	400	400	0	0	145	135	0	10	269	276
Perry	180	117	116	1	0	63	56	0	7	94	86
Pike	610	266	264	0	2	344	235	1	108	314	296
Pontotoc	315	227	224	1	2	88	80	3	5	172	143
Prentiss	357	292	292	0	0	65	43	0	22	184	173
Quitman	541	139	137	1	1	402	326	3	73	269	272
Rankin	726	457	453	0	4	269	225	4	40	376	350
Scott	457	249	248	0	1	208	149	12	47	226	231
Sharkey	231	44	44	0	0	187	120	2	65	127	104
Simpson	360	198	198	0	0	162	136	1	25	181	179
Smith	264	149	149	0	0	115	101	5	9	132	132
Stone	126	75	74	0	1	51	31	0	20	71	55
Sunflower	1,054	183	179	0	4	871	232	41	598	505	549
Tallahatchie	603	117	114	0	3	486	90	3	393	308	295
Tate	424	118	118	0	0	306	93	28	185	223	201
Tippah	287	213	212	1	0	74	53	12	9	135	152
Tishomingo	252	240	237	2	1	12	12	0	0	130	122
Tunica	422	50	48	0	2	372	159	7	206	229	193
Union	345	267	258	4	5	78	27	2	49	175	170
Walthall	251	92	86	0	6	159	90	0	69	134	117
Warren	989	499	499	0	0	490	457	0	33	479	510
Washington	1,892	590	584	0	6	1,302	856	13	433	948	944
Wayne	338	186	185	0	1	152	132	2	18	174	164
Webster	202	107	107	0	0	95	62	2	31	111	91
Wilkinson	242	48	48	0	0	194	86	1	107	120	122
Winston	345	129	129	0	0	216	79	1	136	192	153
Yalobusha	200	69	68	1	0	131	99	12	20	92	108
Yazoo	709	201	201	0	0	508	97	3	408	356	353

Table 3 - Page 4
Live Births - Mississippi - 1966

City*	TOTAL	WHITE			NONWHITE			SEX	
		Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Biloxi	1,320	1,121	1,119	1	199	161	3	35	685
Clarksdale	507	186	186	0	321	285	1	35	239
Cleveland	300	125	125	0	175	120	1	54	160
Columbus	648	313	310	1	335	163	0	172	326
Corinth	209	154	153	0	55	32	0	23	97
Greenville	1,038	402	400	0	636	459	9	168	543
Greenwood	560	189	189	0	371	158	2	211	279
Gulfport	825	580	576	1	245	178	9	58	437
Hattiesburg	733	416	416	0	317	219	1	97	365
Jackson	3,201	1,475	1,473	2	0	1,726	25	93	1,630
Laurel	476	234	234	0	0	242	2	2	223
McComb	214	113	113	0	0	101	72	0	29
Meridian	1,003	519	518	1	0	484	7	13	528
Natchez	517	199	199	0	0	318	0	0	260
Pascagoula	616	483	482	0	1	133	97	10	311
Tupelo	374	270	269	1	0	104	84	5	15
Vicksburg	592	266	266	0	0	326	304	0	22
Yazoo City	240	84	84	0	0	156	42	0	114
									123
									117

* Cities having 10,000 population and over according to 1960 census.

TABLE 4
FETAL DEATHS
MISSISSIPPI
1966

By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX				
			Total Phys. in Hosp.	Phys. in Home	Other	Total Phys. in Hosp.	Phys. in Home	Other	Male	Female	Unde- termined		
STATE	<u>2,340</u>	<u>2,282</u>	<u>1,049</u>	<u>1,023</u>	<u>25</u>	<u>1</u>	<u>1,233</u>	<u>887</u>	<u>70</u>	<u>276</u>	<u>733</u>	<u>552</u>	<u>997</u>
Adams	78	48	28	28	0	0	20	20	0	0	7	14	27
Alcorn	8	11	6	6	0	0	5	3	0	2	0	11	0
Amité	1	6	1	1	0	0	5	4	0	1	5	1	0
Attala	29	30	18	18	0	0	12	2	0	10	12	8	10
Benton	2	2	0	0	0	0	2	0	1	1	2	0	0
Bolivar	69	62	15	15	0	0	47	29	1	17	26	22	14
Calhoun	13	8	3	1	2	0	5	5	0	0	3	1	4
Carroll	4	10	1	1	0	0	9	6	0	3	6	2	2
Chickasaw	23	25	10	10	0	0	15	10	1	4	13	3	9
Choc taw	4	4	1	1	0	0	3	0	0	3	3	1	0
Claiborne	2	4	0	0	0	0	4	1	0	3	1	1	2
Clarke	2	4	2	2	0	0	2	0	1	1	2	0	2
Clay	5	8	2	2	0	0	6	5	1	0	4	3	1
Coahoma	71	69	14	14	0	0	55	36	2	17	23	16	30
Copiah	9	20	6	6	0	0	14	13	1	0	10	6	4
Covington	2	12	6	6	0	0	6	5	1	0	0	4	8
DeSoto	10	18	4	4	0	0	14	9	1	4	9	8	1
Forrest	45	46	27	27	0	0	19	15	0	4	20	7	19
Franklin	1	3	2	1	0	1	1	1	0	0	0	2	1
George	3	3	3	3	0	0	0	0	0	0	0	2	0
Greene	1	4	2	2	0	0	2	1	0	1	1	1	2
Grenada	22	23	5	5	0	0	18	7	2	9	11	5	7
Hancock	5	10	7	7	0	0	3	3	0	0	4	4	2
Harrison	237	203	160	156	4	0	43	42	0	1	46	19	138

Table 4 - Page 2
Fetal Deaths - Mississippi - 1966

County	Total by Occurrence	Total by Residence	WHITE						NONWHITE						SEX		
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female	Unde-termined		Male	Female	Unde-termined
Hinds	480	368	223	217	6	0	145	129	7	9	57	41	270				
Holmes	25	26	9	0	0	0	17	5	4	8	8	7	11				
Humphreys	15	20	1	1	0	0	19	10	0	9	10	5	5				
Issaquena	2	6	3	3	0	0	3	1	0	2	2	3	1				
Itawamba	1	4	3	0	0	0	1	1	0	0	3	0	1				
Jackson	42	67	45	44	1	0	22	19	3	0	17	20	30				
Jasper	9	13	2	2	0	0	11	8	1	2	2	2	9				
Jefferson	7	16	2	2	0	0	14	8	1	5	9	6	1				
Jeff Davis	3	9	2	2	0	0	7	6	0	1	4	4	1				
Jones	91	46	26	24	2	0	20	19	1	0	10	12	24				
Kemper	4	12	0	0	0	0	12	8	0	4	5	6	1				
Lafayette	12	12	5	5	0	0	7	2	0	5	3	6	3				
Lamar	1	6	5	5	0	0	1	1	0	0	3	1	2				
Lauderdale	54	39	10	10	0	0	29	23	2	4	18	17	4				
Lawrence	0	2	1	1	0	0	1	1	0	0	1	1	0				
Leake	6	15	7	7	0	0	8	7	0	1	5	5	5				
Lee	31	23	14	14	0	0	9	7	1	1	13	9	1				
Leflore	57	54	15	11	3	1	39	18	7	14	18	15	21				
Lincoln	12	12	5	5	0	0	7	7	0	0	7	4	1				
Lowndes	52	50	18	18	0	0	32	20	1	1	11	21	12				
Madison	20	33	8	7	1	0	25	13	4	8	13	10	10				
Marion	13	17	7	7	0	0	10	4	0	6	6	8	3				
Marshall	24	33	3	3	0	0	30	21	1	8	18	14	1				
Monroe	20	22	6	6	0	0	16	13	0	3	9	9	4				
Montgomery	6	5	2	1	1	0	3	3	0	0	4	0	1				
Neshoba	13	14	4	4	0	0	10	9	1	0	3	5	6				
Newton	32	33	9	9	0	0	24	20	4	0	7	7	19				
Noxubee	19	19	3	3	0	0	16	12	0	4	9	7	3				
Oktibbeha	7	5	0	0	0	0	5	3	1	1	4	1	0				
Panola	21	15	2	2	0	0	13	10	1	2	9	5	1				

Table 4 - Page 3
Fetal Deaths - Mississippi - 1966

County	Total by Occurrence	Total by Residence	WHITE						NONWHITE						SEX		
			Total in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Total	Male	Female	Unde- termined				
Pearl River	18	21	11	11	0	0	10	9	0	1	5	7	9				
Perry	2	3	2	2	0	0	1	0	0	1	2	1	0				
Pike	34	28	7	7	0	0	21	10	1	10	11	13	4				
Pontotoc	12	11	6	5	1	0	5	5	0	0	6	4	1				
Prentiss	14	10	7	7	0	0	3	3	0	0	7	3	0				
Quitman	18	18	3	3	0	0	15	13	0	2	11	7	0				
Rankin	5	48	33	32	1	0	15	14	1	0	5	10	33				
Scott	9	12	4	4	0	0	8	6	1	1	4	3	5				
Sharkey	5	17	5	5	0	0	12	10	2	0	7	3	7				
Simpson	20	23	12	11	1	0	11	11	0	0	10	4	9				
Smith	0	13	9	9	0	0	4	4	0	0	2	4	7				
Stone	3	3	1	1	0	0	2	0	1	1	1	1	1				
Sunflower	30	39	6	6	0	0	33	15	2	16	17	14	8				
Tallahatchie	13	15	2	2	0	0	13	7	1	5	7	5	3				
Tate	11	16	1	1	0	0	15	4	0	11	9	6	1				
Tippah	32	30	24	24	0	0	6	6	0	0	8	3	19				
Tishomingo	2	2	2	2	0	0	0	0	0	0	1	1	0				
Tunica	16	16	0	0	0	0	16	9	1	6	11	4	1				
Union	14	17	13	13	0	0	4	2	1	1	8	4	5				
Walthall	15	16	7	6	1	0	9	7	0	2	4	4	8				
Warren	127	79	55	55	0	0	24	23	0	1	16	15	48				
Washington	145	137	56	56	0	0	81	65	7	9	32	31	74				
Wayne	26	20	11	11	0	0	9	8	0	1	6	4	10				
Webster	4	7	3	3	0	0	4	3	0	1	3	4	0				
Wilkinson	7	8	2	2	0	0	6	5	0	1	5	2	1				
Winston	7	10	3	3	0	0	7	3	0	4	5	2	3				
Yalobusha	5	5	1	1	0	0	4	4	0	0	5	0	0				
Yazoo	21	29	0	0	0	0	29	16	0	13	15	8	6				

Table 4 - Page 4
Fetal Deaths - Mississippi - 1966

City*	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Biloxi	183	117	98	95	3	0	19	19	0	0	16
Clarksdale	57	37	10	10	0	0	27	22	1	4	9
Cleveland	24	15	7	7	0	0	8	7	0	1	6
Columbus	42	31	12	12	0	0	19	12	1	6	14
Corinth	2	4	0	0	0	0	4	2	0	2	0
Greenville	115	84	43	43	0	0	41	32	6	3	9
Greenwood	45	29	11	7	3	1	18	9	6	3	7
Gulfport	54	49	30	29	1	0	19	18	0	1	17
Hattiesburg	44	28	14	14	0	0	14	11	0	3	13
Jackson	412	319	207	201	6	0	112	104	7	1	41
Laurel	89	28	13	12	1	0	15	15	0	0	7
McComb	25	12	2	2	0	0	10	6	0	4	5
Meridian	51	32	8	8	0	0	24	20	2	2	15
Natchez	78	40	24	24	0	0	16	16	0	0	6
Pascagoula	41	16	9	8	1	0	7	5	2	0	4
Tupelo	26	5	3	3	0	0	2	1	0	1	1
Vicksburg	127	56	39	39	0	0	17	16	0	1	10
Yazoo City	9	14	0	0	0	0	14	11	0	3	6

* Cities having 10,000 population and over according to 1960 census.

TABLE 5
DEATHS
MISSISSIPPI
1966

By Cause of Death, by Race, Residence Data

International List Number*	Cause of Death**	Total	White	Non-white
<u>001-999</u>	<u>TOTAL ALL CAUSES</u>	<u>23,350</u>	<u>12,976</u>	<u>10,374</u>
<u>001-019</u>	<u>Tuberculosis, all forms</u>	<u>107</u>	<u>48</u>	<u>59</u>
001	Respiratory, with mention of occupational disease of lung	1	0	1
002	Pulmonary	98	45	53
003	Pleural	1	1	0
008	Unspecified site	1	1	0
010	Meninges and central nervous system	1	0	1
011	Intestines, peritoneum, and mesenteric glands	3	1	2
012	Bones and joints, active or unspecified	1	0	1
016	Genito-urinary system	1	0	1
<u>020-029</u>	<u>Syphilis and its sequelae</u>	<u>19</u>	<u>8</u>	<u>11</u>
020	Congenital syphilis	1	1	0
022	Aneurysm of aorta	7	3	4
023	Other cardiovascular syphilis	6	2	4
024	Tabes dorsalis	1	1	0
025	General paralysis of insane	1	0	1
026	Other syphilis of central nervous system	2	1	1
028	Latent syphilis	1	0	1
035	Late effects of gonococcal infection	1	0	1
040	Typhoid fever	1	0	1
041	Paratyphoid fever	1	0	1
042	Other Salmonella infections	1	1	0
<u>045-048</u>	<u>Dysentery, all forms</u>	<u>12</u>	<u>2</u>	<u>10</u>
045	Bacillary	6	1	5
046	Amebiasis	3	1	2
048	Unspecified forms	3	0	3
049	Food poisoning (infection and intoxication)	1	0	1
051	Streptococcal sore throat	2	1	1
053	Septicemia and pyemia	36	19	17
054	Bacterial toxemia	1	0	1
055	Diphtheria	1	0	1
057	Meningococcal infections	8	7	1
061	Tetanus	12	5	7
063	Gas gangrene	2	2	0
064	Other bacterial diseases	1	0	1
081	Late effects of acute poliomyelitis	1	0	1
082	Acute infectious encephalitis	5	3	2
085	Measles	10	2	8
086	Rubella (German measles)	2	1	1
087	Chickenpox	4	3	1
088	Herpes zoster	2	1	1

Table 5 - Page 2
Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
089	Mumps	1	0	1
092	Infectious hepatitis	11	10	1
096	Other diseases attributable to viruses	3	1	2
129	Ankylostomiasis	1	1	0
130	Infestation with worms of other, mixed, and unspecified type	2	1	1
133	Coccidioidomycosis	1	1	0
134	Other fungus infections	6	4	2
138	Other infective and parasitic diseases	3	1	2
<u>140-205</u>	<u>Malignant neoplasms</u>	<u>3,098</u>	<u>1,990</u>	<u>1,108</u>
<u>140-148</u>	<u>Buccal cavity and pharynx</u>	<u>62</u>	<u>45</u>	<u>17</u>
140	Lip	5	4	1
141	Tongue	12	8	4
142	Salivary gland	7	6	1
143	Floor of mouth	2	2	0
144	Other parts of mouth and mouth unspecified	9	7	2
145	Oral mesopharynx	3	2	1
146	Nasopharynx	6	3	3
147	Hypopharynx	1	0	1
148	Pharynx, unspecified	17	13	4
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>949</u>	<u>574</u>	<u>375</u>
150	Esophagus	59	34	25
151	Stomach	221	100	121
152	Small intestine, including duodenum	4	3	1
153	Large intestine, except rectum	278	186	92
154	Rectum	68	47	21
155	Biliary passages and liver (stated to be primary site)	60	39	21
156	Liver (secondary and unspecified)	65	29	36
157	Pancreas	170	128	42
158	Peritoneum	8	2	6
159	Unspecified digestive organs	16	6	10
<u>160-165</u>	<u>Respiratory system</u>	<u>517</u>	<u>379</u>	<u>138</u>
160	Nose, nasal cavities, middle ear, and accessory sinuses	4	2	2
161	Larynx	17	9	8
162	Bronchus and trachea, and lung specified as primary	225	171	54
163	Lung, unspecified as to whether primary or secondary	251	182	69
164	Mediastinum	1	1	0
165	Thoracic organs (secondary)	19	14	5
<u>170-181</u>	<u>Breast and genito-urinary organs</u>	<u>898</u>	<u>519</u>	<u>379</u>
170	Breast	243	160	83
171	Cervix uteri	124	53	71
172	Corpus uteri	19	9	10
174	Uterus, unspecified	64	28	36
175	Ovary, Fallopian tube, and broad ligament	62	50	12
176	Other and unspecified female genital organs	9	6	3
177	Prostate	239	119	120

Table 5 - Page 3
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
178	Testis	6	6	0
179	Other and unspecified male genital organs	5	2	3
180	Kidney	47	35	12
181	Bladder and other urinary organs	80	51	29
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>388</u>	<u>251</u>	<u>137</u>
190	Melanoma of skin	32	28	4
191	Skin, other	29	24	5
192	Eye	9	8	1
193	Brain and other parts of nervous system	71	52	19
194	Thyroid gland	13	7	6
195	Other endocrine glands	8	5	3
196	Bone	22	16	6
197	Connective tissue	18	11	7
198	Lymph nodes (secondary and unspecified)	3	1	2
199	Other and unspecified sites	183	99	84
<u>200-205</u>	<u>Lymphatic and hematopoietic tissues</u>	<u>284</u>	<u>222</u>	<u>62</u>
200	Lymphosarcoma and reticulosarcoma	65	54	11
201	Hodgkin's disease	37	32	5
202	Other forms of lymphoma (reticulososis)	9	7	2
203	Multiple myeloma (plasmacytoma)	38	25	13
204	Leukemia and aleukemia	133	103	30
205	Mycosis fungoides	2	1	1
<u>210-229</u>	<u>Benign neoplasms</u>	<u>19</u>	<u>9</u>	<u>10</u>
211	Other parts of digestive system	1	0	1
214	Uterine fibromyoma	1	0	1
215	Uterus, other	1	1	0
216	Ovary	1	1	0
223	Brain and other parts of nervous system	10	5	5
224	Endocrine glands	2	2	0
225	Bone and cartilage	1	0	1
227	Muscular and connective tissue, other	1	0	1
228	Hemangioma and lymphangioma	1	0	1
<u>230-239</u>	<u>Neoplasm of unspecified nature</u>	<u>24</u>	<u>15</u>	<u>9</u>
230	Digestive organs	1	1	0
236	Other genito-urinary organs	2	2	0
237	Brain and other parts of nervous system	19	12	7
239	Other and unspecified organs	2	0	2
241	Asthma	39	21	18
245	Other allergic disorders	1	0	1
251	Nontoxic nodular goiter	1	0	1
252	Thyrotoxicosis with or without goiter	4	0	4
253	Myxedema and cretinism	3	2	1
260	Diabetes mellitus	376	159	217
270	Disorders of pancreatic internal secretion other than diabetes mellitus	2	0	2
271	Diseases of parathyroid gland	1	1	0
272	Diseases of pituitary gland	2	1	1
274	Diseases of adrenal glands	2	2	0
281	Pellagra	1	0	1

Table 5 - Page 4
Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
286	Other avitaminoses and nutritional deficiency states	27	11	16
287	Obesity, not specified as of endocrine origin	9	4	5
288	Gout	2	0	2
289	Other metabolic diseases	18	15	3
<u>290-293</u>	<u>Anemias</u>	<u>57</u>	<u>22</u>	<u>35</u>
290	Pernicious and other hyperchromic anemias	1	0	1
291	Iron deficiency anemias (hypochromic anemias)	1	1	0
292	Other specified type	33	9	24
293	Unspecified type	22	12	10
294	Polycythemia	7	6	1
296	Purpura and other hemorrhagic conditions	7	5	2
298	Diseases of spleen	4	2	2
299	Other diseases of blood and blood-forming organs	6	4	2
300	Schizophrenic disorders (dementia praecox)	1	1	0
304	Senile psychosis	4	2	2
307	Alcoholic psychosis	2	1	1
309	Other and unspecified psychoses	6	4	2
322	Alcoholism	24	15	9
325	Mental deficiency	4	1	3
<u>330-334</u>	<u>Vascular lesions affecting central nervous system</u>	<u>3,132</u>	<u>1,681</u>	<u>1,451</u>
330	Subarachnoid hemorrhage	95	53	42
331	Cerebral hemorrhage	1,947	971	976
332	Cerebral embolism and thrombosis	706	451	255
334	Other and ill-defined	384	206	178
340	Meningitis, except meningococcal and tuberculous	54	14	40
342	Intracranial and intraspinal abscess	2	1	1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	8	4	4
344	Late effects of intracranial abscess or pyogenic infection	5	1	4
345	Multiple sclerosis	11	9	2
350	Paralysis agitans	15	12	3
351	Cerebral spastic infantile paralysis	13	6	7
352	Other cerebral paralysis	6	2	4
353	Epilepsy	22	7	15
355	Other diseases of brain	18	15	3
356	Motor neurone disease and muscular atrophy	12	11	1
357	Other diseases of spinal cord	4	3	1
364	Polyneuritis and polyradiculitis	2	2	0
368	Other diseases of peripheral nerves except autonomic	1	1	0
385	Cataract	1	1	0
391	Otitis media without mention of mastoiditis	3	2	1
393	Mastoiditis without mention of otitis media	1	0	1

Table 5 - Page 5
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
<u>400-443</u>	<u>Diseases of the heart</u>	<u>7,468</u>	<u>4,729</u>	<u>2,739</u>
400	Rheumatic fever without mention of heart involvement	2	0	2
401	Rheumatic fever with heart involvement	6	2	4
410	Diseases of mitral valve	31	17	14
411	Diseases of aortic valve specified as rheumatic	13	8	5
414	Other endocarditis specified as rheumatic	7	2	5
415	Other myocarditis specified as rheumatic	7	4	3
416	Other heart disease specified as rheumatic	34	19	15
420	Arteriosclerotic heart disease, including coronary disease	4,966	3,588	1,378
421	Chronic endocarditis not specified as rheumatic	60	33	27
422	Other myocardial degeneration	592	358	234
430	Acute and subacute endocarditis	7	6	1
431	Acute myocarditis not specified as rheumatic	12	8	4
432	Acute pericarditis specified as nonrheumatic	1	0	1
433	Functional disease of heart	111	67	44
434	Other and unspecified diseases of heart	493	244	249
441	Essential malignant hypertensive heart disease	12	1	11
442	Hypertensive heart disease with arteriolar nephrosclerosis	173	76	97
443	Other and unspecified hypertensive heart disease	941	296	645
<u>444-447</u>	<u>Other hypertensive disease</u>	<u>201</u>	<u>63</u>	<u>138</u>
444	Essential benign hypertension	55	20	35
445	Essential malignant hypertension	47	2	45
446	Hypertension with arteriolar nephrosclerosis	98	41	57
447	Other hypertensive disease without mention of heart	1	0	1
450	General arteriosclerosis	398	272	126
<u>451-468</u>	<u>Other diseases of circulatory system</u>	<u>274</u>	<u>170</u>	<u>104</u>
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	112	82	30
452	Other aneurysm, except of heart and aorta	12	8	4
453	Peripheral vascular disease	2	2	0
454	Arterial embolism and thrombosis	6	2	4
455	Gangrene of unspecified cause	8	1	7
456	Other diseases of arteries	19	11	8
460	Varicose veins of lower extremities	6	4	2
461	Hemorrhoids	1	0	1
462	Varicose veins of other specified sites	7	7	0
463	Phlebitis and thrombophlebitis of lower extremities	10	6	4
464	Phlebitis and thrombophlebitis of other sites	6	1	5
465	Pulmonary embolism and infarction	41	21	20
466	Other venous embolism and thrombosis	23	14	9
467	Other diseases of circulatory system	21	11	10

Table 5 - Page 6
Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
470	Acute nasopharyngitis (common cold)	6	0	6
473	Acute tonsillitis	1	1	0
475	Acute upper respiratory infection of multiple or unspecified sites	6	3	3
<u>480-483</u>	<u>Influenza</u>	<u>28</u>	<u>13</u>	<u>15</u>
480	With pneumonia	15	5	10
481	With other respiratory manifestations, and influenza unqualified	11	7	4
483	With nervous manifestations, but without digestive or respiratory symptoms	2	1	1
<u>490-493</u>	<u>Pneumonia (excluding pneumonia of newborn)</u>	<u>745</u>	<u>328</u>	<u>417</u>
490	Lobar	122	49	73
491	Broncho	306	145	161
492	Primary atypical	79	32	47
493	Other and unspecified	238	102	136
<u>500-502</u>	<u>Bronchitis</u>	<u>50</u>	<u>34</u>	<u>16</u>
500	Acute	7	4	3
501	Unqualified	12	3	9
502	Chronic	31	27	4
510	Hypertrophy of tonsils and adenoids	2	1	1
513	Chronic sinusitis	2	2	0
517	Other diseases of upper respiratory tract	4	1	3
519	Pleurisy	3	2	1
520	Spontaneous pneumothorax	1	0	1
521	Abscess of lung	4	0	4
522	Pulmonary congestion and hypostasis	16	5	11
<u>525-527</u>	<u>Other bronchopulmonic diseases</u>	<u>244</u>	<u>206</u>	<u>38</u>
525	Other chronic interstitial pneumonia	22	16	6
526	Bronchiectasis	11	11	0
527	Other diseases of lung and pleural cavity	211	179	32
535	Other diseases of teeth and supporting structures	2	0	2
537	Diseases of salivary glands	1	1	0
539	Diseases of esophagus	10	9	1
<u>540,541</u>	<u>Ulcer of stomach and duodenum</u>	<u>90</u>	<u>54</u>	<u>36</u>
540	Stomach	46	29	17
541	Duodenum	44	25	19
542	Gastrojejunal ulcer	2	2	0
543	Gastritis and duodenitis	2	1	1
544	Disorders of function of stomach	6	1	5
545	Other diseases of stomach and duodenum	4	2	2
<u>550-553</u>	<u>Appendicitis</u>	<u>20</u>	<u>10</u>	<u>10</u>
550	Acute	19	9	10
551	Unqualified	1	1	0
<u>560,561,570</u>	<u>Hernia and intestinal obstruction</u>	<u>116</u>	<u>75</u>	<u>41</u>
560	Hernia of abdominal cavity without mention of obstruction	13	10	3
561	Hernia of abdominal cavity with obstruction	17	9	8
570	Intestinal obstruction without mention of hernia	86	56	30

Table 5 - Page 7
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	172	26	146
572	Chronic enteritis and ulcerative colitis	39	31	8
573	Functional disorders of intestines	2	1	1
575	Abscess of anal and rectal regions	1	0	1
576	Peritonitis	10	8	2
577	Peritoneal adhesion	2	2	0
578	Other diseases of intestines and peritoneum	56	36	20
580	Acute and subacute yellow atrophy of liver	3	2	1
581	Cirrhosis of liver	120	92	28
582	Suppurative hepatitis and liver abscess	3	2	1
583	Other diseases of liver	13	6	7
<u>584, 585</u>	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	<u>44</u>	<u>32</u>	<u>12</u>
584	Cholelithiasis	21	16	5
585	Cholecystitis and cholangitis, without mention of calculi	23	16	7
586	Other diseases of gallbladder and biliary ducts	9	9	0
587	Diseases of pancreas	24	20	4
<u>590, 591</u>	<u>Acute nephritis and nephritis with edema, including nephrosis</u>	<u>25</u>	<u>7</u>	<u>18</u>
590	Acute	12	1	11
591	With edema, including nephrosis	13	6	7
<u>592-594</u>	<u>Chronic and unspecified nephritis and other renal sclerosis</u>	<u>208</u>	<u>84</u>	<u>124</u>
592	Chronic nephritis	150	55	95
593	Nephritis not specified as acute or chronic	58	29	29
600	Infections of kidney	170	92	78
602	Calculi of kidney and ureter	15	12	3
603	Other diseases of kidney and ureter	8	3	5
604	Calculi of other parts of urinary system	1	1	0
605	Cystitis	2	1	1
606	Other diseases of bladder	4	3	1
607	Urethritis (nonvenereal)	1	0	1
608	Stricture of urethra	10	0	10
609	Other diseases of urethra	15	8	7
610	Hyperplasia of prostate	72	37	35
611	Prostatitis	7	4	3
612	Other diseases of prostate	4	2	2
617	Other diseases of male genital organs	1	1	0
624	Salpingitis and oophoritis, unqualified	2	0	2
626	Diseases of parametrium and pelvic peritoneum (female)	5	2	3
630	Infective diseases of uterus, vagina and vulva	1	0	1
633	Other diseases of uterus	4	1	3
637	Other diseases of female genital organs	1	1	0
<u>640-689</u>	<u>Deliveries and complications of pregnancy, child-birth, and the puerperium</u>	<u>27</u>	<u>6</u>	<u>21</u>
640	Pyelitis and pyelonephritis of pregnancy	1	0	1
642	Toxemias of pregnancy	10	1	9

Table 5 - Page 8
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
648	Other complications arising from pregnancy	4	1	3
652	Abortion with toxemia, without mention of sepsis	1	1	0
670	Delivery complicated by placenta previa or antepartum hemorrhage	1	0	1
671	Delivery complicated by retained placenta	1	0	1
674	Delivery complicated by disproportion or mal-position of fetus	1	0	1
675	Delivery complicated by prolonged labor or other origin	1	0	1
681	Sepsis of childbirth and the puerperium	1	0	1
682	Puerperal phlebitis and thrombosis	2	1	1
684	Puerperal pulmonary embolism	3	2	1
685	Puerperal eclampsia	1	0	1
692	Other cellulitis and abscess without mention of lymphangitis	5	2	3
705	Erythematous conditions	6	1	5
710	Other hypertrophic and atrophic conditions of skin	5	4	1
715	Chronic ulcer of skin	7	3	4
722	Rheumatoid arthritis and allied conditions	12	9	3
723	Osteo-arthritis (arthrosis) and allied conditions	2	0	2
725	Arthritis, unspecified	8	4	4
726	Muscular rheumatism	1	1	0
730	Osteomyelitis and periostitis	2	2	0
731	Osteitis deformans	2	1	1
733	Other diseases of bone	3	2	1
735	Displacement of intervertebral disc	2	2	0
744	Other diseases of muscle, tendon, and fascia	8	7	1
745	Curvature of spine	1	1	0
<u>750-759</u>	<u>Congenital malformations</u>	<u>251</u>	<u>139</u>	<u>112</u>
750	Monstrosity	12	7	5
751	Spina bifida and meningocele	18	16	2
752	Congenital hydrocephalus	18	8	10
753	Nervous system and sense organs, other	12	8	4
754	Circulatory system	112	60	52
755	Cleft palate and harelip	4	2	2
756	Digestive system	19	8	11
757	Genito-urinary system	14	11	3
758	Bone and joint	2	2	0
759	Other and unspecified, not elsewhere classified	40	17	23
<u>760-776</u>	<u>Certain diseases of early infancy</u>	<u>959</u>	<u>315</u>	<u>644</u>
760	Intracranial and spinal injury at birth	32	11	21
761	Other birth injury	74	37	37
762	Postnatal asphyxia and atelectasis	168	87	81
763	Pneumonia of newborn	63	9	54
764	Diarrhea of newborn	19	0	19
768	Other sepsis of newborn	13	1	12

Table 5 - Page 9
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	9	2	7
770	Hemolytic disease of newborn (erythroblastosis)	10	5	5
771	Hemorrhagic disease of newborn	13	6	7
772	Nutritional maladjustment	24	2	22
773	Ill-defined diseases peculiar to early infancy	184	76	108
774	Immaturity with mention of any other subsidiary condition	16	2	14
776	Immaturity, unqualified	334	77	257
<u>780-795</u>	<u>Symptoms, senility, and ill-defined conditions</u>	<u>1,673</u>	<u>489</u>	<u>1,184</u>
780	Certain symptoms referable to nervous system and special senses	4	1	3
782	Symptoms referable to cardiovascular and lymphatic system	42	25	17
783	Symptoms referable to respiratory system	2	2	0
784	Symptoms referable to upper gastro-intestinal tract	4	2	2
785	Symptoms referable to abdomen and lower gastro-intestinal tract	3	0	3
786	Symptoms referable to genito-urinary system	3	0	3
787	Symptoms referable to limbs and back	1	1	0
788	Other general symptoms	4	1	3
789	Abnormal urinary constituents of unspecified cause	2	0	2
792	Uremia	21	10	11
794	Senility without mention of psychosis	34	4	30
795	Ill-defined and unknown causes	1,553	443	1,110
<u>800-962</u>	<u>Accidents</u>	<u>1,872</u>	<u>1,072</u>	<u>800</u>
<u>800-802</u>	<u>Railway</u>	<u>28</u>	<u>15</u>	<u>13</u>
800	Involving railroad employee	1	0	1
802	Involving other and unspecified person	27	15	12
<u>810-835</u>	<u>Motor vehicle</u>	<u>868</u>	<u>567</u>	<u>301</u>
810	Traffic, collision with railway train	26	21	5
812	Traffic, to pedestrian	120	48	72
813	Traffic, to pedal cyclist	3	2	1
814	Traffic, to rider or passenger of motorcycle in collision with nonmotor vehicle or object	3	3	0
815	Traffic, to rider or passenger of motorcycle in collision with other motor vehicle	19	19	0
816	Traffic, other involving two or more motor vehicles	372	258	114
817	Traffic, to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	1	0
818	Traffic, collision with animal or animal-drawn vehicle	2	0	2
819	Traffic, collision with fixed or unspecified object	43	29	14
820	Traffic, while boarding and alighting	1	1	0
821	Traffic, to rider of motorcycle without antecedent collision	5	4	1
822	Traffic, overturning in roadway	20	12	8
823	Traffic, running off roadway	183	125	58

Table 5 - Page 10
Deaths - Mississippi -1966

International List Number*	Cause of Death**	Total	White	Non-white
824	Traffic, other noncollision	7	3	4
825	Traffic, unspecified nature	47	31	16
830	Nontraffic, to pedestrian	8	4	4
835	Nontraffic, other and unspecified nature	8	6	2
<u>840-845</u>	<u>Other road vehicle</u>	<u>2</u>	<u>1</u>	<u>1</u>
844	Pedestrian caused by other nonmotor road vehicle	1	0	1
845	Other nonmotor	1	1	0
<u>850-858</u>	<u>Water transport</u>	<u>39</u>	<u>22</u>	<u>17</u>
850	Submersion of occupant of small boat	32	18	14
851	Other injury by submersion	3	2	1
855	Unspecified falls	1	0	1
857	Other specified	3	2	1
<u>860-866</u>	<u>Aircraft</u>	<u>15</u>	<u>14</u>	<u>1</u>
860	To personnel in military aircraft	8	7	1
861	To occupant by accident to commercial "transport" aircraft	1	1	0
863	To occupant of other specified aircraft	4	4	0
866	Other and unspecified	2	2	0
<u>870-895</u>	<u>Poisoning</u>	<u>28</u>	<u>17</u>	<u>11</u>
871	Barbituric acid and derivatives	2	2	0
872	Aspirin and salicylates	5	2	3
874	Other and analgesic and soporific drugs	5	4	1
878	Other and unspecified drugs	3	2	1
880	Alcohol	2	1	1
881	Petroleum products	1	1	0
883	Corrosive aromatics, acids, and caustic alkalies	1	1	0
886	Arsenic and antimony, and their compounds	1	0	1
888	Other and unspecified solid and liquid substances	5	2	3
890	Utility (illuminating) gas	1	1	0
891	Motor vehicle exhaust gas	1	1	0
892	Other carbon monoxide gas	1	0	1
<u>900-904</u>	<u>Falls</u>	<u>176</u>	<u>139</u>	<u>37</u>
900	On stairs	9	7	2
901	From ladders	3	2	1
902	Other, from one level to another	56	34	22
903	On same level	17	16	1
904	Unspecified	91	80	11
910	Blow from falling or projected object or missile	24	5	19
912	Caused by machinery	30	18	12
913	Caused by cutting and piercing instrument	5	0	5
914	Caused by electric current	18	14	4
916	Caused by fire and explosion of combustible material	212	62	150
917	Caused by hot substance, corrosive liquid, and steam	4	2	2
919	Caused by firearm	93	45	48

Table 5 - Page 11
 Deaths - Mississippi - 1966

International List Number*	Cause of Death**	Total	White	Non-white
921	Inhalation and ingestion of food causing obstruction or suffocation	21	9	12
922	Inhalation and ingestion of other object causing obstruction or suffocation	3	1	2
923	Foreign body entering other orifice	27	9	18
924	Mechanical suffocation in bed and cradle	23	7	16
925	Mechanical suffocation in other and unspecified circumstances	15	7	8
927	Caused by bites and stings of venomous animals and insects	1	1	0
929	Drowning and submersion	95	40	55
931	Excessive heat and insolation	4	1	3
932	Excessive cold	9	0	9
933	Hunger, thirst, and exposure	6	1	5
934	Cataclysm	54	30	24
935	Lightning	6	2	4
936	Other and unspecified accidents	41	27	14
950	Therapeutic misadventure in surgical treatment	4	1	3
951	Therapeutic misadventure in infusion or transfusion	1	1	0
952	Therapeutic misadventure in local applications	1	1	0
956	Late complication of surgical operation	1	1	0
957	Late complication of amputation stump	1	1	0
958	Late complication of irradiation	1	1	0
960	Late effect of motor vehicle accident	1	1	0
962	Late effect of other accidental injury	15	9	6
<u>963, 970-979</u>	<u>Suicide</u>	<u>187</u>	<u>166</u>	<u>21</u>
970	By poisoning with analgesic and soporific substances	6	6	0
971	By poisoning with other solid and liquid substances	3	3	0
974	By hanging and strangulation	9	6	3
975	By submersion (drowning)	6	5	1
976	By firearms and explosives	157	141	16
977	By cutting and piercing instruments	4	3	1
978	By jumping from high place	1	1	0
979	By other and unspecified means	1	1	0
<u>964, 980-985</u>	<u>Homicide</u>	<u>238</u>	<u>52</u>	<u>186</u>
981	Assault by firearm and explosive	170	42	128
982	Assault by cutting and piercing instruments	44	2	42
983	Assault by other means	21	8	13
984	Injury by intervention of police	3	0	3

* International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

** When cause of death and International List Number are omitted, no deaths were reported.

TABLE 6
DEATHS
MISSISSIPPI
1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

County	Place of Occurrence			Place of Residence					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,852</u>	<u>12,675</u>	<u>10,177</u>	<u>23,350</u>	<u>12,976</u>	<u>10,374</u>	<u>9.9</u>	<u>9.4</u>	<u>10.5</u>
Adams	491	202	289	411	169	242	10.5	8.4	12.8
Alcorn	233	202	31	273	236	37	9.9	9.8	10.6
Amite	84	30	54	137	67	70	8.8	9.8	8.0
Attala	217	127	90	242	154	88	10.4	11.6	8.8
Benton	31	18	13	72	48	24	8.7	10.2	6.7
Bolivar	572	135	437	570	160	410	9.6	8.1	10.4
Calhoun	139	97	42	177	138	39	11.0	11.7	9.0
Carroll	55	19	36	118	58	60	10.3	11.6	9.4
Chickasaw	217	131	86	210	123	87	11.0	10.8	11.4
Choctaw	84	55	29	103	76	27	12.6	13.3	11.1
Claiborne	89	21	68	118	33	85	10.8	12.5	10.2
Clarke	107	61	46	175	102	73	10.5	10.2	11.0
Clay	166	73	93	185	84	101	9.6	9.7	9.5
Coahoma	544	152	392	541	141	400	11.4	9.5	12.2
Copiah	255	131	124	320	166	154	11.8	13.1	10.7
Covington	101	60	41	158	100	58	10.1	9.6	11.0
DeSoto	144	60	84	247	118	129	7.3	6.5	8.2
Forrest	613	436	177	588	388	200	9.5	8.6	12.0
Franklin	92	56	36	109	66	43	11.4	11.6	11.3
George	88	82	6	113	100	13	9.5	9.6	9.1
Greene	61	37	24	87	62	25	9.7	9.0	12.1
Grenada	261	136	125	236	114	122	11.0	10.0	12.2
Hancock	137	123	14	166	144	22	9.7	9.8	9.0
Harrison	1,225	970	255	1,022	805	217	7.6	7.2	9.5
Hinds	2,590	1,465	1,125	1,739	942	797	8.4	7.9	9.1
Holmes	326	86	240	371	112	259	13.2	14.0	12.9
Humphreys	157	41	116	203	57	146	10.1	10.2	10.1
Issaquena	23	2	21	34	5	29	10.2	4.4	13.2
Itawamba	93	86	7	154	142	12	9.4	9.2	13.3
Jackson	415	321	94	484	385	99	6.6	6.5	7.4
Jasper	137	79	58	166	87	79	10.2	10.9	9.7
Jefferson	79	21	58	124	37	87	11.9	14.7	11.0
Jeff Davis	137	65	72	136	58	78	9.6	9.9	9.4
Jones	724	423	301	624	409	215	10.8	9.8	13.1
Kemper	100	39	61	138	64	74	11.5	14.0	9.9
Lafayette	196	114	82	189	98	91	7.9	6.1	11.6

Table 6 - Page 2
Deaths - Mississippi - 1966

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number			Rate*		
	Total	White		Total	White	Non-white	Total	White	Non-white
Lamar	77	63	14	114	91	23	7.5	7.2	8.8
Lauderdale	997	644	353	799	498	301	10.4	9.8	11.7
Lawrence	78	46	32	127	83	44	12.6	13.0	11.9
Leake	194	123	71	230	146	84	12.0	13.4	10.1
Lee	463	338	125	444	328	116	9.2	9.0	10.0
Leflore	594	244	350	540	200	340	10.2	10.6	10.0
Lincoln	278	190	88	313	212	101	11.4	11.4	11.4
Lowndes	419	222	197	429	225	204	7.9	6.7	10.0
Madison	328	78	250	377	92	285	10.7	8.7	11.6
Marion	202	138	64	260	174	86	11.0	11.3	10.4
Marshall	186	60	126	259	94	165	10.3	11.6	9.7
Monroe	379	239	140	390	240	150	10.8	10.0	12.4
Montgomery	161	95	66	164	98	66	10.7	11.1	10.1
Neshoba	201	138	63	253	175	78	11.3	10.6	13.6
Newton	219	140	79	244	160	84	11.9	11.5	12.9
Noxubee	179	68	111	188	75	113	10.9	16.9	8.8
Oktibbeha	230	110	120	235	114	121	7.8	6.3	10.2
Panola	268	117	151	310	143	167	10.2	11.0	9.5
Pearl River	206	166	40	249	203	46	8.0	8.0	8.2
Perry	64	44	20	95	67	28	10.6	11.4	9.1
Pike	368	221	147	415	239	176	12.1	12.5	11.6
Pontotoc	201	177	24	211	180	31	11.5	12.4	8.1
Prentiss	232	209	23	212	188	24	10.6	10.9	8.8
Quitman	131	37	94	194	64	130	8.9	8.5	9.1
Rankin	468	252	216	315	194	121	8.1	7.8	8.6
Scott	252	157	95	275	158	117	11.6	10.8	13.0
Sharkey	108	29	79	142	42	100	13.4	13.1	13.6
Simpson	240	162	78	221	160	61	11.2	11.9	9.7
Smith	69	48	21	159	120	39	11.0	11.1	10.6
Stone	57	38	19	64	45	19	8.4	7.9	9.6
Sunflower	356	95	261	412	122	290	8.9	8.5	9.1
Tallahatchie	218	72	146	260	98	162	10.6	12.4	9.8
Tate	123	50	73	195	92	103	9.5	10.2	8.9
Tippah	155	128	27	169	139	30	10.5	10.6	9.9
Tishomingo	125	116	9	151	141	10	9.2	9.0	14.7
Tunica	156	36	120	185	48	137	10.7	11.9	10.3
Union	181	150	31	205	174	31	10.6	10.8	9.6
Walthall	144	84	60	155	91	64	10.7	11.5	9.7
Warren	716	334	382	565	276	289	12.3	10.8	14.2
Washington	843	311	532	900	309	591	11.3	9.4	12.6
Wayne	138	89	49	155	99	56	9.4	9.8	8.9
Webster	97	73	24	119	91	28	10.5	11.2	8.9
Wilkinson	106	56	50	116	43	73	9.6	13.1	8.3
Winston	162	106	56	200	126	74	10.5	12.4	8.3
Yalobusha	122	76	46	158	94	64	12.7	14.3	10.9
Yazoo	378	150	228	437	177	260	13.3	13.7	13.1
Out-of-State	1,226	876	350	728	575	153	-	-	-

Table 6 - Page 3
 Deaths - Mississippi - 1966

City**	Place of Occurrence			Place of Residence		
	Number			Number		
	Total	White	Non-white	Total	White	Non-white
Biloxi	400	334	66	340	280	60
Clarksdale	377	141	236	244	88	156
Cleveland	136	75	61	91	45	46
Columbus	320	179	141	275	146	129
Corinth	63	44	19	137	109	28
Greenville	590	253	337	524	192	332
Greenwood	418	169	249	305	138	167
Gulfport	525	403	122	357	260	97
Hattiesburg	513	370	143	377	236	141
Jackson	2,231	1,269	962	1,319	759	560
Laurel	599	327	272	335	176	159
McComb	195	131	64	160	106	54
Meridian	888	569	319	573	351	222
Natchez	437	188	249	292	122	170
Pascagoula	290	231	59	167	134	33
Tupelo	322	237	85	170	126	44
Vicksburg	637	299	338	404	194	210
Yazoo City	219	109	110	191	76	115
Total Urban#	13,089	7,652	5,437	9,162	5,160	4,002
Total Rural	9,763	5,023	4,740	14,188	7,816	6,372

* Deaths per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 7
DEATHS
MISSISSIPPI
1966

By Cause Groups and Certain Selected Causes, by Race, Sex, and Age,
with Total Rates, Residence Data

Inter-national List Number #	Cause of Death	Total		Total by Race	Total by Race and Sex	Age							Unknown	
		Number	Rate*			1-4	5-6	10-14	15-24	25-34	35-44	45-54		
001-999	<u>ALL CAUSES</u>	<u>23,350</u>	<u>9.9</u>	W 12,976	M 7,554 F 5,422	318 202	60 45	44 25	220 50	182 88	319 169	1,401 586	4,178 3,858	1 0
		C 10,374		M 5,583 F 4,791	M 122 F 136	716 111	126 111	49 43	190 95	167 103	249 217	432 397	2,742 643	3 3
001-138	<u>Infective and parasitic diseases</u>	258	10.9	W 10.9	M 73 F 49	3 7	8 3	0 2	0 1	1 2	1 2	3 6	18 18	0 0
				M 84 F 52	M 6 F 6	11 2	6 1	2 1	2 2	2 2	0 0	7 6	2 1	0 0
001-019	Tuberculosis (all forms)	107	4.5	W 48	M 34 F 14	0 40	0 0	0 0	0 0	0 0	0 1	1 1	6 2	8 1
				F 19	M 19 F 16	0 16	0 0	0 0	0 0	0 0	0 1	0 3	3 3	0 0
001-008	Tuberculosis (respiratory system)	101	4.3	W 47	M 33 F 14	0 14	0 0	0 0	0 0	0 0	0 0	1 1	6 2	8 1
				F 54	M 38 F 16	0 16	0 0	0 0	0 0	0 0	0 1	3 2	6 3	13 11
020-029	Syphilis & sequelae	19	0.8	W 8	M 7 F 1	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	3 1
				F 11	M 7 F 4	0 4	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0

Table 7 -Page 2
Deaths - Mississippi - 1966

Inter-national List Number#	Cause of Death	Total Number	Rate*	Race by Race	Total by Race	Total by Race and Sex	Age		Unknown 65 Over
							Under 14	14- 5-9	
045-048	Dysentery (all forms)	12	0.5	W	2	M	1	0	0
				C	10	M	1	1	0
				F	3	F	3	1	2
					1		0	0	0
050,051	Scarlet fever and streptococcal sore throat	2	0.1	W	1	M	0	0	0
				C	1	M	1	0	0
				F	0	F	0	0	0
					1		0	1	0
055	Diphtheria	1	**	W	0	M	0	0	0
				C	1	M	0	0	0
				F	0	F	0	0	0
056	Whooping cough	0	-	W	0	M	0	0	0
				C	0	F	0	0	0
057	Meningococcal infections	8	0.3	W	7	M	4	1	0
				C	1	M	3	0	0
				F	0	F	0	1	0
080	Acute poliomyelitis	0	-	W	0	M	0	0	0
				C	0	M	0	0	0
				F	0	F	0	1	0
085	Measles	10	0.4	W	2	M	2	1	0
				C	8	M	4	1	0
				F	0	F	0	0	0

Table 7 - Page 3
Deaths - Mississippi - 1966

International List Number#	Cause of Death	Total	Total by Race*	Total by Sex	Age										
					Under 1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 Over	Unknown	
140-205	Malignant neoplasms	3,098	131.3	W	1,990	M	1,112	F	878	M	592	F	516	602	0/0/0/0/0/0
				C	1,108	M	592	F	516	M	516	F	516	485	0/0/0/0/0/0
210-239	Benign and unspecified neoplasms	43	1.8	W	24	M	10	F	14	M	9	F	10	338	0/0/0/0/0/0
				C	19	M	10	F	14	M	9	F	10	266	0/0/0/0/0/0
240-289	Allergic, endocrine system, metabolic, & nutritional diseases	488	20.7	W	216	M	86	F	130	M	95	F	177	47	0/0/0/0/0/0
				C	272	M	4	F	2	M	2	F	21	78	0/0/0/0/0/0
241	Asthma	39	1.6	W	21	M	11	F	10	M	13	F	5	56	0/0/0/0/0/0
				C	18	M	10	F	13	M	10	F	5	104	0/0/0/0/0/0
260	Diabetes mellitus	376	15.9	W	159	M	61	F	98	M	217	F	154	17	0/0/0/0/0/0
				C	217	M	63	F	154	M	22	F	17	7	0/0/0/0/0/0
290-299	Diseases of the blood and blood-forming organs	81	3.4	W	39	M	22	F	17	M	25	F	17	11	0/0/0/0/0/0
				C	42	M	17	F	25	M	17	F	17	6	0/0/0/0/0/0
300-326	Mental, psycho-neurotic, & personality disorders	41	1.7	W	24	M	17	F	17	M	17	F	17	1	0/0/0/0/0/0
				C	17	M	11	F	17	M	11	F	11	2	0/0/0/0/0/0

Table 7 - Page 4
Deaths - Mississippi - 1966

Inter-national List Number# <u>330-334</u>	Cause of Death	Total Number	Rate* <u>132.7</u>	Total by Race	Total by Race and Sex	Age						
						5-9	10-14	15-24	25-34	35-44	45-54	55-64
<u>340-398</u>	<u>Vascular lesions affecting central nervous system</u>	<u>3,132</u>	<u>W 1,681</u>	M 806	M 806	0	0	1	1	9	34	95
				F 875	F 875	0	0	1	2	5	26	62
				M 684	M 684	0	0	1	3	18	50	101
				F 767	F 767	0	0	1	12	29	60	109
	<u>Other diseases of the nervous system and sense organs</u>	<u>178</u>	<u>W 7.5</u>	M 91	M 52	8	3	2	2	5	7	6
				F 87	F 43	2	1	1	3	2	4	10
				M 44	M 44	20	3	1	1	2	5	11
				F 9	F 9	9	0	0	0	0	0	15
<u>340</u>	Nonmeningococcal meningitis	54	2.3	W 14	M 7	7	0	0	1	0	0	0
				F 8	F 7	1	1	0	0	0	0	0
				M 40	M 21	16	2	1	0	0	0	1
				F 19	F 19	7	0	1	0	0	0	2
				M 7	M 7	7	0	0	0	0	0	0
<u>400-468</u>	<u>Diseases of the circulatory system</u>	<u>8,341</u>	<u>W 353.5</u>	M 5,234	M 3,074	2	0	0	0	0	1	295
				F 3,107	F 2,160	1	0	1	1	7	0	20
				M 1,660	M 1,660	2	0	0	0	0	0	69
				F 1,447	F 1,447	2	0	0	0	0	0	137
	Rheumatic fever	8	0.3	W 2	M 2	0	0	0	0	0	0	1
				C 6	F 0	0	0	0	0	0	0	0
				M 5	M 5	0	1	0	0	0	0	0
				F 1	F 1	0	0	1	0	0	0	0
<u>410-416</u>	Chronic rheumatic heart disease	92	3.9	W 50	M 24	0	0	0	0	1	4	7
				C 42	M 26	0	0	0	0	3	2	9
				F 42	F 25	0	0	0	0	3	2	6
				M 25	M 17	0	1	0	0	1	6	2
				F 25	F 17	0	0	1	0	0	0	3
<u>420-422</u>	Arteriosclerotic and degenerative heart disease	5,618	238.1	W 3,979	M 2,428	1	0	0	0	0	71	251
				F 1,551	F 1,551	1	0	0	0	1	47	562
				M 899	M 899	0	0	0	0	0	129	1,537
				F 740	F 740	0	0	0	0	0	1,358	0
				M 0	M 0	0	0	0	0	0	160	646
				F 0	F 0	0	0	0	0	0	108	1,646
						0	0	0	0	0	53	540

Table 7 - Page 5
Deaths - Mississippi - 1966

Inter-national List Number#	Cause of Death	Total		Total by Race	Total by Sex	Age		Unknown											
		Number	Rate*			1-4	5-9		10-14	15-24	25-34	35-44	45-54	55-64	65+ Over 65				
430-434	Other diseases of the heart	624	26.4	W	325	M	188	1	0	1	0	1	2	21	41	120	0		
				C	299	M	137	0	0	1	0	3	4	5	12	112	0		
				F	118	F	181	1	1	0	0	6	4	16	41	111	0		
440-443	Hypertensive heart disease	1,126	47.7	W	373	M	164	0	0	0	0	0	2	7	23	132	0		
				C	753	M	209	0	0	0	0	0	1	5	10	193	0		
				F	398	F	355	0	0	0	0	1	1	3	38	68	233	0	
444-447	Other hypertensive disease	201	8.5	W	63	M	33	0	0	0	0	0	0	0	2	4	27	0	
				C	138	M	30	0	0	0	0	0	1	2	6	10	40	0	
				F	68	F	70	0	0	0	0	0	1	5	10	11	34	0	
450	General arteriosclerosis	398	16.9	W	272	M	128	0	0	0	0	0	0	0	0	8	120	0	
				C	126	M	144	0	0	0	0	0	0	0	0	3	141	0	
				F	73	F	73	0	0	0	0	0	0	0	1	1	61	0	
					53	F	53	0	0	0	0	0	0	0	0	3	50	0	
470-527	Diseases of the respiratory system	1,112	47.1	W	596	M	379	14	6	4	1	8	4	5	23	57	257	0	
				C	516	M	217	8	5	2	0	2	3	4	11	20	165	0	
				F	244	F	272	88	23	2	0	3	7	7	13	22	115	0	
					81		31		3						18	78	78	0	
480-483	Influenza	28	1.2	W	13	M	4	0	0	0	0	0	1	0	0	0	0	2	0
				C	15	M	9	0	0	1	0	0	0	0	0	0	0	9	0
				F	10	F	5	1	0	2	0	0	0	0	0	0	0	3	0
490-493	Pneumonia (excluding pneumonia of newborn)	745	31.6	W	328	M	172	13	4	3	1	3	1	2	6	17	122	0	
				C	417	M	156	6	5	1	0	1	1	2	7	10	123	0	
				F	206	F	206	68	20	2	0	3	2	1	7	15	88	0	
					211	F	76	76	26	2	2	7	3	4	9	16	66	0	

Table 7 - Page 6
Deaths - Mississippi - 1966

International List Number#	Cause of Death	Total Number	Total Rate*	Rate*	Total by Race	Total by Sex	Age										
							5-6	7-14	15-24	25-34	35-44	45-54	55-64	65 & over	Unknown		
500-502	Bronchitis	50	2.1	W	34	M	25	1	0	0	0	1	3	2	17	0	
				C	16	M	10	0	0	0	1	0	1	5	0	0	
				F	6	F	2	0	0	0	0	2	0	5	0	0	
525-527	Other bronchopulmonic diseases	244	10.3	W	206	M	168	0	1	0	0	1	2	14	38	111	0
				C	38	M	38	2	0	0	0	0	1	2	9	24	0
				F	34	F	10	1	0	0	0	0	1	0	16	0	0
530-537	Diseases of the digestive system	751	31.8	W	422	M	222	9	1	0	0	3	10	32	55	112	0
				C	329	M	200	8	2	0	0	0	8	21	20	127	0
				F	169	F	61	10	3	0	0	0	11	11	48	0	0
					160	F	64	12	2	0	0	0	3	13	39	0	0
540,541	Ulcer of stomach and duodenum	90	3.8	W	54	M	35	0	0	0	0	0	2	3	8	22	0
				C	36	M	19	0	0	0	0	0	1	1	4	12	0
				F	26	F	10	0	0	0	0	0	4	3	7	11	0
560,561, 570	Hernia and intestinal obstruction	116	4.9	W	75	M	40	2	0	0	0	0	2	2	9	23	0
				C	41	M	35	5	1	0	0	0	1	2	3	23	0
				F	14	F	27	4	0	0	0	0	0	3	3	14	0
543,571, 572	Gastritis, duodenitis, enteritis, & colitis, except diarrhea of the newborn	213	9.0	W	58	M	25	6	1	0	0	0	0	2	4	12	0
				C	155	M	33	3	1	0	0	0	1	3	2	23	0
				F	85	M	70	53	9	2	0	0	1	0	1	4	0
					61	F	61	10	1	0	0	0	1	0	1	9	0
581	Cirrhosis of liver	120	5.1	W	92	M	60	0	0	0	0	0	6	16	18	20	0
				C	28	M	32	0	0	0	0	0	1	9	9	13	0
				F	13	F	15	0	0	0	0	1	3	1	5	4	0
					0	F	13	0	1	0	0	2	0	2	5	2	0

Table 7 - Page 8
Deaths - Mississippi - 1966

International List Number#	Cause of Death	Total		Total by Race	Rate* per 100,000 by Race	Age																
		Total Number	Rate*			1-4		5-9		10-14		15-24		25-34		35-44		45-54		55-64		65 & over
760-776	Certain diseases of early infancy	959	19.9	W 315	M 202 F 113	202 113	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
780-795	Symptoms, senility, and ill-defined conditions	1,673	70.9	W 489	M 332 F 157	332 157	12 4	1 0	1 0	0 0	0 0	3 4	9 8	28 25	45 35	71 50	162 90	0 0	0 0	0 0	0 0	0 0
800-999	Accidents, poisonings, and violence	2,297	97.3	W 1,290	M 914 F 376	914 376	11 11	25 36	18 37	13 33	26 28	16 16	29 31	179 151	116 90	152 50	143 37	0 0	0 0	0 0	0 0	0 0
810-835	Motor vehicle accidents	868	36.8	W 567	M 406 F 161	567 161	0 2	8 7	10 11	10 11	16 11	126 59	51 36	40 25	50 25	40 25	51 15	0 27	0 0	0 28	0 7	0 0
800-802, 840-962	All other accidents	1,004	42.5	W 505	M 338 F 167	505 167	10 9	17 11	20 2	12 5	41 7	48 59	32 21	60 11	40 9	57 13	1 90	1 0	0 25	0 5	0 13	0 71
963, 970-979	Suicide	187	7.9	W 166	M 127 F 39	166 39	0 0	0 0	0 0	0 0	1 0	8 5	13 5	19 5	26 3	31 8	0 6	0 1	0 1	0 1	0 2	0 0

Table 7 - Page 9
Deaths - Mississippi - 1966

International List Number#	Cause of Death	Total		Total by Race		Total by Race and Sex		Age										
		Total Number	Rate*	Total by Race	Number	Male	Female	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 & Over	Unknown	
964, 980-985	Homicide	238	10.1	W	52	M	43	1	0	0	0	4	5	11	13	5	4	0
				C	186	F	9	0	0	0	0	0	1	5	0	1	2	0
						M	152	2	0	0	0	30	46	33	20	16	5	0
						F	34	0	0	1	1	7	7	8	5	2	3	0

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Total deaths per 1,000 population. Deaths from specific causes per 100,000 population. Deaths from maternal causes per 10,000 live births. Deaths from diseases of early infancy per 1,000 live births.

** Rate less than 0.06.

TABLE 8
DEATHS UNDER 1 YEAR
MISSISSIPPI
1966

By Selected Causes, by Race and Age, with Total Rates. Residence Data

Table 8 - Page 2
Deaths Under 1 Year - Mississippi - 1966

Cause of Death and International List Number#	Total Number	Total Rate*	Total by Race	MONTHS OF AGE														
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8	
Meningitis, except meningococcal and tuberculosis (340)	31	0.6	W C	8 23	0 0	0 2	1 2	0 0	0 0	1 4	1 1	0 4	2 2	0 1	2 4	1 2	1 1	0 0
Other diseases of nervous system and sense organs (330-334, 341-398)	8	0.2	W C	2 6	0 0	0 0	0 0	0 0	0 0	0 0	0 1	1 1	0 0	0 0	0 0	0 0	0 0	0 0
Acute upper respiratory infections (470-475)	5	0.1	W C	0 5	0 0	0 0	0 0	0 0	0 0	0 2	1 1	1 0	0 0	0 0	0 0	0 0	0 0	0 0
Influenza & pneumonia, except pneumonia of newborn (480-493)	166	3.4	W C	19 147	0 0	0 0	0 0	0 0	0 0	0 25	4 29	4 20	3 21	0 13	1 11	1 7	0 6	1 5
Bronchitis (500-502)	5	0.1	W C	1 4	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 2	0 0	0 0	0 0	0 0	0 0
Other diseases of respiratory system (510-522, 525-527)	15	0.3	W C	2 13	1 0	0 3	0 0	0 0	0 0	1 3	0 1	0 3	0 0	0 1	0 0	0 0	0 0	0 0
Hernia & intestinal obstruction (560, 561, 570)	11	0.2	W C	7 4	2 0	3 0	0 0	0 0	1 0	6 1	1 1	0 0	0 1	0 0	0 0	0 0	0 0	0 0
Gastritis, duodenitis, enteritis, & colitis, except diarrhea of new- born (543, 571, 572)	123	2.6	W C	9 114	0 0	0 0	0 0	0 0	0 0	2 28	2 25	0 13	1 9	1 8	1 10	1 4	1 4	0 2
Other diseases of digestive system (530- 542, 544-553, 573-587)	8	0.2	W C	1 7	0 0	0 0	1 0	0 1	1 1	0 2	0 0	0 1	0 0	0 1	0 0	0 0	0 0	0 0

Table 8 - Page 3
Deaths Under 1 Year - Mississippi - 1966

Cause of Death and International List Number#	Total Number	Total Rate*	Total by Race	DAYS OF AGE								MONTHS OF AGE						
				Under 1 day	1- 6	7- 13	14- 20	21- 27	28 days	Under 1	2	3	4	5	6	7	8	
Congenital malfor- mations (750-759)	172	3.6	W C	95 77	29 17	22 18	3 4	2 3	6 4	62 46	11 6	5 7	3 4	1 2	5 0	0 1	1 4	1 0
Birth injuries (760, 761)	105	2.2	W C	48 57	36 33	11 22	1 1	0 1	0 0	48 57	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Postnatal asphyxia and atelectasis (762)	168	3.5	W C	87 81	45 43	37 35	1 0	1 1	0 1	84 80	0 0	0 2	0 1	0 0	0 0	0 0	0 0	0 0
Pneumonia of newborn (763)	63	1.3	W C	9 54	0 5	6 26	2 9	0 6	1 8	9 54	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Diarrhea of newborn (764)	19	0.4	W C	0 19	0 0	0 5	0 4	0 4	0 6	0 19	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Other infections of newborn (765-768)	13	0.3	W C	1 12	1 3	0 7	0 1	0 0	0 1	1 12	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Neonatal disorders arising from certain diseases of mother dur- ing pregnancy (769)	9	0.2	W C	2 7	1 6	1 1	0 0	0 0	0 0	2 7	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Hemolytic disease of newborn (erythroblas- tosis) (770)	10	0.2	W C	5 5	5 1	0 4	0 0	0 0	0 0	5 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Hemorrhagic disease of newborn (771)	13	0.3	W C	6 7	2 2	4 3	0 0	0 0	0 1	6 6	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Nutritional maladjust- ment (772)	24	0.5	W C	2 22	0 0	0 1	0 3	0 1	0 3	0 7	2 9	0 0	0 3	0 0	0 0	0 0	0 0	0 2

Cause of Death and International List Number#	Total Number	Rate*	Total by Race	Days of Age						Months of Age							
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8
11-defined diseases peculiar to early infancy (773)	184	3.8	W C	76 108	41 45	33 50	0 7	0 1	0 3	74 106	2 2	0 0	0 0	0 0	0 0	0 0	0 0
maturity with mention of any other subsidiary condition (774)	16	0.3	W C	2 14	0 4	2 5	0 0	0 0	0 0	2 9	0 3	0 0	0 1	0 1	0 0	0 0	0 0
maturity, unqualified (776)	334	6.9	W C	77 257	48 153	23 60	3 11	0 10	0 2	74 236	1 6	1 8	0 3	0 0	0 0	0 1	0 0
symptoms & ill-defined conditions (780-793, 795)	207	4.3	W C	16 191	3 19	1 26	1 5	1 5	0 7	7 62	0 27	2 24	3 21	0 16	2 9	0 9	1 3
all other diseases	34	0.7	W C	13 21	1 2	1 1	0 2	0 0	0 2	1 6	1 1	0 4	3 3	0 1	0 0	1 2	0 1
accidents (800-962)	83	1.7	W C	21 62	0 3	0 5	0 2	0 1	0 1	0 12	5 11	2 12	1 8	1 3	2 4	3 3	1 2
homicide (964, 980-984)	3	0.1	W C	1 2	0 0	0 1	0 0	0 0	0 0	0 1	0 0	0 1	0 0	0 0	0 0	0 0	0 0

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Deaths per 1,000 live births.

* Rate less than 0.06.

TABLE 9
MARRIAGES AND DIVORCES
MISSISSIPPI
1966

Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride
Divorces by Place of Occurrence, by Race

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride					
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>23,476</u>	<u>15,860</u>	<u>7,616</u>	<u>19,738</u>	<u>12,738</u>	<u>7,000</u>	<u>6,306</u>	<u>4,650</u>	<u>1,656</u>
Adams	367	226	141	307	179	128	109	75	34
Alcorn	542	487	55	278	241	37	65	60	5
Amite	125	75	50	122	74	48	36	20	16
Attala	201	115	86	205	113	92	60	38	22
Benton	61	32	29	55	26	29	18	8	10
Bolivar	461	239	222	396	192	204	98	48	50
Calhoun	157	120	37	147	115	32	34	32	2
Carroll	73	41	32	81	41	40	14	8	6
Chickasaw	204	140	64	165	115	50	47	33	14
Choctaw	103	72	31	64	43	21	10	8	2
Claiborne	73	25	48	72	25	47	30	9	21
Clarke	147	99	48	144	94	50	37	26	11
Clay	175	103	72	142	79	63	41	27	14
Coahoma	339	143	196	313	126	187	89	66	23
Copiah	203	107	96	219	115	104	56	32	24
Covington	125	84	41	130	90	40	35	30	5
DeSoto	939	553	386	201	103	98	102	77	25
Forrest	600	476	124	532	406	126	248	200	48
Franklin	63	49	14	60	42	18	15	13	2
George	271	249	22	154	142	12	33	30	3
Greene	71	60	11	67	55	12	18	17	1
Grenada	184	119	65	186	116	70	51	32	19
Hancock	462	431	31	134	119	15	55	46	9
Harrison	1,794	1,565	229	1,382	1,148	234	687	598	89
Hinds	1,917	1,178	739	1,866	1,149	717	679	506	173
Holmes	185	63	122	212	68	144	40	17	23
Humphreys	130	48	82	129	47	82	16	5	11
Issaquena	32	27	5	14	5	9	13	10	3
Itawamba	153	143	10	105	98	7	38	36	2
Jackson	900	740	160	702	583	119	268	241	27
Jasper	122	66	56	152	80	72	20	11	9
Jefferson	80	32	48	55	8	47	12	3	9
Jeff Davis	120	63	57	90	42	48	25	16	9
Jones	584	467	117	555	456	99	199	159	40
Kemper	93	43	50	75	33	42	11	7	4
Lafayette	160	105	55	130	79	51	57	31	26

Table 9 - Page 2
Marriages and Divorces - Mississippi - 1966

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride					
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lamar	129	109	20	163	139	24	36	33	3
Lauderdale	578	406	172	539	375	164	254	201	53
Lawrence	76	55	21	129	86	43	27	18	9
Leake	163	97	66	160	100	60	53	41	12
Lee	423	337	86	488	392	96	131	115	16
Leflore	406	157	249	401	169	232	104	65	39
Lincoln	262	184	78	217	151	66	68	48	20
Lowndes	462	302	160	422	266	156	130	96	34
Madison	229	97	132	204	76	128	88	37	51
Marion	278	197	81	261	182	79	93	71	22
Marshall	370	170	200	224	81	143	62	28	34
Monroe	268	181	87	259	169	90	90	66	24
Montgomery	133	82	51	140	94	46	39	25	14
Neshoba	201	144	57	174	123	51	82	67	15
Newton	193	143	50	221	169	52	24	19	5
Noxubee	119	32	87	129	30	99	22	13	9
Oktibbeha	221	140	81	220	139	81	34	16	18
Panola	268	147	121	245	127	118	63	36	27
Pearl River	394	339	55	274	226	48	135	123	12
Perry	78	64	14	78	65	13	20	17	3
Pike	314	198	116	284	167	117	84	61	23
Pontotoc	181	149	32	159	129	30	32	28	4
Prentiss	220	198	22	165	154	11	67	64	3
Quitman	192	96	96	181	89	92	36	15	21
Rankin	295	233	62	270	216	54	52	35	17
Scott	239	152	87	251	164	87	41	27	14
Sharkey	105	37	68	81	27	54	21	12	9
Simpson	170	122	48	172	117	55	61	47	14
Smith	95	79	16	87	66	21	26	22	4
Stone	111	88	23	99	78	21	25	20	5
Sunflower	268	108	160	313	121	192	48	27	21
Tallahatchie	222	96	126	197	89	108	40	25	15
Tate	266	153	113	202	111	91	28	13	15
Tippah	157	134	23	148	128	20	34	30	4
Tishomingo	165	159	6	152	149	3	31	30	1
Tunica	117	31	86	108	23	85	28	15	13
Union	179	149	30	167	138	29	47	40	7
Walthall	139	83	56	92	46	46	23	13	10
Warren	476	305	171	424	263	161	152	100	52
Washington	796	445	351	673	337	336	255	173	82
Wayne	200	144	56	135	96	39	39	29	10
Webster	74	63	11	98	75	23	16	10	6
Wilkinson	434	347	87	111	32	79	29	9	20
Winston	192	123	69	164	104	60	52	29	23
Yalobusha	93	48	45	123	68	55	31	17	14
Yazoo	309	152	157	293	145	148	87	49	38
Out-of-State				3,738	3,122	616			

TABLE 10
DIVORCES
MISSISSIPPI
1966

By Cause of Divorce, by Race

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>ALL CAUSES</u>	<u>6,306</u>	<u>4,650</u>	<u>1,656</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	3,605	3,138	467	57.2	67.5	28.2
Desertion	2,093	1,021	1,072	33.2	22.0	64.7
Adultery	254	191	63	4.0	4.1	3.8
Drunkenness	233	209	24	3.7	4.5	1.4
Penitentiary	55	42	13	0.9	0.9	0.8
Insanity	9	5	4	0.1	0.1	0.2
Annulment	27	23	4	0.4	0.5	0.2
Bigamy	13	7	6	0.2	0.2	0.4
Miscellaneous and other	11	9	2	0.2	0.2	0.1
Not stated	6	5	1	0.1	0.1	0.1

By Number of Minor Children, by Race

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>6,306</u>	<u>4,650</u>	<u>1,656</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	2,673	1,837	836	42.4	39.5	50.5
One	1,354	1,092	262	21.5	23.5	15.8
Two	981	786	195	15.6	16.9	11.8
Three or more	1,154	858	296	18.3	18.4	17.9
Not stated	144	77	67	2.3	1.6	4.0

By Number of Years Married, by Race

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>6,306</u>	<u>4,650</u>	<u>1,656</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>2,491</u>	<u>2,161</u>	<u>330</u>	<u>39.5</u>	<u>46.5</u>	<u>19.9</u>
Under one	435	411	24	6.9	8.8	1.4
One	676	607	69	10.7	13.0	4.2
Two	544	467	77	8.6	10.0	4.6
Three	448	360	88	7.1	7.7	5.3
Four	388	316	72*	6.2	6.8	4.3
Five - nine	1,252	944	308	19.8	20.3	18.6
Ten - nineteen	1,422	977	445	22.5	21.0	26.9
Twenty and over	1,080	536	544	17.1	11.5	32.8
Not stated	61	32	29	1.0	0.7	1.8

TABLE 11
LIVE BIRTHS
MISSISSIPPI
1913-1966

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.4	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944#	56,586	25,647	30,939	28.3	25.2	31.6
1945#	53,540	23,426	30,114	26.9	23.1	30.9
1946#	61,430	29,715	31,715	26.8	25.4	28.2
1947#	66,291	32,423	33,868	28.6	27.5	29.9
1948#	65,291	29,666	35,625	28.0	24.9	31.2
1949#	66,128	28,786	37,342	28.1	24.0	32.5

Table 11 - Page 2
Live Births - Mississippi - 1913-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	64,427	27,188	37,239	29.6	22.9	37.6
1951#	65,512	27,798	37,714	30.1	23.4	38.1
1952#	64,509	28,073	36,436	29.6	23.6	36.8
1953#	64,061	28,312	35,749	29.4	23.8	36.1
1954#	64,748	28,781	35,967	29.7	24.2	36.3
1955#	63,244	27,546	35,698	29.0	23.2	36.0
1956#	62,178	27,278	34,900	29.5	23.8	36.2
1957#	60,712	26,804	33,908	28.8	23.4	35.2
1958#	59,189	26,812	32,377	27.1	20.9	35.9
1959#	60,562	27,979	32,583	27.2	20.9	36.6
1960#	59,210	27,198	32,012	27.2	21.6	34.8
1961#	59,523	27,435	32,088	27.3	21.8	34.8
1962#	58,921	27,512	31,409	26.1	20.8	33.5
1963#	57,316	26,823	30,493	25.0	19.9	32.4
1964#	56,650	25,942	30,708	24.5	18.9	32.5
1965#	51,171	23,369	27,802	22.0	17.4	28.2
1966#	48,230	22,736	25,494	20.4	16.5	25.9

* Births per 1,000 population.

1913-1920, population estimates based on U.S. Censuses of 1910 and 1920.

1921-1930, estimates based on U.S. Censuses of 1920 and 1930.

1931-1940, estimates based on U.S. Censuses of 1930 and 1940.

1941 and 1942, projected estimates based on U.S. Censuses of 1930 and 1940.

1943 and 1944, estimates of civilian population obtained from Ration Book Registration.

1945, estimate of civilian population, July 1, 1945, obtained from Bureau of Census Bulletin, Series P-46, No. 3, dated February 12, 1946.

1946-1949, projected estimates as of July 1, each year based on U.S. Censuses of 1930 and 1940.

1950-1955, U.S. Census population of April 1, 1950.

1956 and 1957, estimate as of July 1, 1956, prepared by Dr. Harald A. Pedersen, Sociology Department, Mississippi State University, with adjustments by Statistical Service, Mississippi State Board of Health.

1958, estimate as of January 1, prepared by Dr. George L. Wilber and Mr. Carl T. Robbins, Sociology Department, Mississippi State University.

1959, estimate as of January 1, prepared by Dr. George L. Wilber and Ellen Bryant, Sociology Department, Mississippi State University.

1960 and 1961, U.S. Census population of April 1, 1960.

1962-1966, estimates as of July 1, prepared by the Division of Sociology and Rural Life, Mississippi State University.

On basis of place of residence.

TABLE 12
DEATHS
MISSISSIPPI
1913-1966

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944#	20,199	8,830	11,369	10.1	8.7	11.6
1945#	19,024	8,452	10,572	9.6	8.3	10.8
1946#	19,321	8,995	10,326	8.4	7.7	9.2
1947#	20,007	9,238	10,769	8.6	7.8	9.5
1948#	20,183	9,216	10,967	8.6	7.7	9.6
1949#	20,489	9,233	11,256	8.7	7.7	9.8

Table 12 - Page 2
 Deaths - Mississippi - 1913-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	20,567	9,466	11,101	9.4	8.0	11.2
1951#	21,007	9,593	11,414	9.6	8.1	11.5
1952#	20,657	9,387	11,270	9.5	7.9	11.4
1953#	20,492	9,495	10,997	9.4	8.0	11.1
1954#	19,353	9,453	9,900	8.9	8.0	10.0
1955#	19,403	9,501	9,902	8.9	8.0	10.0
1956#	19,780	9,969	9,811	9.4	8.7	10.2
1957#	20,476	10,339	10,137	9.7	9.0	10.5
1958#	21,541	10,811	10,730	9.9	8.4	11.9
1959#	20,890	10,742	10,148	9.4	8.0	11.4
1960#	21,713	11,204	10,509	10.0	8.9	11.4
1961#	21,232	11,063	10,169	9.7	8.8	11.0
1962#	22,713	11,868	10,845	10.0	9.0	11.6
1963#	23,339	12,118	11,221	10.2	9.0	11.9
1964#	22,559	12,039	10,520	9.7	8.8	11.1
1965#	22,652	12,376	10,276	9.7	9.2	10.4
1966#	23,350	12,976	10,374	9.9	9.4	10.5

* Deaths per 1,000 population. See footnote on Table 11 for source of population estimates.

On basis of place of residence.

TABLE 13
MATERNAL DEATHS
MISSISSIPPI
1913-1966

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	108.8	74.1	148.2
1914	413	124	289	101.7	58.0	150.0
1915	289	88	201	73.2	41.9	108.7
1916	326	102	224	83.5	50.7	118.5
1917	297	105	192	80.0	55.1	106.2
1918	302	82	220	76.7	41.0	113.5
1919	407	173	234	95.8	78.5	114.4
1920	393	127	266	89.8	56.6	124.8
1921	391	145	246	84.1	61.2	108.0
1922	313	110	203	71.6	51.7	90.5
1923	321	108	213	74.2	51.1	96.3
1924	413	137	276	93.9	61.8	126.7
1925	435	143	292	95.5	64.2	125.3
1926	388	153	235	76.9	62.2	90.9
1927	409	134	275	83.1	55.4	109.8
1928	421	161	260	87.5	68.1	106.2
1929	410	152	258	90.0	68.8	110.0
1930	489	171	318	101.9	73.7	128.3
1931	352	131	221	78.0	60.5	94.1
1932	279	103	176	60.0	47.1	71.6
1933	315	116	199	71.3	56.8	83.7
1934	306	116	190	63.9	51.9	74.3
1935	334	137	197	69.2	62.4	74.8
1936	358	134	224	72.7	60.4	82.8
1937	370	150	220	70.9	64.4	76.2
1938	333	116	217	62.0	48.2	73.1
1939	311	97	214	59.5	41.3	74.3
1940	327	106	221	62.2	45.9	75.1
1941	293	93	200	53.7	38.5	65.8
1942	248	77	171	43.9	30.4	54.8
1943	233	66	167	39.2	23.9	52.5
1944#	225	72	153	39.8	28.1	49.4
1945#	216	64	152	40.3	27.3	50.5
1946#	199	67	132	32.4	22.5	41.6
1947#	175	50	125	26.4	15.4	36.9
1948#	177	38	139	27.1	12.8	39.0
1949#	147	32	115	22.2	11.1	30.8

Table 13 - Page 2
 Maternal Deaths - Mississippi - 1913-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	165	30	135	25.6	11.0	36.2
1951#	143	28	115	21.8	10.1	30.5
1952#	119	15	104	18.4	5.3	28.5
1953#	119	24	95	18.6	8.5	26.6
1954#	104	11	93	16.1	3.8	25.8
1955#	76	12	64	12.0	4.4	17.9
1956#	74	12	62	11.9	4.4	17.8
1957#	75	14	61	12.4	5.2	18.0
1958#	53	10	43	9.0	3.7	13.3
1959#	55	9	46	9.1	3.2	14.1
1960#	59	8	51	10.0	2.9	15.9
1961#	49	9	40	8.2	3.3	12.5
1962#	55	7	48	9.3	2.5	15.3
1963#	44	9	35	7.7	3.4	11.5
1964#	57	9	48	10.1	3.5	15.6
1965#	40	3	37	7.8	1.3	13.3
1966#	27	6	21	5.6	2.6	8.2

* Deaths per 10,000 live births.

On basis of place of residence.

TABLE 14
DEATHS UNDER 1 YEAR
MISSISSIPPI
1917-1966

By Year, by Race, with Rates, Occurrence Data 1917-1943,
Residence Data 1944-1966

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	**	**	**	**	**	**
1919	3,554	**	**	83.6	**	**
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944#	2,489	974	1,515	44.0	38.0	49.0
1945#	2,192	846	1,346	40.9	36.1	44.7
1946#	2,298	1,005	1,293	37.4	33.8	40.8
1947#	2,428	1,009	1,419	36.6	31.1	41.9
1948#	2,470	988	1,482	37.8	33.3	41.6
1949#	2,612	900	1,712	39.5	31.3	45.8

Table 14 - Page 2
 Deaths Under 1 Year - Mississippi - 1917-1966.

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	2,348	763	1,585	36.4	28.1	42.6
1951#	2,589	814	1,775	39.5	29.3	47.1
1952#	2,592	760	1,832	40.2	27.1	50.3
1953#	2,534	807	1,727	39.6	28.5	48.3
1954#	2,360	744	1,616	36.4	25.8	44.9
1955#	2,338	680	1,658	37.0	24.7	46.4
1956#	2,353	734	1,619	37.8	26.9	46.4
1957#	2,257	694	1,563	37.2	25.9	46.1
1958#	2,424	706	1,718	41.0	26.3	53.1
1959#	2,355	677	1,678	38.9	24.2	51.5
1960#	2,457	714	1,743	41.5	26.2	54.4
1961#	2,250	645	1,605	37.8	23.5	50.0
1962#	2,353	705	1,648	39.9	25.6	52.5
1963#	2,372	610	1,762	41.4	22.7	57.8
1964#	2,230	599	1,631	39.4	23.1	53.1
1965#	2,126	593	1,533	41.5	25.4	55.1
1966#	1,856	520	1,336	38.5	22.9	52.4

* Deaths per 1,000 live births.

** Not available.

On basis of place of residence.

TABLE 15
DEATHS UNDER 1 MONTH*
MISSISSIPPI
1924-1966

By Year, by Race, with Rates, Occurrence Data 1924-1944,
Residence Data 1945-1966

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945#	1,351	624	727	25.2	26.6	24.1
1946#	1,561	794	767	25.4	26.7	24.2
1947#	1,595	750	845	24.1	23.1	24.9
1948#	1,674	773	901	25.6	26.0	25.3
1949#	1,594	661	933	24.1	23.0	25.0
1950#	1,446	560	886	22.4	20.6	23.8
1951#	1,679	626	1,053	25.6	22.5	27.9
1952#	1,658	581	1,077	25.7	20.7	29.6
1953#	1,630	635	995	25.4	22.4	27.8
1954#	1,521	601	920	23.5	20.9	25.6
1955#	1,440	527	913	22.8	19.1	25.6
1956#	1,451	581	870	23.3	21.3	24.9
1957#	1,425	540	885	23.5	20.1	26.1
1958#	1,475	540	935	24.9	20.1	28.9
1959#	1,450	515	935	23.9	18.4	28.7
1960#	1,497	550	947	25.3	20.2	29.6
1961#	1,401	509	892	23.5	18.6	27.8
1962#	1,456	550	906	24.7	20.0	28.8
1963#	1,449	470	979	25.3	17.5	32.1
1964#	1,372	460	912	24.2	17.7	29.7
1965#	1,283	470	813	25.1	20.1	29.2
1966#	1,123	386	737	23.3	17.0	28.9

* Figures for 1949-1966 include only the deaths under 28 days.

** Deaths per 1,000 live births.

On basis of place of residence.

TABLE 16
DEATHS FROM HEART DISEASES, VASCULAR LESIONS,
MALIGNANT NEOPLASMS, ACCIDENTS, AND INFLUENZA AND PNEUMONIA
MISSISSIPPI
1957-1966

By Year, by Race, with Rates, Residence Data

Year	HEART DISEASES (400-443)			VASCULAR LESIONS (330-334)			MALIGNANT NEOPLASMS (140-205)			ACCIDENTS (800-962)			INFLUENZA & PNEUMONIA (480-493)			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
1957 No. Rate*	6,378 302.3	3,711 277.1	2,667 132.7	2,800 123.8	1,420 143.4	1,380 118.3	2,496 129.2	1,482 105.3	1,014 61.7	1,302 61.6	707 595	794 61.8	301. 37.6	493 26.2	51.2	
1958 No. Rate*	6,528 298.9	3,929 306.3	2,599 288.4	2,867 131.3	1,426 111.2	1,441 159.9	2,525 115.6	1,524 118.8	1,001 111.1	1,379 63.1	729 56.8	650 72.1	909 41.6	34i. 26.8	565 26.8	62.7
1959 No. Rate*	6,233 279.9	3,774 282.5	2,459 276.0	2,683 120.5	1,386 103.7	1,297 145.6	2,600 116.7	1,580 118.3	1,020 114.5	1,501 67.4	837 62.6	664 74.5	768 34.5	328 24.6	440 24.6	49.4
1960 No. Rate*	6,321 290.2	3,882 308.7	2,439 264.9	2,960 135.9	1,513 120.3	1,447 157.2	2,635 121.0	1,644 130.7	991 107.6	1,504 69.0	827 65.8	677 73.5	958 44.0	389 30.9	569 30.9	61.8
1961 No. Rate*	6,561 301.2	4,022 319.8	2,539 275.8	2,891 132.7	1,464 116.4	1,427 155.0	2,748 126.2	1,732 137.7	1,016 110.4	1,427 65.5	760 60.4	667 72.4	721 72.4	307 33.1	414 24.4	45.0
1962 No. Rate*	7,077 313.4	4,206 318.4	2,871 306.4	3,112 137.8	1,552 117.8	1,560 117.5	2,827 125.2	1,793 135.7	1,034 110.4	1,557 69.0	846 64.0	711 75.9	879 75.9	362 38.9	517 27.4	55.2
1963 No. Rate*	7,300 318.8	4,396 325.9	2,904 308.5	3,154 137.7	1,650 122.3	1,504 159.8	2,945 128.6	1,859 137.8	1,086 115.4	1,571 117.1	851 68.6	720 63.1	1,113 76.5	420 48.6	693 31.1	73.6
1964 No. Rate*	6,981 301.4	4,313 314.7	2,668 282.2	3,077 132.9	1,588 115.9	1,489 157.5	2,968 128.2	1,861 135.8	1,107 117.1	1,612 69.6	898 65.5	714 75.5	791 75.5	308 34.2	483 22.5	51.1
1965 No. Rate*	7,038 302.1	4,429 329.4	2,609 264.8	3,064 131.5	1,639 121.9	1,425 144.6	2,931 125.8	1,867 138.9	1,064 108.0	1,610 69.1	881 65.5	729 74.0	764 74.0	350 32.8	414 26.0	42.0
1966 No. Rate*	7,468 316.5	4,729 343.8	2,739 278.2	3,132 132.7	1,681 122.2	1,451 147.4	3,098 131.3	1,990 144.7	1,108 112.6	1,872 79.3	1,072 77.9	800 81.3	773 81.3	341 32.8	432 24.8	43.9

* Deaths per 100,000 population.

TABLE 17
MARRIAGES AND DIVORCES
MISSISSIPPI
1926-1966

By Year, by Race, Occurrence Data

Year	MARRIAGES			DIVORCES		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048#	11,402	17,383	2,895		
1928	30,231#	11,662	18,257	3,009	1,435	1,574
1929	31,495#	12,864	18,388	3,172	1,598	1,574
1930	25,728#	10,815	14,751	2,743	1,487	1,256
1931	21,589#	9,952	11,629	2,015	1,308	707
1932	22,688#	10,147	12,453	1,918	1,308	610
1933	27,567#	12,201	15,300	1,955	1,396	559
1934	30,149#	13,497	16,541	2,446	1,704	742
1935	28,722#	12,955	15,635	2,425	1,681	744
1936	32,480#	14,120	18,196	2,520	1,690	830
1937	32,055#	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

Includes some records on which the race of the couple was not stated.

BIRTHS, FETAL DEATHS, DEATHS

THE COUNTIES AND THE STATE OF MISSISSIPPI, 1966

Footnotes for Tables on Pages 57-139

* Total births and deaths per 1,000 population. Fetal deaths, deaths under 1 year, deaths under 28 days, and deaths from diseases of early infancy per 1,000 live births. Maternal deaths per 10,000 live births. Deaths from specific causes per 100,000 population.

** Rate less than 0.06.

Pneumonia and diarrhea of the newborn (under 28 days) included in diseases of early infancy.



BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ADAMS COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,261	542	719	867	392	475	22.1	19.4	25.0
Fetal deaths	78	46	32	48	28	20	55.4	71.4	42.1
Total deaths	491	202	289	411	169	242	10.5	8.4	12.8
Deaths under 1 year	35	6	29	26	4	22	30.0	10.2	46.3
Deaths under 28 days	22	4	18	17	3	14	19.6	7.6	29.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	5.1	4.9	5.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	1	1	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	70	40	30	58	32	26	148.0	158.2	137.1
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	2.6	4.9	-
Asthma (241)	1	0	1	1	0	1	2.6	-	5.3
Diabetes mellitus (260)	8	2	6	7	2	5	17.9	9.9	26.4
Anemias (290-293)	1	0	1	1	0	1	2.6	-	5.3
Intracranial lesions (330-334)	82	37	45	63	27	36	160.8	133.5	189.9
Nonmeningococcal meningitis (340)	1	0	1	0	0	0	-	-	-
Heart diseases (400-443)	167	62	105	145	51	94	370.0	252.1	495.8
Other hypertensive disease (444-447)	6	3	3	3	2	1	7.6	9.9	5.3
General arteriosclerosis (450)	15	6	9	14	7	7	35.7	34.6	36.9
Other circulatory diseases (451-468)	3	2	1	4	2	2	10.2	9.9	10.5
#Influenza & pneumonia (480-493)	13	6	7	11	5	6	28.1	24.7	31.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	2	1	3	2	1	7.6	9.9	5.3
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.6	4.9	-
Hernia & intestinal obstruction (560, 561, 570)	4	1	3	2	0	2	5.1	-	10.5
#Gastritis, etc. (543, 571, 572)	4	1	3	3	1	2	7.6	4.9	10.5
Cirrhosis of liver (581)	3	3	0	3	3	0	7.6	14.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	3	0	3	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	1	1	1	0	1	2.6	-	5.3
Maternal causes (640-689)	1	0	1	1	0	1	11.5	-	21.0
Congenital malformations (750-759)	4	1	3	3	1	2	7.6	4.9	10.5
Diseases of early infancy (760-776)	23	4	19	19	4	15	21.9	10.2	31.6
Accidents (800-962)	34	15	19	34	16	18	86.8	79.1	94.9
Motor vehicle accidents (810-835)	17	5	12	15	5	10	38.3	24.7	52.7
Suicide (963, 970-979)	3	2	1	2	1	1	5.1	4.9	5.3
Homicide (964, 980-985)	8	0	8	8	0	8	20.4	-	42.2
III-defined (780-795)	4	1	3	4	2	2	10.2	9.9	10.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ALCORN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	461	387	74	491	409	82	17.8	17.0	23.4
Fetal deaths	8	4	4	11	6	5	22.4	14.7	61.0
Total deaths	233	202	31	273	236	37	9.9	9.8	10.6
Deaths under 1 year	11	6	5	15	9	6	30.5	22.0	73.2
Deaths under 28 days	4	3	1	8	6	2	16.3	14.7	24.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	1	1	7.2	4.2	28.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	29	1	39	37	2	141.4	153.6	57.1
Benign & unspec. neoplasms (210-239)	2	1	1	1	0	1	3.6	-	28.6
Asthma (241)	3	2	1	2	1	1	7.2	4.2	28.6
Diabetes mellitus (260)	2	2	0	2	2	0	7.2	8.3	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	33	28	5	39	33	6	141.4	137.0	171.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	103	90	13	111	98	13	402.5	407.0	371.4
Other hypertensive disease (444-447)	4	4	0	4	4	0	14.5	16.6	-
General arteriosclerosis (450)	2	2	0	3	3	0	10.9	12.4	-
Other circulatory diseases (451-468)	2	2	0	3	2	1	10.9	8.3	28.6
#Influenza & pneumonia (480-493)	6	5	1	9	8	1	32.6	33.2	28.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	1	0	1	3.6	-	28.6
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.6	4.2	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	2	1	4	3	1	14.5	12.4	28.6
Cirrhosis of liver (581)	0	0	0	1	1	0	3.6	4.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	5	5	0	18.1	20.8	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	2	2	0	7.2	8.3	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	4	0	3	3	0	10.9	12.4	-
Diseases of early infancy (760-776)	2	1	1	6	4	2	12.2	9.8	24.4
Accidents (800-962)	10	9	1	12	11	1	43.5	45.7	28.6
Motor vehicle accidents (810-835)	4	4	0	7	6	1	25.4	24.9	28.6
Suicide (963, 970-979)	1	1	0	1	1	0	3.6	4.2	-
Homicide (964, 980-985)	2	2	0	2	2	0	7.2	8.3	-
Ill-defined (780-795)	7	6	1	7	6	1	25.4	24.9	28.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
AMITE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	119	3	116	290	86	204	18.6	12.5	23.3
Fetal deaths	1	0	1	6	1	5	20.7	11.6	24.5
Total deaths	84	30	54	137	67	70	8.8	9.8	8.0
Deaths under 1 year	8	0	8	12	2	10	41.4	23.2	49.0
Deaths under 28 days	2	0	2	6	2	4	20.7	23.2	19.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	6.4	-	11.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	2	7	18	8	10	115.2	116.4	114.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	14	4	10	24	10	14	153.6	145.6	160.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	37	19	18	53	34	19	339.3	494.9	217.1
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	1	2	4	1	3	25.6	14.6	34.3
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.4	14.6	-
#Influenza & pneumonia (480-493)	3	0	3	6	2	4	38.4	29.1	45.7
Bronchitis (500-502)	2	0	2	2	0	2	12.8	-	22.8
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	6.4	-	11.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.4	14.6	-
Infections of kidney (600)	0	0	0	1	0	1	6.4	-	11.4
Hyperplasia of prostate (610)	1	1	0	1	0	1	6.4	-	11.4
Maternal causes (640-689)	1	1	0	2	1	1	12.8	14.6	11.4
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	1	0	1	6.4	-	11.4
Accidents (800-962)	2	0	2	6	2	4	20.7	23.2	19.6
Motor vehicle accidents (810-835)	4	1	3	7	4	3	44.8	58.2	34.3
Suicide (963, 970-979)	2	1	1	3	2	1	19.2	29.1	11.4
Homicide (964, 980-985)	1	1	0	2	2	0	12.8	29.1	-
Ill-defined (780-795)	4	0	4	4	0	4	25.6	-	45.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ATTALA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	396	166	230	394	149	245	16.9	11.2	24.5
Fetal deaths	29	18	11	30	18	12	76.1	120.8	49.0
Total deaths	217	127	90	242	154	88	10.4	11.6	8.8
Deaths under 1 year	15	1	14	16	2	14	40.6	13.4	57.1
Deaths under 28 days	10	0	10	10	0	10	25.4	-	40.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	2	2	0	8.6	15.1	-
Syphilis (020-029)	1	0	1	1	0	1	4.3	-	10.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	4.3	7.5	-
Malignant neoplasms (140-205)	29	22	7	31	24	7	133.1	180.7	69.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	5	2	3	21.5	15.1	30.0
Anemias (290-293)	0	0	0	1	0	1	4.3	-	10.0
Intracranial lesions (330-334)	31	13	18	36	19	17	154.6	143.1	169.8
Nonmeningococcal meningitis (340)	2	1	1	1	1	0	4.3	7.5	-
Heart disease (400-443)	85	62	23	88	67	21	377.8	504.5	209.8
Other hypertensive disease (444-447)	0	0	0	1	1	0	4.3	7.5	-
General arteriosclerosis (450)	4	2	2	5	3	2	21.5	22.6	20.0
Other circulatory diseases (451-468)	3	2	1	3	3	0	12.9	22.6	-
#Influenza & pneumonia (480-493)	6	3	3	8	5	3	34.3	37.6	30.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	8.6	15.1	-
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	8.6	-	20.0
Cirrhosis of liver (581)	2	2	0	2	2	0	8.6	15.1	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	1	1	0	4.3	7.5	-
Infections of kidney (600)	1	0	1	1	0	1	4.3	-	10.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	4.3	-	10.0
Diseases of early infancy (760-776)	9	0	9	8	0	8	20.3	-	32.6
Accidents (800-962)	13	7	6	19	11	8	81.6	82.8	79.9
Motor vehicle accidents (810-835)	3	2	1	7	6	1	30.0	45.2	10.0
Suicide (963, 970-979)	1	1	0	1	1	0	4.3	7.5	-
Homicide (964, 980-985)	2	0	2	2	0	2	8.6	-	20.0
Ill-defined (780-795)	12	5	7	13	5	8	55.8	37.6	79.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BENTON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	75	3	72	162	66	96	19.5	14.0	26.7
Fetal deaths	2	0	2	2	0	2	12.3	-	20.8
Total deaths	31	18	13	72	48	24	8.7	10.2	6.7
Deaths under 1 year	3	0	3	5	0	5	30.9	-	52.1
Deaths under 28 days	2	0	2	3	0	3	18.5	-	31.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	12.0	21.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	1	0	1	6	3	3	72.3	63.7	83.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	12.0	21.2	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	8	5	3	11	7	4	132.5	148.6	111.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	6	4	2	22	19	3	265.1	403.4	83.6
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	2	1	1	24.1	21.2	27.8
#Influenza & pneumonia (480-493)	1	0	1	2	1	1	24.1	21.2	27.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	24.1	42.5	-
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	24.1	-	55.7
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	12.0	21.2	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	12.0	21.2	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	0	2	2	0	2	12.3	-	20.8
Accidents (800-962)	7	5	2	9	4	5	108.4	84.9	139.3
Motor vehicle accidents (810-835)	4	3	1	4	1	3	48.2	21.2	83.6
Suicide (963, 970-979)	0	0	0	1	1	0	12.0	21.2	-
Homicide (964, 980-985)	0	0	0	1	0	1	12.0	-	27.8
Ill-defined (780-795)	3	2	1	5	3	2	60.2	63.7	55.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BOLIVAR COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,627	302	1,325	1,504	297	1,207	25.5	15.0	30.8
Fetal deaths	69	14	55	62	15	47	41.2	50.5	38.9
Total deaths	572	135	437	570	160	410	9.6	8.1	10.4
Deaths under 1 year	74	5	69	73	4	69	48.5	13.5	57.2
Deaths under 28 days	38	4	34	36	3	33	23.9	10.1	27.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	0	3	2	0	2	3.4	-	5.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	70	22	48	73	30	43	123.7	151.6	109.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	9	0	9	7	0	7	11.9	-	17.8
Anemias (290-293)	3	0	3	3	0	3	5.1	-	7.6
Intracranial lesions (330-334)	100	15	85	89	19	70	150.8	96.0	178.5
Nommeningococcal meningitis (340)	1	0	1	1	0	1	1.7	-	2.5
Heart diseases (400-443)	168	51	117	178	61	117	301.6	308.2	298.3
Other hypertensive disease (444-447)	5	1	4	4	1	3	6.8	5.0	7.6
General arteriosclerosis (450)	12	4	8	12	5	7	20.3	25.3	17.8
Other circulatory diseases (451-468)	3	0	3	2	0	2	3.4	-	5.1
#Influenza & pneumonia (480-493)	24	4	20	24	4	20	40.7	20.2	51.0
Bronchitis (500-502)	1	0	1	1	0	1	1.7	-	2.5
Other bronchopul. diseases (525-527)	9	5	4	7	4	3	11.9	20.2	7.6
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	1.7	-	2.5
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	4	1	3	6.8	5.0	7.6
#Gastritis, etc. (543, 571, 572)	13	0	13	12	0	12	20.3	-	30.6
Cirrhosis of liver (581)	4	1	3	3	0	3	5.1	-	7.6
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	12	1	11	8	1	7	13.6	5.0	17.8
Infections of kidney (600)	3	2	1	5	2	3	8.5	10.1	7.6
Hyperplasia of prostate (610)	3	1	2	3	1	2	5.1	5.0	5.1
Maternal causes (640-689)	1	0	1	1	0	1	6.6	-	8.3
Congenital malformations (750-759)	2	0	2	3	1	2	5.1	5.0	5.1
Diseases of early infancy (760-776)	36	4	32	35	3	32	23.3	10.1	26.5
Accidents (800-962)	31	12	19	35	12	23	59.3	60.6	58.6
Motor vehicle accidents (810-835)	11	6	5	13	7	6	22.0	35.4	15.3
Suicide (963, 970-979)	5	3	2	6	4	2	10.2	20.2	5.1
Homicide (964, 980-985)	4	0	4	5	1	4	8.5	5.0	10.2
Ill-defined (780-795)	31	4	27	32	4	28	54.2	20.2	71.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CALHOUN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	251	103	148	321	199	122	19.9	16.8	28.2
Fetal deaths	13	5	8	8	3	5	24.9	15.1	41.0
Total deaths	139	97	42	177	138	39	11.0	11.7	9.0
Deaths under 1 year	9	2	7	9	3	6	28.0	15.1	49.2
Deaths under 28 days	8	2	6	8	3	5	24.9	15.1	41.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	6.2	8.5	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	15	12	3	22	19	3	136.3	160.7	69.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.2	8.5	-
Anemias (290-293)	0	0	0	1	1	0	6.2	8.5	-
Intracranial lesions (330-334)	18	13	5	29	22	7	179.7	186.1	162.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	61	49	12	68	58	10	421.3	490.7	231.5
Other hypertensive disease (444-447)	1	1	0	2	2	0	12.4	16.9	-
General arteriosclerosis (450)	0	0	0	3	3	0	18.6	25.4	-
Other circulatory diseases (451-468)	2	1	1	3	2	1	18.6	16.9	23.1
#Influenza & pneumonia (480-493)	8	4	4	8	5	3	49.6	42.3	69.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	2	0	1	1	0	6.2	8.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.2	8.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.2	8.5	-
Infections of kidney (600)	1	1	0	1	1	0	6.2	8.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	7	2	5	7	3	4	21.8	15.1	32.8
Accidents (800-962)	11	6	5	18	13	5	111.5	110.0	115.7
Motor vehicle accidents (810-835)	6	2	4	10	6	4	62.0	50.8	92.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	7	3	4	7	3	4	43.4	25.4	92.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CARROLL COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	109	5	104	180	40	140	15.8	8.0	21.9
Fetal deaths	4	0	4	10	1	9	55.6	25.0	64.3
Total deaths	55	19	36	118	58	60	10.3	11.6	9.4
Deaths under 1 year	4	0	4	8	0	8	44.4	-	57.1
Deaths under 28 days	0	0	0	1	0	1	5.6	-	7.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	6	2	4	15	8	7	131.5	159.4	109.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	8.8	-	15.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	2	1	1	14	9	5	122.7	179.3	78.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	17	7	10	41	25	16	359.3	498.0	250.4
Other hypertensive disease (444-447)	7	1	6	10	2	8	87.6	39.8	125.2
General arteriosclerosis (450)	0	0	0	1	1	0	8.8	19.9	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	0	1	0	8.8	19.9	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	4	2	2	35.0	39.8	31.3
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	8.8	19.9	-
#Gastritis, etc. (543, 571, 572)	0	0	0	2	0	2	17.5	-	31.3
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	8.8	19.9	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	0	2	2	0	2	17.5	-	31.3
Diseases of early infancy (760-776)	0	0	0	1	0	1	5.6	-	7.1
Accidents (800-962)	6	4	2	8	3	5	70.1	59.8	78.2
Motor vehicle accidents (810-835)	4	3	1	5	2	3	43.8	39.8	46.9
Suicide (963, 970-979)	1	1	0	1	1	0	8.8	19.9	-
Homicide (964, 980-985)	2	1	1	2	1	1	17.5	19.9	15.6
Ill-defined (780-795)	9	0	9	10	0	10	87.6	-	156.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CHICKASAW COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	351	158	193	355	166	189	18.6	14.6	24.8
Fetal deaths	23	6	17	25	10	15	70.4	60.2	79.4
Total deaths	217	131	86	210	123	87	11.0	10.8	11.4
Deaths under 1 year	17	2	15	15	2	13	42.2	12.0	68.8
Deaths under 28 days	12	2	10	13	2	11	36.6	12.0	58.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	16	9	25	14	11	131.4	122.8	144.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	4	3	1	21.0	26.3	13.1
Anemias (290-293)	2	1	1	2	1	1	10.5	8.8	13.1
Intracranial lesions (330-334)	39	20	19	35	17	18	183.9	149.1	235.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	80	57	23	84	56	28	441.4	491.2	367.0
Other hypertensive disease (444-447)	8	5	3	5	4	1	26.3	35.1	13.1
General arteriosclerosis (450)	4	4	0	3	3	0	15.8	26.3	-
Other circulatory diseases (451-468)	1	0	1	2	1	1	10.5	8.8	13.1
#Influenza & pneumonia (480-493)	4	1	3	5	2	3	26.3	17.5	39.3
Bronchitis (500-502)	2	2	0	1	1	0	5.2	8.8	-
Other bronchopul. diseases (525-527)	3	2	1	3	2	1	15.8	17.5	13.1
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	0	1	1	0	1	5.2	-	13.1
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	2	1	1	2	2	0	10.5	17.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	3	2	1	15.8	17.5	13.1
Diseases of early infancy (760-776)	9	1	8	9	0	9	25.4	-	47.6
Accidents (800-962)	13	8	5	11	7	4	57.8	61.4	52.4
Motor vehicle accidents (810-835)	8	6	2	5	4	1	26.3	35.1	13.1
Suicide (963, 970-979)	3	3	0	2	2	0	10.5	17.5	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	6	2	4	8	3	5	42.0	26.3	65.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CHOCTAW COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	163	79	84	143	79	64	17.5	13.8	26.3
Fetal deaths	4	1	3	4	1	3	28.0	12.6	46.9
Total deaths	84	55	29	103	76	27	12.6	13.3	11.1
Deaths under 1 year	4	0	4	5	1	4	35.0	12.6	62.5
Deaths under 28 days	0	0	0	1	1	0	7.0	12.6	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	12	7	5	15	11	4	183.8	192.0	164.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	12.2	17.4	-
Diabetes mellitus (260)	3	2	1	4	2	2	49.0	34.9	82.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	4	5	9	6	3	110.3	104.7	123.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	28	23	5	36	30	6	441.2	523.6	246.9
Other hypertensive disease (444-447)	1	0	1	1	0	1	12.2	-	41.2
General arteriosclerosis (450)	4	4	0	6	5	1	73.5	87.3	41.2
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	3	2	1	4	4	0	49.0	69.8	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	24.5	34.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	0	3	3	0	3	36.8	-	123.4
Cirrhosis of liver (581)	1	1	0	1	1	0	12.2	17.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	2	0	24.5	34.9	-
Infections of kidney (600)	0	0	0	1	1	0	12.2	17.4	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	2	1	1	14.0	12.6	15.6
Accidents (800-962)	3	2	1	3	3	0	36.8	52.4	-
Motor vehicle accidents (810-835)	0	0	0	0	0	0	-	-	-
Suicide (963, 970-979)	1	1	0	2	2	0	24.5	34.9	-
Homicide (964, 980-985)	2	1	1	1	1	0	12.2	17.4	-
Ill-defined (780-795)	3	2	1	3	2	1	36.8	34.9	41.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLAIBORNE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	98	14	84	175	30	145	16.0	11.4	17.4
Fetal deaths	2	0	2	4	0	4	22.8	-	27.6
Total deaths	89	21	68	118	33	85	10.8	12.5	10.2
Deaths under 1 year	5	0	5	7	1	6	40.0	33.3	41.4
Deaths under 28 days	2	0	2	5	1	4	28.6	33.3	27.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	9.1	37.9	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	4	5	13	4	9	118.5	151.5	108.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	0	1	9.1	-	12.0
Diabetes mellitus (260)	1	1	0	4	1	3	36.5	37.9	36.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	3	0	3	5	0	5	45.6	-	60.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	45	7	38	51	15	36	464.9	568.2	432.2
Other hypertensive disease (444-447)	7	2	5	7	2	5	63.8	75.8	60.0
General arteriosclerosis (450)	0	0	0	1	0	1	9.1	-	12.0
Other circulatory diseases (451-468)	1	1	0	1	1	0	9.1	37.9	-
#Influenza & pneumonia (480-493)	5	1	4	6	1	5	54.7	37.9	60.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	9.1	37.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	3	1	4	2	2	36.5	75.8	24.0
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	9.1	-	12.0
Diseases of early infancy (760-776)	2	0	2	4	1	3	22.8	33.3	20.7
Accidents (800-962)	1	0	1	6	1	5	54.7	37.9	60.0
Motor vehicle accidents (810-835)	1	0	1	3	1	2	27.3	37.9	24.0
Suicide (963, 970-979)	1	0	1	1	0	1	9.1	-	12.0
Homicide (964, 980-985)	4	0	4	4	0	4	36.5	-	48.0
Ill-defined (780-795)	3	0	3	3	0	3	27.3	-	36.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLARKE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	75	42	33	293	135	158	17.6	13.5	23.8
Fetal deaths	2	0	2	4	2	2	13.6	14.8	12.6
Total deaths	107	61	46	175	102	73	10.5	10.2	11.0
Deaths under 1 year	6	1	5	17	6	11	58.0	44.4	69.6
Deaths under 28 days	2	0	2	12	4	8	41.0	29.6	50.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	6.0	-	15.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	7	3	19	10	9	114.2	100.0	135.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	6.0	10.0	-
Diabetes mellitus (260)	0	0	0	1	1	0	6.0	10.0	-
Anemias (290-293)	0	0	0	1	1	0	6.0	10.0	-
Intracranial lesions (330-334)	21	9	12	35	21	14	210.3	210.0	210.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	42	29	13	61	45	16	366.6	450.0	241.0
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.0	-	15.1
General arteriosclerosis (450)	3	2	1	3	2	1	18.0	20.0	15.1
Other circulatory disease (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	6	2	4	8	3	5	48.1	30.0	75.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	0	2	12.0	-	30.1
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	12.0	10.0	15.1
Infections of kidney (600)	0	0	0	1	1	0	6.0	10.0	-
Hyperplasia of prostate (610)	3	3	0	3	3	0	18.0	30.0	-
Maternal causes (640-689)	0	0	0	1	1	0	34.1	74.1	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	0	2	12	4	8	41.0	29.6	50.6
Accidents (800-962)	8	3	5	8	2	6	48.1	20.0	90.4
Motor vehicle accidents (810-835)	4	3	1	3	1	2	18.0	10.0	30.1
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	2	0	2	12.0	-	30.1
III-defined (780-795)	7	3	4	10	5	5	60.1	50.0	75.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLAY COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	339	113	226	381	136	245	19.8	15.6	23.1
Fetal deaths	5	1	4	8	2	6	21.0	14.7	24.5
Total deaths	166	73	93	185	84	101	9.6	9.7	9.5
Deaths under 1 year	15	3	12	17	4	13	44.6	29.4	53.1
Deaths under 28 days	7	3	4	8	3	5	21.0	22.0	20.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	5.2	11.5	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	6	12	21	7	14	108.9	80.6	132.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	4	3	8	4	4	41.5	46.0	37.7
Anemias (290-293)	0	0	0	1	1	0	5.2	11.5	-
Intracranial lesions (330-334)	41	17	24	42	16	26	217.7	184.1	245.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	45	22	23	48	24	24	248.8	276.2	226.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	1	1	0	5.2	11.5	-
Other circulatory diseases (451-468)	2	2	0	3	3	0	15.6	34.5	-
#Influenza & pneumonia (480-493)	5	0	5	5	0	5	25.9	-	47.2
Bronchitis (500-502)	0	0	0	1	1	0	5.2	11.5	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	10.4	23.0	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.2	11.5	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	5.2	-	9.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	2	1	4	2	2	20.7	23.0	18.9
Infections of kidney (600)	1	0	1	1	0	1	5.2	-	9.4
Hyperplasia of prostate (610)	1	0	1	1	0	1	5.2	-	9.4
Maternal causes (640-689)	1	0	1	1	0	1	26.2	-	40.8
Congenital malformations (750-759)	3	0	3	4	1	3	20.7	11.5	28.3
Diseases of early infancy (760-776)	5	3	2	6	3	3	15.7	22.0	12.2
Accidents (800-962)	13	5	8	14	5	9	72.6	57.5	84.9
Motor vehicle accidents (810-835)	6	3	3	5	1	4	25.9	11.5	37.7
Suicide (963, 970-979)	2	1	1	3	2	1	15.6	23.0	9.4
Homicide (964, 980-985)	1	0	1	1	0	1	5.2	-	9.4
III-defined (780-795)	9	5	4	8	5	3	41.5	57.5	28.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COAHOMA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,190	300	890	1,152	238	914	24.2	16.1	27.9
Fetal deaths	71	13	58	69	14	55	59.9	58.8	60.2
Total deaths	544	152	392	541	141	400	11.4	9.5	12.2
Deaths under 1 year	83	9	74	75	7	68	65.1	29.4	74.4
Deaths under 28 days	53	8	45	46	6	40	39.9	25.2	43.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	0	1	2.1	-	3.0
Syphilis (020-029)	1	0	1	1	0	1	2.1	-	3.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	2.1	-	3.0
Malignant neoplasms (140-205)	55	20	35	59	21	38	124.1	141.9	116.0
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	2.1	6.8	-
Asthma (241)	2	0	2	3	1	2	6.3	6.8	6.1
Diabetes mellitus (260)	11	3	8	11	2	9	23.1	13.5	27.5
Anemias (290-293)	2	1	1	2	1	1	4.2	6.8	3.0
Intracranial lesions (330-334)	68	21	47	70	18	52	147.2	121.6	158.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	166	61	105	167	58	109	351.2	391.9	332.8
Other hypertensive disease (444-447)	7	0	7	7	0	7	14.7	-	21.4
General arteriosclerosis (450)	5	0	5	6	0	6	12.6	-	18.3
Other circulatory diseases (451-468)	7	2	5	9	4	5	18.9	27.0	15.3
#Influenza & pneumonia (480-493)	16	1	15	19	2	17	40.0	13.5	51.9
Bronchitis (500-502)	1	1	0	1	1	0	2.1	6.8	-
Other bronchopul. diseases (525-527)	8	5	3	6	3	3	12.6	20.3	9.2
Stomach & duodenal ulcers (540, 541)	3	0	3	3	0	3	6.3	-	9.2
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	1	0	1	2.1	-	3.0
#Gastritis, etc. (543, 571, 572)	5	0	5	5	0	5	10.5	-	15.3
Cirrhosis of liver (581)	2	0	2	3	1	2	6.3	6.8	6.1
Acute nephritis (590, 591)	1	1	0	1	1	0	2.1	6.8	-
Chronic nephritis, etc. (592-594)	3	0	3	4	0	4	8.4	-	12.2
Infections of kidney (600)	7	0	7	6	0	6	12.6	-	18.3
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	3	0	3	1	0	1	8.7	-	10.9
Congenital malformations (750-759)	3	2	1	4	3	1	8.4	20.3	3.0
Diseases of early infancy (760-776)	51	7	44	44	5	39	38.2	21.0	42.7
Accidents (800-962)	48	17	31	41	13	28	86.2	87.8	85.5
Motor vehicle accidents (810-835)	22	11	11	14	7	7	29.4	47.3	21.4
Suicide (963, 970-979)	3	1	2	2	1	1	6.3	6.8	3.0
Homicide (964, 980-985)	5	2	3	5	2	3	10.5	13.5	9.2
III-defined (780-795)	38	3	35	37	3	34	77.8	20.3	103.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COPIAH COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	637	197	440	525	175	350	19.4	13.8	24.3
Fetal deaths	9	2	7	20	6	14	38.1	34.3	40.0
Total deaths	255	131	124	320	166	154	11.8	13.1	10.7
Deaths under 1 year	12	1	11	19	2	17	36.2	11.4	48.6
Deaths under 28 days	9	0	9	14	1	13	26.7	5.7	37.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	1	1	7.4	7.9	6.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	38	23	15	49	32	17	181.2	253.2	118.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	0	3	5	0	5	18.5	-	34.7
Anemias (290-293)	1	0	1	1	0	1	3.7	-	6.9
Intracranial lesions (330-334)	42	21	21	48	25	23	177.5	197.8	159.7
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.7	-	6.9
Heart diseases (400-443)	92	49	43	104	56	48	384.6	443.0	333.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	1	2	4	2	2	14.8	15.8	13.9
Other circulatory diseases (451-468)	0	0	0	1	1	0	3.7	7.9	-
#Influenza & pneumonia (480-493)	11	6	5	13	6	7	48.1	47.5	48.6
Bronchitis (500-502)	1	1	0	1	1	0	3.7	7.9	-
Other bronchopul. diseases (525-527)	8	8	0	8	8	0	29.6	63.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.7	7.9	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	7.4	7.9	6.9
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	7.4	-	13.9
Cirrhosis of liver (581)	2	1	1	2	1	1	7.4	7.9	6.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	0	1	6	5	1	22.2	39.6	6.9
Hyperplasia of prostate (610)	1	1	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	0	3	5	1	4	18.5	7.9	27.8
Diseases of early infancy (760-776)	6	0	6	10	0	10	19.0	-	28.6
Accidents (800-962)	13	7	6	21	11	10	77.7	87.0	69.4
Motor vehicle accidents (810-835)	7	5	2	8	5	3	29.6	39.6	20.8
Suicide (963, 970-979)	2	2	0	2	2	0	7.4	15.8	-
Homicide (964, 980-985)	3	1	2	4	1	3	14.8	7.9	20.8
Ill-defined (780-795)	9	2	7	14	3	11	51.8	23.7	76.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COVINGTON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	181	139	42	314	177	137	20.0	17.0	25.9
Fetal deaths	2	0	2	12	6	6	38.2	33.9	43.8
Total deaths	101	60	41	158	100	58	10.1	9.6	11.0
Deaths under 1 year	10	3	7	11	2	9	35.0	11.3	65.7
Deaths under 28 days	4	3	1	4	2	2	12.7	11.3	14.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	12.8	9.6	18.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	6.4	-	18.9
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	6	4	15	10	5	95.7	96.2	94.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	6.4	9.6	-
Diabetes mellitus (260)	4	4	0	4	4	0	25.5	38.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	14	10	4	25	16	9	159.4	153.8	170.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	30	21	9	44	35	9	280.6	336.5	170.4
Other hypertensive disease (444-447)	0	0	0	2	0	2	12.8	-	37.9
General arteriosclerosis (450)	4	2	2	4	2	2	25.5	19.2	37.9
Other circulatory diseases (451-468)	1	0	1	2	1	1	12.8	9.6	18.9
#Influenza & pneumonia (480-493)	7	1	6	12	4	8	76.5	38.5	151.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	3	2	1	19.1	19.2	18.9
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	4	1	3	25.5	9.6	56.8
Cirrhosis of liver (581)	1	1	0	2	1	1	12.8	9.6	18.9
Acute nephritis (590, 591)	1	0	1	2	1	1	12.8	9.6	18.9
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.4	9.6	-
Infections of kidney (600)	2	1	1	2	1	1	12.8	9.6	18.9
Hyperplasia of prostate (610)	0	0	0	0	0	0	12.8	9.6	18.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	6.4	-	18.9
Diseases of early infancy (760-776)	5	3	2	4	2	2	12.7	11.3	14.6
Accidents (800-962)	11	5	6	16	8	8	102.0	76.9	151.5
Motor vehicle accidents (810-835)	6	3	3	8	3	5	51.0	28.8	94.7
Suicide (963, 970-979)	1	1	0	2	2	0	12.8	19.2	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	3	2	1	4	3	1	25.5	28.8	18.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
DESOTO COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	387	32	355	761	332	429	22.6	18.4	27.4
Fetal deaths	10	0	10	18	4	14	23.6	12.0	32.6
Total deaths	144	60	84	247	118	129	7.3	6.5	8.2
Deaths under 1 year	5	1	4	21	7	14	27.6	21.1	32.6
Deaths under 28 days	2	0	2	13	5	8	17.1	15.1	18.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	3.0	-	6.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	1	0	3.0	5.5	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	9	10	36	21	15	106.8	116.3	96.0
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	3.0	-	6.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	1	3	6	2	4	17.8	11.1	25.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	15	5	10	29	12	17	86.1	66.4	108.8
Nonmeningoococcal meningitis (340)	0	0	0	1	0	1	3.0	-	6.4
Heart diseases (400-443)	43	18	25	61	32	29	181.1	177.2	185.5
Other hypertensive disease (444-447)	1	0	1	2	0	2	5.9	-	12.8
General arteriosclerosis (450)	0	0	0	3	3	0	8.9	16.6	-
Other circulatory diseases (451-468)	1	1	0	4	2	2	11.9	11.1	12.8
#Influenza & pneumonia (480-493)	6	3	3	11	5	6	32.6	27.7	38.4
Bronchitis (500-502)	1	1	0	1	1	0	3.0	5.5	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	5.9	11.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.0	5.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	3.0	5.5	-
#Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	5.9	5.5	6.4
Cirrhosis of liver (581)	0	0	0	1	0	1	3.0	-	6.4
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	4	3	1	11.9	16.6	6.4
Infections of kidney (600)	1	1	0	2	1	1	5.9	5.5	6.4
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.0	-	6.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	4	2	2	11.9	11.1	12.8
Diseases of early infancy (760-776)	2	0	2	12	4	8	15.8	12.0	18.6
Accidents (800-962)	17	10	7	25	15	10	74.2	83.0	64.0
Motor vehicle accidents (810-835)	8	5	3	7	3	4	20.8	16.6	25.6
Suicide (963, 970-979)	5	4	1	5	4	1	14.8	22.1	6.4
Homicide (964, 980-985)	1	1	0	1	0	1	3.0	-	6.4
Ill-defined (780-795)	18	2	16	20	3	17	59.4	16.6	108.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
FORREST COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,400	998	402	1,160	741	419	18.7	16.4	25.0
Fetal deaths	45	32	13	46	27	19	39.6	36.4	45.3
Total deaths	613	436	177	588	388	200	9.5	8.6	12.0
Deaths under 1 year	29	17	12	30	15	15	25.9	20.2	35.8
Deaths under 28 days	15	11	4	19	11	8	16.4	14.8	19.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	5	2	3	8.1	4.4	17.9
Syphilis (020-029)	0	0	0	1	0	1	1.6	-	6.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	87	67	20	81	60	21	130.9	132.9	125.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	9	5	4	13	5	8	21.0	11.1	47.8
Anemias (290-293)	1	1	0	1	1	0	1.6	2.2	-
Intracranial lesions (330-334)	64	49	15	62	42	20	100.2	93.0	119.5
Nonmeningococcal meningitis (340)	1	0	1	0	0	0	-	-	-
Heart diseases (400-443)	235	184	51	222	167	55	358.8	370.0	328.8
Other hypertensive disease (444-447)	6	1	5	6	1	5	9.7	2.2	29.9
General arteriosclerosis (450)	5	5	0	7	7	0	11.3	15.5	-
Other circulatory diseases (451-468)	11	8	3	7	5	2	11.3	11.1	12.0
#Influenza & pneumonia (480-493)	24	9	15	21	9	12	33.9	19.9	71.7
Bronchitis (500-502)	0	0	0	1	1	0	1.6	2.2	-
Other bronchopul. diseases (525-527)	6	5	1	4	3	1	6.5	6.6	6.0
Stomach & duodenal ulcers (540, 541)	3	2	1	1	1	0	1.6	2.2	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	3	3	0	4.8	6.6	-
#Gastritis, etc. (543, 571, 572)	6	5	1	3	2	1	4.8	4.4	6.0
Cirrhosis of liver (581)	4	4	0	4	4	0	6.5	8.8	-
Acute nephritis (590, 591)	1	1	0	1	1	0	1.6	2.2	-
Chronic nephritis, etc. (592-594)	12	4	8	13	4	9	21.0	8.8	53.8
Infections of kidney (600)	2	0	2	4	1	3	6.5	2.2	17.9
Hyperplasia of prostate (610)	0	0	0	2	1	1	3.2	2.2	6.0
Maternal causes (640-689)	1	0	1	1	0	1	8.6	-	23.9
Congenital malformations (750-759)	9	8	1	7	6	1	11.3	13.3	6.0
Diseases of early infancy (760-776)	12	9	3	14	8	6	12.1	10.8	14.3
Accidents (800-962)	38	30	8	33	24	9	53.3	53.2	53.8
Motor vehicle accidents (810-835)	19	18	1	16	15	1	25.9	33.2	6.0
Suicide (963, 970-979)	3	3	0	4	4	0	6.5	8.8	-
Homicide (964, 980-985)	6	0	6	8	0	8	12.9	-	47.8
Ill-defined (780-795)	42	17	25	42	14	28	67.9	31.0	167.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
FRANKLIN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	107	40	67	145	58	87	15.2	10.2	22.8
Fetal deaths	1	1	0	3	2	1	20.7	34.5	11.5
Total deaths	92	56	36	109	66	43	11.4	11.6	11.3
Deaths under 1 year	4	1	3	5	3	2	34.5	51.7	23.0
Deaths under 28 days	1	0	1	2	1	1	13.8	17.2	11.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	12	4	21	16	5	220.6	280.2	131.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	9	5	4	9	5	4	94.5	87.6	105.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	14	7	7	17	10	7	178.6	175.1	183.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	36	22	14	38	22	16	399.2	385.3	419.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	2	1	4	2	2	42.0	35.0	52.5
Other circulatory diseases (451-468)	0	0	0	1	0	1	10.5	-	26.2
#Influenza & pneumonia (480-493)	5	2	3	5	2	3	52.5	35.0	78.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	21.0	17.5	26.2
#Gastritis, etc. (543, 571, 572)	1	0	1	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	2	1	1	21.0	17.5	26.2
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	10.5	17.5	-
Diseases of early infancy (760-776)	1	0	1	2	1	1	13.8	17.2	11.5
Accidents (800-962)	4	3	1	5	3	2	52.5	52.5	52.5
Motor vehicle accidents (810-835)	4	3	1	5	3	2	52.5	52.5	52.5
Suicide (963, 970-979)	1	1	0	1	1	0	10.5	17.5	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	0	0	0	0	0	0	-	-	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GEORGE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	318	266	52	267	225	42	22.5	21.6	29.4
Fetal deaths	3	3	0	3	3	0	11.2	13.3	-
Total deaths	88	82	6	113	100	13	9.5	9.6	9.1
Deaths under 1 year	5	4	1	4	3	1	15.0	13.3	23.8
Deaths under 28 days	4	4	0	3	3	0	11.2	13.3	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	8.4	9.6	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	17	1	23	22	1	193.9	210.9	69.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	25.3	19.2	69.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	6	6	0	11	11	0	92.7	105.5	-
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	30	29	1	30	29	1	253.0	278.0	69.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	1	1	0	8.4	9.6	-
Other circulatory diseases (451-468)	2	1	1	3	2	1	25.3	19.2	69.9
#Influenza & pneumonia (480-493)	1	1	0	2	2	0	16.9	19.2	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	8.4	9.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	8.4	9.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	8.4	-	69.9
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	3	3	0	25.3	28.8	-
Infections of kidney (600)	6	6	0	6	6	0	50.6	57.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	3	3	0	3	3	0	11.2	13.3	-
Accidents (800-962)	10	10	0	16	10	6	134.9	95.9	419.6
Motor vehicle accidents (810-835)	7	7	0	14	8	6	118.0	76.7	419.6
Suicide (963, 970-979)	1	1	0	1	1	0	8.4	9.6	-
Homicide (964, 980-985)	0	0	0	1	0	1	8.4	-	69.9
Ill-defined (780-795)	1	0	1	1	0	1	8.4	-	69.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GREENE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	58	32	26	163	117	46	18.2	16.9	22.3
Fetal deaths	1	0	1	4	2	2	24.5	17.1	43.5
Total deaths	61	37	24	87	62	25	9.7	9.0	12.1
Deaths under 1 year	5	2	3	8	5	3	49.1	42.7	65.2
Deaths under 28 days	2	1	1	5	4	1	30.7	34.2	21.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	1	1	0	1	1	0	11.1	14.5	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	5	2	11	9	2	122.6	130.2	97.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	1	1	22.3	14.5	48.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	4	3	1	7	4	3	78.0	57.9	145.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	24	14	10	30	21	9	334.4	303.9	436.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	11.1	14.5	-
Other circulatory diseases (451-468)	0	0	0	2	2	0	22.3	28.9	-
#Influenza & pneumonia (480-493)	3	1	2	4	2	2	44.6	28.9	97.1
Bronchitis (500-502)	1	1	0	1	1	0	11.1	14.5	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	22.3	28.9	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	11.1	14.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	2	1	1	2	1	1	22.3	14.5	48.5
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	11.1	-	48.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	2	0	22.3	28.9	-
Diseases of early infancy (760-776)	2	1	1	3	2	1	18.4	17.1	21.7
Accidents (800-962)	10	5	5	11	8	3	122.6	115.8	145.6
Motor vehicle accidents (810-835)	8	3	5	6	5	1	66.9	72.4	48.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	0	0	0	0	0	0	-	-	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GRENADA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	406	140	266	433	171	262	20.2	15.0	26.2
Fetal deaths	22	3	19	23	5	18	53.1	29.2	68.7
Total deaths	261	136	125	236	114	122	11.0	10.0	12.2
Deaths under 1 year	28	2	26	25	3	22	57.7	17.5	84.0
Deaths under 28 days	18	1	17	15	2	13	34.6	11.7	49.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	4.7	8.8	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	4.7	-	10.0
Malignant neoplasms (140-205)	21	13	8	23	12	11	107.4	105.2	110.0
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	14.0	8.8	20.0
Anemias (290-293)	1	0	1	1	0	1	4.7	-	10.0
Intracranial lesions (330-334)	74	30	44	58	18	40	270.9	157.8	400.0
Nonmeningococcal meningitis (340)	0	0	0	2	1	1	9.3	8.8	10.0
Heart diseases (400-443)	65	48	17	63	44	19	294.2	385.6	190.0
Other hypertensive disease (444-447)	7	5	2	2	1	1	9.3	8.8	10.0
General arteriosclerosis (450)	10	7	3	4	1	3	18.7	8.8	30.0
Other circulatory diseases (451-468)	1	0	1	3	0	3	14.0	-	30.0
#Influenza & pneumonia (480-493)	11	4	7	11	3	8	51.4	26.3	80.0
Bronchitis (500-502)	2	1	1	2	1	1	9.3	8.8	10.0
Other bronchopul. diseases (525-527)	3	3	0	3	3	0	14.0	26.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	9.3	17.5	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	4.7	8.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	4.7	-	10.0
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	4.7	8.8	-
Diseases of early infancy (760-776)	18	1	17	15	2	13	34.6	11.7	49.6
Accidents (800-962)	15	7	8	14	10	4	65.4	87.6	40.0
Motor vehicle accidents (810-835)	8	4	4	8	7	1	37.4	61.3	10.0
Suicide (963, 970-979)	3	2	1	5	4	1	23.4	35.0	10.0
Homicide (964, 980-985)	2	1	1	2	1	1	9.3	8.8	10.0
Ill-defined (780-795)	16	6	10	13	3	10	60.7	26.3	100.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HANCOCK COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	180	140	40	300	251	49	17.5	17.0	20.2
Fetal deaths	5	3	2	10	7	3	33.3	27.9	61.2
Total deaths	137	123	14	166	144	22	9.7	9.8	9.0
Deaths under 1 year	4	4	0	4	4	0	13.3	15.9	-
Deaths under 28 days	4	4	0	4	4	0	13.3	15.9	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	17	1	28	27	1	163.0	183.0	41.2
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	5.8	-	41.2
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	3	2	1	17.5	13.6	41.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	17	2	21	19	2	122.2	128.8	82.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	41	37	4	51	45	6	296.8	305.1	246.9
Other hypertensive disease (444-447)	1	0	1	2	1	1	11.6	6.8	41.2
General arteriosclerosis (450)	1	1	0	1	1	0	5.8	6.8	-
Other circulatory diseases (451-468)	2	2	0	1	1	0	5.8	6.8	-
#Influenza & pneumonia (480-493)	4	4	0	7	7	0	40.7	47.4	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	5.8	6.8	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	11.6	13.6	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	2	2	0	4	3	1	23.3	20.3	41.2
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	5.8	-	41.2
Infections of kidney (600)	1	1	0	3	1	2	17.5	6.8	82.3
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	2	2	0	-	-	-
Diseases of early infancy (760-776)	3	3	0	3	3	0	10.0	12.0	-
Accidents (800-962)	19	19	0	15	13	2	87.3	88.1	82.3
Motor vehicle accidents (810-835)	12	12	0	7	7	0	40.7	47.4	-
Suicide (963, 970-979)	1	1	0	1	1	0	5.8	6.8	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	16	12	4	16	12	4	93.1	81.4	164.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HARRISON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	3,446	2,744	702	3,079	2,401	678	22.9	21.5	29.7
Fetal deaths	237	191	46	203	160	43	65.9	66.6	63.4
Total deaths	1,225	970	255	1,022	805	217	7.6	7.2	9.5
Deaths under 1 year	79	57	22	77	55	22	25.0	22.9	32.4
Deaths under 28 days	58	42	16	54	38	16	17.5	15.8	23.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	7	5	2	5	4	1	3.7	3.6	4.4
Syphilis (020-029)	1	1	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	0.7	-	4.4
Malignant neoplasms (140-205)	196	159	37	154	127	27	114.4	113.6	118.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	0.7	0.9	-
Asthma (241)	5	3	2	4	2	2	3.0	1.8	8.8
Diabetes mellitus (260)	12	7	5	13	8	5	9.6	7.2	21.9
Anemias (290-293)	4	3	1	3	2	1	2.2	1.8	4.4
Intracranial lesions (330-334)	104	80	24	96	72	24	71.3	64.4	105.1
Nonmeningococcal meningitis (340)	2	1	1	4	2	2	3.0	1.8	8.8
Heart diseases (400-443)	373	312	61	291	248	43	216.1	221.8	188.3
Other hypertensive disease (444-447)	6	2	4	5	1	4	3.7	0.9	17.5
General arteriosclerosis (450)	15	14	1	14	13	1	10.4	11.6	4.4
Other circulatory diseases (451-468)	18	12	6	17	12	5	12.6	10.7	21.9
#Influenza & pneumonia (480-493)	41	35	6	23	20	3	17.1	17.9	13.1
Bronchitis (500-502)	2	1	1	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	20	17	3	10	8	2	7.4	7.2	8.8
Stomach & duodenal ulcers (540, 541)	12	8	4	9	6	3	6.7	5.4	13.1
Hernia & intestinal obstruction (560, 561, 570)	5	5	0	2	2	0	1.5	1.8	-
#Gastritis, etc. (543, 571, 572)	3	3	0	2	2	0	1.5	1.8	-
Cirrhosis of liver (581)	23	20	3	17	15	2	12.6	13.4	8.8
Acute nephritis (590, 591)	2	2	0	1	1	0	0.7	0.9	-
Chronic nephritis, etc. (592-594)	4	3	1	3	2	1	2.2	1.8	4.4
Infections of kidney (600)	6	6	0	5	4	1	3.7	3.6	4.4
Hyperplasia of prostate (610)	2	0	2	1	1	0	0.7	0.9	-
Maternal causes (640-689)	1	1	0	0	0	0	-	-	-
Congenital malformations (750-759)	14	13	1	18	17	1	13.4	15.2	4.4
Diseases of early infancy (760-776)	52	37	15	49	34	15	15.9	14.2	22.1
Accidents (800-962)	111	90	21	104	83	21	77.2	74.2	91.9
Motor vehicle accidents (810-835)	54	48	6	52	45	7	38.6	40.2	30.6
Suicide (963, 970-979)	7	7	0	6	6	0	4.4	5.4	-
Homicide (964, 980-985)	12	4	8	10	3	7	7.4	2.7	30.6
Ill-defined (780-795)	125	85	40	114	75	39	84.7	67.1	170.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HINDS COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	5,130	2,481	2,649	4,271	1,939	2,332	20.6	16.2	26.6
Fetal deaths	480	284	196	368	223	145	86.2	115.0	62.2
Total deaths	2,590	1,465	1,125	1,739	942	797	8.4	7.9	9.1
Deaths under 1 year	217	70	147	136	46	90	31.8	23.7	38.6
Deaths under 28 days	124	47	77	81	33	48	19.0	17.0	20.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	19	7	12	15	6	9	7.2	5.0	10.3
Syphilis (020-029)	1	1	0	1	1	0	0.5	0.8	-
Dysentery (045-048)	1	0	1	1	0	1	0.5	-	1.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	2	0	2	2	0	1.0	1.7	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	0	0	0	-	-	-
Malignant neoplasms (140-205)	476	306	170	257	163	94	124.0	136.2	107.3
Benign & unspec. neoplasms (210-239)	7	4	3	4	2	2	1.9	1.7	2.3
Asthma (241)	2	2	0	0	0	0	-	-	-
Diabetes mellitus (260)	47	16	31	34	11	23	16.4	9.2	26.2
Anemias (290-293)	7	3	4	4	1	3	1.9	0.8	3.4
Intracranial lesions (330-334)	287	157	130	205	98	107	98.9	81.9	122.1
Nonmeningococcal meningitis (340)	27	7	20	12	4	8	5.8	3.3	9.1
Heart diseases (400-443)	668	445	223	511	334	177	246.5	279.1	202.0
Other hypertensive disease (444-447)	11	3	8	6	1	5	2.9	0.8	5.7
General arteriosclerosis (450)	35	27	8	29	21	8	14.0	17.5	9.1
Other circulatory diseases (451-468)	53	31	22	29	14	15	14.0	11.7	17.1
#Influenza & pneumonia (480-493)	60	25	35	52	21	31	25.1	17.5	35.4
Bronchitis (500-502)	12	9	3	8	5	3	3.8	4.2	3.4
Other bronchopul. diseases (525-527)	38	34	4	30	26	4	14.5	21.7	4.6
Stomach & duodenal ulcers (540, 541)	16	9	7	7	5	2	3.4	4.2	2.3
Hernia & intestinal obstruction (560, 561, 570)	14	9	5	4	3	1	1.9	2.5	1.1
#Gastritis, etc. (543, 571, 572)	24	9	15	16	5	11	7.7	4.2	12.6
Cirrhosis of liver (581)	20	17	3	9	7	2	4.3	5.8	2.3
Acute nephritis (590, 591)	8	0	8	8	0	8	3.8	-	9.1
Chronic nephritis, etc. (592-594)	20	5	15	13	1	12	6.3	0.8	13.7
Infections of kidney (600)	14	7	7	7	5	2	3.4	4.2	2.3
Hyperplasia of prostate (610)	3	3	0	0	0	0	-	-	-
Maternal causes (640-689)	4	1	3	3	1	2	7.0	5.2	8.6
Congenital malformations (750-759)	58	34	24	30	20	10	14.5	16.7	11.4
Diseases of early infancy (760-776)	91	33	58	58	23	35	13.6	11.9	15.0
Accidents (800-962)	246	134	112	145	79	66	70.0	66.0	75.3
Motor vehicle accidents (810-835)	93	51	42	52	32	20	25.1	26.7	22.8
Suicide (963, 970-979)	24	21	3	18	17	1	8.7	14.2	1.1
Homicide (964, 980-985)	38	7	31	30	3	27	14.5	2.5	30.8
Ill-defined (780-795)	130	26	104	122	30	92	58.9	25.1	105.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HOLMES COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	579	78	501	580	93	487	20.7	11.6	24.3
Fetal deaths	25	7	18	26	9	17	44.8	96.8	34.9
Total deaths	326	86	240	371	112	259	13.2	14.0	12.9
Deaths under 1 year	21	2	19	24	2	22	41.4	21.5	45.2
Deaths under 28 days	9	1	8	10	1	9	17.2	10.8	18.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	3.6	-	5.0
Malignant neoplasms (140-205)	24	9	15	29	11	18	103.5	137.3	90.0
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	7.1	25.0	-
Asthma (241)	1	0	1	1	0	1	3.6	-	5.0
Diabetes mellitus (260)	4	1	3	6	1	5	21.4	12.5	25.0
Anemias (290-293)	2	1	1	2	2	0	7.1	25.0	-
Intracranial lesions (330-334)	49	12	37	59	20	39	210.6	249.7	194.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	96	31	65	114	43	71	406.8	536.8	354.8
Other hypertensive disease (444-447)	6	3	3	5	3	2	17.8	37.4	10.0
General arteriosclerosis (450)	1	0	1	2	1	1	7.1	12.5	5.0
Other circulatory diseases (451-468)	5	2	3	6	2	4	21.4	25.0	20.0
#Influenza & pneumonia (480-493)	22	5	17	26	8	18	92.8	99.9	90.0
Bronchitis (500-502)	2	0	2	2	0	2	7.1	-	10.0
Other bronchopul. diseases (525-527)	3	3	0	4	4	0	14.3	49.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	4	2	2	3	1	2	10.7	12.5	10.0
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	7.1	-	10.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	5	1	4	4	1	3	14.3	12.5	15.0
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.6	-	5.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	0	3	4	0	4	14.3	-	20.0
Diseases of early infancy (760-776)	13	2	11	14	2	12	24.1	21.5	24.6
Accidents (800-962)	22	8	14	21	5	16	74.9	62.4	80.0
Motor vehicle accidents (810-835)	8	5	3	6	3	3	21.4	37.4	15.0
Suicide (963, 970-979)	5	2	3	5	2	3	17.8	25.0	15.0
Homicide (964, 980-985)	4	0	4	5	0	5	17.8	-	25.0
Ill-defined (780-795)	42	3	39	44	4	40	157.0	49.9	199.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HUMPHREYS COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	494	78	416	488	91	397	24.4	16.2	27.6
Fetal deaths	15	0	15	20	1	19	41.0	11.0	47.8
Total deaths	157	41	116	203	57	146	10.1	10.2	10.1
Deaths under 1 year	12	1	11	19	1	18	38.9	11.0	45.3
Deaths under 28 days	8	1	7	12	1	11	24.6	11.0	27.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	5	16	30	7	23	149.9	125.0	159.6
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	5.0	17.8	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	4	3	1	20.0	53.6	6.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	1	24	23	1	22	114.9	17.8	152.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	21	35	66	25	41	329.8	446.4	284.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	3	1	5	3	2	25.0	53.6	13.9
Other circulatory diseases (451-468)	0	0	0	1	1	0	5.0	17.8	-
#Influenza & pneumonia (480-493)	6	1	5	10	4	6	50.0	71.4	41.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	15.0	-	20.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	6	0	6	5	0	5	25.0	-	34.7
Infections of kidney (600)	0	0	0	1	1	0	5.0	17.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	7	1	6	11	1	10	22.5	11.0	25.2
Accidents (800-962)	12	5	7	17	4	13	85.0	71.4	90.2
Motor vehicle accidents (810-835)	10	5	5	14	3	11	70.0	53.6	76.3
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	1	1	2	1	1	10.0	17.8	6.9
Ill-defined (780-795)	11	1	10	14	2	12	70.0	35.7	83.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ISSAQENA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	14	0	14	74	15	59	22.2	13.2	26.8
Fetal deaths	2	0	2	6	3	3	81.1	200.0	50.8
Total deaths	23	2	21	34	5	29	10.2	4.4	13.2
Deaths under 1 year	3	0	3	4	0	4	54.0	-	67.8
Deaths under 28 days	0	0	0	1	0	1	13.5	-	16.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	0	3	5	2	3	149.7	175.4	136.4
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	29.9	-	45.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	6	0	6	7	0	7	209.6	-	318.2
Nonmeningococcal meningitis(340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	4	1	3	8	2	6	239.5	175.4	272.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	2	0	2	2	0	2	59.9	-	90.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	1	0	1	13.5	-	16.9
Accidents (800-962)	2	0	2	4	0	4	119.8	-	181.8
Motor vehicle accidents (810-835)	0	0	0	0	0	0	-	-	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	29.9	-	45.4
Ill-defined (780-795)	5	1	4	5	1	4	149.7	87.7	181.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ITAWAMBA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	44	32	12	250	231	19	15.3	15.0	21.1
Fetal deaths	1	1	0	4	3	1	16.0	13.0	52.6
Total deaths	93	86	7	154	142	12	9.4	9.2	13.3
Deaths under 1 year	1	0	1	4	3	1	16.0	13.0	52.6
Deaths under 28 days	1	0	1	3	2	1	12.0	8.6	52.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	8	1	21	19	2	128.7	123.2	222.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.1	6.5	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.1	6.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	30	27	3	32	29	3	196.1	188.1	333.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	41	40	1	60	58	2	367.6	376.1	222.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	6.1	6.5	-
Other circulatory diseases (451-468)	0	0	0	3	3	0	18.4	19.4	-
#Influenza & pneumonia (480-493)	0	0	0	2	0	2	12.2	-	222.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	6.1	6.5	-
#Gastritis, etc. (543, 571, 572)	2	1	1	5	4	1	30.6	25.9	111.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	2	0	2	2	0	12.2	13.0	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	6.1	6.5	-
Maternal causes (640-689)	0	0	0	2	1	1	80.0	43.3	526.3
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	3	2	1	12.0	8.6	52.6
Accidents (800-962)	2	2	0	12	12	0	73.5	77.8	-
Motor vehicle accidents (810-835)	1	1	0	7	7	0	42.9	45.4	-
Suicide (963, 970-979)	2	2	0	2	2	0	12.2	13.0	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	1	1	0	1	1	0	6.1	6.5	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JACKSON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,452	1,050	402	1,795	1,372	423	24.6	23.1	31.6
Fetal deaths	42	23	19	67	45	22	37.3	32.8	52.0
Total deaths	415	321	94	484	385	99	6.6	6.5	7.4
Deaths under 1 year	34	16	18	45	27	18	25.1	19.7	42.6
Deaths under 28 days	25	13	12	34	22	12	18.9	16.0	28.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	1.4	1.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	1.4	1.7	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	60	45	15	74	56	18	101.6	94.3	134.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	1.4	1.7	-
Diabetes mellitus (260)	7	7	0	6	6	0	8.2	10.1	-
Anemias (290-293)	1	0	1	2	1	1	2.7	1.7	7.5
Intracranial lesions (330-334)	45	36	9	50	42	8	68.7	70.7	59.7
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	1.4	1.7	-
Heart diseases (400-443)	120	102	18	141	121	20	193.7	203.7	149.2
Other hypertensive disease (444-447)	3	0	3	4	0	4	5.5	-	29.8
General arteriosclerosis (450)	7	7	0	7	7	0	9.6	11.8	-
Other circulatory diseases (451-468)	7	5	2	8	6	2	11.0	10.1	14.9
#Influenza & pneumonia (480-493)	8	4	4	14	8	6	19.2	13.5	44.8
Bronchitis (500-502)	1	1	0	1	1	0	1.4	1.7	-
Other bronchopul. diseases (525-527)	4	3	1	5	4	1	6.9	6.7	7.5
Stomach & duodenal ulcers (540, 541)	2	2	0	3	3	0	4.1	5.0	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	1	1	0	1.4	1.7	-
#Gastritis, etc. (543, 571, 572)	4	0	4	5	1	4	6.9	1.7	29.8
Cirrhosis of liver (581)	5	4	1	8	7	1	11.0	11.8	7.5
Acute nephritis (590, 591)	1	1	0	1	1	0	1.4	1.7	-
Chronic nephritis, etc. (592-594)	3	2	1	4	3	1	5.5	5.0	7.5
Infections of kidney (600)	0	0	0	2	2	0	2.7	3.4	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	1.4	-	7.5
Maternal causes (640-689)	1	0	1	2	1	1	11.1	7.3	23.6
Congenital malformations (750-759)	2	2	0	6	5	1	8.2	8.4	7.5
Diseases of early infancy (760-776)	22	12	10	30	20	10	16.7	14.6	23.6
Accidents (800-962)	57	46	11	52	43	9	71.4	72.4	67.2
Motor vehicle accidents (810-835)	33	29	4	26	23	3	35.7	38.7	22.4
Suicide (963, 970-979)	3	3	0	4	4	0	5.5	6.7	-
Homicide (964, 980-985)	2	0	2	3	1	2	4.1	1.7	14.9
III-defined (780-795)	39	29	10	36	28	8	49.4	47.1	59.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JASPER COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	159	102	57	304	105	199	18.8	13.1	24.4
Fetal deaths	9	6	3	13	2	11	42.8	19.0	55.3
Total deaths	137	79	58	166	87	79	10.2	10.9	9.7
Deaths under 1 year	10	2	8	19	3	16	62.5	28.6	80.4
Deaths under 28 days	5	2	3	12	3	9	39.5	28.6	45.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	6.2	-	12.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	1	0	6.2	12.5	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	9	7	19	11	8	117.4	137.3	97.9
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	2	4	7	3	4	43.3	37.4	49.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	5	4	21	12	9	129.8	149.8	110.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	54	34	20	56	33	23	346.1	412.0	281.5
Other hypertensive disease (444-447)	0	0	0	2	0	2	12.4	-	24.5
General arteriosclerosis (450)	3	2	1	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	0	1	1	1	0	6.2	12.5	-
#Influenza & pneumonia (480-493)	0	0	0	3	0	3	18.5	-	36.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	3	3	0	18.5	37.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	6	2	4	8	3	5	49.4	37.4	61.2
Cirrhosis of liver (581)	1	0	1	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	0	2	12.4	-	24.5
Infections of kidney (600)	3	3	0	2	2	0	12.4	25.0	-
Hyperplasia of prostate (610)	1	0	1	1	1	0	6.2	12.5	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	1	1	12.4	12.5	12.2
Diseases of early infancy (760-776)	4	1	3	10	2	8	32.9	19.0	40.2
Accidents (800-962)	11	9	2	9	5	4	55.6	62.4	49.0
Motor vehicle accidents (810-835)	6	6	0	6	4	2	37.1	49.9	24.5
Suicide (963, 970-979)	1	1	0	1	1	0	6.2	12.5	-
Homicide (964, 980-985)	3	2	1	3	1	2	18.5	12.5	24.5
III-defined (780-795)	7	2	5	7	2	5	43.3	25.0	61.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JEFFERSON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	87	8	79	206	26	180	19.8	10.4	22.8
Fetal deaths	7	1	6	16	2	14	77.7	76.9	77.8
Total deaths	79	21	58	124	37	87	11.9	14.7	11.0
Deaths under 1 year	1	0	1	7	0	7	34.0	-	38.9
Deaths under 28 days	0	0	0	3	0	3	14.6	-	16.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	9.6	39.8	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	0	1	9.6	-	12.6
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	6	10	20	7	13	191.9	278.9	164.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	9.6	-	12.6
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	5	0	5	14	5	9	134.4	199.2	113.8
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	9.6	-	12.6
Heart diseases (400-443)	36	11	25	51	16	35	489.4	637.4	442.5
Other hypertensive disease (444-447)	0	0	0	1	0	1	9.6	-	12.6
General arteriosclerosis (450)	1	0	1	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	1	0	1	4	2	2	38.4	79.7	25.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	9.6	-	12.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	9.6	-	12.6
Infections of kidney (600)	4	1	3	4	0	4	38.4	-	50.6
Hyperplasia of prostate (610)	1	0	1	3	1	2	28.8	39.8	25.3
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	0	2	19.2	-	25.3
Diseases of early infancy (760-776)	0	0	0	3	0	3	14.6	-	16.7
Accidents (800-962)	5	2	3	8	5	3	76.8	199.2	37.9
Motor vehicle accidents (810-835)	2	2	0	3	3	0	28.8	119.5	-
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	3	0	3	4	0	4	38.4	-	50.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 JEFF DAVIS COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	201	86	115	250	75	175	17.6	12.8	21.1
Fetal deaths	3	2	1	9	2	7	36.0	26.7	40.0
Total deaths	137	65	72	136	58	78	9.6	9.9	9.4
Deaths under 1 year	14	4	10	18	5	13	72.0	66.7	74.3
Deaths under 28 days	9	3	6	11	4	7	44.0	53.3	40.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	12	7	20	12	8	141.2	204.8	96.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	5	20	20	3	17	141.2	51.2	204.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	49	31	18	42	24	18	296.6	409.6	216.9
Other hypertensive disease (444-447)	2	0	2	1	0	1	7.1	-	12.0
General arteriosclerosis (450)	2	1	1	2	1	1	14.1	17.1	12.0
Other circulatory diseases (451-468)	1	0	1	1	0	1	7.1	-	12.0
#Influenza & pneumonia (480-493)	9	4	5	10	2	8	70.6	34.1	96.4
Bronchitis (500-502)	1	1	0	1	1	0	7.1	17.1	-
Other bronchopul. diseases (525-527)	2	1	1	3	2	1	21.2	34.1	12.0
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	7.1	-	12.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	7.1	17.1	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	7.1	-	12.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	1	1	14.1	17.1	12.0
Diseases of early infancy (760-776)	9	3	6	11	4	7	44.0	53.3	40.0
Accidents (800-962)	9	4	5	12	5	7	84.7	85.3	84.3
Motor vehicle accidents (810-835)	4	2	2	6	2	4	42.4	34.1	48.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	0	1	7.1	-	12.0
Ill-defined (780-795)	4	1	3	3	1	2	21.2	17.1	24.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JONES COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,826	883	943	1,006	651	355	17.3	15.7	21.6
Fetal deaths	91	36	55	46	26	20	45.7	39.9	56.3
Total deaths	724	423	301	624	409	215	10.8	9.8	13.1
Deaths under 1 year	73	16	57	38	10	28	37.8	15.4	78.9
Deaths under 28 days	49	10	39	23	4	19	22.9	6.1	53.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	3	0	3	5.2	-	18.2
Syphilis (020-029)	1	0	1	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	2	0	1	1	0	1.7	2.4	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	85	62	23	88	67	21	151.8	161.2	127.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	5	4	1	3	2	1	5.2	4.8	6.1
Diabetes mellitus (260)	10	0	10	6	1	5	10.3	2.4	30.4
Anemias (290-293)	1	0	1	1	0	1	1.7	-	6.1
Intracranial lesions (330-334)	93	51	42	72	48	24	124.2	115.5	146.1
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	1.7	-	6.1
Heart diseases (400-443)	213	156	57	211	156	55	363.8	375.4	334.8
Other hypertensive disease (444-447)	14	1	13	7	1	6	12.1	2.4	36.5
General arteriosclerosis (450)	9	4	5	5	2	3	8.6	4.8	18.2
Other circulatory diseases (451-468)	6	5	1	7	5	2	12.1	12.0	12.2
#Influenza & pneumonia (480-493)	26	17	9	17	14	3	29.3	33.7	18.2
Bronchitis (500-502)	2	1	1	3	2	1	5.2	4.8	6.1
Other bronchopul. diseases (525-527)	12	11	1	11	10	1	19.0	24.1	6.1
Stomach & duodenal ulcers (540, 541)	3	1	2	4	1	3	6.9	2.4	18.2
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	2	2	0	3.4	4.8	-
#Gastritis, etc. (543, 571, 572)	11	3	8	4	2	2	6.9	4.8	12.2
Cirrhosis of liver (581)	3	2	1	2	1	1	3.4	2.4	6.1
Acute nephritis (590, 591)	5	0	5	5	0	5	8.6	-	30.4
Chronic nephritis, etc. (592-594)	11	4	7	7	4	3	12.1	9.6	18.2
Infections of kidney (600)	6	3	3	8	4	4	13.8	9.6	24.3
Hyperplasia of prostate (610)	7	4	3	4	2	2	6.9	4.8	12.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	10	3	7	7	3	4	12.1	7.2	24.3
Diseases of early infancy (760-776)	41	10	31	20	5	15	19.9	7.7	42.2
Accidents (800-962)	53	29	24	41	27	14	70.7	65.0	85.2
Motor vehicle accidents (810-835)	29	18	11	20	14	6	34.5	33.7	36.5
Suicide (963, 970-979)	5	5	0	6	6	0	10.3	14.4	-
Homicide (964, 980-985)	9	3	6	6	2	4	10.3	4.8	24.3
Ill-defined (780-795)	45	21	24	41	20	21	70.7	48.1	127.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
KEMPER COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	133	21	112	212	47	165	17.6	10.3	22.1
Fetal deaths	4	0	4	12	0	12	56.6	-	72.7
Total deaths	100	39	61	138	64	74	11.5	14.0	9.9
Deaths under 1 year	13	1	12	16	1	15	75.5	21.3	90.9
Deaths under 28 days	5	0	5	8	0	8	37.7	-	48.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	8.3	-	13.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	7	2	12	10	2	99.8	219.3	26.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	0	1	8.3	-	13.4
Diabetes mellitus (260)	1	1	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	6	4	17	11	6	141.4	241.2	80.4
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	8.3	-	13.4
Heart diseases (400-443)	50	19	31	58	25	33	482.5	548.2	442.4
Other hypertensive disease (444-447)	0	0	0	1	0	1	8.3	-	13.4
General arteriosclerosis (450)	0	0	0	1	1	0	8.3	21.9	-
Other circulatory diseases (451-468)	2	2	0	2	2	0	16.6	43.8	-
#Influenza & pneumonia (480-493)	7	1	6	7	1	6	58.2	21.9	80.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	16.6	43.8	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	8.3	-	13.4
Infections of kidney (600)	0	0	0	1	0	1	8.3	-	13.4
Hyperplasia of prostate (610)	1	0	1	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	16.6	21.9	13.4
Diseases of early infancy (760-776)	5	0	5	8	0	8	37.7	-	48.5
Accidents (800-962)	0	0	0	6	5	1	49.9	109.6	13.4
Motor vehicle accidents (810-835)	0	0	0	4	3	1	33.3	65.8	13.4
Suicide (963, 970-979)	1	1	0	2	2	0	16.6	43.8	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	10	1	9	13	3	10	108.2	65.8	134.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAFAYETTE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	481	307	174	414	239	175	17.3	14.9	22.3
Fetal deaths	12	5	7	12	5	7	29.0	20.9	40.0
Total deaths	196	114	82	189	98	91	7.9	6.1	11.6
Deaths under 1 year	16	8	8	15	6	9	36.2	25.1	51.4
Deaths under 28 days	12	7	5	10	5	5	24.2	20.9	28.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	0	1	4.2	-	12.7
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	9	13	24	10	14	100.4	62.3	178.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	3	2	1	12.5	12.4	12.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	28	12	16	27	10	17	112.9	62.3	216.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	70	49	21	62	38	24	259.3	236.6	305.7
Other hypertensive disease (444-447)	0	0	0	1	0	1	4.2	-	12.7
General arteriosclerosis (450)	9	8	1	7	6	1	29.3	37.4	12.7
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	5	2	3	5	2	3	20.9	12.4	38.2
Bronchitis (500-502)	1	1	0	1	1	0	4.2	6.2	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	4.2	6.2	-
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	1	1	0	4.2	6.2	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	3	0	3	2	1	12.5	12.4	12.7
Diseases of early infancy (760-776)	8	4	4	8	4	4	19.3	16.7	22.8
Accidents (800-962)	12	8	4	14	8	6	58.6	49.8	76.4
Motor vehicle accidents (810-835)	9	5	4	9	4	5	37.6	24.9	63.7
Suicide (963, 970-979)	2	2	0	1	1	0	4.2	6.2	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	22	7	15	22	7	15	92.0	43.6	191.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAMAR COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	88	60	28	293	235	58	19.2	18.5	22.2
Fetal deaths	1	1	0	6	5	1	20.5	21.3	17.2
Total deaths	77	63	14	114	91	23	7.5	7.2	8.8
Deaths under 1 year	5	4	1	8	6	2	27.3	25.5	34.5
Deaths under 28 days	2	2	0	3	3	0	10.2	12.8	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	8	7	1	18	16	2	117.8	126.3	76.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.5	7.9	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	17	16	1	19	18	1	124.3	142.1	38.3
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	6.5	7.9	-
Heart diseases (400-443)	15	11	4	28	23	5	183.2	181.5	191.6
Other hypertensive disease (444-447)	1	0	1	2	1	1	13.1	7.9	38.3
General arteriosclerosis (450)	7	5	2	7	5	2	45.8	39.5	76.6
Other circulatory diseases (451-468)	0	0	0	2	1	1	13.1	7.9	38.3
#Influenza & pneumonia (480-493)	8	7	1	7	5	2	45.8	39.5	76.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	3	3	0	19.6	23.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	6.5	-	38.3
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	6.5	7.9	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.5	7.9	-
Acute nephritis (590, 591)	1	0	1	1	0	1	6.5	-	38.3
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	6.5	7.9	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	2	0	13.1	15.8	-
Diseases of early infancy (760-776)	1	1	0	2	2	0	6.8	8.5	-
Accidents (800-962)	9	9	0	10	7	3	65.4	55.2	114.9
Motor vehicle accidents (810-835)	4	4	0	7	6	1	45.8	47.4	38.3
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	3	1	2	2	1	1	13.1	7.9	38.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAUDERDALE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,960	979	981	1,477	769	708	19.2	15.1	27.6
Fetal deaths	54	11	43	39	10	29	26.4	13.0	41.0
Total deaths	997	644	353	799	498	301	10.4	9.8	11.7
Deaths under 1 year	78	22	56	52	15	37	35.2	19.5	52.2
Deaths under 28 days	51	19	32	32	13	19	21.7	16.9	26.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	4	2	2	5	3	2	6.5	5.9	7.8
Syphilis (020-029)	1	0	1	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	122	87	35	113	75	38	147.2	146.9	147.9
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	1.3	2.0	-
Asthma (241)	3	2	1	3	2	1	3.9	3.9	3.9
Diabetes mellitus (260)	19	12	7	19	10	9	24.8	19.6	35.0
Anemias (290-293)	2	1	1	1	0	1	1.3	-	3.9
Intracranial lesions (330-334)	143	97	46	109	68	41	142.0	133.2	159.6
Nonmeningococcal meningitis (340)	3	0	3	2	0	2	2.6	-	7.8
Heart diseases (400-443)	294	226	68	220	162	58	286.7	317.3	225.8
Other hypertensive disease (444-447)	4	1	3	4	2	2	5.2	3.9	7.8
General arteriosclerosis (450)	24	21	3	13	11	2	16.9	21.5	7.8
Other circulatory diseases (451-468)	9	8	1	6	5	1	7.8	9.8	3.9
#Influenza & pneumonia (480-493)	34	17	17	27	13	14	35.2	25.5	54.5
Bronchitis (500-502)	2	2	0	1	1	0	1.3	2.0	-
Other bronchopul. diseases (525-527)	10	10	0	9	9	0	11.7	17.6	-
Stomach & duodenal ulcers (540, 541)	7	5	2	5	4	1	6.5	7.8	3.9
Hernia & intestinal obstruction (560, 561, 570)	7	3	4	5	4	1	6.5	7.8	3.9
#Gastritis, etc. (543, 571, 572)	7	3	4	6	3	3	7.8	5.9	11.7
Cirrhosis of liver (581)	6	5	1	7	6	1	9.1	11.8	3.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	1.3	2.0	-
Infections of kidney (600)	15	8	7	10	3	7	13.0	5.9	27.2
Hyperplasia of prostate (610)	2	2	0	3	2	1	3.9	3.9	3.9
Maternal causes (640-689)	1	1	0	0	0	0	-	-	-
Congenital malformations (750-759)	8	6	2	8	7	1	10.4	13.7	3.9
Diseases of early infancy (760-776)	44	12	32	26	7	19	17.6	9.1	26.8
Accidents (800-962)	76	47	29	67	46	21	87.3	90.1	81.7
Motor vehicle accidents (810-835)	39	28	11	28	23	5	36.5	45.0	19.5
Suicide (963, 970-979)	6	6	0	4	4	0	5.2	7.8	-
Homicide (964, 980-985)	13	1	12	14	2	12	18.2	3.9	46.7
III-defined (780-795)	92	32	60	81	26	55	105.6	50.9	214.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAWRENCE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	101	44	57	208	115	93	20.6	18.0	25.1
Fetal deaths	0	0	0	2	.1	1	9.6	8.7	10.8
Total deaths	78	46	32	127	83	44	12.6	13.0	11.9
Deaths under 1 year	3	2	1	6	3	3	28.8	26.1	32.2
Deaths under 28 days	2	2	0	4	2	2	19.2	17.4	21.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	10	4	18	14	4	178.2	218.8	108.1
Benign & unspec. neoplasms (210-239)	0	0	0	.1	1	0	9.9	15.6	-
Asthma (241)	1	1	0	2	2	0	19.8	31.2	-
Diabetes mellitus (260)	0	0	0	1	1	0	9.9	15.6	-
Anemias (290-293)	0	0	0	1	0	1	9.9	-	27.0
Intracranial lesions (330-334)	18	8	10	23	11	12	227.7	171.9	324.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	25	17	8	42	31	11	415.8	484.4	297.3
Other hypertensive disease (444-447)	0	0	0	1	1	0	9.9	15.6	-
General arteriosclerosis (450)	2	0	2	3	0	3	29.7	-	81.1
Other circulatory diseases (451-468)	1	0	1	2	1	1	19.8	15.6	27.0
#Influenza & pneumonia (480-493)	1	0	1	3	2	1	29.7	31.2	27.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	9.9	15.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	9.9	-	27.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	3	0	4	4	0	39.6	62.5	-
Infections of kidney (600)	2	2	0	1	1	0	9.9	15.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	9.9	15.6	-
Diseases of early infancy (760-776)	2	2	0	4	2	2	19.2	17.4	21.5
Accidents (800-962)	6	3	3	11	7	4	108.9	109.4	108.1
Motor vehicle accidents (810-835)	3	2	1	9	7	2	89.1	109.4	54.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	1	0	9.9	15.6	-
Ill-defined (780-795)	2	0	2	4	1	3	39.6	15.6	81.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEAKE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	214	99	115	310	141	169	16.2	13.0	20.3
Fetal deaths	6	3	3	15	7	8	48.4	49.6	47.3
Total deaths	194	123	71	230	146	84	12.0	13.4	10.1
Deaths under 1 year	14	4	10	20	4	16	64.5	28.4	94.7
Deaths under 28 days	5	2	3	10	3	7	32.2	21.3	41.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	5.2	-	12.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	5.2	-	12.0
Malignant neoplasms (140-205)	22	15	7	31	20	11	161.6	184.2	132.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	1	4	4	1	3	20.8	9.2	36.0
Anemias (290-293)	0	0	0	1	0	1	5.2	-	12.0
Intracranial lesions (330-334)	42	30	12	43	31	12	224.2	285.4	144.2
Nonmeningococcal meningitis (340)	1	1	0	1	0	1	5.2	-	12.0
Heart diseases (400-443)	61	45	16	69	52	17	359.7	478.8	204.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	4	0	5	5	0	26.1	46.0	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	7	3	4	8	4	4	41.7	36.8	48.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.2	9.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.2	9.2	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.2	9.2	-
#Gastritis, etc. (543, 571, 572)	2	1	1	2	0	2	10.4	-	24.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	6	5	1	7	6	1	36.5	55.2	12.0
Hyperplasia of prostate (610)	1	0	1	1	0	1	5.2	-	12.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	6	2	4	11	3	8	35.5	21.3	47.3
Accidents (800-962)	19	11	8	23	15	8	119.9	138.1	96.2
Motor vehicle accidents (810-835)	8	5	3	9	6	3	46.9	55.2	36.0
Suicide (963, 970-979)	2	2	0	2	2	0	10.4	18.4	-
Homicide (964, 980-985)	3	0	3	4	0	4	20.8	-	48.1
Ill-defined (780-795)	6	1	5	8	2	6	41.7	18.4	72.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,244	933	311	963	652	311	20.0	17.9	26.8
Fetal deaths	31	21	10	23	14	9	23.9	21.5	28.9
Total deaths	463	338	125	444	328	116	9.2	9.0	10.0
Deaths under 1 year	27	14	13	24	10	14	24.9	15.3	45.0
Deaths under 28 days	21	11	10	17	7	10	17.6	10.7	32.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	2.1	2.7	-
Syphilis (020-029)	1	1	0	1	1	0	2.1	2.7	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	60	47	13	57	46	11	118.6	126.2	94.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	6.2	2.7	17.2
Anemias (290-293)	2	0	2	2	0	2	4.2	-	17.2
Intracranial lesions (330-334)	46	33	13	49	36	13	102.0	98.8	112.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	196	148	48	192	146	46	399.7	400.6	396.6
Other hypertensive disease (444-447)	3	0	3	3	0	3	6.2	-	25.9
General arteriosclerosis (450)	3	3	0	4	4	0	8.3	11.0	-
Other circulatory diseases (451-468)	5	5	0	5	5	0	10.4	13.7	-
#Influenza & pneumonia (480-493)	15	9	6	14	9	5	29.1	24.7	43.1
Bronchitis (500-502)	1	0	1	2	1	1	4.2	2.7	8.6
Other bronchopul. diseases (525-527)	5	5	0	5	5	0	10.4	13.7	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	4.2	5.5	-
Hernia & intestinal obstruction (560, 561, 570)	5	4	1	5	4	1	10.4	11.0	8.6
#Gastritis, etc. (543, 571, 572)	4	2	2	3	1	2	6.2	2.7	17.2
Cirrhosis of liver (581)	0	0	0	1	1	0	2.1	2.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	1	1	0	2.1	2.7	-
Infections of kidney (600)	2	1	1	5	3	2	10.4	8.2	17.2
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	3	1	2	0	0	0	-	-	-
Congenital malformations (750-759)	6	5	1	5	3	2	10.4	8.2	17.2
Diseases of early infancy (760-776)	16	7	9	13	4	9	13.5	6.1	28.9
Accidents (800-962)	53	41	12	41	31	10	85.3	85.1	86.2
Motor vehicle accidents (810-835)	31	28	3	24	22	2	50.0	60.4	17.2
Suicide (963, 970-979)	2	2	0	4	4	0	8.3	11.0	-
Homicide (964, 980-985)	4	1	3	4	1	3	8.3	2.7	25.9
Ill-defined (780-795)	5	3	2	7	5	2	14.6	13.7	17.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEFLORE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,289	364	925	1,220	301	919	23.0	16.0	26.9
Fetal deaths	57	17	40	54	15	39	44.3	49.8	42.4
Total deaths	594	244	350	540	200	340	10.2	10.6	10.0
Deaths under 1 year	67	9	58	66	9	57	54.1	29.9	62.0
Deaths under 28 days	50	8	42	48	6	42	39.3	19.9	45.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	0	3	3	0	3	5.7	-	8.8
Syphilis (020-029)	0	0	0	1	1	0	1.9	5.3	-
Dysentery (045-048)	1	0	1	1	0	1	1.9	-	2.9
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	1	0	1	1.9	-	2.9
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	69	32	37	67	30	37	126.4	159.0	108.4
Benign & unspec. neoplasms (210-239)	2	1	1	1	0	1	1.9	-	2.9
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	9	3	6	8	2	6	15.1	10.6	17.6
Anemias (290-293)	4	1	3	3	0	3	5.7	-	8.8
Intracranial lesions (330-334)	79	39	40	72	36	36	135.8	190.8	105.5
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	1.9	-	2.9
Heart diseases (400-443)	192	101	91	163	76	87	307.5	402.8	254.9
Other hypertensive disease (444-447)	10	4	6	10	3	7	18.9	15.9	20.5
General arteriosclerosis (450)	10	7	3	7	3	4	13.2	15.9	11.7
Other circulatory diseases (451-468)	3	1	2	6	3	3	11.3	15.9	8.8
#Influenza & pneumonia (480-493)	18	4	14	14	0	14	26.4	-	41.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	4	1	3	2	0	2	3.8	-	5.8
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	3	0	3	2	0	2	3.8	-	5.8
#Gastritis, etc. (543, 571, 572)	4	0	4	3	0	3	5.7	-	8.8
Cirrhosis of liver (581)	1	1	0	2	2	0	3.8	10.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	1	3	5	1	4	9.4	5.3	11.7
Infections of kidney (600)	7	3	4	5	1	4	9.4	5.3	11.7
Hyperplasia of prostate (610)	2	2	0	1	1	0	1.9	5.3	-
Maternal causes (640-689)	1	0	1	1	0	1	8.2	-	10.9
Congenital malformations (750-759)	6	2	4	6	2	4	11.3	10.6	11.7
Diseases of early infancy (760-776)	41	6	35	40	5	35	32.8	16.6	38.1
Accidents (800-962)	36	12	24	38	17	21	71.7	90.1	61.5
Motor vehicle accidents (810-835)	18	6	12	14	6	8	26.4	31.8	23.4
Suicide (963, 970-979)	4	4	0	4	4	0	7.5	21.2	-
Homicide (964, 980-985)	7	0	7	8	0	8	15.1	-	23.4
Ill-defined (780-795)	59	11	48	54	8	46	101.9	42.4	134.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LINCOLN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	533	301	232	486	261	225	17.7	14.1	25.4
Fetal deaths	12	7	5	12	5	7	24.7	19.2	31.1
Total deaths	278	190	88	313	212	101	11.4	11.4	11.4
Deaths under 1 year	20	6	14	20	5	15	41.2	19.2	66.7
Deaths under 28 days	11	5	6	9	4	5	18.5	15.3	22.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	3.6	5.4	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	21	9	37	26	11	135.1	140.2	124.4
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	3	2	1	11.0	10.8	11.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	41	25	16	38	20	18	138.7	107.8	203.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	105	84	21	113	89	24	412.6	479.8	271.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	8	8	0	11	11	0	40.2	59.3	-
Other circulatory diseases (451-468)	3	1	2	4	1	3	14.6	5.4	33.9
#Influenza & pneumonia (480-493)	10	7	3	13	9	4	47.5	48.5	45.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	7.3	10.8	-
Stomach & duodenal ulcers (540, 541)	2	2	0	3	2	1	11.0	10.8	11.3
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	7.3	5.4	11.3
#Gastritis, etc. (543, 571, 572)	4	1	3	6	1	5	21.9	5.4	56.6
Cirrhosis of liver (581)	1	0	1	1	0	1	3.6	-	11.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	3	0	4	3	1	14.6	16.2	11.3
Infections of kidney (600)	2	2	0	2	2	0	7.3	10.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	7.3	-	11.3
Diseases of early infancy (760-776)	9	5	4	7	4	3	14.4	15.3	13.3
Accidents (800-962)	18	9	9	19	12	7	69.4	64.7	79.2
Motor vehicle accidents (810-835)	12	8	4	11	9	2	40.2	48.5	22.6
Suicide (963, 970-979)	3	3	0	5	5	0	18.2	27.0	-
Homicide (964, 980-985)	2	2	0	2	1	1	7.3	5.4	11.3
Ill-defined (780-795)	23	7	16	26	8	18	94.9	43.1	203.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LOWNDES COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,248	706	542	1,189	642	547	22.0	19.0	26.9
Fetal deaths	52	22	30	50	18	32	42.0	28.0	58.5
Total deaths	419	222	197	429	225	204	7.9	6.7	10.0
Deaths under 1 year	46	25	21	44	22	22	37.0	34.3	40.2
Deaths under 28 days	29	17	12	29	16	13	24.4	24.9	23.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	3.7	3.0	4.9
Syphilis (020-029)	3	1	2	3	1	2	5.6	3.0	9.8
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	58	35	23	60	35	25	111.1	103.9	123.0
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	1.8	3.0	-
Asthma (241)	1	1	0	1	1	0	1.8	3.0	-
Diabetes mellitus (260)	8	2	6	7	1	6	13.0	3.0	29.5
Anemias (290-293)	3	1	2	3	1	2	5.6	3.0	9.8
Intracranial lesions (330-334)	57	30	27	67	38	29	124.0	112.8	142.6
Nonmeningocephalitis (340)	3	0	3	3	0	3	5.6	-	14.8
Heart diseases (400-443)	109	55	54	107	54	53	198.1	160.3	260.7
Other hypertensive disease (444-447)	7	2	5	7	2	5	13.0	5.9	24.6
General arteriosclerosis (450)	11	11	0	14	13	1	25.9	38.6	4.9
Other circulatory diseases (451-468)	2	2	0	3	2	1	5.6	5.9	4.9
#Influenza & pneumonia (480-493)	14	4	10	14	4	10	25.9	11.9	49.2
Bronchitis (500-502)	2	1	1	3	2	1	5.6	5.9	4.9
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	3.7	5.9	-
Stomach & duodenal ulcers (540, 541)	2	1	1	2	1	1	3.7	3.0	4.9
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	1	1	0	1.8	3.0	-
#Gastritis, etc. (543, 571, 572)	3	1	2	4	2	2	7.4	5.9	9.8
Cirrhosis of liver (581)	2	1	1	3	2	1	5.6	5.9	4.9
Acute nephritis (590, 591)	0	0	0	1	1	0	1.8	3.0	-
Chronic nephritis, etc. (592-594)	5	3	2	5	3	2	9.2	8.9	9.8
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	0	2	3	0	3	5.6	-	14.8
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	7	2	5	6	2	4	11.1	5.9	19.7
Diseases of early infancy (760-776)	23	16	7	22	14	8	18.5	21.8	14.6
Accidents (800-962)	33	24	9	29	17	12	53.7	50.5	59.0
Motor vehicle accidents (810-835)	15	14	1	12	10	2	22.2	29.7	9.8
Suicide (963, 970-979)	6	5	1	5	4	1	9.2	11.9	4.9
Homicide (964, 980-985)	7	3	4	8	3	5	14.8	8.9	24.6
III-defined (780-795)	30	5	25	29	6	23	53.7	17.8	113.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MADISON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	659	103	556	842	166	676	24.0	15.6	27.6
Fetal deaths	20	3	17	33	8	25	39.2	48.2	37.0
Total deaths	328	78	250	377	92	285	10.7	8.7	11.6
Deaths under 1 year	31	3	28	38	3	35	45.1	18.1	51.8
Deaths under 28 days	24	3	21	26	3	23	30.9	18.1	34.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	2.8	-	4.1
Syphilis (020-029)	0	0	0	1	1	0	2.8	9.4	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	28	7	21	37	12	25	105.4	113.1	102.0
Benign & unspec. neoplasms (210-239)	1	0	1	2	1	1	5.7	9.4	4.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	7	4	3	19.9	37.7	12.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	46	8	38	55	12	43	156.6	113.1	175.4
Nonmeningococcal meningitis (340)	0	0	0	3	0	3	8.5	-	12.2
Heart diseases (400-443)	102	31	71	106	32	74	301.8	301.6	301.9
Other hypertensive disease (444-447)	4	0	4	5	0	5	14.2	-	20.4
General arteriosclerosis (450)	2	1	1	3	2	1	8.5	18.8	4.1
Other circulatory diseases (451-468)	3	2	1	5	3	2	14.2	28.3	8.2
#Influenza & pneumonia (480-493)	7	2	5	9	3	6	25.6	28.3	24.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	5.7	18.8	-
Stomach & duodenal ulcers (540, 541)	2	0	2	4	1	3	11.4	9.4	12.2
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	2.8	9.4	-
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	8.5	-	12.2
Cirrhosis of liver (581)	1	1	0	2	2	0	5.7	18.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	3	1	4	3	1	11.4	28.3	4.1
Infections of kidney (600)	3	1	2	3	0	3	8.5	-	12.2
Hyperplasia of prostate (610)	1	0	1	2	1	1	5.7	9.4	4.1
Maternal causes (640-689)	1	0	1	1	0	1	11.9	-	14.8
Congenital malformations (750-759)	3	1	2	6	1	5	17.1	9.4	20.4
Diseases of early infancy (760-776)	16	2	14	16	2	14	19.0	12.0	20.7
Accidents (800-962)	23	10	13	24	7	17	68.3	66.0	69.4
Motor vehicle accidents (810-835)	9	5	4	10	4	6	28.5	37.7	24.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	6	0	6	5	0	5	14.2	-	20.4
Ill-defined (780-795)	64	4	60	64	1	63	182.2	9.4	257.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARION COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	347	202	145	442	254	188	18.7	16.5	22.7
Fetal deaths	13	5	8	17	7	10	38.5	27.6	53.2
Total deaths	202	138	64	260	174	86	11.0	11.3	10.4
Deaths under 1 year	10	4	6	17	7	10	38.5	27.6	53.2
Deaths under 28 days	7	3	4	11	5	6	24.9	19.7	31.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	8.5	6.5	12.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	4.2	6.5	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	32	25	7	41	33	8	173.5	215.0	96.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	2	1	1	8.5	6.5	12.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	37	29	8	42	31	11	177.7	202.0	132.8
Nommeningococcal meningitis (340)	0	0	0	1	1	0	4.2	6.5	-
Heart diseases (400-443)	46	34	12	61	46	15	258.1	299.7	181.2
Other hypertensive disease (444-447)	3	2	1	4	2	2	16.9	13.0	24.2
General arteriosclerosis (450)	9	6	3	8	5	3	33.8	32.6	36.2
Other circulatory diseases (451-468)	1	0	1	2	1	1	8.5	6.5	12.1
#Influenza & pneumonia (480-493)	11	6	5	12	6	6	50.8	39.1	72.5
Bronchitis (500-502)	1	0	1	1	0	1	4.2	-	12.1
Other bronchopul. diseases (525-527)	5	5	0	5	5	0	21.2	32.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	3	3	0	12.7	19.5	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	2	2	0	8.5	13.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	2	2	0	4.2	6.5	-
Maternal causes (640-689)	0	0	0	0	0	0	8.5	13.0	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	5	2	3	8	4	4	18.1	15.7	21.3
Accidents (800-962)	10	7	3	19	9	10	80.4	58.6	120.8
Motor vehicle accidents (810-835)	8	5	3	13	5	8	55.0	32.6	96.6
Suicide (963, 970-979)	0	0	0	1	1	0	4.2	6.5	-
Homicide (964, 980-985)	2	0	2	2	0	2	8.5	-	24.2
Ill-defined (780-795)	25	10	15	28	11	17	118.5	71.7	205.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARSHALL COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	389	22	367	562	139	423	22.3	17.1	24.8
Fetal deaths	24	1	23	33	3	30	58.7	21.6	70.9
Total deaths	186	60	126	259	94	165	10.3	11.6	9.7
Deaths under 1 year	22	0	22	30	4	26	53.4	28.8	61.5
Deaths under 28 days	17	0	17	23	4	19	40.9	28.8	44.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	7.9	-	11.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	4.0	-	5.9
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	23	7	16	34	14	20	135.0	172.2	117.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	0	2	3	0	3	11.9	-	17.6
Anemias (290-293)	1	0	1	2	1	1	7.9	12.3	5.9
Intracranial lesions (330-334)	17	5	12	25	9	16	99.3	110.7	93.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	62	25	37	84	32	52	333.6	393.6	305.0
Other hypertensive disease (444-447)	1	1	0	1	1	0	4.0	12.3	-
General arteriosclerosis (450)	1	0	1	3	1	2	11.9	12.3	11.7
Other circulatory diseases (451-468)	1	0	1	4	1	3	15.9	12.3	17.6
#Influenza & pneumonia (480-493)	5	2	3	7	2	5	27.8	24.6	29.3
Bronchitis (500-502)	1	1	0	1	1	0	4.0	12.3	-
Other bronchopul. diseases (525-527)	2	1	1	3	2	1	11.9	24.6	5.9
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	7.9	12.3	5.9
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	2	2	5	2	3	19.8	24.6	17.6
Infections of kidney (600)	1	0	1	4	2	2	15.9	24.6	11.7
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.0	-	5.9
Maternal causes (640-689)	1	0	1	2	1	1	35.6	71.9	23.6
Congenital malformations (750-759)	4	0	4	8	2	6	31.8	24.6	35.2
Diseases of early infancy (760-776)	15	0	15	19	2	17	33.8	14.4	40.2
Accidents (800-962)	20	7	13	24	12	12	95.3	147.6	70.4
Motor vehicle accidents (810-835)	14	7	7	13	8	5	51.6	98.4	29.3
Suicide (963, 970-979)	3	3	0	2	2	0	7.9	24.6	-
Homicide (964, 980-985)	2	0	2	3	0	3	11.9	-	17.6
Ill-defined (780-795)	12	5	7	9	4	5	35.7	49.2	29.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MONROE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	759	481	278	683	399	284	19.0	16.7	23.5
Fetal deaths	20	5	15	22	6	16	32.2	15.0	56.3
Total deaths	379	239	140	390	240	150	10.8	10.0	12.4
Deaths under 1 year	24	8	16	27	8	19	39.5	20.0	66.9
Deaths under 28 days	13	7	6	13	7	6	19.0	17.5	21.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	2.8	-	8.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	38	32	6	39	33	6	108.4	138.1	49.8
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	5.6	4.2	8.3
Asthma (241)	1	0	1	1	0	1	2.8	-	8.3
Diabetes mellitus (260)	5	4	1	5	4	1	13.9	16.7	8.3
Anemias (290-293)	2	0	2	2	0	2	5.6	-	16.6
Intracranial lesions (330-334)	65	41	24	62	37	25	172.4	154.8	207.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	137	97	40	134	94	40	372.6	393.3	331.7
Other hypertensive disease (444-447)	3	2	1	6	3	3	16.7	12.6	24.9
General arteriosclerosis (450)	10	8	2	8	6	2	22.2	25.1	16.6
Other circulatory diseases (451-468)	2	2	0	3	2	1	8.3	8.4	8.3
#Influenza & pneumonia (480-493)	7	2	5	10	5	5	27.8	20.9	41.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	3	3	0	8.3	12.6	-
Stomach & duodenal ulcers (540, 541)	3	1	2	3	1	2	8.3	4.2	16.6
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	2	1	1	5.6	4.2	8.3
#Gastritis, etc. (543, 571, 572)	3	2	1	6	2	4	16.7	8.4	33.2
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	18	1	17	17	0	17	47.3	-	141.0
Infections of kidney (600)	4	2	2	5	3	2	13.9	12.6	16.6
Hyperplasia of prostate (610)	3	2	1	3	2	1	8.3	8.4	8.3
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	0	2	3	1	2	8.3	4.2	16.6
Diseases of early infancy (760-776)	12	7	5	11	6	5	16.1	15.0	17.6
Accidents (800-962)	36	22	14	41	26	15	114.0	108.8	124.4
Motor vehicle accidents (810-835)	20	13	7	24	16	8	66.7	66.9	66.3
Suicide (963, 970-979)	2	2	0	3	2	1	8.3	8.4	8.3
Homicide (964, 980-985)	1	0	1	1	0	1	2.8	-	8.3
Ill-defined (780-795)	10	3	7	9	2	7	25.0	8.4	58.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MONTGOMERY COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	337	150	187	271	115	156	17.6	13.0	23.8
Fetal deaths	6	2	4	5	2	3	18.4	17.4	19.2
Total deaths	161	95	66	164	98	66	10.7	11.1	10.1
Deaths under 1 year	11	3	8	10	4	6	36.9	34.8	38.5
Deaths under 28 days	5	2	3	5	3	2	18.4	26.1	12.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	24	15	9	25	16	9	162.6	181.4	137.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	0	2	13.0	-	30.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	21	12	9	25	14	11	162.6	158.7	167.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	64	44	20	61	40	21	396.9	453.5	320.6
Other hypertensive disease (444-447)	5	1	4	4	1	3	26.0	11.3	45.8
General arteriosclerosis (450)	2	2	0	1	1	0	6.5	11.3	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	13.0	22.7	-
#Influenza & pneumonia (480-493)	2	0	2	2	0	2	13.0	-	30.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	13.0	22.7	-
Stomach & duodenal ulcers (540, 541)	1	0	1	2	1	1	13.0	11.3	15.3
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	3	3	0	19.5	34.0	-
#Gastritis, etc. (543, 571, 572)	2	0	2	1	0	1	6.5	-	15.3
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	6.5	11.3	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	6.5	11.3	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	1	3	5	2	3	32.5	22.7	45.8
Diseases of early infancy (760-776)	5	2	3	4	2	2	14.8	17.4	12.8
Accidents (800-962)	15	8	7	10	5	5	65.1	56.7	76.3
Motor vehicle accidents (810-835)	11	8	3	7	5	2	45.5	56.7	30.5
Suicide (963, 970-979)	2	2	0	2	2	0	13.0	22.7	-
Homicide (964, 980-985)	1	0	1	3	1	2	19.5	11.3	30.5
Ill-defined (780-795)	4	0	4	4	0	4	26.0	-	61.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NESHOBIA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	363	208	155	366	208	158	16.4	12.5	27.6
Fetal deaths	13	2	11	14	4	10	38.2	19.2	63.3
Total deaths	201	138	63	253	175	78	11.3	10.6	13.6
Deaths under 1 year	15	5	10	21	5	16	57.4	24.0	101.3
Deaths under 28 days	10	3	7	14	4	10	38.2	19.2	63.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	0	2	9.0	-	35.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	23	7	36	30	6	161.4	180.9	104.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	4.5	-	17.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	43	34	9	52	41	11	233.2	247.3	192.3
Nonmeningococcal meningitis (340)	1	1	0	0	0	0	-	-	-
Heart diseases (400-443)	60	44	16	76	58	18	340.8	349.8	314.7
Other hypertensive disease (444-447)	1	1	0	1	1	0	4.5	6.0	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	3	2	1	13.4	12.1	17.5
#Influenza & pneumonia (480-493)	2	0	2	4	2	2	17.9	12.1	35.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	1	1	1	0	1	4.5	-	17.5
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	9.0	6.0	17.5
#Gastritis, etc. (543, 571, 572)	2	1	1	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	2	2	0	9.0	12.1	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	4.5	-	17.5
Infections of kidney (600)	1	1	0	3	3	0	13.4	18.1	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	4.5	6.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	1	2	3	1	2	13.4	6.0	35.0
Diseases of early infancy (760-776)	10	3	7	15	4	11	41.0	19.2	69.6
Accidents (800-962)	11	9	2	15	12	3	67.3	72.4	52.4
Motor vehicle accidents (810-835)	6	5	1	8	6	2	35.9	36.2	35.0
Suicide (963, 970-979)	3	2	1	4	2	2	17.9	12.1	35.0
Homicide (964, 980-985)	1	0	1	1	0	1	4.5	-	17.5
Ill-defined (780-795)	15	7	8	20	9	11	89.7	54.3	192.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 NEWTON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	324	196	128	359	191	168	17.5	13.7	25.7
Fetal deaths	32	11	21	33	9	24	91.9	47.1	142.8
Total deaths	219	140	79	244	160	84	11.9	11.5	12.9
Deaths under 1 year	19	4	15	20	5	15	55.7	26.2	89.3
Deaths under 28 days	9	2	7	11	3	8	30.6	15.7	47.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	1	0	1	4.9	-	15.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	19	8	29	21	8	141.6	150.5	122.5
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.9	7.2	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	3	4	7	4	3	34.2	28.7	45.9
Anemias (290-293)	0	0	0	1	0	1	4.9	-	15.3
Intracranial lesions (330-334)	35	24	11	39	28	11	190.4	200.7	168.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	77	56	21	81	58	23	395.5	415.8	352.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	2	1	5	4	1	24.4	28.7	15.3
Other circulatory diseases (451-468)	3	3	0	3	2	1	14.6	14.3	15.3
#Influenza & pneumonia (480-493)	6	1	5	5	0	5	24.4	-	76.6
Bronchitis (500-502)	1	1	0	1	1	0	4.9	7.2	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	9.8	14.3	-
Stomach & duodenal ulcers (540, 541)	1	0	1	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	4.9	-	15.3
Cirrhosis of liver (581)	2	2	0	1	1	0	4.9	7.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	4	3	1	4	3	1	19.5	21.5	15.3
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	1	2	3	2	1	14.6	14.3	15.3
Diseases of early infancy (760-776)	8	2	6	8	1	7	22.3	5.2	41.7
Accidents (800-962)	14	7	7	24	14	10	117.2	100.4	153.1
Motor vehicle accidents (810-835)	8	5	3	14	9	5	68.4	64.5	76.6
Suicide (963, 970-979)	3	2	1	5	4	1	24.4	28.7	15.3
Homicide (964, 980-985)	3	0	3	4	1	3	19.5	7.2	45.9
Ill-defined (780-795)	7	5	2	9	7	2	43.9	50.2	30.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NOXUBEE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	414	59	355	387	51	336	22.5	11.5	26.3
Fetal deaths	19	3	16	19	3	16	49.1	58.8	47.6
Total deaths	179	68	111	188	75	113	10.9	16.9	8.8
Deaths under 1 year	15	2	13	15	2	13	38.8	39.2	38.7
Deaths under 28 days	9	1	8	8	1	7	20.7	19.6	20.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	5.8	22.6	-
Syphilis (020-029)	1	0	1	2	0	2	11.6	-	15.7
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	7	9	17	8	9	98.9	180.6	70.5
Benign & unspec. neoplasms (210-239)	3	1	2	3	1	2	17.4	22.6	15.7
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	4	2	2	23.3	45.1	15.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	26	9	17	28	12	16	162.9	270.9	125.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	50	26	24	56	28	28	325.8	632.0	219.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	2	1	3	2	1	17.4	45.1	7.8
Other circulatory diseases (451-468)	2	0	2	2	1	1	11.6	22.6	7.8
#Influenza & pneumonia (480-493)	4	2	2	4	2	2	23.3	45.1	15.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	1	0	1	5.8	-	7.8
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.8	22.6	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	5.8	-	7.8
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	5.8	22.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	11.6	-	15.7
Infections of kidney (600)	1	0	1	1	0	1	5.8	-	7.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	1	2	3	1	2	17.4	22.6	15.7
Diseases of early infancy (760-776)	10	1	9	9	1	8	23.2	19.6	23.8
Accidents (800-962)	13	7	6	10	4	6	58.2	90.3	47.0
Motor vehicle accidents (810-835)	5	3	2	3	0	3	17.4	-	23.5
Suicide (963, 970-979)	1	1	0	1	1	0	5.8	22.6	-
Homicide (964, 980-985)	3	1	2	3	1	2	17.4	22.6	15.7
Ill-defined (780-795)	29	3	26	30	4	26	174.5	90.3	203.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
OKTIBBEHA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	573	235	338	526	218	308	17.5	12.0	26.1
Fetal deaths	7	2	5	5	0	5	9.5	-	16.2
Total deaths	230	110	120	235	114	121	7.8	6.3	10.2
Deaths under 1 year	21	4	17	18	3	15	34.2	13.8	48.7
Deaths under 28 days	12	4	8	8	2	6	15.2	9.2	19.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	3.3	5.5	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	37	18	19	39	20	19	130.0	109.8	161.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	3	3	6	3	3	20.0	16.5	25.4
Anemias (290-293)	1	0	1	1	0	1	3.3	-	8.5
Intracranial lesions (330-334)	23	13	10	25	16	9	83.3	87.9	76.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	86	47	39	84	45	39	279.9	247.1	330.5
Other hypertensive disease (444-447)	4	1	3	4	1	3	13.3	5.5	25.4
General arteriosclerosis (450)	1	1	0	1	1	0	3.3	5.5	-
Other circulatory diseases (451-468)	3	3	0	1	1	0	3.3	5.5	-
#Influenza & pneumonia (480-493)	10	3	7	11	3	8	36.6	16.5	67.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	3	3	0	10.0	16.5	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	3.3	-	8.5
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	2	1	1	6.7	5.5	8.5
#Gastritis, etc. (543, 571, 572)	3	0	3	3	0	3	10.0	-	25.4
Cirrhosis of liver (581)	0	0	0	1	1	0	3.3	5.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.3	-	8.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	4	1	3	13.3	5.5	25.4
Diseases of early infancy (760-776)	10	4	6	5	2	3	9.5	9.2	9.7
Accidents (800-962)	19	8	11	20	8	12	66.6	43.9	101.7
Motor vehicle accidents (810-835)	5	4	1	6	4	2	20.0	22.0	16.9
Suicide (963, 970-979)	1	1	0	1	1	0	3.3	5.5	-
Homicide (964, 980-985)	2	0	2	2	0	2	6.7	-	16.9
Ill-defined (780-795)	13	3	10	13	3	10	43.3	16.5	84.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PANOLA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	770	224	546	674	203	471	22.1	15.6	26.8
Fetal deaths	21	3	18	15	2	13	22.2	9.8	27.6
Total deaths	268	117	151	310	143	167	10.2	11.0	9.5
Deaths under 1 year	28	2	26	29	3	26	43.0	14.8	55.2
Deaths under 28 days	12	2	10	13	3	10	19.3	14.8	21.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	3.3	7.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	3.3	-	5.7
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	28	16	12	40	22	18	131.0	169.5	102.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	3.3	7.7	-
Diabetes mellitus (260)	7	3	4	6	2	4	19.6	15.4	22.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	47	20	27	49	21	28	160.5	161.8	159.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	89	46	43	107	59	48	350.5	454.5	273.5
Other hypertensive disease (444-447)	3	1	2	7	2	5	22.9	15.4	28.5
General arteriosclerosis (450)	4	3	1	4	3	1	13.1	23.1	5.7
Other circulatory diseases (451-468)	1	1	0	2	1	1	6.6	7.7	5.7
#Influenza & pneumonia (480-493)	4	0	4	6	1	5	19.6	7.7	28.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	4	4	0	13.1	30.8	-
Stomach & duodenal ulcers (540, 541)	1	1	0	3	3	0	9.8	23.1	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	0	2	6.6	-	11.4
#Gastritis, etc. (543, 571, 572)	13	1	12	13	1	12	42.6	7.7	68.4
Cirrhosis of liver (581)	0	0	0	1	1	0	3.3	7.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	3.3	-	5.7
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.3	-	5.7
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	0	2	6.6	-	11.4
Diseases of early infancy (760-776)	12	1	11	12	2	10	17.8	9.8	21.2
Accidents (800-962)	35	16	19	30	14	16	98.3	107.8	91.2
Motor vehicle accidents (810-835)	9	8	1	10	8	2	32.8	61.6	11.4
Suicide (963, 970-979)	3	3	0	3	3	0	9.8	23.1	-
Homicide (964, 980-985)	3	1	2	2	0	2	6.6	-	11.4
Ill-defined (780-795)	7	0	7	8	0	8	26.2	-	45.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PEARL RIVER COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	613	475	138	545	400	145	17.6	15.7	25.8
Fetal deaths	18	11	7	21	11	10	38.5	27.5	69.0
Total deaths	206	166	40	249	203	46	8.0	8.0	8.2
Deaths under 1 year	15	6	9	19	9	10	34.9	22.5	69.0
Deaths under 28 days	7	3	4	11	6	5	20.2	15.0	34.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	3	2	1	9.7	7.9	17.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	26	4	40	35	5	128.9	137.7	89.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	3.2	3.9	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	1	1	6.4	3.9	17.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	17	12	5	17	12	5	54.8	47.2	89.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	74	65	9	88	78	10	283.5	306.8	177.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	4	0	5	5	0	16.1	19.7	-
Other circulatory diseases (451-468)	3	2	1	6	4	2	19.3	15.7	35.6
#Influenza & pneumonia (480-493)	9	7	2	10	8	2	32.2	31.5	35.6
Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	6	6	0	8	7	1	25.8	27.5	17.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	6.4	7.9	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	3.2	-	17.8
Cirrhosis of liver (581)	1	1	0	2	2	0	6.4	7.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	6.4	7.9	-
Infections of kidney (600)	1	0	1	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	3	3	0	9.7	11.8	-
Diseases of early infancy (760-776)	7	3	4	9	4	5	16.5	10.0	34.5
Accidents (800-962)	23	20	3	26	22	4	83.8	86.5	71.2
Motor vehicle accidents (810-835)	14	13	1	12	11	1	38.6	43.3	17.8
Suicide (963, 970-979)	4	4	0	3	3	0	9.7	11.8	-
Homicide (964, 980-985)	1	0	1	1	0	1	3.2	-	17.8
III-defined (780-795)	13	6	7	13	6	7	41.9	23.6	124.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PERRY COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	80	43	37	180	117	63	20.1	20.0	20.4
Fetal deaths	2	1	1	3	2	1	16.7	17.1	15.9
Total deaths	64	44	20	95	67	28	10.6	11.4	9.1
Deaths under 1 year	0	0	0	4	2	2	22.2	17.1	31.7
Deaths under 28 days	0	0	0	3	1	2	16.7	8.5	31.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	6	6	0	9	7	2	100.7	119.4	64.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	11.2	17.1	-
Diabetes mellitus (260)	1	1	0	1	1	0	11.2	17.1	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	10	3	13	10	3	145.4	170.6	97.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	21	15	6	33	25	8	369.1	426.6	259.7
Other hypertensive disease (444-447)	2	0	2	2	0	2	22.4	-	64.9
General arteriosclerosis (450)	3	1	2	3	1	2	33.6	17.1	64.9
Other circulatory diseases (451-468)	0	0	0	1	1	0	11.2	17.1	-
#Influenza & pneumonia (480-493)	2	1	1	5	4	1	55.9	68.2	32.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	11.2	17.1	-
#Gastritis, etc. (543, 571, 572)	0	0	0	2	2	0	22.4	34.1	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	1	1	0	11.2	17.1	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	11.2	-	32.5
Infections of kidney (600)	1	0	1	2	1	1	22.4	17.1	32.5
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	11.2	17.1	-
Diseases of early infancy (760-776)	0	0	0	3	1	2	16.7	8.5	31.7
Accidents (800-962)	3	2	1	3	2	1	33.6	34.1	32.5
Motor vehicle accidents (810-835)	2	1	1	2	1	1	22.4	17.1	32.5
Suicide (963, 970-979)	1	1	0	1	1	0	11.2	17.1	-
Homicide (964, 980-985)	0	0	0	1	1	0	11.2	17.1	-
<u>Ill-defined</u> (780-795)	6	4	2	6	4	2	67.1	68.2	64.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PIKE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	639	318	321	610	266	344	17.8	13.9	22.6
Fetal deaths	34	9	25	28	7	21	45.9	26.3	61.0
Total deaths	368	221	147	415	239	176	12.1	12.5	11.6
Deaths under 1 year	25	13	12	25	12	13	41.0	45.1	37.8
Deaths under 28 days	16	9	7	15	8	7	24.6	30.1	20.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	2.9	5.2	-
Malignant neoplasms (140-205)	40	25	15	52	32	20	151.6	167.7	131.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	2.9	-	6.6
Diabetes mellitus (260)	5	3	2	5	3	2	14.6	15.7	13.1
Anemias (290-293)	1	0	1	1	0	1	2.9	-	6.6
Intracranial lesions (330-334)	74	46	28	78	47	31	227.5	246.3	203.8
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	2.9	-	6.6
Heart diseases (400-443)	127	80	47	137	85	52	399.5	445.5	341.9
Other hypertensive disease (444-447)	1	0	1	2	0	2	5.8	-	13.1
General arteriosclerosis (450)	10	5	5	11	5	6	32.1	26.2	39.4
Other circulatory diseases (451-468)	6	6	0	9	6	3	26.2	31.4	19.7
#Influenza & pneumonia (480-493)	13	6	7	12	6	6	35.0	31.4	39.4
Bronchitis (500-502)	2	1	1	2	1	1	5.8	5.2	6.6
Other bronchopul. diseases (525-527)	5	5	0	4	4	0	11.7	21.0	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	2	2	0	5.8	10.5	-
#Gastritis, etc. (543, 571, 572)	3	3	0	3	3	0	8.7	15.7	-
Cirrhosis of liver (581)	0	0	0	1	0	1	2.9	-	6.6
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	5.8	-	13.1
Infections of kidney (600)	3	2	1	5	3	2	14.6	15.7	13.1
Hyperplasia of prostate (610)	1	1	0	1	1	0	2.9	5.2	-
Maternal causes (640-689)	1	1	0	1	1	0	16.4	37.6	-
Congenital malformations (750-759)	4	2	2	5	3	2	14.6	15.7	13.1
Diseases of early infancy (760-776)	12	7	5	11	6	5	18.0	22.6	14.5
Accidents (800-962)	22	12	10	29	13	16	84.6	68.1	105.2
Motor vehicle accidents (810-835)	15	9	6	17	9	8	49.6	47.2	52.6
Suicide (963, 970-979)	2	2	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	25	6	19	27	8	19	78.7	41.9	124.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PONTOTOC COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	374	270	104	315	227	88	17.2	15.7	22.9
Fetal deaths	12	6	6	11	6	5	34.9	26.4	56.8
Total deaths	201	177	24	211	180	31	11.5	12.4	8.1
Deaths under 1 year	6	5	1	8	6	2	25.4	26.4	22.7
Deaths under 28 days	5	5	0	5	5	0	15.9	22.0	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	5.4	6.9	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	20	2	32	27	5	174.7	186.5	130.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	4	2	7	5	2	38.2	34.5	52.1
Anemias (290-293)	2	2	0	2	2	0	10.9	13.8	-
Intracranial lesions (330-334)	16	14	2	19	16	3	103.7	110.5	78.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	93	80	13	92	77	15	502.2	531.8	390.6
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	5.4	6.9	-
#Influenza & pneumonia (480-493)	17	16	1	14	12	2	76.4	82.9	52.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.4	6.9	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.4	6.9	-
Hernia & intestinal obstruction (560, 561, 570)	4	4	0	3	3	0	16.4	20.7	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	5	5	0	4	4	0	21.8	27.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	3	0	4	4	0	21.8	27.6	-
Diseases of early infancy (760-776)	4	4	0	3	3	0	9.5	13.2	-
Accidents (800-962)	12	8	4	14	10	4	76.4	69.1	104.2
Motor vehicle accidents (810-835)	7	5	2	8	6	2	43.7	41.4	52.1
Suicide (963, 970-979)	1	1	0	1	1	0	5.4	6.9	-
Homicide (964, 980-985)	1	1	0	0	0	0	-	-	-
Ill-defined (780-795)	4	4	0	4	4	0	21.8	27.6	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PRENTISS COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	404	330	74	357	292	65	17.9	17.0	23.9
Fetal deaths	14	10	4	10	7	3	28.0	24.0	46.2
Total deaths	232	209	23	212	188	24	10.6	10.9	8.8
Deaths under 1 year	12	9	3	8	6	2	22.4	20.5	30.8
Deaths under 28 days	10	9	1	6	6	0	16.8	20.5	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	10.0	5.8	36.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	28	2	30	28	2	150.6	162.8	73.5
Benign & unspec. neoplasms (210-239)	1	1	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	5	0	4	4	0	20.1	23.2	-
Anemias (290-293)	1	1	0	1	1	0	5.0	5.8	-
Intracranial lesions (330-334)	27	23	4	21	17	4	105.4	98.8	147.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	89	86	3	68	65	3	341.4	377.9	110.3
Other hypertensive disease (444-447)	1	1	0	1	1	0	5.0	5.8	-
General arteriosclerosis (450)	10	9	1	8	7	1	40.2	40.7	36.8
Other circulatory diseases (451-468)	2	2	0	2	2	0	10.0	11.6	-
#Influenza & pneumonia (480-493)	9	6	3	8	5	3	40.2	29.1	110.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	4	4	0	20.1	23.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	10.0	11.6	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.0	5.8	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	5.0	-	36.8
Cirrhosis of liver (581)	3	2	1	3	2	1	15.1	11.6	36.8
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	2	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	10.0	11.6	-
Hyperplasia of prostate (610)	1	1	0	3	3	0	15.1	17.4	-
Maternal causes (640-689)	0	0	0	1	0	1	28.0	-	153.8
Congenital malformations (750-759)	2	2	0	2	2	0	10.0	11.6	-
Diseases of early infancy (760-776)	8	7	1	4	4	0	11.2	13.7	-
Accidents (800-962)	12	7	5	18	13	5	90.4	75.6	183.8
Motor vehicle accidents (810-835)	7	4	3	12	10	2	60.2	58.1	73.5
Suicide (963, 970-979)	1	1	0	1	1	0	5.0	5.8	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	14	14	0	13	13	0	65.3	75.6	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
QUITMAN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	558	143	415	541	139	402	24.8	18.4	28.2
Fetal deaths	18	5	13	18	3	15	33.3	21.6	37.3
Total deaths	131	37	94	194	64	130	8.9	8.5	9.3
Deaths under 1 year	15	1	14	20	2	18	37.0	14.4	44.8
Deaths under 28 days	8	1	7	9	1	8	16.6	7.2	19.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	9.2	-	14.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	9	10	31	18	13	142.3	238.4	91.4
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	4.6	-	7.0
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	0	2	9.2	-	14.0
Anemias (290-293)	0	0	0	1	0	1	4.6	-	7.0
Intracranial lesions (330-334)	13	3	10	19	6	13	87.2	79.5	91.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	12	32	62	21	41	284.7	278.1	288.1
Other hypertensive disease (444-447)	1	0	1	1	0	1	4.6	-	7.0
General arteriosclerosis (450)	1	0	1	2	0	2	9.2	-	14.0
Other circulatory diseases (451-468)	0	0	0	2	0	2	9.2	-	14.0
#Influenza & pneumonia (480-493)	12	1	11	13	1	12	59.7	13.2	84.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	4.6	13.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	9.2	13.2	7.0
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	9.2	-	14.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	5	0	5	23.0	-	35.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	1	0	1	14.6	-	14.0
Congenital malformations (750-759)	2	0	2	2	0	2	9.2	-	14.0
Diseases of early infancy (760-776)	6	1	5	7	1	6	12.9	7.2	14.9
Accidents (800-962)	10	5	5	17	8	9	78.0	106.0	63.2
Motor vehicle accidents (810-835)	6	4	2	11	6	5	50.5	79.5	35.1
Suicide (963, 970-979)	2	2	0	2	2	0	9.2	26.5	-
Homicide (964, 980-985)	2	1	1	1	0	1	4.6	-	7.0
III-defined (780-795)	5	0	5	8	2	6	36.7	26.5	42.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
RANKIN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	148	51	97	726	457	269	18.7	18.4	19.2
Fetal deaths	5	2	3	48	33	15	66.1	72.2	55.8
Total deaths	468	252	216	315	194	121	8.1	7.8	8.6
Deaths under 1 year	11	4	7	32	15	17	44.1	32.8	63.2
Deaths under 28 days	7	4	3	21	13	8	28.9	28.4	29.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	6	3	3	1	0	1	2.6	-	7.1
Syphilis (020-029)	3	2	1	0	0	0	-	-	-
Dysentery (045-048)	2	1	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	1	0	1	2.6	-	7.1
Malignant neoplasms (140-205)	44	27	17	51	33	18	131.3	132.9	128.6
Benign & unspec. neoplasms (210-239)	3	0	3	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	6	3	3	15.4	12.1	21.4
Anemias (290-293)	1	0	1	1	1	0	2.6	4.0	-
Intracranial lesions (330-334)	54	27	27	40	17	23	103.0	68.5	164.3
Nonmeningococcal meningitis (340)	0	0	0	3	1	2	7.7	4.0	14.3
Heart diseases (400-443)	120	68	52	86	65	21	221.5	261.8	150.0
Other hypertensive disease (444-447)	3	0	3	2	1	1	5.2	4.0	7.1
General arteriosclerosis (450)	12	9	3	7	7	0	18.0	28.2	-
Other circulatory diseases (451-468)	21	5	16	2	2	0	5.2	8.0	-
#Influenza & pneumonia (480-493)	39	25	14	8	4	4	20.6	16.1	28.6
Bronchitis (500-502)	0	0	0	1	1	0	2.6	4.0	-
Other bronchopul. diseases (525-527)	8	7	1	7	6	1	18.0	24.2	7.1
Stomach & duodenal ulcers (540, 541)	3	1	2	1	1	0	2.6	4.0	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	2.6	4.0	-
Cirrhosis of liver (581)	1	0	1	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	5	3	2	3	3	0	7.7	12.1	-
Infections of kidney (600)	4	3	1	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	3	3	0	7.7	12.1	-
Diseases of early infancy (760-776)	5	4	1	19	13	6	26.2	28.4	22.3
Accidents (800-962)	47	24	23	42	19	23	108.2	76.5	164.3
Motor vehicle accidents (810-835)	8	4	4	13	7	6	33.5	28.2	42.8
Suicide (963, 970-979)	5	5	0	3	3	0	7.7	12.1	-
Homicide (964, 980-985)	4	2	2	4	3	1	10.3	12.1	7.1
Ill-defined (780-795)	31	12	19	16	4	12	41.2	16.1	85.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SCOTT COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	436	282	154	457	249	208	19.3	17.0	23.0
Fetal deaths	9	7	2	12	4	8	26.2	16.1	38.5
Total deaths	252	157	95	275	158	117	11.6	10.8	13.0
Deaths under 1 year	22	9	13	27	9	18	59.1	36.1	86.5
Deaths under 28 days	16	9	7	18	7	11	39.4	28.1	52.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	0	2	2	0	2	8.4	-	22.1
Malignant neoplasms (140-205)	25	14	11	27	13	14	114.2	88.9	155.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	7	2	5	29.6	13.7	55.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	12	13	24	11	13	101.5	75.2	144.0
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	4.2	6.8	-
Heart diseases (400-443)	105	69	36	106	70	36	448.2	478.8	398.7
Other hypertensive disease (444-447)	1	1	0	1	1	0	4.2	6.8	-
General arteriosclerosis (450)	8	6	2	9	7	2	38.0	47.9	22.1
Other circulatory diseases (451-468)	6	5	1	5	4	1	21.1	27.4	11.1
#Influenza & pneumonia (480-493)	4	1	3	7	1	6	29.6	6.8	66.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	4	4	0	3	3	0	12.7	20.5	-
Stomach & duodenal ulcers (540, 541)	1	1	0	3	1	2	12.7	6.8	22.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	1	1	5	3	2	21.1	20.5	22.1
Cirrhosis of liver (581)	1	1	0	1	0	1	4.2	-	11.1
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	4.2	6.8	-
Hyperplasia of prostate (610)	2	1	1	2	1	1	8.4	6.8	11.1
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	3	1	2	12.7	6.8	22.1
Diseases of early infancy (760-776)	14	7	7	15	6	9	32.8	24.1	43.3
Accidents (800-962)	32	21	11	37	21	16	156.4	143.6	177.2
Motor vehicle accidents (810-835)	5	5	0	9	7	2	38.0	47.9	22.1
Suicide (963, 970-979)	1	1	0	1	1	0	4.2	6.8	-
Homicide (964, 980-985)	1	0	1	1	0	1	4.2	-	11.1
III-defined (780-795)	6	3	3	6	3	3	25.4	20.5	33.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SHARKEY COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	136	17	119	231	44	187	21.8	13.7	25.4
Fetal deaths	5	2	3	17	5	12	73.6	113.6	64.2
Total deaths	108	29	79	142	42	100	13.4	13.1	13.6
Deaths under 1 year	7	2	5	14	4	10	60.6	90.9	53.5
Deaths under 28 days	4	2	2	10	3	7	43.3	68.2	37.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	3	8	19	5	14	179.8	155.8	190.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	0	2	2	0	2	18.9	-	27.2
Diabetes mellitus (260)	1	0	1	1	0	1	9.5	-	13.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	3	16	25	6	19	236.5	186.9	258.2
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	9.5	-	13.6
Heart diseases (400-443)	37	16	21	44	20	24	416.3	623.0	326.1
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	0	1	2	0	2	18.9	-	27.2
#Influenza & pneumonia (480-493)	5	0	5	7	2	5	66.2	62.3	67.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	0	2	18.9	-	27.2
#Gastritis, etc. (543, 571, 572)	1	0	1	2	1	1	18.9	31.2	13.6
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	0	1	9.5	-	13.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	3	1	2	28.4	31.2	27.2
Diseases of early infancy (760-776)	4	2	2	9	2	7	39.0	45.4	37.4
Accidents (800-962)	12	3	9	11	3	8	104.1	93.4	108.7
Motor vehicle accidents (810-835)	2	2	0	3	2	1	28.4	62.3	13.6
Suicide (963, 970-979)	1	1	0	1	1	0	9.5	31.2	-
Homicide (964, 980-985)	0	0	0	2	0	2	18.9	-	27.2
Ill-defined (780-795)	8	1	7	8	1	7	75.7	31.2	95.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SIMPSON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	336	205	131	360	198	162	18.2	14.7	25.8
Fetal deaths	20	9	11	23	12	11	63.9	60.6	67.9
Total deaths	240	162	78	221	160	61	11.2	11.9	9.7
Deaths under 1 year	9	2	7	10	3	7	27.8	15.2	43.2
Deaths under 28 days	6	2	4	7	2	5	19.4	10.1	30.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	26	16	10	0	0	0	-	-	-
Syphilis (020-029)	1	1	0	1	1	0	5.0	7.4	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	19	15	35	25	10	177.0	185.4	159.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	5.0	7.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	2	1	1	10.1	7.4	15.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	38	25	13	40	28	12	202.3	207.7	190.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	66	57	9	68	57	11	344.0	422.8	174.9
Other hypertensive disease (444-447)	1	1	0	0	0	0	-	-	-
General arteriosclerosis (450)	5	3	2	5	2	3	25.3	14.8	47.7
Other circulatory diseases (451-468)	4	3	1	5	4	1	25.3	29.7	15.9
#Influenza & pneumonia (480-493)	4	2	2	2	1	1	10.1	7.4	15.9
Bronchitis (500-502)	2	2	0	2	2	0	10.1	14.8	-
Other bronchopul. diseases (525-527)	3	2	1	4	3	1	20.2	22.2	15.9
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.0	7.4	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	0	1	2	1	1	10.1	7.4	15.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	5.0	7.4	-
Infections of kidney (600)	2	0	2	1	1	0	5.0	7.4	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	5.0	-	15.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	1	1	10.1	7.4	15.9
Diseases of early infancy (760-776)	6	2	4	7	2	5	19.4	10.1	30.9
Accidents (800- 962)	18	10	8	21	15	6	106.2	111.3	95.4
Motor vehicle accidents (810-835)	10	5	5	7	4	3	35.4	29.7	47.7
Suicide (963, 970-979)	1	1	0	2	2	0	10.1	14.8	-
Homicide (964, 980-985)	3	2	1	2	1	1	10.1	7.4	15.9
Ill-defined (780-795)	13	7	6	12	6	6	60.7	44.5	95.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SMITH COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	16	1	15	264	149	115	18.2	13.8	31.4
Fetal deaths	0	0	0	13	9	4	49.2	60.4	34.8
Total deaths	69	48	21	159	120	39	11.0	11.1	10.6
Deaths under 1 year	1	1	0	6	2	4	22.7	13.4	34.8
Deaths under 28 days	0	0	0	1	1	0	3.8	6.7	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	6.9	9.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	6	1	18	15	3	124.5	138.9	82.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.9	9.2	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	3	1	2	20.7	9.2	54.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	12	10	2	21	18	3	145.2	166.7	82.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	25	19	6	60	52	8	414.9	481.5	218.6
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.9	-	27.3
General arteriosclerosis (450)	3	3	0	6	6	0	41.5	55.6	-
Other circulatory diseases (451-468)	0	0	0	2	1	1	13.8	9.2	27.3
#Influenza & pneumonia (480-493)	2	0	2	6	3	3	41.5	27.8	82.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	6.9	9.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	2	0	2	13.8	-	54.6
Cirrhosis of liver (581)	1	1	0	2	2	0	13.8	18.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	2	0	13.8	18.5	-
Infections of kidney (600)	1	1	0	2	2	0	13.8	18.5	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	6.9	-	27.3
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	6.9	-	27.3
Diseases of early infancy (760-776)	0	0	0	2	1	1	7.6	6.7	8.7
Accidents (800-962)	10	4	6	15	7	8	103.7	64.8	218.6
Motor vehicle accidents (810-835)	9	4	5	12	6	6	83.0	55.6	163.9
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	4	3	1	27.7	27.8	27.3
Ill-defined (780-795)	3	2	1	4	2	2	27.7	18.5	54.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STONE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	118	74	44	126	75	51	16.4	13.2	25.8
Fetal deaths	3	1	2	3	1	2	23.8	13.3	39.2
Total deaths	57	38	19	64	45	19	8.4	7.9	9.6
Deaths under 1 year	1	1	0	1	1	0	7.9	13.3	-
Deaths under 28 days	0	0	0	0	0	0	-	-	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	13.0	-	50.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	4	4	0	4	4	0	52.2	70.4	-
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	2	1	1	26.1	17.6	50.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	7	4	3	10	7	3	130.5	123.2	151.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	29	19	10	26	17	9	339.4	299.3	454.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	2	1	3	2	1	39.2	35.2	50.5
Other circulatory diseases (451-468)	1	1	0	2	2	0	26.1	35.2	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	13.0	17.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	13.0	17.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	13.0	17.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	79.4	-	196.1
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	0	0	0	-	-	-
Accidents (800-962)	2	1	1	3	2	1	39.2	35.2	50.5
Motor vehicle accidents (810-835)	1	1	0	0	0	0	-	-	-
Suicide (963, 970-979)	1	1	0	2	2	0	26.1	35.2	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
III-defined (780-795)	2	1	1	2	1	1	26.1	17.6	50.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SUNFLOWER COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	923	136	787	1,054	183	871	22.8	12.7	27.4
Fetal deaths	30	4	26	39	6	33	37.0	32.8	37.9
Total deaths	356	95	261	412	122	290	8.9	8.5	9.1
Deaths under 1 year	40	2	38	43	4	39	40.8	21.8	44.8
Deaths under 28 days	17	1	16	20	3	17	19.0	16.4	19.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	4.3	-	6.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	2.2	-	3.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	35	12	23	38	14	24	82.3	97.4	75.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	2	5	7	2	5	15.2	13.9	15.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	55	12	43	58	10	48	125.6	69.5	150.9
Nommeningococcal meningitis (340)	2	0	2	4	0	4	8.7	-	12.6
Heart diseases (400-443)	111	40	71	133	53	80	288.0	368.6	251.6
Other hypertensive disease (444-447)	1	1	0	2	1	1	4.3	7.0	3.1
General arteriosclerosis (450)	1	1	0	2	1	1	4.3	7.0	3.1
Other circulatory diseases (451-468)	2	0	2	3	0	3	6.5	-	9.4
#Influenza & pneumonia (480-493)	19	4	15	20	4	16	43.3	27.8	50.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	4	3	1	8.7	20.9	3.1
Stomach & duodenal ulcers (540, 541)	1	0	1	2	1	1	4.3	7.0	3.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	7	0	7	7	1	6	15.2	7.0	18.9
Cirrhosis of liver (581)	1	1	0	2	2	0	4.3	13.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	2	2	5	2	3	10.8	13.9	9.4
Infections of kidney (600)	8	1	7	8	1	7	17.3	7.0	22.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	3	0	3	3	0	3	28.5	-	34.4
Congenital malformations (750-759)	2	1	1	1	0	1	2.2	-	3.1
Diseases of early infancy (760-776)	15	1	14	18	3	15	17.1	16.4	17.2
Accidents (800-962)	25	6	19	32	11	21	69.3	76.5	66.0
Motor vehicle accidents (810-835)	9	3	6	13	5	8	28.2	34.8	25.2
Suicide (963, 970-979)	6	5	1	6	5	1	13.0	34.8	3.1
Homicide (964, 980-985)	6	1	5	3	1	2	6.5	7.0	6.3
Ill-defined (780-795)	30	1	29	36	3	33	78.0	20.9	103.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TALLAHATCHIE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	546	85	461	603	117	486	24.7	14.8	29.3
Fetal deaths	13	2	11	15	2	13	24.9	17.1	26.7
Total deaths	218	72	146	260	98	162	10.6	12.4	9.8
Deaths under 1 year	30	2	28	37	3	34	61.4	25.6	70.0
Deaths under 28 days	19	0	19	23	1	22	38.1	8.5	45.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	4.1	12.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	1	0	1	1	0	1	4.1	-	6.0
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	11	8	24	15	9	98.2	190.4	54.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	3	1	4	3	1	16.4	38.1	6.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	18	5	13	21	8	13	85.9	101.5	78.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	84	38	46	92	44	48	376.3	558.4	289.7
Other hypertensive disease (444-447)	4	2	2	5	3	2	20.4	38.1	12.1
General arteriosclerosis (450)	2	1	1	2	1	1	8.2	12.7	6.0
Other circulatory diseases (451-468)	2	0	2	4	1	3	16.4	12.7	18.1
#Influenza & pneumonia (480-493)	10	2	8	14	3	11	57.2	38.1	66.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	0	1	4.1	-	6.0
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	4.1	-	6.0
#Gastritis, etc. (543, 571, 572)	3	1	2	4	1	3	16.4	12.7	18.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	3	0	3	12.3	-	18.1
Infections of kidney (600)	1	0	1	2	0	2	8.2	-	12.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	0	-	-	-
Diseases of early infancy (760-776)	16	0	16	20	1	19	33.2	8.5	39.1
Accidents (800-962)	20	6	14	26	11	15	106.3	139.6	90.5
Motor vehicle accidents (810-835)	9	4	5	15	9	6	61.3	114.2	36.2
Suicide (963, 970-979)	1	1	0	2	1	1	8.2	12.7	6.0
Homicide (964, 980-985)	3	1	2	5	2	3	20.4	25.4	18.1
III-defined (780-795)	26	1	25	26	3	23	106.3	38.1	138.8

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TATE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	212	1	211	424	118	306	20.6	13.2	26.4
Fetal deaths	11	0	11	16	1	15	37.7	8.5	49.0
Total deaths	123	50	73	195	92	103	9.5	10.2	8.9
Deaths under 1 year	9	0	9	21	2	19	49.5	16.9	62.1
Deaths under 28 days	4	0	4	13	2	11	30.7	16.9	35.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	7	7	27	15	12	131.4	167.2	103.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	4.9	-	8.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	17	6	11	27	13	14	131.4	144.9	121.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	64	30	34	87	46	41	423.6	512.8	354.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	0	1	1	0	1	4.9	-	8.6
Other circulatory diseases (451-468)	0	0	0	1	1	0	4.9	11.1	-
#Influenza & pneumonia (480-493)	1	0	1	5	1	4	24.3	11.1	34.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	4	2	2	19.5	22.3	17.3
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	4.9	-	8.6
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	14.6	-	25.9
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	2	2	0	9.7	22.3	-
Congenital malformations (750-759)	1	0	1	2	0	2	9.7	-	-
Diseases of early infancy (760-776)	5	0	5	11	1	10	25.9	8.5	32.7
Accidents (800-962)	9	5	4	13	7	6	63.3	78.0	51.8
Motor vehicle accidents (810-835)	3	2	1	3	3	0	14.6	33.4	-
Suicide (963, 970-979)	2	1	1	2	1	1	9.7	11.1	8.6
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
III-defined (780-795)	3	0	3	5	2	3	24.3	22.3	25.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TIPPAH COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	362	276	86	287	213	74	17.8	16.3	24.3
Fetal deaths	32	25	7	30	24	6	104.5	112.7	81.1
Total deaths	155	128	27	169	139	30	10.5	10.6	9.9
Deaths under 1 year	8	4	4	10	3	7	34.8	14.1	94.6
Deaths under 28 days	5	3	2	9	3	6	31.4	14.1	81.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	12.4	7.6	32.9
Syphilis (020-029)	1	1	0	1	1	0	6.2	7.6	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	23	23	0	26	26	0	161.3	198.8	-
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	18.6	15.3	32.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	27	22	5	34	29	5	210.9	221.7	164.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	58	51	7	53	45	8	328.8	344.0	263.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	0	2	3	1	2	18.6	7.6	65.8
Other circulatory disease (451-468)	0	0	0	1	1	0	6.2	7.6	-
#Influenza & pneumonia (480-493)	2	1	1	1	1	0	6.2	7.6	-
Bronchitis (500-502)	0	0	0	1	1	0	6.2	7.6	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	12.4	15.3	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.2	7.6	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	6.2	7.6	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	2	0	12.4	15.3	-
Diseases of early infancy (760-776)	5	2	3	8	1	7	27.9	4.7	94.6
Accidents (800-962)	11	8	3	15	12	3	93.0	91.7	98.7
Motor vehicle accidents (810-835)	8	7	1	11	10	1	68.2	76.4	32.9
Suicide (963, 970-979)	5	5	0	5	5	0	31.0	38.2	-
Homicide (964, 980-985)	2	1	1	2	1	1	12.4	7.6	32.9
Ill-defined (780-795)	2	1	1	2	1	1	12.4	7.6	32.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TISHOMINGO COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	161	152	9	252	240	12	15.4	15.3	17.6
Fetal deaths	2	2	0	2	2	0	7.9	8.3	-
Total deaths	125	116	9	151	141	10	9.2	9.0	14.7
Deaths under 1 year	3	3	0	4	4	0	15.9	16.7	-
Deaths under 28 days	2	2	0	3	3	0	11.9	12.5	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	6.1	-	147.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	16	2	22	20	2	134.6	127.6	294.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	6.1	-	147.0
Diabetes mellitus (260)	1	1	0	2	2	0	12.2	12.8	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	32	29	3	31	28	3	189.6	178.7	441.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	34	34	0	43	43	0	263.0	274.4	-
Other hypertensive disease (444-447)	2	2	0	2	2	0	12.2	12.8	-
General arteriosclerosis (450)	3	3	0	5	5	0	30.6	31.9	-
Other circulatory diseases (451-468)	1	1	0	3	3	0	18.3	19.1	-
#Influenza & pneumonia (480-493)	3	3	0	8	8	0	48.9	51.0	-
Bronchitis (500-502)	0	0	0	2	2	0	12.2	12.8	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	6.1	6.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	6.1	6.4	-
Diseases of early infancy (760-776)	1	1	0	2	2	0	7.9	8.3	-
Accidents (800-962)	19	19	0	15	15	0	91.7	95.7	-
Motor vehicle accidents (810-835)	9	9	0	7	7	0	42.8	44.7	-
Suicide (963, 970-979)	1	1	0	3	3	0	18.3	19.1	-
Homicide (964, 980-985)	1	0	1	1	0	1	6.1	-	147.0
Ill-defined (780-795)	4	2	2	4	2	2	24.5	12.8	294.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TUNICA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	404	23	381	422	50	372	24.4	12.4	28.1
Fetal deaths	16	0	16	16	0	16	37.9	-	43.0
Total deaths	156	36	120	185	48	137	10.7	11.9	10.3
Deaths under 1 year	23	0	23	26	2	24	61.6	40.0	64.5
Deaths under 28 days	10	0	10	12	1	11	28.4	20.0	29.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	5.8	-	7.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	5.8	-	7.5
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	26	7	19	30	9	21	173.6	223.3	158.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	5.8	-	7.5
Anemias (290-293)	2	0	2	1	0	1	5.8	-	7.5
Intracranial lesions (330-334)	23	6	17	30	7	23	173.6	173.7	173.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	45	16	29	43	13	30	248.8	322.6	226.4
Other hypertensive disease (444-447)	1	0	1	2	0	2	11.6	-	15.1
General arteriosclerosis (450)	2	0	2	2	0	2	11.6	-	15.1
Other circulatory diseases (451-468)	1	0	1	1	0	1	5.8	-	7.5
#Influenza & pneumonia (480-493)	3	1	2	6	1	5	34.7	24.8	37.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	0	3	5	1	4	28.9	24.8	30.2
Cirrhosis of liver (581)	1	0	1	1	0	1	5.8	-	7.5
Acute nephritis (590, 591)	1	0	1	1	0	1	5.8	-	7.5
Chronic nephritis, etc. (592-594)	2	1	1	1	1	0	5.8	24.8	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	3	1	2	17.4	24.8	15.1
Diseases of early infancy (760-776)	10	0	10	11	1	10	26.1	20.0	26.9
Accidents (800-962)	14	3	11	21	10	11	121.5	248.1	83.0
Motor vehicle accidents (810-835)	4	0	4	8	4	4	46.3	99.2	30.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	5.8	-	7.5
Ill-defined (780-795)	15	1	14	16	1	15	92.6	24.8	113.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
UNION COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	288	212	76	345	267	78	17.9	16.6	24.1
Fetal deaths	14	11	3	17	13	4	49.3	48.7	51.3
Total deaths	181	150	31	205	174	31	10.6	10.8	9.6
Deaths under 1 year	8	6	2	11	8	3	31.9	30.0	38.5
Deaths under 28 days	5	4	1	7	6	1	20.3	22.5	12.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	19	6	32	27	5	166.0	168.2	154.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	3	1	4	3	1	20.7	18.7	31.0
Anemias (290-293)	1	1	0	1	1	0	5.2	6.2	-
Intracranial lesions (330-334)	20	17	3	24	20	4	124.5	124.6	123.8
Nonmeningocephal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	68	58	10	72	64	8	373.4	398.8	247.7
Other hypertensive disease (444-447)	1	0	1	1	0	1	5.2	-	31.0
General arteriosclerosis (450)	3	3	0	3	3	0	15.6	18.7	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	10.4	12.5	-
#Influenza & pneumonia (480-493)	10	8	2	11	8	3	57.0	49.8	92.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.2	6.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	4	4	0	4	4	0	20.7	24.9	-
#Gastritis, etc. (543, 571, 572)	1	1	0	2	2	0	10.4	12.5	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	10.4	6.2	31.0
Infections of kidney (600)	1	1	0	1	1	0	5.2	6.2	-
Hyperplasia of prostate (610)	3	3	0	3	2	1	15.6	12.5	31.0
Maternal causes (640-689)	1	1	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	3	3	0	15.6	18.7	-
Diseases of early infancy (760-776)	3	3	0	4	4	0	11.6	15.0	-
Accidents (800-962)	11	11	0	16	16	0	83.0	99.7	-
Motor vehicle accidents (810-835)	6	6	0	7	7	0	36.3	43.6	-
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	5.2	-	31.0
III-defined (780-795)	14	9	5	14	9	5	72.6	56.1	154.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WALTHALL COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	378	208	170	251	92	159	17.3	11.6	24.0
Fetal deaths	15	8	7	16	7	9	63.7	76.1	56.6
Total deaths	144	84	60	155	91	64	10.7	11.5	9.7
Deaths under 1 year	14	7	7	11	3	8	43.8	32.6	50.3
Deaths under 28 days	12	7	5	9	3	6	35.8	32.6	37.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	13.8	12.6	15.1
Syphilis (020-029)	0	0	0	1	1	0	6.9	12.6	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	13	8	27	17	10	185.8	214.9	151.0
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	6.9	-	15.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	1	1	0	6.9	12.6	-
Anemias (290-293)	1	0	1	1	0	1	6.9	-	15.1
Intracranial lesions (330-334)	11	7	4	10	6	4	68.8	75.8	60.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	58	40	18	58	40	18	399.2	505.7	271.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	2	2	6	4	2	41.3	50.6	30.2
Other circulatory diseases (451-468)	1	0	1	1	1	0	6.9	12.6	-
#Influenza & pneumonia (480-493)	3	1	2	2	1	1	13.8	12.6	15.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	6.9	12.6	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	6.9	-	15.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	39.8	-	62.9
Congenital malformations (750-759)	1	0	1	2	0	2	13.8	-	30.2
Diseases of early infancy (760-776)	10	7	3	6	3	3	23.9	32.6	18.9
Accidents (800-962)	14	6	8	16	8	8	110.1	101.1	120.8
Motor vehicle accidents (810-835)	9	5	4	9	5	4	61.9	63.2	60.4
Suicide (963, 970-979)	1	1	0	1	1	0	6.9	12.6	-
Homicide (964, 980-985)	1	0	1	1	0	1	6.9	-	15.1
Ill-defined (780-795)	10	2	8	12	3	9	82.6	37.9	136.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WARREN COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,452	596	856	989	499	490	21.5	19.5	24.1
Fetal deaths	127	64	63	79	55	24	79.9	110.2	49.0
Total deaths	716	334	382	565	276	289	12.3	10.8	14.2
Deaths under 1 year	77	22	55	45	15	30	45.5	30.1	61.2
Deaths under 28 days	55	16	39	29	10	19	29.3	20.0	38.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	3	0	3	6.5	-	14.7
Syphilis (020-029)	1	0	1	1	0	1	2.2	-	4.9
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	84	49	35	71	42	29	154.4	163.8	142.5
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	4.3	3.9	4.9
Asthma (241)	2	1	1	1	1	0	2.2	3.9	-
Diabetes mellitus (260)	14	2	12	11	2	9	23.9	7.8	44.2
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	59	22	37	52	22	30	113.1	85.8	147.4
Nonmeningocephalitis (340)	1	0	1	0	0	0	-	-	-
Heart diseases (400-443)	212	123	89	173	99	74	376.2	386.1	363.6
Other hypertensive disease (444-447)	4	1	3	4	1	3	8.7	3.9	14.7
General arteriosclerosis (450)	10	3	7	8	2	6	17.4	7.8	29.5
Other circulatory diseases (451-468)	13	10	3	11	8	3	23.9	31.2	14.7
#Influenza & pneumonia (480-493)	22	14	8	15	11	4	32.6	42.9	19.6
Bronchitis (500-502)	1	0	1	1	0	1	2.2	-	4.9
Other bronchopul. diseases (525-527)	6	6	0	5	5	0	10.9	19.5	-
Stomach & duodenal ulcers (540, 541)	2	0	2	1	0	1	2.2	-	4.9
Hernia & intestinal obstruction (560, 561, 570)	7	0	7	2	0	2	4.3	-	9.8
#Gastritis, etc. (543, 571, 572)	8	2	6	4	1	3	8.7	3.9	14.7
Cirrhosis of liver (581)	8	7	1	8	7	1	17.4	27.3	4.9
Acute nephritis (590, 591)	1	0	1	1	0	1	2.2	-	4.9
Chronic nephritis, etc. (592-594)	4	2	2	4	2	2	8.7	7.8	9.8
Infections of kidney (600)	8	3	5	5	2	3	10.9	7.8	14.7
Hyperplasia of prostate (610)	3	1	2	2	1	1	4.3	3.9	4.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	6	4	2	5	4	1	10.9	15.6	4.9
Diseases of early infancy (760-776)	50	15	35	27	10	17	27.3	20.0	34.7
Accidents (800-962)	68	37	31	44	26	18	95.7	101.4	88.4
Motor vehicle accidents (810-835)	28	18	10	17	13	4	37.0	50.7	19.6
Suicide (963, 970-979)	1	0	1	0	0	0	-	-	-
Homicide (964, 980-985)	10	2	8	7	2	5	15.2	7.8	24.6
Ill-defined (780-795)	79	15	64	69	13	56	150.0	50.7	275.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WASHINGTON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,938	661	1,277	1,892	590	1,302	23.7	18.0	27.8
Fetal deaths	145	71	74	137	56	81	72.4	94.9	62.2
Total deaths	843	311	532	900	309	591	11.3	9.4	12.6
Deaths under 1 year	74	18	56	82	19	63	43.3	32.2	48.4
Deaths under 28 days	46	16	30	51	16	35	27.0	27.1	26.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	2	0	2.5	6.1	-
Syphilis (020-029)	2	0	2	2	0	2	2.5	-	4.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	1.2	3.0	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	106	57	49	113	56	57	141.8	170.6	121.6
Benign & unspec. neoplasms (210-239)	1	0	1	2	0	2	2.5	-	4.3
Asthma (241)	1	0	1	1	0	1	1.2	-	2.1
Diabetes mellitus (260)	11	2	9	12	2	10	15.0	6.1	21.3
Anemias (290-293)	1	0	1	1	0	1	1.2	-	2.1
Intracranial lesions (330-334)	79	29	50	88	31	57	110.4	94.4	121.6
Nonmeningococcal meningitis (340)	2	1	1	2	1	1	2.5	3.0	2.1
Heart diseases (400-443)	248	105	143	257	102	155	322.5	310.8	330.7
Other hypertensive disease (444-447)	7	2	5	7	1	6	8.8	3.0	12.8
General arteriosclerosis (450)	10	4	6	10	4	6	12.5	12.2	12.8
Other circulatory diseases (451-468)	7	6	1	9	5	4	11.3	15.2	8.5
#Influenza & pneumonia (480-493)	22	8	14	23	8	15	28.9	24.4	32.0
Bronchitis (500-502)	2	1	1	2	1	1	2.5	3.0	2.1
Other bronchopul. diseases (525-527)	3	2	1	4	3	1	5.0	9.1	2.1
Stomach & duodenal ulcers (540, 541)	5	2	3	4	1	3	5.0	3.0	6.4
Hernia & intestinal obstruction (560, 561, 570)	7	5	2	9	3	6	11.3	9.1	12.8
#Gastritis, etc. (543, 571, 572)	4	0	4	8	1	7	10.0	3.0	14.9
Cirrhosis of liver (581)	3	2	1	3	2	1	3.8	6.1	2.1
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	6	1	5	9	2	7	11.3	6.1	14.9
Infections of kidney (600)	1	1	0	4	0	4	5.0	-	8.5
Hyperplasia of prostate (610)	3	2	1	3	2	1	3.8	6.1	2.1
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	6	3	3	8	2	6	10.0	6.1	12.8
Diseases of early infancy (760-776)	39	14	25	43	14	29	22.7	23.7	22.3
Accidents (800-962)	54	21	33	65	28	37	81.6	85.3	78.9
Motor vehicle accidents (810-835)	26	12	14	32	17	15	40.2	51.8	32.0
Suicide (963, 970-979)	8	8	0	6	6	0	7.5	18.3	-
Homicide (964, 980-985)	12	4	8	13	4	9	16.3	12.2	19.2
Ill-defined (780-795)	170	23	147	165	19	146	207.0	57.9	311.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WAYNE COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	407	258	149	338	186	152	20.6	18.4	24.1
Fetal deaths	26	17	9	20	11	9	59.2	59.1	59.2
Total deaths	138	89	49	155	99	56	9.4	9.8	8.9
Deaths under 1 year	10	5	5	12	3	9	35.5	16.1	59.2
Deaths under 28 days	5	4	1	6	2	4	17.8	10.8	26.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	12.2	9.9	15.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	8	5	14	11	3	85.3	108.9	47.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	6.1	9.9	-
Diabetes mellitus (260)	3	0	3	3	0	3	18.3	-	47.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	20	16	4	21	17	4	128.0	168.3	63.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	40	29	11	47	34	13	286.4	336.6	206.0
Other hypertensive disease (444-447)	4	4	0	4	4	0	24.4	39.6	-
General arteriosclerosis (450)	2	0	2	6	3	3	36.6	29.7	47.5
Other circulatory diseases (451-468)	1	1	0	1	1	0	6.1	9.9	-
#Influenza & pneumonia (480-493)	5	1	4	5	0	5	30.5	-	79.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	2	1	1	12.2	9.9	15.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	12.2	9.9	15.8
Cirrhosis of liver (581)	1	0	1	1	0	1	6.1	-	15.8
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	1	2	3	1	2	18.3	9.9	31.7
Infections of kidney (600)	1	1	0	2	1	1	12.2	9.9	15.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	1	1	12.2	9.9	15.8
Diseases of early infancy (760-776)	5	4	1	5	2	3	14.8	10.8	19.7
Accidents (800-962)	13	7	6	15	8	7	91.4	79.2	110.9
Motor vehicle accidents (810-835)	9	5	4	9	5	4	54.8	49.5	63.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	2	0	2	12.2	-	31.7
III-defined (780-795)	13	8	5	11	7	4	67.0	69.3	63.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WEBSTER COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	126	59	67	202	107	95	17.9	13.1	30.2
Fetal deaths	4	2	2	7	3	4	34.6	28.0	42.1
Total deaths	97	73	24	119	91	28	10.5	11.2	8.9
Deaths under 1 year	2	0	2	5	1	4	24.8	9.3	42.1
Deaths under 28 days	1	0	1	4	1	3	19.8	9.3	31.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	13	3	21	18	3	186.0	220.8	95.5
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	8.8	12.3	-
Asthma (241)	0	0	0	1	1	0	8.8	12.3	-
Diabetes mellitus (260)	2	2	0	2	2	0	17.7	24.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	22	17	5	22	16	6	194.9	196.3	191.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	23	18	5	29	22	7	256.9	269.9	222.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	3	3	0	5	5	0	44.3	61.3	-
Other circulatory diseases (451-468)	1	1	0	3	3	0	26.6	36.8	-
#Influenza & pneumonia (480-493)	2	2	0	2	2	0	17.7	24.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	8.8	12.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	3	3	0	26.6	36.8	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	8.8	12.3	-
Infections of kidney (600)	1	0	1	1	0	1	8.8	-	31.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	0	2	5	1	4	24.8	9.3	42.1
Accidents (800-962)	11	4	7	12	6	6	106.3	73.6	191.1
Motor vehicle accidents (810-835)	2	1	1	3	2	1	26.6	24.5	31.8
Suicide (963, 970-979)	1	1	0	1	1	0	8.8	12.6	-
Homicide (964, 980-985)	2	2	0	2	2	0	17.7	24.5	-
Ill-defined (780-795)	5	4	1	4	3	1	35.4	36.8	31.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WILKINSON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	260	106	154	242	48	194	20.0	14.7	22.0
Fetal deaths	7	3	4	8	2	6	33.0	41.7	30.9
Total deaths	106	56	50	116	43	73	9.6	13.1	8.3
Deaths under 1 year	5	1	4	7	1	6	28.9	20.8	30.9
Deaths under 28 days	1	0	1	2	0	2	8.3	-	10.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	7	7	15	5	10	124.1	152.9	113.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	1	3	4	0	4	33.1	-	45.4
Anemias (290-293)	1	1	0	1	1	0	8.3	30.6	-
Intracranial lesions (330-334)	11	5	6	11	2	9	91.0	61.2	102.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	33	22	11	37	18	19	306.0	550.4	215.4
Other hypertensive disease (444-447)	2	0	2	3	0	3	24.8	-	34.0
General arteriosclerosis (450)	2	1	1	2	1	1	16.5	30.6	11.3
Other circulatory diseases (451-468)	2	1	1	1	0	1	8.3	-	11.3
#Influenza & pneumonia (480-493)	7	3	4	6	2	4	49.6	61.2	45.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	4	3	1	4	3	1	33.1	91.7	11.3
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	1	1	16.5	30.6	11.3
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	16.5	-	22.7
Cirrhosis of liver (581)	0	0	0	1	0	1	8.3	-	11.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	1	0	1	4.1	-	5.2
Accidents (800-962)	6	3	3	8	2	6	66.2	61.2	68.0
Motor vehicle accidents (810-835)	3	2	1	2	0	2	16.5	-	22.7
Suicide (963, 970-979)	2	2	0	2	2	0	16.5	61.2	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	11	4	7	11	3	8	91.0	91.7	90.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WINSTON COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	300	118	182	345	129	216	18.1	12.7	24.2
Fetal deaths	7	2	5	10	3	7	29.0	23.2	32.4
Total deaths	162	106	56	200	126	74	10.5	12.4	8.3
Deaths under 1 year	10	5	5	12	5	7	34.8	38.8	32.4
Deaths under 28 days	6	4	2	7	4	3	20.3	31.0	13.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	28	22	6	34	26	8	178.4	256.4	89.7
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	5.2	9.9	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	3	1	2	15.7	9.9	22.4
Anemias (290-293)	1	1	0	1	1	0	5.2	9.9	-
Intracranial lesions (330-334)	32	22	10	38	25	13	199.4	246.5	145.7
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	5.2	-	11.2
Heart diseases (400-443)	57	34	23	64	40	24	335.8	394.5	269.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	0	1	2	1	1	10.5	9.9	11.2
Other circulatory diseases (451-468)	1	0	1	2	0	2	10.5	-	22.4
#Influenza & pneumonia (480-493)	0	0	0	3	3	0	15.7	29.6	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	1	1	3	2	1	15.7	19.7	11.2
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	5.2	-	11.2
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.2	9.9	-
#Gastritis, etc. (543, 571, 572)	4	1	3	5	1	4	26.2	9.9	44.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	10.5	19.7	-
Infections of kidney (600)	1	1	0	1	1	0	5.2	9.9	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	6	4	2	6	4	2	17.4	31.0	9.2
Accidents (800-962)	9	7	2	10	7	3	52.5	69.0	33.6
Motor vehicle accidents (810-835)	3	3	0	2	2	0	10.5	19.7	-
Suicide (963, 970-979)	3	2	1	3	2	1	15.7	19.7	11.2
Homicide (964, 980-985)	0	0	0	1	0	1	5.2	-	11.2
Ill-defined (780-795)	5	2	3	7	2	5	36.7	19.7	56.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
YALOBUSHA COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	196	75	121	200	69	131	16.0	10.5	22.2
Fetal deaths	5	1	4	5	1	4	25.0	14.5	30.5
Total deaths	122	76	46	158	94	64	12.7	14.3	10.9
Deaths under 1 year	2	0	2	6	1	5	30.0	14.5	38.2
Deaths under 28 days	1	0	1	5	1	4	25.0	14.5	30.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	8.0	-	17.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	9	2	16	13	3	128.4	197.9	50.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	8.0	15.2	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	8.0	-	17.0
Anemias (290-293)	1	1	0	1	1	0	8.0	15.2	-
Intracranial lesions (330-334)	24	15	9	33	18	15	264.8	274.0	254.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	37	19	66	44	22	529.7	669.7	373.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	4	4	0	32.1	60.9	-
Other circulatory diseases (451-468)	1	1	0	2	1	1	16.0	15.2	17.0
#Influenza & pneumonia (480-493)	1	1	0	3	3	0	24.1	45.7	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	1	1	16.0	15.2	17.0
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	8.0	15.2	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	1	1	16.0	15.2	17.0
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	16.0	-	34.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	8.0	-	17.0
Infections of kidney (600)	1	1	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	8.0	15.2	-
Diseases of early infancy (760-776)	1	0	1	4	0	4	20.0	-	30.5
Accidents (800-962)	12	6	6	9	1	8	72.2	15.2	135.8
Motor vehicle accidents (810-835)	5	3	2	4	0	4	32.1	-	67.9
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	1	0	8.0	15.2	-
III-defined (780-795)	5	2	3	5	2	3	40.1	30.4	50.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
YAZOO COUNTY, MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	641	185	456	709	201	508	21.6	15.6	25.5
Fetal deaths	21	0	21	29	0	29	40.9	-	57.1
Total deaths	378	150	228	437	177	260	13.3	13.7	13.1
Deaths under 1 year	26	7	19	36	9	27	50.8	44.8	53.1
Deaths under 28 days	13	6	7	18	8	10	25.4	39.8	19.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	4	2	2	12.2	15.5	10.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	39	19	20	48	24	24	146.4	186.2	120.6
Benign & unspec. neoplasms (210-239)	2	1	1	4	1	3	12.2	7.8	15.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	1	5	3	0	3	9.1	-	15.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	60	23	37	61	23	38	186.0	178.4	191.0
Nonmeningococcal meningitis (340)	0	0	0	3	0	3	9.1	-	15.1
Heart diseases (400-443)	82	45	37	93	50	43	283.6	387.9	216.1
Other hypertensive disease (444-447)	9	1	8	10	1	9	30.5	7.8	45.2
General arteriosclerosis (450)	14	8	6	14	8	6	42.7	62.1	30.2
Other circulatory diseases (451-468)	1	1	0	3	2	1	9.1	15.5	5.0
#Influenza & pneumonia (480-493)	10	3	7	10	3	7	30.5	23.3	35.2
Bronchitis (500-502)	2	2	0	2	2	0	6.1	15.5	-
Other bronchopul. diseases (525-527)	6	6	0	8	8	0	24.4	62.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	3.0	-	5.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	6.1	7.8	5.0
#Gastritis, etc. (543, 571, 572)	1	0	1	3	1	2	9.1	7.8	10.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	7	1	6	10	3	7	30.5	23.3	35.2
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	4	0	4	5	0	5	15.2	-	25.1
Maternal causes (640-689)	1	0	1	2	0	2	28.2	-	39.4
Congenital malformations (750-759)	0	0	0	1	1	0	3.0	7.8	-
Diseases of early infancy (760-776)	9	5	4	14	6	8	19.7	29.8	15.7
Accidents (800-962)	31	12	19	38	18	20	115.9	139.6	100.5
Motor vehicle accidents (810-835)	19	5	14	20	7	13	61.0	54.3	65.3
Suicide (963, 970-979)	3	3	0	3	3	0	9.1	23.3	-
Homicide (964, 980-985)	4	0	4	4	0	4	12.2	-	20.1
III-defined (780-795)	75	11	64	75	11	64	228.7	85.3	321.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STATE OF MISSISSIPPI, 1966

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	48299	22797	25502	48230	22736	25494	20.4	16.5	25.9
Fetal deaths	2340	1102	1238	2282	1049	1233	47.3	46.1	48.4
Total deaths	22852	12675	10177	23350	12976	10374	9.9	9.4	10.5
Deaths under 1 year	1806	503	1303	1856	520	1336	38.5	22.9	52.4
Deaths under 28 days	1096	376	720	1123	386	737	23.3	17.0	28.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	102	46	56	107	48	59	4.5	3.5	6.0
Syphilis (020-029)	19	8	11	19	8	11	0.8	0.6	1.1
Dysentery (045-048)	11	1	10	12	2	10	0.5	0.1	1.0
Scarlet fever & streptococcal sore throat (050, 051)	2	1	1	2	1	1	0.1	0.1	0.1
Diphtheria (055)	1	0	1	1	0	1	**	-	0.1
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	10	8	2	8	7	1	0.3	0.5	0.1
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	10	2	8	10	2	8	0.4	0.1	0.8
Malignant neoplasms (140-205)	2979	1897	1082	3098	1990	1108	131.3	144.7	112.6
Benign & unspec. neoplasms (210-239)	41	22	19	43	24	19	1.8	1.7	1.9
Asthma (241)	39	21	18	39	21	18	1.6	1.5	1.8
Diabetes mellitus (260)	369	160	209	376	159	217	15.9	11.6	22.0
Anemias (290-293)	55	20	35	57	22	35	2.4	1.6	3.6
Intracranial lesions (330-334)	3065	1642	1423	3132	1681	1451	132.7	122.2	147.4
Nonmeningococcal meningitis (340)	50	13	37	54	14	40	2.3	1.0	4.1
Heart diseases (400-443)	7349	4660	2689	7468	4729	2739	316.5	343.8	278.2
Other hypertensive disease (444-447)	197	64	133	201	63	138	8.5	4.6	14.0
General arteriosclerosis (450)	390	267	123	398	272	126	16.9	19.8	12.8
Other circulatory diseases (451-468)	256	159	97	274	170	104	11.6	12.4	10.6
#Influenza & pneumonia (480-493)	760	340	420	773	341	432	32.8	24.8	43.9
Bronchitis (500-502)	50	33	17	50	34	16	2.1	2.5	1.6
Other bronchopul. diseases (525-527)	240	205	35	244	206	38	10.3	15.0	3.9
Stomach & duodenal ulcers (540, 541)	85	48	37	90	54	36	3.8	3.9	3.6
Hernia & intestinal obstruction (560, 561, 570)	113	74	39	116	75	41	4.9	5.4	4.2
#Gastritis, etc. (543, 571, 572)	200	51	149	213	58	155	9.0	4.2	15.7
Cirrhosis of liver (581)	115	89	26	120	92	28	5.1	6.7	2.8
Acute nephritis (590, 591)	25	7	18	25	7	18	1.0	0.5	1.8
Chronic nephritis, etc. (592-594)	197	76	121	208	84	124	8.8	6.1	12.6
Infections of kidney (600)	160	89	71	170	92	78	7.2	6.7	7.9
Hyperplasia of prostate (610)	66	32	34	72	37	35	3.0	2.7	3.6
Maternal causes (640-689)	28	6	22	27	6	21	5.6	2.6	8.2
Congenital malformations (750-759)	224	120	104	251	139	112	10.6	10.1	11.4
Diseases of early infancy (760-776)	944	313	631	959	315	644	19.9	13.8	25.3
Accidents (800-962)	1857	1062	795	1872	1072	800	79.3	77.9	81.3
Motor vehicle accidents (810-835)	883	581	302	868	567	301	36.8	41.2	30.6
Suicide (963, 970-979)	186	164	22	187	166	21	7.9	12.1	2.1
Homicide (964, 980-985)	234	52	182	238	52	186	10.1	3.8	18.9
III-defined (780-795)	1695	501	1194	1673	489	1184	70.9	35.6	120.3

See page 55 for footnotes.