

VITAL STATISTICS

MISSISSIPPI

1971



Mississippi State Department of Health
Office of Public Health Statistics

VITAL STATISTICS

MISSISSIPPI

1971

**MISSISSIPPI STATE BOARD OF HEALTH
STATISTICAL SERVICES**

**P. O. BOX 1700
JACKSON, MISSISSIPPI 39205**

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	1
Population	2
Rates	2
Classification of Cause of Death	2

SUMMARY TABLES, 1971

LIVE BIRTHS

Table A1.	Live Births and Percentage Distribution, by Attendant and Race ..	5
Table A2.	Percentage of Live Births in Hospital or Clinics, by Year and Race, 1951, 1961, 1967-1971	5
Table A3.	Live Births and Average per Day, by Month	6
Table A4.	Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	6
Table A5.	Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	7
Table A6.	Illegitimate Live Births, Percent of Total Live Births in Specified Group, and Illegitimacy Rates, by Age of Mother and Race	8
Table A7.	Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	9
Table A8.	Median Number of Months Between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Births in 1971, by Race and Outcome of Last Delivery	10
Table A9.	Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time During Pregnancy Care Began, and Race	10
Table A10.	Live Births and Percentage Distribution, by Maturity and Race ...	11
Table A11.	Live Births and Percentage Distribution, by Whether Child Had Any Birth Injuries or Congenital Malformations, Whether Injury or Malformation, and Race	12
Table A12.	Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race	12

FETAL DEATHS

Table B1.	Fetal Deaths and Percentage Distribution, by Attendant and Race	13
Table B2.	Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race ..	13
Table B3.	Percentage Distribution of Live Births and Fetal Deaths, by Whether Mother Received Prenatal Care and Race, and Average Number of Visits per Mother Who Received Care, by Race	14
Table B4.	Percentage Distribution of Fetal Deaths, by Completed Weeks of Gestation and Race	14

DEATHS

Table C1.	Deaths and Average per Day, by Month	15
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	15
Table C3.	Death Rates, by Age, Race, and Sex	16
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	17
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	18

SUMMARY TABLES, 1971

DEATHS (continued)

Table C6.	Deaths and Rates for Malignant Neoplasms, by Primary Site, Sex, and Race	19
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1951, 1956, 1961, 1966, 1971	20
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	20
Table C9.	Deaths in Mississippi from Selected Types of Accident, by Age ...	21
Table C10.	Deaths in Mississippi Due to Motor Vehicle Accidents, Mileage Death Rates, Deaths of Residents, and Population Death Rates, 1946, 1951, 1956, 1961, 1966-1971	22
Table C11.	Infant Deaths and Mortality Rates, by Age and Race	22
Table C12.	Infant Deaths and Mortality Rates for Significant Causes of Infant Death, by Cause and Race	23

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	24
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ..	24
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	25
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race, also by Previous Marital Status and Race	26
Table D5.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	27

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	28
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	28
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	29

MAJOR TABLES, 1971

POPULATION

Table 1.	Census Population, by Place (Counties, Towns of 10,000 or More, Urban, Rural) and Race, Mississippi, as of April 1, 1970	33
----------	--	----

LIVE BIRTHS

Table 2.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1971	36
Table 3.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1971	39
Table 4.	Fertility Rates, by County and Race, Mississippi, 1971	42
Table 5A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1971	43
Table 5B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1971	45
Table 5C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1971	47
Table 6.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1971	49

MAJOR TABLES, 1971

LIVE BIRTHS (continued)

Table 7.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1971	51
Table 8.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1971	53

FETAL DEATHS

Table 9.	Fetal Deaths, by County of Occurrence and Race, also Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1971	55
----------	--	----

DEATHS

Table 10.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1971	57
Table 11.	Deaths, by Cause and Race, Mississippi Residents, 1971	60
Table 12.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1971	75
Table 13.	Infant and Neonatal Deaths and Mortality Rates, by County of Residence and Race, Mississippi, 1971	82
Table 14.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1971	85

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1971	87
-----------	--	----

DIVORCES

Table 16.	Divorces and Rates, by County of Occurrence and Race, Mississippi, 1971	89
-----------	---	----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 17.	Deaths and Rates for Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	93
	The State	134

VITAL STATISTICS
MISSISSIPPI, 1971

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Board of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of two parts. The first includes summary tables for the state as a whole for 1971. In the second section are major statistical tables for 1971.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

Introduction

Mississippi - 1971

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Urban-Rural Classification

The urban category included all incorporated towns with populations of 2,500 or more according to the 1970 census. Definitions used in this bulletin differ from those used by the U. S. Bureau of the Census which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

Population

Figures from the U. S. Census of April 1, 1970 were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes (except maternal and certain causes of mortality in early infancy). Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain causes of mortality in early infancy as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. This latest revision (Eighth) was first used in 1968 and, for the most part, is not markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1971

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by attendant and race
Mississippi, 1971

Attendant	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic	44,817	25,109	19,708	92.2	99.6	84.2
Physician, other place	180	22	158	0.4	0.1	0.7
"Granny" midwife	3,542	57	3,485	7.3	0.2	14.9
Other	62	11	51	0.1	*	0.2

* Less than 0.06 percent.

Table A2. Percentage of live births in hospital or clinics,
by year and race, 1951, 1961, 1967-1971

Year	Total	White	Non- white
1951	50.4	88.0	22.7
1961	73.2	99.2	51.0
1967	82.1	99.5	65.5
1968	84.3	99.5	69.0
1969	87.1	99.5	74.2
1970*	90.0	99.7	79.7
1971*	92.2	99.6	84.2

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing in-patient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1971

Month	Births	Average per Day	Month	Births	Average per Day
<u>Total</u>	<u>48,601</u>	<u>133</u>			
January	4,314	139	July	4,224	136
February	3,873	138	August	4,557	147
March	3,827	123	September	4,541	151
April	3,584	119	October	4,405	142
May	3,509	113	November	4,057	135
June	3,593	120	December	4,117	133

Table A4. Live births, percentage distribution, and fertility rates,
by age of mother and race
Mississippi, 1971

Age of Mother	Number			Percent			Fertility Rate*		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>108.4</u>	<u>86.5</u>	<u>148.9</u>
10-14	365	55	310	0.8	0.2	1.3	3.0	0.8	5.4
15-19	12,345	4,923	7,422	25.4	19.5	31.7	107.4	76.4	146.7
20-24	18,084	10,338	7,746	37.2	41.0	33.1	204.7	178.2	255.3
25-29	9,941	6,282	3,659	20.4	24.9	15.6	149.8	136.8	178.9
30-34	4,809	2,498	2,311	9.9	9.9	9.9	80.3	60.8	123.0
35-39	2,271	879	1,392	4.7	3.5	5.9	39.4	22.1	78.1
40-44	716	205	511	1.5	0.8	2.2	11.7	4.9	26.7
45-49	62	16	46	0.1	0.1	0.2	1.0	0.4	2.5
Unknown	8	3	5	**	**	**			

* For total group - live births per 1,000 females 15-44 years of age; for specific age groups - live births per 1,000 females in specified group.

** Less than 0.06 percent.

Table A5.
Live births and percentage distribution,
by years of school completed by father and mother and race, 1971

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.3	12.6	11.0						
Total legitimate births	<u>38,861</u>	<u>24,392</u>	<u>14,469</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
Less than 1 year	96	32	64	0.2	0.1	0.5	0.2	0.1	0.5
1-3 years	563	145	418	1.5	0.6	3.0	1.7	0.7	3.5
4-6 years	2,169	603	1,566	5.7	2.5	11.4	7.5	3.2	14.9
7-9 years	6,281	2,936	3,345	16.6	12.2	24.4	24.1	15.5	39.3
10,11 years	6,311	3,335	2,976	16.7	13.9	21.7	40.8	29.3	61.0
12 years	12,237	8,628	3,609	32.4	35.9	26.3	73.2	65.2	87.3
1-3 years college	5,601	4,548	1,053	14.8	18.9	7.7	88.1	84.2	95.0
4 or more years college	4,495	3,802	693	11.9	15.8	5.0	100.0	100.0	100.0
Unknown	1,108	363	745						
MOTHER									
Median years completed*	12.0	12.4	11.0						
Total births	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
Less than 1 year	59	15	44	0.1	0.1	0.2	0.1	0.1	0.2
1-3 years	265	50	215	0.6	0.2	0.9	0.7	0.3	1.1
4-6 years	1,852	353	1,499	3.8	1.4	6.5	4.5	1.7	7.6
7-9 years	9,955	3,346	6,609	20.7	13.4	28.5	25.2	15.1	36.1
10,11 years	11,254	4,735	6,519	23.4	19.0	28.1	48.7	34.2	64.2
12 years	15,939	10,085	5,854	33.2	40.5	25.3	81.8	74.7	89.5
1-3 years college	5,695	4,087	1,608	11.8	16.4	6.9	93.7	91.1	96.4
4 or more years college	3,032	2,208	824	6.3	8.9	3.6	100.0	100.0	100.0
Unknown	550	320	230						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births, percent of total live births in specified group, and illegitimacy rates, by age of mother and race Mississippi, 1971

Age of Mother	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>9,740</u>	<u>807</u>	<u>8,933</u>	<u>20.0</u>	<u>3.2</u>	<u>38.2</u>	<u>59.6</u>	<u>9.4</u>	<u>114.9</u>
10-14	316	26	290	86.6	47.3	93.5	**	**	**
15-19	5,024	435	4,589	40.7	8.8	61.8	51.7	8.3	102.4
20-24	2,735	252	2,483	15.1	2.4	32.0	88.8	15.6	169.6
25-29	836	58	778	8.4	0.9	21.3	79.0	12.1	134.0
30-34	447	20	427	9.3	0.8	18.5	53.2	4.6	105.5
35-39	271	8	263	11.9	0.9	18.9	34.8	2.2	63.0
40-44	98	8	90	13.7	3.9	17.6	11.2	1.8	21.2
45-49	9	0	9	14.5	-	19.6	0.9	-	2.1
Unknown	4	0	4						

* For total group - illegitimate live births per 1,000 unmarried females 15-44 years of age; for specific age groups - illegitimate live births per 1,000 unmarried females in specified group.

** Population not available for calculation of rate.

Table A7. Live births, percentage distribution, fertility rates, and median age of mother, by total-birth order and race Mississippi, 1971

Total-Birth Order*	Number			Percent			Fertility Rate**			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	48,601	25,199	23,402	100.0	100.0	100.0	108.4	86.5	148.9	23.1	23.8	22.1
First	16,966	9,451	7,515	34.9	37.5	32.1	37.8	32.4	47.8	19.8	20.8	18.8
Second	10,727	6,370	4,357	22.1	25.3	18.6	23.9	21.9	27.7	22.5	23.8	20.7
Third	6,565	3,852	2,713	13.5	15.3	11.6	14.6	13.2	17.3	24.6	26.1	22.7
Fourth	3,920	2,059	1,861	8.1	8.2	8.0	8.7	7.1	11.8	26.3	28.1	24.4
Fifth	2,482	1,088	1,394	5.1	4.3	6.0	5.5	3.7	8.9	27.8	29.6	26.4
Sixth	1,566	484	1,082	3.2	1.9	4.6	3.5	1.7	6.9	29.2	31.0	28.5
Seventh	1,105	280	825	2.3	1.1	3.5	2.5	1.0	5.2	30.4	32.1	29.8
Eighth	830	171	659	1.7	0.7	2.8	1.8	0.6	4.2	31.9	33.6	31.5
Ninth	654	92	562	1.3	0.4	2.4	1.4	0.3	3.6	33.8	34.9	33.6
Tenth and over	1,475	98	1,377	3.0	0.4	5.9	3.3	0.3	8.8	36.6	35.9	36.7
Unknown	2,311	1,254	1,057	4.8	5.0	4.5	5.2	4.3	6.7			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Live births per 1,000 females 15-44 years of age.

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1971, by race and outcome of last delivery
Mississippi, 1971

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
<u>Total</u>	<u>27.2</u>	<u>28.5</u>	<u>18.1</u>
White	32.3	34.7	18.1
Nonwhite	23.3	23.7	18.1

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race
Mississippi, 1971

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No prenatal care	828	171	657	1.7	0.7	2.8
<u>Some prenatal care</u>	<u>46,662</u>	<u>24,456</u>	<u>22,206</u>	<u>96.0</u>	<u>97.0</u>	<u>94.9</u>
First trimester	30,376	19,371	11,005	62.5	76.9	47.0
Second trimester	12,277	4,129	8,148	25.3	16.4	34.8
Third trimester	3,466	798	2,668	7.1	3.2	11.4
Unknown month	543	158	385	1.1	0.6	1.6
Unknown whether any prenatal care	1,111	572	539	2.3	2.3	2.3

Table A10. Live births and percentage distribution, by maturity and race Mississippi, 1971

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Immature only**	2,124	818	1,306	4.4	3.2	5.6
Premature only**	4,888	1,485	3,403	10.0	5.9	14.5
Both immature and premature	2,281	827	1,454	4.7	3.3	6.2
Total immature	4,405	1,645	2,760	9.1	6.5	11.8
Total premature	7,169	2,312	4,857	14.8	9.2	20.8
Total immature and/or premature	9,293	3,130	6,163	19.1	12.4	26.3
Neither immature nor premature**	39,308	22,069	17,239	80.9	87.6	73.7

* Immature - birth weight $5\frac{1}{2}$ pounds (2,500 grams) or less; premature - gestation less than 37 weeks.

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Live births and percentage distribution, by whether child had any birth injuries or congenital malformations, whether injury or malformation, and race Mississippi, 1971

Birth Injuries and Congenital Malformations	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>48,601</u>	<u>25,199</u>	<u>23,402</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Without injury or mal- formation	46,098	23,822	22,276	94.8	94.5	95.2
With injury and/or mal- formation	441	267	174	0.9	1.0	0.7
(Injury)	(109)	(58)	(51)	(0.2)	(0.2)	(0.2)
(Malformation)	(336)	(210)	(126)	(0.7)	(0.8)	(0.5)
Other*	2,062	1,110	952	4.2	4.4	4.1

* Both categories unknown or one category none and other unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race Mississippi, 1971

System or Organs Affected and International Classification Number*	Total	White	Non- white
<u>Total malformations reported</u>	<u>404</u>	<u>256</u>	<u>148</u>
Musculoskeletal system (754-756)	154	57	97
Digestive system (749-751)	65	54	11
Nervous system (740-743)	59	52	7
Genital organs (752)	47	36	11
All others	79	57	22

* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

FETAL DEATHS

Table B1. Fetal deaths and percentage distribution, by attendant and race Mississippi, 1971

Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>2,460</u>	<u>1,230</u>	<u>1,230</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic	2,310	1,207	1,103	93.9	98.1	89.7
Physician, other place	44	20	24	1.8	1.6	2.0
Midwife	95	0	95	3.9	-	7.7
Other	11	3	8	0.4	0.2	0.6

Table B2. Fetal deaths and fetal death ratios, by age of mother and race Mississippi, 1971

Age of Mother	Number			Ratio*		
	Total	White	Non-white	Total	White	Non-white
<u>All ages</u>	<u>2,460</u>	<u>1,230</u>	<u>1,230</u>	<u>50.6</u>	<u>48.8</u>	<u>52.6</u>
10-14	26	8	18	71.2	**	58.1
15-19	508	181	327	41.2	36.8	44.0
20-24	743	408	335	41.1	39.5	43.2
25-29	525	325	200	52.8	51.7	54.6
30-34	333	176	157	69.2	70.4	67.9
35-39	211	88	123	92.9	100.1	88.4
40-44	83	29	54	115.9	141.5	105.7
45-49	11	3	8	**	**	**
Unknown	20	12	8			

* Fetal deaths per 1,000 live births to mothers in specific age-race group.

** Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and fetal deaths, by whether mother received prenatal care and race, and average number of visits per mother who received care, by race Mississippi, 1971

Prenatal Care and Visits	Live Births			Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No care	1.7	0.7	2.8	19.1	19.1	19.0
Some care	96.0	97.0	94.9	65.2	65.5	65.0
Unknown whether any care	2.3	2.3	2.3	15.7	15.4	16.0
Average number of visits	9.2	11.2	7.0	4.8	4.9	4.6

Table B4. Percentage distribution of fetal deaths, by completed weeks of gestation and race Mississippi, 1971

Weeks of Gestation	Total	White	Non-white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under 20</u>	<u>47.9</u>	<u>58.6</u>	<u>37.2</u>
Under 10	12.2	14.8	9.5
10-19	35.7	43.8	27.6
<u>20-36</u>	<u>24.6</u>	<u>18.9</u>	<u>30.2</u>
20-27	12.5	9.9	15.0
28-36	12.1	9.0	15.1
<u>37 and over</u>	<u>14.1</u>	<u>10.2</u>	<u>18.0</u>
37-39	7.3	5.0	9.6
40	1.8	1.3	2.3
Over 40	5.0	3.8	6.2
Unknown	13.4	12.3	14.6

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1971

Month	Deaths	Average per Day	Month	Deaths	Average per Day
<u>Total</u>	<u>23,426</u>	<u>64</u>			
January	2,045	66	July	1,825	59
February	1,937	69	August	1,931	62
March	2,001	64	September	1,768	59
April	1,937	64	October	1,956	63
May	1,903	61	November	2,076	69
June	1,924	64	December	2,123	68

Table C2. Deaths, percentage distribution, and rates, by age and race
Mississippi, 1971

Age	Number			Percent			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>23,426</u>	<u>13,980</u>	<u>9,446</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.6</u>	<u>10.0</u>	<u>11.5</u>
Under 1	1,311	460	851	5.6	3.3	9.0	29.8	19.4	41.8
1-4	173	63	110	0.7	0.4	1.2	1.0	0.7	1.4
5-9	142	64	78	0.6	0.4	0.8	0.6	0.5	0.7
10-14	147	80	67	0.6	0.6	0.7	0.6	0.6	0.6
15-24	727	390	337	3.1	2.8	3.6	1.8	1.6	2.1
25-34	595	298	297	2.5	2.1	3.1	2.4	1.7	4.2
35-44	964	524	440	4.1	3.7	4.6	4.3	3.3	6.9
45-54	1,996	1,198	798	8.5	8.6	8.4	9.1	7.8	12.3
55-64	3,581	2,198	1,383	15.3	15.7	14.6	17.6	16.0	21.0
65-74	5,312	3,226	2,086	22.7	23.1	22.1	37.6	35.9	40.5
75-84	5,390	3,545	1,845	23.0	25.4	19.5	84.7	84.0	86.2
85 and over	3,080	1,933	1,147	13.1	13.8	12.1	177.8	184.1	168.3
Unknown	8	1	7	*	*	0.1			

* Less than 0.06 percent.

** Deaths per 1,000 population in specified group.

Table C3. Death rates*, by age, race, and sex
Mississippi, 1971

Age	Total		White		Nonwhite	
	Male	Female	Male	Female	Male	Female
<u>Total</u>	<u>12.4</u>	<u>8.8</u>	<u>12.0</u>	<u>8.1</u>	<u>13.1</u>	<u>10.0</u>
Under 1	35.3	24.1	24.5	14.0	48.0	35.5
1-4	1.2	0.9	0.8	0.6	1.6	1.2
5-9	0.8	0.4	0.6	0.4	1.0	0.5
10-14	0.8	0.4	0.8	0.4	0.8	0.4
15-24	2.6	1.0	2.3	0.8	2.9	1.4
25-34	3.4	1.6	2.4	1.1	6.1	2.8
35-44	5.4	3.3	4.4	2.2	8.4	5.8
45-54	11.7	6.8	10.5	5.1	14.7	10.4
55-64	24.6	11.5	23.9	9.0	26.2	16.5
65-74	50.4	27.3	51.3	23.8	48.9	33.5
75-84	103.3	71.4	108.1	68.2	95.1	78.5
85 and over	196.5	166.1	210.6	169.1	178.0	161.1
<u>Median age**</u>	<u>66.8</u>	<u>72.4</u>	<u>67.4</u>	<u>75.0</u>	<u>65.4</u>	<u>68.5</u>

* Deaths per 1,000 population in specified group.

** Calculated using five-year age groups for ages 15-84.

Table C4. Deaths and percent of total deaths from ten leading causes,
by cause and race
Mississippi, 1971

Cause and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of ten leading causes</u>	<u>18,541</u>	<u>11,461</u>	<u>7,080</u>	<u>79.1</u>	<u>82.0</u>	<u>75.0</u>
1. Heart diseases (390-398, 402, 404-429)	7,658	5,053	2,605	32.7	36.1	27.6
2. Malignant neoplasms (140-209)	3,346	2,222	1,124	14.3	15.9	11.9
3. Cerebrovascular disease (430-438)	2,961	1,671	1,290	12.6	12.0	13.6
4. Accidents (800-949)	1,976	1,196	780	8.4	8.6	8.2
5. Certain causes of mortality in early infancy (760-778)	685	279	406	2.9	2.0	4.3
6. Influenza and pneumonia (470-486)	602	335	267	2.6	2.4	2.8
7. Diabetes mellitus (250)	438	211	227	1.9	1.5	2.4
8. Homicide (960-978)	327	74	253	1.4	0.5	2.7
9. Chronic and unspecified bronchitis, emphysema, asthma (490-493)	286	234	52	1.2	1.7	0.6
10. Arteriosclerosis (440)	262	186	76	1.1	1.3	0.8

Table C5. Deaths, percent of total deaths, and rates for five leading causes, by age and cause
Mississippi, 1971

Age	Cause and International Classification Number	Number	Percent	Rate*
1-4	<u>All causes</u>	<u>173</u>	<u>100.0</u>	<u>1.0</u>
	1. Accidents (800-949)	76	43.9	45.9
	2. Congenital anomalies (740-759)	18	10.4	10.9
	3. Influenza and pneumonia (470-486)	15	8.7	9.1
	4T. Enteritis and other diarrheal diseases (008, 009)	7	4.0	4.2
	4T. Malignant neoplasms (140-209)	7	4.0	4.2
5-14	<u>All causes</u>	<u>289</u>	<u>100.0</u>	<u>0.6</u>
	1. Accidents (800-949)	174	60.2	35.5
	2. Malignant neoplasms (140-209)	18	6.2	3.7
	3. Congenital anomalies (740-759)	17	5.9	3.5
	4. Heart diseases (390-398, 402, 404-429)	5	1.7	1.0
	5T. Anemias (280-285)	4	1.4	0.8
5T. Influenza and pneumonia (470-486)	4	1.4	0.8	
15-24	<u>All causes</u>	<u>727</u>	<u>100.0</u>	<u>1.8</u>
	1. Accidents (800-949)	433	59.6	106.6
	2. Homicide (960-978)	80	11.0	19.7
	3. Malignant neoplasms (140-209)	46	6.3	11.3
	4. Suicide (950-959)	30	4.1	7.4
	5. Heart diseases (390-398, 402, 404-429)	11	1.5	2.7
25-44	<u>All causes</u>	<u>1,559</u>	<u>100.0</u>	<u>3.3</u>
	1. Accidents (800-949)	411	26.4	88.2
	2. Malignant neoplasms (140-209)	213	13.7	45.7
	3. Heart diseases (390-398, 402, 404-429)	206	13.2	44.2
	4. Homicide (960-978)	151	9.7	32.4
	5. Cerebrovascular disease (430-438)	82	5.2	17.6
45-64	<u>All causes</u>	<u>5,577</u>	<u>100.0</u>	<u>13.2</u>
	1. Heart diseases (390-398, 402, 404-429)	1,818	32.6	430.6
	2. Malignant neoplasms (140-209)	1,176	21.1	278.5
	3. Cerebrovascular disease (430-438)	475	8.5	112.5
	4. Accidents (800-949)	422	7.6	99.9
	5. Diabetes mellitus (250)	126	2.2	29.8
65 and over	<u>All causes</u>	<u>13,782</u>	<u>100.0</u>	<u>62.0</u>
	1. Heart diseases (390-398, 402, 404-429)	5,602	40.6	2519.8
	2. Cerebrovascular disease (430-438)	2,389	17.3	1074.6
	3. Malignant neoplasms (140-209)	1,886	13.7	848.3
	4. Accidents (800-949)	389	2.8	175.0
	5. Influenza and pneumonia (470-486)	342	2.5	153.8

* Deaths from all causes per 1,000 population in specified group and deaths from specific causes per 100,000 population in specified group.

Table C6. Deaths and rates for malignant neoplasms, by primary site, sex, and race
Mississippi, 1971

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Rate*			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
<u>Total</u>	<u>1,263</u>	<u>606</u>	<u>959</u>	<u>518</u>	<u>184.7</u>	<u>155.2</u>	<u>135.2</u>	<u>119.6</u>
1. Digestive organs and peritoneum (150-159)	286	182	244	166	41.8	46.6	34.4	38.3
2. Respiratory system (160-163)	477	149	81	34	69.8	38.2	11.4	7.8
3. Genital organs (180-187)	121	120	147	112	17.7	30.7	20.7	25.8
4. Lymphatic and hematopoietic tissue (200-209)	126	51	105	31	18.4	13.1	14.8	7.2
5. Breast (174)	1	2	181	93	0.1	0.5	25.5	21.5
6. Urinary organs (188, 189)	55	24	40	14	8.0	6.1	5.6	3.2
7. Buccal cavity and pharynx (140-149)	37	7	22	4	5.4	1.8	3.1	0.9
8. Brain (191)	23	4	28	4	3.4	1.0	3.9	0.9
9. Skin (172, 173)	34	5	12	3	5.0	1.3	1.7	0.7
10. Bone and connective tissue (170, 171)	22	3	16	8	3.2	0.8	2.2	1.8
- Other and unspecified sites (190, 192-199)	81	59	83	49	11.8	15.1	11.7	11.3

* Deaths per 100,000 population in specified group.

Table C7. Deaths from major chronic respiratory diseases, 1951, 1956, 1961, 1966, 1971

Cause and International Classification Number	1951	1956	1961	1966	1971
Tuberculosis of respiratory system (010-012)	456	176	103	101	34
Malignant neoplasms of respiratory system (160-163)	188	223	389	498	741
Malignant neoplasms of trachea, bronchus, and lung (162)	161	200	362	476	700
Chronic and unqualified bronchitis (490, 491)	26	18	35	43	54
Emphysema (492)	8	27	67	183	210
Asthma (493)	39	49	52	39	22
(Adjusted figures*)	(27)	(34)	(36)	(27)	

* Adjusted according to a comparability ratio prepared by the National Center for Health Statistics in order to compensate for a break in comparability caused by revision of the cause-of-death classification system in 1968.

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1971

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of five leading causes</u>	<u>1,535</u>	<u>928</u>	<u>607</u>	<u>77.7</u>	<u>77.6</u>	<u>77.8</u>
1. Motor vehicle (810-823)	984	680	304	49.8	56.8	39.0
2. Fires and flames (890-899)	181	58	123	9.2	4.8	15.8
3. Falls (880-887)	171	130	41	8.6	10.9	5.2
4. Cataclysm (908)	105	18	87	5.3	1.5	11.2
5. Drowning, except in water transport (910)	94	42	52	4.8	3.5	6.7

Table C9.
Deaths in Mississippi from selected types of accident, by age
1971

Type of Accident and International Classification Number	Total	Age									65 & Over	Un-known
		Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-64	65 & Over		
<u>ALL ACCIDENTS</u>	<u>1,986</u>	<u>68</u>	<u>73</u>	<u>89</u>	<u>94</u>	<u>437</u>	<u>230</u>	<u>195</u>	<u>424</u>	<u>373</u>	<u>3</u>	
Motor vehicle (810-823)	1,011	6	25	46	38	320	140	111	213	111	1	
<u>Water transport (830-838)</u>	<u>41</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>7</u>	<u>9</u>	<u>10</u>	<u>5</u>	<u>5</u>	<u>0</u>	
Submersion, drowning (830, 832)	40	0	0	3	2	7	8	10	5	5	0	
Other (831, 833-838)	1	0	0	0	0	0	1	0	0	0	0	
Air and space transport (840-845)	19	0	0	0	0	4	6	5	4	0	0	
<u>Poisoning (850-877)</u>	<u>41</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>10</u>	<u>8</u>	<u>4</u>	<u>12</u>	<u>3</u>	<u>0</u>	
By drugs and medicaments (850-859)	7	0	0	0	0	2	1	0	3	1	0	
By other solid and liquid substances (860-869)	18	1	2	1	0	1	2	3	6	2	0	
By gases and vapors (870-877)	16	0	0	0	0	7	5	1	3	0	0	
Falls (880-887)	154	1	2	1	0	2	3	7	28	110	0	
Fires and flames (890-899)	177	12	18	9	1	8	12	10	44	63	0	
Drowning and submersion (except in transport accidents) (910)	96	1	6	12	25	24	7	5	9	5	2	
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	51	20	3	0	0	1	4	3	7	13	0	
Mechanical suffocation (including in bed or cradle) (913)	33	18	4	2	4	3	0	0	2	0	0	
Struck by, striking against, and caught in or between objects (916-918)	39	0	1	2	1	7	4	6	14	4	0	
Caused by firearm missiles (922)	70	0	2	2	5	15	14	14	14	4	0	
Caused by electric current (925)	25	0	0	2	2	12	2	4	2	1	0	
Caused by machinery and not elsewhere classifiable (928)	29	0	1	1	1	5	2	4	13	2	0	

Table C10. Deaths in Mississippi due to motor vehicle accidents, mileage death rates, deaths of residents, and population death rates, 1946, 1951, 1956, 1961, 1966-1971

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1946	532	**	505	22.0
1951	553	**	527	24.2
1956	585	**	558	26.4
1961	599	8.1	585	26.8
1966	883	9.4	868	36.8
1967	944	9.6	931	39.4
1968	824	7.8	821	34.9
1969	920	8.2	903	40.7
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4

* Deaths in Mississippi 100,000,000 miles traveled; deaths of residents per 100,000 population.

** Not available.

Table C11. Infant deaths and mortality rates, by age and race Mississippi, 1971

Age	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>1,311</u>	<u>460</u>	<u>851</u>	<u>27.0</u>	<u>18.2</u>	<u>36.4</u>
Under one day	463	177	286	9.5	7.0	12.2
One to 28 days	477	205	272	9.8	8.1	11.6
28 days to one year	371	78	293	7.6	3.1	12.5

* Deaths per 1,000 live births.

Table C12. Infant deaths and mortality rates for significant causes of infant death, by cause and race Mississippi, 1971

Cause of Death and International Classification Number	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
<u>All causes</u>	<u>1,311</u>	<u>460</u>	<u>851</u>	<u>27.0</u>	<u>18.2</u>	<u>36.4</u>
Influenza and pneumonia (470-486)	121	21	100	2.5	0.8	4.3
Congenital anomalies (740-759)	139	91	48	2.9	3.6	2.0
Complications of pregnancy and childbirth, including conditions of placenta and umbilical cord (760-771)	95	44	51	2.0	1.7	2.2
Anoxic and hypoxic conditions not elsewhere classifiable (776)	329	154	175	6.8	6.1	7.5
Immaturity, unqualified (777)	196	52	144	4.0	2.1	6.2
Accidents (800-949)	68	21	47	1.4	0.8	2.0

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1971

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>27,597</u>	<u>76</u>			
January	1,953	63	July	2,922	94
February	1,736	62	August	2,909	94
March	1,816	58	September	2,032	68
April	1,911	64	October	2,021	65
May	2,348	76	November	2,042	68
June	3,127	104	December	2,780	90

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1971

Age	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>27,597</u>	<u>18,668</u>	<u>8,929</u>	<u>27,597</u>	<u>18,690</u>	<u>8,907</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under 20</u>	<u>11,859</u>	<u>8,263</u>	<u>3,596</u>	<u>5,534</u>	<u>3,981</u>	<u>1,553</u>	<u>43.0</u>	<u>44.3</u>	<u>40.3</u>	<u>20.0</u>	<u>21.3</u>	<u>17.4</u>
12	2	0	2	0	0	0	*	-	*	-	-	-
13	21	7	14	0	0	0	0.1	*	0.2	-	-	-
14	116	60	56	2	1	1	0.4	0.3	0.6	*	*	*
15	1,001	745	256	16	12	4	3.6	4.0	2.9	*	0.1	*
16	1,769	1,269	500	119	90	29	6.4	6.8	5.6	0.4	0.5	0.3
17	2,588	1,801	787	871	697	174	9.4	9.6	8.8	3.2	3.7	2.0
18	3,399	2,391	1,008	1,882	1,338	544	12.3	12.8	11.3	6.8	7.2	6.1
19	2,963	1,990	973	2,644	1,843	801	10.7	10.6	10.9	9.6	9.9	9.0
20-24	8,286	5,433	2,853	11,842	7,856	3,986	30.0	29.1	32.0	42.9	42.0	44.8
25-34	3,487	2,369	1,118	5,105	3,523	1,582	12.6	12.7	12.5	18.5	18.8	17.8
35-44	1,832	1,258	574	2,136	1,511	625	6.6	6.7	6.4	7.7	8.1	7.0
45-54	1,167	775	392	1,379	959	420	4.2	4.2	4.4	5.0	5.1	4.7
55-64	671	388	283	904	515	389	2.4	2.1	3.2	3.3	2.8	4.4
65-74	256	154	102	522	255	267	0.9	0.8	1.1	1.9	1.4	3.0
75 & over	26	18	8	163	87	76	0.1	0.1	0.1	0.6	0.5	0.8
Unknown	13	10	3	12	3	9	*	*	*	*	*	0.1

* Less than 0.06 percent.

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1971

All and First Marriages	Bride		Groom	
	White	Non- white	White	Non- white
All marriages	20.7	21.0	22.9	23.1
First marriages	19.2	20.1	21.8	22.4

Table D4. Brides and grooms and percentage distribution, by marriage order and race, also by previous marital status and race Mississippi, 1971

Marriage Order and Previous Marital Status	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>27,597</u>	<u>18,668</u>	<u>8,929</u>	<u>27,597</u>	<u>18,690</u>	<u>8,907</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
First	19,956	12,746	7,210	19,808	12,989	6,819	72.3	68.3	80.7	71.8	69.5	76.6
<u>Remarriage</u>	<u>7,591</u>	<u>5,899</u>	<u>1,692</u>	<u>7,746</u>	<u>5,681</u>	<u>2,065</u>	<u>27.5</u>	<u>31.6</u>	<u>18.9</u>	<u>28.1</u>	<u>30.4</u>	<u>23.2</u>
Second	5,797	4,439	1,358	5,943	4,341	1,602	21.0	23.8	15.2	21.5	23.2	18.0
Over two	1,794	1,460	334	1,803	1,340	463	6.5	7.8	3.7	6.5	7.2	5.2
Third	1,446	1,162	284	1,435	1,069	366	5.2	6.2	3.2	5.2	5.7	4.1
Fourth	295	252	43	325	239	86	1.1	1.3	0.5	1.2	1.3	1.0
Fifth	35	32	3	34	27	7	0.1	0.2	##	0.1	0.1	0.1
Sixth	15	12	3	8	5	3	##	0.1	##	##	##	##
Seventh	3	2	1	0	0	0	##	##	##	-	-	-
Eighth	0	0	0	1	0	1	-	-	-	##	##	##
Widowed	1,689	1,201	488	1,354	798	556	6.1	6.4	5.5	4.9	4.3	6.2
Divorced*	5,820	4,670	1,150	6,304	4,865	1,439	21.1	25.0	12.9	22.8	26.0	16.2
Unknown**	82	28	54	88	18	70	0.3	0.1	0.6	0.3	0.1	0.8
Unknown#	50	23	27	43	20	23	0.2	0.1	0.3	0.2	0.1	0.2

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

Unknown whether any previous marriage.

Less than 0.06 percent.

Table D5. Marriages and percentage distribution, by residence of bride and groom and race of bride
Mississippi, 1971

Residence of Groom	Race and Residence of Bride									
	Total			White			Nonwhite			Other
	Total	Mississippi	Other	Total	Mississippi	Other	Total	Mississippi	Other	
NUMBER										
Total	27,597	23,962	3,635	18,668	15,643	3,025	8,929	8,319	610	
Mississippi	22,927	22,213	714	14,899	14,319	580	8,028	7,894	134	
Other	4,670	1,749	2,921	3,769	1,324	2,445	901	425	476	
PERCENT										
Total	100.0	86.8	13.2	100.0	83.8	16.2	100.0	93.2	6.8	
Mississippi	83.1	80.5	2.6	79.8	76.7	3.1	89.9	88.4	1.5	
Other	16.9	6.3	10.6	20.2	7.1	13.1	10.1	4.8	5.3	

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race
Mississippi, 1971

Cause	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>8,936</u>	<u>6,705</u>	<u>2,231</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	5,994	5,178	816	67.1	77.2	36.6
Desertion	2,173	944	1,229	24.3	14.1	55.1
Adultery	398	292	106	4.4	4.4	4.8
Drunkenness	221	180	41	2.5	2.7	1.8
Penitentiary	45	32	13	0.5	0.5	0.6
Insanity	2	2	0	*	*	-
Annulment	36	30	6	0.4	0.4	0.3
Bigamy	16	9	7	0.2	0.1	0.3
Miscellaneous and other	17	11	6	0.2	0.2	0.3
Not stated	34	27	7	0.4	0.4	0.3

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race
Mississippi, 1971

Number of Minor Children	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total divorces</u>	<u>8,936</u>	<u>6,705</u>	<u>2,231</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	3,837	2,838	999	42.9	42.3	44.8
One	2,059	1,640	419	23.0	24.4	18.8
Two	1,439	1,112	327	16.1	16.6	14.6
Three or more	1,497	1,043	454	16.8	15.6	20.3
Not stated	104	72	32	1.2	1.1	1.4

Table E3. Divorces and percentage distribution, by number of years married and race
Mississippi, 1971

Number of Years Married	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total divorces</u>	<u>8,936</u>	<u>6,705</u>	<u>2,231</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>3,939</u>	<u>3,327</u>	<u>612</u>	<u>44.1</u>	<u>49.6</u>	<u>27.4</u>
Under one	756	687	69	8.5	10.2	3.1
One	1,027	898	129	11.5	13.4	5.8
Two	907	748	159	10.1	11.2	7.1
Three	683	559	124	7.6	8.3	5.6
Four	566	435	131	6.3	6.5	5.9
Five-nine	1,844	1,397	447	20.6	20.8	20.0
Ten-nineteen	1,684	1,199	485	18.8	17.9	21.7
Twenty and over	1,384	723	661	15.5	10.8	29.6
Not stated	85	59	26	1.0	0.9	1.2




TABLE 1
 CENSUS POPULATION, BY PLACE (COUNTIES,
 TOWNS OF 10,000 OR MORE, URBAN, RURAL) AND RACE,
 MISSISSIPPI, AS OF APRIL 1, 1970

County	Total	White	Non- white
<u>STATE</u>	<u>2,216,912</u>	<u>1,393,283</u>	<u>823,629</u>
Adams	37,293	19,366	17,927
Alcorn	27,179	23,951	3,228
Amite	13,763	6,814	6,949
Attala	19,570	11,632	7,938
Benton	7,505	4,350	3,155
Bolivar	49,409	18,750	30,659
Calhoun	14,623	10,807	3,816
Carroll	9,397	4,615	4,782
Chickasaw	16,805	10,819	5,986
Choctaw	8,440	6,069	2,371
Claiborne	10,086	2,536	7,550
Clarke	15,049	9,631	5,418
Clay	18,840	9,517	9,323
Coahoma	40,447	14,232	26,215
Copiah	24,749	12,298	12,451
Covington	14,002	9,426	4,576
DeSoto	35,885	23,235	12,650
Forrest	57,849	43,524	14,325
Franklin	8,011	4,897	3,114
George	12,459	11,007	1,452
Greene	8,545	6,662	1,883
Grenada	19,854	11,154	8,700
Hancock	17,387	14,894	2,493
Harrison	134,582	111,061	23,521
Hinds	214,973	130,592	84,381
Holmes	23,120	7,345	15,775
Humphreys	14,601	5,089	9,512
Issaquena	2,737	1,033	1,704
Itawamba	16,847	15,882	965
Jackson	87,975	73,547	14,428
Jasper	15,994	8,564	7,430
Jefferson	9,295	2,296	6,999
Jeff Davis	12,936	6,435	6,501
Jones	56,357	42,403	13,954
Kemper	10,233	4,488	5,745
Lafayette	24,181	17,313	6,868
Lamar	15,209	13,187	2,022
Lauderdale	67,087	46,186	20,901
Lawrence	11,137	7,553	3,584
Leake	17,085	10,452	6,633
Lee	46,148	36,571	9,577
Leflore	42,111	17,550	24,561

Table 1 - Page 2
 Census Population - Mississippi - April 1, 1970

County	Total	White	Non- white
Lincoln	26,198	18,138	8,060
Lowndes	49,700	33,336	16,364
Madison	29,737	11,148	18,589
Marion	22,871	15,739	7,132
Marshall	24,027	9,101	14,926
Monroe	34,043	23,650	10,393
Montgomery	12,918	7,121	5,797
Neshoba	20,802	15,091	5,711
Newton	18,983	13,352	5,631
Noxubee	14,288	4,844	9,444
Oktibbeha	28,752	18,569	10,183
Panola	26,829	13,061	13,768
Pearl River	27,802	22,688	5,114
Perry	9,065	6,674	2,391
Pike	31,756	17,903	13,853
Pontotoc	17,363	14,254	3,109
Prentiss	20,133	17,776	2,357
Quitman	15,888	6,687	9,201
Rankin	43,933	31,529	12,404
Scott	21,369	14,254	7,115
Sharkey	8,937	3,125	5,812
Simpson	19,947	13,678	6,269
Smith	13,561	10,609	2,952
Stone	8,101	6,220	1,881
Sunflower	37,047	13,619	23,428
Tallahatchie	19,338	7,657	11,681
Tate	18,544	9,777	8,767
Tippah	15,852	13,260	2,592
Tishomingo	14,940	14,268	672
Tunica	11,854	3,225	8,629
Union	19,096	16,145	2,951
Walthall	12,500	7,403	5,097
Warren	44,981	26,474	18,507
Washington	70,581	31,803	38,778
Wayne	16,650	11,169	5,481
Webster	10,047	7,789	2,258
Wilkinson	11,099	3,588	7,511
Winston	18,406	11,065	7,341
Yalobusha	11,915	7,071	4,844
Yazoo	27,304	12,690	14,614

Table 1 - Page 3
 Census Population - Mississippi - April 1, 1970

Town*	Total	White	Non- white
Biloxi	48,486	41,507	6,979
Brookhaven	10,700	6,650	4,050
Canton	10,503	4,550	5,953
Clarksdale	21,673	9,840	11,833
Cleveland	13,327	8,284	5,043
Columbus	25,795	16,021	9,774
Corinth	11,581	9,337	2,244
Greenville	39,648	18,835	20,813
Greenwood	22,400	11,118	11,282
Gulfport	40,791	33,146	7,645
Hattiesburg	38,277	27,133	11,144
Jackson	153,968	92,651	61,317
Laurel	24,145	15,201	8,944
McComb	11,969	7,971	3,998
Meridian	45,083	29,880	15,203
Moss Point	19,321	10,929	8,392
Natchez	19,704	9,733	9,971
Oxford	13,846	11,323	2,523
Pascagoula	27,264	23,663	3,601
Picayune	10,467	6,932	3,535
Starkville	11,369	8,479	2,890
Tupelo	20,471	16,874	3,597
Vicksburg	25,478	12,824	12,654
Yazoo City	10,796	4,312	6,484
Total urban**	913,445	591,010	322,435
Total rural	1,303,467	802,273	501,194

* Towns of 10,000 population or more.

** All incorporated towns of 2,500 population or more.

TABLE 2
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL),
MISSISSIPPI, 1971

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	48,348	25,249	23,099	48,601	25,199	23,402	21.9	18.1	28.4
Adams	1,625	741	884	861	366	495	23.1	18.9	27.6
Alcorn	62	31	31	472	389	83	17.4	16.2	25.7
Amite	53	0	53	236	79	157	17.1	11.6	22.6
Attala	384	209	175	373	172	201	19.0	14.8	25.3
Benton	15	0	15	119	77	42	15.8	17.7	13.3
Bolivar	2,633	407	2,226	1,467	346	1,121	29.7	18.4	36.6
Calhoun	171	64	107	278	159	119	19.0	14.7	31.2
Carroll	33	0	33	143	57	86	15.2	12.4	18.0
Chickasaw	321	140	181	371	212	159	22.1	19.6	26.6
Choctaw	118	33	85	127	71	56	15.0	11.7	23.6
Claiborne	74	11	63	197	35	162	19.5	13.8	21.4
Clarke	33	22	11	296	160	136	19.7	16.6	25.1
Clay	357	143	214	415	163	252	22.0	17.1	27.0
Coahoma	565	294	271	920	222	698	22.7	15.6	26.6
Copiah	602	211	391	512	189	323	20.7	15.4	25.9
Covington	165	118	47	306	159	147	21.8	16.9	32.1
DeSoto	43	0	43	855	538	317	23.8	23.2	25.0
Forrest	1,589	1,218	371	1,181	750	431	20.4	17.2	30.1
Franklin	3	1	2	114	43	71	14.2	8.8	22.8
George	295	263	32	296	264	32	23.8	24.0	22.0
Greene	85	42	43	208	136	72	24.3	20.4	38.2
Grenada	442	185	257	428	180	248	21.6	16.1	28.5
Hancock	102	78	24	334	284	50	19.2	19.1	20.0
Harrison	3,769	2,949	820	3,236	2,472	764	24.0	22.2	32.5
Hinds	6,321	3,125	3,196	4,396	2,108	2,288	20.4	16.1	27.1
Holmes	496	84	412	469	87	382	20.3	11.8	24.2
Humphreys	295	53	242	314	67	247	21.5	13.2	26.0
Issaquena	2	0	2	45	18	27	16.4	17.4	15.8
Itawamba	33	28	5	260	242	18	15.4	15.2	18.6
Jackson	1,731	1,299	432	2,153	1,675	478	24.5	22.8	33.1
Jasper	173	117	56	327	105	222	20.4	12.3	29.9
Jefferson	56	3	53	177	21	156	19.0	9.1	22.3
Jeff Davis	185	78	107	289	103	186	22.3	16.0	28.6
Jones	1,999	876	1,123	1,062	718	344	18.8	16.9	24.6
Kemper	70	14	56	194	41	153	19.0	9.1	26.6
Lafayette	600	374	226	481	301	180	19.9	17.4	26.2
Lamar	83	63	20	328	270	58	21.6	20.5	28.7
Lauderdale	2,455	1,294	1,161	1,666	962	704	24.8	20.8	33.7
Lawrence	107	45	62	252	130	122	22.6	17.2	34.0
Leake	150	77	73	339	158	181	19.8	15.1	27.3
Lee	1,647	1,315	332	995	711	284	21.6	19.4	29.6
Leflore	1,080	349	731	1,017	283	734	24.2	16.1	29.9

Table 2 - Page 2
Live Births - Mississippi - 1971

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	525	329	196	606	353	253	23.1	19.5	31.4
Lowndes	1,307	790	517	1,205	669	536	24.2	20.1	32.8
Madison	422	123	299	807	228	579	27.1	20.4	31.1
Marion	337	208	129	460	270	190	20.1	17.2	26.6
Marshall	262	9	253	635	188	447	26.4	20.6	29.9
Monroe	1,051	763	288	746	472	274	21.9	20.0	26.4
Montgomery	290	117	173	250	100	150	19.4	14.0	25.9
Neshoba	416	264	152	450	268	182	21.6	17.8	31.9
Newton	248	184	64	360	203	157	19.0	15.2	27.9
Noxubee	351	61	290	344	66	278	24.1	13.6	29.4
Oktibbeha	605	274	331	600	308	292	20.9	16.6	28.7
Panola	704	236	468	615	222	393	22.9	17.0	28.5
Pearl River	631	526	105	599	461	138	21.5	20.3	27.0
Perry	152	99	53	193	131	62	21.3	19.6	25.9
Pike	756	406	350	650	281	369	20.5	15.7	26.6
Pontotoc	278	221	57	295	242	53	17.0	17.0	17.0
Prentiss	492	412	80	399	342	57	19.8	19.2	24.2
Quitman	507	138	369	419	120	299	26.4	17.9	32.5
Rankin	76	45	31	868	628	240	19.8	19.9	19.3
Scott	384	266	118	506	261	245	23.7	18.3	34.4
Sharkey	84	6	78	242	46	196	27.1	14.7	33.7
Simpson	255	156	99	405	216	189	20.3	15.8	30.1
Smith	55	34	21	286	180	106	21.1	17.0	35.9
Stone	128	80	48	197	126	71	24.3	20.2	37.7
Sunflower	494	129	365	920	211	709	24.8	15.5	30.3
Tallahatchie	403	101	302	454	129	325	23.5	16.8	27.8
Tate	78	1	77	372	145	227	20.1	14.8	25.9
Tippah	387	306	81	328	258	70	20.7	19.4	27.0
Tishomingo	205	194	11	215	201	14	14.4	14.1	20.8
Tunica	287	23	264	314	56	258	26.5	17.4	29.9
Union	301	225	76	335	266	69	17.5	16.5	23.4
Walthall	267	136	131	254	112	142	20.3	15.1	27.8
Warren	1,580	612	968	999	505	494	22.2	19.1	26.7
Washington	1,555	685	870	1,861	601	1,260	26.4	18.9	32.5
Wayne	355	247	108	360	208	152	21.6	18.6	27.7
Webster	144	88	56	158	94	64	15.7	12.1	28.3
Wilkinson	186	74	112	225	54	171	20.3	15.0	22.8
Winston	294	147	147	385	161	224	20.9	14.6	30.5
Yalobusha	141	52	89	231	100	131	19.4	14.1	27.0
Yazoo	333	128	205	544	194	350	19.9	15.3	23.9
Out of state	1,948	1,355	593	1,695	1,405	290			

Table 2 - Page 3
Live Births - Mississippi - 1971

Town**	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Biloxi	2,086	1,768	318	1,207	967	240	24.9	23.3	34.4
Brookhaven	521	329	192	264	125	139	24.7	18.8	34.3
Canton	312	121	191	314	80	234	29.9	17.6	39.3
Clarksdale	472	294	178	532	163	369	24.5	16.6	31.2
Cleveland	646	342	304	393	178	215	29.5	21.5	42.6
Columbus	933	513	420	647	283	364	25.1	17.7	37.2
Corinth	20	0	20	193	134	59	16.7	14.4	26.3
Greenville	1,187	511	676	1,071	379	692	27.0	20.1	33.2
Greenwood	839	347	492	528	191	337	23.6	17.2	29.9
Gulfport	1,665	1,178	487	1,010	664	346	24.8	20.0	45.2
Hattiesburg	1,583	1,216	367	775	445	330	20.2	16.4	29.6
Jackson	5,493	2,463	3,030	3,230	1,492	1,738	21.0	16.1	28.3
Laurel	1,948	830	1,118	511	262	249	21.2	17.2	27.8
McComb	627	371	256	237	111	126	19.8	13.9	31.5
Meridian	2,436	1,279	1,157	1,094	593	501	24.3	19.8	33.0
Moss Point	26	0	26	461	178	283	23.9	16.3	33.7
Natchez	1,624	741	883	514	179	335	26.1	18.4	33.6
Oxford	538	373	165	200	152	48	14.4	13.4	19.0
Pascagoula	1,699	1,295	404	654	523	131	24.0	22.1	36.4
Picayune	550	461	89	231	132	99	22.1	19.0	28.0
Starkville	514	251	263	282	177	105	24.8	20.9	36.3
Tupelo	1,442	1,164	278	364	279	85	17.8	16.5	23.6
Vicksburg	1,576	609	967	562	201	361	22.0	15.7	28.5
Yazoo City	217	127	90	229	93	136	21.2	21.6	21.0
Total urban#	38,778	21,999	16,779	20,777	10,699	10,078	22.7	18.1	31.2
Total rural	9,570	3,250	6,320	27,824	14,500	13,324	21.3	18.1	26.6

* Live births per 1,000 population according to 1970 census.

** Towns of 10,000 population or more according to 1970 census.

All incorporated towns of 2,500 population or more according to 1970 census.

TABLE 3
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1971

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
<u>STATE</u>	<u>48,601</u>	<u>25,199</u>	<u>25,109</u>	<u>22</u>	<u>68</u>	<u>23,402</u>	<u>19,708</u>	<u>158</u>	<u>3,536</u>	<u>24,876</u>	<u>23,725</u>
Adams	861	366	366	0	0	495	492	3	0	460	401
Alcorn	472	389	387	0	2	83	58	1	24	256	216
Amite	236	79	78	0	1	157	104	1	52	131	105
Attala	373	172	172	0	0	201	100	2	99	175	198
Benton	119	77	77	0	0	42	27	0	15	50	69
Bolivar	1,467	346	346	0	0	1,121	1,065	3	53	740	727
Calhoun	278	159	159	0	0	119	103	0	16	156	122
Carroll	143	57	57	0	0	86	54	0	32	72	71
Chickasaw	371	212	212	0	0	159	144	1	14	184	187
Choctaw	127	71	71	0	0	56	37	0	19	59	68
Claiborne	197	35	35	0	0	162	127	2	33	85	112
Clarke	296	160	160	0	0	136	134	0	2	153	143
Clay	415	163	163	0	0	252	230	0	22	216	199
Coahoma	920	222	222	0	0	698	579	2	117	475	445
Copiah	512	189	189	0	0	323	294	3	26	264	248
Covington	306	159	159	0	0	147	135	1	11	150	156
DeSoto	855	538	538	0	0	317	277	0	40	426	429
Forrest	1,181	750	749	0	1	431	408	0	23	580	601
Franklin	114	43	43	0	0	71	68	0	3	64	50
George	296	264	264	0	0	32	31	0	1	154	142
Greene	208	136	136	0	0	72	66	0	6	101	107
Grenada	428	180	180	0	0	248	159	3	86	219	209
Hancock	334	284	281	0	3	50	35	0	15	163	171
Harrison	3,236	2,472	2,460	3	9	764	611	3	150	1,628	1,608

Table 3 - Page 2
Live Births - Mississippi - 1971

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,396	2,108	2,104	1	3	2,288	2,235	25	28	2,280	2,116
Holmes	469	87	86	0	1	382	327	2	53	246	223
Humphreys	314	67	67	0	0	247	169	1	77	155	159
Issaquena	45	18	18	0	0	27	24	0	3	24	21
Itawamba	260	242	242	0	0	18	18	0	0	134	126
Jackson	2,153	1,675	1,671	2	2	478	420	21	37	1,061	1,092
Jasper	327	105	105	0	0	222	218	0	4	169	158
Jefferson	177	21	21	0	0	156	140	0	16	97	80
Jeff Davis	289	103	103	0	0	186	162	1	23	163	126
Jones	1,062	718	716	1	1	344	342	2	0	565	497
Kemper	194	41	40	1	0	153	134	0	19	95	99
Lafayette	481	301	301	0	0	180	101	0	79	249	232
Lamar	328	270	268	0	2	58	57	1	0	173	155
Lauderdale	1,666	962	960	2	0	704	699	0	5	800	866
Lawrence	252	130	128	1	1	122	103	2	17	127	125
Leake	339	158	157	1	0	181	157	2	22	183	156
Lee	995	711	709	1	1	284	276	0	8	528	467
Leflore	1,017	283	280	0	3	734	371	3	360	518	499
Lincoln	606	353	352	0	1	253	247	1	5	318	288
Lowndes	1,205	669	667	0	2	536	283	2	251	612	593
Madison	807	228	228	0	0	579	428	3	148	386	421
Marion	460	270	268	0	2	190	138	1	51	247	213
Marshall	635	188	188	0	0	447	354	0	93	336	299
Monroe	746	472	471	1	0	274	243	5	26	391	355
Montgomery	250	100	100	0	0	150	100	1	49	120	130
Neshoba	450	268	268	0	0	182	178	0	4	244	206
Newton	360	203	203	0	0	157	147	8	2	180	180
Noxubee	344	66	66	0	0	278	193	0	85	171	173
Oktibbeha	600	308	307	0	1	292	230	1	61	285	315
Panola	615	222	222	0	0	393	352	6	35	310	305

Table 3 - Page 3
Live Births - Mississippi - 1971

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	599	461	460	0	1	138	125	0	13	310	289
Perry	193	131	131	0	0	62	62	0	0	100	93
Pike	650	281	276	0	5	369	291	2	76	334	316
Pontotoc	295	242	242	0	0	53	49	0	4	155	140
Prentiss	399	342	342	0	0	57	46	0	11	202	197
Quitman	419	120	120	0	0	299	277	1	21	203	216
Rankin	868	628	623	1	4	240	232	7	1	452	416
Scott	506	261	260	1	0	245	217	5	23	278	228
Sharkey	242	46	45	1	0	196	174	1	21	131	111
Simpson	405	216	215	0	1	189	177	0	12	202	203
Smith	286	180	180	0	0	106	97	3	6	159	127
Stone	197	126	126	0	0	71	46	0	25	101	96
Sunflower	920	211	210	0	1	709	557	2	150	493	427
Tallahatchie	454	129	128	0	1	325	186	2	137	217	237
Tate	372	145	144	1	0	227	151	7	69	190	182
Tippah	328	258	258	0	0	70	66	0	4	171	157
Tishomingo	215	201	200	1	0	14	14	0	0	105	110
Tunica	314	56	56	0	0	258	193	0	65	164	150
Union	335	266	264	0	2	69	57	0	12	183	152
Walthall	254	112	105	0	7	142	84	0	58	137	117
Warren	999	505	502	0	3	494	488	2	4	504	495
Washington	1,861	601	595	1	5	1,260	1,111	8	141	958	903
Wayne	360	208	206	1	1	152	150	0	2	198	162
Webster	158	94	94	0	0	64	56	1	7	82	76
Wilkinson	225	54	54	0	0	171	129	0	42	121	104
Winston	385	161	161	0	0	224	191	3	30	195	190
Yalobusha	231	100	99	1	0	131	115	0	16	127	104
Yazoo	544	194	193	0	1	350	183	1	166	276	268

TABLE 4
 FERTILITY RATES*, BY COUNTY AND RACE,
 MISSISSIPPI, 1971

County	Total	White	Non-white	County	Total	White	Non-white
<u>STATE</u>	<u>108.4</u>	<u>86.5</u>	<u>148.9</u>				
Adams	109.0	85.6	136.7	Lincoln	119.2	99.7	163.9
Alcorn	84.7	78.7	132.0	Lowndes	102.1	77.3	170.1
Amite	98.6	66.1	131.0	Madison	135.1	98.9	157.8
Attala	106.3	82.8	140.6	Marion	105.4	89.6	140.5
Benton	89.0	96.4	78.1	Marshall	131.6	100.2	151.5
Bolivar	152.5	82.3	207.0	Monroe	112.5	99.5	145.2
Calhoun	103.7	83.4	153.5	Montgomery	104.2	78.5	133.3
Carroll	85.3	70.1	99.5	Neshoba	112.1	94.1	156.1
Chickasaw	114.5	100.4	140.8	Newton	94.7	74.6	145.2
Choctaw	82.8	65.0	127.0	Noxubee	134.0	75.6	164.0
Claiborne	87.8	75.4	91.0	Oktibbeha	95.4	70.8	150.6
Clarke	105.9	87.3	141.4	Panola	125.9	89.6	163.5
Clay	108.2	85.2	131.1	Pearl River	102.6	96.5	130.4
Coahoma	123.0	76.8	152.2	Perry	108.6	96.8	146.2
Copiah	110.3	81.2	139.6	Pike	107.8	83.0	139.8
Covington	113.4	88.0	165.0	Pontotoc	93.4	94.2	89.8
DeSoto	112.9	100.8	142.0	Prentiss	100.3	97.6	120.5
Forrest	88.3	71.8	146.9	Quitman	151.6	91.1	206.8
Franklin	78.9	48.0	129.3	Rankin	92.6	88.5	105.2
George	120.9	121.3	118.1	Scott	121.4	93.6	177.3
Greene	127.1	105.1	210.5	Sharkey	150.1	77.6	192.3
Grenada	108.7	77.8	152.7	Simpson	106.6	81.7	163.6
Hancock	102.4	101.6	107.1	Smith	110.3	87.9	194.1
Harrison	115.3	106.4	158.2	Stone	120.8	99.4	195.0
Hinds	88.7	68.6	121.5	Sunflower	140.1	81.1	178.9
Holmes	113.0	62.3	138.6	Tallahatchie	134.8	94.5	162.3
Humphreys	118.6	67.1	149.8	Tate	100.4	69.1	141.4
Issaquena	100.7	93.8	105.9	Tippah	104.8	96.8	151.5
Itawamba	78.3	77.3	96.2	Tishomingo	73.8	71.8	123.9
Jackson	110.9	102.6	155.0	Tunica	157.5	87.5	190.5
Jasper	108.4	62.9	165.0	Union	90.9	84.8	125.2
Jefferson	105.5	52.9	121.8	Walthall	107.9	81.0	146.2
Jeff Davis	117.3	82.9	152.3	Warren	111.5	90.7	145.7
Jones	93.6	83.5	124.9	Washington	132.9	87.1	177.5
Kemper	108.4	52.8	151.0	Wayne	107.8	90.3	146.9
Lafayette	85.0	69.7	134.4	Webster	86.0	65.9	155.7
Lamar	109.1	103.0	150.6	Wilkinson	108.1	80.0	121.6
Lauderdale	120.2	101.0	162.5	Winston	108.7	74.9	160.7
Lawrence	119.4	87.9	193.0	Yalobusha	109.5	81.8	147.5
Leake	105.8	82.9	139.4	Yazoo	110.7	78.3	143.7
Lee	102.8	92.0	145.7				
Leflore	123.2	79.3	156.6				

* Live births per 1,000 female population 15-44 years of age according to 1970 census.

TABLE 5A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>48,601</u>	<u>365</u>	<u>12,345</u>	<u>18,084</u>	<u>9,941</u>	<u>4,809</u>	<u>2,271</u>	<u>716</u>	<u>62</u>	<u>8</u>
Adams	861	5	240	326	169	81	29	9	1	1
Alcorn	472	3	115	177	103	39	26	9	0	0
Amite	236	1	50	94	45	21	18	6	1	0
Attala	373	1	109	137	68	36	15	7	0	0
Benton	119	0	19	52	26	11	11	0	0	0
Bolivar	1,467	24	454	522	254	114	68	27	3	1
Calhoun	278	2	82	105	46	25	13	4	1	0
Carroll	143	1	39	56	24	10	10	3	0	0
Chickasaw	371	1	113	135	63	38	16	4	0	1
Choctaw	127	1	26	58	26	10	4	2	0	0
Claiborne	197	4	56	63	27	31	11	3	1	1
Clarke	296	3	80	116	61	18	13	5	0	0
Clay	415	4	98	155	84	47	19	8	0	0
Coahoma	920	13	280	314	185	75	42	10	0	1
Copiah	512	4	131	164	112	65	26	9	1	0
Covington	306	4	69	113	65	32	18	4	1	0
DeSoto	855	3	196	331	194	83	36	10	2	0
Forrest	1,181	10	271	476	270	113	30	9	2	0
Franklin	114	0	33	46	16	12	6	1	0	0
George	296	1	76	105	64	34	12	4	0	0
Greene	208	1	57	80	45	13	10	2	0	0
Grenada	428	6	103	172	68	45	25	7	1	1
Hancock	334	1	90	126	63	34	11	9	0	0
Harrison	3,236	7	781	1,329	679	278	119	40	3	0
Hinds	4,396	33	1,014	1,605	1,048	479	166	43	8	0
Holmes	469	9	143	147	82	52	21	14	1	0
Humphreys	314	8	88	107	58	28	16	9	0	0
Issaquena	45	1	11	12	14	3	3	1	0	0
Itawamba	260	0	65	97	62	22	12	2	0	0
Jackson	2,153	12	423	848	535	221	93	19	2	0
Jasper	327	2	76	138	47	43	17	3	1	0
Jefferson	177	2	52	58	33	17	11	4	0	0
Jeff Davis	289	4	72	100	64	29	16	4	0	0
Jones	1,062	4	276	434	196	83	54	14	1	0
Kemper	194	2	48	73	33	16	11	8	3	0
Lafayette	481	3	102	199	113	43	16	4	1	0
Lamar	328	0	70	122	86	32	15	3	0	0
Lauderdale	1,666	14	393	685	334	143	76	19	1	1
Lawrence	252	3	63	91	43	37	13	2	0	0
Leake	339	4	79	141	51	37	23	4	0	0
Lee	995	11	249	367	216	111	33	6	2	0
Leflore	1,017	9	319	344	189	101	41	14	0	0

Table 5A - Page 2
Total Live Births - Mississippi - 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	606	5	149	230	122	61	30	9	0	0
Lowndes	1,205	6	267	461	268	130	54	18	1	0
Madison	807	16	195	283	160	81	53	17	1	1
Marion	460	0	123	168	86	43	28	12	0	0
Marshall	635	7	192	204	127	53	30	20	2	0
Monroe	746	3	177	275	156	94	32	7	2	0
Montgomery	250	5	79	82	44	28	10	2	0	0
Neshoba	450	2	125	170	91	33	21	7	1	0
Newton	360	2	98	134	64	38	16	8	0	0
Noxubee	344	2	78	111	74	41	28	10	0	0
Oktibbeha	600	3	134	228	121	71	36	6	1	0
Panola	615	5	142	232	117	69	33	13	4	0
Pearl River	599	5	139	225	150	46	25	8	1	0
Perry	193	0	61	74	31	19	5	2	1	0
Pike	650	5	162	247	131	55	36	14	0	0
Pontotoc	295	1	66	113	64	31	17	3	0	0
Prentiss	399	1	93	157	85	37	20	4	2	0
Quitman	419	7	104	159	79	40	22	8	0	0
Rankin	868	4	175	335	222	86	41	4	1	0
Scott	506	3	145	182	84	52	33	6	1	0
Sharkey	242	1	85	81	37	13	21	4	0	0
Simpson	405	3	105	146	91	40	17	3	0	0
Smith	286	0	65	110	54	34	17	6	0	0
Stone	197	0	46	67	45	23	11	4	1	0
Sunflower	920	11	293	303	157	86	53	17	0	0
Tallahatchie	454	4	137	147	83	44	22	17	0	0
Tate	372	5	104	142	66	37	12	6	0	0
Tippah	328	1	88	117	62	36	15	8	1	0
Tishomingo	215	0	45	94	44	21	8	3	0	0
Tunica	314	4	87	107	49	40	17	10	0	0
Union	335	1	72	136	69	31	23	3	0	0
Walthall	254	0	61	90	57	22	15	8	1	0
Warren	999	8	264	362	206	100	37	22	0	0
Washington	1,861	16	590	625	317	183	99	29	2	0
Wayne	360	0	86	133	67	45	22	6	1	0
Webster	158	0	40	66	27	16	7	2	0	0
Wilkinson	225	1	61	78	47	24	11	3	0	0
Winston	385	1	83	144	80	52	17	7	1	0
Yalobusha	231	0	73	80	33	22	18	5	0	0
Yazoo	544	6	145	166	113	70	34	10	0	0

TABLE 5B
 WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>25,199</u>	<u>55</u>	<u>4,923</u>	<u>10,338</u>	<u>6,282</u>	<u>2,498</u>	<u>879</u>	<u>205</u>	<u>16</u>	<u>3</u>
Adams	366	1	71	147	98	37	8	2	1	1
Alcorn	389	1	82	157	90	31	21	7	0	0
Amite	79	0	11	40	21	6	1	0	0	0
Attala	172	0	42	68	43	16	2	1	0	0
Benton	77	0	10	37	17	6	7	0	0	0
Bolivar	346	1	54	163	85	31	6	6	0	0
Calhoun	159	0	42	63	34	16	3	1	0	0
Carroll	57	0	13	25	14	2	3	0	0	0
Chickasaw	212	0	61	78	39	23	7	3	0	1
Choctaw	71	0	9	34	20	7	1	0	0	0
Claiborne	35	1	5	14	10	5	0	0	0	0
Clarke	160	0	31	67	47	8	6	1	0	0
Clay	163	0	30	73	37	19	2	2	0	0
Coahoma	222	0	33	98	70	15	5	1	0	0
Copiah	189	0	37	64	55	21	10	2	0	0
Covington	159	1	32	50	44	20	9	2	1	0
DeSoto	538	2	87	220	157	52	17	3	0	0
Forrest	750	3	132	333	193	66	19	4	0	0
Franklin	43	0	9	19	8	6	1	0	0	0
George	264	1	63	99	58	31	9	3	0	0
Greene	136	0	30	52	34	10	8	2	0	0
Grenada	180	2	38	82	39	14	3	1	0	1
Hancock	284	1	73	108	58	29	9	6	0	0
Harrison	2,472	2	560	1,051	544	211	81	22	1	0
Hinds	2,108	3	294	805	668	254	69	12	3	0
Holmes	87	1	23	29	27	6	0	1	0	0
Humphreys	67	1	15	24	17	9	1	0	0	0
Issaquena	18	1	6	4	6	1	0	0	0	0
Itawamba	242	0	60	89	59	21	12	1	0	0
Jackson	1,675	6	299	693	439	163	60	14	1	0
Jasper	105	0	18	42	23	16	5	0	1	0
Jefferson	21	0	9	5	6	0	1	0	0	0
Jeff Davis	103	0	20	45	26	9	1	2	0	0
Jones	718	1	146	316	156	57	33	8	1	0
Kemper	41	0	10	16	10	3	1	1	0	0
Lafayette	301	1	39	140	86	27	7	1	0	0
Lamar	270	0	52	99	79	26	11	3	0	0
Lauderdale	962	5	169	441	231	86	27	3	0	0
Lawrence	130	1	28	50	25	21	4	1	0	0
Leake	158	0	36	68	29	18	7	0	0	0
Lee	711	5	148	265	177	88	21	5	2	0
Leflore	283	0	48	118	72	32	12	1	0	0

Table 5B - Page 2
White Live Births - Mississippi - 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	353	0	70	147	86	36	12	2	0	0
Lowndes	669	0	101	298	173	65	29	3	0	0
Madison	228	2	38	95	64	17	11	1	0	0
Marion	270	0	65	102	63	22	14	4	0	0
Marshall	188	0	46	70	52	12	5	3	0	0
Monroe	472	0	95	178	120	63	15	1	0	0
Montgomery	100	0	22	38	21	15	4	0	0	0
Neshoba	268	1	76	109	54	17	9	2	0	0
Newton	203	0	40	88	42	22	8	3	0	0
Noxubee	66	0	6	33	19	3	3	2	0	0
Oktibbeha	308	1	45	141	75	32	11	3	0	0
Panola	222	0	44	90	48	29	9	2	0	0
Pearl River	461	2	100	175	128	36	15	5	0	0
Perry	131	0	36	54	21	15	5	0	0	0
Pike	281	1	44	127	72	22	13	2	0	0
Pontotoc	242	0	48	99	53	27	13	2	0	0
Prentiss	342	1	78	137	73	32	15	4	2	0
Quitman	120	0	25	57	30	8	0	0	0	0
Rankin	628	1	115	245	182	58	25	2	0	0
Scott	261	1	70	93	51	28	16	1	1	0
Sharkey	46	0	10	15	13	6	2	0	0	0
Simpson	216	0	51	73	58	24	10	0	0	0
Smith	180	0	34	79	34	23	8	2	0	0
Stone	126	0	24	51	29	16	6	0	0	0
Sunflower	211	1	45	92	52	14	5	2	0	0
Tallahatchie	129	0	23	50	38	13	5	0	0	0
Tate	145	0	27	65	36	12	4	1	0	0
Tippah	258	1	64	98	53	27	8	6	1	0
Tishomingo	201	0	40	89	42	20	7	3	0	0
Tunica	56	0	11	21	15	8	1	0	0	0
Union	266	0	48	115	63	23	14	3	0	0
Walthall	112	0	23	44	24	16	3	1	1	0
Warren	505	2	94	199	135	57	12	6	0	0
Washington	601	0	131	243	139	61	21	6	0	0
Wayne	208	0	49	79	42	29	5	4	0	0
Webster	94	0	15	49	19	10	1	0	0	0
Wilkinson	54	0	14	24	10	4	2	0	0	0
Winston	161	0	24	67	39	23	7	1	0	0
Yalobusha	100	0	27	37	16	9	7	4	0	0
Yazoo	194	0	30	81	47	25	9	2	0	0

TABLE 5C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>23,402</u>	<u>310</u>	<u>7,422</u>	<u>7,746</u>	<u>3,659</u>	<u>2,311</u>	<u>1,392</u>	<u>511</u>	<u>46</u>	<u>5</u>
Adams	495	4	169	179	71	44	21	7	0	0
Alcorn	83	2	33	20	13	8	5	2	0	0
Amite	157	1	39	54	24	15	17	6	1	0
Attala	201	1	67	69	25	20	13	6	0	0
Benton	42	0	9	15	9	5	4	0	0	0
Bolivar	1,121	23	400	359	169	83	62	21	3	1
Calhoun	119	2	40	42	12	9	10	3	1	0
Carroll	86	1	26	31	10	8	7	3	0	0
Chickasaw	159	1	52	57	24	15	9	1	0	0
Choctaw	56	1	17	24	6	3	3	2	0	0
Claiborne	162	3	51	49	17	26	11	3	1	1
Clarke	136	3	49	49	14	10	7	4	0	0
Clay	252	4	68	82	47	28	17	6	0	0
Coahoma	698	13	247	216	115	60	37	9	0	1
Copiah	323	4	94	100	57	44	16	7	1	0
Covington	147	3	37	63	21	12	9	2	0	0
DeSoto	317	1	109	111	37	31	19	7	2	0
Forrest	431	7	139	143	77	47	11	5	2	0
Franklin	71	0	24	27	8	6	5	1	0	0
George	32	0	13	6	6	3	3	1	0	0
Greene	72	1	27	28	11	3	2	0	0	0
Grenada	248	4	65	90	29	31	22	6	1	0
Hancock	50	0	17	18	5	5	2	3	0	0
Harrison	764	5	221	278	135	67	38	18	2	0
Hinds	2,288	30	720	800	380	225	97	31	5	0
Holmes	382	8	120	118	55	46	21	13	1	0
Humphreys	247	7	73	83	41	19	15	9	0	0
Issaquena	27	0	5	8	8	2	3	1	0	0
Itawamba	18	0	5	8	3	1	0	1	0	0
Jackson	478	6	124	155	96	58	33	5	1	0
Jasper	222	2	58	96	24	27	12	3	0	0
Jefferson	156	2	43	53	27	17	10	4	0	0
Jeff Davis	186	4	52	55	38	20	15	2	0	0
Jones	344	3	130	118	40	26	21	6	0	0
Kemper	153	2	38	57	23	13	10	7	3	0
Lafayette	180	2	63	59	27	16	9	3	1	0
Lamar	58	0	18	23	7	6	4	0	0	0
Lauderdale	704	9	224	244	103	57	49	16	1	1
Lawrence	122	2	35	41	18	16	9	1	0	0
Leake	181	4	43	73	22	19	16	4	0	0
Lee	284	6	101	102	39	23	12	1	0	0
Leflore	734	9	271	226	117	69	29	13	0	0

Table 5C - Page 2
 Nonwhite Live Births - Mississippi - 1971

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	253	5	79	83	36	25	18	7	0	0
Lowndes	536	6	166	163	95	65	25	15	1	0
Madison	579	14	157	188	96	64	42	16	1	1
Marion	190	0	58	66	23	21	14	8	0	0
Marshall	447	7	146	134	75	41	25	17	2	0
Monroe	274	3	82	97	36	31	17	6	2	0
Montgomery	150	5	57	44	23	13	6	2	0	0
Neshoba	182	1	49	61	37	16	12	5	1	0
Newton	157	2	58	46	22	16	8	5	0	0
Noxubee	278	2	72	78	55	38	25	8	0	0
Oktibbeha	292	2	89	87	46	39	25	3	1	0
Panola	393	5	98	142	69	40	24	11	4	0
Pearl River	138	3	39	50	22	10	10	3	1	0
Perry	62	0	25	20	10	4	0	2	1	0
Pike	369	4	118	120	59	33	23	12	0	0
Pontotoc	53	1	18	14	11	4	4	1	0	0
Prentiss	57	0	15	20	12	5	5	0	0	0
Quitman	299	7	79	102	49	32	22	8	0	0
Rankin	240	3	60	90	40	28	16	2	1	0
Scott	245	2	75	89	33	24	17	5	0	0
Sharkey	196	1	75	66	24	7	19	4	0	0
Simpson	189	3	54	73	33	16	7	3	0	0
Smith	106	0	31	31	20	11	9	4	0	0
Stone	71	0	22	16	16	7	5	4	1	0
Sunflower	709	10	248	211	105	72	48	15	0	0
Tallahatchie	325	4	114	97	45	31	17	17	0	0
Tate	227	5	77	77	30	25	8	5	0	0
Tippah	70	0	24	19	9	9	7	2	0	0
Tishomingo	14	0	5	5	2	1	1	0	0	0
Tunica	258	4	76	86	34	32	16	10	0	0
Union	69	1	24	21	6	8	9	0	0	0
Walthall	142	0	38	46	33	6	12	7	0	0
Warren	494	6	170	163	71	43	25	16	0	0
Washington	1,260	16	459	382	178	122	78	23	2	0
Wayne	152	0	37	54	25	16	17	2	1	0
Webster	64	0	25	17	8	6	6	2	0	0
Wilkinson	171	1	47	54	37	20	9	3	0	0
Winston	224	1	59	77	41	29	10	6	1	0
Yalobusha	131	0	46	43	17	13	11	1	0	0
Yazoo	350	6	115	85	66	45	25	8	0	0

TABLE 6
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>9,740</u>	<u>807</u>	<u>8,933</u>	<u>20.0</u>	<u>3.2</u>	<u>38.2</u>
Adams	260	28	232	30.2	7.6	46.9
Alcorn	56	22	34	11.9	5.6	41.0
Amite	45	1	44	19.1	1.3	28.0
Attala	77	5	72	20.6	2.9	35.8
Benton	13	2	11	10.9	2.6	26.2
Bolivar	602	9	593	41.0	2.6	52.9
Calhoun	47	2	45	16.9	1.2	37.8
Carroll	30	0	30	21.0	-	34.9
Chickasaw	55	6	49	14.8	2.8	30.8
Choctaw	26	2	24	20.5	2.8	42.8
Claiborne	68	2	66	34.5	5.7	40.7
Clarke	44	4	40	14.9	2.5	29.4
Clay	89	8	81	21.4	4.9	32.1
Coahoma	333	8	325	36.2	3.6	46.6
Copiah	127	5	122	24.8	2.6	37.8
Covington	49	4	45	16.0	2.5	30.6
DeSoto	149	15	134	17.4	2.8	42.3
Forrest	182	30	152	15.4	4.0	35.3
Franklin	23	0	23	20.2	-	32.4
George	16	8	8	5.4	3.0	25.0
Greene	35	5	30	16.8	3.7	41.7
Grenada	81	5	76	18.9	2.8	30.6
Hancock	22	8	14	6.6	2.8	28.0
Harrison	337	107	230	10.4	4.3	30.1
Hinds	920	79	841	20.9	3.7	36.8
Holmes	149	2	147	31.8	2.3	38.5
Humphreys	106	3	103	33.8	4.5	41.7
Issaquena	12	3	9	26.7	16.7	33.3
Itawamba	7	3	4	2.7	1.2	22.2
Jackson	162	41	121	7.5	2.4	25.3
Jasper	61	2	59	18.6	1.9	26.6
Jefferson	64	1	63	36.2	4.8	40.4
Jeff Davis	63	6	57	21.8	5.8	30.6
Jones	148	23	125	13.9	3.2	36.3
Kemper	43	2	41	22.2	4.9	26.8
Lafayette	61	8	53	12.7	2.6	29.4
Lamar	24	3	21	7.3	1.1	36.2
Lauderdale	293	35	258	17.6	3.6	36.6
Lawrence	47	5	42	18.6	3.8	34.4
Leake	48	4	44	14.2	2.5	24.3
Lee	110	24	86	11.0	3.4	30.3
Leflore	319	11	308	31.4	3.9	42.0

Table 6 - Page 2
 Illegitimate Live Births - Mississippi - 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	89	9	80	14.7	2.5	31.6
Lowndes	244	12	232	20.2	1.8	43.3
Madison	235	8	227	29.1	3.5	39.2
Marion	56	8	48	12.2	3.0	25.3
Marshall	183	3	180	28.8	1.6	40.3
Monroe	103	7	96	13.8	1.5	35.0
Montgomery	60	1	59	24.0	1.0	39.3
Neshoba	66	12	54	14.7	4.5	29.7
Newton	49	7	42	13.6	3.4	26.8
Noxubee	111	1	110	32.3	1.5	39.6
Oktibbeha	113	5	108	18.8	1.6	37.0
Panola	158	7	151	25.7	3.2	38.4
Pearl River	61	13	48	10.2	2.8	34.8
Perry	28	3	25	14.5	2.3	40.3
Pike	128	10	118	19.7	3.6	32.0
Pontotoc	23	8	15	7.8	3.3	28.3
Prentiss	36	16	20	9.0	4.7	35.1
Quitman	115	5	110	27.4	4.2	36.8
Rankin	84	11	73	9.7	1.8	30.4
Scott	81	8	73	16.0	3.1	29.8
Sharkey	87	3	84	36.0	6.5	42.8
Simpson	52	8	44	12.8	3.7	23.3
Smith	32	4	28	11.2	2.2	26.4
Stone	33	2	31	16.8	1.6	43.7
Sunflower	324	8	316	35.2	3.8	44.6
Tallahatchie	180	5	175	39.6	3.9	53.8
Tate	111	4	107	29.8	2.8	47.1
Tippah	22	4	18	6.7	1.6	25.7
Tishomingo	9	2	7	4.2	1.0	50.0
Tunica	117	2	115	37.3	3.6	44.6
Union	29	4	25	8.6	1.5	36.2
Walthall	41	1	40	16.1	0.9	28.2
Warren	228	17	211	22.8	3.4	42.7
Washington	602	23	579	32.3	3.8	46.0
Wayne	52	5	47	14.4	2.4	30.9
Webster	33	4	29	20.9	4.2	45.3
Wilkinson	68	1	67	30.2	1.8	39.2
Winston	74	5	69	19.2	3.1	30.8
Yalobusha	51	2	49	22.1	2.0	37.4
Yazoo	169	8	161	31.1	4.1	46.0

TABLE 7
 IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>4,405</u>	<u>1,645</u>	<u>2,760</u>	<u>9.1</u>	<u>6.5</u>	<u>11.8</u>
Adams	84	25	59	9.8	6.8	11.9
Alcorn	45	29	16	9.5	7.4	19.3
Amite	21	7	14	8.9	8.9	8.9
Attala	21	7	14	5.6	4.1	7.0
Benton	9	4	5	7.6	5.2	11.9
Bolivar	139	27	112	9.5	7.8	10.0
Calhoun	24	8	16	8.6	5.0	13.4
Carroll	17	5	12	11.9	8.8	14.0
Chickasaw	35	10	25	9.4	4.7	15.7
Choctaw	13	5	8	10.2	7.0	14.3
Claiborne	16	1	15	8.1	2.8	9.2
Clarke	25	10	15	8.4	6.2	11.0
Clay	50	15	35	12.0	9.2	13.9
Coahoma	95	9	86	10.3	4.0	12.3
Copiah	51	15	36	10.0	7.9	11.1
Covington	27	8	19	8.8	5.0	12.9
DeSoto	81	38	43	9.5	7.1	13.6
Forrest	101	41	60	8.6	5.5	13.9
Franklin	10	1	9	8.8	2.3	12.7
George	20	16	4	6.8	6.1	12.5
Greene	17	10	7	8.2	7.4	9.7
Grenada	45	14	31	10.5	7.8	12.5
Hancock	28	23	5	8.4	8.1	10.0
Harrison	276	176	100	8.5	7.1	13.1
Hinds	415	141	274	9.4	6.7	12.0
Holmes	46	3	43	9.8	3.4	11.2
Humphreys	42	11	31	13.4	16.4	12.6
Issaquena	6	3	3	13.3	16.7	11.1
Itawamba	23	18	5	8.8	7.4	27.8
Jackson	162	104	58	7.5	6.2	12.1
Jasper	32	3	29	9.8	2.8	13.1
Jefferson	20	3	17	11.3	14.3	10.9
Jeff Davis	19	2	17	6.6	1.9	9.1
Jones	94	46	48	8.8	6.4	14.0
Kemper	14	3	11	7.2	7.3	7.2
Lafayette	32	15	17	6.6	5.0	9.4
Lamar	21	12	9	6.4	4.4	15.5
Lauderdale	135	54	81	8.1	5.6	11.5
Lawrence	20	6	14	7.9	4.6	11.5
Leake	31	13	18	9.1	8.2	9.9
Lee	96	58	38	9.6	8.2	13.4
Leflore	112	18	94	11.0	6.4	12.8

Table 7 - Page 2
 Immature Live Births - Mississippi - 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	54	24	30	8.9	6.8	11.8
Lowndes	104	36	68	8.6	5.4	12.7
Madison	85	16	69	10.5	7.0	11.9
Marion	31	11	20	6.7	4.1	10.5
Marshall	58	12	46	9.1	6.4	10.3
Monroe	75	40	35	10.0	8.5	12.8
Montgomery	21	7	14	8.4	7.0	9.3
Neshoba	38	12	26	8.4	4.5	14.3
Newton	32	17	15	8.9	8.4	9.6
Noxubee	35	2	33	10.2	3.0	11.9
Oktibbeha	54	14	40	9.0	4.5	13.7
Panola	54	17	37	8.8	7.6	9.4
Pearl River	48	27	21	8.0	5.8	15.2
Perry	13	8	5	6.7	6.1	8.1
Pike	63	21	42	9.7	7.5	11.4
Pontotoc	23	14	9	7.8	5.8	17.0
Prentiss	21	17	4	5.3	5.0	7.0
Quitman	34	7	27	8.1	5.8	9.0
Rankin	67	38	29	7.7	6.0	12.1
Scott	51	21	30	10.1	8.0	12.2
Sharkey	25	3	22	10.3	6.5	11.2
Simpson	39	16	23	9.6	7.4	12.2
Smith	21	10	11	7.3	5.6	10.4
Stone	17	7	10	8.6	5.6	14.1
Sunflower	86	14	72	9.3	6.6	10.2
Tallahatchie	48	8	40	10.6	6.2	12.3
Tate	45	14	31	12.1	9.6	13.6
Tippah	31	16	15	9.4	6.2	21.4
Tishomingo	15	13	2	7.0	6.5	14.3
Tunica	39	4	35	12.4	7.1	13.6
Union	26	19	7	7.8	7.1	10.1
Walthall	28	12	16	11.0	10.7	11.3
Warren	97	27	70	9.7	5.3	14.2
Washington	198	50	148	10.6	8.3	11.7
Wayne	33	18	15	9.2	8.6	9.9
Webster	8	5	3	5.1	5.3	4.7
Wilkinson	14	1	13	6.2	1.8	7.6
Winston	28	7	21	7.3	4.3	9.4
Yalobusha	23	9	14	10.0	9.0	10.7
Yazoo	53	14	39	9.7	7.2	11.1

* Birthweight 5½ pounds or less.

TABLE 8
 PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>7,173</u>	<u>2,314</u>	<u>4,859</u>	<u>14.8</u>	<u>9.2</u>	<u>20.8</u>
Adams	144	40	104	16.7	10.9	21.0
Alcorn	64	40	24	13.6	10.3	28.9
Amite	44	8	36	18.6	10.1	22.9
Attala	56	14	42	15.0	8.1	20.9
Benton	13	6	7	10.9	7.8	16.7
Bolivar	243	30	213	16.6	8.7	19.0
Calhoun	45	19	26	16.2	11.9	21.8
Carroll	22	5	17	15.4	8.8	19.8
Chickasaw	55	17	38	14.8	8.0	23.9
Choctaw	19	9	10	15.0	12.7	17.8
Claiborne	44	1	43	22.3	2.8	26.5
Clarke	33	16	17	11.1	10.0	12.5
Clay	84	12	72	20.2	7.4	28.6
Coahoma	181	26	155	19.7	11.7	22.2
Copiah	65	18	47	12.7	9.5	14.6
Covington	39	12	27	12.7	7.5	18.4
DeSoto	120	54	66	14.0	10.0	20.8
Forrest	165	50	115	14.0	6.7	26.7
Franklin	16	2	14	14.0	4.6	19.7
George	35	29	6	11.8	11.0	18.8
Greene	23	13	10	11.0	9.6	13.9
Grenada	77	18	59	18.0	10.0	23.8
Hancock	30	24	6	9.0	8.4	12.0
Harrison	393	237	156	12.1	9.6	20.4
Hinds	605	205	400	13.8	9.7	17.5
Holmes	93	12	81	19.8	13.8	21.2
Humphreys	55	10	45	17.5	14.9	18.2
Issaquena	10	2	8	22.2	11.1	29.6
Itawamba	26	22	4	10.0	9.1	22.2
Jackson	233	139	94	10.8	8.3	19.7
Jasper	55	9	46	16.8	8.6	20.7
Jefferson	38	3	35	21.5	14.3	22.4
Jeff Davis	43	9	34	14.9	8.7	18.3
Jones	125	68	57	11.8	9.5	16.6
Kemper	32	5	27	16.5	12.2	17.6
Lafayette	63	22	41	13.1	7.3	22.8
Lamar	42	25	17	12.8	9.2	29.3
Lauderdale	211	90	121	12.7	9.4	17.2
Lawrence	37	13	24	14.7	10.0	19.7
Leake	49	11	38	14.4	7.0	21.0
Lee	115	59	56	11.6	8.3	19.7
Leflore	192	29	163	18.9	10.2	22.2

Table 8 - Page 2
Premature Live Births - Mississippi - 1971

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	72	29	43	11.9	8.2	17.0
Lowndes	182	48	134	15.1	7.2	25.0
Madison	151	20	131	18.7	8.8	22.6
Marion	46	19	27	10.0	7.0	14.2
Marshall	98	16	82	15.4	8.5	18.3
Monroe	129	54	75	17.3	11.4	27.4
Montgomery	42	5	37	16.8	5.0	24.7
Neshoba	59	25	34	13.1	9.3	18.7
Newton	50	17	33	13.9	8.4	21.0
Noxubee	66	7	59	19.2	10.6	21.2
Oktibbeha	100	23	77	16.7	7.5	26.4
Panola	119	28	91	19.3	12.6	23.2
Pearl River	79	46	33	13.2	10.0	23.9
Perry	23	11	12	11.9	8.4	19.4
Pike	102	30	72	15.7	10.7	19.5
Pontotoc	33	18	15	11.2	7.4	28.3
Prentiss	42	27	15	10.5	7.9	26.3
Quitman	66	11	55	15.8	9.2	18.4
Rankin	99	64	35	11.4	10.2	14.6
Scott	89	33	56	17.6	12.6	22.8
Sharkey	56	6	50	23.1	13.0	25.5
Simpson	57	19	38	14.1	8.8	20.1
Smith	28	9	19	9.8	5.0	17.9
Stone	34	18	16	17.2	14.3	22.5
Sunflower	162	20	142	17.6	9.5	20.0
Tallahatchie	91	17	74	20.0	13.2	22.8
Tate	91	16	75	24.5	11.0	33.0
Tippah	32	17	15	9.8	6.6	21.4
Tishomingo	16	13	3	7.4	6.5	21.4
Tunica	54	2	52	17.2	3.6	20.2
Union	43	31	12	12.8	11.6	17.4
Walthall	45	9	36	17.7	8.0	25.4
Warren	166	42	124	16.6	8.3	25.1
Washington	319	62	257	17.1	10.3	20.4
Wayne	40	13	27	11.1	6.2	17.8
Webster	23	7	16	14.6	7.4	25.0
Wilkinson	30	4	26	13.3	7.4	15.2
Winston	44	13	31	11.4	8.1	13.8
Yalobusha	45	13	32	19.5	13.0	24.4
Yazoo	116	19	97	21.3	9.8	27.7

* Gestation less than 37 weeks.

TABLE 9
 FETAL DEATHS*, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1971

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>2,532</u>	<u>1,301</u>	<u>1,231</u>	<u>2,460</u>	<u>1,230</u>	<u>1,230</u>	<u>50.6</u>	<u>48.8</u>	<u>52.6</u>
Adams	89	29	60	56	14	42	65.0	38.2	84.8
Alcorn	8	6	2	27	24	3	57.2	61.7	36.1
Amite	3	0	3	13	1	12	55.1	12.6	76.4
Attala	19	8	11	20	8	12	53.6	46.5	59.7
Benton	1	0	1	9	5	4	75.6	64.9	95.2
Bolivar	60	3	57	40	4	36	27.3	11.6	32.1
Calhoun	6	1	5	5	1	4	18.0	6.3	33.6
Carroll	2	0	2	4	1	3	28.0	17.5	34.9
Chickasaw	34	11	23	35	11	24	94.3	51.9	150.9
Choctaw	3	0	3	3	0	3	23.6	-	53.6
Claiborne	3	0	3	19	2	17	96.4	57.1	104.9
Clarke	0	0	0	10	10	0	33.8	62.5	-
Clay	4	2	2	6	2	4	14.4	12.3	15.9
Coahoma	53	25	28	48	15	33	52.2	67.6	47.3
Copiah	5	1	4	14	2	12	27.3	10.6	37.2
Covington	8	6	2	7	4	3	22.9	25.2	20.4
DeSoto	1	1	0	16	7	9	18.7	13.0	28.4
Forrest	42	34	8	38	26	12	32.2	34.7	27.8
Franklin	1	0	1	7	2	5	61.4	46.5	70.4
George	4	4	0	4	4	0	13.5	15.2	-
Greene	4	1	3	7	2	5	33.6	14.7	69.4
Grenada	13	4	9	14	5	9	32.7	27.8	36.3
Hancock	0	0	0	7	5	2	21.0	17.6	40.0
Harrison	325	263	62	263	206	57	81.3	83.3	74.6
Hinds	680	344	336	465	230	235	105.8	109.1	102.7
Holmes	15	3	12	19	6	13	40.5	69.0	34.0
Humphreys	8	2	6	14	4	10	44.6	59.7	40.5
Issaquena	0	0	0	1	0	1	22.2	-	37.0
Itawamba	1	1	0	2	2	0	7.7	8.3	-
Jackson	36	20	16	71	53	18	33.0	31.6	37.6
Jasper	1	0	1	9	2	7	27.5	19.0	31.5
Jefferson	7	0	7	11	0	11	62.1	-	70.5
Jeff Davis	12	4	8	18	8	10	62.3	77.7	53.8
Jones	55	15	40	28	15	13	26.4	20.9	37.8
Kemper	2	1	1	9	4	5	46.4	97.6	32.7
Lafayette	10	7	3	7	5	2	14.6	16.6	11.1
Lamar	2	1	1	10	9	1	30.5	33.3	17.2
Lauderdale	144	96	48	94	66	28	56.4	68.6	39.8
Lawrence	2	0	2	10	2	8	39.7	15.4	65.6
Leake	1	0	1	8	2	6	23.6	12.6	33.1
Lee	35	24	11	26	16	10	26.1	22.5	35.2
Leflore	54	21	33	50	17	33	49.2	60.1	45.0

Table 9 - Page 2
Fetal Deaths - Mississippi - 1971

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	11	8	3	25	12	13	41.2	34.0	51.4
Lowndes	36	16	20	36	14	22	29.9	20.9	41.0
Madison	26	9	17	53	14	39	65.7	61.4	67.4
Marion	46	38	8	47	37	10	102.2	137.0	52.6
Marshall	11	0	11	21	3	18	33.1	16.0	40.3
Monroe	19	12	7	16	8	8	21.4	16.9	29.2
Montgomery	9	2	7	8	1	7	32.0	10.0	46.7
Neshoba	9	5	4	19	7	12	42.2	26.1	65.9
Newton	19	6	13	19	7	12	52.8	34.5	76.4
Noxubee	9	0	9	7	1	6	20.3	15.2	21.6
Oktibbeha	14	2	12	13	4	9	21.7	13.0	30.8
Panola	20	3	17	16	2	14	26.0	9.0	35.6
Pearl River	13	7	6	16	9	7	26.7	19.5	50.7
Perry	2	0	2	3	0	3	15.5	-	48.4
Pike	64	33	31	55	22	33	84.6	78.3	89.4
Pontotoc	1	1	0	3	3	0	10.2	12.4	-
Prentiss	33	29	4	21	17	4	52.6	49.7	70.2
Quitman	18	3	15	19	5	14	45.3	41.7	46.8
Rankin	22	15	7	106	78	28	122.1	124.2	116.7
Scott	8	7	1	14	12	2	27.7	46.0	8.2
Sharkey	2	0	2	15	2	13	62.0	43.5	66.3
Simpson	1	1	0	6	4	2	14.8	18.5	10.6
Smith	4	1	3	9	5	4	31.5	27.8	37.7
Stone	3	3	0	10	6	4	50.8	47.6	56.3
Sunflower	17	2	15	28	4	24	30.4	19.0	33.8
Tallahatchie	11	0	11	14	2	12	30.8	15.5	36.9
Tate	1	0	1	13	3	10	34.9	20.7	44.0
Tippah	38	25	13	27	16	11	82.3	62.0	157.1
Tishomingo	4	4	0	4	4	0	18.6	19.9	-
Tunica	20	1	19	23	2	21	73.2	35.7	81.4
Union	24	11	13	19	9	10	56.7	33.8	144.9
Walthall	10	4	6	8	5	3	31.5	44.6	21.1
Warren	132	61	71	85	48	37	85.1	95.0	74.9
Washington	80	38	42	91	37	54	48.9	61.6	42.8
Wayne	10	6	4	6	3	3	16.7	14.4	19.7
Webster	5	4	1	6	5	1	38.0	53.2	15.6
Wilkinson	6	2	4	6	1	5	26.7	18.5	29.2
Winston	5	2	3	9	4	5	23.4	24.8	22.3
Yalobusha	1	0	1	6	3	3	26.0	30.0	22.9
Yazoo	15	2	13	34	9	25	62.5	46.4	71.4
Out of state	40	11	29	112	82	30			

* All fetal deaths regardless of length of gestation.

** Fetal deaths per 1,000 live births.

TABLE 10
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL),
MISSISSIPPI, 1971

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>23,130</u>	<u>13,748</u>	<u>9,382</u>	<u>23,426</u>	<u>13,980</u>	<u>9,446</u>	<u>10.6</u>	<u>10.0</u>	<u>11.5</u>
Adams	464	211	253	381	172	209	10.2	8.9	11.6
Alcorn	256	210	46	321	266	55	11.8	11.1	17.0
Amite	50	23	27	144	87	57	10.5	12.8	8.2
Attala	215	128	87	213	131	82	10.9	11.3	10.3
Benton	32	18	14	72	45	27	9.6	10.3	8.6
Bolivar	560	155	405	522	177	345	10.6	9.4	11.2
Calhoun	158	123	35	197	160	37	13.5	14.8	9.7
Carroll	32	9	23	103	58	45	11.0	12.6	9.4
Chickasaw	190	119	71	181	119	62	10.8	11.0	10.4
Choctaw	68	43	25	98	73	25	11.6	12.0	10.5
Claiborne	86	16	70	120	26	94	11.9	10.2	12.4
Clarke	128	76	52	207	125	82	13.8	13.0	15.1
Clay	158	71	87	205	90	115	10.9	9.4	12.3
Coahoma	464	189	275	482	162	320	11.9	11.4	12.2
Copiah	231	133	98	301	176	125	12.2	14.3	10.0
Covington	132	89	43	172	119	53	12.3	12.6	11.6
DeSoto	138	54	84	280	167	113	7.8	7.2	8.9
Forrest	780	571	209	611	417	194	10.6	9.6	13.5
Franklin	105	61	44	114	68	46	14.2	13.9	14.8
George	110	99	11	121	104	17	9.7	9.4	11.7
Greene	61	34	27	86	63	23	10.1	9.4	12.2
Grenada	265	159	106	248	139	109	12.5	12.5	12.5
Hancock	138	114	24	166	142	24	9.5	9.5	9.6
Harrison	1,247	1,005	242	1,062	836	226	7.9	7.5	9.6
Hinds	2,824	1,720	1,104	1,785	1,065	720	8.3	8.2	8.5
Holmes	299	89	210	322	109	213	13.9	14.8	13.5
Humphreys	158	46	112	179	74	105	12.2	14.5	11.0
Issaquena	11	3	8	29	7	22	10.6	6.8	12.9
Itawamba	105	101	4	161	154	7	9.6	9.7	7.2
Jackson	449	336	113	523	408	115	5.9	5.5	8.0
Jasper	153	87	66	202	109	93	12.6	12.7	12.5
Jefferson	58	13	45	98	36	62	10.5	15.7	8.8
Jeff Davis	139	64	75	154	72	82	11.9	11.2	12.6
Jones	745	490	255	648	455	193	11.5	10.7	13.8
Kemper	79	41	38	123	63	60	12.0	14.0	10.4
Lafayette	240	170	70	207	135	72	8.6	7.8	10.5
Lamar	70	63	7	156	135	21	10.2	10.2	10.4
Lauderdale	1,044	699	345	793	510	283	11.8	11.0	13.5
Lawrence	74	37	37	127	81	46	11.4	10.7	12.8
Leake	151	95	56	216	140	76	12.6	13.4	11.4
Lee	648	514	134	490	378	112	10.6	10.3	11.7
Leflore	625	286	339	546	227	319	13.0	12.9	13.0

Table 10 - Page 2
Deaths - Mississippi - 1971

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	291	214	77	278	200	78	10.6	11.0	9.7
Lowndes	444	262	182	440	247	193	8.8	7.4	11.8
Madison	288	106	182	346	133	213	11.6	11.9	11.4
Marion	180	112	68	227	144	83	9.9	9.1	11.6
Marshall	170	65	105	246	103	143	10.2	11.3	9.6
Monroe	367	242	125	398	272	126	11.7	11.5	12.1
Montgomery	177	116	61	183	126	57	14.2	17.7	9.8
Neshoba	231	167	64	276	210	66	13.3	13.9	11.6
Newton	200	133	67	237	164	73	12.5	12.3	13.0
Noxubee	159	36	123	187	59	128	13.1	12.2	13.6
Oktibbeha	212	97	115	245	119	126	8.5	6.4	12.4
Panola	271	124	147	337	159	178	12.6	12.2	12.9
Pearl River	229	192	37	277	234	43	10.0	10.3	8.4
Perry	68	48	20	84	57	27	9.3	8.5	11.3
Pike	433	253	180	438	257	181	13.8	14.4	13.1
Pontotoc	185	150	35	233	196	37	13.4	13.8	11.9
Prentiss	190	166	24	217	194	23	10.8	10.9	9.8
Quitman	94	29	65	170	69	101	10.7	10.3	11.0
Rankin	418	240	178	311	202	109	7.1	6.4	8.8
Scott	220	142	78	282	182	100	13.2	12.8	14.0
Sharkey	85	27	58	115	35	80	12.9	11.2	13.8
Simpson	223	137	86	250	162	88	12.5	11.8	14.0
Smith	73	59	14	171	137	34	12.6	12.9	11.5
Stone	111	83	28	113	83	30	13.9	13.3	15.9
Sunflower	378	137	241	437	164	273	11.8	12.0	11.6
Tallahatchie	182	70	112	221	92	129	11.4	12.0	11.0
Tate	81	42	39	179	101	78	9.6	10.3	8.9
Tippah	163	137	26	170	147	23	10.7	11.1	8.9
Tishomingo	145	136	9	171	163	8	11.4	11.4	11.9
Tunica	115	27	88	133	26	107	11.2	8.1	12.4
Union	194	164	30	223	182	41	11.7	11.3	13.9
Walthall	135	93	42	150	92	58	12.0	12.4	11.4
Warren	729	328	401	568	262	306	12.6	9.9	16.5
Washington	808	307	501	811	289	522	11.5	9.1	13.5
Wayne	158	95	63	175	110	65	10.5	9.8	11.8
Webster	85	65	20	122	99	23	12.1	12.7	10.2
Wilkinson	150	80	70	128	54	74	11.5	15.0	9.8
Winston	181	109	72	215	131	84	11.7	11.8	11.4
Yalobusha	121	85	36	161	111	50	13.5	15.7	10.3
Yazoo	246	109	137	335	133	202	12.3	10.5	13.8
Out of state	1,222	910	312	926	678	248			

Table 10 - Page 3
Deaths - Mississippi - 1971

Town**	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Biloxi	412	357	55	319	262	57	6.6	6.3	8.2
Brookhaven	254	192	62	115	76	39	10.7	11.4	9.6
Canton	210	82	128	152	65	87	14.5	14.3	14.6
Clarksdale	387	177	210	276	119	157	12.7	12.1	13.3
Cleveland	221	117	104	121	65	56	9.1	7.8	11.1
Columbus	385	240	145	288	153	135	11.2	9.5	13.8
Corinth	42	32	10	155	113	42	13.4	12.1	18.7
Greenville	580	255	325	490	193	297	12.4	10.2	14.3
Greenwood	490	246	244	322	162	160	14.4	14.6	14.2
Gulfport	524	394	130	388	296	92	9.5	8.9	12.0
Hattiesburg	730	534	196	403	263	140	10.5	9.7	12.6
Jackson	2,282	1,345	937	1,382	828	554	9.0	8.9	9.0
Laurel	648	413	235	318	184	134	13.2	12.1	15.0
McComb	289	188	101	149	103	46	12.4	12.9	11.5
Meridian	976	654	322	571	344	227	12.7	11.5	14.9
Moss Point	23	16	7	118	65	53	6.1	5.9	6.3
Natchez	438	206	232	277	114	163	14.0	11.7	16.3
Oxford	202	146	56	75	57	18	5.4	5.0	7.1
Pascagoula	354	256	98	172	129	43	6.3	5.4	11.9
Picayune	162	133	29	107	72	35	10.2	10.4	9.9
Starkville	151	72	79	102	61	41	9.0	7.2	14.2
Tupelo	511	408	103	184	137	47	9.0	8.1	13.1
Vicksburg	659	304	355	396	179	217	15.5	14.0	17.1
Yazoo City	164	82	82	143	49	94	13.2	11.4	14.5
Total urban#	15,611	9,615	5,996	9,951	5,831	4,120	10.9	9.9	12.8
Total rural	7,519	4,133	3,386	13,475	8,149	5,326	10.3	10.2	10.6

* Deaths per 1,000 population according to 1970 census.

** Towns of 10,000 population or more according to 1970 census.

All incorporated towns of 2,500 population or more according to 1970 census.

TABLE 11
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1971

International Classification Number*	Cause*	Total	White	Non- white
<u>000-999</u>	<u>ALL CAUSES</u>	<u>23,426</u>	<u>13,980</u>	<u>9,446</u>
<u>000-136</u>	<u>INFECTIVE AND PARASITIC DISEASES</u>	<u>247</u>	<u>99</u>	<u>148</u>
<u>000-009</u>	<u>Intestinal infectious diseases</u>	<u>100</u>	<u>27</u>	<u>73</u>
001	Typhoid fever	1	1	0
<u>002,003</u>	<u>Paratyphoid fever and other Salmonella infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
003	Other Salmonella infections	2	1	1
<u>004,006</u>	<u>Bacillary dysentery and amebiasis</u>	<u>9</u>	<u>4</u>	<u>5</u>
004	Bacillary dysentery	1	0	1
006	Amebiasis	8	4	4
<u>008,009</u>	<u>Enteritis and other diarrheal diseases</u>	<u>88</u>	<u>21</u>	<u>67</u>
008	Enteritis due to other specified organism	9	2	7
009	Diarrheal disease	79	19	60
<u>010-019</u>	<u>Tuberculosis, all forms</u>	<u>44</u>	<u>21</u>	<u>23</u>
<u>010-012</u>	<u>Respiratory</u>	<u>34</u>	<u>16</u>	<u>18</u>
010	Siliocotuberculosis	1	1	0
011	Pulmonary	30	12	18
012	Other respiratory	3	3	0
<u>013-018</u>	<u>Other forms</u>	<u>4</u>	<u>1</u>	<u>3</u>
015	Bones and joints	1	0	1
017	Other organs	1	1	0
018	Disseminated	2	0	2
019	Late effects of tuberculosis	6	4	2
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-039</u>	<u>Other bacterial diseases</u>	<u>55</u>	<u>26</u>	<u>29</u>
033	Whooping cough	1	0	1
036	Meningococcal infection	7	4	3
038	Septicemia	46	22	24
039	Other bacterial diseases	1	0	1
<u>040-046</u>	<u>Poliomyelitis and other enterovirus diseases of central nervous system</u>	<u>2</u>	<u>1</u>	<u>1</u>
045	Aseptic meningitis due to enterovirus	1	1	0
046	Other enterovirus diseases of central nervous system	1	0	1
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>5</u>	<u>3</u>	<u>2</u>
052	Chickenpox	1	1	0
054	Herpes simplex	2	1	1
055	Measles	2	1	1
<u>060-068</u>	<u>Arthropod-borne viral diseases</u>	<u>9</u>	<u>7</u>	<u>2</u>
<u>062-065</u>	<u>Viral encephalitis</u>	<u>9</u>	<u>7</u>	<u>2</u>
065	Viral encephalitis, unspecified	9	7	2
<u>070-079</u>	<u>Other viral diseases</u>	<u>9</u>	<u>5</u>	<u>4</u>
070	Infectious hepatitis	7	4	3
072	Mumps	1	1	0
079	Other viral diseases	1	0	1
<u>080-089</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>080-083</u>	<u>Typhus and other rickettsioses</u>	<u>2</u>	<u>1</u>	<u>1</u>

Table 11 - Page 2
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
082	Tick-borne rickettsioses	2	1	1
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>5</u>	<u>1</u>	<u>4</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>5</u>	<u>1</u>	<u>4</u>
093	Cardiovascular	2	0	2
094	Central nervous system	3	1	2
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-117</u>	<u>Mycoses</u>	<u>9</u>	<u>6</u>	<u>3</u>
115	Histoplasmosis	2	2	0
116	Blastomycosis	7	4	3
<u>120-129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-136</u>	<u>Other infective and parasitic diseases</u>	<u>7</u>	<u>1</u>	<u>6</u>
135	Sarcoidosis	4	1	3
136	Other and unspecified infective and parasitic diseases	3	0	3
<u>140-239</u>	<u>NEOPLASMS</u>	<u>3,396</u>	<u>2,253</u>	<u>1,143</u>
<u>140-209</u>	<u>Malignant neoplasms</u>	<u>3,346</u>	<u>2,222</u>	<u>1,124</u>
<u>140-149</u>	<u>Buccal cavity and pharynx</u>	<u>70</u>	<u>59</u>	<u>11</u>
140	Lip	5	5	0
141	Tongue	20	15	5
142	Salivary gland	6	6	0
143	Gum	2	0	2
144	Floor of mouth	1	1	0
145	Other and unspecified parts of mouth	13	12	1
146	Oropharynx	5	5	0
147	Nasopharynx	4	2	2
148	Hypopharynx	3	3	0
149	Pharynx, unspecified	11	10	1
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>878</u>	<u>530</u>	<u>348</u>
150	Esophagus	44	25	19
151	Stomach	171	77	94
152	Small intestine, including duodenum	3	2	1
153	Large intestine, except rectum	311	214	97
154	Rectum and rectosigmoid junction	72	42	30
155	Liver and intrahepatic bile ducts, specified as primary	28	18	10
156	Gallbladder and bile ducts	29	22	7
157	Pancreas	196	117	79
158	Peritoneum and retroperitoneal tissue	6	3	3
159	Unspecified digestive organs	18	10	8
<u>160-163</u>	<u>Respiratory system</u>	<u>741</u>	<u>558</u>	<u>183</u>
160	Nose, nasal cavities, middle ear, and accessory sinuses	4	2	2
161	Larynx	32	25	7
162	Trachea, bronchus, and lung	700	528	172
163	Other and unspecified respiratory organs	5	3	2
<u>170-174</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>380</u>	<u>266</u>	<u>114</u>
170	Bone	27	23	4
171	Connective and other soft tissue	22	15	7

Table 11 - Page 3
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non- white
172	Melanoma of skin	28	27	1
173	Skin, other	26	19	7
174	Breast	277	182	95
<u>180-189</u>	<u>Genitourinary organs</u>	<u>633</u>	<u>363</u>	<u>270</u>
<u>(180-187)</u>	<u>(Genital organs)</u>	<u>500</u>	<u>268</u>	<u>232</u>
180	Cervix uteri	91	44	47
181	Chorionepithelioma	1	0	1
182	Uterus, other	69	34	35
183	Ovary, fallopian tube, and broad ligament	80	55	25
184	Other and unspecified female genital organs	18	14	4
185	Prostate	235	117	118
186	Testis	2	2	0
187	Other and unspecified male genital organs	4	2	2
<u>(188,189)</u>	<u>(Urinary organs)</u>	<u>133</u>	<u>95</u>	<u>38</u>
188	Bladder	77	53	24
189	Other and unspecified urinary organs	56	42	14
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>331</u>	<u>215</u>	<u>116</u>
190	Eye	3	3	0
191	Brain	59	51	8
192	Other parts of nervous system	20	12	8
193	Thyroid gland	9	6	3
194	Other endocrine glands	5	4	1
195	Ill-defined sites	45	32	13
196	Lymph nodes, secondary and unspecified	3	3	0
197	Respiratory and digestive systems, secondary	72	40	32
198	Other secondary	10	5	5
199	Site unspecified	105	59	46
<u>200-209</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>313</u>	<u>231</u>	<u>82</u>
200	Lymphosarcoma and reticulum-cell sarcoma	50	40	10
201	Hodgkin's disease	33	25	8
202	Lymphoid tissue, other	25	21	4
203	Multiple myeloma	50	29	21
208	Polycythemia vera	7	7	0
209	Myelofibrosis	5	5	0
<u>(204-207)</u>	<u>(Leukemia)</u>	<u>143</u>	<u>104</u>	<u>39</u>
204	Lymphatic	53	32	21
205	Myeloid	57	45	12
206	Monocytic	4	3	1
207	Other and unspecified	29	24	5
<u>210-228</u>	<u>Benign neoplasms</u>	<u>26</u>	<u>17</u>	<u>9</u>
211	Benign neoplasm of other parts of digestive organs	3	2	1
214	Lipoma	1	0	1
217	Benign neoplasm of breast	1	0	1
218	Uterine fibroma	4	1	3
223	Benign neoplasm of kidney and other urinary organs	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	11	10	1
226	Benign neoplasm of endocrine glands	3	1	2
227	Hemangioma and lymphangioma	1	1	0
228	Benign neoplasm of other and unspecified organs and tissues	1	1	0

Table 11 - Page 4
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>230-239</u>	<u>Neoplasms of unspecified nature</u>	<u>24</u>	<u>14</u>	<u>10</u>
230	Digestive organs	2	2	0
231	Respiratory organs	4	3	1
234	Uterus	2	0	2
238	Eye, brain, and other parts of nervous system	11	8	3
239	Other and unspecified organs	5	1	4
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>534</u>	<u>257</u>	<u>277</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>19</u>	<u>6</u>	<u>13</u>
<u>240, 241</u>	<u>Nontoxic goiter</u>	<u>3</u>	<u>0</u>	<u>3</u>
240	Simple	2	0	2
241	Nontoxic nodular	1	0	1
242	Thyrotoxicosis with or without goiter	11	3	8
244	Myxedema	5	3	2
<u>250-258</u>	<u>Diseases of other endocrine glands</u>	<u>459</u>	<u>222</u>	<u>237</u>
250	Diabetes mellitus	438	211	227
251	Disorders of pancreatic internal secretion other than diabetes mellitus	6	3	3
252	Diseases of parathyroid gland	3	2	1
253	Diseases of pituitary gland	7	2	5
255	Diseases of adrenal glands	4	4	0
258	Polyglandular dysfunction and other diseases of endocrine glands	1	0	1
<u>260-269</u>	<u>Avitaminoses and other nutritional deficiency</u>	<u>26</u>	<u>11</u>	<u>15</u>
261	Thiamine deficiency	1	0	1
268	Nutritional marasmus	7	3	4
269	Other nutritional deficiency	18	8	10
<u>270-279</u>	<u>Other metabolic diseases</u>	<u>30</u>	<u>18</u>	<u>12</u>
270	Congenital disorders of amino-acid metabolism	1	0	1
271	Congenital disorders of carbohydrate metabolism	1	0	1
273	Other and unspecified congenital disorders of metabolism	12	8	4
275	Plasma protein abnormalities	2	1	1
276	Amyloidosis	4	3	1
277	Obesity not specified as of endocrine origin	8	5	3
279	Other and unspecified metabolic diseases	2	1	1
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>91</u>	<u>42</u>	<u>49</u>
<u>280-285</u>	<u>Anemias</u>	<u>70</u>	<u>27</u>	<u>43</u>
280	Iron deficiency	4	3	1
281	Other deficiency	3	2	1
282	Hereditary hemolytic	15	0	15
283	Acquired hemolytic	1	1	0
284	Aplastic	15	8	7
285	Other and unspecified	32	13	19
286	Coagulation defects	5	4	1
287	Purpura and other hemorrhagic conditions	9	6	3
288	Agranulocytosis	6	4	2
289	Other diseases of blood and blood-forming organs	1	1	0

Table 11 - Page 5
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>290-315</u>	<u>MENTAL DISORDERS</u>	<u>66</u>	<u>41</u>	<u>25</u>
<u>290-299</u>	<u>Psychoses</u>	<u>17</u>	<u>12</u>	<u>5</u>
290	Senile and presenile dementia	3	2	1
291	Alcoholic psychosis	8	6	2
295	Schizophrenia	2	2	0
296	Affective psychoses	2	2	0
299	Unspecified psychosis	2	0	2
<u>300-309</u>	<u>Neuroses, personality disorders, and other non-psychotic mental disorders</u>	<u>48</u>	<u>28</u>	<u>20</u>
300	Neuroses	1	0	1
303	Alcoholism	31	16	15
304	Drug dependence	3	3	0
305	Physical disorders of presumably psychogenic origin	1	1	0
306	Special symptoms not elsewhere classified	2	1	1
309	Mental disorders not specified as psychotic associated with physical conditions	10	7	3
<u>310-315</u>	<u>Mental retardation</u>	<u>1</u>	<u>1</u>	<u>0</u>
315	Unspecified mental retardation	1	1	0
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>149</u>	<u>89</u>	<u>60</u>
<u>320-324</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>35</u>	<u>14</u>	<u>21</u>
320	Meningitis	24	8	16
322	Intracranial and intraspinal abscess	4	1	3
323	Encephalitis, myelitis, and encephalomyelitis	7	5	2
<u>330-333</u>	<u>Hereditary and familial diseases of nervous system</u>	<u>14</u>	<u>12</u>	<u>2</u>
330	Hereditary neuromuscular disorders	9	7	2
331	Hereditary diseases of the striatopallidal system	2	2	0
332	Hereditary ataxia	2	2	0
333	Other hereditary and familial diseases of nervous system	1	1	0
<u>340-349</u>	<u>Other diseases of central nervous system</u>	<u>92</u>	<u>59</u>	<u>33</u>
340	Multiple sclerosis	7	5	2
341	Other demyelinating diseases of central nervous system	2	2	0
342	Paralysis agitans	17	16	1
343	Cerebral spastic infantile paralysis	8	6	2
344	Other cerebral paralysis	4	1	3
345	Epilepsy	30	14	16
347	Other diseases of brain	11	6	5
348	Motor neurone disease	11	7	4
349	Other diseases of spinal cord	2	2	0
<u>350-358</u>	<u>Diseases of nerves and peripheral ganglia</u>	<u>1</u>	<u>1</u>	<u>0</u>
354	Polyneuritis and polyradiculitis	1	1	0
<u>360-369</u>	<u>Inflammatory diseases of the eye</u>	<u>1</u>	<u>0</u>	<u>1</u>
366	Other inflammation of uveal tract	1	0	1
<u>370-379</u>	<u>Other diseases and conditions of eye</u>	<u>1</u>	<u>0</u>	<u>1</u>
374	Cataract	1	0	1
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>5</u>	<u>3</u>	<u>2</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>4</u>	<u>3</u>	<u>1</u>

Table 11- Page 6
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
381	Otitis media without mention of mastoiditis	2	1	1
382	Otitis media with mastoiditis	1	1	0
383	Mastoiditis without mention of otitis media	1	1	0
386	Otosclerosis	1	0	1
<u>390-458</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,544</u>	<u>7,293</u>	<u>4,251</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>2</u>	<u>1</u>	<u>1</u>
391	Rheumatic fever with heart involvement	2	1	1
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>84</u>	<u>46</u>	<u>38</u>
394	Diseases of mitral valve	25	9	16
395	Diseases of aortic valve	34	21	13
396	Diseases of mitral and aortic valves	10	8	2
397	Diseases of other endocardial structures	2	1	1
398	Other heart disease, specified as rheumatic	13	7	6
<u>400-404</u>	<u>Hypertensive disease</u>	<u>362</u>	<u>139</u>	<u>223</u>
<u>400,401,</u>				
<u>403</u>	<u>Hypertension</u>	<u>179</u>	<u>63</u>	<u>116</u>
400	Malignant hypertension	51	7	44
401	Essential benign hypertension	47	7	40
403	Hypertensive renal disease	81	49	32
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>183</u>	<u>76</u>	<u>107</u>
402	Hypertensive heart disease	121	45	76
404	Hypertensive heart and renal disease	62	31	31
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>6,605</u>	<u>4,512</u>	<u>2,093</u>
410	Acute myocardial infarction	3,879	2,885	994
411	Other acute and subacute forms of ischemic heart disease	44	31	13
412	Chronic ischemic heart disease	2,675	1,589	1,086
413	Angina pectoris	7	7	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>784</u>	<u>418</u>	<u>366</u>
420	Acute pericarditis, nonrheumatic	1	0	1
421	Acute and subacute endocarditis	9	5	4
422	Acute myocarditis	5	3	2
423	Chronic disease of pericardium, nonrheumatic	5	1	4
424	Chronic disease of endocardium	16	8	8
425	Cardiomyopathy	12	2	10
426	Pulmonary heart disease	5	1	4
427	Symptomatic heart disease	340	186	154
428	Other myocardial insufficiency	113	75	38
429	Ill-defined heart disease	278	137	141
<u>430-438</u>	<u>Cerebrovascular disease</u>	<u>2,961</u>	<u>1,671</u>	<u>1,290</u>
430	Subarachnoid hemorrhage	87	56	31
431	Cerebral hemorrhage	565	277	288
432	Occlusion of precerebral arteries	28	18	10
433	Cerebral thrombosis	679	420	259
434	Cerebral embolism	15	7	8
436	Acute but ill-defined cerebrovascular disease	1,170	599	571
437	Generalized ischemic cerebrovascular disease	398	282	116
438	Other and ill-defined cerebrovascular disease	19	12	7
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>523</u>	<u>375</u>	<u>148</u>

Table 11 - Page 7
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
440	Arteriosclerosis	262	186	76
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>261</u>	<u>189</u>	<u>72</u>
441	Aortic aneurysm (nonsyphilitic)	132	102	30
442	Other aneurysm	16	14	2
443	Other peripheral vascular disease	1	0	1
444	Arterial embolism and thrombosis	67	52	15
445	Gangrene	33	13	20
446	Polyarteritis nodosa and allied conditions	8	6	2
447	Other diseases of arteries and arterioles	4	2	2
<u>450-458</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>223</u>	<u>131</u>	<u>92</u>
<u>450-453</u>	<u>Venous thrombosis and embolism</u>	<u>198</u>	<u>119</u>	<u>79</u>
450	Pulmonary embolism and infarction	149	89	60
451	Phlebitis and thrombophlebitis	32	23	9
453	Other venous embolism and thrombosis	17	7	10
<u>454-458</u>	<u>Other diseases of circulatory system</u>	<u>25</u>	<u>12</u>	<u>13</u>
454	Varicose veins of lower extremities	3	1	2
456	Varicose veins of other sites	6	4	2
458	Other diseases of circulatory system	16	7	9
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,064</u>	<u>676</u>	<u>388</u>
<u>460-466</u>	<u>Acute respiratory infections, except influenza</u>	<u>25</u>	<u>7</u>	<u>18</u>
460	Acute nasopharyngitis (common cold)	5	1	4
461	Acute sinusitis	1	0	1
462	Acute pharyngitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	7	0	7
466	Acute bronchitis and bronchiolitis	11	5	6
<u>470-474</u>	<u>Influenza</u>	<u>6</u>	<u>3</u>	<u>3</u>
470	Unqualified	1	0	1
471	With pneumonia	4	3	1
472	With other respiratory manifestations	1	0	1
<u>480-486</u>	<u>Pneumonia</u>	<u>596</u>	<u>332</u>	<u>264</u>
480	Viral	8	1	7
<u>481,482</u>	<u>Bacterial</u>	<u>58</u>	<u>31</u>	<u>27</u>
481	Pneumococcal	38	21	17
482	Other bacterial	20	10	10
483	Pneumonia due to other specified organism	2	2	0
484	Acute interstitial, organism unspecified	4	3	1
485	Broncho, organism unspecified	178	98	80
486	Unspecified	346	197	149
<u>490-493</u>	<u>Bronchitis, emphysema, and asthma</u>	<u>286</u>	<u>234</u>	<u>52</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>54</u>	<u>49</u>	<u>5</u>
490	Unqualified	8	7	1
491	Chronic	46	42	4
492	Emphysema	210	179	31
493	Asthma	22	6	16
<u>500-508</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>2</u>	<u>2</u>
500	Hypertrophy of tonsils and adenoids	1	0	1
508	Other diseases of upper respiratory tract	3	2	1

Table 11 - Page 8
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>147</u>	<u>98</u>	<u>49</u>
510	Empyema	1	1	0
511	Pleurisy	2	1	1
512	Spontaneous pneumothorax	3	2	1
513	Abscess of lung	9	2	7
514	Pulmonary congestion and hypostasis	16	5	11
515	Pneumoconiosis due to silica and silicates	1	1	0
517	Other chronic interstitial pneumonia	26	16	10
518	Bronchiectasis	13	12	1
519	Other diseases of respiratory system	76	58	18
<u>520-577</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>679</u>	<u>464</u>	<u>215</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>7</u>	<u>2</u>	<u>5</u>
<u>520-525</u>	<u>Diseases of teeth and supporting structures</u>	<u>5</u>	<u>2</u>	<u>3</u>
520	Disorders of tooth development and eruption	1	1	0
522	Diseases of pulp and periapical tissues	3	1	2
523	Periodontal diseases	1	0	1
528	Diseases of the oral soft tissues, excluding gingiva and tongue	2	0	2
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>109</u>	<u>73</u>	<u>36</u>
530	Diseases of esophagus	12	10	2
<u>531-533</u>	<u>Peptic ulcer</u>	<u>84</u>	<u>51</u>	<u>33</u>
531	Ulcer of stomach	32	17	15
532	Ulcer of duodenum	42	30	12
533	Peptic ulcer, site unspecified	10	4	6
534	Gastrojejunal ulcer	7	6	1
535	Gastritis and duodenitis	3	3	0
536	Disorders of function of stomach	1	1	0
537	Other diseases of stomach and duodenum	2	2	0
<u>540-543</u>	<u>Appendicitis</u>	<u>28</u>	<u>13</u>	<u>15</u>
540	Acute appendicitis	25	11	14
541	Appendicitis, unqualified	3	2	1
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>35</u>	<u>22</u>	<u>13</u>
550	Inguinal, without mention of obstruction	2	1	1
551	Other, of abdominal cavity without mention of obstruction	13	10	3
552	Inguinal, with obstruction	10	5	5
553	Other, of abdominal cavity with obstruction	10	6	4
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>186</u>	<u>123</u>	<u>63</u>
560	Intestinal obstruction without mention of hernia	60	35	25
561	Gastroenteritis and colitis, except ulcerative, of noninfectious origin	1	1	0
562	Diverticula of intestine	37	28	9
563	Chronic enteritis and ulcerative colitis	15	13	2
564	Functional disorders of intestines	2	2	0
567	Peritonitis	10	5	5
568	Peritoneal adhesions	1	0	1
569	Other diseases of intestines and peritoneum	60	39	21
<u>570-577</u>	<u>Diseases of liver, gallbladder, and pancreas</u>	<u>314</u>	<u>231</u>	<u>83</u>
570	Acute and subacute necrosis of liver	14	7	7

Table 11 - Page 9
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non- white
571	Cirrhosis of liver	178	145	33
572	Suppurative hepatitis and liver abscess	2	1	1
573	Other diseases of liver	25	15	10
<u>574,575</u>	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	<u>41</u>	<u>28</u>	<u>13</u>
574	Cholelithiasis	20	16	4
575	Cholecystitis and cholangitis, without mention of calculus	21	12	9
576	Other diseases of gallbladder and biliary ducts	11	7	4
577	Diseases of pancreas	43	28	15
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>425</u>	<u>221</u>	<u>204</u>
<u>580-584</u>	<u>Nephritis and nephrosis</u>	<u>142</u>	<u>62</u>	<u>80</u>
<u>580,581</u>	<u>Acute nephritis and nephrotic syndrome</u>	<u>31</u>	<u>10</u>	<u>21</u>
580	Acute nephritis	20	7	13
581	Nephrotic syndrome	11	3	8
<u>582-584</u>	<u>Chronic and unqualified nephritis and renal sclerosis</u>	<u>111</u>	<u>52</u>	<u>59</u>
582	Chronic nephritis	95	44	51
583	Nephritis, unqualified	16	8	8
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>225</u>	<u>134</u>	<u>91</u>
590	Infections of kidney	131	85	46
591	Hydronephrosis	1	0	1
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>11</u>	<u>8</u>	<u>3</u>
592	Of kidney and ureter	9	8	1
594	Calculus of other parts of urinary system	2	0	2
593	Other diseases of kidney and ureter	45	20	25
595	Cystitis	1	1	0
596	Other diseases of bladder	5	4	1
598	Stricture of urethra	5	2	3
599	Other diseases of urinary tract	26	14	12
<u>600-607</u>	<u>Diseases of male genital organs</u>	<u>48</u>	<u>23</u>	<u>25</u>
600	Hyperplasia of prostate	36	18	18
601	Prostatitis	4	3	1
602	Other diseases of prostate	4	1	3
607	Other diseases of male genital organs	4	1	3
<u>610-616</u>	<u>Diseases of breast, ovary, fallopian tube, and parametrium</u>	<u>4</u>	<u>0</u>	<u>4</u>
613	Chronic salpingitis and oophoritis	1	0	1
614	Salpingitis and oophoritis, unqualified	2	0	2
616	Diseases of parametrium and pelvic peritoneum (female)	1	0	1
<u>620-629</u>	<u>Diseases of uterus and other female genital organs</u>	<u>6</u>	<u>2</u>	<u>4</u>
622	Infective diseases of uterus (except cervix), vagina, and vulva	1	0	1
623	Uterovaginal prolapse	1	1	0
626	Disorders of menstruation	1	0	1
629	Other diseases of female genital organs	3	1	2
<u>630-678</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>21</u>	<u>5</u>	<u>16</u>

Table 11 - Page 10
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>630-634</u>	<u>Complications of pregnancy</u>	<u>2</u>	<u>0</u>	<u>2</u>
631	Ectopic pregnancy	2	0	2
<u>635-639</u>	<u>Urinary infections and toxemias of pregnancy and the puerperium</u>	<u>8</u>	<u>1</u>	<u>7</u>
<u>636-639</u>	<u>Toxemias of pregnancy and the puerperium, except abortion with toxemia</u>	<u>8</u>	<u>1</u>	<u>7</u>
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	8	1	7
<u>640-645</u>	<u>Abortion</u>	<u>2</u>	<u>1</u>	<u>1</u>
644	Not specified as induced or spontaneous	2	1	1
<u>650-662</u>	<u>Delivery</u>	<u>7</u>	<u>2</u>	<u>5</u>
651	Delivery complicated by placenta previa or antepartum hemorrhage	1	0	1
652	Delivery complicated by retained placenta	2	1	1
653	Delivery complicated by other postpartum hemorrhage	2	1	1
661	Delivery with other complications	2	0	2
<u>670-678</u>	<u>Complications of the puerperium</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>670,671,</u>				
673	<u>Sepsis of childbirth and the puerperium</u>	<u>2</u>	<u>1</u>	<u>1</u>
670	Sepsis of childbirth and the puerperium	1	1	0
673	Puerperal pulmonary embolism	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>25</u>	<u>11</u>	<u>14</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>5</u>	<u>2</u>	<u>3</u>
682	Other cellulitis and abscess	5	2	3
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>8</u>	<u>4</u>	<u>4</u>
692	Other eczema and dermatitis	3	2	1
694	Pemphigus	2	1	1
695	Erythematous conditions	3	1	2
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>12</u>	<u>5</u>	<u>7</u>
707	Chronic ulcer of skin	11	5	6
709	Other diseases of skin	1	0	1
<u>710-738</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>45</u>	<u>28</u>	<u>17</u>
<u>710-718</u>	<u>Arthritis and rheumatism, except rheumatic fever</u>	<u>24</u>	<u>14</u>	<u>10</u>
<u>710-715</u>	<u>Arthritis and spondylitis</u>	<u>19</u>	<u>13</u>	<u>6</u>
710	Acute arthritis due to pyogenic organisms	1	0	1
712	Rheumatoid arthritis and allied conditions	14	12	2
713	Osteoarthritis and allied conditions	2	0	2
715	Arthritis, unspecified	2	1	1
<u>716-718</u>	<u>Nonarticular rheumatism and rheumatism unspecified</u>	<u>5</u>	<u>1</u>	<u>4</u>
716	Polymyositis and dermatomyositis	5	1	4
<u>720-729</u>	<u>Osteomyelitis and other diseases of bone and joint</u>	<u>5</u>	<u>2</u>	<u>3</u>
721	Osteitis deformans	2	0	2
723	Other diseases of bone	2	1	1
729	Other diseases of joint	1	1	0
<u>730-738</u>	<u>Other diseases of musculoskeletal system</u>	<u>16</u>	<u>12</u>	<u>4</u>

Table 11 - Page 11
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
733	Other diseases of muscle, tendon, and fascia	5	3	2
734	Diffuse diseases of connective tissue	11	9	2
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>203</u>	<u>130</u>	<u>73</u>
<u>740-743</u>	<u>Nervous system</u>	<u>49</u>	<u>39</u>	<u>10</u>
740	Anencephalus	9	9	0
741	Spina bifida	11	10	1
742	Congenital hydrocephalus	16	9	7
743	Other congenital anomalies of nervous system	13	11	2
<u>746,747</u>	<u>Circulatory system</u>	<u>101</u>	<u>62</u>	<u>39</u>
746	Heart	89	53	36
747	Other of circulatory system	12	9	3
748	Respiratory system	5	4	1
<u>749-751</u>	<u>Digestive system</u>	<u>14</u>	<u>5</u>	<u>9</u>
749	Cleft palate and cleft lip	1	0	1
750	Other congenital anomalies of upper alimentary tract	2	2	0
751	Other congenital anomalies of digestive system	11	3	8
<u>752,753</u>	<u>Genitourinary system</u>	<u>9</u>	<u>6</u>	<u>3</u>
753	Urinary system	9	6	3
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>6</u>	<u>5</u>	<u>1</u>
756	Other congenital anomalies of musculoskeletal system	6	5	1
757	Skin, hair, and nails	1	1	0
758	Other and unspecified	4	0	4
759	Congenital syndromes affecting multiple systems	14	8	6
<u>760-778</u>	<u>CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY</u>	<u>685</u>	<u>279</u>	<u>406</u>
761	Other maternal conditions unrelated to pregnancy	5	3	2
762	Toxemia of pregnancy	2	0	2
763	Maternal ante- and intrapartum infection	3	2	1
<u>764-768</u>	<u>Difficult labor</u>	<u>8</u>	<u>5</u>	<u>3</u>
765	With disproportion, but no mention of abnormality of pelvis	2	2	0
766	With malposition of fetus	5	3	2
768	With other and unspecified complications	1	0	1
769	Other complications of pregnancy and childbirth	46	18	28
<u>770,771</u>	<u>Conditions of placenta and cord</u>	<u>31</u>	<u>16</u>	<u>15</u>
770	Of placenta	20	9	11
771	Of umbilical cord	11	7	4
772	Birth injury without mention of cause	17	7	10
<u>774,775</u>	<u>Hemolytic disease of newborn</u>	<u>9</u>	<u>6</u>	<u>3</u>
775	Without mention of kernicterus	9	6	3
776	Anoxic and hypoxic conditions not elsewhere classifiable	329	154	175
777	Immaturity, unqualified	196	52	144
778	Other conditions of fetus or newborn	39	16	23
<u>780-796</u>	<u>SYMPTOMS AND ILL-DEFINED CONDITIONS</u>	<u>1,689</u>	<u>605</u>	<u>1,084</u>

Table 11 - Page 12
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>780-789</u>	<u>Symptoms referable to systems or organs</u>	<u>55</u>	<u>29</u>	<u>26</u>
780	Certain symptoms referable to nervous system and special senses	3	2	1
781	Other symptoms referable to nervous system and special senses	1	1	0
782	Symptoms referable to cardiovascular and lymphatic system	36	20	16
783	Symptoms referable to respiratory system	2	2	0
784	Symptoms referable to upper gastrointestinal tract	3	2	1
785	Symptoms referable to abdomen and lower gastrointestinal tract	4	1	3
788	Other general symptoms	4	0	4
789	Abnormal urinary constituents of unspecified cause	2	1	1
<u>790-796</u>	<u>Senility and ill-defined diseases</u>	<u>1,634</u>	<u>576</u>	<u>1,058</u>
790	Nervousness and debility	1	1	0
791	Headache	1	0	1
792	Uremia	13	4	9
794	Senility without mention of psychosis	47	6	41
795	Sudden death (cause unknown)	9	4	5
796	Other ill-defined and unknown causes	1,563	561	1,002
<u>800-999</u>	<u>ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)</u>	<u>2,563</u>	<u>1,487</u>	<u>1,076</u>
<u>800-949</u>	<u>Accidents</u>	<u>1,976</u>	<u>1,196</u>	<u>780</u>
<u>800-807</u>	<u>Railway</u>	<u>10</u>	<u>3</u>	<u>7</u>
802	Involving derailment without antecedent collision	1	0	1
804	Fall in, on, or from train	1	1	0
805	Hit by rolling stock	8	2	6
<u>810-823</u>	<u>Motor vehicle</u>	<u>984</u>	<u>680</u>	<u>304</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>971</u>	<u>670</u>	<u>301</u>
810	Involving collision with train	26	20	6
812	Involving collision with another motor vehicle	419	314	105
813	Involving collision with other vehicle	10	9	1
814	Involving collision with pedestrian	134	55	79
815	Other involving collision	99	69	30
816	Noncollision due to loss of control	171	130	41
818	Other noncollision	11	5	6
819	Of unspecified nature	101	68	33
<u>(820-823)</u>	<u>(Nontraffic)</u>	<u>13</u>	<u>10</u>	<u>3</u>
820	Involving collision with moving object	11	8	3
823	Of other and unspecified nature	2	2	0
<u>825-827</u>	<u>Other road vehicle</u>	<u>3</u>	<u>1</u>	<u>2</u>
826	Pedal cycle	1	0	1
827	Other nonmotor road vehicle	2	1	1
<u>830-838</u>	<u>Water transport</u>	<u>31</u>	<u>20</u>	<u>11</u>
830	Accident to watercraft causing submersion	18	11	7
832	Other submersion or drowning in water transport	13	9	4
<u>840-845</u>	<u>Air and space transport</u>	<u>11</u>	<u>10</u>	<u>1</u>
841	Accident to powered aircraft, other and unspecified	11	10	1

Table 11 - Page 13
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>850-877</u>	<u>Poisoning</u>	<u>45</u>	<u>21</u>	<u>24</u>
<u>(850-859)</u>	<u>(By drugs and medicaments)</u>	<u>10</u>	<u>8</u>	<u>2</u>
850	Antibiotics and other anti-infectives	3	2	1
853	Analgesics and antipyretics	3	2	1
855	Autonomic nervous system and psychotherapeutic drugs	1	1	0
856	Other central nervous system depressants and stimulants	1	1	0
859	Other and unspecified drugs and medicaments	2	2	0
<u>(860-869)</u>	<u>(By other solid and liquid substances)</u>	<u>18</u>	<u>7</u>	<u>11</u>
860	Alcohol	4	1	3
864	Petroleum products and other solvents	2	1	1
865	Pesticides, fertilizers, or plant food	5	1	4
866	Heavy metals and their fumes	1	0	1
869	Other and unspecified solid and liquid substances	6	4	2
<u>(870-877)</u>	<u>(By gases and vapors)</u>	<u>17</u>	<u>6</u>	<u>11</u>
870	Gas distributed by pipeline	2	0	2
872	Other utility gas	3	3	0
873	Motor vehicle exhaust gas	9	2	7
874	Carbon monoxide from incomplete combustion of domestic fuels	1	0	1
876	Other gases and vapors	2	1	1
<u>880-887</u>	<u>Falls</u>	<u>171</u>	<u>130</u>	<u>41</u>
880	On or from stairs and steps	5	3	2
881	On or from ladders or scaffolding	5	3	2
882	From or out of building or other structure	17	13	4
883	Into hole or other opening in surface	2	1	1
884	Other from one level to another	8	6	2
885	On same level from slipping, stumbling, or tripping	9	6	3
887	Other and unspecified fall	125	98	27
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>181</u>	<u>58</u>	<u>123</u>
890	Conflagration in private dwelling	123	31	92
891	Conflagration in other building or structure	3	2	1
892	Conflagration not in building or structure	1	1	0
893	Ignition of clothing	19	5	14
894	Ignition of highly inflammable material	7	3	4
895	Controlled fire in private dwelling	2	2	0
898	Other specified fires or flames	11	10	1
899	Unspecified fire	15	4	11
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>122</u>	<u>26</u>	<u>96</u>
900	Excessive heat	1	1	0
901	Excessive cold	2	1	1
904	Hunger, thirst, exposure, and neglect	7	1	6
905	Bites and stings of venomous animals and insects	1	1	0
906	Other accidents caused by animals	2	2	0
907	Lightning	4	2	2
908	Cataclysm	105	18	87
<u>910-929</u>	<u>Other accidents</u>	<u>395</u>	<u>233</u>	<u>162</u>
910	Drowning and submersion	94	42	52

Table 11 - Page 14
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
911	Inhalation and ingestion of food causing obstruction or suffocation	40	25	15
912	Inhalation and ingestion of other object causing obstruction or suffocation	11	9	2
913	Mechanical suffocation	34	11	23
916	Struck by falling object	26	19	7
917	Striking against or struck by objects	12	6	6
918	Caught in or between objects	5	4	1
919	Overexertion and strenuous movements	1	0	1
920	Caused by cutting or piercing instruments	2	1	1
921	Caused by explosion of pressure vessel	2	2	0
922	Caused by firearm missiles	74	42	32
923	Caused by explosive material	11	10	1
924	Caused by hot substance, corrosive liquid, and steam	4	3	1
925	Caused by electric current	24	18	6
927	Vehicle accidents not elsewhere classifiable	1	1	0
928	Machinery accidents not elsewhere classifiable	29	19	10
929	Other and unspecified accidents	25	21	4
<u>930-936</u>	<u>Surgical and medical complications and misadventures</u>	<u>12</u>	<u>8</u>	<u>4</u>
930	In operative therapeutic procedures	4	4	0
931	In other and unspecified therapeutic procedures	6	3	3
932	In diagnostic procedures	1	1	0
935	In other prophylactic procedures	1	0	1
<u>940-949</u>	<u>Late effects of accidental injury</u>	<u>11</u>	<u>6</u>	<u>5</u>
940	Of motor vehicle accident	4	2	2
943	Of accidental fall	2	1	1
944	Of accident caused by fire	1	0	1
945	Of accident due to natural and environmental factors	1	1	0
946	Of other accident	3	2	1
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>210</u>	<u>187</u>	<u>23</u>
<u>950-952</u>	<u>By poisoning</u>	<u>11</u>	<u>10</u>	<u>1</u>
950	By solid or liquid substances	7	6	1
952	By other gases	4	4	0
953	By hanging, strangulation, and suffocation	17	16	1
954	By submersion (drowning)	8	6	2
955	By firearms and explosives	172	153	19
956	By cutting and piercing instruments	1	1	0
957	By jumping from high place	1	1	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>327</u>	<u>74</u>	<u>253</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>321</u>	<u>74</u>	<u>247</u>
960	Fight, brawl, rape	4	2	2
963	Assault by hanging and strangulation	1	0	1
965	Assault by firearms and explosives	243	58	185
966	Assault by cutting and piercing instruments	48	8	40
968	Assault by other and unspecified means	24	6	18
969	Late effect of injury purposely inflicted by other person	1	0	1

Table 11 - Page 15
Deaths - Mississippi - 1971

International Classification Number*	Cause*	Total	White	Non-white
<u>970-978</u>	<u>Legal intervention</u>	<u>6</u>	<u>0</u>	<u>6</u>
970	Injury by firearms	6	0	6
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>50</u>	<u>30</u>	<u>20</u>
980	Poisoning by solid or liquid substances	4	4	0
982	Poisoning by other gases	1	1	0
984	Submersion (drowning)	1	1	0
985	Injury by firearms and explosives	34	18	16
988	Injury by other and unspecified means	9	6	3
989	Late effect of injury	1	0	1
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 12
 DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
 ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1971

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									65 and Over	Unknown
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
000-999	ALL CAUSES	23,426	10.6	W	13,980	M F	8,237	297	36	40	53	298	202	346	787	1,550	4,627	1
				NW	9,446	M F	5,743	163	27	24	27	92	96	178	411	648	4,077	0
				W	99	M F	61	3	3	4	0	2	2	2	8	12	25	0
		247	11.1	NW	148	M F	84	32	1	1	1	1	3	0	5	4	21	0
				W	21	M F	9	0	0	0	0	1	0	0	1	1	6	0
		88	4.0	NW	67	M F	36	25	5	0	0	0	0	0	2	0	7	0
				W	21	M F	15	0	0	0	0	0	0	0	5	2	7	0
		44	2.0	NW	23	M F	17	0	0	0	0	1	0	0	0	1	5	0
				W	4	M F	1	0	0	0	0	0	0	0	0	0	1	0
		7	0.3	NW	3	M F	3	0	0	0	0	0	0	0	1	1	1	0
				W	2,222	M F	1,263	0	1	0	6	12	23	53	146	332	686	0
		3,346	150.9	NW	1,124	M F	959	0	5	0	1	14	19	53	150	190	527	0
				W	606	M F	606	0	1	3	2	14	4	15	54	132	381	0
				NW	518	M F	518	0	1	2	0	6	8	38	72	100	292	0

Table 12 - Page 4
Deaths - Mississippi - 1971

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									65 and Over	Unknown
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
430-438	Cerebrovascular disease	2,961	133.6	W	1,671	M	795	1	0	0	1	4	4	11	21	99	654	0
				NW	1,290	F	876	0	0	0	1	1	3	17	27	61	766	0
							605	0	0	0	1	1	5	17	42	96	442	1
							685	1	0	0	0	2	6	19	47	82	527	1
440	Arteriosclerosis	262	11.8	W	186	M	86	0	0	0	0	0	0	0	0	6	80	0
				NW	76	F	100	0	0	0	0	0	0	0	0	3	97	0
							33	0	0	0	0	0	0	0	1	3	29	0
							43	0	0	0	0	0	0	1	0	0	42	0
460-519	Diseases of the respiratory system	1,064	48.0	W	676	M	456	17	1	2	0	7	7	9	23	82	314	0
				NW	388	F	220	8	2	1	2	4	3	4	18	19	162	0
							226	61	7	2	0	8	3	9	20	27	89	0
							162	53	9	1	0	7	4	6	10	10	62	0
470-474	Influenza	6	0.3	W	3	M	3	0	0	0	0	0	0	0	0	1	2	0
				NW	3	F	0	0	0	0	0	0	0	0	0	0	0	0
							1	0	0	0	0	0	0	0	0	1	0	0
							2	0	0	0	0	0	0	0	0	1	1	0
480-486	Pneumonia	596	26.9	W	332	M	186	14	1	1	0	1	5	6	6	22	130	0
				NW	264	F	146	7	2	1	0	0	3	3	6	10	114	0
							150	52	5	2	0	6	2	8	10	13	52	0
							114	48	7	0	0	3	2	1	3	7	43	0
490,491	Chronic and unqualified bronchitis	54	2.4	W	49	M	39	0	0	0	0	0	1	0	2	10	26	0
				NW	5	F	10	0	0	0	2	0	0	0	1	0	7	0
							3	0	0	0	0	0	0	0	1	1	1	0
							2	0	0	0	0	0	0	0	0	0	2	0
492	Emphysema	210	9.5	W	179	M	156	0	0	1	0	0	0	0	8	38	109	0
				NW	31	F	23	0	0	0	0	0	0	0	2	5	16	0
							26	0	0	0	0	0	0	1	4	3	18	0
							5	0	0	0	0	0	0	0	1	1	3	0

Table 12 - Page 5
Deaths - Mississippi - 1971

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									65 and Over	Unknown
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
493	Asthma	22	1.0	W	6	M	1	0	0	0	0	0	0	0	1	0	0	
				NW	16	F	5	0	0	0	0	0	0	0	0	2	0	
				W	464	M	11	4	0	0	0	0	0	0	2	5	0	
				NW	215	F	5	0	0	0	0	0	0	0	1	0	0	
520-577	<u>Diseases of the digestive system</u>	679	30.6	W	464	M	252	4	0	0	3	16	53	50	116	0	0	
				NW	215	F	212	0	0	0	3	7	30	31	138	0	0	
				W	51	M	24	2	0	0	0	1	6	6	11	0	0	
				NW	33	F	27	0	0	0	0	2	3	8	14	0	0	
531-533	Peptic ulcer	84	3.8	W	51	M	22	0	0	0	0	1	3	7	9	0	0	
				NW	33	F	11	0	0	0	0	1	0	2	8	0	0	
550-553, 560	Hernia and intestinal obstruction	95	4.3	W	57	M	26	3	0	0	0	1	1	4	17	0	0	
				NW	38	F	31	0	0	0	0	0	2	5	23	0	0	
				W	145	M	20	2	0	0	0	2	0	2	14	0	0	
				NW	33	F	18	1	0	0	1	2	2	4	8	0	0	
571	Cirrhosis of liver	178	8.0	W	145	M	97	0	0	0	1	9	38	22	22	0	0	
				NW	33	F	48	0	0	0	2	2	14	10	18	0	0	
				W	221	M	28	0	0	0	2	3	6	9	8	0	0	
				NW	204	F	5	0	0	0	0	2	1	2	0	0	0	
580-629	<u>Diseases of the genitourinary system</u>	425	19.2	W	221	M	119	1	0	0	0	2	4	10	100	0	0	
				NW	204	F	102	1	0	0	0	3	7	16	75	0	0	
				W	62	M	31	0	0	0	0	0	0	5	25	0	0	
				NW	80	F	31	1	0	0	0	1	3	6	20	0	0	
580-584	Nephritis and nephrosis	142	6.4	W	62	M	41	1	0	0	0	0	0	3	12	0	0	
				NW	80	F	39	0	0	0	0	4	3	5	18	0	0	

Table 12 - Page 7
Deaths - Mississippi - 1971

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age								65 and Over	Unknown	
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54			55-64
800-999	Accidents, poisonings, and violence	2,563	115.6	W	1,487	M	1,070	15	18	23	39	263	131	129	150	148	153	1
				NW	1,076	F	417	8	12	16	12	65	47	51	46	38	122	0
				W	680	M	504	3	8	14	20	178	68	55	55	51	52	0
				NW	304	F	176	1	8	7	6	46	23	18	21	17	29	0
810-823	Motor vehicle accidents	984	44.4	W	680	M	504	3	8	14	20	178	68	55	55	51	52	0
				NW	304	F	222	2	7	16	7	66	33	25	27	23	15	1
				W	516	M	354	10	9	9	18	56	38	45	49	54	66	0
				NW	476	F	162	7	4	8	4	10	10	9	10	14	86	0
800-807, 825-949	All other accidents	992	44.7	W	516	M	354	10	9	9	18	56	38	45	49	54	66	0
				NW	476	F	297	26	21	18	23	44	26	22	26	24	67	0
				W	187	M	137	0	0	0	1	20	7	15	29	35	30	0
				NW	23	F	50	0	0	0	2	5	8	16	7	5	7	0
950-959	Suicide	210	9.5	W	187	M	137	0	0	0	1	20	7	15	29	35	30	0
				NW	23	F	14	0	0	0	0	3	1	4	3	2	1	0
				W	74	M	56	2	1	0	0	8	13	13	10	6	2	1
				NW	253	F	18	0	0	0	0	2	4	7	3	2	0	0
960-978	Homicide	327	14.8	W	74	M	56	2	1	0	0	8	13	13	10	6	2	1
				NW	253	F	197	1	2	0	0	56	58	34	27	15	3	1
				W	56	M	56	1	3	0	2	14	9	13	10	3	1	0
				NW	56	F	56	1	3	0	2	14	9	13	10	3	1	0

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Total deaths per 1,000 population according to 1970 census. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 13
 INFANT AND NEONATAL DEATHS* AND MORTALITY RATES, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1971

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>1,311</u>	<u>460</u>	<u>851</u>	<u>27.0</u>	<u>18.2</u>	<u>36.4</u>	<u>940</u>	<u>382</u>	<u>558</u>	<u>19.3</u>	<u>15.2</u>	<u>23.8</u>
Adams	27	11	16	31.4	30.0	32.3	22	10	12	25.6	27.3	24.2
Alcorn	13	11	2	27.5	28.3	24.1	10	8	2	21.2	20.6	24.1
Amite	8	1	7	33.9	12.6	44.6	6	1	5	25.4	12.6	31.8
Attala	3	0	3	8.0	-	14.9	2	0	2	5.4	-	10.0
Benton	6	2	4	50.4	26.0	95.2	3	2	1	25.2	26.0	23.8
Bolivar	36	7	29	24.5	20.2	25.9	26	6	20	17.7	17.3	17.8
Calhoun	9	2	7	32.4	12.6	58.8	4	0	4	14.4	-	33.6
Carroll	4	1	3	28.0	17.5	34.9	3	1	2	21.0	17.5	23.2
Chickasaw	10	3	7	27.0	14.2	44.0	8	2	6	21.6	9.4	37.7
Choctaw	1	0	1	7.9	-	17.8	1	0	1	7.9	-	17.8
Claiborne	11	1	10	55.8	28.6	61.7	9	1	8	45.7	28.6	49.4
Clarke	6	2	4	20.3	12.5	29.4	5	2	3	16.9	12.5	22.0
Clay	19	2	17	45.8	12.3	67.5	15	2	13	36.1	12.3	51.6
Coahoma	33	4	29	35.9	18.0	41.5	27	4	23	29.3	18.0	33.0
Copiah	12	5	7	23.4	26.4	21.7	8	5	3	15.6	26.4	9.3
Covington	5	0	5	16.3	-	34.0	3	0	3	9.8	-	20.4
DeSoto	17	10	7	19.9	18.6	22.1	15	10	5	17.5	18.6	15.8
Forrest	24	7	17	20.3	9.3	39.4	17	6	11	14.4	8.0	25.5
Franklin	2	0	2	17.5	-	28.2	1	0	1	8.8	-	14.1
George	9	7	2	30.4	26.5	62.5	7	5	2	23.6	18.9	62.5
Greene	4	3	1	19.2	22.0	13.9	4	3	1	19.2	22.0	13.9
Grenada	16	3	13	37.4	16.7	52.4	9	3	6	21.0	16.7	24.2
Hancock	6	6	0	18.0	21.1	-	4	4	0	12.0	14.1	-
Harrison	68	45	23	21.0	18.2	30.1	54	37	17	16.7	15.0	22.2

Table 13 - Page 2
 Infant and Neonatal Deaths - Mississippi - 1971

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Hinds	99	44	55	22.5	20.9	24.0	78	37	41	17.7	17.6	17.9
Holmes	10	1	9	21.3	11.5	23.6	4	0	4	8.5	-	10.5
Humphreys	13	4	9	41.4	59.7	36.4	11	4	7	35.0	59.7	28.3
Issaquena	0	0	0	-	-	-	0	0	0	-	-	-
Itawamba	2	2	0	7.7	8.3	-	2	2	0	7.7	8.3	-
Jackson	55	30	25	25.5	17.9	52.3	45	24	21	20.9	14.3	43.9
Jasper	17	3	14	52.0	28.6	63.1	15	3	12	45.9	28.6	54.0
Jefferson	6	1	5	33.9	47.6	32.0	2	1	1	11.3	47.6	6.4
Jeff Davis	14	2	12	48.4	19.4	64.5	5	2	3	17.3	19.4	16.1
Jones	33	16	17	31.1	22.3	49.4	27	12	15	25.4	16.7	43.6
Kemper	4	0	4	20.6	-	26.1	1	0	1	5.2	-	6.5
Lafayette	15	5	10	31.2	16.6	55.6	8	5	3	16.6	16.6	16.7
Lamar	6	5	1	18.3	18.5	17.2	5	4	1	15.2	14.8	17.2
Lauderdale	34	15	19	20.4	15.6	27.0	23	11	12	13.8	11.4	17.0
Lawrence	5	3	2	19.8	23.1	16.4	5	3	2	19.8	23.1	16.4
Leake	10	1	9	29.5	6.3	49.7	4	1	3	11.8	6.3	16.6
Lee	27	17	10	27.1	23.9	35.2	21	14	7	21.1	19.7	24.6
Leflore	44	8	36	43.3	28.3	49.0	35	7	28	34.4	24.7	38.1
Lincoln	13	4	9	21.4	11.3	35.6	11	4	7	18.2	11.3	27.7
Lowndes	18	4	14	14.9	6.0	26.1	12	3	9	10.0	4.5	16.8
Madison	19	3	16	23.5	13.2	27.6	13	2	11	16.1	8.8	19.0
Marion	11	2	9	23.9	7.4	47.4	6	1	5	13.0	3.7	26.3
Marshall	24	5	19	37.8	26.6	42.5	12	3	9	18.9	16.0	20.1
Monroe	20	6	14	26.8	12.7	51.1	16	5	11	21.4	10.6	40.1
Montgomery	14	5	9	56.0	50.0	60.0	9	5	4	36.0	50.0	26.7
Neshoba	8	2	6	17.8	7.5	33.0	5	2	3	11.1	7.5	16.5
Newton	5	1	4	13.9	4.9	25.5	2	1	1	5.6	4.9	6.4
Noxubee	21	2	19	61.0	30.3	68.3	11	1	10	32.0	15.2	36.0
Oktibbeha	15	5	10	25.0	16.2	34.2	10	5	5	16.7	16.2	17.1
Panola	20	4	16	32.5	18.0	40.7	14	4	10	22.8	18.0	25.4

Table 13 - Page 3
 Infant and Neonatal Deaths

County	Infant Deaths					Neonatal Deaths						
	Number		Rate**		Non-white	Number		Rate**		Non-white		
	Total	White	Total	White		Total	White	Total	White			
Pearl River	15	11	4	25.0	23.9	29.0	11	8	3	18.4	17.4	21.7
Perry	2	1	1	10.4	7.6	16.1	2	1	1	10.4	7.6	16.1
Pike	14	3	11	21.5	10.7	29.8	6	2	4	9.2	7.1	10.8
Pontotoc	9	6	3	30.5	24.8	56.6	7	5	2	23.7	20.7	37.7
Prentiss	8	7	1	20.0	20.5	17.5	7	6	1	17.5	17.5	17.5
Quitman	11	2	9	26.2	16.7	30.1	7	1	6	16.7	8.3	20.1
Rankin	18	11	7	20.7	17.5	29.2	13	9	4	15.0	14.3	16.7
Scott	21	8	13	41.5	30.6	53.1	18	7	11	35.6	26.8	44.9
Sharkey	17	3	14	70.2	65.2	71.4	10	3	7	41.3	65.2	35.7
Simpson	13	2	11	32.1	9.2	58.2	11	2	9	27.2	9.2	47.6
Smith	9	3	6	31.5	16.7	56.6	6	2	4	21.0	11.1	37.7
Stone	6	5	1	30.4	39.7	14.1	6	5	1	30.4	39.7	14.1
Sunflower	32	5	27	34.8	23.7	38.1	18	4	14	19.6	19.0	19.7
Tallahatchie	11	2	9	24.2	15.5	27.7	9	2	7	19.8	15.5	21.5
Tate	12	4	8	32.2	27.6	35.2	9	4	5	24.2	27.6	22.0
Tippah	4	2	2	12.2	7.8	28.6	4	2	2	12.2	7.8	28.6
Tishomingo	3	3	0	14.0	14.9	-	2	2	0	9.3	10.0	-
Tunica	10	1	9	31.8	17.8	34.9	5	1	4	15.9	17.8	15.5
Union	7	5	2	20.9	18.8	29.0	5	4	1	14.9	15.0	14.5
Walthall	13	6	7	51.2	53.6	49.3	10	6	4	39.4	53.6	28.2
Warren	32	10	22	32.0	19.8	44.5	25	9	16	25.0	17.8	32.4
Washington	59	11	48	31.7	18.3	38.1	37	8	29	19.9	13.3	23.0
Wayne	12	4	8	33.3	19.2	52.6	9	4	5	25.0	19.2	32.9
Webster	3	2	1	19.0	21.3	15.6	3	2	1	19.0	21.3	15.6
Wilkinson	8	1	7	35.6	18.5	40.9	6	1	5	26.7	18.5	29.2
Winston	9	2	7	23.4	12.4	31.2	6	1	5	15.6	6.2	22.3
Yalobusha	8	2	6	34.6	20.0	45.8	4	0	4	17.3	-	30.5
Yazoo	14	5	9	25.7	25.8	25.7	9	3	6	16.5	15.5	17.1

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age.

** Deaths per 1,000 live births.

TABLE 14
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1971

Cause of Death and International Classi- fication Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>1,311</u>	<u>27.0</u>	W	<u>460</u>	<u>382</u>	<u>177</u>	<u>174</u>	<u>17</u>	<u>11</u>	<u>3</u>	<u>78</u>
			NW	<u>851</u>	<u>558</u>	<u>286</u>	<u>177</u>	<u>41</u>	<u>26</u>	<u>28</u>	<u>293</u>
Diarrheal disease (009)	45	0.9	W	2	1	0	0	0	1	0	1
			NW	43	10	0	0	4	3	3	33
Septicemia (038)	12	0.2	W	3	2	0	0	0	2	0	1
			NW	9	7	0	3	2	1	1	2
Other infective and parasitic diseases (000-008, 010-037, 039-136)	11	0.2	W	1	0	0	0	0	0	0	1
			NW	10	2	0	0	2	0	0	8
Meningitis (320)	14	0.3	W	5	1	0	0	0	0	1	4
			NW	9	0	0	0	0	0	0	9
Acute upper respiratory infections (460-465)	7	0.1	W	0	0	0	0	0	0	0	0
			NW	7	0	0	0	0	0	0	7
Bronchitis and bronchio- litis (466, 490, 491)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
Influenza and pneumonia (470-486)	121	2.5	W	21	10	2	6	1	1	0	11
			NW	100	39	10	8	8	5	8	61
Hernia and intestinal obstruction (550-553, 560)	6	0.1	W	3	3	0	3	0	0	0	0
			NW	3	3	0	1	2	0	0	0
Congenital anomalies (740-759)	139	2.9	W	91	70	30	32	5	2	1	21
			NW	48	28	12	7	5	2	2	20
Maternal conditions unrelated to pregnancy (760, 761)	5	0.1	W	3	3	2	1	0	0	0	0
			NW	2	2	2	0	0	0	0	0
Toxemia of pregnancy (762)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
Maternal antepartum and intrapartum infection (763)	3	0.1	W	2	2	2	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Difficult labor (764-768)	8	0.2	W	5	5	3	2	0	0	0	0
			NW	3	3	1	1	0	0	1	0
Other complications of pregnancy and childbirth (769)	46	0.9	W	18	18	14	4	0	0	0	0
			NW	28	27	22	5	0	0	0	1

Table 14 - Page 2
 Infant Deaths - Mississippi - 1971

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age					28 Days and Over	
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20		21-27
Conditions of placenta (770)	20	0.4	W	9	9	4	5	0	0	0	0
			NW	11	11	7	3	1	0	0	0
Conditions of umbilical cord (771)	11	0.2	W	7	7	4	3	0	0	0	0
			NW	4	4	2	2	0	0	0	0
Birth injury without mention of cause (772)	17	0.3	W	7	7	0	6	1	0	0	0
			NW	10	10	3	6	0	0	1	0
Hemolytic disease of newborn (774, 775)	9	0.2	W	6	6	4	2	0	0	0	0
			NW	3	3	0	2	1	0	0	0
Hyaline membrane disease (776.1)	103	2.1	W	57	57	16	41	0	0	0	0
			NW	46	46	21	23	1	1	0	0
Respiratory distress syndrome (776.2)	89	1.8	W	33	33	16	16	1	0	0	0
			NW	56	56	33	21	0	2	0	0
Asphyxia of newborn, unspecified (776.9)	122	2.5	W	59	59	37	20	2	0	0	0
			NW	63	63	40	22	0	0	1	0
Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)	15	0.3	W	5	5	2	3	0	0	0	0
			NW	10	10	3	5	1	0	1	0
Immaturity, unqualified (777)	196	4.0	W	52	52	35	15	1	1	0	0
			NW	144	142	94	38	8	1	1	2
Hemorrhagic disease of newborn (778.2)	11	0.2	W	3	3	0	3	0	0	0	0
			NW	8	8	4	4	0	0	0	0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	28	0.6	W	13	13	4	8	1	0	0	0
			NW	15	15	8	5	1	1	0	0
Symptoms and ill-defined conditions (780-796)	147	3.0	W	15	4	1	1	1	0	1	11
			NW	132	44	19	11	2	5	7	88
Accidents (800-949)	68	1.4	W	21	6	1	0	2	3	0	15
			NW	47	10	0	3	3	2	2	37
All other causes	52	1.1	W	18	6	0	3	2	1	0	12
			NW	34	12	2	7	0	3	0	22

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Deaths per 1,000 live births.

Rate less than 0.06.

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1971

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,597	18,668	8,929	27,597	18,668	8,929	23,962	15,643	8,319
Adams	527	327	200	531	336	195	427	244	183
Alcorn	519	471	48	558	509	49	307	270	37
Amite	112	52	60	117	69	48	115	57	58
Attala	176	99	77	188	109	79	174	99	75
Benton	40	28	12	56	42	14	52	37	15
Bolivar	571	255	316	526	229	297	522	218	304
Calhoun	173	125	48	194	146	48	190	142	48
Carroll	84	44	40	102	58	44	78	41	37
Chickasaw	262	179	83	238	164	74	230	160	70
Choctaw	87	61	26	91	68	23	62	46	16
Claiborne	99	31	68	109	30	79	89	28	61
Clarke	165	98	67	162	99	63	144	79	65
Clay	204	117	87	191	106	85	177	99	78
Coahoma	432	173	259	410	158	252	400	153	247
Copiah	258	121	137	266	123	143	285	139	146
Covington	146	97	49	160	110	50	148	102	46
DeSoto	919	575	344	924	585	339	316	218	98
Forrest	813	622	191	782	590	192	734	537	197
Franklin	71	45	26	80	55	25	68	39	29
George	238	219	19	224	207	17	157	142	15
Greene	87	72	15	109	92	17	78	61	17
Grenada	245	158	87	211	125	86	213	128	85
Hancock	356	313	43	333	291	42	156	129	27
Harrison	2,057	1,737	320	2,101	1,789	312	1,776	1,466	310
Hinds	2,746	1,735	1,011	2,498	1,536	962	2,506	1,603	903
Holmes	239	72	167	247	78	169	277	82	195
Humphreys	138	64	74	141	64	77	135	59	76
Issaquena	13	7	6	21	9	12	11	2	9
Itawamba	179	166	13	193	178	15	122	109	13
Jackson	1,191	994	197	1,162	961	201	1,018	844	174
Jasper	132	66	66	172	91	81	162	83	79
Jefferson	115	27	88	86	14	72	92	18	74
Jeff Davis	155	82	73	135	69	66	116	60	56
Jones	680	535	145	671	527	144	651	520	131
Kemper	97	41	56	97	36	61	72	28	44
Lafayette	215	143	72	202	125	77	189	112	77
Lamar	156	128	28	181	149	32	187	158	29
Lauderdale	780	532	248	773	523	250	733	494	239
Lawrence	111	70	41	127	82	45	170	98	72
Leake	184	97	87	190	112	78	189	104	85
Lee	512	400	112	506	394	112	610	470	140
Leflore	463	233	230	459	232	227	452	243	209

Table 15 - Page 2
 Marriages - Mississippi - 1971

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	322	219	103	331	228	103	288	191	97
Lowndes	485	334	151	507	350	157	444	299	145
Madison	287	133	154	317	152	165	281	123	158
Marion	332	237	95	312	225	87	292	213	79
Marshall	390	209	181	378	201	177	231	96	135
Monroe	278	216	62	302	227	75	272	200	72
Montgomery	160	87	73	167	94	73	172	93	79
Neshoba	259	188	71	251	178	73	217	151	66
Newton	181	127	54	216	162	54	223	164	59
Noxubee	109	42	67	113	49	64	112	40	72
Oktibbeha	309	200	109	283	179	104	277	174	103
Panola	298	187	111	298	188	110	291	171	120
Pearl River	398	341	57	419	357	62	293	241	52
Perry	107	89	18	103	84	19	106	91	15
Pike	399	232	167	395	219	176	361	195	166
Pontotoc	178	146	32	163	140	23	158	141	17
Prentiss	264	235	29	239	213	26	194	179	15
Quitman	190	94	96	220	116	104	175	80	95
Rankin	376	302	74	473	387	86	434	343	91
Scott	272	165	107	251	150	101	267	162	105
Sharkey	90	34	56	73	30	43	75	32	43
Simpson	247	173	74	261	179	82	227	148	79
Smith	93	72	21	123	99	24	106	70	36
Stone	129	96	33	113	84	29	119	89	30
Sunflower	345	150	195	391	174	217	379	157	222
Tallahatchie	169	82	87	164	85	79	143	76	67
Tate	215	125	90	194	107	87	163	86	77
Tippah	186	161	25	175	150	25	180	155	25
Tishomingo	392	381	11	375	363	12	171	164	7
Tunica	133	60	73	124	51	73	107	35	72
Union	211	188	23	213	185	28	191	165	26
Walthall	139	85	54	150	92	58	99	59	40
Warren	530	344	186	551	365	186	499	318	181
Washington	924	508	416	938	520	418	845	451	394
Wayne	209	133	76	202	130	72	156	96	60
Webster	108	82	26	113	85	28	106	82	24
Wilkinson	534	451	83	529	429	100	103	35	68
Winston	199	119	80	208	120	88	204	117	87
Yalobusha	129	91	38	147	103	44	151	107	44
Yazoo	274	139	135	275	144	131	260	133	127
Not reported				16	4	12			
Out of state	*	*	*	*	*	*	3,635	3,025	610

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
 DIVORCES AND RATES, BY COUNTY OF OCCURRENCE AND RACE,
 MISSISSIPPI, 1971

County	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
<u>STATE</u>	<u>8,936</u>	<u>6,705</u>	<u>2,231</u>	<u>18.1</u>	<u>19.0</u>	<u>15.8</u>
Adams	161	102	59	20.1	20.7	19.1
Alcorn	119	105	14	17.0	16.4	23.4
Amite	25	20	5	8.4	10.9	4.3
Attala	68	48	20	14.9	15.1	14.4
Benton	17	12	5	10.0	10.1	9.8
Bolivar	139	67	72	15.0	14.7	15.3
Calhoun	47	32	15	13.0	10.8	23.1
Carroll	18	8	10	8.8	6.5	12.5
Chickasaw	68	57	11	17.4	20.1	10.2
Choctaw	17	11	6	8.4	6.8	14.5
Claiborne	24	8	16	13.2	12.0	13.9
Clarke	48	34	14	13.6	13.4	14.2
Clay	64	32	32	15.9	12.8	20.8
Coahoma	154	63	91	19.5	17.4	21.4
Copiah	53	21	32	10.1	6.7	15.0
Covington	33	24	9	10.4	10.1	11.4
DeSoto	236	204	32	29.3	34.2	15.2
Forrest	345	278	67	27.0	27.1	26.3
Franklin	21	14	7	11.4	10.9	12.6
George	45	39	6	14.9	14.2	22.9
Greene	27	24	3	14.0	14.9	9.1
Grenada	82	58	24	18.2	19.5	15.8
Hancock	77	67	10	19.4	19.0	23.3
Harrison	919	808	111	31.0	31.8	26.5
Hinds	1,079	804	275	22.6	24.5	18.4
Holmes	62	25	37	14.0	13.8	14.2
Humphreys	46	23	23	16.0	17.4	14.8
Issaquena	7	2	5	12.6	7.3	18.0
Itawamba	42	39	3	9.3	9.0	15.6
Jackson	490	435	55	23.6	23.9	21.0
Jasper	28	18	10	7.8	7.9	7.6
Jefferson	23	5	18	13.6	8.4	16.4
Jeff Davis	26	13	13	9.3	7.7	11.7
Jones	298	253	45	22.3	23.3	18.0
Kemper	20	12	8	9.4	10.5	8.2
Lafayette	78	61	17	15.7	16.1	14.4
Lamar	62	53	9	17.3	16.3	26.2
Lauderdale	229	186	43	14.6	15.7	11.3
Lawrence	32	24	8	12.5	12.3	13.2
Leake	64	41	23	15.6	14.1	19.0
Lee	223	208	15	19.2	21.3	8.2
Leflore	131	82	49	15.1	18.2	11.7

Table 16 - Page 2
Divorces - Mississippi - 1971

County	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
Lincoln	65	46	19	10.6	9.7	13.6
Lowndes	177	133	44	16.4	16.4	16.1
Madison	120	68	52	20.3	23.7	17.2
Marion	111	90	21	21.2	22.6	16.6
Marshall	94	59	35	20.1	25.6	14.7
Monroe	122	95	27	14.9	15.1	14.3
Montgomery	53	30	23	18.1	15.6	23.0
Neshoba	115	76	39	22.3	18.6	37.1
Newton	30	16	14	6.6	4.6	13.4
Noxubee	24	14	10	8.6	11.1	6.5
Oktibbeha	80	55	25	13.7	13.3	14.6
Panola	77	58	19	13.5	17.0	8.3
Pearl River	163	149	14	24.9	26.5	15.3
Perry	34	28	6	16.4	16.9	14.4
Pike	96	49	47	13.6	10.6	19.0
Pontotoc	69	59	10	15.4	15.2	16.7
Prentiss	94	82	12	18.5	17.5	29.7
Quitman	38	17	21	11.9	10.0	14.1
Rankin	92	81	11	8.8	10.0	4.6
Scott	86	49	37	16.8	13.3	26.0
Sharkey	44	23	21	25.8	28.0	23.7
Simpson	83	72	11	17.7	20.2	9.7
Smith	53	51	2	15.8	18.1	3.8
Stone	42	36	6	23.3	24.1	19.4
Sunflower	65	38	27	9.2	11.2	7.4
Tallahatchie	45	25	20	11.4	12.4	10.4
Tate	55	43	12	14.2	17.7	8.4
Tippah	77	66	11	19.2	18.8	22.2
Tishomingo	27	27	0	6.8	7.0	-
Tunica	27	13	14	12.0	15.9	9.8
Union	71	64	7	14.3	14.6	12.3
Walthall	40	31	9	13.8	15.4	10.2
Warren	212	155	57	21.4	23.4	17.2
Washington	299	188	111	20.5	23.7	16.7
Wayne	67	47	20	18.1	17.0	21.3
Webster	17	16	1	6.7	7.5	2.5
Wilkinson	29	10	19	13.4	11.4	14.8
Winston	44	28	16	10.0	9.2	11.8
Yalobusha	33	23	10	12.2	12.2	12.3
Yazoo	119	75	44	20.9	23.2	18.0

* Divorces per 1,000 married women 14 years of age and over according to 1970 census.

NOTE:

Table 17 extends from page 93 through page 124 with identical data for each county as well as for the state.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
ADAMS COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	62	28	34	166.2	144.6	189.6
Diabetes mellitus (250)	12	4	8	32.2	20.6	44.6
Heart diseases (390-398, 402, 404-429)	125	60	65	335.2	309.8	362.6
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	41	20	21	109.9	103.3	117.1
Arteriosclerosis (440)	5	5	0	13.4	25.8	-
Influenza and pneumonia (470-486)	11	5	6	29.5	25.8	33.5
Bronchitis, emphysema, asthma (490-493)	2	2	0	5.4	10.3	-
Cirrhosis of liver (571)	3	2	1	8.0	10.3	5.6
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	2	1	1	5.4	5.2	5.6
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	4	1	13.4	20.6	5.6
Certain causes of mortality in early infancy (760-778)	17	8	9	19.7	21.8	18.2
Accidents (800-949)	30	16	14	80.4	82.6	78.1
Motor vehicle accidents (810-823)	13	8	5	34.8	41.3	27.9
Suicide (950-959)	4	3	1	10.7	15.5	5.6
Homicide (960-978)	4	0	4	10.7	-	22.3
Ill-defined and unknown# (780-796)	22	3	19	59.0	15.5	106.0
ALCORN COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	41	38	3	150.8	158.6	92.9
Diabetes mellitus (250)	3	3	0	11.0	12.5	-
Heart diseases (390-398, 402, 404-429)	131	109	22	482.0	455.1	681.5
Hypertension (400, 401, 403)	7	5	2	25.8	20.9	62.0
Cerebrovascular disease (430-438)	37	29	8	136.1	121.1	247.8
Arteriosclerosis (440)	2	2	0	7.4	8.4	-
Influenza and pneumonia (470-486)	7	6	1	25.8	25.0	31.0
Bronchitis, emphysema, asthma (490-493)	4	4	0	14.7	16.7	-
Cirrhosis of liver (571)	3	3	0	11.0	12.5	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	11.0	12.5	-
Certain causes of mortality in early infancy (760-778)	6	5	1	12.7	12.8	12.0
Accidents (800-949)	39	30	9	143.5	125.2	278.8
Motor vehicle accidents (810-823)	28	23	5	103.0	96.0	154.9
Suicide (950-959)	4	3	1	14.7	12.5	31.0
Homicide (960-978)	2	1	1	7.4	4.2	31.0
Ill-defined and unknown# (780-796)	12	10	2	44.2	41.8	62.0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
AMITE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	26	14	12	188.9	205.4	172.7
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	48	38	10	348.8	557.7	143.9
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	16	7	9	116.2	102.7	129.5
Arteriosclerosis (440)	6	6	0	43.6	88.0	-
Influenza and pneumonia (470-486)	4	3	1	29.1	44.0	14.4
Bronchitis, emphysema, asthma (490-493)	3	3	0	21.8	44.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	4	1	3	16.9	12.6	19.1
Accidents (800-949)	3	1	2	21.8	14.7	28.8
Motor vehicle accidents (810-823)	2	1	1	14.5	14.7	14.4
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	0	1	7.3	-	14.4
Ill-defined and unknown# (780-796)	21	6	15	152.6	88.0	215.8
ATTALA COUNTY						
Tuberculosis (010-019)	1	0	1	5.1	-	12.6
Malignant neoplasms (140-209)	31	23	8	158.4	197.7	100.8
Diabetes mellitus (250)	4	2	2	20.4	17.2	25.2
Heart diseases (390-398, 402, 404-429)	90	59	31	459.9	507.2	390.5
Hypertension (400, 401, 403)	1	0	1	5.1	-	12.6
Cerebrovascular disease (430-438)	25	13	12	127.7	111.8	151.2
Arteriosclerosis (440)	4	3	1	20.4	25.8	12.6
Influenza and pneumonia (470-486)	3	2	1	15.3	17.2	12.6
Bronchitis, emphysema, asthma (490-493)	1	0	1	5.1	-	12.6
Cirrhosis of liver (571)	1	1	0	5.1	8.6	-
Nephritis and nephrosis (580-584)	5	3	2	25.5	25.8	25.2
Infections of kidney (590)	1	1	0	5.1	8.6	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	0	2	5.4	-	10.0
Accidents (800-949)	16	11	5	81.8	94.6	63.0
Motor vehicle accidents (810-823)	10	7	3	51.1	60.2	37.8
Suicide (950-959)	3	3	0	15.3	25.8	-
Homicide (960-978)	1	0	1	5.1	-	12.6
Ill-defined and unknown# (780-796)	9	3	6	46.0	25.8	75.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
BENTON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	12	8	4	159.9	183.9	126.8
Diabetes mellitus (250)	6	4	2	79.9	92.0	63.4
Heart diseases (390-398, 402, 404-429)	24	18	6	319.8	413.8	190.2
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	7	4	3	93.3	92.0	95.1
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	0	0	0	-	-	-
Bronchitis, emphysema, asthma (490-493)	3	1	2	40.0	23.0	63.4
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	26.6	-	63.4
Certain causes of mortality in early infancy (760-778)	2	2	0	16.8	26.0	-
Accidents (800-949)	3	2	1	40.0	46.0	31.7
Motor vehicle accidents (810-823)	2	2	0	26.6	46.0	-
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	5	3	2	66.6	69.0	63.4
BOLIVAR COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	79	36	43	159.9	192.0	140.2
Diabetes mellitus (250)	5	0	5	10.1	-	16.3
Heart diseases (390-398, 402, 404-429)	140	59	81	283.3	314.7	264.2
Hypertension (400, 401, 403)	4	0	4	8.1	-	13.0
Cerebrovascular disease (430-438)	76	21	55	153.8	112.0	179.4
Arteriosclerosis (440)	11	6	5	22.3	32.0	16.3
Influenza and pneumonia (470-486)	12	3	9	24.3	16.0	29.4
Bronchitis, emphysema, asthma (490-493)	1	0	1	2.0	-	3.3
Cirrhosis of liver (571)	3	2	1	6.1	10.7	3.3
Nephritis and nephrosis (580-584)	2	0	2	4.0	-	6.5
Infections of kidney (590)	2	1	1	4.0	5.3	3.3
Maternal causes (630-678)	3	0	3	204.5	-	267.6
Congenital anomalies (740-759)	3	2	1	6.1	10.7	3.3
Certain causes of mortality in early infancy (760-778)	15	4	11	10.2	11.6	9.8
Accidents (800-949)	40	12	28	81.0	64.0	91.3
Motor vehicle accidents (810-823)	19	8	11	38.4	42.7	35.9
Suicide (950-959)	6	5	1	12.1	26.7	3.3
Homicide (960-978)	9	1	8	18.2	5.3	26.1
Ill-defined and unknown# (780-796)	64	4	60	129.5	21.3	195.7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
CALHOUN COUNTY						
Tuberculosis (010-019)	1	1	0	6.8	9.2	-
Malignant neoplasms (140-209)	24	23	1	164.1	212.8	26.2
Diabetes mellitus (250)	2	1	1	13.7	9.2	26.2
Heart diseases (390-398, 402, 404-429)	71	58	13	485.5	536.7	340.7
Hypertension (400, 401, 403)	3	3	0	20.5	27.8	-
Cerebrovascular disease (430-438)	25	21	4	171.0	194.3	104.8
Arteriosclerosis (440)	1	1	0	6.8	9.2	-
Influenza and pneumonia (470-486)	11	8	3	75.2	74.0	78.6
Bronchitis, emphysema, asthma (490-493)	3	3	0	20.5	27.8	-
Cirrhosis of liver (571)	1	1	0	6.8	9.2	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	6.8	9.2	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	0	2	7.2	-	16.8
Accidents (800-949)	23	20	3	157.3	185.1	78.6
Motor vehicle accidents (810-823)	13	11	2	88.9	101.8	52.4
Suicide (950-959)	2	2	0	13.7	18.5	-
Homicide (960-978)	3	0	3	20.5	-	78.6
Ill-defined and unknown# (780-796)	8	6	2	54.7	55.5	52.4
CARROLL COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	14	9	5	149.0	195.0	104.6
Diabetes mellitus (250)	1	0	1	10.6	-	20.9
Heart diseases (390-398, 402, 404-429)	32	21	11	340.5	455.0	230.0
Hypertension (400, 401, 403)	1	1	0	10.6	21.7	-
Cerebrovascular disease (430-438)	15	8	7	159.6	173.3	146.4
Arteriosclerosis (440)	1	0	1	10.6	-	20.9
Influenza and pneumonia (470-486)	1	0	1	10.6	-	20.9
Bronchitis, emphysema, asthma (490-493)	1	1	0	10.6	21.7	-
Cirrhosis of liver (571)	2	2	0	21.3	43.3	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	3	1	2	21.0	17.5	23.2
Accidents (800-949)	8	6	2	85.1	130.0	41.8
Motor vehicle accidents (810-823)	5	4	1	53.2	86.7	20.9
Suicide (950-959)	1	0	1	10.6	-	20.9
Homicide (960-978)	3	2	1	31.9	43.3	20.9
Ill-defined and unknown# (780-796)	10	2	8	106.4	43.3	167.3

* Causes and number are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
CHICKASAW COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	27	23	4	160.7	212.6	66.8
Diabetes mellitus (250)	3	3	0	17.8	27.7	-
Heart diseases (390-398, 402, 404-429)	76	49	27	452.2	452.9	451.0
Hypertension (400, 401, 403)	1	0	1	6.0	-	16.7
Cerebrovascular disease (430-438)	18	10	8	107.1	92.4	133.6
Arteriosclerosis (440)	1	0	1	6.0	-	16.7
Influenza and pneumonia (470-486)	4	2	2	23.8	18.5	33.4
Bronchitis, emphysema, asthma (490-493)	2	2	0	11.9	18.5	-
Cirrhosis of liver (571)	1	1	0	6.0	9.2	-
Nephritis and nephrosis (580-584)	2	1	1	11.9	9.2	16.7
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	7	1	6	18.9	4.7	37.7
Accidents (800-949)	12	10	2	71.4	92.4	33.4
Motor vehicle accidents (810-823)	8	8	0	47.6	73.9	-
Suicide (950-959)	2	2	0	11.9	18.5	-
Homicide (960-978)	3	0	3	17.8	-	50.1
Ill-defined and unknown# (780-796)	9	6	3	53.6	55.4	50.1
CHOCTAW COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	14	10	4	165.9	164.8	168.7
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	42	32	10	497.6	527.3	421.8
Hypertension (400, 401, 403)	2	2	0	23.7	33.0	-
Cerebrovascular disease (430-438)	10	7	3	118.5	115.3	126.5
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	1	1	0	11.8	16.5	-
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	1	1	0	11.8	16.5	-
Nephritis and nephrosis (580-584)	2	1	1	23.7	16.5	42.2
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	1	0	1	7.9	-	17.8
Accidents (800-949)	12	9	3	142.2	148.3	126.5
Motor vehicle accidents (810-823)	6	4	2	71.1	65.9	84.4
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	0	1	11.8	-	42.2
Ill-defined and unknown# (780-796)	2	2	0	23.7	33.0	-

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
CLAIBORNE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	15	4	11	148.7	157.7	145.7
Diabetes mellitus (250)	1	0	1	9.9	-	13.2
Heart diseases (390-398, 402, 404-429)	53	12	41	525.5	473.2	543.0
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	10	2	8	99.1	78.9	106.0
Arteriosclerosis (440)	1	0	1	9.9	-	13.2
Influenza and pneumonia (470-486)	3	2	1	29.7	78.9	13.2
Bronchitis, emphysema, asthma (490-493)	2	0	2	19.8	-	26.5
Cirrhosis of liver (571)	3	1	2	29.7	39.4	26.5
Nephritis and nephrosis (580-584)	1	0	1	9.9	-	13.2
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	19.8	-	26.5
Certain causes of mortality in early infancy (760-778)	6	1	5	30.4	28.6	30.9
Accidents (800-949)	10	2	8	99.1	78.9	106.0
Motor vehicle accidents (810-823)	4	0	4	39.6	-	53.0
Suicide (950-959)	2	1	1	19.8	39.4	13.2
Homicide (960-978)	1	0	1	9.9	-	13.2
Ill-defined and unknown# (780-796)	3	0	3	29.7	-	39.7
CLARKE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	27	21	6	179.4	218.0	110.7
Diabetes mellitus (250)	2	0	2	13.3	-	36.9
Heart diseases (390-398, 402, 404-429)	78	52	26	518.3	539.9	479.9
Hypertension (400, 401, 403)	1	0	1	6.6	-	18.4
Cerebrovascular disease (430-438)	28	15	13	186.0	155.7	239.9
Arteriosclerosis (440)	4	2	2	26.6	20.8	36.9
Influenza and pneumonia (470-486)	6	4	2	39.9	41.5	36.9
Bronchitis, emphysema, asthma (490-493)	1	1	0	6.6	10.4	-
Cirrhosis of liver (571)	1	1	0	6.6	10.4	-
Nephritis and nephrosis (580-584)	2	1	1	13.3	10.4	18.4
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	4	2	2	13.5	12.5	14.7
Accidents (800-949)	15	9	6	99.7	93.4	110.7
Motor vehicle accidents (810-823)	8	3	5	53.2	31.1	92.3
Suicide (950-959)	2	2	0	13.3	20.8	-
Homicide (960-978)	1	0	1	6.6	-	18.4
Ill-defined and unknown# (780-796)	12	5	7	79.7	51.9	129.2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
CLAY COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	41	19	22	217.6	199.6	236.0
Diabetes mellitus (250)	7	3	4	37.2	31.5	42.9
Heart diseases (390-398, 402, 404-429)	61	28	33	323.8	294.2	354.0
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	26	9	17	138.0	94.6	182.3
Arteriosclerosis (440)	2	2	0	10.6	21.0	-
Influenza and pneumonia (470-486)	3	1	2	15.9	10.5	21.4
Bronchitis, emphysema, asthma (490-493)	4	3	1	21.2	31.5	10.7
Cirrhosis of liver (571)	1	1	0	5.3	10.5	-
Nephritis and nephrosis (580-584)	4	3	1	21.2	31.5	10.7
Infections of kidney (590)	2	1	1	10.6	10.5	10.7
Maternal causes (630-678)	1	1	0	241.0	613.5	-
Congenital anomalies (740-759)	4	1	3	21.2	10.5	32.2
Certain causes of mortality in early infancy (760-778)	10	2	8	24.1	12.3	31.7
Accidents (800-949)	10	4	6	53.1	42.0	64.4
Motor vehicle accidents (810-823)	6	3	3	31.8	31.5	32.2
Suicide (950-959)	2	1	1	10.6	10.5	10.7
Homicide (960-978)	2	0	2	10.6	-	21.4
Ill-defined and unknown# (780-796)	7	1	6	37.2	10.5	64.4
COAHOMA COUNTY						
Tuberculosis (010-019)	5	2	3	12.4	14.0	11.4
Malignant neoplasms (140-209)	54	21	33	133.5	147.6	125.9
Diabetes mellitus (250)	15	4	11	37.1	28.1	42.0
Heart diseases (390-398, 402, 404-429)	169	63	106	417.8	442.7	404.3
Hypertension (400, 401, 403)	7	1	6	17.3	7.0	22.9
Cerebrovascular disease (430-438)	59	25	34	145.9	175.7	129.7
Arteriosclerosis (440)	2	0	2	4.9	-	7.6
Influenza and pneumonia (470-486)	9	4	5	22.2	28.1	19.1
Bronchitis, emphysema, asthma (490-493)	6	3	3	14.8	21.1	11.4
Cirrhosis of liver (571)	1	1	0	2.5	7.0	-
Nephritis and nephrosis (580-584)	4	0	4	9.9	-	15.2
Infections of kidney (590)	5	3	2	12.4	21.1	7.6
Maternal causes (630-678)	1	0	1	108.7	-	143.3
Congenital anomalies (740-759)	2	1	1	4.9	7.0	3.8
Certain causes of mortality in early infancy (760-778)	20	2	18	21.7	9.0	25.8
Accidents (800-949)	36	13	23	89.0	91.3	87.7
Motor vehicle accidents (810-823)	11	8	3	27.2	56.2	11.4
Suicide (950-959)	5	3	2	12.4	21.1	7.6
Homicide (960-978)	7	2	5	17.3	14.0	19.1
Ill-defined and unknown# (780-796)	34	3	31	84.1	21.1	118.2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population; except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
COPIAH COUNTY						
Tuberculosis (010-019)	1	1	0	4.0	8.1	-
Malignant neoplasms (140-209)	50	29	21	202.0	235.8	168.7
Diabetes mellitus (250)	5	1	4	20.2	8.1	32.1
Heart diseases (390-398, 402, 404-429)	96	62	34	387.9	504.1	273.1
Hypertension (400, 401, 403)	2	0	2	8.1	-	16.1
Cerebrovascular disease (430-438)	38	21	17	153.5	170.8	136.5
Arteriosclerosis (440)	7	5	2	28.3	40.6	16.1
Influenza and pneumonia (470-486)	8	5	3	32.3	40.6	24.1
Bronchitis, emphysema, asthma (490-493)	1	1	0	4.0	8.1	-
Cirrhosis of liver (571)	3	3	0	12.1	24.4	-
Nephritis and nephrosis (580-584)	1	0	1	4.0	-	8.0
Infections of kidney (590)	2	1	1	8.1	8.1	8.0
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	4.0	8.1	-
Certain causes of mortality in early infancy (760-778)	5	4	1	9.8	21.2	3.1
Accidents (800-949)	27	11	16	109.1	89.4	128.5
Motor vehicle accidents (810-823)	15	7	8	60.6	56.9	64.2
Suicide (950-959)	5	4	1	20.2	32.5	8.0
Homicide (960-978)	4	0	4	16.2	-	32.1
Ill-defined and unknown# (780-796)	18	9	9	72.7	73.2	72.3
COVINGTON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	22	14	8	157.1	148.5	174.8
Diabetes mellitus (250)	6	5	1	42.8	53.0	21.8
Heart diseases (390-398, 402, 404-429)	49	41	8	350.0	435.0	174.8
Hypertension (400, 401, 403)	5	0	5	35.7	-	109.3
Cerebrovascular disease (430-438)	32	22	10	228.5	233.4	218.5
Arteriosclerosis (440)	1	1	0	7.1	10.6	-
Influenza and pneumonia (470-486)	5	3	2	35.7	31.8	43.7
Bronchitis, emphysema, asthma (490-493)	1	1	0	7.1	10.6	-
Cirrhosis of liver (571)	2	2	0	14.3	21.2	-
Nephritis and nephrosis (580-584)	3	1	2	21.4	10.6	43.7
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	1	0	1	3.3	-	6.8
Accidents (800-949)	16	9	7	114.3	95.5	153.0
Motor vehicle accidents (810-823)	7	4	3	50.0	42.4	65.6
Suicide (950-959)	1	1	0	7.1	10.6	-
Homicide (960-978)	2	1	1	14.3	10.6	21.8
Ill-defined and unknown# (780-796)	11	10	1	78.6	106.1	21.8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO AND FORREST COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
DESOTO COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	40	30	10	111.5	129.1	79.0
Diabetes mellitus (250)	3	2	1	8.4	8.6	7.9
Heart diseases (390-398, 402, 404-429)	65	45	20	181.1	193.7	158.1
Hypertension (400, 401, 403)	2	0	2	5.6	-	15.8
Cerebrovascular disease (430-438)	30	15	15	83.6	64.6	118.6
Arteriosclerosis (440)	4	3	1	11.1	12.9	7.9
Influenza and pneumonia (470-486)	5	2	3	13.9	8.6	23.7
Bronchitis, emphysema, asthma (490-493)	2	2	0	5.6	8.6	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	1	1	0	2.8	4.3	-
Infections of kidney (590)	1	1	0	2.8	4.3	-
Maternal causes (630-678)	1	1	0	117.0	185.9	-
Congenital anomalies (740-759)	4	3	1	11.1	12.9	7.9
Certain causes of mortality in early infancy (760-778)	12	9	3	14.0	16.7	9.5
Accidents (800-949)	32	17	15	89.2	73.2	118.6
Motor vehicle accidents (810-823)	12	7	5	33.4	30.1	39.5
Suicide (950-959)	4	4	0	11.1	17.2	-
Homicide (960-978)	3	2	1	8.4	8.6	7.9
Ill-defined and unknown# (780-796)	42	10	32	117.0	43.0	253.0
FORREST COUNTY						
Tuberculosis (010-019)	2	0	2	3.4	-	14.0
Malignant neoplasms (140-209)	97	70	27	167.7	160.8	188.5
Diabetes mellitus (250)	10	6	4	17.3	13.8	27.9
Heart diseases (390-398, 402, 404-429)	190	140	50	328.4	321.7	349.0
Hypertension (400, 401, 403)	2	1	1	3.4	2.3	7.0
Cerebrovascular disease (430-438)	71	53	18	122.7	121.8	125.6
Arteriosclerosis (440)	9	8	1	15.6	18.4	7.0
Influenza and pneumonia (470-486)	13	6	7	22.5	13.8	48.9
Bronchitis, emphysema, asthma (490-493)	15	12	3	25.9	27.6	20.9
Cirrhosis of liver (571)	6	4	2	10.4	9.2	14.0
Nephritis and nephrosis (580-584)	7	2	5	12.1	4.6	34.9
Infections of kidney (590)	7	5	2	12.1	11.5	14.0
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	4	1	8.6	9.2	7.0
Certain causes of mortality in early infancy (760-778)	12	3	9	10.2	4.0	20.9
Accidents (800-949)	52	40	12	89.9	91.9	83.8
Motor vehicle accidents (810-823)	23	19	4	39.8	43.6	27.9
Suicide (950-959)	7	6	1	12.1	13.8	7.0
Homicide (960-978)	11	3	8	19.0	6.9	55.8
Ill-defined and unknown# (780-796)	53	26	27	91.6	59.7	188.5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
FRANKLIN COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	21	12	9	262.1	245.0	289.0
Diabetes mellitus (250)	3	3	0	37.4	61.3	-
Heart diseases (390-398, 402, 404-429)	50	30	20	624.1	612.6	642.3
Hypertension (400, 401, 403)	1	0	1	12.5	-	32.1
Cerebrovascular disease (430-438)	12	9	3	149.8	183.8	96.3
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	3	2	1	37.4	40.8	32.1
Bronchitis, emphysema, asthma (490-493)	1	0	1	12.5	-	32.1
Cirrhosis of liver (571)	1	0	1	12.5	-	32.1
Nephritis and nephrosis (580-584)	1	0	1	12.5	-	32.1
Infections of kidney (590)	1	1	0	12.5	20.4	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	1	0	1	8.8	-	14.1
Accidents (800-949)	6	4	2	74.9	81.7	64.2
Motor vehicle accidents (810-823)	3	1	2	37.4	20.4	64.2
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	0	1	12.5	-	32.1
Ill-defined and unknown# (780-796)	0	0	0	-	-	-
GEORGE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	22	19	3	176.6	172.6	206.6
Diabetes mellitus (250)	2	2	0	16.0	18.2	-
Heart diseases (390-398, 402, 404-429)	45	43	2	361.2	390.7	137.7
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	11	8	3	88.3	72.7	206.6
Arteriosclerosis (440)	1	1	0	8.0	9.1	-
Influenza and pneumonia (470-486)	5	5	0	40.1	45.4	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	16.0	18.2	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	2	1	1	16.0	9.1	68.9
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	16.0	18.2	-
Certain causes of mortality in early infancy (760-778)	6	4	2	20.3	15.2	62.5
Accidents (800-949)	9	5	4	72.2	45.4	275.5
Motor vehicle accidents (810-823)	8	5	3	64.2	45.4	206.6
Suicide (950-959)	1	1	0	8.0	9.1	-
Homicide (960-978)	3	3	0	24.1	27.2	-
Ill-defined and unknown# (780-796)	3	2	1	24.1	18.2	68.9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
GREENE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	16	12	4	187.2	180.1	212.4
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	29	22	7	339.4	330.2	371.7
Hypertension (400, 401, 403)	1	0	1	11.7	-	53.1
Cerebrovascular disease (430-438)	6	6	0	70.2	90.1	-
Arteriosclerosis (440)	1	1	0	11.7	15.0	-
Influenza and pneumonia (470-486)	2	2	0	23.4	30.0	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	23.4	30.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	1	1	0	11.7	15.0	-
Infections of kidney (590)	1	0	1	11.7	-	53.1
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	11.7	15.0	-
Certain causes of mortality in early infancy (760-778)	1	1	0	4.8	7.4	-
Accidents (800-949)	8	5	3	93.6	75.0	159.3
Motor vehicle accidents (810-823)	4	2	2	46.8	30.0	106.2
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	2	1	1	23.4	15.0	53.1
Ill-defined and unknown# (780-796)	0	0	0	-	-	-
GRENADA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	37	23	14	186.4	206.2	160.9
Diabetes mellitus (250)	2	0	2	10.1	-	23.0
Heart diseases (390-398, 402, 404-429)	85	59	26	428.1	529.0	298.8
Hypertension (400, 401, 403)	2	1	1	10.1	9.0	11.5
Cerebrovascular disease (430-438)	38	24	14	191.4	215.2	160.9
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	4	0	4	20.1	-	46.0
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	5.0	9.0	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	5.0	-	11.5
Certain causes of mortality in early infancy (760-778)	6	3	3	14.0	16.7	12.1
Accidents (800-949)	28	9	19	141.0	80.7	218.4
Motor vehicle accidents (810-823)	10	4	6	50.4	35.9	69.0
Suicide (950-959)	1	1	0	5.0	9.0	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	25	11	14	125.9	98.6	160.9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
HANCOCK COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	32	26	6	184.0	174.6	240.7
Diabetes mellitus (250)	4	3	1	23.0	20.1	40.1
Heart diseases (390-398, 402, 404-429)	45	41	4	258.8	275.3	160.4
Hypertension (400, 401, 403)	1	0	1	5.8	-	40.1
Cerebrovascular disease (430-438)	21	16	5	120.8	107.4	200.6
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	2	1	1	11.5	6.7	40.1
Bronchitis, emphysema, asthma (490-493)	2	2	0	11.5	13.4	-
Cirrhosis of liver (571)	1	0	1	5.8	-	40.1
Nephritis and nephrosis (580-584)	1	1	0	5.8	6.7	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	17.2	20.1	-
Certain causes of mortality in early infancy (760-778)	3	3	0	9.0	10.6	-
Accidents (800-949)	14	14	0	80.5	94.0	-
Motor vehicle accidents (810-823)	8	8	0	46.0	53.7	-
Suicide (950-959)	3	3	0	17.2	20.1	-
Homicide (960-978)	2	1	1	11.5	6.7	40.1
Ill-defined and unknown# (780-796)	17	14	3	97.8	94.0	120.3
HARRISON COUNTY						
Tuberculosis (010-019)	2	1	1	1.5	0.9	4.2
Malignant neoplasms (140-209)	186	157	29	138.2	141.4	123.3
Diabetes mellitus (250)	10	6	4	7.4	5.4	17.0
Heart diseases (390-398, 402, 404-429)	372	306	66	276.4	275.5	280.6
Hypertension (400, 401, 403)	10	5	5	7.4	4.5	21.2
Cerebrovascular disease (430-438)	103	77	26	76.5	69.3	110.5
Arteriosclerosis (440)	5	5	0	3.7	4.5	-
Influenza and pneumonia (470-486)	27	19	8	20.1	17.1	34.0
Bronchitis, emphysema, asthma (490-493)	19	17	2	14.1	15.3	8.5
Cirrhosis of liver (571)	16	14	2	11.9	12.6	8.5
Nephritis and nephrosis (580-584)	3	2	1	2.2	1.8	4.2
Infections of kidney (590)	8	7	1	5.9	6.3	4.2
Maternal causes (630-678)	2	1	1	61.8	40.4	130.9
Congenital anomalies (740-759)	14	12	2	10.4	10.8	8.5
Certain causes of mortality in early infancy (760-778)	39	29	10	12.0	11.7	13.1
Accidents (800-949)	85	63	22	63.2	56.7	93.5
Motor vehicle accidents (810-823)	45	37	8	33.4	33.3	34.0
Suicide (950-959)	10	10	0	7.4	9.0	-
Homicide (960-978)	18	8	10	13.4	7.2	42.5
Ill-defined and unknown# (780-796)	30	14	16	22.3	12.6	68.0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
HINDS COUNTY						
Tuberculosis (010-019)	3	1	2	1.4	0.8	2.4
Malignant neoplasms (140-209)	267	166	101	124.2	127.1	119.7
Diabetes mellitus (250)	30	10	20	14.0	7.6	23.7
Heart diseases (390-398, 402, 404-429)	474	342	132	220.5	261.9	156.4
Hypertension (400, 401, 403)	12	6	6	5.6	4.6	7.1
Cerebrovascular disease (430-438)	170	100	70	79.1	76.6	83.0
Arteriosclerosis (440)	24	18	6	11.2	13.8	7.1
Influenza and pneumonia (470-486)	54	31	23	25.1	23.7	27.2
Bronchitis, emphysema, asthma (490-493)	21	15	6	9.8	11.5	7.1
Cirrhosis of liver (571)	18	16	2	8.4	12.2	2.4
Nephritis and nephrosis (580-584)	15	7	8	7.0	5.4	9.5
Infections of kidney (590)	8	6	2	3.7	4.6	2.4
Maternal causes (630-678)	1	0	1	22.7	-	43.7
Congenital anomalies (740-759)	19	13	6	8.8	10.0	7.1
Certain causes of mortality in early infancy (760-778)	61	25	36	13.9	11.8	15.7
Accidents (800-949)	122	77	45	56.8	59.0	53.3
Motor vehicle accidents (810-823)	59	42	17	27.4	32.2	20.1
Suicide (950-959)	34	30	4	15.8	23.0	4.7
Homicide (960-978)	35	5	30	16.3	3.8	35.6
Ill-defined and unknown# (780-796)	218	76	142	101.4	58.2	168.3
HOLMES COUNTY						
Tuberculosis (010-019)	1	0	1	4.3	-	6.3
Malignant neoplasms (140-209)	45	21	24	194.6	285.9	152.1
Diabetes mellitus (250)	4	1	3	17.3	13.6	19.0
Heart diseases (390-398, 402, 404-429)	111	44	67	480.1	599.0	424.7
Hypertension (400, 401, 403)	3	2	1	13.0	27.2	6.3
Cerebrovascular disease (430-438)	55	15	40	237.9	204.2	253.6
Arteriosclerosis (440)	4	0	4	17.3	-	25.4
Influenza and pneumonia (470-486)	5	3	2	21.6	40.8	12.7
Bronchitis, emphysema, asthma (490-493)	2	2	0	8.6	27.2	-
Cirrhosis of liver (571)	1	1	0	4.3	13.6	-
Nephritis and nephrosis (580-584)	5	0	5	21.6	-	31.7
Infections of kidney (590)	1	1	0	4.3	13.6	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	8.6	-	12.7
Certain causes of mortality in early infancy (760-778)	4	0	4	8.5	-	10.5
Accidents (800-949)	19	5	14	82.2	68.1	88.7
Motor vehicle accidents (810-823)	8	2	6	34.6	27.2	38.0
Suicide (950-959)	4	3	1	17.3	40.8	6.3
Homicide (960-978)	4	0	4	17.3	-	25.4
Ill-defined and unknown# (780-796)	26	2	24	112.4	27.2	152.1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HUMPHREYS AND ISSAQUENA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
HUMPHREYS COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	25	15	10	171.2	294.8	105.1
Diabetes mellitus (250)	4	1	3	27.4	19.6	31.5
Heart diseases (390-398, 402, 404-429)	62	28	34	424.6	550.2	357.4
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	30	9	21	205.5	176.8	220.8
Arteriosclerosis (440)	5	1	4	34.2	19.6	42.0
Influenza and pneumonia (470-486)	4	0	4	27.4	-	42.0
Bronchitis, emphysema, asthma (490-493)	1	1	0	6.8	19.6	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	1	0	1	318.5	-	404.8
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	10	4	6	31.8	59.7	24.3
Accidents (800-949)	22	10	12	150.7	196.5	126.2
Motor vehicle accidents (810-823)	8	6	2	54.8	117.9	21.0
Suicide (950-959)	2	2	0	13.7	39.3	-
Homicide (960-978)	2	0	2	13.7	-	21.0
Ill-defined and unknown# (780-796)	5	0	5	34.2	-	52.6
ISSAQUENA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	1	1	0	36.5	96.8	-
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	12	4	8	438.4	387.2	469.5
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	4	0	4	146.1	-	234.7
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	1	0	1	36.5	-	58.7
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	0	0	0	-	-	-
Accidents (800-949)	2	0	2	73.1	-	117.4
Motor vehicle accidents (810-823)	0	0	0	-	-	-
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	2	0	2	73.1	-	117.4
Ill-defined and unknown# (780-796)	2	0	2	73.1	-	117.4

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
ITAWAMBA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	26	26	0	154.3	163.7	-
Diabetes mellitus (250)	3	2	1	17.8	12.6	103.6
Heart diseases (390-398, 402, 404-429)	60	59	1	356.1	371.5	103.6
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	33	30	3	195.9	188.9	310.9
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	2	2	0	11.9	12.6	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	11.9	12.6	-
Cirrhosis of liver (571)	1	1	0	5.9	6.3	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	2	0	7.7	8.3	-
Accidents (800-949)	13	13	0	77.2	81.8	-
Motor vehicle accidents (810-823)	7	7	0	41.6	44.1	-
Suicide (950-959)	1	1	0	5.9	6.3	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	2	2	0	11.9	12.6	-
JACKSON COUNTY						
Tuberculosis (010-019)	1	0	1	1.1	-	6.9
Malignant neoplasms (140-209)	83	72	11	94.3	97.9	76.2
Diabetes mellitus (250)	9	6	3	10.2	8.2	20.8
Heart diseases (390-398, 402, 404-429)	151	121	30	171.6	164.5	207.9
Hypertension (400, 401, 403)	7	1	6	8.0	1.4	41.6
Cerebrovascular disease (430-438)	48	34	14	54.6	46.2	97.0
Arteriosclerosis (440)	5	5	0	5.7	6.8	-
Influenza and pneumonia (470-486)	9	8	1	10.2	10.9	6.9
Bronchitis, emphysema, asthma (490-493)	8	8	0	9.1	10.9	-
Cirrhosis of liver (571)	4	4	0	4.5	5.4	-
Nephritis and nephrosis (580-584)	2	2	0	2.3	2.7	-
Infections of kidney (590)	2	2	0	2.3	2.7	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	7	6	1	8.0	8.2	6.9
Certain causes of mortality in early infancy (760-778)	35	15	20	16.2	9.0	41.8
Accidents (800-949)	58	54	4	65.9	73.4	27.7
Motor vehicle accidents (810-823)	30	28	2	34.1	38.1	13.9
Suicide (950-959)	6	6	0	6.8	8.2	-
Homicide (960-978)	6	2	4	6.8	2.7	27.7
Ill-defined and unknown# (780-796)	33	25	8	37.5	34.0	55.4

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
JASPER COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	19	15	4	118.8	175.2	53.8
Diabetes mellitus (250)	5	0	5	31.3	-	67.3
Heart diseases (390-398, 402, 404-429)	79	44	35	493.9	513.8	471.1
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	30	18	12	187.6	210.2	161.5
Arteriosclerosis (440)	1	1	0	6.2	11.7	-
Influenza and pneumonia (470-486)	7	3	4	43.8	35.0	53.8
Bronchitis, emphysema, asthma (490-493)	6	6	0	37.5	70.1	-
Cirrhosis of liver (571)	1	1	0	6.2	11.7	-
Nephritis and nephrosis (580-584)	2	1	1	12.5	11.7	13.4
Infections of kidney (590)	1	1	0	6.2	11.7	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	12.5	11.7	13.4
Certain causes of mortality in early infancy (760-778)	10	2	8	30.6	19.0	36.0
Accidents (800-949)	13	5	8	81.3	58.4	107.7
Motor vehicle accidents (810-823)	6	4	2	37.5	46.7	26.9
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	6	3	3	37.5	35.0	40.4
Ill-defined and unknown# (780-796)	5	2	3	31.3	23.4	40.4
JEFFERSON COUNTY						
Tuberculosis (010-019)	1	0	1	10.8	-	14.3
Malignant neoplasms (140-209)	18	6	12	193.6	261.3	171.4
Diabetes mellitus (250)	2	1	1	21.5	43.6	14.3
Heart diseases (390-398, 402, 404-429)	33	12	21	355.0	522.6	300.0
Hypertension (400, 401, 403)	1	1	0	10.8	43.6	-
Cerebrovascular disease (430-438)	7	4	3	75.3	174.2	42.9
Arteriosclerosis (440)	1	1	0	10.8	43.6	-
Influenza and pneumonia (470-486)	2	1	1	21.5	43.6	14.3
Bronchitis, emphysema, asthma (490-493)	3	1	2	32.3	43.6	28.6
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	2	0	2	21.5	-	28.6
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	10.8	-	14.3
Certain causes of mortality in early infancy (760-778)	1	1	0	5.6	47.6	-
Accidents (800-949)	7	3	4	75.3	130.7	57.2
Motor vehicle accidents (810-823)	1	1	0	10.8	43.6	-
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	3	0	3	32.3	-	42.9
Ill-defined and unknown# (780-796)	8	2	6	86.1	87.8	85.7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
JEFF DAVIS COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	17	9	8	131.4	139.9	123.0
Diabetes mellitus (250)	1	1	0	7.7	15.5	-
Heart diseases (390-398, 402, 404-429)	47	26	21	363.3	404.0	323.0
Hypertension (400, 401, 403)	2	1	1	15.5	15.5	15.4
Cerebrovascular disease (430-438)	19	6	13	146.9	93.2	200.0
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	8	4	4	61.8	62.2	61.5
Bronchitis, emphysema, asthma (490-493)	1	0	1	7.7	-	15.4
Cirrhosis of liver (571)	2	1	1	15.5	15.5	15.4
Nephritis and nephrosis (580-584)	3	1	2	23.2	15.5	30.8
Infections of kidney (590)	2	1	1	15.5	15.5	15.4
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	15.5	15.5	15.4
Certain causes of mortality in early infancy (760-778)	5	2	3	17.3	19.4	16.1
Accidents (800-949)	22	8	14	170.1	124.3	215.4
Motor vehicle accidents (810-823)	9	3	6	69.6	46.6	92.3
Suicide (950-959)	1	1	0	7.7	15.5	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	6	1	5	46.4	15.5	76.9
JONES COUNTY						
Tuberculosis (010-019)	1	1	0	1.8	2.4	-
Malignant neoplasms (140-209)	109	87	22	193.4	205.2	157.7
Diabetes mellitus (250)	13	6	7	23.1	14.1	50.2
Heart diseases (390-398, 402, 404-429)	177	129	48	314.1	304.2	344.0
Hypertension (400, 401, 403)	4	2	2	7.1	4.7	14.3
Cerebrovascular disease (430-438)	63	45	18	111.8	106.1	129.0
Arteriosclerosis (440)	9	7	2	16.0	16.5	14.3
Influenza and pneumonia (470-486)	18	12	6	31.9	28.3	43.0
Bronchitis, emphysema, asthma (490-493)	7	6	1	12.4	14.1	7.2
Cirrhosis of liver (571)	9	9	0	16.0	21.2	-
Nephritis and nephrosis (580-584)	7	1	6	12.4	2.4	43.0
Infections of kidney (590)	3	1	2	5.3	2.4	14.3
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	5	0	8.9	11.8	-
Certain causes of mortality in early infancy (760-778)	20	9	11	18.8	12.5	32.0
Accidents (800-949)	55	39	16	97.6	92.0	114.7
Motor vehicle accidents (810-823)	30	21	9	53.2	49.5	64.5
Suicide (950-959)	3	2	1	5.3	4.7	7.2
Homicide (960-978)	7	3	4	12.4	7.1	28.7
Ill-defined and unknown# (780-796)	83	50	33	147.3	117.9	236.5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, s, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
KEMPER COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	14	5	9	136.8	111.4	156.6
Diabetes mellitus (250)	3	2	1	29.3	44.6	17.4
Heart diseases (390-398, 402, 404-429)	46	27	19	449.5	601.6	330.7
Hypertension (400, 401, 403)	1	0	1	9.8	-	17.4
Cerebrovascular disease (430-438)	22	13	9	215.0	289.7	156.6
Arteriosclerosis (440)	1	0	1	9.8	-	17.4
Influenza and pneumonia (470-486)	4	3	1	39.1	66.8	17.4
Bronchitis, emphysema, asthma (490-493)	1	1	0	9.8	22.3	-
Cirrhosis of liver (571)	1	1	0	9.8	22.3	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	0	2	10.3	-	13.1
Accidents (800-949)	7	3	4	68.4	66.8	69.6
Motor vehicle accidents (810-823)	1	0	1	9.8	-	17.4
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	0	1	9.8	-	17.4
Ill-defined and unknown# (780-796)	10	3	7	97.7	66.8	121.8
LAFAYETTE COUNTY						
Tuberculosis (010-019)	1	1	0	4.1	5.8	-
Malignant neoplasms (140-209)	28	22	6	115.8	127.1	87.4
Diabetes mellitus (250)	9	4	5	37.2	23.1	72.8
Heart diseases (390-398, 402, 404-429)	68	51	17	281.2	294.6	247.5
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	23	14	9	95.1	80.9	131.0
Arteriosclerosis (440)	5	3	2	20.7	17.3	29.1
Influenza and pneumonia (470-486)	5	4	1	20.7	23.1	14.6
Bronchitis, emphysema, asthma (490-493)	5	4	1	20.7	23.1	14.6
Cirrhosis of liver (571)	3	3	0	12.4	17.3	-
Nephritis and nephrosis (580-584)	1	1	0	4.1	5.8	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	4	1	3	16.5	5.8	43.7
Certain causes of mortality in early infancy (760-778)	4	3	1	8.3	10.0	5.6
Accidents (800-949)	15	10	5	62.0	57.8	72.8
Motor vehicle accidents (810-823)	7	4	3	28.9	23.1	43.7
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	2	0	2	8.3	-	29.1
Ill-defined and unknown# (780-796)	14	5	9	57.9	28.9	131.0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
LAMAR COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	17	16	1	111.8	121.3	49.4
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	58	51	7	381.4	386.7	346.2
Hypertension (400, 401, 403)	1	0	1	6.6	-	49.4
Cerebrovascular disease (430-438)	30	24	6	197.2	182.0	296.7
Arteriosclerosis (440)	1	1	0	6.6	7.6	-
Influenza and pneumonia (470-486)	8	7	1	52.6	53.1	49.4
Bronchitis, emphysema, asthma (490-493)	1	1	0	6.6	7.6	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	6.6	7.6	-
Certain causes of mortality in early infancy (760-778)	4	3	1	12.2	11.1	17.2
Accidents (800-949)	19	16	3	124.9	121.3	148.4
Motor vehicle accidents (810-823)	14	12	2	92.0	91.0	98.9
Suicide (950-959)	2	2	0	13.2	15.2	-
Homicide (960-978)	1	1	0	6.6	7.6	-
Ill-defined and unknown# (780-796)	5	4	1	32.9	30.3	49.4
LAUDERDALE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	118	87	31	175.9	188.4	148.3
Diabetes mellitus (250)	10	7	3	14.9	15.2	14.4
Heart diseases (390-398, 402, 404-429)	211	152	59	314.5	329.1	282.3
Hypertension (400, 401, 403)	4	0	4	6.0	-	19.1
Cerebrovascular disease (430-438)	120	74	46	178.9	160.2	220.1
Arteriosclerosis (440)	13	6	7	19.4	13.0	33.5
Influenza and pneumonia (470-486)	32	22	10	47.7	47.6	47.8
Bronchitis, emphysema, asthma (490-493)	6	6	0	8.9	13.0	-
Cirrhosis of liver (571)	9	6	3	13.4	13.0	14.4
Nephritis and nephrosis (580-584)	5	3	2	7.4	6.5	9.6
Infections of kidney (590)	2	2	0	3.0	4.3	-
Maternal causes (630-678)	1	0	1	60.0	-	142.0
Congenital anomalies (740-759)	8	7	1	11.9	15.2	4.8
Certain causes of mortality in early infancy (760-778)	17	7	10	10.2	7.3	14.2
Accidents (800-949)	59	37	22	87.9	80.1	105.2
Motor vehicle accidents (810-823)	32	22	10	47.7	47.6	47.8
Suicide (950-959)	6	6	0	8.9	13.0	-
Homicide (960-978)	8	2	6	11.9	4.3	28.7
Ill-defined and unknown# (780-796)	107	45	62	159.5	97.4	296.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
LAWRENCE COUNTY						
Tuberculosis (010-019)	1	1	0	9.0	13.2	-
Malignant neoplasms (140-209)	32	23	9	287.3	304.5	251.1
Diabetes mellitus (250)	3	1	2	26.9	13.2	55.8
Heart diseases (390-398, 402, 404-429)	36	26	10	323.2	344.2	279.0
Hypertension (400, 401, 403)	2	1	1	18.0	13.2	27.9
Cerebrovascular disease (430-438)	14	5	9	125.7	66.2	251.1
Arteriosclerosis (440)	2	1	1	18.0	13.2	27.9
Influenza and pneumonia (470-486)	0	0	0	-	-	-
Bronchitis, emphysema, asthma (490-493)	3	2	1	26.9	26.5	27.9
Cirrhosis of liver (571)	1	1	0	9.0	13.2	-
Nephritis and nephrosis (580-584)	1	0	1	9.0	-	27.9
Infections of kidney (590)	1	0	1	9.0	-	27.9
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	9.0	13.2	-
Certain causes of mortality in early infancy (760-778)	4	3	1	15.9	23.1	8.2
Accidents (800-949)	13	9	4	116.7	119.2	111.6
Motor vehicle accidents (810-823)	3	3	0	26.9	39.7	-
Suicide (950-959)	2	1	1	18.0	13.2	27.9
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	3	1	2	26.9	13.2	55.8
LEAKE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	34	27	7	199.0	258.3	105.5
Diabetes mellitus (250)	6	2	4	35.1	19.1	60.3
Heart diseases (390-398, 402, 404-429)	81	59	22	474.1	564.5	331.7
Hypertension (400, 401, 403)	1	1	0	5.8	9.6	-
Cerebrovascular disease (430-438)	34	22	12	199.0	210.5	180.9
Arteriosclerosis (440)	3	2	1	17.6	19.1	15.1
Influenza and pneumonia (470-486)	3	0	3	17.6	-	45.2
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	2	2	0	11.7	19.1	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	3	1	2	8.8	6.3	11.0
Accidents (800-949)	23	12	11	134.6	114.8	165.8
Motor vehicle accidents (810-823)	15	8	7	87.8	76.5	105.5
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	0	1	5.8	-	15.1
Ill-defined and unknown# (780-796)	4	0	4	23.4	-	60.3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
LEE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	77	62	15	166.8	169.5	156.6
Diabetes mellitus (250)	1	0	1	2.2	-	10.4
Heart diseases (390-398, 402, 404-429)	176	141	35	381.4	385.6	365.4
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	74	59	15	160.4	161.3	156.6
Arteriosclerosis (440)	2	2	0	4.3	5.5	-
Influenza and pneumonia (470-486)	20	14	6	43.3	38.3	62.6
Bronchitis, emphysema, asthma (490-493)	5	5	0	10.8	13.7	-
Cirrhosis of liver (571)	6	6	0	13.0	16.4	-
Nephritis and nephrosis (580-584)	7	4	3	15.2	10.9	31.3
Infections of kidney (590)	1	1	0	2.2	2.7	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	4	1	10.8	10.9	10.4
Certain causes of mortality in early infancy (760-778)	16	10	6	16.1	14.1	21.1
Accidents (800-949)	49	37	12	106.2	101.2	125.3
Motor vehicle accidents (810-823)	27	23	4	58.5	62.9	41.8
Suicide (950-959)	2	1	1	4.3	2.7	10.4
Homicide (960-978)	6	2	4	13.0	5.5	41.8
Ill-defined and unknown# (780-796)	0	0	0	-	-	-
LEFLORE COUNTY						
Tuberculosis (010-019)	1	1	0	2.4	5.7	-
Malignant neoplasms (140-209)	79	41	38	187.6	233.6	154.7
Diabetes mellitus (250)	11	3	8	26.1	17.1	32.6
Heart diseases (390-398, 402, 404-429)	139	71	68	330.1	404.6	276.9
Hypertension (400, 401, 403)	6	1	5	14.2	5.7	20.4
Cerebrovascular disease (430-438)	65	34	31	154.4	193.7	126.2
Arteriosclerosis (440)	1	1	0	2.4	5.7	-
Influenza and pneumonia (470-486)	14	4	10	33.2	22.8	40.7
Bronchitis, emphysema, asthma (490-493)	14	11	3	33.2	62.7	12.2
Cirrhosis of liver (571)	4	1	3	9.5	5.7	12.2
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	5	2	3	11.9	11.4	12.2
Maternal causes (630-678)	2	0	2	196.6	-	272.5
Congenital anomalies (740-759)	6	3	3	14.2	17.1	12.2
Certain causes of mortality in early infancy (760-778)	23	5	18	22.6	17.7	24.5
Accidents (800-949)	61	12	49	144.8	68.4	199.5
Motor vehicle accidents (810-823)	15	6	9	35.6	34.2	36.6
Suicide (950-959)	4	3	1	9.5	17.1	4.1
Homicide (960-978)	6	0	6	14.2	-	24.4
Ill-defined and unknown# (780-796)	43	6	37	102.1	34.2	150.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used in ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
LINCOLN COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	30	25	5	114.5	137.8	62.0
Diabetes mellitus (250)	5	3	2	19.1	16.5	24.8
Heart diseases (390-398, 402, 404-429)	102	74	28	389.3	408.0	347.4
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	52	34	18	198.5	187.4	223.3
Arteriosclerosis (440)	6	6	0	22.9	33.1	-
Influenza and pneumonia (470-486)	10	8	2	38.2	44.1	24.8
Bronchitis, emphysema, asthma (490-493)	2	1	1	7.6	5.5	12.4
Cirrhosis of liver (571)	3	3	0	11.4	16.5	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	3.8	5.5	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	4	3	1	15.3	16.5	12.4
Certain causes of mortality in early infancy (760-778)	7	3	4	11.6	8.5	15.8
Accidents (800-949)	20	15	5	76.3	82.7	62.0
Motor vehicle accidents (810-823)	9	7	2	34.4	38.6	24.8
Suicide (950-959)	4	4	0	15.3	22.0	-
Homicide (960-978)	4	1	3	15.3	5.5	37.2
Ill-defined and unknown# (780-796)	15	8	7	57.2	44.1	86.8
LOWNDES COUNTY						
Tuberculosis (010-019)	1	0	1	2.0	-	6.1
Malignant neoplasms (140-209)	56	38	18	112.7	114.0	110.0
Diabetes mellitus (250)	8	4	4	16.1	12.0	24.4
Heart diseases (390-398, 402, 404-429)	139	80	59	279.7	240.0	360.5
Hypertension (400, 401, 403)	3	1	2	6.0	3.0	12.2
Cerebrovascular disease (430-438)	62	33	29	124.7	99.0	177.2
Arteriosclerosis (440)	6	5	1	12.1	15.0	6.1
Influenza and pneumonia (470-486)	19	13	6	38.2	39.0	36.7
Bronchitis, emphysema, asthma (490-493)	4	4	0	8.0	12.0	-
Cirrhosis of liver (571)	3	1	2	6.0	3.0	12.2
Nephritis and nephrosis (580-584)	3	2	1	6.0	6.0	6.1
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	3	2	10.1	9.0	12.2
Certain causes of mortality in early infancy (760-778)	8	1	7	6.6	1.5	13.0
Accidents (800-949)	35	26	9	70.4	78.0	55.0
Motor vehicle accidents (810-823)	21	16	5	42.2	48.0	30.6
Suicide (950-959)	2	2	0	4.0	6.0	-
Homicide (960-978)	3	2	1	6.0	6.0	6.1
Ill-defined and unknown# (780-796)	48	9	39	96.6	27.0	238.3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON AND MARION COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
MADISON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	46	18	28	154.7	161.5	150.6
Diabetes mellitus (250)	8	2	6	26.9	17.9	32.3
Heart diseases (390-398, 402, 404-429)	97	45	52	326.2	403.6	279.7
Hypertension (400, 401, 403)	4	1	3	13.4	9.0	16.1
Cerebrovascular disease (430-438)	46	15	31	154.7	134.6	166.8
Arteriosclerosis (440)	3	1	2	10.1	9.0	10.8
Influenza and pneumonia (470-486)	12	4	8	40.4	35.9	43.0
Bronchitis, emphysema, asthma (490-493)	6	5	1	20.2	44.8	5.4
Cirrhosis of liver (571)	1	1	0	3.4	9.0	-
Nephritis and nephrosis (580-584)	3	2	1	10.1	17.9	5.4
Infections of kidney (590)	1	0	1	3.4	-	5.4
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	1	2	10.1	9.0	10.8
Certain causes of mortality in early infancy (760-778)	9	1	8	11.2	4.4	13.8
Accidents (800-949)	24	10	14	80.7	89.7	75.3
Motor vehicle accidents (810-823)	9	6	3	30.3	53.8	16.1
Suicide (950-959)	1	1	0	3.4	9.0	-
Homicide (960-978)	6	0	6	20.2	-	32.3
Ill-defined and unknown# (780-796)	42	12	30	141.2	107.6	161.4
MARION COUNTY						
Tuberculosis (010-019)	1	0	1	4.4	-	14.0
Malignant neoplasms (140-209)	37	24	13	161.8	152.5	182.3
Diabetes mellitus (250)	3	2	1	13.1	12.7	14.0
Heart diseases (390-398, 402, 404-429)	59	43	16	258.0	273.2	224.3
Hypertension (400, 401, 403)	2	1	1	8.7	6.4	14.0
Cerebrovascular disease (430-438)	33	23	10	144.3	146.1	140.2
Arteriosclerosis (440)	3	3	0	13.1	19.1	-
Influenza and pneumonia (470-486)	10	4	6	43.7	25.4	84.1
Bronchitis, emphysema, asthma (490-493)	4	3	1	17.5	19.1	14.0
Cirrhosis of liver (571)	2	2	0	8.7	12.7	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	0	1	4.4	-	14.0
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	5	1	4	10.9	3.7	21.0
Accidents (800-949)	18	12	6	78.7	76.2	84.1
Motor vehicle accidents (810-823)	7	4	3	30.6	25.4	42.1
Suicide (950-959)	1	1	0	4.4	6.4	-
Homicide (960-978)	4	1	3	17.5	6.4	42.1
Ill-defined and unknown# (780-796)	23	10	13	100.6	63.5	182.3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
MARSHALL COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	29	14	15	120.7	153.8	100.5
Diabetes mellitus (250)	1	0	1	4.2	-	6.7
Heart diseases (390-398, 402, 404-429)	82	46	36	341.3	505.4	241.2
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	41	13	28	170.6	142.8	187.6
Arteriosclerosis (440)	3	2	1	12.5	22.0	6.7
Influenza and pneumonia (470-486)	15	1	14	62.4	11.0	93.8
Bronchitis, emphysema, asthma (490-493)	3	3	0	12.5	33.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	1	1	0	4.2	11.0	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	6	1	5	25.0	11.0	33.5
Certain causes of mortality in early infancy (760-778)	7	2	5	11.0	10.6	11.2
Accidents (800-949)	15	8	7	62.4	87.9	46.9
Motor vehicle accidents (810-823)	5	4	1	20.8	44.0	6.7
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	5	0	5	20.8	-	33.5
Ill-defined and unknown# (780-796)	17	4	13	70.8	44.0	87.1
MONROE COUNTY						
Tuberculosis (010-019)	2	1	1	5.9	4.2	9.6
Malignant neoplasms (140-209)	39	30	9	114.6	126.8	86.6
Diabetes mellitus (250)	8	5	3	23.5	21.1	28.9
Heart diseases (390-398, 402, 404-429)	159	119	40	467.0	503.2	384.9
Hypertension (400, 401, 403)	3	1	2	8.8	4.2	19.2
Cerebrovascular disease (430-438)	57	33	24	167.4	139.5	230.9
Arteriosclerosis (440)	6	5	1	17.6	21.1	9.6
Influenza and pneumonia (470-486)	6	3	3	17.6	12.7	28.9
Bronchitis, emphysema, asthma (490-493)	7	7	0	20.6	29.6	-
Cirrhosis of liver (571)	2	2	0	5.9	8.4	-
Nephritis and nephrosis (580-584)	2	1	1	5.9	4.2	9.6
Infections of kidney (590)	1	1	0	2.9	4.2	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	5.9	4.2	9.6
Certain causes of mortality in early infancy (760-778)	12	3	9	16.1	6.4	32.8
Accidents (800-949)	29	20	9	85.2	84.6	86.6
Motor vehicle accidents (810-823)	18	13	5	52.9	55.0	48.1
Suicide (950-959)	3	3	0	8.8	12.7	-
Homicide (960-978)	1	0	1	2.9	-	9.6
Ill-defined and unknown# (780-796)	16	11	5	47.0	46.5	48.1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY AND NESHOPA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
MONTGOMERY COUNTY						
Tuberculosis (010-019)	1	1	0	7.7	14.0	-
Malignant neoplasms (140-209)	22	16	6	170.3	224.7	103.5
Diabetes mellitus (250)	1	1	0	7.7	14.0	-
Heart diseases (390-398, 402, 404-429)	81	61	20	627.0	856.6	345.0
Hypertension (400, 401, 403)	1	1	0	7.7	14.0	-
Cerebrovascular disease (430-438)	20	11	9	154.8	154.5	155.2
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	7	4	3	54.2	56.2	51.8
Bronchitis, emphysema, asthma (490-493)	1	1	0	7.7	14.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	1	0	1	7.7	-	17.2
Infections of kidney (590)	1	0	1	7.7	-	17.2
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.7	14.0	-
Certain causes of mortality in early infancy (760-778)	6	3	3	24.0	30.0	20.0
Accidents (800-949)	15	9	6	116.1	126.4	103.5
Motor vehicle accidents (810-823)	11	7	4	85.2	98.3	69.0
Suicide (950-959)	1	1	0	7.7	14.0	-
Homicide (960-978)	2	0	2	15.5	-	34.5
Ill-defined and unknown# (780-796)	7	2	5	54.2	28.1	86.2
NESHOPA COUNTY						
Tuberculosis (010-019)	1	0	1	4.8	-	17.5
Malignant neoplasms (140-209)	28	21	7	134.6	139.2	122.6
Diabetes mellitus (250)	6	5	1	28.8	33.1	17.5
Heart diseases (390-398, 402, 404-429)	87	77	10	418.2	510.2	175.1
Hypertension (400, 401, 403)	4	1	3	19.2	6.6	52.5
Cerebrovascular disease (430-438)	44	35	9	211.5	231.9	157.6
Arteriosclerosis (440)	5	5	0	24.0	33.1	-
Influenza and pneumonia (470-486)	5	4	1	24.0	26.5	17.5
Bronchitis, emphysema, asthma (490-493)	4	4	0	19.2	26.5	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	4.8	6.6	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	9.6	6.6	17.5
Certain causes of mortality in early infancy (760-778)	4	2	2	8.9	7.5	11.0
Accidents (800-949)	20	15	5	96.1	99.4	87.6
Motor vehicle accidents (810-823)	9	7	2	43.3	46.4	35.0
Suicide (950-959)	5	4	1	24.0	26.5	17.5
Homicide (960-978)	10	2	8	48.1	13.2	140.1
Ill-defined and unknown# (780-796)	27	17	10	129.8	112.6	175.1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
NEWTON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	33	24	9	173.8	179.7	159.8
Diabetes mellitus (250)	6	2	4	31.6	15.0	71.0
Heart diseases (390-398, 402, 404-429)	71	59	12	374.0	441.9	213.1
Hypertension (400, 401, 403)	1	1	0	5.3	7.5	-
Cerebrovascular disease (430-438)	55	32	23	289.7	239.7	408.4
Arteriosclerosis (440)	5	5	0	26.3	37.4	-
Influenza and pneumonia (470-486)	5	1	4	26.3	7.5	71.0
Bronchitis, emphysema, asthma (490-493)	2	1	1	10.5	7.5	17.8
Cirrhosis of liver (571)	2	2	0	10.5	15.0	-
Nephritis and nephrosis (580-584)	2	0	2	10.5	-	35.5
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	1	1	0	277.8	492.6	-
Congenital anomalies (740-759)	3	2	1	15.8	15.0	17.8
Certain causes of mortality in early infancy (760-778)	2	1	1	5.6	4.9	6.4
Accidents (800-949)	17	13	4	89.6	97.4	71.0
Motor vehicle accidents (810-823)	10	9	1	52.7	67.4	17.8
Suicide (950-959)	3	3	0	15.8	22.5	-
Homicide (960-978)	1	0	1	5.3	-	17.8
Ill-defined and unknown# (780-796)	6	4	2	31.6	30.0	35.5
NOXUBEE COUNTY						
Tuberculosis (010-019)	2	0	2	14.0	-	21.2
Malignant neoplasms (140-209)	21	11	10	147.0	227.1	105.9
Diabetes mellitus (250)	4	2	2	28.0	41.3	21.2
Heart diseases (390-398, 402, 404-429)	49	20	29	342.9	412.9	307.1
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	35	6	29	245.0	123.9	307.1
Arteriosclerosis (440)	3	1	2	21.0	20.6	21.2
Influenza and pneumonia (470-486)	5	2	3	35.0	41.3	31.8
Bronchitis, emphysema, asthma (490-493)	2	2	0	14.0	41.3	-
Cirrhosis of liver (571)	1	1	0	7.0	20.6	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	14.0	-	21.2
Certain causes of mortality in early infancy (760-778)	7	1	6	20.3	15.2	21.6
Accidents (800-949)	16	8	8	112.0	165.2	84.7
Motor vehicle accidents (810-823)	10	7	3	70.0	144.5	31.8
Suicide (950-959)	1	0	1	7.0	-	10.6
Homicide (960-978)	1	0	1	7.0	-	10.6
Ill-defined and unknown# (780-796)	21	3	18	147.0	61.9	190.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
OKTIBBEHA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	37	21	16	128.7	113.1	157.1
Diabetes mellitus (250)	9	3	6	31.3	16.2	58.9
Heart diseases (390-398, 402, 404-429)	89	41	48	309.5	220.8	471.4
Hypertension (400, 401, 403)	5	1	4	17.4	5.4	39.3
Cerebrovascular disease (430-438)	39	17	22	135.6	91.6	216.0
Arteriosclerosis (440)	1	0	1	3.5	-	9.8
Influenza and pneumonia (470-486)	1	1	0	3.5	5.4	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	7.0	10.8	-
Cirrhosis of liver (571)	2	1	1	7.0	5.4	9.8
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	3.5	5.4	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	10.4	16.2	-
Certain causes of mortality in early infancy (760-778)	7	3	4	11.7	9.7	13.7
Accidents (800-949)	13	7	6	45.2	37.7	58.9
Motor vehicle accidents (810-823)	8	5	3	27.8	26.9	29.5
Suicide (950-959)	2	2	0	7.0	10.8	-
Homicide (960-978)	4	0	4	13.9	-	39.3
Ill-defined and unknown# (780-796)	6	1	5	20.9	5.4	49.1
PANOLA COUNTY						
Tuberculosis (010-019)	1	1	0	3.7	7.6	-
Malignant neoplasms (140-209)	41	23	18	152.8	176.1	130.7
Diabetes mellitus (250)	9	2	7	33.5	15.3	50.8
Heart diseases (390-398, 402, 404-429)	124	68	56	462.2	520.6	406.7
Hypertension (400, 401, 403)	2	0	2	7.4	-	14.5
Cerebrovascular disease (430-438)	51	21	30	190.1	160.8	217.9
Arteriosclerosis (440)	3	1	2	11.2	7.6	14.5
Influenza and pneumonia (470-486)	9	4	5	33.5	30.6	36.3
Bronchitis, emphysema, asthma (490-493)	10	7	3	37.3	53.6	21.8
Cirrhosis of liver (571)	3	3	0	11.2	23.0	-
Nephritis and nephrosis (580-584)	2	2	0	7.4	15.3	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	7.4	7.6	7.3
Certain causes of mortality in early infancy (760-778)	11	3	8	17.9	13.5	20.4
Accidents (800-949)	24	11	13	89.4	84.2	94.4
Motor vehicle accidents (810-823)	10	5	5	37.3	38.3	36.3
Suicide (950-959)	1	1	0	3.7	7.6	-
Homicide (960-978)	5	0	5	18.6	-	36.3
Ill-defined and unknown# (780-796)	7	0	7	26.1	-	50.8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
PEARL RIVER COUNTY						
Tuberculosis (010-019)	2	2	0	7.2	8.8	-
Malignant neoplasms (140-209)	30	26	4	107.9	114.6	78.2
Diabetes mellitus (250)	7	7	0	25.2	30.8	-
Heart diseases (390-398, 402, 404-429)	112	95	17	402.8	418.7	332.4
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	17	12	5	61.1	52.9	97.8
Arteriosclerosis (440)	1	1	0	3.6	4.4	-
Influenza and pneumonia (470-486)	9	8	1	32.4	35.3	19.6
Bronchitis, emphysema, asthma (490-493)	3	2	1	10.8	8.8	19.6
Cirrhosis of liver (571)	1	1	0	3.6	4.4	-
Nephritis and nephrosis (580-584)	3	3	0	10.8	13.2	-
Infections of kidney (590)	9	8	1	32.4	35.3	19.6
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	10.8	13.2	-
Certain causes of mortality in early infancy (760-778)	10	7	3	16.7	15.2	21.7
Accidents (800-949)	26	21	5	93.5	92.6	97.8
Motor vehicle accidents (810-823)	11	10	1	39.6	44.1	19.6
Suicide (950-959)	2	2	0	7.2	8.8	-
Homicide (960-978)	4	2	2	14.4	8.8	39.1
Ill-defined and unknown# (780-796)	16	14	2	57.5	61.7	39.1
PERRY COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	10	8	2	110.3	119.9	83.6
Diabetes mellitus (250)	1	1	0	11.0	15.0	-
Heart diseases (390-398, 402, 404-429)	26	18	8	286.8	269.7	334.6
Hypertension (400, 401, 403)	1	1	0	11.0	15.0	-
Cerebrovascular disease (430-438)	9	4	5	99.3	59.9	209.1
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	1	0	1	11.0	-	41.8
Bronchitis, emphysema, asthma (490-493)	1	1	0	11.0	15.0	-
Cirrhosis of liver (571)	1	1	0	11.0	15.0	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	0	1	11.0	-	41.8
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	1	1	0	5.2	7.6	-
Accidents (800-949)	17	14	3	187.5	209.8	125.5
Motor vehicle accidents (810-823)	13	12	1	143.4	179.8	41.8
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	2	0	2	22.1	-	83.6
Ill-defined and unknown# (780-796)	6	3	3	66.2	45.0	125.5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
PIKE COUNTY						
Tuberculosis (010-019)	1	1	0	3.1	5.6	-
Malignant neoplasms (140-209)	58	39	19	182.6	217.8	137.2
Diabetes mellitus (250)	12	7	5	37.8	39.1	36.1
Heart diseases (390-398, 402, 404-429)	151	89	62	475.5	497.1	447.6
Hypertension (400, 401, 403)	2	1	1	6.3	5.6	7.2
Cerebrovascular disease (430-438)	60	43	17	188.9	240.2	122.7
Arteriosclerosis (440)	4	4	0	12.6	22.3	-
Influenza and pneumonia (470-486)	13	9	4	40.9	50.3	28.9
Bronchitis, emphysema, asthma (490-493)	5	2	3	15.7	11.2	21.6
Cirrhosis of liver (571)	5	3	2	15.7	16.8	14.4
Nephritis and nephrosis (580-584)	2	0	2	6.3	-	14.4
Infections of kidney (590)	2	2	0	6.3	11.2	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	3.1	5.6	-
Certain causes of mortality in early infancy (760-778)	6	2	4	9.2	7.1	10.8
Accidents (800-949)	28	16	12	88.2	89.4	86.6
Motor vehicle accidents (810-823)	18	9	9	56.7	50.3	65.0
Suicide (950-959)	3	3	0	9.4	16.8	-
Homicide (960-978)	10	2	8	31.5	11.2	57.7
Ill-defined and unknown# (780-796)	39	10	29	122.8	55.8	209.3
PONTOTOC COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	29	25	4	167.0	175.4	128.6
Diabetes mellitus (250)	3	3	0	17.3	21.0	-
Heart diseases (390-398, 402, 404-429)	97	85	12	558.6	596.3	386.0
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	36	29	7	207.3	203.4	225.2
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	6	5	1	34.6	35.1	32.2
Bronchitis, emphysema, asthma (490-493)	3	3	0	17.3	21.0	-
Cirrhosis of liver (571)	1	1	0	5.8	7.0	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	5.8	7.0	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	5.8	7.0	-
Certain causes of mortality in early infancy (760-778)	6	4	2	20.3	16.5	37.7
Accidents (800-949)	24	16	8	138.2	112.2	257.3
Motor vehicle accidents (810-823)	19	11	8	109.4	77.2	257.3
Suicide (950-959)	3	3	0	17.3	21.0	-
Homicide (960-978)	2	0	2	11.5	-	64.3
Ill-defined and unknown# (780-796)	5	4	1	28.8	28.1	32.2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
PRENTISS COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	30	28	2	149.0	157.5	84.8
Diabetes mellitus (250)	6	5	1	29.8	28.1	42.4
Heart diseases (390-398, 402, 404-429)	78	67	11	387.4	376.9	466.7
Hypertension (400, 401, 403)	1	0	1	5.0	-	42.4
Cerebrovascular disease (430-438)	26	24	2	129.1	135.0	84.8
Arteriosclerosis (440)	3	3	0	14.9	16.9	-
Influenza and pneumonia (470-486)	5	5	0	24.8	28.1	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	9.9	11.2	-
Cirrhosis of liver (571)	3	3	0	14.9	16.9	-
Nephritis and nephrosis (580-584)	1	1	0	5.0	5.6	-
Infections of kidney (590)	3	3	0	14.9	16.9	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	14.9	16.9	-
Certain causes of mortality in early infancy (760-778)	4	3	1	10.0	8.8	17.5
Accidents (800-949)	17	17	0	84.4	95.6	-
Motor vehicle accidents (810-823)	10	10	0	49.7	56.2	-
Suicide (950-959)	2	2	0	9.9	11.2	-
Homicide (960-978)	1	1	0	5.0	5.6	-
Ill-defined and unknown# (780-796)	10	8	2	49.7	45.0	84.8
QUITMAN COUNTY						
Tuberculosis (010-019)	2	0	2	12.6	-	21.7
Malignant neoplasms (140-209)	23	12	11	144.8	179.4	119.6
Diabetes mellitus (250)	2	2	0	12.6	29.9	-
Heart diseases (390-398, 402, 404-429)	53	23	30	333.6	344.0	326.0
Hypertension (400, 401, 403)	3	1	2	18.9	15.0	21.7
Cerebrovascular disease (430-438)	26	10	16	163.6	149.5	173.9
Arteriosclerosis (440)	1	1	0	6.3	15.0	-
Influenza and pneumonia (470-486)	2	1	1	12.6	15.0	10.9
Bronchitis, emphysema, asthma (490-493)	4	3	1	25.2	44.9	10.9
Cirrhosis of liver (571)	1	1	0	6.3	15.0	-
Nephritis and nephrosis (580-584)	1	0	1	6.3	-	10.9
Infections of kidney (590)	3	1	2	18.9	15.0	21.7
Maternal causes (630-678)	1	0	1	238.7	-	334.4
Congenital anomalies (740-759)	2	1	1	12.6	15.0	10.9
Certain causes of mortality in early infancy (760-778)	7	1	6	16.7	8.3	20.1
Accidents (800-949)	14	9	5	88.1	134.6	54.3
Motor vehicle accidents (810-823)	7	5	2	44.0	74.8	21.7
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	4	1	3	25.2	15.0	32.6
Ill-defined and unknown# (780-796)	6	0	6	37.8	-	65.2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
RANKIN COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	46	36	10	104.7	114.2	80.6
Diabetes mellitus (250)	9	3	6	20.5	9.5	48.4
Heart diseases (390-398, 402, 404-429)	89	66	23	202.6	209.3	185.4
Hypertension (400, 401, 403)	1	1	0	2.3	3.2	-
Cerebrovascular disease (430-438)	34	16	18	77.4	50.7	145.1
Arteriosclerosis (440)	2	1	1	4.6	3.2	8.1
Influenza and pneumonia (470-486)	6	3	3	13.6	9.5	24.2
Bronchitis, emphysema, asthma (490-493)	4	4	0	9.1	12.7	-
Cirrhosis of liver (571)	3	3	0	6.8	9.5	-
Nephritis and nephrosis (580-584)	4	2	2	9.1	6.3	16.1
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	11	8	3	12.7	12.7	12.5
Accidents (800-949)	39	24	15	88.8	76.1	120.9
Motor vehicle accidents (810-823)	18	11	7	41.0	34.9	56.4
Suicide (950-959)	3	3	0	6.8	9.5	-
Homicide (960-978)	8	2	6	18.2	6.3	48.4
Ill-defined and unknown# (780-796)	30	13	17	68.3	41.2	137.0
SCOTT COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	41	31	10	191.9	217.5	140.5
Diabetes mellitus (250)	7	2	5	32.8	14.0	70.3
Heart diseases (390-398, 402, 404-429)	102	70	32	477.3	491.1	449.8
Hypertension (400, 401, 403)	1	0	1	4.7	-	14.0
Cerebrovascular disease (430-438)	35	22	13	163.8	154.3	182.7
Arteriosclerosis (440)	12	11	1	56.2	77.2	14.0
Influenza and pneumonia (470-486)	4	2	2	18.7	14.0	28.1
Bronchitis, emphysema, asthma (490-493)	2	2	0	9.4	14.0	-
Cirrhosis of liver (571)	2	2	0	9.4	14.0	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	4.7	7.0	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	5	1	4	23.4	7.0	56.2
Certain causes of mortality in early infancy (760-778)	13	7	6	25.7	26.8	24.5
Accidents (800-949)	19	16	3	88.9	112.2	42.2
Motor vehicle accidents (810-823)	12	10	2	56.2	70.2	28.1
Suicide (950-959)	1	0	1	4.7	-	14.0
Homicide (960-978)	4	1	3	18.7	7.0	42.2
Ill-defined and unknown# (780-796)	9	0	9	42.1	-	126.5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
SHARKEY COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	14	4	10	156.6	128.0	172.0
Diabetes mellitus (250)	1	0	1	11.2	-	17.2
Heart diseases (390-398, 402, 404-429)	34	12	22	380.4	384.0	378.5
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	10	4	6	111.9	128.0	103.2
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	2	0	2	22.4	-	34.4
Bronchitis, emphysema, asthma (490-493)	1	1	0	11.2	32.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	22.4	32.0	17.2
Certain causes of mortality in early infancy (760-778)	7	1	6	28.9	21.7	30.6
Accidents (800-949)	28	9	19	313.3	288.0	326.9
Motor vehicle accidents (810-823)	6	2	4	67.1	64.0	68.8
Suicide (950-959)	2	1	1	22.4	32.0	17.2
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	5	1	4	55.9	32.0	68.8
SIMPSON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	43	29	14	215.6	212.0	223.3
Diabetes mellitus (250)	3	2	1	15.0	14.6	16.0
Heart diseases (390-398, 402, 404-429)	81	60	21	406.1	438.7	335.0
Hypertension (400, 401, 403)	2	0	2	10.0	-	31.9
Cerebrovascular disease (430-438)	27	17	10	135.4	124.3	159.5
Arteriosclerosis (440)	3	1	2	15.0	7.3	31.9
Influenza and pneumonia (470-486)	6	4	2	30.1	29.2	31.9
Bronchitis, emphysema, asthma (490-493)	2	2	0	10.0	14.6	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	10	5	5	50.1	36.6	79.8
Maternal causes (630-678)	1	0	1	246.9	-	529.1
Congenital anomalies (740-759)	2	1	1	10.0	7.3	16.0
Certain causes of mortality in early infancy (760-778)	9	1	8	22.2	4.6	42.3
Accidents (800-949)	20	14	6	100.3	102.4	95.7
Motor vehicle accidents (810-823)	13	9	4	65.2	65.8	63.8
Suicide (950-959)	1	1	0	5.0	7.3	-
Homicide (960-978)	1	1	0	5.0	7.3	-
Ill-defined and unknown# (780-796)	11	4	7	55.1	29.2	111.7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
SMITH COUNTY						
Tuberculosis (010-019)	1	1	0	7.4	9.4	-
Malignant neoplasms (140-209)	21	19	2	154.8	179.1	67.8
Diabetes mellitus (250)	2	0	2	14.7	-	67.8
Heart diseases (390-398, 402, 404-429)	67	59	8	494.1	556.1	271.0
Hypertension (400, 401, 403)	1	1	0	7.4	9.4	-
Cerebrovascular disease (430-438)	23	19	4	169.6	179.1	135.5
Arteriosclerosis (440)	5	5	0	36.9	47.1	-
Influenza and pneumonia (470-486)	6	3	3	44.2	28.3	101.6
Bronchitis, emphysema, asthma (490-493)	3	3	0	22.1	28.3	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	0	1	7.4	-	33.9
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	7.4	-	33.9
Certain causes of mortality in early infancy (760-778)	4	2	2	14.0	11.1	18.9
Accidents (800-949)	9	6	3	66.4	56.6	101.6
Motor vehicle accidents (810-823)	7	5	2	51.6	47.1	67.8
Suicide (950-959)	3	3	0	22.1	28.3	-
Homicide (960-978)	1	0	1	7.4	-	33.9
Ill-defined and unknown# (780-796)	5	3	2	36.9	28.3	67.8
STONE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	14	10	4	172.8	160.8	212.6
Diabetes mellitus (250)	2	2	0	24.7	32.2	-
Heart diseases (390-398, 402, 404-429)	44	35	9	543.1	562.7	478.5
Hypertension (400, 401, 403)	1	1	0	12.3	16.1	-
Cerebrovascular disease (430-438)	11	4	7	135.8	64.3	372.1
Arteriosclerosis (440)	2	2	0	24.7	32.2	-
Influenza and pneumonia (470-486)	3	2	1	37.0	32.2	53.2
Bronchitis, emphysema, asthma (490-493)	2	1	1	24.7	16.1	53.2
Cirrhosis of liver (571)	4	3	1	49.4	48.2	53.2
Nephritis and nephrosis (580-584)	3	1	2	37.0	16.1	106.3
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	6	5	1	30.4	39.7	14.1
Accidents (800-949)	8	6	2	98.8	96.5	106.3
Motor vehicle accidents (810-823)	7	6	1	86.4	96.5	53.2
Suicide (950-959)	1	1	0	12.3	16.1	-
Homicide (960-978)	2	1	1	24.7	16.1	53.2
Ill-defined and unknown# (780-796)	4	4	0	49.4	64.3	-

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used in ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
SUNFLOWER COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	56	27	29	151.2	198.2	123.8
Diabetes mellitus (250)	10	6	4	27.0	44.0	17.1
Heart diseases (390-398, 402, 404-429)	144	57	87	388.7	418.5	371.4
Hypertension (400, 401, 403)	1	1	0	2.7	7.3	-
Cerebrovascular disease (430-438)	60	14	46	162.0	102.8	196.3
Arteriosclerosis (440)	7	3	4	18.9	22.0	17.1
Influenza and pneumonia (470-486)	11	3	8	29.7	22.0	34.1
Bronchitis, emphysema, asthma (490-493)	5	4	1	13.5	29.4	4.3
Cirrhosis of liver (571)	4	2	2	10.8	14.7	8.5
Nephritis and nephrosis (580-584)	3	1	2	8.1	7.3	8.5
Infections of kidney (590)	7	1	6	18.9	7.3	25.6
Maternal causes (630-678)	1	0	1	108.7	-	141.0
Congenital anomalies (740-759)	3	1	2	8.1	7.3	8.5
Certain causes of mortality in early infancy (760-778)	12	3	9	13.0	14.2	12.7
Accidents (800-949)	53	18	35	143.1	132.2	149.4
Motor vehicle accidents (810-823)	13	8	5	35.1	58.7	21.3
Suicide (950-959)	8	8	0	21.6	58.7	-
Homicide (960-978)	8	3	5	21.6	22.0	21.3
Ill-defined and unknown# (780-796)	14	1	13	37.8	7.3	55.5
TALLAHATCHIE COUNTY						
Tuberculosis (010-019)	1	0	1	5.2	-	8.6
Malignant neoplasms (140-209)	30	6	24	155.1	78.4	205.5
Diabetes mellitus (250)	4	1	3	20.7	13.0	25.7
Heart diseases (390-398, 402, 404-429)	90	47	43	465.4	613.8	368.1
Hypertension (400, 401, 403)	2	0	2	10.3	-	17.1
Cerebrovascular disease (430-438)	25	13	12	129.3	169.8	102.7
Arteriosclerosis (440)	4	2	2	20.7	26.1	17.1
Influenza and pneumonia (470-486)	4	1	3	20.7	13.0	25.7
Bronchitis, emphysema, asthma (490-493)	3	2	1	15.5	26.1	8.6
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	5.2	13.0	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	10.3	13.0	8.6
Certain causes of mortality in early infancy (760-778)	4	1	3	8.8	7.8	9.2
Accidents (800-949)	12	6	6	62.0	78.4	51.4
Motor vehicle accidents (810-823)	7	4	3	36.2	52.2	25.7
Suicide (950-959)	2	2	0	10.3	26.1	-
Homicide (960-978)	6	0	6	31.0	-	51.4
Ill-defined and unknown# (780-796)	15	1	14	77.6	13.0	119.8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
TATE COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	23	13	10	124.0	133.0	114.1
Diabetes mellitus (250)	3	2	1	16.2	20.4	11.4
Heart diseases (390-398, 402, 404-429)	77	46	31	415.2	470.5	353.6
Hypertension (400, 401, 403)	3	2	1	16.2	20.4	11.4
Cerebrovascular disease (430-438)	19	11	8	102.4	112.5	91.2
Arteriosclerosis (440)	1	1	0	5.4	10.2	-
Influenza and pneumonia (470-486)	2	2	0	10.8	20.4	-
Bronchitis, emphysema, asthma (490-493)	2	2	0	10.8	20.4	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	2	2	0	10.8	20.4	-
Maternal causes (630-678)	3	0	3	806.4	-	1321.6
Congenital anomalies (740-759)	3	3	0	16.2	30.7	-
Certain causes of mortality in early infancy (760-778)	5	1	4	13.4	6.9	17.6
Accidents (800-949)	12	6	6	64.7	61.4	68.4
Motor vehicle accidents (810-823)	8	3	5	43.1	30.7	57.0
Suicide (950-959)	2	2	0	10.8	20.4	-
Homicide (960-978)	1	0	1	5.4	-	11.4
Ill-defined and unknown# (780-796)	6	1	5	32.4	10.2	57.0
TIPPAH COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	15	12	3	94.6	90.5	115.7
Diabetes mellitus (250)	6	6	0	37.8	45.2	-
Heart diseases (390-398, 402, 404-429)	82	75	7	517.3	565.6	270.1
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	21	18	3	132.5	135.7	115.7
Arteriosclerosis (440)	1	1	0	6.3	7.5	-
Influenza and pneumonia (470-486)	2	1	1	12.6	7.5	38.6
Bronchitis, emphysema, asthma (490-493)	1	1	0	6.3	7.5	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	3	2	1	18.9	15.1	38.6
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	3	2	1	9.1	7.8	14.3
Accidents (800-949)	14	11	3	88.3	83.0	115.7
Motor vehicle accidents (810-823)	10	7	3	63.1	52.8	115.7
Suicide (950-959)	2	2	0	12.6	15.1	-
Homicide (960-978)	3	2	1	18.9	15.1	38.6
Ill-defined and unknown# (780-796)	5	5	0	31.5	37.7	-

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
TISHOMINGO COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	25	25	0	167.3	175.2	-
Diabetes mellitus (250)	5	4	1	33.5	28.0	148.8
Heart diseases (390-398, 402, 404-429)	57	54	3	381.5	378.5	446.4
Hypertension (400, 401, 403)	3	3	0	20.1	21.0	-
Cerebrovascular disease (430-438)	15	15	0	100.4	105.1	-
Arteriosclerosis (440)	1	1	0	6.7	7.0	-
Influenza and pneumonia (470-486)	3	3	0	20.1	21.0	-
Bronchitis, emphysema, asthma (490-493)	4	4	0	26.8	28.0	-
Cirrhosis of liver (571)	1	1	0	6.7	7.0	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	2	0	9.3	10.0	-
Accidents (800-949)	23	23	0	153.9	161.2	-
Motor vehicle accidents (810-823)	12	12	0	80.3	84.1	-
Suicide (950-959)	2	2	0	13.4	14.0	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	14	11	3	93.7	77.1	446.4
TUNICA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	17	4	13	143.4	124.0	150.6
Diabetes mellitus (250)	0	0	0	-	-	-
Heart diseases (390-398, 402, 404-429)	54	16	38	455.5	496.1	440.4
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	18	2	16	151.8	62.0	185.4
Arteriosclerosis (440)	1	0	1	8.4	-	11.6
Influenza and pneumonia (470-486)	5	0	5	42.2	-	57.9
Bronchitis, emphysema, asthma (490-493)	1	1	0	8.4	31.0	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	1	0	1	8.4	-	11.6
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	8.4	-	11.6
Certain causes of mortality in early infancy (760-778)	4	1	3	12.7	17.8	11.6
Accidents (800-949)	4	0	4	33.7	-	46.4
Motor vehicle accidents (810-823)	1	0	1	8.4	-	11.6
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	2	0	2	16.9	-	23.2
Ill-defined and unknown# (780-796)	13	0	13	109.7	-	150.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
UNION COUNTY						
Tuberculosis (010-019)	1	1	0	5.2	6.2	-
Malignant neoplasms (140-209)	31	26	5	162.3	161.0	169.4
Diabetes mellitus (250)	2	2	0	10.5	12.4	-
Heart diseases (390-398, 402, 404-429)	75	69	6	392.8	427.4	203.3
Hypertension (400, 401, 403)	1	1	0	5.2	6.2	-
Cerebrovascular disease (430-438)	19	15	4	99.5	92.9	135.5
Arteriosclerosis (440)	4	4	0	20.9	24.8	-
Influenza and pneumonia (470-486)	7	5	2	36.6	31.0	67.8
Bronchitis, emphysema, asthma (490-493)	1	1	0	5.2	6.2	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	2	1	1	10.5	6.2	33.9
Infections of kidney (590)	7	5	2	36.6	31.0	67.8
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	5	4	1	14.9	15.0	14.5
Accidents (800-949)	16	11	5	83.8	68.1	169.4
Motor vehicle accidents (810-823)	10	6	4	52.4	37.2	135.5
Suicide (950-959)	3	3	0	15.7	18.6	-
Homicide (960-978)	2	1	1	10.5	6.2	33.9
Ill-defined and unknown# (780-796)	33	22	11	172.8	136.3	372.8
WALTHALL COUNTY						
Tuberculosis (010-019)	1	1	0	8.0	13.5	-
Malignant neoplasms (140-209)	22	12	10	176.0	162.1	196.2
Diabetes mellitus (250)	8	5	3	64.0	67.5	58.8
Heart diseases (390-398, 402, 404-429)	54	43	11	432.0	580.8	215.8
Hypertension (400, 401, 403)	1	0	1	8.0	-	19.6
Cerebrovascular disease (430-438)	20	10	10	160.0	135.1	196.2
Arteriosclerosis (440)	2	1	1	16.0	13.5	19.6
Influenza and pneumonia (470-486)	2	1	1	16.0	13.5	19.6
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	0	0	0	-	-	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	3	2	1	24.0	27.0	19.6
Certain causes of mortality in early infancy (760-778)	7	4	3	27.6	35.7	21.1
Accidents (800-949)	14	7	7	112.0	94.6	137.3
Motor vehicle accidents (810-823)	10	6	4	80.0	81.0	78.5
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	6	1	5	48.0	13.5	98.1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
WARREN COUNTY						
Tuberculosis (010-019)	2	1	1	4.4	3.8	5.4
Malignant neoplasms (140-209)	93	42	51	206.8	158.6	275.6
Diabetes mellitus (250)	15	7	8	33.3	26.4	43.2
Heart diseases (390-398, 402, 404-429)	171	88	83	380.2	332.4	448.5
Hypertension (400, 401, 403)	5	3	2	11.1	11.3	10.8
Cerebrovascular disease (430-438)	52	25	27	115.6	94.4	145.9
Arteriosclerosis (440)	2	0	2	4.4	-	10.8
Influenza and pneumonia (470-486)	5	4	1	11.1	15.1	5.4
Bronchitis, emphysema, asthma (490-493)	10	8	2	22.2	30.2	10.8
Cirrhosis of liver (571)	3	3	0	6.7	11.3	-
Nephritis and nephrosis (580-584)	4	4	0	8.9	15.1	-
Infections of kidney (590)	2	2	0	4.4	7.6	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	8	6	2	17.8	22.7	10.8
Certain causes of mortality in early infancy (760-778)	22	6	16	22.0	11.9	32.4
Accidents (800-949)	44	18	26	97.8	68.0	140.5
Motor vehicle accidents (810-823)	10	5	5	22.2	18.9	27.0
Suicide (950-959)	1	1	0	2.2	3.8	-
Homicide (960-978)	10	2	8	22.2	7.6	43.2
Ill-defined and unknown# (780-796)	57	12	45	126.7	45.3	243.2
WASHINGTON COUNTY						
Tuberculosis (010-019)	1	0	1	1.4	-	2.6
Malignant neoplasms (140-209)	106	45	61	150.2	141.5	157.3
Diabetes mellitus (250)	17	2	15	24.1	6.3	38.7
Heart diseases (390-398, 402, 404-429)	231	95	136	327.3	298.7	350.7
Hypertension (400, 401, 403)	15	0	15	21.2	-	38.7
Cerebrovascular disease (430-438)	105	36	69	148.8	113.2	177.9
Arteriosclerosis (440)	4	2	2	5.7	6.3	5.2
Influenza and pneumonia (470-486)	23	7	16	32.6	22.0	41.3
Bronchitis, emphysema, asthma (490-493)	8	6	2	11.3	18.9	5.2
Cirrhosis of liver (571)	4	0	4	5.7	-	10.3
Nephritis and nephrosis (580-584)	5	1	4	7.1	3.1	10.3
Infections of kidney (590)	5	1	4	7.1	3.1	10.3
Maternal causes (630-678)	1	1	0	53.7	166.4	-
Congenital anomalies (740-759)	8	3	5	11.3	9.4	12.9
Certain causes of mortality in early infancy (760-778)	24	4	20	12.9	6.6	15.9
Accidents (800-949)	68	34	34	96.3	106.9	87.7
Motor vehicle accidents (810-823)	34	21	13	48.2	66.0	33.5
Suicide (950-959)	9	9	0	12.8	28.3	-
Homicide (960-978)	17	0	17	24.1	-	43.8
Ill-defined and unknown# (780-796)	70	13	57	99.2	40.9	147.0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
WAYNE COUNTY						
Tuberculosis (010-019)	1	1	0	6.0	9.0	-
Malignant neoplasms (140-209)	23	17	6	138.1	152.2	109.5
Diabetes mellitus (250)	5	3	2	30.0	26.9	36.5
Heart diseases (390-398, 402, 404-429)	44	25	19	264.3	223.8	346.6
Hypertension (400, 401, 403)	6	2	4	36.0	17.9	73.0
Cerebrovascular disease (430-438)	25	15	10	150.2	134.3	182.4
Arteriosclerosis (440)	1	1	0	6.0	9.0	-
Influenza and pneumonia (470-486)	4	1	3	24.0	9.0	54.7
Bronchitis, emphysema, asthma (490-493)	1	1	0	6.0	9.0	-
Cirrhosis of liver (571)	3	3	0	18.0	26.9	-
Nephritis and nephrosis (580-584)	1	0	1	6.0	-	18.2
Infections of kidney (590)	3	3	0	18.0	26.9	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	6.0	9.0	-
Certain causes of mortality in early infancy (760-778)	4	2	2	11.1	9.6	13.2
Accidents (800-949)	20	16	4	120.1	143.2	73.0
Motor vehicle accidents (810-823)	12	10	2	72.1	89.5	36.5
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	6	3	3	36.0	26.9	54.7
Ill-defined and unknown# (780-796)	13	5	8	78.1	44.8	146.0
WEBSTER COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	18	13	5	179.2	166.9	221.4
Diabetes mellitus (250)	1	0	1	10.0	-	44.3
Heart diseases (390-398, 402, 404-429)	54	46	8	537.5	590.6	354.3
Hypertension (400, 401, 403)	1	0	1	10.0	-	44.3
Cerebrovascular disease (430-438)	19	17	2	189.1	218.2	88.6
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	3	2	1	29.8	25.7	44.3
Bronchitis, emphysema, asthma (490-493)	1	1	0	10.0	12.8	-
Cirrhosis of liver (571)	1	1	0	10.0	12.8	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	10.0	12.8	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-
Certain causes of mortality in early infancy (760-778)	2	1	1	12.6	10.6	15.6
Accidents (800-949)	7	6	1	69.7	77.0	44.3
Motor vehicle accidents (810-823)	7	6	1	69.7	77.0	44.3
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	1	1	0	10.0	12.8	-
Ill-defined and unknown# (780-796)	2	0	2	19.9	-	88.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
WILKINSON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	21	12	9	189.2	334.4	119.8
Diabetes mellitus (250)	3	1	2	27.0	27.9	26.6
Heart diseases (390-398, 402, 404-429)	46	26	20	414.4	724.6	266.3
Hypertension (400, 401, 403)	1	0	1	9.0	-	13.3
Cerebrovascular disease (430-438)	14	4	10	126.1	111.5	133.1
Arteriosclerosis (440)	1	0	1	9.0	-	13.3
Influenza and pneumonia (470-486)	4	1	3	36.0	27.9	39.9
Bronchitis, emphysema, asthma (490-493)	0	0	0	-	-	-
Cirrhosis of liver (571)	2	0	2	18.0	-	26.6
Nephritis and nephrosis (580-584)	1	0	1	9.0	-	13.3
Infections of kidney (590)	1	0	1	9.0	-	13.3
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	9.0	-	13.3
Certain causes of mortality in early infancy (760-778)	4	1	3	17.8	18.5	17.5
Accidents (800-949)	4	2	2	36.0	55.7	26.6
Motor vehicle accidents (810-823)	1	0	1	9.0	-	13.3
Suicide (950-959)	1	1	0	9.0	27.9	-
Homicide (960-978)	6	2	4	54.0	55.7	53.2
Ill-defined and unknown# (780-796)	4	0	4	36.0	-	53.2
WINSTON COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	26	21	5	141.2	189.8	68.1
Diabetes mellitus (250)	6	3	3	32.6	27.1	40.9
Heart diseases (390-398, 402, 404-429)	80	50	30	434.6	451.9	408.7
Hypertension (400, 401, 403)	1	1	0	5.4	9.0	-
Cerebrovascular disease (430-438)	36	22	14	195.6	198.8	190.7
Arteriosclerosis (440)	0	0	0	-	-	-
Influenza and pneumonia (470-486)	3	2	1	16.3	18.1	13.6
Bronchitis, emphysema, asthma (490-493)	1	1	0	5.4	9.0	-
Cirrhosis of liver (571)	1	1	0	5.4	9.0	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	10.9	9.0	13.6
Certain causes of mortality in early infancy (760-778)	4	1	3	10.4	6.2	13.4
Accidents (800-949)	24	14	10	130.4	126.5	136.2
Motor vehicle accidents (810-823)	14	7	7	76.1	63.3	95.4
Suicide (950-959)	2	2	0	10.9	18.1	-
Homicide (960-978)	2	0	2	10.9	-	27.2
Ill-defined and unknown# (780-796)	8	4	4	43.5	36.2	54.5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
YALOBUSHA COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	22	20	2	184.6	282.8	41.3
Diabetes mellitus (250)	3	3	0	25.2	42.4	-
Heart diseases (390-398, 402, 404-429)	57	39	18	478.4	551.5	371.6
Hypertension (400, 401, 403)	0	0	0	-	-	-
Cerebrovascular disease (430-438)	28	17	11	235.0	240.4	227.1
Arteriosclerosis (440)	2	2	0	16.8	28.3	-
Influenza and pneumonia (470-486)	6	5	1	50.4	70.7	20.6
Bronchitis, emphysema, asthma (490-493)	2	1	1	16.8	14.1	20.6
Cirrhosis of liver (571)	5	5	0	42.0	70.7	-
Nephritis and nephrosis (580-584)	0	0	0	-	-	-
Infections of kidney (590)	1	1	0	8.4	14.1	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	8.4	14.1	-
Certain causes of mortality in early infancy (760-778)	2	0	2	8.6	-	15.3
Accidents (800-949)	14	9	5	117.5	127.3	103.2
Motor vehicle accidents (810-823)	5	5	0	42.0	70.7	-
Suicide (950-959)	0	0	0	-	-	-
Homicide (960-978)	0	0	0	-	-	-
Ill-defined and unknown# (780-796)	3	1	2	25.2	14.1	41.3
YAZOO COUNTY						
Tuberculosis (010-019)	0	0	0	-	-	-
Malignant neoplasms (140-209)	41	25	16	150.2	197.0	109.5
Diabetes mellitus (250)	7	2	5	25.6	15.8	34.2
Heart diseases (390-398, 402, 404-429)	82	31	51	300.3	244.3	349.0
Hypertension (400, 401, 403)	4	1	3	14.6	7.9	20.5
Cerebrovascular disease (430-438)	40	12	28	146.5	94.6	191.6
Arteriosclerosis (440)	9	5	4	33.0	39.4	27.4
Influenza and pneumonia (470-486)	6	2	4	22.0	15.8	27.4
Bronchitis, emphysema, asthma (490-493)	3	2	1	11.0	15.8	6.8
Cirrhosis of liver (571)	2	2	0	7.3	15.8	-
Nephritis and nephrosis (580-584)	4	1	3	14.6	7.9	20.5
Infections of kidney (590)	1	1	0	3.7	7.9	-
Maternal causes (630-678)	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	7.3	15.8	-
Certain causes of mortality in early infancy (760-778)	6	3	3	11.0	15.5	8.6
Accidents (800-949)	39	21	18	142.8	165.5	123.2
Motor vehicle accidents (810-823)	20	14	6	73.2	110.3	41.0
Suicide (950-959)	1	1	0	3.7	7.9	-
Homicide (960-978)	4	0	4	14.6	-	27.4
Ill-defined and unknown# (780-796)	54	9	45	197.8	70.9	307.9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.

TABLE 17
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MISSISSIPPI, 1971

Cause and International Classification Number*	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	44	21	23	2.0	1.5	2.8
Malignant neoplasms (140-209)	3346	2222	1124	150.9	159.5	136.5
Diabetes mellitus (250)	438	211	227	19.8	15.1	27.6
Heart diseases (390-398, 402, 404-429)	7658	5053	2605	345.4	362.7	316.3
Hypertension (400, 401, 403)	179	63	116	8.1	4.5	14.1
Cerebrovascular disease (430-438)	2961	1671	1290	133.6	119.9	156.6
Arteriosclerosis (440)	262	186	76	11.8	13.3	9.2
Influenza and pneumonia (470-486)	602	335	267	27.2	24.0	32.4
Bronchitis, emphysema, asthma (490-493)	286	234	52	12.9	16.8	6.3
Cirrhosis of liver (571)	178	145	33	8.0	10.4	4.0
Nephritis and nephrosis (580-584)	142	62	80	6.4	4.4	9.7
Infections of kidney (590)	131	85	46	5.9	6.1	5.6
Maternal causes (630-678)	21	5	16	43.2	19.8	68.4
Congenital anomalies (740-759)	203	130	73	9.2	9.3	8.9
Certain causes of mortality in early infancy (760-778)	685	279	406	14.1	11.1	17.3
Accidents (800-949)	1976	1196	780	89.1	85.8	94.7
Motor vehicle accidents (810-823)	984	680	304	44.4	48.8	36.9
Suicide (950-959)	210	187	23	9.5	13.4	2.8
Homicide (960-978)	327	74	253	14.8	5.3	30.7
Ill-defined and unknown# (780-796)	1689	605	1084	76.2	43.4	131.6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain causes of mortality in early infancy are per 1,000 live births.

Not to be used for ranking.